

April 10, 2026 (revised June 19, 2026)

Tena Seeds
Washington State Department of Ecology
Northwest Regional Office
15700 Dayton Avenue North
Shoreline, Washington 98133

Re: Fourth Quarter 2025 Groundwater and Soil Vapor Monitoring Data Report
American Linen Supply Co Dexter Ave Site
Facility Site ID No. 3573 | Cleanup Site ID No. 21004
Agreed Order No. DE 14302

Dear Tena:

Geosyntec Consultants, Inc. (Geosyntec), on behalf of BMR-Dexter, LLC (BMRD), prepared this letter to report the groundwater and soil vapor monitoring data for the Fourth Quarter 2025 (Q4 2025) event at the American Linen Supply Co. Dexter Ave Site (Site) located at 700 Dexter Avenue North in Seattle, Washington (Property; Figure 1). For the purpose of this report, the word “Site” will refer to an area where contamination released at the Property, and contamination potentially released at other properties that is comingled with contamination released at the Property, has come to be located.

Groundwater and soil vapor monitoring has occurred at the Site on a quarterly basis since implementation of the ongoing Interim Actions (IA) began in 2018, in accordance with Agreed Order No. DE 14302 (AO) between the Washington State Department of Ecology (Ecology) and BMRD, the Property owner. The Q4 2025 monitoring event was conducted in accordance with the “2025 Groundwater and Soil Vapor Monitoring Plan” (2025 Monitoring Plan; Aspect, 2025a), approved by Ecology via email dated April 25, 2025. The current monitoring network, including those groundwater monitoring wells and soil vapor probes sampled during the Q4 2025 event, is shown on Figure 2.

Groundwater and soil vapor results from the Q4 2025 monitoring event are shown in Tables 1 through 3 and summarized on Figures 3 through 12. The Q4 2025 results show volatile organic compounds (VOCs) including tetrachloroethene (PCE), trichloroethene (TCE), cis-1,2-dichloroethene (cDCE), vinyl chloride (VC), trans-1,2-dichloroethene (tDCE), 1,1-dichloroethene (1,1-DCE), and benzene in groundwater exceeding the Site-specific Preliminary Cleanup Levels (PCULs; NV5, 2026). No VOCs were detected above vapor intrusion screening levels¹ in soil vapor samples collected during the Q4 2025 event.

¹ Model Toxics Control Act (MTCA) Method B Soil Gas Screening Level for the unrestricted/residential scenario, the lowest of the cancer and noncancer values, in the most recently published version of the Cleanup Level and Risk Calculation (CLARC) tables dated February 2025.

Background

Historical use of the Property as a commercial dry cleaner operation known as American Linen Supply Company resulted in releases of chlorinated volatile organic compounds (CVOCs) and petroleum hydrocarbons to Site soil and groundwater. Prior to BMRD ownership, other parties conducted investigation and remediation activities at the Property between 2010 and 2016. Pre-BMRD independent cleanup actions included underground storage tank (UST) closure, thermal remediation, and an enhanced reductive dechlorination (ERD) pilot test. These actions are summarized in the “Final Remedial Investigation Report” (RI Report; NV5, 2026).

Since 2018, in accordance with the AO, BMRD has implemented components of an IA at the Site in parallel with implementing the Draft RI. The IA has included source removal via soil excavation during Property redevelopment, in situ CVOC treatment beneath the excavation limit at the Property during construction and in the western portion of the 800 Mercer Block (also known as the Seattle Department of Transportation [DOT] Mercer Parcels property; Figure 2), in situ CVOC treatment on the downgradient edges of the Property redevelopment, installation of a waterproof vapor barrier around the saturated limits of the Property building foundation, and additional in situ CVOC treatment beneath the Property building after construction. These IA activities are described further in the “Interim Action Completion Report” (IACR; NV5, 2025). Geosyntec is developing future IA components under Ecology supervision, as described in the “Interim Action Work Plan Addendum #3” (IAWP Addendum #3; Aspect, 2025b).

Under the AO, BMRD conducts quarterly groundwater and soil vapor monitoring in parallel with the ongoing IA. The overall objectives for quarterly monitoring are to provide sufficient data to evaluate IA performance, provide periodic CVOC data for the groundwater plume beyond the locations monitored under the IA, provide regular soil vapor CVOC data from the two probes with historical VC screening level exceedances, periodically confirm the continued low CVOC concentrations in soil vapor in probes nearest to the VC exceedances (PES, 2023), and provide sufficient data to evaluate performance of the future work described in the IAWP Addendum #3 (Aspect, 2025b).

Hydrogeology at the Site consists of water-bearing zones classified in the Final RI Report (NV5, 20256) as Shallow Zone, Intermediate A Zone, Intermediate B Zone, and Deep Zone. When not influenced by dewatering activities occurring at or near the Site, the natural groundwater flow direction is generally to the east in the Shallow, Intermediate A, and Intermediate B Zones. A groundwater flow divide is present in the Deep Zone in the vicinity of 8th Avenue North and the Block 79E property (Figure 2). To the west of the divide, the groundwater flow direction is to the south/southwest; to the east of the divide, the groundwater flow direction is generally to the east/southeast (NV5, 2026).

Monitoring Activities

Geosyntec conducted the Q4 2025 monitoring event between November 4 and 20, 2025, which consisted of the following:

- Measuring groundwater levels at 137 of the 141 groundwater monitoring wells listed in Tables 1a and 1b

- Collecting groundwater samples at 125 groundwater monitoring wells listed in Tables 2a and 2b
- Collecting soil vapor samples at two soil vapor probes (SV01 and SV-18) listed in Table 3

The 2025 Monitoring Plan (Aspect, 2025a) identified three additional groundwater monitoring wells, W-MW-02, MW-157, and MW-178, for groundwater sampling in 4Q 2025; however, the wells contained emulsified vegetable oil (EVO) injectate from prior IA injections, and therefore, were not sampled during the Q4 2025 event. Intermediate B Zone well MW112R was also not sampled; This well was removed from the monitoring plan (approved by Ecology via email dated April 25, 2025), because it is damaged and scheduled to be decommissioned in early 2026 (Aspect, 2025a).

Groundwater monitoring well and soil vapor probe locations are shown on Figure 2. The following sections provide a summary of the field and analytical methods.

Groundwater Level Measurements

On November 4, 2025, Geosyntec measured groundwater levels in the groundwater monitoring wells that are located off the Property, and wells located in the basement of the Property building (the “contingent action monitoring wells”).

Each off-property well was opened and left to equilibrate to atmospheric pressure for at least 20 minutes, and then the depth to water was recorded to the hundredth of a foot relative to the top of the north side of the well casing. Depth to water was measured using an electronic water level indicator tape that was decontaminated between wells with Alconox detergent and tap water. The depth to water measurements were converted to groundwater elevations using the surveyed top of well casing elevations. The groundwater elevations from wells screened within each of the four hydrostratigraphic zones were used to prepare the groundwater elevation contours shown on Figure 3.² Groundwater level measurements and groundwater elevations for the last 6 years are summarized in Table 1a.

At the wells located in the basement of the Property building, where pressure heads are higher than the well casing (flowing wells), the pressure head at each monitoring well was recorded in pounds per square inch (psi) using a pressure gauge affixed to the well casing. Pressure measurements for the contingent action monitoring wells are summarized in Table 1b.

Groundwater Sampling

Between November 5 and 20, 2025, Geosyntec collected groundwater samples by standard low-flow methodology (EPA, 2010) at the 125 groundwater monitoring wells listed in Table 2a and shown on Figure 2. Prior to sample collection, each monitoring well was purged at a low-flow rate using a peristaltic or bladder pump, or manifold sampling set up with reusable components decontaminated between wells, and new, clean tubing with the tubing intake placed at the middle of the well screen when applicable. During purging, field parameters (temperature, pH, specific electrical conductance, dissolved oxygen [DO], and oxygen reduction potential [ORP]) were

² On Figure 3, wells designated with an asterisk after the well name are screened at slightly different elevations than other nearby wells in the same zone; the measured groundwater elevations are displayed on Figure 3, but they were not used to develop groundwater elevation contours.

monitored using a multiparameter meter and flow-through cell, and turbidity was recorded using a turbidimeter. Once field parameters stabilized, a groundwater sample was collected into laboratory-supplied bottleware, and ferrous iron was measured at select wells in the field using a Hach[®] ferrous iron field kit. Groundwater samples were transported under standard chain-of-custody procedures to Alliance Technical Group in Seattle, Washington, for analysis of VOCs by United States Environmental Protection Agency (EPA) Method 8260D. Groundwater samples from 73 of the wells were also analyzed for the following geochemical parameters: sulfate by EPA Method 300.0, total organic carbon (TOC) by SM 5310C, total iron and manganese by EPA Method 6020B, and dissolved gases (methane, ethane, and ethene) by RSK-175.

Field quality assurance samples consist of trip blanks, blind duplicate samples (one duplicate sample collected for every 20 primary groundwater samples), and equipment rinse blanks for wells sampled with non-dedicated equipment (e.g., bladder pump).

A summary of field quality assurance samples collected during the Q4 2025 event and a review of field quality assurance sample results is included in Appendix C.

Soil Vapor Sampling

On November 19, 2025, Geosyntec collected soil vapor samples from soil vapor probes SV-01 and SV-18 (Figure 2). Prior to sampling, a shut-in test was performed by inducing a vacuum to the sampling train (consisting of dedicated disposable Teflon tubing, fittings, and connections to the cannister). A minimum vacuum of -10 inches of mercury was applied for a period of 5 minutes. The soil vapor probe was then enclosed in a leak-testing shroud, and helium tracer gas applied at a concentration between 50 and 100 percent inside the shroud and maintained throughout the sample collection period. Approximately 500 milliliters of air/vapor was purged through each sampling point and tubing to remove any remaining ambient indoor air inside the sampling train, to create a competent seal between the soil vapor sampling point and the slab, and to facilitate field screening of soil vapors prior to sampling.

After confirming that no significant leakage was present in the sampling train and that all remaining ambient air had been removed from the sampling apparatus, the cannisters were opened and allowed to fill at 150 milliliters per minute over approximately 5 minutes, or until the cannister vacuum reached -5 inches of mercury, whichever occurred first. The samples were transported under standard chain-of-custody procedures to Alliance Technical Group for analysis of VOCs by EPA Method TO-15 and helium by gas chromatography-thermal conductivity detection (GC/TCD).

Field quality assurance samples for soil vapor sampling consist of field duplicates collected at a frequency of one field duplicate for every 20 primary soil vapor samples. A soil vapor field duplicate sample was collected on November 19, 2025, at SV-01 (SV-101-251119).

Investigation-Derived Waste

Investigation-derived waste from the groundwater and soil vapor sampling consisted of purged groundwater, decontamination water, and disposal sampling supplies (nitrile gloves, used tubing, etc.). Purged groundwater and decontamination water were combined and containerized in two totes stored in the Property building parking garage pending off-site disposal as F-Listed Dangerous Waste, under profile number OR363018.

Results

This section provides a summary of the results of the groundwater and soil vapor monitoring and data validation.

Groundwater Levels and Elevations

Table 1a provides a summary of groundwater level measurements and elevations for wells since 2018.³ Figure 3 presents the groundwater elevation contours and inferred groundwater flow directions for each of the four hydrogeologic zones, based on the Q4 2025 groundwater level measurements. In summary, groundwater in the Shallow Zone and Intermediate A Zone flows generally from west to east. Groundwater in the Intermediate B Zone also flows generally from west to east. In the Deep Zone, an apparent groundwater divide or mound was observed in the vicinity of 8th Avenue North (Figure 3) during the Q4 2025 event with groundwater flow primarily to the east of the Property.

Groundwater Analytical Data

Tables 2a and 2b provide groundwater analytical data (select VOCs), geochemical parameters data (sulfate, ethane, ethene, methane, total iron, and total manganese), and field parameters data for each groundwater well scoped for sampling during Q4 2025. Figures 4 through 11 show the groundwater analytical results for PCE, TCE, cDCE, VC, total ethane+ethene, and TOC for each of the Shallow, Intermediate A, Intermediate B, and Deep Zones.

One or more VOCs were detected above laboratory reporting limits in 94 of 125 groundwater samples analyzed during Q4 2025, and seven VOCs exceeded the PCULs: PCE (15 samples), TCE (14 samples), cDCE (34 samples), VC (68 samples), tDCE (2 samples), 1,1-DCE (8 samples), and benzene (4 samples). Appendix A presents CVOC time trend plots for monitoring wells sampled in Q4 2025, and Appendix B provides the full laboratory reports.

Soil Vapor Analytical Data

Table 3 provides soil vapor analytical data for the vapor probes sampled during Q4 2025 and includes historical data for each vapor probe. Figure 12 summarizes the soil vapor data for PCE, TCE, cDCE, and VC.

VOCs were not detected in the soil vapor samples from Q4 2025. Full laboratory reports are provided in Appendix B.

Soil vapor samples were analyzed for helium for leak-detection purposes. Helium was detected in the sample collected from SV-01 at 0.786% by volume, which is approximately 0.8% of the shroud concentrations (field measured as 99.5% by volume). This helium detection is negligible and within acceptable criteria set forth by Ecology or <5% of the shroud concentration (Ecology, 2022).

Data Validation

Geosyntec completed a Stage 2A data validation on the data reported from Alliance Technical Group, in accordance with EPA guidance (EPA, 2009). The data as qualified are usable for supporting project objectives, with the exception of the TOC data. The TOC results for this event

³ Groundwater elevation data from sampling events occurring prior to 2019 is presented in the Final RI Report(NV5, 2026).

were rejected based on inorganic carbon contamination due to an error in the laboratory procedure. The data validation report in Appendix C provides additional discussion of the validation results.

Validated and acceptable data will be submitted to Ecology's Environmental Information Management System (EIM) following approval of this report.

Conclusion

VOCs were detected in groundwater samples collected from 94 of the 125 wells sampled during the Q4 2025 groundwater and soil vapor monitoring event. PCE, TCE, cDCE, VC, tDCE, 1,1-DCE, and/or benzene were detected in at least one location at concentrations exceeding the PCULs. VOCs were not detected in soil vapor.

Groundwater and soil vapor monitoring will continue on a quarterly basis to support the ongoing IA at the Site in accordance with the 2025 Monitoring Plan (Aspect, 2025a), approved by Ecology via email dated April 25, 2025. No changes to the 2025 Monitoring Plan are recommended based on the Q4 2025 data results.

Results of the groundwater monitoring event in Q1 2026, will be reported by June 30, 2026.


References

- Aspect Consulting, a Geosyntec company (Aspect), 2025a, 2025 Groundwater and Soil Vapor Monitoring Plan, American Linen Supply Co Dexter Ave Site, Agreed Order No. DE 14302, April 17, 2025.
- Aspect Consulting, a Geosyntec company (Aspect), 2025b, Interim Action Work Plan Addendum #3, American Linen Supply Co Dexter Ave Site, Agreed Order No. DE 14302, August 13, 2025.
- NV5 Environmental, Inc. (NV5), 2025, Interim Action Completion Report, American Linen Supply Co Dexter Ave Site, August 27, 2025.
- NV5 Environmental, Inc. (NV5), 2026, Final Remedial Investigation Report, American Linen Supply Co Dexter Ave Site, March 21, 2026.
- PES Environmental, Inc. (PES), 2023, Groundwater and Soil Vapor Monitoring Plan, American Linen Supply Co Dexter Ave Site. January 30, 2023.
- United States Environmental Protection Agency (EPA), 2009, Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use, March 5, 2009.
- United States Environmental Protection Agency (EPA), 2010, Low Stress (low-flow) Purging and Sampling Procedure for the Collection of Groundwater Samples from Monitoring Wells, January 19, 2010.
- Washington State Department of Ecology (Ecology), 2022, Guidance for Evaluating Vapor Intrusion in Washington State, Investigation and Remedial Action, Toxics Cleanup Program, Publication No. 09-09-047, March.

Sincerely,



McKenzie Elliott, LG
Geologist
mckenzie.elliott@geosyntec.com



6/19/2026

Lea Kane, PG, LG
Principal Geologist
lea.kane@geosyntec.com

Attachments: Table 1a – Groundwater Elevation Data
Table 1b – Pressure Head Data – Contingent Action Monitoring Wells
Table 2a – Groundwater Analytical Data – VOCs and Petroleum Hydrocarbons
Table 2b – Groundwater Analytical Results – Geochemical and Field Parameters
Table 3 – Soil Vapor Analytical Data

Figure 1 – Site Location Map
Figure 2 – Site Plan
Figure 3 – Groundwater Elevation Contours – Q4 2025
Figure 4 – Groundwater Analytical Results – Shallow Zone Monitoring Wells
Figure 5 – Groundwater Analytical Results – Intermediate A Zone Monitoring Wells
Figure 6 – Groundwater Analytical Results – Intermediate B Zone Monitoring Wells
Figure 7 – Groundwater Analytical Results – Deep Zone Monitoring Wells
Figure 8 – Groundwater Analytical Results – Treatment Zone A Wells
Figure 9 – Groundwater Analytical Results – Treatment Zone B Wells
Figure 10 – Groundwater Analytical Results – Treatment Zone C Wells
Figure 11 – Groundwater Analytical Results – Treatment Zone D Wells
Figure 12 – Soil Vapor Analytical Data – Q4 2025

Appendix A – CVOC Trend Plots
Appendix B – Laboratory Reports
Appendix C – Data Validation Memorandum

TABLES

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
Shallow Zone							
FMW-143	9th Avenue North ROW, east side across from MW-322	23 to 28	10 to 5	32.69	10/31/2019	14.88	17.81
					01/13/2020	15.02	17.67
					05/11/2020	20.47	12.22
					07/13/2020	21.01	11.68
					11/16/2020	21.19	11.50
					02/01/2021	17.48	15.21
					06/07/2021	15.68	17.01
					08/16/2021	15.55	17.14
					02/15/2022	13.25	19.44
					08/08/2022	12.09	20.60
					11/07/2022	12.89	19.80
					02/21/2023	12.96	19.73
					05/08/2023	12.65	20.04
					08/10/2023	13.79	18.90
					10/30/2023	13.76	18.93
					03/01/2024	12.14	20.55
					05/21/2024	12.75	19.94
					09/03/2024	13.61	19.08
					11/04/2024	13.60	19.09
					02/25/2025	13.80	18.89
					05/06/2025	12.52	20.17
					08/18/2025	13.90	18.79
MW121	In the east sidewalk of the 8th Avenue ROW east of the Property	15 to 25	26.7 to 16.7	41.72	11/04/2025	13.76	18.93
					03/14/2019	10.86	30.86
					04/22/2019	11.58	30.14
					07/16/2019	17.95	23.77
					08/19/2019	22.95	18.77
					10/21/2019	24.23	17.49
					01/13/2020	24.22	17.50
					05/11/2020	Dry	--
					07/13/2020	Dry	--
					07/21/2020	24.30	17.42
					08/04/2020	24.30	17.42
					08/17/2020	24.33	17.39
					09/03/2020	24.30	17.42
					09/21/2020	24.40	17.32
					11/17/2020	19.67	22.05
					02/01/2021	16.86	24.86
					06/07/2021	16.75	24.97
					08/16/2021	Not Measured	--
					02/14/2022	15.53	26.19
					05/16/2022	16.92	24.80
					08/08/2022	16.89	24.83
					11/07/2022	18.38	23.34
					02/21/2023	16.23	25.49
					05/08/2023	16.94	24.78
					08/10/2023	Not Measured	--
					10/30/2023	Not Measured	--
					03/01/2024	15.63	26.09
					05/20/2024	17.09	24.63
					09/03/2024	17.68	24.04
					11/04/2024	12.69	29.03
					02/25/2025	16.74	24.98
					05/06/2025	16.65	25.07
					08/18/2025	17.72	24.00
					11/04/2025	17.20	24.52

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW125	In the Valley Street ROW north of the Property	15 to 30	28.6 to 13.6	43.55	03/14/2019	15.59	27.96
					04/22/2019	14.95	28.60
					07/16/2019	18.30	25.25
					08/19/2019	25.96	17.59
					10/21/2019	27.26	16.29
					01/13/2020	27.85	15.70
					05/11/2020	Dry	--
					07/13/2020	Dry	--
					07/21/2020	Not Measured	--
					08/17/2020	25.15	18.40
					09/03/2020	24.68	18.87
					09/21/2020	Not Measured	--
					11/16/2020	20.90	22.65
					02/01/2021	18.07	25.48
					06/07/2021	18.00	25.55
					08/16/2021	18.49	25.06
					02/14/2022	16.69	26.86
					05/16/2022	17.70	25.85
					08/08/2022	18.15	25.40
					11/07/2022	19.03	24.52
					02/21/2023	18.13	25.42
					05/08/2023	18.42	25.13
					08/10/2023	19.03	24.52
					10/30/2023	18.56	24.99
					03/01/2024	17.67	25.88
					05/20/2024	18.17	25.38
					09/04/2024	17.02	26.53
					11/04/2024	18.03	25.52
					02/25/2025	17.52	26.03
					05/06/2025	17.53	26.02
					08/18/2025	Not Measured	--
					11/04/2025	17.38	26.17
MW-154	South side of the Roy St ROW, near MW106	25 to 35	27.8 to 17.9	52.57	03/14/2019	20.81	31.76
					03/26/2019	21.94	30.63
					04/22/2019	22.40	30.17
					07/16/2019	27.03	25.54
					07/17/2019	27.02	25.55
					08/19/2019	28.80	23.77
					10/21/2019	30.16	22.41
					01/13/2020	29.30	23.27
					03/19/2020	29.10	23.47
					05/11/2020	29.44	23.13
					07/13/2020	30.05	22.52
					07/21/2020	29.76	22.81
					08/04/2020	29.56	23.01
					08/17/2020	29.41	23.16
					09/03/2020	29.15	23.42
					09/21/2020	28.98	23.59
					11/16/2020	25.44	27.13
					02/01/2021	22.04	30.53
					06/07/2021	24.55	28.02
					08/16/2021	24.98	27.59
					02/14/2022	22.03	30.54
					05/16/2022	23.60	28.97
					08/08/2022	25.35	27.22
					11/07/2022	25.67	26.90
					02/22/2023	24.21	28.36
					05/08/2023	24.83	27.74
					08/10/2023	25.78	26.79
					10/30/2023	25.33	27.24
					03/01/2024	22.97	29.60
					05/20/2024	25.14	27.43
					09/03/2024	25.89	26.68
					11/04/2024	25.34	27.23
					02/25/2025	24.30	28.27
					05/06/2025	24.24	28.33
					08/18/2025	25.77	26.80
					11/04/2025	24.69	27.88

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-155	South side of the Roy St ROW, near MW105	25 to 30	24.4 to 14.4	44.05	03/14/2019	16.80	27.25
					03/26/2019	17.20	26.85
					04/22/2019	17.95	26.10
					07/16/2019	20.94	23.11
					08/19/2019	22.38	21.67
					10/21/2019	24.54	19.51
					01/13/2020	22.55	21.50
					02/19/2020	20.38	23.67
					03/19/2020	23.10	20.95
					05/11/2020	24.31	19.74
					07/13/2020	25.17	18.88
					07/21/2020	25.05	19.00
					08/04/2020	24.90	19.15
					08/17/2020	24.74	19.31
					09/03/2020	24.55	19.50
					09/21/2020	24.53	19.52
					11/16/2020	22.55	21.50
					02/01/2021	Not Measured	--
					06/07/2021	Not Measured	--
					08/16/2021	21.03	23.02
					02/14/2022	17.53	26.52
					05/16/2022	18.52	25.53
					08/08/2022	19.82	24.23
					11/07/2022	20.78	23.27
					02/21/2023	18.29	25.76
					05/08/2023	19.20	24.85
					08/10/2023	20.94	23.11
					10/30/2023	20.62	23.43
					03/01/2024	17.70	26.35
					05/20/2024	20.01	24.04
					09/03/2024	21.00	23.05
					11/04/2024	20.62	23.43
					02/25/2025	18.93	25.12
					05/06/2025	18.76	25.29
					08/18/2025	20.85	23.20
					11/04/2025	20.08	23.97
MW-159	East side of 8th Ave N, near SV02	20.4 to 30.4	22.9 to 12.9	42.79	03/14/2019	14.70	28.09
					04/22/2019	15.67	27.12
					07/16/2019	20.55	22.24
					08/19/2019	25.60	17.19
					10/21/2019	29.34	13.45
					01/13/2020	29.35	13.44
					05/11/2020	Dry	--
					07/13/2020	Dry	--
					07/21/2020	Dry	--
					08/04/2020	28.65	14.14
					08/17/2020	27.30	15.49
					09/03/2020	26.65	16.14
					09/21/2020	26.31	16.48
					11/16/2020	22.27	20.52
					02/01/2021	18.91	23.88
					06/07/2021	19.73	23.06
					08/16/2021	19.86	22.93
					02/14/2022	17.37	25.42
					05/16/2022	18.22	24.57
					08/08/2022	18.99	23.80
					11/07/2022	19.89	22.90
					02/21/2023	18.63	24.16
					05/08/2023	18.84	23.95
					08/10/2023	20.02	22.77
					10/30/2023	19.39	23.40
					03/01/2024	18.21	24.58
					05/20/2024	18.99	23.80
					09/03/2024	19.47	23.32
					11/04/2024	19.17	23.62
					02/25/2025	18.13	24.66
					05/06/2025	18.02	24.77
					08/18/2025	19.19	23.60
					11/04/2025	18.42	24.37

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-210	Valley St ROW, N side	5.0 to 20.0	6.6 to 21.6	26.56	03/14/2019	8.59	17.98
					04/22/2019	8.71	17.86
					07/16/2019	8.22	18.35
					10/21/2019	8.62	17.95
					01/13/2020	8.95	17.62
					05/11/2020	9.30	17.27
					07/13/2020	9.55	17.02
					11/16/2020	9.91	16.66
					02/01/2021	9.69	16.88
					06/07/2021	8.23	18.34
					08/16/2021	9.13	17.44
					02/14/2022	9.08	17.48
					02/14/2022	9.62	16.94
					05/16/2022	7.36	19.20
					05/16/2022	7.83	18.73
					08/08/2022	8.08	18.48
					08/08/2022	8.11	18.45
					11/07/2022	8.36	18.20
					11/07/2022	8.38	18.18
					02/21/2023	8.66	17.90
					05/08/2023	7.51	19.05
					08/10/2023	8.80	17.76
					10/30/2023	8.78	17.78
					03/01/2024	Not Measured	--
					06/04/2024	7.22	19.34
					09/03/2024	8.50	18.06
					11/04/2024	8.36	18.20
					02/25/2025	7.97	18.59
					05/06/2025	7.45	19.11
					08/18/2025	8.98	17.58
					11/04/2025	8.49	18.07
MW-214	Valley Street ROW, north of Block 37	7 to 17	20.8 to 10.8	27.32	03/14/2019	8.92	18.40
					04/22/2019	9.03	18.29
					07/16/2019	8.97	18.35
					10/21/2019	9.54	17.78
					01/13/2020	9.74	17.58
					05/11/2020	13.40	13.92
					07/13/2020	13.70	13.62
					11/16/2020	13.75	13.57
					02/01/2021	11.56	15.76
					06/07/2021	9.35	17.97
					08/16/2021	10.37	16.95
					02/14/2022	9.35	17.97
					05/16/2022	7.58	19.74
					08/08/2022	8.75	18.57
					11/07/2022	8.97	18.35
					02/21/2023	8.91	18.41
					05/08/2023	7.96	19.36
					08/10/2023	9.50	17.82
					10/30/2023	9.25	18.07
					03/01/2024	10.62	16.70
					05/21/2024	8.30	19.02
					09/03/2024	9.34	17.98
					02/25/2025	9.71	17.61
					05/06/2025	8.83	18.49
					08/18/2025	Not Measured	--
					11/04/2025	9.87	17.45
MW-301	In the southern Valley Street sidewalk, north of the Property	18.25 to 28.25	35.6 to 25.6	53.54	10/21/2019	Dry	--
					07/13/2020	Not Measured	--
					07/21/2020	Not Measured	--
					08/04/2020	Dry	--
					08/17/2020	Dry	--
					09/03/2020	Dry	--
					09/21/2020	Dry	--
					11/16/2020	22.26	31.28
					02/01/2021	19.90	33.64
					06/07/2021	21.51	32.03
					08/16/2021	21.77	31.77
					02/14/2022	19.85	33.69
					05/16/2022	21.49	32.05
					08/08/2022	22.54	31.00
					11/07/2022	22.63	30.91
					02/21/2023	21.13	32.41
					05/08/2023	21.97	31.57
					08/10/2023	23.32	30.22
					10/30/2023	21.30	32.24
					03/01/2024	20.40	33.14
					05/20/2024	22.20	31.34
					09/03/2024	21.56	31.98
					11/04/2024	21.65	31.89
					02/25/2025	21.93	31.61
					05/06/2025	21.55	31.99
					08/18/2025	18.15	35.39
					11/04/2025	20.38	33.16

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-305	Sidewalk W of Dexter Avenue North, S of Roy Street	22.84 to 32.84	37.4 to 27.4	59.86	10/21/2019	28.17	31.69
					01/13/2020	27.85	32.01
					03/19/2020	23.83	36.03
					05/11/2020	25.26	34.60
					07/13/2020	26.44	33.42
					07/21/2020	26.50	33.36
					08/04/2020	26.75	33.11
					08/17/2020	26.92	32.94
					09/03/2020	27.31	32.55
					09/21/2020	28.05	31.81
					11/17/2020	28.23	31.63
					02/01/2021	21.23	38.63
					06/07/2021	23.61	36.25
					08/16/2021	24.78	35.08
					02/14/2022	19.16	40.70
					05/16/2022	25.81	34.05
					11/07/2022	Dry	--
					02/21/2023	Dry	--
					05/08/2023	32.40	27.46
					08/10/2023	32.57	27.29
					10/30/2023	Not Measured	--
					03/01/2024	20.55	39.31
					05/20/2024	32.34	27.52
					09/03/2024	32.57	27.29
					11/04/2024	32.60	27.26
					02/25/2025	28.95	30.91
					05/06/2025	25.55	34.31
					08/18/2025	27.19	32.67
					11/04/2025	26.05	33.81
MW-310	Alley east of 800 Aloha Street parcel, near MW108	13.75 to 23.75	19.2 to 9.2	32.48	10/21/2019	13.67	18.81
					01/13/2020	14.71	17.77
					05/11/2020	19.70	12.78
					07/13/2020	20.56	11.92
					11/16/2020	19.32	13.16
					02/01/2021	14.17	18.31
					06/07/2021	12.61	19.87
					08/16/2021	13.25	19.23
					02/14/2022	9.01	23.47
					05/16/2022	9.21	23.27
					08/08/2022	10.11	22.37
					11/07/2022	11.30	21.18
					02/21/2023	9.32	23.16
					05/08/2023	9.44	23.04
					08/10/2023	11.46	21.02
					10/30/2023	13.91	18.57
					02/28/2024	9.04	23.44
					05/20/2024	9.99	22.49
					09/03/2024	11.15	21.33
					11/04/2024	10.86	21.62
					02/25/2025	10.01	22.47
					05/06/2025	9.78	22.70
					08/18/2025	11.43	21.05
					11/04/2025	11.07	21.41
MW-312	Alley east of 800 Aloha Street parcel, near MW103	15.75 to 25.75	19.9 to 9.9	34.99	10/21/2019	15.66	19.33
					01/13/2020	15.97	19.02
					05/11/2020	22.37	12.62
					07/13/2020	23.34	11.65
					07/21/2020	23.47	11.52
					08/04/2020	23.71	11.28
					08/17/2020	23.81	11.18
					09/03/2020	23.94	11.05
					09/21/2020	Not Measured	--
					11/16/2020	22.85	12.14
					02/01/2021	14.94	20.05
					06/07/2021	15.74	19.25
					08/16/2021	16.13	18.86
					02/14/2022	11.25	23.74
					05/16/2022	11.32	23.67
					08/08/2022	13.01	21.98
					11/07/2022	14.22	20.77
					02/21/2023	11.71	23.28
					05/08/2023	11.82	23.17
					08/10/2023	14.24	20.75
					10/30/2023	14.15	20.84
					02/28/2024	11.39	23.60
					05/20/2024	12.78	22.21
					09/03/2024	14.12	20.87
					11/04/2024	14.31	20.68
					02/25/2025	13.28	21.71
					05/06/2025	12.61	22.38
					08/18/2025	14.50	20.49
					11/04/2025	14.62	20.37

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-313	Alley east of 800 Aloha Street parcel, near MW110	19.45 to 29.45	20.4 to 10.4	39.53	10/21/2019	22.34	17.19
					01/13/2020	23.57	15.96
					05/11/2020	Dry	--
					07/13/2020	Dry	--
					11/16/2020	Dry	--
					02/01/2021	25.13	14.40
					06/07/2021	22.82	16.71
					08/16/2021	22.85	16.68
					02/14/2022	19.99	19.54
					05/16/2022	19.81	19.72
					08/08/2022	20.02	19.51
					11/07/2022	20.92	18.61
					02/21/2023	20.08	19.45
					05/08/2023	19.80	19.73
					08/10/2023	20.95	18.58
					10/30/2023	20.92	18.61
					02/28/2024	19.46	20.07
					05/20/2024	20.07	19.46
					09/03/2024	20.78	18.75
					11/04/2024	20.88	18.65
					02/25/2025	20.19	19.34
					05/06/2025	19.49	20.04
					08/18/2025	20.83	18.70
					11/04/2025	20.77	18.76
MW-320	Sidewalk on W side of 9th Avenue North, near MW113	15.5 to 25.5	18.6 to 8.6	33.57	10/21/2019	15.45	18.12
					01/13/2020	15.62	17.95
					05/11/2020	21.20	12.37
					07/13/2020	21.96	11.61
					11/16/2020	22.20	11.37
					02/01/2021	17.62	15.95
					06/07/2021	16.20	17.37
					08/16/2021	16.14	17.43
					02/14/2022	13.26	20.31
					05/16/2022	12.86	20.71
					08/08/2022	13.21	20.36
					11/07/2022	14.19	19.38
					02/22/2023	13.30	20.27
					05/08/2023	13.06	20.51
					08/10/2023	14.38	19.19
					10/30/2023	14.38	19.19
					03/01/2024	12.64	20.93
					05/20/2024	13.36	20.21
					09/03/2024	14.25	19.32
					11/04/2024	14.33	19.24
					02/25/2025	13.52	20.05
					05/06/2025	13.02	20.55
					08/18/2025	14.47	19.10
					11/04/2025	14.50	19.07
MW-332	NW Corner Roy St & 9th Ave	20.3 to 30.3	16 to 6	35.72	05/11/2020	25.58	10.14
					07/13/2020	26.07	9.65
					11/16/2020	25.97	9.75
					02/01/2021	21.05	14.67
					06/07/2021	18.95	16.77
					08/16/2021	18.93	16.79
					02/14/2022	15.67	20.05
					05/16/2022	15.44	20.28
					11/07/2022	16.54	19.18
					02/21/2023	15.49	20.23
					05/08/2023	15.24	20.48
					08/10/2023	16.59	19.13
					10/30/2023	16.84	18.88
					03/01/2024	15.14	20.58
					05/20/2024	15.33	20.39
					09/03/2024	16.56	19.16
					11/04/2024	16.69	19.03
					02/25/2025	15.57	20.15
					05/06/2025	15.34	20.38
					08/18/2025	16.65	19.07
					11/04/2025	16.76	18.96

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-337	Lake Union Park, across street from MW123	9.7 to 19.7	18.1 to 8.1	27.51	05/11/2020	9.12	18.39
					07/13/2020	9.41	18.10
					11/16/2020	10.30	17.21
					02/01/2021	10.19	17.32
					06/07/2021	8.70	18.81
					08/16/2021	10.03	17.48
					02/14/2022	10.37	17.14
					05/16/2022	8.29	19.22
					08/08/2022	9.34	18.17
					11/07/2022	9.41	18.10
					02/21/2023	9.80	17.71
					05/08/2023	8.99	18.52
					08/10/2023	9.98	17.53
					10/30/2023	9.96	17.55
					03/01/2024	9.45	18.06
					05/20/2024	8.75	18.76
					09/03/2024	9.57	17.94
					11/04/2024	9.64	17.87
					02/25/2025	8.85	18.66
					05/06/2025	8.52	18.99
					08/18/2025	9.99	17.52
					11/04/2025	9.63	17.88
MW-339	Lake Union Park, next to MW-328	10.1 to 20.1	18.2 to 8.2	28.06	05/11/2020	9.95	18.11
					07/13/2020	10.26	17.80
					11/16/2020	10.74	17.32
					02/01/2021	10.20	17.86
					06/07/2021	9.15	18.91
					08/16/2021	10.56	17.50
					02/14/2022	10.91	17.15
					05/16/2022	8.56	19.50
					08/08/2022	9.80	18.26
					11/07/2022	9.04	19.02
					02/21/2023	10.39	17.67
					05/08/2023	9.22	18.84
					08/10/2023	10.53	17.53
					10/30/2023	10.38	17.68
					03/01/2024	9.31	18.75
					05/20/2024	9.11	18.95
					09/03/2024	10.16	17.90
					11/04/2024	10.26	17.80
					02/25/2025	8.14	19.92
					05/06/2025	9.19	18.87
					08/18/2025	10.61	17.45
					11/04/2025	10.30	17.76
MW-8	Northern portion of SCL property	6 to 22	28.7 to 14.2	33.19	03/14/2019	11.23	21.96
					04/22/2019	11.18	22.01
					07/16/2019	11.97	21.22
					10/21/2019	12.46	20.73
					01/13/2020	12.15	21.04
					05/11/2020	17.12	16.07
					07/13/2020	17.95	15.24
					11/16/2020	16.84	16.35
					02/02/2021	12.74	20.45
					06/01/2021	13.66	19.53
					08/17/2021	14.01	19.18
					02/15/2022	11.47	21.72
					05/16/2022	10.34	22.85
					08/08/2022	11.79	21.40
					11/07/2022	11.32	21.87
					02/21/2023	11.00	22.19
					05/08/2023	10.81	22.38
					08/10/2023	12.57	20.62
					10/30/2023	11.92	21.27
					02/28/2024	10.90	22.29
					05/20/2024	11.36	21.83
					09/03/2024	12.18	21.01
					11/05/2024	11.66	21.53
					02/25/2025	10.32	22.87
					05/06/2025	11.16	22.03
					08/18/2025	12.65	20.54
					11/04/2025	11.65	21.54

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-9	8th Avenue North ROW, east of Property	4.5 to 19	34.1 to 19.1	40.74	03/14/2019	13.81	27.00
					04/22/2019	13.93	26.88
					07/16/2019	15.27	25.54
					08/19/2019	18.32	22.49
					10/21/2019	20.77	19.97
					01/13/2020	21.58	19.16
					05/11/2020	Dry	--
					07/13/2020	Dry	--
					08/04/2020	21.01	19.73
					08/17/2020	20.54	20.20
					09/03/2020	20.45	20.29
					09/21/2020	20.55	20.19
					11/16/2020	19.78	20.96
					02/01/2021	17.54	23.20
					06/07/2021	15.80	24.94
					08/16/2021	16.79	23.95
					02/14/2022	14.42	26.32
					05/16/2022	15.49	25.25
					08/08/2022	15.84	24.90
					11/07/2022	16.69	24.05
					02/21/2023	15.91	24.83
					05/08/2023	16.15	24.59
					08/10/2023	16.47	24.27
					10/30/2023	16.51	24.23
					03/01/2024	15.01	25.73
					05/20/2024	15.91	24.83
					09/03/2024	15.23	25.51
					11/04/2024	Not Measured	--
					02/25/2025	15.69	25.05
					05/06/2025	15.36	25.38
					08/18/2025	15.40	25.34
					11/04/2025	15.08	25.66
R-MW5	Bike Lane in Dexter Avenue, west of Property	15 to 30	42.4 to 27.4	57.01	03/14/2019	18.18	38.85
					04/22/2019	18.83	38.20
					07/16/2019	25.25	31.78
					10/21/2019	25.95	31.06
					01/13/2020	25.17	31.84
					05/11/2020	26.49	30.52
					07/13/2020	27.46	29.55
					11/16/2020	22.01	35.00
					02/01/2021	19.54	37.47
					06/07/2021	20.56	36.45
					08/16/2021	21.05	35.96
					02/14/2022	19.41	37.60
					05/16/2022	21.67	35.34
					08/08/2022	22.97	34.04
					11/07/2022	22.30	34.71
					02/21/2023	Not Measured	--
					05/08/2023	21.44	35.57
					08/10/2023	Not Measured	--
					10/30/2023	20.44	36.57
					03/01/2024	20.69	36.32
					05/20/2024	23.08	33.93
					09/03/2024	21.68	35.33
					11/04/2024	20.87	36.14
					02/25/2025	22.50	34.51
					05/06/2025	21.73	35.28
					08/18/2025	21.57	35.44
					11/04/2025	21.39	35.62

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
R-MW6	Sidewalk, Southeast of Property	12 to 22	33.3 to 23.3	44.52	03/14/2019	12.24	33.04
					04/22/2019	Not Measured	--
					07/16/2019	Not Measured	--
					05/11/2020	Not Measured	--
					07/13/2020	Not Measured	--
					09/21/2020	21.31	23.97
					10/01/2020	20.10	25.18
					11/16/2020	Not Measured	--
					02/01/2021	12.30	32.98
					06/07/2021	16.41	28.87
					08/16/2021	Not Measured	--
					02/14/2022	13.78	30.74
					05/16/2022	15.50	29.02
					08/08/2022	17.05	27.47
					11/07/2022	16.36	28.16
					02/21/2023	15.99	28.53
					05/08/2023	23.33	21.19
					08/10/2023	17.86	26.66
					10/30/2023	17.17	27.35
					03/01/2024	22.17	22.35
					05/20/2024	26.53	17.99
					09/03/2024	24.10	20.42
					11/04/2024	18.61	25.91
					02/25/2025	16.51	28.01
					05/06/2025	16.96	27.56
					08/18/2025	19.14	25.38
					11/04/2025	17.49	27.03
SCL-MW101	Alley east of 800 Aloha Street parcel	5 to 15	25.5 to 15.5	30.02	03/14/2019	7.64	22.82
					04/22/2019	7.55	22.91
					07/16/2019	7.90	22.56
					10/21/2019	8.85	21.17
					01/13/2020	7.87	22.15
					05/11/2020	12.46	17.56
					07/13/2020	13.95	16.07
					11/16/2020	11.32	18.70
					02/01/2021	9.57	20.45
					06/07/2021	9.60	20.42
					08/16/2021	9.89	20.13
					02/14/2022	7.09	22.93
					05/16/2022	7.22	22.80
					08/08/2022	7.71	22.31
					11/07/2022	7.86	22.16
					02/21/2023	7.35	22.67
					05/08/2023	7.38	22.64
					08/10/2023	8.23	21.79
					10/30/2023	7.94	22.08
					02/28/2024	7.22	22.80
					06/04/2024	7.44	22.58
					09/03/2024	8.44	21.58
					11/04/2024	7.97	22.05
					02/25/2025	7.27	22.75
					05/06/2025	7.44	22.58
					08/18/2025	8.75	21.27
					11/04/2025	7.92	22.10
SCL-MW105	Alley east of 800 Aloha Street parcel	15 to 30	11.1 to 1.1	30.77	03/14/2019	7.97	23.29
					04/22/2019	7.98	23.28
					07/16/2019	10.87	20.39
					10/21/2019	10.42	20.35
					01/13/2020	13.00	17.77
					05/11/2020	16.90	13.87
					07/13/2020	14.63	16.14
					11/16/2020	16.74	14.03
					02/01/2021	13.48	17.29
					06/07/2021	11.95	18.82
					08/16/2021	12.28	18.49
					02/14/2022	10.28	20.49
					05/16/2022	9.97	20.80
					08/08/2022	10.25	20.52
					11/07/2022	10.88	19.89
					02/21/2023	10.33	20.44
					05/08/2023	9.92	20.85
					08/10/2023	11.05	19.72
					10/30/2023	10.86	19.91
					02/28/2024	9.80	20.97
					05/20/2024	10.15	20.62
					09/03/2024	10.82	19.95
					11/04/2024	10.77	20.00
					02/25/2025	10.41	20.36
					05/06/2025	9.75	21.02
					08/18/2025	10.93	19.84
					11/04/2025	10.71	20.06

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
SCS-2	SCL property	5 to 15	28 to 18.2	39.16	03/14/2019	16.22	22.94
					04/22/2019	16.29	22.87
					07/16/2019	17.04	22.12
					10/21/2019	18.95	20.21
					01/13/2020	18.28	20.88
					05/11/2020	Dry	--
					07/13/2020	Dry	--
					11/16/2020	Dry	--
					02/02/2021	18.44	20.72
					06/01/2021	18.68	20.48
					08/17/2021	18.90	20.26
					02/15/2022	15.81	23.35
					05/16/2022	15.79	23.37
					08/08/2022	16.76	22.40
					11/07/2022	17.73	21.43
					02/21/2023	16.13	23.03
					05/08/2023	16.20	22.96
					08/10/2023	17.60	21.56
					10/30/2023	17.77	21.39
					02/28/2024	15.92	23.24
					05/20/2024	16.75	22.41
					09/03/2024	17.73	21.43
					11/05/2024	17.85	21.31
					02/25/2025	16.45	22.71
					05/06/2025	16.39	22.77
					08/18/2025	17.79	21.37
					11/04/2025	17.98	21.18
Intermediate A Zone							
BB-8	Roy Street ROW, southeast of the Property	30 to 40	14 to 4	43.64	03/14/2019	13.73	29.96
					04/22/2019	15.36	28.33
					07/17/2019	20.41	23.28
					10/21/2019	26.19	17.45
					01/13/2020	24.10	19.54
					05/11/2020	26.62	17.02
					07/13/2020	27.60	16.04
					11/16/2020	20.95	22.69
					02/01/2021	15.33	28.31
					06/07/2021	18.35	25.29
					08/16/2021	19.70	23.94
					02/14/2022	14.90	28.74
					05/16/2022	16.70	26.94
					08/08/2022	18.68	24.96
					11/07/2022	19.17	24.47
					02/21/2023	Not Measured	--
					05/08/2023	17.98	25.66
					08/10/2023	Not Measured	--
					10/30/2023	19.18	24.46
					03/01/2024	16.10	27.54
					05/20/2024	19.02	24.62
					09/03/2024	20.03	23.61
					11/04/2024	18.89	24.75
					02/25/2025	17.13	26.51
					05/06/2025	17.80	25.84
					08/18/2025	19.71	23.93
					11/04/2025	18.05	25.59
FMW-142	9th Avenue North ROW, east side across from MW-322	37.5 to 42.5	-4.6 to -9.6	32.52	10/31/2019	15.50	17.02
					01/13/2020	17.13	15.39
					04/28/2020	18.83	13.69
					07/13/2020	22.86	9.66
					11/16/2020	22.57	9.95
					02/01/2021	18.91	13.61
					06/07/2021	16.13	16.39
					08/16/2021	16.15	16.37
					02/14/2022	14.10	18.42
					05/16/2022	13.34	19.18
					08/08/2022	13.40	19.12
					11/07/2022	14.12	18.40
					02/21/2023	13.79	18.73
					05/08/2023	13.36	19.16
					08/10/2023	14.29	18.23
					10/30/2023	14.33	18.19
					03/01/2024	13.35	19.17
					05/21/2024	13.38	19.14
					09/03/2024	14.13	18.39
					11/04/2024	14.20	18.32
					02/25/2025	12.95	19.57
					05/06/2025	13.15	19.37
					08/18/2025	14.26	18.26
					11/04/2025	14.22	18.30

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
GEI-1	Block 37	26.8 to 36.8	1.6 to -8.5	27.95	03/14/2019	9.64	18.31
					04/22/2019	9.28	18.67
					07/16/2019	9.59	18.36
					10/21/2019	10.62	17.33
					01/13/2020	11.37	16.58
					05/11/2020	15.74	12.21
					07/13/2020	16.09	11.86
					11/16/2020	15.75	12.20
					02/01/2021	13.03	14.92
					06/07/2021	10.98	16.97
					08/16/2021	11.29	16.66
					02/14/2022	9.85	18.10
					05/16/2022	8.89	19.06
					08/08/2022	9.25	18.70
					11/07/2022	9.61	18.34
					02/21/2023	18.19	9.76
					05/08/2023	8.85	19.10
					08/10/2023	9.93	18.02
					10/30/2023	9.79	18.16
					03/01/2024	9.09	18.86
					05/21/2024	8.88	19.07
					09/03/2024	9.75	18.20
					11/04/2024	9.53	18.42
					02/25/2025	9.40	18.55
					05/06/2025	8.75	19.20
					08/18/2025	9.90	18.05
					11/04/2025	11.75	16.20
GEI-MW-1	739 9th Avenue North	39.8 to 59.8	-9.3 to -29.3	30.3	05/11/2020	18.65	11.65
					07/13/2020	18.97	11.33
					11/16/2020	Not Measured	--
					02/01/2021	15.82	14.48
					06/07/2021	13.25	17.05
					08/16/2021	13.53	16.77
					02/14/2022	12.03	18.27
					05/16/2022	11.17	19.13
					08/08/2022	11.29	19.01
					11/07/2022	11.97	18.33
					02/21/2023	11.65	18.65
					05/08/2023	11.05	19.25
					08/10/2023	12.04	18.26
					10/30/2023	12.09	18.21
					03/01/2024	11.18	19.12
					05/23/2024	11.20	19.10
					09/03/2024	11.80	18.50
					11/04/2024	11.89	18.41
					02/25/2025	11.57	18.73
					05/06/2025	10.90	19.40
					08/18/2025	11.95	18.35
					11/04/2025	11.88	18.42
MW107	8th Avenue North ROW, east of Property	35 to 45	8.8 to -1.2	43.01	03/14/2019	12.84	30.98
					04/22/2019	13.35	30.47
					07/16/2019	21.75	22.07
					10/21/2019	35.69	8.13
					01/13/2020	31.55	12.27
					05/11/2020	34.30	9.52
					07/13/2020	34.99	8.83
					07/21/2020	30.10	13.72
					08/04/2020	27.84	15.98
					08/17/2020	26.56	17.26
					09/03/2020	25.84	17.98
					09/21/2020	25.32	18.50
					11/16/2020	Not Measured	--
					02/01/2021	Not Measured	--
					06/07/2021	Not Measured	--
					08/16/2021	19.36	24.46
					02/14/2022	15.51	27.50
					05/16/2022	16.82	26.19
					08/08/2022	17.95	25.06
					11/07/2022	17.98	25.03
					02/21/2023	17.67	25.34
					05/08/2023	18.13	24.88
					08/10/2023	18.78	24.23
					10/30/2023	Not Measured	--
					03/01/2024	15.80	27.21
					05/20/2024	18.22	24.79
					09/03/2024	19.07	23.94
					11/04/2024	17.77	25.24
					02/25/2025	16.10	26.91
					05/06/2025	16.79	26.22
					08/18/2025	18.33	24.68
					11/04/2025	16.85	26.16

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW108	Alley east of 800 Aloha Street parcel	40 to 50	-7.2 to -17.2	32.78	03/14/2019	13.46	19.32
					04/22/2019	13.19	19.59
					07/16/2019	13.84	18.94
					10/21/2019	15.92	16.86
					01/13/2020	17.32	15.46
					05/11/2020	22.13	10.65
					07/13/2020	22.50	10.28
					11/16/2020	21.55	11.23
					02/01/2021	18.04	14.74
					06/07/2021	15.50	17.28
					08/16/2021	15.67	17.11
					02/14/2022	13.61	19.17
					05/16/2022	13.06	19.72
					08/08/2022	13.21	19.57
					11/07/2022	13.98	18.80
					02/21/2023	13.49	19.29
					05/08/2023	13.11	19.67
					08/10/2023	14.08	18.70
					10/30/2023	14.10	18.68
					02/28/2024	13.06	19.72
					05/20/2024	13.27	19.51
					09/03/2024	13.79	18.99
					11/04/2024	13.83	18.95
					02/25/2025	13.47	19.31
					05/06/2025	12.78	20.00
					08/18/2025	13.86	18.92
					11/04/2025	13.80	18.98
MW109	Alley east of 800 Aloha Street parcel	35 to 45	0 to -10	34.87	03/14/2019	15.87	19.10
					04/22/2019	15.62	19.35
					07/16/2019	16.23	18.74
					10/21/2019	18.14	16.83
					01/13/2020	19.58	15.29
					02/24/2020	23.01	11.86
					05/11/2020	24.80	10.07
					07/13/2020	25.28	9.59
					07/21/2020	25.21	9.66
					08/04/2020	25.25	9.62
					08/17/2020	25.21	9.66
					09/03/2020	25.22	9.65
					09/21/2020	Not Measured	--
					11/16/2020	24.59	10.28
					02/01/2021	20.78	14.09
					06/07/2021	18.14	16.73
					08/16/2021	18.20	16.67
					02/14/2022	16.03	18.84
					05/16/2022	15.51	19.36
					08/08/2022	15.61	19.26
					11/07/2022	16.33	18.54
					02/21/2023	15.87	19.00
					05/08/2023	15.42	19.45
					08/10/2023	16.45	18.42
					10/30/2023	16.45	18.42
					02/28/2024	15.40	19.47
					05/20/2024	11.40	23.47
					09/03/2024	16.20	18.67
					11/04/2024	16.22	18.65
					02/25/2025	15.84	19.03
					05/06/2025	15.16	19.71
					08/18/2025	16.28	18.59
					11/04/2025	16.20	18.67

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW110	Alley east of 800 Aloha Street parcel	35 to 45	4.7 to -5.3	39.67	03/14/2019	20.18	19.49
					04/22/2019	20.08	19.59
					07/16/2019	20.83	18.84
					10/21/2019	22.65	17.02
					01/13/2020	23.89	15.78
					05/11/2020	29.95	9.72
					07/13/2020	30.51	9.16
					07/21/2020	30.55	9.12
					08/04/2020	30.70	8.97
					08/17/2020	30.64	9.03
					09/03/2020	30.67	9.00
					09/21/2020	Not Measured	--
					11/16/2020	30.04	9.63
					02/01/2021	25.28	14.39
					06/07/2021	23.00	16.67
					08/16/2021	23.01	16.66
					02/14/2022	20.28	19.39
					05/16/2022	20.05	19.62
					08/08/2022	20.18	19.49
					11/07/2022	21.08	18.59
					02/21/2023	20.42	19.25
					05/08/2023	19.96	19.71
					08/10/2023	21.10	18.57
					10/30/2023	21.09	18.58
					05/20/2024	20.30	19.37
					09/03/2024	20.92	18.75
					11/04/2024	20.98	18.69
					02/25/2025	20.38	19.29
					05/06/2025	19.67	20.00
					08/18/2025	20.97	18.70
					11/04/2025	20.94	18.73
MW115	9th Avenue North ROW, east of the Property	35 to 45	-0.6 to -10.6	34.1	03/14/2019	15.64	18.46
					04/22/2019	15.42	18.68
					07/16/2019	15.80	18.30
					10/21/2019	17.34	16.76
					01/13/2020	19.13	14.97
					05/11/2020	24.84	9.26
					07/13/2020	25.39	8.71
					11/16/2020	24.97	9.13
					02/01/2021	21.00	13.10
					06/07/2021	18.00	16.10
					08/16/2021	17.96	16.14
					02/14/2022	15.82	18.28
					05/16/2022	15.21	18.89
					08/08/2022	15.24	18.86
					11/07/2022	15.97	18.13
					02/21/2023	15.56	18.54
					05/08/2023	15.50	18.60
					08/10/2023	15.93	18.17
					10/30/2023	15.98	18.12
					03/01/2024	14.98	19.12
					05/20/2024	15.21	18.89
					09/03/2024	15.79	18.31
					11/04/2024	15.81	18.29
					02/25/2025	15.50	18.60
					05/06/2025	14.76	19.34
					08/18/2025	15.86	18.24
					11/04/2025	15.82	18.28
MW116	9th Avenue North ROW, east of the Property	35 to 45	-3.1 to -13.1	31.34	03/14/2019	12.72	18.62
					04/22/2019	12.41	18.93
					07/16/2019	12.80	18.54
					10/21/2019	13.30	18.04
					01/13/2020	15.59	15.75
					05/11/2020	20.55	10.79
					07/13/2020	20.99	10.35
					11/16/2020	21.41	9.93
					02/01/2021	18.88	12.46
					06/07/2021	14.66	16.68
					08/16/2021	14.71	16.63
					02/14/2022	12.65	18.69
					05/16/2022	12.11	19.23
					08/08/2022	12.18	19.16
					11/07/2022	13.11	18.23
					02/22/2023	12.50	18.84
					05/08/2023	12.04	19.30
					08/10/2023	12.09	19.25
					10/30/2023	13.03	18.31
					03/01/2024	12.04	19.30
					05/20/2024	12.07	19.27
					09/03/2024	12.83	18.51
					11/04/2024	12.87	18.47
					02/25/2025	12.51	18.83
					05/06/2025	11.87	19.47
					08/18/2025	12.95	18.39

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW119	9th Avenue North ROW, southeast of the Property	35 to 45	2.7 to -7.3	37.42	11/04/2025	12.89	18.45
					03/14/2019	18.79	18.63
					03/26/2019	18.62	18.80
					04/22/2019	18.64	18.78
					07/16/2019	19.07	18.35
					07/17/2019	18.97	18.45
					07/30/2019	19.18	18.24
					10/21/2019	20.44	16.98
					11/11/2019	20.74	16.68
					01/13/2020	22.31	15.11
					01/14/2020	22.51	14.91
					02/18/2020	25.66	11.76
					03/19/2020	28.14	9.28
					03/24/2020	28.36	9.06
					05/11/2020	29.32	8.10
					07/13/2020	29.96	7.46
					11/16/2020	29.50	7.92
					02/01/2021	24.79	12.63
					06/07/2021	21.75	15.67
					08/16/2021	21.55	15.87
					02/14/2022	18.83	18.59
					05/16/2022	18.40	19.02
					08/08/2022	18.43	18.99
					11/07/2022	19.20	18.22
					02/21/2023	18.35	19.07
					05/08/2023	18.19	19.23
					08/10/2023	19.16	18.26
					10/30/2023	19.10	18.32
					03/01/2024	17.91	19.51
					05/20/2024	18.40	19.02
					09/04/2024	18.96	18.46
					11/04/2024	18.95	18.47
					02/25/2025	18.58	18.84
					05/06/2025	17.86	19.56
					08/18/2025	19.14	18.28
					11/04/2025	18.97	18.45
MW120	8th Avenue ROW, northeast of the Property	40 to 50	0 to -10	39.94	03/14/2019	16.06	23.94
					04/22/2019	15.79	24.21
					07/16/2019	17.55	22.45
					08/19/2019	20.17	19.83
					10/21/2019	22.88	17.12
					01/13/2020	23.57	16.37
					05/11/2020	26.57	13.37
					07/13/2020	26.52	13.42
					07/21/2020	25.45	14.49
					08/04/2020	24.39	15.55
					08/17/2020	23.88	16.06
					09/03/2020	23.55	16.39
					09/21/2020	23.55	16.39
					11/16/2020	22.07	17.87
					02/01/2021	19.30	20.64
					06/07/2021	18.34	21.60
					08/16/2021	18.58	21.36
					02/14/2022	16.58	23.36
					05/16/2022	16.84	23.10
					08/08/2022	17.19	22.75
					11/07/2022	Not Measured	--
					02/21/2023	17.32	22.62
					05/08/2023	17.09	22.85
					08/10/2023	18.02	21.92
					10/30/2023	17.81	22.13
					03/01/2024	16.30	23.64
					05/20/2024	17.37	22.57
					09/03/2024	17.35	22.59
					11/04/2024	17.47	22.47
					02/25/2025	17.02	22.92
					05/06/2025	16.60	23.34
					08/18/2025	17.17	22.77
					11/04/2025	17.09	22.85

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW127	8th Avenue ROE northeast of the Property	40 to 50	-1 to -11	39.04	08/01/2019	17.76	21.28
					10/21/2019	20.33	18.71
					01/13/2020	21.06	17.98
					05/11/2020	24.08	14.96
					07/13/2020	24.06	14.98
					11/16/2020	21.42	17.62
					02/01/2021	19.31	19.73
					06/07/2021	18.10	20.94
					08/16/2021	18.29	20.75
					02/14/2022	16.46	22.58
					05/16/2022	16.48	22.56
					08/08/2022	16.81	22.23
					11/07/2022	17.54	21.50
					02/21/2023	16.94	22.10
					05/08/2023	16.69	22.35
					08/10/2023	17.55	21.49
					10/30/2023	17.51	21.53
					03/01/2024	Not Measured	--
					05/20/2024	16.78	22.26
					09/03/2024	16.97	22.07
					11/04/2024	17.11	21.93
					02/25/2025	16.81	22.23
					05/06/2025	16.27	22.77
					08/18/2025	17.03	22.01
					11/04/2025	16.95	22.09
MW-142	8th Ave N ROW, near MW121	10 to 40	2.6 to -7.5	42.12	03/14/2019	15.42	26.70
					04/22/2019	15.75	26.37
					07/16/2019	20.13	21.99
					08/19/2019	27.21	14.91
					10/21/2019	29.14	12.98
					01/13/2020	29.58	12.54
					05/11/2020	32.15	9.97
					07/13/2020	32.26	9.86
					07/21/2020	29.21	12.91
					08/04/2020	27.42	14.70
					08/17/2020	26.62	15.50
					09/03/2020	26.05	16.07
					09/21/2020	25.85	16.27
					11/16/2020	22.44	19.68
					02/01/2021	19.42	22.70
					06/07/2021	19.63	22.49
					08/16/2021	19.88	22.24
					02/14/2022	17.41	24.71
					05/16/2022	17.94	24.18
					08/08/2022	18.66	23.46
					11/07/2022	19.40	22.72
					02/21/2023	18.61	23.51
					05/08/2023	18.72	23.40
					08/10/2023	19.63	22.49
					10/30/2023	19.15	22.97
					03/01/2024	18.10	24.02
					05/20/2024	18.63	23.49
					09/03/2024	18.86	23.26
					11/04/2024	18.75	23.37
					02/25/2025	18.04	24.08
					05/06/2025	17.90	24.22
					08/18/2025	18.53	23.59
					11/04/2025	18.14	23.98

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-144R	East side of 8th Ave N ROW, north of Roy Street	40.1 to 50.1	3.9 to -6.5	42.46	01/13/2020	29.43	13.03
					05/11/2020	31.36	11.10
					07/13/2020	30.83	11.63
					07/21/2020	29.77	12.69
					08/04/2020	28.68	13.78
					08/17/2020	26.61	15.85
					09/03/2020	Not Measured	--
					09/21/2020	Not Measured	--
					11/16/2020	21.43	21.03
					02/01/2021	18.53	23.93
					06/07/2021	22.48	19.98
					08/16/2021	19.45	23.01
					02/14/2022	16.28	26.18
					05/16/2022	17.31	25.15
					08/08/2022	18.40	24.06
					11/07/2022	18.85	23.61
					02/21/2023	17.69	24.77
					05/08/2023	18.34	24.12
					08/10/2023	19.36	23.10
					10/30/2023	18.80	23.66
					03/01/2024	20.17	22.29
					05/20/2024	18.48	23.98
					09/03/2024	Not Measured	--
					11/04/2024	22.43	20.03
					02/25/2025	16.95	25.51
					05/06/2025	16.55	25.91
					08/18/2025	18.73	23.73
					11/04/2025	17.90	24.56
MW-146	South side of Roy Street ROW, near MW106	39.8 to 49.8	12.8 to 2.8	52.34	03/14/2019	19.89	32.45
					03/26/2019	21.12	31.22
					04/22/2019	22.15	30.19
					07/16/2019	30.04	22.30
					07/17/2019	30.16	22.18
					08/19/2019	32.45	19.89
					10/21/2019	33.98	18.36
					01/13/2020	32.90	19.44
					03/19/2020	33.66	18.68
					05/11/2020	33.90	18.44
					07/13/2020	34.35	17.99
					07/21/2020	33.58	18.76
					08/04/2020	32.84	19.50
					08/17/2020	32.44	19.90
					09/03/2020	31.90	20.44
					09/21/2020	31.35	20.99
					11/16/2020	25.89	26.45
					02/01/2021	22.24	30.10
					06/07/2021	25.91	26.43
					08/16/2021	26.18	26.16
					02/14/2022	22.88	29.46
					05/16/2022	24.04	28.30
					08/08/2022	26.02	26.32
					11/07/2022	25.80	26.54
					02/21/2023	24.50	27.84
					05/08/2023	25.20	27.14
					08/10/2023	26.45	25.89
					10/30/2023	25.65	26.69
					03/01/2024	23.16	29.18
					05/20/2024	25.94	26.40
					09/03/2024	26.47	25.87
					11/04/2024	25.44	26.90
					02/25/2025	29.02	23.32
					05/06/2025	24.86	27.48
					08/18/2025	26.52	25.82
					11/04/2025	24.15	28.19

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-156	East side of 8th Ave N, near MW-9	20 to 30	1 to -9	41.24	01/24/2019	15.06	26.18
					03/14/2019	15.72	25.52
					04/22/2019	16.06	25.18
					07/16/2019	19.32	21.92
					08/19/2019	26.07	15.17
					10/21/2019	27.26	13.98
					01/13/2020	27.61	13.63
					05/11/2020	30.58	10.66
					07/13/2020	30.44	10.80
					07/21/2020	28.06	13.18
					08/04/2020	26.56	14.68
					08/17/2020	25.80	15.44
					09/03/2020	25.46	15.78
					09/21/2020	25.20	16.04
					11/16/2020	22.24	19.00
					02/01/2021	19.25	21.99
					06/07/2021	19.20	22.04
					08/16/2021	19.45	21.79
					02/14/2022	17.21	24.03
					05/16/2022	17.77	23.47
					08/08/2022	18.21	23.03
					11/07/2022	18.84	22.40
					02/21/2023	18.15	23.09
					05/08/2023	18.15	23.09
					08/10/2023	19.04	22.20
					10/30/2023	19.87	21.37
					03/01/2024	19.50	21.74
					05/20/2024	18.12	23.12
					09/03/2024	18.28	22.96
					11/04/2024	18.28	22.96
					02/25/2025	17.69	23.55
					05/06/2025	17.46	23.78
					08/18/2025	18.00	23.24
					11/04/2025	17.76	23.48
MW-189	In the southern Valley Street sidewalk, north of the Property	48.8 to 58.8	-1.2 to -11.2	47.99	10/21/2019	34.50	12.83
					01/13/2020	34.96	12.37
					05/11/2020	35.56	11.77
					07/13/2020	35.10	12.23
					07/21/2020	32.15	15.18
					08/04/2020	30.91	16.42
					08/17/2020	28.82	18.51
					09/03/2020	28.16	19.17
					09/21/2020	27.77	19.56
					10/01/2020	26.35	20.98
					11/16/2020	23.37	23.96
					02/01/2021	20.61	26.72
					06/07/2021	21.78	25.55
					08/16/2021	22.83	24.50
					02/14/2022	20.59	27.40
					05/16/2022	21.65	26.34
					08/08/2022	22.26	25.73
					11/07/2022	22.78	25.21
					02/21/2023	22.05	25.94
					05/08/2023	22.36	25.63
					08/10/2023	23.16	24.83
					10/30/2023	22.42	25.57
					03/01/2024	21.03	26.96
					05/20/2024	22.01	25.98
					09/03/2024	21.95	26.04
					11/04/2024	21.91	26.08
					02/25/2025	21.32	26.67
					05/06/2025	21.31	26.68
					08/18/2025	20.93	27.06
					11/04/2025	21.13	26.86

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-302	In the Dexter Ave N ROW, west of the southwest Property quadrant	54.3 to 64.3	3 to -7	56.9	10/21/2019	46.52	10.51
					01/13/2020	40.09	16.94
					05/11/2020	45.70	11.33
					07/13/2020	41.51	15.52
					11/16/2020	28.90	28.13
					02/01/2021	24.61	32.42
					06/07/2021	25.23	31.80
					08/16/2021	Not Measured	--
					02/14/2022	24.10	32.80
					05/16/2022	25.84	31.06
					08/08/2022	27.55	29.35
					11/07/2022	26.80	30.10
					02/21/2023	Not Measured	--
					05/08/2023	25.95	30.95
					08/10/2023	Not Measured	--
					10/30/2023	25.73	31.17
					03/01/2024	25.47	31.43
					05/20/2024	26.33	30.57
					09/03/2024	26.40	30.50
					11/04/2024	26.01	30.89
					02/25/2025	26.81	30.09
					05/06/2025	26.04	30.86
					08/18/2025	25.50	31.40
					11/04/2025	25.14	31.76
MW-306	Sidewalk W of Dexter Avenue North, S of Roy Street	42.8 to 52.8	17.2 to 7.2	59.48	10/21/2019	30.04	29.44
					01/13/2020	29.63	29.85
					03/19/2020	28.75	30.73
					05/11/2020	29.29	30.19
					07/13/2020	29.98	29.50
					07/21/2020	30.00	29.48
					08/04/2020	30.08	29.40
					08/17/2020	30.20	29.28
					09/03/2020	30.39	29.09
					09/21/2020	30.42	29.06
					11/16/2020	29.75	29.73
					02/01/2021	26.39	33.09
					06/07/2021	27.22	32.26
					08/16/2021	27.79	31.69
					02/14/2022	24.00	35.48
					05/16/2022	32.90	26.58
					08/08/2022	37.55	21.93
					11/04/2022	35.88	23.60
					02/21/2023	35.37	24.11
					05/08/2023	35.30	24.18
					08/10/2023	35.47	24.01
					10/30/2023	35.38	24.10
					03/01/2024	34.85	24.63
					05/20/2024	35.11	24.37
					09/03/2024	35.25	24.23
					11/04/2024	35.25	24.23
					02/25/2025	34.49	24.99
					05/06/2025	34.40	25.08
					08/18/2025	34.57	24.91
					11/04/2025	34.54	24.94
MW-308	Alley east of 800 Aloha Street parcel, near MW122	35.1 to 45.1	-4.7 to -14.7	30.15	10/21/2019	13.07	17.08
					01/13/2020	14.32	15.83
					02/24/2020	17.04	13.11
					05/11/2020	18.70	11.45
					07/13/2020	19.06	11.09
					11/16/2020	18.25	11.90
					02/01/2021	15.02	15.13
					06/07/2021	12.65	17.50
					08/16/2021	12.80	17.35
					02/14/2022	10.89	19.26
					05/16/2022	10.37	19.78
					08/08/2022	10.50	19.65
					11/07/2022	11.22	18.93
					02/21/2023	10.90	19.25
					05/08/2023	10.34	19.81
					08/10/2023	11.37	18.78
					10/30/2023	11.30	18.85
					02/28/2024	10.42	19.73
					05/20/2024	10.41	19.74
					09/03/2024	11.04	19.11
					11/05/2024	11.23	18.92
					02/25/2025	10.73	19.42
					05/06/2025	10.06	20.09
					08/18/2025	11.13	19.02
					11/04/2025	11.05	19.10

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-315	Sidewalk on N side of Mercer St, midway between Dexter and 9th	37.5 to 47.4	12.2 to 2.3	49.18	10/21/2019	27.08	22.10
					01/13/2020	25.80	23.38
					03/19/2020	27.24	21.94
					05/11/2020	28.12	21.06
					07/13/2020	28.65	20.53
					11/16/2020	25.28	23.90
					02/01/2021	22.31	26.87
					06/07/2021	24.80	24.38
					08/16/2021	25.10	24.08
					02/14/2022	22.22	26.96
					05/16/2022	22.58	26.60
					08/08/2022	24.06	25.12
					11/07/2022	24.01	25.17
					02/21/2023	22.61	26.57
					05/08/2023	23.05	26.13
					08/10/2023	24.58	24.60
					10/30/2023	23.93	25.25
					03/01/2024	21.74	27.44
					05/20/2024	24.00	25.18
					09/04/2024	24.43	24.75
					11/04/2024	23.73	25.45
					02/25/2025	22.47	26.71
					05/06/2025	22.97	26.21
					08/18/2025	24.34	24.84
					11/04/2025	22.79	26.39
MW-317	Sidewalk on W side of 9th Avenue North, north of MW116	28.2 to 38.2	3.4 to -6.6	31.35	10/21/2019	13.86	17.49
					01/13/2020	14.80	16.55
					05/11/2020	19.14	12.21
					07/13/2020	19.65	11.70
					11/16/2020	19.37	11.98
					02/01/2021	16.28	15.07
					06/07/2021	14.18	17.17
					08/16/2021	14.30	17.05
					02/14/2022	12.31	19.04
					05/16/2022	11.58	19.77
					08/08/2022	11.90	19.45
					11/07/2022	12.59	18.76
					02/22/2023	12.19	19.16
					05/08/2023	11.75	19.60
					08/10/2023	12.89	18.46
					10/30/2023	12.76	18.59
					03/01/2024	12.05	19.30
					05/20/2024	12.03	19.32
					09/03/2024	12.60	18.75
					11/04/2024	12.61	18.74
					02/25/2025	12.14	19.21
					05/06/2025	11.62	19.73
					08/18/2025	12.75	18.60
					11/04/2025	12.66	18.69
MW-325	Sidewalk on N side of Mercer St, just west of 9th Avenue North	34.5 to 44.5	7 to -3	40.9	10/21/2019	23.69	17.21
					01/13/2020	25.57	15.33
					03/19/2020	31.64	9.26
					05/11/2020	33.31	7.59
					07/13/2020	34.03	6.87
					09/21/2020	34.33	6.57
					11/16/2020	33.78	7.12
					02/01/2021	28.79	12.11
					06/07/2021	25.55	15.35
					08/16/2021	25.25	15.65
					02/14/2022	22.14	18.76
					05/16/2022	21.84	19.06
					08/08/2022	21.91	18.99
					11/07/2022	22.81	18.09
					02/21/2023	21.60	19.30
					05/08/2023	21.56	19.34
					08/10/2023	22.51	18.39
					10/30/2023	22.46	18.44
					03/01/2024	21.18	19.72
					05/20/2024	21.85	19.05
					09/04/2024	22.35	18.55
					11/04/2024	22.38	18.52
					02/25/2025	21.97	18.93
					05/06/2025	21.21	19.69
					08/18/2025	22.41	18.49
					11/04/2025	22.33	18.57

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-327	S Lake Union Park N of Valley Street/Westlake Ave N intersection	24.8 to 34.8	3.6 to -6.3	28.15	10/21/2019	10.06	18.09
					01/13/2020	10.48	17.67
					05/11/2020	12.52	15.63
					07/13/2020	12.95	15.20
					09/21/2020	13.83	14.32
					11/16/2020	12.38	15.77
					02/01/2021	11.04	17.11
					06/07/2021	9.75	18.40
					08/16/2021	11.02	17.13
					02/14/2022	10.29	17.86
					05/16/2022	8.72	19.43
					08/08/2022	9.58	18.57
					11/07/2022	9.45	18.70
					02/21/2023	9.69	18.46
					05/08/2023	9.10	19.05
					08/10/2023	10.29	17.86
					10/30/2023	10.06	18.09
					03/01/2024	9.23	18.92
					05/20/2024	9.05	19.10
					09/03/2024	9.97	18.18
					11/04/2024	10.62	17.53
					02/25/2025	9.25	18.90
					05/06/2025	8.95	19.20
					08/18/2025	10.16	17.99
					11/04/2025	9.80	18.35
MW-330	Valley Street N ROW, north of property	52.1 to 62.1	-0.1 to -10.1	51.67	05/11/2020	34.24	17.43
					07/13/2020	34.98	16.69
					08/17/2020	29.84	21.83
					09/03/2020	29.06	22.61
					09/21/2020	28.60	23.07
					11/16/2020	24.60	27.07
					02/01/2021	22.27	29.40
					06/07/2021	23.01	28.66
					08/16/2021	23.20	28.47
					02/14/2022	21.08	30.59
					05/16/2022	22.15	29.52
					11/07/2022	Not Measured	--
					02/21/2023	22.76	28.91
					05/08/2023	22.80	28.87
					08/10/2023	23.62	28.05
					10/30/2023	22.84	28.83
					03/01/2024	21.65	30.02
					05/20/2024	22.71	28.96
					09/03/2024	22.52	29.15
					11/04/2024	22.40	29.27
					02/25/2025	22.27	29.40
					05/06/2025	22.13	29.54
					08/18/2025	20.80	30.87
					11/04/2025	21.64	30.03
MW-331	North end Alley between 8th Ave & 9th Ave, near MW126	35.6 to 45.6	-4.3 to -14.3	30.43	05/11/2020	17.05	13.38
					07/13/2020	17.32	13.11
					11/16/2020	16.83	13.60
					02/03/2021	14.07	16.36
					06/07/2021	12.09	18.34
					08/16/2021	12.45	17.98
					02/14/2022	10.79	19.64
					05/16/2022	10.24	20.19
					08/08/2022	10.54	19.89
					11/07/2022	11.24	19.19
					02/21/2023	10.81	19.62
					05/08/2023	10.27	20.16
					08/10/2023	11.27	19.16
					10/30/2023	11.26	19.17
					02/28/2024	10.24	20.19
					05/20/2024	9.97	20.46
					09/03/2024	10.93	19.50
					11/04/2024	10.96	19.47
					02/25/2025	10.63	19.80
					05/06/2025	9.98	20.45
					08/18/2025	11.07	19.36
					11/04/2025	10.96	19.47

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-333	NW Corner Broad St & Westlake Ave, near FMW-140	33.2 to 43.2	-1.5 to -11.5	31.1	05/11/2020	20.26	10.84
					07/13/2020	20.65	10.45
					11/16/2020	20.34	10.76
					02/01/2021	17.12	13.98
					06/07/2021	14.57	16.53
					08/16/2021	14.69	16.41
					02/14/2022	12.82	18.28
					05/16/2022	12.03	19.07
					08/08/2022	12.09	19.01
					11/07/2022	12.66	18.44
					02/21/2023	12.40	18.70
					10/30/2023	12.95	18.15
					03/01/2024	12.05	19.05
					05/20/2024	12.20	18.90
					09/03/2024	12.80	18.30
					11/04/2024	12.65	18.45
					02/25/2025	12.56	18.54
05/06/2025	12.05	19.05					
08/18/2025	12.95	18.15					
11/04/2025	12.73	18.37					
MW-344	SDOT Mercer Parcel - NW Quadrant	39.4 to 49.4	13.6 to 3.6	52.7	06/07/2021	26.19	26.51
					08/16/2021	26.52	26.18
					02/14/2022	23.32	29.38
					05/16/2022	24.61	28.09
					08/08/2022	26.50	26.20
					11/07/2022	26.28	26.42
					02/22/2023	24.98	27.72
					05/08/2023	25.64	27.06
					08/10/2023	26.85	25.85
					10/30/2023	26.10	26.60
					03/01/2024	23.63	29.07
					05/20/2024	26.27	26.43
					09/04/2024	26.91	25.79
					11/04/2024	25.85	26.85
					02/25/2025	24.69	28.01
					05/06/2025	25.31	27.39
					08/18/2025	26.86	25.84
11/04/2025	24.64	28.06					
MW-351	SDOT Mercer Parcel - NW Quadrant	35.4 - 45.4	2.7 to -7.3	38.1	05/08/2023	17.68	20.42
					08/10/2023	18.72	19.38
					10/30/2023	18.65	19.45
					03/01/2024	17.55	20.55
					05/20/2024	17.90	20.20
					09/03/2024	18.50	19.60
					11/04/2024	18.51	19.59
					02/25/2025	18.08	20.02
					05/06/2025	17.39	20.71
					08/18/2025	18.68	19.42
11/04/2025	18.52	19.58					
Intermediate B Zone							
FMW-141	Alley east of 800 Aloha Street parcel, near MW109	47.5 to 57.5	-12.1 to -22.1	35.15	10/30/2019	18.31	16.84
					01/13/2020	19.86	15.29
					05/11/2020	25.17	9.98
					07/13/2020	26.65	8.50
					07/21/2020	25.53	9.62
					08/04/2020	25.55	9.60
					08/17/2020	24.53	10.62
					09/03/2020	25.54	9.61
					09/21/2020	Not Measured	--
					11/16/2020	24.25	10.90
					02/01/2021	22.15	13.00
					06/07/2021	18.52	16.63
					08/16/2021	18.60	16.55
					02/14/2022	16.45	18.70
					05/16/2022	15.89	19.26
					08/08/2022	16.02	19.13
					11/07/2022	16.75	18.40
					02/21/2023	16.28	18.87
					05/08/2023	Not Measured	--
					08/10/2023	16.75	18.40
					10/30/2023	16.81	18.34
					03/01/2024	Not Measured	--
					05/21/2024	15.85	19.30
					09/03/2024	16.60	18.55
					11/04/2024	16.67	18.48
					02/25/2025	16.27	18.88
					05/06/2025	15.58	19.57
08/18/2025	16.67	18.48					
11/04/2025	16.60	18.55					

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
HMW-9IB	Megablock	57 to 67	-1.6 to -11.6	57.89	03/19/2020	36.54	21.35
					05/11/2020	37.15	20.74
					07/13/2020	37.60	20.29
					11/16/2020	32.81	25.08
					02/01/2021	29.99	27.90
					06/07/2021	32.33	25.56
					08/16/2021	32.66	25.23
					02/14/2022	29.98	27.91
					05/16/2022	32.65	25.24
					08/08/2022	34.11	23.78
					11/07/2022	34.32	23.57
					02/22/2023	33.18	24.71
					05/08/2023	33.66	24.23
					08/10/2023	34.66	23.23
					10/30/2023	34.27	23.62
					03/01/2024	32.54	25.35
					05/20/2024	34.04	23.85
					09/04/2024	34.25	23.64
					11/04/2024	33.60	24.29
					02/25/2025	32.85	25.04
					05/06/2025	32.97	24.92
MW111	Alley east of 800 Aloha Street parcel	70 to 80	-33.5 to -43.5	36.38	08/18/2025	34.21	23.68
					11/04/2025	32.78	25.11
					03/14/2019	18.36	18.12
					04/22/2019	17.44	19.04
					07/16/2019	17.96	18.52
					10/21/2019	19.57	16.91
					01/13/2020	21.12	15.26
					05/11/2020	26.42	9.96
					07/13/2020	26.88	9.50
					07/21/2020	26.96	9.42
					08/04/2020	26.96	9.42
					08/17/2020	26.95	9.43
					09/03/2020	26.97	9.41
					09/21/2020	Not Measured	--
					11/16/2020	26.40	9.98
					02/01/2021	22.77	13.61
					06/07/2021	19.96	16.42
					08/16/2021	20.00	16.38
					02/14/2022	17.72	18.66
					05/16/2022	17.26	19.12
MW126	Alley east of 800 Aloha Street parcel	85 to 95	-54.1 to -64.1	30.94	08/08/2022	17.27	19.11
					11/07/2022	17.90	18.48
					02/21/2023	17.51	18.87
					05/08/2023	17.10	19.28
					08/10/2023	18.07	18.31
					10/30/2023	18.11	18.27
					02/28/2024	17.12	19.26
					05/20/2024	17.55	18.83
					09/03/2024	17.85	18.53
					11/04/2024	17.88	18.50
					02/25/2025	17.44	18.94
					05/06/2025	17.25	19.13
					08/18/2025	17.91	18.47
					11/04/2025	17.86	18.52
					03/14/2019	12.88	18.06
					04/22/2019	12.62	18.32
					07/16/2019	12.92	18.02
					10/25/2019	14.09	16.85
					01/13/2020	15.13	15.81
					02/19/2020	17.50	13.44
					05/11/2020	18.91	12.03
					07/13/2020	19.32	11.62
					11/16/2020	19.24	11.70
					02/01/2021	16.95	13.99
					06/07/2021	14.75	16.19
					08/16/2021	12.70	18.24
					02/14/2022	12.94	18.00
					05/16/2022	12.45	18.49
					08/08/2022	12.26	18.68
					11/07/2022	12.78	18.16
					02/21/2023	12.60	18.34
					05/08/2023	12.18	18.76
					08/10/2023	12.96	17.98
					10/30/2023	13.10	17.84
					02/28/2024	12.29	18.65
					05/20/2024	11.77	19.17
					09/03/2024	12.71	18.23
					11/04/2024	12.69	18.25
					02/25/2025	12.43	18.51
					05/06/2025	11.84	19.10
					08/18/2025	12.66	18.28
					11/04/2025	12.65	18.29

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-143	8th Ave N ROW, near MW121	67.7 to 77.7	-27.7 to -37.6	42.04	03/14/2019	18.29	23.75
					04/22/2019	18.42	23.62
					07/16/2019	21.67	20.37
					10/21/2019	27.66	14.38
					01/13/2020	28.15	13.89
					02/04/2020	28.05	13.99
					05/11/2020	30.98	11.06
					07/13/2020	31.36	10.68
					07/21/2020	29.51	12.53
					08/04/2020	28.51	13.53
					08/17/2020	27.86	14.18
					09/03/2020	27.62	14.42
					09/21/2020	27.55	14.49
					11/16/2020	Not Measured	--
					02/01/2021	22.75	19.29
					06/07/2021	21.82	20.22
					08/16/2021	21.96	20.08
					02/14/2022	19.54	22.50
					05/16/2022	20.36	21.68
					08/08/2022	19.94	22.10
					11/07/2022	20.20	21.84
					02/21/2023	19.34	22.70
					05/08/2023	19.44	22.60
					08/10/2023	20.40	21.64
					10/30/2023	20.11	21.93
					03/01/2024	19.29	22.75
					05/20/2024	19.26	22.78
					09/03/2024	19.62	22.42
					11/04/2024	19.36	22.68
					02/25/2025	18.75	23.29
					05/06/2025	18.80	23.24
					08/18/2025	13.90	28.14
					11/04/2025	19.00	23.04
MW-145R	East side of 8th Ave N ROW, north of Roy Street	70.2 to 80.2	-27.2 to -37.2	42	01/13/2020	28.06	13.94
					05/11/2020	30.27	11.73
					07/13/2020	30.59	11.41
					07/21/2020	29.53	12.47
					08/04/2020	28.82	13.18
					08/17/2020	28.31	13.69
					09/03/2020	28.07	13.93
					09/21/2020	Not Measured	--
					11/16/2020	25.63	16.37
					02/01/2021	23.83	18.17
					06/07/2021	22.70	19.30
					08/16/2021	22.53	19.47
					02/14/2022	19.77	22.23
					05/16/2022	20.18	21.82
					08/08/2022	20.78	21.22
					11/07/2022	21.10	20.90
					02/21/2023	20.16	21.84
					05/08/2023	20.52	21.48
					08/10/2023	21.31	20.69
					10/30/2023	21.28	20.72
					03/01/2024	20.19	21.81
					05/20/2024	20.75	21.25
					09/03/2024	Not Measured	--
					11/04/2024	20.88	21.12
					02/25/2025	20.10	21.90
					05/06/2025	20.00	22.00
					08/18/2025	20.74	21.26
					11/04/2025	20.21	21.79

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-147	South side of Roy Street ROW, near MW106	39.8 to 49.8	-17.6 to -27.6	51.85	03/14/2019	25.65	26.20
					03/26/2019	26.36	25.49
					04/22/2019	27.14	24.71
					07/16/2019	31.10	20.75
					07/17/2019	31.53	20.32
					10/21/2019	36.23	15.62
					01/13/2020	34.45	17.40
					03/19/2020	37.68	14.17
					05/11/2020	38.56	13.29
					07/13/2020	38.50	13.35
					07/21/2020	36.31	15.54
					08/04/2020	35.50	16.35
					08/17/2020	35.22	16.63
					09/03/2020	34.71	17.14
					09/21/2020	34.33	17.52
					11/16/2020	30.25	21.60
					02/01/2021	27.75	24.10
					06/07/2021	29.32	22.53
					08/16/2021	29.37	22.48
					02/14/2022	25.91	25.94
					05/16/2022	28.23	23.62
					08/08/2022	28.16	23.69
					11/07/2022	28.27	23.58
					02/22/2023	26.80	25.05
					05/08/2023	28.24	23.61
					08/10/2023	Not Measured	--
					10/30/2023	30.38	21.47
					03/01/2024	32.01	19.84
					05/20/2024	29.82	22.03
					09/03/2024	30.19	21.66
					11/04/2024	30.08	21.77
					02/25/2025	29.10	22.75
					05/06/2025	29.48	22.37
					08/18/2025	30.32	21.53
					11/04/2025	28.80	23.05
MW-148	South side of the Roy St ROW, near MW105	70 to 80	-25.7 to -35.7	43.91	03/14/2019	24.31	19.60
					03/26/2019	24.21	19.70
					04/22/2019	24.26	19.65
					07/16/2019	25.21	18.70
					10/21/2019	26.92	16.99
					01/13/2020	28.07	15.84
					03/19/2020	32.80	11.11
					05/11/2020	33.80	10.11
					07/13/2020	34.47	9.44
					07/21/2020	34.45	9.46
					08/04/2020	34.50	9.41
					08/17/2020	34.45	9.46
					09/03/2020	34.43	9.48
					09/21/2020	34.41	9.50
					11/16/2020	33.50	10.41
					02/01/2021	Not Measured	--
					06/07/2021	Not Measured	--
					08/16/2021	27.31	16.60
					02/14/2022	24.53	19.38
					05/16/2022	24.20	19.71
					08/08/2022	24.40	19.51
					11/07/2022	25.18	18.73
					02/21/2023	24.35	19.56
					05/08/2023	24.29	19.62
					08/10/2023	25.30	18.61
					10/30/2023	25.20	18.71
					03/01/2024	24.04	19.87
					05/20/2024	24.50	19.41
					09/03/2024	24.97	18.94
					11/04/2024	25.92	17.99
					02/25/2025	24.39	19.52
					05/06/2025	23.99	19.92
					08/18/2025	25.18	18.73
					11/04/2025	24.86	19.05

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-157	East side of 8th Ave N, near MW-9	39.6 to 49.6	-28.3 to -38.2	41.22	01/24/2019	14.00	27.22
					03/14/2019	14.94	26.28
					04/22/2019	15.32	25.90
					07/16/2019	18.86	22.36
					10/21/2019	28.18	13.04
					01/13/2020	28.77	12.45
					05/11/2020	31.11	10.11
					07/13/2020	30.92	10.30
					07/21/2020	27.90	13.32
					08/04/2020	26.35	14.87
					08/17/2020	25.50	15.72
					09/03/2020	25.09	16.13
					09/21/2020	24.83	16.39
					11/16/2020	23.56	17.66
					02/01/2021	22.43	18.79
					08/16/2021	21.57	19.65
					02/14/2022	19.23	21.99
					08/08/2022	19.49	21.73
					05/08/2023	19.68	21.54
					08/10/2023	19.85	21.37
					03/01/2024	19.75	21.47
					05/20/2024	20.09	21.13
					09/03/2024	20.22	21.00
					11/04/2024	20.38	20.84
					02/25/2025	18.94	22.28
					05/06/2025	19.91	21.31
					08/18/2025	Not Measured	--
					11/04/2025	Not Measured	--
MW-190	In the southern Valley Street sidewalk, north of the Property	78.8 to 88.8	-30.2 to -40.2	48.95	10/21/2019	34.03	14.36
					01/13/2020	33.33	15.06
					05/11/2020	35.32	13.07
					07/13/2020	35.30	13.09
					07/21/2020	34.53	13.86
					08/04/2020	33.54	14.85
					08/17/2020	31.01	17.38
					09/03/2020	30.59	17.80
					09/21/2020	30.30	18.09
					11/16/2020	27.40	20.99
					02/01/2021	24.36	24.03
					06/07/2021	25.40	22.99
					08/16/2021	27.23	21.16
					02/14/2022	26.90	22.05
					05/16/2022	25.95	23.00
					08/08/2022	27.66	21.29
					11/07/2022	27.91	21.04
					02/21/2023	27.54	21.41
					05/08/2023	27.94	21.01
					08/10/2023	28.31	20.64
					10/30/2023	28.34	20.61
					03/01/2024	27.09	21.86
					05/20/2024	28.04	20.91
					09/03/2024	29.02	19.93
					11/04/2024	29.06	19.89
					02/25/2025	28.49	20.46
					05/06/2025	28.58	20.37
					08/18/2025	28.58	20.37
					11/04/2025	28.70	20.25
MW-303	In the Dexter Ave N ROW, west of the northwest Property quadrant	71.4 to 81.4	-13.8 to -23.8	57.27	10/21/2019	44.60	12.68
					01/13/2020	40.00	17.28
					05/11/2020	42.21	15.07
					07/13/2020	42.42	14.86
					11/16/2020	38.75	18.53
					02/01/2021	36.39	20.89
					06/07/2021	37.20	20.08
					08/16/2021	36.15	21.13
					02/14/2022	34.45	22.82
					05/16/2022	34.89	22.38
					08/08/2022	35.69	21.58
					11/07/2022	35.17	22.10
					02/21/2023	Not Measured	--
					05/08/2023	34.73	22.54
					08/10/2023	Not Measured	--
					10/30/2023	34.96	22.31
					03/01/2024	34.40	22.87
					05/20/2024	35.30	21.97
					09/03/2024	35.04	22.23
					11/04/2024	34.62	22.65
					02/25/2025	34.81	22.46
					05/06/2025	34.42	22.85
					08/18/2025	34.26	23.01
					11/04/2025	34.55	22.72

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-307	Sidewalk W of Dexter Avenue North, S of Roy Street	72.8 to 82.8	-12.4 to -22.4	60.21	10/21/2019	41.65	18.56
					01/13/2020	41.55	18.66
					03/19/2020	43.34	16.87
					05/11/2020	43.90	16.31
					07/13/2020	44.69	15.52
					07/21/2020	44.14	16.07
					08/04/2020	44.28	15.93
					08/17/2020	44.24	15.97
					09/03/2020	44.47	15.74
					09/21/2020	44.33	15.88
					11/16/2020	43.88	16.33
					02/01/2021	42.38	17.83
					06/07/2021	41.94	18.27
					08/16/2021	41.66	18.55
					02/14/2022	39.11	21.10
					05/16/2022	40.85	19.36
					08/08/2022	41.78	18.43
					11/07/2022	41.07	19.14
					02/21/2023	13.65	46.56
					05/08/2023	40.91	19.30
					08/10/2023	41.04	19.17
					10/30/2023	41.21	19.00
					03/01/2024	40.32	19.89
					05/20/2024	41.27	18.94
					09/03/2024	40.90	19.31
					11/04/2024	40.76	19.45
					02/25/2025	40.34	19.87
					05/06/2025	40.32	19.89
					08/18/2025	40.58	19.63
					11/04/2025	40.52	19.69
MW-309	Alley east of 800 Aloha Street parcel, near MW122	62.4 to 72.4	-32 to -42	29.97	10/21/2019	12.91	17.06
					01/13/2020	14.15	15.82
					05/11/2020	18.49	11.48
					07/13/2020	18.81	11.16
					11/16/2020	17.92	12.05
					02/01/2021	14.80	15.17
					06/07/2021	12.43	17.54
					08/16/2021	12.64	17.33
					02/14/2022	10.79	19.18
					05/16/2022	10.26	19.71
					08/08/2022	10.40	19.57
					11/07/2022	11.08	18.89
					02/21/2023	10.89	19.08
					05/08/2023	10.28	19.69
					08/10/2023	11.22	18.75
					10/30/2023	11.19	18.78
					02/28/2024	10.24	19.73
					05/20/2024	10.38	19.59
					09/03/2024	10.91	19.06
					11/04/2024	10.93	19.04
					02/25/2025	10.62	19.35
					05/06/2025	9.33	20.64
					08/18/2025	11.01	18.96
					11/04/2025	10.89	19.08
MW-311	Alley east of 800 Aloha Street parcel, near MW108	62.2 to 72.2	-29.1 to -39.1	32.98	10/21/2019	16.45	16.53
					01/13/2020	17.81	15.17
					05/11/2020	22.42	10.56
					07/13/2020	22.76	10.22
					11/16/2020	21.29	11.69
					02/01/2021	17.67	15.31
					06/07/2021	15.30	17.68
					08/16/2021	15.53	17.45
					02/14/2022	13.50	19.48
					05/16/2022	13.06	19.92
					08/08/2022	13.25	19.73
					11/07/2022	13.88	19.10
					02/21/2023	13.52	19.46
					05/08/2023	13.12	19.86
					08/10/2023	14.08	18.90
					10/30/2023	11.29	21.69
					02/28/2024	13.03	19.95
					05/20/2024	13.40	19.58
					09/03/2024	13.71	19.27
					11/04/2024	13.78	19.20
					02/25/2025	13.36	19.62
					05/06/2025	12.76	20.22
					08/18/2025	13.78	19.20
					11/04/2025	13.70	19.28

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-314	Alley east of 800 Aloha Street parcel, near MW110	67.8 to 77.8	-28 to -38	39.19	10/21/2019	22.34	16.85
					01/13/2020	23.83	15.36
					05/11/2020	29.54	9.65
					07/13/2020	30.02	9.17
					11/16/2020	30.49	8.70
					02/01/2021	25.45	13.74
					06/07/2021	22.80	16.39
					08/16/2021	22.82	16.37
					02/14/2022	20.40	18.79
					05/16/2022	19.96	19.23
					08/08/2022	20.80	18.39
					11/07/2022	20.76	18.43
					02/21/2023	20.31	18.88
					05/08/2023	19.88	19.31
					08/10/2023	20.90	18.29
					10/30/2023	20.91	18.28
					02/28/2024	19.69	19.50
					05/20/2024	20.10	19.09
					09/03/2024	20.68	18.51
					11/04/2024	20.73	18.46
					02/25/2025	20.20	18.99
					05/06/2025	19.57	19.62
					08/18/2025	20.74	18.45
					11/04/2025	20.85	18.34
MW-316	Sidewalk on N side of Mercer St, midway between Dexter and 9th	59.8 to 69.8	-10 to -20	49.44	10/21/2019	31.72	17.72
					01/13/2020	32.70	16.74
					03/19/2020	37.66	11.78
					05/11/2020	38.95	10.49
					07/13/2020	39.74	9.70
					09/21/2020	39.78	9.66
					11/16/2020	38.97	10.47
					02/01/2021	35.07	14.37
					06/07/2021	33.10	16.34
					08/16/2021	32.91	16.53
					02/14/2022	29.83	19.61
					05/16/2022	29.65	19.79
					08/08/2022	29.56	19.88
					11/07/2022	30.32	19.12
					02/21/2023	29.35	20.09
					05/08/2023	29.50	19.94
					08/10/2023	30.26	19.18
					10/30/2023	30.24	19.20
					03/01/2024	28.70	20.74
					05/20/2024	29.77	19.67
					09/04/2024	30.20	19.24
					11/04/2024	30.15	19.29
					02/25/2025	29.40	20.04
					05/06/2025	29.06	20.38
					08/18/2025	30.12	19.32
					11/04/2025	29.81	19.63
MW-318	Sidewalk on W side of 9th Avenue North, north of MW116	54.8 to 64.8	-23.1 to -33.1	31.36	10/21/2019	14.56	16.80
					01/13/2020	16.06	15.30
					05/11/2020	20.82	10.54
					07/13/2020	21.27	10.09
					11/16/2020	20.88	10.48
					02/01/2021	17.60	13.76
					06/07/2021	14.81	16.55
					08/16/2021	14.91	16.45
					02/14/2022	13.08	18.28
					05/16/2022	12.41	18.95
					08/08/2022	12.44	18.92
					11/07/2022	13.16	18.20
					02/22/2023	12.86	18.50
					05/08/2023	12.30	19.06
					08/10/2023	13.21	18.15
					10/30/2023	13.27	18.09
					03/01/2024	12.37	18.99
					05/20/2024	12.41	18.95
					09/03/2024	13.03	18.33
					11/04/2024	13.10	18.26
					02/25/2025	12.78	18.58
					05/06/2025	12.06	19.30
					08/18/2025	13.11	18.25
					11/04/2025	13.05	18.31

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-322	Sidewalk on W side of 9th Avenue North, near MW113	54.7 to 64.7	-21.3 to -31.3	33.13	10/21/2019	16.41	16.72
					01/13/2020	18.02	15.11
					05/11/2020	23.22	9.91
					07/13/2020	23.70	9.43
					11/16/2020	23.41	9.72
					02/01/2021	19.71	13.42
					06/07/2021	16.76	16.37
					08/16/2021	16.84	16.29
					02/14/2022	14.92	18.21
					05/16/2022	14.48	18.65
					08/08/2022	14.28	18.85
					11/07/2022	15.00	18.13
					02/22/2023	14.63	18.50
					05/08/2023	14.08	19.05
					08/10/2023	15.01	18.12
					10/30/2023	15.08	18.05
					03/01/2024	14.20	18.93
					05/20/2024	14.22	18.91
					09/03/2024	14.83	18.30
					11/04/2024	14.90	18.23
					02/25/2025	14.58	18.55
					05/06/2025	13.86	19.27
					08/18/2025	14.90	18.23
					11/04/2025	14.84	18.29
MW-334	NW Corner Broad & Westlake, near FMW-140	53.1 to 63.1	-21.7 to -31.7	31.22	05/11/2020	22.02	9.20
					07/13/2020	22.41	8.81
					11/16/2020	22.02	9.20
					02/01/2021	18.38	12.84
					06/07/2021	15.21	16.01
					08/16/2021	15.26	15.96
					02/14/2022	13.37	17.85
					05/16/2022	12.60	18.62
					08/08/2022	12.60	18.62
					11/07/2022	13.32	17.90
					02/21/2023	Not Measured	--
					05/08/2023	Not Measured	--
					08/10/2023	13.36	17.86
					10/30/2023	13.94	17.28
					03/01/2024	Not Measured	--
					05/20/2024	12.55	18.67
					09/03/2024	13.14	18.08
					11/04/2024	13.16	18.06
					02/25/2025	12.90	18.32
					05/06/2025	12.24	18.98
					08/18/2025	13.25	17.97
					11/04/2025	13.23	17.99
MW-335	North Side Mercer Sidewalk between 9th Ave & Westlake	60.8 to 70.8	-25.6 to -35.6	34.26	05/11/2020	29.24	5.02
					07/13/2020	29.85	4.41
					11/16/2020	29.05	5.21
					02/01/2021	23.75	10.51
					06/07/2021	19.40	14.86
					08/16/2021	19.05	15.21
					02/14/2022	15.68	18.58
					05/16/2022	15.93	18.33
					08/08/2022	15.77	18.49
					11/07/2022	16.36	17.90
					02/21/2023	15.88	18.38
					05/08/2023	15.60	18.66
					08/10/2023	16.34	17.92
					10/30/2023	16.43	17.83
					03/01/2024	15.67	18.59
					05/20/2024	15.36	18.90
					09/03/2024	16.23	18.03
					11/04/2024	16.18	18.08
					02/25/2025	16.06	18.20
					05/06/2025	15.30	18.96
					08/18/2025	16.23	18.03
					11/04/2025	16.20	18.06

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-338	Lake Union Park, across street from MW123	44.4 to 54.4	-16.6 to -26.6	27.38	05/11/2020	15.45	11.93
					07/13/2020	15.77	11.61
					11/16/2020	15.92	11.46
					02/01/2021	13.24	14.14
					06/07/2021	10.60	16.78
					08/16/2021	10.97	16.41
					02/14/2022	9.64	17.74
					05/16/2022	8.66	18.72
					08/08/2022	8.85	18.53
					11/07/2022	9.49	17.89
					02/21/2023	9.33	18.05
					05/08/2023	8.65	18.73
					08/10/2023	9.58	17.80
					10/30/2023	9.67	17.71
					03/01/2024	9.00	18.38
					05/20/2024	8.51	18.87
					09/03/2024	9.36	18.02
					11/04/2024	9.39	17.99
					02/25/2025	9.23	18.15
					05/06/2025	8.38	19.00
					08/18/2025	9.53	17.85
MW-340	Lake Union Park, next to MW-328	44.4 to 54.4	-16.1 to -26.1	28.02	11/04/2025	9.49	17.89
					05/11/2020	17.35	10.67
					07/13/2020	17.65	10.37
					11/16/2020	17.53	10.49
					02/01/2021	14.54	13.48
					06/07/2021	11.63	16.39
					08/16/2021	11.94	16.08
					02/14/2022	10.43	17.59
					05/16/2022	9.39	18.63
					08/08/2022	9.52	18.50
					11/07/2022	10.25	17.77
					02/21/2023	10.03	17.99
					05/08/2023	9.55	18.47
					08/10/2023	9.36	18.66
					10/30/2023	10.34	17.68
					03/01/2024	10.00	18.02
					05/20/2024	9.30	18.72
					09/03/2024	10.10	17.92
					11/04/2024	10.05	17.97
					02/25/2025	9.91	18.11
					05/06/2025	9.17	18.85
MW-345	SDOT Mercer Parcel - NW Quadrant	54.4 to 64.4	-1.6 to -11.6	52.61	08/18/2025	10.19	17.83
					11/04/2025	10.14	17.88
					06/07/2021	28.30	24.31
					08/16/2021	28.42	24.19
					02/14/2022	24.92	27.69
					05/16/2022	26.34	26.27
					08/08/2022	28.01	24.60
					11/07/2022	28.00	24.61
					02/22/2023	26.48	26.13
					05/08/2023	Not Measured	--
					08/10/2023	28.02	24.59
					10/30/2023	27.96	24.65
					03/01/2024	26.07	26.54
					05/20/2024	27.36	25.25
					09/04/2024	Not Measured	--
					11/21/2024	27.76	24.85
					02/25/2025	27.02	25.59
					05/06/2025	27.04	25.57
					08/18/2025	28.48	24.13
					11/04/2025	27.10	25.51
MW-346	SDOT Mercer Parcel - NW Quadrant	53.9 to 63.9	-2.2 to -12.2	51.63	06/07/2021	28.91	22.72
					08/16/2021	29.30	22.33
					02/14/2022	25.95	25.68
					05/16/2022	26.34	25.29
					08/08/2022	28.58	23.05
					11/07/2022	28.09	23.54
					02/22/2023	19.00	32.63
					05/08/2023	27.54	24.09
					08/10/2023	29.05	22.58
					10/30/2023	28.23	23.40
					03/01/2024	25.70	25.93
					05/20/2024	28.30	23.33
					09/04/2024	28.74	22.89
					11/04/2024	27.69	23.94
					02/25/2025	26.34	25.29
					05/06/2025	27.27	24.36
					08/18/2025	28.75	22.88
					11/04/2025	26.18	25.45

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-347	SDOT Mercer Parcel - NW Quadrant	54 to 64	-1.3 to -11.3	52.7	06/07/2021	29.97	22.73
					08/16/2021	30.19	22.51
					02/14/2022	26.80	25.90
					05/16/2022	27.61	25.09
					08/08/2022	29.56	23.14
					11/07/2022	26.62	26.08
					02/22/2023	26.00	26.70
					05/08/2023	28.65	24.05
					08/10/2023	30.08	22.62
					10/30/2023	29.23	23.47
					03/01/2024	27.09	25.61
					05/20/2024	29.41	23.29
					09/04/2024	29.91	22.79
					11/04/2024	29.00	23.70
					02/25/2025	28.09	24.61
					05/06/2025	28.67	24.03
					08/18/2025	29.88	22.82
					11/04/2025	27.81	24.89
MW-348	SDOT Mercer Parcels, SW quadrant	58.6 to 68.6	-4.6 to -14.6	53.84	06/07/2021	31.11	22.73
					08/16/2021	31.44	22.40
					02/14/2022	28.36	25.48
					05/16/2022	28.87	24.97
					08/08/2022	30.73	23.11
					11/07/2022	30.55	23.29
					02/22/2023	26.68	27.16
					05/08/2023	29.82	24.02
					08/10/2023	31.24	22.60
					10/30/2023	Not Measured	--
					03/01/2024	28.24	25.60
					05/20/2024	30.54	23.30
					09/04/2024	31.11	22.73
					11/04/2024	28.90	24.94
					02/25/2025	29.20	24.64
					05/06/2025	29.71	24.13
					08/18/2025	31.00	22.84
					11/04/2025	28.84	25.00
MW-349	SDOT Mercer Parcels, SW quadrant	58.6 to 68.6	-2.8 to -12.8	55.58	06/07/2021	31.02	24.56
					08/16/2021	31.25	24.33
					02/14/2022	28.79	26.79
					05/16/2022	29.92	25.66
					08/08/2022	32.02	23.56
					11/07/2022	30.03	25.55
					02/22/2023	25.25	30.33
					05/08/2023	31.99	23.59
					08/10/2023	32.97	22.61
					10/30/2023	32.69	22.89
					03/01/2024	30.99	24.59
					05/20/2024	32.56	23.02
					09/04/2024	32.85	22.73
					11/04/2024	32.41	23.17
					02/25/2025	31.64	23.94
					05/06/2025	31.71	23.87
					08/18/2025	32.52	23.06
					11/04/2025	31.51	24.07
MW-350	SDOT Mercer Parcels, NW quadrant	59.4 to 69.4	-1.7 to -11.7	57.55	06/07/2021	35.53	22.02
					08/16/2021	35.50	22.05
					02/14/2022	33.19	24.36
					05/16/2022	34.09	23.46
					08/08/2022	35.11	22.44
					11/07/2022	35.13	22.42
					02/22/2023	34.30	23.25
					05/08/2023	34.63	22.92
					08/10/2023	35.32	22.23
					10/30/2023	35.11	22.44
					03/01/2024	33.80	23.75
					05/20/2024	34.85	22.70
					09/04/2024	35.12	22.43
					11/04/2024	34.97	22.58
					02/25/2025	34.11	23.44
					05/06/2025	37.57	19.98
					08/18/2025	35.00	22.55
					11/04/2025	34.39	23.16

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)					
W-MW-01	In ROW East of the Property	70 to 80	-25.5 to -35.5	44.5	03/14/2019	21.77	23.11					
					04/22/2019	Not Measured	--					
					07/16/2019	Not Measured	--					
					05/11/2020	Not Measured	--					
					07/13/2020	Not Measured	--					
					09/03/2020	30.18	14.70					
					11/16/2020	27.43	17.45					
					02/01/2021	24.80	20.08					
					06/07/2021	25.65	19.23					
					08/16/2021	Not Measured	--					
					02/14/2022	22.65	21.85					
					05/16/2022	23.03	21.47					
					08/08/2022	23.85	20.65					
					11/07/2022	23.83	20.67					
					02/21/2023	22.77	21.73					
					05/08/2023	17.05	27.45					
					08/10/2023	24.27	20.23					
					10/30/2023	24.10	20.40					
					03/01/2024	15.10	29.40					
					05/20/2024	24.20	20.30					
					09/03/2024	19.61	24.89					
					11/04/2024	23.58	20.92					
					02/25/2025	23.01	21.49					
05/06/2025	22.90	21.60										
08/18/2025	23.83	20.67										
	11/04/2025	22.74	21.76									
W-MW-02 ⁴	In ROW East of the Property	70 to 80	-26.3 to -36.3	42.89	03/14/2019	15.46	28.00					
					04/22/2019	16.13	27.33					
					07/23/2019	21.71	21.75					
					10/21/2019	31.93	11.53					
					05/11/2020	33.88	9.58					
					07/13/2020	34.15	9.31					
					07/21/2020	30.60	12.86					
					08/04/2020	28.25	15.21					
					08/17/2020	27.32	16.14					
					09/03/2020	26.85	16.61					
					09/21/2020	26.46	17.00					
					11/16/2020	22.94	20.52					
					02/01/2021	19.88	23.58					
					08/10/2023	17.50	25.39					
					03/01/2024	18.38	24.51					
					09/03/2024	19.15	23.74					
					11/04/2024	18.73	24.16					
					05/06/2025	Not Measured	--					
					08/18/2025	Not Measured	--					
						11/04/2025	Not Measured	--				
					Deep Zone							
					FMW-129	SDOT Parcel south of Property	84.2 to 89.2	-45.6 to -50.6	38.31	03/14/2019	20.11	18.20
										03/26/2019	19.99	18.32
05/01/2019	19.72	18.59										
05/16/2019	19.56	18.75										
07/16/2019	20.24	18.07										
07/17/2019	20.13	18.18										
07/30/2019	20.34	17.97										
10/21/2019	21.54	16.77										
01/13/2020	24.49	13.82										
05/11/2020	29.20	9.11										
07/13/2020	29.80	8.51										
11/16/2020	29.57	8.74										
06/07/2021	Not Measured	--										
08/16/2021	22.76	15.55										
02/14/2022	20.30	18.01										
05/16/2022	19.84	18.47										
08/08/2022	19.76	18.55										
11/07/2022	Not Measured	--										
02/21/2023	19.85	18.46										
05/08/2023	19.56	18.75										
08/10/2023	20.39	17.92										
10/30/2023	20.39	17.92										
03/01/2024	19.30	19.01										
05/20/2024	19.68	18.63										
09/04/2024	20.24	18.07										
11/04/2024	20.27	18.04										
02/25/2025	19.70	18.61										
05/06/2025	19.26	19.05										
08/18/2025	20.21	18.10										
	11/04/2025	20.10	18.21									

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
FMW-131	Block 37	62.5 to 72.5	-34.7 to -44.7	27.85	03/14/2019	10.26	17.59
					04/22/2019	9.82	18.03
					07/16/2019	Not Measured	--
					10/21/2019	12.21	15.64
					01/13/2020	14.95	12.90
					05/11/2020	22.57	5.28
					07/13/2020	22.77	5.08
					11/16/2020	21.69	6.16
					02/01/2021	17.03	10.82
					06/07/2021	13.98	13.87
					08/16/2021	12.82	15.03
					02/14/2022	10.37	17.48
					05/16/2022	9.76	18.09
					08/08/2022	9.79	18.06
					11/07/2022	10.43	17.42
					02/21/2023	19.02	8.83
					05/08/2023	19.60	8.25
					08/10/2023	9.71	18.14
					10/30/2023	10.51	17.34
					03/01/2024	9.95	17.90
					05/21/2024	9.61	18.24
					09/03/2024	8.59	19.26
					11/04/2024	7.67	20.18
					02/25/2025	10.09	17.76
					05/06/2025	9.41	18.44
					08/18/2025	10.25	17.60
					11/04/2025	10.32	17.53
FMW-137	Block 38 Alley, North End	70 to 85	-44.9 to -57.9	30.09	11/20/2018	13.02	17.07
					12/28/2018	12.74	17.35
					03/14/2019	12.56	17.53
					05/06/2019	12.08	18.01
					07/08/2019	12.25	17.84
					11/06/2019	14.11	15.98
					01/13/2020	19.50	10.59
					05/11/2020	33.07	-2.98
					07/13/2020	33.37	-3.28
					11/16/2020	30.61	-0.52
					02/01/2021	21.52	8.57
					06/07/2021	15.74	14.35
					08/16/2021	15.28	14.81
					02/14/2022	12.85	17.24
					05/16/2022	12.06	18.03
					08/08/2022	11.93	18.16
					11/07/2022	12.50	17.59
					02/21/2023	20.95	9.14
					05/09/2023	11.94	18.15
					08/10/2023	12.39	17.70
					10/30/2023	12.51	17.58
					03/01/2024	11.77	18.32
					05/21/2024	11.78	18.31
					09/03/2024	12.26	17.83
					11/04/2024	12.22	17.87
					02/25/2025	12.14	17.95
					05/06/2025	11.50	18.59
					08/18/2025	12.26	17.83
					11/04/2025	12.25	17.84
FMW-140	Broad Street between 9th Ave and Westlake, North Side Parking Lot	70 to 80	-38 to -48	31.71	10/31/2019	15.03	16.68
					01/13/2020	17.07	14.64
					05/11/2020	22.55	9.16
					07/13/2020	22.91	8.80
					11/16/2020	22.34	9.37
					02/01/2021	18.00	13.71
					06/07/2021	15.63	16.08
					08/16/2021	15.63	16.08
					02/14/2022	13.83	17.88
					05/16/2022	12.96	18.75
					08/08/2022	10.53	21.18
					11/07/2022	10.85	20.86
					02/21/2023	10.60	21.11
					05/08/2023	15.77	15.94
					08/10/2023	11.61	20.10
					10/30/2023	11.49	20.22
					03/01/2024	13.14	18.57
					05/21/2024	13.05	18.66
					09/06/2024	13.58	18.13
					11/04/2024	13.68	18.03
					02/25/2025	13.52	18.19
					05/06/2025	12.69	19.02
					08/18/2025	13.77	17.94
					11/04/2025	13.74	17.97

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
GEI-2	Block 37	50.5 to 60.5	-21.1 to -31.1	29.38	03/14/2019	11.70	17.68
					04/22/2019	11.26	18.12
					07/16/2019	11.51	17.87
					10/21/2019	13.54	15.84
					01/13/2020	9.93	19.45
					05/11/2020	23.05	6.33
					07/13/2020	23.36	6.02
					11/16/2020	22.60	6.78
					02/01/2021	18.06	11.32
					06/07/2021	14.00	15.38
					08/16/2021	13.92	15.46
					02/14/2022	12.02	17.36
					05/16/2022	11.24	18.14
					08/08/2022	11.29	18.09
					11/07/2022	10.77	18.61
					02/21/2023	20.34	9.04
					05/08/2023	11.06	18.32
					08/10/2023	11.84	17.54
					10/30/2023	11.91	17.47
					03/01/2024	11.15	18.23
					05/21/2024	11.02	18.36
					09/03/2024	11.65	17.73
					11/04/2024	11.71	17.67
					02/25/2025	11.60	17.78
					05/06/2025	10.82	18.56
					08/18/2025	11.75	17.63
					11/04/2025	11.70	17.68
MW102	In the southern Valley Street sidewalk, north of the Property	115 to 125	-65.8 to -75.8	49.66	03/14/2019	31.94	17.25
					04/22/2019	31.78	17.41
					07/16/2019	31.80	17.39
					10/21/2019	32.20	16.91
					01/13/2020	32.46	16.65
					05/11/2020	35.36	13.75
					07/13/2020	36.04	13.07
					07/21/2020	35.81	13.30
					08/04/2020	35.98	13.13
					08/17/2020	35.93	13.18
					09/03/2020	36.13	12.98
					09/21/2020	36.00	13.11
					11/16/2020	35.93	13.18
					02/01/2021	34.74	14.37
					06/07/2021	33.95	15.16
					08/16/2021	34.10	15.01
					02/14/2022	32.12	17.54
					05/16/2022	32.20	17.46
					08/08/2022	31.85	17.81
					11/07/2022	31.73	17.93
					02/21/2023	31.44	18.22
					05/08/2023	31.58	18.08
					08/10/2023	31.82	17.84
					10/30/2023	32.29	17.37
					03/01/2024	31.25	18.41
					05/20/2024	31.84	17.82
					09/03/2024	31.79	17.87
					11/04/2024	31.59	18.07
					02/25/2025	31.22	18.44
					05/06/2025	31.16	18.50
					08/18/2025	31.30	18.36
					11/04/2025	31.39	18.27

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW103	Between 8th And 9th Avenues North, east of Property	103.5 to 113.5	-67.6 to -77.6	35.86	03/14/2019	17.75	18.17
					04/22/2019	17.50	18.42
					07/16/2019	16.85	19.07
					10/21/2019	19.17	16.75
					01/13/2020	20.53	15.33
					01/30/2020	20.11	15.75
					05/11/2020	24.87	10.99
					07/13/2020	25.56	10.30
					07/21/2020	25.55	10.31
					08/04/2020	25.61	10.25
					08/17/2020	25.68	10.18
					09/03/2020	25.73	10.13
					09/21/2020	Not Measured	--
					11/16/2020	25.50	10.36
					02/01/2021	22.69	13.17
					06/07/2021	20.18	15.68
					08/16/2021	20.03	15.83
					02/14/2022	17.95	17.91
					05/16/2022	17.53	18.33
					08/08/2022	17.34	18.52
					11/07/2022	17.87	17.99
					02/21/2023	17.54	18.32
					05/08/2023	17.28	18.58
					08/10/2023	17.93	17.93
					10/30/2023	18.07	17.79
					02/28/2024	17.16	18.70
					05/20/2024	17.60	18.26
					09/03/2024	17.72	18.14
					11/04/2024	17.71	18.15
					02/25/2025	17.40	18.46
					05/06/2025	16.88	18.98
					08/18/2025	17.65	18.21
					11/04/2025	17.66	18.20
MW104	8th Avenue North ROW, east of the Property	119 to 129	-76.3 to -86.3	42.68	03/14/2019	25.00	17.68
					04/22/2019	24.86	17.82
					07/16/2019	25.01	17.67
					10/21/2019	25.62	17.06
					01/13/2020	Not Measured	--
					05/11/2020	29.68	13.00
					07/13/2020	30.21	12.47
					08/17/2020	30.06	12.62
					09/03/2020	Not Measured	--
					09/21/2020	29.98	12.70
					11/16/2020	Not Measured	--
					02/01/2021	Not Measured	--
					06/07/2021	Not Measured	--
					08/16/2021	Not Measured	--
					02/14/2022	24.84	17.84
					05/16/2022	24.82	17.86
					08/08/2022	24.66	18.02
					11/07/2022	24.55	18.13
					02/21/2023	24.12	18.56
					05/08/2023	24.33	18.35
					08/10/2023	24.60	18.08
					10/30/2023	24.90	17.78
					03/01/2024	23.88	18.80
					05/20/2024	24.56	18.12
					09/03/2024	24.56	18.12
					11/04/2024	24.35	18.33
					02/25/2025	24.00	18.68
					05/06/2025	23.86	18.82
					08/18/2025	24.12	18.56
					11/04/2025	24.15	18.53

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW105	Roy Street ROW, southeast of the Property	130 to 140	-85.3 to -95.3	44.12	03/14/2019	26.33	17.84
					04/22/2019	26.06	18.11
					07/17/2019	26.25	17.92
					10/21/2019	27.47	16.65
					01/13/2020	28.75	15.37
					05/11/2020	33.01	11.11
					07/13/2020	33.82	10.30
					11/16/2020	33.91	10.21
					02/01/2021	31.11	13.01
					06/07/2021	28.53	15.59
					08/16/2021	28.41	15.71
					02/14/2022	26.32	17.80
					05/16/2022	25.80	18.32
					08/08/2022	25.84	18.28
					11/07/2022	26.23	17.89
					02/21/2023	Not Measured	--
					05/08/2023	25.58	18.54
					08/10/2023	Not Measured	--
					10/30/2023	26.35	17.77
					03/01/2024	25.40	18.72
					05/20/2024	25.72	18.40
					09/03/2024	26.05	18.07
					11/04/2024	26.02	18.10
					02/25/2025	25.65	18.47
					05/06/2025	25.21	18.91
					08/18/2025	25.94	18.18
					11/04/2025	25.98	18.14
MW106	North portion of the SDOT property south of Aloha Street	130 to 140	-78 to -88	51.99	03/14/2019	34.64	17.35
					03/26/2019	34.43	17.56
					04/22/2019	34.53	17.46
					07/16/2019	34.62	17.37
					07/17/2019	34.62	17.37
					10/21/2019	35.25	16.74
					01/13/2020	35.56	16.43
					03/19/2020	38.23	13.76
					05/11/2020	38.87	13.12
					07/13/2020	39.58	12.41
					11/10/2020	39.28	12.71
					02/01/2021	37.82	14.17
					06/07/2021	36.74	15.25
					08/16/2021	36.34	15.65
					02/14/2022	34.41	17.58
					05/16/2022	34.45	17.54
					08/08/2022	34.11	17.88
					11/07/2022	34.05	17.94
					02/21/2023	33.59	18.40
					02/21/2023	33.46	18.53
					05/08/2023	33.88	18.11
					08/10/2023	34.13	17.86
					10/30/2023	Not Measured	--
					03/01/2024	33.46	18.53
					05/20/2024	34.02	17.97
					09/04/2024	34.04	17.95
					11/04/2024	33.86	18.13
					02/25/2025	33.51	18.48
					05/06/2025	33.43	18.56
					08/18/2025	33.64	18.35
					11/04/2025	33.63	18.36

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW113	9th Avenue North ROW, East of the Property	70 to 80	-36.8 to -46.8	32.91	03/14/2019	14.52	18.38
					04/22/2019	14.21	18.69
					07/16/2019	14.57	18.33
					10/21/2019	16.19	16.72
					11/11/2019	16.41	16.50
					01/13/2020	17.91	15.00
					01/14/2020	18.04	14.87
					01/30/2020	17.05	15.86
					02/17/2020	20.79	12.12
					03/24/2020	22.72	10.19
					05/11/2020	25.17	7.74
					07/13/2020	23.67	9.24
					11/16/2020	23.25	9.66
					02/01/2021	19.60	13.31
					06/07/2021	16.66	16.25
					08/16/2021	16.69	16.22
					02/14/2022	14.58	18.33
					05/16/2022	14.07	18.84
					08/08/2022	14.08	18.83
					11/07/2022	14.78	18.13
					02/22/2023	14.40	18.51
					05/08/2023	13.85	19.06
					08/10/2023	14.79	18.12
					10/30/2023	14.84	18.07
					03/01/2024	14.00	18.91
					05/20/2024	14.05	18.86
					09/03/2024	14.60	18.31
					11/04/2024	14.66	18.25
					02/25/2025	14.35	18.56
					05/06/2025	13.62	19.29
					08/18/2025	14.68	18.23
					11/04/2025	14.62	18.29
MW122	Alley east of 800 Aloha Street parcel	105 to 115	-75 to -85	30.03	03/14/2019	11.99	18.04
					04/22/2019	11.60	18.43
					07/16/2019	11.93	18.10
					10/21/2019	13.23	16.80
					01/13/2020	14.53	15.50
					01/30/2020	14.09	15.94
					05/11/2020	18.57	11.46
					07/13/2020	19.02	11.01
					11/16/2020	18.86	11.17
					02/01/2021	16.27	13.76
					06/07/2021	13.60	16.43
					08/16/2021	13.70	16.33
					02/14/2022	12.06	17.97
					05/16/2022	11.39	18.64
					08/08/2022	11.32	18.71
					11/07/2022	12.08	17.95
					02/21/2023	11.72	18.31
					05/08/2023	11.25	18.78
					08/10/2023	12.05	17.98
					10/30/2023	13.10	16.93
					02/28/2024	11.39	18.64
					05/20/2024	11.40	18.63
					09/03/2024	11.82	18.21
					11/04/2024	11.89	18.14
					02/25/2025	11.62	18.41
					05/06/2025	10.99	19.04
					08/18/2025	11.87	18.16
					11/04/2025	11.88	18.15

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW123	At the intersection of 9th Avenue and Westlake Avenue	70 to 80	-42.5 to -52.5	27.5	03/14/2019	9.32	18.19
					04/22/2019	8.89	18.62
					07/16/2019	9.22	18.29
					10/21/2019	10.64	16.86
					01/13/2020	12.15	15.35
					05/11/2020	16.51	10.99
					07/13/2020	16.80	10.70
					11/16/2020	16.64	10.86
					02/01/2021	14.00	13.50
					06/07/2021	10.92	16.58
					08/16/2021	11.11	16.39
					02/14/2022	9.55	17.95
					05/16/2022	8.88	18.62
					08/08/2022	8.72	18.78
					11/07/2022	9.47	18.03
					02/21/2023	Not Measured	--
					05/08/2023	8.55	18.95
					08/10/2023	9.52	17.98
					10/30/2023	9.60	17.90
					03/01/2024	8.87	18.63
					05/20/2024	Not Measured	--
					09/03/2024	9.29	18.21
					11/04/2024	9.34	18.16
					02/25/2025	9.10	18.40
					05/06/2025	8.35	19.15
					08/18/2025	9.42	18.08
					11/04/2025	9.41	18.09
MW124	In the southern Valley Street sidewalk, north of the Property	110 to 120	-53.8 to -63.8	56.74	03/14/2019	38.98	17.26
					04/22/2019	38.81	17.43
					07/16/2019	38.87	17.37
					10/21/2019	39.28	16.96
					01/13/2020	Not Measured	--
					01/30/2020	42.92	13.25
					02/19/2020	40.76	15.41
					05/11/2020	41.98	14.19
					07/13/2020	42.86	13.31
					08/04/2020	42.75	13.42
					08/17/2020	42.79	13.38
					09/03/2020	42.91	13.26
					11/16/2020	42.79	13.38
					02/01/2021	Not Measured	--
					06/08/2021	40.93	15.24
					08/16/2021	Not Measured	--
					02/14/2022	39.20	17.54
					05/16/2022	39.25	17.49
					08/08/2022	38.98	17.76
					11/07/2022	38.80	17.94
					02/21/2023	38.47	18.27
					05/08/2023	38.73	18.01
					08/10/2023	38.90	17.84
					10/30/2023	39.32	17.42
					03/01/2024	38.30	18.44
					05/20/2024	38.97	17.77
					09/03/2024	38.83	17.91
					11/04/2024	38.63	18.11
					02/25/2025	38.29	18.45
					05/06/2025	38.17	18.57
					08/18/2025	38.33	18.41
					11/04/2025	38.42	18.32

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW128	Southeast corner of the intersection of Westlake Avenue and Valley Street	60 to 70	-30.8 to -40.8	28.59	03/14/2019	10.79	17.80
					04/22/2019	10.43	18.16
					07/16/2019	10.67	17.92
					09/09/2019	11.12	17.47
					10/21/2019	12.36	16.23
					11/11/2019	12.49	16.10
					01/13/2020	14.27	14.32
					01/30/2020	13.68	14.91
					02/17/2020	18.11	10.48
					05/11/2020	20.10	8.49
					07/13/2020	20.46	8.13
					11/16/2020	20.01	8.58
					02/01/2021	16.35	12.24
					06/07/2021	12.81	15.78
					08/16/2021	12.80	15.79
					02/14/2022	11.00	17.59
					05/16/2022	10.20	18.39
					08/08/2022	10.13	18.46
					11/07/2022	10.82	17.77
					02/21/2023	10.60	17.99
					05/08/2023	10.03	18.56
					08/10/2023	10.84	17.75
					10/30/2023	10.96	17.63
					03/01/2024	10.54	18.05
					05/20/2024	10.09	18.50
					09/03/2024	10.70	17.89
					11/04/2024	10.72	17.87
					02/25/2025	10.60	17.99
					05/06/2025	9.78	18.81
					08/18/2025	10.80	17.79
					11/04/2025	10.75	17.84
MW-138	In the Dexter Ave N ROW, west of the southwest Property quadrant	105 to 115	-47.6 to -57.6	57.03	03/14/2019	39.75	17.31
					04/22/2019	39.64	17.42
					07/19/2019	39.82	17.21
					10/21/2019	40.19	16.84
					01/13/2020	40.32	16.71
					05/11/2020	43.06	13.97
					07/13/2020	43.92	13.11
					11/16/2020	43.85	13.18
					02/01/2021	42.62	14.41
					06/07/2021	41.90	15.13
					08/16/2021	Not Measured	--
					02/14/2022	39.56	17.47
					05/16/2022	39.48	17.55
					08/08/2022	39.30	17.73
					11/07/2022	39.14	17.89
					02/21/2023	Not Measured	--
					05/08/2023	38.97	18.06
					08/10/2023	Not Measured	--
					10/30/2023	39.53	17.50
					03/01/2024	38.47	18.56
					05/20/2024	39.22	17.81
					09/03/2024	39.09	17.94
					11/04/2024	38.91	18.12
					02/25/2025	38.52	18.51
					05/06/2025	38.47	18.56
					08/18/2025	38.66	18.37
					11/04/2025	38.74	18.29

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-153	South side of the Roy St ROW, east of Dexter Ave N	50 to 60	-65.3 to -75.3	54.35	03/14/2019	37.27	17.08
					03/26/2019	36.85	17.50
					04/22/2019	37.12	17.23
					07/16/2019	37.27	17.08
					07/17/2019	37.11	17.24
					10/21/2019	37.60	16.75
					01/13/2020	38.80	15.55
					01/30/2020	38.41	15.94
					02/19/2020	39.41	14.94
					02/24/2020	39.81	14.54
					03/19/2020	40.14	14.21
					05/11/2020	40.67	13.68
					07/13/2020	41.55	12.80
					07/21/2020	41.11	13.24
					08/04/2020	41.31	13.04
					08/17/2020	41.29	13.06
					09/03/2020	41.37	12.98
					09/21/2020	41.33	13.02
					11/16/2020	41.39	12.96
					02/01/2021	40.15	14.20
					06/07/2021	39.39	14.96
					08/16/2021	38.87	15.48
					02/14/2022	36.90	17.45
					05/16/2022	36.96	17.39
					08/08/2022	36.51	17.84
					11/07/2022	36.57	17.78
					02/21/2023	35.94	18.41
					05/08/2023	36.51	17.84
					08/10/2023	36.63	17.72
					10/30/2023	36.90	17.45
					03/01/2024	36.61	17.74
					05/20/2024	36.60	17.75
					09/03/2024	36.44	17.91
					11/04/2024	36.34	18.01
					02/25/2025	36.00	18.35
					05/06/2025	35.89	18.46
					08/18/2025	36.08	18.27
					11/04/2025	36.14	18.21
MW-158A	East side of 8th Ave N, near MW-9	89.7 to 100	-48.2 to -58.5	41.09	01/24/2019	22.98	18.11
					03/14/2019	23.15	17.94
					04/22/2019	23.29	17.80
					07/16/2019	23.54	17.55
					10/21/2019	24.31	16.78
					01/13/2020	24.91	16.18
					01/30/2020	25.00	16.09
					05/11/2020	28.27	12.82
					07/13/2020	28.73	12.36
					07/21/2020	28.56	12.53
					08/04/2020	28.66	12.43
					08/17/2020	28.58	12.51
					09/03/2020	28.65	12.44
					09/21/2020	28.60	12.49
					11/16/2020	28.37	12.72
					02/01/2021	26.80	14.29
					06/07/2021	25.63	15.46
					08/16/2021	25.18	15.91
					02/14/2022	23.22	17.87
					05/16/2022	23.16	17.93
					08/08/2022	22.84	18.25
					11/07/2022	22.92	18.17
					02/21/2023	22.59	18.50
					05/08/2023	22.73	18.36
					08/10/2023	23.02	18.07
					10/30/2023	Not Measured	--
					03/01/2024	22.45	18.64
					05/20/2024	22.97	18.12
					09/03/2024	22.94	18.15
					11/04/2024	22.78	18.31
					02/25/2025	22.44	18.65
					05/06/2025	22.28	18.81
					08/18/2025	22.61	18.48
					11/04/2025	22.65	18.44

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-160	West side of 8th Ave N, north of MW104	118 to 128	-75.4 to -85.4	42.03	03/14/2019	24.70	17.54
					04/22/2019	24.56	17.68
					07/16/2019	24.72	17.52
					10/21/2019	25.28	16.96
					01/13/2020	25.83	16.41
					01/30/2020	26.04	16.20
					02/19/2020	27.70	14.54
					05/11/2020	29.08	13.16
					07/13/2020	29.79	12.45
					07/21/2020	29.56	12.68
					08/04/2020	29.70	12.54
					08/17/2020	29.64	12.60
					09/03/2020	29.74	12.50
					09/21/2020	29.61	12.63
					11/16/2020	29.51	12.73
					02/01/2021	27.93	14.31
					06/07/2021	26.92	15.32
					08/16/2021	Not Measured	--
					02/14/2022	24.45	17.58
					05/16/2022	24.30	17.73
					08/08/2022	24.14	17.89
					11/07/2022	24.16	17.87
					11/08/2022	25.16	16.87
					02/21/2023	23.69	18.34
					05/08/2023	33.88	8.15
					08/10/2023	24.22	17.81
					10/30/2023	24.50	17.53
					03/01/2024	23.45	18.58
					05/20/2024	24.19	17.84
					09/03/2024	24.16	17.87
					11/04/2024	23.96	18.07
					02/25/2025	23.61	18.42
					05/06/2025	23.45	18.58
					08/18/2025	23.72	18.31
					11/04/2025	23.73	18.30
MW-161	West side of 8th Ave N, south of MW107	130 to 140	-85.6 to -95.6	43.84	03/14/2019	26.50	17.49
					04/22/2019	26.33	17.66
					07/16/2019	26.51	17.48
					10/21/2019	27.03	16.96
					01/13/2020	27.63	16.36
					05/11/2020	31.30	12.69
					07/13/2020	31.69	12.30
					07/13/2020	31.90	12.09
					08/04/2020	31.80	12.19
					08/17/2020	31.76	12.23
					09/03/2020	31.75	12.24
					09/21/2020	Not Measured	--
					11/16/2020	31.48	12.51
					02/01/2021	29.89	14.10
					06/07/2021	28.75	15.24
					08/16/2021	28.32	15.67
					02/14/2022	26.28	17.56
					05/16/2022	26.12	17.72
					08/08/2022	25.96	17.88
					11/07/2022	25.95	17.89
					02/21/2023	25.56	18.28
					05/08/2023	25.80	18.04
					08/10/2023	26.03	17.81
					10/30/2023	26.30	17.54
					03/01/2024	25.27	18.57
					05/20/2024	26.02	17.82
					09/03/2024	26.03	17.81
					11/04/2024	26.81	17.03
					02/25/2025	25.46	18.38
					05/06/2025	25.19	18.65
					08/18/2025	25.59	18.25
					11/04/2025	25.61	18.23

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-304	In the Dexter Ave N ROW, west of the northwest Property quadrant	105.2 to 115.2	-47.6 to -57.6	57.08	10/21/2019	40.38	16.85
					01/13/2020	40.48	16.75
					05/11/2020	43.11	14.12
					07/13/2020	43.97	13.26
					11/16/2020	Not Measured	--
					02/01/2021	42.76	14.47
					06/07/2021	42.04	15.19
					08/16/2021	41.50	15.73
					02/14/2022	39.52	17.56
					05/16/2022	39.59	17.49
					08/08/2022	39.41	17.67
					11/07/2022	39.24	17.84
					02/21/2023	Not Measured	--
					05/08/2023	39.06	18.02
					08/10/2023	Not Measured	--
					10/30/2023	39.66	17.42
					03/01/2024	38.58	18.50
					05/20/2024	39.36	17.72
					09/03/2024	39.21	17.87
					11/04/2024	39.02	18.06
MW-319	Sidewalk on W side of 9th Avenue North, north of MW116	74.5 to 84.5	-42.8 to -52.8	31.31	02/25/2025	38.61	18.47
					05/06/2025	38.56	18.52
					08/18/2025	38.76	18.32
					11/04/2025	38.85	18.23
					10/21/2019	14.52	16.79
					01/13/2020	16.01	15.30
					01/30/2020	15.32	15.99
					02/19/2020	18.87	12.44
					05/11/2020	20.80	10.51
					07/13/2020	21.21	10.10
					11/16/2020	20.99	10.32
					02/01/2021	17.57	13.74
					06/07/2021	14.75	16.56
					08/16/2021	14.88	16.43
					02/14/2022	13.09	18.22
					05/16/2022	12.37	18.94
					08/08/2022	12.40	18.91
					11/07/2022	13.12	18.19
					02/22/2023	12.81	18.50
					05/08/2023	12.30	19.01
MW-323	Sidewalk on W side of 9th Avenue North, near MW113	100 to 110	-65.4 to -75.4	34.38	08/10/2023	13.15	18.16
					10/30/2023	13.21	18.10
					03/01/2024	12.35	18.96
					05/20/2024	12.27	19.04
					09/03/2024	12.95	18.36
					11/04/2024	12.99	18.32
					02/25/2025	12.69	18.62
					05/06/2025	11.94	19.37
					08/18/2025	13.02	18.29
					11/04/2025	12.96	18.35
					10/21/2019	17.71	16.67
					01/13/2020	19.20	15.18
					01/30/2020	18.70	15.68
					05/11/2020	24.04	10.34
					07/13/2020	24.66	9.72
					11/16/2020	24.48	9.90
					02/01/2021	21.32	13.06
					06/07/2021	18.53	15.85
					08/16/2021	18.43	15.95
					02/14/2022	16.31	18.07
					05/16/2022	15.76	18.62
					08/08/2022	15.70	18.68
					11/07/2022	16.33	18.05
					02/22/2023	15.95	18.43
					05/08/2023	15.55	18.83
					08/10/2023	16.30	18.08
					10/30/2023	16.42	17.96
					03/01/2024	15.64	18.74
					05/20/2024	15.83	18.55
					09/03/2024	16.17	18.21
					11/04/2024	16.20	18.18
					02/25/2025	15.90	18.48
					05/06/2025	15.28	19.10
					08/18/2025	16.19	18.19
					11/04/2025	16.16	18.22

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-324	Sidewalk NE of Broad Street/9th Avenue North intersection	66.3 to 76.3	-32.1 to -42.1	33.71	10/21/2019	17.09	16.62
					01/13/2020	18.93	14.78
					01/31/2020	18.13	15.58
					05/11/2020	24.60	9.11
					07/13/2020	25.11	8.60
					09/21/2020	25.24	8.47
					11/16/2020	24.81	8.90
					02/01/2021	20.85	12.86
					06/07/2021	17.69	16.02
					08/16/2021	17.70	16.01
					02/14/2022	15.66	18.05
					05/16/2022	14.91	18.80
					08/08/2022	14.94	18.77
					11/07/2022	15.44	18.27
					02/21/2023	15.28	18.43
					05/08/2023	14.71	19.00
					08/10/2023	15.71	18.00
					10/30/2023	15.74	17.97
					03/01/2024	14.87	18.84
					05/20/2024	14.85	18.86
					09/03/2024	15.52	18.19
					11/04/2024	15.55	18.16
					02/25/2025	15.21	18.50
					05/06/2025	14.52	19.19
					08/18/2025	15.58	18.13
					11/04/2025	15.52	18.19
MW-326	Sidewalk on N side of Mercer St, just west of 9th Avenue North	90 to 100	-48.7 to -58.7	40.97	10/21/2019	24.22	16.75
					01/13/2020	26.40	14.57
					01/30/2020	26.22	14.75
					03/19/2020	31.50	9.47
					05/11/2020	32.44	8.53
					07/13/2020	33.37	7.60
					09/21/2020	33.27	7.70
					11/16/2020	33.09	7.88
					02/01/2021	29.85	11.12
					06/07/2021	27.02	13.95
					08/16/2021	26.50	14.47
					02/14/2022	23.52	17.45
					05/16/2022	23.18	17.79
					08/08/2022	22.81	18.16
					11/07/2022	23.14	17.83
					02/21/2023	22.55	18.42
					05/08/2023	22.71	18.26
					08/10/2023	23.07	17.90
					10/30/2023	23.20	17.77
					03/01/2024	26.88	14.09
					05/20/2024	22.76	18.21
					09/04/2024	22.95	18.02
					11/04/2024	22.82	18.15
					02/25/2025	22.58	18.39
					05/06/2025	22.23	18.74
					08/18/2025	22.76	18.21
					11/04/2025	22.75	18.22
MW-326R	Mercer St ROW, W of 9th Ave N	90.2 to 100.2	-90.2 to -100.2	41.5	05/08/2023	23.11	18.39
					08/10/2023	23.52	17.98
					10/30/2023	23.64	17.86
					03/01/2024	Not Measured	--
					05/20/2024	23.19	18.31
					09/04/2024	22.34	19.16
					11/04/2024	23.25	18.25
					02/25/2025	22.97	18.53
					05/06/2025	22.64	18.86
					08/18/2025	23.30	18.20
					11/04/2025	23.16	18.34

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-328	S Lake Union Park N of Valley Street/Westlake Ave N intersection	64.5 to 74.5	-36.1 to -46.1	28.09	10/21/2019	11.54	16.55
					01/13/2020	13.21	14.88
					01/30/2020	12.60	15.49
					02/19/2020	16.50	11.59
					05/11/2020	18.00	10.09
					07/13/2020	18.35	9.74
					09/21/2020	19.61	8.48
					11/16/2020	18.20	9.89
					02/01/2021	15.00	13.09
					06/07/2021	11.88	16.21
					08/16/2021	12.03	16.06
					02/14/2022	10.44	17.65
					05/16/2022	9.52	18.57
					08/08/2022	9.55	18.54
					11/07/2022	10.22	17.87
					02/21/2023	10.04	18.05
					05/08/2023	9.41	18.68
					08/10/2023	10.30	17.79
					10/30/2023	10.38	17.71
					03/01/2024	9.72	18.37
					05/20/2024	9.50	18.59
					09/03/2024	10.09	18.00
					11/04/2024	10.11	17.98
					02/25/2025	9.97	18.12
					05/06/2025	9.18	18.91
					08/18/2025	10.22	17.87
					11/04/2025	10.20	17.89
MW-329	Sidewalk E of Westlake Avenue North, near MW128	98.3 to 108.3	-69 to -79	28.93	10/21/2019	12.67	16.26
					01/13/2020	14.55	14.38
					01/30/2020	13.96	14.97
					02/19/2020	18.55	10.38
					05/11/2020	20.35	8.58
					07/13/2020	20.74	8.19
					09/21/2020	20.85	8.08
					11/16/2020	20.34	8.59
					02/01/2021	16.60	12.33
					06/07/2021	13.06	15.87
					08/16/2021	13.13	15.80
					02/14/2022	11.36	17.57
					05/16/2022	10.52	18.41
					08/08/2022	10.48	18.45
					11/07/2022	11.11	17.82
					02/21/2023	10.91	18.02
					05/08/2023	10.37	18.56
					08/10/2023	11.20	17.73
					10/30/2023	10.27	18.66
					03/01/2024	10.62	18.31
					05/20/2024	10.43	18.50
					09/03/2024	11.02	17.91
					11/04/2024	11.04	17.89
					02/25/2025	10.90	18.03
					05/06/2025	10.06	18.87
					08/18/2025	11.08	17.85
					11/04/2025	11.08	17.85
MW-336	North Side Mercer Sidewalk between 9th Ave & Westlake	85.3 to 95.3	-51.6 to -61.6	33.31	05/11/2020	29.31	4.00
					07/13/2020	30.00	3.31
					11/16/2020	29.11	4.20
					02/01/2021	23.57	9.74
					06/07/2021	18.97	14.34
					08/16/2021	18.48	14.83
					02/14/2022	16.50	16.81
					05/16/2022	15.17	18.14
					08/08/2022	14.94	18.37
					11/07/2022	15.47	17.84
					02/21/2023	14.94	18.37
					05/08/2023	15.02	18.29
					08/10/2023	15.38	17.93
					10/30/2023	15.50	17.81
					03/01/2024	14.84	18.47
					05/20/2024	14.94	18.37
					09/03/2024	15.29	18.02
					11/04/2024	15.25	18.06
					02/25/2025	16.10	17.21
					05/06/2025	14.46	18.85
					08/18/2025	15.30	18.01
					11/04/2025	15.26	18.05

Table 1a. Groundwater Elevation Data

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Location	Location Description	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	TOC Elevation ¹ (feet)	Date	Depth to Water ² (feet bTOC)	Groundwater Elevation ³ (feet)
MW-341	Lake Union Park, next to MW-328	95.2 to 105.2	-66.8 to -76.8	28.11	05/11/2020	18.08	10.03
					07/13/2020	18.43	9.68
					11/16/2020	18.30	9.81
					02/01/2021	15.05	13.06
					06/07/2021	11.95	16.16
					08/16/2021	12.07	16.04
					02/14/2022	10.47	17.64
					05/16/2022	9.58	18.53
					08/08/2022	9.59	18.52
					11/07/2022	10.28	17.83
					02/21/2023	10.10	18.01
					05/08/2023	9.60	18.51
					08/10/2023	10.33	17.78
					10/30/2023	10.44	17.67
					03/01/2024	9.86	18.25
					05/20/2024	9.55	18.56
					09/03/2024	10.15	17.96
					11/04/2024	10.18	17.93
					02/25/2025	10.04	18.07
					05/06/2025	9.20	18.91
					08/18/2025	10.25	17.86
					11/04/2025	10.24	17.87
MW-342	Valley Street ROW, South side, near Terry Ave	60.1 to 70.1	-32.4 to -42.4	27.37	05/11/2020	17.92	9.45
					07/13/2020	18.22	9.15
					11/16/2020	18.02	9.35
					02/01/2021	14.81	12.56
					06/07/2021	11.43	15.94
					08/16/2021	11.54	15.83
					02/14/2022	10.03	17.34
					05/16/2022	9.09	18.28
					08/08/2022	9.01	18.36
					11/07/2022	9.79	17.59
					02/21/2023	9.95	17.42
					05/08/2023	8.89	18.48
					08/10/2023	9.75	17.62
					10/30/2023	9.87	17.50
					03/01/2024	9.30	18.07
					05/20/2024	8.85	18.52
					09/03/2024	9.59	17.78
					11/04/2024	9.64	17.73
					02/25/2025	Not Measured	--
					05/06/2025	8.65	18.72
					08/18/2025	9.73	17.64
					11/04/2025	9.71	17.66
MW-343	Valley Street ROW, South side, near Terry Ave	99.1 to 109.1	-71.5 to -81.5	27.16	05/11/2020	17.63	9.53
					07/13/2020	17.96	9.20
					11/16/2020	17.76	9.40
					02/01/2021	Not Measured	--
					06/07/2021	11.55	15.61
					08/16/2021	11.53	15.63
					02/14/2022	10.03	17.13
					05/16/2022	9.13	18.03
					08/08/2022	9.02	18.14
					11/07/2022	9.87	17.29
					02/21/2023	9.54	17.62
					05/08/2023	8.90	18.26
					08/10/2023	Not Measured	--
					10/30/2023	9.85	17.31
					03/01/2024	9.30	17.86
					05/20/2024	8.90	18.26
					09/03/2024	Not Measured	--
					11/04/2024	9.56	17.60
					02/25/2025	9.45	17.71
					05/16/2025	8.78	18.38
					08/18/2025	9.60	17.56
					11/04/2025	Not Measured	--

Notes:

Table 1a provides a summary of data from the beginning of the ongoing Interim Action (IA) in 2018. Prior data is available in the Draft RI Report.

The dates of the Fourth Quarter 2025 event are shaded orange

¹TOC elevations surveyed relative to North American Vertical Datum of 1988 (NAVD88) in multiple surveys by Bush, Roed & Hitchings, Inc. of Seattle, Washington, as reported by NV5 Environmental in prior data reports²As measured in feet below a fixed spot on the well casing rim³Calculated by subtracting the depth to groundwater from the TOC elevation.⁴Well has periodically contained emulsified vegetable oil (EVO). When EVO is observed, a depth to water measurement is not recorded

Not Measured = depth to water was not recorded due to the well being inaccessible or containing EVO

Dry = depth to water was not recorded because there was no groundwater present in the well

-- = groundwater elevation could not be calculated from the available data

ROW = right-of-way

TOC = top of casing

Table 1b. Pressure Head Data - Contingent Action Monitoring Wells

Project No. AS240461, American Linen Supply Co Dexter Ave Site, 700 Dexter Ave N, Seattle, Washington

Location	TOC Elevation ¹ (feet)	Date	Measured Pressure (psi) ²
Treatment Zone A Wells			
MW-165	13.58	02/25/25	5.50
		05/06/25	7.50
		08/18/25	6.50
		11/04/25	6.00
MW-169	13.55	02/25/25	10.00
		05/06/25	11.50
		08/18/25	6.00
		11/04/25	7.00
MW-173	13.56	02/25/25	5.50
		05/06/25	5.00
		08/18/25	4.50
		11/04/25	8.50
MW-177	13.61	02/25/25	6.50
		05/06/25	6.50
		08/18/25	12.50
		11/04/25	11.00
MW-181	13.59	02/25/25	10.00
		05/06/25	9.50
		08/18/25	7.00
		11/04/25	11.50
MW-185	13.6	02/25/25	8.50
		05/06/25	8.50
		08/18/25	7.50
		11/04/25	8.10
Treatment Zone B Wells			
MW-166	13.58	02/25/25	7.00
		05/06/25	7.50
		08/18/25	6.50
		11/04/25	6.50
MW-170	13.56	02/25/25	13.00
		05/06/25	16.00
		08/18/25	9.70
		11/04/25	8.00
MW-174	13.57	02/25/25	5.50
		05/06/25	5.50
		08/18/25	6.50
		11/04/25	5.50
MW-178	13.61	02/25/25	14.00
		05/06/25	14.00
		08/18/25	15.00
		11/04/25	14.10
MW-182	13.59	02/25/25	15.00
		05/06/25	15.00
		08/18/25	15.00
		11/04/25	15.00
MW-186	13.57	02/25/25	5.00
		05/06/25	4.50
		08/18/25	6.00
		11/04/25	5.00

Table 1b. Pressure Head Data - Contingent Action Monitoring Wells

Project No. AS240461, American Linen Supply Co Dexter Ave Site, 700 Dexter Ave N, Seattle, Washington

Location	TOC Elevation ¹ (feet)	Date	Measured Pressure (psi) ²
Treatment Zone C Wells			
MW-167	13.58	02/25/25	5.00
		05/06/25	5.00
		08/18/25	4.50
		11/04/25	4.90
MW-171	13.49	02/25/25	5.00
		05/06/25	6.50
		08/18/25	8.20
		11/04/25	8.40
MW-175	13.56	02/25/25	5.00
		05/06/25	5.50
		08/18/25	6.10
		11/04/25	5.10
MW-179	13.62	02/25/25	12.50
		05/06/25	12.50
		08/18/25	12.00
		11/04/25	12.10
MW-183	13.55	02/25/25	9.00
		05/06/25	5.50
		08/18/25	10.50
		11/04/25	8.50
MW-187	13.56	02/25/25	5.25
		05/06/25	5.50
		08/18/25	7.50
		11/04/25	7.80
Treatment Zone D Wells			
MW-168	13.55	02/25/25	1.50
		05/06/25	1.50
		08/18/25	1.50
		11/04/25	2.00
MW-172	13.54	02/25/25	1.00
		05/06/25	2.00
		08/18/25	2.60
		11/04/25	1.30
MW-176	13.55	02/25/25	4.00
		05/06/25	4.25
		08/18/25	2.00
		11/04/25	3.50
MW-180	13.61	02/25/25	22.25
		05/06/25	22.50
		08/18/25	15.00
		11/04/25	15.00
MW-184	13.58	02/25/25	1.00
		05/06/25	1.00
		08/18/25	2.50
		11/04/25	1.20
MW-188	13.59	02/25/25	1.00
		05/06/25	1.00
		08/18/25	3.00
		11/04/25	1.60

Notes:

All wells in Table 1b are located in the P3 parking garage level of the Property.
Historical measurements were not reported in prior data reports and is unavailable.

¹TOC elevations surveyed relative to North American Vertical Datum of 1988 (NAVD88) by Bush, Roed & Hitchings, Inc. of Seattle, Washington, as reported by NV5 Environmental in prior data reports

²As measured in using a manifold fitted with a pressure gauge.

TOC = top of casing; psi = pounds per square inch

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
Shallow												
MW121; Hydrogeologic Zone: Shallow; Screen Interval: 26.7 to 16.7 ft (NAVD88)												
MW121	12/26/2013	< 1	< 1	< 1	1.3	< 1	< 1	< 0.35	< 1	< 1	< 0.263	< 100
MW121	03/28/2017	< 0.199	< 0.153	0.768	5.82	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW121	06/20/2017	< 0.199	< 0.153	1.13	7.68	< 0.152	< 0.188	0.186 J	0.774	< 0.158	< 0.316	--
MW121	04/05/2018	2.93	< 0.153	0.959	6.45	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW121	01/31/2019	< 0.199	< 0.153	5.53	19.8	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 38
MW121	04/29/2019	< 0.199	< 0.153	5.39	15.2 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW121	07/19/2019	< 0.199	< 0.153	1.01	5.04	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW121	11/30/2020	< 0.028	< 0.016	0.193	1.73	< 0.0572	< 0.02	0.029 J	0.067 J	0.041 J	0.272	< 31.6
MW121	02/04/2021	0.046 J	0.053	3.85	5.64 J	0.0572	0.027 J	0.085	0.24	0.041 J	0.247 J	< 41.1
MW121	05/12/2021	< 0.0280	< 0.0160	0.418	1.79	< 0.0572	< 0.0200	0.026 J	0.484	0.056 J	0.346	< 31.6
MW121	08/02/2021	< 0.0280	< 0.0160	< 0.0276	1.84 J	< 0.0572	< 0.0200	< 0.0160	0.314	< 0.0212	0.381	< 31.6
MW121	02/22/2022	< 0.028	< 0.016	0.168	2.96	< 0.0572	< 0.02	0.023 J	< 0.05	< 0.0212	< 0.191	< 52.9
MW121	05/19/2022	< 0.028	< 0.016	< 0.0276	0.954	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	< 31.6
MW121	08/04/2022	< 0.028	< 0.016	0.045 J	2.05 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	37.7 J
MW121	10/31/2022	< 0.028	< 0.016	< 0.0276	1.03	< 0.0572	< 0.02	< 0.016	< 0.05	0.033 J	< 0.191	< 31.6
MW121	05/16/2023	< 0.028 J	< 0.016 J	< 0.0276 J	< 0.0273 J	< 0.0572 J	< 0.02 J	< 0.016 J	< 0.05 J	< 0.0212 J	< 0.191 J	--
MW121	11/07/2023	< 0.028	< 0.016	< 0.0276	0.698	< 0.0572	< 0.02	< 0.016	< 0.064	< 0.0212	< 0.191	--
MW121	05/21/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW121	11/07/2024	< 0.028	< 0.016	< 0.0276	0.347	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW121	05/07/2025	< 0.102	< 0.135	< 0.164	0.760	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW121	11/06/2025	< 0.102	< 0.135	< 0.164	0.476 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW125; Hydrogeologic Zone: Shallow; Screen Interval: 28.6 to 13.6 ft (NAVD88)												
MW125	12/26/2013	< 1	< 1	< 1	< 0.2	< 1	< 1	1.4	< 1	< 1	< 0.263	< 100
MW125	03/22/2017	0.285 J	< 0.153	0.341 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW125	06/28/2017	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW125	04/06/2018	0.58	< 0.153	0.278 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW125	01/21/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW125	04/23/2019	< 0.199	< 0.153	< 0.0933	< 0.118 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW125	07/18/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW125	10/18/2019	< 0.199	< 0.153 J	0.496 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW125	01/29/2020	< 0.199	< 0.153	0.369 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 51.1
MW125	11/17/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.091 J	< 0.0212	< 0.191	--
MW125	02/02/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.158 J	0.101	0.716	< 38.5
MW125	05/11/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	< 46.2
MW125	08/02/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	< 31.6
MW125	11/11/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	< 65.6
MW125	03/08/2022	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	< 48.0
MW125	05/19/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	< 31.6
MW125	08/09/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	< 31.6
MW125	10/31/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	< 64
MW125	10/31/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW125	11/05/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW125	11/07/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-154; Hydrogeologic Zone: Shallow; Screen Interval: 27.8 to 17.9 ft (NAVD88)												
MW-154	04/30/2018	4.46	0.23 J	1.77	7.48	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	32.1
MW-154	01/21/2019	1.7	0.33 J	2.03	3.52	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-154	04/24/2019	1.02	0.214 J	1.76	0.797	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-154	07/15/2019	69.5	5.75	2.55	0.211 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 68
MW-154	10/14/2019	4.99	0.445 J	1.4	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-154	01/21/2020	11.6	0.999	2.26	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-154	04/30/2020	12.1	1.06	2.58	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	47.5 J
MW-154	07/10/2020	10.9	0.786	1.83	< 0.0273	< 0.0572	< 0.02	< 0.016	0.771	< 0.0212	< 0.191	--
MW-154	11/09/2020	73.9	6.84	1.77	< 0.0273	< 0.0572	< 0.02	0.023 J	0.317	< 0.0212	< 0.191	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-154	02/08/2021	4.72 J	0.501	0.203	< 0.0273	< 0.0572	< 0.02	0.022 J	0.794	0.106	0.593	--
MW-154	05/10/2021	3.41	0.453	0.134	< 0.0273 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-154	08/17/2021	32.9	2.84	0.537	0.119	< 0.0572	< 0.02	< 0.024	< 0.129	< 0.0212	< 0.191	--
MW-154	11/10/2021	6.38	0.53	0.211	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	0.085 J	0.366	--
MW-154	02/18/2022	3.86	0.489	0.104	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-154	05/02/2022	3.13	0.365	0.064 J	< 0.0273	< 0.0572	< 0.02	< 0.016	0.161 J	0.182	0.28	--
MW-154	08/02/2022	29.7	2.08	0.318	< 0.0273	< 0.0572	< 0.02	< 0.016	0.265	< 0.0212	0.255 J	--
MW-154	11/03/2022	88.8	6.04	0.925	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.06	< 0.0212	< 0.191	--
MW-154	05/12/2023	37.9	2.86	0.254	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-154	11/10/2023	58.1	4.32	0.616	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-154	06/04/2024	51.6	5.58	7.62	0.46	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-154	11/07/2024	70.3	8.78	11.9	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-154	05/12/2025	19.9	8.98	17.3	0.121 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-154	11/12/2025	0.459 J	1.27	36.1	1.67	0.145 J	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-155; Hydrogeologic Zone: Shallow; Screen Interval: 24.4 to 14.4 ft (NAVD88)												
MW-155	04/27/2018	3.48	0.334 J	0.466 J	0.447 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	60.9
MW-155	01/21/2019	3.72	0.581	0.274 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-155	04/23/2019	14.6	4.75	71.9	6.54 J	< 0.152	0.249 J	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-155	07/23/2019	92.7	19.9	12.1	0.35 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-155	10/16/2019	121	27.6	36.2	< 0.118	< 0.16	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-155	01/20/2020	98.3	21.8	12.7	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	44.9 J
MW-155	05/05/2020	140	27.3	16.4	< 0.234	0.158 J	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	< 31.6
MW-155	08/03/2020	63.4	28	9.74	< 0.0273	0.216 J	< 0.02	0.031 J	0.355	< 0.0212	< 0.191	--
MW-155	11/11/2020	119	26	11.7	0.19 J	0.108 J	< 0.02	< 0.016	< 0.05 J	< 0.0212	< 0.191	--
MW-155	08/13/2021	57.4	12.8	4.73	< 0.0273	0.084 J	< 0.02	0.026 J	0.097 J	< 0.0212	< 0.191	--
MW-155	11/30/2021	8.11	2.08	1.51	< 0.0273	0.114 J	< 0.0200	< 0.0160	0.236	< 0.0212	0.291	--
MW-155	03/01/2022	19.7	6.56	51.6 J	0.24	0.083 J	0.177	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-155	05/05/2022	27.6 J	5.14	18.3	< 0.0273	< 0.0572	0.048 J	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-155	08/03/2022	33.8	8.28 J	3.85	0.0273	0.063 J	< 0.02	0.02 J	< 0.05	< 0.0212	< 0.191	--
MW-155	11/04/2022	47.5	11.7	61.4	0.27	0.188 J	0.227	< 0.016	0.083 J	< 0.0212	< 0.191	--
MW-155	05/09/2023	21.1 J	4.58	9.07	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-155	11/10/2023	36.6	11.8	84.3	1.22	0.158 J	0.245	0.022 J	< 0.05	< 0.0212	< 0.191	--
MW-155	05/28/2024	43.5	10.4	4.98	< 0.0273	0.064 J	< 0.02	0.022 J	< 0.05	< 0.0212	< 0.191	--
MW-155	11/11/2024	38.7 J	11	64.5	0.804 J	0.137 J	0.208	0.022 J	< 0.05	< 0.0212	< 0.191	--
MW-155	05/09/2025	11.8	1.92	1.68	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-155	11/07/2025	36.5	12.2	109	1.33	0.437 J	0.350 J	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-159; Hydrogeologic Zone: Shallow; Screen Interval: 22.9 to 12.9 ft (NAVD88)												
MW-159	04/26/2018	0.964	0.358 J	1.09	0.964	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-159	01/21/2019	< 0.199	< 0.153	0.651	0.666	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-159	04/26/2019	< 0.199	< 0.153	1.23	1.03 J	< 0.152	< 0.188	0.179 J	< 0.412	< 0.158	< 0.316	< 31.6
MW-159	07/21/2019	< 0.199	< 0.153	0.918	0.691	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-159	01/29/2020	< 0.199	< 0.153	0.811	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 33.9
MW-159	11/11/2020	< 0.028	< 0.016	0.561	0.214 J	< 0.0572	< 0.02	< 0.016	0.457 J	< 0.0212	< 0.191	--
MW-159	02/08/2021	0.126 J	0.038 J	0.525	0.504 J	< 0.0572	< 0.02	0.034 J	0.182 J	0.086 J	0.486	--
MW-159	05/11/2021	< 0.028	0.036 J	0.518	0.35 J	< 0.0572	< 0.02	0.02 J	< 0.05	< 0.0212	< 0.191	--
MW-159	08/05/2021	< 0.0280	< 0.0160	0.331	0.098 J	< 0.0572	< 0.0200	0.028 J	< 0.0500	< 0.0212	< 0.191	--
MW-159	11/30/2021	< 0.0280	< 0.0160	0.347	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
MW-159	03/03/2022	< 0.028	< 0.016	0.175	0.072 J	< 0.0572	< 0.02	0.033 J	< 0.05	< 0.0212	< 0.191	--
MW-159	05/11/2022	< 0.028	0.052	0.401	< 0.0273	< 0.0572	< 0.02	0.026 J	< 0.05	< 0.0212	< 0.191	--
MW-159	08/03/2022	< 0.028	0.028 J	0.354	0.0273	< 0.0572	< 0.02	0.029 J	< 0.05	< 0.0212	< 0.191	--
MW-159	10/31/2022	< 0.028	< 0.016	0.448	0.096 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-159	05/16/2023	< 0.028 J	< 0.016 J	0.197 J	< 0.0273 J	< 0.0572 J	< 0.02 J	0.024 J	< 0.05 J	< 0.0212 J	< 0.191 J	--
MW-159	11/07/2023	< 0.028	< 0.016	0.263	0.103	< 0.0572	< 0.02	0.027 J	< 0.05	< 0.0212	< 0.191	--
MW-159	05/21/2024	< 0.028	< 0.016	0.281	0.477	< 0.0572	< 0.02	0.034 J	< 0.05	< 0.0212	< 0.191	--
MW-159	11/05/2024	< 0.028	< 0.016	0.173	0.268	< 0.0572	< 0.02	0.041	< 0.05	< 0.0212	< 0.191	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-159	05/07/2025	< 0.102	< 0.135	0.166 J	0.530	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-159	11/05/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-301; Hydrogeologic Zone: Shallow; Screen Interval: 35.6 to 25.6 ft (NAVD88)												
MW-301	11/30/2020	1.96	0.157	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	0.196 J	< 31.6
MW-301	02/04/2021	1.62	0.101	< 0.0276	< 0.0273	0.0572	< 0.02	0.079	1.44	0.209	1.17	< 43.3
MW-301	05/14/2021	1.85	0.11	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.093	< 0.0212	< 0.191	< 31.6
MW-301	08/20/2021	1.34	0.078	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.064 J	< 0.0212	< 0.191	< 31.6
MW-301	11/30/2021	1.06	0.039 J	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	0.223	0.044 J	0.341	< 31.6
MW-301	05/10/2022	1.82	0.121	0.053 J	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	< 31.6
MW-301	08/12/2022	1.52	< 0.139	0.175	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	< 31.6
MW-301	10/31/2022	0.881	0.112	0.114	< 0.0273	< 0.0572	< 0.02	< 0.016	0.357	0.071 J	0.327	< 31.6
MW-301	11/03/2023	2.56	0.211	1.04 J	0.721 J	< 0.0572	< 0.02	< 0.016	0.056 J	< 0.0212	< 0.191	--
MW-301	11/05/2024	1.54	0.232	0.463	< 0.0273	< 0.0572	< 0.02	< 0.016	0.254	0.211	0.986	--
MW-301	11/19/2025	1.51	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-305; Hydrogeologic Zone: Shallow; Screen Interval: 37.4 to 27.4 ft (NAVD88)												
MW-305	10/15/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-305	01/15/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-305	04/28/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	54.4 J
MW-305	07/27/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.199 J	< 0.0212	< 0.191	--
MW-305	11/06/2020	< 0.028	< 0.016	0.107	< 0.0273	< 0.0572	< 0.02	0.0314 J	0.234	< 0.0212	< 0.191	--
MW-305	05/18/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	0.109 J	< 0.0212	< 0.191	--
MW-305	11/28/2021	< 0.0280	< 0.0160	0.04 J	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
MW-305	05/26/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-305	11/07/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-310; Hydrogeologic Zone: Shallow; Screen Interval: 19.2 to 9.2 ft (NAVD88)												
MW-310	10/10/2019	< 0.199	< 0.153	0.148 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-310	01/14/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-310	04/08/2020	< 0.199	< 0.153	0.193 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-310	08/04/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.027 J	0.982	< 0.0212	< 0.191	--
MW-310	11/06/2020	< 0.028	0.0554	0.134	< 0.0273 J	< 0.0572	< 0.02	0.0275 J	0.348	< 0.0212	< 0.191	--
MW-310	05/03/2021	< 0.0280	< 0.0160	0.203	< 0.0273	< 0.0572	< 0.0200	0.042	0.413	0.138	0.909	--
MW-310	11/03/2021	< 0.028	< 0.016	0.2	< 0.0273	< 0.0572	< 0.02	0.044	< 0.05	< 0.0212	< 0.191	--
MW-310	05/18/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-310	11/01/2022	< 0.028	< 0.016	0.109	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-310	11/07/2023	< 0.028	< 0.016	0.147	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-310	11/12/2024	< 0.028	< 0.016	< 0.075	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.176	0.103	0.644	--
MW-310	11/10/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-312; Hydrogeologic Zone: Shallow; Screen Interval: 19.9 to 9.9 ft (NAVD88)												
MW-312	10/11/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-312	01/21/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	1.22	< 0.158	0.713 J	--
MW-312	04/22/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW-312	08/04/2020	< 0.028	< 0.016	0.044 J	< 0.0273	< 0.0572	< 0.02	< 0.016	0.069 J	< 0.0212	< 0.191	--
MW-312	11/11/2020	0.137	0.0407	0.082 J	0.0273	< 0.0572	< 0.02	< 0.016	1.12 J	< 0.0212	< 0.191	--
MW-312	05/03/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200 J	0.026 J	0.748	0.182	1.07	--
MW-312	11/03/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.022 J	0.407	0.071 J	0.512	--
MW-312	05/09/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-312	11/01/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.102 J	< 0.0212	< 0.191	--
MW-312	11/07/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-312	11/08/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-312	11/10/2025	< 0.102	< 0.135	< 0.164	< 0.0455 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-313; Hydrogeologic Zone: Shallow; Screen Interval: 20.4 to 10.4 ft (NAVD88)												
MW-313	10/10/2019	< 0.199	< 0.153	7.34	1.09	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-313	01/14/2020	< 0.199	< 0.153	2.67	2.59	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-313	05/04/2021	< 0.0280	< 0.0160	2.31	0.524	< 0.0572	< 0.0200	0.03 J	0.824	0.16	0.946	--
MW-313	11/09/2021	< 0.028	< 0.016	5.28	0.932	< 0.0572	< 0.02	0.02 J	< 0.05	0.086 J	0.394	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-313	05/18/2022	< 0.028	0.025 J	7.25	0.488	0.08 J	< 0.02	< 0.016	0.436	0.087 J	0.567	--
MW-313	11/01/2022	< 0.028	< 0.016	9.77	0.58	0.144 J	< 0.02	< 0.016	0.09 J	< 0.0212	< 0.191	--
MW-313	05/15/2023	< 0.028	< 0.016	4.68	0.168	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-313	11/07/2023	< 0.028	< 0.016	6.49	0.09 J	0.105 J	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-313	05/22/2024	< 0.028	< 0.016	7.88	0.215	0.175 J	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-313	11/12/2024	< 0.028	< 0.016	6.34	0.11	0.091 J	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-313	05/08/2025	< 0.102	< 0.135	5.92	0.0527 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-313	11/06/2025	< 0.102	< 0.135	6.96	0.0613 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-332; Hydrogeologic Zone: Shallow; Screen Interval: 16 to 6 ft (NAVD88)												
MW-332	05/04/2020	< 0.3	< 0.19	0.419 J	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW-332	07/30/2020	< 0.028	< 0.016	0.11 J	0.145	< 0.0572 J	< 0.02 J	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-332	11/12/2020	0.112 J	< 0.016	0.202 J	0.102 J	< 0.0572	< 0.02	< 0.016	0.584 J	< 0.0212	< 0.191	--
MW-332	05/20/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.0710	< 0.0212	< 0.191	--
MW-332	11/08/2021	0.071 J	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.276	0.05 J	0.357	--
MW-332	05/31/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-332	11/04/2022	< 0.028	< 0.016	0.104	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-332	11/08/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-332	11/07/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-332	11/12/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-9; Hydrogeologic Zone: Shallow; Screen Interval: 34.1 to 19.1 ft (NAVD88)												
MW-9	10/26/1993	--	--	--	--	--	--	9.5	1.3	< 1	< 2	210 J
MW-9	01/25/1994	--	--	--	--	--	--	5.7	1.1	< 1	< 2	< 250
MW-9	06/02/2011	--	--	--	--	--	--	< 1	< 1	< 1	< 3	< 100
MW-9	09/04/2012	< 1	< 1	< 1	0.61	< 1	< 1	< 0.35	< 1	< 1	< 0.125	--
MW-9	12/16/2013	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.263	< 100
MW-9	03/20/2017	< 0.199	< 0.153	0.14 J	0.324 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	52.8 J
MW-9	06/20/2017	< 0.199	< 0.153	0.214 J	< 0.118	< 0.152	< 0.188	< 0.0896	0.562	< 0.158	< 0.316	< 31.6
MW-9	04/05/2018	1.58	< 0.153	0.246 J	0.21 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	32.9 J
MW-9	01/21/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-9	04/26/2019	157	45.2	75.1	0.861 J	0.261 J	0.893	< 0.0896	< 0.412	< 0.158	< 0.316	121 J
MW-9	07/16/2019	< 0.199	< 0.153	< 0.0933	0.619	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 57.4
MW-9	10/17/2019	< 0.199	< 0.153	0.786	0.416 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 62
MW-9	11/24/2020	< 0.028	< 0.016	0.221	0.288	< 0.0572	< 0.02	0.025 J	0.08 J	< 0.0212	< 0.191	41 J
MW-9	02/04/2021	0.117	< 0.016	0.121	0.138 J	0.0572	< 0.02	0.042	0.241	0.051 J	0.321	< 73.2
MW-9	05/12/2021	< 0.0280	< 0.0160	0.117	0.223 J	< 0.0572	< 0.0200	0.029 J	< 0.0500	< 0.0212	< 0.191	< 31.6
MW-9	08/02/2021	< 0.0280	< 0.0160	0.064 J	< 0.0273	< 0.0572	< 0.0200	0.044	0.325	0.062 J	0.471	< 31.6
MW-9	11/11/2021	0.068 J	< 0.016	0.073 J	0.142	< 0.0572	< 0.02	0.029 J	< 0.05	< 0.0212	< 0.191	< 31.6
MW-9	02/15/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	< 31.6
MW-9	06/08/2022	< 0.028	< 0.016	0.1 J	0.487	< 0.0572	< 0.02	0.049	< 0.05	< 0.0212	< 0.191	< 31.6
MW-9	08/09/2022	< 0.028	< 0.016	0.075 J	0.626	< 0.0572	< 0.02	0.04 J	< 0.05	< 0.0212	< 0.191	< 31.6
MW-9	10/31/2022	< 0.028	< 0.016	0.097 J	0.342	< 0.0572	< 0.02	0.028 J	< 0.05	< 0.0212	< 0.191	< 31.6
MW-9	05/12/2023	0.121	< 0.016	0.043 J	0.592	< 0.0572	< 0.02	0.043	< 0.05	< 0.0212	< 0.191	--
MW-9	11/06/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-9	05/21/2024	< 0.028	< 0.016	0.13	0.734	< 0.0572	< 0.02	0.07	< 0.05	< 0.0212	< 0.191	--
MW-9	05/08/2025	< 0.102	< 0.135	< 0.164	0.943	< 0.115	< 0.122	0.0683 J	< 0.129	< 0.125	< 0.433	--
MW-9	11/06/2025	< 0.102	< 0.135	< 0.164	0.454	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
R-MW5; Hydrogeologic Zone: Shallow; Screen Interval: 42.4 to 27.4 ft (NAVD88)												
R-MW5	10/28/1992	< 0.5	< 0.5	< 0.5	< 0.5	--	--	< 0.5	1	< 0.5	< 0.5	93
R-MW5	01/29/2009	0.8	< 0.2	< 0.2	< 0.2	< 0.2	--	< 0.5	< 0.5	< 0.5	< 1	< 50
R-MW5	06/02/2011	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.59	< 100
R-MW5	09/05/2012	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.125	--
R-MW5	12/18/2013	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.36	< 100
R-MW5	03/23/2017	0.338 J	0.186 J	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
R-MW5	06/16/2017	0.257 J	0.245 J	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
R-MW5	04/11/2018	0.621	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
R-MW5	01/03/2019	0.477 J	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	81.5 J
R-MW5	04/22/2019	0.499 J	0.155 J	< 0.0933	< 0.118 J	< 0.152	< 0.188	< 0.0896	0.428 J	< 0.158	< 0.316	< 31.6
R-MW5	07/16/2019	0.736	< 0.153	0.131 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
R-MW5	10/21/2019	0.523	< 0.153	0.302 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	95.3 J
R-MW5	01/24/2020	0.931	0.374 J	0.265 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
R-MW5	11/18/2020	0.607	0.318	0.505	< 0.0273	< 0.0572	< 0.02	< 0.016	0.205	< 0.0212	< 0.191	43.8 J
R-MW5	02/11/2021	0.741	0.271	0.357	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	< 31.6
R-MW5	05/17/2021	0.671	0.232	0.186	< 0.0273	< 0.0572	< 0.0200	< 0.0160	0.147 J	< 0.0212	< 0.191	< 31.6
R-MW5	08/03/2021	0.512	0.308	0.226	< 0.0273	< 0.0572	< 0.0200	0.029 J	0.565	0.083 J	0.547	< 31.6
R-MW5	11/08/2021	0.661	0.265	0.389	< 0.0273	< 0.0572	< 0.02	0.019 J	0.178 J	0.032 J	0.271	< 31.6
R-MW5	02/24/2022	0.569	0.266	0.198 J	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	< 36.2
R-MW5	05/17/2022	0.321	0.188	0.253	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	< 31.6
R-MW5	08/09/2022	0.173	0.109	0.174	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	< 31.6
R-MW5	11/08/2022	0.515 J	0.314 J	0.297	< 0.0273	< 0.0572	< 0.02	< 0.016	0.058 J	< 0.0212	< 0.191	< 32.6
R-MW5	10/31/2023	0.208	0.132	0.237	< 0.0273	< 0.0572	< 0.02	0.038 J	0.411	0.124	0.731	--
R-MW5	11/13/2024	0.483	0.28	0.19	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
R-MW5	11/05/2025	0.394 J	0.266 J	0.181 J	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
R-MW6; Hydrogeologic Zone: Shallow; Screen Interval: 33.3 to 23.3 ft (NAVD88)												
R-MW6	10/28/1992	4500	920	2600	240	--	--	< 0.5	2	< 0.5	2	< 50
R-MW6	11/03/1992	690	160	620	< 40	--	--	--	--	--	--	--
R-MW6	06/02/2011	< 1	< 1	< 1	2.1	< 1	< 1	< 0.35	< 1	< 1	< 0.59	< 100
R-MW6	09/05/2012	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.125	--
R-MW6	03/21/2017	1.08	3.17	20	8.65	0.242 J	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	42.8 J
R-MW6	06/20/2017	1.19	0.878	37.3	43.9	0.445 J	0.337 J	0.167 J	0.619	< 0.158	< 0.316	38.5 J
R-MW6	04/06/2018	1.85	2.24	19.4	26.9	0.277 J	0.347 J	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
R-MW6	01/25/2019	0.328 J	1.07	12.5	9.14	< 0.152	0.31 J	0.142 J	< 0.412	< 0.158	< 0.316	--
R-MW6	04/25/2019	< 0.199	0.37 J	11.8	7.16 J	0.168 J	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
R-MW6	12/01/2020	0.67	1.07	2.15	0.583	< 0.0572	0.026 J	0.049	0.336	0.067 J	0.513	--
R-MW6	02/03/2021	0.371	0.341	1.22	0.248	< 0.0572	< 0.02	< 0.016	0.198 J	0.081 J	0.55	--
R-MW6	05/17/2021	0.067 J	0.349	12.2	2.86	0.093 J	0.206	0.077	1.02	0.129	0.696	--
R-MW6	08/03/2021	0.091 J	0.29	15.4	4.46	0.12 J	0.117	0.064	0.318	0.065 J	0.398	--
R-MW6	11/29/2021	< 0.0280	0.313	1.12	< 0.0273 J	< 0.0572	< 0.0200	< 0.0160	0.3	< 0.0212	0.297	--
R-MW6	02/23/2022	0.047 J	0.268	5.15	1.27	< 0.0572	0.048 J	0.043	< 0.05	< 0.0212	< 0.191	--
R-MW6	05/11/2022	< 0.028	0.354	4.15	1.71	0.062 J	0.062 J	0.042	< 0.05	< 0.0212	< 0.191	--
R-MW6	08/03/2022	< 0.028	0.297	7.61	1.21	0.101 J	0.058 J	0.068	< 0.05	< 0.0212	< 0.191	--
R-MW6	11/04/2022	< 0.14	0.22	5.08	1.56	< 0.286	< 0.1	< 0.08	< 0.25	< 0.106	< 0.955	--
R-MW6	05/16/2023	< 0.028 J	0.135 J	5.76 J	1.19 J	0.097 J	< 0.02 J	0.06 J	< 0.05 J	< 0.0212 J	< 0.191 J	--
R-MW6	11/03/2023	< 0.028	0.1	4.66	1.81	0.18 J	0.055 J	0.084	0.061 J	< 0.0212	< 0.191	--
R-MW6	05/22/2024	< 0.028	0.12	2.29	1.25 J	< 0.0572	< 0.02	0.051	0.119 J	< 0.0212	< 0.191	--
R-MW6	11/08/2024	< 0.028	0.107	1.19	1.22	< 0.0572	0.021 J	0.05	0.204	< 0.0212	< 0.191	--
R-MW6	05/07/2025	< 0.102	< 0.135	0.470 J	1.57	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
R-MW6	11/06/2025	< 0.102	< 0.135	0.462 J	1.09	< 0.115	< 0.122	0.0750 J	< 0.129	< 0.125	< 0.433	--
SCL-MW101; Hydrogeologic Zone: Shallow; Screen Interval: 25.5 to 15.5 ft (NAVD88)												
SCL-MW101	03/28/2017	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	--	6.74	< 0.624	0.598	2.08	--
SCL-MW101	06/14/2017	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	18.6	1.68	17.1	3.5	--
SCL-MW101	04/06/2018	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	10.6	1.24	11.7	3.32	--
SCL-MW101	10/09/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	11.2	2.39	16.6	3.77	--
SCL-MW101	01/17/2020	< 0.199	< 0.153	< 0.0933	< 0.118 J	< 0.152	< 0.188	15.4	0.611	1.61	3.66	--
SCL-MW101	04/07/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	7.26	0.868	5.54	1.74	--
SCL-MW101	11/24/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	14.6	1.24	3.53	3.95	--
SCL-MW101	05/04/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	6.04	0.395	1.22	1.48	--
SCL-MW101	11/11/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	6.77	0.542	0.454	1.9	--
SCL-MW101	05/19/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	10.1	0.853	46.7	0.568	--
SCL-MW101	11/03/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	5.03	0.364	0.582	1.17	--
SCL-MW101	11/07/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	4.61	0.22	0.34	0.936	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
SCL-MW101	11/11/2024	< 0.028	< 0.016	< 0.0276	< 0.0273 J	< 0.0572	< 0.02	2.13	0.203	0.136	0.813	--
SCL-MW101	11/10/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	2.26	0.340 J	0.279 J	1.08 J	--
Intermediate A												
BB-8; Hydrogeologic Zone: Intermediate A; Screen Interval: 14 to 4 ft (NAVD88)												
BB-8	06/24/1997	11000	1500	4200	280	14	--	1.8	1.3	< 1	< 1	< 200
BB-8	01/29/2009	896	258	441	1.48	2.45	--	0.694	< 0.5	< 0.5	< 1	499
BB-8	05/03/2010	510 E	120	110	0.27	< 1	< 1	--	--	--	--	--
BB-8	06/02/2011	170	59	44	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.59	130 XJ
BB-8	09/05/2012	200	41	28	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.125	--
BB-8	12/29/2013	200	38	24	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.36	--
BB-8	06/17/2015	170	40	37	2	< 10	--	--	--	--	--	--
BB-8	03/22/2017	30.4	4.95	3.1	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
BB-8	06/14/2017	26	8.57	12.6	< 0.118	0.155 J	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
BB-8	04/11/2018	33.7	6.13	4.64	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	40.9
BB-8	01/23/2019	133	43.1	81.5	0.618	0.402 J	0.403 J	< 0.5	< 0.5	< 0.5	< 1.5	99.6 J
BB-8	04/23/2019	48.8	9.09	7.57	< 0.118 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
BB-8	07/17/2019	169	28.9	19.3	< 0.118	0.262 J	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	112 J
BB-8	10/22/2019	135 J	46.6	31.8 J	0.162 J	0.398 J	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	176 J
BB-8	01/20/2020	138	25.4	16.5	< 0.118	0.232 J	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
BB-8	05/12/2020	142	30.8	17.6	< 0.234	0.282 J	< 0.188	< 0.0941	0.682	< 0.137	0.387 J	101 J
BB-8	07/27/2020	165	46.8	26.3	< 0.0273	0.531	0.227	0.057	0.268 J	0.032 J	0.217 J	--
BB-8	11/17/2020	215	107 J	101	0.302	0.802	0.553	0.095	0.339	< 0.0212	< 0.191	--
BB-8	02/11/2021	20.1	3.83	2.19	< 0.0273	< 0.0572	< 0.02	0.049	1.58	0.242	1.28	--
BB-8	06/07/2021	54.4	12.3	6.94	0.079 J	0.098 J	0.049 J	0.019 J	< 0.0500	< 0.0212	< 0.191	--
BB-8	08/17/2021	46.4	11.5	6.92	< 0.0273	0.101 J	0.037 J	0.283	2.79	0.287	1.45	--
BB-8	11/08/2021	38.5	7.2	3.22	< 0.0273	0.062 J	< 0.02	0.034 J	0.325	0.055 J	0.378	--
BB-8	02/24/2022	43.5	7.2	3.49	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
BB-8	05/17/2022	37.5	6.35	3.01	< 0.0273	< 0.0572	0.075 J	< 0.016	< 0.05	< 0.0212	< 0.191	--
BB-8	08/09/2022	59.3	10.2	5.62	< 0.0273	0.069 J	< 0.02	0.028 J	0.052 J	< 0.0212	< 0.191	--
BB-8	11/09/2022	109 J	32.2	23.5	< 0.0273 J	0.224	0.131	0.034 J	< 0.05	< 0.0212	< 0.191	--
BB-8	05/09/2023	71.9	46	23.1	0.184	0.244	0.184	0.089	< 0.05	< 0.0212	< 0.191	--
BB-8	10/31/2023	139	45.8	26.6	< 0.273	< 0.572	< 0.2	< 0.16	< 0.5	< 0.212	< 1.91	--
BB-8	05/22/2024	90.4	59.1	63.4 J	0.109 J	0.398	0.302	0.09	< 0.05	< 0.0212	< 0.191	--
BB-8	11/13/2024	12.6	32.2	186	1.67	0.734	0.609	0.096	< 0.05	< 0.0212	< 0.191	--
BB-8	05/08/2025	0.523	5.99	190	0.518	0.764	0.717	0.0985 J	< 0.129	< 0.125	< 0.433	--
BB-8	11/05/2025	11.1	97.3	278	0.874 J	1.43 J	< 1.22	< 0.540	< 1.29	< 1.25	< 4.33	--
FMW-142; Hydrogeologic Zone: Intermediate A; Screen Interval: -4.6 to -9.6 ft (NAVD88)												
FMW-142	10/31/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
FMW-142	01/22/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
FMW-142	04/28/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
FMW-142	07/08/2020	< 0.028	< 0.016	0.032 J	< 0.0273	< 0.0572	< 0.02	< 0.016	1.37	< 0.0212	< 0.191	--
FMW-142	11/04/2020	< 0.028	< 0.016	0.0977 J	< 0.0273	< 0.0572	< 0.02	< 0.016	0.179 J	< 0.0212	< 0.191	--
FMW-142	05/25/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
FMW-142	03/02/2022	0.117	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.173 J	< 0.0212	0.199 J	--
FMW-142	06/05/2022	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	0.02 J	0.16 J	< 0.0212	< 0.191	--
FMW-142	11/04/2022	0.271	< 0.016	< 0.059	< 0.0273	< 0.0572	< 0.02	0.022 J	0.079 J	< 0.0212	< 0.191	--
FMW-142	11/08/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.106 J	< 0.0212	< 0.191	--
FMW-142	11/15/2024	< 0.028	< 0.016	0.089 J	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
FMW-142	11/12/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
GEI-MW-1; Hydrogeologic Zone: Intermediate A; Screen Interval: -9.3 to -29.3 ft (NAVD88)												
GEI-MW-1	09/06/2014	0.25	0.24	< 1	< 0.2	< 0.5	--	< 1	< 1	--	< 1	< 50
GEI-MW-1	01/23/2020	< 0.199	0.23 J	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
GEI-MW-1	04/29/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	1.06	0.161 J	0.938 J	--
GEI-MW-1	08/07/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.032 J	0.162 J	< 0.0212	< 0.191	--
GEI-MW-1	11/10/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.435 J	< 0.0212	0.316	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
GEI-MW-1	05/13/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
GEI-MW-1	03/07/2022	0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
GEI-MW-1	05/27/2022	< 0.028	< 0.016	< 0.0276	0.091 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
GEI-MW-1	11/04/2022	0.147	< 0.016	0.119	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
GEI-MW-1	05/16/2023	< 0.028 J	< 0.016 J	< 0.0276 J	< 0.0273 J	< 0.0572 J	< 0.02 J	< 0.016 J	< 0.05 J	< 0.0212 J	< 0.191 J	--
GEI-MW-1	11/08/2023	< 0.028	< 0.016	0.034 J	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
GEI-MW-1	05/23/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
GEI-MW-1	11/15/2024	< 0.028	< 0.016	0.054 J	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
GEI-MW-1	05/12/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
GEI-MW-1	11/11/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW107; Hydrogeologic Zone: Intermediate A; Screen Interval: 8.8 to -1.2 ft (NAVD88)												
MW107	12/21/2012	47000	2800	5100	210	41	15	< 3.5	< 10	< 10	< 3.6	240000
MW107	12/16/2013	32000	2400	4000	76	34	11	0.37	1.8	< 1	3.3	--
MW107	06/17/2015	1900	5000	5000	40	< 100	--	--	--	--	--	--
MW107	10/20/2015	2300	5100	3600	27	60	--	--	--	--	--	--
MW107	11/10/2015	620	3800	4400	31	54	16	--	--	--	--	--
MW107	12/11/2015	1200	4200	4200	22	57	--	--	--	--	--	--
MW107	01/08/2016	1100 E	3600	3900	20	50	--	--	--	--	--	--
MW107	02/01/2016	61	230 E	10000	80	33	--	--	--	--	--	--
MW107	03/27/2017	0.224 J	0.37 J	6.82	34.5	14	< 0.188	0.204 J	0.69 J	< 0.158	< 0.316	--
MW107	06/19/2017	< 0.199	0.29 J	7.29	15	12.6	< 0.188	0.238 J	0.7	< 0.158	< 0.316	--
MW107	04/09/2018	0.879	0.581	72.1	123	10.5	< 0.188	0.193 J	< 0.412	< 0.158	< 0.316	59.3 J
MW107	01/30/2019	< 0.199	41.1	1130	474	14.4	9.01	0.215 J	0.715 J	< 0.158	< 0.316	663 J
MW107	05/01/2019	< 0.199	99.9	1250	374	14.1	13	0.188 J	< 0.412	< 0.158	< 0.316	481 J
MW107	07/22/2019	< 1.99	2.62 J	290	307	7.08	0.825	0.188 J	0.758	< 0.158	0.609 J	210 J
MW107	10/15/2019	41.7	138	333	216	7.04	3.27	0.167 J	0.572	< 0.158	< 0.316	365 J
MW107	01/28/2020	< 3.98	168	3590	674	22.2	22.1	< 1.79	< 8.24	< 3.16	< 6.32	1890 J
MW107	04/03/2020	63.8	700	2720	216	15.4	14.5	0.298 J	< 0.412	< 0.158	< 0.316	1420 J
MW107	07/31/2020	< 0.7	6.98	491 J	378	5.36 J	1.19 J	< 0.4	< 1.25	< 0.53	< 4.78	--
MW107	12/01/2020	< 0.7	< 0.4	13.3	< 0.682	5.85	< 0.5	1.65	4.45 J	< 0.53	4.81 J	--
MW107	02/02/2021	0.051 J	0.266	5.36	1.8	6.09	< 0.02	0.112	0.704	0.166	1.04	--
MW107	06/02/2021	0.059 J	0.336	3.2	1.16	3.98	< 0.0200	0.096	0.58	< 0.0212	< 0.191	--
MW107	08/16/2021	< 0.028	0.179	2.53	1.03	3.1	< 0.02	0.091	0.532	0.061 J	0.409	--
MW107	11/29/2021	< 0.0280	0.224	9.43	1.41 J	4.38	< 0.0200	0.096	3.1	< 0.0212	0.374	--
MW107	02/23/2022	0.274	0.668	6.97	1.85	3.97	< 0.02	0.087	0.641	< 0.0212	0.192 J	--
MW107	05/11/2022	--	0.709	6.12	1.75	3.8	< 0.02	0.088	0.449	< 0.0212	< 0.191	--
MW107	08/03/2022	0.833	0.799	7.05	2.34	3.78	< 0.02	0.09	0.279	< 0.0212	< 0.191	--
MW107	10/31/2022	0.101	0.125	4.05	2.74	3.69	< 0.02	0.09	0.312	< 0.0212	< 0.191	--
MW107	02/23/2023	< 0.028	< 0.016	4.84	2.13	2.7	< 0.02	0.082	0.549	< 0.0212	1.13	--
MW107	05/15/2023	0.267	1.44	3.36	1.5	2.37	< 0.02	0.06	0.123 J	< 0.0212	< 0.191	--
MW107	08/16/2023	0.689	2.9	9.54	6.92	3.88	< 0.02	0.116	0.443	0.282	1.18	--
MW107	11/03/2023	0.125	0.606	13	14.7	3.47	< 0.02	< 0.016	0.255	< 0.0212	< 0.191	--
MW107	02/26/2024	< 0.028	0.103	3.71	1.07	2.65	< 0.02	0.111	0.319	0.078 J	0.393	--
MW107	05/22/2024	0.303	1.33	2.63 J	0.265 J	1.94	< 0.02	0.039 J	0.094 J	< 0.0212	0.242 J	--
MW107	09/05/2024	0.44	2.22	3.36	0.402	2.11	< 0.02	0.057	0.287	0.101	0.801	--
MW107	11/08/2024	0.198	0.674	5.99	1.13	1.61	< 0.02	0.073	0.1 J	< 0.0212	< 0.191	--
MW107	02/26/2025	< 0.102	0.403 J	1.77	1.11	1.70	< 0.122	0.0660 J	< 0.129	< 0.125	< 0.433	--
MW107	05/12/2025	< 0.102	< 0.135	2.99	0.718	1.30	< 0.122	0.0645 J	< 0.129	< 0.125	< 0.433	--
MW107	08/20/2025	0.409 J	0.278 J	2.46	1.51	1.31	< 0.122	0.0692 J	0.134 J	< 0.125	< 0.433	--
MW107	11/11/2025	0.432 J	0.264 J	1.95	0.944	1.06	< 0.122	0.0698 J	< 0.129	< 0.125	< 0.433	--
MW108; Hydrogeologic Zone: Intermediate A; Screen Interval: -7.2 to -17.2 ft (NAVD88)												
MW108	12/21/2012	3.4	1.8	400	210 E	2.1	< 1	--	--	--	--	--
MW108	12/17/2013	3.8	4.6	360	150	3.6	< 1	1.9	< 1	< 1	< 0.263	--
MW108	06/17/2015	4	11	370 E	260 E	3.5	--	--	--	--	--	--
MW108	10/20/2015	3	6.4	220	140	1.8	--	--	--	--	--	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW108	02/02/2016	15	7.9	290	180	1.8	--	--	--	--	--	--
MW108	03/28/2017	73.1	12.5	278	52.3	0.899	0.588	1.59	0.479	< 0.158	< 0.316	--
MW108	06/27/2017	194	22.1	165	52.8	0.748	0.512	1.26	< 0.412	< 0.158	< 0.316	--
MW108	04/06/2018	1970	284	1030	217	7.13	11.9	4	0.599	< 0.158	< 0.316	--
MW108	01/22/2019	4190	587	1180	90.8	6.03	10.1	1.67	0.562	< 0.158	< 0.316	--
MW108	04/29/2019	419	171	970	125 J	3.22	3.57	3.2	< 0.412	< 0.158	< 0.316	--
MW108	07/15/2019	567	189	918	197	3.48	4.09	2.9	< 0.412	< 0.158	< 0.316	--
MW108	10/10/2019	524	483	1080	194	5.55	9.11	3.16	< 0.412	0.327 J	< 0.316	--
MW108	01/14/2020	243	235	749	224	< 3.8	< 4.7	4.55 J	< 10.3	< 3.95	< 7.9	--
MW108	04/22/2020	53.1	96.3	178	19.3	< 3.73	< 4.7	25.6	< 6.95	< 3.43	< 4.35	--
MW108	07/16/2020	189	162	216	11.3	1.88 J	1.63 J	29.7	1.73 J	< 0.53	< 4.78	--
MW108	11/04/2020	10.2	32.6	413	107	< 1.43	< 0.5	46.6	2.12 J	< 0.53	6.15 J	--
MW108	02/09/2021	238 J	106	269	172 J	1.48	1.25	2.89	0.44 J	< 0.106	< 0.955	--
MW108	05/03/2021	182	91.9	491	140	1.92	1.46	2.28	0.29 J	< 0.106	< 0.955	--
MW108	08/04/2021	209	124	641	159	3.33	3.65	2.23	< 0.250	< 0.106	< 0.955	--
MW108	11/04/2021	271	153	569	221	3.48	2.3	2.25	0.187 J	< 0.0212	< 0.191	--
MW108	02/15/2022	102	69.4	852	170	3.34	1.84	2.91	0.182 J	< 0.0212	< 0.191	--
MW108	05/18/2022	77.8	49.2	660	90.9	3.55	1.62	2.75	0.188 J	< 0.0212	< 0.191	--
MW108	08/10/2022	115 J	42.6	531	118	< 2.86	< 1	2.3	< 2.5	< 1.06	< 9.55	--
MW108	11/01/2022	97.7	42.7	455	115	2.8	1.16	3.23	0.184 J	< 0.0212	< 0.191	--
MW108	05/12/2023	14.4	8.72	493	132	< 1.14	< 0.4	3.28	< 1	< 0.424	< 3.82	--
MW108	11/07/2023	4.48	4.18	277	104	1.24 J	< 0.4	1.9	< 1	< 0.424	< 3.82	--
MW108	05/21/2024	15.5	7.95	561	195	2.34	1.16	3.24	0.138 J	< 0.0212	< 0.191	--
MW108	11/12/2024	37.9	18	507	133	2.32 J	1.06 J	2.34	< 1	< 0.424	< 3.82	--
MW108	05/12/2025	16.0	9.73	716	129	2.90	1.25	2.64	0.134 J	< 0.125	< 0.433	--
MW108	08/20/2025	25.3	15.4	617 J	240 J	3.10	1.46	2.41	< 0.129	< 0.125	< 0.433	--
MW108	11/18/2025	2.98 J	1.76 J	648	178	2.80 J	< 1.22	2.40	< 1.29	< 1.25	< 4.33	--
MW109; Hydrogeologic Zone: Intermediate A; Screen Interval: 0 to -10 ft (NAVD88)												
MW109	12/21/2012	91	64	18	1.5	< 1	< 1	--	--	--	--	--
MW109	12/17/2013	4	18	310	27	< 1	< 1	< 0.35	< 1	< 1	< 0.263	--
MW109	06/17/2015	370	890	520	26	1.2	--	--	--	--	--	--
MW109	10/20/2015	230	790	400	22	< 20	--	--	--	--	--	--
MW109	02/02/2016	34	330	270	19	< 1	--	--	--	--	--	--
MW109	03/29/2017	< 0.199	0.198 J	12.6	3.49	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW109	06/27/2017	9.69 J	141	163	6.06	1.17	0.583	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW109	04/06/2018	< 1.99	210	629	42.2	3.34	1.21	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW109	01/23/2019	< 0.995	43.8	403	36.8	2.08	0.739	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW109	04/29/2019	< 0.199	< 0.153	4.78	3.06 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW109	07/15/2019	< 0.199	0.265 J	30.8	24.4	0.199 J	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW109	10/15/2019	< 0.199	1.03	397	109	0.891	0.768	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW109	01/21/2020	< 0.199	0.372 J	10.4	1.02	< 0.152	< 0.188	< 0.0896	0.782	< 0.158	< 0.316	--
MW109	04/22/2020	< 0.3	< 0.19	46.8	15.2	0.229 J	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW109	07/06/2020	< 0.028	0.162	45.4	12.4	0.293	0.116	0.034 J	0.967	< 0.0212	< 0.191	--
MW109	11/02/2020	< 0.028	0.126	32.1	14.5	0.22	0.09 J	0.055	0.105 J	< 0.0212	< 0.191	--
MW109	02/09/2021	< 0.028	0.086	9.89	13.7 J	0.125 J	0.042 J	0.052	0.634	0.139	0.791	--
MW109	05/03/2021	< 0.0280	0.055	6.16	3.49	< 0.0572	< 0.0200	0.043	0.751	0.154	0.987	--
MW109	08/04/2021	0.058 J	0.061	0.909	0.602	< 0.0572	< 0.0200	0.033 J	0.239	0.038 J	0.308	--
MW109	11/03/2021	< 0.028	0.033 J	23.7	3.24	0.061 J	0.038 J	0.031 J	< 0.05	< 0.0212	< 0.191	--
MW109	02/15/2022	< 0.028	0.093	24.6	6.98	0.1 J	0.06 J	0.043	< 0.05	< 0.0212	< 0.191	--
MW109	05/09/2022	< 0.028	< 0.016	13.4	5.05	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW109	08/10/2022	< 0.028	0.613	10.8	0.887	< 0.0572	< 0.02	< 0.016	0.075 J	< 0.0212	< 0.191	--
MW109	11/01/2022	< 0.028	< 0.016	20.9	4.26	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW109	05/15/2023	0.037 J	0.051 J	1.79 J	3.35 J	< 0.0572 J	< 0.02 J	0.027 J	< 0.05 J	< 0.0212 J	< 0.191 J	--
MW109	11/07/2023	< 0.028	0.042	0.672	1.01	< 0.0572	< 0.02	0.022 J	< 0.057	< 0.0212	< 0.191	--
MW109	05/21/2024	< 0.028	< 0.016	0.604	1.84	< 0.0572	< 0.02	0.029 J	< 0.05	< 0.0212	< 0.191	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW109	11/08/2024	< 0.028	< 0.016	1.41	1.83	< 0.0572	< 0.02	0.025 J	< 0.05	< 0.0212	< 0.191	--
MW109	05/12/2025	< 0.102	< 0.135	1.49	2.02	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW109	11/17/2025	< 0.102	< 0.135	8.92	2.11	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW110; Hydrogeologic Zone: Intermediate A; Screen Interval: 4.7 to -5.3 ft (NAVD88)												
MW110	12/21/2012	1100	220	470	33	3	1.7	--	--	--	--	--
MW110	12/19/2013	930	240	840	31	3.9	2.7	< 0.35	< 1	< 1	< 0.263	--
MW110	04/22/2015	1000	210	340	1	2.4	--	--	--	--	--	--
MW110	06/17/2015	1000	200	470	12	< 10	--	--	--	--	--	--
MW110	10/20/2015	890	180	380	13	2.2	--	--	--	--	--	--
MW110	02/01/2016	1300	290	460	1.1	3	--	--	--	--	--	--
MW110	03/23/2017	1070	389	644	1.45	4.72	5.23	0.33 J	< 0.412	< 0.158	< 0.316	--
MW110	06/27/2017	259	176	1120	152	2.66	5.3	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW110	04/09/2018	375	253	675	3.54	3.72	5.17	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW110	01/23/2019	1260	490	673	1.39	5.83	6.44	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW110	04/26/2019	1500	613	710	0.9 J	5.59	7.03	0.291 J	< 0.412	< 0.158	< 0.316	--
MW110	07/15/2019	1220	455	578	1.26	5.87	8.44	0.285 J	< 0.412	< 0.158	< 0.316	--
MW110	10/15/2019	1180	498	574	0.853	3.86	5.01	0.233 J	< 0.412	< 0.158	< 0.316	--
MW110	01/16/2020	459	176	187	0.706 J	1.95 J	1.21 J	< 0.448	< 2.06	< 0.79	< 1.58	--
MW110	04/22/2020	946	384	683	5.06	4.25	5.46	0.487 J	< 1.39	< 0.685	< 0.87	--
MW110	07/16/2020	741	349	791	12.5	7.79	4.23	0.335	0.465 J	< 0.106	< 0.955	--
MW110	11/04/2020	640	343	894	29.6	2.96 J	5.82	< 0.8	< 2.5	< 1.06	< 9.55	--
MW110	02/09/2021	602	302 J	401	0.833 J	2.99	3.21	0.125	0.784	0.158	0.791	--
MW110	05/04/2021	484	214	334	< 0.273	2.27	1.92	< 0.160	0.73 J	< 0.212	< 1.91	--
MW110	08/12/2021	410	226	345	< 0.682	2.38 J	2.9	< 0.4	< 1.25	< 0.53	< 4.78	--
MW110	11/09/2021	473	228	521	22.3	2.32	3.52	0.102	< 0.05	0.083 J	0.432	--
MW110	02/25/2022	671	241	374	< 0.682	< 1.43	< 0.5	< 0.4	< 1.25	< 0.53	< 4.78	--
MW110	05/18/2022	432	249	311	< 0.682	2.13 J	3.58	< 0.4	< 1.25	< 0.53	< 4.78	--
MW110	08/11/2022	509	218	263	< 0.682	2.93 J	1.38 J	< 0.4	< 1.25	< 0.53	< 4.78	--
MW110	11/01/2022	513 J	248 J	359 J	0.344	2.28	2.42	0.097	0.121 J	< 0.0212	< 0.191	--
MW110	05/15/2023	459	248	283	0.474	2.22	2.29	0.076	< 0.05	< 0.0212	< 0.191	--
MW110	11/07/2023	231	180	682	1.4	6.14	1.78	< 0.16	< 0.5	< 0.212	< 1.91	--
MW110	05/22/2024	115	137	696	0.409 J	3.19	2.04	0.059	0.074 J	< 0.0212	< 0.191	--
MW110	11/12/2024	77.8	124	861	1.02	4.38	1.92	< 0.16	< 0.5	< 0.212	< 1.91	--
MW110	02/26/2025	149	168	926	0.346	5.34	3.31	0.0843 J	< 0.129	< 0.125	< 0.433	--
MW110	05/13/2025	86.6	110	1070	0.918	5.39	2.85	0.286	< 0.129	< 0.125	< 0.433	--
MW110	08/19/2025	29.7	48.0 J	931 J	13.5	5.61	2.80	0.0708 J	< 0.129	< 0.125	< 0.433	--
MW110	11/07/2025	61.8	82.8	973	34.9 J	4.82 J	2.70 J	< 0.540	< 1.29	< 1.25	< 4.33	--
MW115; Hydrogeologic Zone: Intermediate A; Screen Interval: -0.6 to -10.6 ft (NAVD88)												
MW115	12/13/2012	15	1.1	3	2.6	< 1	< 1	--	--	--	--	--
MW115	12/21/2012	< 1	3	38	16	< 1	< 1	--	--	--	--	--
MW115	12/19/2013	< 1	< 1	< 1	0.75	< 1	< 1	< 0.35	< 1	< 1	< 0.263	--
MW115	04/21/2015	< 1	17	170	20	< 1	--	--	--	--	--	--
MW115	06/25/2015	< 1	< 1	< 1	6.2	< 1	--	--	--	--	--	--
MW115	10/27/2015	< 1	< 1	< 1	0.31	< 1	--	--	--	--	--	--
MW115	02/03/2016	< 1	< 1	< 1	2.3	< 1	--	--	--	--	--	--
MW115	03/22/2017	< 0.199	< 0.153	0.643	15.7	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW115	06/22/2017	< 0.199	< 0.153	0.523	8.45	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW115	04/11/2018	< 0.199	< 0.153	0.272 J	5.81	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW115	01/30/2019	< 0.199	< 0.153	0.316 J	12.4	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW115	07/17/2019	< 0.199	< 0.153	0.787	24.3	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW115	10/22/2019	< 0.199	< 0.153	< 0.819	23.2	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW115	01/20/2020	< 0.199	< 0.153	0.88	26.9	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW115	05/05/2020	< 0.3	< 0.19	0.654	8.86	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW115	07/28/2020	< 0.3	< 0.19	0.354 J	1.16	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW115	11/12/2020	< 0.028	< 0.016	0.308	0.808 J	< 0.0572	< 0.02	< 0.016	0.221 J	< 0.0212	< 0.191	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW115	02/12/2021	< 0.028	0.016	0.244	1.02	< 0.0572	< 0.02	0.033 J	0.515	0.073 J	0.453	--
MW115	05/25/2021	< 0.0280	< 0.0160	0.14	0.989	< 0.0572	< 0.0200	< 0.0160	< 0.0540	< 0.0212	< 0.191	--
MW115	08/11/2021	0.063 J	0.065	0.352	1.46	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW115	11/18/2021	0.095 J	0.059	0.124	0.174	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW115	02/15/2022	0.053 J	0.028 J	0.455	7.28	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW115	06/03/2022	0.065 J	< 0.016	0.54	6.75	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW115	08/10/2022	0.052 J	< 0.016	0.121	0.33	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW115	11/03/2022	0.076 J	< 0.016	0.103	0.253	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW115	05/18/2023	< 0.028	< 0.016	0.383	3.09	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW115	11/08/2023	< 0.028	< 0.016	0.36	1.1	< 0.0572	< 0.02	< 0.016	0.058 J	< 0.0212	< 0.191	--
MW115	05/24/2024	0.042 J	< 0.016 J	< 0.0276 J	< 0.0273 J	< 0.0572 J	< 0.02 J	< 0.016 J	< 0.05 J	< 0.0212 J	< 0.191 J	--
MW115	11/07/2024	< 0.028	< 0.016	0.157	0.43	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW115	05/14/2025	< 0.102	< 0.135	0.931	2.50	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW115	11/12/2025	< 0.102	< 0.135	0.883	4.38	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW116; Hydrogeologic Zone: Intermediate A; Screen Interval: -3.1 to -13.1 ft (NAVD88)												
MW116	12/07/2012	6.8	< 1	< 1	< 0.2	< 1	< 1	--	--	--	--	--
MW116	12/21/2012	2.7	< 1	< 1	< 0.2	< 1	< 1	--	--	--	--	--
MW116	12/19/2013	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.263	--
MW116	06/25/2015	< 1	< 1	< 1	< 0.2	< 1	--	--	--	--	--	--
MW116	10/27/2015	< 1	< 1	< 1	< 0.2	< 1	--	--	--	--	--	--
MW116	02/03/2016	< 1	< 1	< 1	< 0.2	< 1	--	--	--	--	--	--
MW116	03/21/2017	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW116	06/16/2017	< 0.199	0.303 J	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW116	04/11/2018	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW116	01/30/2019	< 0.199	< 0.153	0.655	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW116	07/17/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW116	10/31/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW116	01/21/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	0.775	< 0.158	0.351 J	--
MW116	04/29/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW116	07/28/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW116	11/12/2020	< 0.028	< 0.016	< 0.0276	0.0273	< 0.0572	< 0.02	< 0.016	< 0.05 J	< 0.0212	< 0.191	--
MW116	02/11/2021	0.048 J	0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.037 J	1.23	0.161	0.968	--
MW116	05/25/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.0560	< 0.0212	< 0.191	--
MW116	08/11/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW116	11/18/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW116	03/07/2022	0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW116	06/08/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW116	08/10/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW116	11/04/2022	< 0.028	< 0.016	< 0.033	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW116	05/18/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW116	11/08/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.153 J	0.068 J	0.257 J	--
MW116	05/23/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW116	11/06/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW116	05/14/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW116	11/12/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122 J	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW119; Hydrogeologic Zone: Intermediate A; Screen Interval: 2.7 to -7.3 ft (NAVD88)												
MW119	03/25/2013	< 1	< 1	3.3	< 0.2	< 1	< 1	--	--	--	--	--
MW119	12/19/2013	< 1	< 1	2.5	0.76	< 1	< 1	< 0.35	< 1	< 1	< 0.263	--
MW119	04/21/2015	34	42	50	3.1	< 1	--	--	--	--	--	--
MW119	06/17/2015	4.9	7.1	52	2.7	< 1	--	--	--	--	--	--
MW119	10/20/2015	15	22	74	0.45	< 1	--	--	--	--	--	--
MW119	02/02/2016	7.3	24	100	0.45	< 1	--	--	--	--	--	--
MW119	03/29/2017	5.47	10.7	42.9	0.272 J	0.334 J	< 0.188	0.139 J	< 0.412	< 0.158	< 0.316	--
MW119	06/28/2017	19	12.4	5.99	< 0.118	0.167 J	< 0.188	< 0.0896	0.726	< 0.158	0.562 J	--
MW119	04/05/2018	2.14	3.02	18.3	< 0.118	0.203 J	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW119	01/21/2019	1.24	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW119	04/29/2019	0.224 J	1.12	10.9	< 0.118 J	0.161 J	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW119	07/19/2019	0.303 J	< 0.153	0.34 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW119	10/10/2019	0.876	7.54	12.6	< 0.118	0.159 J	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW119	11/11/2019	3.7	9.5	10	< 0.2	< 0.2	--	--	--	--	--	--
MW119	01/14/2020	5.9	5.81	9.63	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW119	04/27/2020	0.595	1.62	6.88	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW119	05/19/2020	0.91	2.8	6.1	< 0.2	< 0.2	--	--	--	--	--	--
MW119	07/08/2020	0.306	1.96	6.67	0.048 J	0.163	< 0.02	0.043	0.644	< 0.0212	< 0.191	--
MW119	07/28/2020	0.92	2.6	7.5	< 0.2	< 0.2	--	--	--	--	--	--
MW119	09/17/2020	0.27	1.8	7.8	< 0.2	< 0.2	--	--	--	--	--	--
MW119	11/11/2020	0.42	2.63	12.9	0.212 J	0.0983 J	< 0.02	< 0.016	< 0.05 J	< 0.0212	< 0.191	--
MW119	02/10/2021	0.041 J	0.511	6.05	0.134	< 0.0572	< 0.02	0.047	< 0.05	< 0.0212	< 0.191	--
MW119	05/20/2021	0.21	1.7	10.6	0.252	0.165 J	< 0.0200	0.041	< 0.0710	< 0.0212	< 0.191	--
MW119	08/13/2021	0.293	1.11	8.25	0.44	0.119 J	< 0.02	0.057	0.172 J	< 0.0212	< 0.191	--
MW119	11/30/2021	0.404	1.88	9.25	0.234	< 0.0572	3.13	0.041	0.151 J	0.035 J	0.258 J	--
MW119	03/02/2022	0.443	1.64	8.33 J	0.316	0.094 J	< 0.02	0.038 J	< 0.05	< 0.0212	< 0.191	--
MW119	05/05/2022	0.2 J	0.866	5.16	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW119	08/11/2022	0.55	1.78	8.42	0.212	0.109 J	< 0.02	0.043	< 0.05	< 0.0212	< 0.191	--
MW119	11/02/2022	0.092 J	5.28	64	5.65	0.152 J	0.267	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW119	05/09/2023	1.25	3.4	9.12	0.086	0.09 J	0.043 J	0.048	< 0.05	< 0.0212	< 0.191	--
MW119	11/08/2023	2.06	4.17	9.92	0.081 J	0.086 J	0.041 J	0.033 J	< 0.05	< 0.0212	< 0.191	--
MW119	05/24/2024	0.123	0.427	3.36	< 0.0273	< 0.0572	< 0.02	0.024 J	< 0.05	< 0.0212	< 0.191	--
MW119	11/08/2024	0.255	1.03	5.14	0.04 J	0.063 J	0.022 J	0.027 J	< 0.05	< 0.0212	< 0.191	--
MW119	05/14/2025	0.736	1.06	4.85	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW119	11/14/2025	1.17	2.60	4.71	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW120; Hydrogeologic Zone: Intermediate A; Screen Interval: 0 to -10 ft (NAVD88)												
MW120	12/19/2013	2.8	2.3	19	9.6	< 1	< 1	< 0.35	< 1	< 1	< 0.263	< 100
MW120	06/16/2015	< 1	< 1	4.3	< 0.2	< 1	--	--	--	--	--	--
MW120	10/20/2015	< 1	1.1	5.2	0.94	< 1	--	--	--	--	--	--
MW120	02/01/2016	1.3	1.6	6.7	1.1	< 1	--	--	--	--	--	--
MW120	03/28/2017	13.9	5.81	18.4	0.871	< 0.152	0.303 J	< 0.0896	0.458	< 0.158	< 0.316	--
MW120	06/28/2017	18	6.97	16	0.988	< 0.152	0.251 J	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW120	04/09/2018	< 0.199	< 0.153	0.811	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW120	01/24/2019	125	34.3	60.5	1.64	0.194 J	0.883	< 0.0896	< 0.412	< 0.158	< 0.316	105 J
MW120	05/03/2019	155	46.9	87.2	1.28	0.258 J	0.812	< 0.0896	< 0.412	< 0.158	< 0.316	111 J
MW120	07/16/2019	134	40.1	74.9	1.01	0.217 J	0.738	< 0.0896	< 0.412	< 0.158	< 0.316	152 J
MW120	10/17/2019	61.5	22.3	48.8	2.31	0.22 J	0.552	< 0.0896	< 0.412	< 0.158	< 0.316	106 J
MW120	01/17/2020	61.2	21.6	45	2.38 J	0.241 J	0.586	0.0983 J	< 0.412	< 0.158	< 0.316	124 J
MW120	04/23/2020	39.7	15.4	41	2.92	0.154 J	0.341 J	< 0.0941	< 0.278	< 0.137	< 0.174	481 J
MW120	07/14/2020	44	16.2	28.8	2.78	0.249	0.412	0.068	0.511	< 0.0212	< 0.191	--
MW120	11/30/2020	39.3	15.6	36.6	1.47	0.188 J	0.565	0.056	0.208	0.066 J	0.435	--
MW120	02/04/2021	41.6	17.4	43.5	1.17 J	0.212 J	0.65 J	0.05	0.332	0.079 J	0.516	--
MW120	05/12/2021	31.7	13.8	29.7	0.633	0.151 J	0.425	0.022 J	0.137 J	< 0.0212	< 0.191	--
MW120	08/03/2021	54.2	17.9	33.3	0.893 J	0.115 J	0.45	0.032 J	< 0.0500	< 0.0212	< 0.191	--
MW120	11/11/2021	57.9	14.9	27.2	0.611	0.143 J	0.336	0.021 J	< 0.05	< 0.0212	< 0.191	--
MW120	02/15/2022	54.1	16.8	28.4	0.424	0.104 J	0.316	0.021 J	< 0.05	< 0.0212	< 0.191	--
MW120	05/11/2022	39.3	12.9	23.2	0.469	0.069 J	0.324	0.03 J	< 0.05	< 0.0212	< 0.191	--
MW120	08/04/2022	58.5	17.6 J	27.1	0.742 J	0.165 J	0.424 J	0.025 J	< 0.05	< 0.0212	< 0.191	--
MW120	10/31/2022	61.8	17.7	24.9	0.397	0.173 J	0.337	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW120	05/12/2023	68.3	17.6	18.2	< 0.0273	< 0.0572	0.174	0.02 J	< 0.05	< 0.0212	< 0.191	--
MW120	11/06/2023	58.3	17.5	21.2	< 0.0273	0.161 J	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW120	05/21/2024	58.8	17.1	17.8	0.223	0.129 J	0.23	0.02 J	< 0.05	< 0.0212	< 0.191	--
MW120	11/07/2024	11	2.38	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW120	05/12/2025	11.0	0.379 J	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW120	11/06/2025	5.99	0.340 J	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW127; Hydrogeologic Zone: Intermediate A; Screen Interval: -1 to -11 ft (NAVD88)												
MW127	01/03/2014	< 1	< 1	< 1	0.29	< 1	< 1	< 0.35	< 1	< 1	< 0.36	--
MW127	01/13/2014	< 1	< 1	< 1	0.3	< 1	< 1	< 0.35	< 1	< 1	< 0.36	--
MW127	08/01/2019	< 0.199	< 0.153	0.489 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW127	10/17/2019	< 0.199	< 0.153	0.656	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW127	01/17/2020	< 0.199	< 0.153	0.63	< 0.118 J	< 0.152	< 0.188	< 0.0896	0.689	< 0.158	0.342 J	< 31.6
MW127	04/23/2020	< 0.3	< 0.19	0.861	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	121 J
MW127	07/14/2020	< 0.028	< 0.016	0.683	0.079 J	< 0.0572	0.062 J	< 0.016	0.36	< 0.0212	< 0.191	--
MW127	11/13/2020	< 0.028	< 0.016	0.898	< 0.0273	< 0.0572	< 0.02 J	0.0453	0.0726 J	< 0.0212	< 0.191	--
MW127	05/11/2021	< 0.028	< 0.016	0.737	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.074	< 0.0212	< 0.191	--
MW127	11/17/2021	< 0.028	< 0.016	0.841	0.175	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW127	05/20/2022	0.078 J	< 0.016	0.704	0.135	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW127	10/31/2022	< 0.028	< 0.016	0.635	0.169	< 0.0572	0.048 J	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW127	05/16/2023	< 0.028 J	< 0.016 J	0.666 J	0.209 J	< 0.0572 J	0.036 J	< 0.016 J	< 0.05 J	< 0.0212 J	< 0.191 J	--
MW127	11/06/2023	< 0.028	< 0.016	0.724	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW127	05/21/2024	0.058 J	< 0.016	0.226	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW127	11/12/2024	< 0.028	< 0.016	0.564	0.171	< 0.0572	0.046 J	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW127	05/09/2025	< 0.102	< 0.135	0.496 J	0.205	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW127	11/06/2025	< 0.102	< 0.135	0.489 J	0.202	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-142; Hydrogeologic Zone: Intermediate A; Screen Interval: 2.6 to -7.5 ft (NAVD88)												
MW-142	04/27/2018	0.523	1.4	46.1	17.2 J	0.474 J	0.244 J	0.514	< 0.412	< 0.158	< 0.316	49.3
MW-142	01/28/2019	< 0.199	< 0.153	5.62	3.45	< 0.152	< 0.188	0.442 J	< 0.412	< 0.158	< 0.316	< 31.6
MW-142	04/24/2019	< 0.199	0.156 J	5.67	4.39 J	< 0.152	< 0.188	0.361 J	< 0.412	< 0.158	< 0.316	< 31.6
MW-142	07/25/2019	< 0.199	0.218 J	7.7	6.57	0.169 J	< 0.188	0.413 J	< 0.412	< 0.158	< 0.316	< 31.6
MW-142	10/16/2019	< 0.199	0.36 J	50.4	11.3	0.282 J	< 0.188	0.38 J	< 0.412	< 0.158	< 0.316	< 31.6
MW-142	01/22/2020	< 0.199	0.311 J	45.6	8.19	0.379 J	0.235 J	0.438 J	< 0.412	< 0.158	< 0.316	< 31.6
MW-142	04/24/2020	< 0.3	0.206 J	53.6	9.14	0.454 J	0.221 J	0.359 J	< 0.278	< 0.137	< 0.174	< 62.4
MW-142	07/30/2020	3.34	9.74	91.2 J	6.05	0.472 J	0.626 J	0.451	0.079 J	< 0.0212	< 0.191	--
MW-142	11/24/2020	0.164	24.5	136	34.6	0.734	0.905	0.408	< 0.085	< 0.039	0.258 J	--
MW-142	02/08/2021	0.094 J	1.11	80.5	33.9 J	0.498	0.37	0.327	1.42	0.22	1.18	--
MW-142	05/19/2021	< 0.0280	0.243	31.6	10.1	0.361	0.175	0.32	< 0.143	0.106	0.343	--
MW-142	08/05/2021	< 0.0280	0.115	22.1	12.2	0.274	0.115	0.265	0.291	0.065 J	0.411	--
MW-142	11/30/2021	< 0.0280	0.096	7.94	7.07 J	0.211	< 0.0200	0.256	< 0.0500	< 0.0212	< 0.191	--
MW-142	02/18/2022	< 0.028	0.087	6.3	8.06	0.186 J	0.029 J	0.224	< 0.05	< 0.0212	< 0.191	--
MW-142	05/26/2022	< 0.028	0.087	3.24	5.76 J	0.121 J	0.026 J	0.207	< 0.05	< 0.0212	< 0.191	--
MW-142	08/03/2022	0.222	0.117	2.18	6.77	0.105 J	< 0.02	0.254	< 0.05	< 0.0212	< 0.191	--
MW-142	10/31/2022	< 0.028	0.085	19.1	40	0.233	0.09 J	0.263	< 0.05	< 0.0212	< 0.191	--
MW-142	05/16/2023	< 0.028 J	< 0.016 J	22.5 J	25.1 J	< 0.0572 J	< 0.02 J	0.211 J	< 0.05 J	< 0.0212 J	< 0.191 J	--
MW-142	11/06/2023	< 0.028	< 0.016	88.4	53.8	0.68	< 0.02	0.281	0.089 J	< 0.0212	< 0.191	--
MW-142	05/21/2024	0.216	< 0.016	2.05	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-142	11/06/2024	0.135	0.071	11.3	0.462	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-142	05/09/2025	< 0.102	< 0.135	32.3	19.9	0.330 J	< 0.122	0.208	< 0.129	< 0.125	< 0.433	--
MW-142	11/05/2025	< 0.102	< 0.135	76.9	79.4	0.804	0.245 J	0.234	< 0.129	< 0.125	< 0.433	--
MW-144R; Hydrogeologic Zone: Intermediate A; Screen Interval: 3.9 to -6.5 ft (NAVD88)												
MW-144R	12/16/2019	11	11.5	251	71.6	0.818	0.589	< 0.0896	< 0.412	< 0.158	< 0.316	325 J
MW-144R	01/21/2020	< 1.99	< 1.53	200	90.2	< 1.52	< 1.88	< 0.896	< 4.12	< 1.58	< 3.16	60.7 J
MW-144R	04/02/2020	< 0.199 J	< 0.153 J	2.01 J	14.1 J	< 0.152 J	< 0.188 J	< 0.0896 J	< 0.412 J	< 0.158 J	< 0.316 J	< 31.6
MW-144R	08/03/2020	0.05 J	0.096	0.459	1.58 J	< 0.0572	< 0.02	0.051	1.53	0.067 J	0.341	--
MW-144R	11/23/2020	0.042 J	0.084	0.5	0.411	< 0.0572	< 0.02	0.044	< 0.101	< 0.0212	< 0.191	--
MW-144R	02/02/2021	< 0.028	0.075	0.45	0.632	< 0.0572	< 0.02	0.046	0.393	0.15	1.03	--
MW-144R	05/12/2021	< 0.028	0.069	0.405	0.365	< 0.0572	< 0.02	< 0.016	0.099 J	< 0.0212	< 0.191	--
MW-144R	08/03/2021	< 0.0280	0.066	0.244	< 0.0273	< 0.0572	< 0.0200	0.034 J	0.481	0.083 J	0.531	--
MW-144R	11/29/2021	< 0.0280	< 0.0160	0.265	< 0.0273 J	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
MW-144R	02/23/2022	< 0.028	0.069	0.159	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-144R	05/11/2022	< 0.028	0.081	0.137	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-144R	08/23/2022	< 0.028	0.097	0.15	0.151	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-144R	11/02/2022	< 0.028	0.083	0.131	0.124	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-144R	05/15/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.086 J	< 0.0212	0.234 J	--
MW-144R	11/08/2023	< 0.028	0.069	0.267	0.211	< 0.0572	0.184	0.022 J	< 0.05	0.03 J	< 0.191	--
MW-144R	05/22/2024	< 0.028	0.072	0.12	0.134 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-144R	11/07/2024	< 0.028	< 0.016	0.21	< 0.0273	< 0.0572	< 0.02	< 0.016	0.133 J	< 0.0212	< 0.191	--
MW-144R	05/13/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-144R	11/05/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-146; Hydrogeologic Zone: Intermediate A; Screen Interval: 12.8 to 2.8 ft (NAVD88)												
MW-146	04/30/2018	3.56	48.4	900	2100	6.12	4.02	< 0.0896	< 0.412	< 0.158	< 0.316	597
MW-146	01/22/2019	2.29	21.6	1080	1370	7.25	4.44	< 0.0896	< 0.412	< 0.158	< 0.316	509 J
MW-146	04/24/2019	1.5	12.4	257	383 J	1.94	1.04	< 0.0896	< 0.412	< 0.158	< 0.316	88 J
MW-146	07/19/2019	3.08	14.4	257	580	3.29	1.15	< 0.0896	< 0.412	< 0.158	< 0.316	46.3 J
MW-146	10/14/2019	2.03	6.77	1350	2830	7.85	2.83	< 0.0896	< 0.412	< 0.158	< 0.316	1310 J
MW-146	01/24/2020	21.1 J	< 15.3	1460	3900	< 15.2	< 18.8	< 8.96	< 41.2	< 15.8	< 31.6	1140 J
MW-146	04/30/2020	< 30	< 19	2100	6040	< 14.9	< 18.8	< 9.41	< 27.8	< 13.7	< 17.4	1080 J
MW-146	07/09/2020	0.781	3.17	2750	8610	15.5	3.77	0.074	1.13	< 0.0212	< 0.191	--
MW-146	11/10/2020	< 1.4	2.6	3900	4930	12.5	5.58 J	0.842 J	< 2.5	< 1.06	< 0.6	2850 J
MW-146	02/08/2021	0.704 J	3.52	2690	3910	8.01	3.02	0.105	1.26	0.183	0.958	--
MW-146	05/04/2021	< 1.40	< 0.800	536	4310	6.3 J	< 1.00	< 0.800	< 2.50	< 1.06	< 9.55	--
MW-146	08/17/2021	< 0.028	0.045	55.3	1330	2.51	< 0.02	< 0.041	< 0.118	< 0.0212	< 0.191	--
MW-146	11/10/2021	< 0.28	< 0.16	47.5	251	2.03	< 0.2	< 0.16	< 0.5	< 0.212	< 1.91	--
MW-146	02/18/2022	< 0.28	< 0.16	42.5	315	1.45 J	< 0.2	< 0.16	< 0.5	< 0.212	< 1.91	--
MW-146	05/03/2022	< 0.28	< 0.16	25.6	280	1.21 J	< 0.2	< 0.16	< 0.5	< 0.212	< 1.91	--
MW-146	08/03/2022	< 0.28	< 0.16	11.3	374 J	1.17 J	< 0.2	< 0.16	< 0.5	< 0.212	< 1.91	--
MW-146	11/03/2022	< 0.028	0.101	13.8	173	1.22	0.09 J	< 0.016	< 0.092	< 0.0212	< 0.191	--
MW-146	05/12/2023	0.44 J	0.7	11.1	183 J	< 0.572	< 0.2	0.63	< 0.5	< 0.212	< 1.91	--
MW-146	11/10/2023	< 0.28	< 0.16	19.3	120	0.77 J	< 0.2	< 0.16	< 0.5	< 0.212	< 1.91	--
MW-146	05/31/2024	< 0.28	0.51	38.8	149	1.16 J	< 0.2	< 0.16	< 0.5	< 0.212	< 1.91	--
MW-146	11/07/2024	< 0.028	0.153	70.2	159 J	1.45	0.17	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-146	05/12/2025	< 0.102	0.188 J	56.1	171	1.24	0.210 J	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-146	11/12/2025	< 0.102	0.201 J	135	337	2.13	0.366 J	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-156; Hydrogeologic Zone: Intermediate A; Screen Interval: 1 to -9 ft (NAVD88)												
MW-156	04/26/2018	< 9.95	581	2850	407	9.97	20.7	0.283 J	0.479 J	< 0.158	< 0.316	1690
MW-156	01/24/2019	1720	723	2050	< 11.8	11.5	14.1	< 0.0896	< 0.412	< 0.158	< 0.316	1480 J
MW-156	04/24/2019	1430	727	1770	3.21 J	9.41	12.3	0.339 J	< 0.412	< 0.158	< 0.316	2570 J
MW-156	07/22/2019	232	1270	2310	82	14.5	13.2	0.492 J	< 0.412	< 0.158	< 0.316	3100 J
MW-156	10/17/2019	682	430	1420	51.1	6.04	6.7	< 0.896	< 4.12	< 1.58	< 3.16	1450 J
MW-156	01/20/2020	792	534	1590	99.6	7.04	7.48	1.64 J	< 4.12	< 1.58	< 3.16	2160 J
MW-156	04/24/2020	347	355	1240	104	< 7.45	< 9.4	< 4.71	< 13.9	< 6.85	< 8.7	770 J
MW-156	07/15/2020	597	486	1040	110	6.5 J	6.4	1.6 J	< 2.5	< 1.06	< 9.55	--
MW-156	11/11/2020	719	363	850	2.14 J	4.29	3.1	0.149	0.453 J	< 0.0212	< 0.191	--
MW-156	02/08/2021	492 J	228	703	< 0.273	4.04	2.58	0.24 J	0.54 J	< 0.212	< 1.91	--
MW-156	05/10/2021	442	184	580	< 1.36 J	< 2.86	2.65 J	< 0.8	< 2.5	< 1.06	< 9.55	--
MW-156	08/20/2021	731	252	532	0.652	4.03	4.04	0.235	0.17 J	< 0.0212	< 0.191	--
MW-156	11/18/2021	416	195	499	< 0.273	2.92	2.21	0.161	0.185 J	0.041 J	0.47	--
MW-156	03/03/2022	516 J	220	568	< 0.273	4.95	1.94 J	0.45 J	< 0.5	< 0.212	< 1.91	--
MW-156	05/26/2022	718	267	514	0.716 J	2.95	2.53	0.156	< 0.05	< 0.0212	< 0.191	--
MW-156	08/04/2022	774	327 J	573	0.546	4.72	3.68 J	0.48 J	< 1	< 0.424	< 3.82	--
MW-156	10/31/2022	648	249	523	0.757	3.23	2.32	0.184	0.058 J	< 0.0212	< 0.191	--
MW-156	05/12/2023	567	198	360	2.23	1.7	1.28	0.13	< 0.05	< 0.0212	< 0.191	--
MW-156	11/06/2023	303	147	304	< 0.546	1.6 J	< 0.4	< 0.32	< 1	< 0.424	< 3.82	--
MW-156	05/21/2024	180	85.7	327	6.7	2.18 J	0.8 J	< 0.32	< 1	< 0.424	< 3.82	--
MW-156	11/05/2024	186	106	200	3.46	< 1.14	< 0.4	< 0.32	< 2.06	< 0.424	< 3.82	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-156	05/13/2025	227	61.2	161	6.99	1.16	0.923	0.145 J	< 0.129	< 0.125	< 0.433	--
MW-156	08/20/2025	270 J	93.0 J	165 J	4.64	1.07	0.936	0.116 J	< 0.129	< 0.125	< 0.433	--
MW-156	11/06/2025	216	77.5	167	4.76	1.35 J	< 1.22	< 0.540	< 1.29	< 1.25	< 4.33	--
MW-189; Hydrogeologic Zone: Intermediate A; Screen Interval: -1.2 to -11.2 ft (NAVD88)												
MW-189	10/14/2019	< 0.199	< 0.153	2.23	18.2	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-189	01/23/2020	< 0.199	< 0.153	0.514	3.01	< 0.152	< 0.188	< 0.0896	0.501	< 0.158	< 0.316	< 31.6
MW-189	04/03/2020	< 0.199	< 0.153	< 0.435	1.58	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-189	08/04/2020	< 0.028	< 0.016	0.115	0.879 J	< 0.0572	< 0.02	< 0.016	0.3	0.024 J	0.207 J	--
MW-189	11/17/2020	< 0.028	< 0.016	0.091 J	1.13	< 0.0572	< 0.02	< 0.016	0.062 J	< 0.0212	< 0.191	--
MW-189	02/03/2021	< 0.028	< 0.016	1.74	28.1	< 0.0572	< 0.02	< 0.016	0.121 J	< 0.0212	0.226 J	--
MW-189	05/14/2021	< 0.028	< 0.016	6.63	45	< 0.0572	< 0.02	< 0.016	< 0.064	< 0.0212	< 0.191	--
MW-189	08/20/2021	< 0.028	< 0.016	4.46 J	36.6 J	< 0.0572	< 0.02 J	< 0.016	0.099 J	< 0.0212	< 0.191	--
MW-189	11/30/2021	< 0.028	< 0.016	4.88	29.1 J	< 0.0572	< 0.02	< 0.016	< 0.05	0.081 J	0.318	--
MW-189	03/04/2022	< 0.028	< 0.016	5.97	37	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-189	05/12/2022	< 0.028	< 0.016	6.55	31.5	< 0.0572	0.079 J	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-189	08/11/2022	1.66	0.544	4.1	31.8	< 0.0572	< 0.02	< 0.016	< 0.078	< 0.0212	< 0.191	--
MW-189	10/31/2022	< 0.028	< 0.016	3	26.8	< 0.0572	< 0.02	< 0.016	0.087 J	< 0.0212	< 0.191	--
MW-189	05/12/2023	0.076 J	< 0.016	1.29	15.8	< 0.0572	< 0.02	< 0.016	0.213	0.048 J	0.306	--
MW-189	11/03/2023	< 0.028	< 0.016	2.43	30.4	< 0.0572	< 0.02	< 0.016	0.144 J	< 0.0212	< 0.191	--
MW-189	05/23/2024	< 0.028	< 0.016	1.45	4.5	< 0.0572	< 0.02	< 0.016	0.138 J	< 0.0212	< 0.191	--
MW-189	11/05/2024	< 0.028	< 0.016	0.373	0.122	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-189	05/13/2025	< 0.102	< 0.135	2.68	5.54	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-189	11/19/2025	< 0.102	< 0.135	0.650	0.955	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-302; Hydrogeologic Zone: Intermediate A; Screen Interval: 3 to -7 ft (NAVD88)												
MW-302	10/21/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	98.5 J
MW-302	01/24/2020	0.353 J	0.164 J	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-302	05/07/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	0.308 J	< 0.137	< 0.174	< 31.6
MW-302	07/28/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW-302	11/17/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.048	0.743	0.06 J	0.243 J	--
MW-302	05/17/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	0.086 J	< 0.0212	< 0.191	--
MW-302	11/09/2021	0.039 J	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	0.153	0.892	--
MW-302	05/17/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.553	0.121	0.714	--
MW-302	11/08/2022	< 0.028	< 0.016	< 0.0276	0.054 J	< 0.0572	< 0.02	< 0.016	0.174 J	0.048 J	0.237 J	--
MW-302	10/31/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.046	0.745	0.181	1.12	--
MW-302	11/13/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	0.03 J	0.214 J	--
MW-302	11/05/2025	< 0.102	< 0.135	< 0.164	0.305	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-306; Hydrogeologic Zone: Intermediate A; Screen Interval: 17.2 to 7.2 ft (NAVD88)												
MW-306	10/15/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-306	01/16/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 34.3
MW-306	04/28/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	42.7 J
MW-306	07/29/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.362	< 0.0212	< 0.191	--
MW-306	11/06/2020	< 0.028	< 0.016	0.0418 J	< 0.0273 J	< 0.0572	< 0.02	< 0.016	0.182 J	< 0.0212	< 0.191	--
MW-306	05/18/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	0.055 J	< 0.0212	< 0.191	--
MW-306	11/30/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
MW-306	05/26/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-306	11/04/2022	0.077 J	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.064 J	< 0.0212	< 0.191	--
MW-306	11/10/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-306	11/08/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.151 J	0.123	0.738	--
MW-306	11/14/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-308; Hydrogeologic Zone: Intermediate A; Screen Interval: -4.7 to -14.7 ft (NAVD88)												
MW-308	10/11/2019	< 0.199	< 0.153	38.9	20.3	0.492 J	< 0.188	12.5	4.38	< 0.158	< 0.316	--
MW-308	01/16/2020	< 0.199	< 0.153	11.9	16.3	0.411 J	< 0.188	29.3	< 0.412	< 0.158	< 0.316	--
MW-308	04/08/2020	< 0.199	< 0.153	12.5	12.9	0.36 J	< 0.188	21.2	< 0.412	< 0.158	< 0.316	--
MW-308	07/06/2020	< 0.028	< 0.016	16	6.98	0.608	0.071 J	15.4	0.174 J	0.062 J	< 0.191	--
MW-308	11/06/2020	0.0324 J	< 0.016	6.38	2.73	0.26	< 0.02	38.4	0.48	0.115	0.516	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-308	05/04/2021	< 0.0280	< 0.0160	3.98	11.7	0.219	< 0.0200	20.8	0.186 J	0.104	0.332	--
MW-308	11/11/2021	< 0.028	< 0.016	38.6	20.7	0.827	0.11	8.39	0.084 J	< 0.0212	< 0.191	--
MW-308	05/19/2022	< 0.028	< 0.016	12.5	3.83	0.28	< 0.02	1.45	< 0.05	< 0.0212	< 0.191	--
MW-308	11/01/2022	< 0.028	< 0.016	72.7	31.1	1.28	0.152	9.53	0.12 J	< 0.0212	< 0.191	--
MW-308	05/12/2023	< 0.028	< 0.016	70.9	31.9	1.24	< 0.02	8.66	0.113 J	< 0.0212	< 0.191	--
MW-308	11/07/2023	0.036 J	< 0.016	13.9	5.25	0.316	< 0.02	1.81	< 0.05	< 0.0212	< 0.191	--
MW-308	05/21/2024	0.028 J	< 0.016	1.44	0.166	0.072 J	< 0.02	0.116	< 0.05	< 0.0212	< 0.191	--
MW-308	11/11/2024	< 0.028	< 0.016	55.4	20.5 J	1.11	0.126	7.3	0.101 J	< 0.0212	< 0.191	--
MW-308	05/14/2025	< 0.102	< 0.135	66.7	23.5	1.44	0.166 J	8.56	0.138 J	< 0.125	< 0.433	--
MW-308	11/10/2025	< 0.102	< 0.135	63.9	32.7	1.43	0.164 J	8.93	< 0.129	< 0.125	< 0.433	--
MW-315; Hydrogeologic Zone: Intermediate A; Screen Interval: 12.2 to 2.3 ft (NAVD88)												
MW-315	10/03/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-315	01/16/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-315	04/24/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW-315	07/24/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.043	0.632	0.076 J	0.437	--
MW-315	11/02/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.162 J	0.046 J	0.198 J	--
MW-315	05/17/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	0.167 J	< 0.0212	< 0.191	--
MW-315	11/05/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	0.063 J	0.393	--
MW-315	05/09/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.056 J	< 0.0212	< 0.191	--
MW-315	11/02/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-315	11/08/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-315	11/11/2024	0.061 J	< 0.016	< 0.0276	< 0.0273 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-315	11/17/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-317; Hydrogeologic Zone: Intermediate A; Screen Interval: 3.4 to -6.6 ft (NAVD88)												
MW-317	10/09/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-317	01/16/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-317	04/27/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW-317	07/30/2020	< 0.028	< 0.016	0.0545 J	< 0.0273	< 0.0572 J	< 0.02 J	0.0457	1.98	0.205	1.36	--
MW-317	11/10/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.836 J	< 0.0212	0.419	--
MW-317	05/19/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
MW-317	11/12/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.244	0.09 J	0.564	--
MW-317	05/27/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-317	11/01/2022	< 0.14	< 0.08	< 0.138	< 0.137	< 0.286	< 0.1	< 0.08	< 0.25	< 0.106	< 0.955	--
MW-317	05/16/2023	< 0.14 J	< 0.08 J	< 0.138 J	< 0.137 J	< 0.286 J	< 0.1 J	0.175 J	< 0.25 J	< 0.106 J	< 0.955 J	--
MW-317	11/08/2023	< 0.028	< 0.016	0.076 J	< 0.0273	< 0.0572	< 0.02	0.035 J	0.056 J	< 0.0212	< 0.191	--
MW-317	05/21/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-317	11/06/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.021 J	< 0.05	< 0.0212	< 0.191	--
MW-317	05/14/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-317	11/12/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-325; Hydrogeologic Zone: Intermediate A; Screen Interval: 7 to -3 ft (NAVD88)												
MW-325	10/03/2019	< 0.199	< 0.153	0.607	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-325	01/17/2020	< 0.199	< 0.153	< 0.0933	< 0.118 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-325	04/21/2020	< 0.3	< 0.19	0.696	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW-325	07/23/2020	< 0.028	< 0.016	0.262	< 0.0273	< 0.0572	< 0.02	0.019 J	0.298	0.045 J	0.256 J	--
MW-325	11/02/2020	< 0.028	< 0.016	0.802	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-325	02/08/2021	< 0.028	< 0.016	1.5	< 0.0273	< 0.0572	< 0.02	0.065	2.03	0.23	1.1	--
MW-325	05/17/2021	< 0.0280	< 0.0160	0.973	< 0.0273	< 0.0572	< 0.0200	< 0.0160	0.093 J	< 0.0212	< 0.191	--
MW-325	08/12/2021	< 0.028	< 0.016	1.61	< 0.0273	< 0.0572	< 0.02	< 0.016	0.189 J	< 0.0212	< 0.191	--
MW-325	11/04/2021	< 0.028	< 0.016	2.41	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-325	03/03/2022	< 0.028	< 0.016	1.31	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-325	05/09/2022	< 0.028	< 0.016	1.1	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-325	08/11/2022	1.22	0.284	0.869	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-325	11/02/2022	< 0.028	< 0.016	1.12	< 0.0273	< 0.0572	< 0.02	< 0.016	0.095 J	< 0.0212	< 0.191	--
MW-325	05/09/2023	0.111 J	< 0.016	1.13	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-325	11/09/2023	< 0.028	< 0.016	1.56	< 0.0273 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-325	05/24/2024	< 0.028	< 0.016	1.26	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-325	11/11/2024	< 0.028	< 0.016	1.61	< 0.0273 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-325	05/14/2025	< 0.102	< 0.135	1.60	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-325	11/11/2025	< 0.102	< 0.135	1.57	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-327; Hydrogeologic Zone: Intermediate A; Screen Interval: 3.6 to -6.3 ft (NAVD88)												
MW-327	10/02/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-327	01/17/2020	< 0.199	< 0.153	< 0.0933	< 0.118 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-327	04/09/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-327	07/07/2020	0.26	0.267	0.058 J	< 0.0273	< 0.0572	< 0.02	< 0.016	0.351	< 0.0212	< 0.191	--
MW-327	11/09/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.02 J	0.173 J	0.034 J	0.219 J	--
MW-327	05/25/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
MW-327	11/10/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-327	05/04/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-327	11/02/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-327	11/09/2023	< 0.028	< 0.016	< 0.0276	< 0.0273 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-327	11/14/2024	< 0.028	< 0.016	0.061 J	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-327	11/11/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-330; Hydrogeologic Zone: Intermediate A; Screen Interval: -0.1 to -10.1 ft (NAVD88)												
MW-330	05/14/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	0.58	< 0.137	0.278 J	< 31.6
MW-330	07/16/2020	0.0625 J	0.0646	0.0583 J	< 0.0273	< 0.0572	< 0.02	0.05	2.49	0.069 J	0.263	--
MW-330	12/01/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.215	0.113	0.801	--
MW-330	05/25/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.202	< 0.0212	< 0.191	--
MW-330	11/11/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	0.03 J	0.273	--
MW-330	05/25/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.09	< 0.0212	< 0.191	--
MW-330	10/31/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.107 J	0.035 J	< 0.191	--
MW-330	10/31/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-330	11/05/2024	< 0.028	0.045	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-330	11/18/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-331; Hydrogeologic Zone: Intermediate A; Screen Interval: -4.3 to -14.3 ft (NAVD88)												
MW-331	04/24/2020	< 0.3	< 0.19	< 0.126	0.249 J	< 0.149	< 0.188	0.226 J	< 0.278	0.257 J	< 0.174	--
MW-331	07/06/2020	< 0.028	< 0.016	0.046 J	0.306	0.0572	< 0.02	0.061	< 0.05	0.034 J	< 0.191	--
MW-331	11/06/2020	< 0.028	< 0.016	0.0728 J	0.264	< 0.0572	< 0.02	0.0407	0.23	0.0354 J	0.219 J	--
MW-331	05/04/2021	< 0.0280	< 0.0160	0.037 J	0.339	< 0.0572	< 0.0200	0.024 J	< 0.0500	< 0.0212	< 0.191	--
MW-331	11/11/2021	< 0.028	< 0.016	< 0.0276	0.218	< 0.0572	< 0.02	0.019 J	< 0.05	< 0.0212	< 0.191	--
MW-331	05/20/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-331	11/01/2022	< 0.028	< 0.016	< 0.0276	0.258	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-331	05/09/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-331	11/07/2023	< 0.028	< 0.016	< 0.0276	0.222	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-331	05/21/2024	< 0.028	< 0.016	< 0.0276	0.347	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-331	11/11/2024	< 0.028	< 0.016	< 0.0276	< 0.0273 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-331	05/14/2025	< 0.102	< 0.135	< 0.164	0.254	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-331	11/10/2025	< 0.102	< 0.135	< 0.164	0.350	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-344; Hydrogeologic Zone: Intermediate A; Screen Interval: 13.6 to 3.6 ft (NAVD88)												
MW-344	06/01/2021	< 0.0920	0.094	8.5	9.95	< 0.0572	< 0.0200	< 0.0160	0.07 J	< 0.0212	< 0.191	--
MW-344	08/18/2021	< 0.028	< 0.016	0.654	1.02	< 0.0572	< 0.02	< 0.016	0.074 J	< 0.0212	< 0.191	--
MW-344	11/18/2022	< 0.028	0.7	620	942	7.92	0.895	0.037 J	< 0.05	< 0.0212	< 0.191	--
MW-344	11/13/2023	< 0.7	0.9 J	383	241 J	5.32	< 0.5	< 0.4	< 1.25	< 0.53	< 4.78	--
MW-344	11/06/2024	< 0.028	0.88	257	480	3.19	0.461	0.017 J	< 0.05	< 0.0212	< 0.191	--
MW-344	11/12/2025	< 0.102	0.951	280	531	4.14	0.671	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-351; Hydrogeologic Zone: Intermediate A; Screen Interval: 2.7 to -7.3 ft (NAVD88)												
MW-351	12/16/2022	1.19	0.95	6.28	0.119	0.2	0.1	0.091	1.27	0.1	0.26	--
MW-351	05/09/2023	0.415	0.538	10.3	< 0.0273	< 0.0572	0.029 J	0.054	0.229	0.116	0.618	--
MW-351	11/09/2023	0.052 J	1.04	28	0.217 J	0.151 J	0.047 J	0.153	< 0.05	< 0.0212	< 0.191	--
MW-351	05/24/2024	0.076 J	0.797	11	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-351	11/08/2024	0.044 J	1.18	21.4	0.386	0.121 J	0.035 J	0.084	< 0.05	< 0.0212	< 0.191	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-351	05/21/2025	< 0.500	0.662	18.8	0.523	0.215 J	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-351	11/07/2025	1.84	3.07	25.8	0.430	0.163 J	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
Intermediate B												
FMW-141; Hydrogeologic Zone: Intermediate B; Screen Interval: -12.1 to -22.1 ft (NAVD88)												
FMW-141	10/30/2019	< 0.199	2.18 J	1200 J	1760	7.13 J	2.51 J	0.23 J	< 0.412	< 0.158	< 0.316	--
FMW-141	01/14/2020	< 0.995	2.91	414	532	1.98 J	1.01 J	< 0.448	< 2.06	< 0.79	< 1.58	--
FMW-141	04/28/2020	< 1.5	3.08	1300	468	4.62	< 0.94	< 0.471	< 1.39	< 0.685	< 0.87	--
FMW-141	07/22/2020	< 0.56	2.3	790	561	3.19 J	1.72 J	< 0.32	< 1	< 0.424	< 3.82	--
FMW-141	11/02/2020	< 0.028	0.766	276	489	1.31	0.727	0.062	0.43	< 0.0212	< 0.191	--
FMW-141	05/03/2021	< 0.0280	0.56	5.41	0.218	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0800	0.508	--
FMW-141	02/23/2022	< 0.028	0.504	89.6 J	81.7	0.191 J	0.204	< 0.016	< 0.05	< 0.0212	< 0.191	--
FMW-141	05/09/2022	< 0.028	0.404	97.3	50.3	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	0.195 J	--
FMW-141	11/03/2022	0.316	0.848	180	130	0.375	0.325	< 0.016	< 0.05	< 0.0212	< 0.191	--
FMW-141	05/15/2023	< 0.028 J	0.354 J	166 J	87.7 J	0.311 J	0.253 J	0.039 J	0.131 J	< 0.0212 J	< 0.191 J	--
FMW-141	11/07/2023	< 0.028	0.376	95.1	35.3	0.203	0.198	< 0.016	0.052 J	< 0.0212	< 0.191	--
FMW-141	05/22/2024	< 0.028	0.25	199	17 J	0.326	0.365	0.023 J	< 0.05	< 0.0212	< 0.191	--
FMW-141	11/12/2024	< 0.028	0.24	194	92.7	0.251	0.372	< 0.016	< 0.05	< 0.0212	< 0.191	--
FMW-141	05/14/2025	< 0.102	0.438 J	2700	254	10.5	3.37	0.112 J	< 0.129	< 0.125	< 0.433	--
FMW-141	08/19/2025	< 0.102	0.238 J	481 J	217 J	1.72	0.942	< 0.0540	< 0.129	< 0.125	< 0.433	--
FMW-141	11/18/2025	< 0.102	< 0.135	2.81	4.80	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
HMW-91B; Hydrogeologic Zone: Intermediate B; Screen Interval: -1.6 to -11.6 ft (NAVD88)												
HMW-91B	03/19/2020	660	420	9100	1900	8.3	13	< 0.2	0.23	< 0.2	< 0.6	580 J
HMW-91B	01/26/2021	32.1 J	112	3360	1400	4.24 J	6.03 J	0.076	0.59	0.218	1.21	--
HMW-91B	06/02/2021	16.2	81.6	3060	1230	6.3 J	5.3 J	< 1.60	< 5.00	< 2.12	< 19.1	--
HMW-91B	08/18/2021	16.4	87.8	2990	1030	6.2 J	4.7 J	< 1.6	< 5	< 2.12	< 19.1	--
HMW-91B	03/31/2022	13.5 J	79.8	3260	1550	5.1	5.3	0.056	< 0.178	0.031 J	< 0.191	--
HMW-91B	05/24/2022	1.95	11.4	2160	850	11.2	3.25	0.042	0.21	< 0.0212	< 0.191	--
HMW-91B	08/01/2022	< 0.7	2.08	2190	1330	8.25	4.65	< 0.4	< 1.25	< 0.53	< 4.78	--
HMW-91B	11/09/2022	< 0.7	< 0.4	119	1220	3.28 J	< 0.5	< 0.4	< 1.25	< 0.53	< 4.78	--
HMW-91B	02/23/2023	< 0.14	< 0.08	36.7	116	3.49	< 0.1	0.105 J	0.735 J	0.665	2.51	--
HMW-91B	05/17/2023	< 0.28	< 0.16	17.6	43.6	< 0.572	< 0.2	< 0.16	< 0.5	< 0.212	< 1.91	--
HMW-91B	08/16/2023	< 0.028	0.62	8.86	9.18	0.68	< 0.02	0.026 J	0.405	0.092 J	0.524	--
HMW-91B	11/13/2023	< 0.028	0.422	2.88	0.989 J	0.437	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
HMW-91B	02/28/2024	< 0.028	0.308	1.76	0.811 J	0.189 J	< 0.02	0.027 J	0.307	0.058 J	0.375	--
HMW-91B	05/29/2024	< 0.028	0.162	5.99	3.55	1.79	< 0.02	< 0.016	0.052 J	< 0.0212	< 0.191	--
HMW-91B	09/04/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
HMW-91B	11/06/2024	< 0.028	0.263	3.58	3.23	0.427	< 0.02	0.026 J	0.466	< 0.0212	< 0.191	--
HMW-91B	02/26/2025	< 0.102	0.150 J	1.16	0.958	2.29	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
HMW-91B	05/20/2025	< 0.102	< 0.500	3.19 J	1.47 J	0.874	< 0.122	< 0.0540	< 0.500	< 0.125	< 0.433	--
HMW-91B	11/07/2025	< 0.102	0.135 J	1.63	1.09	0.801	< 0.122	< 0.0540	0.144 J	< 0.125	< 0.433	--
MW111; Hydrogeologic Zone: Intermediate B; Screen Interval: -33.5 to -43.5 ft (NAVD88)												
MW111	12/21/2012	110	32	37	1.8	< 1	< 1	--	--	--	--	--
MW111	12/17/2013	< 1	< 1	4.7	17	< 1	< 1	< 0.35	< 1	< 1	< 0.263	--
MW111	04/22/2015	< 1	< 1	1.7	18	< 1	--	--	--	--	--	--
MW111	06/17/2015	< 1	< 1	1.5	20	< 1	--	--	--	--	--	--
MW111	10/20/2015	< 1	< 1	< 1	8.2	< 1	--	--	--	--	--	--
MW111	02/02/2016	< 1	< 1	2.3	5.8	< 1	--	--	--	--	--	--
MW111	03/23/2017	< 0.199	< 0.153	1.4	5.22	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW111	06/14/2017	< 0.199	0.408 J	1.24	3.22	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW111	04/06/2018	0.618	< 0.153	16.5	121	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW111	01/23/2019	0.492 J	0.176 J	1.7	37.6	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW111	04/22/2019	< 0.199	< 0.153	3.18	19.5 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW111	07/15/2019	< 0.199	< 0.153	0.596	15	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW111	10/14/2019	< 0.199	< 0.153	0.413 J	8.63	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW111	01/16/2020	< 0.199	< 0.153	5.08	34	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW111	04/23/2020	< 0.3	< 0.19	24.3	112	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW111	07/06/2020	< 0.028	0.14	27.1	116	< 0.0572	0.232	0.021 J	2.63	< 0.0212	< 0.191	--
MW111	11/02/2020	< 0.028	0.161	56.2	118	< 0.0572	0.358	0.023 J	0.225	< 0.0212	< 0.191	--
MW111	02/09/2021	0.32 J	< 0.08	14.5	112	0.072 J	0.121	0.042	0.955	0.103	0.606	--
MW111	05/03/2021	< 0.0280	0.079	5.8	44.3	< 0.0572	0.042 J	0.043	0.88	< 0.174	1.21	--
MW111	08/04/2021	< 0.0280	0.046	6.18	44.2	< 0.0572	0.054 J	0.036 J	0.548	0.079 J	0.48	--
MW111	11/03/2021	< 0.028	0.085	8.17	45.6	< 0.0572	0.073 J	0.026 J	0.095 J	< 0.0212	0.207 J	--
MW111	02/15/2022	< 0.028	0.048	1.87	12.8	< 0.0572	< 0.02	< 0.016	0.053 J	< 0.0212	< 0.191	--
MW111	05/18/2022	0.048 J	0.057	0.917	6.52	< 0.0572	0.076 J	< 0.016	0.052 J	< 0.0212	< 0.191	--
MW111	08/09/2022	< 0.028	0.06	1.74	15.1	< 0.0572	0.034 J	0.026 J	< 0.05	< 0.0212	< 0.191	--
MW111	11/01/2022	< 0.028	< 0.016	0.639	8.22	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW111	05/15/2023	0.056 J	< 0.016 J	0.58 J	6.27 J	< 0.0572 J	< 0.02 J	< 0.016 J	< 0.05 J	< 0.0212 J	< 0.191 J	--
MW111	11/07/2023	0.043 J	0.079	0.996	6.28	< 0.0572	< 0.02	0.022 J	< 0.05	< 0.0212	< 0.191	--
MW111	05/22/2024	< 0.028	0.045	1.26	7.98	< 0.0572	< 0.02	0.027 J	< 0.05	< 0.0212	< 0.191	--
MW111	11/08/2024	0.059 J	0.046	3.35	20.8	< 0.0572	0.02 J	0.018 J	< 0.05	< 0.0212	< 0.191	--
MW111	05/15/2025	< 0.102	< 0.135	0.550	3.96	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW111	11/10/2025	< 0.102	< 0.135	0.473 J	5.51 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW126; Hydrogeologic Zone: Intermediate B; Screen Interval: -54.1 to -64.1 ft (NAVD88)												
MW126	01/03/2014	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.36	--
MW126	03/28/2017	< 0.199	< 0.153	0.283 J	< 0.118	< 0.152	< 0.188	0.148 J	0.563	< 0.158	< 0.316	--
MW126	06/15/2017	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	0.179 J	< 0.316	--
MW126	04/06/2018	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW126	01/22/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW126	04/29/2019	< 0.199	< 0.153	< 0.0933	< 0.118 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW126	07/18/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW126	10/15/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW126	01/14/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	0.162 J	0.441 J	--
MW126	04/09/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW126	07/24/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW126	11/09/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.021 J	< 0.05	< 0.0212	< 0.191	--
MW126	02/10/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW126	05/04/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
MW126	08/04/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
MW126	11/11/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW126	02/15/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW126	05/20/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW126	08/10/2022	< 0.028	< 0.016	0.053 J	< 0.0273	< 0.0572	< 0.02	< 0.016	0.079 J	< 0.0212	< 0.191	--
MW126	11/01/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW126	11/07/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW126	11/11/2024	< 0.028	< 0.016	< 0.0276	< 0.0273 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW126	11/10/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-143; Hydrogeologic Zone: Intermediate B; Screen Interval: -27.7 to -37.6 ft (NAVD88)												
MW-143	04/30/2018	< 0.199	< 0.153	129	193	0.512	0.342 J	0.244 J	0.797	0.212 J	1.08 J	154
MW-143	01/29/2019	< 0.199	< 0.153	0.241 J	< 0.118	< 0.152	< 0.188	0.141 J	< 0.412	< 0.158	< 0.316	< 31.6
MW-143	04/24/2019	< 0.199	< 0.153	< 0.0933	< 0.118 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-143	07/19/2019	< 0.199	< 0.153	0.309 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-143	10/16/2019	2.35	28	2510	1180	11	8.47	0.211 J	< 0.412	< 0.158	< 0.316	2000 J
MW-143	01/22/2020	< 0.199	< 0.153	0.171 J	0.254 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-143	04/24/2020	< 0.3	< 0.19	0.135 J	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	< 88.2
MW-143	07/29/2020	0.0307 J	0.0167 J	0.0754 J	< 0.0273	< 0.0572	< 0.02	0.0401	1.63	0.0229 J	< 0.191	--
MW-143	11/24/2020	< 0.028	9.64	113	26	0.633	0.589	0.584	0.203	< 0.061	0.474	--
MW-143	02/08/2021	< 1.4	< 0.8	3260	514 J	14.1	6.6	< 0.8	3 J	< 1.06	< 9.55	--
MW-143	05/19/2021	< 1.40	< 0.800	4240	1200	21.6	7.15	< 0.800	< 2.50	< 1.06	< 9.55	--
MW-143	08/20/2021	0.079 J	0.138	635 J	1140 J	5.51	0.673 J	0.106	0.302	< 0.0212	< 0.191	--
MW-143	12/08/2021	< 0.0280	0.099	339	723	4.41	0.593	0.104	0.209	0.171	0.866	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-143	03/08/2022	< 0.0280	0.146 J	815	1240	8.54	1.33	0.142	0.268	< 0.0212	< 0.191	--
MW-143	05/26/2022	< 0.28	< 0.16	188	602	3.46	< 0.2	< 0.16	< 0.5	< 0.212	< 1.91	--
MW-143	08/12/2022	< 0.56	< 0.32	491	1010	6.02	0.94 J	< 0.32	< 1	< 0.424	< 3.82	--
MW-143	11/01/2022	< 0.028	< 0.016	0.1 J	0.274	< 0.0572	< 0.02	< 0.016	0.128 J	< 0.0212	< 0.191	--
MW-143	05/16/2023	< 0.028 J	< 0.016 J	330 J	524 J	5.04 J	< 0.02 J	0.075 J	0.183 J	< 0.0212 J	< 0.191 J	--
MW-143	11/07/2023	< 0.028	0.111	4.12	3.5	0.126 J	< 0.02	< 0.016	0.281	0.071 J	0.421	--
MW-143	05/24/2024	< 0.028	0.071	307	416	5.72	0.501	0.077	0.128 J	< 0.0212	< 0.191	--
MW-143	11/06/2024	< 0.028	0.056	2.22	15.9	0.287	< 0.02	0.022 J	0.088 J	0.034 J	0.222 J	--
MW-143	05/09/2025	< 0.102	< 0.135	405	1020	7.89	0.482 J	0.0928 J	< 0.129	< 0.125	< 0.433	--
MW-143	11/05/2025	< 1.02	< 1.35	167	569	4.10 J	< 1.22	< 0.540	< 1.29	< 1.25	< 4.33	--
MW-145R; Hydrogeologic Zone: Intermediate B; Screen Interval: -27.2 to -37.2 ft (NAVD88)												
MW-145R	12/16/2019	< 0.199	< 0.153	0.193 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	140
MW-145R	01/21/2020	< 0.199	< 0.153	0.23 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-145R	04/02/2020	< 0.199	< 0.153	0.293 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-145R	08/03/2020	0.057 J	0.027 J	0.228	< 0.0273	< 0.0572	< 0.02	0.019 J	1.45	0.046 J	< 0.191	--
MW-145R	11/23/2020	< 0.028	< 0.016	0.151	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.057	< 0.0212	< 0.191	--
MW-145R	02/04/2021	< 0.028	< 0.016	0.068 J	< 0.0273	0.0572	< 0.02	0.159	2.79	0.3	1.65	--
MW-145R	05/12/2021	< 0.0280	< 0.0160	0.076 J	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
MW-145R	08/23/2021	< 0.028	< 0.016	< 0.0276	< 0.0273 J	< 0.0572	< 0.02 J	0.04 J	0.57	< 0.046	0.21 J	--
MW-145R	11/30/2021	< 0.028	< 0.016	< 0.0276	< 0.0273 J	< 0.0572	< 0.02	< 0.016	0.145 J	< 0.0212	0.263	--
MW-145R	05/11/2022	< 0.028	< 0.016	0.034 J	< 0.0273	< 0.0572	< 0.02	< 0.016	0.254	0.038 J	0.241 J	--
MW-145R	08/10/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-145R	11/02/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-145R	05/15/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.261	< 0.0212	0.364	--
MW-145R	11/08/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	0.094 J	0.273	--
MW-145R	05/22/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.061 J	< 0.0212	< 0.191	--
MW-145R	11/08/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.016 J	0.093 J	0.056 J	0.229 J	--
MW-145R	05/15/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-145R	11/10/2025	< 0.102	< 0.135	< 0.164	< 0.0455 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-147; Hydrogeologic Zone: Intermediate B; Screen Interval: -17.6 to -27.6 ft (NAVD88)												
MW-147	05/01/2018	19.8	83.4	399	1150	2.09	4.59	< 0.0896	< 0.412	< 0.158	< 0.316	484
MW-147	01/22/2019	98.2	179	1230	738	2.88	6.83	< 0.0896	< 0.412	< 0.158	< 0.316	663 J
MW-147	04/23/2019	< 0.199	5.13	322	499	1.47	1.75	< 0.0896	< 0.412	< 0.158	< 0.316 J	139 J
MW-147	07/18/2019	< 0.199	4.79	219	446	2.49	1.33	< 0.0896	< 0.412	< 3.16	< 6.32	175 J
MW-147	10/14/2019	< 0.199	3.38	597	1410	2.91	1.92	< 0.0896	< 0.412	< 0.158	< 0.316	513 J
MW-147	01/24/2020	< 4.98	4.63 J	1100	1340	< 3.8	< 4.7	< 2.24	< 10.3	< 3.95	< 7.9	1200 J
MW-147	04/29/2020	< 7.5	5.1 J	2410	3470	3.9 J	< 4.7	< 2.35	< 6.95	< 3.43	< 4.35	1150 J
MW-147	07/09/2020	4.29	12.4	2220	6970	11.9	4.11	0.089	3.52	< 0.0212	< 0.191	--
MW-147	11/10/2020	< 2.8	4.73	3740	7290	9.23 J	< 2 J	< 1.6	< 5	< 2.12	< 0.6	2930 J
MW-147	02/09/2021	< 1.4	9.9	1750	3450 J	7.8 J	3.2 J	< 0.8	< 2.5	< 1.06	< 9.55	--
MW-147	05/04/2021	< 2.80	3 J	1300	2200	< 5.72	< 2.00	< 1.60	< 5.00	< 2.12	< 19.1	--
MW-147	08/20/2021	< 0.028	0.032 J	24	348 J	1.73	0.097 J	0.039 J	0.108 J	< 0.0212	< 0.191	--
MW-147	11/09/2021	< 0.028	3.48	1800	2880	5.73	3.59	0.07	0.059 J	0.124	0.737	--
MW-147	02/18/2022	< 0.028	0.426	275	383	2.36	0.598	0.052	< 0.11	< 0.0212	< 0.191	--
MW-147	05/03/2022	< 0.28	0.25 J	121	273	2.31	0.88 J	< 0.16	< 0.5	< 0.212	< 1.91	--
MW-147	08/10/2022	< 0.028	0.34	93.7	231	1.89	0.234	0.039 J	< 0.05	< 0.0212	< 0.191	--
MW-147	11/03/2022	< 0.028	0.116	72.7	146	2.06	0.174	0.043	< 0.127	0.032 J	< 0.191	--
MW-147	05/12/2023	0.065 J	0.066	18.3	108	0.33	0.189	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-147	11/10/2023	< 0.028	< 0.016	0.921	6.62	< 0.0572	< 0.02	0.02 J	0.072 J	< 0.0212	< 0.191	--
MW-147	06/04/2024	< 0.028	< 0.016	7.24	14.2	0.124 J	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-147	11/07/2024	< 0.028	< 0.016	12.3	34.2	< 0.0572	< 0.02	< 0.016	0.068 J	< 0.0212	< 0.191	--
MW-147	05/13/2025	< 0.102	< 0.135	15.9	22.6	0.205 J	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-147	11/12/2025	< 0.102	< 0.135	1.24	4.54	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-148; Hydrogeologic Zone: Intermediate B; Screen Interval: -25.7 to -35.7 ft (NAVD88)												
MW-148	05/01/2018	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-148	01/23/2019	1.24	0.347 J	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-148	04/26/2019	< 0.199	< 0.153	< 0.0933	0.277 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-148	07/22/2019	< 0.415	< 0.153	< 0.0933	0.253 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-148	10/16/2019	< 0.199	< 0.153	< 0.0933	0.463 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-148	01/20/2020	< 0.199	0.163 J	< 0.0933	0.305 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-148	04/30/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	36.8 J
MW-148	07/15/2020	< 0.028	< 0.016	< 0.0276	0.224	< 0.0572	< 0.02	< 0.016	1.32	< 0.0212	< 0.191	--
MW-148	11/11/2020	< 0.028	< 0.016	< 0.0276	0.0273	< 0.0572	< 0.02	< 0.016	0.31 J	< 0.0212	< 0.191	--
MW-148	08/13/2021	< 0.028	< 0.016	< 0.063	0.516	< 0.0572	< 0.02	0.057	0.569	0.064 J	0.246 J	--
MW-148	12/07/2021	< 0.028	< 0.016	< 0.0276	0.52	< 0.0572	< 0.02	< 0.016	< 0.06	0.081 J	0.45	--
MW-148	02/25/2022	< 0.028	< 0.016	< 0.0276	0.657	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-148	05/05/2022	< 0.028	< 0.016	< 0.0276	0.792	< 0.0572	< 0.02	0.021 J	0.184 J	< 0.0212	< 0.191	--
MW-148	08/10/2022	< 0.028	< 0.016	< 0.0276	0.841	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-148	11/04/2022	0.04 J	0.036 J	0.072 J	0.48	< 0.0572	< 0.02	< 0.016	0.085 J	< 0.0212	< 0.191	--
MW-148	05/09/2023	< 0.028	0.026 J	< 0.0276	0.641	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	0.2 J	--
MW-148	11/09/2023	< 0.028	< 0.016	< 0.0276	0.154 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-148	05/28/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.031 J	< 0.05	< 0.0212	< 0.191	--
MW-148	11/11/2024	0.029 J	< 0.016	< 0.0276	< 0.0273 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-148	05/13/2025	< 0.102	< 0.135	< 0.164	0.215	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-148	11/17/2025	< 0.102	< 0.135	< 0.164	< 0.200	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-190; Hydrogeologic Zone: Intermediate B; Screen Interval: -30.2 to -40.2 ft (NAVD88)												
MW-190	10/14/2019	< 0.199	< 0.153	7.78	0.994	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-190	01/23/2020	< 0.199	< 0.153	0.389 J	< 0.118	< 0.152	< 0.188	0.15 J	1.57	< 0.158	0.344 J	< 31.6
MW-190	04/02/2020	< 0.199	< 0.153	2.13	1.81	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-190	08/04/2020	< 0.028	< 0.016	1.74	3.77 J	< 0.0572	< 0.02	0.027 J	2.09	0.033 J	< 0.191	--
MW-190	11/18/2020	< 0.028	< 0.016	21.8	64.9	< 0.0572	0.043 J	< 0.016	0.082 J	< 0.0212	< 0.191	--
MW-190	02/03/2021	< 0.028	< 0.016	12.5	68.4	< 0.0572	< 0.02	< 0.016	0.164 J	0.045 J	0.252 J	--
MW-190	05/14/2021	< 0.028	< 0.016	8.12	32.2	< 0.0572	< 0.02	< 0.016	< 0.149	0.033 J	0.195 J	--
MW-190	08/11/2021	< 0.028	< 0.016	6.6	34.5	< 0.0572	< 0.02	0.031 J	0.834	0.122	0.669	--
MW-190	11/30/2021	< 0.028	< 0.016	19.3	56.1 J	< 0.0572	< 0.02	< 0.016	0.131 J	0.156	0.859	--
MW-190	03/04/2022	< 0.028	< 0.016	43.3	74.3	0.067 J	0.111	< 0.016	< 0.116	< 0.0212	< 0.191	--
MW-190	05/10/2022	< 0.028	< 0.016	6.4	23.3	< 0.0572	< 0.02	< 0.016	0.527	< 0.0212	0.338	--
MW-190	08/11/2022	0.982	0.202	37.8	54.7	< 0.0572	0.082 J	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-190	10/31/2022	< 0.028	< 0.016	78.7	64.4	0.098 J	0.156	< 0.016	0.122 J	< 0.0212	< 0.191	--
MW-190	05/12/2023	0.079 J	< 0.016	148	111	0.109 J	0.245	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-190	11/06/2023	< 0.028	< 0.016	78.8	64.8	0.096 J	0.134	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-190	05/23/2024	< 0.028	< 0.016	79.5	58.5	0.105 J	0.172	< 0.016	0.051 J	< 0.0212	< 0.191	--
MW-190	11/06/2024	< 0.028	< 0.016	2.22	24	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-190	05/13/2025	< 0.102	< 0.135	1.26	17.8	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-190	11/17/2025	< 0.102	< 0.135	0.632 J	11.5	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-303; Hydrogeologic Zone: Intermediate B; Screen Interval: -13.8 to -23.8 ft (NAVD88)												
MW-303	10/21/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	1.63	< 0.158	< 0.316	99.6 J
MW-303	01/24/2020	0.313 J	0.153 J	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-303	05/07/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	41.5 J
MW-303	07/27/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	1.56	0.0263 J	< 0.191	--
MW-303	11/17/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.075 J	< 0.0212	< 0.191	--
MW-303	05/18/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	0.24	< 0.0212	< 0.191	--
MW-303	11/09/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	0.144	0.749	--
MW-303	05/25/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.068	< 0.0212	< 0.191	--
MW-303	11/08/2022	< 0.028 J	< 0.016 J	< 0.0276 J	< 0.0273 J	< 0.0572 J	< 0.02 J	< 0.016 J	< 0.05 J	< 0.0212 J	< 0.191 J	--
MW-303	10/31/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.29	0.043 J	0.331	--
MW-303	11/13/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-303	11/05/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-307; Hydrogeologic Zone: Intermediate B; Screen Interval: -12.4 to -22.4 ft (NAVD88)												
MW-307	10/11/2019	< 0.199	< 0.153	0.935	0.289 J	< 0.152	< 0.188	< 0.0896	1.05	< 0.158	< 0.316	< 31.6
MW-307	01/15/2020	< 0.199	< 0.153	0.172 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-307	04/28/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	0.172 J	0.452 J	< 0.137	< 0.174	146 J
MW-307	07/29/2020	0.0492 J	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.0211 J	0.78	< 0.0212	< 0.191	--
MW-307	11/06/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.427	< 0.0212	< 0.191	--
MW-307	05/18/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	0.272	< 0.0212	< 0.191	--
MW-307	11/30/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	0.03 J	< 0.0500	< 0.0212	< 0.191	--
MW-307	05/26/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.132	< 0.0212	< 0.191	--
MW-307	11/04/2022	0.274	0.049	0.146	< 0.0273	< 0.0572	< 0.02	1.03	0.077 J	< 0.0212	< 0.191	--
MW-307	11/10/2023	0.064 J	0.016 J	0.038 J	< 0.0273	< 0.0572	< 0.02	0.076	0.264	0.1 J	0.619	--
MW-307	11/08/2024	< 0.028	< 0.016	< 0.092	< 0.0273	< 0.0572	< 0.02	< 0.016	0.073 J	0.031 J	0.211 J	--
MW-307	11/14/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-309; Hydrogeologic Zone: Intermediate B; Screen Interval: -32 to -42 ft (NAVD88)												
MW-309	10/14/2019	1.11	0.497 J	1.47	6.37	< 0.152	< 0.188	0.295 J	2.01	< 0.158	< 0.316	--
MW-309	01/16/2020	< 0.199	< 0.153	0.487 J	12.6	< 0.152	< 0.188	0.585	< 0.412	< 0.158	< 0.316	--
MW-309	04/08/2020	< 0.199	< 0.153	0.231 J	12.6	< 0.152	< 0.188	1.92	< 0.412	0.239 J	< 0.316	--
MW-309	07/06/2020	0.093 J	< 0.016	0.17	16	< 0.0572	< 0.02	0.524	< 0.05	0.064 J	< 0.191	--
MW-309	11/06/2020	0.0726 J	< 0.016	0.187	10.5	< 0.0572	< 0.02	0.473	< 0.05	0.0388 J	< 0.191	--
MW-309	05/04/2021	0.037 J	< 0.0160	0.212	13.1	< 0.0572	< 0.0200	0.252	< 0.0500	< 0.0212	< 0.191	--
MW-309	11/11/2021	0.05 J	< 0.016	0.115	14.6	< 0.0572	< 0.02	0.241	< 0.05	< 0.0212	< 0.191	--
MW-309	05/19/2022	0.062 J	< 0.016	0.239	10.1	< 0.0572	< 0.02	0.232	< 0.05	< 0.0212	< 0.191	--
MW-309	11/01/2022	< 0.028	< 0.016	0.255	13.1	< 0.0572	< 0.02	0.351	0.107 J	< 0.0212	< 0.191	--
MW-309	05/12/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-309	11/07/2023	< 0.028	< 0.016	0.261	12	< 0.0572	< 0.02	0.274	< 0.05	< 0.0212	< 0.191	--
MW-309	05/21/2024	< 0.028	< 0.016	< 0.0276	0.651	< 0.0572	< 0.02	0.078	< 0.05	< 0.0212	< 0.191	--
MW-309	11/11/2024	< 0.028	< 0.016	0.111	8.77 J	< 0.0572	< 0.02	0.187	< 0.05	< 0.0212	< 0.191	--
MW-309	05/15/2025	< 0.102	< 0.135	< 0.164	12.4	< 0.115	< 0.122	0.145 J	< 0.129	< 0.125	< 0.433	--
MW-309	11/10/2025	< 0.102	< 0.135	< 0.164	12.0	< 0.115	< 0.122	0.163 J	< 0.129	< 0.125	< 0.433	--
MW-311; Hydrogeologic Zone: Intermediate B; Screen Interval: -29.1 to -39.1 ft (NAVD88)												
MW-311	10/10/2019	20.4	46.1	173	25.1	0.221 J	0.665	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-311	01/14/2020	1.99	11.4	75	13.6	0.204 J	0.281 J	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-311	04/23/2020	< 0.3	0.624	45.8	10.9	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW-311	07/16/2020	0.047 J	0.334	5.24	24	0.144 J	0.045 J	0.065	3.39	< 0.0212	< 0.191	--
MW-311	11/04/2020	0.169	0.524	2.66	13.5	0.0593 J	< 0.02	0.0287 J	0.578	0.0319 J	< 0.191	--
MW-311	05/03/2021	0.066 J	0.361	0.981	4.68	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0510	0.249 J	--
MW-311	11/04/2021	0.069 J	0.287	0.418	2.71	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-311	05/09/2022	< 0.028	0.247	0.336	0.346	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-311	11/01/2022	< 0.028	0.162	0.267	1.37	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-311	05/15/2023	< 0.028 J	0.107 J	0.112 J	1.46 J	< 0.0572 J	< 0.02 J	< 0.016 J	0.073 J	< 0.0212 J	< 0.191 J	--
MW-311	11/07/2023	< 0.028	0.069	0.065 J	0.805	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-311	05/21/2024	< 0.028	0.108	0.16	1.28	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-311	11/12/2024	< 0.028	0.083	0.161	0.22	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-311	05/15/2025	< 0.102	< 0.135	< 0.164	1.17	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-311	11/10/2025	< 0.102	< 0.135	< 0.164	0.702	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-314; Hydrogeologic Zone: Intermediate B; Screen Interval: -28 to -38 ft (NAVD88)												
MW-314	10/10/2019	26.1	106	491	43.6	1.63	3.21	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-314	01/15/2020	22.7	98.3	596	17.9	2.12	2.74	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-314	04/22/2020	< 3	229	3190	410	14.8	4.9 J	< 0.941	< 2.78	< 1.37	< 1.74	--
MW-314	07/16/2020	4.2 J	313	4020	442	22.3	9.6 J	< 1.6	< 5	< 2.12	< 19.1	--
MW-314	11/04/2020	13.2	807	4240	360	16.4 J	13.6	< 1.6	< 5	< 2.12	< 19.1	--
MW-314	05/03/2021	< 1.40	54.5	977	42.9	3.15 J	< 1.00	< 0.800	< 2.50	< 1.06	< 9.55	--
MW-314	12/03/2021	8.27	59.5	639	38.1	2.43	3.13	0.039 J	< 0.0500	0.054 J	0.335	--
MW-314	05/18/2022	7.78	63.1	800	49.1	3.08	3.21	0.029 J	< 0.05	< 0.0212	< 0.191	--
MW-314	11/01/2022	2.85	44.7	576 J	32	2.77	3.25	< 0.016	0.198 J	< 0.0212	< 0.191	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-314	05/15/2023	5.34	39	634	71.6	2.55	3.32	0.032 J	< 0.05	< 0.0212	< 0.191	--
MW-314	11/07/2023	3.68	26.8	429	13.2	2.1 J	1.58 J	< 0.32	< 1	< 0.424	< 3.82	--
MW-314	05/22/2024	0.039 J	0.802	9.06	0.691 J	0.09 J	< 0.02	< 0.016	0.08 J	< 0.0212	< 0.191	--
MW-314	11/12/2024	0.06 J	0.508	4.82	< 0.0273	0.062 J	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-314	02/26/2025	3.21 J	20.3	423	23.9	1.81	2.54	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-314	05/09/2025	4.57 J	20.7	597	45.1	2.07 J	2.60 J	< 0.540	< 1.29	< 1.25	< 4.33	--
MW-314	08/19/2025	< 0.102	0.641	222 J	139 J	1.59	1.29	< 0.0540	0.357 J	< 0.125	< 0.433	--
MW-314	11/07/2025	< 1.02	4.29 J	388	115 J	2.14 J	1.96 J	< 0.540	< 1.29	< 1.25	< 4.33	--
MW-316; Hydrogeologic Zone: Intermediate B; Screen Interval: -10 to -20 ft (NAVD88)												
MW-316	10/02/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	0.57	< 0.158	< 0.316	--
MW-316	01/16/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-316	04/21/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW-316	07/24/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.025 J	0.362	< 0.0212	< 0.191	--
MW-316	11/02/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.019 J	0.12 J	< 0.0212	< 0.191	--
MW-316	05/17/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	0.22	< 0.0212	< 0.191	--
MW-316	11/05/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	0.119	0.69	--
MW-316	05/09/2022	0.034 J	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-316	11/02/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.083 J	< 0.0212	< 0.191	--
MW-316	11/08/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-316	11/11/2024	< 0.028	< 0.016	< 0.0276	< 0.0273 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-316	11/13/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-318; Hydrogeologic Zone: Intermediate B; Screen Interval: -23.1 to -33.1 ft (NAVD88)												
MW-318	10/08/2019	< 0.199	< 0.153	6.52	8.65	< 0.152	< 0.188	5.75	0.495 J	< 0.158	< 0.316	--
MW-318	01/16/2020	< 0.199	< 0.153	9.86	31	< 0.152	< 0.188	25.4	0.519	< 0.158	< 0.316	--
MW-318	04/27/2020	< 0.3	< 0.19	2.08	3.84	< 0.149	< 0.188	22.6	< 0.278	< 0.137	< 0.174	--
MW-318	07/30/2020	< 0.028	< 0.016	0.525 J	0.941	< 0.0572 J	< 0.02 J	5.79	0.117 J	0.0775 J	< 0.191	--
MW-318	11/12/2020	< 0.028	< 0.016	0.499	0.865 J	< 0.0572	< 0.02	4.2	0.224 J	< 0.0212	0.229 J	--
MW-318	05/19/2021	< 0.0280	< 0.0160	0.57	1.56	< 0.0572	< 0.0200	3.97	< 0.108	< 0.0212	0.257 J	--
MW-318	11/12/2021	< 0.028	< 0.016	0.489	1.75	< 0.0572	< 0.02	6.15	0.076 J	< 0.0212	0.201 J	--
MW-318	05/27/2022	< 0.028	< 0.016	1.1	32.7 J	< 0.0572	< 0.02	20.3	0.067 J	< 0.0212	< 0.191	--
MW-318	11/01/2022	< 0.028	< 0.016	5.5	46.1	< 0.0572	< 0.02	50.1	0.189 J	< 0.0212	0.21 J	--
MW-318	05/16/2023	< 0.028 J	< 0.016 J	4.56 J	51.1 J	0.071 J	< 0.02 J	56.1 J	0.199 J	< 0.0212 J	< 0.191 J	--
MW-318	11/08/2023	< 0.028	< 0.016	3.2	18.7	0.061 J	< 0.02	42.2	0.179 J	< 0.0212	0.243 J	--
MW-318	05/22/2024	< 0.028	< 0.016	2.45 J	25.4 J	0.069 J	< 0.02	54.3	0.33	< 0.0212	0.282	--
MW-318	11/06/2024	< 0.028	< 0.016	10.2	22	0.087 J	0.052 J	23.8	0.155 J	< 0.0212	0.191 J	--
MW-318	05/13/2025	< 0.102	< 0.135	4.98	18.8	0.121 J	< 0.122	20.7	< 0.129	< 0.125	< 0.433	--
MW-318	11/12/2025	< 0.102	< 0.135	13.1	25.3	0.162 J	< 0.122	16.0	< 0.129	< 0.125	< 0.433	--
MW-322; Hydrogeologic Zone: Intermediate B; Screen Interval: -21.3 to -31.3 ft (NAVD88)												
MW-322	10/07/2019	0.699	21	497	268	1.17	1.23	7.12	0.612	< 0.158	< 0.316	--
MW-322	01/21/2020	0.218 J	8.62	2740	221	6.06	7.05	7.41	0.955	< 0.158	< 0.316	--
MW-322	04/29/2020	< 30	661	1510	280	< 14.9	< 18.8	15.5 J	< 27.8	< 13.7	< 17.4	--
MW-322	07/07/2020	117	494	547	123	3.91	9.85	28.8	0.97 J	< 0.212	< 1.91	--
MW-322	11/24/2020	3.35	70.9	257	41.2	1.35 J	3.17	23.9	< 0.55	< 0.212	< 1.91	--
MW-322	05/19/2021	8.8	259	496	43	2.41	4.04	22.4	< 0.500	< 0.212	< 1.91	--
MW-322	11/09/2021	1.55	137	471	136	2.28	4.2	29.3	0.308	< 0.0212	< 0.191	--
MW-322	06/08/2022	< 0.28	1.45	502	112	1.61 J	0.64 J	9.54	< 0.69	< 0.212	< 1.91	--
MW-322	11/03/2022	0.315	0.892	598	243	2.6	1.53	11.8	0.313	< 0.0212	< 0.191	--
MW-322	05/17/2023	< 0.56 J	1.08 J	729 J	111 J	2.64 J	1.72 J	5.12 J	< 1 J	< 0.424 J	< 3.82 J	--
MW-322	11/08/2023	< 0.028	0.512	622	43	3.76	2.05	4.19	0.094 J	< 0.0212	< 0.191	--
MW-322	05/22/2024	< 0.028	0.359	602	62.7 J	2.79	1.23	2.56	0.087 J	< 0.0212	< 0.191	--
MW-322	11/06/2024	< 0.028	0.204	489	69.3	2.96	1.42	3.33	0.104 J	< 0.0212	< 0.191	--
MW-322	05/13/2025	< 0.102	< 0.135	511	95.3	2.76	1.18	2.56	< 0.129	< 0.125	< 0.433	--
MW-322	08/20/2025	< 0.102	< 0.135	266 J	147 J	2.72	0.885	2.96	< 0.129	< 0.125	< 0.433	--
MW-322	11/12/2025	< 1.02	< 1.35	393	144	2.94 J	1.56 J	3.40	< 1.29	< 1.25	< 4.33	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-334; Hydrogeologic Zone: Intermediate B; Screen Interval: -21.7 to -31.7 ft (NAVD88)												
MW-334	04/24/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW-334	07/07/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	1.61	< 0.0212	< 0.191	--
MW-334	11/05/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.195 J	< 0.0212	< 0.191	--
MW-334	05/13/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.143 J	< 0.0212	< 0.191	--
MW-334	11/05/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-334	05/31/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-334	11/03/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-334	11/09/2023	< 0.028	< 0.016	< 0.0276	< 0.0273 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-334	11/07/2024	< 0.028 J	< 0.016 J	< 0.0276 J	< 0.0273 J	< 0.0572 J	< 0.02 J	< 0.016 J	< 0.05 J	< 0.0212 J	< 0.191 J	--
MW-334	11/18/2025	< 0.102	< 0.135	< 0.164	0.0505 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-335; Hydrogeologic Zone: Intermediate B; Screen Interval: -25.6 to -35.6 ft (NAVD88)												
MW-335	05/01/2020	295	294	138	< 0.234	1.11	0.726	0.113 J	< 0.278	< 0.137	< 0.174	--
MW-335	07/08/2020	203	215	89.2	< 0.273	< 0.572	< 0.2	< 0.16	1.4 J	< 0.212	< 1.91	--
MW-335	11/02/2020	235 J	302	1160	5.08	3.16	2.02	0.38 J	< 0.5	< 0.212	< 1.91	--
MW-335	02/10/2021	135	230	1350	< 0.273	6.34	1.93	0.79	< 0.5	< 0.212	< 1.91	--
MW-335	05/26/2021	58.2	131 J	1490	< 0.273	4.06	< 0.200	0.93	< 0.500	< 0.212	< 1.91	--
MW-335	08/11/2021	67.5	134	1960	0.551	4.05	2.72	1.56	< 0.05	< 0.0212	< 0.191	--
MW-335	11/17/2021	104	198	2770	< 2.73	3.59	3.63	1.63	< 0.05	< 0.0212	< 0.191	--
MW-335	03/02/2022	166	262	818 J	< 2.73	< 5.72	< 2	< 1.6	< 5	< 2.12	< 19.1	--
MW-335	05/31/2022	154	204	540	< 2.73	< 5.72	< 2	< 1.6	< 5	< 2.12	< 19.1	--
MW-335	08/10/2022	133	173	369	< 0.273	1.67 J	0.79 J	0.41	< 0.5	< 0.212	< 1.91	--
MW-335	11/03/2022	125	220	512	< 0.273	1.66	1.12	0.278	< 0.05	< 0.0212	< 0.191	--
MW-335	05/19/2023	143	155	199	< 0.273	< 0.572	< 0.2	< 0.16	< 0.5	< 0.212	< 1.91	--
MW-335	11/09/2023	106	154	293	< 0.273 J	4.56	0.79 J	< 0.16	< 0.5	< 0.212	< 1.91	--
MW-335	05/24/2024	90.6 J	102 J	110 J	0.112	0.779	0.571	0.099	< 0.05	< 0.0212	< 0.191	--
MW-335	11/14/2024	78.8	215	1550	0.591	2.01	2.04	0.431	< 0.05	< 0.0212	< 0.191	--
MW-335	05/21/2025	118	81.9	94.9	0.278	0.659	0.614	0.0903 J	< 0.129	< 0.125	< 0.433	--
MW-335	11/13/2025	22.0	41.9	200	0.342	1.23	0.672	0.0916 J	< 0.129	< 0.125	< 0.433	--
MW-338; Hydrogeologic Zone: Intermediate B; Screen Interval: -16.6 to -26.6 ft (NAVD88)												
MW-338	05/07/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW-338	07/23/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	1.16	0.072 J	0.617	--
MW-338	11/10/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05 J	< 0.0212	< 0.191	--
MW-338	05/04/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
MW-338	11/17/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-338	05/04/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-338	11/02/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-338	11/08/2023	< 0.028	< 0.016	< 0.0276	0.084 J	< 0.0572	< 0.02	0.021 J	< 0.05	< 0.0212	< 0.191	--
MW-338	11/14/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-338	11/11/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-340; Hydrogeologic Zone: Intermediate B; Screen Interval: -16.1 to -26.1 ft (NAVD88)												
MW-340	05/12/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	0.428 J	< 0.137	0.635 J	--
MW-340	07/17/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-340	11/09/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-340	05/13/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-340	11/10/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-340	05/04/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.058 J	< 0.0212	< 0.191	--
MW-340	11/02/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.131 J	< 0.0212	< 0.191	--
MW-340	11/09/2023	< 0.028	< 0.016	< 0.0276	< 0.0273 J	< 0.0572	< 0.02	< 0.016	0.143 J	< 0.0212	< 0.191	--
MW-340	11/14/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-340	11/11/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-345; Hydrogeologic Zone: Intermediate B; Screen Interval: -1.6 to -11.6 ft (NAVD88)												
MW-345	06/01/2021	0.717	0.456	13.9	8.76	0.06 J	< 0.0200	< 0.0160	0.176 J	< 0.0212	< 0.191	--
MW-345	08/18/2021	0.094 J	0.213	4	2.9	< 0.0572	< 0.02	0.191	1.99	0.192	1.15	--
MW-345	11/18/2022	< 0.028	0.077	2.12	18.3	0.065 J	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-345	11/13/2023	< 0.028	0.048	5.93	54.7 J	0.132 J	< 0.02	< 0.016	0.058 J	< 0.0212	< 0.191	--
MW-345	11/21/2024	< 0.028	0.042	5.99	95.2 J	0.118 J	< 0.02	< 0.016	< 0.05	0.044 J	< 0.191	--
MW-345	11/07/2025	< 0.102	< 0.135	3.65	24.6 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-346; Hydrogeologic Zone: Intermediate B; Screen Interval: -2.2 to -12.2 ft (NAVD88)												
MW-346	06/02/2021	25.3	6.09	18.1	1.9	< 0.0572	0.059 J	0.029 J	0.206	< 0.0212	< 0.191	--
MW-346	08/18/2021	1.58	0.646	24.7	1.11	0.088 J	0.075 J	0.028 J	0.086 J	< 0.0212	< 0.191	--
MW-346	03/31/2022	0.228 J	1.04	3.49	1.04	< 0.0572	< 0.0200	< 0.0160	< 0.124	< 0.0212	< 0.191	--
MW-346	05/24/2022	0.064 J	0.921	4.18	2.08	< 0.0572	< 0.02	< 0.016	0.069 J	< 0.0212	< 0.191	--
MW-346	08/02/2022	< 0.028	0.498	3.42	2.47	< 0.0572	< 0.02	0.094	2.17	0.168	0.825	--
MW-346	11/10/2022	< 0.028	0.57	2.68	1.54	< 0.0572	< 0.02	< 0.016	0.216	< 0.0212	< 0.191	--
MW-346	02/23/2023	< 0.028	0.624	3.1	2.04	< 0.0572	< 0.02	< 0.016	0.082 J	< 0.0212	< 0.191	--
MW-346	05/16/2023	0.037 J	0.464	2.05	2.01	< 0.0572	< 0.02	< 0.016	0.448	0.04 J	0.31	--
MW-346	08/15/2023	< 0.028	0.504	2.31	2.11	< 0.0572	< 0.02	< 0.016	0.336	0.08 J	0.42	--
MW-346	11/08/2023	0.071 J	0.319	1.82	0.423	< 0.0572	< 0.02	0.048	0.14 J	< 0.0212	< 0.191	--
MW-346	02/27/2024	0.066 J	0.198	0.872	0.492	< 0.0572	< 0.02	< 0.016	0.098 J	< 0.0212	< 0.191	--
MW-346	05/28/2024	0.085 J	0.062	0.447	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-346	09/05/2024	< 0.028	0.334	1.67	1.4 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-346	11/05/2024	< 0.028	0.284	1.36	1.2	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-346	02/27/2025	< 0.102	0.155 J	0.640	0.705	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-346	05/15/2025	< 1.02	< 1.35	< 1.64	< 0.455	< 1.15	< 1.22	< 0.540	< 1.29	< 1.25	< 4.33	--
MW-346	11/07/2025	0.128 J	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-347; Hydrogeologic Zone: Intermediate B; Screen Interval: -1.3 to -11.3 ft (NAVD88)												
MW-347	06/01/2021	5.19	3.83	123	66.9	0.291	0.147	0.03 J	0.346	< 0.0212	< 0.191	--
MW-347	08/19/2021	7.46	4.72	100	25.7	0.807	0.262	0.051	0.164 J	0.031 J	< 0.191	--
MW-347	03/31/2022	25.8 J	50.3	290	130	0.998	0.945	0.034 J	< 0.121	0.033 J	< 0.191	--
MW-347	05/26/2022	0.077 J	0.225	148	68	0.556	0.484	< 0.016	< 0.077	< 0.0212	< 0.191	--
MW-347	08/02/2022	< 0.028	< 0.016	30.6	58.3	0.219	0.105	0.029 J	0.497	0.077 J	0.636	--
MW-347	11/10/2022	< 0.028	< 0.016	15.8	28.7	0.134 J	< 0.02	< 0.016	0.076 J	< 0.0212	< 0.191	--
MW-347	02/23/2023	< 0.028	< 0.016	3.78	9.64	< 0.0572	< 0.02	< 0.016	0.327	0.183	1.05	--
MW-347	05/16/2023	< 0.028	0.189	2.7	12.6	< 0.0572	< 0.02	< 0.016	0.561	0.074 J	0.518	--
MW-347	08/15/2023	0.097 J	0.231	1.61	10.5	< 0.0572	0.039 J	< 0.016	< 0.055	< 0.0212	< 0.191	--
MW-347	11/10/2023	< 0.028	0.124	0.889	8.19	< 0.0572	< 0.02	< 0.016	0.053 J	< 0.0212	< 0.191	--
MW-347	02/27/2024	0.217	0.148	1.43	0.67	< 0.0572	< 0.02	< 0.016	0.106 J	< 0.0212	< 0.191	--
MW-347	05/29/2024	0.143 J	0.476	3.46	10.7	0.063 J	< 0.02	0.028 J	< 0.05	< 0.0212	< 0.191	--
MW-347	09/04/2024	< 0.028	0.098	0.502	5.79	< 0.0572	< 0.02	0.024 J	0.608	0.237	1.49	--
MW-347	11/06/2024	< 0.028	0.096	0.829	6.02	< 0.0572	0.029 J	< 0.016	0.079 J	< 0.0212	< 0.191	--
MW-347	02/27/2025	0.104 J	0.268 J	2.75	10.5	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-347	05/15/2025	< 0.102	0.331 J	4.26	10.3	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-347	11/06/2025	< 0.102	0.142 J	3.42	5.74	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-348; Hydrogeologic Zone: Intermediate B; Screen Interval: -4.6 to -14.6 ft (NAVD88)												
MW-348	06/01/2021	12.6	8.62	104	55.4	0.107 J	1.29	0.019 J	0.17 J	< 0.0212	< 0.191	--
MW-348	08/19/2021	5.38	7.77	68.2	45.5	< 0.0572	1.1	0.019 J	0.068 J	< 0.0212	< 0.191	--
MW-348	03/31/2022	14.4 J	19.6	318	252	0.079 J	2.06	0.034 J	< 0.165	0.032 J	< 0.191	--
MW-348	05/26/2022	6.62	14	160	126	0.15 J	1.96	0.046	< 0.095	< 0.0212	< 0.191	--
MW-348	08/01/2022	< 0.28	2.38	167	123	1.15 J	1.44	< 0.16	1.51 J	< 0.212	< 1.91	--
MW-348	11/10/2022	< 0.56	< 0.32	49.4	13.9	< 1.14	< 0.4	1.78	< 1	< 0.424	< 3.82	--
MW-348	03/13/2023	< 0.56	< 0.32	166	145	< 1.14	1.42 J	< 0.32	< 1	< 0.424	< 3.82	--
MW-348	05/17/2023	< 0.28	< 0.16	95.6	111	< 0.572	< 0.2	< 0.16	< 0.68 J	< 0.212	< 1.91	--
MW-348	08/16/2023	< 0.028	0.25	76.1	136	0.072 J	0.226	0.024 J	0.481	0.128	0.707	--
MW-348	11/14/2023	< 0.028	0.164	12.9	117	< 0.0572	0.066 J	0.017 J	1.07	0.026 J	< 0.191	--
MW-348	02/27/2024	< 0.28	< 0.16	7.17	59.9	< 0.572	< 0.2	< 0.16	< 0.5	< 0.212	< 1.91	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-348	05/28/2024	< 0.028	0.165	6.9	17.4	< 0.0572	< 0.02	0.021 J	< 0.05	< 0.0212	< 0.191	--
MW-348	09/05/2024	< 0.028	0.109	2.15	7.17	0.089 J	< 0.02	< 0.016	0.058 J	< 0.0212	< 0.191	--
MW-348	11/05/2024	< 0.028	0.047	0.869	2.32	< 0.0572	< 0.02	0.02 J	< 0.05	< 0.0212	< 0.191	--
MW-348	02/27/2025	< 0.102	< 0.135	1.46	5.45	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-348	05/16/2025	< 0.102	< 0.135	1.36	3.21	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-348	11/06/2025	< 0.102	< 0.135	< 0.164	0.0904 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-349; Hydrogeologic Zone: Intermediate B; Screen Interval: -2.8 to -12.8 ft (NAVD88)												
MW-349	06/01/2021	0.611	0.474	7.23	11.6	< 0.0572	< 0.0200	< 0.0160	2.6	0.04 J	0.191 J	--
MW-349	08/19/2021	0.326	0.288	5.13	17.6	< 0.0572	< 0.02	< 0.016	0.168 J	< 0.0212	< 0.191	--
MW-349	03/30/2022	< 0.0280	0.319	47.1	68	< 0.0572	0.185	0.029 J	0.836	0.243	1.33	--
MW-349	05/26/2022	0.105	0.146	23	30.9	< 0.0572	< 0.02	< 0.016	0.312	< 0.0212	< 0.191	--
MW-349	08/01/2022	0.126	0.203	12.8	23.2	< 0.0572	< 0.02	0.038 J	1.27	0.151	0.817	--
MW-349	11/08/2022	0.043 J	0.24 J	4.95 J	9.84 J	< 0.0572 J	0.227 J	< 0.016 J	0.702 J	< 0.0212 J	< 0.191 J	--
MW-349	02/23/2023	< 0.028	< 0.016	2.57	8.66	< 0.0572	< 0.02	< 0.016	0.623	< 0.0212	< 0.191	--
MW-349	05/16/2023	< 0.028	0.063	1.36	4.9	< 0.0572	< 0.02	< 0.016	0.998	0.16	0.915	--
MW-349	08/15/2023	0.041 J	0.072	1.44	4.3	< 0.0572	< 0.02	< 0.016	< 0.117	< 0.0212	< 0.191	--
MW-349	11/13/2023	< 0.028	0.044	0.993	2.5 J	< 0.0572	< 0.02	< 0.016	0.412	< 0.0212	< 0.191	--
MW-349	02/27/2024	< 0.028	< 0.016	0.518	1.71	< 0.0572	< 0.02	< 0.016	0.246	0.049 J	0.328	--
MW-349	05/28/2024	< 0.028	0.042	0.4	0.449	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-349	09/04/2024	< 0.028	0.048	0.43	1.27	< 0.0572	< 0.02	< 0.016	0.193 J	0.099 J	0.602	--
MW-349	11/06/2024	< 0.028	< 0.016	0.376	0.554	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-349	02/26/2025	< 0.102	< 0.135	0.342 J	0.328	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-349	05/16/2025	< 0.102	< 0.135	< 0.500	0.573	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-349	11/06/2025	< 0.102	< 0.135	0.225 J	0.673	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-350; Hydrogeologic Zone: Intermediate B; Screen Interval: -1.7 to -11.7 ft (NAVD88)												
MW-350	06/01/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	1.16	10.9	11.5	56.7	--
MW-350	08/18/2021	< 0.028	< 0.016	0.149	0.573	< 0.0572	< 0.02	0.123	0.84	0.69	3.42	--
MW-350	11/11/2022	< 0.028	< 0.016	< 0.0276	0.672 J	< 0.0572	< 0.02	< 0.016	< 0.099	0.081 J	0.331	--
MW-350	02/24/2023	< 0.028	< 0.016	< 0.0276	1.06	< 0.0572	< 0.02	< 0.016	0.093 J	< 0.0212	0.306	--
MW-350	05/17/2023	< 0.028	< 0.016	< 0.0276	1.61	< 0.0572	< 0.02	0.022 J	0.248	0.052 J	0.315	--
MW-350	08/15/2023	< 0.028	< 0.016	< 0.0276	2.89	< 0.0572	< 0.02	< 0.016	< 0.172	0.034 J	< 0.191	--
MW-350	11/13/2023	< 0.028	< 0.016	< 0.0276	3.5 J	< 0.0572	< 0.02	0.03 J	0.116 J	0.055 J	0.2 J	--
MW-350	02/28/2024	< 0.028	< 0.016	< 0.0276	19.7 J	< 0.0572	< 0.02	0.016 J	0.146 J	0.045 J	< 0.191	--
MW-350	05/29/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-350	09/05/2024	< 0.028	< 0.016	< 0.0276	19	< 0.0572	< 0.02	< 0.016	0.255	0.094 J	0.495	--
MW-350	11/07/2024	< 0.0280	< 0.0160	< 0.0276	33.8	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
MW-350	02/27/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-350	05/16/2025	< 0.102	< 0.135	< 0.164	19.6	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-350	08/20/2025	< 0.102	< 0.135	< 0.822	43.0 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-350	11/06/2025	< 0.102	< 0.135	< 0.164	35.1 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
W-MW-01; Hydrogeologic Zone: Intermediate B; Screen Interval: -25.5 to -35.5 ft (NAVD88)												
W-MW-01	02/02/2012	46	3.9	11	0.5	< 0.2	--	< 20	0.1 J	< 0.2	< 0.6	--
W-MW-01	09/06/2012	< 1	< 1	2	2.8	< 1	< 1	< 0.35	1.7	< 1	< 0.855	--
W-MW-01	06/17/2015	< 1	< 1	< 1	0.46	< 1	--	--	--	--	--	--
W-MW-01	10/20/2015	< 1	< 1	< 1	0.88	< 1	--	--	--	--	--	--
W-MW-01	01/08/2016	< 1	< 1	< 1	2.5	< 1	--	--	--	--	--	--
W-MW-01	02/01/2016	< 1	< 1	< 1	2.8	< 1	--	--	--	--	--	--
W-MW-01	03/30/2017	0.33 J	0.203 J	0.491 J	1.83 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
W-MW-01	06/19/2017	< 0.199	< 0.153	0.32 J	1.09	< 0.152	< 0.188	0.158 J	0.931	< 0.158	< 0.316	--
W-MW-01	04/13/2018	5.33	1.68	1.31	8.79	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	37.6
W-MW-01	10/29/2018	0.22 J	0.696	0.629	3.9	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
W-MW-01	12/13/2018	< 0.199	1.77	0.538	3.86	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
W-MW-01	01/25/2019	< 0.199	0.587	0.459 J	5.46	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
W-MW-01	03/11/2019	0.52	0.301 J	0.396 J	7.24	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
W-MW-01	04/25/2019	< 0.199	0.373 J	0.572	6.61 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
W-MW-01	07/23/2019	< 0.199	0.304 J	0.547	9	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
W-MW-01	10/15/2019	< 0.199	0.35 J	0.408 J	7.36	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
W-MW-01	01/27/2020	< 0.199	0.349 J	0.553	5.16	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
W-MW-01	04/03/2020	< 0.199	0.244 J	0.588	3.79	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
W-MW-01	07/31/2020	0.0742 J	0.299	0.431 J	2.98	< 0.0572 J	< 0.02 J	< 0.016	< 0.05	< 0.0212	< 0.191	--
W-MW-01	11/24/2020	< 0.028	0.214	0.451	5.82	< 0.0572	0.063 J	< 0.016	< 0.05	< 0.0212	< 0.191	--
W-MW-01	02/03/2021	< 0.028	0.191	0.495	3.62	< 0.0572	0.032 J	< 0.016	< 0.05	< 0.0212	< 0.191	--
W-MW-01	05/17/2021	< 0.0280	0.197	0.367	9.41	< 0.0572	0.048 J	< 0.0160	0.828	< 0.0212	< 0.191	--
W-MW-01	08/23/2021	< 0.028	0.134	0.378	2.33 J	< 0.0572	< 0.02 J	< 0.016	1.32	< 0.0212	< 0.191	--
W-MW-01	11/29/2021	< 0.0280	0.132	0.34	1.46 J	< 0.0572	< 0.0200	< 0.0160	0.912	< 0.0212	0.406	--
W-MW-01	03/08/2022	< 0.0280	0.103 J	0.377	3.22 J	< 0.0572	< 0.0200	< 0.0160	0.088 J	< 0.0212	< 0.191	--
W-MW-01	05/11/2022	< 0.028	0.091	0.294	2.36	< 0.0572	< 0.02	< 0.016	0.089 J	< 0.0212	< 0.191	--
W-MW-01	08/12/2022	0.24	< 0.166	0.292	2.7	< 0.0572	< 0.02	< 0.031	< 0.186	< 0.0212	< 0.191	--
W-MW-01	10/31/2022	< 0.028	0.087	0.405	1.61	< 0.0572	< 0.02	< 0.016	< 0.178	< 0.0212	< 0.191	--
W-MW-01	02/24/2023	< 0.028	< 0.016	< 0.0276	1.59	< 0.0572	< 0.02	< 0.016	0.711	0.315	1.51	--
W-MW-01	05/16/2023	< 0.028 J	0.067 J	0.253 J	3.46 J	< 0.0572 J	< 0.02 J	< 0.016 J	0.33 J	< 0.0212 J	0.406 J	--
W-MW-01	08/16/2023	< 0.028	0.048	0.319	2.51	< 0.0572	0.549	0.021 J	0.116 J	0.087 J	0.564	--
W-MW-01	11/06/2023	< 0.028	< 0.016	0.264	1.51	< 0.0572	< 0.02	< 0.016	0.181 J	< 0.0212	< 0.191	--
W-MW-01	02/26/2024	< 0.028	0.05	0.263	1.49	< 0.0572	< 0.02	< 0.016	0.329	< 0.0212	0.313	--
W-MW-01	05/22/2024	< 0.028 J	0.044 J	0.165 J	0.595 J	< 0.0572 J	< 0.02 J	< 0.016 J	0.081 J	< 0.0212 J	< 0.191 J	--
W-MW-01	09/05/2024	< 0.028	< 0.016	0.147	0.285	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
W-MW-01	11/08/2024	< 0.028	< 0.016	0.188	0.411	< 0.0572	< 0.02	< 0.016	0.051 J	< 0.0212	< 0.191	--
W-MW-01	02/26/2025	< 0.102	< 0.135	0.165 J	0.421	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
W-MW-01	05/12/2025	< 0.102	< 0.135	0.260 J	0.200 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
W-MW-01	08/20/2025	< 0.102	< 0.135	0.187 J	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
W-MW-01	11/10/2025	< 0.102	< 0.135	0.254 J	0.114 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
Property Treatment Zone A												
MW-165; Hydrogeologic Zone: Property Treatment Zone A; Screen Interval: 1.3 to -8.8 ft (NAVD88)												
MW-165	11/04/2019	3.95	20.2	4180	642	91.1	8.92	< 0.0896	< 0.412	< 0.158	< 0.316	3940 J
MW-165	01/30/2020	< 0.199	< 0.153	6.89	9.64	2.56	< 0.188	0.176 J	< 0.412	< 0.158	< 0.316	< 31.6
MW-165	05/01/2020	0.423 J	0.353 J	61.4	24.3	2.19	< 0.188	0.162 J	0.311 J	< 0.137	< 0.174	74.3 J
MW-165	07/09/2020	0.13	0.25	40.8	77.3	3.78	0.253	0.09	0.389	< 0.0212	< 0.191	< 31.6
MW-165	11/05/2020	< 0.028	0.276	578	1160	12.6	0.516	0.138	0.633	< 0.0212	< 0.191	--
MW-165	02/04/2021	< 0.028	0.167	1570	1690	23.5	1.19	0.183	1.3	0.08 J	0.369	--
MW-165	05/06/2021	< 0.280	< 0.160	260	301	15.2	< 0.200	< 0.160	< 0.820	< 0.212	< 1.91	--
MW-165	08/10/2021	0.049 J	< 1.60	858	737	22.7	0.965	0.17	0.809	0.046 J	< 0.191	--
MW-165	11/30/2021	< 0.0280	0.107	617	480	21	0.728	0.136	0.597	< 0.0212	< 0.191	--
MW-165	02/22/2022	< 0.028	0.153	1040	719	26.8	1.02	0.183	0.501	0.034 J	< 0.191	--
MW-165	05/13/2022	< 0.028	0.153	938	808	23.1	0.986	0.141	0.446	0.034 J	< 0.191	--
MW-165	08/05/2022	< 0.56	0.56 J	760	642	16.5	0.68 J	< 0.32	< 1	< 0.424	< 3.82	--
MW-165	10/28/2022	< 0.14	< 0.08	858	797	14.9	0.815	0.22	< 0.25	< 0.106	1.44	--
MW-165	05/11/2023	0.131	0.179	10.7	16	< 0.0572	< 0.02	0.114	0.413	< 0.0212	< 0.191	--
MW-165	11/01/2023	< 0.028	< 0.016	7.03	10.3	1.21	< 0.02	0.105	0.311	< 0.0212	< 0.191	--
MW-165	05/28/2024	< 0.028	0.032 J	0.912	1.24	0.322	< 0.02	0.084	0.116 J	< 0.0212	< 0.191	--
MW-165	11/19/2024	< 0.028	0.051	3.12	3.84	0.372	< 0.02	0.099	0.115 J	< 0.0212	< 0.191	--
MW-165	05/22/2025	< 0.102	< 0.135	1.50	2.65	0.313 J	< 0.122	0.125 J	0.186 J	< 0.125	< 0.433	--
MW-165	11/13/2025	< 0.102	< 0.135	3.62	5.38	0.461 J	< 0.122	0.0984 J	< 0.129	< 0.125	< 0.433	--
MW-169; Hydrogeologic Zone: Property Treatment Zone A; Screen Interval: 1.2 to -8.8 ft (NAVD88)												
MW-169	11/05/2019	2.72	1.15	48.8	1500	11.9	0.197 J	0.13 J	< 0.412	< 0.158	< 0.316	< 83.4
MW-169	01/23/2020	< 0.995	1.51 J	0.665 J	275	6.97	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 158
MW-169	05/05/2020	< 0.3	< 0.19	< 0.126	40.5	2.2	< 0.188	0.127 J	0.388 J	< 0.137	0.493 J	< 158
MW-169	07/10/2020	0.039 J	0.049	0.194	77.9	3.06	< 0.02	0.083	1.01	0.105	0.834	2400 J
MW-169	11/03/2020	6.26	1.78	0.853	5.57	1	< 0.02	0.113	0.123 J	< 0.0212	< 0.191	--
MW-169	02/17/2021	< 0.028	0.046	0.158	1.72	0.704	< 0.02	0.106	0.057 J	< 0.0212	< 0.191	--
MW-169	05/07/2021	< 0.028	0.034 J	< 0.068	0.68	0.469	< 0.02	0.08	< 0.179	< 0.0212	< 0.191	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-169	08/10/2021	0.049 J	< 0.0160	0.077 J	1.32	0.44	< 0.0200	0.1	0.092 J	< 0.0212	< 0.191	--
MW-169	11/19/2021	< 0.028	0.061	0.127	1.89	0.657	< 0.02	0.075	< 0.05	< 0.0212	< 0.191	--
MW-169	02/16/2022	0.267	0.034 J	0.068 J	1.39	0.417	< 0.02	0.091	< 0.05	< 0.0212	< 0.191	--
MW-169	05/12/2022	< 0.028	0.037 J	0.255	5.29	0.37	0.085 J	0.078	< 0.05	< 0.0212	< 0.191	--
MW-169	08/05/2022	< 0.028	0.038 J	0.066 J	20.6	0.338	0.071 J	0.103	< 0.05	< 0.0212	< 0.191	--
MW-169	10/27/2022	< 0.028	0.056	< 0.0276	1.12	0.284	< 0.02	0.109	< 0.168	0.067 J	0.316	--
MW-169	05/11/2023	< 0.028	< 0.016	0.144	4.82	0.276	< 0.02	0.081	0.104 J	< 0.0212	< 0.191	--
MW-169	11/03/2023	0.038 J	0.055	0.156	4.1	0.244	0.058 J	0.119	0.064 J	< 0.0212	< 0.191	--
MW-169	05/24/2024	< 0.028	0.032 J	0.041 J	0.822	0.153 J	< 0.02	0.096	< 0.05	< 0.0212	< 0.191	--
MW-169	11/13/2024	13	1.02	3	47.6	0.762	0.791	0.101	< 0.05	< 0.0212	< 0.191	--
MW-169	05/21/2025	8.75	1.96	31.3	67.0	1.11	0.770	0.0860 J	< 0.129	< 0.125	< 0.433	--
MW-169	11/18/2025	2.42 J	0.298 J	1.36	49.7	0.417 J	0.549 J	0.0990 J	< 0.129	< 0.125	< 0.433	--
MW-173; Hydrogeologic Zone: Property Treatment Zone A; Screen Interval: 2.2 to -7.8 ft (NAVD88)												
MW-173	11/01/2019	0.704	0.484 J	15.6	67.2	2.31	< 0.188	0.141 J	< 0.412	< 0.158	< 0.316	< 31.6
MW-173	01/28/2020	< 0.199	0.302 J	5.48	116	2.43	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-173	05/01/2020	< 0.3	< 0.19	0.493 J	7.87	1.88	< 0.188	0.139 J	< 0.278	< 0.137	0.225 J	< 31.6
MW-173	07/09/2020	0.36	0.218	0.402	26.2	2.87	< 0.02	0.103	0.632	< 0.0212	0.371	< 31.6
MW-173	11/05/2020	< 0.028	0.0865	0.616	105	3.3	< 0.02	0.179	< 0.05	< 0.0212	< 0.191	--
MW-173	02/04/2021	< 0.028	0.052	0.272	33.6	3.85	< 0.02	0.242	0.191 J	< 0.0212	< 0.191	--
MW-173	05/05/2021	< 0.0280	0.053	< 0.142	15.8	2.68	< 0.0200	0.199	< 0.192	< 0.0212	0.229 J	--
MW-173	08/05/2021	< 0.0280	0.045	0.086 J	0.636	1.3	< 0.0200	0.176	0.171 J	< 0.0212	< 0.191	--
MW-173	11/30/2021	< 0.0280	0.035 J	0.051 J	0.292	1.06	< 0.0200	0.199	< 0.164	< 0.0212	< 0.191	--
MW-173	02/17/2022	< 0.028	0.047	0.07 J	0.236	0.588	< 0.02	0.182	< 0.146	< 0.0212	< 0.191	--
MW-173	05/13/2022	< 0.028	0.043	0.076 J	0.253	0.474	< 0.02	0.151	0.117 J	< 0.0212	< 0.191	--
MW-173	08/11/2022	< 0.028	0.049	0.072 J	0.143	0.37	< 0.02	0.187	< 0.119	< 0.0212	< 0.191	--
MW-173	10/27/2022	< 0.028	0.046	0.063 J	0.629	0.556	< 0.02	0.188	0.122 J	0.046 J	< 0.191	--
MW-173	05/11/2023	< 0.028	< 0.016	< 0.0276	0.448	0.208	< 0.02	0.169	0.144 J	< 0.0212	< 0.191	--
MW-173	11/02/2023	< 0.028	< 0.016	4.81	4.7	0.381	< 0.02	0.187	0.14 J	< 0.0212	< 0.191	--
MW-173	05/28/2024	< 0.028	< 0.016	0.09 J	0.067 J	0.073 J	< 0.02	0.147	0.08 J	< 0.0212	< 0.191	--
MW-173	11/18/2024	< 0.028	< 0.016	0.247	0.285	0.104 J	< 0.02	0.161	0.096 J	< 0.0212	< 0.191	--
MW-173	05/22/2025	< 0.102	< 0.135	0.454 J	0.210	0.135 J	< 0.122	0.194 J	< 0.129	< 0.125	< 0.433	--
MW-173	11/14/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	0.150 J	< 0.129	< 0.125	< 0.433	--
MW-177; Hydrogeologic Zone: Property Treatment Zone A; Screen Interval: 2.3 to -7.7 ft (NAVD88)												
MW-177	11/06/2019	3180 J	1710 J	131000 J	11000 J	395 J	268 J	0.744	4.09	0.579	2.77	122000 J
MW-177	01/24/2020	26400	7440	99800	8440	265	120	< 4.48	< 20.6	< 7.9	< 15.8	89400 J
MW-177	04/01/2020	27900	6980	123000	9860	< 760	< 940	< 448	< 2060	< 790	< 1580	77100 J
MW-177	07/10/2020	29400	6520	76100	9450	345 J	< 100	< 80	< 250	< 106	< 955	92500 J
MW-177	11/03/2020	7170	861	16900	6740	< 57.2	< 20	< 16	< 50	< 21.2	< 191	--
MW-177	02/18/2021	10900	2010	12800	6310	50	34.4	< 3.2	< 10	< 4.24	< 38.2	--
MW-177	05/06/2021	10100	2440	11800	4900	50.2	38.2	< 3.20	< 10.0	< 4.24	< 38.2	--
MW-177	08/09/2021	6190	1250	6810	3500	31.8	22.9	0.44	0.59 J	< 0.212	< 1.91	--
MW-177	11/30/2021	7650	861	5330	3200	< 11.4	21.8	< 3.20	< 10.0	< 4.24	< 38.2	--
MW-177	02/17/2022	10500	1800	7920	2920	30.4 J	30.4	< 3.2	< 10	< 4.24	< 38.2	--
MW-177	05/10/2022	7870	1460	6410	2960	29.5	27.4	0.25	0.468	0.078 J	0.458	--
MW-177	08/04/2022	6400	914 J	4980	4660 J	27.4 J	16 J	< 3.2	< 10	< 4.24	< 38.2	--
MW-177	10/26/2022	5450 J	551	3150	3100	27.2 J	< 4	< 3.2	33.2 J	< 4.24	< 38.2	--
MW-177	05/10/2023	6630	402	3870	2620	20.9	5.98	0.155	0.282	0.062 J	0.272	--
MW-177	11/01/2023	418	61.8	2610	1170	12.8 J	5.6 J	< 3.2	< 10	< 4.24	< 38.2	--
MW-177	05/23/2024	1090 J	319	1900	1090	< 11.4	8.8 J	< 3.2	< 10	< 4.24	< 38.2	--
MW-177	11/12/2024	5730	820	2950	1460	15.2	25.3	0.191	0.344	0.084 J	0.386	--
MW-177	05/20/2025	3660	652	2220	1120	10.5	15.8	0.145 J	< 0.500	< 0.125	< 0.433	--
MW-177	11/18/2025	1830	319	1820	1100	8.18	15.6	< 0.540	< 1.29	< 1.25	< 4.33	--
MW-181; Hydrogeologic Zone: Property Treatment Zone A; Screen Interval: 1.5 to -8.5 ft (NAVD88)												
MW-181	11/08/2019	< 99.5	< 76.5	30800	10700	200 J	116	0.486 J	0.455 J	< 0.158	< 0.316	23900 J
MW-181	01/27/2020	< 99.5	< 76.5	18400	9660	151 J	< 94	< 44.8	< 206	< 79	< 158	9090 J

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-181	04/01/2020	< 99.5	< 76.5	24300	10000	120 J	< 94	< 44.8	< 206	< 79	< 158	12200 J
MW-181	07/08/2020	< 14	< 8	11100	6150	121	31 J	< 8	< 25	< 10.6	< 95.5	15400 J
MW-181	11/04/2020	< 0.028	0.147	1360	6650	58.9	8.27	0.336	0.188 J	< 0.0212	< 0.191	--
MW-181	02/19/2021	< 2.8	< 1.6	1460	7850	43.4	9.6 J	< 1.6	< 5	< 2.12	< 19.1	--
MW-181	05/06/2021	23.8	< 1.60	381	6960	23.2	12.2	< 1.60	< 5.00	< 2.12	< 19.1	--
MW-181	08/09/2021	0.197	0.142	775	2170	42.1	17.7	0.272	0.402	0.036 J	< 0.191	--
MW-181	11/18/2021	< 0.028	0.094	1530	6870	40.8	13.8	0.214	0.26	0.051 J	0.249 J	--
MW-181	02/16/2022	< 7	< 4	1880	9100	43 J	17 J	< 4	< 12.5	< 5.3	< 47.8	--
MW-181	05/10/2022	5.29	2.26	723	10200	34.1	6.12	< 0.16	< 0.5	< 0.212	< 1.91	--
MW-181	08/04/2022	< 5.6	< 3.2	3700	11700	41.4	21.6	< 3.2	< 10	< 4.24	< 38.2	--
MW-181	10/25/2022	< 5.6	< 3.2	5150	12200	31 J	24	6.6 J	40.2	< 4.24	< 38.2	--
MW-181	05/10/2023	< 5.6	< 3.2	2830	6770	16.8 J	11.6 J	< 3.2	< 10	< 4.24	< 38.2	--
MW-181	11/01/2023	< 5.6	< 3.2	7530	6830	28.4 J	< 4	< 3.2	< 10	< 4.24	< 38.2	--
MW-181	05/23/2024	< 5.6	< 3.2	6730	6540	16.6 J	10.2 J	< 3.2	< 10	< 4.24	< 38.2	--
MW-181	11/11/2024	< 0.028	0.096	5270	10300	9.68	8.6	0.243	0.265	0.08 J	0.419	--
MW-181	05/19/2025	0.904	0.743	7450	8780	25.1	13.8	0.235	< 0.500	< 0.125	< 0.433	--
MW-181	11/17/2025	< 2.03	< 2.69	7250	8290	18.4	11.9	< 1.08	< 2.58	< 2.50	< 8.65	--
MW-185; Hydrogeologic Zone: Property Treatment Zone A; Screen Interval: 1.4 to -8.7 ft (NAVD88)												
MW-185	10/31/2019	2.57	3.51	547	179	5.47	0.897	0.14 J	< 0.412	< 0.158	< 0.316	446 J
MW-185	01/29/2020	< 0.199	< 0.153	1.09	1.66	1.52	< 0.188	0.228 J	< 0.412	< 0.158	< 0.316	< 31.6
MW-185	04/02/2020	< 0.199	< 0.153	1.18	0.512	0.729	< 0.188	0.192 J	< 0.412	< 0.158	< 0.316	< 31.6
MW-185	07/08/2020	0.057 J	0.076	0.752	0.883	0.375	< 0.02	0.127	0.545	0.063 J	0.432	< 56.3
MW-185	11/04/2020	0.0313 J	0.0895	0.351	0.9	0.0586 J	< 0.02	0.148	0.0656 J	< 0.0212	< 0.191	--
MW-185	02/16/2021	< 0.028	0.079	0.203	1.19 J	< 0.0572	< 0.02	0.117	0.055 J	< 0.0212	< 0.191	--
MW-185	05/07/2021	0.168	0.087	< 0.257	4.73	0.082 J	0.039 J	0.112	< 0.064	< 0.0212	< 0.191	--
MW-185	08/03/2021	< 0.0280	0.066	0.137	2.07 J	< 0.0572	< 0.0200	0.141	< 0.0500	< 0.0212	< 0.191	--
MW-185	11/18/2021	< 0.028	0.071	0.36	1.33	< 0.0572	< 0.02	0.119	< 0.05	< 0.0212	< 0.191	--
MW-185	02/16/2022	0.056 J	0.078	0.618	4.89	0.07 J	0.053 J	0.122	< 0.05	< 0.0212	< 0.191	--
MW-185	05/12/2022	0.041 J	0.055	0.206	2.53	< 0.0572	0.097 J	0.089	< 0.05	< 0.0212	< 0.191	--
MW-185	08/05/2022	< 0.028	0.125 J	0.281	0.68 J	0.093 J	< 0.02	0.136	0.102 J	0.03 J	< 0.191	--
MW-185	10/27/2022	< 0.14	< 0.08	0.225 J	1.48	< 0.286	< 0.1	0.105 J	< 0.25	< 0.106	< 0.955	--
MW-185	05/11/2023	0.049 J	0.128	1.78	8.59	0.198 J	< 0.02	< 0.016	0.238	< 0.0212	< 0.191	--
MW-185	11/02/2023	< 0.028	0.106	1.38	1.27	0.171 J	< 0.02	0.111	0.102 J	< 0.0212	< 0.191	--
MW-185	05/24/2024	< 0.028	0.071	0.655	0.583	< 0.0572	< 0.02	0.072	< 0.05	< 0.0212	< 0.191	--
MW-185	11/19/2024	< 0.028	0.03 J	0.604	1.24	0.061 J	< 0.02	0.084	< 0.05	< 0.0212	< 0.191	--
MW-185	05/19/2025	0.161 J	0.186 J	7.41	1.63	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-185	11/14/2025	< 0.102	< 0.135	0.475 J	1.36	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
Property Treatment Zone B												
MW-166; Hydrogeologic Zone: Property Treatment Zone B; Screen Interval: -12.6 to -22.6 ft (NAVD88)												
MW-166	11/04/2019	< 0.199	< 0.467	5130	1420	47	7.81	< 0.0896	0.526	< 0.158	< 0.316	4360 J
MW-166	01/30/2020	< 0.199	< 0.153	118	250	11.4	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-166	05/01/2020	< 0.3	< 0.19	20.4	29.5	2.03	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	49.1 J
MW-166	07/09/2020	< 0.028	0.052	21.7	42.3	1.41	0.042 J	0.04 J	1.13	0.051 J	0.605	< 31.6
MW-166	11/05/2020	< 0.028	0.271	6090	3380	27.4	9.04	0.0909	0.143 J	< 0.0212	< 0.191	--
MW-166	02/04/2021	< 14	< 8	9810	3760 J	63 J	19 J	< 8	< 25	< 10.6	< 95.5	--
MW-166	05/05/2021	< 5.60	< 3.20	7150	2020	42.4	< 4.00	< 3.20	< 10.0	< 4.24	< 38.2	--
MW-166	08/10/2021	0.088 J	< 4.00	5280	1600	49.1	12.2	0.116	0.087 J	< 0.0212	< 0.191	--
MW-166	11/30/2021	< 0.280	1.24	7610	3100	70.3	15.5	0.2 J	1.13 J	< 0.212	< 1.91	--
MW-166	02/22/2022	< 7	< 4	11300	3050	64.3	15 J	< 4	< 12.5	< 5.3	< 47.8	--
MW-166	05/13/2022	< 7	< 4	9310	3200	66.3	32.8	< 4	< 12.5	< 5.3	< 47.8	--
MW-166	08/05/2022	< 7	< 4	8810	3870	60	20 J	< 4	< 12.5	< 5.3	< 47.8	--
MW-166	10/28/2022	< 0.14	< 0.08	12000	4810	49.7	13.9	0.13 J	< 0.25	< 0.106	< 0.955	--
MW-166	05/11/2023	< 0.028	0.317	6630	2180	58	10.8	0.088	0.162 J	< 0.0212	< 0.191	--
MW-166	11/02/2023	0.289	0.401	8910	2770	62.7	8.3 J	0.117	0.122 J	0.055 J	< 0.191	--
MW-166	05/28/2024	< 0.028	0.631	7480	2370	62.4	15.4	0.104	0.069 J	< 0.0212	< 0.191	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-166	11/18/2024	< 0.056	0.778	7900	3060	51.9	12.8	0.878	0.944	0.13 J	0.502 J	--
MW-166	05/22/2025	< 0.102	0.390 J	8430	2770	91.9	8.66	0.105 J	< 0.129	< 0.125	< 0.433	--
MW-166	11/13/2025	< 0.102	1.45	7890	2030	50.7	1.68	0.111 J	< 0.129	< 0.125	< 0.433	--
MW-170; Hydrogeologic Zone: Property Treatment Zone B; Screen Interval: -12.8 to -22.8 ft (NAVD88)												
MW-170	11/05/2019	105	125	27600	6710	172	73.1	0.269 J	0.916	< 0.158	0.796 J	22700 J
MW-170	01/23/2020	7070	5780	21900	5920	136	63.6	< 2.24	< 10.3	< 3.95	< 7.9	20000 J
MW-170	04/02/2020	2470	3100	30900	5940	160 J	< 94	< 44.8	< 206	< 79	< 158	17000 J
MW-170	07/09/2020	2340	3050	32700	7520	211	82.9	0.45	2.54	< 0.212	< 1.91	24300 J
MW-170	11/03/2020	17.6 J	18.3	9090	11500	160	30.7	0.29 J	< 0.5	< 0.212	< 1.91	--
MW-170	02/17/2021	0.73 J	4.9	5450	14400	156	18.7	0.32 J	0.67 J	0.7 J	2.82	--
MW-170	05/07/2021	< 14	< 8	3980	12000	178	15.5 J	< 8	< 25	< 10.6	< 95.5	--
MW-170	08/09/2021	< 28.0	< 16.0	2630	8220	170	13.7	0.23 J	< 0.500	< 0.212	< 1.91	--
MW-170	11/19/2021	< 28	< 16	5440	13400	236	< 20	< 16	< 50	< 21.2	< 191	--
MW-170	02/17/2022	42	16	5120	10300	179	17.2 J	< 4	< 12.5	< 5.3	< 47.8	--
MW-170	05/12/2022	464	78.8	5960	11800	229	42.3	< 4	< 12.5	< 5.3	< 47.8	--
MW-170	08/05/2022	90.8	24	4770	12500	172	25.5	< 4	< 12.5	< 5.3	< 47.8	--
MW-170	10/27/2022	31 J	3.99	2980	11700	180	16.1	0.49	< 0.85	0.57 J	< 1.91	--
MW-170	05/11/2023	0.064 J	1.78	4650	12800	239	15.5	0.125	0.22	< 0.0212	< 0.191	--
MW-170	11/02/2023	81.8	40.5	5760	11700	179	22.8	0.186	0.134 J	< 0.0212	< 0.191	--
MW-170	05/24/2024	19.8 J	51.4	10200	11800	256	40.4	< 3.2	< 10	< 4.24	< 38.2	--
MW-170	11/15/2024	45	195 J	16900	16900 J	334	49.6	0.313	0.297	< 0.0212	< 0.191	--
MW-170	05/21/2025	40.0	58.7	19400	19000	350	60.7	0.294	0.382 J	< 0.125	< 0.433	--
MW-170	11/19/2025	5.90	28.1	26500	16700	420	97.0	0.373	0.422 J	< 0.125	< 0.433	--
MW-174; Hydrogeologic Zone: Property Treatment Zone B; Screen Interval: -12.3 to -22.3 ft (NAVD88)												
MW-174	11/01/2019	< 0.199	< 0.153	0.286 J	6.85	1.07	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-174	01/28/2020	< 0.199	< 0.153	0.484 J	0.529	1.05	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	531 J
MW-174	05/01/2020	< 0.3	< 0.19	0.877	1.04	0.653	< 0.188	< 0.0941	0.701	< 0.137	0.71 J	51.1 J
MW-174	07/09/2020	0.259	0.184	1.19	2.32	1.31	< 0.02	< 0.016	0.901	< 0.0212	0.511	< 31.6
MW-174	11/05/2020	< 0.028	0.177	0.609	3.11	2.05	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-174	02/04/2021	0.04 J	0.098	0.247	2.38	1.17	< 0.02	< 0.016	0.121 J	< 0.0212	< 0.191	--
MW-174	05/05/2021	< 0.0280	0.102	0.245	1.85	0.911	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
MW-174	08/05/2021	< 0.0280	0.11	0.328	29.7	0.557	< 0.0200	0.022 J	< 0.0500	< 0.0212	< 0.191	--
MW-174	11/30/2021	< 0.0280	0.117	0.55	105	0.63	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
MW-174	02/17/2022	< 0.14	0.18 J	0.686	117	0.701	0.028 J	0.024 J	< 0.05	< 0.0212	< 0.191	--
MW-174	05/13/2022	0.047 J	0.149	2.75	119	0.741	0.104	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-174	08/11/2022	< 0.28	< 0.16	8.41	120	0.92 J	< 0.2	< 0.16	< 0.5	< 0.212	< 1.91	--
MW-174	10/27/2022	2.38	0.997	22.3	157	1.25	0.108	0.026 J	< 0.05	< 0.0212	< 0.191	--
MW-174	05/11/2023	< 0.14	< 0.08	20.1	105	1.52	0.125	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-174	11/03/2023	< 0.14	< 0.08	86.6	228	2.93	< 0.1	< 0.08	< 0.25	< 0.106	< 0.955	--
MW-174	05/28/2024	< 0.028	0.287	63.8	205 J	2.19	0.217	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-174	11/18/2024	0.041 J	0.459	279	374	4.54	0.504	0.025 J	< 0.05	< 0.0212	< 0.191	--
MW-174	05/22/2025	< 0.102	0.776	713	636	13.1	1.12	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-174	11/13/2025	< 0.102	0.667	645	477	10.3	1.01	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-182; Hydrogeologic Zone: Property Treatment Zone B; Screen Interval: -12.5 to -22.5 ft (NAVD88)												
MW-182	11/08/2019	1570	794	19200	1560	89.4 J	15	< 0.0896	0.519	0.344 J	0.573 J	14100 J
MW-182	01/27/2020	160 J	115 J	4500	1550	< 76	< 94	< 44.8	< 206	< 79	< 158	2420 J
MW-182	04/01/2020	1480	169	2600	2040	25 J	< 9.4	< 4.48	< 20.6	< 7.9	< 15.8	1760 J
MW-182	07/08/2020	126	28	715	1350	16.2	2.45 J	< 0.8	< 2.5	< 1.06	< 9.55	1000 J
MW-182	11/04/2020	208	226	84900	18900	281	72.3	< 0.8	2.51 J	< 1.06	< 9.55	--
MW-182	02/19/2021	259	99.5	87400	31100	269	163	< 8	< 25	< 10.6	< 95.5	--
MW-182	05/06/2021	6650	384	68400	31000	226 J	92 J	< 32.0 J	< 100 J	< 42.4 J	< 382 J	--
MW-182	08/09/2021	< 70.0	< 40.0	26100	9620	118	61	0.575 J	1.85 J	< 0.530	< 4.78	--
MW-182	11/18/2021	1170 J	865	43900	22900	< 143	< 50	< 40	< 125	< 53	< 478	--
MW-182	02/16/2022	198 J	118	40700	19500	< 114	52 J	< 32	< 100	< 42.4	< 382	--
MW-182	05/10/2022	789	840	38200	26100	91	67.3	0.332	1.07	0.479	2.8	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-182	08/04/2022	149	250 J	41700	46000 J	89 J	63 J	< 16	< 50	< 21.2	< 191	--
MW-182	10/25/2022	155 J	180	36600	24200	81 J	< 20	< 16	197 J	< 21.2	< 191	--
MW-182	05/10/2023	60 J	43	25100	15300	< 57.2	32 J	< 16	< 50	< 21.2	< 191	--
MW-182	11/02/2023	39.4 J	69 J	32100 J	15700 J	48.7 J	29 J	< 0.16 J	0.76 J	< 0.212 J	< 1.91 J	--
MW-182	05/23/2024	102 J	108	27900	13400	< 57.2	26 J	< 16	< 50	< 21.2	< 191	--
MW-182	11/13/2024	246	303	30500	18900	67.4	40.5	0.362	0.778	0.262	1.43	--
MW-182	05/19/2025	138	146	30600	17800	68.3	29.7	0.339	0.771 J	0.310 J	1.68 J	--
MW-182	11/17/2025	151	87.7	35300	19000	72.5	40.6	< 2.70	< 6.45	< 6.26	< 21.7	--
MW-186; Hydrogeologic Zone: Property Treatment Zone B; Screen Interval: -12.7 to -22.7 ft (NAVD88)												
MW-186	10/31/2019	< 0.199 J	< 0.153	4.15	23.4	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-186	01/29/2020	< 0.199	< 0.153	0.777	28.2	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 42.7
MW-186	04/02/2020	< 0.199	< 0.205	0.476 J	5.93	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-186	07/08/2020	< 0.028	0.085	0.101	4.02	0.0572	< 0.02	< 0.016	1.91	0.107	0.688	< 54.3
MW-186	11/04/2020	< 0.028	0.177	0.552	2.26	1.06	< 0.02	0.0379 J	0.112 J	< 0.0212	< 0.191	--
MW-186	02/16/2021	< 0.028	0.143	0.459	6.52 J	1.26	< 0.02	0.057	0.077 J	< 0.0212	< 0.191	--
MW-186	05/07/2021	0.179	0.123	0.393	4.67	0.892	< 0.02	0.044	< 0.095	< 0.0212	< 0.191	--
MW-186	08/03/2021	< 0.0280	0.082	0.286	5.48	0.804	< 0.0200	0.051	0.099 J	< 0.0212	< 0.191	--
MW-186	11/18/2021	< 0.028	0.085	0.259	4.57	0.731	< 0.02	0.046	< 0.05	< 0.0212	< 0.191	--
MW-186	02/16/2022	< 0.028	0.077	0.262	4.76	0.731	< 0.02	0.061	< 0.065	< 0.0212	< 0.191	--
MW-186	05/12/2022	0.038 J	0.098	0.664	4.69	0.717	< 0.02	0.037 J	0.06 J	< 0.0212	< 0.191	--
MW-186	08/05/2022	0.498	0.143 J	0.281	7.63 J	0.757	< 0.02	0.056	0.06 J	< 0.0212	< 0.191	--
MW-186	10/26/2022	< 0.028	0.063	0.207	3.19	0.682	< 0.02	0.052	0.379	0.073 J	0.479	--
MW-186	05/11/2023	< 0.028	0.087	< 0.0276	0.075 J	0.628	< 0.02	0.032 J	0.245	< 0.0212	< 0.191	--
MW-186	11/02/2023	< 0.028	0.082	0.253	< 0.0273	0.708	< 0.02	0.044	0.165 J	0.023 J	< 0.191	--
MW-186	05/24/2024	< 0.028	0.113	0.35	0.054 J	0.466	< 0.02	0.037 J	0.077 J	< 0.0212	< 0.191	--
MW-186	11/19/2024	< 0.028	0.035 J	0.153	0.35	0.651	< 0.02	0.045	< 0.075	< 0.0212	< 0.191	--
MW-186	05/21/2025	< 0.500	< 0.135	0.905	< 0.200	0.586	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-186	11/14/2025	< 0.102	< 0.135	0.230 J	< 0.0455	0.468 J	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
Property Treatment Zone C												
MW-167; Hydrogeologic Zone: Property Treatment Zone C; Screen Interval: -27.9 to -37.9 ft (NAVD88)												
MW-167	11/04/2019	0.326 J	< 0.297	14.6	17.3	0.599	< 0.188	< 0.0896	0.567	< 0.158	< 0.316	< 31.6
MW-167	01/28/2020	< 0.199	< 0.153	8.08	11.5	0.158 J	< 0.188	0.1 J	< 0.412	< 0.158	< 0.316	< 57.8
MW-167	05/01/2020	< 0.3	< 0.19	0.715	0.641	< 0.149	< 0.188	0.0967 J	0.693	< 0.137	0.629 J	68.3 J
MW-167	07/09/2020	< 0.028	0.067	0.473	0.948	< 0.0572	< 0.02	0.044	2.23	0.087 J	0.926	< 31.6
MW-167	11/05/2020	< 0.028	< 0.016	0.675	0.897	< 0.0572	< 0.02	< 0.016	0.255	< 0.0212	< 0.191	--
MW-167	02/04/2021	0.06 J	0.048	0.47	2.22 J	0.0572	< 0.02	< 0.034	0.349	0.059 J	0.345	--
MW-167	05/05/2021	< 0.0280	< 0.0160	0.353	1.06	< 0.0572	< 0.0200	0.025 J	0.544	0.092 J	0.565	--
MW-167	08/10/2021	< 0.0280	< 0.0160	0.346	0.223	< 0.0572	< 0.0200	0.092	0.777	0.095 J	0.579	--
MW-167	11/30/2021	< 0.0280	< 0.0160	0.369	0.159	< 0.0572	< 0.0200	< 0.0160	0.241	< 0.0212	0.414	--
MW-167	02/22/2022	< 0.028	< 0.016	0.22	0.144	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-167	05/13/2022	< 0.028	< 0.016	0.312	0.167	< 0.0572	< 0.02	< 0.016	0.155 J	< 0.0212	< 0.191	--
MW-167	08/05/2022	< 0.028	< 0.016	0.211	0.191	< 0.0572	< 0.02	< 0.016	0.093 J	< 0.0212	< 0.191	--
MW-167	10/28/2022	0.192	< 0.016	0.184	0.138	< 0.0572	< 0.02	< 0.016	0.186 J	< 0.0212	< 0.191	--
MW-167	05/11/2023	< 0.028	< 0.016	< 0.0276	0.516	< 0.0572	< 0.02	0.023 J	0.293	< 0.0212	< 0.191	--
MW-167	11/01/2023	< 0.028	0.019 J	0.223	0.26	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-167	05/28/2024	< 0.028	0.038 J	0.344	0.786 J	< 0.0572	< 0.02	< 0.016	0.065 J	< 0.0212	< 0.191	--
MW-167	11/19/2024	< 0.028	< 0.016	0.191	1.14	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-167	05/22/2025	< 0.102	< 0.135	0.355 J	1.46	0.221 J	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-167	11/13/2025	< 0.102	< 0.135	0.786	2.59	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-171; Hydrogeologic Zone: Property Treatment Zone C; Screen Interval: -27.6 to -37.6 ft (NAVD88)												
MW-171	11/05/2019	< 1.99	< 1.53	509	13.3	1.47	0.923	< 0.0896	0.497 J	< 0.158	< 0.316	371 J
MW-171	01/23/2020	0.407 J	0.687	81.9	20.7	0.281 J	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-171	04/02/2020	0.255 J	< 0.257	11.4	26.2	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 35.3
MW-171	07/09/2020	0.103	0.288	1.53	8.43	< 0.0572	< 0.02	0.028 J	0.085 J	< 0.0212	< 0.191	< 31.6
MW-171	11/03/2020	0.046 J	0.277	32.6	56.1	0.289	0.18	0.044	0.175 J	< 0.0212	0.234 J	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-171	02/17/2021	0.101 J	1.02	588 J	396 J	4.5	7.56	0.101	1.14	0.091 J	0.29	--
MW-171	05/07/2021	< 1.4	< 0.8	1050	907	5.35 J	9.6	< 0.8	< 2.5	< 1.06	< 9.55	--
MW-171	08/10/2021	< 0.0280	0.333	1030	775	5.51	14.1	0.107	0.356	0.047 J	0.276	--
MW-171	11/19/2021	< 2.8	< 1.6	2290	1230	< 5.72	19	< 1.6	< 5	< 2.12	< 19.1	--
MW-171	02/17/2022	26.5	8.4	3160	1300	7.2 J	30.2	< 1.6	< 5	< 2.12	< 19.1	--
MW-171	05/12/2022	< 2.8	< 1.6	2770	1380	9.4 J	35.5	< 1.6	< 5	< 2.12	< 19.1	--
MW-171	08/04/2022	< 2.8	< 1.6	3670	1970	13.9 J	39.5	< 1.6	< 5	< 2.12	< 19.1	--
MW-171	10/26/2022	< 2.8	9.3	3680	1820	15.5 J	35.8	< 1.6	17.3 J	< 2.12	< 19.1	--
MW-171	05/11/2023	14.6	96.5	4660	1460	14.3	58.6	0.195	0.78	< 0.0212	0.884	--
MW-171	11/01/2023	< 7	94.8	4140	1410	14.5 J	< 5	< 4	< 12.5	< 5.3	< 47.8	--
MW-171	05/24/2024	60.3	211	7000	2250	19.8 J	70.7	< 4	< 12.5	< 5.3	< 47.8	--
MW-171	11/15/2024	34.3	130 J	7840	2000	16.5	57.6	0.217	0.715	0.051 J	0.314	--
MW-171	05/21/2025	43.1	118	8910	4100	30.4	69.7	0.197 J	0.766	< 0.125	0.179 J	--
MW-171	11/19/2025	399	1650	29400	6610	123	232	0.325	1.43	0.177 J	1.06 J	--
MW-175; Hydrogeologic Zone: Property Treatment Zone C; Screen Interval: -27.8 to -37.8 ft (NAVD88)												
MW-175	11/01/2019	1.25	1.73	258	41.5	6.03	0.661	< 0.0896	0.671	< 0.158	< 0.316	< 31.6
MW-175	01/28/2020	< 0.199	< 0.153	8.95	10.3	0.479 J	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 66.5
MW-175	05/01/2020	< 0.3	< 0.19	0.478 J	5.75	0.188 J	< 0.188	0.137 J	0.95	0.186 J	0.971 J	65.8 J
MW-175	07/09/2020	0.196	0.083	0.4	1.65	< 0.0572	< 0.02	0.042	2.19	< 0.0212	1.17	< 31.6
MW-175	11/05/2020	< 0.028	< 0.016	0.744	3.58	1.99	< 0.02	< 0.016	0.204	< 0.0212	< 0.191	--
MW-175	02/04/2021	< 0.028	0.048	0.698	2.55 J	5.29 J	< 0.02	< 0.04	0.221	0.045 J	0.248 J	--
MW-175	05/05/2021	< 0.0280	0.024 J	0.305	1.12	3.6	< 0.0200	0.027 J	0.307	0.057 J	0.398	--
MW-175	08/05/2021	< 0.0280	< 0.0160	0.171	0.377	2.16	< 0.0200	0.082	0.597	0.058 J	0.367	--
MW-175	11/30/2021	< 0.0280	< 0.0160	0.136	1.14	2.25	< 0.0200	< 0.0160	< 0.123	< 0.0212	0.198 J	--
MW-175	02/22/2022	< 0.028	< 0.016	0.146	1	2.14	< 0.02	0.03 J	< 0.05	< 0.0212	< 0.191	--
MW-175	05/13/2022	0.094 J	0.043	0.194	0.572	1.55	< 0.02	< 0.016	0.111 J	< 0.0212	< 0.191	--
MW-175	08/11/2022	< 0.028	< 0.016	0.147	0.2	1.22	< 0.02	0.028 J	< 0.067	< 0.0212	< 0.191	--
MW-175	10/27/2022	1.41	0.022 J	0.074 J	0.094 J	1.22	< 0.02	0.022 J	0.107 J	0.068 J	0.224 J	--
MW-175	05/11/2023	< 0.028	< 0.016	0.05 J	0.421	0.921	< 0.02	0.022 J	0.138 J	< 0.0212	0.385	--
MW-175	11/02/2023	< 0.028	< 0.016	2.95	2.58	0.876	< 0.02	< 0.016	0.056 J	< 0.0212	< 0.191	--
MW-175	05/28/2024	< 0.028	< 0.016	0.083 J	< 0.0273	0.535	< 0.02	0.021 J	< 0.05	< 0.0212	< 0.191	--
MW-175	11/18/2024	< 0.028	< 0.016	0.637	8.45	0.941	< 0.02	0.028 J	0.056 J	< 0.0212	< 0.191	--
MW-175	05/22/2025	< 0.102	< 0.135	13.0	73.6	1.92	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-175	11/13/2025	< 0.102	< 0.135	7.86	74.5	1.66	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-179; Hydrogeologic Zone: Property Treatment Zone C; Screen Interval: -27.2 to -37.2 ft (NAVD88)												
MW-179	11/06/2019	50.5	46.2 J	3780	533	< 15.2	13	< 0.0896	0.443 J	0.273 J	< 0.316	2310 J
MW-179	01/27/2020	38.8	33.3	941	156	7.07	2.51	< 0.0896	< 0.412	0.198 J	< 0.316	501 J
MW-179	04/02/2020	62.3	45	817	152	5.99 J	< 3.76	< 1.79	< 8.24	< 3.16	< 6.32	424 J
MW-179	07/10/2020	27.3	19.6	939	105	7.4	2.06	< 0.32	< 1	< 0.424	< 3.82	924 J
MW-179	11/03/2020	36.1 J	19.6	17700	1670	45.5	24.3	< 0.32	< 1	< 0.424	< 3.82	--
MW-179	02/18/2021	489	110	16600	31300	279	170	< 8	< 25	< 10.6	< 95.5	--
MW-179	05/06/2021	< 7.00	21.3	4960	5860	29.5 J	< 5.00	< 4.00	< 12.5	< 5.30	< 47.8	--
MW-179	08/09/2021	9.16	< 4.00	790	2860	30.6	6.96	0.224	0.992	0.09 J	0.543	--
MW-179	11/30/2021	13.3 J	11.3	1810	6580	< 14.3	< 5.00	< 4.00	< 12.5	< 5.30	< 47.8	--
MW-179	02/17/2022	15.9	12.6	1400	1600	10.2	3 J	< 0.8	< 2.5	< 1.06	< 9.55	--
MW-179	05/10/2022	11.4	8.87	654	1940	5.71	2.78	< 0.16	0.65 J	< 0.212	< 1.91	--
MW-179	08/04/2022	7.55	4.5 J	912	2990 J	6.25 J	5.7 J	< 0.8	< 2.5	< 1.06	< 9.55	--
MW-179	10/25/2022	10.4 J	5.1	1120	1620	5.75 J	< 1	< 0.8	8.2 J	< 1.06	< 9.55	--
MW-179	05/10/2023	6.5 J	3.28 J	672 J	976 J	2.65 J	2.41 J	0.064 J	0.229 J	< 0.0212 J	0.202 J	--
MW-179	11/01/2023	3.85 J	2.05	1570	1770	6.1 J	6.65	< 0.8	< 2.5	< 1.06	< 9.55	--
MW-179	05/23/2024	6.45 J	1.25 J	718 J	1750 J	5.25 J	5.75 J	< 0.8 J	< 2.5 J	< 1.06 J	< 9.55 J	--
MW-179	11/12/2024	14.2	4.65	623	1370	< 2.86	2.95 J	< 0.8	< 2.5	< 1.06	< 9.55	--
MW-179	05/20/2025	< 12.3	4.52 J	442	1400	4.01	1.97	< 0.0540	< 0.500	< 0.125	< 0.433	--
MW-179	11/18/2025	8.72	3.54 J	2020	2280	5.42	2.19 J	< 0.540	< 1.29	< 1.25	< 4.33	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-183; Hydrogeologic Zone: Property Treatment Zone C; Screen Interval: -27.4 to -37.4 ft (NAVD88)												
MW-183	11/08/2019	< 0.199	0.193 J	59.9	4.29	0.167 J	< 0.188	< 0.0896	0.459 J	< 0.158	< 0.316	45 J
MW-183	01/27/2020	0.237 J	< 0.153	21.8	15.5	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	0.369 J	< 41.5
MW-183	04/02/2020	< 0.199	< 0.153 J	3.03	10	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-183	07/08/2020	0.075 J	0.063	0.893	4.24	< 0.0572	< 0.02	0.027 J	2.39	0.128	0.844	< 76.2
MW-183	11/04/2020	22.5	34.7	752	208	1.83	3.48	< 0.016	0.14 J	< 0.0212	< 0.191	--
MW-183	02/19/2021	2.28	17.3	4950	2260	12.3	16.2	0.051	0.131 J	< 0.0212	< 0.191	--
MW-183	05/06/2021	< 2.80	< 1.60	4470	2340	12.5 J	10.5	< 1.60	< 5.00	< 2.12	< 19.1	--
MW-183	08/06/2021	< 0.0280	2.55	3570	3740	9.87	12.5	0.068	0.347	0.053 J	0.273	--
MW-183	11/18/2021	123	< 8	5430	5110	14.1	16.3	0.051	0.128 J	< 0.0212	0.242 J	--
MW-183	02/16/2022	< 7	< 4	4940	4410	< 14.3	11.7 J	< 4	< 12.5	< 5.3	< 47.8	--
MW-183	05/10/2022	< 2.8	18	3940	4350	7.82	14.5	0.036 J	0.112 J	< 0.0212	< 0.191	--
MW-183	08/04/2022	< 2.8	< 1.6	3700	8160	11 J	14.6 J	< 1.6	< 5	< 2.12	< 19.1	--
MW-183	10/25/2022	< 2.8	< 1.6	3060	4350	9.9 J	14.6	< 1.6	17.8 J	< 2.12	< 19.1	--
MW-183	05/10/2023	< 2.8	< 1.6	321	1200	< 5.72	< 2	< 1.6	< 5	< 2.12	< 19.1	--
MW-183	11/01/2023	< 2.8	< 1.6	193	1050	< 5.72	< 2	< 1.6	< 5	< 2.12	< 19.1	--
MW-183	05/23/2024	< 2.8	< 1.6	205	1030	< 5.72	< 2	< 1.6	< 5	< 2.12	< 19.1	--
MW-183	11/11/2024	< 0.028	0.029 J	279	1500	1.38	0.822	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-183	05/19/2025	0.257 J	0.272 J	345	1410	2.26	< 1.22	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-183	11/17/2025	< 1.02	< 1.35	216	1700	1.51 J	< 1.22	< 0.540	< 1.29	< 1.25	< 4.33	--
MW-187; Hydrogeologic Zone: Property Treatment Zone C; Screen Interval: -27 to -37 ft (NAVD88)												
MW-187	11/01/2019	< 0.199	< 0.153	2.34	2.8	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-187	01/29/2020	< 0.199	< 0.153	0.319 J	0.254 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 39.3
MW-187	04/02/2020	< 0.199	< 0.153	0.234 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-187	07/08/2020	< 0.028	< 0.016	0.123	< 0.0273	< 0.0572	< 0.02	< 0.016	2.4	0.126	1.18	< 55.6
MW-187	11/04/2020	< 0.028	< 0.016	0.631	0.519	< 0.0572	< 0.02	< 0.016	0.298	0.025 J	0.213 J	--
MW-187	02/16/2021	0.078 J	< 0.016	0.241	2.57 J	< 0.0572	< 0.02	0.043	1.16	0.087 J	0.31	--
MW-187	05/07/2021	< 0.028	< 0.016	< 0.185	1.77	< 0.0572	< 0.02	< 0.016	< 0.124	< 0.0212	< 0.191	--
MW-187	08/03/2021	< 0.0280	< 0.0160	0.204	1.57 J	< 0.0572	< 0.0200	0.033 J	0.896	0.147	0.877	--
MW-187	11/18/2021	< 0.028	< 0.016	0.13	0.823	< 0.0572	< 0.02	< 0.016	0.136 J	0.043 J	0.325	--
MW-187	02/16/2022	< 0.028	< 0.016	0.077 J	0.651	< 0.0572	< 0.02	< 0.016	< 0.065	< 0.0212	< 0.191	--
MW-187	05/12/2022	< 0.028	< 0.016	0.101	0.583	< 0.0572	< 0.02	< 0.016	0.123 J	< 0.0212	< 0.191	--
MW-187	08/05/2022	< 0.028	< 0.016	0.103	0.617 J	< 0.0572	< 0.02	0.033 J	0.317	0.066 J	0.458	--
MW-187	10/26/2022	< 0.028	< 0.016	0.125	0.274	< 0.0572	< 0.02	< 0.016	0.506	0.101	0.78	--
MW-187	05/11/2023	< 0.028	< 0.016	0.093 J	0.156	< 0.0572	< 0.02	< 0.016	0.253	< 0.0212	< 0.191	--
MW-187	11/02/2023	< 0.028	< 0.016	0.08 J	< 0.0273	< 0.0572	< 0.02	0.018 J	0.308	0.067 J	0.419	--
MW-187	05/24/2024	< 0.028	< 0.016	0.075 J	< 0.0273	< 0.0572	< 0.02	< 0.016	0.07 J	< 0.0212	< 0.191	--
MW-187	11/19/2024	< 0.028	< 0.016	0.053 J	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-187	05/20/2025	0.364 J	< 0.500	< 0.500	< 0.370	0.142 J	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-187	11/14/2025	< 0.102	< 0.135	< 0.164	< 0.0455	0.128 J	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
Property Treatment Zone D												
MW-168; Hydrogeologic Zone: Property Treatment Zone D; Screen Interval: -43 to -53 ft (NAVD88)												
MW-168	11/04/2019	< 0.199	< 0.153	< 0.0933	< 0.118 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 65.0
MW-168	01/31/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-168	05/01/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	0.104 J	0.827	0.161 J	0.712 J	76 J
MW-168	07/09/2020	0.147	< 0.016	0.175	< 0.0273	< 0.0572	< 0.02	< 0.016	2.61	< 0.0212	1.2	< 31.6
MW-168	11/05/2020	< 0.028	< 0.016	1.92	0.407	< 0.0572	< 0.02	< 0.016	0.314	< 0.0212	< 0.191	--
MW-168	02/04/2021	< 0.028	< 0.016	0.49	0.324	< 0.0572	< 0.02	< 0.02	0.296	0.048 J	0.276	--
MW-168	05/05/2021	< 0.0280	0.032 J	1.29	0.185	< 0.0572	< 0.0200	0.021 J	0.667	0.097 J	0.602	--
MW-168	08/10/2021	< 0.0280	0.039 J	0.732	0.531	0.065 J	< 0.0200	0.043	0.268	0.05 J	0.274	--
MW-168	11/30/2021	< 0.0280	0.042	2.59	0.387	0.122 J	< 0.0200	< 0.0160	0.074 J	< 0.0212	< 0.191	--
MW-168	02/22/2022	< 0.028	< 0.016	5.43	0.932	0.07 J	< 0.02	< 0.016	< 0.074	< 0.0212	< 0.191	--
MW-168	05/13/2022	< 0.028	0.049	9.42	1.68	0.117 J	0.093 J	< 0.016	0.2 J	< 0.0212	0.194 J	--
MW-168	08/05/2022	< 0.028	0.5	285	43.8	3.36	0.413	0.033 J	0.177 J	0.032 J	< 0.191	--
MW-168	10/28/2022	0.147	< 0.016	2.93	6.68	0.085 J	< 0.02	0.019 J	0.191 J	< 0.0212	< 0.191	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-168	05/11/2023	< 0.028	< 0.016	0.536	2.79	0.097 J	< 0.02	< 0.016	0.258	< 0.0212	< 0.191	--
MW-168	11/02/2023	0.747	0.05	23 J	22.4 J	0.693 J	< 0.02	< 0.016	0.089 J	< 0.0212	< 0.191	--
MW-168	05/28/2024	< 0.028	< 0.016	4.55	6.03	0.151 J	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-168	11/19/2024	< 0.028	< 0.016	0.234	1.58	< 0.0572	< 0.02	< 0.016	0.091 J	< 0.0212	0.263	--
MW-168	05/22/2025	< 0.102	< 0.135	1.77	3.24	0.157 J	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-168	11/13/2025	< 0.102	< 0.135	2.18	2.65	0.142 J	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-172; Hydrogeologic Zone: Property Treatment Zone D; Screen Interval: -42.5 to -52.5 ft (NAVD88)												
MW-172	11/05/2019	8810	3280	643	2.64	22.8	32	< 0.0896	0.46 J	< 0.158	< 0.316	4960 J
MW-172	01/23/2020	31100	10100	623	< 59	38.1	50.6	< 0.0896	1.02	< 0.158	0.55 J	10700 J
MW-172	04/02/2020	9670	4480	452	< 59	< 76	< 94	< 44.8	< 206	< 79	< 158	5310 J
MW-172	07/09/2020	6570	4660	668	5.57	56.9	66.1	0.055	0.757	< 0.0212	0.402	4430 J
MW-172	11/03/2020	5780	4130	582	12.9	44.1	85.5	0.083	0.75	0.177	0.565	--
MW-172	02/17/2021	5370	3740	955	179	44.3	89.8	0.049	0.481	0.068 J	0.216 J	--
MW-172	05/07/2021	1100	1410	538	21	20.4	27.8	< 1.6	< 5	< 2.12	< 19.1	--
MW-172	08/10/2021	203	576	440	33.9	14.3	22.1	0.036 J	0.378	0.099 J	0.504	--
MW-172	11/19/2021	1310	1290	798	15.2	28.2	31.7	< 0.8	< 2.5	< 1.06	< 9.55	--
MW-172	02/17/2022	2890	2260	656	14.1	24.3	39.8	< 0.8	< 2.5	< 1.06	< 9.55	--
MW-172	05/12/2022	4880	2860	588	13.8	28.9	48	< 0.8	< 2.5	< 1.06	< 9.55	--
MW-172	08/05/2022	6140	3240	468	13	26.9	53.5	< 0.8	< 2.5	< 1.06	< 9.55	--
MW-172	10/27/2022	3390	1880	309	8.28	27.4	46.3	0.04 J	0.412	< 0.0212	0.31	--
MW-172	05/11/2023	1730 J	1810	590	9	29.1	60.5	< 0.016	0.203	< 0.0212	< 0.191	--
MW-172	05/24/2024	116	526	1270	22.6 J	25.3	38.1	< 0.4	< 1.25	< 0.53	< 4.78	--
MW-172	11/13/2024	1350	1860	909	14.2	38.6	70.8	0.033 J	0.173 J	< 0.0212	< 0.191	--
MW-172	05/21/2025	1360	1300	1450	21.9	47.2	76.3	< 0.0540	0.159 J	< 0.125	< 0.433	--
MW-172	11/19/2025	10.2 J	260	704	21.0	16.6 J	29.4	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-176; Hydrogeologic Zone: Property Treatment Zone D; Screen Interval: -42.7 to -52.7 ft (NAVD88)												
MW-176	11/01/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-176	01/28/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 48
MW-176	05/01/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	0.831	< 0.137	0.684 J	83.5 J
MW-176	07/09/2020	< 0.028	< 0.016	0.03 J	< 0.0273	< 0.0572	< 0.02	< 0.016	0.709	< 0.0212	0.294	< 31.6
MW-176	11/05/2020	< 0.028	< 0.016	1.22	2.92	1.64	< 0.02	< 0.016	0.204	< 0.0212	< 0.191	--
MW-176	02/04/2021	< 0.028	0.036 J	1.28	1.51 J	3.64 J	< 0.02	< 0.028	0.146 J	< 0.0212	< 0.191	--
MW-176	05/05/2021	< 0.0280	0.032 J	0.816	0.858	2.73	< 0.0200	< 0.0160	0.35	0.057 J	0.385	--
MW-176	08/05/2021	< 0.0280	< 0.0160	0.574	0.824	1.8	< 0.0200	0.045	0.279	< 0.0212	< 0.191	--
MW-176	11/30/2021	< 0.0280	< 0.0160	0.448	4.37	1.43	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
MW-176	02/22/2022	< 0.028	0.032 J	0.452	3.88	1.52	< 0.02	0.022 J	< 0.052	< 0.0212	< 0.191	--
MW-176	05/13/2022	0.138	0.051	0.488	4.18	1.46	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-176	08/11/2022	< 0.028	0.048	0.316	1.35	1.15	< 0.02	0.028 J	< 0.059	< 0.0212	< 0.191	--
MW-176	10/27/2022	< 0.028	0.02 J	0.211	0.668	1.07	< 0.02	0.023 J	< 0.05	< 0.0212	< 0.191	--
MW-176	05/11/2023	< 0.028	< 0.016	0.131	1.03	0.698	< 0.02	0.022 J	0.111 J	< 0.0212	< 0.191	--
MW-176	05/24/2024	< 0.028	0.038 J	0.186	0.096 J	0.496	< 0.02	0.019 J	< 0.05	< 0.0212	< 0.191	--
MW-176	11/18/2024	< 0.028	< 0.016	0.734	8.71	0.802	< 0.02	0.023 J	< 0.05	< 0.0212	< 0.191	--
MW-176	05/22/2025	< 0.102	< 0.135	8.49	58.3	1.72	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-176	11/14/2025	< 0.102	< 0.135	47.3	272	2.33	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-180; Hydrogeologic Zone: Property Treatment Zone D; Screen Interval: -42.7 to -52.7 ft (NAVD88)												
MW-180	11/06/2019	2.1 J	1.87 J	155	76.6	< 0.760	< 0.940	< 0.0896	< 0.412	0.247 J	< 0.316	220 J
MW-180	01/24/2020	2.8	3.18	222	146	1.2	0.293 J	< 0.0896	< 0.412	0.184 J	< 0.316	186 J
MW-180	04/01/2020	< 0.995	< 0.765	89.9	22.9	< 0.76	< 0.94	< 0.448	< 2.06	< 0.79	< 1.58	< 69.1
MW-180	07/10/2020	0.614	1.58	50.7	17.8	0.628	0.163	< 0.016	< 0.05	< 0.0212	< 0.191	122 J
MW-180	11/03/2020	0.335	1.08	156	59	1.31	0.468	< 0.016	0.084 J	< 0.0212	< 0.191	--
MW-180	02/18/2021	46.8	8	162	308	3.46	2.59	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-180	05/06/2021	1.29	1.68	407	237	2.83	2.14	< 0.0160	0.204	0.037 J	0.195 J	--
MW-180	08/06/2021	< 0.700	0.625 J	228	120	1.65	0.312	0.02 J	0.141 J	< 0.0212	< 0.191	--
MW-180	11/30/2021	1.33	4.27	304	237	2.93	0.555	< 0.0800	< 0.25	< 0.106	< 0.955	--
MW-180	02/17/2022	2.18	3.78	662	368	5.59	0.92	0.265	< 0.25	0.3 J	< 0.955	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-180	05/10/2022	< 0.14	2.86	556	576	3.53	< 0.1	< 0.08	< 0.25	< 0.106	< 0.955	--
MW-180	08/04/2022	4.43	17.6 J	1750	994	12	4.6 J	< 0.4	< 1.25	< 0.53	< 4.78	--
MW-180	10/26/2022	4.8 J	7.7	948	743	4.5 J	2.65	< 0.4	5.07	< 0.53	< 4.78	--
MW-180	05/10/2023	4.75	4.25	2410	408	8.18	3.28	< 0.4	< 1.25	< 0.53	< 4.78	--
MW-180	11/01/2023	46.3	116	4400	575	12.9	7.15	< 0.4	< 1.25	< 0.53	< 4.78	--
MW-180	05/24/2024	60.3	158	4020	464	11.1	7.02	0.03 J	0.097 J	< 0.0212	< 0.191	--
MW-180	11/12/2024	165	247	4010	1090	15.5	9.55	< 0.4	< 1.25	< 0.53	< 4.78	--
MW-180	05/20/2025	194	255	4790	1490	43.9	10.8	0.0642 J	< 0.500	< 0.125	< 0.433	--
MW-180	11/18/2025	140	237	3930	1360	29.0	9.97	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-184; Hydrogeologic Zone: Property Treatment Zone D; Screen Interval: -42.5 to -52.5 ft (NAVD88)												
MW-184	11/08/2019	1590	733	79	< 11.8	2.77	16	< 0.0896	< 0.412	< 0.158	< 0.316	2310 J
MW-184	01/27/2020	886	325	22.3	0.287 J	1.65	6.84	< 0.0896	< 0.412	< 0.158	< 0.316	462 J
MW-184	04/01/2020	< 1.99	< 1.53	370	< 1.18	< 1.52	< 1.88	< 0.896	< 4.12	< 1.58	< 3.16	212 J
MW-184	07/08/2020	154	88.4	75.7	0.971	0.646	3.41	< 0.016	1.04	< 0.0212	0.411	260 J
MW-184	11/04/2020	162	102	134	3.97	1.52 J	3.77	< 0.16	< 0.5	< 0.212	< 1.91	--
MW-184	02/19/2021	305	271	432	8.8	5.52	19.2	< 0.16	< 0.5	< 0.212	< 1.91	--
MW-184	05/06/2021	46.2	47.2	101	31.4	0.69 J	1.82	< 0.0800	< 0.250	< 0.106	< 0.955	--
MW-184	08/06/2021	179	171	196	25.7	3.39	12.8	0.027 J	0.207	< 0.0212	< 0.191	--
MW-184	11/18/2021	366	280	348	21.4	6.69	20.3	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-184	02/16/2022	370	309	361	27.4	6.54	16.5	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-184	05/10/2022	296	216	253	36	5.55	15.3	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-184	08/04/2022	276	189	210	55.5	4.2	12.2	< 0.16	< 0.5	< 0.212	< 1.91	--
MW-184	10/25/2022	319 J	217	251	23.9	5.01	12.7	< 0.16	1.93 J	< 0.212	< 1.91	--
MW-184	05/10/2023	112	132	149	38.1	3.06	5.68	< 0.16	< 0.5	< 0.212	< 1.91	--
MW-184	11/02/2023	228	224	247	39.6	6.31	12.1	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-184	05/23/2024	87.8 J	117	84.4	63.2	1.38 J	5.2	< 0.32	< 1	< 0.424	< 3.82	--
MW-184	11/11/2024	49.6 J	56.1	40.1	75.1	0.491	1.7	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-184	05/19/2025	252	256	309	33.2	10.9	19.7	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-184	11/17/2025	249	258	370	33.8	9.90	24.3	< 0.540	< 1.29	< 1.25	< 4.33	--
MW-188; Hydrogeologic Zone: Property Treatment Zone D; Screen Interval: -42.2 to -52.2 ft (NAVD88)												
MW-188	10/31/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-188	01/29/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.9
MW-188	04/02/2020	< 0.199	< 0.153 J	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-188	07/08/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	0.0572	< 0.02	< 0.016	1.86	0.083 J	0.786	< 61.9
MW-188	11/04/2020	< 0.028	< 0.016	0.22	0.197	< 0.0572	< 0.02	0.0161 J	0.149 J	< 0.0212	0.224 J	--
MW-188	02/16/2021	0.06 J	< 0.016	0.589	5.14 J	< 0.0572	< 0.02	< 0.016	0.352	< 0.0212	< 0.191	--
MW-188	05/07/2021	< 0.028	< 0.016	0.448	2.14	< 0.0572	< 0.02	< 0.016	0.13 J	< 0.0212	< 0.191	--
MW-188	08/10/2021	< 0.0280	< 0.0160	0.322	1.17	< 0.0572	< 0.0200	0.033 J	0.337	0.061 J	0.375	--
MW-188	11/18/2021	< 0.028	< 0.016	0.162	0.34	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-188	02/16/2022	< 0.028	< 0.016	0.16	0.357	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-188	05/12/2022	< 0.028	< 0.016	0.237	0.33	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-188	08/05/2022	0.104	0.031 J	0.343	0.333 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-188	10/26/2022	< 0.028	< 0.016	0.104	0.192	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-188	05/11/2023	< 0.028	< 0.016	0.075 J	0.113	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-188	11/03/2023	< 0.028	< 0.016	0.103	0.135	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-188	05/24/2024	< 0.028	0.044	0.472	0.324	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-188	11/19/2024	0.043 J	< 0.016	0.099 J	0.172	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-188	05/20/2025	< 0.102	< 0.135	< 0.500	< 0.206	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-188	11/14/2025	< 0.102	< 0.135	< 0.164	0.419	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
Deep												
FMW-129; Hydrogeologic Zone: Deep; Screen Interval: -45.6 to -50.6 ft (NAVD88)												
FMW-129	05/23/2014	0.4	0.57	17	7.6	--	--	--	--	--	--	--
FMW-129	10/20/2015	25	39	250	< 0.2	< 1	--	--	--	--	--	--
FMW-129	02/02/2016	13	61	240	0.33	< 1	--	--	--	--	--	--
FMW-129	04/10/2017	194	492	1420	0.885 J	5.05	--	< 0.448	< 2.06	< 0.790	< 1.58	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
FMW-129	06/23/2017	81.1	182	474	4.13	1.21	1.37	< 0.0896	< 0.412	< 0.158	< 0.316	--
FMW-129	05/01/2019	101	166	372	< 0.59	1.22	1.26	< 0.0896	< 0.412	< 0.158	< 0.316	--
FMW-129	07/16/2019	159	84.1	272	0.296 J	1.61	1.69	< 0.0896	< 0.412	< 0.158	< 0.316	--
FMW-129	10/21/2019	114	198	350	0.259 J	1.61	1.62	< 0.0896	< 0.412	< 0.158	< 0.316	141 J
FMW-129	01/14/2020	113	170	385	< 1.18	1.6 J	< 1.88	< 0.896	< 4.12	< 1.58	< 3.16	--
FMW-129	05/06/2020	34.6	61.9	157	14.2	0.433 J	0.589	< 0.0941	< 0.278	< 0.137	< 0.174	--
FMW-129	07/10/2020	10.8	27.1	92.5	0.43	0.224	0.331	< 0.016	1.47	< 0.0212	< 0.191	--
FMW-129	11/10/2020	6.43	22.3	58.8	8.49 J	0.135 J	0.219	< 0.016	0.136 J	< 0.0212	< 0.191	--
FMW-129	02/10/2021	2.42	4.97	42.5	< 0.0273	0.276	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
FMW-129	05/26/2021	91.1	197	517	< 0.0273	1.53	2.11	0.091	< 0.0860	< 0.0212	< 0.191	--
FMW-129	08/19/2021	97.9	188	445	0.576	1.9	2.39	0.107	< 0.05	< 0.0212	< 0.191	--
FMW-129	03/03/2022	134	290	846	2.22	2.12	3.81	0.183	< 0.053	< 0.0212	< 0.191	--
FMW-129	05/05/2022	197 J	286	940	< 0.682	1.63 J	3.05	< 0.4	< 1.25	< 0.53	< 4.78	--
FMW-129	08/12/2022	1.4	3.45	14.4	< 0.0273	0.096 J	< 0.02	0.025 J	< 0.068	0.035 J	< 0.191	--
FMW-129	11/11/2022	1.17	4.01	16.7	< 0.0273 J	0.092 J	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
FMW-129	05/18/2023	0.626	2.68	8.18	< 0.0273	0.073 J	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
FMW-129	11/14/2023	1.09	3.59	9.16	< 0.0273 J	0.101 J	< 0.02	0.025 J	< 0.05	< 0.0212	< 0.191	--
FMW-129	05/23/2024	2.41	5.88	15.2	< 0.0273	0.201	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
FMW-129	11/12/2024	2.73	6.36	17.8	< 0.0273	0.211	< 0.02	0.031 J	< 0.05	< 0.0212	< 0.191	--
FMW-129	05/22/2025	4.88	9.82	36.4	0.0607 J	0.517	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
FMW-129	11/11/2025	50.2	57.4	135	< 0.0455	0.856	0.528	< 0.0540	< 0.129	< 0.125	< 0.433	--
FMW-131; Hydrogeologic Zone: Deep; Screen Interval: -34.7 to -44.7 ft (NAVD88)												
FMW-131	09/02/2016	< 0.2	< 0.2	41	1.7	< 0.2	--	--	--	--	--	--
FMW-131	03/24/2017	< 0.199	< 0.153	45.6	0.249 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
FMW-131	06/23/2017	< 0.199	< 0.153	3.61	0.264 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
FMW-131	12/18/2017	< 0.2	< 0.2	0.61	< 0.2	< 0.2	--	--	--	--	--	--
FMW-131	04/22/2019	< 0.199	< 0.153	10.8	0.195 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
FMW-131	10/21/2019	< 0.199	< 0.153	10.5	0.14 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
FMW-131	01/22/2020	< 0.199	< 0.153	15.1	0.162 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
FMW-131	04/29/2020	< 0.3	< 0.19	13.9	0.309 J	< 0.149	< 0.188	< 0.0941	0.954	< 0.137	0.726 J	--
FMW-131	07/30/2020	< 0.028	< 0.016	6.73 J	0.147	< 0.0572 J	< 0.02 J	0.0459	0.05 J	< 0.0212	< 0.191	--
FMW-131	11/19/2020	< 0.028	< 0.016	7.91	0.109	< 0.0572	< 0.02	0.085	0.052 J	< 0.0212	< 0.191	--
FMW-131	02/12/2021	0.045 J	0.016	7.89	0.287	< 0.0572	< 0.02	0.09	1.04	0.172	0.952	--
FMW-131	05/13/2021	< 0.028	< 0.016	9.83	0.428	< 0.0572	< 0.02	0.065	0.115 J	< 0.0212	< 0.191	--
FMW-131	08/19/2021	< 0.028	< 0.016	8.63	0.187	< 0.0572	< 0.02	0.063	0.086 J	< 0.0212	< 0.191	--
FMW-131	02/25/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.059	0.084 J	0.085 J	< 0.191	--
FMW-131	06/09/2022	< 0.028	< 0.016	19.6	< 0.0273	< 0.0572	< 0.02	0.03 J	< 0.067	< 0.0212	< 0.191	--
FMW-131	08/05/2022	< 0.028	< 0.016	20.2	0.12 J	< 0.0572	< 0.02	0.05	0.77	0.125	0.785	--
FMW-131	11/01/2022	0.065 J	< 0.016 J	18.3 J	0.103	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
FMW-131	05/09/2023	< 0.028	< 0.016	7.47	0.323	< 0.0572	< 0.02	< 0.016	0.17	< 0.0212	< 0.191	--
FMW-131	11/09/2023	< 0.028	< 0.016	17.7	< 0.0273 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
FMW-131	05/23/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
FMW-131	11/14/2024	< 0.028	< 0.016	0.366	< 0.0273	< 0.0572	< 0.02	9.98	1.7	136	150	--
FMW-131	05/16/2025	< 0.102	< 0.135	< 0.500	1.51	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
FMW-131	11/11/2025	< 0.102	< 0.135	1.61	1.57	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
FMW-137; Hydrogeologic Zone: Deep; Screen Interval: -44.9 to -57.9 ft (NAVD88)												
FMW-137	11/20/2018	< 0.2	< 0.2	1.2	< 0.2	< 0.2	--	--	--	--	--	--
FMW-137	12/28/2018	< 0.2	< 0.2	1.1	< 0.2	< 0.2	--	--	--	--	--	--
FMW-137	05/06/2019	< 0.2	< 0.2	1.3	< 0.2	< 0.2	--	--	--	--	--	--
FMW-137	07/08/2019	< 0.2	< 0.2	1.3	< 0.2	< 0.2	--	--	--	--	--	--
FMW-137	11/06/2019	< 0.199	< 0.153	1.27	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
FMW-137	01/22/2020	< 0.199	< 0.153	1.99	< 0.118	< 0.152	< 0.188	< 0.0896	0.506	< 0.158	< 0.316	--
FMW-137	05/06/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
FMW-137	07/31/2020	< 0.028	< 0.016	0.0343 J	< 0.0273	< 0.0572 J	< 0.02 J	< 0.016	0.884	0.137	0.637	--
FMW-137	11/24/2020	< 0.028	< 0.016	0.054 J	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.09	< 0.048	0.294	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
FMW-137	02/12/2021	< 0.028	0.016	2.66	0.092 J	< 0.0572	< 0.02	0.033 J	0.448	0.08 J	0.442	--
FMW-137	06/02/2021	< 0.0280	< 0.0160	2.99	< 0.0273	< 0.0572	< 0.0200	0.024 J	< 0.0500	< 0.0212	< 0.191	--
FMW-137	08/12/2021	< 0.028	< 0.016	3.05	0.107	< 0.0572	< 0.02	0.038 J	0.199 J	0.034 J	0.216 J	--
FMW-137	03/04/2022	< 0.0280	< 0.0160	6.58	0.091 J	< 0.0572	< 0.0200	0.035 J	< 0.0500	< 0.0212	< 0.191	--
FMW-137	06/05/2022	< 0.0280	< 0.0160	8.54	0.182	< 0.0572	< 0.0200	0.021 J	0.227	< 0.0212	0.214 J	--
FMW-137	08/05/2022	< 0.028	< 0.016	10	0.339 J	< 0.0572	< 0.02	0.04 J	0.906	0.135	0.935	--
FMW-137	11/01/2022	0.146	< 0.016	9.81	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
FMW-137	05/19/2023	< 0.028	< 0.016	21.2	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
FMW-137	11/09/2023	< 0.028	< 0.016	40.3	0.289 J	< 0.0572	0.029 J	0.028 J	0.068 J	< 0.0212	< 0.191	--
FMW-137	05/24/2024	< 0.028	< 0.016	0.577	< 0.0273	< 0.0572	< 0.02	0.019 J	< 0.05	< 0.0212	< 0.191	--
FMW-137	11/15/2024	< 0.028	< 0.016	112	0.515	< 0.0572	0.096 J	0.1	0.244	0.086 J	0.529	--
FMW-137	05/16/2025	< 0.102	< 0.135	1.14	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
FMW-137	11/17/2025	< 0.102	< 0.135	1.08 J	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
FMW-140; Hydrogeologic Zone: Deep; Screen Interval: -38 to -48 ft (NAVD88)												
FMW-140	10/31/2019	< 0.199	< 0.153	0.16 J	189	< 0.152	< 0.188	18.5	1.43	< 0.158	< 0.316	--
FMW-140	01/22/2020	< 0.199	< 0.153	406	527	0.729	1.19	39.6	< 0.412	< 0.158	< 0.316	--
FMW-140	04/28/2020	< 0.3	< 0.19	27.1	147	0.217 J	< 0.188	43.3	< 0.278	< 0.137	< 0.174	--
FMW-140	07/07/2020	< 0.028	< 0.016	8.76	188	0.202	0.078 J	37.6	2.79	< 0.0212	< 0.191	--
FMW-140	11/13/2020	< 0.028	< 0.016	6.15	30.8	0.0665 J	< 0.02 J	44.1	0.147 J	< 0.0212	< 0.191	--
FMW-140	05/18/2021	< 0.0280	< 0.0160	2.12	15.8	< 0.0572	< 0.0200	41	0.152 J	< 0.0212	< 0.191	--
FMW-140	03/02/2022	< 0.028	< 0.016	5.5 J	75.1	0.105 J	< 0.02	36.9	0.095 J	< 0.0212	< 0.191	--
FMW-140	05/31/2022	< 0.028	< 0.016	2.51	66.4	0.088 J	< 0.02	36.4	0.135 J	< 0.0212	< 0.191	--
FMW-140	11/02/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
FMW-140	05/15/2023	< 0.028 J	< 0.016 J	14.9 J	137 J	0.132 J	0.039 J	34.4 J	0.157 J	< 0.0212 J	< 0.191 J	--
FMW-140	11/14/2023	< 0.028	0.09	0.198	19.8	< 0.0572	< 0.02	12.3	0.095 J	< 0.0212	< 0.191	--
FMW-140	05/24/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
FMW-140	11/15/2024	< 0.028	< 0.016	45.1	144	0.3	0.155	29.2	0.119 J	< 0.0212	< 0.191	--
FMW-140	05/20/2025	< 0.500	< 0.135	< 0.502	< 0.43	< 0.115	< 0.122	27.2	< 0.129	< 0.125	< 0.433	--
FMW-140	11/18/2025	< 0.102	< 0.135	23.2	114	0.227 J	< 0.122	27.5	< 0.129	< 0.125	< 0.433	--
GEI-2; Hydrogeologic Zone: Deep; Screen Interval: -21.1 to -31.1 ft (NAVD88)												
GEI-2	03/24/2017	< 0.199	< 0.153	2.25	6.94	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
GEI-2	06/23/2017	< 0.199	< 0.153	16.3	127	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
GEI-2	04/22/2019	< 0.199	< 0.153	11.5	57.7 J	< 0.152	< 0.188	1.05	< 0.412	< 0.158	< 0.316	--
GEI-2	07/16/2019	< 0.199	< 0.153	1.37	46.4	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
GEI-2	10/21/2019	< 0.199	< 0.153	20.1	88.2	< 0.152	< 0.188	3.8	< 0.412	< 0.158	< 0.316	--
GEI-2	01/22/2020	< 0.199	0.192 J	0.308 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
GEI-2	04/29/2020	< 0.3	< 0.19	4.49	67.8	< 0.149	< 0.188	2.22	< 0.278	< 0.137	< 0.174	--
GEI-2	07/30/2020	< 0.028	< 0.016	1.38 J	44.9	< 0.0572 J	< 0.02 J	1.76	0.0707 J	< 0.0212	< 0.191	--
GEI-2	11/19/2020	< 0.028	< 0.016	0.997	42.7	< 0.0572	< 0.02	2.97	< 0.05	< 0.0212	< 0.191	--
GEI-2	02/12/2021	< 0.028	0.016	0.711	18.4	< 0.0572	< 0.02	2.79	1.22	0.216	1.09	--
GEI-2	05/13/2021	< 0.028	< 0.016	0.379	9.14	< 0.0572	< 0.02	2.19	0.149 J	< 0.0212	< 0.191	--
GEI-2	08/19/2021	< 0.028	< 0.016	0.281	7.17	< 0.0572	< 0.02	2.15	0.091 J	< 0.0212	< 0.191	--
GEI-2	02/25/2022	< 0.028	< 0.016	0.307	13.8	< 0.0572	< 0.02	3.18	< 0.05	< 0.0212	< 0.191	--
GEI-2	06/09/2022	< 0.028	< 0.016	0.224	12.6	< 0.0572	< 0.02	2.67	< 0.091	< 0.0212	< 0.191	--
GEI-2	08/05/2022	< 0.028	< 0.016	0.211	12.5 J	< 0.0572	< 0.02	3.03	0.861	0.142	0.927	--
GEI-2	11/01/2022	0.098 J	< 0.016	0.181 J	8.19	< 0.0572	< 0.02	4.47	< 0.05	< 0.0212	< 0.191	--
GEI-2	05/09/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.212	< 0.0212	< 0.191	--
GEI-2	11/09/2023	< 0.028	< 0.016	0.154	4.58 J	< 0.0572	< 0.02	4.3	0.079 J	< 0.0212	< 0.191	--
GEI-2	05/23/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
GEI-2	11/14/2024	< 0.028	< 0.016	0.242	0.195	< 0.0572	< 0.02	0.101	< 0.05	< 0.0212	< 0.191	--
GEI-2	05/16/2025	< 0.102	< 0.135	< 0.164	0.900	< 0.115	< 0.122	0.458	< 0.129	< 0.125	< 0.433	--
GEI-2	11/11/2025	< 0.102	< 0.135	< 0.164	6.21	< 0.115	< 0.122	3.12	< 0.129	< 0.125	< 0.433	--
MW102; Hydrogeologic Zone: Deep; Screen Interval: -65.8 to -75.8 ft (NAVD88)												
MW102	08/16/2012	< 1	< 1	< 1	< 0.2	< 1	< 1	--	--	--	--	--
MW102	09/05/2012	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.125	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW102	12/17/2013	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.263	--
MW102	10/27/2015	< 1	< 1	< 1	< 0.2	< 1	--	--	--	--	--	--
MW102	02/02/2016	< 1	< 1	< 1	< 0.2	< 1	--	--	--	--	--	--
MW102	03/29/2017	< 0.199	< 0.153	0.223 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW102	06/15/2017	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW102	04/25/2018	0.352 J	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW102	01/24/2019	0.22 J	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW102	05/01/2019	< 0.199	< 0.153	< 0.0933	< 0.118 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW102	07/18/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW102	11/14/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW102	01/23/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW102	04/02/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW102	08/04/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	1	< 0.0212	< 0.191	--
MW102	11/18/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.071 J	< 0.0212	< 0.191	--
MW102	02/03/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.088 J	0.039 J	0.282	--
MW102	05/14/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.196	< 0.0212	< 0.191	--
MW102	08/11/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.035 J	0.919	0.115	0.508	--
MW102	11/30/2021	< 0.028	< 0.016	< 0.0276	< 0.0273 J	< 0.0572	< 0.02	< 0.016	0.181 J	0.183	0.959	--
MW102	03/07/2022	0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW102	05/10/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.528	< 0.0212	0.439	--
MW102	08/12/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.176	0.034 J	0.285	--
MW102	10/31/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.174 J	< 0.0212	< 0.191	--
MW102	05/12/2023	0.04 J	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	0.194 J	--
MW102	11/06/2023	0.069 J	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.377	< 0.0212	0.647	--
MW102	05/28/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.33	2.13	0.33	1.94	--
MW102	11/06/2024	0.061 J	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW102	05/14/2025	0.120 J	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW102	11/13/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW103; Hydrogeologic Zone: Deep; Screen Interval: -67.6 to -77.6 ft (NAVD88)												
MW103	07/31/2012	12	25	150	79	< 10	< 10	--	--	--	--	--
MW103	09/05/2012	8.3	22	80	110	< 1	< 1	< 0.35	1.6	< 1	< 0.125	--
MW103	12/18/2013	4.3	6.1	8.6	1.2	< 1	< 1	< 0.35	2.4	< 1	< 0.36	--
MW103	06/17/2015	1.8	1.4	< 1	0.94	< 1	--	--	--	--	--	--
MW103	10/20/2015	3.6	1.4	< 1	1.6	< 1	--	--	--	--	--	--
MW103	02/02/2016	1	< 1	1.2	0.53	< 1	--	--	--	--	--	--
MW103	03/23/2017	< 1.99	23.1	240	157	0.405 J	3.69	< 0.0896	0.464 J	< 0.158	< 0.316	--
MW103	06/14/2017	0.626	23	120	69.2	0.369 J	1.98	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW103	04/06/2018	< 0.199	1.81	32.4	22.4	< 0.152	0.396 J	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW103	01/23/2019	0.365 J	1.48	11.4	6.68	< 0.152	< 0.188	< 0.0896	1.35	< 0.158	< 0.316	--
MW103	04/22/2019	< 0.199	3.09	88	32.3 J	0.209 J	1.22	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW103	07/15/2019	< 0.199	2.37	118	55.4	0.232 J	1.36	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW103	10/14/2019	< 0.199	< 0.153	91.7	51.8	0.158 J	1.08	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW103	01/16/2020	< 0.199	< 0.153	40.6	77.9	< 0.152	0.479 J	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW103	04/23/2020	< 0.3	0.233 J	12.8	4.8	< 0.149	0.305 J	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW103	07/06/2020	< 0.028	0.185	4.21	2.18	< 0.0572	0.169	0.021 J	2.12	< 0.0212	< 0.191	--
MW103	11/02/2020	< 0.028	0.08	2.75	2.22	0.059 J	0.111	0.027 J	0.158 J	< 0.0212	< 0.191	--
MW103	02/10/2021	< 0.028	0.602	9.05	5.37	< 0.0572	0.19	0.02 J	0.542	0.045 J	0.433	--
MW103	05/03/2021	0.569	8.73	34	15.8	0.108 J	0.554	< 0.0160	0.095 J	< 0.0212	< 0.191	--
MW103	08/12/2021	0.085 J	6.84	59.8	33	0.119 J	0.83	0.138	1.19	0.084 J	0.479	--
MW103	11/08/2021	0.05 J	7.03	80.5	52.5	0.166 J	1.46	0.033 J	0.423	0.09 J	0.624	--
MW103	02/15/2022	< 0.14	3.05	187	68.7	0.48 J	2.49	0.135 J	< 0.25	< 0.106	< 0.955	--
MW103	05/09/2022	< 0.028	2.68	213	66.9	0.273	2.15	0.037 J	< 0.05	0.165 J	< 0.955	--
MW103	08/09/2022	0.228	2.24	232	67.8	0.273	2.14	0.036 J	0.088 J	< 0.0212	0.247 J	--
MW103	11/01/2022	< 0.028	1.29	98.5	55.1	0.144 J	0.968	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW103	05/09/2023	0.109	1.33	222	69.6	0.317	1.89	0.044	< 0.05	< 0.0212	< 0.191	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW103	11/07/2023	< 0.56	2	322	64.3	3.12 J	2.08	< 0.32	< 1	< 0.424	< 3.82	--
MW103	05/21/2024	< 0.56	2.92	480	93.4	6.18	3.06	< 0.32	< 1	< 0.424	< 3.82	--
MW103	11/07/2024	< 0.56	< 0.32	614	144	4.02	3.78	< 0.32	< 1	< 0.424	< 3.82	--
MW103	02/26/2025	0.116 J	1.39	599	147	0.748	5.20	0.0601 J	< 0.129	< 0.125	< 0.433	--
MW103	05/15/2025	< 0.102	3.57	770	141	0.917	5.91	0.0685 J	< 0.129	< 0.125	< 0.433	--
MW103	08/19/2025	< 0.102	0.164 J	6.52	3.83	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW103	11/17/2025	< 0.102	< 0.135	< 0.164	< 0.200	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW104; Hydrogeologic Zone: Deep; Screen Interval: -76.3 to -86.3 ft (NAVD88)												
MW104	08/16/2012	< 1	< 1	< 1	< 0.2	< 1	< 1	--	--	--	--	--
MW104	09/06/2012	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.855	--
MW104	12/17/2013	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.263	--
MW104	10/27/2015	2.6	4.4	4.3	< 0.2	< 1	--	--	--	--	--	--
MW104	02/02/2016	< 1	1.2	19	< 0.2	< 1	--	--	--	--	--	--
MW104	03/30/2017	< 0.199	< 0.153	3.97	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW104	06/30/2017	5.83	5.21	1.54	< 0.118	< 0.152	0.387 J	< 0.0896	0.903	< 0.158	0.396 J	--
MW104	04/09/2018	0.541	2	176	32.3	1.02	1.16	< 0.0896	< 0.412	< 0.158	< 0.316	81.3 J
MW104	10/26/2018	1.87 J	2.94 J	71.2	43.5	0.257 J	0.374 J	< 0.0896	0.618 J	< 0.158	< 0.316	1570
MW104	12/13/2018	0.381 J	2.36	48.3	43.8	0.559	1.16	< 0.0896	< 0.412	< 0.158	< 0.316	54 J
MW104	02/01/2019	12.1	3.22	30.6	32.4	0.326 J	0.415 J	< 0.0896	< 0.412	< 0.158	< 0.316	191 J
MW104	03/13/2019	31.6	75.7	83	25.9	1.93	4.72	< 0.0896	0.455 J	< 0.158	< 0.316	124 J
MW104	04/23/2019	15.9	56.9	162	21.1 J	2.49	5.86	< 0.0896	< 0.412	< 0.158	< 0.316	174 J
MW104	07/22/2019	0.282 J	28.3	160	57.1	2.1	5.38	< 0.0896	< 0.412	< 0.158	< 0.316	50.4 J
MW104	10/18/2019	< 0.199	1.54 J	16.3	33.2	0.329 J	0.799	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW104	01/29/2020	0.894	6.44	44.6	31.7	0.481 J	1.02	0.167 J	< 0.412	< 0.158	< 0.316	447 J
MW104	04/01/2020	53.1	108	21.1	4.63	2.5	6.47	< 0.0896	< 0.412	< 0.158	< 0.316	< 92.4
MW104	07/31/2020	18.8	55	12.8 J	2.68	1.01 J	2.45 J	< 0.016	0.251	< 0.0212	< 0.191	--
MW104	11/17/2020	10.6	59.5 J	28.6	4.68	1.61	2.8	< 0.016	0.073 J	< 0.0212	< 0.191	--
MW104	02/10/2021	1.52	29.8	43.9	9.58	1.15	2.34	0.045	2.03	0.225	1.18	--
MW104	08/23/2021	0.144	3.86	41.5	14.2 J	0.871	1.26 J	< 0.016	0.532	< 0.09	0.588	--
MW104	11/29/2021	< 0.028	0.191	12.3	24.4 J	0.495	0.409	< 0.016	< 0.05	< 0.0212	0.404	--
MW104	02/23/2022	< 0.028	0.168	11.3	12.5	0.338	0.513	< 0.016	< 0.055	0.044 J	0.267	--
MW104	05/12/2022	< 0.028	0.096	6.01	18.7	0.332	0.336	< 0.016	0.079 J	< 0.0212	< 0.191	--
MW104	08/23/2022	< 0.028	< 0.016	4.66	14.4	0.234	0.293	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW104	11/02/2022	< 0.028	0.437	20.8	30.3	0.625	0.964	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW104	05/15/2023	0.189	0.729	6.66	3.87	< 0.0572	< 0.02	< 0.016	0.438	< 0.0212	0.452	--
MW104	11/06/2023	0.033 J	0.526	16.9	20.4	0.548	0.277	0.045	0.174 J	< 0.0212	< 0.191	--
MW104	05/22/2024	0.084 J	0.301	5.71 J	5.15 J	< 0.0572	< 0.02	0.124	0.538	0.068 J	0.476	--
MW104	11/08/2024	0.043 J	0.281	13	17.6	0.331	0.176	0.091	1.2	0.177	0.961	--
MW104	05/16/2025	< 0.102	0.275 J	9.16	8.37	< 0.115	< 0.122	0.0972 J	< 0.500	< 0.125	< 0.433	--
MW104	11/14/2025	0.119 J	0.375 J	13.4	16.2	0.469 J	0.500 J	0.0908 J	0.448 J	< 0.125	< 0.433	--
MW105; Hydrogeologic Zone: Deep; Screen Interval: -85.3 to -95.3 ft (NAVD88)												
MW105	08/16/2012	< 1	< 1	< 1	0.32	< 1	< 1	--	--	--	--	--
MW105	09/05/2012	< 1	< 1	< 1	0.23	< 1	< 1	< 0.35	< 1	< 1	< 0.125	--
MW105	12/29/2013	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.36	--
MW105	04/21/2015	1.2	1.6	< 1	< 0.2	< 1	--	--	--	--	--	--
MW105	06/17/2015	< 1	< 1	< 1	< 0.2	< 1	--	--	--	--	--	--
MW105	10/27/2015	< 1	< 1	< 1	< 0.2	< 1	--	--	--	--	--	--
MW105	02/03/2016	< 1	< 1	< 1	1.6	< 1	--	--	--	--	--	--
MW105	04/21/2017	< 0.199	< 0.153	0.155 J	1.95	< 0.152	< 0.188	< 0.0896	0.544 J	< 0.158	< 0.316	--
MW105	06/14/2017	< 0.199	0.356 J	0.18 J	0.514	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW105	04/11/2018	< 0.199	< 0.153	1.67	0.205 J	< 0.152	0.225 J	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW105	01/23/2019	0.79	0.317 J	1.51	0.392 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW105	04/23/2019	< 0.199	< 0.153	0.917	0.238 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW105	07/17/2019	< 0.199	< 0.153	0.891	0.265 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 37.8
MW105	10/22/2019	< 0.199	< 0.153	0.945	0.214 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	96.4 J

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW105	01/20/2020	0.208 J	0.348 J	1.38	0.568	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW105	05/12/2020	< 0.3	1.02	0.805	< 0.234	< 0.149	0.194 J	< 0.0941	0.635	< 0.137	0.193 J	52.7 J
MW105	07/27/2020	0.324	2.12	1.56	0.135	0.0983 J	0.539	< 0.016	1.25	< 0.0212	< 0.191	--
MW105	11/17/2020	0.553	4.95 J	4.83	0.15	0.248	0.961	< 0.016	0.139 J	< 0.0212	< 0.191	--
MW105	02/11/2021	0.335	3.53	6.78	0.178	0.403	1.07	< 0.016	0.373	0.069 J	0.528	--
MW105	06/07/2021	0.128	1.37	11.5	0.359	0.3	1.5	0.161	1.09	0.049 J	0.234 J	--
MW105	08/17/2021	< 0.086	2.15	8.26	0.377	0.279	1.22	< 0.05	0.351	0.03 J	< 0.191	--
MW105	11/08/2021	< 0.028	0.893	8.73	0.361	0.24	1.29	< 0.016	< 0.05	0.063 J	0.435	--
MW105	02/24/2022	< 0.028	0.511	7.7	0.422	< 0.0572	0.895	< 0.016	0.076 J	< 0.0212	< 0.191	--
MW105	05/17/2022	< 0.028	0.095	6.78	< 0.0273	0.151 J	0.652	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW105	08/09/2022	0.131 J	0.258	0.196	< 0.0273	< 0.0572	< 0.02	0.07	0.095 J	< 0.0212	< 0.191	--
MW105	11/09/2022	0.042 J	0.173	0.102	< 0.0273 J	< 0.0572	< 0.02	0.041	0.31	0.067 J	0.338	--
MW105	05/09/2023	< 0.028	< 0.016	0.053 J	< 0.0273	< 0.0572	< 0.02	0.032 J	0.436	0.208	1.12	--
MW105	10/31/2023	< 0.028	0.038 J	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.038 J	0.087 J	0.24	0.893	--
MW105	05/22/2024	< 0.028	0.029 J	< 0.0276 J	< 0.0273 J	< 0.0572	< 0.02	< 0.016	0.083 J	0.059 J	< 0.191	--
MW105	11/13/2024	< 0.028	0.069	4.84	1.94	0.114 J	0.601	< 0.016	< 0.05	0.052 J	0.233 J	--
MW105	05/08/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW105	11/05/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW106; Hydrogeologic Zone: Deep; Screen Interval: -78 to -88 ft (NAVD88)												
MW106	08/22/2012	< 1	< 1	< 1	< 1	< 1	< 1	--	--	--	--	--
MW106	09/05/2012	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.125	--
MW106	12/17/2013	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.263	--
MW106	10/27/2015	< 1	< 1	< 1	< 0.2	< 1	--	--	--	--	--	--
MW106	02/02/2016	< 1	< 1	< 1	< 0.2	< 1	--	--	--	--	--	--
MW106	04/14/2017	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW106	06/30/2017	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	0.419 J	< 0.158	< 0.316	--
MW106	05/04/2018	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW106	04/26/2019	< 0.199	< 0.153	< 0.0933	< 0.118 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW106	07/19/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW106	10/18/2019	< 0.199	< 0.153 J	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW106	01/14/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 33.1
MW106	05/06/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	32.3 J
MW106	07/10/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	1.74	< 0.0212	< 0.191	--
MW106	11/10/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.415 J	< 0.0212	0.233 J	--
MW106	02/12/2021	< 0.028	0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW106	05/13/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.057 J	< 0.0212	< 0.191	--
MW106	08/19/2021	< 0.028	< 0.016	0.055 J	< 0.0273	< 0.0572	< 0.02	< 0.016	0.073 J	< 0.0212	< 0.191	--
MW106	11/30/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.0500	0.158	0.784	--
MW106	02/18/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.068	< 0.0212	< 0.191	--
MW106	05/06/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW106	08/02/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.044	1.36	0.144	0.735	--
MW106	11/18/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW106	05/18/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.027 J	0.793	0.138	0.87	--
MW106	11/14/2023	< 0.028	< 0.016	< 0.0276	< 0.0273 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW106	05/29/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.083 J	0.034 J	0.316	--
MW106	11/06/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.065 J	0.083 J	0.417	--
MW106	05/15/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW106	11/07/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW113; Hydrogeologic Zone: Deep; Screen Interval: -36.8 to -46.8 ft (NAVD88)												
MW113	12/21/2012	1.3	440	5500	150	4.1	3.7	--	--	--	--	--
MW113	12/19/2013	< 1	13	140	0.41	< 1	< 1	< 0.35	< 1	< 1	< 0.263	--
MW113	06/25/2015	< 1	19	670	17	< 1	--	--	--	--	--	--
MW113	10/27/2015	< 1	4.5	670	17	1.2	--	--	--	--	--	--
MW113	02/03/2016	< 1	1.1	1500	13	2.2	--	--	--	--	--	--
MW113	03/22/2017	< 0.199	27.1	7280	63.5	25.4	10.7	2.6	< 0.412	< 0.158	< 0.316	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW113	06/16/2017	0.522	148	4750	53.3	28.2	5.93	0.468 J	< 0.412	< 0.158	< 0.316	--
MW113	04/11/2018	191	1100	3720	34.9	21.3	7.83	0.88	< 0.412	< 0.158	< 0.316	--
MW113	01/30/2019	< 0.995	2.81	6330	34.8	22.8	8.61	1.02 J	< 2.06	< 0.79	< 1.58	--
MW113	02/07/2019	< 0.199	1.77	6990	46	25.7	9.92	0.811	< 0.412	< 0.158	< 0.316	3100 J
MW113	07/17/2019	3.14	20.4	4940	103	13.1	3.4	0.172 J	< 0.412	< 0.158	< 0.316	2560 J
MW113	10/22/2019	< 1.99	6.77	1420 J	66.2	4.45	1.78	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW113	11/11/2019	< 50	< 50	8200	950	< 50	--	--	--	--	--	--
MW113	01/14/2020	< 1.99	< 1.53	10300	1410	32.9	15	< 0.896	< 4.12	< 1.58	< 3.16	--
MW113	04/27/2020	< 30	< 19	4320	75.9	< 14.9	< 18.8	< 9.41	< 27.8	< 13.7	< 17.4	--
MW113	05/19/2020	< 20	< 20	3700	110	< 20	--	--	--	--	--	--
MW113	07/28/2020	212	1540	3100	76	< 14.9	< 18.8	< 9.41	< 27.8	< 13.7	< 17.4	--
MW113	09/17/2020	390	1500	1900	45	< 10	--	--	--	--	--	--
MW113	11/24/2020	706	1380	1290	11.9	8.3 J	3 J	< 1.6	< 5	< 2.12	< 19.1	--
MW113	02/10/2021	3.04	4.18	39.1	0.071 J	0.078 J	0.063 J	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW113	05/25/2021	249	944	1380	6.91	8.6	4.28	0.331	< 0.127	< 0.0212	< 0.191	--
MW113	08/11/2021	87	617	2180	8.65	8.75	4.9	3.38	< 1.25	< 0.53	< 4.78	--
MW113	11/18/2021	70.6 J	795	4250	9.15	15	9.83	3.73	< 1.25	< 0.53	< 4.78	--
MW113	02/15/2022	21.3 J	30.8	5960	< 6.82	18 J	9.25 J	5.75 J	< 12.5	< 5.3	< 47.8	--
MW113	06/08/2022	28.7	49.1	6220	9.18	11.9	7.63	3	< 1.25	< 0.53	< 4.78	--
MW113	08/10/2022	14.4	10.9	3790	73.6	14 J	8.1 J	3.8 J	< 5	2.8 J	< 19.1	--
MW113	11/03/2022	20.8	43.9	5530	24.6	15	7.74	2.29	< 0.05	< 0.0212	< 0.191	--
MW113	05/18/2023	2.78 J	0.9 J	8.65 J	116 J	< 0.286 J	< 0.1 J	0.135 J	0.28	< 0.106 J	< 0.955 J	--
MW113	08/16/2023	1.55	1.45	22.1	66.1	0.19 J	0.282	0.13	0.121 J	0.318	1.32	--
MW113	11/08/2023	0.98	2.05	14.1	4.53	< 0.286	< 0.1	< 0.08	< 0.25	< 0.106	< 0.955	--
MW113	05/24/2024	2.13	6.5	58.4	0.148 J	0.501	0.101	0.021 J	< 0.05	< 0.0212	< 0.191	--
MW113	11/07/2024	1.97	7.3	57.2	0.067 J	0.441	0.07 J	0.017 J	< 0.05	< 0.0212	< 0.191	--
MW113	05/21/2025	1.74	3.74	28.7	0.111 J	0.297 J	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW113	11/12/2025	0.906	1.37	5.09	0.0691 J	< 0.115	< 0.122 J	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW122; Hydrogeologic Zone: Deep; Screen Interval: -75 to -85 ft (NAVD88)												
MW122	12/23/2013	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.36	--
MW122	10/20/2015	< 1	< 1	< 1	< 0.2	< 1	--	--	--	--	--	--
MW122	02/02/2016	< 1	< 1	< 1	< 0.2	< 1	--	--	--	--	--	--
MW122	03/28/2017	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW122	06/14/2017	< 0.199	0.162 J	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW122	04/06/2018	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW122	10/14/2019	0.223 J	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW122	01/17/2020	< 0.199	< 0.153	< 0.0933	< 0.118 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW122	04/07/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW122	07/24/2020	0.054 J	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.088 J	< 0.0212	< 0.191	--
MW122	11/06/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW122	05/03/2021	0.036 J	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
MW122	11/11/2021	0.036 J	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW122	05/18/2022	0.037 J	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW122	11/01/2022	< 0.028	< 0.016	0.081 J	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW122	05/12/2023	0.167	0.078	0.269	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW122	11/07/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.019 J	< 0.05	< 0.0212	< 0.191	--
MW122	05/21/2024	0.058 J	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW122	11/12/2024	0.067 J	< 0.016	< 0.04	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW122	05/15/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW122	11/18/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW123; Hydrogeologic Zone: Deep; Screen Interval: -42.5 to -52.5 ft (NAVD88)												
MW123	12/23/2013	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.36	--
MW123	04/01/2017	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW123	06/24/2017	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW123	04/14/2018	0.284 J	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx	
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes		
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800	
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320		
MW123	10/18/2019	< 0.199	< 0.153 J	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--	
MW123	01/22/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--	
MW123	05/05/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	0.293 J	< 0.137	< 0.174	--	
MW123	07/30/2020	< 0.028	< 0.016	< 0.0276 J	< 0.0273	< 0.0572 J	< 0.02 J	0.0388 J	1.62	0.141	0.948	--	
MW123	11/12/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02 J	< 0.016	0.296	0.0217 J	0.236 J	--	
MW123	05/26/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--	
MW123	03/02/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--	
MW123	06/09/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--	
MW123	11/03/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--	
MW123	11/09/2023	< 0.028	< 0.016	< 0.0276	< 0.0273 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--	
MW123	11/14/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--	
MW123	11/17/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--	
MW124; Hydrogeologic Zone: Deep; Screen Interval: -53.8 to -63.8 ft (NAVD88)													
MW124	12/26/2013	< 1	< 1	< 1	< 0.2	< 1	< 1	< 0.35	< 1	< 1	< 0.263	--	
MW124	03/29/2017	1.6	0.596	0.661	< 0.118	< 0.152	< 0.188	< 0.0896	0.785	< 0.158	< 0.316	--	
MW124	06/15/2017	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--	
MW124	04/13/2018	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	39.4	
MW124	10/11/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6	
MW124	01/30/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6	
MW124	04/03/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 38.9	
MW124	08/03/2020	< 0.028	< 0.016	< 0.0276 J	< 0.0273	< 0.0572 J	< 0.02 J	< 0.016	1.14	0.102	0.526	--	
MW124	11/18/2020	0.048 J	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.464	< 0.0212	< 0.191	--	
MW124	06/08/2021	0.048 J	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	0.111 J	< 0.0212	< 0.191	--	
MW124	03/07/2022	0.075 J	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--	
MW124	05/12/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--	
MW124	10/31/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.117 J	< 0.0212	< 0.191	--	
MW124	05/12/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--	
MW124	11/03/2023	< 0.028	< 0.016	0.818	0.685	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--	
MW124	05/28/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--	
MW124	11/05/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--	
MW124	05/13/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--	
MW124	11/14/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--	
MW128; Hydrogeologic Zone: Deep; Screen Interval: -30.8 to -40.8 ft (NAVD88)													
MW128	01/13/2014	< 1	< 1	< 1	960 J	290 J	< 1	< 1	< 0.35	< 1	< 1	< 0.36	--
MW128	04/22/2015	< 1	< 1	< 1	150	59	< 1	--	--	--	--	--	--
MW128	10/20/2015	< 1	< 1	< 1	7	95	< 1	--	--	--	--	--	--
MW128	02/02/2016	< 1	< 1	< 1	70	140	< 1	--	--	--	--	--	--
MW128	03/29/2017	< 0.199	< 0.153	< 0.126	7.16	72.4	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW128	06/21/2017	< 0.199	< 0.153	< 0.126	109	195	< 0.152	< 0.188	3.84	0.541	< 0.158	< 0.316	--
MW128	04/09/2018	< 0.199	< 0.153	< 0.126	3.07	31	< 0.152	< 0.188	28.3	< 0.412	< 0.158	< 0.316	--
MW128	07/18/2019	< 0.199	< 0.153	< 0.126	1.88	108	< 0.152	< 0.188	12.2	< 0.412	< 0.158	< 0.316	--
MW128	10/11/2019	< 0.199	< 0.153	< 0.126	0.619	13.3 J	< 0.152	< 0.188	0.984	< 0.412	< 0.158	< 0.316	--
MW128	11/11/2019	< 0.4	< 0.4	< 0.4	1.4	60	< 0.4	--	--	--	--	--	--
MW128	01/20/2020	< 0.199	< 0.153	< 0.126	1.67	47.4	< 0.152	< 0.188	17.8	< 0.412	< 0.158	< 0.316	--
MW128	04/27/2020	< 0.3	< 0.19	< 0.19	1.04	53.2	< 0.149	< 0.188	18.3	< 0.278	< 0.137	< 0.174	--
MW128	06/29/2020	< 0.028	< 0.016	< 0.016	0.618	31.3	< 0.0572	< 0.02	16.9	< 0.05	< 0.0212	< 0.191	--
MW128	08/26/2020	< 0.2	< 0.2	< 0.2	0.46	29	< 0.2	--	--	--	--	--	--
MW128	11/09/2020	< 0.028	< 0.016	< 0.016	0.671	56.1	< 0.0572	< 0.02	17	0.132 J	< 0.0212	< 0.191	--
MW128	05/25/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0276	37.3	< 0.0572	< 0.0200	14.2	< 0.0500	< 0.0212	< 0.191	--
MW128	02/25/2022	< 0.028	< 0.016	< 0.0276	< 0.0276	10.6	< 0.0572	< 0.02	9.75	< 0.05	< 0.0212	< 0.191	--
MW128	06/08/2022	< 0.028	< 0.016	< 0.016	0.18	4.21	< 0.0572	< 0.02	8.66	< 0.05	< 0.0212	< 0.191	--
MW128	11/01/2022	< 0.028	< 0.016	< 0.016	0.222	2.99	< 0.0572	< 0.02	11.9	< 0.05	< 0.0212	< 0.191	--
MW128	05/18/2023	< 0.028	< 0.016	< 0.016	0.053 J	0.874	< 0.0572	< 0.02	2.96	< 0.05	< 0.0212	< 0.191	--
MW128	11/09/2023	< 0.028	< 0.016	< 0.016	0.162	0.953 J	< 0.0572	< 0.02	4.9	< 0.05	< 0.0212	< 0.191	--
MW128	05/23/2024	< 0.028	< 0.016	< 0.0276	< 0.0276	1.02	< 0.0572	< 0.02	10.9	< 0.05	< 0.0212	< 0.191	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW128	11/14/2024	< 0.028	< 0.016	0.144	0.764	< 0.0572	< 0.02	7.49	< 0.05	< 0.0212	< 0.191	--
MW128	05/19/2025	< 0.102	< 0.135	< 0.164	0.725	< 0.115	< 0.122	8.12	< 0.129	< 0.125	< 0.433	--
MW128	11/13/2025	< 0.102	< 0.135	< 0.164	0.614	< 0.115	< 0.122	3.35	< 0.129	< 0.125	< 0.433	--
MW-138; Hydrogeologic Zone: Deep; Screen Interval: -47.6 to -57.6 ft (NAVD88)												
MW-138	09/14/2017	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	0.275 J	10.4	< 0.158	< 0.316	--
MW-138	09/21/2017	< 0.398	< 0.306	< 0.187	< 0.236	< 0.304	< 0.376	< 0.179	2.6	< 0.316	< 0.632	63.3 J
MW-138	04/11/2018	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 91.1
MW-138	10/29/2018	< 0.199	< 0.153	< 0.0933	0.169 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 38.5
MW-138	12/17/2018	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-138	01/03/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	0.442 J	< 0.158	< 0.316	< 31.6
MW-138	03/14/2019	1.49	0.167 J	0.262 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-138	04/22/2019	< 0.199	< 0.153	< 0.0933	< 0.118 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-138	07/19/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-138	10/21/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	92.7 J
MW-138	01/27/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-138	05/08/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	< 53.4
MW-138	07/27/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.468	0.0657 J	0.356	--
MW-138	11/18/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-138	02/11/2021	< 0.028	0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.024 J	0.481	0.105	0.686	--
MW-138	06/07/2021	< 0.0280	< 0.0160	0.073 J	0.076 J	< 0.0572	< 0.0200	0.1	0.589	0.037 J	< 0.191	--
MW-138	08/03/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	0.105 J	< 0.0212	< 0.191	--
MW-138	11/10/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	0.159	0.781	--
MW-138	02/24/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-138	05/25/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-138	08/09/2022	0.037 J	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.117 J	< 0.0212	< 0.191	--
MW-138	11/08/2022	< 0.028 J	< 0.016 J	< 0.0276 J	< 0.0273 J	< 0.0572 J	< 0.02 J	< 0.016 J	0.068 J	< 0.0212 J	< 0.191 J	--
MW-138	05/09/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.02 J	0.536	0.083 J	0.587	--
MW-138	10/31/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	0.075 J	0.287	--
MW-138	05/22/2024	< 0.028	< 0.016	< 0.0276 J	0.072 J	< 0.0572	< 0.02	< 0.016	0.11 J	0.045 J	0.217 J	--
MW-138	11/13/2024	< 0.028	0.027 J	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	0.04 J	0.254 J	--
MW-138	05/08/2025	< 0.102	< 0.135	0.206 J	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	0.187 J	--
MW-138	11/05/2025	< 0.102	< 0.135	< 0.164	0.0644 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-153; Hydrogeologic Zone: Deep; Screen Interval: -65.3 to -75.3 ft (NAVD88)												
MW-153	05/01/2018	0.756	< 0.153	0.612	9.56	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-153	01/22/2019	< 0.199	< 0.153	1.41	15.9	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-153	04/24/2019	< 0.199	< 0.153	1.07	2.69 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-153	07/22/2019	< 0.199	0.19 J	0.384 J	0.235 J	< 0.152	< 0.188	0.177 J	0.716	0.227 J	0.819 J	< 31.6
MW-153	10/15/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-153	01/21/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-153	04/30/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	38.2 J
MW-153	07/15/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	1.79	< 0.0212	< 0.191	--
MW-153	11/09/2020	< 0.028	< 0.016	< 0.0276	0.333	< 0.0572	< 0.02	< 0.016	0.314	< 0.0212	< 0.191	--
MW-153	02/09/2021	< 0.028	< 0.016	0.105	2.42	< 0.0572	< 0.02	0.02 J	0.86	0.147	1.01	--
MW-153	05/10/2021	< 0.028	< 0.016	0.101	1.15 J	< 0.0572	< 0.02	< 0.016	< 0.05	0.043 J	0.323	--
MW-153	08/20/2021	< 0.028	< 0.016	0.135 J	1.02 J	< 0.0572	< 0.02 J	< 0.016	0.064 J	< 0.0212	< 0.191	--
MW-153	12/07/2021	< 0.028	< 0.016	0.115	1.15	< 0.0572	< 0.02	< 0.016	< 0.091	0.067 J	0.462	--
MW-153	02/25/2022	0.296	< 0.016	0.125	1.14	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-153	05/02/2022	< 0.028	< 0.016	0.24	1.1	< 0.0572	< 0.02	< 0.016	0.503	0.127	0.52	--
MW-153	08/02/2022	< 0.028	< 0.016	0.122	0.501	< 0.0572	< 0.02	0.03 J	1.13	0.12	0.532	--
MW-153	11/03/2022	< 0.028	< 0.016	0.292	1.14	< 0.0572	< 0.02	< 0.031	0.389	0.065 J	0.293	--
MW-153	05/12/2023	< 0.028	< 0.016	0.155	0.388	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-153	11/10/2023	0.07 J	0.033 J	0.303	0.231	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-153	05/31/2024	< 0.028	< 0.016	0.564	0.273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-153	11/07/2024	< 0.028	< 0.016	0.258	0.131	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-153	05/12/2025	< 0.102	< 0.135	0.366 J	0.199 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-153	11/12/2025	< 0.102	< 0.135	0.278 J	0.255	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-158A; Hydrogeologic Zone: Deep; Screen Interval: -48.2 to -58.5 ft (NAVD88)												
MW-158A	04/30/2018	17.7	18.7	59.6	8.91	0.205 J	0.189 J	< 0.0896	2.66	< 0.158	< 0.316	101
MW-158A	01/24/2019	< 0.199	0.325 J	2.54	7.58	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-158A	04/25/2019	< 0.199	0.24 J	0.974	3.08 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-158A	07/19/2019	< 0.199	0.177 J	0.29 J	1.24	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-158A	10/16/2019	< 0.199	0.318 J	0.848	2.18	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-158A	01/21/2020	< 0.199	< 0.153	< 0.0933	0.195 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-158A	04/24/2020	< 0.3	0.251 J	1.15	1.45	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	< 38
MW-158A	07/15/2020	< 0.028	0.247	0.379	0.882	< 0.0572	< 0.02	0.052	1.11	< 0.0212	0.366	--
MW-158A	11/23/2020	< 0.028	0.084	0.127	0.447	< 0.0572	< 0.02	< 0.024	< 0.104	< 0.0212	< 0.191	--
MW-158A	02/02/2021	< 0.028	0.068	0.089 J	0.526	< 0.0572	< 0.02	0.027 J	0.532	0.197	1.17	--
MW-158A	05/10/2021	< 0.028	0.092	0.09 J	0.326 J	< 0.0572	< 0.02	< 0.016	0.075 J	< 0.0212	< 0.191	--
MW-158A	08/17/2021	< 0.028	0.078	0.107	0.37	< 0.0572	< 0.02	0.233	1.53	0.085 J	0.356	--
MW-158A	12/08/2021	< 0.0280	0.064	0.067 J	0.298	< 0.0572	< 0.0200	0.019 J	< 0.0830	0.189	1.07	--
MW-158A	03/04/2022	< 0.0280	0.094	0.052 J	0.273	< 0.0572	< 0.0200	0.026 J	< 0.0500	< 0.0212	< 0.191	--
MW-158A	05/17/2022	< 0.028	0.089	0.064 J	0.276	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-158A	08/12/2022	0.418	0.282	0.55	0.421	< 0.0572	< 0.02	< 0.016	< 0.081	< 0.0212	< 0.191	--
MW-158A	11/01/2022	< 0.028	0.094	0.107	0.25	< 0.0572	< 0.02	< 0.016	0.138 J	< 0.0212	< 0.191	--
MW-158A	05/12/2023	0.088 J	0.07	0.286	< 0.0273	< 0.0572	< 0.02	0.022 J	< 0.05	< 0.0212	< 0.191	--
MW-158A	11/06/2023	0.403	0.268	0.384	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-158A	05/21/2024	0.606	0.254	0.602	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-158A	11/05/2024	0.67	0.204	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.053	< 0.0212	< 0.191	--
MW-158A	05/15/2025	< 0.102	0.206 J	0.696	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-158A	11/13/2025	< 0.102	0.136 J	0.324 J	0.599	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-160; Hydrogeologic Zone: Deep; Screen Interval: -75.4 to -85.4 ft (NAVD88)												
MW-160	05/21/2018	0.38 J	0.835	2.96	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	0.342 J	51 J
MW-160	01/25/2019	< 0.199	0.263 J	5.08	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-160	05/01/2019	< 0.199	0.513	2.58	< 0.118 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-160	07/23/2019	< 0.199	< 0.153	0.217 J	0.326 J	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-160	10/17/2019	< 0.199	< 0.153	0.445 J	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-160	01/29/2020	< 0.199	0.195 J	0.176 J	0.744	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 35
MW-160	04/01/2020	< 0.199	3.18	2.09	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-160	08/03/2020	0.203	3.61	15.2	1.17 J	0.144 J	0.316	0.018 J	1.04	0.067 J	0.321	--
MW-160	11/30/2020	0.828	10.2	43.2	3.59	0.228	0.483	< 0.016	0.177 J	0.108	0.827	--
MW-160	02/04/2021	0.055 J	1.65	26.4	17.1 J	0.192 J	0.302 J	< 0.031	0.526	0.177	1.17	--
MW-160	05/12/2021	< 0.028	0.353	11.1	4.05	0.07 J	0.119	< 0.016	0.237	< 0.0212	< 0.191	--
MW-160	08/23/2021	< 0.028	0.117	2.65	1.3 J	< 0.0572	0.034 J	0.026 J	0.478	< 0.047	0.214 J	--
MW-160	11/29/2021	< 0.028	0.197	3.41	0.601 J	< 0.0572	< 0.02	< 0.016	0.264	< 0.0212	0.323	--
MW-160	02/23/2022	< 0.028	0.127	3.08	0.929	< 0.0572	0.047 J	< 0.016	< 0.067	0.096 J	0.4	--
MW-160	05/25/2022	< 0.028	0.066	1.71	0.749 J	< 0.0572	0.03 J	< 0.016	< 0.111	< 0.0212	< 0.191	--
MW-160	08/12/2022	< 0.028	0.14	1.45	0.679	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-160	10/31/2022	0.099 J	0.053	1.11	1.47	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-160	05/15/2023	< 0.028	< 0.016	0.6	< 0.0273	< 0.0572	< 0.02	< 0.016	0.309	< 0.0212	0.53	--
MW-160	11/03/2023	< 0.028	< 0.016	1.82	2.03	0.064 J	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-160	05/22/2024	< 0.028	0.041	0.275	< 0.0273	< 0.0572	< 0.02	< 0.016	0.121 J	0.045 J	0.316	--
MW-160	11/08/2024	< 0.028	0.085	0.202	< 0.0273	< 0.0572	< 0.02	0.017 J	0.693	0.29	1.58	--
MW-160	05/14/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-160	11/14/2025	< 0.102	< 0.135	0.213 J	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-161; Hydrogeologic Zone: Deep; Screen Interval: -85.6 to -95.6 ft (NAVD88)												
MW-161	05/21/2018	2.01	1.79	1.89	< 0.118	< 0.152	0.779	< 0.0896	< 0.412	< 0.158	0.329 J	< 31.6
MW-161	01/25/2019	0.472 J	1.66	1.26	< 0.118	< 0.152	0.489 J	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-161	05/01/2019	0.482 J	1.66	1.15	< 0.118 J	< 0.152	0.517	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-161	07/18/2019	0.264 J	1.53	1.58	< 0.118	< 0.152	0.609	< 0.0896	< 0.412	< 0.158	< 0.316	< 31.6
MW-161	10/14/2019	< 0.199	0.978	1.3	< 0.118	< 0.152	0.451 J	< 0.0896	< 0.412	< 0.158	< 0.316	< 54.7

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-161	01/28/2020	< 0.199	6.05	9.02	1.1	0.388 J	1.33	< 0.0896	< 0.412	< 0.158	< 0.316	< 72.8
MW-161	04/03/2020	16.7	27	23.4	1.92	1.27	2.67	< 0.0896	< 0.412	< 0.158	< 0.316	< 49.3
MW-161	07/31/2020	40.6	42.5	59.2 J	4.27	1.17 J	2.97 J	< 0.016	0.0536 J	< 0.0212	< 0.191	--
MW-161	12/01/2020	49	50.3	84.2	5.47	1.74	4.27	< 0.016	0.074 J	< 0.0212	< 0.191	--
MW-161	02/04/2021	24.4	55.8	85.8	9.28 J	2.32 J	5.03 J	< 0.016	0.059 J	< 0.0212	< 0.191	--
MW-161	05/25/2021	1.08	28.3	69.8	5.35	1.11	2.94	< 0.0160	< 0.165	< 0.0212	< 0.191	--
MW-161	08/23/2021	1.72	10.3	53.8	3.51 J	0.736	1.75 J	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-161	11/29/2021	1.59	19.4	46.5	2.46 J	0.785	2.13	< 0.0160	< 0.0500	< 0.0212	< 0.191	--
MW-161	02/23/2022	0.886	15.9	45.4	1.95	0.602	1.98	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-161	05/11/2022	0.629	15.4	30.5	1.67	0.557	1.82	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-161	08/12/2022	1.32	7.14	28.5	2.54	0.395	1.5	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-161	10/31/2022	0.407	0.545	31.3	8.13	0.451	1.06	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-161	05/15/2023	0.604	3.18	19.5	1.68	0.271	0.773	< 0.016	0.102 J	< 0.0212	< 0.191	--
MW-161	11/06/2023	0.227	2.11	32.5	2.73	0.465	1.22	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-161	05/22/2024	< 0.028	3.13	21.5	0.34 J	0.223	0.945	< 0.016	0.09 J	< 0.0212	< 0.191	--
MW-161	11/08/2024	0.392	0.986	16.1	10.3	0.322	0.838	< 0.016	0.069 J	0.044 J	0.287	--
MW-161	05/12/2025	0.365 J	1.78	24.3	2.40	0.366 J	1.10	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-161	11/10/2025	< 0.102	< 0.135	22.0	21.5 J	0.625	1.15	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-304; Hydrogeologic Zone: Deep; Screen Interval: -47.6 to -57.6 ft (NAVD88)												
MW-304	10/21/2019	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	0.728	< 0.158	< 0.316	97.9 J
MW-304	01/27/2020	< 0.199	< 0.153	< 0.0933	< 0.118	< 0.152	< 0.188	< 0.0896	< 0.412	< 0.158	< 0.316	< 42.2
MW-304	05/07/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	< 31.6
MW-304	07/27/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	2.63	< 0.0212	< 0.191	--
MW-304	05/18/2021	< 0.0280	< 0.0160	< 0.0276	< 0.0273	< 0.0572	< 0.0200	< 0.0160	0.357	< 0.0212	< 0.191	--
MW-304	11/08/2021	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	0.08 J	0.527	--
MW-304	05/25/2022	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.081	< 0.0212	< 0.191	--
MW-304	11/09/2022	< 0.028	< 0.016	< 0.0276	< 0.0273 J	< 0.0572	< 0.02	< 0.016	0.308	0.052 J	0.276	--
MW-304	05/09/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.025 J	1.03	0.288	1.68	--
MW-304	10/31/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-304	05/22/2024	< 0.028	< 0.016	< 0.0276 J	< 0.0273 J	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-304	11/13/2024	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-304	05/08/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-304	11/05/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-319; Hydrogeologic Zone: Deep; Screen Interval: -42.8 to -52.8 ft (NAVD88)												
MW-319	10/08/2019	0.609	8.12	53.4	5.76	< 0.152	0.292 J	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-319	01/16/2020	0.414 J	11.4	63.7	6.78	< 0.152	0.281 J	< 0.0896	< 0.412	< 0.158	< 0.316	--
MW-319	04/27/2020	< 0.3	10.7	54.1	4.52	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW-319	07/27/2020	0.0933 J	13.6	49.2	4.77	0.0806 J	0.138	0.0336 J	0.399	0.045 J	0.207 J	--
MW-319	11/12/2020	0.11	13.9	47.6	4.58 J	< 0.0572	0.143	< 0.016	< 0.05 J	< 0.0212	< 0.191	--
MW-319	05/19/2021	0.09 J	8.52	37.4	4.16	0.104 J	0.156	< 0.0160	< 0.0700	< 0.0212	< 0.191	--
MW-319	11/08/2021	0.078 J	6.72	37	4.25	0.1 J	0.168	0.019 J	< 0.05	< 0.0212	< 0.191	--
MW-319	05/27/2022	0.145	6.93	44.1	5.19 J	0.059 J	0.192	0.025 J	< 0.05	< 0.0212	< 0.191	--
MW-319	11/02/2022	0.09 J	4.72	60.8	5.83	0.138 J	0.265	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-319	05/17/2023	< 0.028	0.49	4.17	3.37	< 0.0572	0.184	0.159	< 0.05	< 0.0212	< 0.191	--
MW-319	11/08/2023	< 0.028	1.03	65.2	3.96	0.142 J	0.324	0.036 J	0.056 J	< 0.0212	< 0.191	--
MW-319	05/22/2024	0.252	1.21	51.4 J	4.72 J	0.145 J	0.276	0.03 J	< 0.05	< 0.0212	< 0.191	--
MW-319	11/06/2024	0.038 J	1.05	66.2	6.39	0.161 J	0.341	0.037 J	< 0.05	< 0.0212	< 0.191	--
MW-319	05/20/2025	< 0.102	< 0.500	< 0.500	< 0.200	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-319	11/12/2025	< 0.102	0.146 J	0.815	0.152 J	< 0.115	< 0.122 J	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-323; Hydrogeologic Zone: Deep; Screen Interval: -65.4 to -75.4 ft (NAVD88)												
MW-323	10/09/2019	< 0.199	0.891	66.5	13.4	< 0.152	0.276 J	< 0.0896	4.97	< 0.158	< 0.316	--
MW-323	01/20/2020	< 0.199	0.178 J	229	64.9	< 0.152	1.12	< 0.0896	0.549	< 0.158	< 0.316	--
MW-323	04/23/2020	< 0.3	< 0.19	5.11	4.14	< 0.149	< 0.188	< 0.0941	< 0.278	< 0.137	< 0.174	--
MW-323	07/07/2020	< 0.028	0.03 J	2.55	4.58	< 0.0572	0.067 J	< 0.016	1.76	< 0.0212	< 0.191	--
MW-323	11/24/2020	< 0.028	0.026 J	2.68	4.89	< 0.0572	0.078 J	< 0.016	< 0.096	< 0.0212	< 0.191	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-323	05/20/2019	< 0.0280	0.09	115	31.4	0.111 J	0.686	< 0.0160	< 0.114	< 0.0212	< 0.191	--
MW-323	11/16/2021	0.028	0.1	384	52.2	0.304	1.19	0.039 J	0.32	0.069 J	0.597	--
MW-323	06/03/2022	< 0.7	< 0.4	354	45.5	< 1.43	0.775 J	< 0.4	< 1.25	< 0.53	< 4.78	--
MW-323	11/04/2022	< 0.028	0.099	374	77.2	0.539	2.23	0.049	< 0.05	< 0.0212	< 0.191	--
MW-323	05/17/2023	< 0.56	< 0.32	535	77.2	< 1.14	2.38	< 0.32	< 1	< 0.424	< 3.82	--
MW-323	11/08/2023	< 0.028	0.08	522	50	0.611	2.64	0.054	< 0.05	< 0.0212	< 0.191	--
MW-323	05/22/2024	< 0.028	0.07	547	62.5 J	0.671	2.68	0.045	0.08 J	< 0.0212	< 0.191	--
MW-323	11/07/2024	< 0.028	0.048	527	73.1	0.517	2.54	0.05	< 0.05	< 0.0212	< 0.191	--
MW-323	05/21/2025	< 0.102	< 0.135	769	148	1.35	5.07	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-323	08/20/2025	< 0.102	< 0.135	136 J	113 J	0.724	0.756	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-323	11/13/2025	< 0.102	< 0.135	719	97.1	1.07	3.46	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-324; Hydrogeologic Zone: Deep; Screen Interval: -32.1 to -42.1 ft (NAVD88)												
MW-324	10/02/2019	< 0.199	0.642	1550	61.9	3.21	1.53	0.401 J	5.45	< 0.158	< 0.316	--
MW-324	01/20/2020	< 9.95	< 7.65	3170	113	< 7.6	< 9.4	< 4.48	< 20.6	< 7.9	< 15.8	--
MW-324	04/24/2020	< 15	< 9.5	8520	362	16.8 J	< 9.4	< 4.71	< 13.9	< 6.85	< 8.7	--
MW-324	07/07/2020	< 1.4	< 0.8	8410	244	13.6	6.6	1.25 J	< 2.5	< 1.06	< 9.55	--
MW-324	11/13/2020	< 1.4	< 0.8	7210	184	13.7	7.97 J	2.51	< 2.5	< 1.06	< 9.55	--
MW-324	05/20/2021	< 1.40	1.95 J	3470	45.6	10.5	6.05	< 0.800	< 2.50	< 1.06	< 9.55	--
MW-324	11/16/2021	1.4	< 0.8	2240	29.2	9 J	5.2	1.6 J	< 2.5	< 1.06	< 9.55	--
MW-324	05/31/2022	< 1.4	< 0.8	3200	101	13.7	8.8	2.55	< 2.5	< 1.06	< 9.55	--
MW-324	11/03/2022	< 0.028	0.147	1650	74	6.55	4.53	1.03	< 0.05	< 0.0212	< 0.191	--
MW-324	05/18/2023	< 0.7	< 0.4	2090	95.3	6.93	4.98	1.2	< 1.25	< 0.53	< 4.78	--
MW-324	11/08/2023	< 0.028	0.093	895	40.6	4.44	2.43	0.654	< 0.05	< 0.0212	< 0.191	--
MW-324	05/23/2024	< 0.7	< 0.4	931	47.3	3.97 J	1.93 J	0.7 J	< 1.25	< 0.53	< 4.78	--
MW-324	11/07/2024	2.25 J	< 0.4	1600	38.1	8.65	2.93	< 0.4	< 1.25	< 0.53	< 4.78	--
MW-324	05/20/2025	< 0.500	< 0.135	1450	32.5	7.55	3.82	0.494	< 0.129	< 0.125	< 0.433	--
MW-324	11/18/2025	< 1.02	< 1.35	1530	19.4	6.29	2.86 J	< 0.540	< 1.29	< 1.25	< 4.33	--
MW-326R; Hydrogeologic Zone: Deep; Screen Interval: -90.2 to -100.2 ft (NAVD88)												
MW-326R	05/15/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	0.756	< 0.0212	0.468	--
MW-326R	11/09/2023	< 0.028	< 0.016	0.125	< 0.0273 J	< 0.0572	< 0.02	0.044	1.34	0.299	1.51	--
MW-326R	05/24/2024	< 0.028 J	< 0.016 J	0.089 J	< 0.0273	< 0.0572	< 0.02	0.044	0.15 J	0.294	1.44	--
MW-326R	11/11/2024	< 0.028	< 0.016	0.088 J	< 0.0273 J	< 0.0572	< 0.02	0.033 J	0.102 J	0.234	1.19	--
MW-326R	05/14/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	0.266 J	0.312 J	--
MW-326R	11/11/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	0.260 J	1.07 J	--
MW-328; Hydrogeologic Zone: Deep; Screen Interval: -36.1 to -46.1 ft (NAVD88)												
MW-328	10/02/2019	< 0.199	< 0.153	1.26	23.3	< 0.152	< 0.188	17	0.535	< 0.158	< 0.316	--
MW-328	01/17/2020	1.66	< 0.153	1.03	13.1 J	< 0.152	< 0.188	17.6	0.448 J	< 0.158	< 0.316	--
MW-328	04/08/2020	< 0.199	< 0.153	0.631	11.1	< 0.152	< 0.188	9.53	< 0.412	< 0.158	< 0.316	--
MW-328	07/07/2020	< 0.028	< 0.016	1.03	20.7	< 0.0572	< 0.02	10.3	< 0.05	< 0.0212	< 0.191	--
MW-328	11/09/2020	< 0.028	< 0.016	0.607	7.99	< 0.0572	< 0.02	0.63	< 0.05	< 0.0212	< 0.191	--
MW-328	05/25/2021	< 0.0280	< 0.0160	< 0.0276	8.57	< 0.0572	< 0.0200	6.19	< 0.0540	< 0.0212	< 0.191	--
MW-328	11/10/2021	< 0.028	< 0.016	0.255	2.03	< 0.0572	< 0.02	6.21	< 0.05	< 0.0212	< 0.191	--
MW-328	05/04/2022	< 0.028	< 0.016	0.336	2.12	< 0.0572	< 0.02	7.53	< 0.05	< 0.0212	< 0.191	--
MW-328	11/02/2022	< 0.028	< 0.016	0.344	2.18	< 0.0572	< 0.02	8.47	< 0.05	< 0.0212	< 0.191	--
MW-328	05/19/2023	< 0.028	< 0.016	< 0.0276	1.74	< 0.0572	< 0.02	6.13	< 0.05	< 0.0212	< 0.191	--
MW-328	11/09/2023	< 0.028	< 0.016	0.195	0.669 J	< 0.0572	< 0.02	6.74	< 0.05	< 0.0212	< 0.191	--
MW-328	05/23/2024	< 0.028	< 0.016	0.152	0.661	< 0.0572	< 0.02	1.4	< 0.05	< 0.0212	< 0.191	--
MW-328	11/14/2024	< 0.028	< 0.016	0.223	0.459	< 0.0572	< 0.02	0.509	< 0.05	< 0.0212	< 0.191	--
MW-328	05/19/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-328	11/11/2025	< 0.102	< 0.135	< 0.164	0.0525 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-329; Hydrogeologic Zone: Deep; Screen Interval: -69 to -79 ft (NAVD88)												
MW-329	10/03/2019	< 0.199	< 0.153	9.25	28.8	< 0.152	< 0.188	0.206 J	0.435 J	< 0.158	< 0.316	--
MW-329	01/20/2020	< 0.199	< 0.153	11	26.2	< 0.152	< 0.188	0.279 J	< 0.412	< 0.158	< 0.316	--
MW-329	04/27/2020	< 0.3	< 0.19	17.5	23.6	< 0.149	< 0.188	0.704	0.434 J	< 0.137	< 0.174	--
MW-329	08/03/2020	< 0.028	< 0.016	14.7	32.2 J	< 0.0572	0.029 J	0.628	1.06	0.029 J	< 0.191	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-329	11/09/2020	< 0.028	< 0.016	21	23	< 0.0572	0.044 J	0.862	0.106 J	< 0.0212	< 0.191	--
MW-329	05/25/2021	< 0.0280	< 0.0160	15.2	23	< 0.0572	< 0.0200	0.601	< 0.0500	< 0.0212	< 0.191	--
MW-329	02/25/2022	< 0.028	< 0.016	10.1	21.8	< 0.0572	< 0.02	0.222	< 0.05	< 0.0212	< 0.191	--
MW-329	06/09/2022	< 0.028	< 0.016	10.4	22.5	< 0.0572	< 0.02	0.26	< 0.058	< 0.0212	< 0.191	--
MW-329	11/01/2022	< 0.028	< 0.016	8.51	23.6	< 0.0572	< 0.02	0.176	< 0.05	< 0.0212	< 0.191	--
MW-329	05/18/2023	< 0.028	< 0.016	8.79	24.5	< 0.0572	< 0.02	0.185	< 0.05	< 0.0212	< 0.191	--
MW-329	11/09/2023	< 0.028	< 0.016	8.39	20.7 J	< 0.0572	< 0.02	0.172	< 0.05	< 0.0212	< 0.191	--
MW-329	05/23/2024	< 0.028	< 0.016	7.8	23.4	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-329	11/14/2024	< 0.028	< 0.016	7.64	28.5	< 0.0572	< 0.02	0.148	< 0.05	< 0.0212	< 0.191	--
MW-329	05/19/2025	< 0.102	< 0.135	< 0.164	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-329	11/13/2025	< 0.102	< 0.135	< 0.164	0.186 J	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-336; Hydrogeologic Zone: Deep; Screen Interval: -51.6 to -61.6 ft (NAVD88)												
MW-336	05/05/2020	< 0.3	0.304 J	57.1	6.03	< 0.149	< 0.188	< 0.0941	0.318 J	< 0.137	< 0.174	--
MW-336	07/08/2020	0.6	6.08	61.1	7.71	0.127	0.139	0.049	1.21	< 0.0212	< 0.191	--
MW-336	11/02/2020	0.172	3.52	137	5.8	0.091 J	0.203	0.215	0.301	< 0.0212	< 0.191	--
MW-336	02/10/2021	< 0.028	1.86	107	8.18	0.189 J	< 0.02	0.066	0.328	0.055 J	0.225 J	--
MW-336	05/26/2021	0.12	3.12 J	150	10.7	< 0.0572	< 0.0200	0.128	< 0.0500	< 0.0212	< 0.191	--
MW-336	08/11/2021	0.057 J	2.68	168	20.7	0.229	0.23	0.249	< 0.05	< 0.0212	< 0.191	--
MW-336	11/17/2021	0.63 J	2.05	177	8.68	0.274	0.278	0.257	< 0.05	< 0.0212	< 0.191	--
MW-336	03/02/2022	< 0.028	0.359	223	9.98	0.33	0.39	0.277	< 0.05	< 0.0212	< 0.191	--
MW-336	05/31/2022	< 0.28	0.62	263	7.39	1.03 J	< 0.2	0.23 J	< 0.5	< 0.212	< 1.91	--
MW-336	08/10/2022	0.032 J	0.891	23.2	< 0.0273	0.129 J	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-336	11/03/2022	0.084 J	0.657	14.5	< 0.0273	0.127 J	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-336	05/19/2023	< 0.028	0.496	3.65	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-336	11/09/2023	< 0.028	0.468	0.198	< 0.0273 J	0.102 J	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-336	05/28/2024	< 0.028	0.398	2.91	< 0.0273	0.087 J	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-336	11/14/2024	< 0.028	0.394	0.767	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-336	05/16/2025	< 0.102	0.240 J	15.2	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-336	11/13/2025	< 0.102	0.289 J	3.87	< 0.0455	< 0.115	< 0.122	< 0.0540	< 0.129	< 0.125	< 0.433	--
MW-341; Hydrogeologic Zone: Deep; Screen Interval: -66.8 to -76.8 ft (NAVD88)												
MW-341	05/12/2020	< 0.3	< 0.19	41.4	10.4	< 0.149	< 0.188	16.2	< 0.278	< 0.137	< 0.174	--
MW-341	07/07/2020	< 0.028	0.05	32.9	9.86	< 0.0572	0.084 J	15.6	< 0.05	< 0.0212	< 0.191	--
MW-341	11/09/2020	0.074 J	0.102	25.1	5.99	< 0.0572	0.044 J	9.87	0.167 J	< 0.0212	< 0.191	--
MW-341	05/25/2021	< 0.0280	< 0.0160	2.43	26.7	< 0.0572	< 0.0200	17.6	< 0.105	< 0.0212	< 0.191	--
MW-341	11/10/2021	< 0.028	< 0.016	12.2	11.9	< 0.0572	0.033 J	14.3	< 0.05	< 0.0212	< 0.191	--
MW-341	05/04/2022	< 0.028	< 0.016	17	16.6	< 0.0572	0.04 J	21.3	< 0.05	< 0.0212	< 0.191	--
MW-341	11/02/2022	< 0.028	< 0.016	6.29	26.5	< 0.0572	< 0.02	25.7	< 0.05	< 0.0212	< 0.191	--
MW-341	05/18/2023	< 0.028	< 0.016	4.42	23.2	< 0.0572	< 0.02	19.7	< 0.05	< 0.0212	< 0.191	--
MW-341	11/09/2023	< 0.028	< 0.016	5.42	27.8 J	< 0.0572	< 0.02	20.4	< 0.05	< 0.0212	< 0.191	--
MW-341	05/23/2024	< 0.028	< 0.016	17.7	44.8	< 0.0572	0.051 J	19.8	< 0.05	< 0.0212	< 0.191	--
MW-341	11/14/2024	< 0.028	< 0.016	29.8	58	< 0.0572	0.057 J	18.5	< 0.05	< 0.0212	< 0.191	--
MW-341	05/19/2025	< 0.102	< 0.135	40.1	69.7	< 0.115	< 0.122	26.3	< 0.129	< 0.125	< 0.433	--
MW-341	11/11/2025	< 0.102	< 0.135	42.6	69.9	0.160 J	< 0.122	23.7	< 0.129	< 0.125	< 0.433	--
MW-342; Hydrogeologic Zone: Deep; Screen Interval: -32.4 to -42.4 ft (NAVD88)												
MW-342	05/04/2020	< 0.3	< 0.19	1.34	1.51	< 0.149	< 0.188	< 0.0941	0.366 J	< 0.137	< 0.174	--
MW-342	07/30/2020	< 0.028	< 0.016	5.56 J	3.12	< 0.0572 J	< 0.02 J	0.316	1.24	0.116	0.723	--
MW-342	11/17/2020	< 0.028	< 0.016	1.22	1.87	< 0.0572	< 0.02	0.113	< 0.05	< 0.0212	< 0.191	--
MW-342	06/04/2021	< 0.0280	< 0.0160	6.45	2.54	< 0.0572	< 0.0200	0.526	< 0.0500	< 0.0212	< 0.191	--
MW-342	11/09/2021	< 0.028	< 0.016	2.45	1.81	< 0.0572	< 0.02	0.198	0.25	0.059 J	0.412	--
MW-342	05/17/2022	< 0.028	< 0.016	5.13	10.2	< 0.0572	< 0.02	0.779	< 0.05	< 0.0212	< 0.191	--
MW-342	11/01/2022	< 0.028	< 0.016	4.6	8.88	0.093 J	< 0.02	0.98	< 0.05	< 0.0212	< 0.191	--
MW-342	05/09/2023	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	0.029 J	< 0.05	< 0.0212	< 0.191	--
MW-342	11/09/2023	< 0.028	< 0.016	7.68	5.16 J	0.07 J	< 0.02	1.02	< 0.05	< 0.0212	< 0.191	--
MW-342	05/24/2024	< 0.028	< 0.016	6.77	4.72	0.069 J	< 0.02	1.51	< 0.05	< 0.0212	< 0.191	--
MW-342	11/22/2024	< 0.028	< 0.016	11	6.21 J	0.079 J	< 0.02	1.8	< 0.05	< 0.0212	< 0.191	--

Table 2a. Groundwater Analytical Results - VOCs and Petroleum Hydrocarbons

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Volatile Organic Compounds (VOCs) by EPA Method 8260D										Gasoline Range Organics by NWTPH-Gx
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2-Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2-Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Groundwater Preliminary Cleanup Level (PCUL) ¹		5	4	16	0.29	100	7	5	640	700	1600	800
MTCA Method B Screening Level for Vapor Intrusion ²		25	1.4	180	0.33	77	130	2.4	15000	2800	320	
MW-342	05/16/2025	< 0.102	< 0.135	9.38	7.26	< 0.115	< 0.122	2.20	< 0.129	< 0.125	< 0.433	--
MW-342	11/14/2025	< 0.102	< 0.135	9.55	8.56	< 0.115	< 0.122	2.07	< 0.129	< 0.125	< 0.433	--
MW-343; Hydrogeologic Zone: Deep; Screen Interval: -71.5 to -81.5 ft (NAVD88)												
MW-343	05/04/2020	< 0.3	< 0.19	< 0.126	< 0.234	< 0.149	< 0.188	0.114 J	0.62	< 0.137	0.207 J	--
MW-343	07/30/2020	< 0.028	< 0.016	< 0.0276 J	< 0.0273	< 0.0572 J	< 0.02 J	0.0471	1.57	0.163	0.931	--
MW-343	11/24/2020	< 0.028	< 0.016	< 0.0276	< 0.0273	< 0.0572	< 0.02	< 0.016	< 0.05	< 0.0212	< 0.191	--
MW-343	06/04/2021	< 0.0280	< 0.0160	3.17	3.81	< 0.0572	< 0.0200	0.139	< 0.0500	< 0.0212	< 0.191	--
MW-343	11/09/2021	0.037 J	< 0.016	3	4.18	< 0.0572	< 0.02	0.123	0.272	0.056 J	0.421	--
MW-343	05/17/2022	< 0.028	< 0.016	2.93	3.5	< 0.0572	< 0.02	0.094	< 0.05	< 0.0212	< 0.191	--
MW-343	11/01/2022	< 0.028	< 0.016	2.9	4.58	< 0.0572	< 0.02	0.119	< 0.05	< 0.0212	< 0.191	--
MW-343	05/09/2023	< 0.028	< 0.016	0.214	< 0.0273	< 0.0572	< 0.02	0.051	0.328	0.068 J	0.491	--
MW-343	12/04/2023	< 0.028	< 0.016	2.88	5.06	< 0.0572	< 0.02	0.091	< 0.05	< 0.0212	< 0.191	--
MW-343	05/24/2024	< 0.028 J	< 0.016 J	2.56 J	4.2 J	< 0.0572 J	< 0.02 J	0.075 J	< 0.05 J	< 0.0212 J	< 0.191 J	--
MW-343	11/22/2024	< 0.028	< 0.016	2.52	6.48 J	< 0.0572	< 0.02	0.081	< 0.05	< 0.0212	< 0.191	--
MW-343	05/16/2025	< 0.102	< 0.135	2.93	5.75	< 0.115	< 0.122	0.0948 J	< 0.129	< 0.125	< 0.433	--
MW-343	11/14/2025	< 0.102	< 0.135	2.43	6.83	< 0.115	< 0.122	0.0740 J	< 0.129	< 0.125	< 0.433	--

Notes:

¹The Preliminary Cleanup Levels (PCULs) for groundwater are based on the Model Toxics Control Act (MTCA) Method B Potable Groundwater Cleanup Level (Target for Soil to Groundwater Pathway) in the most recently published version of the Cleanup Level and Risk Calculation (CLARC) tables (February 2025). For petroleum hydrocarbons, for which a Method B value has not been established, the PCUL is based on the MTCA Method A Cleanup Level for Groundwater (when benzene is present).

²The MTCA Method B Groundwater Screening Levels for Vapor Intrusion in the most recent version of CLARC (February 2025).

Analytical methods are relevant as of Q1 2020. Older analytical methods include previous revisions for VOCs (8260C).

Bold = the analyte was detected above the method detection limit

Blue Shaded = the detected result exceeds the applicable groundwater screening level

Underlined Text = for shallow wells, the detected result exceeds the MTCA Method B Groundwater Screening Level for Vapor Intrusion

< = analyte not detected above the method detection limit (MDL) shown

NAVD88 = North American Vertical Datum of 1988

J = result value or MDL estimated

E = value above quantitation range

-- = not tested

µg/L = micrograms per liter

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
Unit		mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
Shallow															
MW121; Hydrogeologic Zone: Shallow															
MW121	04/05/2018	--	--	--	--	--	--	--	6.64	2028	17.2	--	0.6	119.6	--
MW121	01/31/2019	--	--	--	--	--	--	--	6.87	2396	15.3	--	0.42	-3	--
MW121	04/29/2019	--	--	--	--	--	--	--	6.75	2521	18.1	--	0.3	9	--
MW121	07/19/2019	--	--	--	--	--	--	--	6.38	2017	18.8	--	0.46	-17	--
MW121	10/17/2019	--	--	--	--	--	--	--	6.17	2041	13.7	--	2.39	-119.4	--
MW121	11/30/2020	184	15.3	0.0164	< 0.000422	3.1	31000	11500	6.5	1838	15.9	--	0.39	-442	--
MW121	02/04/2021	327	11.6	0.0185	0.0416	0.121	2700	177	6.67	1912	15.6	4.2	1.73	48	--
MW121	05/12/2021	277	13.5	0.00854	< 0.000422	1.95	22000	8950	6.64	1808	17.5	6.7	0.39	124.6	--
MW121	08/02/2021	280	14.7	< 0.000296	< 0.000422	1.32	21400	9200	6.63	1853	21.6	10	0.25	123.8	--
MW121	02/22/2022	--	--	--	--	--	--	--	6.76	1895	9.1	--	0.68	-118.7	--
MW121	05/19/2022	298	7.16	0.00042 J	< 0.000422	0.0346	3790	6190	6.76	1875	13.9	--	0.32	28.6	--
MW121	08/04/2022	207	7.15	0.00183	< 0.000422	0.38	2170	7360	6.78	1628	18	--	0.6	78.8	--
MW121	10/31/2022	218	9.26	0.00304	< 0.000422	0.524	8600	7550	6.57	1454	15.7	--	0.46	5.4	0
MW121	05/16/2023	--	--	--	--	--	--	--	8.13	1811	16.7	--	0.17	-28.7	--
MW121	11/07/2023	70.9 J	5.92	0.00133	< 0.000422	0.205	257	3640	6.71	1051	15.6	--	1.3	-2.4	0.5
MW121	05/21/2024	--	--	--	--	--	--	--	6.64	1652	13	--	2.1	199.7	--
MW121	11/07/2024	35.4	6.96	0.0016	< 0.000422	0.572	4640	5330	6.53	1240	11.2	--	0.46	-22.2	2.2
MW121	05/07/2025	--	--	--	--	--	--	--	6.79	1167	15.7	5.4	0.16	-26.7	--
MW121	11/06/2025	6.02	R	< 0.00754	< 0.00610	0.259	191	3660	6.84	1082	15.9	2.9	0.30	83.1	1
MW125; Hydrogeologic Zone: Shallow															
MW125	04/06/2018	--	--	--	--	--	--	--	6.89	831	17.5	--	0.3	-68.3	--
MW125	01/21/2019	--	--	--	--	--	--	--	6.67	912	15.8	--	0.48	122	--
MW125	04/23/2019	--	--	--	--	--	--	--	6.74	987	16.3	--	0.65	65	--
MW125	07/18/2019	--	--	--	--	--	--	--	6.9	920	18.9	--	0.4	59	--
MW125	10/18/2019	17.1	15.3	< 0.000296	< 0.000422	0.997	11700	3670	6.49	923	13.6	--	1.49	-86	2
MW125	01/29/2020	32.3	8.28	0.00125 J	< 0.000422	2.53	17300	3550	7.1	1149	16.2	47.7	--	-115	2
MW125	11/17/2020	0.913 J	7.62	< 0.000296	< 0.000422	5.49	9910	3370	6.51	-732	16.5	21	0.39	-168	--
MW125	02/02/2021	< 0.594	9.09	< 0.000296	< 0.000422	4.33	9270	3360	6.65	805	13.6	24	0.71	51	--
MW125	05/11/2021	1.06 J	8.76	< 0.000296	< 0.000422	6.44	12700	3850	6.66	772	16.4	5.9	0.23	-184	--
MW125	08/02/2021	0.841 J	8.86	< 0.000296	< 0.000422	4.45	9020	2920	6.43	759	19.6	7.2	0.31	125.2	--
MW125	11/11/2021	< 6	8.71	< 0.000296	< 0.000422	4.92	9300	3320	6.69	711	14.1	--	0.49	48.1	5.75

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW125	03/08/2022	1.22 J	7.7	0.00125 J	< 0.000422	1.18	7810	3310	6.66	735	13.6	13	0.31	-531.7	--
MW125	05/19/2022	1.2 J	7.31	0.000516 J	< 0.000422	0.814	9440	3180	6.77	736	13.4	--	0.41	-24.4	--
MW125	08/09/2022	1.24 J	7.75	0.00156	< 0.000422	4.05 J	10200	3230	6.73	650	18.3	--	0.58	-92.7	--
MW125	10/31/2022	< 0.594	7.92	0.0017	< 0.000422	5.62	9340	3220	6.51	587	14.9	--	0.88	25	3
MW125	10/31/2023	--	--	--	--	--	--	--	6.71	621	15	--	0.22	6.1	4.3
MW125	11/05/2024	--	--	--	--	--	--	--	6.37	87	14.4	--	0.33	-174.1	--
MW125	11/07/2025	--	--	--	--	--	--	--	6.64	754	15.8	4.2	0.05	-106.5	7
MW-154; Hydrogeologic Zone: Shallow															
MW-154	04/30/2018	--	--	--	--	--	--	--	7.26	469	16.3	--	0.4	71.7	--
MW-154	01/21/2019	--	--	--	--	--	--	--	7.25	523	14.4	--	0.61	99	--
MW-154	04/24/2019	--	--	--	--	--	--	--	7.09	459	18.6	--	0.48	103	--
MW-154	07/15/2019	--	--	--	--	--	--	--	6.96	517	20	--	1.21	157	--
MW-154	10/14/2019	87.8	1.92	< 0.000296	< 0.000422	< 0.000287	173	129	6.49	515	17.5	7.6	0.53	161	0
MW-154	01/21/2020	88.8	3.7	< 0.000296	0.00503	0.128	< 62.4	147	6.81	965	11.1	15.1	1.61	-87	0
MW-154	04/30/2020	74.6	1.38	< 0.000296	< 0.000422	< 0.000287	1530	360	6.85	652	18.5	4	1.06	234	0
MW-154	07/10/2020	69.5	1.18	< 0.000296	< 0.000422	< 0.000287	89.7 J	81.7	6.49	708	20.5	5	0.78	25	0
MW-154	11/09/2020	75.8	1.24	< 0.000296	< 0.000422	< 0.000287	440	49.4	6.94	567	14.9	24.1	5.29	27	--
MW-154	02/08/2021	56.3	1.83	< 0.000296	< 0.000422	0.00916	407	29.6	7.28	507	15.3	10	8	40	--
MW-154	05/10/2021	49.6	1.56	< 0.000296	< 0.000422	< 0.000287	368	25.5	7.23	469	19	7.2	4.97	-92	--
MW-154	08/17/2021	62.6	2.6	< 0.00407	< 0.00426	< 0.00291	613	41.1	6.8	494	18.1	11.2	6.9	4.3	--
MW-154	11/10/2021	51.9	1.43	< 0.000296	< 0.000422	< 0.000287	584	28.5	7.08	487	15.8	--	0.59	149.5	0
MW-154	02/18/2022	44.7	1.67	< 0.000296	< 0.000422	< 0.000287	278	11.1	7.27	872	14.8	--	4.91	-297.7	--
MW-154	05/02/2022	44.7	1.85	< 0.000296	< 0.000422	< 0.000287	139	11.8	7.09	671	14.9	--	5.98	211	--
MW-154	08/02/2022	56.6	1.43	< 0.000296	< 0.000422	< 0.000287	336	31.9	7.16	584	18.5	--	4.97	-15	--
MW-154	11/03/2022	59.7	1.67	< 0.000296	< 0.000422	< 0.000287	189	30.1	7.61	620	15.7	--	1.77	211.3	0
MW-154	05/12/2023	--	--	--	--	--	--	--	7.04	583	16.5	--	0.14	-36	--
MW-154	11/10/2023	65.2	2.57	0.0143	< 0.000422	6.95	388	114	6.97	619	13.5	--	1.25	-18	0
MW-154	06/04/2024	--	--	--	--	--	--	--	6.59	640	15.1	--	0.35	-168.3	--
MW-154	11/07/2024	58	2.63	0.0139	< 0.000422	10.9	96.3 J	704	6.64	668	16.5	--	3.2	167.8	0
MW-154	05/12/2025	--	--	--	--	--	--	--	6.76	536	20	9.6	1.14	14.4	--
MW-154	11/12/2025	59.0	R	< 0.00754	< 0.00610	2.32	3820	1780	6.60	668	16.5	3.6	0.36	-105.8	3
MW-155; Hydrogeologic Zone: Shallow															
MW-155	04/27/2018	--	--	--	--	--	--	--	6.79	479	13.3	--	3.2	94.4	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-155	01/21/2019	--	--	--	--	--	--	--	6.52	500	12.3	--	2.43	119	--
MW-155	04/23/2019	--	--	--	--	--	--	--	6.51	663	14.7	--	1.8	41	0
MW-155	07/23/2019	--	--	--	--	--	--	--	6.26	765	14.4	--	2.06	66	--
MW-155	10/16/2019	94.3	3.66	0.0175	< 0.000422	0.0361	119	71.6	6.3	657	15.2	4.5	1.12	272	0
MW-155	01/20/2020	77.2	3.43	< 0.000296	< 0.000422	0.012	443	39.2	5.93	819	13.7	19.9	2	45	0
MW-155	05/05/2020	73.3	2.75	< 0.000296	< 0.000422	< 0.000287	700	37.5	7.31	678	17.9	9	2.24	131	--
MW-155	08/03/2020	86.5	2.43	< 0.000296	< 0.000422	0.0123	2990	821	6.73	686	20.1	70.1	2.45	114	0.5
MW-155	11/11/2020	84.4	1.78	< 0.000296	< 0.000422	0.106	441	67.3	6.56	669	14.7	89.7	2.67	-67	--
MW-155	08/13/2021	69.2	1.88	< 0.000296	< 0.000422	0.036	883	41.2	6.29	592	16.9	25.4	4.17	66.8	--
MW-155	11/30/2021	53.6	2.08	< 0.000296	< 0.000422	< 0.000287	193	15.6	6.28	563	12.5	--	4.67	206.5	0
MW-155	03/01/2022	128	2.1	< 0.000296	< 0.000422	0.0462	249	167	6.69	870	14.6	--	1.98	-208	--
MW-155	05/05/2022	84.8	1.79	< 0.000296	< 0.000422	0.0268	31.2 J	84.2 J	6.5	782	11.2	--	2.9	184.5	--
MW-155	08/03/2022	58	2.12	< 0.000296	< 0.000422	0.00222	133	15.6	6.6	774	18.7	--	2.37	-21.2	--
MW-155	11/04/2022	138	2.11	0.00166	< 0.000422	0.414	1540	491	7.18	995	14.8	--	0.28	180.9	0
MW-155	05/09/2023	--	--	--	--	--	--	--	7.01	600	16.9	--	8.2	14.9	--
MW-155	11/10/2023	146	2.21	0.0016	< 0.000422	0.17	970	413	7.15	848	13.6	--	1.63	55.7	0
MW-155	05/28/2024	--	--	--	--	--	--	--	6.62	496	13.8	--	0.78	177.3	--
MW-155	11/11/2024	155	2.73	< 0.000296	< 0.000422	0.241	651	385	6.8	898	14.2	--	1.24	-50	0
MW-155	05/09/2025	--	--	--	--	--	--	--	6.5	577	16.9	15.6	3.43	39.8	--
MW-155	11/07/2025	138	R	< 0.00754	< 0.00610	0.0934	497	344	6.86	744	15.5	2.2	0.09	12.2	0.5
MW-159; Hydrogeologic Zone: Shallow															
MW-159	04/26/2018	--	--	--	--	--	--	--	6.92	928	18.9	--	0.7	108.9	--
MW-159	01/21/2019	--	--	--	--	--	--	--	6.92	1125	14.1	--	0.59	126	--
MW-159	04/26/2019	--	--	--	--	--	--	--	6.83	1279	14.5	--	0.54	79	--
MW-159	07/21/2019	--	--	--	--	--	--	--	6.75	1109	19	--	1.34	62.1	--
MW-159	01/29/2020	32.9	4.17	0.0449	< 0.000422	6.41	3640	3470	6.79	1081	14.2	4.7	0.11	-76	2.5
MW-159	11/11/2020	12.6	2.9	0.0272	< 0.000422	2.9	7940	3270	6.78	588	12.4	4.1	0.6	-126	--
MW-159	02/08/2021	4.88 J	4.09	0.0709	< 0.000422	20.1	6770	2970	6.83	625	11.1	168	0.57	-437	--
MW-159	05/11/2021	2.9 J	5.22	0.0545	< 0.000422	10.5	17900	3600	6.91	625	14.4	356	0.14	-179	--
MW-159	08/05/2021	1.83 J	4.45	0.0415	< 0.00426	15.2	7870	2430	6.81	477	19.5	31.5	0.22	100.9	--
MW-159	11/30/2021	2.15	3.84	0.0353	< 0.000422	16.1	11800	2860	6.49	542	13.1	--	0.17	-105.4	4.5
MW-159	03/03/2022	< 1.91	4.26	0.00663	< 0.000422	4.03	10200	3500	6.66	606	13.5	25	0.15	-700	--
MW-159	05/11/2022	< 0.594	3.84	0.0214	< 0.000422	15	7830	3070	6.77	565	15.7	--	0.2	-104.1	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-159	08/03/2022	1.22 J	4.21	0.0121	< 0.000422	6.91	9740	3050	6.98	551	18.3	--	1.5	-74.7	--
MW-159	10/31/2022	< 0.594	5.26	0.0211	< 0.000422	12.8	6810	3700	6.58	511	15.1	--	0.42	-24.3	3.5
MW-159	05/16/2023	--	--	--	--	--	--	--	9.41	627	15.5	--	0.7	-59.6	--
MW-159	11/07/2023	--	--	--	--	--	--	--	6.82	690	14.6	--	0.38	-139.3	--
MW-159	05/21/2024	--	--	--	--	--	--	--	6.79	744	12	--	2.12	-100.1	--
MW-159	11/05/2024	--	--	--	--	--	--	--	6.7	894	14	--	0.14	73.6	2.6
MW-159	05/07/2025	--	--	--	--	--	--	--	6.79	686	15.1	2.1	0.22	-78.9	--
MW-159	11/05/2025	--	--	--	--	--	--	--	6.68	947	15.9	0	0.17	-100.9	6
MW-301; Hydrogeologic Zone: Shallow															
MW-301	11/30/2020	25.5	2.81	< 0.000296	< 0.000422	0.0104	413	15	6.33	459	16.2	20.5	2.2	-20	--
MW-301	02/04/2021	25.2	2.54	< 0.000296	< 0.000422	< 0.000287	796	35.9	6.26	442	10.8	44.9	0.99	-430	--
MW-301	05/14/2021	21.8	2.6	< 0.000296	< 0.000422	< 0.000287	4540	135	6.33	450	14.1	63.8	0.5	-7	0
MW-301	08/20/2021	23	2.3	< 0.000296	< 0.000422	< 0.000287	609	33.9	6.18	460	15.9	13.6	1.23	169.1	--
MW-301	11/30/2021	17	2.24	< 0.000296	< 0.000422	< 0.000287	56.6 J	32.5	6.17	426	11.3	--	0.77	147.9	0
MW-301	05/10/2022	21.3	2.67	< 0.000296	< 0.000422	< 0.000287	3520	236	5.69	496	13.6	--	0	93.7	0.2
MW-301	08/12/2022	23.5	2.64	< 0.000296	< 0.000422	0.0417	795	295	6.51	434	16	--	0.56	42.8	0.2
MW-301	10/31/2022	24.2	3.62	< 0.000296	< 0.000422	0.0629 J	777	216	7.15	601	13.2	--	0.47	175.5	0
MW-301	11/03/2023	--	--	--	--	--	--	--	6.66	572	15	--	1.92	79.7	--
MW-301	11/05/2024	--	--	--	--	--	--	--	6.12	692	15	--	0.47	-149.9	--
MW-301	11/19/2025	--	--	--	--	--	--	--	6.31	477	14.8	4	0.37	142.8	< 0
MW-305; Hydrogeologic Zone: Shallow															
MW-305	10/11/2019	--	--	--	--	--	--	--	6.34	18702	16.8	--	1.97	-10.9	0
MW-305	10/15/2019	28	3.34	< 0.000296	< 0.000422	< 0.000287	2580	197	6.34	18702	16.8	--	1.97	-10.9	0
MW-305	01/15/2020	28.6	10.8	< 0.000296	< 0.000422	< 0.000287	6460	98	6.83	560	6.8	--	3.64	60	0
MW-305	04/28/2020	23	0.921 J	< 0.000296	< 0.000422	< 0.000287	16000	221	6.5	480	16	93	4.75	89	0
MW-305	07/27/2020	21.2	< 0.793	< 0.000296	< 0.000422	< 0.000287	1180	62.3	6.76	306	18	184	3.59	214	0
MW-305	11/06/2020	--	--	--	--	--	--	--	6.54	339	15.3	329	1.87	-18	--
MW-305	05/18/2021	--	--	--	--	--	--	--	6.62	557	16.2	123	5.19	127.7	--
MW-305	11/28/2021	91.1	3.66	< 0.000296	< 0.000422	< 0.000287	217	3.92 J	6.46	500	16.7	--	6.88	68.6	0
MW-305	05/26/2022	--	--	--	--	--	--	--	6.75	443	16.6	--	3.29	7.4	--
MW-305	11/07/2025	--	--	--	--	--	--	--	6.69	426	16.3	4.5	6.88	62.3	1

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-310; Hydrogeologic Zone: Shallow															
MW-310	10/10/2019	88	8.93	< 0.000296	< 0.000422	0.558	11200	3010	6.97	1508	15.5	177	1	24	4
MW-310	01/14/2020	67.8	8.07	< 0.000296	< 0.000422	0.586	15400	3340	6.38	1969	10.7	4.2	0.18	-63	3
MW-310	04/08/2020	54.8	8.58	0.00077 J	< 0.000422	0.714	19500	3660	6.48	1503	16.9	--	0.21	-116	3.4
MW-310	08/04/2020	43.5	8.73	< 0.000296	< 0.000422	0.757	23300	5900	6.83	1489	19.4	20.7	0.27	108	3.6
MW-310	11/06/2020	--	--	--	--	--	--	--	6.54	1507	15.1	6.2	0.39	-145	--
MW-310	05/03/2021	--	--	--	--	--	--	--	6.8	1546	15.7	--	0.64	122.5	--
MW-310	11/03/2021	95.5	8.77	< 0.000296	< 0.000422	0.311	17100	2620	6.8	1460	14.3	--	0.51	176.2	3.5
MW-310	05/18/2022	--	--	--	--	--	--	--	6.84	1079	14.9	--	0.19	-104.9	--
MW-310	11/01/2022	45.9	5.88	< 0.000296	< 0.000422	0.538	14200	1370	6.34	1024	15	--	0.77	4.5	4
MW-310	11/07/2023	--	--	--	--	--	--	--	6.77	1095	14.8	--	1.27	-89	--
MW-310	11/12/2024	--	--	--	--	--	--	--	6.84	1349	15	--	0.2	-33.8	--
MW-310	11/10/2025	--	--	--	--	--	--	--	6.75	1360	16.8	2.1	0.18	-113.2	2
MW-312; Hydrogeologic Zone: Shallow															
MW-312	10/11/2019	5.71	14.7	< 0.000296	< 0.000422	0.768	5180	845	6.84	1670	16.4	59.6	0.49	-59	2.8
MW-312	01/21/2020	< 0.0774	10.8	< 0.000296	< 0.000422	0.832	5930	860	6.56	1621	14.8	2	0.4	-56	1.5
MW-312	04/22/2020	4.23 J	10.9	< 0.000296	< 0.000422	0.618	7430	1460	6.66	1703	12.6	24.7	0.64	43	3.4
MW-312	08/04/2020	11.9	11.7	< 0.000296	< 0.000422	0.556	8770	2120	6.99	1672	21.5	--	1.5	-64	--
MW-312	11/11/2020	--	--	--	--	--	--	--	6.31	267	12	100	0.7	-92	--
MW-312	05/03/2021	--	--	--	--	--	--	--	6.93	1684	14.9	9.1	0.99	121.4	--
MW-312	11/03/2021	1.89	3.76	< 0.000296	< 0.000422	0.208	3330	220	6.45	215	15.7	--	0.38	100.8	2.5
MW-312	05/09/2022	--	--	--	--	--	--	--	6.69	1453	16.2	--	0.12	-85.9	--
MW-312	11/01/2022	0.612 J	6.42	< 0.000296	< 0.000422	2.43	4740	516	6.58	1192	15.4	--	0.89	71.4	4
MW-312	11/07/2023	--	--	--	--	--	--	--	6.9	1347	14.8	--	1.21	-81.9	--
MW-312	11/08/2024	--	--	--	--	--	--	--	6.76	1409	15.8	--	0.33	-123	--
MW-312	11/10/2025	--	--	--	--	--	--	--	6.70	318	17.1	1.3	0.17	-99.1	3.5
MW-313; Hydrogeologic Zone: Shallow															
MW-313	10/10/2019	66.3	4.39	< 0.000296	< 0.000422	0.0762	2150	1590	7.06	718	17.3	66.4	0.77	131	0.5
MW-313	01/14/2020	13.3	3.17	< 0.000296	< 0.000422	0.75	4000	2370	6.83	979	8.1	--	0.42	76	3
MW-313	05/04/2021	--	--	--	--	--	--	--	6.66	798	14.7	114	1.08	-131	--
MW-313	11/09/2021	67.1	2.2	< 0.000296	< 0.000422	0.113	8400	1430	6.55	785	15	--	1.14	33.7	0.6
MW-313	05/18/2022	--	--	--	--	--	--	--	6.69	1130	15.5	--	0.64	53	--
MW-313	11/01/2022	164	1.75	< 0.000296	< 0.000422	0.934	1870	2290	7.01	1507	15.3	--	0.21	260.5	0

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-313	05/15/2023	--	--	--	--	--	--	--	6.81	1274	23.8	--	0.83	9.2	--
MW-313	11/07/2023	--	--	--	--	--	--	--	7.09	90	15.7	--	2.1	-59.6	0.2
MW-313	05/22/2024	--	--	--	--	--	--	--	6.77	1099	16.4	--	2.33	22.5	--
MW-313	11/12/2024	--	--	--	--	--	--	--	6.7	1160	13.8	--	0.69	-60.8	--
MW-313	05/08/2025	--	--	--	--	--	--	--	6.81	819	15.4	19	0.34	49	--
MW-313	11/06/2025	--	--	--	--	--	--	--	6.92	651	16	2.8	0.28	127.4	0.5
MW-332; Hydrogeologic Zone: Shallow															
MW-332	05/04/2020	105	2.17	< 0.000296	< 0.000422	0.757	3290	2880	6.99	880	18.2	3	0.5	-50	2.5
MW-332	07/30/2020	140	2.88	< 0.000296	< 0.000422	0.843	3270	2180	6.9	831	26.8	27	0.56	14	0.5
MW-332	11/12/2020	--	--	--	--	--	--	--	6.82	616	12.3	36.8	0.57	13	--
MW-332	05/20/2021	--	--	--	--	--	--	--	6.84	706	14.6	5.3	3.77	-77.2	--
MW-332	11/08/2021	60.6	1.68	< 0.000296	< 0.000422	< 0.000287	27600	2850	6.91	723	16.3	--	1.31	118	0
MW-332	05/31/2022	--	--	--	--	--	--	--	6.8	893	16.2	--	0.68	17.7	--
MW-332	11/04/2022	38.9	1.22	< 0.000296	< 0.000422	0.0401	1080	866	6.65	1364	15.1	--	0.83	-25.5	0.25
MW-332	11/08/2023	--	--	--	--	--	--	--	7.05	680	15.7	--	1.2	-33.8	--
MW-332	11/07/2024	--	--	--	--	--	--	--	6.82	835	15.6	--	0.36	-74.8	--
MW-332	11/12/2025	--	--	--	--	--	--	--	6.77	611	15.8	7.1	0.15	12.7	0.5
MW-9; Hydrogeologic Zone: Shallow															
MW-9	04/05/2018	--	--	--	--	--	--	--	6.73	1299	13.4	--	0.8	127.7	--
MW-9	01/21/2019	--	--	--	--	--	--	--	6.63	1179	12.5	--	0.71	143	--
MW-9	04/26/2019	--	--	--	--	--	--	--	6.68	632	16.6	--	0.5	62	--
MW-9	07/16/2019	--	--	--	--	--	--	--	6.7	1060	17.4	--	0.22	-118	--
MW-9	10/17/2019	< 0.0774	4.42	0.00851	< 0.000422	1.77	21600	3760	6.27	1190	14.4	--	0.52	-104	2
MW-9	11/24/2020	0.879 J	4.94	0.00394	< 0.000422	0.786	20800	2350	6.5	1120	13.9	95.4	0.38	-291	--
MW-9	02/04/2021	1.79 J	3.67	< 0.00407	< 0.00426	0.644	23600	1510	6.39	617	14.2	8	0.4	42	--
MW-9	05/12/2021	< 0.594	4.32	0.00368	< 0.000422	0.9	21600	2030	6.7	1174	14.8	2.3	0.29	-159.3	--
MW-9	08/02/2021	< 0.594	5.06	< 0.000296	< 0.000422	0.799	19900	1820	6.54	1150	20.4	3.8	0.29	127.6	--
MW-9	11/11/2021	< 6	4.06	< 0.000296	< 0.000422	0.652	19000	1770	6.61	1006	14.8	--	0.43	175.1	5.8
MW-9	02/15/2022	19.9	4.13	< 0.000296	< 0.000422	0.0371	5090	4970	6.61	1046	12.4	--	0.47	-247.2	--
MW-9	06/08/2022	25.3	4.06	0.00215	< 0.000422	0.329	8450	2370	6.64	1071	17.6	--	0.26	-13.3	--
MW-9	08/09/2022	26.6	4.72	0.00174	< 0.000422	0.255	15600	3020	6.75	1008	19.1	--	0.55	-43.9	--
MW-9	10/31/2022	9.08	4.25	0.00167	< 0.000422	0.187	12800	2810	6.63	923	16.3	--	0.1	74.4	0.5
MW-9	05/12/2023	--	--	--	--	--	--	--	6.75	1084	-17.8	--	0.53	-101.2	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-9	11/06/2023	56	4.5	0.00153	< 0.000422	0.128	17600	3740	6.68	1247	15.4	--	1.15	-30.6	4
MW-9	05/21/2024	--	--	--	--	--	--	--	6.54	1149	13.3	--	2.03	-60.2	--
MW-9	05/08/2025	--	--	--	--	--	--	--	6.52	824	14.9	85.3	0.5	31.5	--
MW-9	11/06/2025	106	R	< 0.00754	< 0.00610	0.127	15400	1940	6.33	645	16.5	18	0.10	14.3	6.5
R-MW5; Hydrogeologic Zone: Shallow															
R-MW5	04/11/2018	--	--	--	--	--	--	--	--	504	15.5	--	0.5	213.2	--
R-MW5	01/03/2019	--	--	--	--	--	--	--	5.96	533	14.7	--	0.81	71	--
R-MW5	04/22/2019	--	--	--	--	--	--	--	6.14	410	15.9	--	0.54	100	--
R-MW5	07/16/2019	--	--	--	--	--	--	--	6.06	378	18.8	--	0.26	52	--
R-MW5	10/21/2019	18.6	4.44	< 0.000296	< 0.000422	0.194	3000	1200	6.33	346	16.6	66.7	0.7	156	1
R-MW5	01/24/2020	18.5	2.74	< 0.000296	< 0.000422	0.197	10200	999	5.97	440	12.3	9.6	0.33	25	2.5
R-MW5	11/18/2020	8.27	2.37	< 0.000296	< 0.000422	0.182	6640	1260	7.25	339	16.8	90	0.32	-388	--
R-MW5	02/11/2021	9.48	4.92 J	< 0.000296	< 0.000422	0.138	2350	371	6.21	247	12.5	17.8	0.59	-397	--
R-MW5	05/17/2021	7.99	1.45	< 0.000296	< 0.000422	0.595	2790	346	5.88	250	14.2	--	0.19	109.8	--
R-MW5	08/03/2021	8.33	2.79	< 0.000296	< 0.000422	3.2	1660	948	6.08	275	18.9	7.1	0.85	9.1	--
R-MW5	11/08/2021	8.09	1.76	< 0.000296	< 0.000422	2.91	1340	305	6.45	188	14.8	--	0	22	1
R-MW5	02/24/2022	8.42	1.6	< 0.000296	< 0.000422	1.21	2910 J	437	6.04	252	10.3	--	0.91	-48.2	--
R-MW5	05/17/2022	9.57	6.8	0.00123 J	< 0.000422	0.682	6280 J	3160 J	6.2	415	14.2	--	0.18	63	--
R-MW5	08/09/2022	13.8	6.8	0.00126 J	< 0.000422	0.381	8250	6020	6.34	481	16.1	--	1.8	-5.6	--
R-MW5	11/08/2022	15	5.88	< 0.000296	< 0.000422	0.332	7530	4060	6.47	303	15.9	--	1.23	83.4	2.5
R-MW5	10/31/2023	8.94	4.81	< 0.000296	< 0.000422	0.183	10700	1860	6.75	371	16.5	--	4.31	-48.2	1.5
R-MW5	11/13/2024	6.76	1.69	< 0.000296	< 0.000422	0.907	2390	326	6.22	222	16.3	--	0.39	196.7	0.5
R-MW5	11/05/2025	5.08	R	< 0.00754	< 0.00610	0.169	256	350	6.19	169	16.7	2.7	0.25	37.4	< 0
R-MW6; Hydrogeologic Zone: Shallow															
R-MW6	04/06/2018	--	--	--	--	--	--	--	6.72	1137	16.8	--	0.7	113.1	--
R-MW6	01/25/2019	--	--	0.0254	0.00827	7.64	--	--	6.75	1055	14.9	--	0.33	-101	--
R-MW6	04/25/2019	--	--	--	--	--	--	--	6.77	1295	17.5	--	0.4	18	--
R-MW6	12/01/2020	160	17.3	0.00485	< 0.000422	0.502	6870	2400	6.35	765	12.9	15.2	0.71	-42	--
R-MW6	02/03/2021	207	2.21	< 0.000296	< 0.000422	0.881	1080	386	6.57	936	11.2	8	0.2	49	--
R-MW6	05/17/2021	333	8.97	0.00674	< 0.000422	12.8	17000	9430	5.72	1187	15.1	--	1.3	117.9	--
R-MW6	08/03/2021	318	15.2	< 0.000296	< 0.000422	12.4	15500	11200	6.08	1406	19.9	4.2	1.14	78.2	--
R-MW6	11/29/2021	185	2.77	< 0.000296	< 0.000422	6.18	3790	4750	7.13	1074	15.1	--	0.08	-111.7	3.2
R-MW6	02/23/2022	69.6	7.85	0.00337	< 0.000422	12.7	11700	6350	6.11	1225	9.7	--	0.69	-99.5	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
R-MW6	05/11/2022	219	8.84	0.00265	< 0.000422	3.19	25800	10100 J	6.32	2045	14	--	0.2	-60.8	--
R-MW6	08/03/2022	60.6	10.2	0.00554	< 0.000422	10.2	27900	9070	6.35	1341	18.7	--	11.8	-92.9	--
R-MW6	11/04/2022	194	10.9	0.00885	< 0.000422	7.87	22600	8090	6.09	1429	16	--	0.91	109.9	2
R-MW6	05/16/2023	--	--	--	--	--	--	--	6.75	1480	16.5	--	0.15	-54	--
R-MW6	11/03/2023	22.9	5.77 J	0.0177	< 0.000422	14.4	15700	4710	6.71	1239	17.3	--	0.3	12.4	3
R-MW6	05/22/2024	--	--	--	--	--	--	--	6.54	982	13.3	--	0.25	38.5	--
R-MW6	11/08/2024	< 0.637	9.12	0.00604	< 0.000422	6.55	46200	10800	6.41	1299	18.6	--	0.3	-119.8	4.8
R-MW6	05/07/2025	--	--	--	--	--	--	--	6.7	843	14.6	3.2	0.16	-88.7	--
R-MW6	11/06/2025	< 0.571	R	0.0136	< 0.00610	6.08	46600	8200	6.37	1390	15.3	4.8	0.24	-86.2	4
SCL-MW101; Hydrogeologic Zone: Shallow															
SCL-MW101	04/06/2018	--	--	--	--	--	--	--	6.61	654	14.3	--	0.3	65.6	--
SCL-MW101	10/09/2019	--	--	--	--	--	--	--	6.1	1468	16.4	--	0.48	-78	--
SCL-MW101	01/17/2020	--	--	--	--	--	--	--	6.46	1378	12.3	1.4	0.46	-59	--
SCL-MW101	04/07/2020	--	--	--	--	--	--	--	6.2	866	15.6	--	0.3	-79	--
SCL-MW101	11/24/2020	--	--	--	--	--	--	--	6.43	813	14.8	126	0.64	-112	--
SCL-MW101	05/04/2021	--	--	--	--	--	--	--	6.49	1126	18.1	--	1.09	123.6	--
SCL-MW101	11/11/2021	162 J	6.53	< 0.000296	< 0.000422	0.138	19900	1370	6.57	1129	16.1	--	0.45	39.7	2.75
SCL-MW101	05/19/2022	--	--	--	--	--	--	--	6.6	1458	15.6	--	0.29	92.1	--
SCL-MW101	11/03/2022	194	7.48	< 0.000296	< 0.000422	0.0335	9560	1050	6.58	1338	16.4	--	3.31	-16.6	1.8
SCL-MW101	11/07/2023	--	--	--	--	--	--	--	6.59	1183	16.6	--	0.44	-108.5	--
SCL-MW101	11/11/2024	--	--	--	--	--	--	--	6.62	1178	16.2	--	0.2	6.7	5
SCL-MW101	11/10/2025	--	--	--	--	--	--	--	6.57	1152	17.3	8.9	0.18	-90.6	4.5
Intermediate A															
BB-8; Hydrogeologic Zone: Intermediate A															
BB-8	04/11/2018	39.8	3.24	< 0.000296	< 0.000422	< 0.000287	145	94	6.96	512	14.5	--	0.7	84.9	0
BB-8	01/23/2019	93.3	3.43	0.000735 J	< 0.00127	0.111	95.4 J	82 J	6.8	700	12.9	--	0.76	154	0
BB-8	04/23/2019	44.4	2.71 J	< 0.000296	< 0.000422	< 0.000287	315	63.7	6.94	649	14.2	--	1.28	34	0
BB-8	07/17/2019	59	4.36	< 0.000296	< 0.000422	0.0622	691	97.9	6.5	640	15.9	--	0.5	-6	0
BB-8	10/22/2019	67.3	5.09	< 0.000296	< 0.000422	0.0748 J	678	376	6.37	551	16.1	13.6	0.32	221	0
BB-8	01/20/2020	76.4	4.7	< 0.000296	< 0.000422	0.0467	89.3 J	15.6	6.7	796	14.8	0.9	1.1	45	0
BB-8	05/12/2020	87.3	3.09	< 0.000296	< 0.000422	< 0.000287	533	86.5	6.69	622	15.5	3	1.14	280	0
BB-8	07/27/2020	91.7	3.38	< 0.000296	< 0.000422	0.0108 J	685	297	6.51	638	17.4	57.3	0.4	103	0.5
BB-8	11/17/2020	123	2.47	< 0.000296	< 0.000422	0.0555	4910	971	6.67	590	14.5	89.2	0.56	41	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
BB-8	02/11/2021	40.9	1.8	< 0.000296	< 0.000422	< 0.000287	769	171	6.94	456	9.4	14	3.78	47	--
BB-8	06/07/2021	41.2	1.99	< 0.000296	< 0.000422	< 0.000287	1210	164	6.76	465	19.6	14.6	3.14	-76.9	--
BB-8	08/17/2021	44	2.22	< 0.00407	< 0.00426	< 0.00291	130	33.2	6.61	502	17.7	--	1.54	139.1	--
BB-8	11/08/2021	52.7	2.27	< 0.000296	< 0.000422	< 0.000287	277	116	6.92	493	15.9	4.3	2.51	93	0
BB-8	02/24/2022	35.5	1.61	< 0.000296	< 0.000422	< 0.000287	93.3 J	51.8	6.86	645	12.5	--	2.56	-209.4	--
BB-8	05/17/2022	42.3	1.85	< 0.000296	< 0.000422	< 0.000287	< 28.1	11.8	6.83	657	16.3	--	2.5	-27.4	--
BB-8	08/09/2022	40.2	2.28	< 0.000296	< 0.000422	< 0.000287	45.6 J	27.4	6.83	550	18.8	--	1.1	-5.7	--
BB-8	11/09/2022	78.7	2.37	< 0.000296	< 0.000422	0.297	228	76.3	2.48	631	14	--	2.25	-15.3	0
BB-8	05/09/2023	--	--	--	--	--	--	--	6.87	518	15.8	--	0.52	-23.9	--
BB-8	10/31/2023	67.8	2.94	0.00193	< 0.000422	22.8	1200	6710	6.91	580	16.4	--	2.35	23.5	0.5
BB-8	05/22/2024	--	--	--	--	--	--	--	6.98	744	15.1	--	0.29	-153.3	--
BB-8	11/13/2024	127	2.89	< 0.000296	< 0.000422	25.8	10500	4850	7.01	923	15.6	--	0.3	-159.6	4.5
BB-8	05/08/2025	--	--	--	--	--	--	--	7.02	558	16.4	6	0.04	-55.9	--
BB-8	11/05/2025	189	R	< 0.00754	< 0.00610	12.0	--	--	7.08	944	18.8	6.5	0.15	-107.5	2
FMW-142; Hydrogeologic Zone: Intermediate A															
FMW-142	10/31/2019	18.2	6.5	0.00507	< 0.000422	8.04	3360	307	6.22	556	12.8	10.3	0.38	-57	0.5
FMW-142	01/22/2020	3.63 J	6.01	0.00367	< 0.000422	6.98	5860	299	7.22	1113	8.7	0.9	0.44	-48	2.2
FMW-142	04/28/2020	7.04	5.73	< 0.000296	< 0.000422	9.28	5550	273	6.83	725	16.5	11	0.41	69	5
FMW-142	07/08/2020	5.36	5.8	< 0.000296	< 0.000422	8.54	5630	305	6.96	738	17.2	16.7	0.6	-25	4.4
FMW-142	11/04/2020	--	--	--	--	--	--	--	6.8	685	16.9	46.7	0.34	-109	--
FMW-142	05/25/2021	--	--	--	--	--	--	--	6.84	725	15.1	--	0.27	-181.9	--
FMW-142	03/02/2022	--	--	--	--	--	--	--	6.86	830	14.8	--	0.26	-435.6	--
FMW-142	06/05/2022	--	--	--	--	--	--	--	6.84	778	15.3	--	0.39	-83.6	--
FMW-142	11/04/2022	9.82	4.21	0.00131	< 0.000422	3.27	3480	907	6.76	742	15.8	--	0.84	-160.5	--
FMW-142	11/08/2023	--	--	--	--	--	--	--	6.94	420	15.2	--	0.55	-114.5	--
FMW-142	11/15/2024	--	--	--	--	--	--	--	6.74	130	13.8	--	2.48	-51.2	--
FMW-142	11/12/2025	--	--	--	--	--	--	--	6.86	428	16.4	3.8	0.33	-105.3	2.5
GEI-MW-1; Hydrogeologic Zone: Intermediate A															
GEI-MW-1	01/23/2020	11.7	4.87	0.00311	< 0.000422	0.773	4960	2230	6.95	1127	14.8	17.4	0.41	-24	3.2
GEI-MW-1	04/29/2020	29.8	5	< 0.000296	< 0.000422	0.757	5090	2750	6.9	850	19	5	0.37	-87	4
GEI-MW-1	08/07/2020	17.1	4.83	< 0.000296	< 0.000422	2.35	4710	2640	6.86	802	21.9	18	1.12	--	3.5
GEI-MW-1	11/10/2020	--	--	--	--	--	--	--	6.83	609	14	1.4	0.3	-130	--
GEI-MW-1	05/13/2021	--	--	--	--	--	--	--	6.77	746	17	--	0.21	128	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
GEI-MW-1	03/07/2022	--	--	--	--	--	--	--	6.88	647	15	8	0.13	-664.1	--
GEI-MW-1	05/27/2022	--	--	--	--	--	--	--	6.86	688	15.5	--	0.37	-115.8	--
GEI-MW-1	11/04/2022	57.9	4.38	0.00241	< 0.000422	0.428	4410	2530	6.9	748	16.4	--	0.21	-9.2	3.8
GEI-MW-1	05/16/2023	--	--	--	--	--	--	--	6.82	741	18.6	--	0.21	-86.8	--
GEI-MW-1	11/08/2023	--	--	--	--	--	--	--	8.27	751	16.7	--	0.2	-23	--
GEI-MW-1	05/23/2024	--	--	--	--	--	--	--	6.71	682	15.8	--	0.19	-25.4	--
GEI-MW-1	11/15/2024	--	--	--	--	--	--	--	6.78	1027	15.4	--	0.29	-131.4	--
GEI-MW-1	05/12/2025	--	--	--	--	--	--	--	6.86	681	16.7	6.4	0.19	-56.8	--
GEI-MW-1	11/11/2025	--	--	--	--	--	--	--	6.91	393	17.4	6.6	0.16	-97.3	6.5
MW107; Hydrogeologic Zone: Intermediate A															
MW107	04/09/2018	3.54 J	26.3	0.0442	0.0381	6.7	4840	1210	6.73	1193	18.4	--	0.3	48.9	4
MW107	01/30/2019	37.1	14.5	0.0892	0.0703	14.5	2350	947	6.99	1299	11	--	0.74	127	--
MW107	05/01/2019	51.8	14.2	0.122	0.0932	18	2670	1080	6.85	1216	16.9	--	0.33	24	2
MW107	07/22/2019	30.3	18.9	0.133	0.0815	16.4	3080	1040	6.64	1187	21.5	85.3	2.72	-9	1.4
MW107	10/15/2019	68.7	11.3	0.0341	0.0296	12.9	4600	1170	6.93	1263	19.9	9.2	0.38	-66	3.4
MW107	01/28/2020	102	10.3	0.0684	0.117	1.22	9660	998	7.31	1663	16.8	10.4	--	-97	4.5
MW107	04/03/2020	114	10.8	0.0505	0.0319	9.04	7490	879	6.79	1468	15	27.1	2.56	-77	3
MW107	07/31/2020	67.9	5.12	0.0533	0.156	14.2	3450 J	324	6.93	762	19.4	27.1	0.64	52	1.2
MW107	12/01/2020	< 0.594	56.2	0.106	0.0127	19.4	7050	976	6.79	1183	13.5	9	0.89	-36	--
MW107	02/02/2021	0.916 J	8.71	< 0.000296	< 0.000422	2.48	5010	666	6.73	903	12.7	9	0.72	46	--
MW107	06/02/2021	< 0.594	10.7	0.0629	< 0.000422	12.5	9620	1570	6.44	1701	16.4	--	0.22	-6.1	--
MW107	08/16/2021	< 0.594	11.4	0.0953	< 0.00426	14.4	9250	1650	6.56	--	18.4	--	0.35	-87.6	--
MW107	11/29/2021	0.326	9.93	0.141	< 0.000422	15.7	8190	1500	6.31	1318	15	--	0.17	-60.5	1.4
MW107	02/23/2022	1.76 J	8.64	0.138	0.000434 J	20.1	8820	1340	6.6	1205	11.4	--	0.82	-79.5	--
MW107	05/11/2022	< 0.594	8.71	0.0998	< 0.000422	13.2	9360	1400	6.7	1316	16	--	0.15	-52.7	--
MW107	08/03/2022	< 0.594	9.53	0.111	< 0.000422	12.9	9830	1490	6.76	1319	21.8	--	5.4	-87.2	--
MW107	10/31/2022	< 0.594	11.4	0.314	< 0.000422	27.5	589	171	6.68	1370	15.8	--	5.95	-12.8	6.75
MW107	02/23/2023	--	--	--	--	--	--	--	6.52	1144	10.3	--	0.88	-44.2	--
MW107	05/15/2023	< 0.594	16.8	0.143	< 0.00426	11 J	10800	2070	6.75	1624	23.1	--	0.53	-86.8	--
MW107	08/16/2023	--	--	--	--	--	--	--	6.84	1611	19.6	--	0.6	-87	--
MW107	11/03/2023	0.911 J	9.17	0.311	0.0159	23.3	10900	1510	6.69	1249	17.1	--	0.73	-105.7	3
MW107	02/26/2024	--	--	--	--	--	--	--	6.86	933	10.8	--	0.48	-154.9	--
MW107	05/22/2024	2.79 J	6.83	0.0765	< 0.000422	17.5	4500	967	6.89	695	13.7	--	0.41	142.2	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW107	09/05/2024	--	--	--	--	--	--	--	6.82	873	19.9	--	1.46	-2.7	--
MW107	11/08/2024	< 0.637	6.81	0.216	< 0.000422	21	6670	819	6.72	852	17.2	--	0.28	-114.9	5
MW107	02/26/2025	--	--	--	--	--	--	--	6.96	608	17.4	7.6	0.26	-49.2	--
MW107	05/12/2025	0.410 J	5.48	0.138	< 0.00610	5.17	6170	675	6.86	458	14.8	121	0.25	60.9	--
MW107	08/20/2025	--	--	--	--	--	--	--	6.78	619	18.1	1.3	0.30	-84.5	--
MW107	11/11/2025	< 10.0	R	0.161	< 0.00610	5.99	5610	751	6.86	298	16.7	14.2	0.15	-82.2	4.5
MW108; Hydrogeologic Zone: Intermediate A															
MW108	04/06/2018	--	--	--	--	--	--	--	6.69	1026	14.6	--	0.6	136.4	--
MW108	01/22/2019	--	--	--	--	--	--	--	6.77	1053	11.9	--	0.8	132	--
MW108	04/29/2019	--	--	--	--	--	--	--	6.61	1296	14.4	--	0.42	-18	--
MW108	07/15/2019	--	--	--	--	--	--	--	6.55	1217	17.7	--	0.78	-49	--
MW108	10/10/2019	43.7	5.83	0.0707	0.00624	3.65	13500	1760	6.81	1178	15.1	14.3	1.49	3	3.3
MW108	01/14/2020	33.1	5.41	0.0741	0.0216	4.46	15900	1860	6.87	1568	12.2	2	0.09	-84	4.5
MW108	04/22/2020	2.06 J	10.8	0.0273	< 0.000422	10.5	16700	1940	6.69	1347	14.9	31.2	2.21	-96	6.6
MW108	07/16/2020	50.2	8.02	0.0501	< 0.000422	8.66	15200	1970	6.91	1296	16.5	16.6	2.32	-148	7
MW108	11/04/2020	16.6	5.71	0.119	0.0501	8.66	18300	2620	6.57	1222	16.8	27.6	0.45	-114	--
MW108	02/09/2021	25.8	5.75	0.0647	0.0213	3.51	15000	2090	6.53	1225	12.9	11	0.89	-451	--
MW108	05/03/2021	39.6	6.08	0.0777	0.0178	3.64	13900	1750	6.74	1192	15.9	--	0.38	129.2	--
MW108	08/04/2021	34.5	6.38	0.0651	0.0176	3.97	13200	1810	6.58	--	20.2	4.7	0.32	110.6	--
MW108	11/04/2021	29.1	4.33	0.0352	0.01	2.15	10700	1350	6.81	796	15.8	--	0.85	176.4	4.5
MW108	02/15/2022	33.5	4.9	0.0242	0.00671	1.99	12900	1510	6.73	1144	12.8	--	0.41	-195	--
MW108	05/18/2022	26.1	4.57	0.0197	0.00498	1.97	14600	1470	6.72	1087	15.3	--	0.44	-77.9	--
MW108	08/10/2022	31.1	4.54	0.035	0.00627	3.59	13100	1560	6.69	860	17.1	--	0.98	-83	--
MW108	11/01/2022	35	4.22	0.0342	0.00787	3.35	12100	1560	6.32	835	15	--	0.68	6.6	0
MW108	05/12/2023	--	--	--	--	--	--	--	6.67	1038	20	--	0.59	-63.6	--
MW108	11/07/2023	6.93	3.85	0.0237	0.00988	3.8	11000	1430	6.81	853	15.7	--	1.19	-79.1	4
MW108	05/21/2024	--	--	--	--	--	--	--	6.61	793	10.7	--	0.27	7.8	--
MW108	11/12/2024	16.9	7.74	0.0471	0.0165 J	6.32	12500	1500	6.86	1062	15.9	--	0.2	-20	7
MW108	05/12/2025	21.5	4.50	0.0427	0.00791 J	3.69	13100	1580	6.79	735	16.7	1.8	0.06	-90.1	--
MW108	08/20/2025	20.9	4.39	0.0528	0.0126	3.62 J	11900	1420	6.77	892	17.8	2.5	0.20	-89.4	--
MW108	11/18/2025	16.6	R	0.0332	0.00751 J	3.08	14400	1540	6.60	606	15.2	5.8	0.13	-103.6	5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
Unit		mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW109; Hydrogeologic Zone: Intermediate A															
MW109	04/06/2018	--	--	--	--	--	--	--	6.71	1112	14.3	--	0.5	135.5	--
MW109	01/23/2019	--	--	--	--	--	--	--	6.97	1203	15.7	--	0.59	143	--
MW109	04/29/2019	--	--	--	--	--	--	--	6.52	1128	14.2	--	0.45	40	--
MW109	07/15/2019	--	--	--	--	--	--	--	6.57	1214	17.5	--	0.44	-29	--
MW109	10/15/2019	9.12	10.4	0.0256	0.00699	4.95	14400	4100	6.4	1167	15.2	16.2	0.46	-95	2.5
MW109	01/21/2020	< 1.51	2.73	< 0.000296	< 0.000422	0.886	544	767	6.48	206	14.2	4.1	4.5	60	0
MW109	04/22/2020	3.41 J	10.3	0.0212	< 0.000422	3.8	12200	3750	6.35	1110	14.4	8.7	0.3	107	3
MW109	07/06/2020	3.74 J	8.41	0.0221	< 0.000422	3.79	12600	3810	6.11	1037	19.1	35.5	0.31	25	6
MW109	11/02/2020	8.89	8.69	0.0315	< 0.00426	2.62	14600	3940	6.61	1199	17	22.8	1.29	-48	--
MW109	02/09/2021	0.696 J	6.65	0.0164	< 0.000422	4.22	9950	3140	6.6	946	13.3	16.4	0.7	-444	--
MW109	05/03/2021	1.7 J	5.44	0.0138	< 0.000422	3.1	9480	2900	6.74	854	14.6	12.3	0.54	127	--
MW109	08/04/2021	2.3 J	6.28	< 0.00407	< 0.00426	0.884	2060	523	6.35	150	19.4	8.2	0.25	80.8	--
MW109	11/03/2021	3.06	5.24	0.0103	< 0.000422	1.77	9870	3360	6.73	777	15.7	--	0.85	124	5.5
MW109	02/15/2022	2.04 J	5.72	0.00743	< 0.000422	2.26	9570	2840	6.74	861	14.9	--	2.02	132.9	--
MW109	05/09/2022	1.89 J	5.87	0.0153	0.00122 J	4.02	10500	2920	6.2	901	16.7	--	0	-83.9	--
MW109	08/10/2022	1.32 J	1.19	< 0.000296	< 0.000422	< 0.000287	181	13.1	6.66	65	17.5	--	1.5	160.3	--
MW109	11/01/2022	5.22	4.29	0.00863	< 0.000422	2.19	12300	3180	6.41	759	15.6	--	0.78	29.9	4.5
MW109	05/15/2023	--	--	--	--	--	--	--	6.65	879	22.4	--	0.34	-65.1	--
MW109	11/07/2023	2.26 J	4.5	0.0038	< 0.000422	1.75	8080	2840	6.77	787	14.9	--	1.41	-72.4	2.5
MW109	05/21/2024	--	--	--	--	--	--	--	6.62	624	15.4	--	0.27	-20.5	--
MW109	11/08/2024	< 0.637	4.68	0.00517	< 0.000422	3.19	9970	3010	6.62	885	15.8	--	0.28	-121.6	4
MW109	05/12/2025	--	--	--	--	--	--	--	6.72	592	17.2	1	0.09	-77	--
MW109	11/17/2025	< 0.362	R	< 0.00754	< 0.00610	2.14	7780 J	2800	6.76	390	15.6	14.8	0.23	-89.5	6
MW110; Hydrogeologic Zone: Intermediate A															
MW110	04/09/2018	--	--	--	--	--	--	--	6.22	895	16.1	--	0.7	431.4	--
MW110	01/23/2019	--	--	--	--	--	--	--	6.74	1020	14.5	--	0.41	103	--
MW110	04/26/2019	--	--	--	--	--	--	--	6.67	998	16.7	--	0.49	135	--
MW110	07/15/2019	--	--	--	--	--	--	--	6.68	965	16.2	--	0.45	160	--
MW110	10/15/2019	73.2	7.05	< 0.000296	< 0.000422	5.02	1290	3430	6.34	976	15.8	--	0.45	-19	--
MW110	01/16/2020	36.2	3.01	0.00258	< 0.000422	2.59	320	2890	6.59	988	14.7	15.5	0.04	17	--
MW110	04/22/2020	88.9	5.81	< 0.000296	< 0.000422	2.66	2550	3290	6.8	1005	13.8	30.9	1.02	10	0
MW110	07/16/2020	98.7	4.64	0.00768	< 0.000422	3	2680	3160	7.03	1046	18.5	28	0.41	1	0

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW110	11/04/2020	106	3.59	< 0.000296	< 0.000422	2.04	1530	1930	7.08	1028	16.6	63.8	0.36	-59	--
MW110	02/09/2021	79.6	3.08	< 0.000296	< 0.000422	1.66	1170	2790	6.66	863	13.4	107	0.83	-497	--
MW110	05/04/2021	76.4	3.03	0.00545	< 0.000422	2.63	5540	2810	6.71	824	18.4	116	0.48	-79.8	--
MW110	08/12/2021	72.6	3	0.00753	< 0.000422	2.43	2010	2540	6.6	789	25.7	132	0.39	127	--
MW110	11/09/2021	89.1	2.98	0.0161	< 0.000422	3.08	5590	2230	6.91	947	13.4	--	0.62	31.8	0.2
MW110	02/25/2022	80.3	2.79	0.00597	< 0.000422	4.62	1260 J	3090	6.75	788	14.2	--	0.52	-156.9	--
MW110	05/18/2022	74.3	2.53	0.00588	< 0.000422	6.54	2340	2850	6.74	757	16.1	--	0.41	48	--
MW110	08/11/2022	70.9	2.42	0.00585	< 0.000422	8.59	210	2770	6.85	600	16.5	--	2.46	71.8	--
MW110	11/01/2022	75	2.48	0.00824	< 0.000422	6.95	161	2830	7.52	873	14.7	--	0.24	198.9	0
MW110	05/15/2023	--	--	--	--	--	--	--	6.86	713	16.6	--	0.33	13.4	--
MW110	11/07/2023	89.2	3.11	0.0088	< 0.000422	5.6	1560	3400	7.13	71	15.4	--	0.68	-61.6	0.3
MW110	05/22/2024	--	--	--	--	--	--	--	6.74	895	15.9	--	1.98	18	--
MW110	11/12/2024	99.9	11.7	0.00733	< 0.000422	2.38	412	4590	6.68	1041	14.1	--	0.38	-94.9	0.5
MW110	02/26/2025	112	3.46	< 0.00754	< 0.00610	3.13	330	4320	6.71	899	15.3	3.9	0.13	96.3	--
MW110	05/13/2025	118	3.53	< 0.00754	< 0.00610	2.89	316	5170	6.85	962	15.5	7.5	0.24	60.5	--
MW110	08/19/2025	98.7	3.57	0.0111	< 0.00610	0.482 J	1100	6670	6.83	1022	19.1	28.2	0.44	-54.5	--
MW110	11/07/2025	96.6	R	0.0136	< 0.00610	0.328	495	7510	6.75	1174	15.5	7.3	0.33	-14	0.5
MW115; Hydrogeologic Zone: Intermediate A															
MW115	04/11/2018	--	--	--	--	--	--	--	6.91	860	13.1	--	0.4	88.6	--
MW115	01/30/2019	--	--	--	--	--	--	--	7.03	912	12.7	--	0.57	116	--
MW115	07/17/2019	--	--	--	--	--	--	--	6.68	935	16.4	--	0.37	34	--
MW115	10/22/2019	23.6	5.51	0.00404	0.00417	1.5	4530	930	6.64	699	15.3	0.1	0.51	-140	2
MW115	01/20/2020	15.6	5.72	0.00274	< 0.000422	1.08	4660	957	6.88	737	15.5	9.7	0.2	-35	2
MW115	05/05/2020	209	6.84	< 0.000296	< 0.000422	1.76	11500	1460	6.57	1266	17.6	93.5	1.21	-102	2
MW115	07/28/2020	141	8.58	< 0.000296	< 0.000422	0.665	12100	1530	6.85	983	20.2	152	0.72	-58	4.5
MW115	11/12/2020	170	7.33	0.0039	< 0.000422	0.641	7990	1560	6.84	579	14.5	87.4	0.36	-121	--
MW115	02/12/2021	68.2	6.73	< 0.000296	< 0.000422	1.57	13500	1230	6.89	727	9.6	--	0.39	-16	--
MW115	05/25/2021	82.9	6.34	< 0.000296	< 0.000422	1.58	7210	1080	6.88	679	18.1	--	0.22	-171.4	--
MW115	08/11/2021	162	8.75	< 0.000296	< 0.000422	0.743	7600	1770	6.74	1107	22.8	--	0.15	127.5	--
MW115	11/18/2021	79.8 J	8.28	< 0.000296	< 0.000422	1.06	5290	1060	6.94	608	14.5	--	0	62.1	3.5
MW115	02/15/2022	139	5.81	0.00147	< 0.000422	0.308	5680	1340	7	859	14.6	--	0.15	-105	--
MW115	06/03/2022	67.2	5.78	< 0.00407	< 0.00426	0.477	4150	1140	6.78	759	17.6	--	0.31	-76.4	--
MW115	08/10/2022	36.2	6.03	0.00331	< 0.000422	0.668	4670	938	7.06	520	17.5	--	0.72	-98.6	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW115	11/03/2022	21.6	4.51	0.00606 J	< 0.000422	0.523 J	4050	1030	6.01	518	13.8	--	0.54	69.4	2
MW115	05/18/2023	--	--	--	--	--	--	--	6.76	727	20.7	--	0.18	-58.8	--
MW115	11/08/2023	--	--	--	--	--	--	--	6.91	787	15.6	--	0.48	-96.4	--
MW115	05/24/2024	--	--	--	--	--	--	--	7.25	651	15.4	--	0.72	20	--
MW115	11/07/2024	--	--	--	--	--	--	--	6.81	803	16	--	0.23	-74.6	--
MW115	05/14/2025	--	--	--	--	--	--	--	6.87	826	17.3	50.9	0.16	-25.3	--
MW115	11/12/2025	--	--	--	--	--	--	--	6.81	600	16.6	8.5	0.09	-77.9	5
MW116; Hydrogeologic Zone: Intermediate A															
MW116	04/11/2018	--	--	--	--	--	--	--	7.11	830	13.3	--	0.4	74.8	--
MW116	01/30/2019	--	--	--	--	--	--	--	7.09	771	15.5	--	0.65	-122	2
MW116	07/17/2019	--	--	--	--	--	--	--	6.89	822	16.6	--	0.42	40	--
MW116	10/22/2019	< 0.0774	5.95	--	--	--	3720	723	6.86	640	15.9	2	0.22	158	1.3
MW116	10/31/2019	--	--	< 0.000296	< 0.000422	7.65	--	--	--	--	--	--	--	--	--
MW116	01/21/2020	< 0.0774	6.34	< 0.000296	< 0.000422	5.54	3900	744	6.98	697	13.6	--	0.6	-28	1
MW116	04/29/2020	< 0.594	6.53	< 0.000296	< 0.000422	6.14	6830	811	--	701	17.3	246	0.21	245	3.8
MW116	07/28/2020	< 0.594	5.95	< 0.000296	< 0.000422	8.9	17700	911	7.05	607	25.6	416	0.75	-92	2.5
MW116	11/12/2020	1.94 J	5.9	< 0.000296	< 0.000422	10.1	5950	790	6.92	680	15.1	346	0.2	-221	--
MW116	02/11/2021	9.16	5.64	< 0.000296	< 0.000422	8.41	5720	767	7.03	652	9.7	49	0.34	49	--
MW116	05/25/2021	8.91	5.14	< 0.000296	< 0.000422	6.55	4160	775	7.03	678	16.6	--	0.2	-197.1	--
MW116	08/11/2021	10.3	5.85	< 0.000296	< 0.000422	4.54	4840	736	7.01	670	0.3	--	25.4	107	--
MW116	11/18/2021	8.4	5.87	< 0.000296	< 0.000422	4.14	4030	757	7.01	631	15.1	--	0	61.2	2.75
MW116	03/07/2022	8.98	5.68	< 0.000296	< 0.000422	0.994	3750	745	7.02	645	13.7	--	0.16	-649.3	--
MW116	06/08/2022	9.61	5.48	0.000746 J	< 0.000422	4.28	4590	815	7	665	19.5	--	0.3	-116	--
MW116	08/10/2022	9.72	5.75	0.00046 J	< 0.000422	3.19	3440	686	7.18	494	19	--	0.63	-106.3	--
MW116	11/04/2022	8.71	5.21	< 0.000296	< 0.000422	3.21	3110	777	6.24	541	15.4	--	1.08	146	2
MW116	05/18/2023	--	--	--	--	--	--	--	6.93	679	22.4	--	0.25	-68.8	--
MW116	11/08/2023	--	--	--	--	--	--	--	7.11	660	16.3	--	1.28	-92.5	--
MW116	05/23/2024	--	--	--	--	--	--	--	7.03	547	18.5	--	0.27	-36.4	--
MW116	11/06/2024	--	--	--	--	--	--	--	7	742	16.5	--	0.28	-124.3	--
MW116	05/14/2025	--	--	--	--	--	--	--	7.06	692	16.9	5.2	0.11	-39.8	--
MW116	11/12/2025	--	--	--	--	--	--	--	6.91	414	15.9	7.2	0.16	-77.9	2

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW119; Hydrogeologic Zone: Intermediate A															
MW119	04/05/2018	--	--	--	--	--	--	--	6.3	517	13.1	--	0.6	119.1	--
MW119	01/21/2019	--	--	--	--	--	--	--	6.76	67	12.6	--	6.76	114	--
MW119	04/29/2019	--	--	--	--	--	--	--	6.33	652	15.1	--	0.42	-3	--
MW119	07/19/2019	--	--	--	--	--	--	--	6.34	26	16.7	--	0.61	1	--
MW119	10/10/2019	26.4	4.98	< 0.000296	< 0.000422	0.289	10700	2630	6.66	582	14.8	--	0.44	-10	3
MW119	01/14/2020	26.8	4.58	< 0.000296	< 0.000422	0.396	9200	2280	6.33	533	12.7	--	0.38	-308	--
MW119	04/27/2020	5.67	7.19	< 0.000296	< 0.000422	0.48	12300	3200	6.34	606	14.1	1.4	0.13	-31	3.5
MW119	07/08/2020	32.5	5.94	< 0.000296	< 0.000422	4.48	11200	2540	6.41	535	15.5	41	0.27	-19.3	5.5
MW119	11/11/2020	26.7	6.43	< 0.000296	< 0.000422	6.17	11100	2510	6.44	542	14	81.7	0.24	-177	--
MW119	02/10/2021	2.46 J	7.56	< 0.000296	< 0.000422	3.96	14400	3270	6.43	468	13	30.4	0.65	-25	--
MW119	05/20/2021	3.83 J	5.67	< 0.000296	< 0.000422	7.96	13900	3140	6.33	529	15.1	45.6	0.32	-102.2	--
MW119	08/13/2021	4.78 J	6.01	< 0.000296	< 0.000422	4.36	14500	3140	6.2	541	17.7	44.6	0.24	-70.9	--
MW119	11/30/2021	7.26	6.65	< 0.000296	< 0.000422	8.83	12700	2730	6.32	366	12.5	--	0.4	-97	1.75
MW119	03/02/2022	13.6	6.04	< 0.000296	< 0.000422	1.91	12300	2900	--	--	--	--	--	--	--
MW119	05/05/2022	7.73	6.19	< 0.000296	< 0.000422	7.82	14700	3620	6.43	651	12	--	0.64	-75.2	--
MW119	08/11/2022	10.7	5.75	< 0.000296	< 0.000422	6.4	13000	2980	6.53	424	16.4	--	1.14	-64.1	--
MW119	11/02/2022	108	1.22	0.00209	< 0.000422	0.166	3210	1070	7.11	316	14.2	--	0.46	188.9	1.5
MW119	05/09/2023	--	--	--	--	--	--	--	6.38	638	14.7	--	0.1	42.1	--
MW119	11/08/2023	--	--	--	--	--	--	--	6.44	688	15	--	0.39	-93.2	--
MW119	05/24/2024	--	--	--	--	--	--	--	6.37	496	14	--	0.21	-12.7	--
MW119	11/08/2024	--	--	--	--	--	--	--	6.43	633	15.5	--	0.23	1	4
MW119	05/14/2025	--	--	--	--	--	--	--	6.42	591	15	5.3	0.08	-23.9	--
MW119	11/14/2025	--	--	--	--	--	--	--	6.29	517	12.9	12.7	0.23	-31.6	2.5
MW120; Hydrogeologic Zone: Intermediate A															
MW120	04/09/2018	66.9	1.08	< 0.000296	< 0.000422	< 0.000287	1400	194	6.96	423	15.1	--	0.4	36.5	0
MW120	01/24/2019	73.6	1.78	0.00271	< 0.000422	0.235	3680	387	6.66	649	14	--	0.73	110	--
MW120	05/03/2019	66.2	1.66 J	< 0.000296	< 0.000422	0.157 J	2310 J	384	6.46	533	14.6	--	0.36	253	--
MW120	07/16/2019	67.1	1.7	< 0.000296	< 0.000422	0.0724	2850	391	6.31	632	17.7	--	0.66	120	0
MW120	10/17/2019	119	3.64	< 0.000296	< 0.000422	0.0864 J	937	637	6.08	742	15	--	0.51	-67	0
MW120	01/17/2020	125	3.05	0.00253	< 0.000422	0.104	1590	707	6.47	1028	13.3	12.6	0.15	-8	0.5
MW120	04/23/2020	110	3.18	< 0.000296	< 0.000422	0.0348	2240	621	6.4	742	15.4	15.7	4.21	103	1.2
MW120	07/14/2020	106	2.3	< 0.000296	< 0.000422	0.277	4400	731	6.34	785	19	47.8	1.44	-36	0

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW120	11/30/2020	121	1.7	< 0.000296	< 0.000422	0.0875	5450	611	6.55	723	15.3	95	0.92	-24	--
MW120	02/04/2021	127	2	< 0.00407	< 0.00426	0.107	5570	537	6.54	714	12.9	39	0.57	44	--
MW120	05/12/2021	128	1.79	< 0.000296	< 0.000422	0.0908	6730	492	6.56	682	17.6	52.9	0.29	-112	--
MW120	08/03/2021	127	1.97	< 0.000296	< 0.000422	0.107	2730	469	6.47	671	18.6	27.3	0.42	111.1	--
MW120	11/11/2021	112	1.22	< 0.000296	< 0.000422	0.177	3760	454	6.45	625	15.5	--	0.49	170.8	0.2
MW120	02/15/2022	112	2.06	0.00109 J	< 0.000422	0.122	1870	426	6.62	614	13.5	--	0.44	-220.8	--
MW120	05/11/2022	98.4	1.26	0.00131	< 0.000422	0.112	1750	385	6.62	598	17.9	--	0.41	47.6	--
MW120	08/04/2022	90.7	1.66	0.00106 J	< 0.000422	0.111	2010	397	6.7	521	19	--	0.68	27.1	--
MW120	10/31/2022	79.6	1.58	0.00135	< 0.000422	0.117	5000	407	6.86	473	15.9	--	0.83	14.5	0
MW120	05/12/2023	--	--	--	--	--	--	--	6.66	449	21.6	--	0.47	-26.9	--
MW120	11/06/2023	53.8	1.35	0.000758 J	< 0.000422	0.0174	952	344	6.7	479	15.8	--	1.19	20.9	0.5
MW120	05/21/2024	--	--	--	--	--	--	--	6.62	457	14.8	--	2.18	16.7	--
MW120	11/07/2024	2.83 J	1.17	< 0.000296	< 0.000422	< 0.000287	< 22.6	20.4	6.17	54	15.6	--	0.48	83.3	0
MW120	05/12/2025	1.20	1.02	< 0.00754	< 0.00610	0.0288	72.4	4.54 J	6.04	36	16	2.9	4.73	15.9	--
MW120	11/06/2025	0.970 J	R	< 0.00754	< 0.00610	< 0.00762	692	18.8	6.11	20	15.4	30.7	8.30	113.5	< 0
MW127; Hydrogeologic Zone: Intermediate A															
MW127	08/01/2019	--	--	--	--	--	--	--	6.95	440	17.2	--	0.34	164	--
MW127	10/17/2019	71.6	1.9	< 0.000296	< 0.000422	< 0.000287	920	161	6.3	471	15	--	0.35	-83	0
MW127	01/17/2020	74.5	2.03	< 0.000296	< 0.000422	0.069	4060	184	6.82	602	12.9	80.2	0.13	35	0
MW127	04/23/2020	67.1	1.04	< 0.000296	< 0.000422	< 0.000287	7260	203	6.74	476	15	99.9	3.95	88	0
MW127	07/14/2020	62.6	0.972 J	< 0.000296	< 0.000422	< 0.000287	7520	217	6.91	484	17.7	151	0.45	-76	0
MW127	11/13/2020	--	--	--	--	--	--	--	6.67	496	15.5	847	0.27	-118	--
MW127	05/11/2021	--	--	--	--	--	--	--	6.83	474	19	40.5	0.32	-148	--
MW127	11/17/2021	50.5	1.25	< 0.000296	< 0.000422	< 0.000287	59.9 J	147	6.87	431	14.4	--	0	64.7	0
MW127	05/20/2022	--	--	--	--	--	--	--	6.87	450	13.6	--	0.61	50.8	--
MW127	10/31/2022	53	1.18	< 0.000296	< 0.000422	0.00797	91 J	158	6.57	379	15.7	--	0.33	-6.8	0
MW127	05/16/2023	--	--	--	--	--	--	--	6.88	450	19.4	--	0.25	-82.5	--
MW127	11/06/2023	--	--	--	--	--	--	--	7.16	455	15.2	--	1.49	-9.8	--
MW127	05/21/2024	--	--	--	--	--	--	--	6.84	563	13.7	--	2.54	35.9	--
MW127	11/12/2024	--	--	--	--	--	--	--	6.79	513	15.8	--	0.28	-118.9	--
MW127	05/09/2025	--	--	--	--	--	--	--	6.83	414	16.4	107	0.25	145.2	--
MW127	11/06/2025	--	--	--	--	--	--	--	6.58	554	15.7	8	0.62	155.1	< 0

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-142; Hydrogeologic Zone: Intermediate A															
MW-142	04/27/2018	0.426 J	33.7	0.0446	< 0.000422	7.98	3160	2580	6.96	1349	18.9	--	0.5	133	1.5
MW-142	01/28/2019	< 0.0774	27.7	0.0177	< 0.000422	3.53	2870	2370	6.94	1528	11.7	7.9	0.75	152	2
MW-142	04/24/2019	27.3	31.7	0.0192	< 0.000422	3.56	3500	1990	7	1541	15.6	--	0.7	121	1.2
MW-142	07/25/2019	48.8	27.9	0.0278	< 0.000422	3.07	5890	3630	6.7	1665	20.4	--	1.09	13	2.1
MW-142	10/16/2019	15.9	4.76	0.0478	< 0.000422	0.766	5400	3440	6.36	1456	15.7	--	0.85	-35	2
MW-142	01/22/2020	19	18.5	0.0313	< 0.000422	0.493	5300	3420	6.72	2032	16.9	37.3	0.11	-99	2.5
MW-142	04/24/2020	22.6	16.1	0.0271	< 0.000422	0.471	5800	3520	6.74	1789	18.8	106	1.2	-119	3
MW-142	07/30/2020	28.4	18.5	0.0298	< 0.000422	0.278	4830	3040	6.83	1505	20.5	18	1.06	-20	3.5
MW-142	11/24/2020	45.8	18.6	0.0355	< 0.000422 J	0.871	7100	3500	6.61	1490	17.1	283	0.21	-301	--
MW-142	02/08/2021	16.7	45.7	0.0313	< 0.000422	2.5	3900	3630	6.8	1467	14.6	6	0.49	38	--
MW-142	05/19/2021	11.1	20	0.0275	0.0046	9.01	7450	3900	6.78	1527	14.2	20.1	0.3	-131.8	--
MW-142	08/05/2021	37.3	18.9	0.0285	< 0.00426	5.07	8290	3860	6.79	1569	19.7	8.7	0.49	100.9	--
MW-142	11/30/2021	62.5	16.7	0.0301	< 0.000422	9.53	8290	4390	6.67	1685	15.7	--	0.22	-156.4	4
MW-142	02/18/2022	62.2	15.7	0.0115	0.00159	3.79	9320	4390	6.7	1712	13.2	--	0.68	-108.3	--
MW-142	05/26/2022	24.6	15.8	0.0197	0.00153	8.71	9620	4770	6.82	1771	15.2	--	0.42	-106.9	--
MW-142	08/03/2022	11.1	11	0.0176	0.00181	10.6	7720	3790	6.81	421	19.4	--	0.59	-20.7	--
MW-142	10/31/2022	15.5	16	0.0373	0.0131	9.63	9360	5100	6.78	1511	16.3	--	1.24	6.5	4.5
MW-142	05/16/2023	< 59.4 J	14.1 J	0.0108 J	0.00225 J	5.57 J	9490	5420	7.06	1891	17	--	0.05	-74.3	--
MW-142	11/06/2023	14.4	16.7	0.0244	0.00438	7.97	10700	5640	6.91	1723	14.5	--	1.44	-92.1	3.5
MW-142	05/21/2024	1.31 J	0.828 J	< 0.000296	< 0.000422	0.0407	1650	145	6.76	136	12.7	--	4.97	215.6	--
MW-142	11/06/2024	< 2.29	1.49	0.00112 J	< 0.000422	0.158	623	177	6.51	279	14.3	--	0.27	-68.2	0.4
MW-142	05/09/2025	2.18	10.6	0.0110	< 0.00610	8.07	10300	5140	6.79	1136	16	5	0.18	100	--
MW-142	11/05/2025	6.02	R	0.0242	0.00935 J	3.74	--	--	6.61	1222	15.8	0	0.25	-103.5	6
MW-144R; Hydrogeologic Zone: Intermediate A															
MW-144R	12/16/2019	11.3	46.5	0.0165	0.305	8.64	2040	1930	7.81	1250	16	--	0.34	-130.6	2
MW-144R	01/21/2020	< 0.0774	47.7	0.00961	0.276	5.56	5060	1990	7.22	1723	11	13.3	0.46	-136	3.5
MW-144R	04/02/2020	< 0.37	24	0.0281	0.466	13.9	6490	1510	7.37	1334	13.2	81.6	0.4	-32	3
MW-144R	08/03/2020	< 0.594	4.62	0.367	0.102	18.5	4540	1150	7.41	1340	18.8	75.6	0.39	-152	2.4
MW-144R	11/23/2020	< 0.594	3.82	0.414	0.0338	20.4	5740	1070	7.41	1159	14.2	153	0.65	-178	0
MW-144R	02/02/2021	1.18 J	3.47	0.408	< 0.000422	1.22	2510	1030	7.45	1383	9.6	5	0.34	46	--
MW-144R	05/12/2021	1.63 J	3.92	0.389	< 0.000422	11.8	1680	1150	7.36	1406	17.8	5	0.55	-202	--
MW-144R	08/03/2021	< 0.594	4.55	0.349	< 0.000422	10.8	2760	1130	7.35	1482	20.6	4.5	0.31	117.9	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-144R	11/29/2021	< 0.1	4.88	0.422	< 0.000422	12.7	5390	1470	7.62	1064	18.1	--	0	-178.2	3.4
MW-144R	02/23/2022	2.04 J	4.63	0.131	< 0.000422	7.8	1170	1210	7.47	1514	9.3	--	0.78	-119.1	--
MW-144R	05/11/2022	1.13 J	4.08	0.0455	< 0.000422	3.59	1750	1140	7.46	1558	16.6	--	0.18	-91.1	--
MW-144R	08/23/2022	1.23 J	4.18	0.121	0.00801	20.1	2300	1250	--	--	--	--	--	--	--
MW-144R	11/02/2022	1.01 J	4.09	0.0504	0.00245	27.9	2810	1420	--	1592	13.1	--	0.85	-136.2	0.8
MW-144R	05/15/2023	0.869 J	5.83	0.0558	< 0.00426	12	3430	1460	7.36	1697	16.8	--	0.07	-58.8	--
MW-144R	11/08/2023	13.2 J	5.3	0.111	0.00707	10.9 J	6600	1580	7.35	1654	14.6	--	1.63	-130.9	5.8 J
MW-144R	05/22/2024	4.42 J	5.37	0.0745	0.00278	11.2	3670	1560	7.24	1687	13.9	--	2.09	-87.5	--
MW-144R	11/07/2024	< 0.637	5.18	0.0928	< 0.000422	21.7	4800	1810	7.07	1403	14	--	0.43	-133.4	3.2
MW-144R	05/13/2025	< 0.286	5.06	0.119	< 0.00610	5.90	4940	1790	7.26	1743	15.8	1.7	0.58	-88.7	--
MW-144R	11/05/2025	< 0.286	R	0.136	< 0.00610	5.30	4690	1780	7.35	1626	15.4	0	0.23	-134.1	5.5
MW-146; Hydrogeologic Zone: Intermediate A															
MW-146	04/30/2018	22.3	4.47	0.0119	0.489	9.24	26500	1260	7.27	694	17	--	0.4	94.5	1.25
MW-146	01/22/2019	32.1	3.43	0.00184	0.107	2.46	1760	560	7.56	621	12.1	--	0.48	122	2
MW-146	04/24/2019	23.3	4.95 J	0.004	0.347	5.09	2870	770	7.2	564	16.5	--	0.76	11	2.5
MW-146	07/19/2019	23.9	3.78	< 0.000296	0.463	6.49	2870	800	6.76	713	16.6	--	2.6	70	1.9
MW-146	10/14/2019	20.6	3.63	< 0.000296	0.394	6.19	2910	898	6.68	648	16.9	22.6	0.49	98	2
MW-146	01/24/2020	15.5	3.31	0.00309	0.728	0.888 J	3720	1170	6.85	1019	14.7	2.8	0.04	-94	4
MW-146	04/30/2020	13.7	3.55	< 0.000296	0.511	5.02	2910	1100	7.18	827	15.8	5.2	0.23	-90	2.5
MW-146	07/09/2020	16.6	2.92	< 0.000296	0.463	5.99	3080	1140	7.3	805	18.6	5	0.26	-11	3
MW-146	11/10/2020	31.1	2.18	0.00267	0.315	7.34	2590	1070	7.12	665	16.1	3.2	0.3	-143	--
MW-146	02/08/2021	31.5	2.17	< 0.000296	0.239	3.33	2970	952	7.14	676	15.2	--	5.93	44	--
MW-146	05/04/2021	5.87	19	< 0.000296	1.06	16.1	6290	1110	7.12	710	17.5	53.9	0.19	-265.4	--
MW-146	08/17/2021	3.18 J	11.4	0.334	1.81	8.26	7620	1230	6.85	696	17.1	11.2	0.23	-72.6	--
MW-146	11/10/2021	3.06	6.6	0.998	0.93	16.9	6800	1360	7.07	844	16	--	0.43	150.3	3.5
MW-146	02/18/2022	13.4	3.57	0.149	0.18	4.87	6150	1330	7.11	973	14.3	--	0.27	-475.5	--
MW-146	05/03/2022	15	3.92	0.302	0.25	11.7	5150	1410	6.96	937	14.5	--	0.9	-122.9	--
MW-146	08/03/2022	12.2	3.62 J	0.374	0.252	10.5	5350	1430	7.1	775	16.6	--	5.7	-53	--
MW-146	11/03/2022	7.54	4.03	0.437	0.333	14.2	4650	1570	6.78	1076	15.1	--	0.33	245.1	3.5
MW-146	05/12/2023	12.7	6.15	0.366	0.241	21.3	6390	1710	6.94	1178	17.3	--	0.48	-48.7	--
MW-146	11/10/2023	7.9	5.35	0.34	0.194	17.9	10100	1560	6.98	1090	14.7	--	1.29	-79.3	2.5
MW-146	05/31/2024	15.6	5.78	0.116	0.0859	10.2	7540	1670	6.62	1308	17.6	--	0.35	-192	--
MW-146	11/07/2024	6.4	4.52 J	0.307	0.22	23.4	7140	1580	6.82	1161	12.7	--	0.35	-17.6	3.4

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-146	05/12/2025	13.7	5.11	0.161	0.0548	7.48	6910	1630	6.94	825	17.6	55.2	0.2	-80.2	--
MW-146	11/12/2025	9.61	R	0.172	0.0533	5.58	8360	1560	6.69	864	16	7.1	0.20	-89.8	3
MW-156; Hydrogeologic Zone: Intermediate A															
MW-156	04/26/2018	25	10.7	0.0284	0.0238	2.25	10200	1130	6.72	996	18.3	--	0.6	116.4	0
MW-156	01/24/2019	67.6	34.3	0.0448	< 0.000422	2.47	3420	6590	6.7	1263	16.1	78.1	0.54	131	0
MW-156	04/24/2019	145	57.3	0.0312	< 0.000422	1.72	3810	9010	6.73	1481	16.8	--	0.57	103	0.4
MW-156	07/22/2019	181	42	0.05	< 0.000422	2.34	19900	8680	7.55	1452	20.6	--	0.13	-63	0.3
MW-156	10/17/2019	83.3	19.3	0.179	< 0.000422	2.49	3440	3830	6.62	1756	17.4	9.5	0.29	-22	1.4
MW-156	01/20/2020	75.8	21.3	0.189	< 0.000422	2.44	3200	3130	6.6	1739	16.7	75.4	1.02	-30	1.5
MW-156	04/24/2020	78	12.5	0.153	< 0.000422	1.58	6410	2330	6.74	1350	15.8	50	1	105	0
MW-156	07/15/2020	92.1	12.8	0.242	< 0.000422	2.49	3190	2690	6.57	1390	22.5	39	1.89	-73	2
MW-156	11/11/2020	118	9.96	0.0198	< 0.000422	0.993	3360	3230	6.58	642	11.4	120	0.93	-17	--
MW-156	02/08/2021	72.8	11.4	< 0.000296	< 0.000422	5.85	2300	3920	6.53	830	10.7	76.7	1.03	-391	--
MW-156	05/10/2021	38.1	12.4	0.0603	< 0.000422	21.7	17100	4630	6.54	895	16.4	282	0.33	-119	--
MW-156	08/20/2021	60.8	11	0.062	< 0.000422	25.4	7580	3750	6.33	867	17.7	--	0.31	139.1	--
MW-156	11/18/2021	42.7	10.4	0.0431	< 0.000422	13.1	2560	3360	6.66	724	12.1	--	0.16	62.8	1.5
MW-156	03/03/2022	47.7	9.88	0.0167 J	< 0.000422	3.06 J	6190	4070	6.56	886	14.4	51	0.21	-510.9	--
MW-156	05/26/2022	50.7	10.5	0.044	0.0019	14.1	3800 J	3970	6.69	862	13.8	--	0.25	-12.7	--
MW-156	08/04/2022	51.8	8.77	0.0564	0.00183	14.7	3450	3790	6.72	730	16.6	--	0.57	-40.3	--
MW-156	10/31/2022	49.5	8.45	0.0651	0.00363	19.9	4320	3630	6.76	697	15.5	--	1.1	13.7	2.25
MW-156	05/12/2023	33.7	7.57	0.048	0.00209	13.4	3090	3490	6.77	827	17.1	--	0.63	-13.6	--
MW-156	11/06/2023	29.7	6.62	0.026	< 0.000422	1.73	3170	3680	6.62	652	14.6	--	0.23	20.1	0.5
MW-156	05/21/2024	22.8	7.28	0.0336	0.00114 J	2.92	4820	3910	7.06	704	13.7	--	0.39	16.1	--
MW-156	11/05/2024	19.9	5.13	0.0273	0.00184	2.16	2820	3430	6.57	838	14.6	--	0.1	111.9	2.8
MW-156	05/13/2025	17.5	5.14	0.0210	< 0.00610	1.67	2870	3420	6.63	763	15	9.6	0.23	111.9	--
MW-156	08/20/2025	16.1	4.99	0.0262	< 0.00610	1.10 J	2450	3080	6.63	685	16.6	7.1	0.34	-44.9	--
MW-156	11/06/2025	14.8	R	0.0229	< 0.00610	1.06	2310	2990	6.64	524	15.2	4.2	0.30	-24.9	3
MW-189; Hydrogeologic Zone: Intermediate A															
MW-189	10/14/2019	37.2	3.78	< 0.000296	0.0699	0.203	1330	838	7.4	636	18.1	20.7	0.3	-115	0.1
MW-189	01/23/2020	37.5	1.8	< 0.000296	0.0253	0.119	2060	700	7.24	558	13.2	46.6	0.21	-124	0.5
MW-189	04/03/2020	40	1.49	< 0.000296	0.0166	0.0685	1160	658	7.23	430	15.6	39.3	0.22	82	0.5
MW-189	08/04/2020	43	1.51	< 0.000296	< 0.000422	0.0516	1420	709	7.44	430	18.2	113	0.18	-100	0.5
MW-189	11/17/2020	42.2	1.75	< 0.000296	0.0289	0.0891	750	675	7.45	436	14.5	8.3	0.47	-254	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-189	02/03/2021	46.1	3.56	< 0.000296	0.0589	1.08	1990	818	7.61	512	11.1	20.5	0.78	-503	--
MW-189	05/14/2021	49.3	5.56	0.0437	0.12	20.8	3270	1340	7.59	564	15.4	--	0.36	-149	--
MW-189	08/11/2021	51.2	7.6	--	--	--	5100	1520	7.52	615	19.6	47.1	0.15	-216	--
MW-189	08/20/2021	--	--	0.0579	0.122	13.4	--	--	7.51	590	16.7	51.2	0.26	-54.8	--
MW-189	11/30/2021	44.4	10.8	0.0422	0.174	14.3	5840	2020	7.23	709	14.8	--	0.26	132.9	0.8
MW-189	03/04/2022	49.6	10.4	0.00878	0.0337	3.09	6770	2000	7.49	769	12.1	66	0.26	-577.6	--
MW-189	05/12/2022	49.3	8.62	0.018	0.0617	8.6	5680	1590	7.54	605	14.6	--	0.6	-117.7	--
MW-189	08/11/2022	49.4	6.77	0.00703	0.0475	3.51	2470	1220	7.62	491	18.5	--	1.34	-71.8	--
MW-189	10/31/2022	46.8	6.06	0.00734	0.0593	3.83	1660	1170	7.29	670	14.7	--	0.34	182.4	0
MW-189	05/12/2023	--	--	--	--	--	--	--	7.58	486	14.5	--	0.45	-125.9	--
MW-189	11/03/2023	45.4	6.28	0.00779	0.0325	4.31	4270	1340	7.95	484	14.6	--	2.42	10.8	0.2
MW-189	05/23/2024	--	--	--	--	--	--	--	7.98	431	14.1	--	0.42	119.4	--
MW-189	11/05/2024	38.8	2.84	0.00148	< 0.000422	0.998	1100	607	7.41	569	15.4	--	0.24	-152.6	0
MW-189	05/13/2025	--	--	--	--	--	--	--	7.72	373	14.4	2.8	0.34	-96.4	--
MW-189	11/19/2025	37.5	R	< 0.00754	< 0.00610	0.471	577	526	7.62	438	14.4	8.2	0.16	-111.6	0.5
MW-302; Hydrogeologic Zone: Intermediate A															
MW-302	10/21/2019	26.8	8.1	0.00374	< 0.000422	0.129	2260	295	7.87	653	17.7	112	0.56	-170	0.5
MW-302	01/24/2020	22.8	1.57	< 0.000296	< 0.000422	0.59	1130	332	7.92	1142	13.6	--	1.18	-129.5	1
MW-302	05/07/2020	20.8	1.71	< 0.000296	< 0.000422	0.297	11100	518	7.9	748	20.3	26	0.78	126	0
MW-302	07/28/2020	22	1.64	< 0.000296	< 0.000422	0.299	1640	335	7.88	763	18.9	22	0.34	-77	0
MW-302	11/17/2020	--	--	--	--	--	--	--	7.83	572	13.9	88.2	0.74	-156	--
MW-302	05/17/2021	--	--	--	--	--	--	--	7.86	644	15.1	195	0.48	-164.1	--
MW-302	11/09/2021	20.8	1.85	< 0.000296	< 0.000422	0.129	1940	324	7.78	623	12.5	--	1.69	138.5	0
MW-302	05/17/2022	--	--	--	--	--	--	--	7.93	640	13.8	--	0.38	-88.2	--
MW-302	11/08/2022	21.2	1.8	0.0013	0.0145	0.207	2860	498	6.92	494	13.4	--	0.54	56.2	0
MW-302	10/31/2023	--	--	--	--	--	--	--	7.85	568	15.7	--	4.91	-70.3	--
MW-302	11/13/2024	--	--	--	--	--	--	--	7.85	564	15.1	--	0.46	-181.7	--
MW-302	11/05/2025	--	--	--	--	--	--	--	7.79	485	16.2	4.2	0.47	-109.3	0.25
MW-306; Hydrogeologic Zone: Intermediate A															
MW-306	10/15/2019	80.9	2.32	< 0.000296	< 0.000422	< 0.000287	3810	608	6.64	471	16.9	26.7	0.31	119	2.5
MW-306	01/16/2020	77.5	2.97	< 0.000296	< 0.000422	< 0.000287	4090	550	7.12	810	13.4	--	0.42	4	2.6
MW-306	04/28/2020	75.8	3.03	< 0.000296	< 0.000422	< 0.000287	2940	483	6.67	585	15.9	0.3	0.44	-88	2
MW-306	07/29/2020	73.9	1.11	< 0.000296	< 0.000422	< 0.000287	2930	509	7.02	491	17.9	7.8	1.02	-19	2.5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-306	11/06/2020	--	--	--	--	--	--	--	6.81	513	15.9	9.6	0.4	-126	--
MW-306	05/18/2021	--	--	--	--	--	--	--	6.83	516	17	231	0.3	125.4	--
MW-306	11/30/2021	64.9	1.01	< 0.000296	< 0.000422	0.0527	2850	425	6.46	492	15	--	0.31	-77.1	3
MW-306	05/26/2022	--	--	--	--	--	--	--	7.1	473	17	--	0.38	-74.4	--
MW-306	11/04/2022	34.3	1.02	< 0.000296	< 0.000422	0.136	2490	460	7.1	567	15.5	--	0.21	180.2	1.5
MW-306	11/10/2023	--	--	--	--	--	--	--	7.49	374	15	--	2.25	-42.3	--
MW-306	11/08/2024	--	--	--	--	--	--	--	7.18	512	16.5	--	0.41	137.6	--
MW-306	11/14/2025	--	--	--	--	--	--	--	6.95	51	15.4	11.3	7.87	168.1	< 0
MW-308; Hydrogeologic Zone: Intermediate A															
MW-308	10/11/2019	95.4	6.97	0.0197	< 0.000422	2.07	16900	2950	6.51	1185	14.9	30.1	0.48	-37	3.5
MW-308	01/16/2020	86	7.85	0.0315	0.00893	2.78	16000	2650	6.84	1512	13.2	2.2	0.05	-100	4
MW-308	04/08/2020	83.2	9.49	0.0239	0.00843	1.87	9390	2530	6.77	922	14.3	--	0.35	-86	4.8
MW-308	07/06/2020	68.6	7.4	0.0189	< 0.000422	2.63	16900	3080	6.76	1275	18.7	12.1	1.54	-147	5.5
MW-308	11/06/2020	--	--	--	--	--	--	--	6.53	1013	13.3	2.5	0.33	-138	--
MW-308	05/04/2021	--	--	--	--	--	--	--	6.7	1233	15.4	51.1	0.57	125.6	--
MW-308	11/11/2021	41.4	8.17	0.0207	< 0.000422	2.83	9060	3100	6.93	1121	14.6	--	0.39	41.3	4.25
MW-308	05/19/2022	--	--	--	--	--	--	--	7.22	1126	14.6	--	0.29	19.4	--
MW-308	11/01/2022	38	6.85	0.0165	< 0.000422	2.6	13800	2750	6.73	1322	14.6	--	0.21	242.9	--
MW-308	05/12/2023	--	--	--	--	--	--	--	6.64	1179	18.1	--	1.31	-37.8	--
MW-308	11/07/2023	--	--	--	--	--	--	--	7.04	1046	14.8	--	2.46	-99.8	--
MW-308	05/21/2024	--	--	--	--	--	--	--	6.9	774	13.9	--	0.909	1.3	--
MW-308	11/11/2024	--	--	--	--	--	--	--	6.76	1209	15.1	--	0.19	-7.7	4.5
MW-308	05/14/2025	--	--	--	--	--	--	--	6.64	1110	15.2	42.3	0.09	125	--
MW-308	11/10/2025	--	--	--	--	--	--	--	6.71	1167	15.9	4.1	0.17	-92.7	3
MW-315; Hydrogeologic Zone: Intermediate A															
MW-315	10/03/2019	35	3.02	< 0.000296	< 0.000422	0.124	850	306	7.95	545	14.9	18.2	0.54	105	0
MW-315	01/16/2020	37.6	4.68	< 0.000296	< 0.000422	0.0772	1030	354	8.18	846	8.8	--	0.62	-152	0.4
MW-315	04/24/2020	37.9	1.25	< 0.000296	< 0.000422	0.0578	2340	329	7.86	511	14.4	--	0.52	-137.7	0.75
MW-315	07/24/2020	38.5	1.44	< 0.000296	< 0.000422	0.0327	3900	307	8.22	1195	16.3	47.8	6.45	-24	0
MW-315	11/02/2020	--	--	--	--	--	--	--	7.91	546	12.7	8.6	0.62	-156	--
MW-315	05/17/2021	--	--	--	--	--	--	--	7.75	456	16.5	90.9	0.76	-173.2	--
MW-315	11/05/2021	47.8	1.12	< 0.000296	< 0.000422	0.0438 J	978 J	248	7.63	511	14.1	19	0.45	-215.7	0.8
MW-315	05/09/2022	--	--	--	--	--	--	--	7.53	478	16.5	--	0.38	34.9	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-315	11/02/2022	32.4	< 0.643	< 0.000296	< 0.000422	0.0102	909	165	7.15	235	13.9	--	1	180.2	0
MW-315	11/08/2023	--	--	--	--	--	--	--	8.48	149	15.3	--	4.23	-20.3	--
MW-315	11/11/2024	--	--	--	--	--	--	--	7.25	315	13.7	--	2.33	-48.5	--
MW-315	11/17/2025	--	--	--	--	--	--	--	7.76	179	13.9	3.8	1.56	148.8	0.5
MW-317; Hydrogeologic Zone: Intermediate A															
MW-317	10/09/2019	< 0.0774	12	< 0.000296	< 0.000422	11	12500	3570	6.07	1011	16.8	171	0.3	-85	3
MW-317	01/16/2020	< 0.0774	12.9	< 0.000296	< 0.000422	12.8	14400	3710	6.49	772	14.7	3.3	0.2	-76	1.5
MW-317	04/27/2020	15.8	12.7	< 0.000296	< 0.000422	0.9	12600	2940	--	743	15.5	35	0.27	201	2
MW-317	07/30/2020	1.34 J	14	< 0.000296	< 0.000422	4.02	12000	2930	6.76	705	23.9	3.5	0.41	109	5
MW-317	11/10/2020	--	--	--	--	--	--	--	6.58	625	13.3	0.8	0.48	-127	--
MW-317	05/19/2021	--	--	--	--	--	--	--	6.6	821	16.9	2.3	0.05	-147	--
MW-317	11/12/2021	7.9	13.5	< 0.000296	< 0.000422	8.57	16000	3960	6.62	680	14.5	--	0.55	56.1	5.5
MW-317	05/27/2022	--	--	--	--	--	--	--	6.71	853	16	--	0.24	-122.5	--
MW-317	11/01/2022	40.3	12	< 0.000296	< 0.000422	3.2	12900	3480	6.12	614	14.6	--	0.58	47.8	4
MW-317	05/16/2023	--	--	--	--	--	--	--	6.67	832	24	--	0.12	-76.8	--
MW-317	11/08/2023	--	--	--	--	--	--	--	6.98	871	15.6	--	1.43	-113	--
MW-317	05/21/2024	--	--	--	--	--	--	--	6.57	988	14.1	--	0.25	-111.1	--
MW-317	11/06/2024	--	--	--	--	--	--	--	6.67	948	15.6	--	0.26	-135.8	--
MW-317	05/14/2025	--	--	--	--	--	--	--	6.76	931	16.6	7.9	0.01	-62.4	--
MW-317	11/12/2025	--	--	--	--	--	--	--	6.77	707	16.7	10.2	0.16	-123.9	2.5
MW-325; Hydrogeologic Zone: Intermediate A															
MW-325	10/03/2019	112	3.28	< 0.000296	< 0.000422	0.0317	701	865	6.68	578	15.2	23.7	0.37	242	0
MW-325	01/17/2020	93.5	4.19	< 0.000296	< 0.000422	0.00404	802	525	6.47	870	12.1	17.3	0.35	-12	0
MW-325	04/21/2020	84.2	2.67	< 0.000296	< 0.000422	0.0144	163	310	6.18	614	14.2	8.6	0.45	110	0
MW-325	07/23/2020	45.7	1.55	< 0.000296	< 0.000422	0.0185	2040	220	6.32	1091	16.4	82.5	1.05	109	0
MW-325	11/02/2020	--	--	--	--	--	--	--	6.5	546	14.9	7.4	0.84	68	--
MW-325	02/08/2021	--	--	--	--	--	--	--	6.52	491	11.8	38.8	1.29	-432	--
MW-325	05/17/2021	--	--	--	--	--	--	--	6.53	530	15.8	21.7	0.3	-78.9	--
MW-325	08/12/2021	--	--	--	--	--	--	--	6.35	598	15.9	8.7	0.15	2.2	--
MW-325	11/04/2021	61.5	2.22	< 0.000296	< 0.000422	< 0.000287	201	178	6.39	685	14.2	--	0.14	-103.3	0
MW-325	03/03/2022	--	--	--	--	--	--	--	6.48	547	13.6	14	0.17	-443	--
MW-325	05/09/2022	--	--	--	--	--	--	--	6.47	477	14	--	1.38	57.2	--
MW-325	08/11/2022	--	--	--	--	--	--	--	6.55	500	15.4	--	1.31	160	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-325	11/02/2022	61	1.12	< 0.000296	< 0.000422	0.00177	1010	613	7.72	530	13.5	--	0.76	220.6	0
MW-325	05/09/2023	--	--	--	--	--	--	--	6.95	449	15.8	--	0.37	46.3	--
MW-325	11/09/2023	--	--	--	--	--	--	--	6.73	475	14.1	--	1.78	-1.9	--
MW-325	05/24/2024	--	--	--	--	--	--	--	6.58	392	14.1	--	0.17	-20.4	--
MW-325	11/11/2024	--	--	--	--	--	--	--	6.55	560	14.3	--	0.55	-120.5	--
MW-325	05/14/2025	--	--	--	--	--	--	--	6.56	393	14.7	35.3	0.76	91	--
MW-325	11/11/2025	--	--	--	--	--	--	--	6.68	408	14.9	10.7	0.20	42.7	< 0
MW-327; Hydrogeologic Zone: Intermediate A															
MW-327	10/02/2019	< 0.0774	4.41	< 0.000296	< 0.000422	18.5	12400	822	6.85	479	14.2	46	0.57	16	3.5
MW-327	01/17/2020	< 0.0774	3.75	< 0.000296	< 0.000422	15	9970	614	6.81	482	12.3	5.4	0.3	-62	2
MW-327	04/09/2020	1.89 J	3.37	< 0.000296	< 0.000422	12.7	9280	821	6.84	571	13.6	0	0.26	56	5.4
MW-327	07/07/2020	5.59	3.49	< 0.000296	< 0.000422	10.1	9510	900	6.34	515	15.9	12.3	7	-113	6
MW-327	11/09/2020	--	--	--	--	--	--	--	6.77	560	13.5	11.2	0.17	0	--
MW-327	05/25/2021	--	--	--	--	--	--	--	6.81	667	14.3	--	0.12	131.6	--
MW-327	11/10/2021	< 0.6	3.88	< 0.000296	< 0.000422	9.54	10500	892	6.7	475	11.5	--	0.46	-91.6	5.5
MW-327	05/04/2022	--	--	--	--	--	--	--	6.83	603	13.7	--	1.81	-121.9	--
MW-327	11/02/2022	< 0.594	3.11	< 0.000296	< 0.000422	12.9	11900	786	6.89	644	12	--	0.12	-30.4	4.5
MW-327	11/09/2023	--	--	--	--	--	--	--	7.5	501	13.3	--	0.16	-3	--
MW-327	11/14/2024	--	--	--	--	--	--	--	6.9	680	13.1	--	0.12	-38.1	--
MW-327	11/11/2025	--	--	--	--	--	--	--	6.75	862	14.7	4.8	0.45	-118.1	2
MW-330; Hydrogeologic Zone: Intermediate A															
MW-330	05/14/2020	48	1.42	< 0.000296	< 0.000422	0.0317 J	2900	841	7.69	429	21.1	14	0.87	-60	0
MW-330	07/16/2020	45.9	2.22	< 0.000296	< 0.000422	0.0313	2560	971	7.55	428	25.4	14	0.65	-5	1
MW-330	12/01/2020	--	--	--	--	--	--	--	7.62	420	14.6	10.1	0.38	-40	--
MW-330	05/25/2021	--	--	--	--	--	--	--	7.5	418	15.2	--	0.46	127.8	--
MW-330	11/11/2021	43.7	1.59	< 0.000296	< 0.000422	0.0311	2440	759	7.31	399	12.7	--	0.71	165.3	0.5
MW-330	05/25/2022	--	--	--	--	--	--	--	7.4	403	16.3	--	0.65	38.7	--
MW-330	10/31/2022	51.4	1.83	< 0.000296	< 0.000422	0.0225	1370	1860	7.11	472	14.9	--	0.52	171.6	0
MW-330	10/31/2023	--	--	--	--	--	--	--	7.53	415	14.5	--	1.39	-80.4	--
MW-330	11/05/2024	--	--	--	--	--	--	--	7.2	448	15	--	0.31	-185.2	--
MW-330	11/18/2025	--	--	--	--	--	--	--	7.48	246	14.2	8.5	0.24	-103.3	1.5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
Unit		mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-331; Hydrogeologic Zone: Intermediate A															
MW-331	04/24/2020	243	3.36	0.00818	< 0.000422	0.0941	9660	809	6.88	1043	14.5	43	0.75	-450	4.5
MW-331	07/06/2020	228	3.06	< 0.000296	< 0.000422	0.0836	17700	752	6.73	1111	18.5	4.7	0.59	-128	7
MW-331	11/06/2020	--	--	--	--	--	--	--	6.58	922	14.3	5.1	0.38	-99	--
MW-331	05/04/2021	--	--	--	--	--	--	--	6.65	1118	16.2	--	0.25	126.9	--
MW-331	11/11/2021	262 J	3.15	< 0.000296	< 0.000422	0.105	12000	737	6.64	1066	13.4	--	0.43	174.9	6.2
MW-331	05/20/2022	--	--	--	--	--	--	--	6.8	926	14.2	--	0.34	-52.4	--
MW-331	11/01/2022	227	1.83	< 0.000296	< 0.000422	0.0889	10400	640	6.34	788	14.8	--	0.67	-11.3	4.5
MW-331	05/09/2023	--	--	--	--	--	--	--	6.69	974	17.3	--	0.53	-101.8	--
MW-331	11/07/2023	--	--	--	--	--	--	--	6.74	1025	15	--	0.44	-119.7	--
MW-331	05/21/2024	--	--	--	--	--	--	--	6.75	731	13.5	--	0.24	27.3	--
MW-331	11/11/2024	--	--	--	--	--	--	--	6.81	1001	15.5	--	0.29	11.1	5.5
MW-331	05/14/2025	--	--	--	--	--	--	--	6.75	894	15.4	16.1	0.04	17.7	--
MW-331	11/10/2025	--	--	--	--	--	--	--	6.75	1028	16	8	0.31	-86.7	3.5
MW-344; Hydrogeologic Zone: Intermediate A															
MW-344	06/01/2021	57.8	< 0.924	< 0.000296	< 0.000422	0.0965	2060	641	7.19	567	19.5	94.4	0.29	-185.9	--
MW-344	08/18/2021	60.4	1.2	< 0.000296	< 0.000422	0.043	33300	1160	7.28	547	19	--	0.21	148.7	--
MW-344	11/18/2022	8.43	2.99	0.66	1.52	12.5	2810	1750	7.24	890	16	--	0.32	-9.2	--
MW-344	11/13/2023	--	--	--	--	--	--	--	7.83	906	15.6	--	0.39	0.2	--
MW-344	11/06/2024	--	--	--	--	--	--	--	6.82	943	16.2	--	0.33	1.3	4
MW-344	11/12/2025	24.7	R	0.123	0.0244	7.86	3860	1910	6.83	811	15.5	12.3	0.73	-55.6	3.5
MW-351; Hydrogeologic Zone: Intermediate A															
MW-351	05/09/2023	--	--	--	--	--	--	--	6.97	481	14.4	--	0.11	96.8	--
MW-351	11/09/2023	--	--	--	--	--	--	--	6.87	466	13.6	--	1.59	-75.3	--
MW-351	05/24/2024	--	--	--	--	--	--	--	7.01	415	14	--	1.41	-53.9	--
MW-351	11/08/2024	--	--	--	--	--	--	--	6.73	467	15.1	--	0.21	-5.6	4
MW-351	05/21/2025	--	--	--	--	--	--	--	6.8	121	14.3	3.9	7.71	112.3	--
MW-351	11/07/2025	--	--	--	--	--	--	--	6.74	479	15.1	0.5	0.11	-66.2	5
Intermediate B															
FMW-141; Hydrogeologic Zone: Intermediate B															
FMW-141	10/30/2019	0.909 J	21.2	0.113	0.46 J	6.04	8880	1740	7.33	1124	14	23	0.39	100	0.5
FMW-141	01/14/2020	1.18 J	3.74	0.0236	0.299	1.89	5520	340	6.83	246	14.4	7.5	5.7	-87	1.5
FMW-141	04/28/2020	3.09 J	4.57	0.0331	0.322	2.91	1610	407	7.12	349	15.8	27	0.46	49	1.2

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
FMW-141	07/22/2020	3.1 J	4.45	0.0417	0.428	3.39	2800	582	7.22	1349	19.9	58.7	1.3	-101	0.5
FMW-141	11/02/2020	--	--	--	--	--	--	--	7.3	1112	16.7	99.5	0.85	-63	--
FMW-141	05/03/2021	--	--	--	--	--	--	--	6.79	83	14.7	21.8	2.74	125.9	--
FMW-141	02/23/2022	--	--	--	--	--	--	--	7.1	175	11.5	--	0.65	-327.7	--
FMW-141	05/09/2022	--	--	--	--	--	--	--	6.42	130	16.9	--	1.43	-5.3	--
FMW-141	11/03/2022	4.4 J	4.17	0.0141	0.0348	0.62	997	279	7.14	206	13	--	0.34	-11.2	1
FMW-141	05/15/2023	--	--	--	--	--	--	--	7.12	302	24.4	--	0.39	-111	--
FMW-141	11/07/2023	--	--	--	--	--	--	--	7.13	30	15.8	--	0.41	-102	--
FMW-141	05/22/2024	--	--	--	--	--	--	--	6.85	1535	16.3	--	2.23	-39.8	--
FMW-141	11/12/2024	--	--	--	--	--	--	--	6.88	187	15.1	--	1.43	-85.8	--
FMW-141	05/14/2025	6.21	3.62	0.0546	0.00914 J	3.19	2140	967	6.71	533	16.1	2.8	0.16	52.7	--
FMW-141	08/19/2025	4.33	3.28	0.0374	0.0325	1.40 J	2350	492	7.20	292	18.1	2.6	0.63	-94.6	--
FMW-141	11/18/2025	0.773 J	R	< 0.00754	< 0.00610	0.276	2730	108	6.37	46	15.4	8.8	0.36	-23.3	0.5
HMW-9IB; Hydrogeologic Zone: Intermediate B															
HMW-9IB	01/26/2021	31.3	2.61	< 0.000296	0.137	2.53	429	565	7.86	655	10.1	11	0.83	-544.2	--
HMW-9IB	06/02/2021	32.7	1.77	< 0.00407	0.0869	1.66	948	629	7.58	653	29.3	19.4	0.63	-132.1	--
HMW-9IB	08/18/2021	32.3	1.87	< 0.000296	0.122	2.55	682	578	7.59	648	20.3	6.6	0.45	-112.1	--
HMW-9IB	03/31/2022	34.5	1.48 J	< 0.000296	0.0966	1.66	--	--	7.78	575	14.2	--	0.69	-282	--
HMW-9IB	05/24/2022	0.724 J	612	0.00551	0.0271	0.376	--	--	6.18	2054	15.5	--	1.16	-54.9	--
HMW-9IB	08/01/2022	< 0.594	129	0.0181	0.136	5.27	--	--	6.22	1309	19	--	22.8	-61.5	--
HMW-9IB	11/09/2022	< 0.594	40.5	0.00724	0.559	19.3	41200	2990	6.32	1199	13.3	--	2.48	-23	--
HMW-9IB	02/23/2023	0.698 J	247	0.00185	0.471	32.5	--	--	6.42	770	10.7	--	0.88	-33.3	--
HMW-9IB	05/17/2023	0.665 J	168	0.00252	0.209	37.2	--	--	6.78	1157	20.5	--	0.98	-120.2	--
HMW-9IB	08/16/2023	0.663 J	37.8	0.0148	0.126	35.9	--	--	7	1129	19.5	--	0.57	-124.5	--
HMW-9IB	11/13/2023	1.56 J	2.31	0.136	0.0023	25.4	11100	1920	6.9	1423	13.9	--	0.58	-137.5	5
HMW-9IB	02/28/2024	1.46 J	6.79	0.343	< 0.000422	30.3	11300	2210	7.02	1076	11.2	--	1.09	-11	--
HMW-9IB	05/29/2024	< 0.594	4.72	0.239	< 0.000422	19.4	9220	1430	6.85	869	14.1	--	0.37	-171.1	--
HMW-9IB	09/04/2024	1.62 J	6.81	0.485	< 0.000422	32.1	12600	2460	6.93	1694	16	--	0.78	-99.9	--
HMW-9IB	11/06/2024	< 0.637	6.67	0.488	< 0.000422	34.6	11200	2280	6.87	1742	15.3	--	0.5	-46.2	4.5
HMW-9IB	02/26/2025	0.316 J	4.50	0.211	< 0.00610	10.6	9190	1610	7.07	1257	14.6	6	0.17	-106.7	--
HMW-9IB	05/20/2025	< 0.362	6.40	0.301	< 0.00610	8.35 J	8460	2160	7.1	1536	16.3	26.4	0.47	56.3	--
HMW-9IB	11/07/2025	0.393 J	R	0.271 J	< 0.00610	10.7	7430	2030	7.12	1076	15	14.9	1.64	-62.4	3

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
Unit		mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW111; Hydrogeologic Zone: Intermediate B															
MW111	04/06/2018	--	--	--	--	--	--	--	7.75	605	15.3	--	0.6	82.8	--
MW111	01/23/2019	--	--	--	--	--	--	--	7.86	528	14.2	--	0.5	-124	--
MW111	04/22/2019	--	--	--	--	--	--	--	7.84	384	13.7	--	0.58	-46	--
MW111	07/15/2019	--	--	--	--	--	--	--	7.78	478	18.3	--	0.35	-138	--
MW111	10/14/2019	7.7	1.97	0.0209	0.0201	0.324	159	229	7.53	509	14.4	1.2	0.57	30	--
MW111	01/16/2020	15.7	1.56	0.0302	0.0204	0.386	9040	415	7.56	674	14	143	0.1	-138	0.5
MW111	04/23/2020	26.5	1.88	0.0387	0.0233	0.447	22500	694	7.73	632	17	283	0.37	-122	0.5
MW111	07/06/2020	32.8	1.65	0.0516	0.0259	0.625	22100	668	7.52	674	21.9	204	0.56	-6	0
MW111	11/02/2020	31.8	1.55	0.0478	0.0238	0.484	18800	653	7.57	666	16.3	169	0.59	-47	--
MW111	02/09/2021	25.4	1.44	0.0435	0.0261	0.452	4380	429	7.64	611	12.4	220	0.78	-429	--
MW111	05/03/2021	17.8	1.21	0.0296	0.0137	0.347	7730	344	7.67	444	16.9	280	0.68	-210.9	--
MW111	08/04/2021	18.4	1.5	0.0215	< 0.00426	0.255	4170	315	7.49	517	26.3	59.1	0.42	93.4	--
MW111	11/03/2021	18.9	1.52	0.0138	< 0.000422	0.174	2080	296	7.64	475	15.7	--	0.3	81.5	0.5
MW111	02/15/2022	18	1.32	0.00939	0.00271	0.134	5310	304	7.73	465	11.6	--	0.48	-256.4	--
MW111	05/18/2022	9.9	1.11	0.0102	0.00235	0.129	646	172	7.48	379	13.8	--	0.25	3.6	--
MW111	08/09/2022	15.4	1.47	0.0159	0.00355	0.205	1110	244	7.78	378	19.5	--	1.53	-139.1	--
MW111	11/01/2022	15.7	< 0.677	0.0144	0.00363	0.182	655	257	6.27	367	14.7	--	0.37	41	0.5
MW111	05/15/2023	--	--	--	--	--	--	--	7.59	428	22.8	--	0.24	-65.3	--
MW111	11/07/2023	--	--	--	--	--	--	--	8.08	115	15.5	--	0.34	-84.2	--
MW111	05/22/2024	--	--	--	--	--	--	--	7.61	434	16.8	--	1.95	-50.3	--
MW111	11/08/2024	--	--	--	--	--	--	--	7.64	495	12.8	--	0.46	-148.4	--
MW111	05/15/2025	13.7	0.984 J	0.0129	< 0.00610	0.116 J	233	226	7.76	410	16.2	2	0.72	94.3	--
MW111	11/10/2025	11.8	R	0.00985 J	< 0.00610	< 0.107	300	230	7.48	236	16.3	3.2	0.25	-115.6	0.5
MW126; Hydrogeologic Zone: Intermediate B															
MW126	04/06/2018	--	--	--	--	--	--	--	7.87	353	14.3	--	0.3	99.2	--
MW126	01/22/2019	--	--	--	--	--	--	--	7.88	432	10.7	--	1.25	115	--
MW126	04/29/2019	--	--	--	--	--	--	--	7.34	427	14.7	--	0.42	7	--
MW126	07/18/2019	--	--	--	--	--	--	--	7.41	357	15.9	--	0.25	14	--
MW126	10/15/2019	3.62 J	5.12	< 0.000296	< 0.000422	0.277	407	335	6.72	396	15.1	4.7	0.38	-102	0.5
MW126	01/14/2020	2.83 J	4.45	< 0.000296	< 0.000422	0.292	372	326	7.5	369	12.3	2	0.61	-171	0.5
MW126	04/09/2020	2.58 J	4.28	0.00371	< 0.000422	0.574	257	289	6.97	405	12.7	1.2	0.41	31	0
MW126	07/24/2020	3.19 J	3.94	< 0.000296	< 0.000422	0.361	105	262	7.17	414	19.3	1	0.24	-17	0

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW126	11/09/2020	4.85 J	3.42	< 0.000296	< 0.000422	0.213	117	254	6.8	323	12.2	1.3	0.34	-72	--
MW126	02/10/2021	6.65	2.6	< 0.000296	< 0.000422	0.267	245	262	7.09	444	12.4	28.5	1.55	-528	--
MW126	05/04/2021	7.56	2.19	< 0.000296	< 0.000422	0.183	58.2 J	195	7.26	403	15.6	--	0.23	402.2	--
MW126	08/04/2021	4.71 J	2.38	< 0.00407	< 0.00426	0.3	478	269	7.19	403	22.1	3.9	0.2	95.8	--
MW126	11/11/2021	< 6	2.48	< 0.000296	< 0.000422	0.42	434	254	7.23	377	13.9	--	0.29	165.4	0.6
MW126	02/15/2022	2.8 J	2.35	0.00146	0.000842 J	0.265	381	225	7.39	399	12.5	--	0.39	-267.5	--
MW126	05/20/2022	2.75 J	1.92	0.000301 J	< 0.000422	0.0444	93.2 J	101	7.36	385	14	--	0.52	22.8	--
MW126	08/10/2022	2.62 J	2.57	< 0.000296	< 0.000422	< 0.000287	41.2 J	37	7.4	306	16.9	--	1	32.5	--
MW126	11/01/2022	2.69 J	1.51	< 0.000296	< 0.000422	0.115	208	55.9	6.32	316	12.6	--	0.26	-20.8	0
MW126	11/07/2023	--	--	--	--	--	--	--	7.33	404	13.8	--	0.55	-119	--
MW126	11/11/2024	--	--	--	--	--	--	--	7.52	418	14.8	--	0.19	-30.1	1
MW126	11/10/2025	--	--	--	--	--	--	--	7.43	393	15.7	2.9	0.19	-87.7	< 0
MW-143; Hydrogeologic Zone: Intermediate B															
MW-143	04/30/2018	4.96 J	25.5	0.0925	0.36	6.72	2080	390	7.83	905	15.4	--	0.6	96.7	0.5
MW-143	01/29/2019	3.12 J	7.02	0.134	< 0.000422	8.52	1600	378	7.64	950	18.1	80.4	0.23	-148	0.8
MW-143	04/24/2019	8.53	7.19	0.125	< 0.000422	6.94	687 J	317	7.29	965	14.7	--	0.83	100	0.3
MW-143	07/19/2019	6.91	12.7	0.0965	0.0144	4.79	2070	398	7.42	835	21.3	--	0.21	-139	1
MW-143	10/16/2019	67.7	20.9	0.0626	0.11	5.78	8540	2090	7.12	891	16.9	--	0.88	-45	0.5
MW-143	01/22/2020	2.34 J	7.53	0.0836	< 0.000422	5.09	2020	410	7.52	1148	13.5	22.6	0.44	-122	0.5
MW-143	04/24/2020	1.08 J	5.57	0.0614	< 0.000422	3.72	2190	405	7.52	1020	15	1	0.62	-134	1
MW-143	07/29/2020	0.665 J	4.48	0.0613	< 0.000422	4.04	1390	428	7.59	850	24.9	79.7	1.12	9	0.5
MW-143	11/24/2020	5.06	6.45	0.19	0.0109	10.6	7110	654	7.26	965	14.2	98.8	0.49	-361.1	--
MW-143	02/08/2021	44.3	32.5	0.417	< 0.000422	19.5	20600	3950	6.72	1575	12.6	242	0.92	41	--
MW-143	05/19/2021	5.27	38.2	0.363	0.283	19.1	32400	7460	6.61	1763	15.6	101	0.07	-134.6	--
MW-143	08/20/2021	1.75 J	37.8	0.39	1.08	24.3	30600	6990	6.4	1871	18.4	--	0.19	155.5	--
MW-143	12/08/2021	3.08	35.6	0.517	0.867	25.3	30100	6260	6.6	1865	15	--	0	-125	6
MW-143	03/08/2022	1.79 J	39.2	0.197	0.284	23	30900	5100	6.52	1868	14.9	32	0.1	-469.8	--
MW-143	05/26/2022	2.93 J	33.2	0.478	0.483	21	40100	6500	6.68	1781	18	--	0.25	-119.9	--
MW-143	08/12/2022	1.91 J	41.9	0.817	0.68	28.6	29700	5680	6.74	1550	18.4	--	0.64	-133.9	--
MW-143	11/01/2022	15.7	2.63	0.0031	0.00306	1.28	2480	398	7.13	608	13.9	--	0.21	177.3	0
MW-143	05/16/2023	0.966 J	47.4 J	0.237 J	0.255 J	11.3 J	36600	11100	8.33	2194	16.9	--	0.28	-94.1	--
MW-143	11/07/2023	5.27	10.9	0.0141	0.0171	0.664	2520	1760	7.45	1125	15.1	--	1.69	-99	2
MW-143	05/24/2024	1.15 J	42.1	0.194	0.251	8.18	32800	8980	6.67	1397	14.5	--	0.18	11.2	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-143	11/06/2024	< 4.72	13.9	0.0264	0.0292	1.28	5490	2670	6.9	997	14.2	--	0.41	6.6	2
MW-143	05/09/2025	0.622 J	31.3	0.212	0.125	9.63	28800	7800	6.61	1467	16.7	25.8	0.04	-46.7	--
MW-143	11/05/2025	0.339 J	R	0.209	0.0933	6.22	22900	5780	6.55	1411	15.6	0	0.13	-114.4	6.5
MW-145R; Hydrogeologic Zone: Intermediate B															
MW-145R	12/16/2019	16.6	4.12	< 0.000296	< 0.000422	0.272	1220	256	8.25	480	15.1	--	0.45	-106.3	0
MW-145R	01/21/2020	3.17 J	5.32	0.00172	< 0.000422	0.449	1320	305	7.4	666	9	18.2	0.3	-187	0
MW-145R	04/02/2020	1.07 J	6.87	0.00534	< 0.000422	2.05	1390	342	7.65	529	15.9	19.4	0.32	35	0.5
MW-145R	08/03/2020	1.24 J	2.27	0.00559	< 0.000422	8.55	1540	362	7.86	547	19.3	26.1	0.69	104	1
MW-145R	11/23/2020	26.9	2.89	< 0.000296	< 0.000422	1.61	4610	361	7.63	466	10.8	85	1.35	-156	--
MW-145R	02/04/2021	26.7	1.95	< 0.00407	< 0.00426	1.38	1230	310	7.67	634	13.6	46.9	0.73	41	--
MW-145R	05/12/2021	27.3	1.9	< 0.000296	< 0.000422	1.62	2800	327	7.7	629	18.1	28	0.53	-190.6	--
MW-145R	08/23/2021	24.2	1.99	< 0.000296	< 0.000422	1.81	884	198	7.38	638	16.7	--	0.46	158.8	--
MW-145R	11/30/2021	25.3	1.65	< 0.000296	< 0.000422	1.74	4970	404	7.76	652	13.4	--	2.28	-144.8	0.5
MW-145R	05/11/2022	28.4	1.9	0.00215	0.000704 J	2.36	576	286	7.53	618	14.5	--	0.51	-93.9	--
MW-145R	08/10/2022	27.1	2.25	0.00528	0.00213	2.51	1680	320	7.75	657	17.6	--	4.9	-39.8	--
MW-145R	11/02/2022	26.5	2.05	0.00452	0.00181	1.61	451	317	7.55	632	11	--	0.72	-179.2	0
MW-145R	05/15/2023	26.3	2.33	< 0.00407	< 0.00426	0.345	268	277	7.63	646	20.4	--	0.42	11.2	--
MW-145R	11/08/2023	25.1	2.42	0.00403	< 0.000422	1.35	510	315	8.47	520	15.8	--	7.18	-12.8	--
MW-145R	05/22/2024	28.4	2.04	0.00236	< 0.000422	1.05	287	279	7.6	614	15.3	--	2.4	51.8	--
MW-145R	11/08/2024	24.3	3.21	0.00468	< 0.000422	1.6	342	296	7.48	521	14.9	--	0.41	-160	0.6
MW-145R	05/15/2025	25.7	2.06 J	< 0.00754	< 0.00610	1.30	478	267	7.75	519	15.6	3.5	0.59	-117.4	--
MW-145R	11/10/2025	23.3	R	< 0.00754	< 0.00610	< 0.715	673	303	7.68	502	16.1	4.9	0.08	-147.9	--
MW-147; Hydrogeologic Zone: Intermediate B															
MW-147	05/01/2018	183	21.3	0.0107	0.144	5.06	17100	564	7.85	911	16.8	--	0.4	79	--
MW-147	01/22/2019	43.2	5.2	0.0021	0.1	4.21	6010	646	7.6	892	8.6	--	0.79	118	1
MW-147	04/23/2019	28.1	13.7	< 0.000296	0.158	8.11	4390	787	7.07	685	17.3	--	0.42	-103	1.5
MW-147	07/18/2019	30	9.56	< 0.000296	0.191	5.45	3800 J	750	6.85	721	17.4	--	0.46	94	2
MW-147	10/14/2019	28	6.7	0.00294	0.457	7.83	9370	919	7	671	17.6	90.9	0.38	99	0.5
MW-147	01/24/2020	25.6	3.34	< 0.000296	0.172	1.55	13500	995	7.66	1031	15.7	307	9.57	-31	0.5
MW-147	04/29/2020	22.4	3.47	< 0.000296	0.468	3.78	8660	1010	7.16	805	20.6	73	0.62	-87	2
MW-147	07/09/2020	14	3.29	0.00465	0.641	5.49	13300	1040	7.37	833	22.1	188	0.58	-12	1.5
MW-147	11/10/2020	16.6	3.04	0.00395	0.552	8.35	5850	890	7.16	790	13.8	41.3	0.52	-144	--
MW-147	02/09/2021	36.8	4.33	< 0.000296	0.302	4.05	2440	659	7.22	719	12.2	266	1.19	46	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-147	05/04/2021	1.35 J	18.7	< 0.000296	0.785	5.96	8900	910	7.17	727	17.7	265	0.39	-212.8	--
MW-147	08/20/2021	0.826 J	57.3	0.446	1.42	17.5	7130	1170	6.81	985	19.6	--	0.33	155.4	--
MW-147	11/09/2021	4.69	4.77	0.072	0.764	4.17	7710	865	7.38	741	15.2	--	0.75	154.9	1.5
MW-147	02/18/2022	18.6	3.6	0.0366	0.121	3.32	10900	1430	7.02	1175	13.5	23	0.57	-123.7	--
MW-147	05/03/2022	5.59	4.84	0.208	0.296	14.6	14200	1740	6.88	1206	14.7	--	0.92	-129.3	--
MW-147	08/10/2022	4 J	5.8	0.196	0.28	14.9	9780	1640	7.12	1263	18	--	8.4	-65.5	--
MW-147	11/03/2022	1.48 J	6.17	0.427	0.275	18	6370	1700	6.74	1416	14.9	--	0.33	241.7	6.5
MW-147	05/12/2023	19.9	11.8	0.0482	0.135	3.8	1370	567	7.22	843	15.9	--	0.16	18.4	--
MW-147	11/10/2023	25.2	7.02	0.0175	0.0936	1.66	4690	354	7.63	759	12.5	--	1.02	-147.3	0.3
MW-147	06/04/2024	26.8	4.9	0.0152	0.0917	2.37	3950	417	7.24	806	16.2	--	0.85	-182.8	--
MW-147	11/07/2024	21.6	4.86	0.0472	0.117	5.09	4760	634	7.22	853	14.4	--	0.93	-35.3	1.1
MW-147	05/13/2025	26.9	4.41	0.0104	0.0291	2.23	1260	454	7.46	532	16	3.4	0.58	-101.7	--
MW-147	11/12/2025	24.4	R	< 0.00754	0.0178	1.28	453	213	7.61	570	15.7	2.2	0.69	-142.8	0.5
MW-148; Hydrogeologic Zone: Intermediate B															
MW-148	05/01/2018	95.5	2.46	< 0.000296	< 0.000422	1.21	12000	439	8.06	499	13.7	--	0.4	107	0.25
MW-148	01/23/2019	154	4.04 J	< 0.000296	0.00284	1.39	10100	594	7.8	706	12	--	0.66	116	--
MW-148	04/26/2019	175	5.19	< 0.000296	0.00365	1.6	2910	420	6.94	717	13.8	--	0.43	82	0.4
MW-148	07/22/2019	173	3.51	< 0.000296	0.00466	1.94	5440	534	8.43	619	16.6	--	0.24	-143	0.5
MW-148	10/16/2019	198	4.48	0.00603	< 0.000422	2.05	2240	498	7.35	654	15.1	107	0.17	53	0.5
MW-148	01/20/2020	117	5.22	0.0032	0.00565	1.09	1750	380	7.44	717	13.9	35.9	0.08	-135	0.5
MW-148	04/30/2020	149	2.84	< 0.000296	< 0.000422	1.27	30300	774	7.74	623	18.1	207	0.53	-101	0.5
MW-148	07/15/2020	127	2.36	0.0131	< 0.000422	1.32	7720	517	7.7	593	24.7	618	0.39	-4	0.5
MW-148	11/11/2020	60	1.02	< 0.000296	< 0.000422	0.544	4270	341	7.72	461	13.5	360	0.38	-250	--
MW-148	08/13/2021	152	1.69	< 0.000296	< 0.000422	1.38	4870	488	7.57	655	19.6	161	0.29	-126.6	--
MW-148	12/07/2021	137	1.66	< 0.000296	< 0.000422	1.21	3840	433	7.64	626	13.1	--	0.99	-143.9	--
MW-148	02/25/2022	139	1.87	0.00116 J	0.00282	0.679	10200	576	7.71	682	12.4	--	0.9	-168	--
MW-148	05/05/2022	177	2.05	0.00166	0.00369	1.25	3070	581	2.61	671	12.4	--	2.51	-133.9	--
MW-148	08/10/2022	173	2.66	0.00212	0.00451	1.4	18500	702	7.76	777	17.8	--	1.25	-36.4	--
MW-148	11/04/2022	80.8	1.67	0.00249	0.0223	0.427	421	325	7.22	538	14.3	--	0.4	187.3	0
MW-148	05/09/2023	--	--	--	--	--	--	--	7.9	460	15.3	--	10.79	-110	--
MW-148	11/09/2023	--	--	--	--	--	--	--	7.31	462	13.5	--	2.47	-59.8	--
MW-148	05/28/2024	--	--	--	--	--	--	--	6.78	384	13.9	--	0.23	185.7	--
MW-148	11/11/2024	--	--	--	--	--	--	--	7.48	516	14	--	0.55	-141.7	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-148	05/13/2025	--	--	--	--	--	--	--	7.48	318	16.6	1.2	0.55	-159.2	--
MW-148	11/17/2025	--	--	--	--	--	--	--	7.40	360	13.8	2.3	0.58	-60.5	1
MW-190; Hydrogeologic Zone: Intermediate B															
MW-190	10/14/2019	20.3	10.3	0.00687	< 0.000422	0.428	1850	406	7.59	492	16.6	14.4	0.53	-92	0.2
MW-190	01/23/2020	4.06 J	4.46	< 0.000296	< 0.000422	0.656	1490	273	7.33	473	12.6	12.2	0.51	-158	0.5
MW-190	04/02/2020	22.3	2.05	< 0.000296	< 0.000422	0.318	2240	420	8.11	441	15.6	32.9	0.34	265	0.5
MW-190	08/04/2020	23.3	1.87	< 0.000296	< 0.000422	0.23	957	507	7.89	412	20.3	18.3	0.62	91	0.5
MW-190	11/18/2020	51.9	3.08	< 0.000296	0.0376	0.0956	1600	1010	7.45	466	13.7	42.7	0.7	-277	--
MW-190	02/03/2021	42.8	4.42	< 0.000296	0.0489	0.755	2030	951	7.59	471	10.4	9	0.88	-499	--
MW-190	05/14/2021	37.9	3.42	< 0.000296	0.0282	1.45	4550	1080	7.63	5	16.5	40.7	7.81	117	--
MW-190	08/11/2021	43.7	3.64	< 0.000296	0.0314	0.701	2260	993	7.38	476	22.2	48.1	0.44	10.9	--
MW-190	11/30/2021	39.6	4.02	< 0.000296	0.0446	2.71	1960	860	7.3	478	12.8	--	0.84	-79.3	0
MW-190	03/04/2022	40.9	4.82	0.00134	0.0186	1.53	1690	871	7.71	517	10.3	14	0.44	-485.3	--
MW-190	05/10/2022	41.9	3.05	0.00132	0.00909	0.799	958	859	7.27	449	12.7	--	3.14	9	--
MW-190	08/11/2022	43.6	4.6	0.00375	0.0104	3.01	1660	767	7.74	374	17	--	1.38	-48.7	--
MW-190	10/31/2022	40.2	5.82	0.00853	0.0269	6.19	1750	861	7.2	565	14.9	--	0.42	176.9	0
MW-190	05/12/2023	--	--	--	--	--	--	--	7.73	430	14.3	--	0.5	-135.1	--
MW-190	11/06/2023	36.4	6.44	0.0284	0.0304	4.11	2340	872	7.57	508	14.7	--	1.61	-51.3	0.5
MW-190	05/23/2024	--	--	--	--	--	--	--	7.59	426	13.6	--	0.43	123	--
MW-190	11/06/2024	34.9	5.05	0.0425	0.055	7.81	2080	842	7.42	548	14.4	--	0.42	-141.2	0.5
MW-190	05/13/2025	--	--	--	--	--	--	--	7.59	358	14.4	2	0.45	-119.6	--
MW-190	11/17/2025	42.0	R	0.0103	0.00821 J	3.08	2300	803	7.56	393	13.7	11.8	0.29	-107.2	0.5
MW-303; Hydrogeologic Zone: Intermediate B															
MW-303	10/21/2019	62.2	4.76	0.00617	< 0.000422	0.0957	3060	289	7.88	437	16.4	50	0.37	-246	0
MW-303	01/24/2020	29.8	3.54	< 0.000296	< 0.000422	0.137	1320	285	9.34	889	--	45.9	--	-314	0
MW-303	05/07/2020	43.5	1.66	< 0.000296	< 0.000422	0.177	4490	371	7.67	499	16.7	75.2	0.52	-158	0
MW-303	07/27/2020	49	1.69	< 0.000296	< 0.000422	0.157	1480	298	7.94	441	25.6	70	0.63	-88	0.6
MW-303	11/17/2020	--	--	--	--	--	--	--	7.94	439	15.8	69.6	4.59	-51	--
MW-303	05/18/2021	--	--	--	--	--	--	--	7.68	415	14.2	165	0.63	-149.4	--
MW-303	11/09/2021	55	1.42	< 0.000296	< 0.000422	0.0939	1590	333	7.51	455	14.5	--	0.51	-39.8	0.4
MW-303	05/25/2022	--	--	--	--	--	--	--	7.83	432	15.4	--	0.61	-95.9	--
MW-303	11/08/2022	60	1.4	< 0.000296	< 0.000422	0.0676	1970	328	7.77	436	13.3	--	0.34	-7.3	0
MW-303	10/31/2023	--	--	--	--	--	--	--	7.78	455	13.9	--	0.94	-131	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-303	11/13/2024	--	--	--	--	--	--	--	7.77	481	15	--	0.42	-9.7	--
MW-303	11/05/2025	--	--	--	--	--	--	--	7.78	395	16.4	5.6	3.79	-86.7	< 0
MW-307; Hydrogeologic Zone: Intermediate B															
MW-307	10/11/2019	69.1	4.12	0.013	0.0079	0.0266 J	1030	149	8.19	586	16.5	101	0.28	-540	0
MW-307	01/15/2020	64.7	7.87	0.00279	< 0.000422	0.0126	1990	198	8.34	985	10.8	--	0.43	-126	0
MW-307	04/28/2020	72	3.56	< 0.000296	< 0.000422	0.025	1190	172	7.85	749	15.8	29	0.8	-174	0.25
MW-307	07/29/2020	73	1.9	< 0.000296	< 0.000422	0.0695	1220	169	8.09	627	21.6	64.1	1.04	-27	0.5
MW-307	11/06/2020	--	--	--	--	--	--	--	8	642	14.9	31.9	0.55	-204	--
MW-307	05/18/2021	--	--	--	--	--	--	--	8.01	672	17	360	0.48	126.8	--
MW-307	11/30/2021	62.7	1.73	< 0.000296	< 0.000422	0.0204	1610	161	7.78	409	13.7	--	0.92	-163.7	0
MW-307	05/26/2022	--	--	--	--	--	--	--	8.11	634	18.6	--	0.48	-189.5	--
MW-307	11/04/2022	25.5	8.03	0.00171	0.00825	0.0143	163	137	6.79	708	15.6	--	0.22	256.6	0
MW-307	11/10/2023	--	--	--	--	--	--	--	8.07	458	15.3	--	1.12	-27	--
MW-307	11/08/2024	--	--	--	--	--	--	--	8.03	618	16.8	--	0.46	128.4	1.1
MW-307	11/14/2025	--	--	--	--	--	--	--	6.86	111	14.6	8.9	1.80	180.2	< 0
MW-309; Hydrogeologic Zone: Intermediate B															
MW-309	10/14/2019	86.5	2.95	< 0.000296	< 0.000422	0.105	511	435	7.67	626	14.6	7.2	0.64	68	0.5
MW-309	01/16/2020	69.9	1.66	0.00206	< 0.000422	0.158	451	621	7.08	656	12.7	1.2	0.3	-127	0
MW-309	04/08/2020	72.2	1.61	< 0.000296	< 0.000422	0.144	721	680	7.05	580	12.8	--	0.44	-128	0
MW-309	07/06/2020	70.9	1.67	< 0.000296	< 0.000422	0.233	938	683	7.4	688	18.5	8.4	0.13	-165	0.5
MW-309	11/06/2020	--	--	--	--	--	--	--	7.36	523	13.8	1.2	0.43	-157	--
MW-309	05/04/2021	--	--	--	--	--	--	--	7.42	655	16	57.8	0.15	126.3	--
MW-309	11/11/2021	58.8	1.91	< 0.000296	< 0.000422	0.253	649	709	7.39	597	15	--	0.42	49.8	0.5
MW-309	05/19/2022	--	--	--	--	--	--	--	7.41	647	14.7	--	0.33	-45.7	--
MW-309	11/01/2022	49.2	2.04	0.00165	< 0.000422	0.435	699	659	6.87	771	14	--	0.32	254	0
MW-309	05/12/2023	--	--	--	--	--	--	--	6.69	576	19.9	--	0.74	-51.7	--
MW-309	11/07/2023	--	--	--	--	--	--	--	7.36	703	13.9	--	0.38	-130.3	--
MW-309	05/21/2024	--	--	--	--	--	--	--	6.78	614	13.8	--	0.23	29.3	--
MW-309	11/11/2024	--	--	--	--	--	--	--	7.5	692	14.4	--	0.12	-31.8	1
MW-309	05/15/2025	--	--	--	--	--	--	--	7.48	613	15	2.8	0.13	5	--
MW-309	11/10/2025	--	--	--	--	--	--	--	7.38	645	15.9	2.8	0.17	-119.5	0.5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
Unit		mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-311; Hydrogeologic Zone: Intermediate B															
MW-311	10/10/2019	35	5.31	0.0408	0.0104	0.856	349	738	7.31	1044	15	17.8	0.46	-39	0
MW-311	01/14/2020	14.2	5.99	0.0227	0.0071	0.534	306	793	7.56	1098	6.2	3.3	0.22	-140	--
MW-311	04/23/2020	9.65	7.58	0.0148	< 0.000422	0.491	1990	745	7.5	846	13.2	26.3	0.68	-96	0.5
MW-311	07/16/2020	8.36	7.88	0.0142	< 0.000422	0.633	5480	791	7.39	852	21.2	7.8	0.46	-125	1
MW-311	11/04/2020	--	--	--	--	--	--	--	7.07	798	16.3	74.7	0.65	-146	--
MW-311	05/03/2021	--	--	--	--	--	--	--	7.35	830	16.2	6	0.24	129	--
MW-311	11/04/2021	19.2	3.02	< 0.000296	< 0.000422	0.097	766	496	7.47	784	15.5	--	0.36	175.8	0.75
MW-311	05/09/2022	--	--	--	--	--	--	--	7.4	813	18.1	--	0.2	-30.5	--
MW-311	11/01/2022	27.7	1.7	0.00711	0.00379	0.111	543	310	6.35	664	14.8	--	0.67	19.2	2
MW-311	05/15/2023	--	--	--	--	--	--	--	7.46	818	22.9	--	0.47	-46.1	--
MW-311	11/07/2023	--	--	--	--	--	--	--	7.56	800	14.9	--	1.16	107.1	--
MW-311	05/21/2024	--	--	--	--	--	--	--	7.28	652	13.9	--	0.96	50.9	--
MW-311	11/12/2024	--	--	--	--	--	--	--	7.39	883	14.9	--	0.32	-131.4	--
MW-311	05/15/2025	--	--	--	--	--	--	--	7.72	811	15.8	6.2	0.06	--	--
MW-311	11/10/2025	--	--	--	--	--	--	--	7.71	486	16.5	2.4	0.19	-143.9	1
MW-314; Hydrogeologic Zone: Intermediate B															
MW-314	10/10/2019	264	2.84	0.0186	< 0.000422	0.377	2420	1110	7.22	860	14.9	50.3	0.35	138	3.5
MW-314	01/15/2020	309	2.44	0.00767 J	< 0.000422	0.29	11700	1270	7.18	1428	13.7	--	0.31	31	0.9
MW-314	04/22/2020	190	7.12	0.0352	0.154	2.75	12100	1020	7.04	1058	13.5	151	0.46	-96	1.5
MW-314	07/16/2020	94.8	14	0.0708	0.178	4.29	6530	1160	6.85	1146	17.4	556	0.25	11	2.5
MW-314	11/04/2020	--	--	--	--	--	--	--	6.62	1076	17.1	467	0.35	-91	--
MW-314	05/03/2021	--	--	--	--	--	--	--	7.08	957	16	163	0.23	-222.7	--
MW-314	12/03/2021	244	2.25	< 0.000296 J	< 0.000422 J	0.439	12300 J	857	7.08	902	14.3	--	0.96	-112.7	1.2
MW-314	05/18/2022	--	--	--	--	--	--	--	7.19	902	14.6	--	0.25	-47.4	--
MW-314	11/01/2022	270	2.02	0.0076	0.0039	0.848	1260	660	7.1	946	14.8	--	0.37	188.3	0
MW-314	05/15/2023	--	--	--	--	--	--	--	7.17	766	16.6	--	1.99	-113.9	--
MW-314	11/07/2023	238	2.14	0.00542	0.0022	1.2	3720	678	7.57	100	15.3	--	4.99	-55.4	1
MW-314	05/22/2024	--	--	--	--	--	--	--	7.21	451	15.8	--	3.09	50.5	--
MW-314	11/12/2024	56.7	1.66	< 0.000296	< 0.000422	< 0.000287	106	19.6	7.17	469	14.9	--	3.28	-45.7	0
MW-314	02/26/2025	223	1.85	< 0.00754	< 0.00610	0.914	1280	615	7.39	773	15.2	85.3	0.12	-77.5	--
MW-314	05/09/2025	--	--	--	--	--	--	--	7.16	710	16.6	5.2	0.33	91.4	--
MW-314	08/19/2025	160	2.23 J	0.0125	0.00696 J	0.650 J	601	704	7.40	879	18.5	7.4	0.11	-297.7	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-314	11/07/2025	225	R	< 0.00754	0.00721 J	0.926	574	662	7.25	883	15.3	3.4	0.34	-254.1	0.5
MW-316; Hydrogeologic Zone: Intermediate B															
MW-316	10/02/2019	41.8	3.78	< 0.000296	< 0.000422	0.143	2580	328	7.77	662	15	--	0.45	202.7	1
MW-316	01/16/2020	41.6	5.63	< 0.000296	< 0.000422	0.145	6150	359	8.08	1076	11.7	--	0.43	-89	0.4
MW-316	04/21/2020	58.2	1.76	< 0.000296	< 0.000422	0.35	3540	318	7.34	710	14.8	83.6	0.39	109	0.25
MW-316	07/24/2020	47.9	1.87	< 0.000296	< 0.000422	0.179	1950	258	7.65	713	16.8	54.2	0.46	191.3	0.5
MW-316	11/02/2020	--	--	--	--	--	--	--	7.89	706	14.7	9.9	0.84	-154.1	--
MW-316	05/17/2021	--	--	--	--	--	--	--	7.79	698	18.6	193	0.51	-190.6	--
MW-316	11/05/2021	45.6	1.77	< 0.000296	< 0.000422	0.0356	2400	264	7.61	722	12.3	91	0.88	-222.3	0.4
MW-316	05/09/2022	--	--	--	--	--	--	--	7.71	691	16.2	--	0.38	-48.2	--
MW-316	11/02/2022	25	< 0.931	< 0.000296	< 0.000422	0.0362	1230	160	7.32	137	13.9	--	0.86	196.3	0
MW-316	11/08/2023	--	--	--	--	--	--	--	8.97	274	14.7	--	9.89	-26.8	--
MW-316	11/11/2024	--	--	--	--	--	--	--	7.43	389	13.9	--	1.37	-75	--
MW-316	11/13/2025	--	--	--	--	--	--	--	6.49	70	14.6	5.6	1.95	95.4	0.5
MW-318; Hydrogeologic Zone: Intermediate B															
MW-318	10/08/2019	119	6.73	0.0128	< 0.000422	0.355	11700	2330	7.09	846	15.3	--	0.48	-84	4
MW-318	01/16/2020	118	4.09	0.0182	< 0.000422	2.23	16000	2940	6.55	979	14.5	1.3	0.5	-60	2
MW-318	04/27/2020	5.12	7.87	0.0139	< 0.000422	6.72	14900	3550	7.62	1276	16.8	35	0.25	38	3.6
MW-318	07/30/2020	7.79	9.46	< 0.000296	< 0.000422	5.38	13500	3030	6.7	1156	18.9	16	1.17	-68	7
MW-318	11/12/2020	--	--	--	--	--	--	--	6.56	1204	15.7	64.3	4.62	-122	--
MW-318	05/19/2021	--	--	--	--	--	--	--	6.61	1183	16.7	26.1	0.2	-125.5	--
MW-318	11/12/2021	22	8.14	0.0181	< 0.000422	4.55	14000	3730	6.64	1095	16	--	0.3	57.3	4.75
MW-318	05/27/2022	--	--	--	--	--	--	--	6.71	941	15.6	--	0.31	-98.8	--
MW-318	11/01/2022	105	3.35	0.00888	0.00262	0.85	10600	2830	6.76	1067	14.3	--	0.21	245.3	0
MW-318	05/16/2023	--	--	--	--	--	--	--	6.79	1200	19.9	--	0.08	-71.3	--
MW-318	11/08/2023	--	--	--	--	--	--	--	6.96	1172	15.2	--	1.39	-88.2	--
MW-318	05/22/2024	--	--	--	--	--	--	--	6.63	1206	16.2	--	0.13	-148.2	--
MW-318	11/06/2024	--	--	--	--	--	--	--	6.66	1181	15.9	--	0.39	-124.8	--
MW-318	05/13/2025	19.7	7.20	0.0210	< 0.00610	1.77	15300	3920	6.75	1175	16.1	1	0.07	32.1	--
MW-318	11/12/2025	58.1	R	0.0119	< 0.00610	0.765	13000	3150	6.71	763	16.6	1.3	0.29	-100.6	4

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-322; Hydrogeologic Zone: Intermediate B															
MW-322	10/07/2019	21.1	19.4	0.0591	0.0208	3.09	43900	4260	6.68	1400	16.9	28.7	0.45	-66	0
MW-322	01/21/2020	17.8	17.1	0.107	< 0.000422	3.62	19500	1870	6.69	1353	14.3	5.5	0.4	-49	1.5
MW-322	04/29/2020	69.9	5.49	0.0866	0.0222	2.36	14600	2320	--	1190	16.3	4	0.9	198	5.6
MW-322	07/07/2020	97	3.71	0.0426	< 0.000422	2.24	12800	1990	6.74	895	16	12.2	0.15	-113	5.8
MW-322	11/24/2020	--	--	--	--	--	--	--	6.67	924	15.4	16.7	0.48	-131	--
MW-322	05/19/2021	--	--	--	--	--	--	--	6.61	1121	16.7	9	0.22	-116	--
MW-322	11/09/2021	3.45	10.8	0.0267	0.0213	6.44	17800	3470	6.9	1370	12.9	--	0	-111	4
MW-322	06/08/2022	--	--	--	--	--	--	--	6.6	1338	17.1	--	0.43	-93.8	--
MW-322	11/03/2022	18	13.5	0.0715	0.0539	3.54	19200	3280	6.78	372	14	--	0.2	212.2	4.5
MW-322	05/17/2023	--	--	--	--	--	--	--	6.6	1292	20.5	--	0.31	-79.3	--
MW-322	11/08/2023	28.7	13.4	0.0393	0.00754	1.6	16900	1980	6.72	1339	16.7	--	1.27	-79	2.5
MW-322	05/22/2024	--	--	--	--	--	--	--	6.6	799	16.6	--	0.28	-29	--
MW-322	11/06/2024	29.5	11.7	0.0468	0.0119	2.03	17700	1870	6.59	1327	16.5	--	0.26	-114.2	3.5
MW-322	05/13/2025	12.7	9.48	0.0398	< 0.00610	2.12	16700	2140	6.72	1124	16.3	1.2	0.08	-61.6	--
MW-322	08/20/2025	23.6	9.75	0.0353	0.00867 J	1.90 J	17900	2160	6.62	1039	18.1	2	0.15	-95.1	--
MW-322	11/12/2025	35.6	R	0.0279	< 0.00610	1.03	18000	2050	6.44	853	16.6	2.7	0.09	-94.7	3.5
MW-334; Hydrogeologic Zone: Intermediate B															
MW-334	04/24/2020	2.48 J	6.69	< 0.000296	< 0.000422	23.3	13800	840	7.06	1443	16.4	134	0.5	-96	6
MW-334	07/07/2020	1.21 J	9.92	< 0.000296	< 0.000422	32.5	16200	701	6.63	1998	17.9	38	0.37	-6	5
MW-334	11/05/2020	--	--	--	--	--	--	--	7.1	2108	15.8	53.4	0.52	-271	--
MW-334	05/13/2021	--	--	--	--	--	--	--	6.85	2019	21.5	6.1	0.18	-150	--
MW-334	11/05/2021	0.433 J	10.6	< 0.000296	< 0.000422	18.4	9510	464	7.09	1909	15.1	--	0.26	175.1	5.25
MW-334	05/31/2022	--	--	--	--	--	--	--	6.92	1983	18.2	--	0.27	-113.2	--
MW-334	11/03/2022	< 0.594	8.91	0.00435	< 0.000422	22.3	10300	612	6.11	1609	15.8	--	1.4	35.6	2
MW-334	11/09/2023	--	--	--	--	--	--	--	7.41	1618	15.8	--	2.48	12.9	--
MW-334	11/07/2024	--	--	--	--	--	--	--	6.87	2000	16.1	--	0.31	-108.3	--
MW-334	11/18/2025	--	--	--	--	--	--	--	6.80	1108	16.1	4.4	0.02	-106.8	5
MW-335; Hydrogeologic Zone: Intermediate B															
MW-335	05/01/2020	54.1	2.9	< 0.000296	< 0.000422	0.0737	1310	721	6.5	688	17.8	40	0.16	64	0.8
MW-335	07/08/2020	59.4	2.02	< 0.000296	< 0.000422	0.0463	171	594	6.66	526	21.1	1	0.29	-3	0
MW-335	11/02/2020	--	--	--	--	--	--	--	6.58	788	17.5	1.3	0.39	17	--
MW-335	02/10/2021	--	--	--	--	--	--	--	6.55	1140	15	7	1.17	52	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-335	05/26/2021	--	--	--	--	--	--	--	6.51	1185	16.5	--	0.34	-112.8	--
MW-335	08/11/2021	--	--	--	--	--	--	--	6.53	1259	27.3	--	0.35	127.9	--
MW-335	11/17/2021	72.7	9.35	0.0216	< 0.000422	1.44	71.1 J	2060	6.58	1165	14.9	--	0	65.2	0.25
MW-335	05/31/2022	--	--	--	--	--	--	--	6.56	798	18.5	--	0.3	28.3	--
MW-335	08/10/2022	--	--	--	--	--	--	--	6.78	660	19.4	--	0.63	60	--
MW-335	11/03/2022	86.7	2.52	0.0036	< 0.000422	0.338	135	1170	6.16	626	16.6	--	0.45	16.4	0
MW-335	05/19/2023	--	--	--	--	--	--	--	6.72	632	17	--	0.62	-1.2	--
MW-335	11/09/2023	57	2.79	0.00279	< 0.000422	0.317	147	1030	6.74	665	16.2	--	1.34	-7.4	0.5
MW-335	05/24/2024	--	--	--	--	--	--	--	6.64	535	15.7	--	0.16	-26.5	--
MW-335	11/14/2024	80.1	3.3	0.0162	< 0.000422	0.389	214	1140	6.59	875	16.8	--	0.32	-145.1	0.5
MW-335	05/21/2025	--	--	--	--	--	--	--	6.7	474	14	0.7	0.1	83.8	--
MW-335	11/13/2025	47.9	R	< 0.00754	< 0.00610	0.0386	838	764	6.57	382	17.1	3.4	0.13	12.2	1
MW-338; Hydrogeologic Zone: Intermediate B															
MW-338	05/07/2020	2.19 J	7.16	< 0.000296	< 0.000422	16.7	16400	1620	6.42	1320	19.6	14.8	0.42	-103	3
MW-338	07/23/2020	1.11 J	7.83	< 0.000296	< 0.000422	22.7	13800	1020	6.55	896	16.3	12	2.73	-91	9
MW-338	11/10/2020	--	--	--	--	--	--	--	6.32	856	10.7	1	0.26	-123	--
MW-338	05/04/2021	--	--	--	--	--	--	--	6.4	1155	16.1	--	1.01	119.6	--
MW-338	11/17/2021	0.417 J	9.65	< 0.000296	< 0.000422	25.2	19400	1480	6.42	997	12.6	--	0	60.5	5
MW-338	05/04/2022	--	--	--	--	--	--	--	6.59	1046	13.5	--	7.22	-112	--
MW-338	11/02/2022	< 0.594	8.2	0.00602	< 0.000422	25.8	24400	1720	6.5	806	11.3	--	0.8	91.3	3.25
MW-338	11/08/2023	--	--	--	--	--	--	--	7.49	749	13.3	--	0.29	-4.2	--
MW-338	11/14/2024	--	--	--	--	--	--	--	6.85	945	12.1	--	0.15	-10.1	--
MW-338	11/11/2025	--	--	--	--	--	--	--	6.64	1205	14.5	1.4	0.18	-110.2	4
MW-340; Hydrogeologic Zone: Intermediate B															
MW-340	05/12/2020	2.31 J	6.54	< 0.000296	< 0.000422	19.6	14200	1900	6.71	1044	16.8	6	2.73	-181	6
MW-340	07/17/2020	0.663 J	5.31	< 0.000296	< 0.000422	24.7	13800	1850	6.54	968	14.8	310	1.97	-86	7
MW-340	11/09/2020	--	--	--	--	--	--	--	6.46	699	12.8	3.3	0.17	-146	0
MW-340	05/13/2021	--	--	--	--	--	--	--	6.42	829	14.9	--	0.14	130	0
MW-340	11/10/2021	< 0.6	5.13	< 0.000296	< 0.000422	21.6	12600	1720	6.56	796	13.9	--	0	40	5
MW-340	05/04/2022	--	--	--	--	--	--	--	6.71	846	14.1	--	1.75	-91.1	--
MW-340	11/02/2022	2.57 J	5.1	0.00362	< 0.000422	16	14700	1720	6.7	886	12.3	--	4.15	-16.8	5.5
MW-340	11/09/2023	--	--	--	--	--	--	--	7.44	709	13.4	--	0.22	-1.7	--
MW-340	11/14/2024	--	--	--	--	--	--	--	6.66	943	13.1	--	0.13	5.1	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-340	11/11/2025	--	--	--	--	--	--	--	6.70	919	14.6	1.2	0.13	-85.9	3
MW-345; Hydrogeologic Zone: Intermediate B															
MW-345	06/01/2021	55.7	2.74	0.00726	0.00964	0.241	961	125	7.93	675	22.8	81.5	0.51	-291.3	--
MW-345	08/18/2021	47.9	1.73	0.00254	0.00381	0.251	1150	174	8.16	650	19.8	35.6	0.35	138.2	--
MW-345	11/18/2022	41	1.81	0.0203	0.289	1.71	1400	215	8.05	699	15.7	--	0.6	-12.2	--
MW-345	11/13/2023	--	--	--	--	--	--	--	8.35	649	15.1	--	0.8	1.8	--
MW-345	11/21/2024	--	--	--	--	--	--	--	7.83	853	13.8	--	1.72	99.6	--
MW-345	11/07/2025	28.3	R	0.0239	0.0544	0.873	1070	229	7.67	359	17.1	8.4	0.68	-120.1	--
MW-346; Hydrogeologic Zone: Intermediate B															
MW-346	06/02/2021	96.4	5.57	0.0147	0.0109 J	0.166	6570	227	7.93	695	17	189	0.54	-396.1	--
MW-346	08/18/2021	48.7	1.83	0.00736	0.00508	0.189	3160	184	8.07	632	22.8	106	0.15	145.8	--
MW-346	03/31/2022	93.5	< 0.249	< 0.000296	< 0.000422	0.215	--	--	8.04	614	14.3	--	0.38	-249.4	--
MW-346	05/24/2022	81.2	2.07	< 0.000296	0.000988 J	0.072	--	--	7.93	603	16	--	0.55	-94.3	--
MW-346	08/02/2022	83.6	1.61	0.000563 J	0.00234	0.116	--	--	--	--	--	--	--	--	--
MW-346	11/10/2022	81.3	1.17	< 0.000296	0.00221	0.0966	8200	301	8	595	13.4	--	2.5	-15	0.25
MW-346	02/23/2023	73.3	1.76	< 0.000296	0.00383	0.0863	--	--	8.18	579	9.8	--	0.8	-50.3	--
MW-346	05/16/2023	73.3	1.62	< 0.000296	0.00351	0.0895	--	--	8.14	462	19.9	--	1.32	-85.4	--
MW-346	08/15/2023	73.4	1.54	< 0.000296	0.00505	0.0822	--	--	--	518	--	--	--	--	--
MW-346	11/08/2023	43.8	1.47	< 0.000296	0.00125 J	0.0402	1720	107	9.05	282	14.2	--	9	14	--
MW-346	02/27/2024	63.5	1.78	< 0.000296	0.00119 J	0.12	2630	166	8.08	543	8.9	--	0.82	-186.6	--
MW-346	05/28/2024	16.2	0.941 J	< 0.000296	< 0.000422	< 0.000287	675	19.3	7.5	138	14.2	--	7.66	-15.1	--
MW-346	09/05/2024	68.4	1.35	< 0.000296	0.00346	0.791 J	1970 J	184	7.95	587	23	--	0.78	-157	--
MW-346	11/05/2024	84.5	1.68	< 0.000296	0.00287 J	0.634	710	157	8.03	622	31.5	--	1.32	-66.5	0.5
MW-346	02/27/2025	67.6	1.25	< 0.00754	< 0.00610	0.185	591 J	125	8.03	320	14.5	24.6	2.41	-30.5	--
MW-346	05/15/2025	6.58	144	< 0.00754	< 0.00610	9.11	48700	809	7.06	2336	15.1	347	0.45	-132.1	--
MW-346	11/07/2025	24.4	R	< 0.00754	< 0.00610	0.0334 J	282	13.4	7.34	128	15	4.9	7.10	212.5	< 0
MW-347; Hydrogeologic Zone: Intermediate B															
MW-347	06/01/2021	85.7	2.74	0.0198	0.0348	0.0553	2020	109	8.42	736	21.7	84.2	0.39	-13.5	--
MW-347	08/19/2021	93.6	2.53	0.0293	0.0434	0.0759	1220	70.4	8.79	829	17	32	0.24	139.8	--
MW-347	03/31/2022	54.4	1.73 J	< 0.000296	0.0195	0.165	--	--	8.46	606	11.7	--	0.39	-381.1	--
MW-347	05/26/2022	12.8	53.5	0.00317	0.0123	0.176	--	--	7.1	591	15.2	--	3.39	-279.4	--
MW-347	08/02/2022	5.45	21.2	0.00238	0.0121	2.32	--	--	7.49	569	17.9	--	0.78	-91	--
MW-347	11/10/2022	4.72 J	11.6	0.0015	0.0115	7.09	1380	153	7.66	555	12.5	--	1.6	-22.1	0.5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-347	02/23/2023	13.9	2.25	0.00164	0.00709	4.59	--	--	7.98	532	5	--	2.29	-65.1	--
MW-347	05/16/2023	26.1	2.07	0.00176	0.0104	3.02	--	--	7.62	390	18.3	--	1.22	-123.7	--
MW-347	08/15/2023	31.3	1.64	0.00295	0.0113	2.09	--	--	7.76	461	18.9	--	1.74	-113.5	--
MW-347	11/10/2023	33.4	1.68	0.00366	0.0114	1.42	634	116	7.94	541	13.5	--	0.6	-160	--
MW-347	02/27/2024	20.9	1.83	0.00125 J	0.00191	0.0945	186	18.9	6.52	93	8.5	--	0.83	-30.3	--
MW-347	05/29/2024	15.3	1.81	0.0991	0.071	8.17	205	89.1	5.94	156	15.4	--	1.64	-48.1	--
MW-347	09/04/2024	39.6	1.35	0.00591	0.0114	0.811	636	130	7.66	518	22.7	--	0.72	-184.2	--
MW-347	11/06/2024	42	1.33	0.0025	0.00925	0.554	347	118	7.68	549	14.7	--	0.33	87.8	0
MW-347	02/27/2025	23.1	2.07	0.0807	0.0431	5.32	257	127	6.44	227	15.2	1.9	0.27	-58.4	--
MW-347	05/15/2025	31.7	1.81 J	0.0643	0.0355	4.01	241	124	6.8	363	15.5	6.4	0.71	-138.2	--
MW-347	11/06/2025	24.0	R	0.0805	0.0266	5.66	246	137	7.08	533	14.8	3.9	0.25	-75.7	--
MW-348; Hydrogeologic Zone: Intermediate B															
MW-348	06/01/2021	66.9	2.09	< 0.000296	0.0131	0.166	2050	114	7.7	692	21.1	100	0.58	28.6	--
MW-348	08/19/2021	52.5	1.87	< 0.000296	0.00934	0.117	507 J	103	7.89	625	17.9	22.7	0.3	147.2	--
MW-348	03/31/2022	54.5	1.89 J	< 0.000296	0.0189	0.268	--	--	8.08	605	11.5	--	0.54	-401	--
MW-348	05/26/2022	60	1.84	< 0.000296	0.02	0.31	--	--	8.19	628	14.9	--	0.52	17.9	--
MW-348	08/01/2022	56.5	1.23	0.00106 J	0.0232	0.306	--	--	8.07	642	23.7	--	0.42	-59.6	--
MW-348	11/10/2022	0.649 J	2180	0.0038	0.00301	5.39	465000	4710	6.78	4271	11.8	--	1.85	-12.1	--
MW-348	03/13/2023	32.6	4.18	0.00171	0.0234	0.237	--	--	8.2	641	9.8	--	0.99	64.5	--
MW-348	05/17/2023	26	3.01	0.00359	0.0321	22	--	--	8.16	573	19.1	--	0.58	-230.7	--
MW-348	08/15/2023	14.2	4.28	0.00424	0.0684	25.3	--	--	8.17	620	22.4	--	0.56	-207.5	--
MW-348	08/16/2023	10.2	10.3	0.00161	0.0273	7.04	--	--	8.41	665	23.1	--	4.71	-92.9	--
MW-348	11/14/2023	32.5	5.31	0.00168	0.0958	8.9	2320	97	8.05	428	13.5	--	3.63	-190.1	0.1
MW-348	02/27/2024	13.3	8.48	0.00618	0.27	33.1	8780	244	8.3	290	8.3	--	0.95	-46.9	--
MW-348	05/28/2024	60.7	10	0.00635	0.0823	30.4	1220	77.1	7.37	453	14.4	--	1.69	-213.3	--
MW-348	09/05/2024	8.94	14.8	0.0223	0.327	36	983	164	7.75	777	18.1	--	0.26	-281.4	--
MW-348	11/05/2024	66.4 J	22.4	0.0162	0.118	26.3	2540	166	7.45	590	14.7	--	0.55	-132.6	0
MW-348	02/27/2025	9.61	7.89	0.0407	0.0474	12.0	619	100	7.3	237	15.4	12.8	0.06	-249.2	--
MW-348	05/16/2025	17.7	13.4	0.143	0.0224	10.7	839	121	7.96	497	14.8	59.2	0.04	-293.2	--
MW-348	11/06/2025	17.4	R	0.0178	0.00619 J	7.40	2450	49.8	7.42	169	14.7	74.3	3.60	83	< 0
MW-349; Hydrogeologic Zone: Intermediate B															
MW-349	06/01/2021	57.1	2.75	< 0.000296	< 0.000422	0.184	722	116	7.53	595	19.1	36.7	0.28	16.1	--
MW-349	08/19/2021	45.8	1.95	< 0.000296	0.00843	0.245	196	136	8.01	618	18	11.2	0.42	61.5	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-349	03/30/2022	44.4	1.96	< 0.000296	0.00574	0.143	--	--	7.88	642	13.6	--	0.62	-268.9	--
MW-349	05/26/2022	< 0.594	621	0.00429	0.0158	0.926	--	--	6.29	1854	15.7	--	0.39	-88.9	--
MW-349	08/01/2022	< 0.594	25.4 J	0.00402	0.0129	13.5	--	--	6.49	1178	21.7	--	9.2	-107.3	--
MW-349	11/08/2022	2.28 J	63.8	< 0.000296	0.00325	27.1	9410	1080	6.91	1128	11.9	--	2.77	-31.6	5.25
MW-349	02/23/2023	2.27 J	9.58	< 0.000296	0.00585	33.7	--	--	7.1	1158	11.4	--	0.59	-37.5	--
MW-349	05/16/2023	3.09 J	5.2	0.00169	0.00704	21.4	--	--	7.03	963	17.1	--	1.21	-121.4	--
MW-349	08/15/2023	12.4	3.2	0.00142	0.00616	19.4	--	--	7.23	862	20.1	--	1.58	-115	--
MW-349	11/13/2023	10.1	3.64	0.00142	0.00515	20.8	2550	392	7.77	700	14.2	--	0.36	0.9	1.5
MW-349	02/27/2024	7.97	3.74	0.00333	0.00687	21.7	2030	355	7.35	888	9.2	--	0.57	-181.1	--
MW-349	05/28/2024	5.98	2.63	< 0.000296	0.00376	5.72	907	35	6.61	157	14.6	--	0.79	-111.2	--
MW-349	09/04/2024	8.79	2.16	< 0.000296	< 0.000422	< 0.000287	1940	417	7.39	831	17.3	--	0.73	-136.1	--
MW-349	11/06/2024	9.89	2.36	0.00121 J	0.0016	5.94	3980	426	7.45	903	15.1	--	7.1	2.3	--
MW-349	02/26/2025	13.3	2.60	< 0.00754	< 0.00610	7.59	2820	303	7.13	520	14.7	27.9	0.12	-109.6	--
MW-349	05/16/2025	10.9	3.02	< 0.00754	< 0.00610	10.9	4040	522	6.74	690	15	15.4	0.16	21.1	--
MW-349	11/06/2025	11.9	R	< 0.00754	0.00656 J	5.79	2040	608	6.89	1059	15	10	0.45	-81.7	2
MW-350; Hydrogeologic Zone: Intermediate B															
MW-350	06/01/2021	59.8	2.52	0.016	0.00941	0.145	2930	191	7.91	652	23.2	161	0.28	-492.9	--
MW-350	08/18/2021	21	2.19	< 0.000296	< 0.000422	0.166	1540	318	7.93	572	21.7	66.5	0.28	-99.9	--
MW-350	11/11/2022	40.4	1.2	0.0016	0.00152	0.298	2510	566	7.83	542	13.4	--	0.75	-9.6	0.5
MW-350	02/24/2023	41.2	1.95	< 0.000296	0.00523	1.37	--	--	7.86	564	11.7	--	0.91	-30.8	--
MW-350	05/17/2023	39.5	1.33	0.00417	0.0115	2.16	--	--	7.87	460	26.4	--	1.7	-91.5	--
MW-350	08/15/2023	36.9	1.6	0.0085	0.0162	2.35	--	--	7.91	645	27	--	0.91	-133.2	--
MW-350	11/13/2023	34.5	1.74	0.0147	0.0224	2.5	5380	658	8.51	490	14.3	--	0.99	-2	2.5
MW-350	02/28/2024	27.6	1.6	0.0561	0.0537	5.55	2300	724	7.76	676	12.6	--	0.55	-182	--
MW-350	05/29/2024	1.98 J	0.462 J	< 0.000296	< 0.000422	< 0.000287	685	38	7.67	99	15.4	--	5.22	-9	--
MW-350	09/05/2024	28.4	1.83	0.0636	0.0633	5.45	1210	694	7.79	727	18	--	0.84	-133.3	--
MW-350	11/07/2024	27.8	2.23	0.108	0.098	6.97	1140	764	7.67	757	15.3	--	2	133.3	0.5
MW-350	02/27/2025	0.558 J	0.466 J	< 0.00754	< 0.00610	< 0.00451	343	15.9	6.87	408	15.5	7.3	0.25	46.4	--
MW-350	05/16/2025	13.7	1.40	0.0347	0.0195	1.43	347	407	7.85	495	15.2	12.3	11.14	26.1	--
MW-350	08/20/2025	22.3	1.78 J	0.102 J	0.0559 J	4.00 J	442 J	549 J	7.91	727	19.5	2.9	0.30	-147.9	--
MW-350	11/06/2025	25.4	R	0.0772	0.0443 J	3.30 J	713	724	7.72	797	14.9	9.1	0.30	-60.9	0.5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
Unit		mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
W-MW-01; Hydrogeologic Zone: Intermediate B															
W-MW-01	04/13/2018	61.4	2.95	0.00581	0.00755	0.702	20400	717	7.91	539	14.5	--	0.4	66.5	0.8
W-MW-01	10/29/2018	--	--	--	--	--	--	--	7.5	565	16.6	--	0.67	-90.8	--
W-MW-01	12/13/2018	--	--	--	--	--	--	--	7.36	583	17.9	--	0.34	-123.1	--
W-MW-01	01/25/2019	56.9	7.93	0.00243	0.00341	0.291	11100	552	7.46	703	12.4	--	0.51	127	1.5
W-MW-01	03/11/2019	--	--	--	--	--	--	--	7.36	737	15.4	--	0.36	198	--
W-MW-01	04/25/2019	80	5.41	< 0.000296	< 0.000422	0.0102	2020	330	7.64	758	16.7	--	0.61	32	0.6
W-MW-01	07/23/2019	78.9	2.73	0.00396	0.00704	0.327	614	323	7.75	642	19.3	--	0.17	-153	0
W-MW-01	10/15/2019	73.8	2.49	< 0.000296	< 0.000422	0.384	1160	320	7.61	900	18.8	30.6	0.21	-142	0
W-MW-01	01/27/2020	66.4	2.31	< 0.000296	< 0.000422	0.292	990	380	7.18	834	14.6	36.8	0.28	-113	0.5
W-MW-01	04/03/2020	66.3	2.08	< 0.000296	< 0.000422	0.296	389	288	7.55	648	13.2	5.9	0.36	-120	0.5
W-MW-01	07/31/2020	71.4	2.44	< 0.000296	< 0.000422	0.232	498 J	224	7.53	658	18.5	4.5	1.11	-87	--
W-MW-01	11/24/2020	33.3	19.9	< 0.000296	< 0.000422	1.12	3680	501	7.72	754	12.6	39.7	0.17	-67	--
W-MW-01	02/03/2021	19.3	64.9	< 0.000296	< 0.000422	2.43	1160	788	7.39	984	12.5	4	0.12	33	--
W-MW-01	05/17/2021	0.6 J	27.8	< 0.000296	< 0.000422	67	10400	3360	6.71	2105	15.1	--	0.63	125.7	--
W-MW-01	08/23/2021	4.32 J	5.07	< 0.000296	< 0.000422	46.1	6160	2190	8.16	1738	16.8	9.7	0	12.5	--
W-MW-01	11/29/2021	3.99	6.38	< 0.000296	< 0.000422	31.3	18200	3540	6.64	1555	16.9	--	0.16	-99.3	4.2
W-MW-01	03/08/2022	18.3	3.58	< 0.000296	< 0.000422	24.5	20700	1810	6.83	1293	13.3	167	0.27	-538.6	--
W-MW-01	05/11/2022	12	4.15	< 0.000296	< 0.000422	28.1	12600	2390	6.79	1383	17.4	--	0.33	-86.7	--
W-MW-01	08/12/2022	24.8	3.43 J	0.00142	0.00163	28.3	3050	1110	6.95	910	18.1	--	0.94	-129.5	--
W-MW-01	10/31/2022	0.948 J	8.73	< 0.000296	< 0.000422	31.6	17300	4340	6.76	2082	14.8	--	5.14	-31.4	4.75
W-MW-01	02/24/2023	--	--	--	--	--	--	--	6.74	945	9	--	0.63	-67.6	--
W-MW-01	05/16/2023	9.78 J	5.68 J	0.00491 J	0.00487 J	37.5 J	7670	2290	9.05	1336	15.7	--	0.94	66.8	--
W-MW-01	08/16/2023	--	--	--	--	--	--	--	7.25	1449	17.9	--	0.3	-114.5	--
W-MW-01	11/06/2023	3.33 J	12.2	0.00446	0.00275	27.1	14000	3560	6.82	2092	14.1	--	0.53	134.1	7
W-MW-01	02/26/2024	--	--	--	--	--	--	--	6.84	2261	11.8	--	0.44	-149.2	--
W-MW-01	05/22/2024	--	--	--	--	--	--	--	6.98	1249	14.4	--	0.41	63.9	--
W-MW-01	09/05/2024	--	--	--	--	--	--	--	7.09	1819	21.3	--	0.39	-67.3	--
W-MW-01	11/08/2024	< 0.637	9.63	0.00583	< 0.000422	13.3	6290	2540	6.9	1553	16.9	--	0.18	-115.4	5.2
W-MW-01	02/26/2025	--	--	--	--	--	--	--	6.87	2423	15.6	35.9	0.13	-100.3	--
W-MW-01	05/12/2025	0.318 J	10.8	< 0.00754	< 0.00610	10.3	8940	2830	7.05	1572	16.5	38.9	0.3	-100.1	--
W-MW-01	08/20/2025	--	--	--	--	--	--	--	6.92	1870	17.4	6.1	0.09	-106.9	--
W-MW-01	11/10/2025	< 0.286	R	< 0.00754	< 0.00610	< 10.4	9140	2650	7.11	1429	17.3	12.1	3.37	-88.1	5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
Deep															
FMW-129; Hydrogeologic Zone: Deep															
FMW-129	05/01/2019	--	--	--	--	--	--	--	6.83	666	15.9	--	0.44	7	--
FMW-129	07/16/2019	86.8	2.23 J	0.00645	< 0.000422	0.0405	4600	415	6.63	669	14.6	--	0.47	97	--
FMW-129	10/21/2019	82.4	1.52	0.00531	< 0.000422	0.0535	18900	648	7.02	548	14.4	84.7	0.15	198	0.5
FMW-129	01/14/2020	82.4	1.42	0.00475	< 0.000422	0.0171	3330	291	6.44	584	12.3	52.8	0.3	70	0
FMW-129	05/06/2020	92.7	2.22	0.0136	< 0.000422	0.16	77900	1040	6.66	942	14.3	--	0.38	3	0.5
FMW-129	07/10/2020	85.8	2.21	0.0136	< 0.000422	0.195	12900	511	6.88	826	17.7	--	0.24	-1	1
FMW-129	11/10/2020	81.2	1.61	0.0223	< 0.000422	0.267	9180	438	6.98	834	13.7	834	0.29	-107	--
FMW-129	02/10/2021	4.17 J	1.33	< 0.000296	< 0.000422	< 0.000287	152	14.5	7.31	97	13	18.3	1.87	152	--
FMW-129	05/26/2021	114	1.69	0.0361	< 0.000422	0.316	12400	493	6.71	794	17	--	0.31	-137	--
FMW-129	08/19/2021	133	1.96	0.027	< 0.000422	0.222	9550	465	6.58	803	17.5	96.9	0.19	-37	--
FMW-129	03/03/2022	--	--	--	--	--	--	--	6.69	788	13.6	94	0.2	-437.1	--
FMW-129	05/05/2022	140	2.23	0.02	< 0.000422	0.481	924	455	6.74	954	11.7	--	0.73	40.2	--
FMW-129	08/12/2022	4.84 J	1.19	0.000517 J	< 0.000422	0.00668	76.3 J	14	7.46	94	16	--	5.62	167.2	--
FMW-129	11/11/2022	5.12	1.26	< 0.000296	< 0.000422	< 0.000287	115	15.2	7.66	121	13.5	--	3.49	-3	0
FMW-129	05/18/2023	--	--	--	--	--	--	--	7.45	102	14.7	--	2.18	52.1	--
FMW-129	11/14/2023	--	--	--	--	--	--	--	7.24	102	13.8	--	2.33	-112.1	--
FMW-129	05/23/2024	--	--	--	--	--	--	--	6.88	133	14.4	--	1.2	71.7	--
FMW-129	11/12/2024	--	--	--	--	--	--	--	7.02	135	14.5	--	0.5	121.8	--
FMW-129	05/22/2025	4.94	1.19	< 0.00754	< 0.00610	0.0254	36.2 J	34.0	6.63	100	14.8	0.7	0.46	124.3	--
FMW-129	11/11/2025	92.5	R	< 0.00754	< 0.00610	< 0.00451	85.9	199	6.63	388	14.8	3.1	0.48	138.5	< 0
FMW-131; Hydrogeologic Zone: Deep															
FMW-131	04/22/2019	--	--	--	--	--	--	--	6.44	224	12.6	--	0.41	-22	--
FMW-131	10/21/2019	2.56 J	1.91	< 0.000296	< 0.000422	0.0456	608	589	7.19	267	14.3	--	0.3	-27	0.5
FMW-131	01/22/2020	0.695 J	2.35	< 0.000296	< 0.000422	1.27	422	967	6.38	273	12.3	5	1.83	82	0.5
FMW-131	04/29/2020	< 0.594	5.07	< 0.000296	< 0.000422	11.8	416	4190	6.41	797	16.2	95	0.4	-1	2.5
FMW-131	07/30/2020	3.42 J	2.81	< 0.000296	< 0.000422	2.31	365	1060	6.86	277	15.3	2.2	0.46	42	0
FMW-131	11/19/2020	--	--	--	--	--	--	--	6.74	220	12.6	21.3	0.96	-298	0
FMW-131	02/12/2021	--	--	--	--	--	--	--	6.68	378	12.1	104	0.26	-39	--
FMW-131	05/13/2021	--	--	--	--	--	--	--	6.43	396	15.1	--	0.2	130	--
FMW-131	08/19/2021	--	--	--	--	--	--	--	6.57	384	15	3.1	0.19	-6.2	--
FMW-131	02/25/2022	--	--	--	--	--	--	--	6.32	1004	8.9	--	0.95	-85.2	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
FMW-131	06/09/2022	--	--	--	--	--	--	--	6.61	431	13.8	--	0.44	35.2	--
FMW-131	08/05/2022	--	--	--	--	--	--	--	6.7	484	19.9	--	0.88	-28.1	--
FMW-131	11/01/2022	1.36 J	2.49	0.00139	< 0.000422	0.212	1550	1640	6.7	389	14.7	--	0.4	-13.4	1.25
FMW-131	05/09/2023	--	--	--	--	--	--	--	6.56	466	14.4	--	0.59	-93.7	--
FMW-131	11/09/2023	--	--	--	--	--	--	--	6.61	613	14	--	0.48	-77.9	--
FMW-131	05/23/2024	--	--	--	--	--	--	--	6.56	310	13.9	--	0.5	28.6	--
FMW-131	11/14/2024	--	--	--	--	--	--	--	6.28	562	15.2	--	0.33	-110.2	--
FMW-131	05/16/2025	--	--	--	--	--	--	--	6.6	229	13.6	16.4	0.21	-57.4	--
FMW-131	11/11/2025	--	--	--	--	--	--	--	6.43	277	15.4	5	0.13	-76.5	7
FMW-137; Hydrogeologic Zone: Deep															
FMW-137	11/06/2019	37	3.2	< 0.000296	< 0.000422	< 0.000287	400	2670	6.99	704	14	--	0.4	267	0
FMW-137	01/22/2020	36.9	2.21	< 0.000296	< 0.000422	0.00737	269	1730	6.62	1001	12	12.4	0.48	144	0
FMW-137	05/06/2020	7.18	5.8	< 0.000296	< 0.000422	0.0218	34600	2420	6.36	1552	14.3	296	0.47	-93	2.5
FMW-137	07/31/2020	3.81 J	5.55	< 0.000296	< 0.000422	0.0292 J	20200	2670	6.61	1422	16.4	122	4.84	-70	2.8
FMW-137	11/24/2020	--	--	--	--	--	--	--	6.08	1462	13.8	55.9	1.97	-44	--
FMW-137	02/12/2021	--	--	--	--	--	--	--	6.85	266	12.5	94	0.27	-295	--
FMW-137	06/02/2021	--	--	--	--	--	--	--	6.76	402	15.1	--	0.26	-74.2	--
FMW-137	08/12/2021	--	--	--	--	--	--	--	6.47	666	18.8	3.7	0.26	-1.2	--
FMW-137	03/04/2022	--	--	--	--	--	--	--	6.67	754	12.5	6	0.33	-567	--
FMW-137	06/05/2022	--	--	--	--	--	--	--	6.77	671	14.8	--	0.73	16.4	--
FMW-137	08/05/2022	--	--	--	--	--	--	--	6.78	612	16.8	--	0.67	-6.6	--
FMW-137	11/01/2022	10.3	2.7	0.00137	< 0.000422	0.186	1290	2770	6.73	676	14.6	--	0.57	-20.5	1.25
FMW-137	05/19/2023	--	--	--	--	--	--	--	6.63	641	14.1	--	0.98	-24.5	--
FMW-137	11/09/2023	--	--	--	--	--	--	--	6.7	949	14.4	--	0.44	-55.2	--
FMW-137	05/24/2024	--	--	--	--	--	--	--	6.83	195	14.1	--	1.57	48.5	--
FMW-137	11/15/2024	--	--	--	--	--	--	--	6.63	1003	12.6	--	0.47	-178	--
FMW-137	05/16/2025	3.62	0.923	< 0.00754	< 0.00610	< 0.00451	41.9 J	19.9	6.71	105	14.4	5.7	0.54	70.2	--
FMW-137	11/17/2025	4.97	R	< 0.00754	< 0.00610	0.264	< 50.0	27.2	6.39	102	12.9	5.3	0.39	147.2	0.5
FMW-140; Hydrogeologic Zone: Deep															
FMW-140	10/31/2019	2.99 J	16.8	0.0751	0.0811	2.44	213	1020	6.34	699	15.5	83	0.38	-37	0.5
FMW-140	01/22/2020	76.3	6.09	0.105	0.0393	5.08	20600	2090	6.77	1666	12.4	1.6	0.32	-67	3.5
FMW-140	04/28/2020	47.2	7.94	0.0403	0.0363	4.64	22000	2560	6.58	1183	15.7	115	0.51	92	4.2
FMW-140	07/07/2020	70.5	6.72	0.0816	0.033	5.15	17700	2610	6.7	1164	19.5	149	0.31	-3	6

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
FMW-140	11/13/2020	--	--	--	--	--	--	--	6.51	1057	15.8	91.4	0.34	-179	--
FMW-140	05/18/2021	--	--	--	--	--	--	--	6.77	794	18.2	--	0.21	-173.6	--
FMW-140	03/02/2022	--	--	--	--	--	--	--	6.73	988	15.1	9	0.25	-389.1	--
FMW-140	05/31/2022	--	--	--	--	--	--	--	6.65	938	17.3	--	0.49	-96.3	--
FMW-140	11/02/2022	4.64 J	7.58	< 0.000296	< 0.000422	6.39	7640	2540	6.91	379	15.1	--	0.18	-42.5	--
FMW-140	05/15/2023	--	--	--	--	--	--	--	6.62	1263	22	--	0.37	-115.2	--
FMW-140	11/14/2023	--	--	--	--	--	--	--	7.05	1012	15.5	--	0.41	-92.4	--
FMW-140	05/24/2024	--	--	--	--	--	--	--	7.08	299	15	--	0.13	-188.4	--
FMW-140	11/15/2024	--	--	--	--	--	--	--	6.66	1323	14.6	--	0.48	-89.3	--
FMW-140	05/20/2025	< 0.362	6.05	0.0374	< 0.00610	2.40	7010	1260	7.07	656	16.4	9	0.25	26.3	--
FMW-140	11/18/2025	71.8 J	R	0.00882 J	< 0.00610	0.425	6710	1210	6.88	657	15.7	7.9	0.22	-100.6	3.5
GEI-2; Hydrogeologic Zone: Deep															
GEI-2	04/22/2019	--	--	--	--	--	--	--	6.61	933	13	--	0.37	-45	--
GEI-2	07/16/2019	36.1	6.6	0.015	0.0115	4.55	7510	432	6.71	708	16.9	--	0.26	-85	1.5
GEI-2	10/21/2019	47.8	343	0.0592	0.0275	10	13200	496	6.92	1297	14.8	--	0.3	-71	2.2
GEI-2	01/22/2020	64.7	3.79	0.00388	< 0.000422	5.08	7980	4300	6.7	2304	11.8	3.9	0.24	5	2.6
GEI-2	04/29/2020	1.88 J	4.63	< 0.000296	< 0.000422	0.0568	19900	906	6.55	1307	14.6	180	0.4	-102	2
GEI-2	07/30/2020	< 0.594	3.83	0.0108	0.0657	12.3	12100	542	6.79	898	15.9	149	0.28	-80	5.4
GEI-2	11/19/2020	--	--	--	--	--	--	--	6.64	977	13.8	2.4	0.33	-397	--
GEI-2	02/12/2021	--	--	--	--	--	--	--	6.76	1011	10.8	--	0.68	-35	--
GEI-2	05/13/2021	--	--	--	--	--	--	--	6.55	981	14.9	--	0.29	133	--
GEI-2	08/19/2021	--	--	--	--	--	--	--	6.57	886	16.1	1.7	0.2	-60.7	--
GEI-2	02/25/2022	--	--	--	--	--	--	--	6.68	837	10.7	--	0.85	-85.4	--
GEI-2	06/09/2022	--	--	--	--	--	--	--	6.74	925	14.1	--	0.48	-57.7	--
GEI-2	08/05/2022	--	--	--	--	--	--	--	6.83	967	22.9	--	0.54	-94.5	--
GEI-2	11/01/2022	< 0.594	4.07	0.0134	0.0339	12.9	12100	570	6.79	926	15.4	--	3.57	-22	7
GEI-2	05/09/2023	--	--	--	--	--	--	--	6.92	101	14.9	--	1.96	-101.8	--
GEI-2	11/09/2023	--	--	--	--	--	--	--	6.78	1051	14.6	--	0.44	-109	--
GEI-2	05/23/2024	--	--	--	--	--	--	--	6.87	87	14.5	--	5.53	-3.8	--
GEI-2	11/14/2024	--	--	--	--	--	--	--	6.37	113	14.8	--	0.26	-88.6	--
GEI-2	05/16/2025	--	--	--	--	--	--	--	6.34	66	14.7	5.7	0.72	-12.5	--
GEI-2	11/11/2025	--	--	--	--	--	--	--	6.79	397	16.1	4.2	0.11	-85.3	7

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
Unit		mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW102; Hydrogeologic Zone: Deep															
MW102	04/25/2018	0.88 J	1.94	< 0.000296	< 0.000422	0.561	9600	414	7.89	297	19.5	--	0.4	66.1	1
MW102	01/24/2019	1.74 J	4.36	< 0.000296	< 0.000422	0.172	6460	363	8.01	314	11.5	--	0.63	-124	0
MW102	05/01/2019	0.318 J	3.75	0.00107 J	< 0.000422	0.255	11900	405	8.32	303	16.9	--	0.64	97	0.5
MW102	07/18/2019	1.83 J	4.76	< 0.000296	< 0.000422	0.29	7160	353	7.4	320	20.5	--	0.12	-73	0.8
MW102	11/14/2019	2.57 J	4.19	< 0.000296	< 0.000422	0.224	4010	329	7.76	295	16.9	153	2.41	202	0
MW102	01/23/2020	3.07 J	2.31	< 0.000296	< 0.000422	0.117	1760	268	7.36	422	14.4	40	0.38	-127	0.5
MW102	04/02/2020	4.02 J	1.15	< 0.000296	< 0.000422	0.0101	3020	246	6.85	313	15.9	63	0.49	108	0
MW102	08/04/2020	3.74 J	1.51	< 0.000296	< 0.000422	0.0136	1830	220	7.74	311	18.2	41.9	0.42	-28	0
MW102	11/18/2020	3.72 J	1.07	< 0.000296	< 0.000422	0.0155	3640	255	7.61	302	14.7	83.6	0.65	-333	--
MW102	02/03/2021	3.75 J	1.32	< 0.000296	< 0.000422	0.0174	2960	200	7.76	308	12.6	95.2	1	-502	--
MW102	05/14/2021	2.23 J	1.36	< 0.000296	< 0.000422	0.069	4770	285	7.72	318	15.3	79.6	0.67	-174	--
MW102	08/11/2021	2.48 J	1.61	< 0.000296	< 0.000422	0.0915	4530	264	7.76	335	18.3	54.7	0.49	-230	--
MW102	11/30/2021	2.09	1.16	< 0.000296	< 0.000422	0.301	--	243	7.46	307	13.8	--	0.8	-97.1	0.5
MW102	03/07/2022	2.24 J	1.57	< 0.000296	< 0.000422	0.0512	4290	240	7.77	306	13.4	51	0.36	-542.1	--
MW102	05/10/2022	2.63 J	1.62	< 0.000296	< 0.000422	0.264	3790	195	7.52	314	14.1	--	0	-18.1	--
MW102	08/12/2022	1.95 J	1.13	< 0.000296	< 0.000422	0.321	2560	314	7.83	280	18	--	0.65	-37	--
MW102	10/31/2022	2.45 J	1.5	< 0.000296	< 0.000422	0.00266	212	40.2	7.21	371	14.6	--	0.53	180	0
MW102	05/12/2023	--	--	--	--	--	--	--	7.82	270	15.4	--	0.69	-147	--
MW102	11/06/2023	--	--	--	--	--	--	--	7.62	331	15.1	--	1.76	-12.1	--
MW102	05/28/2024	--	--	--	--	--	--	--	7.69	578	14.9	--	1.36	175.2	--
MW102	11/06/2024	--	--	--	--	--	--	--	7.47	355	15.1	--	0.31	-141.7	--
MW102	05/14/2025	--	--	--	--	--	--	--	7.49	268	15	2.8	0.29	-71	--
MW102	11/13/2025	--	--	--	--	--	--	--	7.49	272	15.6	6.3	0.23	-60.4	< 0
MW103; Hydrogeologic Zone: Deep															
MW103	04/06/2018	--	--	--	--	--	--	--	7.52	521	15.1	--	0.6	91.3	--
MW103	01/23/2019	--	--	--	--	--	--	--	9.6	359	13.8	--	0.55	126	--
MW103	04/22/2019	--	--	--	--	--	--	--	7.21	693	13.4	--	0.6	6	--
MW103	07/15/2019	--	--	--	--	--	--	--	7.14	728	17.9	--	0.54	31	--
MW103	10/14/2019	25	1.55	0.0177	0.0138	0.166	948	870	7.2	655	15.9	5.9	0.05	-57	0.5
MW103	01/16/2020	25	1.75	0.0291	0.0343	0.284	7450	1020	7.3	859	14.3	77.7	0.1	-120	1
MW103	04/23/2020	13.3	2.77	0.0101	< 0.000422	0.267	13500	814	7.59	514	15.6	241	0.31	-119	1
MW103	07/06/2020	8.3	2.1	< 0.000296	< 0.000422	0.246	24400	864	7.23	438	18	364	0.52	46	0.5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW103	11/02/2020	5.77	1.59	< 0.00407	< 0.00426	0.164	24600	888	7.59	425	17.4	375	0.35	-58	--
MW103	02/10/2021	9.2	1.18	< 0.000296	< 0.000422	0.0652	9690	592	7.49	433	12.5	--	0.95	-336	--
MW103	05/03/2021	19.6	1.48	0.0164	0.00402	0.157	2570	732	7.37	561	15.6	27.7	0.34	-214.1	--
MW103	08/12/2021	25.4	1.75	0.0234	0.00761 J	0.205	936	833	7.03	642	22.9	--	0.43	137.2	--
MW103	11/08/2021	25.9	1.5	0.0264	0.00995	0.171	884	802	--	--	--	--	--	--	--
MW103	02/15/2022	28	1.97	0.00986	0.00764	0.103	1320	853	7.41	690	14.9	--	0.14	105.4	--
MW103	05/09/2022	30.4	1.63	0.0283	0.0243	0.272	2650	951	7.38	698	16.4	--	0.06	-119.4	--
MW103	08/09/2022	29.1	1.86	0.0231	0.0245	0.229	756	941	7.45	712	20.1	--	3.8	-60.1	--
MW103	11/01/2022	27.9	< 0.96	0.0206	0.0281	0.277	881	1010	6.24	387	14.7	--	0.72	42.7	0
MW103	05/09/2023	--	--	--	--	--	--	--	7.34	638	18.7	--	5.8	-132.3	--
MW103	11/07/2023	--	--	--	--	--	--	--	7.72	725	15.3	--	1.44	-120.8	--
MW103	05/21/2024	--	--	--	--	--	--	--	7.15	628	15.2	--	0.16	-62.3	--
MW103	11/07/2024	--	--	--	--	--	--	--	7.18	840	15.9	--	0.32	-202.3	--
MW103	02/26/2025	28.2	2.20	0.0589	0.118	0.641	780	1130	7.34	784	15.7	1.6	0.42	-55.1	--
MW103	05/15/2025	30.6	2.30 J	0.0781	0.146	0.820	741	1130	7.34	178	16.2	--	0.12	56.0	--
MW103	08/19/2025	0.826 J	6.21	0.00839 J	0.0164	6.27 J	669	152	6.56	146	19.6	11.7	0.28	-121.9	--
MW103	11/17/2025	0.580 J	R	< 0.00754	< 0.00610	< 0.00450	258 J	7.56 J	6.55	26	15.1	8.2	4.14	123.6	< 0
MW104; Hydrogeologic Zone: Deep															
MW104	04/09/2018	0.594 J	7.13 J	< 0.000296	0.00571	0.398	793	263	8.47	425	20.9	--	0.2	33.4	0.3
MW104	10/26/2018	--	--	--	--	--	--	--	11.48	750	19.2	--	0.63	131.4	--
MW104	12/13/2018	--	--	--	--	--	--	--	9.33	334	19.6	--	0.2	-259	--
MW104	02/01/2019	5.5	6.72	0.00241	0.0294	0.605	37000	656	9.65	153	20.2	--	0.11	-205	0
MW104	03/13/2019	--	--	--	--	--	--	--	9.03	407	18.6	--	0.24	122	0
MW104	04/23/2019	5.96	5.97	0.0026	0.0177	0.437	5030	285	9.1	376	18.6	--	0.21	-100	0
MW104	07/22/2019	7.4	7.11	0.00294	0.0286	0.375	3000	164	9.94	373	20.8	--	0.24	138	0
MW104	10/18/2019	5.97	2.3	< 0.000296	0.0237	0.316	1330	268	8.73	542	18.6	35.5	0.21	-133	0
MW104	01/29/2020	6.8	26	0.00574	0.072	0.459	2850	114	9.3	541	18	29.3	--	-217	0.5
MW104	04/01/2020	5.72	2.75	< 0.000296	< 0.000422	0.0401	2760	393	8	409	18.9	67.9	0.19	33	0.5
MW104	07/31/2020	4.7 J	1.92	< 0.000296	< 0.000422	0.0587	4110 J	434	7.64	367	20.3	32	0.4	7	--
MW104	11/17/2020	5.71	1.94	< 0.000296	< 0.000422	0.135	2200	622	7.49	378	18	89.5	0.35	-215	--
MW104	02/10/2021	5.29	2.49	< 0.000296	< 0.000422	0.139	2830	627	7.58	371	15.9	136	0.55	40	--
MW104	08/23/2021	5.44	2.26	< 0.000296	< 0.000422	0.198	2960	510	7.59	363	18.3	90.1	0.36	-93.3	--
MW104	11/29/2021	5.22	2.29	< 0.000296	< 0.000422	0.123	4470	582	7.74	376	16.6	--	1.76	153.9	0.5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW104	02/23/2022	4.14 J	1.89	< 0.000296	0.00355	0.0956	3340	534	7.75	370	16.4	75	0.27	-294.4	--
MW104	05/12/2022	4.84 J	1.88	0.00102 J	0.00389	0.152	9530	589	7.68	358	17.2	--	0.89	-124.5	--
MW104	08/23/2022	3.22 J	1.82	< 0.000296	0.0082	0.133	5200	536	--	--	--	--	--	--	--
MW104	11/02/2022	5.45	2.96	< 0.000296	0.00868	0.114	3830	679	7.48	389	17.1	--	0.73	-194.5	0.4
MW104	05/15/2023	--	--	--	--	--	--	--	9.13	422	20.6	--	0.1	-9.6	--
MW104	11/06/2023	--	--	--	--	--	--	--	8.69	413	12.9	--	0.5	-195	--
MW104	05/22/2024	--	--	--	--	--	--	--	8.07	344	14.2	--	0.38	-226.6	--
MW104	11/08/2024	--	--	--	--	--	--	--	10.44	380	16.1	--	0.74	-244.2	--
MW104	05/16/2025	--	--	--	--	--	--	--	11.3	556	15	10.7	0.36	-3.6	--
MW104	11/14/2025	--	--	--	--	--	--	--	11.4	535	15.9	7.7	0.33	-239.8	< 0
MW105; Hydrogeologic Zone: Deep															
MW105	04/11/2018	9.48	3.27 J	0.00441	< 0.000422	2.7	5700	799	--	469	14.4	--	1.4	42	0.75
MW105	01/23/2019	11	1.96 J	< 0.000296	0.00419	0.286	13800	809	7.66	570	13.4	--	0.67	107	--
MW105	04/23/2019	5.81	4.06	< 0.000296	< 0.000422	1.66	5270	893	7.82	580	15.3	--	0.39	-58	0.5
MW105	07/17/2019	7.66	3.38	< 0.000296	< 0.000422	1.83	2290	945	7.53	625	17.1	--	0.32	127	--
MW105	10/22/2019	12.8	2.86	< 0.000296	< 0.000422	0.731	3060	1050	7.29	722	15.2	49	0.6	-147	1.5
MW105	01/20/2020	16.1	5.62	< 0.000296	< 0.000422	0.323	3280	982	7.42	1148	14	65	0.74	-132	1.2
MW105	05/12/2020	16.3	3.81	< 0.000296	< 0.000422	0.0612	1960	854	7.51	629	17	16	0.65	-77	0.5
MW105	07/27/2020	15.5	2.36	< 0.000296	< 0.000422	0.0452	3260	869	7.48	606	21.4	173	0.79	-92	1
MW105	11/17/2020	14.5	2.55	< 0.000296	< 0.000422	0.0385	10800	1050	7.47	560	12.7	37.4	1.26	-51	--
MW105	02/11/2021	12.1	3.7	< 0.000296	< 0.000422	0.0524	4340	732	7.41	530	9.5	91.4	1.05	-391	--
MW105	06/07/2021	11.8	2.27	< 0.000296	< 0.000422	0.0382	5450	787	7.36	532	21.2	142	0.58	95.9	--
MW105	08/17/2021	12.1	1.66	< 0.00407	< 0.00426	0.0505	5860	809	7.17	541	17.5	67.9	0.39	-77.4	--
MW105	11/08/2021	12.6	1.6	< 0.000296	< 0.000422	0.0593	7600	961	7.37	597	14.9	123	0.6	-11.8	1
MW105	02/24/2022	10.9	2.38	< 0.000296	0.00108 J	0.114	6010	778	7.46	540	12.8	--	1.1	-108.3	--
MW105	05/17/2022	4.99 J	2.23	0.000523 J	0.000865 J	0.524	5890	807	7.52	584	18.6	--	0.61	-93.6	--
MW105	08/09/2022	3.98 J	9.42	0.000764 J	0.012	0.0837	135	75.1	8.09	471	16.5	--	2.02	-208.6	--
MW105	11/09/2022	1.09 J	9.09	< 0.000296	0.0141	0.0916	269	76.1	7.24	439	12.2	--	1.34	70.3	0
MW105	05/09/2023	--	--	--	--	--	--	--	7.54	545	15.2	--	0.19	100.2	--
MW105	10/31/2023	--	--	--	--	--	--	--	7.4	533	16.1	--	1.85	-69	0.5
MW105	05/22/2024	--	--	--	--	--	--	--	6.97	188	15.2	--	0.19	-152.5	--
MW105	11/13/2024	--	--	--	--	--	--	--	7.49	602	15.2	--	0.49	-31.5	--
MW105	05/08/2025	--	--	--	--	--	--	--	6.84	112	16	8.7	2.68	123.4	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW105	11/05/2025	--	--	--	--	--	--	--	6.75	134	15.5	25.1	0.42	26.2	--
MW106; Hydrogeologic Zone: Deep															
MW106	05/04/2018	10.4	1.74	< 0.000296	0.0108	0.0778	164	496	7.91	482	16	--	0.5	100.1	0
MW106	04/26/2019	15.9	3.32	< 0.000296	< 0.000422	0.0421	3420	695	7.79	507	15.6	--	0.53	-20	0
MW106	07/19/2019	15	2.23	< 0.000296	< 0.000422	0.0395	13700	972	7.51	615	17.6	--	0.5	51	0
MW106	10/18/2019	17	2.32	< 0.000296	< 0.000422	0.0472	2640	792	7.86	534	16	216	0.42	49	0.5
MW106	01/14/2020	17	2.82	< 0.000296	< 0.000422	0.0398	12600	1020	7.85	961	11.4	--	0.6	13	0
MW106	05/06/2020	15.3	2.52	< 0.000296	< 0.000422	0.0273	9990	904	7.73	588	16.5	117	0.53	-99	0
MW106	07/10/2020	15.6	1.97	< 0.000296	< 0.000422	0.0475	6510	943	7.76	580	18.2	545	0.61	-14	0.5
MW106	11/10/2020	17.4	1.29	< 0.000296	< 0.000422	0.0224	5070	696	7.6	513	15.8	98.5	0.37	-167	--
MW106	02/12/2021	16.1	1.17	< 0.000296	< 0.000422	0.0935	2940	583	7.65	425	12.9	48.2	0.55	-24	--
MW106	05/13/2021	3.8 J	0.536 J	< 0.000296	< 0.000422	0.15	11100	408	9.04	70	18.2	226	3.33	-117	--
MW106	08/19/2021	13.1	1.19	< 0.000296	< 0.000422	0.0779	9700	641	7.79	286	23.1	140	0.61	149.7	--
MW106	11/30/2021	7.14	< 0.97	0.194	0.594	0.0899	15100	481	8.75	161	9.4	161	2.66	-82.9	0
MW106	02/18/2022	11.2	1.06	< 0.000296	< 0.000422	0.0373	10800	546	8.04	314	13.2	--	0.54	-443.6	--
MW106	05/06/2022	14.6	1.27	< 0.000296	< 0.000422	0.0596	1510	678	7.15	458	15.2	--	0.37	31.2	--
MW106	08/02/2022	9.67	5.73	< 0.000296	0.000652 J	0.087	4450	707	7.86	340	24.3	--	0.7	-84.6	--
MW106	11/18/2022	14.3	1.18	< 0.000296	< 0.000422	0.0501	11500	1020	7.77	428	15	--	1.89	-0.8	--
MW106	05/18/2023	--	--	--	--	--	--	--	9.2	74	15.4	--	2.41	28.9	--
MW106	11/14/2023	--	--	--	--	--	--	--	8.3	231	15.1	--	0.48	-118.6	--
MW106	05/29/2024	--	--	--	--	--	--	--	8.7	106	15	--	0.66	-37.4	--
MW106	11/06/2024	--	--	--	--	--	--	--	8.28	168	14.7	--	1.04	134.8	--
MW106	05/15/2025	--	--	--	--	--	--	--	9.21	92	15.1	21.8	0.96	-15.6	--
MW106	11/07/2025	--	--	--	--	--	--	--	8.67	79	16.1	2.4	1.58	71.9	< 0
MW113; Hydrogeologic Zone: Deep															
MW113	04/11/2018	--	--	--	--	--	--	--	--	946	15	--	0.6	62.5	--
MW113	02/07/2019	33.3	18.8	0.0399	0.0063	4.05	6110	659	6.64	1219	9.9	2.4	0.8	76	2.5
MW113	07/17/2019	15.1	2.38	0.00987	0.0272	1.13	786	79.9	6.72	667	17.4	--	1.69	241	0.3
MW113	10/22/2019	22.1	15.8	0.0163	0.115	2.33	3380	426	6.33	681	16.6	11.8	0.19	151	3.6
MW113	01/14/2020	24.5	16.3	0.0735	0.673	17.7	6140	716	6.61	1197	13.5	--	0.5	-293	--
MW113	04/27/2020	51.2	9.77	0.06	< 0.000422	3.76	6640	743	6.56	1031	16.2	1.4	0.36	-26	4.5
MW113	07/28/2020	64.2	7.85	0.0594	0.0166	3.06	5910	599	6.54	973	16.5	--	0.28	-86	--
MW113	11/24/2020	110	3.02	0.013	< 0.000422	0.575	5160	420	6.56	729	15.2	34.4	0.41	-67	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethane by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW113	02/10/2021	4.61 J	1.09	< 0.000296	< 0.000422	< 0.000287	49 J	12.9	7.03	96	13.6	14.9	5.04	215	--
MW113	05/25/2021	99	3.27	0.0349	< 0.000422	1.87	11900	442	6.5	870	16.8	--	0.21	-140.5	--
MW113	08/11/2021	67.5	6.49	0.0611	< 0.000422	4.22	6870	567	6.46	1056	21.9	--	0.44	125.7	--
MW113	11/18/2021	58.5	6.48	0.0632	< 0.000422	2.74	5440	542	6.5	960	15.2	--	0	66.5	4.5
MW113	02/15/2022	80.2	21.8	0.0253	< 0.000422	0.817	12100	808	6.72	1161	14.5	--	0.19	99.6	--
MW113	06/08/2022	79.1	15.3	0.0565	0.00444	1.69	15300	1100	6.57	1206	17.6	--	0.48	-41.1	--
MW113	08/10/2022	52.7	16.9	0.0603	0.0345	2.62	8350	683	6.76	980	18.4	--	0.77	-83.5	--
MW113	11/03/2022	68.6	14	0.0465	0.0108	1.36	8940	898	6.51	955	13.3	--	1.48	30.7	0.25
MW113	05/18/2023	--	--	--	--	--	--	--	6.84	717	20.6	--	0.17	-71.5	--
MW113	08/16/2023	--	--	--	--	--	--	--	6.89	438	25.5	--	0.49	-81.1	--
MW113	11/08/2023	--	--	--	--	--	--	--	7.82	104	16.5	--	2.51	-51.9	--
MW113	05/24/2024	--	--	--	--	--	--	--	6.97	273	15.8	--	6.71	54.6	--
MW113	11/07/2024	--	--	--	--	--	--	--	6.83	258	15.5	--	3.3	-53.4	--
MW113	05/21/2025	3.04	1.08	< 0.00754	< 0.00610	< 0.00451	11.6 J	4.78	6.64	124	16.4	1.3	5.17	78.9	--
MW113	11/12/2025	1.23	R	< 0.00754	< 0.00610	< 0.00451	141	28.4	6.36	33	16.3	9.3	3.79	46.3	0.5
MW122; Hydrogeologic Zone: Deep															
MW122	04/06/2018	--	--	--	--	--	--	--	7.93	336	14.9	--	0.6	77.2	--
MW122	10/14/2019	5.82	1.19	< 0.000296	< 0.000422	< 0.000287	348	212	6.96	346	14.6	3.2	0.96	258	0
MW122	01/17/2020	6.07	1.21	< 0.000296	< 0.000422	0.149	152	477	7.19	362	13.7	1.2	0.2	23	--
MW122	04/07/2020	4.92 J	1.37	< 0.000296	< 0.000422	< 0.000287	65.5 J	205	7.13	320	15.3	--	0.25	-13	0
MW122	07/24/2020	4.37 J	1.34	< 0.000296	< 0.000422	0.00778	247	376	7.81	352	21	2	0.46	23	0
MW122	11/06/2020	--	--	--	--	--	--	--	7.5	282	13.6	17.4	0.2	-129	--
MW122	05/03/2021	--	--	--	--	--	--	--	7.68	345	14.8	--	0.14	112.2	--
MW122	11/11/2021	< 6	1.69	< 0.000296	< 0.000422	0.0443	337	457	7.73	328	14.7	--	0.39	35.9	0.25
MW122	05/18/2022	--	--	--	--	--	--	--	7.6	360	16.3	--	0.33	-113.3	--
MW122	11/01/2022	3.26 J	1.49	0.00498	0.00239	0.0815	203	533	6.68	416	14.3	--	0.23	239.8	0
MW122	05/12/2023	--	--	--	--	--	--	--	7.62	366	17.8	--	1.03	-29.4	--
MW122	11/07/2023	--	--	--	--	--	--	--	7.65	379	14.9	--	0.39	-160.2	--
MW122	05/21/2024	--	--	--	--	--	--	--	6.92	309	14	--	0.18	-14.9	--
MW122	11/12/2024	--	--	--	--	--	--	--	6.98	358	13	--	0.32	213.4	--
MW122	05/15/2025	--	--	--	--	--	--	--	7.8	351	15.4	--	0.1	20.2	--
MW122	11/18/2025	--	--	--	--	--	--	--	7.44	298	14.7	5.1	0.47	-39.9	0.5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW123; Hydrogeologic Zone: Deep															
MW123	04/14/2018	--	--	--	--	--	--	--	6.82	888	14.5	--	0.5	165.5	--
MW123	10/18/2019	5.61	5.56	< 0.000296	< 0.000422	4.38	5140	1860	6.71	947	14.3	6	0.36	-65	2.2
MW123	01/22/2020	33.5	5.43	0.00418	< 0.000422	2.36	4580	1820	6.79	687	13.8	4.7	1.89	25	4
MW123	05/05/2020	23	4.77	< 0.000296	< 0.000422	2.74	3460	1400	6.74	845	16.7	10.9	0.29	-102	3
MW123	07/30/2020	7.32	5.43	< 0.000296	< 0.000422	12.2	3950	1710	6.86	844	20.4	9.5	0.44	114	3.5
MW123	11/12/2020	--	--	--	--	--	--	--	6.73	736	14.5	--	0.34	-98	--
MW123	05/26/2021	--	--	--	--	--	--	--	6.77	853	17.7	--	0.26	-142.1	--
MW123	03/02/2022	--	--	--	--	--	--	--	6.93	675	14.6	--	0.17	-437.2	--
MW123	06/09/2022	--	--	--	--	--	--	--	7.01	571	15	--	0.23	-78	--
MW123	11/03/2022	1.77 J	4.53	0.00736	< 0.000422	5.74	3950	1730	6.06	497	14.9	--	0.8	51.6	2
MW123	11/09/2023	--	--	--	--	--	--	--	7.41	164	14.9	--	1.33	-38	--
MW123	11/14/2024	--	--	--	--	--	--	--	6.75	695	14.9	--	0.15	14.3	--
MW123	11/17/2025	--	--	--	--	--	--	--	6.81	451	15.1	11.3	0.17	-111.2	3.5
MW124; Hydrogeologic Zone: Deep															
MW124	04/13/2018	0.458 J	2.45	< 0.000296	< 0.000422	0.0246	20100	757	7.57	281	14.3	--	1.3	327	0.5
MW124	10/11/2019	5.92	3.78	< 0.000296	< 0.000422	< 0.0123	2240	301	6.99	398	17.8	23.1	5.01	-64	0
MW124	01/30/2020	2.12 J	2.69	< 0.000296	< 0.000422	0.0708	5460	347	8.3	450	15.6	68	--	-186	0
MW124	04/03/2020	0.894 J	1.87	< 0.000296	< 0.000422	0.0422	6360 J	468	7.39	322	15	408	0.37	114	0
MW124	08/03/2020	< 0.594	1.96	< 0.000296	< 0.000422	0.03	1340	322	7.45	324	17.2	103	0.32	10	0
MW124	11/18/2020	--	--	--	--	--	--	--	7.5	261	13.4	82.4	0.71	-160	--
MW124	06/08/2021	--	--	--	--	--	--	--	7.23	322	15.6	129	0.53	-126.2	--
MW124	03/07/2022	--	--	--	--	--	--	--	7.12	358	12.3	59	0.45	-451.4	--
MW124	05/12/2022	--	--	--	--	--	--	--	7.48	319	16.9	162	1.2	99.7	--
MW124	10/31/2022	< 0.594	2.24	< 0.000296	< 0.000422	0.00947	131	282	7.63	356	15.2	--	0.34	207.5	0
MW124	05/12/2023	--	--	--	--	--	--	--	7.42	327	16.7	--	0.15	-37.1	--
MW124	11/03/2023	--	--	--	--	--	--	--	7.69	316	14.8	--	3.54	61.5	--
MW124	05/28/2024	--	--	--	--	--	--	--	7.21	282	14.9	--	0.1	169.3	--
MW124	11/05/2024	--	--	--	--	--	--	--	7.29	346	15.4	--	0.48	-172.7	--
MW124	05/13/2025	--	--	--	--	--	--	--	7.59	218	15.8	0.5	0.62	-11.9	--
MW124	11/14/2025	--	--	--	--	--	--	--	7.51	239	15.1	2.8	0.36	117.4	< 0

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW128; Hydrogeologic Zone: Deep															
MW128	04/09/2018	--	--	--	--	--	--	--	7.57	850	17.9	--	0.4	-44.7	--
MW128	07/18/2019	4.34 J	6.94	0.0164	0.0683	15.5	12400	409	6.8	1040	17.3	--	0.24	-102	--
MW128	10/11/2019	20.9 J	4.2	0.00849 J	0.0235 J	13.1	7950	207	6.77	880	15.6	156	0.44	-22	4.5
MW128	01/20/2020	< 1.11	6.92	0.00884	0.0408	10.8	12100	450	7.05	947	14.2	1.1	0.3	-49	2
MW128	04/27/2020	1.24 J	5.07	0.0104	0.0592	14.2	10500	385	6.82	941	15.1	3.5	0.12	-76	6
MW128	06/29/2020	< 0.594	4.1	0.00859	0.0698	16.9	10400 J	400 J	7.38	810	15.6	--	0.33	-155	3.5
MW128	11/09/2020	--	--	--	--	--	--	--	6.85	775	14.1	93	0.37	-129	--
MW128	05/25/2021	--	--	--	--	--	--	--	6.84	758	17.7	--	0.23	-115.5	--
MW128	02/25/2022	--	--	--	--	--	--	--	6.74	838	13.3	--	0.61	-89.2	--
MW128	06/08/2022	--	--	--	--	--	--	--	6.71	850	16.6	--	0.32	-74	--
MW128	11/01/2022	< 0.594	3.94	0.0109	0.0328	13.3	10000	333	6.7	878	15.5	--	0.42	-126.4	2.8
MW128	05/18/2023	--	--	--	--	--	--	--	6.93	803	17.7	--	0.68	-113.5	--
MW128	11/09/2023	--	--	--	--	--	--	--	7.39	791	15.5	--	0.81	2.3	--
MW128	05/23/2024	--	--	--	--	--	--	--	6.87	1009	15.6	--	0.18	-154.4	--
MW128	11/14/2024	--	--	--	--	--	--	--	6.69	1048	15.4	--	0.36	-146.4	--
MW128	05/19/2025	14.1	8.32	0.0296	< 0.00610	5.49	11700	391	6.79	943	17.3	3.9	0.42	79.1	--
MW128	11/13/2025	28.9	R	0.0193	< 0.00610	2.99	12000	358	6.63	692	15.4	7.7	0.15	-76.5	4
MW-138; Hydrogeologic Zone: Deep															
MW-138	04/11/2018	45.9	4.89 J	< 0.000296	< 0.000422	0.0831	21500	725	7.89	350	17.4	--	0.2	33.5	0
MW-138	10/29/2018	--	--	--	--	--	--	--	7.43	346	16.5	--	0.38	121.9	--
MW-138	12/17/2018	--	--	--	--	--	--	--	7.82	424	15.7	--	0.49	-145	--
MW-138	01/03/2019	47.5	3.9	0.000621 J	0.000573 J	0.0613	2190	375	7.33	358	16.2	--	2.41	50	0
MW-138	03/14/2019	--	--	--	--	--	--	--	6.76	426	14.2	--	0.44	149	--
MW-138	04/22/2019	42.7	5.7	< 0.000296	0.00143	0.164	13200	509	7.47	359	17.1	--	0.34	-65	3.5
MW-138	07/19/2019	53.4	1.4 J	< 0.000296	< 0.000422	0.0742	11700	560	7.61	366	18.9	--	0.21	-156	0.5
MW-138	10/21/2019	51.9	1.1	< 0.000296	< 0.000422	0.101	3830	504	7.36	398	16.7	--	0.54	-146	0.5
MW-138	01/27/2020	48.6	2.2	< 0.000296	< 0.000422	0.564	21900	711	7.25	509	16.6	145	0.04	-145	0.5
MW-138	05/08/2020	36	1.14	< 0.000296	< 0.000422	0.398	45000	895	7.29	262	19.3	--	3.54	31	0.5
MW-138	07/27/2020	56.8	1.14	< 0.000296	< 0.000422	0.0231	4160	488	7.37	380	19.7	305	0.3	106	1
MW-138	11/18/2020	45.9	0.948 J	< 0.000296	< 0.000422	0.0168	4630	452	7.25	339	16.8	186	0.32	-38	--
MW-138	02/11/2021	48.9	1.02	< 0.000296	< 0.000422	0.0267	9100	460	7.36	350	14.3	263	0.49	47	--
MW-138	06/07/2021	41.8	< 0.921	< 0.000296	< 0.000422	0.042	14200	424	7.22	329	14.2	425	1.67	-147.3	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-138	08/03/2021	57.6	1.11	< 0.000296	< 0.000422	0.0403	18000	605	7.35	372	20.1	130	0.69	-131.2	--
MW-138	11/10/2021	44	1.03	< 0.000296	< 0.000422	0.0532	29300	857	7.44	318	16.4	--	0.35	122.5	0.8
MW-138	02/24/2022	55.1	0.598 J	< 0.000296	< 0.000422	0.0273	26600	857	7.56	384	12.1	177	0.88	-223.5	--
MW-138	05/25/2022	65.1	< 0.848	0.000741 J	0.000728 J	0.0473	22500	792	7.54	367	16.8	--	0.22	-60.7	--
MW-138	08/09/2022	7.12	1.7	< 0.000296	< 0.000422	< 0.000287	70.8 J	37.9	7.09	187	17.3	--	2.5	177	--
MW-138	11/08/2022	6.81	1.81	0.00173	< 0.000422	0.321	971	331	6.65	283	14.7	--	0.49	81.8	1
MW-138	05/09/2023	--	--	--	--	--	--	--	7.44	317	16.1	--	0.38	-155	--
MW-138	10/31/2023	--	--	--	--	--	--	--	7.2	312	16.7	--	7.95	-23.5	--
MW-138	05/22/2024	--	--	--	--	--	--	--	1	117	16.6	--	0.22	-129.5	--
MW-138	11/13/2024	--	--	--	--	--	--	--	7.36	423	16.1	--	0.62	-154.8	--
MW-138	05/08/2025	--	--	--	--	--	--	--	7.09	293	18.3	4.3	1.25	-22.7	--
MW-138	11/05/2025	--	--	--	--	--	--	--	6.78	321	16.4	2.5	0.35	-88.5	1
MW-153; Hydrogeologic Zone: Deep															
MW-153	05/01/2018	23.7	1.26	< 0.000296	< 0.000422	0.0743	1010	187	8.91	369	16.5	--	0.4	87.2	--
MW-153	01/22/2019	13.2	1.92 J	< 0.000296	0.00489	0.387	3010	299	8.91	391	15.2	--	0.67	94	0
MW-153	04/24/2019	9.23	3.86 J	< 0.000296	0.00179	0.412	3600 J	385	8.62	327	18	--	0.45	93	0
MW-153	07/22/2019	6.78	1.84 J	< 0.000296	< 0.000422	0.027	1670	325	7.65	370	17.1	--	8.17	3	0
MW-153	10/15/2019	8.29	2.32	< 0.000296	< 0.000422	0.0202	6770	420	--	--	--	--	--	--	--
MW-153	11/18/2019	--	--	--	--	--	--	--	7.45	330	17.6	--	0.27	228	--
MW-153	01/21/2020	8.49	2.72	< 0.000296	< 0.000422	0.00866	799	317	7.83	648	15	40.7	0.32	-113	0
MW-153	04/30/2020	6.23	0.843 J	< 0.000296	< 0.000422	< 0.000287	7790	420	7.82	298	17.3	57.3	0.35	-77	0
MW-153	07/15/2020	6.67	0.957 J	< 0.000296	< 0.000422	0.0397	2420	597	7.8	308	22.5	187	0.79	-10	0
MW-153	11/09/2020	11.2	0.956 J	< 0.000296	< 0.000422	0.0327	2680	327	7.87	315	15.8	47.2	0.63	-134	--
MW-153	02/09/2021	11	0.955 J	< 0.000296	< 0.000422	0.103	382	313	7.87	327	14.1	69	0.62	35	--
MW-153	05/10/2021	9.43	1.15	< 0.000296	0.00417	0.113	8360	474	7.89	336	18.9	34.6	0.7	-188	--
MW-153	08/20/2021	8.81	1.14	< 0.000296	< 0.000422	0.106	3650	351	7.97	345	19	60	0.35	-4.6	--
MW-153	12/07/2021	8.69	1.28	< 0.000296	0.0082	0.174	6820	414	7.99	343	14.3	--	0.95	-159.7	0.4
MW-153	02/25/2022	8.48	0.904 J	0.00188	0.00965	0.146	2890	380	7.98	368	14.8	--	0.97	-165.7	--
MW-153	05/02/2022	8.5	1.39	0.0012 J	0.0094	0.173	8800	436	7.94	349	15.9	--	4.37	112.3	--
MW-153	08/02/2022	7.62	1.09	0.000639 J	0.00246	0.0656	11400	836	8.04	355	19.4	--	0.88	-29.7	--
MW-153	11/03/2022	8.92	1.94	0.00366	0.00927	0.278	503	332	6.98	418	10.6	--	1.34	235.4	0
MW-153	05/12/2023	--	--	--	--	--	--	--	7.67	372	21.5	--	0.2	-54.5	--
MW-153	11/10/2023	--	--	--	--	--	--	--	7.7	351	13.8	--	1.73	-39.7	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-153	05/31/2024	--	--	--	--	--	--	--	7.57	399	16.7	--	0.25	-235.7	--
MW-153	11/07/2024	--	--	--	--	--	--	--	7.78	379	16.6	--	0.38	145.8	0
MW-153	05/12/2025	--	--	--	--	--	--	--	7.78	283	18.4	7.3	0.86	2.3	--
MW-153	11/12/2025	--	--	--	--	--	--	--	7.64	295	15.7	2.4	1.37	-41.5	--
MW-158A; Hydrogeologic Zone: Deep															
MW-158A	04/30/2018	278	54.8	0.0157	0.011	0.352	55400	1040	8.2	1306	14.8	--	0.4	102.3	0.5
MW-158A	01/24/2019	26.8	7.95	0.00252	0.00812	0.196	181000	3070	7.91	707	13.8	--	0.53	-164.1	0
MW-158A	04/25/2019	21.1	8.11	< 0.000296	0.00474	0.177	12400 J	393 J	7.58	775	17.7	--	0.48	37.5	--
MW-158A	07/19/2019	19.8	4.64	< 0.000296	0.00586	0.222	69200	1370	7.72	653	8.3	--	0.15	-144.4	0
MW-158A	10/16/2019	20.4	4.46	0.0201	0.00724	0.115	5460	350	7.46	856	15.9	47	0.75	-79	--
MW-158A	01/21/2020	19.8	1.19	0.00206	0.00978	0.187	4540	326	7.6	916	15.6	308	0.18	-168	--
MW-158A	04/24/2020	13	3.14	< 0.000296	0.00901	0.0884	6380	326	7.56	692	13	200	0.99	63	0
MW-158A	07/15/2020	16.6	2.99	< 0.000296	< 0.000422	0.0912	7460	422	7.62	681	18.4	189	0.32	-149	0
MW-158A	11/23/2020	12.7	5.49	< 0.000296	< 0.000422	1.11	9600	412	7.64	690	7.7	389	1.78	-364	--
MW-158A	02/02/2021	19.2	4.82	< 0.000296	< 0.000422	1.07	12000	697	7.71	716	11.5	285	1	-502	--
MW-158A	05/10/2021	16.7	3.82	< 0.000296	< 0.000422	1.18	17300	551	7.73	703	18.2	262	0.61	-207	--
MW-158A	08/17/2021	15.6	3.26	< 0.00407	< 0.00426	1.02	10200	647	7.69	698	18.5	--	0.51	141.2	--
MW-158A	12/08/2021	15.7	3.3	< 0.000296	< 0.000422	1.01	12200	540	7.7	700	14	--	1.29	-162	0.4
MW-158A	03/04/2022	15.9	2.8	0.00058 J	0.000466 J	0.243	10100	474	7.71	727	13.8	102	0.32	-606.7	--
MW-158A	05/17/2022	16.7	2.77	0.00128 J	0.00132	0.642	15400	609	7.79	686	16.3	--	0.55	-43.3	--
MW-158A	08/12/2022	16.8	1.79	< 0.000296	< 0.000422	0.0119	125	23.2	7.69	520	18.8	--	3.85	76.5	--
MW-158A	11/01/2022	15.4	2.67	0.00272	0.00287	1.66	2330	404	7.28	415	14.7	--	0.19	191.3	0
MW-158A	05/12/2023	--	--	--	--	--	--	--	7.57	592	19.5	--	0.85	-142.3	--
MW-158A	11/06/2023	--	--	--	--	--	--	--	7.17	484	15.3	--	0.39	8.9	0.3
MW-158A	05/21/2024	--	--	--	--	--	--	--	7.22	408	12.2	--	4.33	-48.4	--
MW-158A	11/05/2024	--	--	--	--	--	--	--	7.05	552	13.7	--	1.55	146.1	0
MW-158A	05/15/2025	--	--	--	--	--	--	--	7.58	566	15.5	4	0.43	-165	--
MW-158A	11/13/2025	--	--	--	--	--	--	--	7.53	569	15.2	6.7	0.42	-132.6	0.5
MW-160; Hydrogeologic Zone: Deep															
MW-160	05/21/2018	2.68 J	1.47	0.0145	0.00475	0.129	12300	400	7.96	323	23.2	--	0.42	-246.5	0
MW-160	01/25/2019	1.87 J	3.98	0.0117	< 0.000422	0.766	59100	1220	7.57	404	18.4	--	0.4	94.8	0.5
MW-160	05/01/2019	1.26 J	3.79	0.00441	< 0.000422	1.07	4600	387	7.71	359	24	--	0.32	-121	0
MW-160	07/23/2019	2.64 J	1.95	< 0.000296	< 0.000422	0.535	2680	408	7.73	341	21.8	--	0.75	115	0.5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-160	10/17/2019	2.06 J	2.31	< 0.000296	< 0.000422	0.537	10500	522	7.58	487	19.5	85	0.53	-111	0.8
MW-160	01/29/2020	2.3 J	6.59	0.00602	< 0.000422	0.294	769	324	8.67	528	19.5	28.8	--	-198	0
MW-160	04/01/2020	3.29 J	3.41	0.00224	< 0.000422	0.621	20700	569	7.42	359	18.8	251	0.42	99	0
MW-160	08/03/2020	3.08 J	1.71	< 0.000296	< 0.000422	0.817	2260	474	7.76	344	19.6	193	0.54	122	0.5
MW-160	11/30/2020	3.65 J	1.66	< 0.000296	< 0.000422	0.318	937	453	--	343	17	25	0.28	-28.4	--
MW-160	02/04/2021	3.12 J	1.68	< 0.00407	< 0.00426	0.305	2370	404	7.47	334	14.6	151	1	-476	--
MW-160	05/12/2021	2.77 J	1.59	< 0.000296	< 0.000422	0.407	18500	677	7.47	336	17.6	580	0.38	118.8	--
MW-160	08/23/2021	2.68 J	1.29	< 0.000296	< 0.000422	0.288	21800	661	7.57	330	19.8	512	0.33	-93.4	--
MW-160	11/29/2021	2.34	1.07	< 0.000296	< 0.000422	0.304	15900	528	7.17	327	17.1	--	0.05	-113.9	0.8
MW-160	02/23/2022	2.44 J	1.24	< 0.000296	< 0.000422	0.119	8180	425	7.69	334	12.9	--	0.44	-218.8	--
MW-160	05/25/2022	2.41 J	1.07	< 0.000296	< 0.000422	0.165	29400	796	7.58	330	19	--	0.56	-43.2	--
MW-160	08/12/2022	2.25 J	1.13	< 0.000296	0.00165	0.424	1350	316	7.43	339	17.7	--	4.7	-32.4	--
MW-160	10/31/2022	1.96 J	1.03	< 0.000296	< 0.000422	0.408	3910	420	7.3	333	17	--	0.63	-162.9	0.8
MW-160	05/15/2023	--	--	--	--	--	--	--	6.65	348	18.4	--	0.24	66	--
MW-160	11/03/2023	--	--	--	--	--	--	--	7.26	352	16.6	--	0.5	-161.3	0.5
MW-160	05/22/2024	--	--	--	--	--	--	--	7.5	329	14.5	--	2.82	23	--
MW-160	11/08/2024	--	--	--	--	--	--	--	7.21	363	16.1	--	0.81	-107.6	--
MW-160	05/14/2025	--	--	--	--	--	--	--	7.07	264	16	3.1	2.32	92.9	--
MW-160	11/14/2025	--	--	--	--	--	--	--	7.19	256	14.6	10	0.35	-85.5	0.5
MW-161; Hydrogeologic Zone: Deep															
MW-161	05/21/2018	13.5	1.49	0.00264	0.000979 J	0.0534	9370	758	7.59	544	21.6	--	0.48	-152.6	0
MW-161	01/25/2019	13.4	4.52	< 0.000296	< 0.000422	0.069	7340	784	7.49	661	17.9	--	0.61	99.2	0
MW-161	04/29/2019	--	--	--	--	--	--	--	7.27	662	18.4	--	0.31	24.2	0
MW-161	05/01/2019	12.2	1.58 J	< 0.000296	< 0.000422	0.0981	5730	795	7.27	662	18.4	--	0.31	24.2	0
MW-161	07/18/2019	14.1	1.61 J	< 0.000296	< 0.000422	0.139	1300	694	7.1	586	20.9	--	0.36	-30	0
MW-161	10/14/2019	14.4	1.28	< 0.000296	< 0.000422	0.226	1390	737	7.44	837	19.7	11.5	0.16	-106	0
MW-161	01/28/2020	11.8	1.58	< 0.000296	< 0.000422	0.234	1200	704	8.29	792	15.3	--	--	-117	0.3
MW-161	04/03/2020	8.28	1.43	< 0.000296	< 0.000422	0.528	318	599	7.54	510	15.3	17.1	0.22	-119	0.5
MW-161	07/31/2020	7.86	2.7	< 0.000296	< 0.000422	0.193	300 J	814	7.56	466	18.9	6.6	0.14	-60	0
MW-161	12/01/2020	7.4	2.69	< 0.000296	< 0.000422	0.167	253	810	7.58	438	17.5	8.7	0.25	-31	--
MW-161	02/04/2021	6.91	2.35	< 0.00407	< 0.00426	0.149	508	704	7.48	424	14.5	32.8	0.61	-507	--
MW-161	05/25/2021	7.26	1.9	< 0.000296	< 0.000422	0.26	594	741	7.36	444	15	--	0.17	126.3	--
MW-161	08/23/2021	8.2	2.03	< 0.000296	< 0.000422	0.2	316	651	7.39	449	18.2	--	0.26	157.3	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-161	11/29/2021	9.33	1.62	< 0.000296	< 0.000422	0.195	872	738	7.57	476	15.6	--	0.22	159.6	0
MW-161	02/23/2022	8.48	2.03	0.000435 J	< 0.000422	0.0849	328	711	7.55	499	13.1	--	0.18	-268	--
MW-161	05/11/2022	9.41	1.77	0.000916 J	< 0.000422	0.0412	380	686	7.42	474	15.8	--	0.29	-38.4	--
MW-161	08/12/2022	8.82	1.65	0.000706 J	0.00088 J	0.197	1200	634	7.55	480	19	--	2.4	-46.2	--
MW-161	10/31/2022	8.05	1.86	0.0015	0.00201	0.369	1370	779	7.32	484	17.2	--	0.52	-157.1	0.4
MW-161	05/15/2023	--	--	--	--	--	--	--	6.58	503	18.2	--	0.21	74	--
MW-161	11/06/2023	--	--	--	--	--	--	--	7.63	423	16.7	--	1.24	16.1	--
MW-161	05/22/2024	--	--	--	--	--	--	--	7.3	421	14.4	--	0.43	73.3	--
MW-161	11/08/2024	--	--	--	--	--	--	--	7.52	519	16.5	--	0.3	-17.6	0
MW-161	05/12/2025	--	--	--	--	--	--	--	7.55	412	16.2	42.5	0.12	-117.7	--
MW-161	11/10/2025	--	--	--	--	--	--	--	7.52	384	16.7	38	0.17	-103.6	< 0
MW-304; Hydrogeologic Zone: Deep															
MW-304	10/21/2019	16.2	4.24	< 0.000296	< 0.000422	0.0319	5820	455	7.91	352	17.3	91	0.59	-214	0
MW-304	01/27/2020	13.2	3.03	< 0.000296	< 0.000422	0.0346 J	9620	562	7.96	503	16.3	172	--	-196	0.5
MW-304	05/07/2020	11	1.63	< 0.000296	< 0.000422	0.324	14200	609	7.54	297	18	221	0.59	-120	0.7
MW-304	07/27/2020	13.4	1.97	< 0.000296	< 0.000422	0.116	3070	420	7.99	330	21	392	1.1	-14	0.1
MW-304	05/18/2021	--	--	--	--	--	--	--	7.37	346	13.8	315	0.56	117.7	--
MW-304	11/08/2021	14.4	1.67	< 0.000296	< 0.000422	0.045	3820	344	7.34	868	16.2	216	0.34	-240	0.5
MW-304	05/25/2022	--	--	--	--	--	--	--	7.58	336	16	--	0.28	4.4	--
MW-304	11/09/2022	14.9	2.13	< 0.000296	< 0.000422	0.026	5950	364	6.5	249	11.1	--	1.66	26	0
MW-304	05/09/2023	--	--	--	--	--	--	--	6.94	349	13.6	--	0.27	101.1	--
MW-304	10/31/2023	--	--	--	--	--	--	--	7.6	280	16.5	--	6.32	21.3	--
MW-304	05/22/2024	--	--	--	--	--	--	--	7.25	343	16.9	--	1.5	-69	--
MW-304	11/13/2024	--	--	--	--	--	--	--	7.62	363	16.5	--	7.89	-49	--
MW-304	05/08/2025	--	--	--	--	--	--	--	7.53	299	16.6	142.5	0.34	-75.6	--
MW-304	11/05/2025	--	--	--	--	--	--	--	7.28	309	14.5	3.1	1.34	5.8	< 0
MW-319; Hydrogeologic Zone: Deep															
MW-319	10/08/2019	85	1.68	< 0.000296	< 0.000422	0.152	4300	854	6.9	563	15.4	22.8	0.43	193	3.5
MW-319	01/16/2020	82	1.63	< 0.000296	< 0.000422	0.166	4110	962	6.9	577	14.5	1.3	0.2	-69	3
MW-319	04/27/2020	82	1.99	< 0.000296	< 0.000422	0.197	4290	859	6.81	655	17.8	35	0.47	88	--
MW-319	07/27/2020	79.8	1.81	< 0.000296	< 0.000422	0.118	2880	830	6.6	637	21.8	6.1	0.31	109	2.5
MW-319	11/12/2020	--	--	--	--	--	--	--	6.81	600	15.7	7.8	0.41	-149	--
MW-319	05/19/2021	--	--	--	--	--	--	--	6.9	729	16.5	10	0.28	-112.5	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-319	11/08/2021	139 J	1.87	< 0.000296	< 0.000422	0.0524	3090	944	7	734	16.2	--	0.26	143.9	3
MW-319	05/27/2022	--	--	--	--	--	--	--	6.9	718	15.6	--	0.29	-83.8	--
MW-319	11/02/2022	108	1.43	0.00169	< 0.000422	0.145	3110	1030	6.91	817	11.8	--	0.31	263.5	2
MW-319	05/17/2023	--	--	--	--	--	--	--	7.38	577	22.8	--	0.32	-80.2	--
MW-319	11/08/2023	--	--	--	--	--	--	--	7.59	674	14.8	--	1.26	-138	--
MW-319	05/22/2024	--	--	--	--	--	--	--	6.9	221	16.1	--	0.18	-164.6	--
MW-319	11/06/2024	--	--	--	--	--	--	--	6.81	741	15.1	--	0.27	-119.6	--
MW-319	05/20/2025	1.72	0.883 J	< 0.00754	< 0.00610	0.0405	45.6 J	2.63	6.85	116	16.1	7.3	0.27	19.9	--
MW-319	11/12/2025	2.14	R	< 0.00754	< 0.00610	0.106	33.0 J	27.4	6.72	85	16.1	0.4	0.29	80.1	< 0
MW-323; Hydrogeologic Zone: Deep															
MW-323	10/09/2019	13.8	< 0.964	0.0123	0.00327	0.0755	273	160	6.85	489	16.7	17.6	0.35	-335	0
MW-323	01/20/2020	32.8	4.16	0.0479	< 0.000422	0.309	5100	1110	7.32	786	15.2	3.4	0.5	-57	2.5
MW-323	04/23/2020	24.5	1.71	< 0.000296	< 0.000422	0.0698	2730	878	--	705	15.9	13.4	0.39	221	2.4
MW-323	07/07/2020	22.1	1.59	0.00756	< 0.000422	0.192	7840	668	7.33	689	16.8	44.3	0.4	-25	2.8
MW-323	11/24/2020	--	--	--	--	--	--	--	7.26	498	12.5	26	0.59	-143	--
MW-323	05/20/2021	--	--	--	--	--	--	--	7.25	681	15.4	1	0.27	-155.6	--
MW-323	11/16/2021	24	2.03	0.0138	0.00471	0.0925	2870	899	7.06	665	16.4	--	0.03	70.5	2.25
MW-323	06/03/2022	--	--	--	--	--	--	--	7.15	702	15.4	--	0.4	-112	--
MW-323	11/04/2022	29.3	2.09	0.0398	0.0098	0.189	2660	951	6.04	592	15.8	--	0.5	184.3	2
MW-323	05/17/2023	--	--	--	--	--	--	--	7.2	719	18.1	--	0.16	-77.6	--
MW-323	11/08/2023	--	--	--	--	--	--	--	7.19	707	15.8	--	1.21	-84.9	--
MW-323	05/22/2024	--	--	--	--	--	--	--	7.38	583	15.3	--	0.29	-62.9	--
MW-323	11/07/2024	--	--	--	--	--	--	--	7.08	779	14.9	--	0.38	-175.5	--
MW-323	05/21/2025	35.3	1.97	0.0765	0.00715 J	0.249	3120	982	7.18	569	16.3	2.2	0.12	53.4	--
MW-323	08/20/2025	12.2	5.67	0.0382	0.0258	0.208	547	817	7.35	625	19	1	0.21	-255.2	--
MW-323	11/13/2025	32.6	R	0.0428	< 0.00610	0.173	3180	968	6.98	468	16.3	2.5	0.19	-103	2.5
MW-324; Hydrogeologic Zone: Deep															
MW-324	10/02/2019	93.1	13.1	0.0134	0.0224	3.34	5740	374	8.43	1060	16.2	89.6	0.36	162	2
MW-324	01/20/2020	47.6	10.9	0.0067	0.0287	4.83	3920	1200	7.05	1717	12	3.6	0.44	43	4.4
MW-324	04/24/2020	64.4	12	0.0505	0.114	5.89	8480	1870	6.79	1492	15.9	14	0.22	-100	4
MW-324	07/07/2020	45.8	14.8	0.0734	0.0937	5.88	8690	1640	6.72	1283	17.3	15.9	0.3	4	4
MW-324	11/13/2020	--	--	--	--	--	--	--	6.5	1163	15.4	65.1	0.31	-153	--
MW-324	05/20/2021	--	--	--	--	--	--	--	6.65	1015	16.7	0.3	0.24	-96	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-324	11/16/2021	91.2	4.58	< 0.000296	< 0.000422	0.377	5910	1390	6.71	897	14.9	--	0	63.3	4
MW-324	05/31/2022	--	--	--	--	--	--	--	6.55	1076	16.8	--	0.3	-47	--
MW-324	11/03/2022	90.2	8.11	0.0212	0.0058	1.71	7530	2080	6.07	999	15.1	--	1	44.5	1
MW-324	05/18/2023	--	--	--	--	--	--	--	6.63	1144	17	--	0.12	-58.7	--
MW-324	11/08/2023	--	--	--	--	--	--	--	6.87	974	15	--	0.42	-122	--
MW-324	05/23/2024	--	--	--	--	--	--	--	6.86	641	14.8	--	0.33	119.5	--
MW-324	11/07/2024	--	--	--	--	--	--	--	6.8	730	16	--	0.29	-16.3	--
MW-324	05/20/2025	57.7	3.66 J	< 0.00754	< 0.00610	0.500	3750	1020	7.01	626	15.9	14.3	0.32	10.6	--
MW-324	11/18/2025	73.2 J	R	< 0.00754	< 0.00610	0.368	3640	1020	6.72	385	15.3	12.5	0.09	-85.6	3.5
MW-326R; Hydrogeologic Zone: Deep															
MW-326R	05/15/2023	--	--	--	--	--	--	--	7.24	630	17.3	--	0.14	-99.5	--
MW-326R	11/09/2023	--	--	--	--	--	--	--	7.23	571	13.3	--	2.39	-91.3	--
MW-326R	05/24/2024	--	--	--	--	--	--	--	7.06	472	13.9	--	0.14	-51.2	--
MW-326R	11/11/2024	--	--	--	--	--	--	--	7.26	638	14.2	--	0.4	-203.4	--
MW-326R	05/14/2025	--	--	--	--	--	--	--	7.24	458	14.7	3.3	0.23	-189	--
MW-326R	11/11/2025	--	--	--	--	--	--	--	7.25	438	15.5	3.1	0.36	-195.4	< 0
MW-328; Hydrogeologic Zone: Deep															
MW-328	10/02/2019	0.787 J	8.75	< 0.000296	0.0368	23.7	20300	755	6.82	4785	14.6	26.6	0.41	-68	4
MW-328	01/17/2020	< 0.0774	5	0.00399	0.0329	23.8	16200	397	6.72	1190	12.1	5.9	0.4	-33	2.5
MW-328	04/08/2020	< 0.594	3.9	0.00744	0.0284	22.9	13700	348	6.53	1154	14.1	--	0.2	-91	3.6
MW-328	07/07/2020	< 0.594	3.69	0.0126	< 0.000422	25.3	9970	243	6.83	1014	14.2	11.5	0.26	-103	5.5
MW-328	11/09/2020	--	--	--	--	--	--	--	6.7	1107	12.5	9.3	0.47	-116	--
MW-328	05/25/2021	--	--	--	--	--	--	--	6.77	1015	14.2	--	0.19	132.5	--
MW-328	11/10/2021	3.71	4.64	< 0.000296	< 0.000422	16.6	6980	201	7.13	942	13.2	--	0	-84	4.5
MW-328	05/04/2022	--	--	--	--	--	--	--	6.75	1086	13.3	--	1.6	-94.9	--
MW-328	11/02/2022	< 0.594	4.42	0.017	0.0151	22.6	9310	253	6.91	704	13.3	--	1.35	119.2	3.5
MW-328	05/19/2023	--	--	--	--	--	--	--	6.86	794	13.1	--	0.54	-98.6	--
MW-328	11/09/2023	--	--	--	--	--	--	--	7.41	710	13.6	--	0.3	2.8	--
MW-328	05/23/2024	--	--	--	--	--	--	--	6.68	755	13.4	--	0.22	0.4	--
MW-328	11/14/2024	--	--	--	--	--	--	--	6.79	1162	13.8	--	0.29	-4	--
MW-328	05/19/2025	7.69	6.90	< 0.00754	< 0.00610	0.00796 J	249 J	2.20 J	6.67	173	16.2	5	3.72	57	--
MW-328	11/11/2025	14.9 J	R	< 0.00754	< 0.00610	0.165	599	17.1	6.58	204	14	2.2	0.29	-18.6	1

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
Unit		mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-329; Hydrogeologic Zone: Deep															
MW-329	10/03/2019	11.4	4.82	0.0199	< 0.000422	0.591	7710	2210	6.92	1012	18.6	34.8	0.38	-114	4
MW-329	01/20/2020	14.8	4.61	0.0259	< 0.000422	1.02	4830	2300	7.2	1051	14	--	0.3	-19	1.5
MW-329	04/27/2020	14.4	3.5	0.0242	< 0.000422	0.955	11100	2140	7.01	951	17.9	64.1	0.7	-77	2.5
MW-329	08/03/2020	14	3.59	0.0157	< 0.000422	0.63	7750	2130	7.13	913	16.5	79.5	0.31	-78	3
MW-329	11/09/2020	--	--	--	--	--	--	--	6.94	877	14.3	29.9	0.47	-112	--
MW-329	05/25/2021	--	--	--	--	--	--	--	6.96	883	17.3	--	0.28	-133.8	--
MW-329	02/25/2022	--	--	--	--	--	--	--	6.9	1003	14.2	--	0.78	-79.8	--
MW-329	06/09/2022	--	--	--	--	--	--	--	7.05	908	14.2	--	0.38	-69.7	--
MW-329	11/01/2022	18.9	3.83	0.0214	0.00258	0.404	4010	2210	6.95	1014	15.9	--	0.41	-141.7	3.2
MW-329	05/18/2023	--	--	--	--	--	--	--	7.07	840	16.2	--	0.72	-114.8	--
MW-329	11/09/2023	--	--	--	--	--	--	--	7.58	835	15	--	0.23	-1	--
MW-329	05/23/2024	--	--	--	--	--	--	--	7.03	1031	15.5	--	0.61	-143.8	--
MW-329	11/14/2024	--	--	--	--	--	--	--	6.91	1074	15.2	--	0.29	-198.6	--
MW-329	05/19/2025	12.0	1.84 J	< 0.00754	< 0.00610	0.00897 J	91.1 J	32.8 J	7.17	1617	16.2	2.3	0.33	140	--
MW-329	11/13/2025	10.3	R	< 0.00754	< 0.00610	0.0312	223	37.1	7.87	163	16.1	9.1	0.19	-54.6	1
MW-336; Hydrogeologic Zone: Deep															
MW-336	05/05/2020	74.3	3.58	< 0.000296	< 0.000422	0.271	10500	596	6.92	1126	16.4	3	1.88	-84	6.5
MW-336	07/08/2020	72.1	2.68	0.00716	< 0.000422	0.343	7720	462	6.94	990	21.3	6	0.45	-9	4
MW-336	11/02/2020	--	--	--	--	--	--	--	6.81	940	17.6	5.9	0.37	-105	--
MW-336	02/10/2021	--	--	--	--	--	--	--	6.86	935	15.2	--	0.26	49	--
MW-336	05/26/2021	--	--	--	--	--	--	--	6.81	955	16.8	--	0.32	-142.9	--
MW-336	08/11/2021	--	--	--	--	--	--	--	6.69	972	24.2	--	0.19	130.5	--
MW-336	11/17/2021	58.6	4.11	0.0178	< 0.000422	0.48	6740	555	6.85	913	14.9	--	0	54.7	6.5
MW-336	05/31/2022	--	--	--	--	--	--	--	6.78	949	18.2	--	0.34	-71.7	--
MW-336	08/10/2022	--	--	--	--	--	--	--	7.54	610	19.8	--	5.02	97.1	--
MW-336	11/03/2022	60.4	1.7	< 0.000296	< 0.000422	0.00156 J	< 28.1	1.01 J	6.17	623	17.8	--	3.41	18.6	0
MW-336	05/19/2023	--	--	--	--	--	--	--	7.26	864	16.4	--	3.64	-58.9	--
MW-336	11/09/2023	--	--	--	--	--	--	--	7.26	1032	16.9	--	3.5	-9.3	--
MW-336	05/28/2024	--	--	--	--	--	--	--	7.22	1042	16.3	--	5.12	147.3	--
MW-336	11/14/2024	--	--	--	--	--	--	--	7.18	1046	16.8	--	3.79	-61.2	--
MW-336	05/16/2025	--	--	--	--	--	--	--	7.2	546	16.5	9.6	5.61	60.4	--
MW-336	11/13/2025	--	--	--	--	--	--	--	6.99	608	17.2	7.1	4.33	17.2	0.5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
Unit		mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-341; Hydrogeologic Zone: Deep															
MW-341	05/12/2020	16.5	4.91	0.0111	< 0.000422	1.45	9230	819	7.44	779	14.4	12	0.78	-166	3
MW-341	07/07/2020	7.3	3.91	0.00633	< 0.000422	2.79	6950	889	7.14	771	14.8	18.6	0.12	-136	5.5
MW-341	11/09/2020	--	--	--	--	--	--	--	7.63	337	11.5	11.4	0.1	-293	--
MW-341	05/25/2021	--	--	--	--	--	--	--	7.01	762	15.5	--	0.12	131.7	--
MW-341	11/10/2021	8.98	3.07	< 0.000296	< 0.000422	3.37	6740	723	7.34	806	13.9	--	0	-126	4.25
MW-341	05/04/2022	--	--	--	--	--	--	--	7.06	753	13.5	--	1.82	-122.8	--
MW-341	11/02/2022	31.5	2.7	0.00626	0.0105	0.872	7610	552	6.91	617	12.8	--	0.49	83.3	2.5
MW-341	05/18/2023	--	--	--	--	--	--	--	7.16	626	15.9	--	0.48	-124.8	--
MW-341	11/09/2023	--	--	--	--	--	--	--	7.6	618	13.2	--	0.25	1.9	--
MW-341	05/23/2024	--	--	--	--	--	--	--	6.91	626	13.3	--	0.16	19.9	--
MW-341	11/14/2024	--	--	--	--	--	--	--	6.91	1045	13.7	--	0.15	-24.5	--
MW-341	05/19/2025	93.7	4.10	< 0.00754	< 0.00610	0.334	9290	891	6.89	997	14.5	10.1	0.37	26	--
MW-341	11/11/2025	118	R	< 0.00754	< 0.00610	0.360	8930	850	6.87	1060	14.1	9.8	0.18	-111.8	4
MW-342; Hydrogeologic Zone: Deep															
MW-342	05/04/2020	9.65	2.68	< 0.000296	< 0.000422	1.04	1130	438	7.4	385	14.5	9	0.27	-20	0
MW-342	07/30/2020	< 0.594	4.82	< 0.000296	< 0.000422	11.4	10200	934	6.6	473	16.5	17	0.39	123	3.5
MW-342	11/17/2020	--	--	--	--	--	--	--	6.8	186	15.1	--	0.3	-65	--
MW-342	06/04/2021	--	--	--	--	--	--	--	6.52	434	15.4	8	0.22	-113.2	--
MW-342	11/09/2021	0.275 J	8.03	< 0.000296	< 0.000422	18.4	27300	2520	6.73	1007	14.5	--	0	-98	1.5
MW-342	05/17/2022	--	--	--	--	--	--	--	6.77	438	15	--	0.23	-23.7	--
MW-342	11/01/2022	< 0.594	2.61	0.00662	0.018	12	4870	436	6.49	596	14.9	--	0.37	-134	2.8
MW-342	05/09/2023	--	--	--	--	--	--	--	7.1	203	14.5	--	4.14	-85.1	--
MW-342	11/09/2023	--	--	--	--	--	--	--	6.76	784	14.9	--	1.2	-51	--
MW-342	05/24/2024	--	--	--	--	--	--	--	6.86	709	14.4	--	0.45	-137.7	--
MW-342	11/22/2024	--	--	--	--	--	--	--	6.76	891	15.1	--	0.19	11.4	--
MW-342	05/16/2025	0.782 J	3.85	< 0.00754	0.0148	6.33	5690	464	6.78	478	14.9	11.7	0.46	57.5	--
MW-342	11/14/2025	21.8	R	< 0.00754	< 0.00610	< 3.85	6010	491	6.59	734	14.3	12.4	0.04	-51.9	3
MW-343; Hydrogeologic Zone: Deep															
MW-343	05/04/2020	2.93 J	4.3	< 0.000296	< 0.000422	0.0704	14800	6300	6.92	1511	15.5	8	0.63	-123	6.5
MW-343	07/30/2020	2.43 J	3.95	< 0.000296	< 0.000422	0.0685	11700	6230	6.95	1496	16.6	44.2	0.78	129	4.3
MW-343	11/24/2020	--	--	--	--	--	--	--	6.86	1250	13.9	430	0.62	-131	--
MW-343	06/04/2021	--	--	--	--	--	--	--	6.86	724	15.1	8.3	0.28	-147.6	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-343	11/09/2021	0.594 J	3.12	< 0.000296	< 0.000422	2.63	6730	2210	7.17	776	12.5	--	0.2	-112	3.75
MW-343	05/17/2022	--	--	--	--	--	--	--	6.85	754	14.8	--	0.27	-39.7	--
MW-343	11/01/2022	< 0.594	2.94	0.00433	< 0.000422	2.13	5820	2110	6.74	757	15.2	--	0.4	-140	3.4
MW-343	05/09/2023	--	--	--	--	--	--	--	7.26	420	13.8	--	1.19	-68.5	--
MW-343	12/04/2023	--	--	--	--	--	--	--	6.9	832	14.1	--	0.33	-99.9	--
MW-343	05/24/2024	--	--	--	--	--	--	--	6.96	812	14.3	--	1	-148.5	--
MW-343	11/22/2024	--	--	--	--	--	--	--	6.92	874	15.1	--	0.16	-7.5	--
MW-343	05/16/2025	1.18	3.21	< 0.00754	< 0.00610	1.35	6110	2280	7	466	15.1	7.6	0.28	-88.6	--
MW-343	11/14/2025	1.40 J	R	< 0.00754	< 0.00610	< 1.04	6650 J	2330	6.74	688	14.8	1	0.14	-66.1	5
Property Treatment Zone A															
MW-165; Hydrogeologic Zone: Property Treatment Zone A															
MW-165	11/04/2019	57.2	121	0.37	0.151	12	60600	5260	6.64	2285	16.9	--	0.21	-176.8	4
MW-165	01/30/2020	12.9	88.7	0.221	0.0694	21	48100	7470	7.32	2923	15.6	6.9	0.96	-162	4.5
MW-165	05/01/2020	1.72 J	100	0.0845	< 0.000422	2.59	50700	7360	6.72	2758	15.5	23.8	3.91	-75	3
MW-165	07/09/2020	7.66	89.2	0.476	0.139	20	41300	7570	6.63	2501	18.1	1.8	0.1	-100	6
MW-165	11/05/2020	2.64 J	83.2	0.529	0.499	28.2	44700	6920	6.61	2377	18	2.2	0.19	-244	--
MW-165	02/04/2021	--	--	--	--	--	--	--	6.6	1539	16.2	--	0.14	48	--
MW-165	05/06/2021	< 0.594	40.1	0.571	1.24	25.9	26600	4860	6.61	1655	15	--	0.24	-140.2	--
MW-165	08/10/2021	--	--	--	--	--	--	--	6.53	1643	17.2	--	0.19	128.6	--
MW-165	11/30/2021	0.198	29.5	0.859	0.59	34.9	20100	3610	6.38	1290	15.7	--	1.18	-661	3.4
MW-165	02/22/2022	--	--	--	--	--	--	--	6.67	1298	14.9	--	0.75	-149.9	--
MW-165	05/13/2022	< 0.594	23.1	0.488	0.406	27.3	17800	3160	6.84	1232	15.1	--	0.42	-89.1	--
MW-165	08/05/2022	--	--	--	--	--	--	--	6.03	1059	16.1	--	1.93	79.4	--
MW-165	10/28/2022	5.35	25.4	0.712	0.446	33.3	18400	3410	6.51	1247	17.3	--	0.35	-195.1	2.4
MW-165	05/11/2023	< 0.594	26.2	0.527	0.0389	27.7	25300	5520	6.49	1874	15.2	--	0.18	-38.9	--
MW-165	11/01/2023	< 0.594	26.2	0.378	0.00689	25.7	25700	5930	6.53	1945	17.2	--	0.89	-121.5	3.5
MW-165	05/28/2024	1.79 J	26.8	0.266	0.00379	29.7	25900	5490	6.59	1748	15.5	--	2.13	-94	--
MW-165	11/19/2024	< 0.637	23.1	0.188	0.00563	24.5	25200	5680	6.38	1905	16.9	--	0.1	73.3	7
MW-165	05/22/2025	0.445 J	17.1	0.125	< 0.00610	9.16	26400	5710	6.54	1355	15.4	6.6	0.01	-98.6	--
MW-165	11/13/2025	< 1.00	R	0.107	< 0.00610	7.25	27000	5160	6.51	1492	17.1	1.3	0.03	-164.7	3.5
MW-169; Hydrogeologic Zone: Property Treatment Zone A															
MW-169	11/05/2019	0.333 J	19.9	0.299	0.883	19.6	6150	832	7.68	1295	18.9	--	0.18	-73.1	2.5
MW-169	01/23/2020	1.85 J	17.2	0.396	1.11	25.6	9290	978	7.62	2075	13.4	5.7	0.39	-189	3

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-169	05/05/2020	< 0.594	19.2	0.336	1.18	18.7	5100	821	7.31	1685	15.8	5.7	0.38	-189	2
MW-169	07/10/2020	< 0.594	16.9	0.393	0.866	21.6	11300	883	7.69	1493	17.6	10.8	0.2	-155	4.2
MW-169	11/03/2020	31.5	32.5	0.352	0.139	21.1	5750	1050	7.49	1610	17.9	--	0.22	-215	--
MW-169	02/17/2021	--	--	--	--	--	--	--	7.77	1457	12	1	4.37	-143	--
MW-169	05/07/2021	9.36	19.7	0.0686	0.0258	7.94	4220	1360	7.8	1333	14.1	1.5	4.85	-145	--
MW-169	08/10/2021	--	--	--	--	--	--	--	7.53	1317	17.3	--	0.08	-239.5	--
MW-169	11/19/2021	8.38	19.7	0.0468	0.0278	20.9	4250	1120	7.78	1172	15.5	--	1	179.5	3
MW-169	02/16/2022	--	--	--	--	--	--	--	7.64	1188	13.4	--	0.64	-244.5	--
MW-169	05/12/2022	2.66 J	15.7	0.115	0.0155	23.4	3540	836	7.71	1113	14.3	--	0.04	-124.1	--
MW-169	08/05/2022	--	--	--	--	--	--	--	6.06	951	17.2	--	0.66	107.2	--
MW-169	10/27/2022	0.596 J	15.2 J	0.198	< 0.000422	30.5	2710	748	7.64	1025	18.1	--	0.3	--	1.4
MW-169	05/11/2023	1.22 J	14.4	0.164	0.00337	22	7080	811	7.72	983	15.6	--	0.44	-34.7	--
MW-169	11/03/2023	0.824 J	13.3	0.171	0.00519	33.1	7410	889	7.47	913	17.6	--	0.21	10.3	1.9
MW-169	05/24/2024	1.04 J	14.2	0.204	0.055	29.5	4030	785	7.48	1198	15.6	--	0.25	-183.5	--
MW-169	11/13/2024	< 0.637	14.8	0.219	0.0433	26.9	3700	851	7.47	1247	17.4	--	0.07	17.7	1.8
MW-169	05/21/2025	< 1.00	14.0	0.163	0.00886 J	11.8	3230	949	7.57	989	15.9	16.1	0.11	-159	--
MW-169	11/18/2025	0.462 J	R	0.112	0.0118	8.27	4060	928	7.88	1263	17.5	10.3	0.12	-175.7	1.5
MW-173; Hydrogeologic Zone: Property Treatment Zone A															
MW-173	11/01/2019	60.6	14.8	0.0382	0.124	7.53	2860	380	7.3	1279	16.5	--	0.27	-160.4	1.5
MW-173	01/28/2020	36	16.4	0.0651	0.126	0.0222	3080	685	9.06	1540	14	10.4	0.7	-122	2
MW-173	05/01/2020	7.09	20.5	0.0716	0.117	17.7	1320	835	7.47	1036	16.2	1.5	0.17	-112	1
MW-173	07/09/2020	4.94 J	17.2	0.173	0.135	20.3	1550	1040	7.38	1044	17.6	1.4	0.3	-34	1.4
MW-173	11/05/2020	--	--	--	--	--	--	--	7.31	1006	18.1	1.3	2.38	-183	--
MW-173	02/04/2021	--	--	--	--	--	--	--	7.16	880	13.1	9.4	1.71	-452	--
MW-173	05/05/2021	--	--	--	--	--	--	--	7.41	916	15.1	0.3	0.74	-173	--
MW-173	08/05/2021	--	--	--	--	--	--	--	7.23	893	17.3	93	2.38	-87.4	--
MW-173	11/30/2021	0.275	13.2	0.174	0.0416	6.27	2920	1820	7.48	1048	15.9	--	0.83	178.6	2
MW-173	02/17/2022	--	--	--	--	--	--	--	7.47	1002	13.8	--	0.9	-233.8	--
MW-173	05/13/2022	--	--	--	--	--	--	--	7.42	985	15	--	0	-128.6	--
MW-173	08/11/2022	--	--	--	--	--	--	--	7.57	--	17	--	20.1	-27.2	--
MW-173	10/27/2022	< 0.594	11.9	0.613	0.104	29.4	3020	2070	7.21	1006	17.6	--	0.38	-207.3	1.9
MW-173	05/11/2023	1.61 J	12.7	0.833	0.303	28.8	3220	2300	6.97	1088	15	--	0.14	-36.7	--
MW-173	11/02/2023	< 0.594	12.3	0.619	0.0949	25.4	4020	2550	7.42	974	17.6	--	0.69	16	2

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
		mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-173	05/28/2024	0.734 J	16.1	0.795	0.0596	30.5	6230	2390	7.54	1199	15.5	--	2.46	-141.6	--
MW-173	11/18/2024	< 0.637	14.8 J	0.664	0.0623	28.6	4100	2290	7.1	1260	17.1	--	0.53	-111.9	2
MW-173	05/22/2025	< 0.286	14.4	0.408	0.0195	10.3	4590	2570	7.44	1346	15.2	10.6	0.28	-170	--
MW-173	11/14/2025	< 0.286	R	0.316	0.00836 J	< 9.88	4400	2460	7.40	1447	17.2	2.7	0.29	-166.2	2
MW-177; Hydrogeologic Zone: Property Treatment Zone A															
MW-177	11/06/2019	91.8	56.3	0.0151	4	22.5	26800	3650	6.98	1769	15.2	--	0.17	-79.9	3.1
MW-177	01/24/2020	67.4	14.2	0.102	3.64	3.01	20200	3150	6.71	2491	15.5	--	1.84	-92	--
MW-177	04/01/2020	60.7	26.7	0.122	2.41	21.3	19800	3210	6.62	1939	16	28	2.54	-154	5
MW-177	07/10/2020	90.4	30.3	0.129	2.08	25.7	17500	3170	6.69	1996	17.3	25.9	0.1	-63	3
MW-177	11/03/2020	55.4	17.4	0.472	2.99	28.4	6260	1320	6.86	1300	17	1.5	0.33	-70	--
MW-177	02/18/2021	--	--	--	--	--	--	--	6.98	1155	13.4	2.5	0.64	-74	--
MW-177	05/06/2021	21.4	11.3	0.561	2.54	30.1	6310	895	6.96	983	14.3	--	1.13	-143.3	--
MW-177	08/09/2021	--	--	--	--	--	--	--	6.94	928	16.6	--	0.45	116.6	--
MW-177	11/30/2021	16.4	9.66	0.345	1.13	19.4	4480	736	7.13	814	14.9	--	0.61	167	3
MW-177	02/17/2022	--	--	--	--	--	--	--	6.89	822	14.1	--	0.15	181.2	--
MW-177	05/10/2022	14.6	8.84	0.148	0.477	9.73	5560	782	6.85	844	14.6	--	0.34	-124.9	--
MW-177	08/04/2022	--	--	--	--	--	--	--	6.9	778	16.7	--	0.05	-53.1	--
MW-177	10/26/2022	10.3	8.33	0.731	1.88	29.1	3620	666	6.91	785	17.3	--	2.1	--	1.75
MW-177	05/10/2023	1.24 J	81.3	0.488	0.958	23.1	2380	905	6.77	884	15.3	--	0.42	-141.2	--
MW-177	11/01/2023	< 0.594	10.1	0.661	1.43	27.4	6790	764	6.88	955	17.4	--	0.21	-166.3	3
MW-177	05/23/2024	1.46 J	0.796 J	0.481	0.856	24.9	6080	706	7.03	928	15.7	--	2.43	-89.8	--
MW-177	11/12/2024	1.4 J	10.1	0.339	0.63	20	5840	952	6.75	1317	17.2	--	0.04	33.9	2.8
MW-177	05/20/2025	0.723 J	7.17	0.353	0.323	11.2	6900	797	6.94	900	15.8	6.7	0.18	-128	--
MW-177	11/18/2025	1.02	R	0.266	0.242	8.08	4800	613	7.03	857	17.2	7.1	0.06	-146.1	3.5
MW-181; Hydrogeologic Zone: Property Treatment Zone A															
MW-181	11/08/2019	0.392 J	26.5	0.0185	2.87	14.3	3390	1020	7.29	1341	17.1	--	0.22	154	2
MW-181	01/27/2020	< 0.749	46.4	0.00762	2.37	17.5	11400	1870	6.86	2322	14.4	9.7	0.32	-110	4.4
MW-181	04/01/2020	< 0.337	22.4	0.0243	2.62	17.7	9120	1450	6.41	1422	16.3	5.4	0.13	-71	5.2
MW-181	07/08/2020	< 0.594	21.8	0.0294	2.14	22.7	10100	1360	6.73	1474	17.5	41.9	0.71	-118	4
MW-181	11/04/2020	13	36.3	0.0291	3.72	29.9	12900	1510	6.91	1629	17.4	2.5	0.23	-178	--
MW-181	02/19/2021	--	--	--	--	--	--	--	7.3	1454	12.5	9.2	0.73	-17	--
MW-181	05/06/2021	1.42 J	32.7	0.178	7.11	34.4	7460	1350	7.18	1330	15.6	7.5	0.11	121.1	--
MW-181	08/09/2021	--	--	--	--	--	--	--	7.16	1309	16.5	24.9	0.1	114.7	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-181	11/18/2021	3.32	36.6	0.25	3.89	25.5	10100	1440	7.2	1216	16.4	--	1.69	163.3	3.8
MW-181	02/16/2022	--	--	--	--	--	--	--	7.16	1270	16.1	--	0.13	-348.1	--
MW-181	05/10/2022	< 0.594	33.3	0.2	4.27	18.5	10600	1590	7.13	1242	15.6	--	0.09	-128.3	--
MW-181	08/04/2022	--	--	--	--	--	--	--	6.82	1074	17	--	0.44	-6.8	--
MW-181	10/25/2022	1.36 J	28.8	0.282	3.55	25.3	12100	1660	7.03	1240	17.8	--	2.59	--	3
MW-181	05/10/2023	< 0.594	33.5	0.311	3.29	31.6	13500	1620	6.86	1280	15.6	--	0.16	-92.3	--
MW-181	11/01/2023	< 0.594	32.7	0.23	1.23	19.6	15800	1860	6.99	1281	17.2	--	1.03	-139.8	4
MW-181	05/23/2024	1.87 J	31	< 0.000296	0.00244	0.0852	13300	1590	6.88	1308	15.8	--	1.91	-135.7	--
MW-181	11/11/2024	< 0.637	34	0.41	2.86	29.1	13800	1610	6.78	1424	17.2	--	0.06	37.1	5.1
MW-181	05/19/2025	< 0.362	27.9	0.268	0.847	9.71	13000	1710	6.83	1050	15.8	28.1	0.08	-172.5	--
MW-181	11/17/2025	< 3.62	R	0.315	0.610	8.38	11000	1520	6.99	1342	17.3	20.1	< 0	-158.5	3.5
MW-185; Hydrogeologic Zone: Property Treatment Zone A															
MW-185	10/31/2019	38.1	51.4	0.00969	0.232	10.3	9910	1630	7.05	1944	12.8	--	0.48	-109	2.5
MW-185	01/29/2020	0.112 J	38.7	0.213	< 0.000422	37	18500	3420	6.79	3212	15.9	2.2	0.03	-130	3
MW-185	04/02/2020	< 0.273	20	0.227	< 0.000422	23.3	25200	3410	6.82	2168	15.1	13.1	0.25	-147	6.2
MW-185	07/08/2020	< 0.594	18.7	0.288	< 0.000422	28.5	13100	1640	6.91	1694	17.1	11.8	1.3	-136	5.5
MW-185	11/04/2020	--	--	--	--	--	--	--	7.2	1175	16.6	0.8	0.07	-59	--
MW-185	02/16/2021	--	--	--	--	--	--	--	7.37	1167	12.8	1.6	1.15	-8	--
MW-185	05/07/2021	--	--	--	--	--	--	--	7.29	1127	--	1.1	0.92	-147	--
MW-185	08/03/2021	--	--	--	--	--	--	--	7.28	973	16.5	--	0.25	76	--
MW-185	11/18/2021	1.58 J	11.1	0.115	0.0208	19.8	4000	716	7.01	886	12.9	--	1.25	-91.4	3.8
MW-185	02/16/2022	--	--	--	--	--	--	--	7.28	1274	13.3	--	0.19	216	--
MW-185	05/12/2022	--	--	--	--	--	--	--	6.97	1297	14.4	--	0.16	-102.1	--
MW-185	08/05/2022	--	--	--	--	--	--	--	7.22	1169	16.9	--	0.11	-69.9	--
MW-185	10/27/2022	0.721 J	11.3	0.198	0.0221	30.4	4850	767	7.14	1140	180	--	0.09	--	1.75
MW-185	05/11/2023	< 0.594	57.9	0.0921	0.0247	23.7	35700	2880	6.78	1799	15.2	--	0.46	-143.6	--
MW-185	11/02/2023	< 0.594	14.5	0.0589	0.00617	17.1	26500	2640	6.9	2364	17.3	--	1.13	-129.7	2.5
MW-185	05/24/2024	2.52 J	26	0.0458	0.00434	14.5	22200	2690	6.82	2595	15.8	--	1.87	-128.3	--
MW-185	11/19/2024	< 0.637	22.7	0.0811	0.0153	19.7	18800	2510	6.76	2820	17	--	0.17	-35.7	4.5
MW-185	05/19/2025	< 0.362	17.0	0.0633	0.00852 J	7.06	16100	2930	6.91	2010	15.5	19.8	0.08	-158.5	--
MW-185	11/14/2025	< 1.00	R	0.0376	0.00666 J	< 7.81	15600	3380	7.27	3078	17.2	11.7	0.07	-164.8	6.5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
Unit		mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
Property Treatment Zone B															
MW-166; Hydrogeologic Zone: Property Treatment Zone B															
MW-166	11/04/2019	13.6	122	0.0676	2.5	14.3	54500	2110	6.64	2204	15.5	--	0.2	-165.6	5
MW-166	01/30/2020	< 0.0774	95.7	0.772	0.987	22.8	41500	2060	7.3	2119	17.3	9.3	--	-139	4
MW-166	05/01/2020	< 0.594	45.5	0.608	0.162	19.2	34300	1920	6.78	2017	17.3	9.6	0.15	-162	3
MW-166	07/09/2020	< 0.594	18.8	0.431	0.132	39.2	18700	1350	6.95	1340	18.6	5.8	0.21	-149	7
MW-166	11/05/2020	4.67 J	42.2	0.94	1.89	34.5	36600	2030	6.74	1625	17.9	4.7	0.17	-186	--
MW-166	02/04/2021	--	--	--	--	--	--	--	6.89	1615	15.5	2	0.11	50	--
MW-166	05/05/2021	9.62	46.4	0.641	1.57	17.1	32300	1460	6.81	1588	15.1	1.1	0.16	-137.5	--
MW-166	08/10/2021	--	--	--	--	--	--	--	7.12	1489	17.3	--	0.21	122.3	--
MW-166	11/30/2021	12.2	46.4	0.748	2.33	24.1	33800	1290	6.39	1437	15.4	--	0.54	-94.1	6.6
MW-166	02/22/2022	--	--	--	--	--	--	--	6.8	1552	16.5	--	0.22	-278.3	--
MW-166	05/13/2022	10.7	42.9	0.399	1.45	18.9	32900	1140	6.79	1529	15.2	--	0.37	-110.4	--
MW-166	08/05/2022	--	--	--	--	--	--	--	6.11	1347	16.9	--	1.41	36.3	--
MW-166	10/28/2022	18.1	46.7	0.48	1.93	30.1	33900	1580	6.64	1543	17.6	--	0.28	0.2	3.8
MW-166	05/11/2023	9.71	48.8	0.467	1.45	24.1	33400	1100	6.69	1652	15.6	--	0.32	-97.5	--
MW-166	11/02/2023	9.48	47.4	0.542	1.26	31	40800	1330	6.71	1455	17.2	--	0.23	6.8	5.5
MW-166	05/28/2024	10.4	52	0.529	1.14	26.8	42600	1240	6.69	1962	15.5	--	3.03	-34.6	--
MW-166	11/18/2024	8.55	57.1	0.63	1.17	27.3	41600	1210	6.53	2215	16.6	--	0.13	58	4.5
MW-166	05/22/2025	8.50	51.5	0.352	0.363	11.0	43200	1080	6.67	1615	16.3	9.4	0.01	-138.4	--
MW-166	11/13/2025	4.36	R	0.259	0.266	5.80	50900	1730	6.73	2007	16.9	5.1	0.12	-163.9	3.5
MW-170; Hydrogeologic Zone: Property Treatment Zone B															
MW-170	11/05/2019	112	22.9	0.062	1.12	10	1870	947	7.58	1432	16.5	--	0.21	-28.6	1.1
MW-170	01/23/2020	60.9	19.6	0.0427	0.868	7.53	8240	1030	7.59	2080	12.2	6.9	0.48	-157	3
MW-170	04/02/2020	41.1	16.7	0.0448	0.986	9.4	10800	1050	7.52	1467	13.7	17.5	0.31	-184	4.5
MW-170	07/09/2020	16.9	13.2	0.0315	1.12	13	12100	1220	7.34	1432	17.5	19.2	0.2	-182	5.5
MW-170	11/03/2020	49.7	19.3	0.044	2.39	14.8	4320	1040	7.38	1558	18	--	0.22	-203	--
MW-170	02/17/2021	--	--	--	--	--	--	--	7.51	1588	17.1	2.9	0.12	-117	--
MW-170	05/07/2021	16.9	14.6	0.052	1.99	31.4	2570	1020	7.39	1473	18	12.1	0.12	-206	--
MW-170	08/09/2021	--	--	--	--	--	--	--	7.5	1483	17.5	--	0.12	114.3	--
MW-170	11/19/2021	14.8	15.4	0.0174	0.661	29.9	3800	1210	7.53	1419	17	--	0.34	170.4	1.5
MW-170	02/17/2022	--	--	--	--	--	--	--	7.43	1527	17.4	--	0.14	-326.6	--
MW-170	05/12/2022	9.53	14.5	0.0299	0.814	13.1	2740	1090	7.51	1464	15.5	--	0.79	-43.5	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-170	08/05/2022	--	--	--	--	--	--	--	6.48	1251	17.3	--	0.95	50.6	--
MW-170	10/27/2022	3.03 J	16.5	0.146	2.16	21.8	4090	1190	7.47	1482	18.3	--	0.23	--	2.6
MW-170	05/11/2023	3.89 J	15.5	0.148	2.06	23.5	4890	1370	7.51	1416	15.9	--	0.21	-39.6	--
MW-170	11/02/2023	4.54 J	15.5	0.039	0.87	27.5	3170	1390	7.46	1551	17.5	--	0.21	-178.5	1.3
MW-170	05/24/2024	7.34	15.9	0.0226	0.552	23.6	2640	1430	7.39	1700	17	--	0.19	-149.8	--
MW-170	11/15/2024	7.69	23.2	0.0424	0.909	32.8	2970	1550	7.37	1783	17.2	--	0.1	81.3	1.9
MW-170	05/21/2025	7.86	16.4	0.0330	0.409	11.5	3120	1710	7.47	1320	17	82.9	0.04	-182.6	--
MW-170	11/19/2025	9.77	R	0.0980	0.540	7.08	3280	1790	7.38	1536	17.2	10.8	0.03	-139.1	1.5
MW-174; Hydrogeologic Zone: Property Treatment Zone B															
MW-174	11/01/2019	17.8	15.3	0.214	0.165	21.6	9630	1730	6.89	1550	15.9	--	0.35	-145.5	3
MW-174	01/28/2020	11.1	5.28	0.111	< 0.000422	1.72	9950	710	8.71	1196	15	36.4	0.62	-170	3
MW-174	05/01/2020	1.79 J	4.7	0.0865	< 0.000422	16.8	18100	800	7.47	855	15.4	20.3	0.2	-177	5
MW-174	07/09/2020	8.34	3.94	0.0823	< 0.000422	16.7	6280	761	7.15	768	19.3	62.7	0.2	-34	3.8
MW-174	11/05/2020	--	--	--	--	--	--	--	6.86	1392	18.7	1.7	0.13	-183	--
MW-174	02/04/2021	--	--	--	--	--	--	--	6.81	1467	14.8	4.3	1.21	-424	--
MW-174	05/05/2021	--	--	--	--	--	--	--	7.02	1338	16	--	0.73	-149.9	--
MW-174	08/05/2021	--	--	--	--	--	--	--	7.03	1237	17.7	--	1.54	-120.5	--
MW-174	11/30/2021	5.42	16.9	0.034	0.00799	4.84	9040	2770	7.07	1712	15.2	--	0.57	186.9	4
MW-174	02/17/2022	--	--	--	--	--	--	--	7.1	1868	15.3	--	0.62	-157.5	--
MW-174	05/13/2022	--	--	--	--	--	--	--	6.97	1931	16.3	--	0.03	-54.2	--
MW-174	08/11/2022	--	--	--	--	--	--	--	7.11	1961	17.3	--	5.6	-76.5	--
MW-174	10/27/2022	3.69 J	29.1	0.196	0.0576	28.2	14700	3680	6.88	1952	17.8	--	0.34	-211.4	3.01
MW-174	05/11/2023	6.52	31.2	0.194	0.0582	28.9	14100	3600	7.38	1985	16.1	--	0.2	-132	--
MW-174	11/03/2023	2.72 J	30.9	0.18	0.0586	29.1	16400	4090	6.94	2125	17.3	--	0.79	-117.8	2.2
MW-174	05/28/2024	3.59 J	32.9	0.244	0.0667	34.2	16400	3480	7.1	1703	15.9	--	2.12	-132.6	--
MW-174	11/18/2024	2.8 J	37.9	0.302	0.109	33	17400	3900	6.73	2026	16.9	--	0.41	-131.5	3
MW-174	05/22/2025	3.39	34.9	0.200	0.0550	9.90	18300	4420	6.9	2055	16.2	11	0.37	-188.8	--
MW-174	11/13/2025	1.42 J	R	0.140	0.0298	6.01	18700	4420	6.88	1995	17	3.5	0.21	-175.4	2.5
MW-182; Hydrogeologic Zone: Property Treatment Zone B															
MW-182	11/08/2019	3.44 J	198	0.0222	4.15	12.6	86800	7640	7.03	2831	16.7	--	0.15	-133.6	3
MW-182	01/27/2020	29.6	293	0.00557	4.99	17.5	72700	8110	6.82	3979	15.8	--	0.23	-157	6
MW-182	04/01/2020	22.3	75.7	0.337	2.4	16.8	61400	6800	6.58	2613	18.5	14	0.08	-201	6.1
MW-182	07/08/2020	19.9	123	0.375	1.71	27.7	60600	5820	6.89	2520	17.2	8.3	0.1	-86	6.4

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-182	11/04/2020	< 0.594	144	0.0896	8.01	38.9	39000	5900	6.55	2719	18.5	2.7	0.24	-204	--
MW-182	02/19/2021	--	--	--	--	--	--	--	6.55	2282	17.9	8.9	0.38	-238	--
MW-182	05/06/2021	0.675 J	79.2	0.14	8.58	24	25900	3910	6.59	2165	17.8	--	0.15	-171.3	--
MW-182	08/09/2021	--	--	--	--	--	--	--	6.66	2107	17.9	16.9	0.21	109.7	--
MW-182	11/18/2021	3.36	69.3	0.256	3.39	21.8	20300	3430	6.78	1905	15	--	0.35	135.4	5.2
MW-182	02/16/2022	--	--	--	--	--	--	--	6.67	2086	17.3	--	0.12	-291.2	--
MW-182	05/10/2022	< 0.594	61.2	0.294	3.4	19.9	19200	3120	7.66	1001	16.6	--	0.02	-95.6	--
MW-182	08/04/2022	--	--	--	--	--	--	--	7.53	1808	17.4	--	0.45	120.3	--
MW-182	10/25/2022	2.34 J	47.9	0.282	5.09	31.2	20500	3270	6.62	2084	17.7	--	3.67	--	6.25
MW-182	05/10/2023	< 0.594	41.3	0.383	4.29	30.5	19800	3030	6.56	2059	16	--	2.54	-92.4	--
MW-182	11/02/2023	1.01 J	33	0.293	3.53	30.9	22700	3130	6.78	2117	17.4	--	1.08	-119.4	3
MW-182	05/23/2024	1.24 J	30.6	0.231	2.92	27.3	17800	2930	6.72	2102	16.7	--	1.99	-122.4	--
MW-182	11/13/2024	0.795 J	28	0.272	2.96	26.7	18800	3100	6.5	2200	17.1	--	0.29	-130.3	3.8
MW-182	05/19/2025	< 0.362	23.8	0.209	0.901	12.3	15500	3130	6.73	1629	16.7	9.5	0.06	-196	--
MW-182	11/17/2025	< 3.62	R	0.166	1.20	9.26	15900	2920	6.76	2135	17.1	6.5	< 0	-154.5	4.5
MW-186; Hydrogeologic Zone: Property Treatment Zone B															
MW-186	10/31/2019	31.4	5.29	0.00578	0.0184	1.03	501	280	7.54	992	15.1	--	0.63	-64.1	--
MW-186	01/29/2020	21.2	5.85	0.00935	0.0266	1.79	1650	226	7.42	1088	11.7	10.7	0.77	-158	1.5
MW-186	04/02/2020	18.2	6.25	0.0212	0.0237	3.71	6130	298	7.61	731	15.8	14.6	0.16	-228	2.6
MW-186	07/08/2020	9.56	4.91	0.0179	0.0204	2.77	3570	260	7.95	719	17	14	0.4	-122	1.2
MW-186	11/04/2020	--	--	--	--	--	--	--	7.06	1547	19	2.5	0.38	-88	--
MW-186	02/16/2021	--	--	--	--	--	--	--	7.08	1570	13.1	6.1	0.99	-74	--
MW-186	05/07/2021	--	--	--	--	--	--	--	7.14	1500	15.8	--	1.48	-137	--
MW-186	08/03/2021	--	--	--	--	--	--	--	7.11	1332	17	--	0.18	69	--
MW-186	11/18/2021	1.49 J	12.6	0.26	0.109	32.8	8300	1500	7.1	1038	12.5	--	1.78	-85.9	6.4
MW-186	02/16/2022	--	--	--	--	--	--	--	6.99	1392	14	--	0.56	204.5	--
MW-186	05/12/2022	--	--	--	--	--	--	--	7.06	1428	15.2	--	0.16	-118.6	--
MW-186	08/05/2022	--	--	--	--	--	--	--	7.2	1469	17.4	--	0.55	-65.9	--
MW-186	10/26/2022	< 0.594	10.2	0.3	0.0374	32.9	10800	1730	6.85	1586	18	--	0.44	-169.6	3
MW-186	05/11/2023	< 0.594	16.6	0.186	0.00318	37.4	15400	2260	6.96	1892	16.3	--	0.49	-150	--
MW-186	11/02/2023	< 0.594	10.3	0.256	0.00398	24.7	10000	1890	7.01	1963	17.5	--	1.18	-125.9	3.5
MW-186	05/24/2024	2.69 J	11.5	0.311	< 0.000422	29.4	10900	2000	6.96	1977	15.8	--	2.28	-107.7	--
MW-186	11/19/2024	< 0.637	13.3	0.228	0.011	21.9	7720	1910	6.9	2105	16.4	--	0.27	8.7	5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-186	05/21/2025	< 1.00	10.5	0.201	< 0.00610	9.73	8800	2380	6.91	1636	16.3	5.6	0.05	-142.1	--
MW-186	11/14/2025	3.68 J	R	0.146	< 0.00610	< 13.2	10900	2470	7.14	2199	17	1.9	0.07	-150.1	5.5
Property Treatment Zone C															
MW-167; Hydrogeologic Zone: Property Treatment Zone C															
MW-167	11/04/2019	61.9	19.6	0.0257	0.121	8.58	849	345	7.76	1051	17.9	--	0.43	-183.7	0.5
MW-167	01/28/2020	1.43 J	8.74	0.0352	0.0691	6.21	365	213	7.61	1030	15.8	2	0.07	-214	0.5
MW-167	05/01/2020	< 0.594	9.21	0.0629	< 0.000422	5.78	717	187	7.92	893	17.3	4	0.31	-187	0
MW-167	07/09/2020	0.879 J	7.42	0.093	< 0.000422	10.5	14300	239	8.25	724	17.6	10.6	0.3	-129	--
MW-167	11/05/2020	--	--	--	--	--	--	--	7.92	1052	17.1	4.4	0.34	-236	--
MW-167	02/04/2021	--	--	--	--	--	--	--	7.89	920	13.7	7	0.21	44	--
MW-167	05/05/2021	--	--	--	--	--	--	--	7.82	901	15.3	--	0.31	120.8	--
MW-167	08/10/2021	--	--	--	--	--	--	--	7.82	871	17	--	0.27	111.1	--
MW-167	11/30/2021	36.9	12.5	0.0908	< 0.000422	5.72	4650	414	7.63	813	16.4	--	0.32	-190	0.8
MW-167	02/22/2022	--	--	--	--	--	--	--	--	857	14.7	--	0.38	-300.2	--
MW-167	05/13/2022	--	--	--	--	--	--	--	7.9	818	16.3	--	0.22	-205.7	--
MW-167	08/05/2022	--	--	--	--	--	--	--	6.1	717	17.4	--	0.65	99.9	--
MW-167	10/28/2022	16.9	10.2	0.0909	0.00142	5.84	2350	569	7.8	818	18.1	--	0.1	--	0.3
MW-167	05/11/2023	10.4	10.2	0.121	0.004	7.35	2260	604	7.97	683	15.6	--	0.42	-167.2	--
MW-167	11/01/2023	5.13	10.1	0.156	0.00545	9.51	2550	743	7.85	872	17.3	--	0.29	-189.1	1
MW-167	05/28/2024	5.83	10.4	0.163	0.0137	10.9	3070	876	7.93	840	6.5	--	1.88	-156.2	--
MW-167	11/19/2024	4.07 J	11.9	0.212	0.0155	9.82	3250	890	7.51	730	15.9	--	0.36	-144.3	0.4
MW-167	05/22/2025	2.91	12.2	0.157	0.0110	6.31	4870	1100	8.03	734	15.8	7.6	0.19	-109.8	--
MW-167	11/13/2025	< 0.286	R	0.122	0.00783 J	5.59	3650	1230	7.92	927	17	20.2	0.25	-143.1	1
MW-171; Hydrogeologic Zone: Property Treatment Zone C															
MW-171	11/05/2019	22	10.2	< 0.000296	0.0108	0.231	3630	190	8.06	583	16.3	--	0.17	117.1	1
MW-171	01/23/2020	9.02	4.99	< 0.000296	0.0195	0.58	9730	200	8.25	950	13.7	5.6	0.53	-218	0.5
MW-171	04/02/2020	5.27	5.33	0.00534	0.057	0.896	13100	195	8.2	595	13.8	11.2	0.3	-210	1
MW-171	07/09/2020	9.59	3.76	0.0141	0.0723	0.963	4180	176	8.16	603	18.6	5.1	0.2	-155	1
MW-171	11/03/2020	12.9	8.64	0.0608	0.177	1.56	2400	203	8.03	757	16.4	1.9	0.27	-238	--
MW-171	02/17/2021	--	--	--	--	--	--	--	7.78	907	13.2	1.6	0.35	-243	--
MW-171	05/07/2021	32.9	8.03	0.0331	0.529	3.2	5330	420	7.83	876	14.8	8	0.31	-223	--
MW-171	08/10/2021	--	--	--	--	--	--	--	7.66	891	17.3	9.2	0.25	-138.9	--
MW-171	11/19/2021	17	6.92	0.0108	0.126	0.863	3980	515	7.97	828	15.5	--	0.41	174.2	1.5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
		mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-171	02/17/2022	--	--	--	--	--	--	--	7.77	922	15	--	0.58	-343.2	--
MW-171	05/12/2022	14.3	5.73	0.00835	0.104	1.08	4110	496	7.8	877	14.6	--	0.37	-118.9	--
MW-171	08/04/2022	--	--	--	--	--	--	--	6.69	773	16.9	--	0.88	144	--
MW-171	10/26/2022	12	7.08	0.0264	0.424	4.89	2660	548	7.68	903	18.3	--	0.89	--	1.07
MW-171	05/11/2023	13.7	7.15	0.0217	0.443	5.36	1690	566	6.92	930	16.2	--	0.1	79.2	--
MW-171	11/01/2023	11.6	6.97	0.0208	0.551	6.72	3680	682	7.63	816	17.4	--	0.49	13.9	0.9
MW-171	05/24/2024	12	6.95	0.0204	0.706	6.61	1680	585	7.59	1046	16.1	--	0.31	-126.1	--
MW-171	11/15/2024	11.5	6.37	0.021	0.921	9.07	2000	645	7.52	1087	17.1	--	0.12	35.1	1.5
MW-171	05/21/2025	13.0	6.70	0.0143	0.404	4.31	1650	678	7.68	806	17	7.5	0.23	-135.1	--
MW-171	11/19/2025	18.4	R	0.0165	0.257	5.88	3920	975	7.28	1103	17.1	9.8	0.09	-129.4	2.5
MW-175; Hydrogeologic Zone: Property Treatment Zone C															
MW-175	11/01/2019	224	32.1	0.0164	0.323	1.67	800	178	7.56	1442	17.2	--	0.41	-150.6	0
MW-175	01/28/2020	1.88 J	13.4	0.0136	0.0247	3.03	916	50.3	9.66	1010	12.3	6.7	0.94	-165	0
MW-175	05/01/2020	< 0.594	8.71	< 0.000296	< 0.000422	4.03	1400	53.1	8.48	424	15.9	5.5	0.37	-74	0
MW-175	07/09/2020	< 0.594	4.26	0.0163	< 0.000422	4.72	1480	56.9	8.34	396	17.3	7.4	0.39	-160	0.5
MW-175	11/05/2020	--	--	--	--	--	--	--	7.42	1378	17.5	32.5	0.24	-85	--
MW-175	02/04/2021	--	--	--	--	--	--	--	6.99	1687	14.6	3	0.43	-456	--
MW-175	05/05/2021	--	--	--	--	--	--	--	7.04	1767	16.1	3.8	0.25	128	--
MW-175	08/05/2021	--	--	--	--	--	--	--	7.02	1605	17.4	45	0.65	-150.5	--
MW-175	11/30/2021	0.144	11.8	0.11	< 0.000422	5.05	5570	1860	7	1748	16.7	--	0.38	184.1	4.5
MW-175	02/22/2022	--	--	--	--	--	--	--	7.01	1727	14	--	0.6	-122.8	--
MW-175	05/13/2022	--	--	--	--	--	--	--	7.05	1800	15.3	--	0.12	-76.9	--
MW-175	08/11/2022	--	--	--	--	--	--	--	7.1	1870	17.8	--	25.5	-84.2	--
MW-175	10/27/2022	< 0.594	18.8	0.567	< 0.000422	32.2	15900	2840	6.9	1830	18.2	--	0.32	-185.5	3.8
MW-175	05/11/2023	< 0.594	19.5	0.404	< 0.000422	24.4	10300	2710	6.92	1934	16	--	0.12	77.2	--
MW-175	11/02/2023	< 0.594	20.7	0.528	< 0.000422	31.8	17600	3040	6.99	1656	17.3	--	0.19	17.9	4
MW-175	05/28/2024	1.83 J	26.7	0.462	< 0.000422	35.5	14400	3290	7.05	1899	16.6	--	1.93	-139.9	--
MW-175	11/18/2024	< 0.637	29.7	0.512	0.0624	30.2	12600	3110	6.84	2132	16.5	--	0.06	46.7	3.5
MW-175	05/22/2025	1.06	25.2	0.347	0.0462	10.2	13400	3520	7.02	1942	16.3	21.4	0.28	-146	--
MW-175	11/13/2025	< 0.286	R	0.317	0.0418	8.05	13800	3410	7.10	1905	17.1	2	0.11	-160	3
MW-179; Hydrogeologic Zone: Property Treatment Zone C															
MW-179	11/06/2019	89.1	145	< 0.000296	0.222	29.4	21600	9130	6.92	2192	14.3	--	0.1	139.2	2
MW-179	01/27/2020	8.17	118	< 0.000296	0.088	30.1	47600	10200	6.75	3085	16	13.5	--	-146	3.5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-179	04/02/2020	10.1	73.2	0.0102	0.0609	17.8	40600	8350	6.55	2665	17.7	9	4.43	-170	5.5
MW-179	07/10/2020	32.9	68.5	0.0043	< 0.000422	22.2	36200	7680	6.59	2650	18.7	5.1	0.1	-72	5
MW-179	11/03/2020	13.2	31.2	0.00477	0.121	25.6	10600	2640	6.36	1691	17.7	1	0.76	-80	--
MW-179	02/18/2021	--	--	--	--	--	--	--	6.44	1601	17.8	11	0.95	-28	--
MW-179	05/06/2021	< 0.594	57.8	0.02	0.675	28.8	9200	2190	6.5	1764	15.1	10	0.14	115.9	--
MW-179	08/09/2021	--	--	--	--	--	--	--	6.53	1844	17.1	--	0.89	111.1	--
MW-179	11/30/2021	< 0.1	28.1	0.0198	0.36	21	15100	2780	6.48	1965	15.6	--	0.43	182.6	6.5
MW-179	02/17/2022	--	--	--	--	--	--	--	6.28	1943	15.6	--	0.5	187.7	--
MW-179	05/10/2022	0.701 J	22.5	0.00459	0.0639	4.03	14100	2670	6.48	1987	17	--	0.19	-157	--
MW-179	08/04/2022	--	--	--	--	--	--	--	6.54	2005	17.4	--	19.8	-66.2	--
MW-179	10/25/2022	4.2 J	16.8	0.016	0.206	17.3	28400	2980	6.34	2078	17.9	--	0.26	-175.4	4
MW-179	05/10/2023	< 0.594	20.5	0.0195	0.137	14.3	6700	3020	6.53	1843	16.5	--	0.45	-151	--
MW-179	11/01/2023	< 0.594	15.6	0.0211	0.233	16.5	20000	2930	6.51	2214	17.3	--	0.28	-148.9	1.5
MW-179	05/23/2024	2.35 J	16.6	< 0.000296	0.00771	0.608	34900	2650	6.31	2272	16.7	--	0.24	-91.4	--
MW-179	11/12/2024	< 0.637	20.6	0.0232	0.185	20.8	17600	2980	6.34	2458	17.2	--	0.07	53	5.4
MW-179	05/20/2025	< 0.362	14.9	0.0163	0.0571	8.28	16600	3340	6.46	2013	16.8	17.3	0.33	-133.2	--
MW-179	11/18/2025	0.290 J	R	0.00928 J	0.0448	4.11	15100	3070	6.67	2413	17.2	23.9	0.10	-139.6	6
MW-183; Hydrogeologic Zone: Property Treatment Zone C															
MW-183	11/08/2019	0.297 J	7.95	0.00802	0.00725	0.933	2460	119	8.09	303	12.8	--	0.38	184.3	0
MW-183	01/27/2020	< 0.612	10.4	< 0.000296	0.0152	2.47	2140	114	8.2	666	12	6.9	0.49	-206	0.4
MW-183	04/02/2020	0.653 J	6.87	0.00391	0.0148	3.36	3870	137	7.43	310	13.6	11	0.27	-190	0
MW-183	07/08/2020	5.13	2.96	< 0.000296	0.0156	3.89	5110	141	7.98	357	16.7	16.8	0.4	-163	0.5
MW-183	11/04/2020	41.2	9.81	0.00475	0.0404	11	2720	739	7.9	640	17.1	3.3	0.19	-69	--
MW-183	02/19/2021	--	--	--	--	--	--	--	7.69	806	17.2	37	0.12	-38	--
MW-183	05/06/2021	35.6	12.3	< 0.000296	0.466	11.7	2600	1480	7.66	822	16.7	--	0.1	-212.2	--
MW-183	08/06/2021	--	--	--	--	--	--	--	7.51	926	17.8	11.8	0.14	101.9	--
MW-183	11/18/2021	22.4	16	0.0134	1.1	20.4	5010	1880	7.6	925	17	--	0.28	139.4	0.6
MW-183	02/16/2022	--	--	--	--	--	--	--	7.59	1008	17.5	--	0.14	-328.9	--
MW-183	05/10/2022	21.6	12.1	0.00783	0.386	23.6	3040	1480	7.65	906	16.8	--	0.03	-111.2	--
MW-183	08/04/2022	--	--	--	--	--	--	--	7.22	964	17.2	--	0.21	-1.7	--
MW-183	10/25/2022	20.1	9.81	0.00844	0.469	29.1	3490	1510	7.42	1020	17.8	--	0.29	-230.7	0.05
MW-183	05/10/2023	19.8	11	< 0.000296	0.379	29.8	3060	1360	7.65	1068	16	--	0.14	-99.1	--
MW-183	11/01/2023	16.2	10.5	0.00479	0.437	32.6	2510	1550	7.65	1171	17.4	--	1.01	-151.3	0.5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-183	05/23/2024	19	10.7	0.00504	0.353	36.6	2650	1330	7.46	1109	16.7	--	1.85	-134.3	--
MW-183	11/11/2024	15.3	14.2	0.00492	0.419	32.2	3260	1550	7.51	1320	17.2	--	0.07	44.9	0.8
MW-183	05/19/2025	15.6	10.6	< 0.00754	0.162	12.6	2630	1550	7.58	931	16.7	6.4	0.06	215.1	--
MW-183	11/17/2025	14.0	< 0.5 J	< 0.00754	0.211	11.3	4030	1530	7.54	1252	17.1	9.8	< 0	-148.9	1
MW-187; Hydrogeologic Zone: Property Treatment Zone C															
MW-187	11/01/2019	21.6	27.5	< 0.000296	< 0.000422	0.0336	5520	140	7.22	671	9	--	0.35	-174.5	2.5
MW-187	01/29/2020	11.4	2.82	< 0.000296	< 0.000422	0.291	1590	132	7.82	740	13.5	1.1	0.75	-104	0.5
MW-187	04/02/2020	14.9	3	< 0.000296	< 0.000422	0.167	2720	117	7.34	389	12.7	23.2	0.44	-108	0
MW-187	07/08/2020	13.6	2.3	< 0.000296	< 0.000422	0.0676	206	114	7.55	449	16.9	6	0.47	-99	0
MW-187	11/04/2020	--	--	--	--	--	--	--	7.82	694	16.6	2.9	0.43	-229	--
MW-187	02/16/2021	--	--	--	--	--	--	--	7.65	922	12.4	3	0.55	-39	--
MW-187	05/07/2021	--	--	--	--	--	--	--	7.64	1035	14.3	3.2	0.39	-218	--
MW-187	08/03/2021	--	--	--	--	--	--	--	7.68	1012	17.3	--	0.48	43.6	--
MW-187	11/18/2021	9.7	7.16	0.239	0.0194	10.4	2690	602	7.44	908	13.6	--	1.45	-125	2
MW-187	02/16/2022	--	--	--	--	--	--	--	7.44	1226	13.3	--	0.38	195.1	--
MW-187	05/12/2022	--	--	--	--	--	--	--	7.49	1239	16.7	--	0.42	-134.2	--
MW-187	08/05/2022	--	--	--	--	--	--	--	7.53	1383	17.4	--	3.5	-77.2	--
MW-187	10/26/2022	< 0.594	7.33	0.375	< 0.000422	13.1	4320	868	7.34	1384	18.1	--	0.48	-193.2	2.2
MW-187	05/11/2023	0.644 J	8.7	0.385	0.00222	20.1	4300	1080	7.39	1221	15.5	--	0.41	-1644	--
MW-187	11/02/2023	< 0.594	7.1	0.398	< 0.000422	23.3	3470	1050	7.5	1488	17.2	--	1.11	-137	2
MW-187	05/24/2024	2.53 J	7.04	0.413	< 0.000422	17.5	3660	1100	7.47	1584	16.3	--	1.91	-157.8	--
MW-187	11/19/2024	1.28 J	8.38	0.442	< 0.000422	22.3	4100	1120	7.39	1796	16.5	--	0.24	-67.9	2
MW-187	05/20/2025	< 1.00	7.67 J	0.283	< 0.00610	9.77	4320	1310	7.37	1947	16.7	4.4	0.16	-148.1	--
MW-187	11/14/2025	< 1.00	R	0.380	< 0.00610	< 10.5	10000 J	1980	7.36	2359	17.2	3	0.17	-140.4	2.5
Property Treatment Zone D															
MW-168; Hydrogeologic Zone: Property Treatment Zone D															
MW-168	11/04/2019	12.1	2.44	< 0.000296	< 0.000422	< 0.000287	378	254	7.54	649	19.4	--	1.68	-92.8	0
MW-168	01/31/2020	11	2.19	< 0.000296	< 0.000422	0.108	301	286	8.27	639	19.7	0.3	--	-148	0.5
MW-168	05/01/2020	11.3	3.46	< 0.000296	< 0.000422	0.598	2550	276	7.46	557	16.1	17.4	0.44	-132	0.5
MW-168	07/09/2020	< 0.594	2.16	< 0.000296	0.0181	1.6	7060	319	8.86	451	17.3	11.3	0.24	-207	1
MW-168	11/05/2020	--	--	--	--	--	--	--	8.6	454	16.5	5.7	0.25	-116	--
MW-168	02/04/2021	--	--	--	--	--	--	--	7.69	454	14.5	--	0.21	42	--
MW-168	05/05/2021	--	--	--	--	--	--	--	7.66	743	14.3	0.9	0.43	-198.7	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-168	08/10/2021	--	--	--	--	--	--	--	7.67	767	17.9	--	0.12	113.3	--
MW-168	11/30/2021	5.92	7.1	0.27	< 0.000422	16.1	1910	940	7.32	771	18.3	--	0.47	-152.6	0.4
MW-168	02/22/2022	--	--	--	--	--	--	--	7.62	852	14.7	--	0.29	-290.7	--
MW-168	05/13/2022	--	--	--	--	--	--	--	7.53	834	16.4	--	0.25	97.9	--
MW-168	08/05/2022	--	--	--	--	--	--	--	7.01	650	17.5	--	0.78	86.8	--
MW-168	10/28/2022	4.28 J	10.3	0.276	0.0327	12.8	2820	1180	7.55	867	18.2	--	0.14	--	0.6
MW-168	05/11/2023	2 J	11.7	0.306	0.0443	12.7	8930	1270	7.62	882	16.4	--	0.13	-58.7	--
MW-168	11/02/2023	1.57 J	11.7	0.332	0.0175	16.9	5780	1120	--	805	--	--	--	--	2
MW-168	05/28/2024	0.986 J	13.8	0.279	0.00312	17.2	8830	1180	7.64	537	15.3	--	5.08	7.2	--
MW-168	11/19/2024	1.29 J	13.6	0.325	0.00227 J	16.8	13400 J	1520	7.47	1104	17.1	--	0.07	0.7	2
MW-168	05/23/2025	1.05	14.2	0.253	< 0.00610	6.74	8330	1600	7.77	835	16.4	13.6	0.06	-161.3	--
MW-168	11/13/2025	1.07 J	R	0.224	< 0.00610	4.55	5610	1360	7.63	1036	16.9	5.9	0.18	-169.4	1.5
MW-172; Hydrogeologic Zone: Property Treatment Zone D															
MW-172	11/05/2019	22.1	3.31	< 0.000296	< 0.000422	0.0181	131	392	7.65	494	21.2	--	1.79	268.6	--
MW-172	01/23/2020	26.8	4.93	0.00766	0.0194	0.301	355	1030	7.81	845	17.8	0.7	1.09	-99	0
MW-172	04/02/2020	41.8	8.49	< 0.000296	< 0.000422	0.0347	4780	2580	7.62	537	20.3	7.1	0.34	-155	0
MW-172	07/09/2020	34.3	6.99	< 0.000296	< 0.000422	0.256	4880	2050	7.7	504	18.8	0.5	0.3	-1	0.2
MW-172	11/03/2020	33.9	8.82	0.0165	0.0213	0.893	1820	1900	7.54	576	18.3	1.2	0.21	-52	--
MW-172	02/17/2021	--	--	--	--	--	--	--	7.56	732	14.7	2.1	1.72	-106	--
MW-172	05/07/2021	23.6	4.91	< 0.000296	< 0.000422	4.77	5670	850	7.76	553	14.6	12	0.2	102	--
MW-172	08/10/2021	--	--	--	--	--	--	--	7.52	656	17.8	--	0.28	-86.3	--
MW-172	11/19/2021	25.2	6.7	< 0.000296	< 0.000422	2.57	534 J	1580	7.81	572	16.7	--	0.95	171.8	0.1
MW-172	02/17/2022	--	--	--	--	--	--	--	7.59	669	16.2	--	0.51	-195.4	--
MW-172	05/12/2022	32.8	6.84	0.00309	0.0015	4.63	707	2020	7.39	652	17.9	--	0.32	114.2	--
MW-172	08/05/2022	--	--	--	--	--	--	--	7.62	609	18.6	--	0.73	147.2	--
MW-172	10/27/2022	29.9	7.79 J	< 0.000296	< 0.000422	5.21	514	2220	7.5	660	19	--	0.08	--	0.25
MW-172	05/11/2023	30.3	10.2	0.00635	0.00198	8.53	1140	2930	7.6	740	17.3	--	0.15	-44.7	--
MW-172	11/02/2023	28.2	12.8	0.0179	0.00086 J	8.8	1140	4620	7.34	870	18.2	--	0.81	-112.8	--
MW-172	05/24/2024	24	6.86	0.0171	0.0115	11.1	3580	1800	7.41	798	16.6	--	2.54	-63	--
MW-172	11/13/2024	32.5	14.2	0.0779	0.00246	7.55	2230	4620	7.19	973	17.6	--	0.07	74.4	0.6
MW-172	05/21/2025	31.9	14.7	0.0985	< 0.00610	3.78	2870	5160	7.24	775	17.3	9.9	0.68	-166.5	--
MW-172	11/19/2025	21.5	R	< 0.00754	< 0.00610	4.43	7460	763	7.57	630	17.2	2.1	0.01	-213	5

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
Unit		mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-176; Hydrogeologic Zone: Property Treatment Zone D															
MW-176	11/01/2019	15.2	1.65	< 0.000296	< 0.000422	0.0204	351	310	7.25	609	20.6	--	1.56	-87.6	0
MW-176	01/28/2020	14.4	1.55	< 0.000296	< 0.000422	0.0217	256	310	9.12	789	16.8	0.4	1.42	-62	0.2
MW-176	05/01/2020	13.8	1.79	< 0.000296	< 0.000422	0.0288	802	310	7.57	428	15.5	3.3	0.33	-87	0.5
MW-176	07/09/2020	10.3	1.57	< 0.000296	< 0.000422	0.0718	6740	341	7.62	436	17.1	9.1	0.2	-195	2.5
MW-176	11/05/2020	--	--	--	--	--	--	--	7.33	1150	17.2	4.7	0.32	-86	--
MW-176	02/04/2021	--	--	--	--	--	--	--	6.98	1249	17	4	0.29	-460	--
MW-176	05/05/2021	--	--	--	--	--	--	--	7.03	1400	16.1	6.4	0.25	-187	--
MW-176	08/05/2021	--	--	--	--	--	--	--	7.11	1256	18.9	--	0.51	-153.5	--
MW-176	11/30/2021	0.988	9.53	0.123	0.0118	6.22	5040	1590	7.2	1462	16.6	--	0.72	176.6	3.5
MW-176	02/22/2022	--	--	--	--	--	--	--	7.11	1461	17	--	0.5	-144	--
MW-176	05/13/2022	--	--	--	--	--	--	--	7.1	1523	17.5	--	0	-155	--
MW-176	08/11/2022	--	--	--	--	--	--	--	7.26	1693	17.3	--	4.5	-111.2	--
MW-176	10/27/2022	< 0.594	16.4	0.59	0.0301	28.9	11400	2290	6.99	1570	18.7	--	0.37	-197.2	4.1
MW-176	05/11/2023	2.79 J	16.8	0.407	0.0025	26.3	12000	2360	6.98	1651	16.9	--	0.04	-101.6	--
MW-176	11/02/2023	0.657 J	17.6	0.489	0.00667	32.9	14200	2620	7.09	1453	17.6	--	0.22	16.1	--
MW-176	05/24/2024	1.68 J	20.2	0.441	< 0.000422	28	10800	2540	7.16	1628	16.8	--	2.07	-123.2	--
MW-176	11/18/2024	< 0.637	23.1	0.536	0.0446	27.8	11600	2690	6.94	1886	17	--	0.11	66	2.75
MW-176	05/22/2025	0.813 J	21.5	0.376	0.0443	15.4	12200	3010	7.08	1738	16.5	10.5	0.26	-167	--
MW-176	11/14/2025	< 1.00	R	0.388	0.0695	< 12.6	15700	3150	7.17	1785	17	2.6	0.06	-188	1.5
MW-180; Hydrogeologic Zone: Property Treatment Zone D															
MW-180	11/06/2019	86.8	193	< 0.000296	0.0492	6.31	17700	15700	7.15	1752	18.1	--	0.19	-11.4	2.5
MW-180	01/24/2020	97.8	37.5	0.00629	0.103	2.3	17200	9140	6.81	2104	16.4	--	2.97	-60	1
MW-180	04/01/2020	68.3	40.9	0.00265	< 0.000422	12.7	19600	5000	6.78	1105	17.2	9	1.79	-179	--
MW-180	07/10/2020	63.1	23.1	< 0.000296	< 0.000422	13.6	20100	3170	6.85	875	19	3.8	0.1	-47	2.5
MW-180	11/03/2020	55.5	25.3	0.00699	0.0332	21.7	14100	3530	6.5	1001	17.7	1.5	0.2	-161	--
MW-180	02/18/2021	--	--	--	--	--	--	--	6.64	1128	14.4	1.8	0.47	-301	--
MW-180	05/06/2021	40.4	29.1	0.00859	0.0412	20.6	15800	4090	6.53	1314	15.9	4.8	0.37	118.9	--
MW-180	08/06/2021	--	--	--	--	--	--	--	6.61	1524	18.3	4.9	1.01	109.8	--
MW-180	11/30/2021	23.3	28.1	0.0365	0.0983	23	20900	5520	6.57	1539	16	--	0.22	167.3	7
MW-180	02/17/2022	--	--	--	--	--	--	--	6.63	1603	15.8	--	0.23	189.2	--
MW-180	05/10/2022	24.5	27.7	0.0281	0.0834	12.5	18700	6080	6.58	1741	16.4	--	0.39	-189.6	--
MW-180	08/04/2022	--	--	--	--	--	--	--	6.74	1323	16.7	--	2.99	-48.3	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-180	10/26/2022	24.1	34.7	0.0391	0.0998	14.7	23700	8180	6.48	2096	18.1	--	6.77	--	5.75
MW-180	05/10/2023	14	33.2	0.213	0.21	20.2	19700	8570	6.44	2162	16.5	--	0.39	-156.5	--
MW-180	11/01/2023	27	29.7	0.159	0.109	24.5	26500	7810	6.49	2449	17.6	--	1.09	-109.9	3
MW-180	05/24/2024	23.6	29.5	0.089	0.0718	14.6	17700	7240	6.44	2496	16.9	--	2.09	-87.7	--
MW-180	11/12/2024	23	38.8	0.207	0.0807	18.5	19200	7740	6.31	2851	17.3	--	0.06	42.1	3.1
MW-180	05/20/2025	19.4	28.3	0.192	0.0591	8.58	15200	7520	6.39	2233	16.6	9.6	0.11	-171.3	--
MW-180	11/18/2025	22.2	R	0.117	0.0443	7.01	18700	7490	6.59	2688	17.2	8.1	0.25	-165.3	5
MW-184; Hydrogeologic Zone: Property Treatment Zone D															
MW-184	11/08/2019	14.3	1.08	< 0.000296	< 0.000422	0.00835	83.6 J	268	7.83	316	17.1	--	1.35	229.1	0
MW-184	01/27/2020	13.4	1.35	< 0.000296	< 0.000422	< 0.000287	256	332	7.75	656	13.7	0.5	0.81	-95	0.3
MW-184	04/01/2020	6.06	1.52	< 0.000296	0.00511	0.00982	4900	364	7.44	324	18	9	0.07	-194	4.1
MW-184	07/08/2020	18.4	1.94	< 0.000296	< 0.000422	1.31	392	581	7.56	366	18.6	1.7	0.3	14	0.2
MW-184	11/04/2020	28.5	3.92	< 0.000296	< 0.000422	4.38	2890	2280	7.64	394	19.4	2.8	0.08	-81	--
MW-184	02/19/2021	--	--	--	--	--	--	--	7.28	875	15.4	7.7	1	-59	--
MW-184	05/06/2021	14.8	2.31	< 0.000296	0.0143	0.69	1870	522	7.7	368	15.6	4.8	0.2	111.7	--
MW-184	08/06/2021	--	--	--	--	--	--	--	7.32	587	18.2	4.7	0.12	103.8	--
MW-184	11/18/2021	34.3	12.7	< 0.000296	< 0.000422	1.48	1350	3830	7.38	638	16.6	--	0.78	132.1	0.5
MW-184	02/16/2022	--	--	--	--	--	--	--	7.33	692	16.9	--	0.73	-239.1	--
MW-184	05/10/2022	29.9	11.1	0.00463	0.00602	1.61	1140	3500	7.2	641	17.2	--	0.03	49.2	--
MW-184	08/04/2022	--	--	--	--	--	--	--	6.79	550	17.9	--	0.79	98.7	--
MW-184	10/25/2022	29.7	9.49	0.00745	0.00631	1.72	1160	3720	7.22	676	18.3	--	0.36	-190.8	0.02
MW-184	05/10/2023	21	10.4	0.0127	0.0239	1.92	21400	2890	7.35	654	17.1	--	0.14	-90.6	--
MW-184	11/02/2023	32.6	14.6	0.0124	0.0154	1.93	2090	4720	7.54	801	17.8	--	1.41	-85.4	0.5
MW-184	05/23/2024	11.7	5.04	0.00759	0.0676	3.02	1780	1350	7.72	466	16.4	--	3.63	-126.2	--
MW-184	11/11/2024	7.5	3.8	0.00435	0.0997	3.8	543	668	7.35	362	17.1	--	0.26	-105.9	0.6
MW-184	05/19/2025	35.1	13.3	0.0167	0.0152	1.36	1900	4620	7.15	674	17	13.2	0.19	-167.3	--
MW-184	11/17/2025	72.6	R	0.0168	0.00771 J	1.26	2150	5800	7.20	984	17.1	3.7	0.37	-76.4	0.5
MW-188; Hydrogeologic Zone: Property Treatment Zone D															
MW-188	10/31/2019	38.7	1.41	< 0.000296	< 0.000422	< 0.000287	325	387	7.34	657	18.5	--	1.92	-20.8	0.5
MW-188	01/29/2020	31.7	1.31	< 0.000296	< 0.000422	0.102	668	460	7.02	839	15.4	0.5	1.74	16	0.5
MW-188	04/02/2020	31.8	1.03	< 0.000296	< 0.000422	0.204	4980	476	7.42	499	17.8	5	0.13	-223	4.2
MW-188	07/08/2020	36.2	0.958 J	< 0.000296	< 0.000422	0.0661	2390	444	7.49	514	17.9	3.6	0.3	-44	0.8
MW-188	11/04/2020	--	--	--	--	--	--	--	7.45	581	18.4	--	0.26	-214	--

Table 2b. Groundwater Analytical Results - Geochemical and Field Parameters

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Monitoring Well	Date	Geochemical Parameters							Field Parameters						
		Sulfate by EPA 300.0	Total Organic Carbon by SM5310C	Ethane by RSK-175	Ethene by RSK-175	Methane by RSK-175	Total Iron by EPA 6020B	Total Manganese by EPA 6020B	pH	Specific Conductance	Temperature	Turbidity	Dissolved Oxygen	Oxidation Reduction Potential	Ferrous Iron
	Unit	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	pH units	µS/cm	deg C	NTU	mg/L	mV	mg/L
MW-188	02/16/2021	--	--	--	--	--	--	--	7.4	636	18.7	--	0.16	-417	--
MW-188	05/07/2021	--	--	--	--	--	--	--	7.46	696	15.2	--	0.22	119	--
MW-188	08/10/2021	--	--	--	--	--	--	--	7.36	692	15.4	3.4	0.13	-173.6	--
MW-188	11/18/2021	23.6	2.52	0.0784	< 0.000422	4.05	1220	521	7.23	523	14.1	--	5.75	18.5	--
MW-188	02/16/2022	--	--	--	--	--	--	--	7.52	666	16.9	--	0.15	201.4	--
MW-188	05/12/2022	--	--	--	--	--	--	--	7.44	676	17.1	--	0.34	-93	--
MW-188	08/05/2022	--	--	--	--	--	--	--	7.3	679	18.5	--	0.42	-50.4	--
MW-188	10/26/2022	24.4	1.97	0.0241	< 0.000422	0.927	1190	579	7.18	651	18.7	--	0.6	-164.5	0.09
MW-188	05/11/2023	23.9	3.95	0.0192	< 0.000422	0.599	1940	578	7.42	666	17.1	--	0.1	-58.1	--
MW-188	11/03/2023	20.4	2.05	0.0233	< 0.000422	0.883	2030	667	7.31	676	17.6	--	2.57	83.9	2
MW-188	05/24/2024	16.8	10.1	0.0362	0.00149	1.52	6420	644	7.36	693	17	--	2.16	-146.9	--
MW-188	11/19/2024	23.3	1.91	0.0111	< 0.000422	0.366	1750	598	7.33	723	17.3	--	0.13	-21.2	1.8
MW-188	05/20/2025	23.4	1.95	0.0145	< 0.00610	0.383	2350	657	7.37	554	16.7	4.2	0.1	-137.6	--
MW-188	11/14/2025	10.1	R	0.0215	< 0.00610	< 2.52	20500	765	7.53	763	17	2.5	0.07	-188.3	5

Notes:

Table 2b provides a summary of data from the beginning of the ongoing Interim Action (IA) in 2018. Prior data is available in the Draft RI Report.

Analytical methods are relevant as of Q1 2025. Older analytical methods include previous revisions for total metals (through April 2018), SW9060 for TOC (through Nov 2024), and SW9056 for sulfate (as late as Nov 2024).

Bold = the analyte was detected above the method detection limit

< = analyte not detected above the method detection limit (MDL) shown

J = result value or MDL is estimated

R = result rejected during data validation due to a laboratory error

-- = not tested

mV = millivolts

ppm = parts per million

µS/cm = microSiemens per centimeter

deg C = degrees Celsius

NTU = Nephelometric Turbidity Units

mg/L = milligrams per liter

µg/L = micrograms per liter

Table 3. Soil Vapor Analytical Results

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Vapor Probe	Date	Volatile Organic Compounds (VOCs) by EPA Method TO-15										Helium by EPA-3C ²
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2- Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2- Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		ug/m ³	ug/m ³	ug/m ³	ug/m ³	ug/m ³	ug/m ³	ug/m ³	ug/m ³	ug/m ³	ug/m ³	%
MTCA Method B Soil Gas Screening Level ¹		320	11	610	9.5	610	3000	11	76000	15000	1500	
SV-01												
SV-01	09/25/2018	< 2.72 J	< 2.14	< 1.59	< 1.02	< 1.59	< 1.59	< 1.28	< 1.51	< 1.73	< 5.2	--
SV-01	02/06/2019	< 2.72	< 2.14	< 1.59	< 1.02	< 1.59	< 1.59	< 1.28	1.83	< 1.73	< 5.2	--
SV-01	04/29/2019	< 2.72	< 2.14	< 1.59	< 1.02	< 1.59	< 1.59	< 1.28	6.41	< 1.73	3.6	--
SV-01	07/19/2019	< 2.72	< 2.14	< 1.59	< 1.02	< 1.59	< 1.59	< 1.28	2.06	< 1.73	< 5.2	--
SV-01	11/01/2019	< 1.36	< 1.07	< 0.793	< 0.511	< 0.793	< 0.793	0.719	5.39	< 0.867	< 2.6	--
SV-01	01/27/2020	< 1.36	< 1.07	< 0.793	< 0.511	< 0.793	< 0.793	0.776	2.65 J	< 0.867	< 2.6	--
SV-01	04/01/2020	0.511	< 1.07	6.73	< 0.511	< 0.793	4.66	0.776	< 0.753	< 0.867	1.12	--
SV-01	07/15/2020	1.79	< 1.07	< 0.793	< 0.511	< 0.793	< 0.793	< 0.639	3.71	1.27	8.1	--
SV-01	11/08/2020	1.55	< 1.07	< 0.793	< 0.511	< 0.793	< 0.793	< 0.639	< 1.88	< 0.867	< 2.6	--
SV-01	02/07/2021	< 1.36	< 1.07	1.09	180	< 0.793	< 0.793	7.54	< 1.88	< 0.867	< 2.6	--
SV-01	05/12/2021	2.76	< 1.07	8.60	409	< 0.793	0.923	12.2	12.6	2.90	12.1	0.258
SV-01	08/14/2021	12.8 J	< 1.07	33.0 J	478 J	2.54 J	1.47 J	29.1 J	< 1.88	< 0.867	< 2.6	--
SV-01	12/17/2021	8.15	< 1.07	23.2	160	1.65	< 0.793	18.8	< 1.88	1.47	5.7	--
SV-01	03/08/2022	4.28	< 1.07	13.3	55.5	0.959	< 0.793	13.9	< 1.88	< 0.867	< 2.6	--
SV-01	05/04/2022	4.79	1.07	11.8	28.9	1.03	< 0.793	15.3	< 1.88	1.05	< 2.6	--
SV-01	08/22/2022	6.42	< 1.07	25.2	50.6	2.01	< 0.793	28.0	< 1.88	< 0.867	< 2.6	--
SV-01	11/10/2022	5.90	< 1.07	21.8	28.6	1.72	< 0.793	16.5	< 1.88	< 0.867	0.906	--
SV-01	02/23/2023	3.22	< 1.07	< 0.793	< 0.511	< 0.793	< 0.793	< 0.639	< 1.88	< 0.867	1.84	--
SV-01	08/09/2023	7.60 J	< 1.07	< 0.793	< 0.511	< 0.793	< 0.793	< 0.639	3.34	< 0.867	4.4	--
SV-01	11/16/2023	4.15	< 1.07	< 0.793	< 0.511	< 0.793	< 0.793	< 0.639	3.04	< 0.867	1.74	--
SV-01	03/19/2024	3.20	< 1.07	< 0.793	< 0.511	< 0.793	< 0.793	< 0.639	7.19	2.93	17.9	--
SV-01	06/12/2024	2.60	< 1.07	< 0.793	< 0.511	< 0.793	< 0.793	< 0.639	9.61	3.01	15.8	--
SV-01	09/06/2024	6.59	< 1.07	< 0.793	< 0.511	< 0.793	< 0.793	1.74	109	48.6	294	--
SV-01	11/25/2024	4.3	< 1.07	< 0.793	< 0.511	< 0.793	< 0.793	< 0.639	18.3	12.3	79.9	--
SV-01	02/27/2025	< 13.6	< 0.215	< 0.793	< 0.511	< 0.793	< 0.159	< 0.128	< 7.54	< 8.68	< 26.1	< 0.300
SV-01	05/07/2025	< 13.6	< 0.215	< 0.793	< 0.511	< 0.793	< 0.159	0.264	< 7.54	< 8.68	< 26.1	< 0.300
SV-01	08/20/2025	< 13.6	< 0.215	< 0.793	< 0.511	< 0.793	< 0.159	0.374	< 7.54	< 8.68	< 5.71	< 0.300
SV-01	11/19/2025	< 13.6	< 0.215	< 0.793	< 0.511	< 0.793	< 0.159	< 0.128	< 7.54	< 8.68	< 5.71	0.765 J

Table 3. Soil Vapor Analytical Results

Project No. AS240461, American Linen Supply Co Site, 700 Dexter Ave N, Seattle, Washington

Vapor Probe	Date	Volatile Organic Compounds (VOCs) by EPA Method TO-15										Helium by EPA-3C ²
		Tetrachloroethene (PCE)	Trichloroethene (TCE)	cis-1,2- Dichloroethene (cDCE)	Vinyl Chloride	trans-1,2- Dichloroethene (tDCE)	1,1-Dichloroethene	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Unit		ug/m ³	ug/m ³	ug/m ³	ug/m ³	ug/m ³	ug/m ³	ug/m ³	ug/m ³	ug/m ³	ug/m ³	%
MTCA Method B Soil Gas Screening Level ¹		320	11	610	9.5	610	3000	11	76000	15000	1500	
SV-18												
SV-18	07/16/2020	< 1.36	< 1.07	< 0.793	< 0.511	< 0.793	< 0.793	< 0.639	6.22	< 0.867	5.87	--
SV-18	11/02/2020	< 1.36	< 1.07	< 0.793	< 0.511	< 0.793	< 0.793	< 0.639	< 1.88	< 0.867	< 2.6	--
SV-18	02/07/2021	< 1.36	< 1.07	< 0.793	< 0.511	< 0.793	< 0.793	0.716	3.55	1.08	4.58	--
SV-18	05/06/2021	< 1.36	< 1.07	< 0.793	< 0.511	< 0.793	< 0.793	4.92	33.4	3.72	18.9	--
SV-18	12/16/2021	< 1.36	< 1.07	< 0.793	28.6	< 0.793	< 0.793	< 0.639	< 1.88	< 0.867	< 2.6	--
SV-18	03/07/2022	< 1.36	< 1.07	< 0.793	33.5	< 0.793	< 0.793	< 0.639	< 1.88	< 0.867	< 2.6	--
SV-18	05/04/2022	< 1.36	< 1.07	< 0.793	60.3	< 0.793	< 0.793	0.639	4.07	< 0.867	< 2.6	--
SV-18	08/22/2022	< 1.36	< 1.07	< 0.793	172	< 0.793	< 0.793	2.29	< 1.88	< 0.867	< 2.6	--
SV-18	11/09/2022	< 1.36	< 1.07	< 0.793	85.9	< 0.793	< 0.793	1.32	< 1.88	< 0.867	1.78	--
SV-18	02/23/2023	< 1.36	< 1.07	< 0.793	53.4	< 0.793	< 0.793	< 0.639	< 1.88	< 0.867	< 2.6	--
SV-18	11/16/2023	< 1.36	< 1.07	< 0.793	77.7	< 0.793	< 0.793	1.20	< 1.88 J	< 0.867 J	< 2.6 J	--
SV-18	03/19/2024	< 1.36	< 1.07	< 0.793	17.9 J	< 0.793	< 0.793	5.37 J	65.2 J	8.93 J	41.9 J	--
SV-18	06/12/2024	1.94	1.28	0.868	39.6	< 0.793	< 0.793	1.29	4.41	2.08	11.7	--
SV-18	09/06/2024	< 1.36	< 1.07	< 0.793	36.0	< 0.793	< 0.793	1.95	19.9	12.1	78	--
SV-18	11/25/2024	< 1.36	< 1.07	< 0.793	15.4	< 0.793	< 0.793	1.1	15.7	10.6	66.9	--
SV-18	02/27/2025	< 13.6	< 0.215	< 0.793	< 0.511	< 0.793	< 0.159	0.133	< 7.54	< 8.68	< 26.1	6.85
SV-18	05/07/2025	< 13.6	< 0.215	< 0.793	< 0.511	< 0.793	< 0.159	< 0.128	< 7.54	< 8.68	< 26.1	< 0.300
SV-18	08/20/2025	< 13.6	< 0.215	< 0.793	< 0.511	< 0.793	< 0.159	0.758	< 7.54	< 8.68	< 5.71	< 0.300
SV-18	11/19/2025	< 13.6	< 0.215	< 0.793	< 0.511	< 0.793	< 0.159	< 0.128	< 7.54	< 8.68	< 5.71	< 0.300

Notes:

¹Data in Table 3 are compared to the Model Toxics Control Act (MTCA) Method B Soil Gas Screening Level for the unrestricted/residential scenario, the lowest of the cancer and noncancer values, in the most recently published version of the Cleanup Level and Risk Calculation (CLARC) tables (February 2025).

²The presence of helium in the sample indicates a leak at the sample port or vapor probe and the data results may be biased low.

Bold = the analyte was detected above the laboratory reporting limit

Blue Shaded = the detected result exceeds the applicable soil vapor screening level


< = analyte not detected above the reporting limit (RL) shown


J = result value or RL estimated

-- = not tested

ug/m³ = micrograms per cubic meter


FIGURES





- Shallow Zone Monitoring Well
- Intermediate A Zone Monitoring Well
- Intermediate B Zone Monitoring Well
- Deep Zone Monitoring Well
- Soil Vapor Monitoring Point
- Treatment Zone A Monitoring Well
- Treatment Zone B Monitoring Well
- Treatment Zone C Monitoring Well
- Treatment Zone D Monitoring Well
- Fourth Quarter 2025 Sample Points
- 700 Dexter Property
- King County Tax Parcel

Notes:
- Only wells included in the current groundwater and soil vapor monitoring program are shown in this figure.
- Of the scope for Fourth Quarter 2025, three wells were not sampled (W-MW-02, MW-157, MW-178), refer to report for additional detail




Site Plan
Q4 2025 Monitoring Report
American Linen Supply Co Dexter Ave Site
Seattle, Washington

Geosyntec
consultants

MAR-2026
PROJECT NO.
AS240461

BY
ALC / HRC / NLK
REVISED BY:
--- / ---

FIGURE NO.
2



- Shallow Zone Monitoring Well
- Intermediate A Zone Monitoring Well
- Intermediate B Zone Monitoring Well
- Deep Zone Monitoring Well
- Groundwater Elevation Contours
Dashed where inferred
- Groundwater Flow Direction
- 700 Dexter Property
- King County Tax Parcel


Notes:
- NM = Groundwater elevation not measured during Site-wide gauging event for the quarter.
- EVO = Monitoring well contained emulsified vegetable oil (EVO), and the groundwater elevations were not measured.
- *** = HMW-9IB and MW-345 through MW-350 are screened between the Intermediate A and Intermediate B Zones. While they are more representative of the Intermediate A Zone, they have been excluded from groundwater elevation analysis due to the elevations of the screen intervals.

Groundwater Elevation
Contours - Q4 2025

Q4 2025 Monitoring Report
American Linen Supply Co Dexter Ave Site
Seattle, Washington

Geosyntec consultants	FEB-2026	BY: LK / HMD	FIGURE NO. 3
	PROJECT NO. AS240461	REVISED BY: --- / ---	

Shallow Zone



Explorations

Shallow Zone Monitoring Well


Site Features

700 Dexter Property

King County Tax Parcel

Groundwater Analytical Results

- Detected and exceeds the PCUL
- Detected and below the PCUL
- Not detected
- Not tested




Well ID
Well Screen Interval
PCE
TCE
cDCE
VC
ETH
TOC

Preliminary Cleanup Levels (PCULs):

PCE — 5 ug/L
TCE — 3.6 ug/L
cDCE — 16 ug/L
VC — 0.29 ug/L

- Notes:
- PCE, TCE, cDCE, VC results shown in micrograms per liter (ug/L)
 - ETH results shown in micromoles per liter
 - TOC results shown in milligrams per liter
 - Well screen interval elevations shown in NAVD88 feet
 - PCE = Tetrachloroethene
 - TCE = Trichloroethene
 - cDCE = cis-1,2-Dichloroethene
 - VC = Vinyl Chloride
 - ETH = Sum of Ethane + Ethene
 - TOC = Total Organic Carbon
 - Results shown in **red** exceed PCUL
 - PCUL = Preliminary Cleanup Level
 - J = Result value estimated
 - UJ = Analyte not detected and the reporting limit is an estimate
 - U = Analyte not detected above the reporting limit shown



Groundwater Analytical Results
Shallow Zone Monitoring Wells


Q4 2025 Monitoring Report
American Linen Supply Co Dexter Ave Site
Seattle, Washington

Geosyntec
consultants

MAR-2026
PROJECT NO.
AS240461

BY:
LK / HMD
REVISED BY:
--- / ---

FIGURE NO.
4



- Explorations**
- Intermediate A Zone Monitoring Well
- Groundwater Analytical Results**
- Detected and exceeds the PCUL
 - Detected and below the PCUL
 - Not detected
 - Not tested

- Site Features**
- 700 Dexter Property
 - King County Tax Parcel

Well ID

Well Screen Interval


PCE
TCE
cDCE
VC
ETH
TOC

PCE
TCE
cDCE
VC

Preliminary Cleanup Levels (PCULs):

PCE — 5 ug/L
TCE — 3.6 ug/L
cDCE — 16 ug/L
VC — 0.29 ug/L


- Notes:
- PCE, TCE, cDCE, VC results shown in micrograms per liter (ug/L)
 - ETH results shown in micromoles per liter
 - TOC results shown in milligrams per liter
 - Well screen interval elevations shown in NAVD88 feet
 - PCE = Tetrachloroethene
 - TCE = Trichloroethene
 - cDCE = cis-1,2-Dichloroethene
 - VC = Vinyl Chloride
 - ETH = Sum of Ethane + Ethene
 - TOC = Total Organic Carbon
 - Results shown in **red** exceed PCUL
 - PCUL = Preliminary Cleanup Level
 - J = Result value estimated
 - UJ = Analyte not detected and the reporting limit is an estimate
 - U = Analyte not detected above the reporting limit shown



Groundwater Analytical Results
Intermediate A Zone Monitoring Wells

Q4 2025 Monitoring Report
American Linen Supply Co Dexter Ave Site
Seattle, Washington

Deep Zone



Explorations

Deep Zone Monitoring Well

Groundwater Analytical Results

- Detected and exceeds the PCUL
- Detected and below the PCUL
- Not detected
- Not tested

Site Features

- 700 Dexter Property
- King County Tax Parcel


Well ID
Well Screen Interval

PCE
TCE
cDCE
VC
ETH
TOC

Preliminary Cleanup Levels (PCULs):

- PCE — 5 ug/L
- TCE — 3.6 ug/L
- cDCE — 16 ug/L
- VC — 0.29 ug/L

- Notes:
- PCE, TCE, cDCE, VC results shown in micrograms per liter (ug/L)
 - ETH results shown in micromoles per liter
 - TOC results shown in milligrams per liter
 - Well screen interval elevations shown in NAVD88 feet
 - PCE = Tetrachloroethene
 - TCE = Trichloroethene
 - cDCE = cis-1,2-Dichloroethene
 - VC = Vinyl Chloride
 - ETH = Sum of Ethane + Ethene
 - TOC = Total Organic Carbon
 - Results shown in red exceed PCUL
 - PCUL = Preliminary Cleanup Level
 - J = Result value estimated
 - UJ = Analyte not detected and the reporting limit is an estimate
 - U = Analyte not detected above the reporting limit shown



Groundwater Analytical Data
Deep Zone Monitoring Wells


Q4 2025 Monitoring Report
American Linen Supply Co Dexter Ave Site
Seattle, Washington

Geosyntec
consultants

MAR-2026
PROJECT NO.
AS240461

BY:
LK / HMD
REVISED BY:
--- / ---

FIGURE NO.
7



Explorations

Treatment Zone A Well

Site Features

700 Dexter Property

King County Tax Parcel

Groundwater Analytical Results

- Detected and exceeds the PCUL
- Detected and below the PCUL
- Not detected
- Not tested

Well ID

Well Screen Interval

PCE

TCE

cDCE

VC


ETH

TOC

Preliminary Cleanup Levels (PCULs):

- PCE — 5 ug/L
- TCE — 3.6 ug/L
- cDCE — 16 ug/L
- VC — 0.29 ug/L

- Notes:
- PCE, TCE, cDCE, VC results shown in micrograms per liter (ug/L)
 - ETH results shown in micromoles per liter
 - TOC results shown in milligrams per liter
 - Well screen interval elevations shown in NAVD88 feet
 - PCE = Tetrachloroethene
 - TCE = Trichloroethene
 - cDCE = cis-1,2-Dichloroethene
 - VC = Vinyl Chloride
 - ETH = Sum of Ethane + Ethene
 - TOC = Total Organic Carbon
 - Results shown in red exceed PCUL
 - PCUL = Preliminary Cleanup Level
 - J = Result value estimated
 - UJ = Analyte not detected and the reporting limit is an estimate
 - U = Analyte not detected above the reporting limit shown



Groundwater Analytical Results


Treatment Zone A Wells

Q4 2025 Monitoring Report

American Linen Supply Co Dexter Ave Site

Seattle, Washington

Geosyntec consultants	MAR-2026	BY: LK / HMD	FIGURE NO. 8
	PROJECT NO. AS240461	REVISED BY: --- / ---	



Explorations

Treatment Zone B Well


Site Features

700 Dexter Property

King County Tax Parcel

Groundwater Analytical Results

- Detected and exceeds the PCUL
- Detected and below the PCUL
- Not detected
- Not tested




Well ID
Well Screen Interval
PCE
TCE
cDCE
VC
ETH
TOC

Preliminary Cleanup Levels (PCULs):

- PCE — 5 ug/L
- TCE — 3.6 ug/L
- cDCE — 16 ug/L
- VC — 0.29 ug/L


Notes:

- Well MW-178 was not sampled due to the presence of emulsified vegetable oil (EVO) injectate
- PCE, TCE, cDCE, VC results shown in micrograms per liter (ug/L)
- ETH results shown in micromoles per liter
- TOC results shown in milligrams per liter
- Well screen interval elevations shown in NAVD88 feet
- PCE = Tetrachloroethene
- TCE = Trichloroethene
- cDCE = cis-1,2-Dichloroethene
- VC = Vinyl Chloride
- ETH = Sum of Ethane + Ethene
- TOC = Total Organic Carbon
- Results shown in **red** exceed PCUL
- PCUL = Preliminary Cleanup Level
- J = Result value estimated
- UJ = Analyte not detected and the reporting limit is an estimate
- U = Analyte not detected above the reporting limit shown



Groundwater Analytical Results
Treatment Zone B Wells

Q4 2025 Monitoring Report
American Linen Supply Co Dexter Ave Site
Seattle, Washington



Explorations

Treatment Zone C Well


Site Features

700 Dexter Property

King County Tax Parcel

Groundwater Analytical Results

- Detected and exceeds the PCUL
- Detected and below the PCUL
- Not detected
- Not tested




Well ID	
Well Screen Interval	
PCE	
TCE	
cDCE	
VC	
ETH	
TOC	

Preliminary Cleanup Levels (PCULs):


- PCE — 5 ug/L
- TCE — 3.6 ug/L
- cDCE — 16 ug/L
- VC — 0.29 ug/L

- Notes:
- PCE, TCE, cDCE, VC results shown in micrograms per liter (ug/L)
 - ETH results shown in micromoles per liter
 - TOC results shown in milligrams per liter
 - Well screen interval elevations shown in NAVD88 feet
 - PCE = Tetrachloroethene
 - TCE = Trichloroethene
 - cDCE = cis-1,2-Dichloroethene
 - VC = Vinyl Chloride
 - ETH = Sum of Ethane + Ethene
 - TOC = Total Organic Carbon
 - Results shown in red exceed PCUL
 - PCUL = Preliminary Cleanup Level
 - J = Result value estimated
 - UJ = Analyte not detected and the reporting limit is an estimate
 - U = Analyte not detected above the reporting limit shown



Groundwater Analytical Data
Treatment Zone C Wells

Q4 2025 Monitoring Report
American Linen Supply Co Dexter Ave Site
Seattle, Washington



Explorations

Treatment Zone D Well

Site Features

700 Dexter Property

King County Tax Parcel

Groundwater Analytical Results

- Detected and exceeds the PCUL
- Detected and below the PCUL
- Not detected
- Not tested

Well ID

Well Screen Interval

PCE

TCE

cDCE

VC


ETH

TOC

Preliminary Cleanup Levels (PCULs):

- PCE — 5 ug/L
- TCE — 3.6 ug/L
- cDCE — 16 ug/L
- VC — 0.29 ug/L


- Notes:
- PCE, TCE, cDCE, VC results shown in micrograms per liter (ug/L)
 - ETH results shown in micromoles per liter
 - TOC results shown in milligrams per liter
 - Well screen interval elevations shown in NAVD88 feet
 - PCE = Tetrachloroethene
 - TCE = Trichloroethene
 - cDCE = cis-1,2-Dichloroethene
 - VC = Vinyl Chloride
 - ETH = Sum of Ethane + Ethene
 - TOC = Total Organic Carbon
 - Results shown in red exceed PCUL
 - PCUL = Preliminary Cleanup Level
 - J = Result value estimated
 - UJ = Analyte not detected and the reporting limit is an estimate
 - U = Analyte not detected above the reporting limit shown



Groundwater Analytical Data
Treatment Zone D Wells

Q4 2025 Monitoring Report
American Linen Supply Co Dexter Ave Site
Seattle, Washington

Geosyntec consultants	MAR-2026	BY: LK / HMD	FIGURE NO. 11
	PROJECT NO. AS240461	REVISED BY: --- / ---	



Explorations

▲ Soil Vapor Monitoring Point

Soil Vapor Analytical Results

- Detected and exceeds the SL
- Detected and below the SL
- Not detected
- Not tested

Site Features

- 700 Dexter Property
- King County Tax Parcel

Well ID

Probe Screen Interval

PCE

TCE


cDCE

VC

Method B Soil Gas Screening Level (SL):

- PCE — 320 ug/m³
- TCE — 11 ug/m³
- cDCE — 610 ug/m³
- VC — 9.5 ug/m³

- Notes:
- PCE, TCE, cDCE, VC results shown in micrograms per cubic meter (ug/m³)
 - Probe screen interval elevations shown in NAVD88 feet
 - PCE = Tetrachloroethene
 - TCE = Trichloroethene
 - cDCE = cis-1,2-Dichloroethene
 - VC = Vinyl Chloride
 - Results shown in **red** exceed SL
 - J = Result value estimated
 - UJ = Analyte not detected and the reporting limit is an estimate
 - U = Analyte not detected above the reporting limit shown



Soil Vapor Analytical Data
Fourth Quarter 2025


Q4 2025 Monitoring Report
American Linen Supply Co Dexter Ave Site
Seattle, Washington

Geosyntec consultants	FEB-2026	BY: LK / HMD	FIGURE NO. 12
	PROJECT NO. AS240461	REVISED BY: --- / ---	


APPENDIX A

CVOC Trend Plots


Shallow Zone



Legend



PCULs





Notes:



1. Nondetect (ND) results graphed at the method detection limit.
2. Groundwater elevation datum is North American Vertical Datum of 1988 (feet NAVD88).

ug/L = micrograms per liter, PCE = Tetrachloroethene, TCE = Trichloroethene, cDCE = cis-1,2-Dichloroethene, VC = Vinyl Chloride, PCUL = Preliminary Cleanup Level

Periods and Locations of Construction Dewatering and Interim Action Injections



Shallow Zone




Notes:



1. Nondetect (ND) results graphed at the method detection limit.
2. Groundwater elevation datum is North American Vertical Datum of 1988 (feet NAVD88).

ug/L = micrograms per liter, PCE = Tetrachloroethene, TCE = Trichloroethene, cDCE = cis-1,2-Dichloroethene, VC = Vinyl Chloride, PCUL = Preliminary Cleanup Level

Periods and Locations of Construction Dewatering and Interim Action Injections



Shallow Zone




Notes:


- Nondetect (ND) results graphed at the method detection limit.
- Groundwater elevation datum is North American Vertical Datum of 1988 (feet NAVD88).

ug/L = micrograms per liter, PCE = Tetrachloroethene, TCE = Trichloroethene, cDCE = cis-1,2-Dichloroethene, VC = Vinyl Chloride, PCUL = Preliminary Cleanup Level


Periods and Locations of Construction Dewatering and Interim Action Injections




Shallow Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Intermediate A Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Intermediate A Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Intermediate A Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Intermediate A Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Intermediate A Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Intermediate A Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Intermediate A Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Intermediate B Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Intermediate B Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Intermediate B Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Intermediate B Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Intermediate B Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Deep Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Deep Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Deep Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Deep Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Deep Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Deep Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Deep Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Deep Zone




Periods and Locations of Construction Dewatering and Interim Action Injections




Treatment Zone A Injection Wells




Periods and Locations of Construction Dewatering and Interim Action Injections





Treatment Zone A Injection Wells



Periods and Locations of Construction Dewatering and Interim Action Injections



Treatment Zone B Injection Wells




Notes:

1. Nondetect (ND) results graphed at the method detection limit.



2. Groundwater elevation datum is North American Vertical Datum of 1988 (feet NAVD88).

ug/L = micrograms per liter, PCE = Tetrachloroethene, TCE = Trichloroethene, cDCE = cis-1,2-Dichloroethene, VC = Vinyl Chloride, PCUL = Preliminary Cleanup Level


Periods and Locations of Construction Dewatering and Interim Action Injections




Treatment Zone B Injection Wells




Treatment Zone C Injection Wells




Periods and Locations of Construction Dewatering and Interim Action Injections




Treatment Zone C Injection Wells




Periods and Locations of Construction Dewatering and Interim Action Injections




Treatment Zone D Injection Wells




Periods and Locations of Construction Dewatering and Interim Action Injections



Treatment Zone D Injection Wells



Periods and Locations of Construction Dewatering and Interim Action Injections



APPENDIX B

Laboratory Reports



3600 Fremont Ave N
Seattle, WA 98103
info.seattle@alliancetg.com
April 9, 2026

To: Hanna Winter, et al
Re: Q4 2025 Analytical Reports for 700 Dexter Project

Samples collected in November 2025 by Geosyntec from the 700 Dexter monitoring site were submitted to Alliance Technical Group (ATG)'s Seattle laboratory. Sample aliquots for TOC analysis were subcontracted with client agreement to Analytical Resources LLC (ARI).

It has come to our attention that results provided by ARI were impacted by high bias due to incomplete purging of inorganic carbon required by the method. The error was discovered after samples were routinely disposed, precluding reanalysis. The existing dataset should be considered a high-biased estimate. Impacted work orders are listed below:

ARI Work Order	ATG Work Order
25K0225	2511121
25K0226	2511181
25K0229	2511224
25K0251	2511248
25K0273	2511275
25K0319	2511308
25K0348	2511351
25K0361	2511409
25K0406	2511443
25K0410	2511473
25K0475	2511490

Alliance Technical Group sincerely regrets the impact to data usability and takes seriously our responsibility for stewardship of all parts of analytical projects entrusted to us, including work performed by subcontractors. Further analysis for TOC is anticipated to be performed directly by ATG, and we will be eager to work closely with Geosyntec's data team to watch for data trends prompting greater scrutiny.

Respectfully,

A handwritten signature in blue ink, appearing to read "Matt Langston", is written over a light blue horizontal line.

Matthew W D Langston
Laboratory Director
Alliance Technical Group: Seattle

Geosyntec Consultants

Hannah Cohen

801 5th Ave Suite 2200

Seattle, WA 98104

RE: 700 Dexter, WO-AS240461-8485

Work Order Number: 2511121

November 25, 2025

Attention Hannah Cohen:

Alliance Technical Group, LLC - Seattle received 12 sample(s) on 11/5/2025 for the analyses presented in the following report.

Dissolved Gases by RSK-175

Ion Chromatography by EPA 300.0

Subcontracted Analysis

Total Alkalinity by EPA 310.2

Total Metals by EPA 6020B

Volatile Organic Compounds by EPA 8260D

All analyses were performed according to our accredited Quality Assurance program. Please contact the laboratory if you should have any questions about the results.

Alliance Technical Group is committed to accuracy, speed, and customer service. Thank you for choosing Alliance Technical Group's Seattle laboratory team for your analytical needs. We appreciate this opportunity to serve you!

Sincerely,



Brianna Barnes
Project Manager

CC:
Lea Kane

DoD-ELAP Accreditation #79636 by PJLA, ISO/IEC 17025:2017 and QSM 5.4 for Environmental Testing
ORELAP Certification: WA 100009 (NELAP Recognized) for Environmental Testing
Washington State Department of Ecology Accredited for Environmental Testing, Lab ID C910

Revision v2



CLIENT: Geosyntec Consultants
Project: 700 Dexter
Work Order: 2511121

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
2511121-001	MW-144R-251105	11/05/2025 10:20 AM	11/05/2025 3:18 PM
2511121-002	MW-138-251105	11/05/2025 10:30 AM	11/05/2025 3:18 PM
2511121-003	MW-302-251105	11/05/2025 10:33 AM	11/05/2025 3:18 PM
2511121-004	R-MW5-251105	11/05/2025 11:15 AM	11/05/2025 3:18 PM
2511121-005	MW-304-251105	11/05/2025 11:30 AM	11/05/2025 3:18 PM
2511121-006	MW-159-251105	11/05/2025 11:30 AM	11/05/2025 3:18 PM
2511121-007	MW-143-251105	11/05/2025 12:30 PM	11/05/2025 3:18 PM
2511121-008	MW-142-251105	11/05/2025 1:26 PM	11/05/2025 3:18 PM
2511121-009	BB-8-251105	11/05/2025 1:31 PM	11/05/2025 3:18 PM
2511121-010	MW-105-251105	11/05/2025 2:00 PM	11/05/2025 3:18 PM
2511121-011	MW-303-251105	11/05/2025 12:40 PM	11/05/2025 3:18 PM
2511121-012	TRIP-251105	11/05/2025 12:00 AM	11/05/2025 3:18 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

CLIENT: Geosyntec Consultants

Project: 700 Dexter

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

Matrix Spike (MS) and MS Duplicate (MSD) samples are tested from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. The sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

2511121-001C, 004C, 007C, 008C and 009C
TEST_SUB has been Sub Contracted.

1/9/26: Rev1 includes additional continued calibration samples for EPA 300.0 as well as a sample ID correction per client request.

1/14/26: Rev2 includes a corrected sample ID per client request.

Qualifiers:

- * - Associated LCS is outside of control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Method Detection Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- DUP - Sample Duplicate
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MCL - Maximum Contaminant Level
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- REP - Sample Replicate
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511121-001
Client Sample ID: MW-144R-251105

Collection Date: 11/5/2025 10:20:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10459		Analyst: BCA	
Methane	5.30	0.250	0.225	D	mg/L	50	11/11/25 15:33:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/11/25 14:58:00
Ethane	0.136	0.0100	0.00754		mg/L	1	11/11/25 14:58:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/07/25 15:58:27
Chloromethane	ND	1.00	0.218		µg/L	1	11/07/25 15:58:27
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/07/25 15:58:27
Bromomethane	ND	2.00	0.386		µg/L	1	11/07/25 15:58:27
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/07/25 15:58:27
Chloroethane	ND	1.00	0.334		µg/L	1	11/07/25 15:58:27
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/07/25 15:58:27
Acetone	ND	5.00	2.55		µg/L	1	11/07/25 15:58:27
Methylene chloride	ND	2.00	0.649		µg/L	1	11/07/25 15:58:27
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/07/25 15:58:27
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/07/25 15:58:27
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/07/25 15:58:27
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/07/25 15:58:27
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/07/25 15:58:27
Chloroform	ND	0.500	0.0865		µg/L	1	11/07/25 15:58:27
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/07/25 15:58:27
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/07/25 15:58:27
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/07/25 15:58:27
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/07/25 15:58:27
Benzene	ND	0.200	0.0540		µg/L	1	11/07/25 15:58:27
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/07/25 15:58:27
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/07/25 15:58:27
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/07/25 15:58:27
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/07/25 15:58:27
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/07/25 15:58:27
Toluene	ND	0.500	0.129		µg/L	1	11/07/25 15:58:27
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/07/25 15:58:27



Analytical Report

Work Order: 2511121

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 10:20:00 AM

Project: 700 Dexter

Lab ID: 2511121-001

Matrix: Groundwater

Client Sample ID: MW-144R-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/07/25 15:58:27
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/07/25 15:58:27
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/07/25 15:58:27
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/07/25 15:58:27
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/07/25 15:58:27
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/07/25 15:58:27
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/07/25 15:58:27
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/07/25 15:58:27
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/07/25 15:58:27
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/07/25 15:58:27
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/07/25 15:58:27
o-Xylene	ND	0.500	0.144		µg/L	1	11/07/25 15:58:27
Styrene	ND	0.500	0.115		µg/L	1	11/07/25 15:58:27
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/07/25 15:58:27
Bromoform	ND	0.500	0.0986		µg/L	1	11/07/25 15:58:27
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/07/25 15:58:27
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/07/25 15:58:27
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/07/25 15:58:27
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/07/25 15:58:27
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/07/25 15:58:27
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/07/25 15:58:27
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/07/25 15:58:27
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/07/25 15:58:27
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/07/25 15:58:27
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/07/25 15:58:27
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/07/25 15:58:27
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/07/25 15:58:27
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/07/25 15:58:27
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/07/25 15:58:27
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/07/25 15:58:27
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/07/25 15:58:27



Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511121-001
Client Sample ID: MW-144R-251105

Collection Date: 11/5/2025 10:20:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/07/25 15:58:27
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/07/25 15:58:27
Naphthalene	ND	1.25	0.405		µg/L	1	11/07/25 15:58:27
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/07/25 15:58:27
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/07/25 15:58:27
Surr: Toluene-d8	92.5	80 - 121			%Rec	1	11/07/25 15:58:27
Surr: 1-Bromo-4-fluorobenzene	94.5	79.7 - 120			%Rec	1	11/07/25 15:58:27
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 49900		Analyst: BB	
Chloride	101	30.0	3.05	D	mg/L	50	11/06/25 11:23:00
Nitrate (as N)	0.0680	0.150	0.0258	J	mg/L	1	11/06/25 11:11:00
Sulfate	ND	1.00	0.286		mg/L	1	11/06/25 11:11:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 49936		Analyst: ME	
Iron	4,690	50.0	10.1		µg/L	1	11/07/25 21:51:00
Manganese	1,780	0.500	0.208		µg/L	1	11/07/25 21:51:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10480		Analyst: NR	
Alkalinity, Total (As CaCO3)	1,040	100	31.5	D	mg/L	40	11/18/25 16:44:00



Analytical Report

Work Order: 2511121

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 10:30:00 AM

Project: 700 Dexter

Lab ID: 2511121-002

Matrix: Groundwater

Client Sample ID: MW-138-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
Volatile Organic Compounds by EPA 8260D			Batch ID: 49950		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/07/25 16:49:01
Chloromethane	ND	1.00	0.218		µg/L	1	11/07/25 16:49:01
Vinyl chloride	0.0644	0.200	0.0455	J	µg/L	1	11/07/25 16:49:01
Bromomethane	ND	2.00	0.386		µg/L	1	11/07/25 16:49:01
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/07/25 16:49:01
Chloroethane	ND	1.00	0.334		µg/L	1	11/07/25 16:49:01
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/07/25 16:49:01
Acetone	ND	5.00	2.55		µg/L	1	11/07/25 16:49:01
Methylene chloride	ND	2.00	0.649		µg/L	1	11/07/25 16:49:01
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/07/25 16:49:01
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/07/25 16:49:01
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/07/25 16:49:01
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/07/25 16:49:01
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/07/25 16:49:01
Chloroform	ND	0.500	0.0865		µg/L	1	11/07/25 16:49:01
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/07/25 16:49:01
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/07/25 16:49:01
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/07/25 16:49:01
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/07/25 16:49:01
Benzene	ND	0.200	0.0540		µg/L	1	11/07/25 16:49:01
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/07/25 16:49:01
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/07/25 16:49:01
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/07/25 16:49:01
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/07/25 16:49:01
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/07/25 16:49:01
Toluene	ND	0.500	0.129		µg/L	1	11/07/25 16:49:01
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/07/25 16:49:01
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/07/25 16:49:01
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/07/25 16:49:01
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/07/25 16:49:01
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/07/25 16:49:01



Analytical Report

Work Order: 2511121

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 10:30:00 AM

Project: 700 Dexter

Lab ID: 2511121-002

Matrix: Groundwater

Client Sample ID: MW-138-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/07/25 16:49:01
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/07/25 16:49:01
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/07/25 16:49:01
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/07/25 16:49:01
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/07/25 16:49:01
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/07/25 16:49:01
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/07/25 16:49:01
o-Xylene	ND	0.500	0.144		µg/L	1	11/07/25 16:49:01
Styrene	ND	0.500	0.115		µg/L	1	11/07/25 16:49:01
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/07/25 16:49:01
Bromoform	ND	0.500	0.0986		µg/L	1	11/07/25 16:49:01
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/07/25 16:49:01
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/07/25 16:49:01
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/07/25 16:49:01
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/07/25 16:49:01
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/07/25 16:49:01
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/07/25 16:49:01
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/07/25 16:49:01
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/07/25 16:49:01
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/07/25 16:49:01
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/07/25 16:49:01
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/07/25 16:49:01
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/07/25 16:49:01
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/07/25 16:49:01
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/07/25 16:49:01
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/07/25 16:49:01
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/07/25 16:49:01
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/07/25 16:49:01
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/07/25 16:49:01
Naphthalene	ND	1.25	0.405		µg/L	1	11/07/25 16:49:01
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/07/25 16:49:01



Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511121-002
Client Sample ID: MW-138-251105

Collection Date: 11/5/2025 10:30:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
Surr: Dibromofluoromethane	105	79.9 - 122			%Rec	1	11/07/25 16:49:01
Surr: Toluene-d8	93.2	80 - 121			%Rec	1	11/07/25 16:49:01
Surr: 1-Bromo-4-fluorobenzene	107	79.7 - 120			%Rec	1	11/07/25 16:49:01



Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511121-003
Client Sample ID: MW-302-251105

Collection Date: 11/5/2025 10:33:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/07/25 21:26:14
Chloromethane	ND	1.00	0.218		µg/L	1	11/07/25 21:26:14
Vinyl chloride	0.305	0.200	0.0455		µg/L	1	11/07/25 21:26:14
Bromomethane	ND	2.00	0.386		µg/L	1	11/07/25 21:26:14
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/07/25 21:26:14
Chloroethane	ND	1.00	0.334		µg/L	1	11/07/25 21:26:14
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/07/25 21:26:14
Acetone	ND	5.00	2.55		µg/L	1	11/07/25 21:26:14
Methylene chloride	ND	2.00	0.649		µg/L	1	11/07/25 21:26:14
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/07/25 21:26:14
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/07/25 21:26:14
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/07/25 21:26:14
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/07/25 21:26:14
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/07/25 21:26:14
Chloroform	ND	0.500	0.0865		µg/L	1	11/07/25 21:26:14
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/07/25 21:26:14
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/07/25 21:26:14
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/07/25 21:26:14
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/07/25 21:26:14
Benzene	ND	0.200	0.0540		µg/L	1	11/07/25 21:26:14
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/07/25 21:26:14
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/07/25 21:26:14
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/07/25 21:26:14
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/07/25 21:26:14
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/07/25 21:26:14
Toluene	ND	0.500	0.129		µg/L	1	11/07/25 21:26:14
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/07/25 21:26:14
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/07/25 21:26:14
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/07/25 21:26:14
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/07/25 21:26:14
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/07/25 21:26:14



Analytical Report

Work Order: 2511121

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 10:33:00 AM

Project: 700 Dexter

Lab ID: 2511121-003

Matrix: Groundwater

Client Sample ID: MW-302-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/07/25 21:26:14
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/07/25 21:26:14
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/07/25 21:26:14
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/07/25 21:26:14
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/07/25 21:26:14
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/07/25 21:26:14
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/07/25 21:26:14
o-Xylene	ND	0.500	0.144		µg/L	1	11/07/25 21:26:14
Styrene	ND	0.500	0.115		µg/L	1	11/07/25 21:26:14
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/07/25 21:26:14
Bromoform	ND	0.500	0.0986		µg/L	1	11/07/25 21:26:14
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/07/25 21:26:14
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/07/25 21:26:14
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/07/25 21:26:14
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/07/25 21:26:14
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/07/25 21:26:14
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/07/25 21:26:14
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/07/25 21:26:14
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/07/25 21:26:14
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/07/25 21:26:14
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/07/25 21:26:14
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/07/25 21:26:14
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/07/25 21:26:14
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/07/25 21:26:14
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/07/25 21:26:14
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/07/25 21:26:14
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/07/25 21:26:14
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/07/25 21:26:14
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/07/25 21:26:14
Naphthalene	ND	1.25	0.405		µg/L	1	11/07/25 21:26:14
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/07/25 21:26:14



Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511121-003
Client Sample ID: MW-302-251105

Collection Date: 11/5/2025 10:33:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 49950

Analyst: KJ

Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/07/25 21:26:14
Surr: Toluene-d8	92.8	80 - 121			%Rec	1	11/07/25 21:26:14
Surr: 1-Bromo-4-fluorobenzene	94.2	79.7 - 120			%Rec	1	11/07/25 21:26:14

Client: Geosyntec Consultants

Collection Date: 11/5/2025 11:15:00 AM

Project: 700 Dexter

Lab ID: 2511121-004

Matrix: Groundwater

Client Sample ID: R-MW5-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10459		Analyst: BCA	
Methane	0.169	0.00500	0.00451		mg/L	1	11/11/25 15:03:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/11/25 15:03:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/11/25 15:03:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/07/25 21:51:31
Chloromethane	ND	1.00	0.218		µg/L	1	11/07/25 21:51:31
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/07/25 21:51:31
Bromomethane	ND	2.00	0.386		µg/L	1	11/07/25 21:51:31
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/07/25 21:51:31
Chloroethane	ND	1.00	0.334		µg/L	1	11/07/25 21:51:31
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/07/25 21:51:31
Acetone	ND	5.00	2.55		µg/L	1	11/07/25 21:51:31
Methylene chloride	ND	2.00	0.649		µg/L	1	11/07/25 21:51:31
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/07/25 21:51:31
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/07/25 21:51:31
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/07/25 21:51:31
cis-1,2-Dichloroethene	0.181	0.500	0.164	J	µg/L	1	11/07/25 21:51:31
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/07/25 21:51:31
Chloroform	0.115	0.500	0.0865	J	µg/L	1	11/07/25 21:51:31
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/07/25 21:51:31
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/07/25 21:51:31
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/07/25 21:51:31
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/07/25 21:51:31
Benzene	ND	0.200	0.0540		µg/L	1	11/07/25 21:51:31
Trichloroethene (TCE)	0.266	0.500	0.135	J	µg/L	1	11/07/25 21:51:31
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/07/25 21:51:31
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/07/25 21:51:31
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/07/25 21:51:31
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/07/25 21:51:31
Toluene	ND	0.500	0.129		µg/L	1	11/07/25 21:51:31
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/07/25 21:51:31

Client: Geosyntec Consultants

Collection Date: 11/5/2025 11:15:00 AM

Project: 700 Dexter

Lab ID: 2511121-004

Matrix: Groundwater

Client Sample ID: R-MW5-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/07/25 21:51:31
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/07/25 21:51:31
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/07/25 21:51:31
Tetrachloroethene (PCE)	0.394	0.500	0.102	J	µg/L	1	11/07/25 21:51:31
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/07/25 21:51:31
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/07/25 21:51:31
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/07/25 21:51:31
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/07/25 21:51:31
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/07/25 21:51:31
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/07/25 21:51:31
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/07/25 21:51:31
o-Xylene	ND	0.500	0.144		µg/L	1	11/07/25 21:51:31
Styrene	ND	0.500	0.115		µg/L	1	11/07/25 21:51:31
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/07/25 21:51:31
Bromoform	ND	0.500	0.0986		µg/L	1	11/07/25 21:51:31
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/07/25 21:51:31
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/07/25 21:51:31
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/07/25 21:51:31
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/07/25 21:51:31
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/07/25 21:51:31
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/07/25 21:51:31
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/07/25 21:51:31
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/07/25 21:51:31
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/07/25 21:51:31
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/07/25 21:51:31
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/07/25 21:51:31
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/07/25 21:51:31
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/07/25 21:51:31
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/07/25 21:51:31
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/07/25 21:51:31
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/07/25 21:51:31



Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511121-004
Client Sample ID: R-MW5-251105

Collection Date: 11/5/2025 11:15:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/07/25 21:51:31
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/07/25 21:51:31
Naphthalene	ND	1.25	0.405		µg/L	1	11/07/25 21:51:31
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/07/25 21:51:31
Surr: Dibromofluoromethane	105	79.9 - 122			%Rec	1	11/07/25 21:51:31
Surr: Toluene-d8	93.5	80 - 121			%Rec	1	11/07/25 21:51:31
Surr: 1-Bromo-4-fluorobenzene	94.5	79.7 - 120			%Rec	1	11/07/25 21:51:31
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 49900		Analyst: BB		
Chloride	4.74	0.600	0.0609		mg/L	1	11/06/25 11:36:00
Nitrate (as N)	0.273	0.150	0.0258		mg/L	1	11/06/25 11:36:00
Sulfate	5.08	1.00	0.286		mg/L	1	11/06/25 11:36:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 49936		Analyst: ME		
Iron	256	50.0	10.1		µg/L	1	11/07/25 21:54:00
Manganese	350	0.500	0.208		µg/L	1	11/07/25 21:54:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10480		Analyst: NR		
Alkalinity, Total (As CaCO3)	96.6	10.0	3.15	D	mg/L	4	11/18/25 16:21:00



Analytical Report

Work Order: 2511121

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 11:30:00 AM

Project: 700 Dexter

Lab ID: 2511121-005

Matrix: Groundwater

Client Sample ID: MW-304-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/07/25 17:14:18
Chloromethane	ND	1.00	0.218		µg/L	1	11/07/25 17:14:18
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/07/25 17:14:18
Bromomethane	ND	2.00	0.386		µg/L	1	11/07/25 17:14:18
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/07/25 17:14:18
Chloroethane	ND	1.00	0.334		µg/L	1	11/07/25 17:14:18
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/07/25 17:14:18
Acetone	ND	5.00	2.55		µg/L	1	11/07/25 17:14:18
Methylene chloride	ND	2.00	0.649		µg/L	1	11/07/25 17:14:18
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/07/25 17:14:18
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/07/25 17:14:18
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/07/25 17:14:18
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/07/25 17:14:18
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/07/25 17:14:18
Chloroform	ND	0.500	0.0865		µg/L	1	11/07/25 17:14:18
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/07/25 17:14:18
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/07/25 17:14:18
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/07/25 17:14:18
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/07/25 17:14:18
Benzene	ND	0.200	0.0540		µg/L	1	11/07/25 17:14:18
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/07/25 17:14:18
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/07/25 17:14:18
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/07/25 17:14:18
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/07/25 17:14:18
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/07/25 17:14:18
Toluene	ND	0.500	0.129		µg/L	1	11/07/25 17:14:18
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/07/25 17:14:18
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/07/25 17:14:18
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/07/25 17:14:18
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/07/25 17:14:18
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/07/25 17:14:18



Analytical Report

Work Order: 2511121

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 11:30:00 AM

Project: 700 Dexter

Lab ID: 2511121-005

Matrix: Groundwater

Client Sample ID: MW-304-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/07/25 17:14:18
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/07/25 17:14:18
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/07/25 17:14:18
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/07/25 17:14:18
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/07/25 17:14:18
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/07/25 17:14:18
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/07/25 17:14:18
o-Xylene	ND	0.500	0.144		µg/L	1	11/07/25 17:14:18
Styrene	ND	0.500	0.115		µg/L	1	11/07/25 17:14:18
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/07/25 17:14:18
Bromoform	ND	0.500	0.0986		µg/L	1	11/07/25 17:14:18
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/07/25 17:14:18
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/07/25 17:14:18
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/07/25 17:14:18
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/07/25 17:14:18
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/07/25 17:14:18
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/07/25 17:14:18
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/07/25 17:14:18
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/07/25 17:14:18
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/07/25 17:14:18
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/07/25 17:14:18
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/07/25 17:14:18
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/07/25 17:14:18
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/07/25 17:14:18
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/07/25 17:14:18
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/07/25 17:14:18
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/07/25 17:14:18
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/07/25 17:14:18
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/07/25 17:14:18
Naphthalene	ND	1.25	0.405		µg/L	1	11/07/25 17:14:18
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/07/25 17:14:18



Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511121-005
Client Sample ID: MW-304-251105

Collection Date: 11/5/2025 11:30:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/07/25 17:14:18
Surr: Toluene-d8	93.0	80 - 121			%Rec	1	11/07/25 17:14:18
Surr: 1-Bromo-4-fluorobenzene	95.2	79.7 - 120			%Rec	1	11/07/25 17:14:18



Analytical Report

Work Order: 2511121

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 11:30:00 AM

Project: 700 Dexter

Lab ID: 2511121-006

Matrix: Groundwater

Client Sample ID: MW-159-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/07/25 17:39:37
Chloromethane	0.290	1.00	0.218	J	µg/L	1	11/07/25 17:39:37
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/07/25 17:39:37
Bromomethane	ND	2.00	0.386		µg/L	1	11/07/25 17:39:37
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/07/25 17:39:37
Chloroethane	ND	1.00	0.334		µg/L	1	11/07/25 17:39:37
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/07/25 17:39:37
Acetone	ND	5.00	2.55		µg/L	1	11/07/25 17:39:37
Methylene chloride	ND	2.00	0.649		µg/L	1	11/07/25 17:39:37
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/07/25 17:39:37
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/07/25 17:39:37
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/07/25 17:39:37
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/07/25 17:39:37
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/07/25 17:39:37
Chloroform	ND	0.500	0.0865		µg/L	1	11/07/25 17:39:37
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/07/25 17:39:37
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/07/25 17:39:37
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/07/25 17:39:37
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/07/25 17:39:37
Benzene	ND	0.200	0.0540		µg/L	1	11/07/25 17:39:37
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/07/25 17:39:37
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/07/25 17:39:37
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/07/25 17:39:37
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/07/25 17:39:37
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/07/25 17:39:37
Toluene	ND	0.500	0.129		µg/L	1	11/07/25 17:39:37
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/07/25 17:39:37
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/07/25 17:39:37
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/07/25 17:39:37
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/07/25 17:39:37
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/07/25 17:39:37



Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 11:30:00 AM

Project: 700 Dexter

Lab ID: 2511121-006

Matrix: Groundwater

Client Sample ID: MW-159-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/07/25 17:39:37
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/07/25 17:39:37
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/07/25 17:39:37
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/07/25 17:39:37
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/07/25 17:39:37
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/07/25 17:39:37
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/07/25 17:39:37
o-Xylene	ND	0.500	0.144		µg/L	1	11/07/25 17:39:37
Styrene	ND	0.500	0.115		µg/L	1	11/07/25 17:39:37
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/07/25 17:39:37
Bromoform	ND	0.500	0.0986		µg/L	1	11/07/25 17:39:37
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/07/25 17:39:37
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/07/25 17:39:37
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/07/25 17:39:37
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/07/25 17:39:37
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/07/25 17:39:37
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/07/25 17:39:37
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/07/25 17:39:37
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/07/25 17:39:37
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/07/25 17:39:37
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/07/25 17:39:37
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/07/25 17:39:37
1,3-Dichlorobenzene	0.115	0.500	0.0987	J	µg/L	1	11/07/25 17:39:37
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/07/25 17:39:37
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/07/25 17:39:37
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/07/25 17:39:37
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/07/25 17:39:37
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/07/25 17:39:37
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/07/25 17:39:37
Naphthalene	ND	1.25	0.405		µg/L	1	11/07/25 17:39:37
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/07/25 17:39:37



Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511121-006
Client Sample ID: MW-159-251105

Collection Date: 11/5/2025 11:30:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 49950

Analyst: KJ

Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/07/25 17:39:37
Surr: Toluene-d8	93.5	80 - 121			%Rec	1	11/07/25 17:39:37
Surr: 1-Bromo-4-fluorobenzene	92.6	79.7 - 120			%Rec	1	11/07/25 17:39:37



Analytical Report

Work Order: 2511121

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 12:30:00 PM

Project: 700 Dexter

Lab ID: 2511121-007

Matrix: Groundwater

Client Sample ID: MW-143-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10459		Analyst: BCA	
Methane	6.22	0.250	0.225	D	mg/L	50	11/11/25 15:36:00
Ethene	0.0933	0.0100	0.00610		mg/L	1	11/11/25 15:05:00
Ethane	0.209	0.0100	0.00754		mg/L	1	11/11/25 15:05:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	10.0	1.77	D	µg/L	10	11/07/25 19:46:07
Chloromethane	ND	10.0	2.18	D	µg/L	10	11/07/25 19:46:07
Vinyl chloride	569	20.0	4.55	D	µg/L	100	11/07/25 18:30:10
Bromomethane	ND	20.0	3.86	D	µg/L	10	11/07/25 19:46:07
Trichlorofluoromethane (CFC-11)	ND	5.00	0.618	D	µg/L	10	11/07/25 19:46:07
Chloroethane	ND	10.0	3.34	D	µg/L	10	11/07/25 19:46:07
1,1-Dichloroethene	ND	5.00	1.22	D	µg/L	10	11/07/25 19:46:07
Acetone	ND	50.0	25.5	D	µg/L	10	11/07/25 19:46:07
Methylene chloride	ND	20.0	6.49	D	µg/L	10	11/07/25 19:46:07
trans-1,2-Dichloroethene	4.10	5.00	1.15	DJ	µg/L	10	11/07/25 19:46:07
Methyl tert-butyl ether (MTBE)	ND	5.00	1.21	D	µg/L	10	11/07/25 19:46:07
1,1-Dichloroethane	ND	5.00	1.41	D	µg/L	10	11/07/25 19:46:07
cis-1,2-Dichloroethene	167	5.00	1.64	D	µg/L	10	11/07/25 19:46:07
2-Butanone (MEK)	ND	50.0	19.8	D	µg/L	10	11/07/25 19:46:07
Chloroform	ND	5.00	0.865	D	µg/L	10	11/07/25 19:46:07
1,1,1-Trichloroethane (TCA)	ND	5.00	1.03	D	µg/L	10	11/07/25 19:46:07
1,1-Dichloropropene	ND	5.00	1.43	D	µg/L	10	11/07/25 19:46:07
Carbon tetrachloride	ND	5.00	0.798	D	µg/L	10	11/07/25 19:46:07
1,2-Dichloroethane (EDC)	ND	2.00	0.477	D	µg/L	10	11/07/25 19:46:07
Benzene	ND	2.00	0.540	D	µg/L	10	11/07/25 19:46:07
Trichloroethene (TCE)	ND	5.00	1.35	D	µg/L	10	11/07/25 19:46:07
1,2-Dichloropropane	ND	2.00	0.503	D	µg/L	10	11/07/25 19:46:07
Bromodichloromethane	ND	2.00	0.489	D	µg/L	10	11/07/25 19:46:07
Dibromomethane	ND	5.00	0.812	D	µg/L	10	11/07/25 19:46:07
cis-1,3-Dichloropropene	ND	5.00	1.09	D	µg/L	10	11/07/25 19:46:07
Toluene	ND	5.00	1.29	D	µg/L	10	11/07/25 19:46:07
trans-1,3-Dichloropropylene	ND	5.00	0.993	D	µg/L	10	11/07/25 19:46:07



Analytical Report

Work Order: 2511121

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 12:30:00 PM

Project: 700 Dexter

Lab ID: 2511121-007

Matrix: Groundwater

Client Sample ID: MW-143-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
Volatile Organic Compounds by EPA 8260D				Batch ID: 49950		Analyst: KJ	
Methyl Isobutyl Ketone (MIBK)	ND	25.0	3.54	D	µg/L	10	11/07/25 19:46:07
1,1,2-Trichloroethane	ND	5.00	0.807	D	µg/L	10	11/07/25 19:46:07
1,3-Dichloropropane	ND	5.00	0.827	D	µg/L	10	11/07/25 19:46:07
Tetrachloroethene (PCE)	ND	5.00	1.02	D	µg/L	10	11/07/25 19:46:07
Dibromochloromethane	ND	5.00	1.01	D	µg/L	10	11/07/25 19:46:07
1,2-Dibromoethane (EDB)	ND	5.00	0.432	D	µg/L	10	11/07/25 19:46:07
2-Hexanone (MBK)	ND	12.5	3.64	D	µg/L	10	11/07/25 19:46:07
Chlorobenzene	ND	5.00	0.934	D	µg/L	10	11/07/25 19:46:07
1,1,1,2-Tetrachloroethane	ND	5.00	1.17	D	µg/L	10	11/07/25 19:46:07
Ethylbenzene	ND	5.00	1.25	D	µg/L	10	11/07/25 19:46:07
m,p-Xylene	ND	10.0	2.89	D	µg/L	10	11/07/25 19:46:07
o-Xylene	ND	5.00	1.44	D	µg/L	10	11/07/25 19:46:07
Styrene	ND	5.00	1.15	D	µg/L	10	11/07/25 19:46:07
Isopropylbenzene	ND	5.00	1.22	D	µg/L	10	11/07/25 19:46:07
Bromoform	ND	5.00	0.986	D	µg/L	10	11/07/25 19:46:07
1,1,2,2-Tetrachloroethane	ND	2.00	0.704	D	µg/L	10	11/07/25 19:46:07
n-Propylbenzene	ND	5.00	1.24	D	µg/L	10	11/07/25 19:46:07
Bromobenzene	ND	2.00	0.677	D	µg/L	10	11/07/25 19:46:07
1,3,5-Trimethylbenzene	ND	5.00	1.02	D	µg/L	10	11/07/25 19:46:07
2-Chlorotoluene	ND	5.00	0.721	D	µg/L	10	11/07/25 19:46:07
4-Chlorotoluene	ND	5.00	0.876	D	µg/L	10	11/07/25 19:46:07
tert-Butylbenzene	ND	5.00	0.821	D	µg/L	10	11/07/25 19:46:07
1,2,3-Trichloropropane	ND	5.00	0.979	D	µg/L	10	11/07/25 19:46:07
1,2,4-Trichlorobenzene	ND	7.50	2.34	D	µg/L	10	11/07/25 19:46:07
sec-Butylbenzene	ND	5.00	1.12	D	µg/L	10	11/07/25 19:46:07
4-Isopropyltoluene	ND	5.00	1.06	D	µg/L	10	11/07/25 19:46:07
1,3-Dichlorobenzene	ND	5.00	0.987	D	µg/L	10	11/07/25 19:46:07
1,4-Dichlorobenzene	ND	5.00	1.19	D	µg/L	10	11/07/25 19:46:07
n-Butylbenzene	ND	5.00	1.65	D	µg/L	10	11/07/25 19:46:07
1,2-Dichlorobenzene	ND	5.00	1.18	D	µg/L	10	11/07/25 19:46:07
1,2-Dibromo-3-chloropropane	ND	10.0	3.31	D	µg/L	10	11/07/25 19:46:07



Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511121-007
Client Sample ID: MW-143-251105

Collection Date: 11/5/2025 12:30:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	5.00	1.38	D	µg/L	10	11/07/25 19:46:07
Hexachloro-1,3-butadiene	ND	10.0	1.92	D	µg/L	10	11/07/25 19:46:07
Naphthalene	ND	12.5	4.05	D	µg/L	10	11/07/25 19:46:07
1,2,3-Trichlorobenzene	ND	10.0	2.95	D	µg/L	10	11/07/25 19:46:07
Surr: Dibromofluoromethane	103	79.9 - 122		D	%Rec	10	11/07/25 19:46:07
Surr: Dibromofluoromethane	103	79.9 - 122		D	%Rec	100	11/07/25 18:30:10
Surr: Toluene-d8	92.8	80 - 121		D	%Rec	100	11/07/25 18:30:10
Surr: Toluene-d8	93.5	80 - 121		D	%Rec	10	11/07/25 19:46:07
Surr: 1-Bromo-4-fluorobenzene	93.8	79.7 - 120		D	%Rec	100	11/07/25 18:30:10
Surr: 1-Bromo-4-fluorobenzene	87.6	79.7 - 120		D	%Rec	10	11/07/25 19:46:07
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 49900		Analyst: BB	
Chloride	70.3	6.00	0.609	D	mg/L	10	11/06/25 13:24:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/06/25 11:48:00
Sulfate	0.339	1.00	0.286	J	mg/L	1	11/06/25 11:48:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 49936		Analyst: ME	
Iron	22,900	50.0	10.1		µg/L	1	11/07/25 21:58:00
Manganese	5,780	5.00	2.08	D	µg/L	10	11/11/25 1:02:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10480		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	869	100	31.5	D	mg/L	40	11/18/25 16:45:00



Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511121-008
Client Sample ID: MW-142-251105

Collection Date: 11/5/2025 1:26:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10459		Analyst: BCA	
Methane	3.74	0.100	0.0901	D	mg/L	20	11/11/25 15:40:00
Ethene	0.00935	0.0100	0.00610	J	mg/L	1	11/11/25 15:07:00
Ethane	0.0242	0.0100	0.00754		mg/L	1	11/11/25 15:07:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/07/25 20:11:26
Chloromethane	ND	1.00	0.218		µg/L	1	11/07/25 20:11:26
Vinyl chloride	79.4	2.00	0.455	D	µg/L	10	11/07/25 18:55:28
Bromomethane	ND	2.00	0.386		µg/L	1	11/07/25 20:11:26
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/07/25 20:11:26
Chloroethane	ND	1.00	0.334		µg/L	1	11/07/25 20:11:26
1,1-Dichloroethene	0.245	0.500	0.122	J	µg/L	1	11/07/25 20:11:26
Acetone	ND	5.00	2.55		µg/L	1	11/07/25 20:11:26
Methylene chloride	ND	2.00	0.649		µg/L	1	11/07/25 20:11:26
trans-1,2-Dichloroethene	0.804	0.500	0.115		µg/L	1	11/07/25 20:11:26
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/07/25 20:11:26
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/07/25 20:11:26
cis-1,2-Dichloroethene	76.9	5.00	1.64	D	µg/L	10	11/07/25 18:55:28
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/07/25 20:11:26
Chloroform	ND	0.500	0.0865		µg/L	1	11/07/25 20:11:26
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/07/25 20:11:26
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/07/25 20:11:26
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/07/25 20:11:26
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/07/25 20:11:26
Benzene	0.234	0.200	0.0540		µg/L	1	11/07/25 20:11:26
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/07/25 20:11:26
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/07/25 20:11:26
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/07/25 20:11:26
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/07/25 20:11:26
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/07/25 20:11:26
Toluene	ND	0.500	0.129		µg/L	1	11/07/25 20:11:26
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/07/25 20:11:26



Analytical Report

Work Order: 2511121

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 1:26:00 PM

Project: 700 Dexter

Lab ID: 2511121-008

Matrix: Groundwater

Client Sample ID: MW-142-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/07/25 20:11:26
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/07/25 20:11:26
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/07/25 20:11:26
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/07/25 20:11:26
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/07/25 20:11:26
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/07/25 20:11:26
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/07/25 20:11:26
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/07/25 20:11:26
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/07/25 20:11:26
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/07/25 20:11:26
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/07/25 20:11:26
o-Xylene	ND	0.500	0.144		µg/L	1	11/07/25 20:11:26
Styrene	ND	0.500	0.115		µg/L	1	11/07/25 20:11:26
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/07/25 20:11:26
Bromoform	ND	0.500	0.0986		µg/L	1	11/07/25 20:11:26
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/07/25 20:11:26
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/07/25 20:11:26
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/07/25 20:11:26
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/07/25 20:11:26
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/07/25 20:11:26
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/07/25 20:11:26
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/07/25 20:11:26
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/07/25 20:11:26
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/07/25 20:11:26
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/07/25 20:11:26
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/07/25 20:11:26
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/07/25 20:11:26
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/07/25 20:11:26
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/07/25 20:11:26
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/07/25 20:11:26
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/07/25 20:11:26

Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511121-008
Client Sample ID: MW-142-251105

Collection Date: 11/5/2025 1:26:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/07/25 20:11:26
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/07/25 20:11:26
Naphthalene	ND	1.25	0.405		µg/L	1	11/07/25 20:11:26
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/07/25 20:11:26
Surr: Dibromofluoromethane	102	79.9 - 122		D	%Rec	10	11/07/25 18:55:28
Surr: Dibromofluoromethane	102	79.9 - 122			%Rec	1	11/07/25 20:11:26
Surr: Toluene-d8	93.2	80 - 121		D	%Rec	10	11/07/25 18:55:28
Surr: Toluene-d8	92.7	80 - 121			%Rec	1	11/07/25 20:11:26
Surr: 1-Bromo-4-fluorobenzene	85.0	79.7 - 120		D	%Rec	10	11/07/25 18:55:28
Surr: 1-Bromo-4-fluorobenzene	94.1	79.7 - 120			%Rec	1	11/07/25 20:11:26
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 49900		Analyst: BB		
Chloride	40.7	0.600	0.0609		mg/L	1	11/06/25 12:01:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/06/25 12:01:00
Sulfate	6.02	1.00	0.286		mg/L	1	11/06/25 12:01:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10480		Analyst: NR		
Alkalinity, Total (As CaCO3)	739	50.0	15.8	D	mg/L	20	11/18/25 16:27:00



Analytical Report

Work Order: 2511121

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 1:31:00 PM

Project: 700 Dexter

Lab ID: 2511121-009

Matrix: Groundwater

Client Sample ID: BB-8-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10459		Analyst: BCA	
Methane	12.0	0.250	0.225	D	mg/L	50	11/11/25 16:22:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/11/25 15:10:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/11/25 15:10:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	10.0	1.77	D	µg/L	10	11/07/25 20:36:45
Chloromethane	ND	10.0	2.18	D	µg/L	10	11/07/25 20:36:45
Vinyl chloride	0.874	2.00	0.455	DJ	µg/L	10	11/11/25 14:41:29
Bromomethane	ND	20.0	3.86	D	µg/L	10	11/07/25 20:36:45
Trichlorofluoromethane (CFC-11)	ND	5.00	0.618	D	µg/L	10	11/07/25 20:36:45
Chloroethane	ND	10.0	3.34	D	µg/L	10	11/07/25 20:36:45
1,1-Dichloroethene	ND	5.00	1.22	D	µg/L	10	11/07/25 20:36:45
Acetone	ND	50.0	25.5	D	µg/L	10	11/07/25 20:36:45
Methylene chloride	ND	20.0	6.49	D	µg/L	10	11/07/25 20:36:45
trans-1,2-Dichloroethene	1.43	5.00	1.15	DJ	µg/L	10	11/07/25 20:36:45
Methyl tert-butyl ether (MTBE)	ND	5.00	1.21	D	µg/L	10	11/07/25 20:36:45
1,1-Dichloroethane	ND	5.00	1.41	D	µg/L	10	11/07/25 20:36:45
cis-1,2-Dichloroethene	278	5.00	1.64	D	µg/L	10	11/07/25 20:36:45
2-Butanone (MEK)	ND	50.0	19.8	D	µg/L	10	11/07/25 20:36:45
Chloroform	ND	5.00	0.865	D	µg/L	10	11/07/25 20:36:45
1,1,1-Trichloroethane (TCA)	ND	5.00	1.03	D	µg/L	10	11/07/25 20:36:45
1,1-Dichloropropene	ND	5.00	1.43	D	µg/L	10	11/07/25 20:36:45
Carbon tetrachloride	ND	5.00	0.798	D	µg/L	10	11/07/25 20:36:45
1,2-Dichloroethane (EDC)	ND	2.00	0.477	D	µg/L	10	11/07/25 20:36:45
Benzene	ND	2.00	0.540	D	µg/L	10	11/07/25 20:36:45
Trichloroethene (TCE)	97.3	5.00	1.35	D	µg/L	10	11/07/25 20:36:45
1,2-Dichloropropane	ND	2.00	0.503	D	µg/L	10	11/07/25 20:36:45
Bromodichloromethane	ND	2.00	0.489	D	µg/L	10	11/07/25 20:36:45
Dibromomethane	ND	5.00	0.812	D	µg/L	10	11/07/25 20:36:45
cis-1,3-Dichloropropene	ND	5.00	1.09	D	µg/L	10	11/07/25 20:36:45
Toluene	ND	5.00	1.29	D	µg/L	10	11/07/25 20:36:45
trans-1,3-Dichloropropylene	ND	5.00	0.993	D	µg/L	10	11/07/25 20:36:45



Analytical Report

Work Order: 2511121

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 1:31:00 PM

Project: 700 Dexter

Lab ID: 2511121-009

Matrix: Groundwater

Client Sample ID: BB-8-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
Volatile Organic Compounds by EPA 8260D			Batch ID: 49950		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	25.0	3.54	D	µg/L	10	11/07/25 20:36:45
1,1,2-Trichloroethane	ND	5.00	0.807	D	µg/L	10	11/07/25 20:36:45
1,3-Dichloropropane	ND	5.00	0.827	D	µg/L	10	11/07/25 20:36:45
Tetrachloroethene (PCE)	11.1	5.00	1.02	D	µg/L	10	11/07/25 20:36:45
Dibromochloromethane	ND	5.00	1.01	D	µg/L	10	11/07/25 20:36:45
1,2-Dibromoethane (EDB)	ND	5.00	0.432	D	µg/L	10	11/07/25 20:36:45
2-Hexanone (MBK)	ND	12.5	3.64	D	µg/L	10	11/07/25 20:36:45
Chlorobenzene	ND	5.00	0.934	D	µg/L	10	11/07/25 20:36:45
1,1,1,2-Tetrachloroethane	ND	5.00	1.17	D	µg/L	10	11/07/25 20:36:45
Ethylbenzene	ND	5.00	1.25	D	µg/L	10	11/07/25 20:36:45
m,p-Xylene	ND	10.0	2.89	D	µg/L	10	11/07/25 20:36:45
o-Xylene	ND	5.00	1.44	D	µg/L	10	11/07/25 20:36:45
Styrene	ND	5.00	1.15	D	µg/L	10	11/07/25 20:36:45
Isopropylbenzene	ND	5.00	1.22	D	µg/L	10	11/07/25 20:36:45
Bromoform	ND	5.00	0.986	D	µg/L	10	11/07/25 20:36:45
1,1,2,2-Tetrachloroethane	ND	2.00	0.704	D	µg/L	10	11/07/25 20:36:45
n-Propylbenzene	ND	5.00	1.24	D	µg/L	10	11/07/25 20:36:45
Bromobenzene	ND	2.00	0.677	D	µg/L	10	11/07/25 20:36:45
1,3,5-Trimethylbenzene	ND	5.00	1.02	D	µg/L	10	11/07/25 20:36:45
2-Chlorotoluene	ND	5.00	0.721	D	µg/L	10	11/07/25 20:36:45
4-Chlorotoluene	ND	5.00	0.876	D	µg/L	10	11/07/25 20:36:45
tert-Butylbenzene	ND	5.00	0.821	D	µg/L	10	11/07/25 20:36:45
1,2,3-Trichloropropane	ND	5.00	0.979	D	µg/L	10	11/07/25 20:36:45
1,2,4-Trichlorobenzene	ND	7.50	2.34	D	µg/L	10	11/07/25 20:36:45
sec-Butylbenzene	ND	5.00	1.12	D	µg/L	10	11/07/25 20:36:45
4-Isopropyltoluene	ND	5.00	1.06	D	µg/L	10	11/07/25 20:36:45
1,3-Dichlorobenzene	ND	5.00	0.987	D	µg/L	10	11/07/25 20:36:45
1,4-Dichlorobenzene	ND	5.00	1.19	D	µg/L	10	11/07/25 20:36:45
n-Butylbenzene	ND	5.00	1.65	D	µg/L	10	11/07/25 20:36:45
1,2-Dichlorobenzene	ND	5.00	1.18	D	µg/L	10	11/07/25 20:36:45
1,2-Dibromo-3-chloropropane	ND	10.0	3.31	D	µg/L	10	11/07/25 20:36:45

Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 1:31:00 PM

Project: 700 Dexter

Lab ID: 2511121-009

Matrix: Groundwater

Client Sample ID: BB-8-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	5.00	1.38	D	µg/L	10	11/07/25 20:36:45
Hexachloro-1,3-butadiene	ND	10.0	1.92	D	µg/L	10	11/07/25 20:36:45
Naphthalene	ND	12.5	4.05	D	µg/L	10	11/07/25 20:36:45
1,2,3-Trichlorobenzene	ND	10.0	2.95	D	µg/L	10	11/07/25 20:36:45
Surr: Dibromofluoromethane	103	79.9 - 122		D	%Rec	10	11/07/25 20:36:45
Surr: Dibromofluoromethane	111	79.9 - 122		D	%Rec	10	11/11/25 14:41:29
Surr: Toluene-d8	98.6	80 - 121		D	%Rec	10	11/11/25 14:41:29
Surr: Toluene-d8	92.6	80 - 121		D	%Rec	10	11/07/25 20:36:45
Surr: 1-Bromo-4-fluorobenzene	94.1	79.7 - 120		D	%Rec	10	11/07/25 20:36:45
Surr: 1-Bromo-4-fluorobenzene	88.9	79.7 - 120		D	%Rec	10	11/11/25 14:41:29
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 49900		Analyst: BB	
Chloride	16.8	0.600	0.0609		mg/L	1	11/06/25 12:21:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/06/25 12:21:00
Sulfate	189	20.0	5.71	D	mg/L	20	11/07/25 12:10:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10480		Analyst: NR	
Alkalinity, Total (As CaCO3)	727	50.0	15.8	D	mg/L	20	11/18/25 16:29:00



Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 2:00:00 PM

Project: 700 Dexter

Lab ID: 2511121-010

Matrix: Groundwater

Client Sample ID: MW-105-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/07/25 18:04:53
Chloromethane	ND	1.00	0.218		µg/L	1	11/07/25 18:04:53
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/07/25 18:04:53
Bromomethane	ND	2.00	0.386		µg/L	1	11/07/25 18:04:53
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/07/25 18:04:53
Chloroethane	ND	1.00	0.334		µg/L	1	11/07/25 18:04:53
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/07/25 18:04:53
Acetone	ND	5.00	2.55		µg/L	1	11/07/25 18:04:53
Methylene chloride	ND	2.00	0.649		µg/L	1	11/07/25 18:04:53
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/07/25 18:04:53
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/07/25 18:04:53
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/07/25 18:04:53
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/07/25 18:04:53
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/07/25 18:04:53
Chloroform	ND	0.500	0.0865		µg/L	1	11/07/25 18:04:53
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/07/25 18:04:53
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/07/25 18:04:53
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/07/25 18:04:53
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/07/25 18:04:53
Benzene	ND	0.200	0.0540		µg/L	1	11/07/25 18:04:53
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/07/25 18:04:53
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/07/25 18:04:53
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/07/25 18:04:53
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/07/25 18:04:53
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/07/25 18:04:53
Toluene	ND	0.500	0.129		µg/L	1	11/07/25 18:04:53
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/07/25 18:04:53
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/07/25 18:04:53
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/07/25 18:04:53
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/07/25 18:04:53
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/07/25 18:04:53



Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511121-010
Client Sample ID: MW-105-251105

Collection Date: 11/5/2025 2:00:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/07/25 18:04:53
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/07/25 18:04:53
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/07/25 18:04:53
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/07/25 18:04:53
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/07/25 18:04:53
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/07/25 18:04:53
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/07/25 18:04:53
o-Xylene	ND	0.500	0.144		µg/L	1	11/07/25 18:04:53
Styrene	ND	0.500	0.115		µg/L	1	11/07/25 18:04:53
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/07/25 18:04:53
Bromoform	ND	0.500	0.0986		µg/L	1	11/07/25 18:04:53
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/07/25 18:04:53
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/07/25 18:04:53
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/07/25 18:04:53
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/07/25 18:04:53
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/07/25 18:04:53
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/07/25 18:04:53
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/07/25 18:04:53
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/07/25 18:04:53
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/07/25 18:04:53
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/07/25 18:04:53
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/07/25 18:04:53
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/07/25 18:04:53
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/07/25 18:04:53
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/07/25 18:04:53
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/07/25 18:04:53
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/07/25 18:04:53
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/07/25 18:04:53
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/07/25 18:04:53
Naphthalene	ND	1.25	0.405		µg/L	1	11/07/25 18:04:53
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/07/25 18:04:53



Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511121-010
Client Sample ID: MW-105-251105

Collection Date: 11/5/2025 2:00:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/07/25 18:04:53
Surr: Toluene-d8	93.6	80 - 121			%Rec	1	11/07/25 18:04:53
Surr: 1-Bromo-4-fluorobenzene	94.6	79.7 - 120			%Rec	1	11/07/25 18:04:53



Analytical Report

Work Order: 2511121

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 12:40:00 PM

Project: 700 Dexter

Lab ID: 2511121-011

Matrix: Groundwater

Client Sample ID: MW-303-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/07/25 22:16:50
Chloromethane	ND	1.00	0.218		µg/L	1	11/07/25 22:16:50
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/07/25 22:16:50
Bromomethane	ND	2.00	0.386		µg/L	1	11/07/25 22:16:50
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/07/25 22:16:50
Chloroethane	ND	1.00	0.334		µg/L	1	11/07/25 22:16:50
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/07/25 22:16:50
Acetone	ND	5.00	2.55		µg/L	1	11/07/25 22:16:50
Methylene chloride	ND	2.00	0.649		µg/L	1	11/07/25 22:16:50
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/07/25 22:16:50
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/07/25 22:16:50
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/07/25 22:16:50
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/07/25 22:16:50
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/07/25 22:16:50
Chloroform	ND	0.500	0.0865		µg/L	1	11/07/25 22:16:50
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/07/25 22:16:50
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/07/25 22:16:50
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/07/25 22:16:50
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/07/25 22:16:50
Benzene	ND	0.200	0.0540		µg/L	1	11/07/25 22:16:50
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/07/25 22:16:50
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/07/25 22:16:50
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/07/25 22:16:50
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/07/25 22:16:50
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/07/25 22:16:50
Toluene	ND	0.500	0.129		µg/L	1	11/07/25 22:16:50
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/07/25 22:16:50
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/07/25 22:16:50
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/07/25 22:16:50
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/07/25 22:16:50
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/07/25 22:16:50



Analytical Report

Work Order: 2511121

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025 12:40:00 PM

Project: 700 Dexter

Lab ID: 2511121-011

Matrix: Groundwater

Client Sample ID: MW-303-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/07/25 22:16:50
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/07/25 22:16:50
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/07/25 22:16:50
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/07/25 22:16:50
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/07/25 22:16:50
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/07/25 22:16:50
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/07/25 22:16:50
o-Xylene	ND	0.500	0.144		µg/L	1	11/07/25 22:16:50
Styrene	ND	0.500	0.115		µg/L	1	11/07/25 22:16:50
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/07/25 22:16:50
Bromoform	ND	0.500	0.0986		µg/L	1	11/07/25 22:16:50
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/07/25 22:16:50
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/07/25 22:16:50
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/07/25 22:16:50
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/07/25 22:16:50
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/07/25 22:16:50
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/07/25 22:16:50
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/07/25 22:16:50
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/07/25 22:16:50
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/07/25 22:16:50
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/07/25 22:16:50
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/07/25 22:16:50
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/07/25 22:16:50
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/07/25 22:16:50
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/07/25 22:16:50
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/07/25 22:16:50
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/07/25 22:16:50
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/07/25 22:16:50
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/07/25 22:16:50
Naphthalene	ND	1.25	0.405		µg/L	1	11/07/25 22:16:50
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/07/25 22:16:50



Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511121-011
Client Sample ID: MW-303-251105

Collection Date: 11/5/2025 12:40:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
Surr: Dibromofluoromethane	105	79.9 - 122			%Rec	1	11/07/25 22:16:50
Surr: Toluene-d8	93.0	80 - 121			%Rec	1	11/07/25 22:16:50
Surr: 1-Bromo-4-fluorobenzene	121	79.7 - 120		S	%Rec	1	11/07/25 22:16:50

NOTES:

S - Outlying surrogate recovery observed (high bias). Sample is non-detect; result meets QC requirements.

Client: Geosyntec Consultants

Collection Date: 11/5/2025

Project: 700 Dexter

Lab ID: 2511121-012

Matrix: Groundwater

Client Sample ID: TRIP-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/07/25 15:33:10
Chloromethane	ND	1.00	0.218		µg/L	1	11/07/25 15:33:10
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/07/25 15:33:10
Bromomethane	ND	2.00	0.386		µg/L	1	11/07/25 15:33:10
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/07/25 15:33:10
Chloroethane	ND	1.00	0.334		µg/L	1	11/07/25 15:33:10
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/07/25 15:33:10
Acetone	ND	5.00	2.55		µg/L	1	11/07/25 15:33:10
Methylene chloride	ND	2.00	0.649		µg/L	1	11/07/25 15:33:10
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/07/25 15:33:10
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/07/25 15:33:10
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/07/25 15:33:10
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/07/25 15:33:10
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/07/25 15:33:10
Chloroform	ND	0.500	0.0865		µg/L	1	11/07/25 15:33:10
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/07/25 15:33:10
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/07/25 15:33:10
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/07/25 15:33:10
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/07/25 15:33:10
Benzene	ND	0.200	0.0540		µg/L	1	11/07/25 15:33:10
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/07/25 15:33:10
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/07/25 15:33:10
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/07/25 15:33:10
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/07/25 15:33:10
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/07/25 15:33:10
Toluene	ND	0.500	0.129		µg/L	1	11/07/25 15:33:10
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/07/25 15:33:10
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/07/25 15:33:10
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/07/25 15:33:10
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/07/25 15:33:10
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/07/25 15:33:10

Client: Geosyntec Consultants

Collection Date: 11/5/2025

Project: 700 Dexter

Lab ID: 2511121-012

Matrix: Groundwater

Client Sample ID: TRIP-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/07/25 15:33:10
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/07/25 15:33:10
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/07/25 15:33:10
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/07/25 15:33:10
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/07/25 15:33:10
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/07/25 15:33:10
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/07/25 15:33:10
o-Xylene	ND	0.500	0.144		µg/L	1	11/07/25 15:33:10
Styrene	ND	0.500	0.115		µg/L	1	11/07/25 15:33:10
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/07/25 15:33:10
Bromoform	ND	0.500	0.0986		µg/L	1	11/07/25 15:33:10
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/07/25 15:33:10
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/07/25 15:33:10
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/07/25 15:33:10
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/07/25 15:33:10
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/07/25 15:33:10
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/07/25 15:33:10
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/07/25 15:33:10
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/07/25 15:33:10
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/07/25 15:33:10
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/07/25 15:33:10
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/07/25 15:33:10
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/07/25 15:33:10
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/07/25 15:33:10
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/07/25 15:33:10
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/07/25 15:33:10
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/07/25 15:33:10
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/07/25 15:33:10
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/07/25 15:33:10
Naphthalene	ND	1.25	0.405		µg/L	1	11/07/25 15:33:10
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/07/25 15:33:10



Analytical Report

Work Order: 2511121
Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/5/2025

Project: 700 Dexter

Lab ID: 2511121-012

Matrix: Groundwater

Client Sample ID: TRIP-251105

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 49950

Analyst: KJ

Surr: Dibromofluoromethane	101	79.9 - 122			%Rec	1	11/07/25 15:33:10
Surr: Toluene-d8	93.0	80 - 121			%Rec	1	11/07/25 15:33:10
Surr: 1-Bromo-4-fluorobenzene	95.2	79.7 - 120			%Rec	1	11/07/25 15:33:10

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-A	SampType: CCV	Units: mg/L				Prep Date: 11/18/2025			RunNo: 104802		
Client ID: CCV	Batch ID: R104802					Analysis Date: 11/18/2025			SeqNo: 2186844		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	26.9	2.50	25.00	0	107	80	120				

Sample ID: CCB-A	SampType: CCB	Units: mg/L				Prep Date: 11/18/2025			RunNo: 104802		
Client ID: CCB	Batch ID: R104802					Analysis Date: 11/18/2025			SeqNo: 2186845		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	ND	2.50									

Sample ID: MB-104802	SampType: MBLK	Units: mg/L				Prep Date: 11/18/2025			RunNo: 104802		
Client ID: MBLKW	Batch ID: R104802					Analysis Date: 11/18/2025			SeqNo: 2186846		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	0.953	2.50									J

Sample ID: LCS-104802	SampType: LCS	Units: mg/L				Prep Date: 11/18/2025			RunNo: 104802		
Client ID: LCSW	Batch ID: R104802					Analysis Date: 11/18/2025			SeqNo: 2186847		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	21.9	2.50	25.00	0	87.6	80	134				

Sample ID: 2511121-004DDUP	SampType: DUP	Units: mg/L				Prep Date: 11/18/2025			RunNo: 104802		
Client ID: R-MW5-251105	Batch ID: R104802					Analysis Date: 11/18/2025			SeqNo: 2186850		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	103	10.0						96.55	6.02	20	D

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-B		SampType: CCV			Units: mg/L		Prep Date: 11/18/2025			RunNo: 104802		
Client ID: CCV		Batch ID: R104802			Analysis Date: 11/18/2025			SeqNo: 2186856				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	27.5	2.50	25.00	0	110	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-B		SampType: CCB			Units: mg/L		Prep Date: 11/18/2025			RunNo: 104802		
Client ID: CCB		Batch ID: R104802			Analysis Date: 11/18/2025			SeqNo: 2186857				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	1.62	2.50									
------------------------------	------	------	--	--	--	--	--	--	--	--	--

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: MB-49900		SampType: MBLK			Units: mg/L		Prep Date: 11/5/2025			RunNo: 104457		
Client ID: MBLKW		Batch ID: 49900			Analysis Date: 11/5/2025			SeqNo: 2179119				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	ND	0.600									
Nitrate (as N)	ND	0.150									
Sulfate	ND	1.00									

Sample ID: LCS-49900		SampType: LCS			Units: mg/L		Prep Date: 11/5/2025			RunNo: 104457		
Client ID: LCSW		Batch ID: 49900			Analysis Date: 11/5/2025					SeqNo: 2179120		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	9.47	0.600	10.00	0	94.7	90	110				
Nitrate (as N)	2.16	0.150	2.259	0	95.7	90	110				
Sulfate	9.93	1.00	10.00	0	99.3	90	110				

Sample ID: 2511113-001BDUP		SampType: DUP			Units: mg/L		Prep Date: 11/5/2025			RunNo: 104457		
Client ID: BATCH		Batch ID: 49900			Analysis Date: 11/5/2025			SeqNo: 2179123				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	1.65	0.600						1.714	3.87	20	
Nitrate (as N)	0.165	0.150						0.1680	1.80	20	
Sulfate	3.72	1.00						3.631	2.34	20	

Sample ID: 2511113-001BMS		SampType: MS			Units: mg/L		Prep Date: 11/5/2025			RunNo: 104457		
Client ID: BATCH		Batch ID: 49900			Analysis Date: 11/5/2025					SeqNo: 2179124		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	11.1	0.600	10.00	1.714	93.9	80	120				
Nitrate (as N)	2.31	0.150	2.259	0.1680	94.8	80	120				
Sulfate	13.0	1.00	10.00	3.631	93.9	80	120				

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511113-001BMSD		SampType: MSD			Units: mg/L		Prep Date: 11/5/2025			RunNo: 104457		
Client ID: BATCH		Batch ID: 49900			Analysis Date: 11/5/2025					SeqNo: 2179125		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	10.7	0.600	10.00	1.714	89.6	80	120	11.10	3.99	20	
Nitrate (as N)	2.21	0.150	2.259	0.1680	90.5	80	120	2.309	4.25	20	
Sulfate	12.6	1.00	10.00	3.631	89.8	80	120	13.02	3.17	20	

Sample ID: 2511082-002ADUP		SampType: DUP			Units: mg/L		Prep Date: 11/5/2025			RunNo: 104457		
Client ID: BATCH		Batch ID: 49900			Analysis Date: 11/5/2025					SeqNo: 2179128		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	18.7	0.600						18.83	0.479	20	
Nitrate (as N)	0.873	0.150						0.8830	1.14	20	
Sulfate	20.6	1.00						20.90	1.30	20	

Sample ID: 2511082-002AMS		SampType: MS			Units: mg/L		Prep Date: 11/5/2025			RunNo: 104457		
Client ID: BATCH		Batch ID: 49900			Analysis Date: 11/5/2025			SeqNo: 2179131				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	27.4	0.600	10.00	18.83	85.3	80	120				
Nitrate (as N)	3.02	0.150	2.259	0.8830	94.8	80	120				
Sulfate	29.4	1.00	10.00	20.90	84.5	80	120				

Sample ID: CCV-G		SampType: CCV			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104457		
Client ID: CCV		Batch ID: 49900			Analysis Date: 11/7/2025			SeqNo: 2180024				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Sulfate	12.2	1.00	12.50	0	97.3	90	110				
---------	------	------	-------	---	------	----	-----	--	--	--	--

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: CCB-G		SampType: CCB			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104457		
Client ID: CCB		Batch ID: 49900			Analysis Date: 11/7/2025			SeqNo: 2180025				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Sulfate	ND	1.00									
---------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: CCV-H		SampType: CCV			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104457		
Client ID: CCV		Batch ID: 49900			Analysis Date: 11/7/2025			SeqNo: 2180031				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Sulfate	11.3	1.00	12.50	0	90.4	90	110				
---------	------	------	-------	---	------	----	-----	--	--	--	--

Sample ID: CCB-H		SampType: CCB			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104457		
Client ID: CCB		Batch ID: 49900			Analysis Date: 11/7/2025			SeqNo: 2180032				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Sulfate	ND	1.00									
---------	----	------	--	--	--	--	--	--	--	--	--

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Metals by EPA 6020B

Sample ID: MB-49936		SampType: MBLK			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104534		
Client ID: MBLKW		Batch ID: 49936			Analysis Date: 11/7/2025			SeqNo: 2180703				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	ND	30.0									
Manganese	ND	0.500									

Sample ID: LCS-49936		SampType: LCS			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104534		
Client ID: LCSW		Batch ID: 49936			Analysis Date: 11/7/2025			SeqNo: 2180704				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	1,040	30.0	1,000	0	104	80	120				
Manganese	103	0.500	100.0	0	103	80	120				

Sample ID: 2511030-001BMS		SampType: MS			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104534		
Client ID: BATCH		Batch ID: 49936			Analysis Date: 11/7/2025			SeqNo: 2180707				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	2,630	30.0	1,000	1,623	101	75	125				
Manganese	419	0.500	100.0	321.8	97.0	75	125				

Sample ID: 2511030-001BMSD		SampType: MSD			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104534		
Client ID: BATCH		Batch ID: 49936			Analysis Date: 11/7/2025					SeqNo: 2180709		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	2,640	30.0	1,000	1,623	102	75	125	2,628	0.415	20	
Manganese	420	0.500	100.0	321.8	97.8	75	125	418.8	0.171	20	

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVA		SampType: CCV			Units: ppmv		Prep Date: 11/11/2025			RunNo: 104599		
Client ID: CCV		Batch ID: R104599			Analysis Date: 11/11/2025			SeqNo: 2182464				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	999	0.00500	1,000	0	99.9	85	115				
Ethene	1,030	0.0100	1,000	0	103	85	115				
Ethane	1,050	0.0100	1,000	0	105	85	115				

Sample ID: LCS-104599		SampType: LCS			Units: ppmv		Prep Date: 11/11/2025			RunNo: 104599		
Client ID: LCSW		Batch ID: R104599			Analysis Date: 11/11/2025			SeqNo: 2182469				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	999	0.00500	1,000	0	99.9	73.6	124				
Ethene	1,030	0.0100	1,000	0	103	76.3	122				
Ethane	1,050	0.0100	1,000	0	105	76.1	123				

Sample ID: MB-104599		SampType: MBLK			Units: mg/L		Prep Date: 11/11/2025			RunNo: 104599		
Client ID: MBLKW		Batch ID: R104599			Analysis Date: 11/11/2025					SeqNo: 2182468		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	ND	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Sample ID: 2511121-001EREP		SampType: REP			Units: mg/L		Prep Date: 11/11/2025			RunNo: 104599		
Client ID: MW-144R-251105		Batch ID: R104599						Analysis Date: 11/11/2025			SeqNo: 2182449	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	5.63	0.00500						5.629	0.0861	30	E
Ethene	ND	0.0100						0	0	30	
Ethane	0.135	0.0100						0.1363	1.21	30	

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVB		SampType: CCV			Units: ppmv		Prep Date: 11/11/2025			RunNo: 104599		
Client ID: CCV		Batch ID: R104599			Analysis Date: 11/11/2025			SeqNo: 2182465				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	971	0.00500	1,000	0	97.1	85	115				
Ethene	1,030	0.0100	1,000	0	103	85	115				
Ethane	1,040	0.0100	1,000	0	104	85	115				

Sample ID: 2511121-008E		SampType: REP			Units: mg/L		Prep Date: 11/11/2025			RunNo: 104599		
Client ID: MW-142-251105		Batch ID: R104599			Analysis Date: 11/11/2025			SeqNo: 2182455				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	3.39	0.100						3.738	9.89	30	D
---------	------	-------	--	--	--	--	--	-------	------	----	---

Sample ID: CCVC		SampType: CCV			Units: ppmv		Prep Date: 11/11/2025			RunNo: 104599		
Client ID: CCV		Batch ID: R104599			Analysis Date: 11/11/2025			SeqNo: 2182466				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	946	0.00500	1,000	0	94.6	85	115				
Ethene	1,020	0.0100	1,000	0	102	85	115				
Ethane	1,040	0.0100	1,000	0	104	85	115				

Sample ID: CCVD		SampType: CCV			Units: ppmv		Prep Date: 11/11/2025			RunNo: 104599		
Client ID: CCV		Batch ID: R104599			Analysis Date: 11/11/2025			SeqNo: 2182467				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	994	0.00500	1,000	0	99.4	85	115				
Ethene	1,000	0.0100	1,000	0	100	85	115				
Ethane	1,040	0.0100	1,000	0	104	85	115				

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-49950	SampType: LCS	Units: µg/L			Prep Date: 11/7/2025			RunNo: 104574			
Client ID: LCSW	Batch ID: 49950	Analysis Date: 11/7/2025						SeqNo: 2181804			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	17.9	1.00	20.00	0	89.4	80	120				
Chloromethane	17.2	1.00	20.00	0	86.0	80	120				
Vinyl chloride	18.3	0.200	20.00	0	91.4	80	120				
Bromomethane	19.6	2.00	20.00	0	98.1	80	120				
Trichlorofluoromethane (CFC-11)	18.8	0.500	20.00	0	94.0	80	120				
Chloroethane	17.9	1.00	20.00	0	89.4	80	120				
1,1-Dichloroethene	18.6	0.500	20.00	0	93.0	80	120				
Acetone	55.5	5.00	50.00	0	111	80	120				
Methylene chloride	20.0	2.00	20.00	0	100	80	120				
trans-1,2-Dichloroethene	19.7	0.500	20.00	0	98.5	80	120				
Methyl tert-butyl ether (MTBE)	18.8	0.500	20.00	0	93.8	80	120				
1,1-Dichloroethane	20.0	0.500	20.00	0	100	80	120				
cis-1,2-Dichloroethene	20.9	0.500	20.00	0	105	80	120				
2-Butanone (MEK)	55.9	5.00	50.00	0	112	80	120				
Chloroform	19.7	0.500	20.00	0	98.4	80	120				
1,1,1-Trichloroethane (TCA)	20.6	0.500	20.00	0	103	80	120				
1,1-Dichloropropene	19.9	0.500	20.00	0	99.6	80	120				
Carbon tetrachloride	20.1	0.500	20.00	0	101	80	120				
1,2-Dichloroethane (EDC)	18.3	0.200	20.00	0	91.5	80	120				
Benzene	20.9	0.200	20.00	0	104	80	120				
Trichloroethene (TCE)	20.8	0.500	20.00	0	104	80	120				
1,2-Dichloropropane	20.1	0.200	20.00	0	100	80	120				
Bromodichloromethane	18.4	0.200	20.00	0	91.8	80	120				
Dibromomethane	18.4	0.500	20.00	0	91.8	80	120				
cis-1,3-Dichloropropene	18.6	0.500	20.00	0	93.1	80	120				
Toluene	18.6	0.500	20.00	0	93.0	80	120				
trans-1,3-Dichloropropylene	18.5	0.500	20.00	0	92.6	80	120				
Methyl Isobutyl Ketone (MIBK)	46.0	2.50	50.00	0	92.0	80	120				
1,1,2-Trichloroethane	17.9	0.500	20.00	0	89.5	80	120				
1,3-Dichloropropane	18.0	0.500	20.00	0	89.9	80	120				
Tetrachloroethene (PCE)	18.0	0.500	20.00	0	90.2	80	120				
Dibromochloromethane	18.0	0.500	20.00	0	90.1	80	120				

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-49950	SampType: LCS	Units: µg/L			Prep Date: 11/7/2025			RunNo: 104574			
Client ID: LCSW	Batch ID: 49950	Analysis Date: 11/7/2025						SeqNo: 2181804			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	17.5	0.500	20.00	0	87.6	80	120				
2-Hexanone (MBK)	51.5	1.25	50.00	0	103	80	120				
Chlorobenzene	18.9	0.500	20.00	0	94.6	80	120				
1,1,1,2-Tetrachloroethane	21.4	0.500	20.00	0	107	80	120				
Ethylbenzene	19.3	0.500	20.00	0	96.7	80	120				
m,p-Xylene	38.3	1.00	40.00	0	95.7	80	120				
o-Xylene	19.7	0.500	20.00	0	98.4	80	120				
Styrene	20.8	0.500	20.00	0	104	80	120				
Isopropylbenzene	20.8	0.500	20.00	0	104	80	120				
Bromoform	19.6	0.500	20.00	0	97.8	80	120				
1,1,2,2-Tetrachloroethane	19.9	0.200	20.00	0	99.3	80	120				
n-Propylbenzene	21.3	0.500	20.00	0	106	80	120				
Bromobenzene	19.1	0.200	20.00	0	95.5	80	120				
1,3,5-Trimethylbenzene	20.1	0.500	20.00	0	101	80	120				
2-Chlorotoluene	19.1	0.500	20.00	0	95.6	80	120				
4-Chlorotoluene	19.8	0.500	20.00	0	99.2	80	120				
tert-Butylbenzene	19.2	0.500	20.00	0	95.9	80	120				
1,2,3-Trichloropropane	18.9	0.500	20.00	0	94.6	80	120				
1,2,4-Trichlorobenzene	16.5	0.750	20.00	0	82.7	80	120				
sec-Butylbenzene	19.7	0.500	20.00	0	98.6	80	120				
4-Isopropyltoluene	20.8	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	19.2	0.500	20.00	0	96.2	80	120				
1,4-Dichlorobenzene	18.4	0.500	20.00	0	91.8	80	120				
n-Butylbenzene	19.9	0.500	20.00	0	99.5	80	120				
1,2-Dichlorobenzene	19.4	0.500	20.00	0	96.9	80	120				
1,2-Dibromo-3-chloropropane	16.2	1.00	20.00	0	81.0	80	120				
1,2,4-Trimethylbenzene	20.3	0.500	20.00	0	102	80	120				
Hexachloro-1,3-butadiene	17.5	1.00	20.00	0	87.6	80	120				
Naphthalene	17.3	1.25	20.00	0	86.7	80	120				
1,2,3-Trichlorobenzene	19.8	1.00	20.00	0	99.1	80	120				
Surr: Dibromofluoromethane	25.2		25.00		101	79.9	122				
Surr: Toluene-d8	24.1		25.00		96.2	80	121				

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-49950		SampType: LCS		Units: µg/L		Prep Date: 11/7/2025			RunNo: 104574			
Client ID: LCSW		Batch ID: 49950					Analysis Date: 11/7/2025			SeqNo: 2181804		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Surr: 1-Bromo-4-fluorobenzene	25.2		25.00		101	79.7	120					

Sample ID: MB-49950	SampType: MBLK	Units: µg/L			Prep Date: 11/7/2025			RunNo: 104574			
Client ID: MBLKW	Batch ID: 49950	Analysis Date: 11/7/2025						SeqNo: 2181776			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	ND	5.00									
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									
1,1-Dichloropropene	ND	0.500									
Carbon tetrachloride	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.200									
Benzene	ND	0.200									
Trichloroethene (TCE)	ND	0.500									
1,2-Dichloropropane	ND	0.200									
Bromodichloromethane	ND	0.200									
Dibromomethane	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-49950	SampType: MBLK	Units: µg/L			Prep Date: 11/7/2025			RunNo: 104574			
Client ID: MBLKW	Batch ID: 49950	Analysis Date: 11/7/2025						SeqNo: 2181776			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-49950		SampType: MBLK			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104574		
Client ID: MBLKW		Batch ID: 49950			Analysis Date: 11/7/2025					SeqNo: 2181776		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	25.0		25.00		100	80	120				
Surr: Toluene-d8	22.9		25.00		91.8	80	120				
Surr: 1-Bromo-4-fluorobenzene	23.7		25.00		94.6	80	120				

Sample ID: 2511121-001ADUP		SampType: DUP			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104574		
Client ID: MW-144R-251105		Batch ID: 49950			Analysis Date: 11/7/2025			SeqNo: 2181779				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	ND	1.00						0	0	30	
Chloromethane	ND	1.00						0	0	30	
Vinyl chloride	ND	0.200						0	0	30	
Bromomethane	ND	2.00						0	0	30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0	0	30	
Chloroethane	ND	1.00						0	0	30	
1,1-Dichloroethene	ND	0.500						0	0	30	
Acetone	ND	5.00						0	0	30	
Methylene chloride	ND	2.00						0	0	30	
trans-1,2-Dichloroethene	ND	0.500						0	0	30	
Methyl tert-butyl ether (MTBE)	ND	0.500						0	0	30	
1,1-Dichloroethane	ND	0.500						0	0	30	
cis-1,2-Dichloroethene	ND	0.500						0	0	30	
2-Butanone (MEK)	ND	5.00						0	0	30	
Chloroform	ND	0.500						0	0	30	
1,1,1-Trichloroethane (TCA)	ND	0.500						0	0	30	
1,1-Dichloropropene	ND	0.500						0	0	30	
Carbon tetrachloride	ND	0.500						0	0	30	

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511121-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/7/2025		RunNo: 104574			
Client ID: MW-144R-251105		Batch ID: 49950				Analysis Date: 11/7/2025		SeqNo: 2181779			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dichloroethane (EDC)	ND	0.200						0	0	30	
Benzene	ND	0.200						0	0	30	
Trichloroethene (TCE)	ND	0.500						0	0	30	
1,2-Dichloropropane	ND	0.200						0	0	30	
Bromodichloromethane	ND	0.200						0	0	30	
Dibromomethane	ND	0.500						0	0	30	
cis-1,3-Dichloropropene	ND	0.500						0	0	30	
Toluene	ND	0.500						0	0	30	
trans-1,3-Dichloropropylene	ND	0.500						0	0	30	
Methyl Isobutyl Ketone (MIBK)	ND	2.50						0	0	30	
1,1,2-Trichloroethane	ND	0.500						0	0	30	
1,3-Dichloropropane	ND	0.500						0	0	30	
Tetrachloroethene (PCE)	ND	0.500						0	0	30	
Dibromochloromethane	ND	0.500						0	0	30	
1,2-Dibromoethane (EDB)	ND	0.500						0	0	30	
2-Hexanone (MBK)	ND	1.25						0	0	30	
Chlorobenzene	ND	0.500						0	0	30	
1,1,1,2-Tetrachloroethane	ND	0.500						0	0	30	
Ethylbenzene	ND	0.500						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	
o-Xylene	ND	0.500						0	0	30	
Styrene	ND	0.500						0	0	30	
Isopropylbenzene	ND	0.500						0	0	30	
Bromoform	ND	0.500						0	0	30	
1,1,2,2-Tetrachloroethane	ND	0.200						0	0	30	
n-Propylbenzene	ND	0.500						0	0	30	
Bromobenzene	ND	0.200						0	0	30	
1,3,5-Trimethylbenzene	ND	0.500						0	0	30	
2-Chlorotoluene	ND	0.500						0	0	30	
4-Chlorotoluene	ND	0.500						0	0	30	
tert-Butylbenzene	ND	0.500						0	0	30	
1,2,3-Trichloropropane	ND	0.500						0	0	30	

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511121-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/7/2025		RunNo: 104574			
Client ID: MW-144R-251105		Batch ID: 49950				Analysis Date: 11/7/2025		SeqNo: 2181779			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	ND	0.750						0	0	30	
sec-Butylbenzene	ND	0.500						0	0	30	
4-Isopropyltoluene	ND	0.500						0	0	30	
1,3-Dichlorobenzene	ND	0.500						0	0	30	
1,4-Dichlorobenzene	ND	0.500						0	0	30	
n-Butylbenzene	ND	0.500						0	0	30	
1,2-Dichlorobenzene	ND	0.500						0	0	30	
1,2-Dibromo-3-chloropropane	ND	1.00						0	0	30	
1,2,4-Trimethylbenzene	ND	0.500						0	0	30	
Hexachloro-1,3-butadiene	ND	1.00						0	0	30	
Naphthalene	ND	1.25						0	0	30	
1,2,3-Trichlorobenzene	ND	1.00						0	0	30	
Surr: Dibromofluoromethane	25.9		25.00		104	79.9	122		0		
Surr: Toluene-d8	23.0		25.00		92.2	80	121		0		
Surr: 1-Bromo-4-fluorobenzene	20.5		25.00		82.1	79.7	120		0		

Sample ID: 2511121-002AMS		SampType: MS		Units: µg/L		Prep Date: 11/7/2025		RunNo: 104574			
Client ID: MW-138-251105		Batch ID: 49950				Analysis Date: 11/7/2025		SeqNo: 2181793			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	23.5	1.00	20.00	0	117	61	156				
Chloromethane	22.8	1.00	20.00	0	114	58.6	153				
Vinyl chloride	23.9	0.200	20.00	0.06436	119	70.9	160				
Bromomethane	27.5	2.00	20.00	0	138	57	155				
Trichlorofluoromethane (CFC-11)	24.4	0.500	20.00	0	122	80	159				
Chloroethane	21.7	1.00	20.00	0	108	71.3	145				
1,1-Dichloroethene	23.2	0.500	20.00	0	116	80	160				
Acetone	35.1	5.00	50.00	0	70.3	12.9	126				
Methylene chloride	24.1	2.00	20.00	0	121	77.6	131				
trans-1,2-Dichloroethene	26.1	0.500	20.00	0	130	80	134				
Methyl tert-butyl ether (MTBE)	22.5	0.500	20.00	0	113	80	127				

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511121-002AMS		SampType: MS		Units: µg/L		Prep Date: 11/7/2025			RunNo: 104574		
Client ID: MW-138-251105		Batch ID: 49950					Analysis Date: 11/7/2025			SeqNo: 2181793	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloroethane	26.3	0.500	20.00	0	131	80	129				S
cis-1,2-Dichloroethene	26.3	0.500	20.00	0	131	78.2	137				
2-Butanone (MEK)	48.2	5.00	50.00	0	96.3	32.5	130				
Chloroform	21.1	0.500	20.00	0	105	78.3	136				
1,1,1-Trichloroethane (TCA)	23.4	0.500	20.00	0	117	80	153				
1,1-Dichloropropene	24.7	0.500	20.00	0	124	80	153				
Carbon tetrachloride	25.9	0.500	20.00	0	129	80	156				
1,2-Dichloroethane (EDC)	17.5	0.200	20.00	0	87.5	77	133				
Benzene	17.0	0.200	20.00	0	85.0	80	134				
Trichloroethene (TCE)	18.8	0.500	20.00	0	94.2	80	133				
1,2-Dichloropropane	24.3	0.200	20.00	0	122	80	125				
Bromodichloromethane	23.4	0.200	20.00	0	117	80	124				
Dibromomethane	22.7	0.500	20.00	0	113	80	122				
cis-1,3-Dichloropropene	22.4	0.500	20.00	0	112	80	128				
Toluene	16.5	0.500	20.00	0	82.6	80	134				
trans-1,3-Dichloropropylene	17.8	0.500	20.00	0	89.2	78.6	136				
Methyl Isobutyl Ketone (MIBK)	54.6	2.50	50.00	0	109	61.1	145				
1,1,2-Trichloroethane	17.5	0.500	20.00	0	87.4	79.4	135				
1,3-Dichloropropane	19.2	0.500	20.00	0	96.0	80	126				
Tetrachloroethene (PCE)	20.5	0.500	20.00	0	103	80	153				
Dibromochloromethane	20.3	0.500	20.00	0	101	77.7	137				
1,2-Dibromoethane (EDB)	21.5	0.500	20.00	0	108	77.8	132				
2-Hexanone (MBK)	42.4	1.25	50.00	0	84.8	34.7	135				
Chlorobenzene	19.8	0.500	20.00	0	99.2	80	123				
1,1,1,2-Tetrachloroethane	22.1	0.500	20.00	0	111	80	125				
Ethylbenzene	20.8	0.500	20.00	0	104	80	125				
m,p-Xylene	40.3	1.00	40.00	0	101	80	124				
o-Xylene	20.5	0.500	20.00	0	103	80	122				
Styrene	21.2	0.500	20.00	0	106	80	122				
Isopropylbenzene	22.4	0.500	20.00	0	112	80	133				
Bromoform	19.6	0.500	20.00	0	98.2	80	125				
1,1,2,2-Tetrachloroethane	18.6	0.200	20.00	0	92.9	76.3	138				

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511121-002AMS		SampType: MS		Units: µg/L		Prep Date: 11/7/2025		RunNo: 104574			
Client ID: MW-138-251105		Batch ID: 49950				Analysis Date: 11/7/2025		SeqNo: 2181793			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
n-Propylbenzene	19.7	0.500	20.00	0	98.6	80	134				
Bromobenzene	17.0	0.200	20.00	0	85.2	80	121				
1,3,5-Trimethylbenzene	19.4	0.500	20.00	0	96.9	80	126				
2-Chlorotoluene	17.2	0.500	20.00	0	86.1	80	124				
4-Chlorotoluene	18.0	0.500	20.00	0	90.1	80	123				
tert-Butylbenzene	15.4	0.500	20.00	0	77.2	80	131				S
1,2,3-Trichloropropane	15.5	0.500	20.00	0	77.3	75.3	125				
1,2,4-Trichlorobenzene	20.2	0.750	20.00	0	101	71.2	129				
sec-Butylbenzene	16.3	0.500	20.00	0	81.5	80	137				
4-Isopropyltoluene	16.8	0.500	20.00	0	84.1	80	132				
1,3-Dichlorobenzene	20.2	0.500	20.00	0	101	80	120				
1,4-Dichlorobenzene	19.6	0.500	20.00	0	97.8	80	122				
n-Butylbenzene	23.5	0.500	20.00	0	117	79.5	138				
1,2-Dichlorobenzene	20.4	0.500	20.00	0	102	79	120				
1,2-Dibromo-3-chloropropane	19.7	1.00	20.00	0	98.7	69.6	137				
1,2,4-Trimethylbenzene	15.5	0.500	20.00	0	77.5	80	123				S
Hexachloro-1,3-butadiene	22.1	1.00	20.00	0	110	74.3	148				
Naphthalene	20.4	1.25	20.00	0	102	74.3	124				
1,2,3-Trichlorobenzene	21.1	1.00	20.00	0	105	71.9	129				
Surr: Dibromofluoromethane	25.2		25.00		101	79.9	122				
Surr: Toluene-d8	25.8		25.00		103	80	121				
Surr: 1-Bromo-4-fluorobenzene	23.6		25.00		94.3	79.7	120				

NOTES:

S - Outlying spike recoveries were associated with this sample.

Sample ID: VOC-CCV-104574C		SampType: CCV		Units: µg/L		Prep Date: 11/11/2025		RunNo: 104574			
Client ID: CCV		Batch ID: 49950				Analysis Date: 11/11/2025		SeqNo: 2182148			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	23.2	0.200	20.00	0	116	80	120				
cis-1,2-Dichloroethene	23.1	0.500	20.00	0	116	80	120				
Trichloroethene (TCE)	19.9	0.500	20.00	0	99.7	80	120				

Work Order: 2511121
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104574C		SampType: CCV		Units: µg/L		Prep Date: 11/11/2025		RunNo: 104574			
Client ID: CCV		Batch ID: 49950				Analysis Date: 11/11/2025		SeqNo: 2182148			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Tetrachloroethene (PCE)	18.8	0.500	20.00	0	93.8	80	120				
Surr: Dibromofluoromethane	27.9		25.00		111	80	120				
Surr: Toluene-d8	26.3		25.00		105	80	120				
Surr: 1-Bromo-4-fluorobenzene	26.3		25.00		105	80	120				



Analytical Resources, LLC
Analytical Chemists and Consultants
Tukwila, WA

24 November 2025

Brianna Barnes
Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle, WA 98103

RE: TOC (2511121)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)

25K0225

Associated SDG ID(s)

N/A

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.


Phillip Bates, Project Manager



25K0225

SUB CONTRACTOR: ARI		COMPANY: Analytical Resources Inc.		SPECIAL INSTRUCTIONS / COMMENTS: Standard TAT. Please email results to SEA.PM@alliancetg.com and invoices to both SEA.PM@alliancetg.com and ap@alliancetg.com.			
ADDRESS: 4611 South 134th Place, Suite 100							
CITY, STATE, ZIP: Tukwila, WA 98168							
PHONE: (206) 695-6200		FAX: EMAIL:					
ACCOUNT #:							

ITEM #	SAMPLE ID	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS	COMMENTS: Methanol Preserved Weights HOT Sample Notation, Additional Sample Description.
1	2511121-001C	MW-144R-251105	AMBER 250ML	Groundwater	11/5/2025 10:20:00 AM	1	TOC 9060A
	TEST_SUB						
2	2511121-004C	MR-MW5-251105	AMBER 250ML	Groundwater	11/5/2025 11:15:00 AM	1	TOC 9060A
	TEST_SUB						
3	2511121-007C	MW-143-251105	AMBER 250ML	Groundwater	11/5/2025 12:30:00 PM	1	TOC 9060A
	TEST_SUB						
4	2511121-008C	MW-142-251105	AMBER 250ML	Groundwater	11/5/2025 1:26:00 PM	1	TOC 9060A
	TEST_SUB						
5	2511121-009C	BB-8-251105	AMBER 250ML	Groundwater	11/5/2025 1:31:00 PM	1	TOC 9060A
	TEST_SUB						

Relinquished By: 	Date: 11/7/25	Time: 1015	Received By: SA ARI	Date: 11/7/25	Time: 1106	REPORT TRANSMITTAL DESIRED: ☐ HARDCOPY (extra cost) ☐ FAX ☐ EMAIL ☐ ONLINE FOR LAB USE ONLY Temp of samples _____ °C Attempt to Cool ? _____ Comments: _____ Page 60 of 75
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
TAT: Standard ☐ RUSH Next BD ☐ 2nd BD ☐ 3rd BD ☐						
Note: RUSH requests will incur surcharges!						



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511121
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 17:03

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-144R-251105	25K0225-01	Water	05-Nov-2025 10:20	07-Nov-2025 11:06
MR-MW5-251105	25K0225-02	Water	05-Nov-2025 11:15	07-Nov-2025 11:06
MW-143-251105	25K0225-03	Water	05-Nov-2025 12:30	07-Nov-2025 11:06
MW-142-251105	25K0225-04	Water	05-Nov-2025 13:26	07-Nov-2025 11:06
BB-8-251105	25K0225-05	Water	05-Nov-2025 13:31	07-Nov-2025 11:06



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511121
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 17:03

Work Order Case Narrative

Client: Alliance Technical Group, LLC.

Project: TOC

Project Number: 2511121

Work Order: 25K0225

Sample receipt

The sample(s) as listed on the preceding page were received 07-Nov-2025 11:06 under ARI work order 25K0225. For details regarding sample receipt, please refer to the Cooler Receipt Form.

Wet Chemistry

The sample(s) were prepared and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.

The matrix spike (MS) percent recoveries and the duplicate (DUP) relative percent difference (RPD) were within advisory control limits.



Analytical Resources, Incorporated
Analytical Chemists and Consultants

Printed: 11/10/2025 3:27:52PM

WORK ORDER

25K0225

Client: Alliance Technical Group, LLC.

Project Manager: Phillip Bates

Project: TOC

Project Number: [none]

Preservation Confirmation

Container ID	Container Type	pH	pH Paper Lot#: <u>N000119</u>
25K0225-01 A	Glass NM, Amber, 250 mL, 9N H2SO4	<u>2.0</u>	
25K0225-02 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0225-03 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0225-04 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0225-05 A	Glass NM, Amber, 250 mL, 9N H2SO4		

SS

Preservation Confirmed By

11-10-25

Date

Cooler Receipt Form

ARI Client: Alliance Tech.

Project Name: TOL

COC No(s): NA

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: 25k0225

Tracking No: NA

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler? _____

YES NO

Were custody papers included with the cooler? _____

YES NO

Were custody papers properly filled out (ink, signed, etc.) _____

YES NO

Temperature of Cooler(s) (°C) Time 1106 11:4 _____

Temp Gun ID#: 8117

Was a temperature blank included in the cooler? _____

YES NO

Were coolers received between 0° - 6° (°C) _____

YES NO

Was sufficient ice used (if appropriate)? _____

NA YES NO

Cooler Accepted by: SA Date: 11/7/25 Time: 1106

Complete custody forms and attach all shipping documents

Log-In Phase:

What kind of packing material was used? Bubble Wrap Wet Ice Gel Packs Baggies Foam Block N/A Other: _____

Are any samples that were out of temperature compliance documented in LIMS? _____

YES NO

How were bottles sealed in plastic bags? _____

Individually Grouped Not

Did all bottles arrive in good condition (unbroken)? _____

YES NO

Were all bottle labels complete and legible? _____

YES NO

Did the number of containers listed on COC match with the number of containers received? _____

YES NO

Did all bottle labels and tags agree with custody papers? _____

YES NO

Were all bottles used correct for the requested analyses? _____

YES NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ...

NA YES NO

Were all VOC vials free of air bubbles? _____

NA YES NO

Was sufficient amount of sample sent in each bottle? _____

YES NO

Date VOC Trip Blank was made at ARI: _____

NA

Were the sample(s) split by ARI? NA YES Date/Time: _____ Equipment: _____ Split by: _____

Samples Logged by: SS Date: 11-10-25 Time: 15:14 Labels checked by: SA

**** Notify Project Manager of discrepancies or concerns ****

Additional Notes, Discrepancies, & Resolutions:

By: _____ Date: _____



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511121
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 17:03

MW-144R-251105
25K0225-01 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/05/2025 10:20

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/21/2025 16:55

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0225-01 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	49.12	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511121
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 17:03

MR-MW5-251105
25K0225-02 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/05/2025 11:15

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/21/2025 18:04

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0225-02 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	11.51	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511121
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 17:03

MW-143-251105
25K0225-03 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/05/2025 12:30

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/21/2025 18:26

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0225-03 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	73.31	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511121
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 17:03

MW-142-251105
25K0225-04RE1 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/05/2025 13:26

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/22/2025 00:08

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0225-04RE1 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	50.10	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511121
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 17:03

BB-8-251105
25K0225-05 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/05/2025 13:31

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/21/2025 19:52

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0225-05 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	20.59	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511121
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 17:03

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BNK0385 - EPA 9060A in Water

Instrument: TOC-LCSH Analyst: RMS

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Blank (BNK0385-BLK1)					Prepared: 21-Nov-2025 Analyzed: 21-Nov-2025 16:15					
Total Organic Carbon	ND	0.50	0.50	mg/L						U
LCS (BNK0385-BS1)					Prepared: 21-Nov-2025 Analyzed: 21-Nov-2025 16:33					
Total Organic Carbon	20.04	0.50	0.50	mg/L	20.00	100	90-110			
Duplicate (BNK0385-DUP2)					Source: 25K0225-01 Prepared: 21-Nov-2025 Analyzed: 21-Nov-2025 23:46					
Total Organic Carbon	46.81	0.50	0.50	mg/L		49.12		4.82	20	
Matrix Spike (BNK0385-MS1)					Source: 25K0225-01 Prepared: 21-Nov-2025 Analyzed: 21-Nov-2025 17:43					
Total Organic Carbon	68.57	0.50	0.50	mg/L	20.00	49.12	97.3	75-125		

Recovery limits for target analytes in MS/MSD QC samples are advisory only.



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511121
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 17:03

Uncertified Analytes included in this Report

Analysis Matrix & Analyte

None

Certified Analyses included in this Report

Analysis Matrix & Analyte

Certification Codes

EPA 9060A in Water

Total Organic Carbon DoD-ELAP,WADOE,NELAP

Certifications

Code	Description	Number	Expires
DoD-ELAP	DoD-Environmental Laboratory Accreditation Program, PJLA Testing	66169	01/31/2026
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-018	05/12/2026
WADOE	WA Dept of Ecology	C558	06/30/2026



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511121
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 17:03

Notes and Definitions

U	This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
[2C]	Indicates this result was quantified on the second column on a dual column analysis.
!	Indicates that ARL is NOT ACCREDITED for this parameter in samples logged as 'Drinking Water'
#	Indicates that ARL is NOT ACCREDITED for this parameter in this analysis and matrix.

Client Name: AC

Work Order Number: 2511121

Logged by: Morgan Laughlin

Date Received: 11/5/2025 3:18:00 PM

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes ☐ No ☐ Not Present ☒
4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all items received at a temperature of >2°C to 6°C * Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. Is there headspace in the VOA vials? Yes ☐ No ☒ NA ☐
11. Did all samples containers arrive in good condition(unbroken)? Yes ☒ No ☐
12. Does paperwork match bottle labels? Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all hold times (except field parameters, pH e.g.) able to be met? Yes ☒ No ☐

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:		Date:	
By Whom:		Via:	☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:			
Client Instructions:			

17. Additional remarks:

Item Information

Item #	Temp °C
Sample	1.1

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11/5/25 Page: 1 of 2

Project Name: 700 Deater

Project No: NS240461

Collected by: Emily Ruten, Jacob Ravilly, Elisea

Location: 700 Deater

Report To (PM): Hannah Cohen, Leanne

Laboratory Project No (Internal): 251121
Special Remarks: SNOWHOLD TIME FOR NITRATE!
Please bill to
WD-NS240461-8485
through Coupa.
Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Client: Geosyntec Consultants

Address: 801 5th Ave, Suite 2200

City, State, Zip: Seattle, WA 98104

Telephone: 206-780-7724

Email(s): Hannah.Cohen@geosyntec.com

Leanne

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCs (EPA 8260/624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCOI)	Diesel/Heavy Oil Range Organics (DO)	SVOCs (EPA 8270/625)	PAHs (EPA 8270/625)	PCBs (EPA 8082/SIM)	Metals** (EPA 6020/200.9)	Total (T) Dissolved (D)	Anions (IC)**	EDR (8011)	Alkalinity (EPA 310.2)	Sulfate (Colaride, Nitrate)	TDC (Method 9060A)	Disolved Gases (EPA 8260)	Comments
1 MW-144 R-251105	11/5/25	10:20	GW	9	X																
2 MW-138-251105	11/5/25	10:30	GW	3	X																
3 MW-302-251105	11/5/25	10:33	GW	3	X																
4 R-MW5-251105	11/5/25	11:15	GW	9	X																
5 MW-304-251105	11/5/25	11:30	GW	3	X																
6 MW-159-251105	11/5/25	11:30	GW	3	X																
7 MW-143-251105	11/5/25	12:30	GW	9	X																
8 MW-142-251105	11/5/25	13:26	GW	9	X																
9 BE-8-251105	11/5/25	13:31	GW	9	X																
10 MW-105-251105	11/5/25	14:00	GW	3	X																

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Fe Hg K Mg Mn Mo Na Ni Pb Sb Se Si Sn Ti Tl V Zn

***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate+Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished (Signature)	Print Name	Date/Time	Received (Signature)	Print Name	Date/Time
	Emily Ruten	11/5/25 15:18		Leanne	11/5/25 15:18

Turn-around Time:
☒ Standard ☐ Next Day
☐ 3 Day ☐ Same Day
☐ 2 Day (specify)



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11-5-25 Page: 2 of 2

Project Name: 700 Dexter

Client: Geosyntec Consultants

Project No: AS240461

Address: 801 5th Ave, Suite 2200

Collected by: Mckenzie Elliott & Emily Risen
Jacob Ruvide

City, State, Zip: Seattle WA 98104

Location: 700 Dexter

Telephone: 206-780-7724

Report To (PM): Hannah Lewis + Lou Kane

Email(s): Hannah.Lewis@geosyntec.com Lou.Kane@geosyntec.com

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Laboratory Project No (Internal): 251121
Special Remarks: Please bill to
MO-AS240461-8465
on Cerypa

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	YOCs EPA 8260/6241	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCD)	Diesel/Heavy Oil Range Organics (DO)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8062 / 608)	Metals** (EPA 6010/200.9)	Total (T) Dissolved (D)	Anions (IG)**	EDB (8011)	Dissolved (Gases) (EPA 8210/210)	TIC (Aqueous)	Alkalinity (EPA 320.10/210)	Sulfate Chloride Nitrate (EPA 300.0)	Comments
1 MW-303-251105	11-5-25	1240	GW	3	X																
2 TRIP-251105	11-5-25	-	W	1	X																
3																					
4																					
5																					
6																					
7																					
8																					
9																					
10																					

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Hg K Mg Mn Mo Na Ni Pb Sb Se Sn Ti Tl V Zn

***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate+Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Turn-around Time:
☒ Standard ☐ Next Day
☐ 3 Day ☐ Same Day
☐ 2 Day (specify)

Relinquished (Signature)	Print Name	Date/Time	Received (Signature)	Print Name	Date/Time
<i>[Signature]</i>	Emily Kane	11/5/25 15:18	<i>[Signature]</i>	Nathan Wolff	11/5/25 15:18
Relinquished (Signature)	Print Name	Date/Time	Received (Signature)	Print Name	Date/Time
<i>[Signature]</i>			<i>[Signature]</i>		

Geosyntec Consultants

Hannah Cohen

801 5th Ave Suite 2200

Seattle, WA 98104

RE: 700 Dexter, WO-AS240461-8485

Work Order Number: 2511181

November 25, 2025

Attention Hannah Cohen:

Alliance Technical Group, LLC - Seattle received 16 sample(s) on 11/6/2025 for the analyses presented in the following report.

Dissolved Gases by RSK-175

Ion Chromatography by EPA 300.0

Total Alkalinity by EPA 310.2

Total Metals by EPA 6020B

Total Organic Carbon by EPA Method 9060

Volatile Organic Compounds by EPA 8260D

All analyses were performed according to our accredited Quality Assurance program. Please contact the laboratory if you should have any questions about the results.

Alliance Technical Group is committed to accuracy, speed, and customer service. Thank you for choosing Alliance Technical Group's Seattle laboratory team for your analytical needs. We appreciate this opportunity to serve you!

Sincerely,



Brianna Barnes
Project Manager

DoD-ELAP Accreditation #79636 by PJLA, ISO/IEC 17025:2017 and QSM 5.4 for Environmental Testing
ORELAP Certification: WA 100009 (NELAP Recognized) for Environmental Testing
Washington State Department of Ecology Accredited for Environmental Testing, Lab ID C910

Revision v1



CLIENT: Geosyntec Consultants
Project: 700 Dexter
Work Order: 2511181

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
2511181-001	MW-156-251106	11/06/2025 9:42 AM	11/06/2025 3:23 PM
2511181-002	MW-910-251106	11/06/2025 10:00 AM	11/06/2025 3:23 PM
2511181-003	MW-127-251106	11/06/2025 10:00 AM	11/06/2025 3:23 PM
2511181-004	MW-350-251106	11/06/2025 10:10 AM	11/06/2025 3:23 PM
2511181-005	MW-911-251106	11/06/2025 10:20 AM	11/06/2025 3:23 PM
2511181-006	MW-120-251106	11/06/2025 11:05 AM	11/06/2025 3:23 PM
2511181-007	MW-909-251106	11/06/2025 11:15 AM	11/06/2025 3:23 PM
2511181-008	MW-349-251106	11/06/2025 11:30 AM	11/06/2025 3:23 PM
2511181-009	MW-9-251106	11/06/2025 11:50 AM	11/06/2025 3:23 PM
2511181-010	MW-348-251106	11/06/2025 12:40 PM	11/06/2025 3:23 PM
2511181-011	MW-121-251106	11/06/2025 12:53 PM	11/06/2025 3:23 PM
2511181-012	R-MW6-251106	11/06/2025 1:13 PM	11/06/2025 3:23 PM
2511181-013	MW-313-251106	11/06/2025 1:55 PM	11/06/2025 3:23 PM
2511181-014	MW-347-251106	11/06/2025 1:56 PM	11/06/2025 3:23 PM
2511181-015	EQ-251106	11/06/2025 2:15 PM	11/06/2025 3:23 PM
2511181-016	TRIP-251106	11/06/2025 12:00 AM	11/06/2025 3:23 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

CLIENT: Geosyntec Consultants

Project: 700 Dexter

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

Matrix Spike (MS) and MS Duplicate (MSD) samples are tested from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. The sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

2511181-001C

C-TOC-W-9060 has been Sub Contracted.

2511181-002C

C-TOC-W-9060 has been Sub Contracted.

2511181-004C

C-TOC-W-9060 has been Sub Contracted.

2511181-005C

C-TOC-W-9060 has been Sub Contracted.

2511181-006C

C-TOC-W-9060 has been Sub Contracted.

2511181-007C

C-TOC-W-9060 has been Sub Contracted.

2511181-008C

C-TOC-W-9060 has been Sub Contracted.

2511181-009C

C-TOC-W-9060 has been Sub Contracted.

2511181-010C

C-TOC-W-9060 has been Sub Contracted.

2511181-011C

C-TOC-W-9060 has been Sub Contracted.

2511181-012C

C-TOC-W-9060 has been Sub Contracted.

2511181-014C

C-TOC-W-9060 has been Sub Contracted.

2511181-001C

C-TOC-W-9060 has been Sub Contracted.

2511181-002C

C-TOC-W-9060 has been Sub Contracted.

2511181-004C

C-TOC-W-9060 has been Sub Contracted.

2511181-005C

C-TOC-W-9060 has been Sub Contracted.

CLIENT: Geosyntec Consultants

Project: 700 Dexter

2511181-006C
C-TOC-W-9060 has been Sub Contracted.
2511181-007C
C-TOC-W-9060 has been Sub Contracted.
2511181-008C
C-TOC-W-9060 has been Sub Contracted.
2511181-009C
C-TOC-W-9060 has been Sub Contracted.
2511181-010C
C-TOC-W-9060 has been Sub Contracted.
2511181-011C
C-TOC-W-9060 has been Sub Contracted.
2511181-012C
C-TOC-W-9060 has been Sub Contracted.
2511181-014C
C-TOC-W-9060 has been Sub Contracted.
2511181-015C
C-TOC-W-9060 has been Sub Contracted.
2511181-001C
C-TOC-W-9060 has been Sub Contracted.
2511181-002C
C-TOC-W-9060 has been Sub Contracted.
2511181-004C
C-TOC-W-9060 has been Sub Contracted.
2511181-005C
C-TOC-W-9060 has been Sub Contracted.
2511181-006C
C-TOC-W-9060 has been Sub Contracted.
2511181-007C
C-TOC-W-9060 has been Sub Contracted.
2511181-008C
C-TOC-W-9060 has been Sub Contracted.
2511181-009C
C-TOC-W-9060 has been Sub Contracted.
2511181-010C
C-TOC-W-9060 has been Sub Contracted.
2511181-011C
C-TOC-W-9060 has been Sub Contracted.
2511181-012C
C-TOC-W-9060 has been Sub Contracted.
2511181-014C
C-TOC-W-9060 has been Sub Contracted.
2511181-015C
C-TOC-W-9060 has been Sub Contracted.

1/9/2026: Rev1 includes additional continued calibration samples for EPA 300.0 per client request.

Qualifiers:

- * - Associated LCS is outside of control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Method Detection Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- DUP - Sample Duplicate
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MCL - Maximum Contaminant Level
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- REP - Sample Replicate
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate

Client: Geosyntec Consultants

Collection Date: 11/6/2025 9:42:00 AM

Project: 700 Dexter

Lab ID: 2511181-001

Matrix: Groundwater

Client Sample ID: MW-156-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10465		Analyst: BCA	
Methane	1.06	0.0250	0.0225	D	mg/L	5	11/12/25 16:31:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/12/25 15:27:00
Ethane	0.0229	0.0100	0.00754		mg/L	1	11/12/25 15:27:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	10.0	1.77	D	µg/L	10	11/08/25 3:42:11
Chloromethane	ND	10.0	2.18	D	µg/L	10	11/08/25 3:42:11
Vinyl chloride	4.76	2.00	0.455	D	µg/L	10	11/11/25 13:00:18
Bromomethane	ND	20.0	3.86	D	µg/L	10	11/08/25 3:42:11
Trichlorofluoromethane (CFC-11)	ND	5.00	0.618	D	µg/L	10	11/08/25 3:42:11
Chloroethane	ND	10.0	3.34	D	µg/L	10	11/08/25 3:42:11
1,1-Dichloroethene	ND	5.00	1.22	D	µg/L	10	11/08/25 3:42:11
Acetone	ND	50.0	25.5	D	µg/L	10	11/08/25 3:42:11
Methylene chloride	ND	20.0	6.49	D	µg/L	10	11/08/25 3:42:11
trans-1,2-Dichloroethene	1.35	5.00	1.15	DJ	µg/L	10	11/08/25 3:42:11
Methyl tert-butyl ether (MTBE)	ND	5.00	1.21	D	µg/L	10	11/08/25 3:42:11
1,1-Dichloroethane	ND	5.00	1.41	D	µg/L	10	11/08/25 3:42:11
cis-1,2-Dichloroethene	167	5.00	1.64	D	µg/L	10	11/08/25 3:42:11
2-Butanone (MEK)	ND	50.0	19.8	D	µg/L	10	11/08/25 3:42:11
Chloroform	ND	5.00	0.865	D	µg/L	10	11/08/25 3:42:11
1,1,1-Trichloroethane (TCA)	ND	5.00	1.03	D	µg/L	10	11/08/25 3:42:11
1,1-Dichloropropene	ND	5.00	1.43	D	µg/L	10	11/08/25 3:42:11
Carbon tetrachloride	ND	5.00	0.798	D	µg/L	10	11/08/25 3:42:11
1,2-Dichloroethane (EDC)	ND	2.00	0.477	D	µg/L	10	11/08/25 3:42:11
Benzene	ND	2.00	0.540	D	µg/L	10	11/08/25 3:42:11
Trichloroethene (TCE)	77.5	5.00	1.35	D	µg/L	10	11/08/25 3:42:11
1,2-Dichloropropane	ND	2.00	0.503	D	µg/L	10	11/08/25 3:42:11
Bromodichloromethane	ND	2.00	0.489	D	µg/L	10	11/08/25 3:42:11
Dibromomethane	ND	5.00	0.812	D	µg/L	10	11/08/25 3:42:11
cis-1,3-Dichloropropene	ND	5.00	1.09	D	µg/L	10	11/08/25 3:42:11
Toluene	ND	5.00	1.29	D	µg/L	10	11/08/25 3:42:11
trans-1,3-Dichloropropylene	ND	5.00	0.993	D	µg/L	10	11/08/25 3:42:11



Analytical Report

Work Order: 2511181

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 9:42:00 AM

Project: 700 Dexter

Lab ID: 2511181-001

Matrix: Groundwater

Client Sample ID: MW-156-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
Methyl Isobutyl Ketone (MIBK)	ND	25.0	3.54	D	µg/L	10	11/08/25 3:42:11
1,1,2-Trichloroethane	ND	5.00	0.807	D	µg/L	10	11/08/25 3:42:11
1,3-Dichloropropane	ND	5.00	0.827	D	µg/L	10	11/08/25 3:42:11
Tetrachloroethene (PCE)	216	5.00	1.02	D	µg/L	10	11/08/25 3:42:11
Dibromochloromethane	ND	5.00	1.01	D	µg/L	10	11/08/25 3:42:11
1,2-Dibromoethane (EDB)	ND	5.00	0.432	D	µg/L	10	11/08/25 3:42:11
2-Hexanone (MBK)	ND	12.5	3.64	D	µg/L	10	11/08/25 3:42:11
Chlorobenzene	ND	5.00	0.934	D	µg/L	10	11/08/25 3:42:11
1,1,1,2-Tetrachloroethane	ND	5.00	1.17	D	µg/L	10	11/08/25 3:42:11
Ethylbenzene	ND	5.00	1.25	D	µg/L	10	11/08/25 3:42:11
m,p-Xylene	ND	10.0	2.89	D	µg/L	10	11/08/25 3:42:11
o-Xylene	ND	5.00	1.44	D	µg/L	10	11/08/25 3:42:11
Styrene	ND	5.00	1.15	D	µg/L	10	11/08/25 3:42:11
Isopropylbenzene	ND	5.00	1.22	D	µg/L	10	11/08/25 3:42:11
Bromoform	ND	5.00	0.986	D	µg/L	10	11/08/25 3:42:11
1,1,2,2-Tetrachloroethane	ND	2.00	0.704	D	µg/L	10	11/08/25 3:42:11
n-Propylbenzene	ND	5.00	1.24	D	µg/L	10	11/08/25 3:42:11
Bromobenzene	ND	2.00	0.677	D	µg/L	10	11/08/25 3:42:11
1,3,5-Trimethylbenzene	ND	5.00	1.02	D	µg/L	10	11/08/25 3:42:11
2-Chlorotoluene	ND	5.00	0.721	D	µg/L	10	11/08/25 3:42:11
4-Chlorotoluene	ND	5.00	0.876	D	µg/L	10	11/08/25 3:42:11
tert-Butylbenzene	ND	5.00	0.821	D	µg/L	10	11/08/25 3:42:11
1,2,3-Trichloropropane	ND	5.00	0.979	D	µg/L	10	11/08/25 3:42:11
1,2,4-Trichlorobenzene	ND	7.50	2.34	D	µg/L	10	11/08/25 3:42:11
sec-Butylbenzene	ND	5.00	1.12	D	µg/L	10	11/08/25 3:42:11
4-Isopropyltoluene	ND	5.00	1.06	D	µg/L	10	11/08/25 3:42:11
1,3-Dichlorobenzene	ND	5.00	0.987	D	µg/L	10	11/08/25 3:42:11
1,4-Dichlorobenzene	ND	5.00	1.19	D	µg/L	10	11/08/25 3:42:11
n-Butylbenzene	ND	5.00	1.65	D	µg/L	10	11/08/25 3:42:11
1,2-Dichlorobenzene	ND	5.00	1.18	D	µg/L	10	11/08/25 3:42:11
1,2-Dibromo-3-chloropropane	ND	10.0	3.31	D	µg/L	10	11/08/25 3:42:11

Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-001
Client Sample ID: MW-156-251106

Collection Date: 11/6/2025 9:42:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	5.00	1.38	D	µg/L	10	11/08/25 3:42:11
Hexachloro-1,3-butadiene	ND	10.0	1.92	D	µg/L	10	11/08/25 3:42:11
Naphthalene	ND	12.5	4.05	D	µg/L	10	11/08/25 3:42:11
1,2,3-Trichlorobenzene	ND	10.0	2.95	D	µg/L	10	11/08/25 3:42:11
Surr: Dibromofluoromethane	106	79.9 - 122		D	%Rec	10	11/08/25 3:42:11
Surr: Dibromofluoromethane	113	79.9 - 122		D	%Rec	10	11/11/25 13:00:18
Surr: Toluene-d8	102	80 - 121		D	%Rec	10	11/11/25 13:00:18
Surr: Toluene-d8	96.7	80 - 121		D	%Rec	10	11/08/25 3:42:11
Surr: 1-Bromo-4-fluorobenzene	106	79.7 - 120		D	%Rec	10	11/11/25 13:00:18
Surr: 1-Bromo-4-fluorobenzene	94.4	79.7 - 120		D	%Rec	10	11/08/25 3:42:11
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 49943		Analyst: BB	
Chloride	52.6	6.00	0.609	D	mg/L	10	11/10/25 11:43:00
Nitrate (as N)	0.0830	0.150	0.0258	J	mg/L	1	11/07/25 13:53:00
Sulfate	14.8	1.00	0.286		mg/L	1	11/07/25 13:53:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 49936		Analyst: ME	
Iron	2,310	50.0	10.1		µg/L	1	11/07/25 22:29:00
Manganese	2,990	5.00	2.08	D	µg/L	10	11/11/25 1:12:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10463		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	309	25.0	7.88	D	mg/L	10	11/12/25 12:27:00

Client: Geosyntec Consultants

Collection Date: 11/6/2025 10:00:00 AM

Project: 700 Dexter

Lab ID: 2511181-002

Matrix: Groundwater

Client Sample ID: MW-910-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10465		Analyst: BCA	
Methane	1.05	0.0250	0.0225	D	mg/L	5	11/12/25 16:34:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/12/25 15:34:00
Ethane	0.0245	0.0100	0.00754		mg/L	1	11/12/25 15:34:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/08/25 4:31:37
Chloromethane	ND	1.00	0.218		µg/L	1	11/08/25 4:31:37
Vinyl chloride	4.81	0.200	0.0455		µg/L	1	11/11/25 14:16:11
Bromomethane	ND	2.00	0.386		µg/L	1	11/08/25 4:31:37
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/08/25 4:31:37
Chloroethane	ND	1.00	0.334		µg/L	1	11/08/25 4:31:37
1,1-Dichloroethene	0.683	0.500	0.122		µg/L	1	11/08/25 4:31:37
Acetone	ND	5.00	2.55		µg/L	1	11/08/25 4:31:37
Methylene chloride	ND	2.00	0.649		µg/L	1	11/08/25 4:31:37
trans-1,2-Dichloroethene	1.04	0.500	0.115		µg/L	1	11/08/25 4:31:37
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/08/25 4:31:37
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/08/25 4:31:37
cis-1,2-Dichloroethene	170	5.00	1.64	D	µg/L	10	11/11/25 13:25:35
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/08/25 4:31:37
Chloroform	ND	0.500	0.0865		µg/L	1	11/08/25 4:31:37
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/08/25 4:31:37
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/08/25 4:31:37
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/08/25 4:31:37
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/08/25 4:31:37
Benzene	0.108	0.200	0.0540	J	µg/L	1	11/08/25 4:31:37
Trichloroethene (TCE)	84.6	5.00	1.35	D	µg/L	10	11/11/25 13:25:35
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/08/25 4:31:37
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/08/25 4:31:37
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/08/25 4:31:37
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/08/25 4:31:37
Toluene	ND	0.500	0.129		µg/L	1	11/08/25 4:31:37
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/08/25 4:31:37



Analytical Report

Work Order: 2511181

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 10:00:00 AM

Project: 700 Dexter

Lab ID: 2511181-002

Matrix: Groundwater

Client Sample ID: MW-910-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/08/25 4:31:37
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/08/25 4:31:37
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/08/25 4:31:37
Tetrachloroethene (PCE)	170	5.00	1.02	D	µg/L	10	11/11/25 13:25:35
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/08/25 4:31:37
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/08/25 4:31:37
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/08/25 4:31:37
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/08/25 4:31:37
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/08/25 4:31:37
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/08/25 4:31:37
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/08/25 4:31:37
o-Xylene	ND	0.500	0.144		µg/L	1	11/08/25 4:31:37
Styrene	ND	0.500	0.115		µg/L	1	11/08/25 4:31:37
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/08/25 4:31:37
Bromoform	ND	0.500	0.0986		µg/L	1	11/08/25 4:31:37
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/08/25 4:31:37
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/08/25 4:31:37
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/08/25 4:31:37
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/08/25 4:31:37
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/08/25 4:31:37
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/08/25 4:31:37
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/08/25 4:31:37
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/08/25 4:31:37
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/08/25 4:31:37
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/08/25 4:31:37
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/08/25 4:31:37
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/08/25 4:31:37
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/08/25 4:31:37
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/08/25 4:31:37
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/08/25 4:31:37
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/08/25 4:31:37



Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-002
Client Sample ID: MW-910-251106

Collection Date: 11/6/2025 10:00:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/08/25 4:31:37
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/08/25 4:31:37
Naphthalene	ND	1.25	0.405		µg/L	1	11/08/25 4:31:37
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/08/25 4:31:37
Surr: Dibromofluoromethane	110	79.9 - 122			%Rec	1	11/11/25 14:16:11
Surr: Dibromofluoromethane	113	79.9 - 122		D	%Rec	10	11/11/25 13:25:35
Surr: Dibromofluoromethane	100	79.9 - 122			%Rec	1	11/08/25 4:31:37
Surr: Toluene-d8	88.2	80 - 121		D	%Rec	10	11/11/25 13:25:35
Surr: Toluene-d8	102	80 - 121			%Rec	1	11/11/25 14:16:11
Surr: Toluene-d8	91.5	80 - 121			%Rec	1	11/08/25 4:31:37
Surr: 1-Bromo-4-fluorobenzene	96.4	79.7 - 120			%Rec	1	11/11/25 14:16:11
Surr: 1-Bromo-4-fluorobenzene	80.1	79.7 - 120			%Rec	1	11/08/25 4:31:37
Surr: 1-Bromo-4-fluorobenzene	110	79.7 - 120		D	%Rec	10	11/11/25 13:25:35
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 49943		Analyst: BB	
Chloride	53.4	6.00	0.609	D	mg/L	10	11/10/25 11:56:00
Nitrate (as N)	0.0580	0.150	0.0258	J	mg/L	1	11/07/25 14:43:00
Sulfate	15.0	1.00	0.286		mg/L	1	11/07/25 14:43:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 49936		Analyst: ME	
Iron	2,370	50.0	10.1		µg/L	1	11/07/25 22:32:00
Manganese	2,990	5.00	2.08	D	µg/L	10	11/11/25 1:15:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10463		Analyst: NR	
Alkalinity, Total (As CaCO3)	304	25.0	7.88	D	mg/L	10	11/12/25 12:29:00



Analytical Report

Work Order: 2511181

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 10:00:00 AM

Project: 700 Dexter

Lab ID: 2511181-003

Matrix: Groundwater

Client Sample ID: MW-127-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/08/25 2:26:20
Chloromethane	ND	1.00	0.218		µg/L	1	11/08/25 2:26:20
Vinyl chloride	0.202	0.200	0.0455		µg/L	1	11/11/25 12:09:44
Bromomethane	ND	2.00	0.386		µg/L	1	11/08/25 2:26:20
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/08/25 2:26:20
Chloroethane	ND	1.00	0.334		µg/L	1	11/08/25 2:26:20
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/08/25 2:26:20
Acetone	ND	5.00	2.55		µg/L	1	11/08/25 2:26:20
Methylene chloride	ND	2.00	0.649		µg/L	1	11/08/25 2:26:20
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/08/25 2:26:20
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/08/25 2:26:20
1,1-Dichloroethane	0.369	0.500	0.141	J	µg/L	1	11/08/25 2:26:20
cis-1,2-Dichloroethene	0.489	0.500	0.164	J	µg/L	1	11/08/25 2:26:20
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/08/25 2:26:20
Chloroform	ND	0.500	0.0865		µg/L	1	11/08/25 2:26:20
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/08/25 2:26:20
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/08/25 2:26:20
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/08/25 2:26:20
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/08/25 2:26:20
Benzene	ND	0.200	0.0540		µg/L	1	11/08/25 2:26:20
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/08/25 2:26:20
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/08/25 2:26:20
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/08/25 2:26:20
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/08/25 2:26:20
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/08/25 2:26:20
Toluene	ND	0.500	0.129		µg/L	1	11/08/25 2:26:20
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/08/25 2:26:20
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/08/25 2:26:20
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/08/25 2:26:20
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/08/25 2:26:20
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/08/25 2:26:20



Analytical Report

Work Order: 2511181

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 10:00:00 AM

Project: 700 Dexter

Lab ID: 2511181-003

Matrix: Groundwater

Client Sample ID: MW-127-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/08/25 2:26:20
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/08/25 2:26:20
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/08/25 2:26:20
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/08/25 2:26:20
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/08/25 2:26:20
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/08/25 2:26:20
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/08/25 2:26:20
o-Xylene	ND	0.500	0.144		µg/L	1	11/08/25 2:26:20
Styrene	ND	0.500	0.115		µg/L	1	11/08/25 2:26:20
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/08/25 2:26:20
Bromoform	ND	0.500	0.0986		µg/L	1	11/08/25 2:26:20
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/08/25 2:26:20
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/08/25 2:26:20
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/08/25 2:26:20
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/08/25 2:26:20
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/08/25 2:26:20
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/08/25 2:26:20
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/08/25 2:26:20
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/08/25 2:26:20
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/08/25 2:26:20
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/08/25 2:26:20
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/08/25 2:26:20
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/08/25 2:26:20
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/08/25 2:26:20
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/08/25 2:26:20
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/08/25 2:26:20
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/08/25 2:26:20
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/08/25 2:26:20
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/08/25 2:26:20
Naphthalene	ND	1.25	0.405		µg/L	1	11/08/25 2:26:20
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/08/25 2:26:20



Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-003
Client Sample ID: MW-127-251106

Collection Date: 11/6/2025 10:00:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Surr: Dibromofluoromethane	111	79.9 - 122			%Rec	1	11/11/25 12:09:44
Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/08/25 2:26:20
Surr: Toluene-d8	100	80 - 121			%Rec	1	11/11/25 12:09:44
Surr: Toluene-d8	85.0	80 - 121			%Rec	1	11/08/25 2:26:20
Surr: 1-Bromo-4-fluorobenzene	107	79.7 - 120			%Rec	1	11/11/25 12:09:44
Surr: 1-Bromo-4-fluorobenzene	93.2	79.7 - 120			%Rec	1	11/08/25 2:26:20

Client: Geosyntec Consultants

Collection Date: 11/6/2025 10:10:00 AM

Project: 700 Dexter

Lab ID: 2511181-004

Matrix: Groundwater

Client Sample ID: MW-350-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10465		Analyst: BCA	
Methane	3.30	0.100	0.0901	D	mg/L	20	11/12/25 17:01:00
Ethene	0.0443	0.0100	0.00610		mg/L	1	11/12/25 15:38:00
Ethane	0.0772	0.0100	0.00754		mg/L	1	11/12/25 15:38:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/08/25 2:51:36
Chloromethane	ND	1.00	0.218		µg/L	1	11/08/25 2:51:36
Vinyl chloride	35.1	0.200	0.0455		µg/L	1	11/11/25 12:35:01
Bromomethane	ND	2.00	0.386		µg/L	1	11/08/25 2:51:36
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/08/25 2:51:36
Chloroethane	ND	1.00	0.334		µg/L	1	11/08/25 2:51:36
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/08/25 2:51:36
Acetone	ND	5.00	2.55		µg/L	1	11/08/25 2:51:36
Methylene chloride	ND	2.00	0.649		µg/L	1	11/08/25 2:51:36
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/08/25 2:51:36
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/08/25 2:51:36
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/08/25 2:51:36
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/08/25 2:51:36
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/08/25 2:51:36
Chloroform	ND	0.500	0.0865		µg/L	1	11/08/25 2:51:36
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/08/25 2:51:36
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/08/25 2:51:36
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/08/25 2:51:36
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/08/25 2:51:36
Benzene	ND	0.200	0.0540		µg/L	1	11/08/25 2:51:36
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/08/25 2:51:36
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/08/25 2:51:36
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/08/25 2:51:36
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/08/25 2:51:36
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/08/25 2:51:36
Toluene	ND	0.500	0.129		µg/L	1	11/08/25 2:51:36
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/08/25 2:51:36



Analytical Report

Work Order: 2511181

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 10:10:00 AM

Project: 700 Dexter

Lab ID: 2511181-004

Matrix: Groundwater

Client Sample ID: MW-350-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/08/25 2:51:36
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/08/25 2:51:36
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/08/25 2:51:36
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/08/25 2:51:36
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/08/25 2:51:36
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/08/25 2:51:36
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/08/25 2:51:36
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/08/25 2:51:36
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/08/25 2:51:36
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/08/25 2:51:36
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/08/25 2:51:36
o-Xylene	ND	0.500	0.144		µg/L	1	11/08/25 2:51:36
Styrene	ND	0.500	0.115		µg/L	1	11/08/25 2:51:36
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/08/25 2:51:36
Bromoform	ND	0.500	0.0986		µg/L	1	11/08/25 2:51:36
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/08/25 2:51:36
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/08/25 2:51:36
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/08/25 2:51:36
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/08/25 2:51:36
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/08/25 2:51:36
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/08/25 2:51:36
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/08/25 2:51:36
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/08/25 2:51:36
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/08/25 2:51:36
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/08/25 2:51:36
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/08/25 2:51:36
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/08/25 2:51:36
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/08/25 2:51:36
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/08/25 2:51:36
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/08/25 2:51:36
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/08/25 2:51:36

Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-004
Client Sample ID: MW-350-251106

Collection Date: 11/6/2025 10:10:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/08/25 2:51:36
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/08/25 2:51:36
Naphthalene	ND	1.25	0.405		µg/L	1	11/08/25 2:51:36
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/08/25 2:51:36
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/08/25 2:51:36
Surr: Dibromofluoromethane	113	79.9 - 122			%Rec	1	11/11/25 12:35:01
Surr: Toluene-d8	87.0	80 - 121			%Rec	1	11/11/25 12:35:01
Surr: Toluene-d8	91.8	80 - 121			%Rec	1	11/08/25 2:51:36
Surr: 1-Bromo-4-fluorobenzene	98.8	79.7 - 120			%Rec	1	11/11/25 12:35:01
Surr: 1-Bromo-4-fluorobenzene	103	79.7 - 120			%Rec	1	11/08/25 2:51:36
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 49943		Analyst: BB		
Chloride	22.8	0.600	0.0609		mg/L	1	11/07/25 15:21:00
Nitrate (as N)	0.0520	0.150	0.0258	J	mg/L	1	11/07/25 15:21:00
Sulfate	25.4	1.00	0.286		mg/L	1	11/07/25 15:21:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 49936		Analyst: ME		
Iron	713	50.0	10.1		µg/L	1	11/07/25 22:35:00
Manganese	724	0.500	0.208		µg/L	1	11/07/25 22:35:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10463		Analyst: NR		
Alkalinity, Total (As CaCO ₃)	378	25.0	7.88	D	mg/L	10	11/12/25 12:34:00

Client: Geosyntec Consultants

Collection Date: 11/6/2025 10:20:00 AM

Project: 700 Dexter

Lab ID: 2511181-005

Matrix: Groundwater

Client Sample ID: MW-911-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10465		Analyst: BCA	
Methane	2.39	0.0500	0.0451	D	mg/L	10	11/12/25 16:45:00
Ethene	0.0323	0.0100	0.00610		mg/L	1	11/12/25 15:41:00
Ethane	0.0591	0.0100	0.00754		mg/L	1	11/12/25 15:41:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49950		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/08/25 4:56:57
Chloromethane	ND	1.00	0.218		µg/L	1	11/08/25 4:56:57
Vinyl chloride	24.9	0.200	0.0455		µg/L	1	11/11/25 13:50:54
Bromomethane	ND	2.00	0.386		µg/L	1	11/08/25 4:56:57
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/08/25 4:56:57
Chloroethane	ND	1.00	0.334		µg/L	1	11/08/25 4:56:57
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/08/25 4:56:57
Acetone	ND	5.00	2.55		µg/L	1	11/08/25 4:56:57
Methylene chloride	ND	2.00	0.649		µg/L	1	11/08/25 4:56:57
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/08/25 4:56:57
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/08/25 4:56:57
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/08/25 4:56:57
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/08/25 4:56:57
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/08/25 4:56:57
Chloroform	ND	0.500	0.0865		µg/L	1	11/08/25 4:56:57
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/08/25 4:56:57
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/08/25 4:56:57
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/08/25 4:56:57
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/08/25 4:56:57
Benzene	ND	0.200	0.0540		µg/L	1	11/08/25 4:56:57
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/08/25 4:56:57
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/08/25 4:56:57
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/08/25 4:56:57
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/08/25 4:56:57
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/08/25 4:56:57
Toluene	ND	0.500	0.129		µg/L	1	11/08/25 4:56:57
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/08/25 4:56:57



Analytical Report

Work Order: 2511181

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 10:20:00 AM

Project: 700 Dexter

Lab ID: 2511181-005

Matrix: Groundwater

Client Sample ID: MW-911-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/08/25 4:56:57
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/08/25 4:56:57
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/08/25 4:56:57
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/11/25 13:50:54
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/08/25 4:56:57
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/08/25 4:56:57
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/08/25 4:56:57
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/08/25 4:56:57
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/08/25 4:56:57
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/08/25 4:56:57
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/08/25 4:56:57
o-Xylene	ND	0.500	0.144		µg/L	1	11/08/25 4:56:57
Styrene	ND	0.500	0.115		µg/L	1	11/08/25 4:56:57
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/08/25 4:56:57
Bromoform	ND	0.500	0.0986		µg/L	1	11/08/25 4:56:57
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/08/25 4:56:57
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/08/25 4:56:57
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/08/25 4:56:57
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/08/25 4:56:57
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/08/25 4:56:57
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/08/25 4:56:57
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/08/25 4:56:57
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/08/25 4:56:57
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/08/25 4:56:57
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/08/25 4:56:57
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/08/25 4:56:57
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/08/25 4:56:57
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/08/25 4:56:57
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/08/25 4:56:57
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/08/25 4:56:57
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/08/25 4:56:57

Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-005
Client Sample ID: MW-911-251106

Collection Date: 11/6/2025 10:20:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/08/25 4:56:57
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/08/25 4:56:57
Naphthalene	ND	1.25	0.405		µg/L	1	11/08/25 4:56:57
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/08/25 4:56:57
Surr: Dibromofluoromethane	106	79.9 - 122			%Rec	1	11/08/25 4:56:57
Surr: Dibromofluoromethane	114	79.9 - 122			%Rec	1	11/11/25 13:50:54
Surr: Toluene-d8	101	80 - 121			%Rec	1	11/11/25 13:50:54
Surr: Toluene-d8	91.7	80 - 121			%Rec	1	11/08/25 4:56:57
Surr: 1-Bromo-4-fluorobenzene	95.8	79.7 - 120			%Rec	1	11/11/25 13:50:54
Surr: 1-Bromo-4-fluorobenzene	81.4	79.7 - 120			%Rec	1	11/08/25 4:56:57
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 49943		Analyst: BB		
Chloride	20.1	0.600	0.0609		mg/L	1	11/07/25 15:59:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/07/25 15:59:00
Sulfate	22.2	1.00	0.286		mg/L	1	11/07/25 15:59:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 49936		Analyst: ME		
Iron	636	50.0	10.1		µg/L	1	11/07/25 22:39:00
Manganese	683	0.500	0.208		µg/L	1	11/07/25 22:39:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10463		Analyst: NR		
Alkalinity, Total (As CaCO3)	342	25.0	7.88	D	mg/L	10	11/12/25 12:37:00



Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-006
Client Sample ID: MW-120-251106

Collection Date: 11/6/2025 11:05:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>			Batch ID: R10465		Analyst: BCA		
Methane	0.00762	0.00500	0.00451		mg/L	1	11/12/25 15:45:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/12/25 15:45:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/12/25 15:45:00
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/11/25 21:48:17
Chloromethane	ND	1.00	0.218		µg/L	1	11/11/25 21:48:17
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/11/25 21:48:17
Bromomethane	ND	2.00	0.386		µg/L	1	11/11/25 21:48:17
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/11/25 21:48:17
Chloroethane	ND	1.00	0.334		µg/L	1	11/11/25 21:48:17
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/11/25 21:48:17
Acetone	3.21	5.00	2.55	J	µg/L	1	11/11/25 21:48:17
Methylene chloride	ND	2.00	0.649		µg/L	1	11/11/25 21:48:17
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/11/25 21:48:17
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/11/25 21:48:17
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/11/25 21:48:17
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/11/25 21:48:17
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/11/25 21:48:17
Chloroform	ND	0.500	0.0865		µg/L	1	11/11/25 21:48:17
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/11/25 21:48:17
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/11/25 21:48:17
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/11/25 21:48:17
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/11/25 21:48:17
Benzene	ND	0.200	0.0540		µg/L	1	11/11/25 21:48:17
Trichloroethene (TCE)	0.340	0.500	0.135	J	µg/L	1	11/11/25 21:48:17
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/11/25 21:48:17
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/11/25 21:48:17
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/11/25 21:48:17
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/11/25 21:48:17
Toluene	ND	0.500	0.129		µg/L	1	11/11/25 21:48:17
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/11/25 21:48:17



Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 11:05:00 AM

Project: 700 Dexter

Lab ID: 2511181-006

Matrix: Groundwater

Client Sample ID: MW-120-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
Volatile Organic Compounds by EPA 8260D				Batch ID: 49994		Analyst: KJ	
Methyl Isobutyl Ketone (MIBK)	0.655	2.50	0.354	J	µg/L	1	11/11/25 21:48:17
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/11/25 21:48:17
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/11/25 21:48:17
Tetrachloroethene (PCE)	5.99	0.500	0.102		µg/L	1	11/11/25 21:48:17
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/11/25 21:48:17
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/11/25 21:48:17
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/11/25 21:48:17
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/11/25 21:48:17
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/11/25 21:48:17
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/11/25 21:48:17
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/11/25 21:48:17
o-Xylene	ND	0.500	0.144		µg/L	1	11/11/25 21:48:17
Styrene	ND	0.500	0.115		µg/L	1	11/11/25 21:48:17
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/11/25 21:48:17
Bromoform	ND	0.500	0.0986		µg/L	1	11/11/25 21:48:17
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/11/25 21:48:17
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/11/25 21:48:17
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/11/25 21:48:17
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/11/25 21:48:17
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/11/25 21:48:17
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/11/25 21:48:17
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/11/25 21:48:17
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/11/25 21:48:17
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/11/25 21:48:17
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/11/25 21:48:17
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/11/25 21:48:17
1,3-Dichlorobenzene	0.154	0.500	0.0987	J	µg/L	1	11/11/25 21:48:17
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/11/25 21:48:17
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/11/25 21:48:17
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/11/25 21:48:17
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/11/25 21:48:17



Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-006
Client Sample ID: MW-120-251106

Collection Date: 11/6/2025 11:05:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/11/25 21:48:17
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/11/25 21:48:17
Naphthalene	ND	1.25	0.405		µg/L	1	11/11/25 21:48:17
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/11/25 21:48:17
Surr: Dibromofluoromethane	110	79.9 - 122			%Rec	1	11/11/25 21:48:17
Surr: Toluene-d8	99.3	80 - 121			%Rec	1	11/11/25 21:48:17
Surr: 1-Bromo-4-fluorobenzene	86.8	79.7 - 120			%Rec	1	11/11/25 21:48:17
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 49943		Analyst: BB		
Chloride	1.98	0.600	0.0609		mg/L	1	11/07/25 16:11:00
Nitrate (as N)	0.294	0.150	0.0258		mg/L	1	11/07/25 16:11:00
Sulfate	0.970	1.00	0.286	J	mg/L	1	11/07/25 16:11:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 49937		Analyst: ME		
Iron	692	50.0	10.1		µg/L	1	11/07/25 15:41:00
Manganese	18.8	0.500	0.208		µg/L	1	11/07/25 15:41:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10463		Analyst: NR		
Alkalinity, Total (As CaCO3)	9.31	2.50	0.788		mg/L	1	11/12/25 11:15:00



Analytical Report

Work Order: 2511181

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 11:15:00 AM

Project: 700 Dexter

Lab ID: 2511181-007

Matrix: Groundwater

Client Sample ID: MW-909-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
Dissolved Gases by RSK-175			Batch ID: R10465		Analyst: BCA		
Methane	0.00593	0.00500	0.00451		mg/L	1	11/12/25 15:49:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/12/25 15:49:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/12/25 15:49:00
Volatile Organic Compounds by EPA 8260D			Batch ID: 49994		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 2:52:02
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 2:52:02
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/12/25 2:52:02
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 2:52:02
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 2:52:02
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 2:52:02
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 2:52:02
Acetone	2.86	5.00	2.55	J	µg/L	1	11/12/25 2:52:02
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 2:52:02
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 2:52:02
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 2:52:02
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 2:52:02
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/12/25 2:52:02
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 2:52:02
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 2:52:02
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 2:52:02
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 2:52:02
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 2:52:02
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 2:52:02
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 2:52:02
Trichloroethene (TCE)	0.363	0.500	0.135	J	µg/L	1	11/12/25 2:52:02
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 2:52:02
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 2:52:02
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 2:52:02
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 2:52:02
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 2:52:02
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 2:52:02



Analytical Report

Work Order: 2511181

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 11:15:00 AM

Project: 700 Dexter

Lab ID: 2511181-007

Matrix: Groundwater

Client Sample ID: MW-909-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
Volatile Organic Compounds by EPA 8260D			Batch ID: 49994		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	0.547	2.50	0.354	J	µg/L	1	11/12/25 2:52:02
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 2:52:02
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 2:52:02
Tetrachloroethene (PCE)	6.41	0.500	0.102		µg/L	1	11/12/25 2:52:02
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 2:52:02
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 2:52:02
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 2:52:02
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 2:52:02
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 2:52:02
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 2:52:02
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 2:52:02
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 2:52:02
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 2:52:02
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 2:52:02
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 2:52:02
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 2:52:02
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 2:52:02
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 2:52:02
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 2:52:02
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 2:52:02
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 2:52:02
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 2:52:02
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 2:52:02
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/12/25 2:52:02
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 2:52:02
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 2:52:02
1,3-Dichlorobenzene	0.135	0.500	0.0987	J	µg/L	1	11/12/25 2:52:02
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 2:52:02
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 2:52:02
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 2:52:02
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 2:52:02

Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-007
Client Sample ID: MW-909-251106

Collection Date: 11/6/2025 11:15:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 2:52:02
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/12/25 2:52:02
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 2:52:02
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 2:52:02
Surr: Dibromofluoromethane	117	79.9 - 122			%Rec	1	11/12/25 2:52:02
Surr: Toluene-d8	90.5	80 - 121			%Rec	1	11/12/25 2:52:02
Surr: 1-Bromo-4-fluorobenzene	95.0	79.7 - 120			%Rec	1	11/12/25 2:52:02
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 49943		Analyst: BB		
Chloride	1.40	0.600	0.0609		mg/L	1	11/07/25 16:24:00
Nitrate (as N)	0.164	0.150	0.0258		mg/L	1	11/07/25 16:24:00
Sulfate	0.688	1.00	0.286	J	mg/L	1	11/07/25 16:24:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 49937		Analyst: ME		
Iron	652	50.0	10.1		µg/L	1	11/07/25 16:55:00
Manganese	19.1	0.500	0.208		µg/L	1	11/07/25 16:55:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10463		Analyst: NR		
Alkalinity, Total (As CaCO3)	7.86	2.50	0.788		mg/L	1	11/12/25 11:16:00

Client: Geosyntec Consultants

Collection Date: 11/6/2025 11:30:00 AM

Project: 700 Dexter

Lab ID: 2511181-008

Matrix: Groundwater

Client Sample ID: MW-349-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10465		Analyst: BCA	
Methane	5.79	0.250	0.225	D	mg/L	50	11/13/25 9:50:00
Ethene	0.00656	0.0100	0.00610	J	mg/L	1	11/12/25 15:53:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/12/25 15:53:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49994		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/11/25 22:38:54
Chloromethane	ND	1.00	0.218		µg/L	1	11/11/25 22:38:54
Vinyl chloride	0.673	0.200	0.0455		µg/L	1	11/11/25 22:38:54
Bromomethane	ND	2.00	0.386		µg/L	1	11/11/25 22:38:54
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/11/25 22:38:54
Chloroethane	ND	1.00	0.334		µg/L	1	11/11/25 22:38:54
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/11/25 22:38:54
Acetone	ND	5.00	2.55		µg/L	1	11/11/25 22:38:54
Methylene chloride	ND	2.00	0.649		µg/L	1	11/11/25 22:38:54
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/11/25 22:38:54
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/11/25 22:38:54
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/11/25 22:38:54
cis-1,2-Dichloroethene	0.225	0.500	0.164	J	µg/L	1	11/11/25 22:38:54
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/11/25 22:38:54
Chloroform	ND	0.500	0.0865		µg/L	1	11/11/25 22:38:54
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/11/25 22:38:54
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/11/25 22:38:54
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/11/25 22:38:54
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/11/25 22:38:54
Benzene	ND	0.200	0.0540		µg/L	1	11/11/25 22:38:54
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/11/25 22:38:54
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/11/25 22:38:54
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/11/25 22:38:54
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/11/25 22:38:54
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/11/25 22:38:54
Toluene	ND	0.500	0.129		µg/L	1	11/11/25 22:38:54
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/11/25 22:38:54



Analytical Report

Work Order: 2511181

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 11:30:00 AM

Project: 700 Dexter

Lab ID: 2511181-008

Matrix: Groundwater

Client Sample ID: MW-349-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/11/25 22:38:54
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/11/25 22:38:54
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/11/25 22:38:54
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/11/25 22:38:54
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/11/25 22:38:54
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/11/25 22:38:54
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/11/25 22:38:54
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/11/25 22:38:54
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/11/25 22:38:54
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/11/25 22:38:54
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/11/25 22:38:54
o-Xylene	ND	0.500	0.144		µg/L	1	11/11/25 22:38:54
Styrene	ND	0.500	0.115		µg/L	1	11/11/25 22:38:54
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/11/25 22:38:54
Bromoform	ND	0.500	0.0986		µg/L	1	11/11/25 22:38:54
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/11/25 22:38:54
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/11/25 22:38:54
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/11/25 22:38:54
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/11/25 22:38:54
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/11/25 22:38:54
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/11/25 22:38:54
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/11/25 22:38:54
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/11/25 22:38:54
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/11/25 22:38:54
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/11/25 22:38:54
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/11/25 22:38:54
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/11/25 22:38:54
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/11/25 22:38:54
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/11/25 22:38:54
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/11/25 22:38:54
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/11/25 22:38:54

Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-008
Client Sample ID: MW-349-251106

Collection Date: 11/6/2025 11:30:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/11/25 22:38:54
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/11/25 22:38:54
Naphthalene	ND	1.25	0.405		µg/L	1	11/11/25 22:38:54
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/11/25 22:38:54
Surr: Dibromofluoromethane	111	79.9 - 122			%Rec	1	11/11/25 22:38:54
Surr: Toluene-d8	98.8	80 - 121			%Rec	1	11/11/25 22:38:54
Surr: 1-Bromo-4-fluorobenzene	97.6	79.7 - 120			%Rec	1	11/11/25 22:38:54
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 49943		Analyst: BB		
Chloride	35.3	0.600	0.0609		mg/L	1	11/07/25 16:37:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/07/25 16:37:00
Sulfate	11.9	1.00	0.286		mg/L	1	11/07/25 16:37:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 49937		Analyst: ME		
Iron	2,040	50.0	10.1		µg/L	1	11/07/25 16:58:00
Manganese	608	0.500	0.208		µg/L	1	11/07/25 16:58:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10463		Analyst: NR		
Alkalinity, Total (As CaCO3)	553	50.0	15.8	D	mg/L	20	11/12/25 13:41:00



Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 11:50:00 AM

Project: 700 Dexter

Lab ID: 2511181-009

Matrix: Groundwater

Client Sample ID: MW-9-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10465		Analyst: BCA	
Methane	0.127	0.00500	0.00451		mg/L	1	11/12/25 15:57:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/12/25 15:57:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/12/25 15:57:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49994		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/11/25 23:04:14
Chloromethane	ND	1.00	0.218		µg/L	1	11/11/25 23:04:14
Vinyl chloride	0.454	0.200	0.0455		µg/L	1	11/11/25 23:04:14
Bromomethane	ND	2.00	0.386		µg/L	1	11/11/25 23:04:14
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/11/25 23:04:14
Chloroethane	ND	1.00	0.334		µg/L	1	11/11/25 23:04:14
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/11/25 23:04:14
Acetone	ND	5.00	2.55		µg/L	1	11/11/25 23:04:14
Methylene chloride	ND	2.00	0.649		µg/L	1	11/11/25 23:04:14
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/11/25 23:04:14
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/11/25 23:04:14
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/11/25 23:04:14
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/11/25 23:04:14
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/11/25 23:04:14
Chloroform	ND	0.500	0.0865		µg/L	1	11/11/25 23:04:14
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/11/25 23:04:14
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/11/25 23:04:14
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/11/25 23:04:14
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/11/25 23:04:14
Benzene	ND	0.200	0.0540		µg/L	1	11/11/25 23:04:14
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/11/25 23:04:14
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/11/25 23:04:14
Bromodichloromethane	0.0752	0.200	0.0489	J	µg/L	1	11/11/25 23:04:14
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/11/25 23:04:14
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/11/25 23:04:14
Toluene	ND	0.500	0.129		µg/L	1	11/11/25 23:04:14
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/11/25 23:04:14

Client: Geosyntec Consultants

Collection Date: 11/6/2025 11:50:00 AM

Project: 700 Dexter

Lab ID: 2511181-009

Matrix: Groundwater

Client Sample ID: MW-9-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/11/25 23:04:14
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/11/25 23:04:14
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/11/25 23:04:14
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/11/25 23:04:14
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/11/25 23:04:14
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/11/25 23:04:14
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/11/25 23:04:14
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/11/25 23:04:14
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/11/25 23:04:14
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/11/25 23:04:14
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/11/25 23:04:14
o-Xylene	ND	0.500	0.144		µg/L	1	11/11/25 23:04:14
Styrene	ND	0.500	0.115		µg/L	1	11/11/25 23:04:14
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/11/25 23:04:14
Bromoform	ND	0.500	0.0986		µg/L	1	11/11/25 23:04:14
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/11/25 23:04:14
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/11/25 23:04:14
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/11/25 23:04:14
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/11/25 23:04:14
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/11/25 23:04:14
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/11/25 23:04:14
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/11/25 23:04:14
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/11/25 23:04:14
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/11/25 23:04:14
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/11/25 23:04:14
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/11/25 23:04:14
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/11/25 23:04:14
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/11/25 23:04:14
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/11/25 23:04:14
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/11/25 23:04:14
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/11/25 23:04:14



Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-009
Client Sample ID: MW-9-251106

Collection Date: 11/6/2025 11:50:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/11/25 23:04:14
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/11/25 23:04:14
Naphthalene	ND	1.25	0.405		µg/L	1	11/11/25 23:04:14
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/11/25 23:04:14
Surr: Dibromofluoromethane	112	79.9 - 122			%Rec	1	11/11/25 23:04:14
Surr: Toluene-d8	101	80 - 121			%Rec	1	11/11/25 23:04:14
Surr: 1-Bromo-4-fluorobenzene	91.5	79.7 - 120			%Rec	1	11/11/25 23:04:14
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 49943		Analyst: BB		
Chloride	35.2	0.600	0.0609		mg/L	1	11/07/25 16:49:00
Nitrate (as N)	2.01	0.150	0.0258		mg/L	1	11/07/25 16:49:00
Sulfate	106	10.0	2.86	D	mg/L	10	11/10/25 12:08:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 49937		Analyst: ME		
Iron	15,400	50.0	10.1		µg/L	1	11/07/25 17:03:00
Manganese	1,940	5.00	2.08	D	µg/L	10	11/11/25 10:48:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10463		Analyst: NR		
Alkalinity, Total (As CaCO3)	319	25.0	7.88	D	mg/L	10	11/12/25 12:41:00

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-010
Client Sample ID: MW-348-251106

Collection Date: 11/6/2025 12:40:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10465		Analyst: BCA	
Methane	7.40	0.250	0.225	D	mg/L	50	11/12/25 16:52:00
Ethene	0.00619	0.0100	0.00610	J	mg/L	1	11/12/25 16:03:00
Ethane	0.0178	0.0100	0.00754		mg/L	1	11/12/25 16:03:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49994		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/11/25 23:29:32
Chloromethane	ND	1.00	0.218		µg/L	1	11/11/25 23:29:32
Vinyl chloride	0.0904	0.200	0.0455	J	µg/L	1	11/11/25 23:29:32
Bromomethane	ND	2.00	0.386		µg/L	1	11/11/25 23:29:32
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/11/25 23:29:32
Chloroethane	ND	1.00	0.334		µg/L	1	11/11/25 23:29:32
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/11/25 23:29:32
Acetone	26.7	5.00	2.55		µg/L	1	11/11/25 23:29:32
Methylene chloride	ND	2.00	0.649		µg/L	1	11/11/25 23:29:32
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/11/25 23:29:32
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/11/25 23:29:32
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/11/25 23:29:32
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/11/25 23:29:32
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/11/25 23:29:32
Chloroform	ND	0.500	0.0865		µg/L	1	11/11/25 23:29:32
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/11/25 23:29:32
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/11/25 23:29:32
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/11/25 23:29:32
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/11/25 23:29:32
Benzene	ND	0.200	0.0540		µg/L	1	11/11/25 23:29:32
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/11/25 23:29:32
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/11/25 23:29:32
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/11/25 23:29:32
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/11/25 23:29:32
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/11/25 23:29:32
Toluene	ND	0.500	0.129		µg/L	1	11/11/25 23:29:32
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/11/25 23:29:32



Analytical Report

Work Order: 2511181

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 12:40:00 PM

Project: 700 Dexter

Lab ID: 2511181-010

Matrix: Groundwater

Client Sample ID: MW-348-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/11/25 23:29:32
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/11/25 23:29:32
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/11/25 23:29:32
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/11/25 23:29:32
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/11/25 23:29:32
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/11/25 23:29:32
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/11/25 23:29:32
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/11/25 23:29:32
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/11/25 23:29:32
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/11/25 23:29:32
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/11/25 23:29:32
o-Xylene	ND	0.500	0.144		µg/L	1	11/11/25 23:29:32
Styrene	ND	0.500	0.115		µg/L	1	11/11/25 23:29:32
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/11/25 23:29:32
Bromoform	ND	0.500	0.0986		µg/L	1	11/11/25 23:29:32
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/11/25 23:29:32
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/11/25 23:29:32
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/11/25 23:29:32
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/11/25 23:29:32
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/11/25 23:29:32
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/11/25 23:29:32
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/11/25 23:29:32
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/11/25 23:29:32
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/11/25 23:29:32
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/11/25 23:29:32
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/11/25 23:29:32
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/11/25 23:29:32
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/11/25 23:29:32
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/11/25 23:29:32
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/11/25 23:29:32
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/11/25 23:29:32

Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-010
Client Sample ID: MW-348-251106

Collection Date: 11/6/2025 12:40:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/11/25 23:29:32
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/11/25 23:29:32
Naphthalene	ND	1.25	0.405		µg/L	1	11/11/25 23:29:32
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/11/25 23:29:32
Surr: Dibromofluoromethane	112	79.9 - 122			%Rec	1	11/11/25 23:29:32
Surr: Toluene-d8	85.2	80 - 121			%Rec	1	11/11/25 23:29:32
Surr: 1-Bromo-4-fluorobenzene	89.4	79.7 - 120			%Rec	1	11/11/25 23:29:32
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 49943		Analyst: BB		
Chloride	1.88	0.600	0.0609		mg/L	1	11/07/25 17:02:00
Nitrate (as N)	0.0530	0.150	0.0258	J	mg/L	1	11/07/25 17:02:00
Sulfate	17.4	1.00	0.286		mg/L	1	11/07/25 17:02:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 49937		Analyst: ME		
Iron	2,450	50.0	10.1		µg/L	1	11/07/25 17:06:00
Manganese	49.8	0.500	0.208		µg/L	1	11/07/25 17:06:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10463		Analyst: NR		
Alkalinity, Total (As CaCO3)	74.0	10.0	3.15	D	mg/L	4	11/12/25 13:42:00

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-011
Client Sample ID: MW-121-251106

Collection Date: 11/6/2025 12:53:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>			Batch ID: R10465		Analyst: BCA		
Methane	0.259	0.00500	0.00451		mg/L	1	11/12/25 16:10:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/12/25 16:10:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/12/25 16:10:00
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/11/25 23:54:51
Chloromethane	ND	1.00	0.218		µg/L	1	11/11/25 23:54:51
Vinyl chloride	0.476	0.200	0.0455		µg/L	1	11/11/25 23:54:51
Bromomethane	ND	2.00	0.386		µg/L	1	11/11/25 23:54:51
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/11/25 23:54:51
Chloroethane	ND	1.00	0.334		µg/L	1	11/11/25 23:54:51
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/11/25 23:54:51
Acetone	ND	5.00	2.55		µg/L	1	11/11/25 23:54:51
Methylene chloride	ND	2.00	0.649		µg/L	1	11/11/25 23:54:51
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/11/25 23:54:51
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/11/25 23:54:51
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/11/25 23:54:51
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/11/25 23:54:51
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/11/25 23:54:51
Chloroform	ND	0.500	0.0865		µg/L	1	11/11/25 23:54:51
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/11/25 23:54:51
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/11/25 23:54:51
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/11/25 23:54:51
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/11/25 23:54:51
Benzene	ND	0.200	0.0540		µg/L	1	11/11/25 23:54:51
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/11/25 23:54:51
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/11/25 23:54:51
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/11/25 23:54:51
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/11/25 23:54:51
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/11/25 23:54:51
Toluene	ND	0.500	0.129		µg/L	1	11/11/25 23:54:51
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/11/25 23:54:51



Analytical Report

Work Order: 2511181

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 12:53:00 PM

Project: 700 Dexter

Lab ID: 2511181-011

Matrix: Groundwater

Client Sample ID: MW-121-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/11/25 23:54:51
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/11/25 23:54:51
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/11/25 23:54:51
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/11/25 23:54:51
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/11/25 23:54:51
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/11/25 23:54:51
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/11/25 23:54:51
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/11/25 23:54:51
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/11/25 23:54:51
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/11/25 23:54:51
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/11/25 23:54:51
o-Xylene	ND	0.500	0.144		µg/L	1	11/11/25 23:54:51
Styrene	ND	0.500	0.115		µg/L	1	11/11/25 23:54:51
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/11/25 23:54:51
Bromoform	ND	0.500	0.0986		µg/L	1	11/11/25 23:54:51
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/11/25 23:54:51
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/11/25 23:54:51
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/11/25 23:54:51
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/11/25 23:54:51
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/11/25 23:54:51
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/11/25 23:54:51
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/11/25 23:54:51
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/11/25 23:54:51
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/11/25 23:54:51
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/11/25 23:54:51
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/11/25 23:54:51
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/11/25 23:54:51
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/11/25 23:54:51
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/11/25 23:54:51
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/11/25 23:54:51
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/11/25 23:54:51

Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-011
Client Sample ID: MW-121-251106

Collection Date: 11/6/2025 12:53:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/11/25 23:54:51
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/11/25 23:54:51
Naphthalene	ND	1.25	0.405		µg/L	1	11/11/25 23:54:51
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/11/25 23:54:51
Surr: Dibromofluoromethane	114	79.9 - 122			%Rec	1	11/11/25 23:54:51
Surr: Toluene-d8	123	80 - 121		S	%Rec	1	11/11/25 23:54:51
Surr: 1-Bromo-4-fluorobenzene	95.9	79.7 - 120			%Rec	1	11/11/25 23:54:51

NOTES:

S - Outlying surrogate recovery observed (high bias). Outlying surrogate is not associated with detected analytes; result meets QC requirements.

<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 49943		Analyst: BB		
Chloride	ND	0.600	0.0609		mg/L	1	11/07/25 17:14:00
Nitrate (as N)	6.24	0.150	0.0258		mg/L	1	11/07/25 17:14:00
Sulfate	6.02	1.00	0.286		mg/L	1	11/07/25 17:14:00

<u>Total Metals by EPA 6020B</u>			Batch ID: 49937		Analyst: ME		
Iron	191	50.0	10.1		µg/L	1	11/07/25 17:10:00
Manganese	3,660	5.00	2.08	D	µg/L	10	11/11/25 10:51:00

<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10463		Analyst: NR		
Alkalinity, Total (As CaCO ₃)	857	75.0	23.6	D	mg/L	30	11/12/25 15:19:00

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-012
Client Sample ID: R-MW6-251106

Collection Date: 11/6/2025 1:13:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10465		Analyst: BCA	
Methane	6.08	0.250	0.225	D	mg/L	50	11/12/25 16:56:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/12/25 16:13:00
Ethane	0.0136	0.0100	0.00754		mg/L	1	11/12/25 16:13:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49994		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 0:20:09
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 0:20:09
Vinyl chloride	1.09	0.200	0.0455		µg/L	1	11/12/25 0:20:09
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 0:20:09
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 0:20:09
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 0:20:09
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 0:20:09
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 0:20:09
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 0:20:09
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 0:20:09
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 0:20:09
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 0:20:09
cis-1,2-Dichloroethene	0.462	0.500	0.164	J	µg/L	1	11/12/25 0:20:09
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 0:20:09
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 0:20:09
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 0:20:09
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 0:20:09
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 0:20:09
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 0:20:09
Benzene	0.0750	0.200	0.0540	J	µg/L	1	11/12/25 0:20:09
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 0:20:09
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 0:20:09
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 0:20:09
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 0:20:09
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 0:20:09
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 0:20:09
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 0:20:09

Client: Geosyntec Consultants

Collection Date: 11/6/2025 1:13:00 PM

Project: 700 Dexter

Lab ID: 2511181-012

Matrix: Groundwater

Client Sample ID: R-MW6-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 0:20:09
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 0:20:09
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 0:20:09
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 0:20:09
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 0:20:09
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 0:20:09
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 0:20:09
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 0:20:09
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 0:20:09
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 0:20:09
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 0:20:09
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 0:20:09
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 0:20:09
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 0:20:09
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 0:20:09
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 0:20:09
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 0:20:09
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 0:20:09
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 0:20:09
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 0:20:09
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 0:20:09
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 0:20:09
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 0:20:09
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/12/25 0:20:09
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 0:20:09
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 0:20:09
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 0:20:09
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 0:20:09
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 0:20:09
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 0:20:09
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 0:20:09



Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-012
Client Sample ID: R-MW6-251106

Collection Date: 11/6/2025 1:13:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 49994

Analyst: KJ

1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 0:20:09
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/12/25 0:20:09
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 0:20:09
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 0:20:09
Surr: Dibromofluoromethane	110	79.9 - 122			%Rec	1	11/12/25 0:20:09
Surr: Toluene-d8	104	80 - 121			%Rec	1	11/12/25 0:20:09
Surr: 1-Bromo-4-fluorobenzene	95.7	79.7 - 120			%Rec	1	11/12/25 0:20:09

Ion Chromatography by EPA 300.0

Batch ID: 49943

Analyst: BB

Chloride	20.8	1.20	0.122	D	mg/L	2	11/07/25 17:27:00
Nitrate (as N)	0.100	0.300	0.0516	DJ	mg/L	2	11/07/25 17:27:00
Sulfate	ND	2.00	0.571	D	mg/L	2	11/07/25 17:27:00

NOTES:

Diluted due to matrix.

Total Metals by EPA 6020B

Batch ID: 49937

Analyst: ME

Iron	46,600	500	101	D	µg/L	10	11/11/25 10:54:00
Manganese	8,200	5.00	2.08	D	µg/L	10	11/11/25 10:54:00

Total Alkalinity by EPA 310.2

Batch ID: R10463

Analyst: NR

Alkalinity, Total (As CaCO ₃)	764	75.0	23.6	D	mg/L	30	11/12/25 15:24:00
---	-----	------	------	---	------	----	-------------------



Analytical Report

Work Order: 2511181

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 1:55:00 PM

Project: 700 Dexter

Lab ID: 2511181-013

Matrix: Groundwater

Client Sample ID: MW-313-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 0:45:28
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 0:45:28
Vinyl chloride	0.0613	0.200	0.0455	J	µg/L	1	11/12/25 0:45:28
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 0:45:28
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 0:45:28
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 0:45:28
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 0:45:28
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 0:45:28
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 0:45:28
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 0:45:28
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 0:45:28
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 0:45:28
cis-1,2-Dichloroethene	6.96	0.500	0.164		µg/L	1	11/12/25 0:45:28
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 0:45:28
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 0:45:28
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 0:45:28
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 0:45:28
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 0:45:28
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 0:45:28
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 0:45:28
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 0:45:28
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 0:45:28
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 0:45:28
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 0:45:28
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 0:45:28
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 0:45:28
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 0:45:28
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 0:45:28
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 0:45:28
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 0:45:28
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 0:45:28



Analytical Report

Work Order: 2511181

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 1:55:00 PM

Project: 700 Dexter

Lab ID: 2511181-013

Matrix: Groundwater

Client Sample ID: MW-313-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 0:45:28
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 0:45:28
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 0:45:28
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 0:45:28
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 0:45:28
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 0:45:28
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 0:45:28
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 0:45:28
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 0:45:28
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 0:45:28
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 0:45:28
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 0:45:28
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 0:45:28
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 0:45:28
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 0:45:28
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 0:45:28
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 0:45:28
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 0:45:28
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 0:45:28
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/12/25 0:45:28
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 0:45:28
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 0:45:28
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 0:45:28
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 0:45:28
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 0:45:28
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 0:45:28
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 0:45:28
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 0:45:28
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/12/25 0:45:28
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 0:45:28
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 0:45:28



Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-013
Client Sample ID: MW-313-251106

Collection Date: 11/6/2025 1:55:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 49994

Analyst: KJ

Surr: Dibromofluoromethane	111	79.9 - 122			%Rec	1	11/12/25 0:45:28
Surr: Toluene-d8	98.4	80 - 121			%Rec	1	11/12/25 0:45:28
Surr: 1-Bromo-4-fluorobenzene	97.6	79.7 - 120			%Rec	1	11/12/25 0:45:28

Client: Geosyntec Consultants

Collection Date: 11/6/2025 1:56:00 PM

Project: 700 Dexter

Lab ID: 2511181-014

Matrix: Groundwater

Client Sample ID: MW-347-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10465		Analyst: BCA	
Methane	5.66	0.250	0.225	D	mg/L	50	11/12/25 17:05:00
Ethene	0.0266	0.0100	0.00610		mg/L	1	11/12/25 16:17:00
Ethane	0.0805	0.0100	0.00754		mg/L	1	11/12/25 16:17:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49994		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 1:10:47
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 1:10:47
Vinyl chloride	5.74	0.200	0.0455		µg/L	1	11/12/25 1:10:47
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 1:10:47
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 1:10:47
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 1:10:47
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 1:10:47
Acetone	23.0	5.00	2.55		µg/L	1	11/12/25 1:10:47
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 1:10:47
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 1:10:47
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 1:10:47
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 1:10:47
cis-1,2-Dichloroethene	3.42	0.500	0.164		µg/L	1	11/12/25 1:10:47
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 1:10:47
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 1:10:47
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 1:10:47
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 1:10:47
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 1:10:47
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 1:10:47
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 1:10:47
Trichloroethene (TCE)	0.142	0.500	0.135	J	µg/L	1	11/12/25 1:10:47
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 1:10:47
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 1:10:47
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 1:10:47
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 1:10:47
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 1:10:47
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 1:10:47



Analytical Report

Work Order: 2511181

Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 1:56:00 PM

Project: 700 Dexter

Lab ID: 2511181-014

Matrix: Groundwater

Client Sample ID: MW-347-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 1:10:47
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 1:10:47
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 1:10:47
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 1:10:47
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 1:10:47
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 1:10:47
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 1:10:47
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 1:10:47
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 1:10:47
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 1:10:47
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 1:10:47
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 1:10:47
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 1:10:47
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 1:10:47
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 1:10:47
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 1:10:47
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 1:10:47
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 1:10:47
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 1:10:47
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 1:10:47
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 1:10:47
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 1:10:47
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 1:10:47
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/12/25 1:10:47
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 1:10:47
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 1:10:47
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 1:10:47
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 1:10:47
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 1:10:47
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 1:10:47
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 1:10:47



Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511181-014
Client Sample ID: MW-347-251106

Collection Date: 11/6/2025 1:56:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 1:10:47
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/12/25 1:10:47
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 1:10:47
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 1:10:47
Surr: Dibromofluoromethane	113	79.9 - 122			%Rec	1	11/12/25 1:10:47
Surr: Toluene-d8	83.5	80 - 121			%Rec	1	11/12/25 1:10:47
Surr: 1-Bromo-4-fluorobenzene	96.5	79.7 - 120			%Rec	1	11/12/25 1:10:47
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 49943		Analyst: BB		
Chloride	20.2	0.600	0.0609		mg/L	1	11/07/25 17:40:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/07/25 17:40:00
Sulfate	24.0	1.00	0.286		mg/L	1	11/07/25 17:40:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 49937		Analyst: ME		
Iron	246	50.0	10.1		µg/L	1	11/07/25 17:17:00
Manganese	137	0.500	0.208		µg/L	1	11/07/25 17:17:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10463		Analyst: NR		
Alkalinity, Total (As CaCO3)	181	25.0	7.88	D	mg/L	10	11/12/25 12:49:00

Client: Geosyntec Consultants

Collection Date: 11/6/2025 2:15:00 PM

Project: 700 Dexter

Lab ID: 2511181-015

Matrix: Groundwater

Client Sample ID: EQ-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>			Batch ID: R10465		Analyst: BCA		
Methane	0.0190	0.00500	0.00451		mg/L	1	11/12/25 16:20:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/12/25 16:20:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/12/25 16:20:00
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 6:37:37
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 6:37:37
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/12/25 6:37:37
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 6:37:37
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 6:37:37
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 6:37:37
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 6:37:37
Acetone	3.68	5.00	2.55	J	µg/L	1	11/12/25 6:37:37
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 6:37:37
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 6:37:37
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 6:37:37
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 6:37:37
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/12/25 6:37:37
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 6:37:37
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 6:37:37
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 6:37:37
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 6:37:37
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 6:37:37
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 6:37:37
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 6:37:37
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 6:37:37
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 6:37:37
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 6:37:37
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 6:37:37
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 6:37:37
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 6:37:37
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 6:37:37



Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 2:15:00 PM

Project: 700 Dexter

Lab ID: 2511181-015

Matrix: Groundwater

Client Sample ID: EQ-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 6:37:37
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 6:37:37
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 6:37:37
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 6:37:37
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 6:37:37
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 6:37:37
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 6:37:37
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 6:37:37
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 6:37:37
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 6:37:37
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 6:37:37
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 6:37:37
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 6:37:37
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 6:37:37
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 6:37:37
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 6:37:37
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 6:37:37
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 6:37:37
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 6:37:37
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 6:37:37
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 6:37:37
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 6:37:37
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 6:37:37
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/12/25 6:37:37
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 6:37:37
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 6:37:37
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 6:37:37
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 6:37:37
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 6:37:37
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 6:37:37
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 6:37:37

Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025 2:15:00 PM

Project: 700 Dexter

Lab ID: 2511181-015

Matrix: Groundwater

Client Sample ID: EQ-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 6:37:37
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/12/25 6:37:37
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 6:37:37
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 6:37:37
Surr: Dibromofluoromethane	110	79.9 - 122			%Rec	1	11/12/25 6:37:37
Surr: Toluene-d8	100	80 - 121			%Rec	1	11/12/25 6:37:37
Surr: 1-Bromo-4-fluorobenzene	85.5	79.7 - 120			%Rec	1	11/12/25 6:37:37
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 49943		Analyst: BB		
Chloride	0.235	0.600	0.0609	J	mg/L	1	11/07/25 17:52:00
Nitrate (as N)	0.181	0.150	0.0258		mg/L	1	11/07/25 17:52:00
Sulfate	ND	1.00	0.286		mg/L	1	11/07/25 17:52:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 49937		Analyst: ME		
Iron	ND	50.0	10.1		µg/L	1	11/07/25 17:20:00
Manganese	ND	0.500	0.208		µg/L	1	11/07/25 17:20:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10463		Analyst: NR		
Alkalinity, Total (As CaCO3)	ND	2.50	0.788		mg/L	1	11/12/25 12:08:00

Client: Geosyntec Consultants

Collection Date: 11/6/2025

Project: 700 Dexter

Lab ID: 2511181-016

Matrix: Groundwater

Client Sample ID: TRIP-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/08/25 1:10:28
Chloromethane	ND	1.00	0.218		µg/L	1	11/08/25 1:10:28
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/08/25 1:10:28
Bromomethane	ND	2.00	0.386		µg/L	1	11/08/25 1:10:28
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/08/25 1:10:28
Chloroethane	ND	1.00	0.334		µg/L	1	11/08/25 1:10:28
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/08/25 1:10:28
Acetone	ND	5.00	2.55		µg/L	1	11/08/25 1:10:28
Methylene chloride	ND	2.00	0.649		µg/L	1	11/08/25 1:10:28
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/08/25 1:10:28
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/08/25 1:10:28
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/08/25 1:10:28
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/08/25 1:10:28
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/08/25 1:10:28
Chloroform	ND	0.500	0.0865		µg/L	1	11/08/25 1:10:28
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/08/25 1:10:28
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/08/25 1:10:28
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/08/25 1:10:28
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/08/25 1:10:28
Benzene	ND	0.200	0.0540		µg/L	1	11/08/25 1:10:28
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/08/25 1:10:28
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/08/25 1:10:28
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/08/25 1:10:28
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/08/25 1:10:28
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/08/25 1:10:28
Toluene	ND	0.500	0.129		µg/L	1	11/08/25 1:10:28
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/08/25 1:10:28
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/08/25 1:10:28
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/08/25 1:10:28
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/08/25 1:10:28
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/08/25 1:10:28

Client: Geosyntec Consultants

Collection Date: 11/6/2025

Project: 700 Dexter

Lab ID: 2511181-016

Matrix: Groundwater

Client Sample ID: TRIP-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49950		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/08/25 1:10:28
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/08/25 1:10:28
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/08/25 1:10:28
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/08/25 1:10:28
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/08/25 1:10:28
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/08/25 1:10:28
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/08/25 1:10:28
o-Xylene	ND	0.500	0.144		µg/L	1	11/08/25 1:10:28
Styrene	ND	0.500	0.115		µg/L	1	11/08/25 1:10:28
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/08/25 1:10:28
Bromoform	ND	0.500	0.0986		µg/L	1	11/08/25 1:10:28
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/08/25 1:10:28
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/08/25 1:10:28
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/08/25 1:10:28
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/08/25 1:10:28
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/08/25 1:10:28
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/08/25 1:10:28
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/08/25 1:10:28
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/08/25 1:10:28
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/08/25 1:10:28
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/08/25 1:10:28
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/08/25 1:10:28
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/08/25 1:10:28
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/08/25 1:10:28
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/08/25 1:10:28
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/08/25 1:10:28
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/08/25 1:10:28
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/08/25 1:10:28
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/08/25 1:10:28
Naphthalene	ND	1.25	0.405		µg/L	1	11/08/25 1:10:28
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/08/25 1:10:28



Analytical Report

Work Order: 2511181
Date Reported: 11/25/2025

Client: Geosyntec Consultants

Collection Date: 11/6/2025

Project: 700 Dexter

Lab ID: 2511181-016

Matrix: Groundwater

Client Sample ID: TRIP-251106

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 49950

Analyst: KJ

Surr: Dibromofluoromethane	100	79.9 - 122			%Rec	1	11/08/25 1:10:28
Surr: Toluene-d8	97.6	80 - 121			%Rec	1	11/08/25 1:10:28
Surr: 1-Bromo-4-fluorobenzene	109	79.7 - 120			%Rec	1	11/08/25 1:10:28

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-A	SampType: CCV	Units: mg/L			Prep Date: 11/12/2025			RunNo: 104637			
Client ID: CCV	Batch ID: R104637				Analysis Date: 11/12/2025			SeqNo: 2183170			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) 24.3 2.50 25.00 0 97.3 80 120

Sample ID: CCB-A	SampType: CCB	Units: mg/L			Prep Date: 11/12/2025			RunNo: 104637			
Client ID: CCB	Batch ID: R104637				Analysis Date: 11/12/2025			SeqNo: 2183171			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) ND 2.50

Sample ID: MB-104637	SampType: MBLK	Units: mg/L			Prep Date: 11/12/2025			RunNo: 104637			
Client ID: MBLKW	Batch ID: R104637				Analysis Date: 11/12/2025			SeqNo: 2183172			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) ND 2.50

Sample ID: LCS-104637	SampType: LCS	Units: mg/L			Prep Date: 11/12/2025			RunNo: 104637			
Client ID: LCSW	Batch ID: R104637				Analysis Date: 11/12/2025			SeqNo: 2183173			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) 22.5 2.50 25.00 0 90.1 80 134

Sample ID: CCV-B	SampType: CCV	Units: mg/L			Prep Date: 11/12/2025			RunNo: 104637			
Client ID: CCV	Batch ID: R104637				Analysis Date: 11/12/2025			SeqNo: 2183182			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) 28.8 2.50 25.00 0 115 80 120

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCB-B		SampType: CCB			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCB		Batch ID: R104637						Analysis Date: 11/12/2025			SeqNo: 2183183	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) ND 2.50

Sample ID: 2511181-006DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: MW-120-251106		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183190				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 9.51 2.50 9.307 2.18 20

Sample ID: 2511181-007DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: MW-909-251106		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183191				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 11.1 2.50 7.863 34.4 20

Sample ID: CCV-C		SampType: CCV			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCV		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183194				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 27.7 2.50 25.00 0 111 80 120

Sample ID: CCB-C		SampType: CCB			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCB		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183195				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) ND 2.50

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-D		SampType: CCV			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCV		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183207				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	28.7	2.50	25.00	0	115	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-D		SampType: CCB			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCB		Batch ID: R104637			Analysis Date: 11/12/2025					SeqNo: 2183208		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	4.15	2.50									
------------------------------	------	------	--	--	--	--	--	--	--	--	--

Sample ID: 2511181-014DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: MW-347-251106		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183216				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	187	25.0						181.2	3.05	20	D
------------------------------	-----	------	--	--	--	--	--	-------	------	----	---

Sample ID: CCV-E		SampType: CCV			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCV		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183221				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	27.9	2.50	25.00	0	112	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-E		SampType: CCB			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCB		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183222				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	2.50									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-F		SampType: CCV			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCV		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183233				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	25.4	2.50	25.00	0	101	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-F		SampType: CCB			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCB		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183234				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	2.50									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: CCV-H		SampType: CCV			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104545		
Client ID: CCV		Batch ID: 49943			Analysis Date: 11/7/2025			SeqNo: 2180967				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	12.1	0.600	12.50	0	96.8	90	110				
Nitrate (as N)	2.80	0.150	2.824	0	99.2	90	110				
Sulfate	11.3	1.00	12.50	0	90.4	90	110				

Sample ID: MB-49943		SampType: MBLK			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104545		
Client ID: MBLKW		Batch ID: 49943			Analysis Date: 11/7/2025					SeqNo: 2180968		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.201	0.600									J
Nitrate (as N)	0.0450	0.150									J
Sulfate	ND	1.00									

Sample ID: LCS-49943		SampType: LCS			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104545		
Client ID: LCSW		Batch ID: 49943			Analysis Date: 11/7/2025					SeqNo: 2180969		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	9.79	0.600	10.00	0	97.9	90	110				
Nitrate (as N)	2.25	0.150	2.259	0	99.5	90	110				
Sulfate	9.03	1.00	10.00	0	90.3	90	110				

Sample ID: 2511181-001DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104545		
Client ID: MW-156-251106		Batch ID: 49943			Analysis Date: 11/7/2025			SeqNo: 2180971				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	52.3	0.600						51.89	0.785	20	E
Nitrate (as N)	0.0670	0.150						0.08300	21.3	20	J
Sulfate	15.2	1.00						14.82	2.75	20	

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511181-001DMS		SampType: MS		Units: mg/L		Prep Date: 11/7/2025		RunNo: 104545			
Client ID: MW-156-251106		Batch ID: 49943				Analysis Date: 11/7/2025		SeqNo: 2180972			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	59.1	0.600	10.00	51.89	72.0	80	120				ES
Nitrate (as N)	2.20	0.150	2.259	0.08300	93.9	80	120				
Sulfate	24.2	1.00	10.00	14.82	94.1	80	120				

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

Sample ID: 2511181-001DMSD		SampType: MSD		Units: mg/L		Prep Date: 11/7/2025			RunNo: 104545		
Client ID: MW-156-251106		Batch ID: 49943		Analysis Date: 11/7/2025						SeqNo: 2180973	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	58.7	0.600	10.00	51.89	68.4	80	120	59.09	0.618	20	ES
Nitrate (as N)	2.10	0.150	2.259	0.08300	89.3	80	120	2.205	4.88	20	
Sulfate	23.8	1.00	10.00	14.82	90.0	80	120	24.24	1.73	20	

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

Sample ID: 2511181-002DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104545		
Client ID: MW-910-251106		Batch ID: 49943						Analysis Date: 11/7/2025			SeqNo: 2180975	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Chloride	52.1	0.600						52.09	0.0288	20	E	
Nitrate (as N)	0.0520	0.150						0.05800	10.9	20	J	
Sulfate	15.1	1.00						15.04	0.683	20		

Sample ID: 2511181-002DMS		SampType: MS		Units: mg/L		Prep Date: 11/7/2025			RunNo: 104545		
Client ID: MW-910-251106		Batch ID: 49943					Analysis Date: 11/7/2025			SeqNo: 2180976	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	59.1	0.600	10.00	52.09	70.6	80	120				ES
Nitrate (as N)	2.19	0.150	2.259	0.05800	94.6	80	120				
Sulfate	24.4	1.00	10.00	15.04	93.4	80	120				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511181-002DMS		SampType: MS			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104545		
Client ID: MW-910-251106		Batch ID: 49943			Analysis Date: 11/7/2025			SeqNo: 2180976				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

NOTES:

S - Spike recovery indicates a possible matrix effect.

Sample ID: CCV-B	SampType: CCV	Units: mg/L				Prep Date: 11/7/2025			RunNo: 104545		
Client ID: CCV	Batch ID: 49943	Analysis Date: 11/7/2025							SeqNo: 2180978		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	12.6	0.600	12.50	0	101	90	110				
Nitrate (as N)	2.91	0.150	2.824	0	103	90	110				
Sulfate	11.9	1.00	12.50	0	95.1	90	110				

Sample ID: CCB-B		SampType: CCB		Units: mg/L		Prep Date: 11/7/2025			RunNo: 104545		
Client ID: CCB		Batch ID: 49943		Analysis Date: 11/7/2025					SeqNo: 2180979		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	0.201	0.600									
Nitrate (as N)	ND	0.150									
Sulfate	ND	1.00									

Sample ID: CCV-D	SampType: CCV	Units: mg/L				Prep Date: 11/10/2025			RunNo: 104545		
Client ID: CCV	Batch ID: 49943	Analysis Date: 11/10/2025							SeqNo: 2181962		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	13.1	0.600	12.50	0	105	90	110				
Nitrate (as N)	3.00	0.150	2.824	0	106	90	110				
Sulfate	12.1	1.00	12.50	0	96.4	90	110				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: CCB-D		SampType: CCB			Units: mg/L		Prep Date: 11/10/2025			RunNo: 104545		
Client ID: CCB		Batch ID: 49943			Analysis Date: 11/10/2025			SeqNo: 2181963				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.195	0.600									
Nitrate (as N)	0.0500	0.150									
Sulfate	ND	1.00									

Sample ID: CCV-C		SampType: CCV			Units: mg/L		Prep Date: 11/11/2025			RunNo: 104545		
Client ID: CCV		Batch ID: 49943			Analysis Date: 11/11/2025			SeqNo: 2181968				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	12.5	0.600	12.50	0	100	90	110				
Nitrate (as N)	2.88	0.150	2.824	0	102	90	110				
Sulfate	11.4	1.00	12.50	0	90.8	90	110				

Sample ID: CCB-C		SampType: CCB			Units: mg/L		Prep Date: 11/11/2025			RunNo: 104545		
Client ID: CCB		Batch ID: 49943						Analysis Date: 11/11/2025			SeqNo: 2181969	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.197	0.600									
Nitrate (as N)	ND	0.150									
Sulfate	ND	1.00									

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Metals by EPA 6020B

Sample ID: MB-49937		SampType: MBLK			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104520		
Client ID: MBLKW		Batch ID: 49937						Analysis Date: 11/7/2025			SeqNo: 2180313	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	ND	50.0									
Manganese	ND	0.500									

Sample ID: LCS-49937		SampType: LCS			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104520		
Client ID: LCSW		Batch ID: 49937			Analysis Date: 11/7/2025			SeqNo: 2180314				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	1,030	50.0	1,000	0	103	80	120				
Manganese	102	0.500	100.0	0	102	80	120				

Sample ID: 2511181-006BMS		SampType: MS			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104520		
Client ID: MW-120-251106		Batch ID: 49937						Analysis Date: 11/7/2025			SeqNo: 2180317	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	1,680	50.0	1,000	691.7	98.8	75	125				
Manganese	121	0.500	100.0	18.80	102	75	125				

Sample ID: 2511181-006BMSD		SampType: MSD			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104520		
Client ID: MW-120-251106		Batch ID: 49937						Analysis Date: 11/7/2025			SeqNo: 2180319	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	1,690	50.0	1,000	691.7	99.8	75	125	1,679	0.603	20	
Manganese	121	0.500	100.0	18.80	103	75	125	120.9	0.432	20	

Sample ID: MB-49936		SampType: MBLK		Units: µg/L		Prep Date: 11/7/2025			RunNo: 104534		
Client ID: MBLKW		Batch ID: 49936					Analysis Date: 11/7/2025			SeqNo: 2180703	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Iron	ND	30.0									
Manganese	ND	0.500									

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Metals by EPA 6020B

Sample ID: MB-49936		SampType: MBLK			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104534		
Client ID: MBLKW		Batch ID: 49936			Analysis Date: 11/7/2025					SeqNo: 2180703		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Sample ID: LCS-49936		SampType: LCS			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104534		
Client ID: LCSW		Batch ID: 49936			Analysis Date: 11/7/2025					SeqNo: 2180704		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	1,040	30.0	1,000	0	104	80	120				
Manganese	103	0.500	100.0	0	103	80	120				

Sample ID: 2511030-001BMS		SampType: MS			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104534		
Client ID: BATCH		Batch ID: 49936			Analysis Date: 11/7/2025			SeqNo: 2180707				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	2,630	30.0	1,000	1,623	101	75	125				
Manganese	419	0.500	100.0	321.8	97.0	75	125				

Sample ID: 2511030-001BMSD		SampType: MSD			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104534		
Client ID: BATCH		Batch ID: 49936			Analysis Date: 11/7/2025					SeqNo: 2180709		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	2,640	30.0	1,000	1,623	102	75	125	2,628	0.415	20	
Manganese	420	0.500	100.0	321.8	97.8	75	125	418.8	0.171	20	

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVA		SampType: CCV			Units: ppmv		Prep Date: 11/12/2025			RunNo: 104652		
Client ID: CCV		Batch ID: R104652			Analysis Date: 11/12/2025			SeqNo: 2183471				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	1,020	0.00500	1,000	0	102	85	115				
Ethene	1,010	0.0100	1,000	0	101	85	115				
Ethane	1,030	0.0100	1,000	0	103	85	115				

Sample ID: LCS-104652		SampType: LCS			Units: ppmv		Prep Date: 11/12/2025			RunNo: 104652		
Client ID: LCSW		Batch ID: R104652			Analysis Date: 11/12/2025			SeqNo: 2183693				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	1,020	0.00500	1,000	0	102	73.6	124				
Ethene	1,010	0.0100	1,000	0	101	76.3	122				
Ethane	1,030	0.0100	1,000	0	103	76.1	123				

Sample ID: MB-104652		SampType: MBLK			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104652		
Client ID: MBLKW		Batch ID: R104652			Analysis Date: 11/12/2025			SeqNo: 2183477				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	ND	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Sample ID: 2511181-001EREP		SampType: REP			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104652		
Client ID: MW-156-251106		Batch ID: R104652						Analysis Date: 11/12/2025			SeqNo: 2183480	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	1.00	0.00500						0.9757	2.61	30	E
Ethene	ND	0.0100						0	0	30	
Ethane	0.0246	0.0100						0.02293	6.84	30	

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: 2511181-009EREP		SampType: REP			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104652		
Client ID: MW-9-251106		Batch ID: R104652						Analysis Date: 11/12/2025			SeqNo: 2183495	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	0.122	0.00500						0.1267	3.38	30	
Ethene	ND	0.0100						0	0	30	
Ethane	ND	0.0100						0	0	30	

Sample ID: CCVB		SampType: CCV			Units: ppmv		Prep Date: 11/12/2025			RunNo: 104652		
Client ID: CCV		Batch ID: R104652			Analysis Date: 11/12/2025			SeqNo: 2183472				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	1,090	0.00500	1,000	0	109	85	115				
Ethene	978	0.0100	1,000	0	97.8	85	115				
Ethane	1,000	0.0100	1,000	0	100	85	115				

Sample ID: CCVC		SampType: CCV			Units: ppmv		Prep Date: 11/12/2025			RunNo: 104652		
Client ID: CCV		Batch ID: R104652			Analysis Date: 11/12/2025			SeqNo: 2183473				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	937	0.00500	1,000	0	93.7	85	115				
Ethene	973	0.0100	1,000	0	97.3	85	115				
Ethane	995	0.0100	1,000	0	99.5	85	115				

Sample ID: 2511181-004EREP		SampType: REP			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104652		
Client ID: MW-350-251106		Batch ID: R104652			Analysis Date: 11/12/2025					SeqNo: 2183485		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	3.39	0.0500						3.122	8.25	30	DE
Ethene	0.0794	0.100						0.04431	56.7	30	DJ
Ethane	0.145	0.100						0.07715	61.2	30	D

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVE		SampType: CCV		Units: ppmv		Prep Date: 11/13/2025			RunNo: 104652		
Client ID: CCV		Batch ID: R104652					Analysis Date: 11/13/2025			SeqNo: 2183475	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methane	930	0.00500	1,000	0	93.0	85	115				
Ethene	955	0.0100	1,000	0	95.5	85	115				
Ethane	976	0.0100	1,000	0	97.6	85	115				

Sample ID: CCVF		SampType: CCV		Units: ppmv		Prep Date: 11/13/2025			RunNo: 104652		
Client ID: CCV		Batch ID: R104652					Analysis Date: 11/13/2025			SeqNo: 2183476	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methane	954	0.00500	1,000	0	95.4	85	115				
Ethene	980	0.0100	1,000	0	98.0	85	115				
Ethane	1,000	0.0100	1,000	0	100	85	115				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-49950	SampType: LCS	Units: µg/L			Prep Date: 11/7/2025			RunNo: 104574			
Client ID: LCSW	Batch ID: 49950	Analysis Date: 11/7/2025						SeqNo: 2181804			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	17.9	1.00	20.00	0	89.4	80	120				
Chloromethane	17.2	1.00	20.00	0	86.0	80	120				
Vinyl chloride	18.3	0.200	20.00	0	91.4	80	120				
Bromomethane	19.6	2.00	20.00	0	98.1	80	120				
Trichlorofluoromethane (CFC-11)	18.8	0.500	20.00	0	94.0	80	120				
Chloroethane	17.9	1.00	20.00	0	89.4	80	120				
1,1-Dichloroethene	18.6	0.500	20.00	0	93.0	80	120				
Acetone	55.5	5.00	50.00	0	111	80	120				
Methylene chloride	20.0	2.00	20.00	0	100	80	120				
trans-1,2-Dichloroethene	19.7	0.500	20.00	0	98.5	80	120				
Methyl tert-butyl ether (MTBE)	18.8	0.500	20.00	0	93.8	80	120				
1,1-Dichloroethane	20.0	0.500	20.00	0	100	80	120				
cis-1,2-Dichloroethene	20.9	0.500	20.00	0	105	80	120				
2-Butanone (MEK)	55.9	5.00	50.00	0	112	80	120				
Chloroform	19.7	0.500	20.00	0	98.4	80	120				
1,1,1-Trichloroethane (TCA)	20.6	0.500	20.00	0	103	80	120				
1,1-Dichloropropene	19.9	0.500	20.00	0	99.6	80	120				
Carbon tetrachloride	20.1	0.500	20.00	0	101	80	120				
1,2-Dichloroethane (EDC)	18.3	0.200	20.00	0	91.5	80	120				
Benzene	20.9	0.200	20.00	0	104	80	120				
Trichloroethene (TCE)	20.8	0.500	20.00	0	104	80	120				
1,2-Dichloropropane	20.1	0.200	20.00	0	100	80	120				
Bromodichloromethane	18.4	0.200	20.00	0	91.8	80	120				
Dibromomethane	18.4	0.500	20.00	0	91.8	80	120				
cis-1,3-Dichloropropene	18.6	0.500	20.00	0	93.1	80	120				
Toluene	18.6	0.500	20.00	0	93.0	80	120				
trans-1,3-Dichloropropylene	18.5	0.500	20.00	0	92.6	80	120				
Methyl Isobutyl Ketone (MIBK)	46.0	2.50	50.00	0	92.0	80	120				
1,1,2-Trichloroethane	17.9	0.500	20.00	0	89.5	80	120				
1,3-Dichloropropane	18.0	0.500	20.00	0	89.9	80	120				
Tetrachloroethene (PCE)	18.0	0.500	20.00	0	90.2	80	120				
Dibromochloromethane	18.0	0.500	20.00	0	90.1	80	120				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-49950	SampType: LCS	Units: µg/L			Prep Date: 11/7/2025			RunNo: 104574			
Client ID: LCSW	Batch ID: 49950	Analysis Date: 11/7/2025						SeqNo: 2181804			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	17.5	0.500	20.00	0	87.6	80	120				
2-Hexanone (MBK)	51.5	1.25	50.00	0	103	80	120				
Chlorobenzene	18.9	0.500	20.00	0	94.6	80	120				
1,1,1,2-Tetrachloroethane	21.4	0.500	20.00	0	107	80	120				
Ethylbenzene	19.3	0.500	20.00	0	96.7	80	120				
m,p-Xylene	38.3	1.00	40.00	0	95.7	80	120				
o-Xylene	19.7	0.500	20.00	0	98.4	80	120				
Styrene	20.8	0.500	20.00	0	104	80	120				
Isopropylbenzene	20.8	0.500	20.00	0	104	80	120				
Bromoform	19.6	0.500	20.00	0	97.8	80	120				
1,1,2,2-Tetrachloroethane	19.9	0.200	20.00	0	99.3	80	120				
n-Propylbenzene	21.3	0.500	20.00	0	106	80	120				
Bromobenzene	19.1	0.200	20.00	0	95.5	80	120				
1,3,5-Trimethylbenzene	20.1	0.500	20.00	0	101	80	120				
2-Chlorotoluene	19.1	0.500	20.00	0	95.6	80	120				
4-Chlorotoluene	19.8	0.500	20.00	0	99.2	80	120				
tert-Butylbenzene	19.2	0.500	20.00	0	95.9	80	120				
1,2,3-Trichloropropane	18.9	0.500	20.00	0	94.6	80	120				
1,2,4-Trichlorobenzene	16.5	0.750	20.00	0	82.7	80	120				
sec-Butylbenzene	19.7	0.500	20.00	0	98.6	80	120				
4-Isopropyltoluene	20.8	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	19.2	0.500	20.00	0	96.2	80	120				
1,4-Dichlorobenzene	18.4	0.500	20.00	0	91.8	80	120				
n-Butylbenzene	19.9	0.500	20.00	0	99.5	80	120				
1,2-Dichlorobenzene	19.4	0.500	20.00	0	96.9	80	120				
1,2-Dibromo-3-chloropropane	16.2	1.00	20.00	0	81.0	80	120				
1,2,4-Trimethylbenzene	20.3	0.500	20.00	0	102	80	120				
Hexachloro-1,3-butadiene	17.5	1.00	20.00	0	87.6	80	120				
Naphthalene	17.3	1.25	20.00	0	86.7	80	120				
1,2,3-Trichlorobenzene	19.8	1.00	20.00	0	99.1	80	120				
Surr: Dibromofluoromethane	25.2		25.00		101	79.9	122				
Surr: Toluene-d8	24.1		25.00		96.2	80	121				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-49950		SampType: LCS			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104574		
Client ID: LCSW		Batch ID: 49950			Analysis Date: 11/7/2025			SeqNo: 2181804				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Surr: 1-Bromo-4-fluorobenzene	25.2		25.00		101	79.7	120				
-------------------------------	------	--	-------	--	-----	------	-----	--	--	--	--

Sample ID: VOC-CCV-104574A		SampType: CCV			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104574		
Client ID: CCV		Batch ID: R104574			Analysis Date: 11/7/2025			SeqNo: 2181775				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	17.9	1.00	20.00	0	89.4	80	120				
Chloromethane	17.2	1.00	20.00	0	86.0	80	120				
Bromomethane	19.6	2.00	20.00	0	98.1	80	120				
Trichlorofluoromethane (CFC-11)	18.8	0.500	20.00	0	94.0	80	120				
Chloroethane	17.9	1.00	20.00	0	89.4	80	120				
1,1-Dichloroethene	18.6	0.500	20.00	0	93.0	80	120				
Acetone	55.5	5.00	50.00	0	111	80	120				
Methylene chloride	20.0	2.00	20.00	0	100	80	120				
trans-1,2-Dichloroethene	19.7	0.500	20.00	0	98.5	80	120				
Methyl tert-butyl ether (MTBE)	18.8	0.500	20.00	0	93.8	80	120				
1,1-Dichloroethane	20.0	0.500	20.00	0	100	80	120				
cis-1,2-Dichloroethene	20.9	0.500	20.00	0	105	80	120				
2-Butanone (MEK)	55.9	5.00	50.00	0	112	80	120				
Chloroform	19.7	0.500	20.00	0	98.4	80	120				
1,1,1-Trichloroethane (TCA)	20.6	0.500	20.00	0	103	80	120				
1,1-Dichloropropene	19.9	0.500	20.00	0	99.6	80	120				
Carbon tetrachloride	20.1	0.500	20.00	0	101	80	120				
1,2-Dichloroethane (EDC)	18.3	0.200	20.00	0	91.5	80	120				
Benzene	20.9	0.200	20.00	0	104	80	120				
Trichloroethene (TCE)	20.8	0.500	20.00	0	104	80	120				
1,2-Dichloropropane	20.1	0.200	20.00	0	100	80	120				
Bromodichloromethane	18.4	0.200	20.00	0	91.8	80	120				
Dibromomethane	18.4	0.500	20.00	0	91.8	80	120				
cis-1,3-Dichloropropene	18.6	0.500	20.00	0	93.1	80	120				
Toluene	18.6	0.500	20.00	0	93.0	80	120				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104574A		SampType: CCV		Units: µg/L		Prep Date: 11/7/2025			RunNo: 104574		
Client ID: CCV		Batch ID: R104574					Analysis Date: 11/7/2025			SeqNo: 2181775	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

trans-1,3-Dichloropropylene	18.5	0.500	20.00	0	92.6	80	120				
Methyl Isobutyl Ketone (MIBK)	46.0	2.50	50.00	0	92.0	80	120				
1,1,2-Trichloroethane	17.9	0.500	20.00	0	89.5	80	120				
1,3-Dichloropropane	18.0	0.500	20.00	0	89.9	80	120				
Tetrachloroethene (PCE)	18.0	0.500	20.00	0	90.2	80	120				
Dibromochloromethane	18.0	0.500	20.00	0	90.1	80	120				
1,2-Dibromoethane (EDB)	17.5	0.500	20.00	0	87.6	80	120				
2-Hexanone (MBK)	51.5	1.25	50.00	0	103	80	120				
Chlorobenzene	18.9	0.500	20.00	0	94.6	80	120				
1,1,1,2-Tetrachloroethane	21.4	0.500	20.00	0	107	80	120				
Ethylbenzene	19.3	0.500	20.00	0	96.7	80	120				
m,p-Xylene	38.3	1.00	40.00	0	95.7	80	120				
o-Xylene	19.7	0.500	20.00	0	98.4	80	120				
Styrene	20.8	0.500	20.00	0	104	80	120				
Isopropylbenzene	20.8	0.500	20.00	0	104	80	120				
Bromoform	19.6	0.500	20.00	0	97.8	80	120				
1,1,2,2-Tetrachloroethane	19.9	0.200	20.00	0	99.3	80	120				
n-Propylbenzene	21.3	0.500	20.00	0	106	80	120				
Bromobenzene	19.1	0.200	20.00	0	95.5	80	120				
1,3,5-Trimethylbenzene	20.1	0.500	20.00	0	101	80	120				
2-Chlorotoluene	19.1	0.500	20.00	0	95.6	80	120				
4-Chlorotoluene	19.8	0.500	20.00	0	99.2	80	120				
tert-Butylbenzene	19.2	0.500	20.00	0	95.9	80	120				
1,2,3-Trichloropropane	18.9	0.500	20.00	0	94.6	80	120				
1,2,4-Trichlorobenzene	16.5	0.750	20.00	0	82.7	80	120				
sec-Butylbenzene	19.7	0.500	20.00	0	98.6	80	120				
4-Isopropyltoluene	20.8	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	19.2	0.500	20.00	0	96.2	80	120				
1,4-Dichlorobenzene	18.4	0.500	20.00	0	91.8	80	120				
n-Butylbenzene	19.9	0.500	20.00	0	99.5	80	120				
1,2-Dichlorobenzene	19.4	0.500	20.00	0	96.9	80	120				
1,2-Dibromo-3-chloropropane	16.2	1.00	20.00	0	81.0	80	120				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104574A		SampType: CCV			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104574		
Client ID: CCV		Batch ID: R104574			Analysis Date: 11/7/2025			SeqNo: 2181775				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2,4-Trimethylbenzene	20.3	0.500	20.00	0	102	80	120				
Hexachloro-1,3-butadiene	17.5	1.00	20.00	0	87.6	80	120				
Naphthalene	17.3	1.25	20.00	0	86.7	80	120				
1,2,3-Trichlorobenzene	19.8	1.00	20.00	0	99.1	80	120				
IS: Fluorobenzene	ND		25.00	0	0	0	0				
Surr: Dibromofluoromethane	25.2		25.00		101	80	120				
Surr: 1-Bromo-4-fluorobenzene	25.2		25.00		101	80	120				

Sample ID: MB-49950		SampType: MBLK		Units: µg/L		Prep Date: 11/7/2025			RunNo: 104574		
Client ID: MBLKW		Batch ID: 49950					Analysis Date: 11/7/2025			SeqNo: 2181776	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	ND	5.00									
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									
1,1-Dichloropropene	ND	0.500									
Carbon tetrachloride	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.200									

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-49950		SampType: MBLK			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104574		
Client ID: MBLKW		Batch ID: 49950			Analysis Date: 11/7/2025					SeqNo: 2181776		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Benzene	ND	0.200
Trichloroethene (TCE)	ND	0.500
1,2-Dichloropropane	ND	0.200
Bromodichloromethane	ND	0.200
Dibromomethane	ND	0.500
cis-1,3-Dichloropropene	ND	0.500
Toluene	ND	0.500
trans-1,3-Dichloropropylene	ND	0.500
Methyl Isobutyl Ketone (MIBK)	ND	2.50
1,1,2-Trichloroethane	ND	0.500
1,3-Dichloropropane	ND	0.500
Tetrachloroethene (PCE)	ND	0.500
Dibromochloromethane	ND	0.500
1,2-Dibromoethane (EDB)	ND	0.500
2-Hexanone (MBK)	ND	1.25
Chlorobenzene	ND	0.500
1,1,1,2-Tetrachloroethane	ND	0.500
Ethylbenzene	ND	0.500
m,p-Xylene	ND	1.00
o-Xylene	ND	0.500
Styrene	ND	0.500
Isopropylbenzene	ND	0.500
Bromoform	ND	0.500
1,1,2,2-Tetrachloroethane	ND	0.200
n-Propylbenzene	ND	0.500
Bromobenzene	ND	0.200
1,3,5-Trimethylbenzene	ND	0.500
2-Chlorotoluene	ND	0.500
4-Chlorotoluene	ND	0.500
tert-Butylbenzene	ND	0.500
1,2,3-Trichloropropane	ND	0.500
1,2,4-Trichlorobenzene	ND	0.750

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-49950		SampType: MBLK		Units: µg/L		Prep Date: 11/7/2025			RunNo: 104574		
Client ID: MBLKW		Batch ID: 49950					Analysis Date: 11/7/2025			SeqNo: 2181776	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	25.0		25.00		100	80	120				
Surr: Toluene-d8	22.9		25.00		91.8	80	120				
Surr: 1-Bromo-4-fluorobenzene	23.7		25.00		94.6	80	120				

Sample ID: 2511121-001ADUP		SampType: DUP			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104574		
Client ID: BATCH		Batch ID: 49950			Analysis Date: 11/7/2025			SeqNo: 2181779				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	ND	1.00						0	0	30	
Chloromethane	ND	1.00						0	0	30	
Vinyl chloride	ND	0.200						0	0	30	
Bromomethane	ND	2.00						0	0	30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0	0	30	
Chloroethane	ND	1.00						0	0	30	
1,1-Dichloroethene	ND	0.500						0	0	30	
Acetone	ND	5.00						0	0	30	
Methylene chloride	ND	2.00						0	0	30	
trans-1,2-Dichloroethene	ND	0.500						0	0	30	
Methyl tert-butyl ether (MTBE)	ND	0.500						0	0	30	
1,1-Dichloroethane	ND	0.500						0	0	30	

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511121-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/7/2025		RunNo: 104574			
Client ID: BATCH		Batch ID: 49950				Analysis Date: 11/7/2025		SeqNo: 2181779			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,2-Dichloroethene	ND	0.500						0	0	30	
2-Butanone (MEK)	ND	5.00						0	0	30	
Chloroform	ND	0.500						0	0	30	
1,1,1-Trichloroethane (TCA)	ND	0.500						0	0	30	
1,1-Dichloropropene	ND	0.500						0	0	30	
Carbon tetrachloride	ND	0.500						0	0	30	
1,2-Dichloroethane (EDC)	ND	0.200						0	0	30	
Benzene	ND	0.200						0	0	30	
Trichloroethene (TCE)	ND	0.500						0	0	30	
1,2-Dichloropropane	ND	0.200						0	0	30	
Bromodichloromethane	ND	0.200						0	0	30	
Dibromomethane	ND	0.500						0	0	30	
cis-1,3-Dichloropropene	ND	0.500						0	0	30	
Toluene	ND	0.500						0	0	30	
trans-1,3-Dichloropropylene	ND	0.500						0	0	30	
Methyl Isobutyl Ketone (MIBK)	ND	2.50						0	0	30	
1,1,2-Trichloroethane	ND	0.500						0	0	30	
1,3-Dichloropropane	ND	0.500						0	0	30	
Tetrachloroethene (PCE)	ND	0.500						0	0	30	
Dibromochloromethane	ND	0.500						0	0	30	
1,2-Dibromoethane (EDB)	ND	0.500						0	0	30	
2-Hexanone (MBK)	ND	1.25						0	0	30	
Chlorobenzene	ND	0.500						0	0	30	
1,1,1,2-Tetrachloroethane	ND	0.500						0	0	30	
Ethylbenzene	ND	0.500						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	
o-Xylene	ND	0.500						0	0	30	
Styrene	ND	0.500						0	0	30	
Isopropylbenzene	ND	0.500						0	0	30	
Bromoform	ND	0.500						0	0	30	
1,1,2,2-Tetrachloroethane	ND	0.200						0	0	30	
n-Propylbenzene	ND	0.500						0	0	30	

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511121-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/7/2025		RunNo: 104574			
Client ID: BATCH		Batch ID: 49950				Analysis Date: 11/7/2025		SeqNo: 2181779			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromobenzene	ND	0.200						0	0	30	
1,3,5-Trimethylbenzene	ND	0.500						0	0	30	
2-Chlorotoluene	ND	0.500						0	0	30	
4-Chlorotoluene	ND	0.500						0	0	30	
tert-Butylbenzene	ND	0.500						0	0	30	
1,2,3-Trichloropropane	ND	0.500						0	0	30	
1,2,4-Trichlorobenzene	ND	0.750						0	0	30	
sec-Butylbenzene	ND	0.500						0	0	30	
4-Isopropyltoluene	ND	0.500						0	0	30	
1,3-Dichlorobenzene	ND	0.500						0	0	30	
1,4-Dichlorobenzene	ND	0.500						0	0	30	
n-Butylbenzene	ND	0.500						0	0	30	
1,2-Dichlorobenzene	ND	0.500						0	0	30	
1,2-Dibromo-3-chloropropane	ND	1.00						0	0	30	
1,2,4-Trimethylbenzene	ND	0.500						0	0	30	
Hexachloro-1,3-butadiene	ND	1.00						0	0	30	
Naphthalene	ND	1.25						0	0	30	
1,2,3-Trichlorobenzene	ND	1.00						0	0	30	
Surr: Dibromofluoromethane	25.9		25.00		104	79.9	122		0		
Surr: Toluene-d8	23.0		25.00		92.2	80	121		0		
Surr: 1-Bromo-4-fluorobenzene	20.5		25.00		82.1	79.7	120		0		

Sample ID: 2511121-002AMS		SampType: MS		Units: µg/L		Prep Date: 11/7/2025		RunNo: 104574			
Client ID: BATCH		Batch ID: 49950				Analysis Date: 11/7/2025		SeqNo: 2181793			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	23.5	1.00	20.00	0	117	61	156				
Chloromethane	22.8	1.00	20.00	0	114	58.6	153				
Vinyl chloride	23.9	0.200	20.00	0.06436	119	70.9	160				
Bromomethane	27.5	2.00	20.00	0	138	57	155				
Trichlorofluoromethane (CFC-11)	24.4	0.500	20.00	0	122	80	159				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511121-002AMS	SampType: MS	Units: µg/L				Prep Date: 11/7/2025			RunNo: 104574		
Client ID: BATCH	Batch ID: 49950	Analysis Date: 11/7/2025						SeqNo: 2181793			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloroethane	21.7	1.00	20.00	0	108	71.3	145				
1,1-Dichloroethene	23.2	0.500	20.00	0	116	80	160				
Acetone	35.1	5.00	50.00	0	70.3	12.9	126				
Methylene chloride	24.1	2.00	20.00	0	121	77.6	131				
trans-1,2-Dichloroethene	26.1	0.500	20.00	0	130	80	134				
Methyl tert-butyl ether (MTBE)	22.5	0.500	20.00	0	113	80	127				
1,1-Dichloroethane	26.3	0.500	20.00	0	131	80	129				S
cis-1,2-Dichloroethene	26.3	0.500	20.00	0	131	78.2	137				
2-Butanone (MEK)	48.2	5.00	50.00	0	96.3	32.5	130				
Chloroform	21.1	0.500	20.00	0	105	78.3	136				
1,1,1-Trichloroethane (TCA)	23.4	0.500	20.00	0	117	80	153				
1,1-Dichloropropene	24.7	0.500	20.00	0	124	80	153				
Carbon tetrachloride	25.9	0.500	20.00	0	129	80	156				
1,2-Dichloroethane (EDC)	17.5	0.200	20.00	0	87.5	77	133				
Benzene	17.0	0.200	20.00	0	85.0	80	134				
Trichloroethene (TCE)	18.8	0.500	20.00	0	94.2	80	133				
1,2-Dichloropropane	24.3	0.200	20.00	0	122	80	125				
Bromodichloromethane	23.4	0.200	20.00	0	117	80	124				
Dibromomethane	22.7	0.500	20.00	0	113	80	122				
cis-1,3-Dichloropropene	22.4	0.500	20.00	0	112	80	128				
Toluene	16.5	0.500	20.00	0	82.6	80	134				
trans-1,3-Dichloropropylene	17.8	0.500	20.00	0	89.2	78.6	136				
Methyl Isobutyl Ketone (MIBK)	54.6	2.50	50.00	0	109	61.1	145				
1,1,2-Trichloroethane	17.5	0.500	20.00	0	87.4	79.4	135				
1,3-Dichloropropane	19.2	0.500	20.00	0	96.0	80	126				
Tetrachloroethene (PCE)	20.5	0.500	20.00	0	103	80	153				
Dibromochloromethane	20.3	0.500	20.00	0	101	77.7	137				
1,2-Dibromoethane (EDB)	21.5	0.500	20.00	0	108	77.8	132				
2-Hexanone (MBK)	42.4	1.25	50.00	0	84.8	34.7	135				
Chlorobenzene	19.8	0.500	20.00	0	99.2	80	123				
1,1,1,2-Tetrachloroethane	22.1	0.500	20.00	0	111	80	125				
Ethylbenzene	20.8	0.500	20.00	0	104	80	125				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511121-002AMS		SampType: MS		Units: µg/L		Prep Date: 11/7/2025			RunNo: 104574		
Client ID: BATCH		Batch ID: 49950		Analysis Date: 11/7/2025						SeqNo: 2181793	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
m,p-Xylene	40.3	1.00	40.00	0	101	80	124				
o-Xylene	20.5	0.500	20.00	0	103	80	122				
Styrene	21.2	0.500	20.00	0	106	80	122				
Isopropylbenzene	22.4	0.500	20.00	0	112	80	133				
Bromoform	19.6	0.500	20.00	0	98.2	80	125				
1,1,2,2-Tetrachloroethane	18.6	0.200	20.00	0	92.9	76.3	138				
n-Propylbenzene	19.7	0.500	20.00	0	98.6	80	134				
Bromobenzene	17.0	0.200	20.00	0	85.2	80	121				
1,3,5-Trimethylbenzene	19.4	0.500	20.00	0	96.9	80	126				
2-Chlorotoluene	17.2	0.500	20.00	0	86.1	80	124				
4-Chlorotoluene	18.0	0.500	20.00	0	90.1	80	123				
tert-Butylbenzene	15.4	0.500	20.00	0	77.2	80	131				S
1,2,3-Trichloropropane	15.5	0.500	20.00	0	77.3	75.3	125				
1,2,4-Trichlorobenzene	20.2	0.750	20.00	0	101	71.2	129				
sec-Butylbenzene	16.3	0.500	20.00	0	81.5	80	137				
4-Isopropyltoluene	16.8	0.500	20.00	0	84.1	80	132				
1,3-Dichlorobenzene	20.2	0.500	20.00	0	101	80	120				
1,4-Dichlorobenzene	19.6	0.500	20.00	0	97.8	80	122				
n-Butylbenzene	23.5	0.500	20.00	0	117	79.5	138				
1,2-Dichlorobenzene	20.4	0.500	20.00	0	102	79	120				
1,2-Dibromo-3-chloropropane	19.7	1.00	20.00	0	98.7	69.6	137				
1,2,4-Trimethylbenzene	15.5	0.500	20.00	0	77.5	80	123				S
Hexachloro-1,3-butadiene	22.1	1.00	20.00	0	110	74.3	148				
Naphthalene	20.4	1.25	20.00	0	102	74.3	124				
1,2,3-Trichlorobenzene	21.1	1.00	20.00	0	105	71.9	129				
Surr: Dibromofluoromethane	25.2		25.00		101	79.9	122				
Surr: Toluene-d8	25.8		25.00		103	80	121				
Surr: 1-Bromo-4-fluorobenzene	23.6		25.00		94.3	79.7	120				

NOTES:

S - Outlying spike recoveries were associated with this sample.

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104574B	SampType: CCV	Units: µg/L			Prep Date: 11/7/2025			RunNo: 104574			
Client ID: CCV	Batch ID: R104574	Analysis Date: 11/7/2025						SeqNo: 2181794			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	26.4	1.00	20.00	0	132	80	120				S
Chloromethane	22.8	1.00	20.00	0	114	80	120				
Bromomethane	29.0	2.00	20.00	0	145	80	120				S
Trichlorofluoromethane (CFC-11)	27.4	0.500	20.00	0	137	80	120				S
Chloroethane	24.2	1.00	20.00	0	121	80	120				S
1,1-Dichloroethene	24.3	0.500	20.00	0	122	80	120				S
Acetone	48.3	5.00	50.00	0	96.5	80	120				
Methylene chloride	22.8	2.00	20.00	0	114	80	120				
trans-1,2-Dichloroethene	23.0	0.500	20.00	0	115	80	120				
Methyl tert-butyl ether (MTBE)	21.4	0.500	20.00	0	107	80	120				
1,1-Dichloroethane	23.6	0.500	20.00	0	118	80	120				
cis-1,2-Dichloroethene	23.7	0.500	20.00	0	119	80	120				
2-Butanone (MEK)	49.2	5.00	50.00	0	98.4	80	120				
Chloroform	23.0	0.500	20.00	0	115	80	120				
1,1,1-Trichloroethane (TCA)	24.0	0.500	20.00	0	120	80	120				S
1,1-Dichloropropene	23.9	0.500	20.00	0	119	80	120				
Carbon tetrachloride	23.6	0.500	20.00	0	118	80	120				
1,2-Dichloroethane (EDC)	20.6	0.200	20.00	0	103	80	120				
Benzene	19.3	0.200	20.00	0	96.6	80	120				
Trichloroethene (TCE)	19.2	0.500	20.00	0	96.0	80	120				
1,2-Dichloropropane	23.0	0.200	20.00	0	115	80	120				
Bromodichloromethane	21.3	0.200	20.00	0	107	80	120				
Dibromomethane	20.2	0.500	20.00	0	101	80	120				
cis-1,3-Dichloropropene	20.3	0.500	20.00	0	102	80	120				
Toluene	16.9	0.500	20.00	0	84.6	80	120				
trans-1,3-Dichloropropylene	20.9	0.500	20.00	0	105	80	120				
Methyl Isobutyl Ketone (MIBK)	52.4	2.50	50.00	0	105	80	120				
1,1,2-Trichloroethane	21.8	0.500	20.00	0	109	80	120				
1,3-Dichloropropane	22.6	0.500	20.00	0	113	80	120				
Tetrachloroethene (PCE)	22.9	0.500	20.00	0	115	80	120				
Dibromochloromethane	23.0	0.500	20.00	0	115	80	120				
1,2-Dibromoethane (EDB)	22.6	0.500	20.00	0	113	80	120				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104574B		SampType: CCV		Units: µg/L		Prep Date: 11/7/2025			RunNo: 104574		
Client ID: CCV		Batch ID: R104574		Analysis Date: 11/7/2025						SeqNo: 2181794	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Hexanone (MBK)	52.6	1.25	50.00	0	105	80	120				
Chlorobenzene	20.0	0.500	20.00	0	99.9	80	120				
1,1,1,2-Tetrachloroethane	22.3	0.500	20.00	0	111	80	120				
Ethylbenzene	20.5	0.500	20.00	0	103	80	120				
m,p-Xylene	37.0	1.00	40.00	0	92.5	80	120				
o-Xylene	17.5	0.500	20.00	0	87.3	80	120				
Styrene	18.7	0.500	20.00	0	93.3	80	120				
Isopropylbenzene	20.4	0.500	20.00	0	102	80	120				
Bromoform	18.0	0.500	20.00	0	90.1	80	120				
1,1,2,2-Tetrachloroethane	18.8	0.200	20.00	0	94.1	80	120				
n-Propylbenzene	19.2	0.500	20.00	0	95.9	80	120				
Bromobenzene	16.7	0.200	20.00	0	83.6	80	120				
1,3,5-Trimethylbenzene	18.2	0.500	20.00	0	91.0	80	120				
2-Chlorotoluene	18.1	0.500	20.00	0	90.4	80	120				
4-Chlorotoluene	17.7	0.500	20.00	0	88.7	80	120				
tert-Butylbenzene	17.7	0.500	20.00	0	88.3	80	120				
1,2,3-Trichloropropane	17.1	0.500	20.00	0	85.6	80	120				
1,2,4-Trichlorobenzene	19.1	0.750	20.00	0	95.7	80	120				
sec-Butylbenzene	18.7	0.500	20.00	0	93.6	80	120				
4-Isopropyltoluene	19.3	0.500	20.00	0	96.6	80	120				
1,3-Dichlorobenzene	19.9	0.500	20.00	0	99.7	80	120				
1,4-Dichlorobenzene	20.2	0.500	20.00	0	101	80	120				
n-Butylbenzene	24.2	0.500	20.00	0	121	80	120				S
1,2-Dichlorobenzene	22.3	0.500	20.00	0	111	80	120				
1,2-Dibromo-3-chloropropane	22.6	1.00	20.00	0	113	80	120				
1,2,4-Trimethylbenzene	18.1	0.500	20.00	0	90.6	80	120				
Hexachloro-1,3-butadiene	21.0	1.00	20.00	0	105	80	120				
Naphthalene	20.1	1.25	20.00	0	101	80	120				
1,2,3-Trichlorobenzene	19.3	1.00	20.00	0	96.3	80	120				
IS: Fluorobenzene	ND		25.00	0	0	0	0				
Surr: Dibromofluoromethane	26.6		25.00		106	80	120				
Surr: 1-Bromo-4-fluorobenzene	20.6		25.00		82.4	80	120				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104574B		SampType: CCV			Units: µg/L		Prep Date: 11/7/2025			RunNo: 104574		
Client ID: CCV		Batch ID: R104574			Analysis Date: 11/7/2025			SeqNo: 2181794				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

NOTES:

S - Outlying spike recovery observed (high bias). Reported samples are non-detect; result meets QC requirements.

Sample ID: VOC-CCV-104574C	SampType: CCV	Units: µg/L				Prep Date: 11/11/2025			RunNo: 104574		
Client ID: CCV	Batch ID: R104574	Analysis Date: 11/11/2025							SeqNo: 2182148		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	23.2	0.200	20.00	0	116	80	120				
cis-1,2-Dichloroethene	23.1	0.500	20.00	0	116	80	120				
Trichloroethene (TCE)	19.9	0.500	20.00	0	99.7	80	120				
Tetrachloroethene (PCE)	18.8	0.500	20.00	0	93.8	80	120				
Surr: Dibromofluoromethane	27.9		25.00		111	80	120				
Surr: Toluene-d8	26.3		25.00		105	80	120				
Surr: 1-Bromo-4-fluorobenzene	26.3		25.00		105	80	120				

Sample ID: LCS-49994	SampType: LCS	Units: µg/L			Prep Date: 11/11/2025			RunNo: 104604			
Client ID: LCSW	Batch ID: 49994				Analysis Date: 11/11/2025			SeqNo: 2182687			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	25.7	1.00	20.00	0	129	80	120				S
Chloromethane	21.4	1.00	20.00	0	107	80	120				
Vinyl chloride	22.2	0.200	20.00	0	111	80	120				
Bromomethane	23.4	2.00	20.00	0	117	80	120				
Trichlorofluoromethane (CFC-11)	21.1	0.500	20.00	0	105	80	120				
Chloroethane	21.0	1.00	20.00	0	105	80	120				
1,1-Dichloroethene	22.9	0.500	20.00	0	114	80	120				
Acetone	53.1	5.00	50.00	0	106	80	120				
Methylene chloride	23.0	2.00	20.00	0	115	80	120				
trans-1,2-Dichloroethene	22.5	0.500	20.00	0	113	80	120				
Methyl tert-butyl ether (MTBE)	21.3	0.500	20.00	0	106	80	120				
1,1-Dichloroethane	23.5	0.500	20.00	0	118	80	120				
cis-1,2-Dichloroethene	23.7	0.500	20.00	0	119	80	120				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-49994		SampType: LCS		Units: µg/L		Prep Date: 11/11/2025		RunNo: 104604			
Client ID: LCSW		Batch ID: 49994				Analysis Date: 11/11/2025		SeqNo: 2182687			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Butanone (MEK)	55.0	5.00	50.00	0	110	80	120				
Chloroform	22.4	0.500	20.00	0	112	80	120				
1,1,1-Trichloroethane (TCA)	23.2	0.500	20.00	0	116	80	120				
1,1-Dichloropropene	22.8	0.500	20.00	0	114	80	120				
Carbon tetrachloride	21.7	0.500	20.00	0	108	80	120				
1,2-Dichloroethane (EDC)	21.0	0.200	20.00	0	105	80	120				
Benzene	22.3	0.200	20.00	0	111	80	120				
Trichloroethene (TCE)	18.3	0.500	20.00	0	91.5	80	120				
1,2-Dichloropropane	19.5	0.200	20.00	0	97.6	80	120				
Bromodichloromethane	17.6	0.200	20.00	0	87.9	80	120				
Dibromomethane	17.4	0.500	20.00	0	87.1	80	120				
cis-1,3-Dichloropropene	17.8	0.500	20.00	0	89.2	80	120				
Toluene	16.0	0.500	20.00	0	80.2	80	120				
trans-1,3-Dichloropropylene	18.1	0.500	20.00	0	90.6	80	120				
Methyl Isobutyl Ketone (MIBK)	45.4	2.50	50.00	0	90.8	80	120				
1,1,2-Trichloroethane	17.1	0.500	20.00	0	85.4	80	120				
1,3-Dichloropropane	17.8	0.500	20.00	0	89.1	80	120				
Tetrachloroethene (PCE)	16.0	0.500	20.00	0	80.2	80	120				
Dibromochloromethane	18.2	0.500	20.00	0	91.0	80	120				
1,2-Dibromoethane (EDB)	19.0	0.500	20.00	0	94.9	80	120				
2-Hexanone (MBK)	46.9	1.25	50.00	0	93.8	80	120				
Chlorobenzene	18.9	0.500	20.00	0	94.6	80	120				
1,1,1,2-Tetrachloroethane	20.9	0.500	20.00	0	104	80	120				
Ethylbenzene	19.8	0.500	20.00	0	99.0	80	120				
m,p-Xylene	36.9	1.00	40.00	0	92.3	80	120				
o-Xylene	19.4	0.500	20.00	0	96.8	80	120				
Styrene	20.4	0.500	20.00	0	102	80	120				
Isopropylbenzene	20.7	0.500	20.00	0	104	80	120				
Bromoform	19.1	0.500	20.00	0	95.7	80	120				
1,1,2,2-Tetrachloroethane	20.8	0.200	20.00	0	104	80	120				
n-Propylbenzene	21.1	0.500	20.00	0	105	80	120				
Bromobenzene	18.2	0.200	20.00	0	91.0	80	120				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-49994		SampType: LCS		Units: µg/L		Prep Date: 11/11/2025		RunNo: 104604			
Client ID: LCSW		Batch ID: 49994				Analysis Date: 11/11/2025		SeqNo: 2182687			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,3,5-Trimethylbenzene	20.2	0.500	20.00	0	101	80	120				
2-Chlorotoluene	20.6	0.500	20.00	0	103	80	120				
4-Chlorotoluene	20.3	0.500	20.00	0	101	80	120				
tert-Butylbenzene	18.6	0.500	20.00	0	93.2	80	120				
1,2,3-Trichloropropane	19.5	0.500	20.00	0	97.3	80	120				
1,2,4-Trichlorobenzene	20.0	0.750	20.00	0	100	80	120				
sec-Butylbenzene	19.9	0.500	20.00	0	99.4	80	120				
4-Isopropyltoluene	20.7	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	20.2	0.500	20.00	0	101	80	120				
1,4-Dichlorobenzene	19.5	0.500	20.00	0	97.4	80	120				
n-Butylbenzene	22.2	0.500	20.00	0	111	80	120				
1,2-Dichlorobenzene	20.4	0.500	20.00	0	102	80	120				
1,2-Dibromo-3-chloropropane	20.9	1.00	20.00	0	104	80	120				
1,2,4-Trimethylbenzene	18.2	0.500	20.00	0	90.9	80	120				
Hexachloro-1,3-butadiene	19.6	1.00	20.00	0	98.2	80	120				
Naphthalene	20.5	1.25	20.00	0	102	80	120				
1,2,3-Trichlorobenzene	21.2	1.00	20.00	0	106	80	120				
Surr: Dibromofluoromethane	28.0		25.00		112	79.9	122				
Surr: Toluene-d8	21.8		25.00		87.3	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.8		25.00		99.2	79.7	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: MB-49994		SampType: MBLK		Units: µg/L		Prep Date: 11/11/2025		RunNo: 104604			
Client ID: MBLKW		Batch ID: 49994				Analysis Date: 11/11/2025		SeqNo: 2182617			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-49994		SampType: MBLK		Units: µg/L		Prep Date: 11/11/2025			RunNo: 104604		
Client ID: MBLKW		Batch ID: 49994					Analysis Date: 11/11/2025			SeqNo: 2182617	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Chloroethane	ND	1.00
1,1-Dichloroethene	ND	0.500
Acetone	ND	5.00
Methylene chloride	ND	2.00
trans-1,2-Dichloroethene	ND	0.500
Methyl tert-butyl ether (MTBE)	ND	0.500
1,1-Dichloroethane	ND	0.500
cis-1,2-Dichloroethene	ND	0.500
2-Butanone (MEK)	ND	5.00
Chloroform	ND	0.500
1,1,1-Trichloroethane (TCA)	ND	0.500
1,1-Dichloropropene	ND	0.500
Carbon tetrachloride	ND	0.500
1,2-Dichloroethane (EDC)	ND	0.200
Benzene	ND	0.200
Trichloroethene (TCE)	ND	0.500
1,2-Dichloropropane	ND	0.200
Bromodichloromethane	ND	0.200
Dibromomethane	ND	0.500
cis-1,3-Dichloropropene	ND	0.500
Toluene	ND	0.500
trans-1,3-Dichloropropylene	ND	0.500
Methyl Isobutyl Ketone (MIBK)	ND	2.50
1,1,2-Trichloroethane	ND	0.500
1,3-Dichloropropane	ND	0.500
Tetrachloroethene (PCE)	ND	0.500
Dibromochloromethane	ND	0.500
1,2-Dibromoethane (EDB)	ND	0.500
2-Hexanone (MBK)	ND	1.25
Chlorobenzene	ND	0.500
1,1,1,2-Tetrachloroethane	ND	0.500
Ethylbenzene	ND	0.500

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-49994		SampType: MBLK		Units: µg/L		Prep Date: 11/11/2025		RunNo: 104604			
Client ID: MBLKW		Batch ID: 49994				Analysis Date: 11/11/2025		SeqNo: 2182617			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	27.3		25.00		109	80	120				
Surr: Toluene-d8	24.9		25.00		99.5	80	120				
Surr: 1-Bromo-4-fluorobenzene	28.0		25.00		112	80	120				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511181-006ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/11/2025			RunNo: 104604		
Client ID: MW-120-251106		Batch ID: 49994					Analysis Date: 11/11/2025			SeqNo: 2182619	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	ND	1.00						0	0	30	
Chloromethane	ND	1.00						0	0	30	
Vinyl chloride	ND	0.200						0	0	30	
Bromomethane	ND	2.00						0	0	30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0	0	30	
Chloroethane	ND	1.00						0	0	30	
1,1-Dichloroethene	ND	0.500						0	0	30	
Acetone	3.60	5.00						3.214	11.2	30	J
Methylene chloride	ND	2.00						0	0	30	
trans-1,2-Dichloroethene	ND	0.500						0	0	30	
Methyl tert-butyl ether (MTBE)	ND	0.500						0	0	30	
1,1-Dichloroethane	ND	0.500						0	0	30	
cis-1,2-Dichloroethene	ND	0.500						0	0	30	
2-Butanone (MEK)	ND	5.00						0	0	30	
Chloroform	ND	0.500						0	0	30	
1,1,1-Trichloroethane (TCA)	ND	0.500						0	0	30	
1,1-Dichloropropene	ND	0.500						0	0	30	
Carbon tetrachloride	ND	0.500						0	0	30	
1,2-Dichloroethane (EDC)	ND	0.200						0	0	30	
Benzene	ND	0.200						0	0	30	
Trichloroethene (TCE)	0.321	0.500						0.3400	5.87	30	J
1,2-Dichloropropane	ND	0.200						0	0	30	
Bromodichloromethane	ND	0.200						0	0	30	
Dibromomethane	ND	0.500						0	0	30	
cis-1,3-Dichloropropene	ND	0.500						0	0	30	
Toluene	ND	0.500						0	0	30	
trans-1,3-Dichloropropylene	ND	0.500						0	0	30	
Methyl Isobutyl Ketone (MIBK)	0.610	2.50						0.6552	7.21	30	J
1,1,2-Trichloroethane	ND	0.500						0	0	30	
1,3-Dichloropropane	ND	0.500						0	0	30	
Tetrachloroethene (PCE)	5.50	0.500						5.988	8.48	30	
Dibromochloromethane	ND	0.500						0	0	30	

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511181-006ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/11/2025		RunNo: 104604			
Client ID: MW-120-251106		Batch ID: 49994				Analysis Date: 11/11/2025		SeqNo: 2182619			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	ND	0.500						0	0	30	
2-Hexanone (MBK)	ND	1.25						0	0	30	
Chlorobenzene	ND	0.500						0	0	30	
1,1,1,2-Tetrachloroethane	ND	0.500						0	0	30	
Ethylbenzene	ND	0.500						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	
o-Xylene	ND	0.500						0	0	30	
Styrene	ND	0.500						0	0	30	
Isopropylbenzene	ND	0.500						0	0	30	
Bromoform	ND	0.500						0	0	30	
1,1,2,2-Tetrachloroethane	ND	0.200						0	0	30	
n-Propylbenzene	ND	0.500						0	0	30	
Bromobenzene	ND	0.200						0	0	30	
1,3,5-Trimethylbenzene	ND	0.500						0	0	30	
2-Chlorotoluene	ND	0.500						0	0	30	
4-Chlorotoluene	ND	0.500						0	0	30	
tert-Butylbenzene	ND	0.500						0	0	30	
1,2,3-Trichloropropane	ND	0.500						0	0	30	
1,2,4-Trichlorobenzene	ND	0.750						0	0	30	
sec-Butylbenzene	ND	0.500						0	0	30	
4-Isopropyltoluene	ND	0.500						0	0	30	
1,3-Dichlorobenzene	0.143	0.500						0.1538	7.01	30	J
1,4-Dichlorobenzene	ND	0.500						0	0	30	
n-Butylbenzene	ND	0.500						0	0	30	
1,2-Dichlorobenzene	ND	0.500						0	0	30	
1,2-Dibromo-3-chloropropane	ND	1.00						0	0	30	
1,2,4-Trimethylbenzene	ND	0.500						0	0	30	
Hexachloro-1,3-butadiene	ND	1.00						0	0	30	
Naphthalene	ND	1.25						0	0	30	
1,2,3-Trichlorobenzene	ND	1.00						0	0	30	
Surr: Dibromofluoromethane	27.6		25.00		110	79.9	122		0		
Surr: Toluene-d8	24.5		25.00		97.9	80	121		0		

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511181-006ADUP		SampType: DUP			Units: µg/L		Prep Date: 11/11/2025			RunNo: 104604		
Client ID: MW-120-251106		Batch ID: 49994						Analysis Date: 11/11/2025			SeqNo: 2182619	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Surr: 1-Bromo-4-fluorobenzene	26.7		25.00		107	79.7	120		0		
-------------------------------	------	--	-------	--	-----	------	-----	--	---	--	--

Sample ID: VOC-CCV-104604B		SampType: CCV			Units: µg/L		Prep Date: 11/12/2025			RunNo: 104604		
Client ID: CCV		Batch ID: R104604			Analysis Date: 11/12/2025			SeqNo: 2182634				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	25.8	1.00	20.00	0	129	80	120				S
Chloromethane	24.0	1.00	20.00	0	120	80	120				
Bromomethane	24.0	2.00	20.00	0	120	80	120				
Trichlorofluoromethane (CFC-11)	22.7	0.500	20.00	0	114	80	120				
Chloroethane	23.7	1.00	20.00	0	119	80	120				
1,1-Dichloroethene	22.9	0.500	20.00	0	114	80	120				
Acetone	45.1	5.00	50.00	0	90.1	80	120				
Methylene chloride	22.8	2.00	20.00	0	114	80	120				
trans-1,2-Dichloroethene	22.2	0.500	20.00	0	111	80	120				
Methyl tert-butyl ether (MTBE)	21.1	0.500	20.00	0	106	80	120				
1,1-Dichloroethane	23.6	0.500	20.00	0	118	80	120				
cis-1,2-Dichloroethene	23.3	0.500	20.00	0	117	80	120				
2-Butanone (MEK)	47.3	5.00	50.00	0	94.5	80	120				
Chloroform	22.5	0.500	20.00	0	113	80	120				
1,1,1-Trichloroethane (TCA)	22.8	0.500	20.00	0	114	80	120				
1,1-Dichloropropene	22.3	0.500	20.00	0	111	80	120				
Carbon tetrachloride	21.0	0.500	20.00	0	105	80	120				
1,2-Dichloroethane (EDC)	21.0	0.200	20.00	0	105	80	120				
Benzene	21.6	0.200	20.00	0	108	80	120				
Trichloroethene (TCE)	19.3	0.500	20.00	0	96.3	80	120				
1,2-Dichloropropane	23.4	0.200	20.00	0	117	80	120				
Bromodichloromethane	21.1	0.200	20.00	0	106	80	120				
Dibromomethane	21.0	0.500	20.00	0	105	80	120				
cis-1,3-Dichloropropene	20.7	0.500	20.00	0	104	80	120				
Toluene	18.9	0.500	20.00	0	94.3	80	120				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104604B	SampType: CCV	Units: µg/L				Prep Date: 11/12/2025			RunNo: 104604		
Client ID: CCV	Batch ID: R104604	Analysis Date: 11/12/2025							SeqNo: 2182634		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,3-Dichloropropylene	20.5	0.500	20.00	0	103	80	120				
Methyl Isobutyl Ketone (MIBK)	52.6	2.50	50.00	0	105	80	120				
1,1,2-Trichloroethane	19.8	0.500	20.00	0	98.9	80	120				
1,3-Dichloropropane	20.7	0.500	20.00	0	104	80	120				
Tetrachloroethene (PCE)	18.4	0.500	20.00	0	92.1	80	120				
Dibromochloromethane	19.8	0.500	20.00	0	99.1	80	120				
1,2-Dibromoethane (EDB)	19.6	0.500	20.00	0	98.0	80	120				
2-Hexanone (MBK)	46.2	1.25	50.00	0	92.4	80	120				
Chlorobenzene	18.6	0.500	20.00	0	92.9	80	120				
1,1,1,2-Tetrachloroethane	21.0	0.500	20.00	0	105	80	120				
Ethylbenzene	19.4	0.500	20.00	0	96.9	80	120				
m,p-Xylene	37.8	1.00	40.00	0	94.5	80	120				
o-Xylene	19.6	0.500	20.00	0	98.1	80	120				
Styrene	21.1	0.500	20.00	0	105	80	120				
Isopropylbenzene	20.3	0.500	20.00	0	101	80	120				
Bromoform	18.7	0.500	20.00	0	93.4	80	120				
1,1,2,2-Tetrachloroethane	20.9	0.200	20.00	0	105	80	120				
n-Propylbenzene	20.9	0.500	20.00	0	104	80	120				
Bromobenzene	18.1	0.200	20.00	0	90.6	80	120				
1,3,5-Trimethylbenzene	20.0	0.500	20.00	0	100	80	120				
2-Chlorotoluene	20.8	0.500	20.00	0	104	80	120				
4-Chlorotoluene	20.2	0.500	20.00	0	101	80	120				
tert-Butylbenzene	18.8	0.500	20.00	0	93.9	80	120				
1,2,3-Trichloropropane	19.0	0.500	20.00	0	95.0	80	120				
1,2,4-Trichlorobenzene	17.7	0.750	20.00	0	88.5	80	120				
sec-Butylbenzene	20.0	0.500	20.00	0	99.8	80	120				
4-Isopropyltoluene	20.9	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	19.6	0.500	20.00	0	97.8	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.4	80	120				
n-Butylbenzene	20.1	0.500	20.00	0	100	80	120				
1,2-Dichlorobenzene	18.7	0.500	20.00	0	93.5	80	120				
1,2-Dibromo-3-chloropropane	19.5	1.00	20.00	0	97.7	80	120				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104604B		SampType: CCV			Units: µg/L		Prep Date: 11/12/2025			RunNo: 104604		
Client ID: CCV		Batch ID: R104604						Analysis Date: 11/12/2025			SeqNo: 2182634	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2,4-Trimethylbenzene	20.7	0.500	20.00	0	103	80	120				
Hexachloro-1,3-butadiene	16.7	1.00	20.00	0	83.5	80	120				
Naphthalene	18.4	1.25	20.00	0	91.9	80	120				
1,2,3-Trichlorobenzene	19.1	1.00	20.00	0	95.7	80	120				
IS: Fluorobenzene	ND		25.00	0	0	0	0				
Surr: Dibromofluoromethane	27.7		25.00		111	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.3		25.00		97.2	80	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: 2511181-008AMS		SampType: MS			Units: µg/L		Prep Date: 11/11/2025			RunNo: 104604		
Client ID: MW-349-251106		Batch ID: 49994						Analysis Date: 11/12/2025			SeqNo: 2182639	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	30.2	1.00	20.00	0	151	61	156				
Chloromethane	24.6	1.00	20.00	0	123	58.6	153				
Vinyl chloride	25.3	0.200	20.00	0.6732	123	70.9	160				
Bromomethane	22.3	2.00	20.00	0	112	57	155				
Trichlorofluoromethane (CFC-11)	25.0	0.500	20.00	0	125	80	159				
Chloroethane	22.6	1.00	20.00	0	113	71.3	145				
1,1-Dichloroethene	24.5	0.500	20.00	0	122	80	160				
Acetone	40.8	5.00	50.00	0	81.6	12.9	126				
Methylene chloride	22.9	2.00	20.00	0	115	77.6	131				
trans-1,2-Dichloroethene	23.7	0.500	20.00	0	118	80	134				
Methyl tert-butyl ether (MTBE)	20.2	0.500	20.00	0	101	80	127				
1,1-Dichloroethane	24.0	0.500	20.00	0	120	80	129				
cis-1,2-Dichloroethene	24.4	0.500	20.00	0.2252	121	78.2	137				
2-Butanone (MEK)	42.6	5.00	50.00	0	85.2	32.5	130				
Chloroform	22.8	0.500	20.00	0	114	78.3	136				
1,1,1-Trichloroethane (TCA)	25.2	0.500	20.00	0	126	80	153				
1,1-Dichloropropene	25.1	0.500	20.00	0	126	80	153				
Carbon tetrachloride	24.8	0.500	20.00	0	124	80	156				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511181-008AMS		SampType: MS		Units: µg/L		Prep Date: 11/11/2025			RunNo: 104604			
Client ID: MW-349-251106		Batch ID: 49994					Analysis Date: 11/12/2025			SeqNo: 2182639		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dichloroethane (EDC)	20.4	0.200	20.00	0	102	77	133				
Benzene	22.9	0.200	20.00	0	114	80	134				
Trichloroethene (TCE)	20.7	0.500	20.00	0	103	80	133				
1,2-Dichloropropane	23.2	0.200	20.00	0	116	80	125				
Bromodichloromethane	21.0	0.200	20.00	0	105	80	124				
Dibromomethane	20.3	0.500	20.00	0	101	80	122				
cis-1,3-Dichloropropene	17.6	0.500	20.00	0	87.9	80	128				
Toluene	18.0	0.500	20.00	0	90.0	80	134				
trans-1,3-Dichloropropylene	19.8	0.500	20.00	0	98.9	78.6	136				
Methyl Isobutyl Ketone (MIBK)	45.0	2.50	50.00	0	90.0	61.1	145				
1,1,2-Trichloroethane	19.7	0.500	20.00	0	98.6	79.4	135				
1,3-Dichloropropane	20.3	0.500	20.00	0	102	80	126				
Tetrachloroethene (PCE)	20.2	0.500	20.00	0	101	80	153				
Dibromochloromethane	19.3	0.500	20.00	0	96.6	77.7	137				
1,2-Dibromoethane (EDB)	19.4	0.500	20.00	0	97.0	77.8	132				
2-Hexanone (MBK)	43.0	1.25	50.00	0	86.0	34.7	135				
Chlorobenzene	19.4	0.500	20.00	0	97.2	80	123				
1,1,1,2-Tetrachloroethane	21.4	0.500	20.00	0	107	80	125				
Ethylbenzene	20.9	0.500	20.00	0	104	80	125				
m,p-Xylene	39.7	1.00	40.00	0	99.4	80	124				
o-Xylene	20.1	0.500	20.00	0	101	80	122				
Styrene	21.4	0.500	20.00	0	107	80	122				
Isopropylbenzene	22.5	0.500	20.00	0	112	80	133				
Bromoform	19.0	0.500	20.00	0	94.9	80	125				
1,1,2,2-Tetrachloroethane	21.7	0.200	20.00	0	108	76.3	138				
n-Propylbenzene	22.1	0.500	20.00	0	111	80	134				
Bromobenzene	18.8	0.200	20.00	0	94.0	80	121				
1,3,5-Trimethylbenzene	21.0	0.500	20.00	0	105	80	126				
2-Chlorotoluene	21.1	0.500	20.00	0	106	80	124				
4-Chlorotoluene	19.9	0.500	20.00	0	99.6	80	123				
tert-Butylbenzene	19.5	0.500	20.00	0	97.4	80	131				
1,2,3-Trichloropropane	18.7	0.500	20.00	0	93.3	75.3	125				

Work Order: 2511181
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511181-008AMS		SampType: MS		Units: µg/L		Prep Date: 11/11/2025		RunNo: 104604			
Client ID: MW-349-251106		Batch ID: 49994				Analysis Date: 11/12/2025		SeqNo: 2182639			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	19.9	0.750	20.00	0	99.4	71.2	129				
sec-Butylbenzene	21.2	0.500	20.00	0	106	80	137				
4-Isopropyltoluene	21.8	0.500	20.00	0	109	80	132				
1,3-Dichlorobenzene	21.0	0.500	20.00	0	105	80	120				
1,4-Dichlorobenzene	17.2	0.500	20.00	0	86.0	80	122				
n-Butylbenzene	20.5	0.500	20.00	0	102	79.5	138				
1,2-Dichlorobenzene	18.2	0.500	20.00	0	91.0	79	120				
1,2-Dibromo-3-chloropropane	18.8	1.00	20.00	0	94.1	69.6	137				
1,2,4-Trimethylbenzene	20.6	0.500	20.00	0	103	80	123				
Hexachloro-1,3-butadiene	20.8	1.00	20.00	0	104	74.3	148				
Naphthalene	20.3	1.25	20.00	0	102	74.3	124				
1,2,3-Trichlorobenzene	21.1	1.00	20.00	0	105	71.9	129				
Surr: Dibromofluoromethane	27.3		25.00		109	79.9	122				
Surr: Toluene-d8	22.6		25.00		90.3	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.6		25.00		98.2	79.7	120				



Analytical Resources, LLC
Analytical Chemists and Consultants
Tukwila, WA

24 November 2025

Brianna Barnes
Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle, WA 98103

RE: TOC (2511181)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)

25K0226

Associated SDG ID(s)

N/A

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.


Phillip Bates, Project Manager



Alliance Technical Group, LLC -
 Seattle
 3600 Fremont Ave N
 Seattle, WA 98103
 TEL: 206-352-3790
 FAX: 206-352-7178
 Website: www.fremontanalytical.com


SUB CONTRATOR: ARI		COMPANY: Analytical Resources Inc.		SPECIAL INSTRUCTIONS / COMMENTS: Standard TAT. Please email results to SEA.PM@alliancetg.com and invoices to both SEA.PM@alliancetg.com and ap@alliancetg.com.			
ADDRESS: 4611 South 134th Place, Suite 100							
CITY, STATE, ZIP: Tukwila, WA 98168							
PHONE: (206) 695-6200		FAX: EMAIL:					
ACCOUNT #:							

ITEM #	SAMPLE ID	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS	COMMENTS: Methanol Preserved Weights HOT Sample Notation, Additional Sample Description.
1	2511181-001C	MW-156-251106	AMBER 250ML H	Groundwater	11/6/2025 9:42:00 AM	1	TOC 9060A
	C-TOC-W-9060						
2	2511181-002C	MW-910-251106	AMBER 250ML H	Groundwater	11/6/2025 10:00:00 AM	1	TOC 9060A
	C-TOC-W-9060						
3	2511181-004C	MW-350-251106	AMBER 250ML H	Groundwater	11/6/2025 10:10:00 AM	1	TOC 9060A
	C-TOC-W-9060						
4	2511181-005C	MW-911-251106	AMBER 250ML H	Groundwater	11/6/2025 10:20:00 AM	1	TOC 9060A
	C-TOC-W-9060						
5	2511181-006C	MW-120-251106	AMBER 250ML H	Groundwater	11/6/2025 11:05:00 AM	1	TOC 9060A
	C-TOC-W-9060						
6	2511181-007C	MW-909-251106	AMBER 250ML H	Groundwater	11/6/2025 11:15:00 AM	1	TOC 9060A
	C-TOC-W-9060						
7	2511181-008C	MW-349-251106	AMBER 250ML H	Groundwater	11/6/2025 11:30:00 AM	1	TOC 9060A
	C-TOC-W-9060						
8	2511181-009C	MW-9-251106	AMBER 250ML H	Groundwater	11/6/2025 11:50:00 AM	1	TOC 9060A
	C-TOC-W-9060						
9	2511181-010C	MW-348-251106	AMBER 250ML H	Groundwater	11/6/2025 12:40:00 PM	1	TOC 9060A
	C-TOC-W-9060						

Relinquished By: 	Date: 11/7/25	Time: 1015	Received By: SA ARI	Date: 11/7/25	Time: 1106	REPORT TRANSMITTAL DESIRED: ☐ HARDCOPY (extra cost) ☐ FAX ☐ EMAIL ☐ ONLINE FOR LAB USE ONLY Temp of samples _____ °C Attempt to Cool ? _____ Comments: _____ Page 93 of 117
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
TAT: Standard ☐ RUSH Next BD ☐ 2nd BD ☐ 3rd BD ☐ Note: RUSH requests will incur surcharges!						

SUB CONTRACTOR: ARI		COMPANY: Analytical Resources Inc.		SPECIAL INSTRUCTIONS / COMMENTS: Standard TAT. Please email results to SEA.PM@alliancetg.com and invoices to both SEA.PM@alliancetg.com and ap@alliancetg.com.			
ADDRESS: 4611 South 134th Place, Suite 100							
CITY, STATE, ZIP: Tukwila, WA 98168							
PHONE: (206) 695-6200		FAX: EMAIL:					
ACCOUNT #:							

ITEM #	SAMPLE ID	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS	COMMENTS: Methanol Preserved Weights HOT Sample Notation, Additional Sample Description.
10	2511181-011C	MW-121-251106	AMBER 250ML H	Groundwater	11/6/2025 12:53:00 PM	1	TOC 9060A
	C-TOC-W-9060						
11	2511181-012C	R-MW6-251106	AMBER 250ML H	Groundwater	11/6/2025 1:13:00 PM	1	TOC 9060A
	C-TOC-W-9060						
12	2511181-014C	MW-347-251106	AMBER 250ML H	Groundwater	11/6/2025 1:56:00 PM	1	TOC 9060A
	C-TOC-W-9060						
13	2511181-015C	EQ-251106	AMBER 250ML H	Groundwater	11/6/2025 2:15:00 PM	1	TOC 9060A
	C-TOC-W-9060						

Relinquished By: 	Date: 11/7/25	Time: 1015	Received By: SA ARI	Date: 11/7/25	Time: 1106	REPORT TRANSMITTAL DESIRED: ☐ HARDCOPY (extra cost) ☐ FAX ☐ EMAIL ☐ ONLINE FOR LAB USE ONLY Temp of samples _____ °C Attempt to Cool ? _____ Comments: _____ Page 94 of 117
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	

TAT: Standard ☐ RUSH Next BD ☐ 2nd BD ☐ 3rd BD ☐

Note: RUSH requests will incur surcharges!



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-156-251106	25K0226-01	Water	06-Nov-2025 09:42	07-Nov-2025 11:06
MW-910-251106	25K0226-02	Water	06-Nov-2025 10:00	07-Nov-2025 11:06
MW-350-251106	25K0226-03	Water	06-Nov-2025 10:10	07-Nov-2025 11:06
MW-911-251106	25K0226-04	Water	06-Nov-2025 10:20	07-Nov-2025 11:06
MW-120-251106	25K0226-05	Water	06-Nov-2025 11:05	07-Nov-2025 11:06
MW-909-251106	25K0226-06	Water	06-Nov-2025 11:15	07-Nov-2025 11:06
MW-349-251106	25K0226-07	Water	06-Nov-2025 11:30	07-Nov-2025 11:06
MW-9-251106	25K0226-08	Water	06-Nov-2025 11:50	07-Nov-2025 11:06
MW-348-251106	25K0226-09	Water	06-Nov-2025 12:40	07-Nov-2025 11:06
MW-121-251106	25K0226-10	Water	06-Nov-2025 12:53	07-Nov-2025 11:06
R-MW6-251106	25K0226-11	Water	06-Nov-2025 13:13	07-Nov-2025 11:06
MW-347-251106	25K0226-12	Water	06-Nov-2025 13:56	07-Nov-2025 11:06
EQ-251106	25K0226-13	Water	06-Nov-2025 14:15	07-Nov-2025 11:06



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

Work Order Case Narrative

Client: Alliance Technical Group, LLC.

Project: TOC

Project Number: 2511181

Work Order: 25K0226

Sample receipt

The sample(s) as listed on the preceding page were received 07-Nov-2025 11:06 under ARI work order 25K0226. For details regarding sample receipt, please refer to the Cooler Receipt Form.

Wet Chemistry

The sample(s) were prepared and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.



WORK ORDER

25K0226

Client: Alliance Technical Group, LLC.

Project Manager: Phillip Bates

Project: TOC

Project Number: 2511181

Preservation Confirmation

Container ID	Container Type	pH	pH Paper Lot#: <u>N000119</u>
25K0226-01 A	HDPE NM, 250mL H2SO4	<2	P
25K0226-02 A	HDPE NM, 250mL H2SO4		
25K0226-03 A	HDPE NM, 250mL H2SO4		
25K0226-04 A	HDPE NM, 250mL H2SO4		
25K0226-05 A	HDPE NM, 250mL H2SO4		
25K0226-06 A	HDPE NM, 250mL H2SO4		
25K0226-07 A	HDPE NM, 250mL H2SO4		
25K0226-08 A	HDPE NM, 250mL H2SO4		
25K0226-09 A	HDPE NM, 250mL H2SO4		
25K0226-10 A	HDPE NM, 250mL H2SO4		
25K0226-11 A	HDPE NM, 250mL H2SO4		
25K0226-12 A	HDPE NM, 250mL H2SO4		
25K0226-13 A	HDPE NM, 250mL H2SO4		

NDT

Preservation Confirmed By

11/10/25

Date



Cooler Receipt Form

ARI Client: Alliance Tech.

Project Name: TOC

COC No(s): _____ (NA)

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: 25K0226

Tracking No: _____ (NA)

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler? _____

YES (NO)

Were custody papers included with the cooler? _____

YES (NO)

Were custody papers properly filled out (ink, signed, etc.) _____

YES (NO)

Temperature of Cooler(s) (°C) Time 1106 11-4 _____

Temp Gun ID#: 8117

Was a temperature blank included in the cooler? _____

YES (NO)

Were coolers received between 0°-6° (°C) _____

YES (NO)

Was sufficient ice used (if appropriate)? _____

NA YES (NO)

Cooler Accepted by: SA Date: 11/7/25 Time: 1106

Complete custody forms and attach all shipping documents

Log-In Phase:

What kind of packing material was used? Bubble Wrap Wet Ice Gel Packs Baggies Foam Block N/A Other: _____

Are any samples that were out of temperature compliance documented in LIMS? _____

YES (NO)

How were bottles sealed in plastic bags? _____

Individually Grouped (Not)

Did all bottles arrive in good condition (unbroken)? _____

YES (NO)

Were all bottle labels complete and legible? _____

YES (NO)

Did the number of containers listed on COC match with the number of containers received? _____

YES (NO)

Did all bottle labels and tags agree with custody papers? _____

YES (NO)

Were all bottles used correct for the requested analyses? _____

YES (NO)

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ...

NA YES (NO)

Were all VOC vials free of air bubbles? _____

NA YES (NO)

Was sufficient amount of sample sent in each bottle? _____

YES (NO)

Date VOC Trip Blank was made at ARI. _____

NA

Were the sample(s) split by ARI? _____

NA YES Date/Time: _____ Equipment: _____ Split by: _____

Samples Logged by: NDT Date: 11/10/25 Time: 1521 Labels checked by: NDT

**** Notify Project Manager of discrepancies or concerns ****

Additional Notes, Discrepancies, & Resolutions:

By: _____ Date: _____



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

MW-156-251106
25K0226-01 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/06/2025 09:42

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/21/2025 20:14

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0226-01 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	21.89	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

MW-910-251106
25K0226-02 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/06/2025 10:00

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/21/2025 20:36

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0226-02 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	21.72	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

MW-350-251106
25K0226-03 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/06/2025 10:10

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/21/2025 20:58

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0226-03 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	22.21	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

MW-911-251106
25K0226-04 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/06/2025 10:20

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/21/2025 21:27

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0226-04 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	18.36	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

MW-120-251106
25K0226-05 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/06/2025 11:05

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/21/2025 21:45

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0226-05 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	3.71	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

MW-909-251106
25K0226-06 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/06/2025 11:15

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/21/2025 22:03

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0226-06 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	3.71	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

MW-349-251106
25K0226-07 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/06/2025 11:30

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/21/2025 22:24

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0226-07 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	30.75	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

MW-9-251106
25K0226-08 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/06/2025 11:50

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/21/2025 22:43

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0226-08 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	27.58	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

MW-348-251106
25K0226-09 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/06/2025 12:40

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/22/2025 00:26

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0226-09 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	8.16	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

MW-121-251106
25K0226-10 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/06/2025 12:53

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/22/2025 00:55

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0226-10 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	77.59	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

R-MW6-251106
25K0226-11 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/06/2025 13:13

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/22/2025 01:25

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0226-11 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	90.60	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

MW-347-251106
25K0226-12 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/06/2025 13:56

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/22/2025 01:51

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0226-12 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	33.53	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

EQ-251106
25K0226-13 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/06/2025 14:15

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/22/2025 02:16

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0226-13 A

Preparation Batch: BNK0385

Sample Size: 20 mL

Prepared: 11/21/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	1.04	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BNK0385 - EPA 9060A in Water

Instrument: TOC-LCSH Analyst: RMS

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Blank (BNK0385-BLK1)					Prepared: 21-Nov-2025 Analyzed: 21-Nov-2025 16:15					
Total Organic Carbon	ND	0.50	0.50	mg/L						U
LCS (BNK0385-BS1)					Prepared: 21-Nov-2025 Analyzed: 21-Nov-2025 16:33					
Total Organic Carbon	20.04	0.50	0.50	mg/L	20.00	100	90-110			



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

Uncertified Analytes included in this Report

Analysis Matrix & Analyte

None

Certified Analyses included in this Report

Analysis Matrix & Analyte

Certification Codes

EPA 9060A in Water

Total Organic Carbon

DoD-ELAP,WADOE,NELAP

Certifications

Code	Description	Number	Expires
DoD-ELAP	DoD-Environmental Laboratory Accreditation Program, PJLA Testing	66169	01/31/2026
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-018	05/12/2026
WADOE	WA Dept of Ecology	C558	06/30/2026



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511181
Project Manager: Brianna Barnes

Reported:
24-Nov-2025 16:52

Notes and Definitions

U	This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
[2C]	Indicates this result was quantified on the second column on a dual column analysis.
!	Indicates that ARL is NOT ACCREDITED for this parameter in samples logged as 'Drinking Water'
#	Indicates that ARL is NOT ACCREDITED for this parameter in this analysis and matrix.

Client Name: AC

Work Order Number: 2511181

Logged by: Clare Griggs

Date Received: 11/6/2025 3:23:00 PM

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes ☐ No ☐ Not Present ☒
4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all items received at a temperature of >2°C to 6°C * Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. Is there headspace in the VOA vials? Yes ☐ No ☒ NA ☐
11. Did all samples containers arrive in good condition(unbroken)? Yes ☒ No ☐
12. Does paperwork match bottle labels? Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all hold times (except field parameters, pH e.g.) able to be met? Yes ☒ No ☐

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:		Date:	
By Whom:		Via:	☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:			
Client Instructions:			

17. Additional remarks:

Item Information

Item #	Temp °C
Sample	2.0

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



3600 Fremont Ave N
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11-6-25 Page: 1 of 2

Project Name: 700 Dexter

Project No: AS240461

Collected by: M. Elliott E. Russen J. Reute

Location: 700 Dexter

Report To (PM): Hannan Lohan + Leahau

Laboratory Project No (Internal): 25111861

Special Remarks: Please bill to Short note on invoice

W00-AS240461-8485 on coupon

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

City, State, Zip: Seattle WA 98104
Telephone: 206-780-7724

Email(s): Hannan.Lohan@geosyntec.com Leah.Kau@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCs (EPA 8260) (624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCD)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8082 / 608)	Metals** (EPA 6020 / 200.9)	Total (T) Dissolved (D)	Anions (IC)** See below	EDB (8011)	Dissolved Gases (EPA 300.15)	Alkalinity (EPA 300.15)	TOC (4060A)	Comments	
1 MW-156-251106	11-6-25	0942	GW	9	X							X	X	X	X	X				
2 MW-91D-251106	11-6-25	1000	GW	9	X							X	X	X	X	X				
3 MW-127-251106	11-6-25	1000	GW	3	X															
4 MW-350-251106	11-6-25	1010	GW	9	X							X	X	X	X	X				
5 MW-911-251106	11-6-25	1020	GW	9	X							X	X	X	X	X				
6 MW-120-251106	11-6-25	1105	GW	9	X							X	X	X	X	X				
7 MW-909-251106	11-6-25	1115	GW	9	X							X	X	X	X	X				
8 MW-349-251106	11-6-25	1130	GW	9	X							X	X	X	X	X				
9 MW-9-251106	11-6-25	1150	GW	9	X							X	X	X	X	X				
10 MW-348-251106	11-6-25	1240	GW	9	X							X	X	X	X	X				

Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Fe Hg K Mg Mn Mo Na Ni Pb Sb Se Sr Sn Tl Ti V Zn

Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate+Nitrite

I represent that I am authorized to enter into this Agreement with Alliance Technical Group LLC on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished (Signature) *Emil Pusen* Print Name *Emil Pusen* Date/Time *11/6/25 15:23*

Relinquished (Signature) *Emil Pusen* Print Name *Emil Pusen* Date/Time *11/6/25 15:23*

Turn-around Time: ☒ Standard ☐ Next Day ☐ 3 Day ☐ Same Day ☐ 2 Day (specify)

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Fe Hg K Mg Mn Mo Na Ni Pb Sb Se Sr Sn Ti Tl V Zn
Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate+Nitrite

I represent that I am authorized to enter into this Agreement with Alliance Technical Group LLC on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Turn-around Time:
☒ Standard ☐ Next Day
☐ 3 Day ☐ Same Day
☐ 2 Day (specify)

Relinquished (Signature)

Print Name

Date/Time

Received (Signature)

Print Name

Date/Time

Relinquished (Signature)

Print Name

Date/Time

Received (Signature)

Print Name

Date/Time



3600 Fremont Ave N
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11-6-25

Page: 2 of 2

Project Name: 700 Dexter

Project No: AS240461

Collected by: M. Elieff E. Pusey J. Ruvie

Location: 700 Dexter

Report To (PM): Hannah Cowan + Lea Kave

Laboratory Project No (Internal): 2511181

Special Remarks:

Please bill to
USD - AS240461 - 8485
on coupon

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

City, State, Zip: Seattle, WA 98104

Telephone: 206-780-7724

Email(s): Hannah.Cowan@geosyntec.com Lea.Kave@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCS (EPA 8260) (624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCD)	SVOCS (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8082 / 608)	Metals** (EPA 8210 / 200.8)	Total (T) Dissolved (D)	Anions (IC)*** See below	EDB (801)	Dissolved Gases (8561)	Alkalinity (EPA 8210.1)	TOC (8260.4)	Comments
-------------	-------------	-------------	-----------------------	------------	-----------------------	------	------------------------------	----------------------------------	------------------------	-----------------------	-----------------------	-----------------------------	-------------------------	--------------------------	-----------	------------------------	-------------------------	--------------	----------

1 MW-25-251106 ME 11-6 11-6-25 1253 GW 9 X X X X X X X X X X MW 121-251106

2 MW-25-251106 11-6-25 1313 GW 9 X X X X X X X X X X

3 MW-313-251106 11-6-25 1355 GW 3 X X X X X X X X X X

4 MW-347-251106 11-6-25 1356 GW 9 X X X X X X X X X X

5 EA-251106 11-6-25 1415 W 9 X X X X X X X X X X

6 TRIP-251106 11-6-25 - W 1 X X X X X X X X X X

7 ME 11-6

8

9

10

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Hg K Mg Mn Mo Na Ni Pb Sb Se Sr Sn Ti Tl V Zn

***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate+Nitrite

I represent that I am authorized to enter into this Agreement with Alliance Technical Group LLC on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Turn-around Time:
☒ Standard ☐ Next Day
☐ 3 Day ☐ Same Day
☐ 2 Day (specify)

Relinquished (Signature)

Print Name

Date/Time

Received (Signature)

Print Name

Date/Time

Relinquished (Signature)

Print Name

Date/Time

Received (Signature)

Print Name

Date/Time

Geosyntec Consultants

Hannah Cohen

801 5th Ave Suite 2200

Seattle, WA 98104

RE: 700 Dexter, AS240461

Work Order Number: 2511224

December 01, 2025

Attention Hannah Cohen:

Alliance Technical Group, LLC - Seattle received 14 sample(s) on 11/7/2025 for the analyses presented in the following report.

Dissolved Gases by RSK-175

Ion Chromatography by EPA 300.0

Total Alkalinity by EPA 310.2

Total Metals by EPA 6020B

Total Organic Carbon by EPA Method 9060

Volatile Organic Compounds by EPA 8260D

All analyses were performed according to our accredited Quality Assurance program. Please contact the laboratory if you should have any questions about the results.

Alliance Technical Group is committed to accuracy, speed, and customer service. Thank you for choosing Alliance Technical Group's Seattle laboratory team for your analytical needs. We appreciate this opportunity to serve you!

Sincerely,



Lyann Rivera
Project Manager

CC:

Lea Kane

DoD-ELAP Accreditation #79636 by PJLA, ISO/IEC 17025:2017 and QSM 5.4 for Environmental Testing
ORELAP Certification: WA 100009 (NELAP Recognized) for Environmental Testing
Washington State Department of Ecology Accredited for Environmental Testing, Lab ID C910

Revision v2



CLIENT: Geosyntec Consultants
Project: 700 Dexter
Work Order: 2511224

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
2511224-001	MW125-251107	11/07/2025 9:32 AM	11/07/2025 3:10 PM
2511224-002	MW-912-251107	11/07/2025 9:45 AM	11/07/2025 3:10 PM
2511224-003	MW-305-251107	11/07/2025 11:12 AM	11/07/2025 3:10 PM
2511224-004	MW-155-251107	11/07/2025 12:25 PM	11/07/2025 3:10 PM
2511224-005	MW-351-251107	11/07/2025 1:32 PM	11/07/2025 3:10 PM
2511224-006	HMW-9IB-251107	11/07/2025 10:15 AM	11/07/2025 3:10 PM
2511224-007	MW-913-251107	11/07/2025 10:20 AM	11/07/2025 3:10 PM
2511224-008	MW106-251107	11/07/2025 11:35 AM	11/07/2025 3:10 PM
2511224-009	MW-346-251107	11/07/2025 12:50 PM	11/07/2025 3:10 PM
2511224-010	MW-314-251107	11/07/2025 12:03 PM	11/07/2025 3:10 PM
2511224-011	MW-110-251107	11/07/2025 11:10 AM	11/07/2025 3:10 PM
2511224-012	MW-345-251107	11/07/2025 2:00 PM	11/07/2025 3:10 PM
2511224-013	EQ-251107	11/07/2025 2:35 PM	11/07/2025 3:10 PM
2511224-014	TRIP-251107	11/07/2025 12:00 AM	11/07/2025 3:10 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

CLIENT: Geosyntec Consultants

Project: 700 Dexter

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

Matrix Spike (MS) and MS Duplicate (MSD) samples are tested from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. The sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

2511224-004C

C-TOC-W-9060 has been Sub Contracted.

2511224-006C

C-TOC-W-9060 has been Sub Contracted.

2511224-007C

C-TOC-W-9060 has been Sub Contracted.

2511224-009C

C-TOC-W-9060 has been Sub Contracted.

2511224-010C

C-TOC-W-9060 has been Sub Contracted.

2511224-011C

C-TOC-W-9060 has been Sub Contracted.

2511224-012C

C-TOC-W-9060 has been Sub Contracted.

2511224-013C

C-TOC-W-9060 has been Sub Contracted.

12/1/2025: Rev1 includes update to clear E flags previously reported.

1/9/2026: Rev2 includes additional continued calibration samples for EPA 300.0 per client request.

Qualifiers:

- * - Associated LCS is outside of control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Method Detection Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- DUP - Sample Duplicate
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MCL - Maximum Contaminant Level
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- REP - Sample Replicate
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-001
Client Sample ID: MW125-251107

Collection Date: 11/7/2025 9:32:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 3:17:23
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 3:17:23
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/12/25 3:17:23
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 3:17:23
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 3:17:23
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 3:17:23
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 3:17:23
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 3:17:23
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 3:17:23
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 3:17:23
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 3:17:23
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 3:17:23
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/12/25 3:17:23
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 3:17:23
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 3:17:23
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 3:17:23
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 3:17:23
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 3:17:23
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 3:17:23
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 3:17:23
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 3:17:23
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 3:17:23
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 3:17:23
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 3:17:23
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 3:17:23
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 3:17:23
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 3:17:23
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 3:17:23
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 3:17:23
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 3:17:23
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 3:17:23



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-001
Client Sample ID: MW125-251107

Collection Date: 11/7/2025 9:32:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 3:17:23
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 3:17:23
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 3:17:23
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 3:17:23
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 3:17:23
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 3:17:23
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 3:17:23
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 3:17:23
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 3:17:23
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 3:17:23
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 3:17:23
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 3:17:23
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 3:17:23
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 3:17:23
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 3:17:23
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 3:17:23
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 3:17:23
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 3:17:23
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 3:17:23
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/12/25 3:17:23
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 3:17:23
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 3:17:23
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 3:17:23
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 3:17:23
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 3:17:23
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 3:17:23
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 3:17:23
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 3:17:23
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/12/25 3:17:23
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 3:17:23
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 3:17:23



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-001
Client Sample ID: MW125-251107

Collection Date: 11/7/2025 9:32:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 49994

Analyst: KJ

Surr: Dibromofluoromethane	112	79.9 - 122			%Rec	1	11/12/25 3:17:23
Surr: Toluene-d8	99.7	80 - 121			%Rec	1	11/12/25 3:17:23
Surr: 1-Bromo-4-fluorobenzene	88.0	79.7 - 120			%Rec	1	11/12/25 3:17:23

Client: Geosyntec Consultants

Collection Date: 11/7/2025 9:45:00 AM

Project: 700 Dexter

Lab ID: 2511224-002

Matrix: Groundwater

Client Sample ID: MW-912-251107

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 3:42:44
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 3:42:44
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/12/25 3:42:44
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 3:42:44
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 3:42:44
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 3:42:44
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 3:42:44
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 3:42:44
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 3:42:44
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 3:42:44
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 3:42:44
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 3:42:44
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/12/25 3:42:44
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 3:42:44
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 3:42:44
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 3:42:44
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 3:42:44
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 3:42:44
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 3:42:44
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 3:42:44
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 3:42:44
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 3:42:44
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 3:42:44
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 3:42:44
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 3:42:44
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 3:42:44
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 3:42:44
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 3:42:44
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 3:42:44
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 3:42:44
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 3:42:44

Client: Geosyntec Consultants

Collection Date: 11/7/2025 9:45:00 AM

Project: 700 Dexter

Lab ID: 2511224-002

Matrix: Groundwater

Client Sample ID: MW-912-251107

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 3:42:44
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 3:42:44
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 3:42:44
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 3:42:44
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 3:42:44
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 3:42:44
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 3:42:44
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 3:42:44
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 3:42:44
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 3:42:44
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 3:42:44
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 3:42:44
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 3:42:44
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 3:42:44
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 3:42:44
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 3:42:44
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 3:42:44
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 3:42:44
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 3:42:44
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/12/25 3:42:44
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 3:42:44
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 3:42:44
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 3:42:44
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 3:42:44
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 3:42:44
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 3:42:44
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 3:42:44
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 3:42:44
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/12/25 3:42:44
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 3:42:44
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 3:42:44



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-002
Client Sample ID: MW-912-251107

Collection Date: 11/7/2025 9:45:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 49994

Analyst: KJ

Surr: Dibromofluoromethane	113	79.9 - 122			%Rec	1	11/12/25 3:42:44
Surr: Toluene-d8	99.8	80 - 121			%Rec	1	11/12/25 3:42:44
Surr: 1-Bromo-4-fluorobenzene	102	79.7 - 120			%Rec	1	11/12/25 3:42:44

Client: Geosyntec Consultants

Collection Date: 11/7/2025 11:12:00 AM

Project: 700 Dexter

Lab ID: 2511224-003

Matrix: Groundwater

Client Sample ID: MW-305-251107

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 4:08:01
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 4:08:01
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/12/25 4:08:01
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 4:08:01
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 4:08:01
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 4:08:01
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 4:08:01
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 4:08:01
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 4:08:01
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 4:08:01
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 4:08:01
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 4:08:01
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/12/25 4:08:01
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 4:08:01
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 4:08:01
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 4:08:01
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 4:08:01
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 4:08:01
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 4:08:01
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 4:08:01
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 4:08:01
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 4:08:01
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 4:08:01
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 4:08:01
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 4:08:01
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 4:08:01
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 4:08:01
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 4:08:01
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 4:08:01
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 4:08:01
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 4:08:01

Client: Geosyntec Consultants

Collection Date: 11/7/2025 11:12:00 AM

Project: 700 Dexter

Lab ID: 2511224-003

Matrix: Groundwater

Client Sample ID: MW-305-251107

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 4:08:01
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 4:08:01
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 4:08:01
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 4:08:01
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 4:08:01
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 4:08:01
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 4:08:01
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 4:08:01
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 4:08:01
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 4:08:01
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 4:08:01
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 4:08:01
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 4:08:01
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 4:08:01
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 4:08:01
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 4:08:01
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 4:08:01
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 4:08:01
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 4:08:01
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/12/25 4:08:01
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 4:08:01
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 4:08:01
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 4:08:01
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 4:08:01
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 4:08:01
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 4:08:01
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 4:08:01
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 4:08:01
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/12/25 4:08:01
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 4:08:01
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 4:08:01



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-003
Client Sample ID: MW-305-251107

Collection Date: 11/7/2025 11:12:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 49994

Analyst: KJ

Surr: Dibromofluoromethane	106	79.9 - 122			%Rec	1	11/12/25 4:08:01
Surr: Toluene-d8	109	80 - 121			%Rec	1	11/12/25 4:08:01
Surr: 1-Bromo-4-fluorobenzene	95.5	79.7 - 120			%Rec	1	11/12/25 4:08:01

Client: Geosyntec Consultants

Collection Date: 11/7/2025 12:25:00 PM

Project: 700 Dexter

Lab ID: 2511224-004

Matrix: Groundwater

Client Sample ID: MW-155-251107

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10470		Analyst: BCA	
Methane	0.0934	0.00500	0.00451		mg/L	1	11/13/25 15:57:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/13/25 15:57:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/13/25 15:57:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49994		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 1:36:06
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 1:36:06
Vinyl chloride	1.33	0.200	0.0455		µg/L	1	11/12/25 1:36:06
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 1:36:06
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 1:36:06
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 1:36:06
1,1-Dichloroethene	0.350	0.500	0.122	J	µg/L	1	11/12/25 1:36:06
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 1:36:06
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 1:36:06
trans-1,2-Dichloroethene	0.437	0.500	0.115	J	µg/L	1	11/12/25 1:36:06
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 1:36:06
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 1:36:06
cis-1,2-Dichloroethene	109	5.00	1.64	D	µg/L	10	11/12/25 9:57:52
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 1:36:06
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 1:36:06
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 1:36:06
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 1:36:06
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 1:36:06
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 1:36:06
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 1:36:06
Trichloroethene (TCE)	12.2	0.500	0.135		µg/L	1	11/12/25 1:36:06
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 1:36:06
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 1:36:06
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 1:36:06
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 1:36:06
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 1:36:06
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 1:36:06



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/7/2025 12:25:00 PM

Project: 700 Dexter

Lab ID: 2511224-004

Matrix: Groundwater

Client Sample ID: MW-155-251107

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 1:36:06
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 1:36:06
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 1:36:06
Tetrachloroethene (PCE)	36.5	0.500	0.102		µg/L	1	11/12/25 1:36:06
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 1:36:06
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 1:36:06
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 1:36:06
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 1:36:06
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 1:36:06
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 1:36:06
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 1:36:06
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 1:36:06
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 1:36:06
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 1:36:06
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 1:36:06
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 1:36:06
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 1:36:06
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 1:36:06
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 1:36:06
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 1:36:06
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 1:36:06
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 1:36:06
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 1:36:06
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/12/25 1:36:06
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 1:36:06
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 1:36:06
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 1:36:06
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 1:36:06
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 1:36:06
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 1:36:06
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 1:36:06

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-004
Client Sample ID: MW-155-251107

Collection Date: 11/7/2025 12:25:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 1:36:06
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/12/25 1:36:06
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 1:36:06
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 1:36:06
Surr: Dibromofluoromethane	110	79.9 - 122			%Rec	1	11/12/25 1:36:06
Surr: Dibromofluoromethane	111	79.9 - 122		D	%Rec	10	11/12/25 9:57:52
Surr: Toluene-d8	98.9	80 - 121		D	%Rec	10	11/12/25 9:57:52
Surr: Toluene-d8	97.9	80 - 121			%Rec	1	11/12/25 1:36:06
Surr: 1-Bromo-4-fluorobenzene	95.6	79.7 - 120		D	%Rec	10	11/12/25 9:57:52
Surr: 1-Bromo-4-fluorobenzene	95.0	79.7 - 120			%Rec	1	11/12/25 1:36:06
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 49952		Analyst: BB		
Chloride	12.4	0.600	0.0609		mg/L	1	11/07/25 20:24:00
Nitrate (as N)	3.17	0.150	0.0258		mg/L	1	11/07/25 20:24:00
Sulfate	138	10.0	2.86	D	mg/L	10	11/10/25 12:21:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 50012		Analyst: ME		
Iron	497	50.0	10.1		µg/L	1	11/13/25 23:00:00
Manganese	344	0.500	0.208		µg/L	1	11/13/25 23:00:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10463		Analyst: NR		
Alkalinity, Total (As CaCO3)	299	25.0	7.88	D	mg/L	10	11/12/25 13:52:00

Client: Geosyntec Consultants

Collection Date: 11/7/2025 1:32:00 PM

Project: 700 Dexter

Lab ID: 2511224-005

Matrix: Groundwater

Client Sample ID: MW-351-251107

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 7:02:56
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 7:02:56
Vinyl chloride	0.430	0.200	0.0455		µg/L	1	11/12/25 7:02:56
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 7:02:56
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 7:02:56
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 7:02:56
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 7:02:56
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 7:02:56
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 7:02:56
trans-1,2-Dichloroethene	0.163	0.500	0.115	J	µg/L	1	11/12/25 7:02:56
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 7:02:56
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 7:02:56
cis-1,2-Dichloroethene	25.8	0.500	0.164		µg/L	1	11/12/25 7:02:56
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 7:02:56
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 7:02:56
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 7:02:56
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 7:02:56
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 7:02:56
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 7:02:56
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 7:02:56
Trichloroethene (TCE)	3.07	0.500	0.135		µg/L	1	11/12/25 7:02:56
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 7:02:56
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 7:02:56
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 7:02:56
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 7:02:56
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 7:02:56
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 7:02:56
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 7:02:56
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 7:02:56
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 7:02:56
Tetrachloroethene (PCE)	1.84	0.500	0.102		µg/L	1	11/12/25 7:02:56

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-005
Client Sample ID: MW-351-251107

Collection Date: 11/7/2025 1:32:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 7:02:56
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 7:02:56
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 7:02:56
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 7:02:56
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 7:02:56
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 7:02:56
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 7:02:56
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 7:02:56
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 7:02:56
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 7:02:56
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 7:02:56
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 7:02:56
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 7:02:56
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 7:02:56
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 7:02:56
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 7:02:56
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 7:02:56
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 7:02:56
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 7:02:56
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/12/25 7:02:56
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 7:02:56
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 7:02:56
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 7:02:56
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 7:02:56
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 7:02:56
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 7:02:56
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 7:02:56
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 7:02:56
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/12/25 7:02:56
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 7:02:56
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 7:02:56



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-005
Client Sample ID: MW-351-251107

Collection Date: 11/7/2025 1:32:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 49994

Analyst: KJ

Surr: Dibromofluoromethane	109	79.9 - 122			%Rec	1	11/12/25 7:02:56
Surr: Toluene-d8	97.1	80 - 121			%Rec	1	11/12/25 7:02:56
Surr: 1-Bromo-4-fluorobenzene	96.4	79.7 - 120			%Rec	1	11/12/25 7:02:56

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-006
Client Sample ID: HMW-9IB-251107

Collection Date: 11/7/2025 10:15:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10470		Analyst: BCA	
Methane	10.7	0.250	0.225	D	mg/L	50	11/13/25 16:52:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/13/25 16:04:00
Ethane	0.271	0.0100	0.00754		mg/L	1	11/13/25 16:04:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49994		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 2:01:24
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 2:01:24
Vinyl chloride	1.09	0.200	0.0455		µg/L	1	11/12/25 2:01:24
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 2:01:24
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 2:01:24
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 2:01:24
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 2:01:24
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 2:01:24
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 2:01:24
trans-1,2-Dichloroethene	0.801	0.500	0.115		µg/L	1	11/12/25 2:01:24
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 2:01:24
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 2:01:24
cis-1,2-Dichloroethene	1.63	0.500	0.164		µg/L	1	11/12/25 9:32:36
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 2:01:24
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 2:01:24
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 2:01:24
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 2:01:24
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 2:01:24
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 2:01:24
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 2:01:24
Trichloroethene (TCE)	0.135	0.500	0.135	J	µg/L	1	11/12/25 2:01:24
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 2:01:24
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 2:01:24
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 2:01:24
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 2:01:24
Toluene	0.144	0.500	0.129	J	µg/L	1	11/12/25 2:01:24
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 2:01:24

Client: Geosyntec Consultants

Collection Date: 11/7/2025 10:15:00 AM

Project: 700 Dexter

Lab ID: 2511224-006

Matrix: Groundwater

Client Sample ID: HMW-9IB-251107

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 2:01:24
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 2:01:24
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 2:01:24
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 2:01:24
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 2:01:24
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 2:01:24
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 2:01:24
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 2:01:24
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 2:01:24
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 2:01:24
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 2:01:24
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 2:01:24
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 2:01:24
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 2:01:24
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 2:01:24
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 2:01:24
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 2:01:24
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 2:01:24
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 2:01:24
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 2:01:24
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 2:01:24
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 2:01:24
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 2:01:24
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/12/25 2:01:24
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 2:01:24
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 2:01:24
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 2:01:24
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 2:01:24
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 2:01:24
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 2:01:24
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 2:01:24

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-006
Client Sample ID: HMW-9IB-251107

Collection Date: 11/7/2025 10:15:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49994		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 2:01:24
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/12/25 2:01:24
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 2:01:24
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 2:01:24
Surr: Dibromofluoromethane	113	79.9 - 122			%Rec	1	11/12/25 2:01:24
Surr: Dibromofluoromethane	111	79.9 - 122			%Rec	1	11/12/25 9:32:36
Surr: Toluene-d8	91.8	80 - 121			%Rec	1	11/12/25 9:32:36
Surr: Toluene-d8	99.8	80 - 121			%Rec	1	11/12/25 2:01:24
Surr: 1-Bromo-4-fluorobenzene	88.0	79.7 - 120			%Rec	1	11/12/25 9:32:36
Surr: 1-Bromo-4-fluorobenzene	106	79.7 - 120			%Rec	1	11/12/25 2:01:24
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50091		Analyst: BB	
Chloride	58.5	1.20	0.122	D	mg/L	2	11/19/25 23:08:00
Nitrate (as N)	0.0590	0.150	0.0258	J	mg/L	1	11/07/25 21:14:00
Sulfate	0.393	1.00	0.286	J	mg/L	1	11/19/25 23:58:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50012		Analyst: ME	
Iron	7,430	50.0	10.1		µg/L	1	11/13/25 23:03:00
Manganese	2,030	5.00	2.08	D	µg/L	10	11/17/25 13:39:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10463		Analyst: NR	
Alkalinity, Total (As CaCO3)	898	75.0	23.6	D	mg/L	30	11/12/25 15:26:00



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-007
Client Sample ID: MW-913-251107

Collection Date: 11/7/2025 10:20:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10470		Analyst: BCA	
Methane	11.2	0.250	0.225	D	mg/L	50	11/13/25 16:58:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/13/25 16:07:00
Ethane	0.262	0.0100	0.00754		mg/L	1	11/13/25 16:07:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 49994		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 7:28:14
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 7:28:14
Vinyl chloride	1.25	0.200	0.0455		µg/L	1	11/12/25 7:28:14
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 7:28:14
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 7:28:14
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 7:28:14
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 7:28:14
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 7:28:14
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 7:28:14
trans-1,2-Dichloroethene	0.860	0.500	0.115		µg/L	1	11/12/25 7:28:14
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 7:28:14
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 7:28:14
cis-1,2-Dichloroethene	1.66	0.500	0.164		µg/L	1	11/12/25 7:28:14
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 7:28:14
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 7:28:14
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 7:28:14
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 7:28:14
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 7:28:14
1,2-Dichloroethane (EDC)	0.0860	0.200	0.0477	J	µg/L	1	11/12/25 7:28:14
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 7:28:14
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 7:28:14
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 7:28:14
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 7:28:14
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 7:28:14
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 7:28:14
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 7:28:14
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 7:28:14



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-007
Client Sample ID: MW-913-251107

Collection Date: 11/7/2025 10:20:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 7:28:14
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 7:28:14
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 7:28:14
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 7:28:14
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 7:28:14
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 7:28:14
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 7:28:14
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 7:28:14
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 7:28:14
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 7:28:14
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 7:28:14
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 7:28:14
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 7:28:14
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 7:28:14
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 7:28:14
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 7:28:14
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 7:28:14
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 7:28:14
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 7:28:14
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 7:28:14
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 7:28:14
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 7:28:14
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 7:28:14
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/12/25 7:28:14
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 7:28:14
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 7:28:14
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 7:28:14
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 7:28:14
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 7:28:14
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 7:28:14
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 7:28:14



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-007
Client Sample ID: MW-913-251107

Collection Date: 11/7/2025 10:20:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 7:28:14
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/12/25 7:28:14
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 7:28:14
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 7:28:14
Surr: Dibromofluoromethane	109	79.9 - 122			%Rec	1	11/12/25 7:28:14
Surr: Toluene-d8	119	80 - 121			%Rec	1	11/12/25 7:28:14
Surr: 1-Bromo-4-fluorobenzene	96.4	79.7 - 120			%Rec	1	11/12/25 7:28:14
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 50091		Analyst: BB		
Chloride	68.4	1.20	0.122	D	mg/L	2	11/19/25 23:21:00
Nitrate (as N)	0.0670	0.150	0.0258	J	mg/L	1	11/07/25 21:26:00
Sulfate	0.424	1.00	0.286	J	mg/L	1	11/20/25 0:11:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 50012		Analyst: ME		
Iron	7,480	50.0	10.1		µg/L	1	11/13/25 23:06:00
Manganese	2,010	5.00	2.08	D	µg/L	10	11/17/25 13:29:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10463		Analyst: NR		
Alkalinity, Total (As CaCO ₃)	921	75.0	23.6	D	mg/L	30	11/12/25 15:28:00



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-008
Client Sample ID: MW106-251107

Collection Date: 11/7/2025 11:35:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 2:26:45
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 2:26:45
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/12/25 2:26:45
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 2:26:45
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 2:26:45
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 2:26:45
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 2:26:45
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 2:26:45
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 2:26:45
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 2:26:45
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 2:26:45
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 2:26:45
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/12/25 2:26:45
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 2:26:45
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 2:26:45
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 2:26:45
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 2:26:45
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 2:26:45
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 2:26:45
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 2:26:45
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 2:26:45
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 2:26:45
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 2:26:45
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 2:26:45
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 2:26:45
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 2:26:45
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 2:26:45
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 2:26:45
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 2:26:45
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 2:26:45
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 2:26:45



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-008
Client Sample ID: MW106-251107

Collection Date: 11/7/2025 11:35:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 2:26:45
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 2:26:45
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 2:26:45
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 2:26:45
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 2:26:45
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 2:26:45
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 2:26:45
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 2:26:45
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 2:26:45
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 2:26:45
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 2:26:45
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 2:26:45
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 2:26:45
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 2:26:45
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 2:26:45
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 2:26:45
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 2:26:45
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 2:26:45
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 2:26:45
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/12/25 2:26:45
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 2:26:45
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 2:26:45
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 2:26:45
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 2:26:45
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 2:26:45
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 2:26:45
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 2:26:45
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 2:26:45
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/12/25 2:26:45
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 2:26:45
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 2:26:45



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-008
Client Sample ID: MW106-251107

Collection Date: 11/7/2025 11:35:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 49994

Analyst: KJ

Surr: Dibromofluoromethane	113	79.9 - 122			%Rec	1	11/12/25 2:26:45
Surr: Toluene-d8	101	80 - 121			%Rec	1	11/12/25 2:26:45
Surr: 1-Bromo-4-fluorobenzene	108	79.7 - 120			%Rec	1	11/12/25 2:26:45

Client: Geosyntec Consultants

Collection Date: 11/7/2025 12:50:00 PM

Project: 700 Dexter

Lab ID: 2511224-009

Matrix: Groundwater

Client Sample ID: MW-346-251107

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>			Batch ID: R10470		Analyst: BCA		
Methane	0.0334	0.00500	0.00451		mg/L	1	11/13/25 16:09:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/13/25 16:09:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/13/25 16:09:00
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 7:53:34
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 7:53:34
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/12/25 7:53:34
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 7:53:34
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 7:53:34
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 7:53:34
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 7:53:34
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 7:53:34
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 7:53:34
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 7:53:34
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 7:53:34
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 7:53:34
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/12/25 7:53:34
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 7:53:34
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 7:53:34
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 7:53:34
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 7:53:34
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 7:53:34
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 7:53:34
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 7:53:34
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 7:53:34
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 7:53:34
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 7:53:34
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 7:53:34
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 7:53:34
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 7:53:34
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 7:53:34



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-009
Client Sample ID: MW-346-251107

Collection Date: 11/7/2025 12:50:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 7:53:34
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 7:53:34
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 7:53:34
Tetrachloroethene (PCE)	0.128	0.500	0.102	J	µg/L	1	11/12/25 7:53:34
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 7:53:34
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 7:53:34
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 7:53:34
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 7:53:34
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 7:53:34
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 7:53:34
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 7:53:34
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 7:53:34
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 7:53:34
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 7:53:34
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 7:53:34
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 7:53:34
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 7:53:34
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 7:53:34
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 7:53:34
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 7:53:34
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 7:53:34
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 7:53:34
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 7:53:34
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/12/25 7:53:34
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 7:53:34
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 7:53:34
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 7:53:34
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 7:53:34
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 7:53:34
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 7:53:34
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 7:53:34

Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-009
Client Sample ID: MW-346-251107

Collection Date: 11/7/2025 12:50:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 49994		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 7:53:34
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/12/25 7:53:34
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 7:53:34
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 7:53:34
Surr: Dibromofluoromethane	111	79.9 - 122			%Rec	1	11/12/25 7:53:34
Surr: Toluene-d8	88.7	80 - 121			%Rec	1	11/12/25 7:53:34
Surr: 1-Bromo-4-fluorobenzene	83.5	79.7 - 120			%Rec	1	11/12/25 7:53:34
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 49952		Analyst: BB		
Chloride	3.92	0.600	0.0609		mg/L	1	11/07/25 21:39:00
Nitrate (as N)	0.362	0.150	0.0258		mg/L	1	11/07/25 21:39:00
Sulfate	24.4	1.00	0.286		mg/L	1	11/20/25 0:24:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 50012		Analyst: ME		
Iron	282	50.0	10.1		µg/L	1	11/13/25 23:16:00
Manganese	13.4	0.500	0.208		µg/L	1	11/13/25 23:16:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10463		Analyst: NR		
Alkalinity, Total (As CaCO ₃)	77.7	10.0	3.15	D	mg/L	4	11/12/25 15:30:00



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-010
Client Sample ID: MW-314-251107

Collection Date: 11/7/2025 12:03:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10470		Analyst: BCA	
Methane	0.926	0.0250	0.0225	D	mg/L	5	11/13/25 17:02:00
Ethene	0.00721	0.0100	0.00610	J	mg/L	1	11/13/25 16:12:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/13/25 16:12:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50002		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	10.0	1.77	D	µg/L	10	11/12/25 21:24:01
Chloromethane	ND	10.0	2.18	D	µg/L	10	11/12/25 21:24:01
Vinyl chloride	115	2.00	0.455	D	µg/L	10	11/12/25 21:24:01
Bromomethane	ND	20.0	3.86	D	µg/L	10	11/12/25 21:24:01
Trichlorofluoromethane (CFC-11)	ND	5.00	0.618	D	µg/L	10	11/12/25 21:24:01
Chloroethane	ND	10.0	3.34	D	µg/L	10	11/12/25 21:24:01
1,1-Dichloroethene	1.96	5.00	1.22	DJ	µg/L	10	11/12/25 21:24:01
Acetone	ND	50.0	25.5	D	µg/L	10	11/12/25 21:24:01
Methylene chloride	ND	20.0	6.49	D	µg/L	10	11/12/25 21:24:01
trans-1,2-Dichloroethene	2.14	5.00	1.15	DJ	µg/L	10	11/12/25 21:24:01
Methyl tert-butyl ether (MTBE)	ND	5.00	1.21	D	µg/L	10	11/12/25 21:24:01
1,1-Dichloroethane	ND	5.00	1.41	D	µg/L	10	11/12/25 21:24:01
cis-1,2-Dichloroethene	388	5.00	1.64	D	µg/L	10	11/12/25 21:24:01
2-Butanone (MEK)	ND	50.0	19.8	D	µg/L	10	11/12/25 21:24:01
Chloroform	ND	5.00	0.865	D	µg/L	10	11/12/25 21:24:01
1,1,1-Trichloroethane (TCA)	ND	5.00	1.03	D	µg/L	10	11/12/25 21:24:01
1,1-Dichloropropene	ND	5.00	1.43	D	µg/L	10	11/12/25 21:24:01
Carbon tetrachloride	ND	5.00	0.798	D	µg/L	10	11/12/25 21:24:01
1,2-Dichloroethane (EDC)	ND	2.00	0.477	D	µg/L	10	11/12/25 21:24:01
Benzene	ND	2.00	0.540	D	µg/L	10	11/12/25 21:24:01
Trichloroethene (TCE)	4.29	5.00	1.35	DJ	µg/L	10	11/12/25 21:24:01
1,2-Dichloropropane	ND	2.00	0.503	D	µg/L	10	11/12/25 21:24:01
Bromodichloromethane	ND	2.00	0.489	D	µg/L	10	11/12/25 21:24:01
Dibromomethane	ND	5.00	0.812	D	µg/L	10	11/12/25 21:24:01
cis-1,3-Dichloropropene	ND	5.00	1.09	D	µg/L	10	11/12/25 21:24:01
Toluene	ND	5.00	1.29	D	µg/L	10	11/12/25 21:24:01
trans-1,3-Dichloropropylene	ND	5.00	0.993	D	µg/L	10	11/12/25 21:24:01



Analytical Report

Work Order: 2511224

Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/7/2025 12:03:00 PM

Project: 700 Dexter

Lab ID: 2511224-010

Matrix: Groundwater

Client Sample ID: MW-314-251107

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50002		Analyst: KJ	
Methyl Isobutyl Ketone (MIBK)	ND	25.0	3.54	D	µg/L	10	11/12/25 21:24:01
1,1,2-Trichloroethane	ND	5.00	0.807	D	µg/L	10	11/12/25 21:24:01
1,3-Dichloropropane	ND	5.00	0.827	D	µg/L	10	11/12/25 21:24:01
Tetrachloroethene (PCE)	ND	5.00	1.02	D	µg/L	10	11/12/25 21:24:01
Dibromochloromethane	ND	5.00	1.01	D	µg/L	10	11/12/25 21:24:01
1,2-Dibromoethane (EDB)	ND	5.00	0.432	D	µg/L	10	11/12/25 21:24:01
2-Hexanone (MBK)	ND	12.5	3.64	D	µg/L	10	11/12/25 21:24:01
Chlorobenzene	ND	5.00	0.934	D	µg/L	10	11/12/25 21:24:01
1,1,1,2-Tetrachloroethane	ND	5.00	1.17	D	µg/L	10	11/12/25 21:24:01
Ethylbenzene	ND	5.00	1.25	D	µg/L	10	11/12/25 21:24:01
m,p-Xylene	ND	10.0	2.89	D	µg/L	10	11/12/25 21:24:01
o-Xylene	ND	5.00	1.44	D	µg/L	10	11/12/25 21:24:01
Styrene	ND	5.00	1.15	D	µg/L	10	11/12/25 21:24:01
Isopropylbenzene	ND	5.00	1.22	D	µg/L	10	11/12/25 21:24:01
Bromoform	ND	5.00	0.986	D	µg/L	10	11/12/25 21:24:01
1,1,2,2-Tetrachloroethane	ND	2.00	0.704	D	µg/L	10	11/12/25 21:24:01
n-Propylbenzene	ND	5.00	1.24	D	µg/L	10	11/12/25 21:24:01
Bromobenzene	ND	2.00	0.677	D	µg/L	10	11/12/25 21:24:01
1,3,5-Trimethylbenzene	ND	5.00	1.02	D	µg/L	10	11/12/25 21:24:01
2-Chlorotoluene	ND	5.00	0.721	D	µg/L	10	11/12/25 21:24:01
4-Chlorotoluene	ND	5.00	0.876	D	µg/L	10	11/12/25 21:24:01
tert-Butylbenzene	ND	5.00	0.821	D	µg/L	10	11/12/25 21:24:01
1,2,3-Trichloropropane	ND	5.00	0.979	D	µg/L	10	11/12/25 21:24:01
1,2,4-Trichlorobenzene	ND	7.50	2.34	DQ	µg/L	10	11/12/25 21:24:01
sec-Butylbenzene	ND	5.00	1.12	D	µg/L	10	11/12/25 21:24:01
4-Isopropyltoluene	ND	5.00	1.06	D	µg/L	10	11/12/25 21:24:01
1,3-Dichlorobenzene	ND	5.00	0.987	D	µg/L	10	11/12/25 21:24:01
1,4-Dichlorobenzene	ND	5.00	1.19	D	µg/L	10	11/12/25 21:24:01
n-Butylbenzene	ND	5.00	1.65	D	µg/L	10	11/12/25 21:24:01
1,2-Dichlorobenzene	ND	5.00	1.18	D	µg/L	10	11/12/25 21:24:01
1,2-Dibromo-3-chloropropane	ND	10.0	3.31	D	µg/L	10	11/12/25 21:24:01

Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-010
Client Sample ID: MW-314-251107

Collection Date: 11/7/2025 12:03:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50002

Analyst: KJ

1,2,4-Trimethylbenzene	ND	5.00	1.38	D	µg/L	10	11/12/25 21:24:01
Hexachloro-1,3-butadiene	ND	10.0	1.92	DQ	µg/L	10	11/12/25 21:24:01
Naphthalene	ND	12.5	4.05	D	µg/L	10	11/12/25 21:24:01
1,2,3-Trichlorobenzene	ND	10.0	2.95	D	µg/L	10	11/12/25 21:24:01
Surr: Dibromofluoromethane	116	79.9 - 122		D	%Rec	10	11/12/25 21:24:01
Surr: Toluene-d8	104	80 - 121		D	%Rec	10	11/12/25 21:24:01
Surr: 1-Bromo-4-fluorobenzene	91.9	79.7 - 120		D	%Rec	10	11/12/25 21:24:01

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 49952

Analyst: BB

Chloride	10.5	0.600	0.0609		mg/L	1	11/07/25 21:51:00
Nitrate (as N)	0.0600	0.150	0.0258	J	mg/L	1	11/07/25 21:51:00
Sulfate	225	10.0	2.86	D	mg/L	10	11/10/25 12:34:00

Total Metals by EPA 6020B

Batch ID: 50012

Analyst: ME

Iron	574	50.0	10.1		µg/L	1	11/13/25 23:19:00
Manganese	662	0.500	0.208		µg/L	1	11/13/25 23:19:00

Total Alkalinity by EPA 310.2

Batch ID: R10463

Analyst: NR

Alkalinity, Total (As CaCO ₃)	251	25.0	7.88	D	mg/L	10	11/12/25 14:00:00
---	-----	------	------	---	------	----	-------------------



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-011
Client Sample ID: MW-110-251107

Collection Date: 11/7/2025 11:10:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10470		Analyst: BCA	
Methane	0.328	0.0100	0.00901	D	mg/L	2	11/13/25 17:04:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/13/25 16:15:00
Ethane	0.0136	0.0100	0.00754		mg/L	1	11/13/25 16:15:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50002		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	10.0	1.77	D	µg/L	10	11/12/25 21:49:19
Chloromethane	ND	10.0	2.18	D	µg/L	10	11/12/25 21:49:19
Vinyl chloride	34.9	2.00	0.455	D	µg/L	10	11/12/25 21:49:19
Bromomethane	ND	20.0	3.86	D	µg/L	10	11/12/25 21:49:19
Trichlorofluoromethane (CFC-11)	ND	5.00	0.618	D	µg/L	10	11/12/25 21:49:19
Chloroethane	ND	10.0	3.34	D	µg/L	10	11/12/25 21:49:19
1,1-Dichloroethene	2.70	5.00	1.22	DJ	µg/L	10	11/12/25 21:49:19
Acetone	ND	50.0	25.5	D	µg/L	10	11/12/25 21:49:19
Methylene chloride	ND	20.0	6.49	D	µg/L	10	11/12/25 21:49:19
trans-1,2-Dichloroethene	4.82	5.00	1.15	DJ	µg/L	10	11/12/25 21:49:19
Methyl tert-butyl ether (MTBE)	ND	5.00	1.21	D	µg/L	10	11/12/25 21:49:19
1,1-Dichloroethane	ND	5.00	1.41	D	µg/L	10	11/12/25 21:49:19
cis-1,2-Dichloroethene	973	50.0	16.4	D	µg/L	100	11/12/25 20:33:26
2-Butanone (MEK)	ND	50.0	19.8	D	µg/L	10	11/12/25 21:49:19
Chloroform	ND	5.00	0.865	D	µg/L	10	11/12/25 21:49:19
1,1,1-Trichloroethane (TCA)	ND	5.00	1.03	D	µg/L	10	11/12/25 21:49:19
1,1-Dichloropropene	ND	5.00	1.43	D	µg/L	10	11/12/25 21:49:19
Carbon tetrachloride	ND	5.00	0.798	D	µg/L	10	11/12/25 21:49:19
1,2-Dichloroethane (EDC)	ND	2.00	0.477	D	µg/L	10	11/12/25 21:49:19
Benzene	ND	2.00	0.540	D	µg/L	10	11/12/25 21:49:19
Trichloroethene (TCE)	82.8	5.00	1.35	D	µg/L	10	11/12/25 21:49:19
1,2-Dichloropropane	ND	2.00	0.503	D	µg/L	10	11/12/25 21:49:19
Bromodichloromethane	ND	2.00	0.489	D	µg/L	10	11/12/25 21:49:19
Dibromomethane	ND	5.00	0.812	D	µg/L	10	11/12/25 21:49:19
cis-1,3-Dichloropropene	ND	5.00	1.09	D	µg/L	10	11/12/25 21:49:19
Toluene	ND	5.00	1.29	D	µg/L	10	11/12/25 21:49:19
trans-1,3-Dichloropropylene	ND	5.00	0.993	D	µg/L	10	11/12/25 21:49:19



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-011
Client Sample ID: MW-110-251107

Collection Date: 11/7/2025 11:10:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50002		Analyst: KJ	
Methyl Isobutyl Ketone (MIBK)	ND	25.0	3.54	D	µg/L	10	11/12/25 21:49:19
1,1,2-Trichloroethane	ND	5.00	0.807	D	µg/L	10	11/12/25 21:49:19
1,3-Dichloropropane	ND	5.00	0.827	D	µg/L	10	11/12/25 21:49:19
Tetrachloroethene (PCE)	61.8	5.00	1.02	D	µg/L	10	11/12/25 21:49:19
Dibromochloromethane	ND	5.00	1.01	D	µg/L	10	11/12/25 21:49:19
1,2-Dibromoethane (EDB)	ND	5.00	0.432	D	µg/L	10	11/12/25 21:49:19
2-Hexanone (MBK)	ND	12.5	3.64	D	µg/L	10	11/12/25 21:49:19
Chlorobenzene	ND	5.00	0.934	D	µg/L	10	11/12/25 21:49:19
1,1,1,2-Tetrachloroethane	ND	5.00	1.17	D	µg/L	10	11/12/25 21:49:19
Ethylbenzene	ND	5.00	1.25	D	µg/L	10	11/12/25 21:49:19
m,p-Xylene	ND	10.0	2.89	D	µg/L	10	11/12/25 21:49:19
o-Xylene	ND	5.00	1.44	D	µg/L	10	11/12/25 21:49:19
Styrene	ND	5.00	1.15	D	µg/L	10	11/12/25 21:49:19
Isopropylbenzene	ND	5.00	1.22	D	µg/L	10	11/12/25 21:49:19
Bromoform	ND	5.00	0.986	D	µg/L	10	11/12/25 21:49:19
1,1,2,2-Tetrachloroethane	ND	2.00	0.704	D	µg/L	10	11/12/25 21:49:19
n-Propylbenzene	ND	5.00	1.24	D	µg/L	10	11/12/25 21:49:19
Bromobenzene	ND	2.00	0.677	D	µg/L	10	11/12/25 21:49:19
1,3,5-Trimethylbenzene	ND	5.00	1.02	D	µg/L	10	11/12/25 21:49:19
2-Chlorotoluene	ND	5.00	0.721	D	µg/L	10	11/12/25 21:49:19
4-Chlorotoluene	ND	5.00	0.876	D	µg/L	10	11/12/25 21:49:19
tert-Butylbenzene	ND	5.00	0.821	D	µg/L	10	11/12/25 21:49:19
1,2,3-Trichloropropane	ND	5.00	0.979	D	µg/L	10	11/12/25 21:49:19
1,2,4-Trichlorobenzene	ND	7.50	2.34	DQ	µg/L	10	11/12/25 21:49:19
sec-Butylbenzene	ND	5.00	1.12	D	µg/L	10	11/12/25 21:49:19
4-Isopropyltoluene	ND	5.00	1.06	D	µg/L	10	11/12/25 21:49:19
1,3-Dichlorobenzene	ND	5.00	0.987	D	µg/L	10	11/12/25 21:49:19
1,4-Dichlorobenzene	ND	5.00	1.19	D	µg/L	10	11/12/25 21:49:19
n-Butylbenzene	ND	5.00	1.65	D	µg/L	10	11/12/25 21:49:19
1,2-Dichlorobenzene	ND	5.00	1.18	D	µg/L	10	11/12/25 21:49:19
1,2-Dibromo-3-chloropropane	ND	10.0	3.31	D	µg/L	10	11/12/25 21:49:19



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-011
Client Sample ID: MW-110-251107

Collection Date: 11/7/2025 11:10:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50002		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	5.00	1.38	D	µg/L	10	11/12/25 21:49:19
Hexachloro-1,3-butadiene	ND	10.0	1.92	DQ	µg/L	10	11/12/25 21:49:19
Naphthalene	ND	12.5	4.05	D	µg/L	10	11/12/25 21:49:19
1,2,3-Trichlorobenzene	ND	10.0	2.95	D	µg/L	10	11/12/25 21:49:19
Surr: Dibromofluoromethane	113	79.9 - 122		D	%Rec	10	11/12/25 21:49:19
Surr: Dibromofluoromethane	116	79.9 - 122		D	%Rec	100	11/12/25 20:33:26
Surr: Toluene-d8	104	80 - 121		D	%Rec	10	11/12/25 21:49:19
Surr: Toluene-d8	106	80 - 121		D	%Rec	100	11/12/25 20:33:26
Surr: 1-Bromo-4-fluorobenzene	92.2	79.7 - 120		D	%Rec	100	11/12/25 20:33:26
Surr: 1-Bromo-4-fluorobenzene	91.4	79.7 - 120		D	%Rec	10	11/12/25 21:49:19

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 49952		Analyst: BB	
Chloride	44.9	0.600	0.0609		mg/L	1	11/07/25 22:29:00
Nitrate (as N)	0.0510	0.150	0.0258	J	mg/L	1	11/07/25 22:29:00
Sulfate	96.6	2.00	0.571	D	mg/L	2	11/10/25 12:46:00

<u>Total Metals by EPA 6020B</u>				Batch ID: 50012		Analyst: ME	
Iron	495	50.0	10.1		µg/L	1	11/13/25 23:23:00
Manganese	7,510	5.00	2.08	D	µg/L	10	11/17/25 13:46:00

<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10463		Analyst: NR	
Alkalinity, Total (As CaCO3)	541	50.0	15.8	D	mg/L	20	11/12/25 15:32:00

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-012
Client Sample ID: MW-345-251107

Collection Date: 11/7/2025 2:00:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10470		Analyst: BCA	
Methane	0.873	0.0500	0.0451	D	mg/L	10	11/13/25 17:07:00
Ethene	0.0544	0.0100	0.00610		mg/L	1	11/13/25 16:18:00
Ethane	0.0239	0.0100	0.00754		mg/L	1	11/13/25 16:18:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50002		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 23:04:04
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 23:04:04
Vinyl chloride	24.6	0.200	0.0455		µg/L	1	11/12/25 23:04:04
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 23:04:04
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 23:04:04
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 23:04:04
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 23:04:04
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 23:04:04
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 23:04:04
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 23:04:04
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 23:04:04
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 23:04:04
cis-1,2-Dichloroethene	3.65	0.500	0.164		µg/L	1	11/12/25 23:04:04
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 23:04:04
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 23:04:04
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 23:04:04
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 23:04:04
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 23:04:04
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 23:04:04
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 23:04:04
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 23:04:04
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 23:04:04
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 23:04:04
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 23:04:04
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 23:04:04
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 23:04:04
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 23:04:04

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-012
Client Sample ID: MW-345-251107

Collection Date: 11/7/2025 2:00:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50002		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 23:04:04
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 23:04:04
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 23:04:04
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 23:04:04
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 23:04:04
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 23:04:04
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 23:04:04
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 23:04:04
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 23:04:04
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 23:04:04
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 23:04:04
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 23:04:04
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 23:04:04
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 23:04:04
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 23:04:04
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 23:04:04
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 23:04:04
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 23:04:04
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 23:04:04
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 23:04:04
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 23:04:04
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 23:04:04
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 23:04:04
1,2,4-Trichlorobenzene	ND	0.750	0.234	Q	µg/L	1	11/12/25 23:04:04
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 23:04:04
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 23:04:04
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 23:04:04
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 23:04:04
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 23:04:04
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 23:04:04
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 23:04:04



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511224-012
Client Sample ID: MW-345-251107

Collection Date: 11/7/2025 2:00:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50002		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 23:04:04
Hexachloro-1,3-butadiene	ND	1.00	0.192	Q	µg/L	1	11/12/25 23:04:04
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 23:04:04
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 23:04:04
Surr: Dibromofluoromethane	116	79.9 - 122			%Rec	1	11/12/25 23:04:04
Surr: Toluene-d8	104	80 - 121			%Rec	1	11/12/25 23:04:04
Surr: 1-Bromo-4-fluorobenzene	93.4	79.7 - 120			%Rec	1	11/12/25 23:04:04
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 49952		Analyst: BB	
Chloride	27.0	0.600	0.0609		mg/L	1	11/07/25 22:42:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/07/25 22:42:00
Sulfate	28.3	1.00	0.286		mg/L	1	11/20/25 0:36:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50012		Analyst: ME	
Iron	1,070	50.0	10.1		µg/L	1	11/13/25 23:26:00
Manganese	229	0.500	0.208		µg/L	1	11/13/25 23:26:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10463		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	246	25.0	7.88	D	mg/L	10	11/12/25 14:03:00

Client: Geosyntec Consultants

Collection Date: 11/7/2025 2:35:00 PM

Project: 700 Dexter

Lab ID: 2511224-013

Matrix: Groundwater

Client Sample ID: EQ-251107

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>			Batch ID: R10470		Analyst: BCA		
Methane	0.00691	0.00500	0.00451		mg/L	1	11/13/25 16:22:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/13/25 16:22:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/13/25 16:22:00
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50002		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 17:36:27
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 17:36:27
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/12/25 17:36:27
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 17:36:27
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 17:36:27
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 17:36:27
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 17:36:27
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 17:36:27
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 17:36:27
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 17:36:27
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 17:36:27
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 17:36:27
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/12/25 17:36:27
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 17:36:27
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 17:36:27
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 17:36:27
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 17:36:27
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 17:36:27
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 17:36:27
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 17:36:27
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 17:36:27
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 17:36:27
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 17:36:27
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 17:36:27
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 17:36:27
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 17:36:27
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 17:36:27

Client: Geosyntec Consultants

Collection Date: 11/7/2025 2:35:00 PM

Project: 700 Dexter

Lab ID: 2511224-013

Matrix: Groundwater

Client Sample ID: EQ-251107

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50002		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 17:36:27
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 17:36:27
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 17:36:27
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 17:36:27
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 17:36:27
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 17:36:27
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 17:36:27
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 17:36:27
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 17:36:27
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 17:36:27
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 17:36:27
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 17:36:27
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 17:36:27
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 17:36:27
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 17:36:27
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 17:36:27
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 17:36:27
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 17:36:27
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 17:36:27
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 17:36:27
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 17:36:27
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 17:36:27
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 17:36:27
1,2,4-Trichlorobenzene	ND	0.750	0.234	Q	µg/L	1	11/12/25 17:36:27
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 17:36:27
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 17:36:27
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 17:36:27
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 17:36:27
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 17:36:27
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 17:36:27
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 17:36:27

Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/7/2025 2:35:00 PM

Project: 700 Dexter

Lab ID: 2511224-013

Matrix: Groundwater

Client Sample ID: EQ-251107

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50002

Analyst: KJ

1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 17:36:27
Hexachloro-1,3-butadiene	ND	1.00	0.192	Q	µg/L	1	11/12/25 17:36:27
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 17:36:27
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 17:36:27
Surr: Dibromofluoromethane	110	79.9 - 122			%Rec	1	11/12/25 17:36:27
Surr: Toluene-d8	81.6	80 - 121			%Rec	1	11/12/25 17:36:27
Surr: 1-Bromo-4-fluorobenzene	96.1	79.7 - 120			%Rec	1	11/12/25 17:36:27

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 49952

Analyst: BB

Chloride	0.252	0.600	0.0609	J	mg/L	1	11/07/25 22:54:00
Nitrate (as N)	30.0	0.150	0.0258	E	mg/L	1	11/07/25 22:54:00
Nitrate (as N)	35.2	0.750	0.129	DH	mg/L	5	11/10/25 13:36:00
Sulfate	ND	5.00	1.43	D	mg/L	5	11/10/25 13:36:00

Total Metals by EPA 6020B

Batch ID: 50012

Analyst: ME

Iron	ND	50.0	10.1		µg/L	1	11/13/25 23:29:00
Manganese	0.232	0.500	0.208	J	µg/L	1	11/13/25 23:29:00

Total Alkalinity by EPA 310.2

Batch ID: R10483

Analyst: NR

Alkalinity, Total (As CaCO ₃)	ND	2.50	0.788		mg/L	1	11/19/25 12:16:00
---	----	------	-------	--	------	---	-------------------

Client: Geosyntec Consultants

Collection Date: 11/7/2025

Project: 700 Dexter

Lab ID: 2511224-014

Matrix: Groundwater

Client Sample ID: TRIP-251107

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50002		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 17:11:11
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 17:11:11
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/12/25 17:11:11
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 17:11:11
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 17:11:11
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 17:11:11
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 17:11:11
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 17:11:11
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 17:11:11
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 17:11:11
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 17:11:11
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 17:11:11
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/12/25 17:11:11
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 17:11:11
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 17:11:11
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 17:11:11
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 17:11:11
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 17:11:11
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 17:11:11
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 17:11:11
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 17:11:11
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 17:11:11
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 17:11:11
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 17:11:11
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 17:11:11
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 17:11:11
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 17:11:11
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 17:11:11
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 17:11:11
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 17:11:11
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 17:11:11

Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/7/2025

Project: 700 Dexter

Lab ID: 2511224-014

Matrix: Groundwater

Client Sample ID: TRIP-251107

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50002		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 17:11:11
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 17:11:11
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 17:11:11
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 17:11:11
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 17:11:11
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 17:11:11
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 17:11:11
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 17:11:11
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 17:11:11
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 17:11:11
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 17:11:11
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 17:11:11
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 17:11:11
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 17:11:11
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 17:11:11
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 17:11:11
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 17:11:11
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 17:11:11
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 17:11:11
1,2,4-Trichlorobenzene	ND	0.750	0.234	Q	µg/L	1	11/12/25 17:11:11
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 17:11:11
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 17:11:11
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 17:11:11
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 17:11:11
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 17:11:11
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 17:11:11
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 17:11:11
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 17:11:11
Hexachloro-1,3-butadiene	ND	1.00	0.192	Q	µg/L	1	11/12/25 17:11:11
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 17:11:11
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 17:11:11



Analytical Report

Work Order: 2511224
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/7/2025

Project: 700 Dexter

Lab ID: 2511224-014

Matrix: Groundwater

Client Sample ID: TRIP-251107

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50002

Analyst: KJ

Surr: Dibromofluoromethane	113	79.9 - 122			%Rec	1	11/12/25 17:11:11
Surr: Toluene-d8	108	80 - 121			%Rec	1	11/12/25 17:11:11
Surr: 1-Bromo-4-fluorobenzene	123	79.7 - 120		S	%Rec	1	11/12/25 17:11:11

NOTES:

S - Outlying surrogate recovery observed (high bias). Sample is non-detect; result meets QC requirements.

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-A		SampType: CCV			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCV		Batch ID: R104637						Analysis Date: 11/12/2025			SeqNo: 2183170	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	24.3	2.50	25.00	0	97.3	80	120				
------------------------------	------	------	-------	---	------	----	-----	--	--	--	--

Sample ID: CCB-A		SampType: CCB			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCB		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183171				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	2.50									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: MB-104637		SampType: MBLK			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: MBLKW		Batch ID: R104637			Analysis Date: 11/12/2025					SeqNo: 2183172		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	2.50									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: LCS-104637		SampType: LCS			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: LCSW		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183173				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	22.5	2.50	25.00	0	90.1	80	134				
------------------------------	------	------	-------	---	------	----	-----	--	--	--	--

Sample ID: CCV-B		SampType: CCV			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCV		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183182				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	28.8	2.50	25.00	0	115	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCB-B		SampType: CCB			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCB		Batch ID: R104637						Analysis Date: 11/12/2025			SeqNo: 2183183	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) ND 2.50

Sample ID: 2511181-006DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: BATCH		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183190				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 9.51 2.50 9.307 2.18 20

Sample ID: 2511181-007DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: BATCH		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183191				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 11.1 2.50 7.863 34.4 20

Sample ID: CCV-C		SampType: CCV			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCV		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183194				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 27.7 2.50 25.00 0 111 80 120

Sample ID: CCB-C		SampType: CCB			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCB		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183195				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) ND 2.50

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-D		SampType: CCV			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCV		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183207				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	28.7	2.50	25.00	0	115	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-D		SampType: CCB			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCB		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183208				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	4.15	2.50									
------------------------------	------	------	--	--	--	--	--	--	--	--	--

Sample ID: 2511181-014DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: BATCH		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183216				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	187	25.0						181.2	3.05	20	D
------------------------------	-----	------	--	--	--	--	--	-------	------	----	---

Sample ID: CCV-E		SampType: CCV			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCV		Batch ID: R104637			Analysis Date: 11/12/2025			SeqNo: 2183221				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	27.9	2.50	25.00	0	112	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-E		SampType: CCB			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104637		
Client ID: CCB		Batch ID: R104637			Analysis Date: 11/12/2025					SeqNo: 2183222		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	2.50									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-F	SampType: CCV	Units: mg/L			Prep Date: 11/12/2025			RunNo: 104637			
Client ID: CCV	Batch ID: R104637				Analysis Date: 11/12/2025			SeqNo: 2183233			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) 25.4 2.50 25.00 0 101 80 120

Sample ID: CCB-F	SampType: CCB	Units: mg/L			Prep Date: 11/12/2025			RunNo: 104637			
Client ID: CCB	Batch ID: R104637				Analysis Date: 11/12/2025			SeqNo: 2183234			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) ND 2.50

Sample ID: MB-104839	SampType: MBLK	Units: mg/L			Prep Date: 11/19/2025			RunNo: 104839			
Client ID: MBLKW	Batch ID: R104839				Analysis Date: 11/19/2025			SeqNo: 2187758			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) 1.65 2.50 J

Sample ID: LCS-104839	SampType: LCS	Units: mg/L			Prep Date: 11/19/2025			RunNo: 104839			
Client ID: LCSW	Batch ID: R104839				Analysis Date: 11/19/2025			SeqNo: 2187759			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) 27.6 2.50 25.00 0 110 80 134

Sample ID: 2511224-013DDUP	SampType: DUP	Units: mg/L			Prep Date: 11/19/2025			RunNo: 104839			
Client ID: EQ-251107	Batch ID: R104839				Analysis Date: 11/19/2025			SeqNo: 2187761			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) ND 2.50 0 0 20

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: 2511338-001CDUP		SampType: DUP		Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: BATCH		Batch ID: R104839		Analysis Date: 11/19/2025			SeqNo: 2187763				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	30.1	5.00						32.24	6.89	20	D

Sample ID: CCV-E		SampType: CCV		Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCV		Batch ID: R104839		Analysis Date: 11/19/2025			SeqNo: 2187808				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	27.7	2.50	25.00	0	111	80	120				

Sample ID: CCB-E		SampType: CCB		Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCB		Batch ID: R104839		Analysis Date: 11/19/2025			SeqNo: 2187809				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	2.87	2.50									

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: CCV-D		SampType: CCV			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104587		
Client ID: CCV		Batch ID: 49952			Analysis Date: 11/7/2025			SeqNo: 2182047				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	12.7	0.600	12.50	0	101	90	110				
Nitrate (as N)	2.93	0.150	2.824	0	104	90	110				
Sulfate	11.9	1.00	12.50	0	95.3	90	110				

Sample ID: MB-49952		SampType: MBLK			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104587		
Client ID: MBLKW		Batch ID: 49952			Analysis Date: 11/7/2025					SeqNo: 2182048		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.196	0.600									J
Nitrate (as N)	ND	0.150									
Sulfate	ND	1.00									

Sample ID: LCS-49952		SampType: LCS			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104587		
Client ID: LCSW		Batch ID: 49952			Analysis Date: 11/7/2025			SeqNo: 2182049				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	9.56	0.600	10.00	0	95.6	90	110				
Nitrate (as N)	2.12	0.150	2.259	0	94.0	90	110				
Sulfate	9.04	1.00	10.00	0	90.4	90	110				

Sample ID: 2511224-004DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104587		
Client ID: MW-155-251107		Batch ID: 49952			Analysis Date: 11/7/2025					SeqNo: 2182051		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	12.5	0.600						12.44	0.601	20	
Nitrate (as N)	3.18	0.150						3.173	0.189	20	
Sulfate	116	1.00						115.7	0.443	20	EQ

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511224-004DMS		SampType: MS		Units: mg/L		Prep Date: 11/7/2025		RunNo: 104587			
Client ID: MW-155-251107		Batch ID: 49952				Analysis Date: 11/7/2025		SeqNo: 2182052			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	21.7	0.600	10.00	12.44	92.5	80	120				
Nitrate (as N)	5.34	0.150	2.259	3.173	95.7	80	120				
Sulfate	120	1.00	10.00	115.7	44.7	80	120				ES

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

Sample ID: 2511224-004DMSD		SampType: MSD		Units: mg/L		Prep Date: 11/7/2025			RunNo: 104587		
Client ID: MW-155-251107		Batch ID: 49952		Analysis Date: 11/7/2025						SeqNo: 2182053	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	21.9	0.600	10.00	12.44	94.6	80	120	21.69	0.964	20	
Nitrate (as N)	5.39	0.150	2.259	3.173	98.1	80	120	5.335	1.01	20	
Sulfate	120	1.00	10.00	115.7	44.1	80	120	120.2	0.0483	20	ES

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

Sample ID: CCV-B		SampType: CCV		Units: mg/L		Prep Date: 11/7/2025			RunNo: 104587		
Client ID: CCV		Batch ID: 49952		Analysis Date: 11/7/2025						SeqNo: 2182058	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	12.0	0.600	12.50	0	95.7	90	110				
Nitrate (as N)	2.69	0.150	2.824	0	95.1	90	110				
Sulfate	10.7	1.00	12.50	0	85.3	90	110				S

NOTES:

S - Outlying spike recovery observed (low bias). Samples will be qualified with a Q.

Sample ID: CCB-B	SampType: CCB	Units: mg/L				Prep Date: 11/7/2025				RunNo: 104587		
Client ID: CCB	Batch ID: 49952					Analysis Date: 11/7/2025				SeqNo: 2182059		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Chloride	0.197	0.600										
Nitrate (as N)	ND	0.150										
Sulfate	ND	1.00										

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: CCB-B		SampType: CCB			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104587		
Client ID: CCB		Batch ID: 49952			Analysis Date: 11/7/2025			SeqNo: 2182059				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Sample ID: CCV-C		SampType: CCV		Units: mg/L		Prep Date: 11/7/2025			RunNo: 104587		
Client ID: CCV		Batch ID: 49952					Analysis Date: 11/7/2025			SeqNo: 2182064	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	12.4	0.600	12.50	0	99.4	90	110				
Nitrate (as N)	2.87	0.150	2.824	0	102	90	110				
Sulfate	11.7	1.00	12.50	0	93.3	90	110				

Sample ID: CCB-C		SampType: CCB			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104587		
Client ID: CCB		Batch ID: 49952			Analysis Date: 11/7/2025			SeqNo: 2182065				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Chloride	0.298	0.600										
Nitrate (as N)	0.0880	0.150										
Sulfate	0.348	1.00										

Sample ID: CCV-D		SampType: CCV		Units: mg/L		Prep Date: 11/10/2025			RunNo: 104587		
Client ID: CCV		Batch ID: 49952		Analysis Date: 11/10/2025						SeqNo: 2182022	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	13.1	0.600	12.50	0	105	90	110				
Nitrate (as N)	3.00	0.150	2.824	0	106	90	110				
Sulfate	12.1	1.00	12.50	0	96.4	90	110				

Sample ID: CCB-D		SampType: CCB		Units: mg/L		Prep Date: 11/10/2025			RunNo: 104587			
Client ID: CCB		Batch ID: 49952					Analysis Date: 11/10/2025			SeqNo: 2182023		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Chloride	0.195	0.600										

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: CCB-D		SampType: CCB			Units: mg/L		Prep Date: 11/10/2025			RunNo: 104587		
Client ID: CCB		Batch ID: 49952			Analysis Date: 11/10/2025			SeqNo: 2182023				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Nitrate (as N)	0.0500	0.150									
Sulfate	ND	1.00									

Sample ID: CCV-B		SampType: CCV			Units: mg/L		Prep Date: 11/11/2025			RunNo: 104587		
Client ID: CCV		Batch ID: 49952			Analysis Date: 11/11/2025			SeqNo: 2182034				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	12.5	0.600	12.50	0	99.8	90	110				
Nitrate (as N)	2.88	0.150	2.824	0	102	90	110				
Sulfate	13.7	1.00	12.50	0	110	90	110				

Sample ID: CCB-B		SampType: CCB			Units: mg/L		Prep Date: 11/11/2025			RunNo: 104587		
Client ID: CCB		Batch ID: 49952						Analysis Date: 11/11/2025			SeqNo: 2182035	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.199	0.600									
Nitrate (as N)	0.0500	0.150									
Sulfate	ND	1.00									

Sample ID: 2511230-001ADUP		SampType: DUP			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104587		
Client ID: BATCH		Batch ID: 49952			Analysis Date: 11/11/2025					SeqNo: 2182036		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	3.55	0.600						3.327	6.57	20	H
Nitrate (as N)	0.196	0.150						0.2160	9.71	20	H
Sulfate	19.5	1.00						17.20	12.6	20	H

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511230-001AMS		SampType: MS			Units: mg/L		Prep Date: 11/7/2025			RunNo: 104587		
Client ID: BATCH		Batch ID: 49952			Analysis Date: 11/11/2025					SeqNo: 2182044		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	12.7	0.600	10.00	3.327	94.1	80	120				
Nitrate (as N)	2.28	0.150	2.259	0.2160	91.3	80	120				
Sulfate	27.9	1.00	10.00	17.20	107	80	120				

Sample ID: MB-50091		SampType: MBLK			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104858		
Client ID: MBLKW		Batch ID: 50091			Analysis Date: 11/19/2025					SeqNo: 2188168		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.247	0.600									J
Sulfate	ND	1.00									

Sample ID: LCS-50091		SampType: LCS			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104858		
Client ID: LCSW		Batch ID: 50091			Analysis Date: 11/19/2025			SeqNo: 2188169				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	10.4	0.600	10.00	0	104	90	110				
Sulfate	10.8	1.00	10.00	0	108	90	110				

Sample ID: 2511473-002DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104858		
Client ID: BATCH		Batch ID: 50091			Analysis Date: 11/19/2025					SeqNo: 2188171		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.702	0.600						0.7000	0.285	20	
Sulfate	0.760	1.00						0.7730	1.70	20	J

Sample ID: 2511473-002DMS		SampType: MS			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104858		
Client ID: BATCH		Batch ID: 50091			Analysis Date: 11/19/2025					SeqNo: 2188172		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	10.4	0.600	10.00	0.7000	97.4	80	120				
----------	------	-------	-------	--------	------	----	-----	--	--	--	--

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511473-002DMS		SampType: MS			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104858		
Client ID: BATCH		Batch ID: 50091			Analysis Date: 11/19/2025					SeqNo: 2188172		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Sulfate	10.9	1.00	10.00	0.7730	101	80	120				
---------	------	------	-------	--------	-----	----	-----	--	--	--	--

Sample ID: 2511473-002DMSD		SampType: MSD			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104858		
Client ID: BATCH		Batch ID: 50091			Analysis Date: 11/19/2025					SeqNo: 2188173		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	9.63	0.600	10.00	0.7000	89.3	80	120	10.44	8.12	20	
Sulfate	10.0	1.00	10.00	0.7730	92.3	80	120	10.87	8.29	20	

Sample ID: 2511490-001DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104858		
Client ID: BATCH		Batch ID: 50091			Analysis Date: 11/19/2025					SeqNo: 2188184		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	160	0.600						159.1	0.296	20	E
Sulfate	9.83	1.00						9.771	0.592	20	

Sample ID: 2511490-001DMS		SampType: MS			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104858		
Client ID: BATCH		Batch ID: 50091			Analysis Date: 11/19/2025					SeqNo: 2188185		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	162	0.600	10.00	159.1	27.2	80	120				ES
Sulfate	19.9	1.00	10.00	9.771	101	80	120				

NOTES:

S - Spike recovery indicates a possible matrix effect.

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Metals by EPA 6020B

Sample ID: LCS-50012		SampType: LCS			Units: µg/L		Prep Date: 11/13/2025			RunNo: 104704		
Client ID: LCSW		Batch ID: 50012			Analysis Date: 11/13/2025					SeqNo: 2184493		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	1,110	50.0	1,000	0	111	80	120				
Manganese	108	0.500	100.0	0	108	80	120				

Sample ID: 2511203-001AMS		SampType: MS			Units: µg/L		Prep Date: 11/13/2025			RunNo: 104704		
Client ID: BATCH		Batch ID: 50012			Analysis Date: 11/13/2025					SeqNo: 2184496		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	4,660	50.0	1,000	3,671	99.1	75	125				
Manganese	321	0.500	100.0	212.1	109	75	125				

Sample ID: 2511203-001AMSD		SampType: MSD			Units: µg/L		Prep Date: 11/13/2025			RunNo: 104704		
Client ID: BATCH		Batch ID: 50012			Analysis Date: 11/13/2025			SeqNo: 2184498				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	4,660	50.0	1,000	3,671	98.6	75	125	4,662	0.112	20	
Manganese	321	0.500	100.0	212.1	109	75	125	320.7	0.0150	20	

Sample ID: MB-50012		SampType: MBLK			Units: µg/L		Prep Date: 11/13/2025			RunNo: 104704		
Client ID: MBLKW		Batch ID: 50012			Analysis Date: 11/17/2025					SeqNo: 2185789		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	ND	50.0									
Manganese	ND	0.500									

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVA		SampType: CCV			Units: ppmv		Prep Date: 11/13/2025			RunNo: 104701		
Client ID: CCV		Batch ID: R104701			Analysis Date: 11/13/2025			SeqNo: 2184282				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	863	0.00500	1,000	0	86.3	85	115				
Ethene	889	0.0100	1,000	0	88.9	85	115				
Ethane	908	0.0100	1,000	0	90.8	85	115				

Sample ID: LCS-104701		SampType: LCS			Units: ppmv		Prep Date: 11/13/2025			RunNo: 104701		
Client ID: LCSW		Batch ID: R104701			Analysis Date: 11/13/2025					SeqNo: 2184287		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	863	0.00500	1,000	0	86.3	73.6	124				
Ethene	889	0.0100	1,000	0	88.9	76.3	122				
Ethane	908	0.0100	1,000	0	90.8	76.1	123				

Sample ID: MBLK-104701		SampType: MBLK			Units: mg/L		Prep Date: 11/13/2025			RunNo: 104701		
Client ID: MBLKW		Batch ID: R104701			Analysis Date: 11/13/2025					SeqNo: 2184286		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	ND	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Sample ID: 2511224-013EREP		SampType: REP			Units: mg/L		Prep Date: 11/13/2025			RunNo: 104701		
Client ID: EQ-251107		Batch ID: R104701			Analysis Date: 11/13/2025					SeqNo: 2184281		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	0.00632	0.00500						0.006909	8.91	30	
Ethene	ND	0.0100						0	0	30	
Ethane	ND	0.0100						0	0	30	

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVC		SampType: CCV			Units: ppmv		Prep Date: 11/13/2025			RunNo: 104701		
Client ID: CCV		Batch ID: R104701			Analysis Date: 11/13/2025			SeqNo: 2184284				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	865	0.00500	1,000	0	86.5	85	115				
Ethene	905	0.0100	1,000	0	90.5	85	115				
Ethane	935	0.0100	1,000	0	93.5	85	115				

Sample ID: 2511224-006EREP		SampType: REP			Units: mg/L		Prep Date: 11/13/2025			RunNo: 104701		
Client ID: HMW-9IB-251107		Batch ID: R104701			Analysis Date: 11/13/2025			SeqNo: 2184270				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	10.8	0.250						10.58	1.86	30	D
Ethene	ND	0.500						0	0	30	D
Ethane	0.497	0.500						0.2712	58.9	30	DJ

Sample ID: CCVD		SampType: CCV			Units: ppmv		Prep Date: 11/13/2025			RunNo: 104701		
Client ID: CCV		Batch ID: R104701			Analysis Date: 11/13/2025			SeqNo: 2184285				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	948	0.00500	1,000	0	94.8	85	115				
Ethene	947	0.0100	1,000	0	94.7	85	115				
Ethane	969	0.0100	1,000	0	96.9	85	115				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-49994		SampType: LCS		Units: µg/L		Prep Date: 11/11/2025		RunNo: 104604			
Client ID: LCSW		Batch ID: 49994				Analysis Date: 11/11/2025		SeqNo: 2182687			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	25.7	1.00	20.00	0	129	80	120				S
Chloromethane	21.4	1.00	20.00	0	107	80	120				
Vinyl chloride	22.2	0.200	20.00	0	111	80	120				
Bromomethane	23.4	2.00	20.00	0	117	80	120				
Trichlorofluoromethane (CFC-11)	21.1	0.500	20.00	0	105	80	120				
Chloroethane	21.0	1.00	20.00	0	105	80	120				
1,1-Dichloroethene	22.9	0.500	20.00	0	114	80	120				
Acetone	53.1	5.00	50.00	0	106	80	120				
Methylene chloride	23.0	2.00	20.00	0	115	80	120				
trans-1,2-Dichloroethene	22.5	0.500	20.00	0	113	80	120				
Methyl tert-butyl ether (MTBE)	21.3	0.500	20.00	0	106	80	120				
1,1-Dichloroethane	23.5	0.500	20.00	0	118	80	120				
cis-1,2-Dichloroethene	23.7	0.500	20.00	0	119	80	120				
2-Butanone (MEK)	55.0	5.00	50.00	0	110	80	120				
Chloroform	22.4	0.500	20.00	0	112	80	120				
1,1,1-Trichloroethane (TCA)	23.2	0.500	20.00	0	116	80	120				
1,1-Dichloropropene	22.8	0.500	20.00	0	114	80	120				
Carbon tetrachloride	21.7	0.500	20.00	0	108	80	120				
1,2-Dichloroethane (EDC)	21.0	0.200	20.00	0	105	80	120				
Benzene	22.3	0.200	20.00	0	111	80	120				
Trichloroethene (TCE)	18.3	0.500	20.00	0	91.5	80	120				
1,2-Dichloropropane	19.5	0.200	20.00	0	97.6	80	120				
Bromodichloromethane	17.6	0.200	20.00	0	87.9	80	120				
Dibromomethane	17.4	0.500	20.00	0	87.1	80	120				
cis-1,3-Dichloropropene	17.8	0.500	20.00	0	89.2	80	120				
Toluene	16.0	0.500	20.00	0	80.2	80	120				
trans-1,3-Dichloropropylene	18.1	0.500	20.00	0	90.6	80	120				
Methyl Isobutyl Ketone (MIBK)	45.4	2.50	50.00	0	90.8	80	120				
1,1,2-Trichloroethane	17.1	0.500	20.00	0	85.4	80	120				
1,3-Dichloropropane	17.8	0.500	20.00	0	89.1	80	120				
Tetrachloroethene (PCE)	16.0	0.500	20.00	0	80.2	80	120				
Dibromochloromethane	18.2	0.500	20.00	0	91.0	80	120				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-49994	SampType: LCS	Units: µg/L				Prep Date: 11/11/2025			RunNo: 104604		
Client ID: LCSW	Batch ID: 49994	Analysis Date: 11/11/2025							SeqNo: 2182687		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	19.0	0.500	20.00	0	94.9	80	120				
2-Hexanone (MBK)	46.9	1.25	50.00	0	93.8	80	120				
Chlorobenzene	18.9	0.500	20.00	0	94.6	80	120				
1,1,1,2-Tetrachloroethane	20.9	0.500	20.00	0	104	80	120				
Ethylbenzene	19.8	0.500	20.00	0	99.0	80	120				
m,p-Xylene	36.9	1.00	40.00	0	92.3	80	120				
o-Xylene	19.4	0.500	20.00	0	96.8	80	120				
Styrene	20.4	0.500	20.00	0	102	80	120				
Isopropylbenzene	20.7	0.500	20.00	0	104	80	120				
Bromoform	19.1	0.500	20.00	0	95.7	80	120				
1,1,2,2-Tetrachloroethane	20.8	0.200	20.00	0	104	80	120				
n-Propylbenzene	21.1	0.500	20.00	0	105	80	120				
Bromobenzene	18.2	0.200	20.00	0	91.0	80	120				
1,3,5-Trimethylbenzene	20.2	0.500	20.00	0	101	80	120				
2-Chlorotoluene	20.6	0.500	20.00	0	103	80	120				
4-Chlorotoluene	20.3	0.500	20.00	0	101	80	120				
tert-Butylbenzene	18.6	0.500	20.00	0	93.2	80	120				
1,2,3-Trichloropropane	19.5	0.500	20.00	0	97.3	80	120				
1,2,4-Trichlorobenzene	20.0	0.750	20.00	0	100	80	120				
sec-Butylbenzene	19.9	0.500	20.00	0	99.4	80	120				
4-Isopropyltoluene	20.7	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	20.2	0.500	20.00	0	101	80	120				
1,4-Dichlorobenzene	19.5	0.500	20.00	0	97.4	80	120				
n-Butylbenzene	22.2	0.500	20.00	0	111	80	120				
1,2-Dichlorobenzene	20.4	0.500	20.00	0	102	80	120				
1,2-Dibromo-3-chloropropane	20.9	1.00	20.00	0	104	80	120				
1,2,4-Trimethylbenzene	18.2	0.500	20.00	0	90.9	80	120				
Hexachloro-1,3-butadiene	19.6	1.00	20.00	0	98.2	80	120				
Naphthalene	20.5	1.25	20.00	0	102	80	120				
1,2,3-Trichlorobenzene	21.2	1.00	20.00	0	106	80	120				
Surr: Dibromofluoromethane	28.0		25.00		112	79.9	122				
Surr: Toluene-d8	21.8		25.00		87.3	80	121				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-49994		SampType: LCS		Units: µg/L		Prep Date: 11/11/2025			RunNo: 104604			
Client ID: LCSW		Batch ID: 49994					Analysis Date: 11/11/2025			SeqNo: 2182687		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Surr: 1-Bromo-4-fluorobenzene	24.8		25.00		99.2	79.7	120					

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: VOC-CCV-104604A		SampType: CCV		Units: µg/L		Prep Date: 11/11/2025			RunNo: 104604		
Client ID: CCV		Batch ID: R104604					Analysis Date: 11/11/2025			SeqNo: 2182616	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	25.7	1.00	20.00	0	129	80	120				S
Chloromethane	21.4	1.00	20.00	0	107	80	120				
Bromomethane	23.4	2.00	20.00	0	117	80	120				
Trichlorofluoromethane (CFC-11)	21.1	0.500	20.00	0	105	80	120				
Chloroethane	21.0	1.00	20.00	0	105	80	120				
1,1-Dichloroethene	22.9	0.500	20.00	0	114	80	120				
Acetone	53.1	5.00	50.00	0	106	80	120				
Methylene chloride	23.0	2.00	20.00	0	115	80	120				
trans-1,2-Dichloroethene	22.5	0.500	20.00	0	113	80	120				
Methyl tert-butyl ether (MTBE)	21.3	0.500	20.00	0	106	80	120				
1,1-Dichloroethane	23.5	0.500	20.00	0	118	80	120				
cis-1,2-Dichloroethene	23.7	0.500	20.00	0	119	80	120				
2-Butanone (MEK)	55.0	5.00	50.00	0	110	80	120				
Chloroform	22.4	0.500	20.00	0	112	80	120				
1,1,1-Trichloroethane (TCA)	23.2	0.500	20.00	0	116	80	120				
1,1-Dichloropropene	22.8	0.500	20.00	0	114	80	120				
Carbon tetrachloride	21.7	0.500	20.00	0	108	80	120				
1,2-Dichloroethane (EDC)	21.0	0.200	20.00	0	105	80	120				
Benzene	22.3	0.200	20.00	0	111	80	120				
Trichloroethene (TCE)	18.3	0.500	20.00	0	91.5	80	120				
1,2-Dichloropropane	19.5	0.200	20.00	0	97.6	80	120				
Bromodichloromethane	17.6	0.200	20.00	0	87.9	80	120				
Dibromomethane	17.4	0.500	20.00	0	87.1	80	120				
cis-1,3-Dichloropropene	17.8	0.500	20.00	0	89.2	80	120				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104604A	SampType: CCV	Units: µg/L				Prep Date: 11/11/2025			RunNo: 104604		
Client ID: CCV	Batch ID: R104604	Analysis Date: 11/11/2025							SeqNo: 2182616		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Toluene	16.0	0.500	20.00	0	80.2	80	120				
trans-1,3-Dichloropropylene	18.1	0.500	20.00	0	90.6	80	120				
Methyl Isobutyl Ketone (MIBK)	45.4	2.50	50.00	0	90.8	80	120				
1,1,2-Trichloroethane	17.1	0.500	20.00	0	85.4	80	120				
1,3-Dichloropropane	17.8	0.500	20.00	0	89.1	80	120				
Tetrachloroethene (PCE)	16.0	0.500	20.00	0	80.2	80	120				
Dibromochloromethane	18.2	0.500	20.00	0	91.0	80	120				
1,2-Dibromoethane (EDB)	19.0	0.500	20.00	0	94.9	80	120				
2-Hexanone (MBK)	46.9	1.25	50.00	0	93.8	80	120				
Chlorobenzene	18.9	0.500	20.00	0	94.6	80	120				
1,1,1,2-Tetrachloroethane	20.9	0.500	20.00	0	104	80	120				
Ethylbenzene	19.8	0.500	20.00	0	99.0	80	120				
m,p-Xylene	36.9	1.00	40.00	0	92.3	80	120				
o-Xylene	19.4	0.500	20.00	0	96.8	80	120				
Styrene	20.4	0.500	20.00	0	102	80	120				
Isopropylbenzene	20.7	0.500	20.00	0	104	80	120				
Bromoform	19.1	0.500	20.00	0	95.7	80	120				
1,1,2,2-Tetrachloroethane	20.8	0.200	20.00	0	104	80	120				
n-Propylbenzene	21.1	0.500	20.00	0	105	80	120				
Bromobenzene	18.2	0.200	20.00	0	91.0	80	120				
1,3,5-Trimethylbenzene	20.2	0.500	20.00	0	101	80	120				
2-Chlorotoluene	20.6	0.500	20.00	0	103	80	120				
4-Chlorotoluene	20.3	0.500	20.00	0	101	80	120				
tert-Butylbenzene	18.6	0.500	20.00	0	93.2	80	120				
1,2,3-Trichloropropane	19.5	0.500	20.00	0	97.3	80	120				
1,2,4-Trichlorobenzene	20.0	0.750	20.00	0	100	80	120				
sec-Butylbenzene	19.9	0.500	20.00	0	99.4	80	120				
4-Isopropyltoluene	20.7	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	20.2	0.500	20.00	0	101	80	120				
1,4-Dichlorobenzene	19.5	0.500	20.00	0	97.4	80	120				
n-Butylbenzene	22.2	0.500	20.00	0	111	80	120				
1,2-Dichlorobenzene	20.4	0.500	20.00	0	102	80	120				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104604A		SampType: CCV			Units: µg/L		Prep Date: 11/11/2025			RunNo: 104604		
Client ID: CCV		Batch ID: R104604			Analysis Date: 11/11/2025			SeqNo: 2182616				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dibromo-3-chloropropane	20.9	1.00	20.00	0	104	80	120				
1,2,4-Trimethylbenzene	18.2	0.500	20.00	0	90.9	80	120				
Hexachloro-1,3-butadiene	19.6	1.00	20.00	0	98.2	80	120				
Naphthalene	20.5	1.25	20.00	0	102	80	120				
1,2,3-Trichlorobenzene	21.2	1.00	20.00	0	106	80	120				
IS: Fluorobenzene	ND		25.00	0	0	0	0				
Surr: Dibromofluoromethane	28.0		25.00		112	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.8		25.00		99.2	80	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: MB-49994		SampType: MBLK			Units: µg/L		Prep Date: 11/11/2025			RunNo: 104604		
Client ID: MBLKW		Batch ID: 49994						Analysis Date: 11/11/2025			SeqNo: 2182617	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	ND	5.00									
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									
1,1-Dichloropropene	ND	0.500									

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-49994	SampType: MBLK	Units: µg/L			Prep Date: 11/11/2025			RunNo: 104604			
Client ID: MBLKW	Batch ID: 49994	Analysis Date: 11/11/2025						SeqNo: 2182617			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Carbon tetrachloride	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.200									
Benzene	ND	0.200									
Trichloroethene (TCE)	ND	0.500									
1,2-Dichloropropane	ND	0.200									
Bromodichloromethane	ND	0.200									
Dibromomethane	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									
tert-Butylbenzene	ND	0.500									

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-49994		SampType: MBLK			Units: µg/L		Prep Date: 11/11/2025			RunNo: 104604		
Client ID: MBLKW		Batch ID: 49994						Analysis Date: 11/11/2025			SeqNo: 2182617	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	27.3		25.00		109	80	120				
Surr: Toluene-d8	24.9		25.00		99.5	80	120				
Surr: 1-Bromo-4-fluorobenzene	28.0		25.00		112	80	120				

Sample ID: 2511181-006ADUP		SampType: DUP			Units: µg/L		Prep Date: 11/11/2025			RunNo: 104604		
Client ID: BATCH		Batch ID: 49994			Analysis Date: 11/11/2025			SeqNo: 2182619				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	ND	1.00						0	0	30	
Chloromethane	ND	1.00						0	0	30	
Vinyl chloride	ND	0.200						0	0	30	
Bromomethane	ND	2.00						0	0	30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0	0	30	
Chloroethane	ND	1.00						0	0	30	
1,1-Dichloroethene	ND	0.500						0	0	30	
Acetone	3.60	5.00						3.214	11.2	30	J
Methylene chloride	ND	2.00						0	0	30	
trans-1,2-Dichloroethene	ND	0.500						0	0	30	

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511181-006ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/11/2025			RunNo: 104604		
Client ID: BATCH		Batch ID: 49994		Analysis Date: 11/11/2025			SeqNo: 2182619				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methyl tert-butyl ether (MTBE)	ND	0.500						0	0	30	
1,1-Dichloroethane	ND	0.500						0	0	30	
cis-1,2-Dichloroethene	ND	0.500						0	0	30	
2-Butanone (MEK)	ND	5.00						0	0	30	
Chloroform	ND	0.500						0	0	30	
1,1,1-Trichloroethane (TCA)	ND	0.500						0	0	30	
1,1-Dichloropropene	ND	0.500						0	0	30	
Carbon tetrachloride	ND	0.500						0	0	30	
1,2-Dichloroethane (EDC)	ND	0.200						0	0	30	
Benzene	ND	0.200						0	0	30	
Trichloroethene (TCE)	0.321	0.500						0.3400	5.87	30	J
1,2-Dichloropropane	ND	0.200						0	0	30	
Bromodichloromethane	ND	0.200						0	0	30	
Dibromomethane	ND	0.500						0	0	30	
cis-1,3-Dichloropropene	ND	0.500						0	0	30	
Toluene	ND	0.500						0	0	30	
trans-1,3-Dichloropropylene	ND	0.500						0	0	30	
Methyl Isobutyl Ketone (MIBK)	0.610	2.50						0.6552	7.21	30	J
1,1,2-Trichloroethane	ND	0.500						0	0	30	
1,3-Dichloropropane	ND	0.500						0	0	30	
Tetrachloroethene (PCE)	5.50	0.500						5.988	8.48	30	
Dibromochloromethane	ND	0.500						0	0	30	
1,2-Dibromoethane (EDB)	ND	0.500						0	0	30	
2-Hexanone (MBK)	ND	1.25						0	0	30	
Chlorobenzene	ND	0.500						0	0	30	
1,1,1,2-Tetrachloroethane	ND	0.500						0	0	30	
Ethylbenzene	ND	0.500						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	
o-Xylene	ND	0.500						0	0	30	
Styrene	ND	0.500						0	0	30	
Isopropylbenzene	ND	0.500						0	0	30	
Bromoform	ND	0.500						0	0	30	

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511181-006ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/11/2025		RunNo: 104604			
Client ID: BATCH		Batch ID: 49994				Analysis Date: 11/11/2025		SeqNo: 2182619			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,2,2-Tetrachloroethane	ND	0.200						0	0	30	
n-Propylbenzene	ND	0.500						0	0	30	
Bromobenzene	ND	0.200						0	0	30	
1,3,5-Trimethylbenzene	ND	0.500						0	0	30	
2-Chlorotoluene	ND	0.500						0	0	30	
4-Chlorotoluene	ND	0.500						0	0	30	
tert-Butylbenzene	ND	0.500						0	0	30	
1,2,3-Trichloropropane	ND	0.500						0	0	30	
1,2,4-Trichlorobenzene	ND	0.750						0	0	30	
sec-Butylbenzene	ND	0.500						0	0	30	
4-Isopropyltoluene	ND	0.500						0	0	30	
1,3-Dichlorobenzene	0.143	0.500						0.1538	7.01	30	J
1,4-Dichlorobenzene	ND	0.500						0	0	30	
n-Butylbenzene	ND	0.500						0	0	30	
1,2-Dichlorobenzene	ND	0.500						0	0	30	
1,2-Dibromo-3-chloropropane	ND	1.00						0	0	30	
1,2,4-Trimethylbenzene	ND	0.500						0	0	30	
Hexachloro-1,3-butadiene	ND	1.00						0	0	30	
Naphthalene	ND	1.25						0	0	30	
1,2,3-Trichlorobenzene	ND	1.00						0	0	30	
Surr: Dibromofluoromethane	27.6		25.00		110	79.9	122		0		
Surr: Toluene-d8	24.5		25.00		97.9	80	121		0		
Surr: 1-Bromo-4-fluorobenzene	26.7		25.00		107	79.7	120		0		

Sample ID: LCS-50002		SampType: LCS		Units: µg/L		Prep Date: 11/12/2025		RunNo: 104651			
Client ID: LCSW		Batch ID: 50002				Analysis Date: 11/12/2025		SeqNo: 2183460			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	25.8	1.00	20.00	0	129	80	120				S
Chloromethane	24.0	1.00	20.00	0	120	80	120				
Vinyl chloride	23.0	0.200	20.00	0	115	80	120				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50002	SampType: LCS	Units: µg/L			Prep Date: 11/12/2025			RunNo: 104651			
Client ID: LCSW	Batch ID: 50002	Analysis Date: 11/12/2025						SeqNo: 2183460			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromomethane	24.0	2.00	20.00	0	120	80	120				
Trichlorofluoromethane (CFC-11)	22.7	0.500	20.00	0	114	80	120				
Chloroethane	23.7	1.00	20.00	0	119	80	120				
1,1-Dichloroethene	22.9	0.500	20.00	0	114	80	120				
Acetone	45.1	5.00	50.00	0	90.1	80	120				
Methylene chloride	22.8	2.00	20.00	0	114	80	120				
trans-1,2-Dichloroethene	22.2	0.500	20.00	0	111	80	120				
Methyl tert-butyl ether (MTBE)	21.1	0.500	20.00	0	106	80	120				
1,1-Dichloroethane	23.6	0.500	20.00	0	118	80	120				
cis-1,2-Dichloroethene	23.3	0.500	20.00	0	117	80	120				
2-Butanone (MEK)	47.3	5.00	50.00	0	94.5	80	120				
Chloroform	22.5	0.500	20.00	0	113	80	120				
1,1,1-Trichloroethane (TCA)	22.8	0.500	20.00	0	114	80	120				
1,1-Dichloropropene	22.3	0.500	20.00	0	111	80	120				
Carbon tetrachloride	21.0	0.500	20.00	0	105	80	120				
1,2-Dichloroethane (EDC)	21.0	0.200	20.00	0	105	80	120				
Benzene	21.6	0.200	20.00	0	108	80	120				
Trichloroethene (TCE)	19.3	0.500	20.00	0	96.3	80	120				
1,2-Dichloropropane	23.4	0.200	20.00	0	117	80	120				
Bromodichloromethane	21.1	0.200	20.00	0	106	80	120				
Dibromomethane	21.0	0.500	20.00	0	105	80	120				
cis-1,3-Dichloropropene	20.7	0.500	20.00	0	104	80	120				
Toluene	18.9	0.500	20.00	0	94.3	80	120				
trans-1,3-Dichloropropylene	20.5	0.500	20.00	0	103	80	120				
Methyl Isobutyl Ketone (MIBK)	52.6	2.50	50.00	0	105	80	120				
1,1,2-Trichloroethane	19.8	0.500	20.00	0	98.9	80	120				
1,3-Dichloropropane	20.7	0.500	20.00	0	104	80	120				
Tetrachloroethene (PCE)	18.4	0.500	20.00	0	92.1	80	120				
Dibromochloromethane	19.8	0.500	20.00	0	99.1	80	120				
1,2-Dibromoethane (EDB)	19.6	0.500	20.00	0	98.0	80	120				
2-Hexanone (MBK)	46.2	1.25	50.00	0	92.4	80	120				
Chlorobenzene	18.6	0.500	20.00	0	92.9	80	120				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50002		SampType: LCS		Units: µg/L		Prep Date: 11/12/2025		RunNo: 104651			
Client ID: LCSW		Batch ID: 50002				Analysis Date: 11/12/2025		SeqNo: 2183460			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	21.0	0.500	20.00	0	105	80	120				
Ethylbenzene	19.4	0.500	20.00	0	96.9	80	120				
m,p-Xylene	37.8	1.00	40.00	0	94.5	80	120				
o-Xylene	19.6	0.500	20.00	0	98.1	80	120				
Styrene	21.1	0.500	20.00	0	105	80	120				
Isopropylbenzene	20.3	0.500	20.00	0	101	80	120				
Bromoform	18.7	0.500	20.00	0	93.4	80	120				
1,1,2,2-Tetrachloroethane	20.9	0.200	20.00	0	105	80	120				
n-Propylbenzene	20.9	0.500	20.00	0	104	80	120				
Bromobenzene	18.1	0.200	20.00	0	90.6	80	120				
1,3,5-Trimethylbenzene	20.0	0.500	20.00	0	100	80	120				
2-Chlorotoluene	20.8	0.500	20.00	0	104	80	120				
4-Chlorotoluene	20.2	0.500	20.00	0	101	80	120				
tert-Butylbenzene	18.8	0.500	20.00	0	93.9	80	120				
1,2,3-Trichloropropane	19.0	0.500	20.00	0	95.0	80	120				
1,2,4-Trichlorobenzene	17.7	0.750	20.00	0	88.5	80	120				
sec-Butylbenzene	20.0	0.500	20.00	0	99.8	80	120				
4-Isopropyltoluene	20.9	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	19.6	0.500	20.00	0	97.8	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.4	80	120				
n-Butylbenzene	20.1	0.500	20.00	0	100	80	120				
1,2-Dichlorobenzene	18.7	0.500	20.00	0	93.5	80	120				
1,2-Dibromo-3-chloropropane	19.5	1.00	20.00	0	97.7	80	120				
1,2,4-Trimethylbenzene	20.7	0.500	20.00	0	103	80	120				
Hexachloro-1,3-butadiene	16.7	1.00	20.00	0	83.5	80	120				
Naphthalene	18.4	1.25	20.00	0	91.9	80	120				
1,2,3-Trichlorobenzene	19.1	1.00	20.00	0	95.7	80	120				
Surr: Dibromofluoromethane	27.7		25.00		111	79.9	122				
Surr: Toluene-d8	26.5		25.00		106	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.3		25.00		97.2	79.7	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104604B		SampType: CCV		Units: µg/L		Prep Date: 11/12/2025			RunNo: 104604		
Client ID: CCV		Batch ID: R104604		Analysis Date: 11/12/2025					SeqNo: 2182634		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	25.8	1.00	20.00	0	129	80	120				S
Chloromethane	24.0	1.00	20.00	0	120	80	120				
Bromomethane	24.0	2.00	20.00	0	120	80	120				
Trichlorofluoromethane (CFC-11)	22.7	0.500	20.00	0	114	80	120				
Chloroethane	23.7	1.00	20.00	0	119	80	120				
1,1-Dichloroethene	22.9	0.500	20.00	0	114	80	120				
Acetone	45.1	5.00	50.00	0	90.1	80	120				
Methylene chloride	22.8	2.00	20.00	0	114	80	120				
trans-1,2-Dichloroethene	22.2	0.500	20.00	0	111	80	120				
Methyl tert-butyl ether (MTBE)	21.1	0.500	20.00	0	106	80	120				
1,1-Dichloroethane	23.6	0.500	20.00	0	118	80	120				
cis-1,2-Dichloroethene	23.3	0.500	20.00	0	117	80	120				
2-Butanone (MEK)	47.3	5.00	50.00	0	94.5	80	120				
Chloroform	22.5	0.500	20.00	0	113	80	120				
1,1,1-Trichloroethane (TCA)	22.8	0.500	20.00	0	114	80	120				
1,1-Dichloropropene	22.3	0.500	20.00	0	111	80	120				
Carbon tetrachloride	21.0	0.500	20.00	0	105	80	120				
1,2-Dichloroethane (EDC)	21.0	0.200	20.00	0	105	80	120				
Benzene	21.6	0.200	20.00	0	108	80	120				
Trichloroethene (TCE)	19.3	0.500	20.00	0	96.3	80	120				
1,2-Dichloropropane	23.4	0.200	20.00	0	117	80	120				
Bromodichloromethane	21.1	0.200	20.00	0	106	80	120				
Dibromomethane	21.0	0.500	20.00	0	105	80	120				
cis-1,3-Dichloropropene	20.7	0.500	20.00	0	104	80	120				
Toluene	18.9	0.500	20.00	0	94.3	80	120				
trans-1,3-Dichloropropylene	20.5	0.500	20.00	0	103	80	120				
Methyl Isobutyl Ketone (MIBK)	52.6	2.50	50.00	0	105	80	120				
1,1,2-Trichloroethane	19.8	0.500	20.00	0	98.9	80	120				
1,3-Dichloropropane	20.7	0.500	20.00	0	104	80	120				
Tetrachloroethene (PCE)	18.4	0.500	20.00	0	92.1	80	120				
Dibromochloromethane	19.8	0.500	20.00	0	99.1	80	120				
1,2-Dibromoethane (EDB)	19.6	0.500	20.00	0	98.0	80	120				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104604B	SampType: CCV	Units: µg/L				Prep Date: 11/12/2025			RunNo: 104604		
Client ID: CCV	Batch ID: R104604	Analysis Date: 11/12/2025							SeqNo: 2182634		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Hexanone (MBK)	46.2	1.25	50.00	0	92.4	80	120				
Chlorobenzene	18.6	0.500	20.00	0	92.9	80	120				
1,1,1,2-Tetrachloroethane	21.0	0.500	20.00	0	105	80	120				
Ethylbenzene	19.4	0.500	20.00	0	96.9	80	120				
m,p-Xylene	37.8	1.00	40.00	0	94.5	80	120				
o-Xylene	19.6	0.500	20.00	0	98.1	80	120				
Styrene	21.1	0.500	20.00	0	105	80	120				
Isopropylbenzene	20.3	0.500	20.00	0	101	80	120				
Bromoform	18.7	0.500	20.00	0	93.4	80	120				
1,1,2,2-Tetrachloroethane	20.9	0.200	20.00	0	105	80	120				
n-Propylbenzene	20.9	0.500	20.00	0	104	80	120				
Bromobenzene	18.1	0.200	20.00	0	90.6	80	120				
1,3,5-Trimethylbenzene	20.0	0.500	20.00	0	100	80	120				
2-Chlorotoluene	20.8	0.500	20.00	0	104	80	120				
4-Chlorotoluene	20.2	0.500	20.00	0	101	80	120				
tert-Butylbenzene	18.8	0.500	20.00	0	93.9	80	120				
1,2,3-Trichloropropane	19.0	0.500	20.00	0	95.0	80	120				
1,2,4-Trichlorobenzene	17.7	0.750	20.00	0	88.5	80	120				
sec-Butylbenzene	20.0	0.500	20.00	0	99.8	80	120				
4-Isopropyltoluene	20.9	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	19.6	0.500	20.00	0	97.8	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.4	80	120				
n-Butylbenzene	20.1	0.500	20.00	0	100	80	120				
1,2-Dichlorobenzene	18.7	0.500	20.00	0	93.5	80	120				
1,2-Dibromo-3-chloropropane	19.5	1.00	20.00	0	97.7	80	120				
1,2,4-Trimethylbenzene	20.7	0.500	20.00	0	103	80	120				
Hexachloro-1,3-butadiene	16.7	1.00	20.00	0	83.5	80	120				
Naphthalene	18.4	1.25	20.00	0	91.9	80	120				
1,2,3-Trichlorobenzene	19.1	1.00	20.00	0	95.7	80	120				
IS: Fluorobenzene	ND		25.00	0	0	0	0				
Surr: Dibromofluoromethane	27.7		25.00		111	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.3		25.00		97.2	80	120				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104604B		SampType: CCV			Units: µg/L		Prep Date: 11/12/2025			RunNo: 104604		
Client ID: CCV		Batch ID: R104604			Analysis Date: 11/12/2025					SeqNo: 2182634		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: 2511181-008AMS	SampType: MS	Units: µg/L				Prep Date: 11/11/2025			RunNo: 104604		
Client ID: BATCH	Batch ID: 49994	Analysis Date: 11/12/2025							SeqNo: 2182639		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	30.2	1.00	20.00	0	151	61	156				
Chloromethane	24.6	1.00	20.00	0	123	58.6	153				
Vinyl chloride	25.3	0.200	20.00	0.6732	123	70.9	160				
Bromomethane	22.3	2.00	20.00	0	112	57	155				
Trichlorofluoromethane (CFC-11)	25.0	0.500	20.00	0	125	80	159				
Chloroethane	22.6	1.00	20.00	0	113	71.3	145				
1,1-Dichloroethene	24.5	0.500	20.00	0	122	80	160				
Acetone	40.8	5.00	50.00	0	81.6	12.9	126				
Methylene chloride	22.9	2.00	20.00	0	115	77.6	131				
trans-1,2-Dichloroethene	23.7	0.500	20.00	0	118	80	134				
Methyl tert-butyl ether (MTBE)	20.2	0.500	20.00	0	101	80	127				
1,1-Dichloroethane	24.0	0.500	20.00	0	120	80	129				
cis-1,2-Dichloroethene	24.4	0.500	20.00	0.2252	121	78.2	137				
2-Butanone (MEK)	42.6	5.00	50.00	0	85.2	32.5	130				
Chloroform	22.8	0.500	20.00	0	114	78.3	136				
1,1,1-Trichloroethane (TCA)	25.2	0.500	20.00	0	126	80	153				
1,1-Dichloropropene	25.1	0.500	20.00	0	126	80	153				
Carbon tetrachloride	24.8	0.500	20.00	0	124	80	156				
1,2-Dichloroethane (EDC)	20.4	0.200	20.00	0	102	77	133				
Benzene	22.9	0.200	20.00	0	114	80	134				
Trichloroethene (TCE)	20.7	0.500	20.00	0	103	80	133				
1,2-Dichloropropane	23.2	0.200	20.00	0	116	80	125				
Bromodichloromethane	21.0	0.200	20.00	0	105	80	124				
Dibromomethane	20.3	0.500	20.00	0	101	80	122				
cis-1,3-Dichloropropene	17.6	0.500	20.00	0	87.9	80	128				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511181-008AMS	SampType: MS	Units: µg/L				Prep Date: 11/11/2025			RunNo: 104604		
Client ID: BATCH	Batch ID: 49994	Analysis Date: 11/12/2025							SeqNo: 2182639		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Toluene	18.0	0.500	20.00	0	90.0	80	134				
trans-1,3-Dichloropropylene	19.8	0.500	20.00	0	98.9	78.6	136				
Methyl Isobutyl Ketone (MIBK)	45.0	2.50	50.00	0	90.0	61.1	145				
1,1,2-Trichloroethane	19.7	0.500	20.00	0	98.6	79.4	135				
1,3-Dichloropropane	20.3	0.500	20.00	0	102	80	126				
Tetrachloroethene (PCE)	20.2	0.500	20.00	0	101	80	153				
Dibromochloromethane	19.3	0.500	20.00	0	96.6	77.7	137				
1,2-Dibromoethane (EDB)	19.4	0.500	20.00	0	97.0	77.8	132				
2-Hexanone (MBK)	43.0	1.25	50.00	0	86.0	34.7	135				
Chlorobenzene	19.4	0.500	20.00	0	97.2	80	123				
1,1,1,2-Tetrachloroethane	21.4	0.500	20.00	0	107	80	125				
Ethylbenzene	20.9	0.500	20.00	0	104	80	125				
m,p-Xylene	39.7	1.00	40.00	0	99.4	80	124				
o-Xylene	20.1	0.500	20.00	0	101	80	122				
Styrene	21.4	0.500	20.00	0	107	80	122				
Isopropylbenzene	22.5	0.500	20.00	0	112	80	133				
Bromoform	19.0	0.500	20.00	0	94.9	80	125				
1,1,2,2-Tetrachloroethane	21.7	0.200	20.00	0	108	76.3	138				
n-Propylbenzene	22.1	0.500	20.00	0	111	80	134				
Bromobenzene	18.8	0.200	20.00	0	94.0	80	121				
1,3,5-Trimethylbenzene	21.0	0.500	20.00	0	105	80	126				
2-Chlorotoluene	21.1	0.500	20.00	0	106	80	124				
4-Chlorotoluene	19.9	0.500	20.00	0	99.6	80	123				
tert-Butylbenzene	19.5	0.500	20.00	0	97.4	80	131				
1,2,3-Trichloropropane	18.7	0.500	20.00	0	93.3	75.3	125				
1,2,4-Trichlorobenzene	19.9	0.750	20.00	0	99.4	71.2	129				
sec-Butylbenzene	21.2	0.500	20.00	0	106	80	137				
4-Isopropyltoluene	21.8	0.500	20.00	0	109	80	132				
1,3-Dichlorobenzene	21.0	0.500	20.00	0	105	80	120				
1,4-Dichlorobenzene	17.2	0.500	20.00	0	86.0	80	122				
n-Butylbenzene	20.5	0.500	20.00	0	102	79.5	138				
1,2-Dichlorobenzene	18.2	0.500	20.00	0	91.0	79	120				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511181-008AMS		SampType: MS			Units: µg/L		Prep Date: 11/11/2025			RunNo: 104604		
Client ID: BATCH		Batch ID: 49994			Analysis Date: 11/12/2025					SeqNo: 2182639		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dibromo-3-chloropropane	18.8	1.00	20.00	0	94.1	69.6	137				
1,2,4-Trimethylbenzene	20.6	0.500	20.00	0	103	80	123				
Hexachloro-1,3-butadiene	20.8	1.00	20.00	0	104	74.3	148				
Naphthalene	20.3	1.25	20.00	0	102	74.3	124				
1,2,3-Trichlorobenzene	21.1	1.00	20.00	0	105	71.9	129				
Surr: Dibromofluoromethane	27.3		25.00		109	79.9	122				
Surr: Toluene-d8	22.6		25.00		90.3	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.6		25.00		98.2	79.7	120				

Sample ID: MB-50002		SampType: MBLK			Units: µg/L		Prep Date: 11/12/2025			RunNo: 104651		
Client ID: MBLKW		Batch ID: 50002			Analysis Date: 11/12/2025					SeqNo: 2183434		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	ND	5.00									
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									
1,1-Dichloropropene	ND	0.500									
Carbon tetrachloride	ND	0.500									

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50002	SampType: MBLK	Units: µg/L			Prep Date: 11/12/2025			RunNo: 104651			
Client ID: MBLKW	Batch ID: 50002	Analysis Date: 11/12/2025						SeqNo: 2183434			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dichloroethane (EDC)	ND	0.200									
Benzene	ND	0.200									
Trichloroethene (TCE)	ND	0.500									
1,2-Dichloropropane	ND	0.200									
Bromodichloromethane	ND	0.200									
Dibromomethane	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50002		SampType: MBLK		Units: µg/L		Prep Date: 11/12/2025		RunNo: 104651			
Client ID: MBLKW		Batch ID: 50002				Analysis Date: 11/12/2025		SeqNo: 2183434			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	27.4		25.00		110	80	120				
Surr: Toluene-d8	24.6		25.00		98.5	80	120				
Surr: 1-Bromo-4-fluorobenzene	23.7		25.00		94.6	80	120				

Sample ID: 2511248-002ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/12/2025		RunNo: 104651			
Client ID: BATCH		Batch ID: 50002				Analysis Date: 11/12/2025		SeqNo: 2183436			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	ND	1.00						0	0	30	
Chloromethane	ND	1.00						0	0	30	
Vinyl chloride	0.0976	0.200						0.1142	15.6	30	J
Bromomethane	ND	2.00						0	0	30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0	0	30	
Chloroethane	ND	1.00						0	0	30	
1,1-Dichloroethene	ND	0.500						0	0	30	
Acetone	ND	5.00						0	0	30	
Methylene chloride	ND	2.00						0	0	30	
trans-1,2-Dichloroethene	ND	0.500						0	0	30	
Methyl tert-butyl ether (MTBE)	ND	0.500						0	0	30	

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511248-002ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/12/2025		RunNo: 104651			
Client ID: BATCH		Batch ID: 50002				Analysis Date: 11/12/2025		SeqNo: 2183436			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethane	ND	0.500						0	0	30	
cis-1,2-Dichloroethene	0.240	0.500						0.2536	5.51	30	J
2-Butanone (MEK)	ND	5.00						0	0	30	
Chloroform	ND	0.500						0	0	30	
1,1,1-Trichloroethane (TCA)	ND	0.500						0	0	30	
1,1-Dichloropropene	ND	0.500						0	0	30	
Carbon tetrachloride	ND	0.500						0	0	30	
1,2-Dichloroethane (EDC)	ND	0.200						0	0	30	
Benzene	ND	0.200						0	0	30	
Trichloroethene (TCE)	ND	0.500						0	0	30	
1,2-Dichloropropane	ND	0.200						0	0	30	
Bromodichloromethane	ND	0.200						0	0	30	
Dibromomethane	ND	0.500						0	0	30	
cis-1,3-Dichloropropene	ND	0.500						0	0	30	
Toluene	ND	0.500						0	0	30	
trans-1,3-Dichloropropylene	ND	0.500						0	0	30	
Methyl Isobutyl Ketone (MIBK)	ND	2.50						0	0	30	
1,1,2-Trichloroethane	ND	0.500						0	0	30	
1,3-Dichloropropane	ND	0.500						0	0	30	
Tetrachloroethene (PCE)	ND	0.500						0	0	30	
Dibromochloromethane	ND	0.500						0	0	30	
1,2-Dibromoethane (EDB)	ND	0.500						0	0	30	
2-Hexanone (MBK)	ND	1.25						0	0	30	
Chlorobenzene	ND	0.500						0	0	30	
1,1,1,2-Tetrachloroethane	ND	0.500						0	0	30	
Ethylbenzene	ND	0.500						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	
o-Xylene	ND	0.500						0	0	30	
Styrene	ND	0.500						0	0	30	
Isopropylbenzene	ND	0.500						0	0	30	
Bromoform	ND	0.500						0	0	30	
1,1,2,2-Tetrachloroethane	ND	0.200						0	0	30	

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511248-002ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/12/2025		RunNo: 104651			
Client ID: BATCH		Batch ID: 50002				Analysis Date: 11/12/2025		SeqNo: 2183436			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
n-Propylbenzene	ND	0.500						0	0	30	
Bromobenzene	ND	0.200						0	0	30	
1,3,5-Trimethylbenzene	ND	0.500						0	0	30	
2-Chlorotoluene	ND	0.500						0	0	30	
4-Chlorotoluene	ND	0.500						0	0	30	
tert-Butylbenzene	ND	0.500						0	0	30	
1,2,3-Trichloropropane	ND	0.500						0	0	30	
1,2,4-Trichlorobenzene	ND	0.750						0	0	30	
sec-Butylbenzene	ND	0.500						0	0	30	
4-Isopropyltoluene	ND	0.500						0	0	30	
1,3-Dichlorobenzene	ND	0.500						0	0	30	
1,4-Dichlorobenzene	ND	0.500						0	0	30	
n-Butylbenzene	ND	0.500						0	0	30	
1,2-Dichlorobenzene	ND	0.500						0	0	30	
1,2-Dibromo-3-chloropropane	ND	1.00						0	0	30	
1,2,4-Trimethylbenzene	ND	0.500						0	0	30	
Hexachloro-1,3-butadiene	ND	1.00						0	0	30	
Naphthalene	ND	1.25						0	0	30	
1,2,3-Trichlorobenzene	ND	1.00						0	0	30	
Surr: Dibromofluoromethane	28.0		25.00		112	79.9	122		0		
Surr: Toluene-d8	22.6		25.00		90.3	80	121		0		
Surr: 1-Bromo-4-fluorobenzene	23.7		25.00		94.7	79.7	120		0		

Sample ID: VOC-CCV-104651B		SampType: CCV		Units: µg/L		Prep Date: 11/12/2025		RunNo: 104651			
Client ID: CCV		Batch ID: R104651				Analysis Date: 11/12/2025		SeqNo: 2183441			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	19.6	1.00	20.00	0	98.1	80	120				
Chloromethane	19.9	1.00	20.00	0	99.5	80	120				
Bromomethane	21.2	2.00	20.00	0	106	80	120				
Trichlorofluoromethane (CFC-11)	17.9	0.500	20.00	0	89.4	80	120				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104651B	SampType: CCV	Units: µg/L			Prep Date: 11/12/2025			RunNo: 104651			
Client ID: CCV	Batch ID: R104651	Analysis Date: 11/12/2025						SeqNo: 2183441			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloroethane	19.4	1.00	20.00	0	97.0	80	120				
1,1-Dichloroethene	20.2	0.500	20.00	0	101	80	120				
Acetone	41.9	5.00	50.00	0	83.8	80	120				
Methylene chloride	22.0	2.00	20.00	0	110	80	120				
trans-1,2-Dichloroethene	21.3	0.500	20.00	0	106	80	120				
Methyl tert-butyl ether (MTBE)	19.9	0.500	20.00	0	99.6	80	120				
1,1-Dichloroethane	22.3	0.500	20.00	0	112	80	120				
cis-1,2-Dichloroethene	22.6	0.500	20.00	0	113	80	120				
2-Butanone (MEK)	45.7	5.00	50.00	0	91.3	80	120				
Chloroform	21.4	0.500	20.00	0	107	80	120				
1,1,1-Trichloroethane (TCA)	21.4	0.500	20.00	0	107	80	120				
1,1-Dichloropropene	20.6	0.500	20.00	0	103	80	120				
Carbon tetrachloride	18.9	0.500	20.00	0	94.7	80	120				
1,2-Dichloroethane (EDC)	19.8	0.200	20.00	0	98.8	80	120				
Benzene	21.1	0.200	20.00	0	105	80	120				
Trichloroethene (TCE)	20.5	0.500	20.00	0	102	80	120				
1,2-Dichloropropane	22.3	0.200	20.00	0	111	80	120				
Bromodichloromethane	20.0	0.200	20.00	0	100	80	120				
Dibromomethane	19.7	0.500	20.00	0	98.3	80	120				
cis-1,3-Dichloropropene	18.9	0.500	20.00	0	94.4	80	120				
Toluene	16.8	0.500	20.00	0	83.8	80	120				
trans-1,3-Dichloropropylene	17.2	0.500	20.00	0	85.8	80	120				
Methyl Isobutyl Ketone (MIBK)	45.1	2.50	50.00	0	90.1	80	120				
1,1,2-Trichloroethane	17.6	0.500	20.00	0	88.2	80	120				
1,3-Dichloropropane	18.4	0.500	20.00	0	91.9	80	120				
Tetrachloroethene (PCE)	16.6	0.500	20.00	0	82.9	80	120				
Dibromochloromethane	18.6	0.500	20.00	0	92.9	80	120				
1,2-Dibromoethane (EDB)	18.7	0.500	20.00	0	93.5	80	120				
2-Hexanone (MBK)	43.2	1.25	50.00	0	86.5	80	120				
Chlorobenzene	17.9	0.500	20.00	0	89.7	80	120				
1,1,1,2-Tetrachloroethane	19.7	0.500	20.00	0	98.6	80	120				
Ethylbenzene	18.9	0.500	20.00	0	94.3	80	120				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104651B		SampType: CCV		Units: µg/L		Prep Date: 11/12/2025			RunNo: 104651		
Client ID: CCV		Batch ID: R104651		Analysis Date: 11/12/2025						SeqNo: 2183441	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
m,p-Xylene	36.0	1.00	40.00	0	90.0	80	120				
o-Xylene	18.5	0.500	20.00	0	92.7	80	120				
Styrene	20.0	0.500	20.00	0	100	80	120				
Isopropylbenzene	19.5	0.500	20.00	0	97.6	80	120				
Bromoform	18.2	0.500	20.00	0	90.9	80	120				
1,1,2,2-Tetrachloroethane	18.0	0.200	20.00	0	90.2	80	120				
n-Propylbenzene	20.2	0.500	20.00	0	101	80	120				
Bromobenzene	17.6	0.200	20.00	0	88.1	80	120				
1,3,5-Trimethylbenzene	19.1	0.500	20.00	0	95.6	80	120				
2-Chlorotoluene	18.7	0.500	20.00	0	93.3	80	120				
4-Chlorotoluene	19.1	0.500	20.00	0	95.7	80	120				
tert-Butylbenzene	17.4	0.500	20.00	0	86.9	80	120				
1,2,3-Trichloropropane	17.9	0.500	20.00	0	89.6	80	120				
1,2,4-Trichlorobenzene	14.7	0.750	20.00	0	73.6	80	120				S
sec-Butylbenzene	18.2	0.500	20.00	0	91.0	80	120				
4-Isopropyltoluene	19.3	0.500	20.00	0	96.4	80	120				
1,3-Dichlorobenzene	18.8	0.500	20.00	0	94.2	80	120				
1,4-Dichlorobenzene	18.4	0.500	20.00	0	92.1	80	120				
n-Butylbenzene	19.8	0.500	20.00	0	99.0	80	120				
1,2-Dichlorobenzene	19.2	0.500	20.00	0	96.1	80	120				
1,2-Dibromo-3-chloropropane	18.9	1.00	20.00	0	94.6	80	120				
1,2,4-Trimethylbenzene	19.1	0.500	20.00	0	95.3	80	120				
Hexachloro-1,3-butadiene	15.6	1.00	20.00	0	78.2	80	120				S
Naphthalene	17.0	1.25	20.00	0	85.2	80	120				
1,2,3-Trichlorobenzene	18.5	1.00	20.00	0	92.5	80	120				
IS: Fluorobenzene	ND		25.00	0	0	0	0				
Surr: Dibromofluoromethane	27.4		25.00		109	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.8		25.00		99.1	80	120				

NOTES:

S - Outlying spike recovery observed (low bias). Samples will be qualified with a Q.

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511218-001AMS		SampType: MS		Units: µg/L		Prep Date: 11/12/2025		RunNo: 104651			
Client ID: BATCH		Batch ID: 50002				Analysis Date: 11/13/2025		SeqNo: 2183459			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	37.7	1.00	20.00	0	188	61	156				S
Chloromethane	28.3	1.00	20.00	0	142	58.6	153				
Vinyl chloride	31.2	0.200	20.00	0	156	70.9	160				
Bromomethane	32.1	2.00	20.00	0	160	57	155				S
Trichlorofluoromethane (CFC-11)	30.7	0.500	20.00	0	154	80	159				
Chloroethane	27.0	1.00	20.00	0	135	71.3	145				
1,1-Dichloroethene	28.1	0.500	20.00	0	141	80	160				
Acetone	45.6	5.00	50.00	0	91.2	12.9	126				
Methylene chloride	24.1	2.00	20.00	0	121	77.6	131				
trans-1,2-Dichloroethene	24.6	0.500	20.00	0	123	80	134				
Methyl tert-butyl ether (MTBE)	22.4	0.500	20.00	0	112	80	127				
1,1-Dichloroethane	25.6	0.500	20.00	0	128	80	129				
cis-1,2-Dichloroethene	25.3	0.500	20.00	0	127	78.2	137				
2-Butanone (MEK)	47.8	5.00	50.00	0	95.5	32.5	130				
Chloroform	25.3	0.500	20.00	1.259	120	78.3	136				
1,1,1-Trichloroethane (TCA)	26.9	0.500	20.00	0	134	80	153				
1,1-Dichloropropene	27.0	0.500	20.00	0	135	80	153				
Carbon tetrachloride	26.8	0.500	20.00	0	134	80	156				
1,2-Dichloroethane (EDC)	22.1	0.200	20.00	0	111	77	133				
Benzene	22.7	0.200	20.00	0	114	80	134				
Trichloroethene (TCE)	20.5	0.500	20.00	0	103	80	133				
1,2-Dichloropropane	25.2	0.200	20.00	0	126	80	125				S
Bromodichloromethane	22.5	0.200	20.00	0	112	80	124				
Dibromomethane	22.0	0.500	20.00	0	110	80	122				
cis-1,3-Dichloropropene	22.3	0.500	20.00	0	112	80	128				
Toluene	20.0	0.500	20.00	0	100	80	134				
trans-1,3-Dichloropropylene	22.2	0.500	20.00	0	111	78.6	136				
Methyl Isobutyl Ketone (MIBK)	58.6	2.50	50.00	0	117	61.1	145				
1,1,2-Trichloroethane	21.4	0.500	20.00	0	107	79.4	135				
1,3-Dichloropropane	22.3	0.500	20.00	0	112	80	126				
Tetrachloroethene (PCE)	22.1	0.500	20.00	0.3822	109	80	153				
Dibromochloromethane	21.1	0.500	20.00	0	106	77.7	137				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511218-001AMS	SampType: MS	Units: µg/L			Prep Date: 11/12/2025			RunNo: 104651			
Client ID: BATCH	Batch ID: 50002	Analysis Date: 11/13/2025						SeqNo: 2183459			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	20.9	0.500	20.00	0	105	77.8	132				
2-Hexanone (MBK)	51.6	1.25	50.00	0	103	34.7	135				
Chlorobenzene	19.5	0.500	20.00	0	97.4	80	123				
1,1,1,2-Tetrachloroethane	21.4	0.500	20.00	0	107	80	125				
Ethylbenzene	21.2	0.500	20.00	0	106	80	125				
m,p-Xylene	40.2	1.00	40.00	0	101	80	124				
o-Xylene	20.2	0.500	20.00	0	101	80	122				
Styrene	20.8	0.500	20.00	0	104	80	122				
Isopropylbenzene	22.7	0.500	20.00	0	114	80	133				
Bromoform	19.3	0.500	20.00	0	96.5	80	125				
1,1,2,2-Tetrachloroethane	22.1	0.200	20.00	0	111	76.3	138				
n-Propylbenzene	23.5	0.500	20.00	0	117	80	134				
Bromobenzene	18.8	0.200	20.00	0	93.8	80	121				
1,3,5-Trimethylbenzene	21.4	0.500	20.00	0	107	80	126				
2-Chlorotoluene	20.7	0.500	20.00	0	103	80	124				
4-Chlorotoluene	20.9	0.500	20.00	0	104	80	123				
tert-Butylbenzene	20.0	0.500	20.00	0	99.9	80	131				
1,2,3-Trichloropropane	19.4	0.500	20.00	0	96.8	75.3	125				
1,2,4-Trichlorobenzene	20.1	0.750	20.00	0	100	71.2	129				
sec-Butylbenzene	21.7	0.500	20.00	0	109	80	137				
4-Isopropyltoluene	22.6	0.500	20.00	0	113	80	132				
1,3-Dichlorobenzene	20.9	0.500	20.00	0	104	80	120				
1,4-Dichlorobenzene	20.1	0.500	20.00	0	100	80	122				
n-Butylbenzene	24.5	0.500	20.00	0	123	79.5	138				
1,2-Dichlorobenzene	21.0	0.500	20.00	0	105	79	120				
1,2-Dibromo-3-chloropropane	20.8	1.00	20.00	0	104	69.6	137				
1,2,4-Trimethylbenzene	20.9	0.500	20.00	0	105	80	123				
Hexachloro-1,3-butadiene	20.5	1.00	20.00	0	103	74.3	148				
Naphthalene	21.2	1.25	20.00	0	106	74.3	124				
1,2,3-Trichlorobenzene	21.0	1.00	20.00	0	105	71.9	129				
Surr: Dibromofluoromethane	28.3		25.00		113	79.9	122				
Surr: Toluene-d8	27.0		25.00		108	80	121				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511218-001AMS		SampType: MS			Units: µg/L		Prep Date: 11/12/2025			RunNo: 104651		
Client ID: BATCH		Batch ID: 50002			Analysis Date: 11/13/2025			SeqNo: 2183459				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Surr: 1-Bromo-4-fluorobenzene 24.1 25.00 96.3 79.7 120

NOTES:

S - Outlying spike recoveries were associated with this sample.

Sample ID: VOC-CCV-104651C		SampType: CCV		Units: µg/L		Prep Date: 11/13/2025			RunNo: 104651		
Client ID: CCV		Batch ID: R104651					Analysis Date: 11/13/2025			SeqNo: 2183654	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane (CFC-12)	27.2	1.00	20.00	0	136	80	120				S
Chloromethane	24.6	1.00	20.00	0	123	80	120				S
Bromomethane	25.4	2.00	20.00	0	127	80	120				S
Trichlorofluoromethane (CFC-11)	23.9	0.500	20.00	0	119	80	120				
Chloroethane	23.5	1.00	20.00	0	117	80	120				
1,1-Dichloroethene	23.5	0.500	20.00	0	117	80	120				
Acetone	47.4	5.00	50.00	0	94.7	80	120				
Methylene chloride	22.7	2.00	20.00	0	114	80	120				
trans-1,2-Dichloroethene	21.8	0.500	20.00	0	109	80	120				
Methyl tert-butyl ether (MTBE)	21.1	0.500	20.00	0	105	80	120				
1,1-Dichloroethane	23.3	0.500	20.00	0	117	80	120				
cis-1,2-Dichloroethene	23.1	0.500	20.00	0	116	80	120				
2-Butanone (MEK)	49.7	5.00	50.00	0	99.3	80	120				
Chloroform	22.4	0.500	20.00	0	112	80	120				
1,1,1-Trichloroethane (TCA)	23.1	0.500	20.00	0	115	80	120				
1,1-Dichloropropene	22.4	0.500	20.00	0	112	80	120				
Carbon tetrachloride	21.7	0.500	20.00	0	108	80	120				
1,2-Dichloroethane (EDC)	20.9	0.200	20.00	0	104	80	120				
Benzene	21.3	0.200	20.00	0	106	80	120				
Trichloroethene (TCE)	19.4	0.500	20.00	0	97.0	80	120				
1,2-Dichloropropane	23.2	0.200	20.00	0	116	80	120				
Bromodichloromethane	20.7	0.200	20.00	0	104	80	120				
Dibromomethane	20.5	0.500	20.00	0	103	80	120				
cis-1,3-Dichloropropene	20.5	0.500	20.00	0	102	80	120				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104651C	SampType: CCV	Units: µg/L			Prep Date: 11/13/2025			RunNo: 104651			
Client ID: CCV	Batch ID: R104651	Analysis Date: 11/13/2025						SeqNo: 2183654			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Toluene	18.2	0.500	20.00	0	90.9	80	120				
trans-1,3-Dichloropropylene	20.6	0.500	20.00	0	103	80	120				
Methyl Isobutyl Ketone (MIBK)	52.7	2.50	50.00	0	105	80	120				
1,1,2-Trichloroethane	19.8	0.500	20.00	0	99.2	80	120				
1,3-Dichloropropane	20.5	0.500	20.00	0	102	80	120				
Tetrachloroethene (PCE)	18.5	0.500	20.00	0	92.3	80	120				
Dibromochloromethane	19.2	0.500	20.00	0	96.1	80	120				
1,2-Dibromoethane (EDB)	19.3	0.500	20.00	0	96.7	80	120				
2-Hexanone (MBK)	48.2	1.25	50.00	0	96.5	80	120				
Chlorobenzene	18.2	0.500	20.00	0	91.0	80	120				
1,1,1,2-Tetrachloroethane	20.0	0.500	20.00	0	99.9	80	120				
Ethylbenzene	19.2	0.500	20.00	0	96.1	80	120				
m,p-Xylene	36.7	1.00	40.00	0	91.7	80	120				
o-Xylene	18.9	0.500	20.00	0	94.5	80	120				
Styrene	20.3	0.500	20.00	0	102	80	120				
Isopropylbenzene	20.3	0.500	20.00	0	102	80	120				
Bromoform	18.5	0.500	20.00	0	92.3	80	120				
1,1,2,2-Tetrachloroethane	20.1	0.200	20.00	0	100	80	120				
n-Propylbenzene	21.0	0.500	20.00	0	105	80	120				
Bromobenzene	17.7	0.200	20.00	0	88.6	80	120				
1,3,5-Trimethylbenzene	19.5	0.500	20.00	0	97.4	80	120				
2-Chlorotoluene	19.0	0.500	20.00	0	94.9	80	120				
4-Chlorotoluene	19.5	0.500	20.00	0	97.7	80	120				
tert-Butylbenzene	17.8	0.500	20.00	0	88.9	80	120				
1,2,3-Trichloropropane	18.6	0.500	20.00	0	93.2	80	120				
1,2,4-Trichlorobenzene	18.7	0.750	20.00	0	93.4	80	120				
sec-Butylbenzene	19.2	0.500	20.00	0	96.2	80	120				
4-Isopropyltoluene	19.9	0.500	20.00	0	99.7	80	120				
1,3-Dichlorobenzene	19.5	0.500	20.00	0	97.4	80	120				
1,4-Dichlorobenzene	18.8	0.500	20.00	0	94.1	80	120				
n-Butylbenzene	21.3	0.500	20.00	0	106	80	120				
1,2-Dichlorobenzene	19.7	0.500	20.00	0	98.7	80	120				

Work Order: 2511224
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104651C		SampType: CCV		Units: µg/L		Prep Date: 11/13/2025			RunNo: 104651		
Client ID: CCV		Batch ID: R104651					Analysis Date: 11/13/2025			SeqNo: 2183654	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,2-Dibromo-3-chloropropane	19.7	1.00	20.00	0	98.6	80	120				
1,2,4-Trimethylbenzene	19.4	0.500	20.00	0	96.8	80	120				
Hexachloro-1,3-butadiene	17.7	1.00	20.00	0	88.7	80	120				
Naphthalene	19.4	1.25	20.00	0	97.0	80	120				
1,2,3-Trichlorobenzene	19.5	1.00	20.00	0	97.5	80	120				
IS: Fluorobenzene	ND		25.00	0	0	0	0				
Surr: Dibromofluoromethane	27.6		25.00		111	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.3		25.00		97.3	80	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Client Name: AC

Work Order Number: 2511224

Logged by: Clare Griggs

Date Received: 11/7/2025 3:10:00 PM

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes ☐ No ☐ Not Present ☒
4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all items received at a temperature of >2°C to 6°C * Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. Is there headspace in the VOA vials? Yes ☐ No ☒ NA ☐
11. Did all samples containers arrive in good condition(unbroken)? Yes ☒ No ☐
12. Does paperwork match bottle labels? Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all hold times (except field parameters, pH e.g.) able to be met? Yes ☒ No ☐

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:		Date:	
By Whom:		Via:	☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:			
Client Instructions:			

17. Additional remarks:

Item Information

Item #	Temp °C
Sample	1.5

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



3600 Fremont Ave N
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11/7/25 Page: 1 of 2

Project Name: 700 Dexter

Project No: AS240461

Collected by: M. Elliott E. Rosen J. Raville

Location: 700 Dexter

Report To (PM): Hannah Cohen + Lea Kane

Laboratory Project No (Internal): 2511224

Special Remarks:

Please bill to Short hold on nitrate!

W0-AS240461-8485

on Coupa

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Client: Geosyntec Consultants

Address: 801 5th Ave, Suite 2200

City, State, Zip: Seattle, WA, 98104

Telephone: 206-780-7724

Email(s): Hannah.Cohen@geosyntec.com

Lea.Kane@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCs (EPA 8260) (624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCD)	SVOCS (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8082 / 608)	Metals** (EPA 6020 / 200.8)	Total (T) Dissolved (D)	Anions (IC)**	EDB (8011)	Dissolved Gases (RSH/TS)	Alkalinity (EPA 300.2)	TOC (9060A)	Comments
1 MW-25-251107	11/7/25	0932	GW	3	X														
2 MW-912-251107	11/7/25	0945	GW	3	X														
3 MW-305-251107	11/7/25	1112	GW	3	X														
4 MW-155-251107	11/7/25	1225	GW	9	X														
5 MW-351-251107	11/7/25	1332	GW	3	X														
6 HMMW-91B-251107	11/7/25	1015	GW	9	X														
7 MW-913-251107	11/7/25	1020	GW	9	X														
8 MW-106-251107	11/7/25	1135	GW	3	X														
9 MW-346-251107	11/7/25	1250	GW	9	X														
10 MW-314-251107	11/7/25	1203	GW	9	X														

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu (E) Hg K Mg (Mn) Mo Na Ni Pb Sb Se Sr Sn Ti Tl V Zn

***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate+Nitrite

I represent that I am authorized to enter into this Agreement with Alliance Technical Group LLC on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Turn-around Time:
☒ Standard ☐ Next Day
☐ 3 Day ☐ Same Day
☐ 2 Day (specify)

Relinquished (Signature)

Print Name

Date/Time

Received (Signature)

Print Name

Date/Time

Relinquished (Signature)

Print Name

Date/Time

Received (Signature)

Print Name

Date/Time



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11/7/25 Page: 2 of 2

Project Name: 700 Dexter

Project No: AS2404G1

Collected by: M. Elliott E. Rusan J. Randle

Location: 700 Dexter

Report To (PM): Hannah Cohen + Lea Kane

Laboratory Project No (Internal): 2511224
Special Remarks:
Please bill to
MO-AS2404G1-8485
on Nitrate!
on Coupa

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Short hold
on Nitrate!

Client: Geosyntec Consultants
Address: 801 5th Ave, Suite 2200
City, State, zip: Seattle, WA, 98105
Telephone: 206-780-7724

Email(s): Hannah.Cohen@geosyntec.com

Lea.Kane@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCs (EPA 8260 / 624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HID)	Diesel/Heavy Oil Range Organics (DO)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8082 / 608)	Metals** (EPA 8210 / 200.8)	Total (TD) Dissolved (D)	Anions (IC)***	EDB (8011)	Dissolved Gases (BSI 735)	Alkalinity (EPA 8010-2)	TOC (9060A)	Comments	
1 MW-110-251107	11/7/25	1110	GW	9	X								X	X	X	X	X				
2 MW-345-251107	11/7/25	1400	GW	9	X								X	X	X	X	X				
3 EQ-251107	11-7-25	1435	W	9	X								X	X		X	X				
4 TRIP-251107	11/7/25	-	W	1	X																
5																					
6																					
7																					
8																					
9																					
10																					

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MICA-5 RICA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Fe Hg K Mg (Mn) Mo Na Ni Pb Sb Se Sr Sn Ti Tl V Zn

***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate-Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished (Signature)

Print Name

Date/Time

Received (Signature)

Print Name

Date/Time

Relinquished (Signature)

Print Name

Date/Time

Received (Signature)

Print Name

Date/Time

Turn-around Time:

☒ Standard ☐ Next Day

☐ 3 Day ☐ Same Day

☐ 2 Day (specify)



Analytical Resources, LLC
Analytical Chemists and Consultants
Tukwila, WA

28 November 2025

Brianna Barnes
Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle, WA 98103

RE: TOC (2511224)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)

25K0229

Associated SDG ID(s)

N/A


I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Phillip Bates, Project Manager



SUB CONTRATOR: ARI		COMPANY: Analytical Resources Inc.		SPECIAL INSTRUCTIONS / COMMENTS: Standard TAT. Please email results to SEA.PM@alliancetg.com and invoices to both SEA.PM@alliancetg.com and ap@alliancetg.com.			
ADDRESS: 4611 South 134th Place, Suite 100							
CITY, STATE, ZIP: Tukwila, WA 98168							
PHONE: (206) 695-6200 FAX: EMAIL:							
ACCOUNT #:							
ITEM #	SAMPLE ID	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS	COMMENTS: Methanol Preserved Weights HOT Sample Notation, Additional Sample Description.
1	2511224-004C	MW-155-251107	AMBER 250ML H	Groundwater	11/7/2025 12:25:00 PM	1	TOC 9060A
	C-TOC-W-9060						
2	2511224-006C	HMW-9IB-251107	AMBER 250ML H	Groundwater	11/7/2025 10:15:00 AM	1	TOC 9060A
	C-TOC-W-9060						
3	2511224-007C	MW-913-251107	AMBER 250ML H	Groundwater	11/7/2025 10:20:00 AM	1	TOC 9060A
	C-TOC-W-9060						
4	2511224-009C	MW-346-251107	AMBER 250ML H	Groundwater	11/7/2025 12:50:00 PM	1	TOC 9060A
	C-TOC-W-9060						
5	2511224-010C	MW-314-251107	AMBER 250ML H	Groundwater	11/7/2025 12:03:00 PM	1	TOC 9060A
	C-TOC-W-9060						
6	2511224-011C	MW-110-251107	AMBER 250ML H	Groundwater	11/7/2025 11:10:00 AM	1	TOC 9060A
	C-TOC-W-9060						
7	2511224-012C	MW-345-251107	AMBER 250ML H	Groundwater	11/7/2025 2:00:00 PM	1	TOC 9060A
	C-TOC-W-9060						
8	2511224-013C	EQ-251107	AMBER 250ML H	Groundwater	11/7/2025 2:35:00 PM	1	TOC 9060A
	C-TOC-W-9060						

Relinquished By: 	Date: 11/10/25	Time: 1005	Received By: 	Date: 11/10/25	Time: 1328
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
TAT: Standard ☐ RUSH Next BD ☐ 2nd BD ☐ 3rd BD ☐ Note: RUSH requests will incur surcharges!					

REPORT TRANSMITTAL DESIRED:	
☐ HARDCOPY (extra cost)	☐ FAX ☐ EMAIL ☐ ONLINE
FOR LAB USE ONLY	
Temp of samples _____ °C	Attempt to Cool ? _____
Comments: _____	
Page 92 of 107	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511224
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 09:47

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-155-251107	25K0229-01	Water	07-Nov-2025 12:25	10-Nov-2025 13:28
HMW-9IB-251107	25K0229-02	Water	07-Nov-2025 10:15	10-Nov-2025 13:28
MW-913-251107	25K0229-03	Water	07-Nov-2025 10:20	10-Nov-2025 13:28
MW-346-251107	25K0229-04	Water	07-Nov-2025 12:50	10-Nov-2025 13:28
MW-314-251107	25K0229-05	Water	07-Nov-2025 12:03	10-Nov-2025 13:28
MW-110-251107	25K0229-06	Water	07-Nov-2025 11:10	10-Nov-2025 13:28
MW-345-251107	25K0229-07	Water	07-Nov-2025 14:00	10-Nov-2025 13:28
EQ-251107	25K0229-08	Water	07-Nov-2025 14:35	10-Nov-2025 13:28



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511224
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 09:47

Work Order Case Narrative

Client: Alliance Technical Group, LLC.

Project: TOC

Project Number: 2511224

Work Order: 25K0229

Sample receipt

The sample(s) as listed on the preceding page were received 10-Nov-2025 13:28 under ARI work order 25K0229. For details regarding sample receipt, please refer to the Cooler Receipt Form.

Wet Chemistry

The sample(s) were prepared and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.

The matrix spike (MS) percent recoveries and the duplicate (DUP) relative percent difference (RPD) were within advisory control limits except where "***"-flagged on the associated QC summary forms.



WORK ORDER

25K0229

Client: Alliance Technical Group, LLC.

Project Manager: Phillip Bates

Project: TOC

Project Number: 2511224

Preservation Confirmation

Container ID	Container Type	pH	pH Paper Lot#: <u>N000119</u>
25K0229-01 A	Glass NM, Amber, 250 mL, 9N H2SO4	<u>4.20</u>	
25K0229-02 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0229-03 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0229-04 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0229-05 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0229-06 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0229-07 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0229-08 A	Glass NM, Amber, 250 mL, 9N H2SO4		

SA
Preservation Confirmed By

11/10/25
Date



Cooler Receipt Form

ARI Client: Alliance Tech.

Project Name: TOC

COC No(s): 25K0229 NA

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: 25K0229

Tracking No: _____ NA

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler? YES NO

Were custody papers included with the cooler? YES NO

Were custody papers properly filled out (ink, signed, etc.) YES NO

Temperature of Cooler(s) (°C) Time 1328 4.0 Temp Gun ID#: 9708

Was a temperature blank included in the cooler? YES NO

Were coolers received between 0°- 6° (°C) YES NO

Was sufficient ice used (if appropriate)? NA YES NO

Cooler Accepted by: SA Date: 11/10/25 Time: 1328

Complete custody forms and attach all shipping documents

Log-In Phase:

What kind of packing material was used? Bubble Wrap Wet Ice Gel Packs Baggies Foam Block N/A Other: _____

Are any samples that were out of temperature compliance documented in LIMS? YES NO

How were bottles sealed in plastic bags? Individually Grouped Not

Did all bottles arrive in good condition (unbroken)? YES NO

Were all bottle labels complete and legible? YES NO

Did the number of containers listed on COC match with the number of containers received? YES NO

Did all bottle labels and tags agree with custody papers? YES NO

Were all bottles used correct for the requested analyses? YES NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ... NA YES NO

Were all VOC vials free of air bubbles? NA YES NO

Was sufficient amount of sample sent in each bottle? YES NO

Date VOC Trip Blank was made at ARI: NA

Were the sample(s) split by ARI? NA YES Date/Time: _____ Equipment: _____ Split by: _____

Samples Logged by: SA Date: 11/10/25 Time: 1552 Labels checked by: SA

**** Notify Project Manager of discrepancies or concerns ****

Additional Notes, Discrepancies, & Resolutions:

By: _____ Date: _____



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511224
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 09:47

MW-155-251107
25K0229-01 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/07/2025 12:25

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 07:50

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0229-01 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	19.60	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511224
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 09:47

HMW-9IB-251107
25K0229-02RE1 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/07/2025 10:15

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 03:10

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0229-02RE1 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	52.37	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511224
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 09:47

MW-913-251107
25K0229-03RE1 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/07/2025 10:20

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 03:32

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0229-03RE1 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	54.77	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511224
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 09:47

MW-346-251107
25K0229-04 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/07/2025 12:50

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 09:32

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0229-04 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	5.38	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511224
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 09:47

MW-314-251107
25K0229-05 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/07/2025 12:03

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 10:24

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0229-05 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	14.07	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511224
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 09:47

MW-110-251107
25K0229-06 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/07/2025 11:10

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 10:46

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0229-06 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	31.87	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511224
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 09:47

MW-345-251107
25K0229-07 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/07/2025 14:00

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 11:04

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0229-07 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	12.70	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511224
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 09:47

EQ-251107
25K0229-08 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/07/2025 14:35

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 11:29

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0229-08 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	0.54	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511224
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 09:47

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BNK0443 - EPA 9060A in Water

Instrument: TOC-LCSH Analyst: RMS

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BNK0443-BLK1)					Prepared: 25-Nov-2025 Analyzed: 25-Nov-2025 07:10						
Total Organic Carbon	ND	0.50	0.50	mg/L							U
LCS (BNK0443-BS1)					Prepared: 25-Nov-2025 Analyzed: 25-Nov-2025 07:28						
Total Organic Carbon	20.61	0.50	0.50	mg/L	20.00		103	90-110			
Duplicate (BNK0443-DUP1)					Source: 25K0229-01 Prepared: 25-Nov-2025 Analyzed: 25-Nov-2025 08:08						
Total Organic Carbon	20.15	0.50	0.50	mg/L		19.60			2.77	20	
Matrix Spike (BNK0443-MS1)					Source: 25K0229-01 Prepared: 25-Nov-2025 Analyzed: 25-Nov-2025 08:26						
Total Organic Carbon	32.91	0.50	0.50	mg/L	20.00	19.60	66.6	75-125			*

Recovery limits for target analytes in MS/MSD QC samples are advisory only.



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511224
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 09:47

Uncertified Analytes included in this Report

Analysis Matrix & Analyte

None

Certified Analyses included in this Report

Analysis Matrix & Analyte

Certification Codes

EPA 9060A in Water

Total Organic Carbon

DoD-ELAP,WADOE,NELAP

Certifications

Code	Description	Number	Expires
DoD-ELAP	DoD-Environmental Laboratory Accreditation Program, PJLA Testing	66169	01/31/2026
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-018	05/12/2026
WADOE	WA Dept of Ecology	C558	06/30/2026



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511224
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 09:47

Notes and Definitions

- * Flagged value is not within established control limits.
- U This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- [2C] Indicates this result was quantified on the second column on a dual column analysis.
- ! Indicates that ARL is NOT ACCREDITED for this parameter in samples logged as 'Drinking Water'
- # Indicates that ARL is NOT ACCREDITED for this parameter in this analysis and matrix.

Geosyntec Consultants

Hannah Cohen

801 5th Ave Suite 2200

Seattle, WA 98104

RE: 700 Dexter, WO-AS240461-8485

Work Order Number: 2511248

December 01, 2025

Attention Hannah Cohen:

Alliance Technical Group, LLC - Seattle received 16 sample(s) on 11/10/2025 for the analyses presented in the following report.

Dissolved Gases by RSK-175

Ion Chromatography by EPA 300.0

Total Alkalinity by EPA 310.2

Total Metals by EPA 6020B

Total Organic Carbon by EPA Method 9060

Volatile Organic Compounds by EPA 8260D

All analyses were performed according to our accredited Quality Assurance program. Please contact the laboratory if you should have any questions about the results.

Alliance Technical Group is committed to accuracy, speed, and customer service. Thank you for choosing Alliance Technical Group's Seattle laboratory team for your analytical needs. We appreciate this opportunity to serve you!

Sincerely,



Lyann Rivera
Project Manager

CC:

Lea Kane

DoD-ELAP Accreditation #79636 by PJLA, ISO/IEC 17025:2017 and QSM 5.4 for Environmental Testing
ORELAP Certification: WA 100009 (NELAP Recognized) for Environmental Testing
Washington State Department of Ecology Accredited for Environmental Testing, Lab ID C910

Original



CLIENT: Geosyntec Consultants
Project: 700 Dexter
Work Order: 2511248

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
2511248-001	MW-161-251110	11/10/2025 11:15 AM	11/10/2025 3:25 PM
2511248-002	W-MW-01-251110	11/10/2025 12:10 PM	11/10/2025 3:25 PM
2511248-003	MW-145R-251110	11/10/2025 1:40 PM	11/10/2025 3:25 PM
2511248-004	EQ-251110	11/10/2025 2:30 PM	11/10/2025 3:25 PM
2511248-005	MW111-251110	11/10/2025 11:00 AM	11/10/2025 3:25 PM
2511248-006	MW-312-251110	11/10/2025 12:34 PM	11/10/2025 3:25 PM
2511248-007	MW-914-251110	11/10/2025 12:40 PM	11/10/2025 3:25 PM
2511248-008	MW-311-251110	11/10/2025 2:14 PM	11/10/2025 3:25 PM
2511248-009	MW-915-251110	11/10/2025 2:24 PM	11/10/2025 3:25 PM
2511248-010	MW-310-251110	11/10/2025 2:09 PM	11/10/2025 3:25 PM
2511248-011	MW-308-251110	11/10/2025 12:36 PM	11/10/2025 3:25 PM
2511248-012	MW-309-251110	11/10/2025 12:04 PM	11/10/2025 3:25 PM
2511248-013	SCL-MW101-251110	11/10/2025 11:26 AM	11/10/2025 3:25 PM
2511248-014	MW126-251110	11/10/2025 10:50 AM	11/10/2025 3:25 PM
2511248-015	MW-331-251110	11/10/2025 10:15 AM	11/10/2025 3:25 PM
2511248-016	TRIP-251110	11/10/2025 12:00 AM	11/10/2025 3:25 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

CLIENT: Geosyntec Consultants

Project: 700 Dexter

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

Matrix Spike (MS) and MS Duplicate (MSD) samples are tested from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. The sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

2511248-002C

C-TOC-W-9060 has been Sub Contracted.

2511248-003C

C-TOC-W-9060 has been Sub Contracted.

2511248-004C

C-TOC-W-9060 has been Sub Contracted.

2511248-005C

C-TOC-W-9060 has been Sub Contracted.

Qualifiers:

- * - Associated LCS is outside of control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Method Detection Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- DUP - Sample Duplicate
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MCL - Maximum Contaminant Level
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- REP - Sample Replicate
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 11:15:00 AM

Project: 700 Dexter

Lab ID: 2511248-001

Matrix: Groundwater

Client Sample ID: MW-161-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50002		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 22:14:35
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 22:14:35
Vinyl chloride	21.5	0.200	0.0455		µg/L	1	11/12/25 22:14:35
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 22:14:35
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 22:14:35
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 22:14:35
1,1-Dichloroethene	1.15	0.500	0.122		µg/L	1	11/12/25 22:14:35
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 22:14:35
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 22:14:35
trans-1,2-Dichloroethene	0.625	0.500	0.115		µg/L	1	11/12/25 22:14:35
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 22:14:35
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 22:14:35
cis-1,2-Dichloroethene	22.0	0.500	0.164		µg/L	1	11/12/25 22:14:35
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 22:14:35
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 22:14:35
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 22:14:35
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 22:14:35
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 22:14:35
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 22:14:35
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 22:14:35
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 22:14:35
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 22:14:35
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 22:14:35
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 22:14:35
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 22:14:35
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 22:14:35
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 22:14:35
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 22:14:35
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 22:14:35
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 22:14:35
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 22:14:35

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 11:15:00 AM

Project: 700 Dexter

Lab ID: 2511248-001

Matrix: Groundwater

Client Sample ID: MW-161-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50002		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 22:14:35
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 22:14:35
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 22:14:35
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 22:14:35
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 22:14:35
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 22:14:35
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 22:14:35
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 22:14:35
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 22:14:35
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 22:14:35
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 22:14:35
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 22:14:35
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 22:14:35
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 22:14:35
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 22:14:35
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 22:14:35
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 22:14:35
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 22:14:35
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 22:14:35
1,2,4-Trichlorobenzene	ND	0.750	0.234	Q	µg/L	1	11/12/25 22:14:35
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 22:14:35
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 22:14:35
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 22:14:35
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 22:14:35
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 22:14:35
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 22:14:35
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 22:14:35
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 22:14:35
Hexachloro-1,3-butadiene	ND	1.00	0.192	Q	µg/L	1	11/12/25 22:14:35
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 22:14:35
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 22:14:35

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 11:15:00 AM

Project: 700 Dexter

Lab ID: 2511248-001

Matrix: Groundwater

Client Sample ID: MW-161-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50002

Analyst: KJ

Surr: Dibromofluoromethane	115	79.9 - 122			%Rec	1	11/12/25 22:14:35
Surr: Toluene-d8	106	80 - 121			%Rec	1	11/12/25 22:14:35
Surr: 1-Bromo-4-fluorobenzene	92.8	79.7 - 120			%Rec	1	11/12/25 22:14:35

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 12:10:00 PM

Project: 700 Dexter

Lab ID: 2511248-002

Matrix: Groundwater

Client Sample ID: W-MW-01-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10483		Analyst: BCA	
Methane	10.4	0.500	0.450	D	mg/L	100	11/19/25 14:58:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/19/25 14:09:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/19/25 14:09:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50002		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 10:48:26
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 10:48:26
Vinyl chloride	0.114	0.200	0.0455	J	µg/L	1	11/12/25 10:48:26
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 10:48:26
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 10:48:26
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 10:48:26
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 10:48:26
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 10:48:26
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 10:48:26
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 10:48:26
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 10:48:26
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 10:48:26
cis-1,2-Dichloroethene	0.254	0.500	0.164	J	µg/L	1	11/12/25 10:48:26
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 10:48:26
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 10:48:26
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 10:48:26
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 10:48:26
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 10:48:26
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 10:48:26
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 10:48:26
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 10:48:26
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 10:48:26
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 10:48:26
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 10:48:26
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 10:48:26
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 10:48:26
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 10:48:26

Original



Analytical Report

Work Order: 2511248

Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 12:10:00 PM

Project: 700 Dexter

Lab ID: 2511248-002

Matrix: Groundwater

Client Sample ID: W-MW-01-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50002		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 10:48:26
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 10:48:26
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 10:48:26
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 10:48:26
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 10:48:26
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 10:48:26
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 10:48:26
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 10:48:26
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 10:48:26
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 10:48:26
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 10:48:26
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 10:48:26
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 10:48:26
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 10:48:26
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 10:48:26
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 10:48:26
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 10:48:26
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 10:48:26
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 10:48:26
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 10:48:26
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 10:48:26
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 10:48:26
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 10:48:26
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/12/25 10:48:26
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 10:48:26
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 10:48:26
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 10:48:26
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 10:48:26
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 10:48:26
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 10:48:26
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 10:48:26

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 12:10:00 PM

Project: 700 Dexter

Lab ID: 2511248-002

Matrix: Groundwater

Client Sample ID: W-MW-01-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50002		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 10:48:26
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/12/25 10:48:26
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 10:48:26
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 10:48:26
Surr: Dibromofluoromethane	113	79.9 - 122			%Rec	1	11/12/25 10:48:26
Surr: Toluene-d8	99.5	80 - 121			%Rec	1	11/12/25 10:48:26
Surr: 1-Bromo-4-fluorobenzene	103	79.7 - 120			%Rec	1	11/12/25 10:48:26
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 49995		Analyst: BB		
Chloride	25.9	0.600	0.0609		mg/L	1	11/11/25 19:11:00
Nitrate (as N)	0.0970	0.150	0.0258	J	mg/L	1	11/11/25 19:11:00
Sulfate	ND	1.00	0.286		mg/L	1	11/11/25 19:11:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 50012		Analyst: ME		
Iron	9,140	50.0	10.1		µg/L	1	11/13/25 23:39:00
Manganese	2,650	5.00	2.08	D	µg/L	10	11/17/25 13:49:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10483		Analyst: NR		
Alkalinity, Total (As CaCO3)	1,150	75.0	23.6	D	mg/L	30	11/19/25 14:04:00

Client: Geosyntec Consultants

Collection Date: 11/10/2025 1:40:00 PM

Project: 700 Dexter

Lab ID: 2511248-003

Matrix: Groundwater

Client Sample ID: MW-145R-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10483		Analyst: BCA	
Methane	0.715	0.0250	0.0225	D	mg/L	5	11/19/25 15:02:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/19/25 14:17:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/19/25 14:17:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50002		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 19:17:33
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 19:17:33
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/12/25 19:17:33
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 19:17:33
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 19:17:33
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 19:17:33
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 19:17:33
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 19:17:33
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 19:17:33
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 19:17:33
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 19:17:33
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 19:17:33
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/12/25 19:17:33
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 19:17:33
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 19:17:33
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 19:17:33
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 19:17:33
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 19:17:33
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 19:17:33
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 19:17:33
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 19:17:33
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 19:17:33
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 19:17:33
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 19:17:33
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 19:17:33
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 19:17:33
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 19:17:33

Original



Analytical Report

Work Order: 2511248

Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 1:40:00 PM

Project: 700 Dexter

Lab ID: 2511248-003

Matrix: Groundwater

Client Sample ID: MW-145R-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50002		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 19:17:33
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 19:17:33
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 19:17:33
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 19:17:33
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 19:17:33
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 19:17:33
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 19:17:33
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 19:17:33
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 19:17:33
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 19:17:33
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 19:17:33
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 19:17:33
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 19:17:33
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 19:17:33
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 19:17:33
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 19:17:33
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 19:17:33
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 19:17:33
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 19:17:33
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 19:17:33
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 19:17:33
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 19:17:33
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 19:17:33
1,2,4-Trichlorobenzene	ND	0.750	0.234	Q	µg/L	1	11/12/25 19:17:33
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 19:17:33
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 19:17:33
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 19:17:33
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 19:17:33
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 19:17:33
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 19:17:33
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 19:17:33

Original

Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511248-003
Client Sample ID: MW-145R-251110

Collection Date: 11/10/2025 1:40:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50002		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 19:17:33
Hexachloro-1,3-butadiene	ND	1.00	0.192	Q	µg/L	1	11/12/25 19:17:33
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 19:17:33
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 19:17:33
Surr: Dibromofluoromethane	117	79.9 - 122			%Rec	1	11/12/25 19:17:33
Surr: Toluene-d8	107	80 - 121			%Rec	1	11/12/25 19:17:33
Surr: 1-Bromo-4-fluorobenzene	92.1	79.7 - 120			%Rec	1	11/12/25 19:17:33
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 49995		Analyst: BB	
Chloride	25.9	0.600	0.0609		mg/L	1	11/11/25 19:23:00
Nitrate (as N)	0.0600	0.150	0.0258	J	mg/L	1	11/11/25 19:23:00
Sulfate	23.3	1.00	0.286		mg/L	1	11/11/25 19:23:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50012		Analyst: ME	
Iron	673	50.0	10.1		µg/L	1	11/13/25 23:42:00
Manganese	303	0.500	0.208		µg/L	1	11/13/25 23:42:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10483		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	297	50.0	15.8	D	mg/L	20	11/19/25 12:35:00

Client: Geosyntec Consultants

Collection Date: 11/10/2025 2:30:00 PM

Project: 700 Dexter

Lab ID: 2511248-004

Matrix: Groundwater

Client Sample ID: EQ-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>			Batch ID: R10483		Analyst: BCA		
Methane	0.00661	0.00500	0.00451		mg/L	1	11/19/25 14:20:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/19/25 14:20:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/19/25 14:20:00
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50002		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 18:01:42
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 18:01:42
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/12/25 18:01:42
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 18:01:42
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 18:01:42
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 18:01:42
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 18:01:42
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 18:01:42
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 18:01:42
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 18:01:42
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 18:01:42
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 18:01:42
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/12/25 18:01:42
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 18:01:42
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 18:01:42
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 18:01:42
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 18:01:42
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 18:01:42
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 18:01:42
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 18:01:42
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 18:01:42
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 18:01:42
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 18:01:42
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 18:01:42
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 18:01:42
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 18:01:42
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 18:01:42

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 2:30:00 PM

Project: 700 Dexter

Lab ID: 2511248-004

Matrix: Groundwater

Client Sample ID: EQ-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
Volatile Organic Compounds by EPA 8260D			Batch ID: 50002		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 18:01:42
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 18:01:42
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 18:01:42
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 18:01:42
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 18:01:42
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 18:01:42
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 18:01:42
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 18:01:42
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 18:01:42
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 18:01:42
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 18:01:42
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 18:01:42
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 18:01:42
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 18:01:42
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 18:01:42
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 18:01:42
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 18:01:42
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 18:01:42
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 18:01:42
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 18:01:42
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 18:01:42
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 18:01:42
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 18:01:42
1,2,4-Trichlorobenzene	ND	0.750	0.234	Q	µg/L	1	11/12/25 18:01:42
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 18:01:42
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 18:01:42
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 18:01:42
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 18:01:42
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 18:01:42
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 18:01:42
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 18:01:42

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 2:30:00 PM

Project: 700 Dexter

Lab ID: 2511248-004

Matrix: Groundwater

Client Sample ID: EQ-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50002		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 18:01:42
Hexachloro-1,3-butadiene	ND	1.00	0.192	Q	µg/L	1	11/12/25 18:01:42
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 18:01:42
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 18:01:42
Surr: Dibromofluoromethane	114	79.9 - 122			%Rec	1	11/12/25 18:01:42
Surr: Toluene-d8	105	80 - 121			%Rec	1	11/12/25 18:01:42
Surr: 1-Bromo-4-fluorobenzene	93.1	79.7 - 120			%Rec	1	11/12/25 18:01:42

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 49995		Analyst: BB	
Chloride	0.310	0.600	0.0609	J	mg/L	1	11/11/25 20:14:00
Nitrate (as N)	0.0530	0.150	0.0258	J	mg/L	1	11/11/25 20:14:00
Sulfate	ND	1.00	0.286		mg/L	1	11/11/25 20:14:00

<u>Total Metals by EPA 6020B</u>				Batch ID: 50012		Analyst: ME	
Iron	ND	50.0	10.1		µg/L	1	11/13/25 23:46:00
Manganese	ND	0.500	0.208		µg/L	1	11/13/25 23:46:00

<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10483		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	1.91	2.50	0.788	J	mg/L	1	11/19/25 12:37:00

Client: Geosyntec Consultants

Collection Date: 11/10/2025 11:00:00 AM

Project: 700 Dexter

Lab ID: 2511248-005

Matrix: Groundwater

Client Sample ID: MW111-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10483		Analyst: BCA	
Methane	0.107	0.00500	0.00451		mg/L	1	11/19/25 14:23:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/19/25 14:23:00
Ethane	0.00985	0.0100	0.00754	J	mg/L	1	11/19/25 14:23:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50002		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 19:42:52
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 19:42:52
Vinyl chloride	5.51	0.200	0.0455		µg/L	1	11/12/25 19:42:52
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 19:42:52
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 19:42:52
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 19:42:52
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 19:42:52
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 19:42:52
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 19:42:52
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 19:42:52
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 19:42:52
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 19:42:52
cis-1,2-Dichloroethene	0.473	0.500	0.164	J	µg/L	1	11/12/25 19:42:52
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 19:42:52
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 19:42:52
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 19:42:52
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 19:42:52
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 19:42:52
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 19:42:52
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 19:42:52
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 19:42:52
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 19:42:52
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 19:42:52
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 19:42:52
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 19:42:52
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 19:42:52
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 19:42:52

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 11:00:00 AM

Project: 700 Dexter

Lab ID: 2511248-005

Matrix: Groundwater

Client Sample ID: MW111-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50002		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 19:42:52
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 19:42:52
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 19:42:52
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 19:42:52
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 19:42:52
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 19:42:52
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 19:42:52
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 19:42:52
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 19:42:52
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 19:42:52
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 19:42:52
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 19:42:52
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 19:42:52
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 19:42:52
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 19:42:52
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 19:42:52
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 19:42:52
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 19:42:52
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 19:42:52
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 19:42:52
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 19:42:52
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 19:42:52
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 19:42:52
1,2,4-Trichlorobenzene	ND	0.750	0.234	Q	µg/L	1	11/12/25 19:42:52
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 19:42:52
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 19:42:52
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 19:42:52
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 19:42:52
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 19:42:52
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 19:42:52
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 19:42:52

Original

Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 11:00:00 AM

Project: 700 Dexter

Lab ID: 2511248-005

Matrix: Groundwater

Client Sample ID: MW111-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50002		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 19:42:52
Hexachloro-1,3-butadiene	ND	1.00	0.192	Q	µg/L	1	11/12/25 19:42:52
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 19:42:52
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 19:42:52
Surr: Dibromofluoromethane	118	79.9 - 122			%Rec	1	11/12/25 19:42:52
Surr: Toluene-d8	106	80 - 121			%Rec	1	11/12/25 19:42:52
Surr: 1-Bromo-4-fluorobenzene	92.3	79.7 - 120			%Rec	1	11/12/25 19:42:52

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 49995 Analyst: BB

Chloride	22.5	0.600	0.0609		mg/L	1	11/11/25 20:26:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/11/25 20:26:00
Sulfate	11.8	1.00	0.286		mg/L	1	11/11/25 20:26:00

Total Metals by EPA 6020B

Batch ID: 50012 Analyst: ME

Iron	300	50.0	10.1		µg/L	1	11/13/25 23:56:00
Manganese	230	0.500	0.208		µg/L	1	11/13/25 23:56:00

Total Alkalinity by EPA 310.2

Batch ID: R10483 Analyst: NR

Alkalinity, Total (As CaCO ₃)	193	50.0	15.8	D	mg/L	20	11/19/25 12:38:00
---	-----	------	------	---	------	----	-------------------



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 12:34:00 PM

Project: 700 Dexter

Lab ID: 2511248-006

Matrix: Groundwater

Client Sample ID: MW-312-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50002		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/12/25 23:29:21
Chloromethane	ND	1.00	0.218		µg/L	1	11/12/25 23:29:21
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/12/25 23:29:21
Bromomethane	ND	2.00	0.386		µg/L	1	11/12/25 23:29:21
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/12/25 23:29:21
Chloroethane	ND	1.00	0.334		µg/L	1	11/12/25 23:29:21
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/12/25 23:29:21
Acetone	ND	5.00	2.55		µg/L	1	11/12/25 23:29:21
Methylene chloride	ND	2.00	0.649		µg/L	1	11/12/25 23:29:21
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/12/25 23:29:21
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/12/25 23:29:21
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/12/25 23:29:21
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/12/25 23:29:21
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/12/25 23:29:21
Chloroform	ND	0.500	0.0865		µg/L	1	11/12/25 23:29:21
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/12/25 23:29:21
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/12/25 23:29:21
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/12/25 23:29:21
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/12/25 23:29:21
Benzene	ND	0.200	0.0540		µg/L	1	11/12/25 23:29:21
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/12/25 23:29:21
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/12/25 23:29:21
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/12/25 23:29:21
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/12/25 23:29:21
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/12/25 23:29:21
Toluene	ND	0.500	0.129		µg/L	1	11/12/25 23:29:21
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/12/25 23:29:21
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/12/25 23:29:21
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/12/25 23:29:21
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/12/25 23:29:21
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/12/25 23:29:21

Original

Client: Geosyntec Consultants

Collection Date: 11/10/2025 12:34:00 PM

Project: 700 Dexter

Lab ID: 2511248-006

Matrix: Groundwater

Client Sample ID: MW-312-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50002		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/12/25 23:29:21
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/12/25 23:29:21
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/12/25 23:29:21
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/12/25 23:29:21
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/12/25 23:29:21
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/12/25 23:29:21
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/12/25 23:29:21
o-Xylene	ND	0.500	0.144		µg/L	1	11/12/25 23:29:21
Styrene	ND	0.500	0.115		µg/L	1	11/12/25 23:29:21
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/12/25 23:29:21
Bromoform	ND	0.500	0.0986		µg/L	1	11/12/25 23:29:21
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/12/25 23:29:21
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/12/25 23:29:21
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/12/25 23:29:21
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/12/25 23:29:21
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/12/25 23:29:21
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/12/25 23:29:21
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/12/25 23:29:21
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/12/25 23:29:21
1,2,4-Trichlorobenzene	ND	0.750	0.234	Q	µg/L	1	11/12/25 23:29:21
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/12/25 23:29:21
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/12/25 23:29:21
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/12/25 23:29:21
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/12/25 23:29:21
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/12/25 23:29:21
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/12/25 23:29:21
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/12/25 23:29:21
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/12/25 23:29:21
Hexachloro-1,3-butadiene	ND	1.00	0.192	Q	µg/L	1	11/12/25 23:29:21
Naphthalene	ND	1.25	0.405		µg/L	1	11/12/25 23:29:21
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/12/25 23:29:21



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 12:34:00 PM

Project: 700 Dexter

Lab ID: 2511248-006

Matrix: Groundwater

Client Sample ID: MW-312-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50002

Analyst: KJ

Surr: Dibromofluoromethane	117	79.9 - 122			%Rec	1	11/12/25 23:29:21
Surr: Toluene-d8	106	80 - 121			%Rec	1	11/12/25 23:29:21
Surr: 1-Bromo-4-fluorobenzene	91.6	79.7 - 120			%Rec	1	11/12/25 23:29:21

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 12:40:00 PM

Project: 700 Dexter

Lab ID: 2511248-007

Matrix: Groundwater

Client Sample ID: MW-914-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 12:34:23
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 12:34:23
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/14/25 12:34:23
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 12:34:23
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 12:34:23
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 12:34:23
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 12:34:23
Acetone	ND	5.00	2.55		µg/L	1	11/14/25 12:34:23
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 12:34:23
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 12:34:23
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 12:34:23
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 12:34:23
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 12:34:23
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 12:34:23
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 12:34:23
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 12:34:23
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 12:34:23
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 12:34:23
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 12:34:23
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 12:34:23
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 12:34:23
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 12:34:23
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 12:34:23
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 12:34:23
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 12:34:23
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 12:34:23
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 12:34:23
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 12:34:23
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 12:34:23
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 12:34:23
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 12:34:23



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 12:40:00 PM

Project: 700 Dexter

Lab ID: 2511248-007

Matrix: Groundwater

Client Sample ID: MW-914-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 12:34:23
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 12:34:23
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/14/25 12:34:23
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 12:34:23
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 12:34:23
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 12:34:23
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 12:34:23
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 12:34:23
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 12:34:23
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 12:34:23
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 12:34:23
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 12:34:23
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 12:34:23
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 12:34:23
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 12:34:23
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 12:34:23
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 12:34:23
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 12:34:23
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 12:34:23
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 12:34:23
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 12:34:23
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 12:34:23
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 12:34:23
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 12:34:23
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 12:34:23
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 12:34:23
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 12:34:23
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 12:34:23
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 12:34:23
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 12:34:23
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 12:34:23

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511248-007
Client Sample ID: MW-914-251110

Collection Date: 11/10/2025 12:40:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50039		Analyst: KJ	
Surr: Dibromofluoromethane	105	79.9 - 122			%Rec	1	11/14/25 12:34:23
Surr: Toluene-d8	98.3	80 - 121			%Rec	1	11/14/25 12:34:23
Surr: 1-Bromo-4-fluorobenzene	92.5	79.7 - 120			%Rec	1	11/14/25 12:34:23



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 2:14:00 PM

Project: 700 Dexter

Lab ID: 2511248-008

Matrix: Groundwater

Client Sample ID: MW-311-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 12:09:02
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 12:09:02
Vinyl chloride	0.702	0.200	0.0455		µg/L	1	11/14/25 12:09:02
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 12:09:02
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 12:09:02
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 12:09:02
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 12:09:02
Acetone	ND	5.00	2.55		µg/L	1	11/14/25 12:09:02
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 12:09:02
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 12:09:02
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 12:09:02
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 12:09:02
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 12:09:02
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 12:09:02
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 12:09:02
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 12:09:02
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 12:09:02
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 12:09:02
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 12:09:02
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 12:09:02
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 12:09:02
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 12:09:02
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 12:09:02
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 12:09:02
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 12:09:02
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 12:09:02
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 12:09:02
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 12:09:02
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 12:09:02
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 12:09:02
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 12:09:02

Original



Analytical Report

Work Order: 2511248

Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 2:14:00 PM

Project: 700 Dexter

Lab ID: 2511248-008

Matrix: Groundwater

Client Sample ID: MW-311-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 12:09:02
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 12:09:02
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/14/25 12:09:02
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 12:09:02
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 12:09:02
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 12:09:02
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 12:09:02
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 12:09:02
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 12:09:02
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 12:09:02
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 12:09:02
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 12:09:02
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 12:09:02
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 12:09:02
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 12:09:02
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 12:09:02
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 12:09:02
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 12:09:02
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 12:09:02
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 12:09:02
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 12:09:02
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 12:09:02
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 12:09:02
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 12:09:02
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 12:09:02
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 12:09:02
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 12:09:02
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 12:09:02
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 12:09:02
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 12:09:02
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 12:09:02

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511248-008
Client Sample ID: MW-311-251110

Collection Date: 11/10/2025 2:14:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50039		Analyst: KJ	
Surr: Dibromofluoromethane	106	79.9 - 122			%Rec	1	11/14/25 12:09:02
Surr: Toluene-d8	98.6	80 - 121			%Rec	1	11/14/25 12:09:02
Surr: 1-Bromo-4-fluorobenzene	92.5	79.7 - 120			%Rec	1	11/14/25 12:09:02



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 2:24:00 PM

Project: 700 Dexter

Lab ID: 2511248-009

Matrix: Groundwater

Client Sample ID: MW-915-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 12:59:39
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 12:59:39
Vinyl chloride	0.701	0.200	0.0455		µg/L	1	11/14/25 12:59:39
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 12:59:39
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 12:59:39
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 12:59:39
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 12:59:39
Acetone	ND	5.00	2.55		µg/L	1	11/14/25 12:59:39
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 12:59:39
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 12:59:39
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 12:59:39
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 12:59:39
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 12:59:39
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 12:59:39
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 12:59:39
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 12:59:39
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 12:59:39
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 12:59:39
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 12:59:39
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 12:59:39
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 12:59:39
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 12:59:39
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 12:59:39
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 12:59:39
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 12:59:39
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 12:59:39
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 12:59:39
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 12:59:39
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 12:59:39
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 12:59:39
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 12:59:39

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 2:24:00 PM

Project: 700 Dexter

Lab ID: 2511248-009

Matrix: Groundwater

Client Sample ID: MW-915-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 12:59:39
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 12:59:39
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/14/25 12:59:39
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 12:59:39
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 12:59:39
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 12:59:39
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 12:59:39
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 12:59:39
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 12:59:39
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 12:59:39
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 12:59:39
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 12:59:39
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 12:59:39
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 12:59:39
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 12:59:39
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 12:59:39
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 12:59:39
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 12:59:39
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 12:59:39
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 12:59:39
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 12:59:39
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 12:59:39
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 12:59:39
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 12:59:39
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 12:59:39
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 12:59:39
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 12:59:39
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 12:59:39
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 12:59:39
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 12:59:39
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 12:59:39

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511248-009
Client Sample ID: MW-915-251110

Collection Date: 11/10/2025 2:24:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50039		Analyst: KJ	
Surr: Dibromofluoromethane	105	79.9 - 122			%Rec	1	11/14/25 12:59:39
Surr: Toluene-d8	98.3	80 - 121			%Rec	1	11/14/25 12:59:39
Surr: 1-Bromo-4-fluorobenzene	90.6	79.7 - 120			%Rec	1	11/14/25 12:59:39



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 2:09:00 PM

Project: 700 Dexter

Lab ID: 2511248-010

Matrix: Groundwater

Client Sample ID: MW-310-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 13:24:58
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 13:24:58
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/14/25 13:24:58
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 13:24:58
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 13:24:58
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 13:24:58
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 13:24:58
Acetone	ND	5.00	2.55		µg/L	1	11/14/25 13:24:58
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 13:24:58
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 13:24:58
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 13:24:58
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 13:24:58
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 13:24:58
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 13:24:58
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 13:24:58
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 13:24:58
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 13:24:58
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 13:24:58
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 13:24:58
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 13:24:58
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 13:24:58
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 13:24:58
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 13:24:58
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 13:24:58
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 13:24:58
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 13:24:58
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 13:24:58
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 13:24:58
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 13:24:58
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 13:24:58
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 13:24:58

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511248-010
Client Sample ID: MW-310-251110

Collection Date: 11/10/2025 2:09:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 13:24:58
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 13:24:58
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/14/25 13:24:58
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 13:24:58
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 13:24:58
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 13:24:58
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 13:24:58
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 13:24:58
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 13:24:58
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 13:24:58
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 13:24:58
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 13:24:58
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 13:24:58
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 13:24:58
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 13:24:58
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 13:24:58
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 13:24:58
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 13:24:58
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 13:24:58
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 13:24:58
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 13:24:58
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 13:24:58
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 13:24:58
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 13:24:58
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 13:24:58
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 13:24:58
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 13:24:58
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 13:24:58
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 13:24:58
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 13:24:58
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 13:24:58

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511248-010
Client Sample ID: MW-310-251110

Collection Date: 11/10/2025 2:09:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50039		Analyst: KJ	
Surr: Dibromofluoromethane	105	79.9 - 122			%Rec	1	11/14/25 13:24:58
Surr: Toluene-d8	99.5	80 - 121			%Rec	1	11/14/25 13:24:58
Surr: 1-Bromo-4-fluorobenzene	91.5	79.7 - 120			%Rec	1	11/14/25 13:24:58



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 12:36:00 PM

Project: 700 Dexter

Lab ID: 2511248-011

Matrix: Groundwater

Client Sample ID: MW-308-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 13:50:14
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 13:50:14
Vinyl chloride	32.7	0.200	0.0455		µg/L	1	11/14/25 13:50:14
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 13:50:14
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 13:50:14
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 13:50:14
1,1-Dichloroethene	0.164	0.500	0.122	J	µg/L	1	11/14/25 13:50:14
Acetone	ND	5.00	2.55		µg/L	1	11/14/25 13:50:14
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 13:50:14
trans-1,2-Dichloroethene	1.43	0.500	0.115		µg/L	1	11/14/25 13:50:14
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 13:50:14
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 13:50:14
cis-1,2-Dichloroethene	63.9	2.50	0.822	D	µg/L	5	11/14/25 15:56:38
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 13:50:14
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 13:50:14
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 13:50:14
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 13:50:14
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 13:50:14
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 13:50:14
Benzene	8.93	0.200	0.0540		µg/L	1	11/14/25 13:50:14
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 13:50:14
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 13:50:14
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 13:50:14
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 13:50:14
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 13:50:14
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 13:50:14
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 13:50:14
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 13:50:14
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 13:50:14
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 13:50:14
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 13:50:14



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 12:36:00 PM

Project: 700 Dexter

Lab ID: 2511248-011

Matrix: Groundwater

Client Sample ID: MW-308-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 13:50:14
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 13:50:14
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/14/25 13:50:14
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 13:50:14
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 13:50:14
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 13:50:14
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 13:50:14
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 13:50:14
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 13:50:14
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 13:50:14
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 13:50:14
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 13:50:14
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 13:50:14
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 13:50:14
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 13:50:14
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 13:50:14
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 13:50:14
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 13:50:14
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 13:50:14
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 13:50:14
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 13:50:14
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 13:50:14
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 13:50:14
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 13:50:14
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 13:50:14
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 13:50:14
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 13:50:14
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 13:50:14
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 13:50:14
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 13:50:14
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 13:50:14

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511248-011
Client Sample ID: MW-308-251110

Collection Date: 11/10/2025 12:36:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50039		Analyst: KJ	
Surr: Dibromofluoromethane	103	79.9 - 122		D	%Rec	5	11/14/25 15:56:38
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/14/25 13:50:14
Surr: Toluene-d8	94.5	80 - 121			%Rec	1	11/14/25 13:50:14
Surr: Toluene-d8	97.1	80 - 121		D	%Rec	5	11/14/25 15:56:38
Surr: 1-Bromo-4-fluorobenzene	92.4	79.7 - 120		D	%Rec	5	11/14/25 15:56:38
Surr: 1-Bromo-4-fluorobenzene	91.4	79.7 - 120			%Rec	1	11/14/25 13:50:14



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 12:04:00 PM

Project: 700 Dexter

Lab ID: 2511248-012

Matrix: Groundwater

Client Sample ID: MW-309-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 15:06:03
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 15:06:03
Vinyl chloride	12.0	0.200	0.0455		µg/L	1	11/14/25 15:06:03
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 15:06:03
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 15:06:03
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 15:06:03
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 15:06:03
Acetone	ND	5.00	2.55		µg/L	1	11/14/25 15:06:03
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 15:06:03
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 15:06:03
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 15:06:03
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 15:06:03
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 15:06:03
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 15:06:03
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 15:06:03
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 15:06:03
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 15:06:03
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 15:06:03
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 15:06:03
Benzene	0.163	0.200	0.0540	J	µg/L	1	11/14/25 15:06:03
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 15:06:03
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 15:06:03
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 15:06:03
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 15:06:03
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 15:06:03
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 15:06:03
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 15:06:03
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 15:06:03
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 15:06:03
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 15:06:03
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 15:06:03

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 12:04:00 PM

Project: 700 Dexter

Lab ID: 2511248-012

Matrix: Groundwater

Client Sample ID: MW-309-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 15:06:03
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 15:06:03
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/14/25 15:06:03
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 15:06:03
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 15:06:03
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 15:06:03
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 15:06:03
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 15:06:03
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 15:06:03
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 15:06:03
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 15:06:03
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 15:06:03
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 15:06:03
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 15:06:03
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 15:06:03
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 15:06:03
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 15:06:03
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 15:06:03
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 15:06:03
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 15:06:03
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 15:06:03
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 15:06:03
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 15:06:03
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 15:06:03
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 15:06:03
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 15:06:03
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 15:06:03
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 15:06:03
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 15:06:03
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 15:06:03
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 15:06:03

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511248-012
Client Sample ID: MW-309-251110

Collection Date: 11/10/2025 12:04:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50039

Analyst: KJ

Surr: Dibromofluoromethane	105	79.9 - 122			%Rec	1	11/14/25 15:06:03
Surr: Toluene-d8	97.1	80 - 121			%Rec	1	11/14/25 15:06:03
Surr: 1-Bromo-4-fluorobenzene	92.8	79.7 - 120			%Rec	1	11/14/25 15:06:03



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 11:26:00 AM

Project: 700 Dexter

Lab ID: 2511248-013

Matrix: Groundwater

Client Sample ID: SCL-MW101-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 14:15:29
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 14:15:29
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/14/25 14:15:29
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 14:15:29
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 14:15:29
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 14:15:29
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 14:15:29
Acetone	ND	5.00	2.55		µg/L	1	11/14/25 14:15:29
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 14:15:29
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 14:15:29
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 14:15:29
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 14:15:29
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 14:15:29
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 14:15:29
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 14:15:29
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 14:15:29
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 14:15:29
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 14:15:29
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 14:15:29
Benzene	2.26	0.200	0.0540		µg/L	1	11/14/25 14:15:29
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 14:15:29
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 14:15:29
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 14:15:29
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 14:15:29
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 14:15:29
Toluene	0.340	0.500	0.129	J	µg/L	1	11/14/25 14:15:29
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 14:15:29
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 14:15:29
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 14:15:29
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 14:15:29
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 14:15:29

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 11:26:00 AM

Project: 700 Dexter

Lab ID: 2511248-013

Matrix: Groundwater

Client Sample ID: SCL-MW101-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 14:15:29
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 14:15:29
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/14/25 14:15:29
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 14:15:29
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 14:15:29
Ethylbenzene	0.279	0.500	0.125	J	µg/L	1	11/14/25 14:15:29
m,p-Xylene	0.602	1.00	0.289	J	µg/L	1	11/14/25 14:15:29
o-Xylene	0.477	0.500	0.144	J	µg/L	1	11/14/25 14:15:29
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 14:15:29
Isopropylbenzene	9.17	0.500	0.122		µg/L	1	11/14/25 14:15:29
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 14:15:29
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 14:15:29
n-Propylbenzene	19.9	0.500	0.124		µg/L	1	11/14/25 14:15:29
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 14:15:29
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 14:15:29
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 14:15:29
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 14:15:29
tert-Butylbenzene	0.275	0.500	0.0821	J	µg/L	1	11/14/25 14:15:29
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 14:15:29
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 14:15:29
sec-Butylbenzene	8.38	0.500	0.112		µg/L	1	11/14/25 14:15:29
4-Isopropyltoluene	0.247	0.500	0.106	J	µg/L	1	11/14/25 14:15:29
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 14:15:29
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 14:15:29
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 14:15:29
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 14:15:29
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 14:15:29
1,2,4-Trimethylbenzene	0.394	0.500	0.138	J	µg/L	1	11/14/25 14:15:29
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 14:15:29
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 14:15:29
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 14:15:29

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 11:26:00 AM

Project: 700 Dexter

Lab ID: 2511248-013

Matrix: Groundwater

Client Sample ID: SCL-MW101-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50039

Analyst: KJ

Surr: Dibromofluoromethane	105	79.9 - 122			%Rec	1	11/14/25 14:15:29
Surr: Toluene-d8	99.0	80 - 121			%Rec	1	11/14/25 14:15:29
Surr: 1-Bromo-4-fluorobenzene	97.9	79.7 - 120			%Rec	1	11/14/25 14:15:29



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 10:50:00 AM

Project: 700 Dexter

Lab ID: 2511248-014

Matrix: Groundwater

Client Sample ID: MW126-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 14:40:47
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 14:40:47
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/14/25 14:40:47
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 14:40:47
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 14:40:47
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 14:40:47
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 14:40:47
Acetone	ND	5.00	2.55		µg/L	1	11/14/25 14:40:47
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 14:40:47
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 14:40:47
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 14:40:47
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 14:40:47
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 14:40:47
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 14:40:47
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 14:40:47
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 14:40:47
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 14:40:47
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 14:40:47
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 14:40:47
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 14:40:47
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 14:40:47
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 14:40:47
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 14:40:47
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 14:40:47
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 14:40:47
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 14:40:47
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 14:40:47
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 14:40:47
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 14:40:47
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 14:40:47
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 14:40:47

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 10:50:00 AM

Project: 700 Dexter

Lab ID: 2511248-014

Matrix: Groundwater

Client Sample ID: MW126-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 14:40:47
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 14:40:47
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/14/25 14:40:47
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 14:40:47
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 14:40:47
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 14:40:47
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 14:40:47
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 14:40:47
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 14:40:47
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 14:40:47
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 14:40:47
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 14:40:47
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 14:40:47
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 14:40:47
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 14:40:47
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 14:40:47
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 14:40:47
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 14:40:47
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 14:40:47
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 14:40:47
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 14:40:47
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 14:40:47
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 14:40:47
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 14:40:47
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 14:40:47
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 14:40:47
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 14:40:47
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 14:40:47
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 14:40:47
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 14:40:47
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 14:40:47

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511248-014
Client Sample ID: MW126-251110

Collection Date: 11/10/2025 10:50:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50039

Analyst: KJ

Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/14/25 14:40:47
Surr: Toluene-d8	93.9	80 - 121			%Rec	1	11/14/25 14:40:47
Surr: 1-Bromo-4-fluorobenzene	92.3	79.7 - 120			%Rec	1	11/14/25 14:40:47



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 10:15:00 AM

Project: 700 Dexter

Lab ID: 2511248-015

Matrix: Groundwater

Client Sample ID: MW-331-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 15:31:20
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 15:31:20
Vinyl chloride	0.350	0.200	0.0455		µg/L	1	11/14/25 15:31:20
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 15:31:20
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 15:31:20
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 15:31:20
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 15:31:20
Acetone	ND	5.00	2.55		µg/L	1	11/14/25 15:31:20
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 15:31:20
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 15:31:20
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 15:31:20
1,1-Dichloroethane	0.896	0.500	0.141		µg/L	1	11/14/25 15:31:20
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 15:31:20
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 15:31:20
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 15:31:20
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 15:31:20
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 15:31:20
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 15:31:20
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 15:31:20
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 15:31:20
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 15:31:20
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 15:31:20
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 15:31:20
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 15:31:20
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 15:31:20
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 15:31:20
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 15:31:20
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 15:31:20
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 15:31:20
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 15:31:20
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 15:31:20

Original

Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025 10:15:00 AM

Project: 700 Dexter

Lab ID: 2511248-015

Matrix: Groundwater

Client Sample ID: MW-331-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 15:31:20
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 15:31:20
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/14/25 15:31:20
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 15:31:20
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 15:31:20
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 15:31:20
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 15:31:20
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 15:31:20
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 15:31:20
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 15:31:20
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 15:31:20
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 15:31:20
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 15:31:20
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 15:31:20
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 15:31:20
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 15:31:20
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 15:31:20
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 15:31:20
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 15:31:20
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 15:31:20
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 15:31:20
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 15:31:20
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 15:31:20
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 15:31:20
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 15:31:20
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 15:31:20
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 15:31:20
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 15:31:20
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 15:31:20
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 15:31:20
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 15:31:20



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511248-015
Client Sample ID: MW-331-251110

Collection Date: 11/10/2025 10:15:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50039		Analyst: KJ	
Surr: Dibromofluoromethane	105	79.9 - 122			%Rec	1	11/14/25 15:31:20
Surr: Toluene-d8	97.7	80 - 121			%Rec	1	11/14/25 15:31:20
Surr: 1-Bromo-4-fluorobenzene	91.4	79.7 - 120			%Rec	1	11/14/25 15:31:20

Client: Geosyntec Consultants

Collection Date: 11/10/2025

Project: 700 Dexter

Lab ID: 2511248-016

Matrix: Groundwater

Client Sample ID: TRIP-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 10:53:05
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 10:53:05
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/14/25 10:53:05
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 10:53:05
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 10:53:05
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 10:53:05
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 10:53:05
Acetone	ND	5.00	2.55		µg/L	1	11/14/25 10:53:05
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 10:53:05
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 10:53:05
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 10:53:05
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 10:53:05
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 10:53:05
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 10:53:05
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 10:53:05
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 10:53:05
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 10:53:05
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 10:53:05
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 10:53:05
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 10:53:05
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 10:53:05
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 10:53:05
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 10:53:05
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 10:53:05
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 10:53:05
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 10:53:05
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 10:53:05
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 10:53:05
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 10:53:05
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 10:53:05
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 10:53:05



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025

Project: 700 Dexter

Lab ID: 2511248-016

Matrix: Groundwater

Client Sample ID: TRIP-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 10:53:05
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 10:53:05
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/14/25 10:53:05
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 10:53:05
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 10:53:05
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 10:53:05
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 10:53:05
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 10:53:05
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 10:53:05
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 10:53:05
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 10:53:05
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 10:53:05
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 10:53:05
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 10:53:05
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 10:53:05
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 10:53:05
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 10:53:05
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 10:53:05
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 10:53:05
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 10:53:05
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 10:53:05
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 10:53:05
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 10:53:05
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 10:53:05
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 10:53:05
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 10:53:05
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 10:53:05
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 10:53:05
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 10:53:05
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 10:53:05
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 10:53:05

Original



Analytical Report

Work Order: 2511248
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/10/2025

Project: 700 Dexter

Lab ID: 2511248-016

Matrix: Groundwater

Client Sample ID: TRIP-251110

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50039

Analyst: KJ

Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/14/25 10:53:05
Surr: Toluene-d8	97.5	80 - 121			%Rec	1	11/14/25 10:53:05
Surr: 1-Bromo-4-fluorobenzene	92.7	79.7 - 120			%Rec	1	11/14/25 10:53:05

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: MB-104839	SampType: MBLK	Units: mg/L			Prep Date: 11/19/2025	RunNo: 104839						
Client ID: MBLKW	Batch ID: R104839				Analysis Date: 11/19/2025	SeqNo: 2187758						
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Alkalinity, Total (As CaCO3)	1.65	2.50									J	

Sample ID: LCS-104839	SampType: LCS	Units: mg/L			Prep Date: 11/19/2025	RunNo: 104839						
Client ID: LCSW	Batch ID: R104839				Analysis Date: 11/19/2025	SeqNo: 2187759						
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Alkalinity, Total (As CaCO3)	27.6	2.50	25.00	0	110	80	134					

Sample ID: 2511224-013DDUP	SampType: DUP	Units: mg/L			Prep Date: 11/19/2025	RunNo: 104839						
Client ID: BATCH	Batch ID: R104839				Analysis Date: 11/19/2025	SeqNo: 2187761						
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Alkalinity, Total (As CaCO3)	ND	2.50						0	0	20		

Sample ID: 2511338-001CDUP	SampType: DUP	Units: mg/L			Prep Date: 11/19/2025	RunNo: 104839						
Client ID: BATCH	Batch ID: R104839				Analysis Date: 11/19/2025	SeqNo: 2187763						
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Alkalinity, Total (As CaCO3)	30.1	5.00						32.24	6.89	20	D	

Sample ID: CCV-A	SampType: CCV	Units: mg/L			Prep Date: 11/19/2025	RunNo: 104839						
Client ID: CCV	Batch ID: R104839				Analysis Date: 11/19/2025	SeqNo: 2187768						
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Alkalinity, Total (As CaCO3)	26.5	2.50	25.00	0	106	80	120					

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCB-A		SampType: CCB			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCB		Batch ID: R104839						Analysis Date: 11/19/2025			SeqNo: 2187769	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 2.34 2.50

Sample ID: CCV-B		SampType: CCV			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCV		Batch ID: R104839			Analysis Date: 11/19/2025			SeqNo: 2187780				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 28.8 2.50 25.00 0 115 80 120

Sample ID: CCB-B		SampType: CCB			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCB		Batch ID: R104839			Analysis Date: 11/19/2025			SeqNo: 2187781				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 3.39 2.50

Sample ID: CCV-E		SampType: CCV			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCV		Batch ID: R104839			Analysis Date: 11/19/2025			SeqNo: 2187808				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 27.7 2.50 25.00 0 111 80 120

Sample ID: CCB-E		SampType: CCB			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCB		Batch ID: R104839			Analysis Date: 11/19/2025			SeqNo: 2187809				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 2.87 2.50

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: MB-49995	SampType: MBLK	Units: mg/L			Prep Date: 11/11/2025				RunNo: 104759		
Client ID: MBLKW	Batch ID: 49995	Analysis Date: 11/11/2025							SeqNo: 2185766		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	0.196	0.600									J
Nitrate (as N)	ND	0.150									
Sulfate	ND	1.00									

Sample ID: LCS-49995	SampType: LCS	Units: mg/L				Prep Date: 11/11/2025			RunNo: 104759		
Client ID: LCSW	Batch ID: 49995					Analysis Date: 11/11/2025			SeqNo: 2185767		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	9.57	0.600	10.00	0	95.7	90	110				
Nitrate (as N)	2.24	0.150	2.259	0	99.2	90	110				
Sulfate	9.01	1.00	10.00	0	90.1	90	110				

Sample ID: 2511248-003DDUP	SampType: DUP	Units: mg/L			Prep Date: 11/11/2025			RunNo: 104759			
Client ID: MW-145R-251110	Batch ID: 49995				Analysis Date: 11/11/2025			SeqNo: 2185770			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	25.9	0.600						25.85	0.104	20	
Nitrate (as N)	0.0610	0.150						0.06000	1.65	20	J
Sulfate	23.2	1.00						23.26	0.353	20	

Sample ID: 2511248-003DMS		SampType: MS		Units: mg/L		Prep Date: 11/11/2025		RunNo: 104759			
Client ID: MW-145R-251110		Batch ID: 49995				Analysis Date: 11/11/2025		SeqNo: 2185771			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	33.8	0.600	10.00	25.85	79.1	80	120				S
Nitrate (as N)	2.02	0.150	2.259	0.06000	86.8	80	120				
Sulfate	31.3	1.00	10.00	23.26	80.0	80	120				S

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511248-003DMSD		SampType: MSD		Units: mg/L		Prep Date: 11/11/2025		RunNo: 104759			
Client ID: MW-145R-251110		Batch ID: 49995				Analysis Date: 11/11/2025		SeqNo: 2185772			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	33.8	0.600	10.00	25.85	79.3	80	120	33.76	0.0474	20	S
Nitrate (as N)	2.02	0.150	2.259	0.06000	86.6	80	120	2.021	0.198	20	
Sulfate	31.3	1.00	10.00	23.26	80.8	80	120	31.26	0.252	20	

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Metals by EPA 6020B

Sample ID: LCS-50012		SampType: LCS			Units: µg/L		Prep Date: 11/13/2025			RunNo: 104704		
Client ID: LCSW		Batch ID: 50012			Analysis Date: 11/13/2025					SeqNo: 2184493		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	1,110	50.0	1,000	0	111	80	120				
Manganese	108	0.500	100.0	0	108	80	120				

Sample ID: 2511203-001AMS		SampType: MS			Units: µg/L		Prep Date: 11/13/2025			RunNo: 104704		
Client ID: BATCH		Batch ID: 50012			Analysis Date: 11/13/2025					SeqNo: 2184496		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	4,660	50.0	1,000	3,671	99.1	75	125				
Manganese	321	0.500	100.0	212.1	109	75	125				

Sample ID: 2511203-001AMSD		SampType: MSD			Units: µg/L		Prep Date: 11/13/2025			RunNo: 104704		
Client ID: BATCH		Batch ID: 50012			Analysis Date: 11/13/2025					SeqNo: 2184498		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	4,660	50.0	1,000	3,671	98.6	75	125	4,662	0.112	20	
Manganese	321	0.500	100.0	212.1	109	75	125	320.7	0.0150	20	

Sample ID: MB-50012		SampType: MBLK			Units: µg/L		Prep Date: 11/13/2025			RunNo: 104704		
Client ID: MBLKW		Batch ID: 50012			Analysis Date: 11/17/2025					SeqNo: 2185789		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	ND	50.0									
Manganese	ND	0.500									

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: ICV-104834		SampType: CCV			Units: ppmv		Prep Date: 11/19/2025			RunNo: 104834		
Client ID: CCV		Batch ID: R104834			Analysis Date: 11/19/2025			SeqNo: 2187656				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	1,020	0.00500	1,000	0	102	85	115				
Ethene	1,020	0.0100	1,000	0	102	85	115				
Ethane	1,010	0.0100	1,000	0	101	85	115				

Sample ID: ICB-104834		SampType: MBLK			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104834		
Client ID: MBLKW		Batch ID: R104834			Analysis Date: 11/19/2025			SeqNo: 2187655				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	29.4	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Sample ID: CCVA		SampType: CCV			Units: ppmv		Prep Date: 11/19/2025			RunNo: 104834		
Client ID: CCV		Batch ID: R104834			Analysis Date: 11/19/2025			SeqNo: 2187651				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	999	0.00500	1,000	0	99.9	85	115				
Ethene	1,060	0.0100	1,000	0	106	85	115				
Ethane	1,060	0.0100	1,000	0	106	85	115				

Sample ID: LCS-104834		SampType: LCS			Units: ppmv		Prep Date: 11/19/2025			RunNo: 104834		
Client ID: LCSW		Batch ID: R104834			Analysis Date: 11/19/2025					SeqNo: 2187658		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	999	0.00500	1,000	0	99.9	73.6	124				
Ethene	1,060	0.0100	1,000	0	106	76.3	122				
Ethane	1,060	0.0100	1,000	0	106	76.1	123				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: MB-104834		SampType: MBLK			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104834		
Client ID: MBLKW		Batch ID: R104834			Analysis Date: 11/19/2025			SeqNo: 2187657				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	ND	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Sample ID: 2511409-010EREP		SampType: REP			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104834		
Client ID: BATCH		Batch ID: R104834			Analysis Date: 11/19/2025			SeqNo: 2187634				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	13.4	0.00500						13.40	0.0909	20	E
Ethene	ND	0.0100						0	0	20	
Ethane	0.378	0.0100						0.3805	0.665	20	

Sample ID: CCVB		SampType: CCV			Units: ppmv		Prep Date: 11/19/2025			RunNo: 104834		
Client ID: CCV		Batch ID: R104834			Analysis Date: 11/19/2025					SeqNo: 2187653		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	1,000	0.00500	1,000	0	100	85	115				
Ethene	1,040	0.0100	1,000	0	104	85	115				
Ethane	1,040	0.0100	1,000	0	104	85	115				

Sample ID: 2511409-007EREP		SampType: REP			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104834		
Client ID: BATCH		Batch ID: R104834			Analysis Date: 11/19/2025					SeqNo: 2187629		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	1.08	0.0500						1.123	3.91	20	D
Ethene	ND	0.100						0	0	20	D
Ethane	ND	0.100						0	0	20	D

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVC		SampType: CCV		Units: ppmv		Prep Date: 11/19/2025		RunNo: 104834			
Client ID: CCV		Batch ID: R104834				Analysis Date: 11/19/2025		SeqNo: 2187654			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methane	990	0.00500	1,000	0	99.0	85	115				
Ethene	1,020	0.0100	1,000	0	102	85	115				
Ethane	1,020	0.0100	1,000	0	102	85	115				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50002	SampType: LCS	Units: µg/L				Prep Date: 11/12/2025			RunNo: 104651		
Client ID: LCSW	Batch ID: 50002	Analysis Date: 11/12/2025							SeqNo: 2183460		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	25.8	1.00	20.00	0	129	80	120				S
Chloromethane	24.0	1.00	20.00	0	120	80	120				
Vinyl chloride	23.0	0.200	20.00	0	115	80	120				
Bromomethane	24.0	2.00	20.00	0	120	80	120				
Trichlorofluoromethane (CFC-11)	22.7	0.500	20.00	0	114	80	120				
Chloroethane	23.7	1.00	20.00	0	119	80	120				
1,1-Dichloroethene	22.9	0.500	20.00	0	114	80	120				
Acetone	45.1	5.00	50.00	0	90.1	80	120				
Methylene chloride	22.8	2.00	20.00	0	114	80	120				
trans-1,2-Dichloroethene	22.2	0.500	20.00	0	111	80	120				
Methyl tert-butyl ether (MTBE)	21.1	0.500	20.00	0	106	80	120				
1,1-Dichloroethane	23.6	0.500	20.00	0	118	80	120				
cis-1,2-Dichloroethene	23.3	0.500	20.00	0	117	80	120				
2-Butanone (MEK)	47.3	5.00	50.00	0	94.5	80	120				
Chloroform	22.5	0.500	20.00	0	113	80	120				
1,1,1-Trichloroethane (TCA)	22.8	0.500	20.00	0	114	80	120				
1,1-Dichloropropene	22.3	0.500	20.00	0	111	80	120				
Carbon tetrachloride	21.0	0.500	20.00	0	105	80	120				
1,2-Dichloroethane (EDC)	21.0	0.200	20.00	0	105	80	120				
Benzene	21.6	0.200	20.00	0	108	80	120				
Trichloroethene (TCE)	19.3	0.500	20.00	0	96.3	80	120				
1,2-Dichloropropane	23.4	0.200	20.00	0	117	80	120				
Bromodichloromethane	21.1	0.200	20.00	0	106	80	120				
Dibromomethane	21.0	0.500	20.00	0	105	80	120				
cis-1,3-Dichloropropene	20.7	0.500	20.00	0	104	80	120				
Toluene	18.9	0.500	20.00	0	94.3	80	120				
trans-1,3-Dichloropropylene	20.5	0.500	20.00	0	103	80	120				
Methyl Isobutyl Ketone (MIBK)	52.6	2.50	50.00	0	105	80	120				
1,1,2-Trichloroethane	19.8	0.500	20.00	0	98.9	80	120				
1,3-Dichloropropane	20.7	0.500	20.00	0	104	80	120				
Tetrachloroethene (PCE)	18.4	0.500	20.00	0	92.1	80	120				
Dibromochloromethane	19.8	0.500	20.00	0	99.1	80	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50002	SampType: LCS	Units: µg/L			Prep Date: 11/12/2025			RunNo: 104651			
Client ID: LCSW	Batch ID: 50002	Analysis Date: 11/12/2025						SeqNo: 2183460			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	19.6	0.500	20.00	0	98.0	80	120				
2-Hexanone (MBK)	46.2	1.25	50.00	0	92.4	80	120				
Chlorobenzene	18.6	0.500	20.00	0	92.9	80	120				
1,1,1,2-Tetrachloroethane	21.0	0.500	20.00	0	105	80	120				
Ethylbenzene	19.4	0.500	20.00	0	96.9	80	120				
m,p-Xylene	37.8	1.00	40.00	0	94.5	80	120				
o-Xylene	19.6	0.500	20.00	0	98.1	80	120				
Styrene	21.1	0.500	20.00	0	105	80	120				
Isopropylbenzene	20.3	0.500	20.00	0	101	80	120				
Bromoform	18.7	0.500	20.00	0	93.4	80	120				
1,1,2,2-Tetrachloroethane	20.9	0.200	20.00	0	105	80	120				
n-Propylbenzene	20.9	0.500	20.00	0	104	80	120				
Bromobenzene	18.1	0.200	20.00	0	90.6	80	120				
1,3,5-Trimethylbenzene	20.0	0.500	20.00	0	100	80	120				
2-Chlorotoluene	20.8	0.500	20.00	0	104	80	120				
4-Chlorotoluene	20.2	0.500	20.00	0	101	80	120				
tert-Butylbenzene	18.8	0.500	20.00	0	93.9	80	120				
1,2,3-Trichloropropane	19.0	0.500	20.00	0	95.0	80	120				
1,2,4-Trichlorobenzene	17.7	0.750	20.00	0	88.5	80	120				
sec-Butylbenzene	20.0	0.500	20.00	0	99.8	80	120				
4-Isopropyltoluene	20.9	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	19.6	0.500	20.00	0	97.8	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.4	80	120				
n-Butylbenzene	20.1	0.500	20.00	0	100	80	120				
1,2-Dichlorobenzene	18.7	0.500	20.00	0	93.5	80	120				
1,2-Dibromo-3-chloropropane	19.5	1.00	20.00	0	97.7	80	120				
1,2,4-Trimethylbenzene	20.7	0.500	20.00	0	103	80	120				
Hexachloro-1,3-butadiene	16.7	1.00	20.00	0	83.5	80	120				
Naphthalene	18.4	1.25	20.00	0	91.9	80	120				
1,2,3-Trichlorobenzene	19.1	1.00	20.00	0	95.7	80	120				
Surr: Dibromofluoromethane	27.7		25.00		111	79.9	122				
Surr: Toluene-d8	26.5		25.00		106	80	121				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50002		SampType: LCS			Units: µg/L		Prep Date: 11/12/2025			RunNo: 104651		
Client ID: LCSW		Batch ID: 50002			Analysis Date: 11/12/2025			SeqNo: 2183460				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Surr: 1-Bromo-4-fluorobenzene 24.3 25.00 97.2 79.7 120

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: VOC-CCV-104651A		SampType: CCV			Units: µg/L		Prep Date: 11/12/2025			RunNo: 104651		
Client ID: CCV		Batch ID: R104651			Analysis Date: 11/12/2025			SeqNo: 2183433				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	25.8	1.00	20.00	0	129	80	120				S
Chloromethane	24.0	1.00	20.00	0	120	80	120				
Vinyl chloride	23.0	0.200	20.00	0	115	80	120				
Bromomethane	24.0	2.00	20.00	0	120	80	120				
Trichlorofluoromethane (CFC-11)	22.7	0.500	20.00	0	114	80	120				
Chloroethane	23.7	1.00	20.00	0	119	80	120				
1,1-Dichloroethene	22.9	0.500	20.00	0	114	80	120				
Acetone	45.1	5.00	50.00	0	90.1	80	120				
Methylene chloride	22.8	2.00	20.00	0	114	80	120				
trans-1,2-Dichloroethene	22.2	0.500	20.00	0	111	80	120				
Methyl tert-butyl ether (MTBE)	21.1	0.500	20.00	0	106	80	120				
1,1-Dichloroethane	23.6	0.500	20.00	0	118	80	120				
cis-1,2-Dichloroethene	23.3	0.500	20.00	0	117	80	120				
2-Butanone (MEK)	47.3	5.00	50.00	0	94.5	80	120				
Chloroform	22.5	0.500	20.00	0	113	80	120				
1,1,1-Trichloroethane (TCA)	22.8	0.500	20.00	0	114	80	120				
1,1-Dichloropropene	22.3	0.500	20.00	0	111	80	120				
Carbon tetrachloride	21.0	0.500	20.00	0	105	80	120				
1,2-Dichloroethane (EDC)	21.0	0.200	20.00	0	105	80	120				
Benzene	21.6	0.200	20.00	0	108	80	120				
Trichloroethene (TCE)	19.3	0.500	20.00	0	96.3	80	120				
1,2-Dichloropropane	23.4	0.200	20.00	0	117	80	120				
Bromodichloromethane	21.1	0.200	20.00	0	106	80	120				
Dibromomethane	21.0	0.500	20.00	0	105	80	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104651A	SampType: CCV	Units: µg/L				Prep Date: 11/12/2025			RunNo: 104651		
Client ID: CCV	Batch ID: R104651	Analysis Date: 11/12/2025						SeqNo: 2183433			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,3-Dichloropropene	20.7	0.500	20.00	0	104	80	120				
Toluene	18.9	0.500	20.00	0	94.3	80	120				
trans-1,3-Dichloropropylene	20.5	0.500	20.00	0	103	80	120				
Methyl Isobutyl Ketone (MIBK)	52.6	2.50	50.00	0	105	80	120				
1,1,2-Trichloroethane	19.8	0.500	20.00	0	98.9	80	120				
1,3-Dichloropropane	20.7	0.500	20.00	0	104	80	120				
Tetrachloroethene (PCE)	18.4	0.500	20.00	0	92.1	80	120				
Dibromochloromethane	19.8	0.500	20.00	0	99.1	80	120				
1,2-Dibromoethane (EDB)	19.6	0.500	20.00	0	98.0	80	120				
2-Hexanone (MBK)	46.2	1.25	50.00	0	92.4	80	120				
Chlorobenzene	18.6	0.500	20.00	0	92.9	80	120				
1,1,1,2-Tetrachloroethane	21.0	0.500	20.00	0	105	80	120				
Ethylbenzene	19.4	0.500	20.00	0	96.9	80	120				
m,p-Xylene	37.8	1.00	40.00	0	94.5	80	120				
o-Xylene	19.6	0.500	20.00	0	98.1	80	120				
Styrene	21.1	0.500	20.00	0	105	80	120				
Isopropylbenzene	20.3	0.500	20.00	0	101	80	120				
Bromoform	18.7	0.500	20.00	0	93.4	80	120				
1,1,2,2-Tetrachloroethane	20.9	0.200	20.00	0	105	80	120				
n-Propylbenzene	20.9	0.500	20.00	0	104	80	120				
Bromobenzene	18.1	0.200	20.00	0	90.6	80	120				
1,3,5-Trimethylbenzene	20.0	0.500	20.00	0	100	80	120				
2-Chlorotoluene	20.8	0.500	20.00	0	104	80	120				
4-Chlorotoluene	20.2	0.500	20.00	0	101	80	120				
tert-Butylbenzene	18.8	0.500	20.00	0	93.9	80	120				
1,2,3-Trichloropropane	19.0	0.500	20.00	0	95.0	80	120				
1,2,4-Trichlorobenzene	17.7	0.750	20.00	0	88.5	80	120				
sec-Butylbenzene	20.0	0.500	20.00	0	99.8	80	120				
4-Isopropyltoluene	20.9	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	19.6	0.500	20.00	0	97.8	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.4	80	120				
n-Butylbenzene	20.1	0.500	20.00	0	100	80	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104651A		SampType: CCV			Units: µg/L		Prep Date: 11/12/2025			RunNo: 104651		
Client ID: CCV		Batch ID: R104651						Analysis Date: 11/12/2025			SeqNo: 2183433	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dichlorobenzene	18.7	0.500	20.00	0	93.5	80	120				
1,2-Dibromo-3-chloropropane	19.5	1.00	20.00	0	97.7	80	120				
1,2,4-Trimethylbenzene	20.7	0.500	20.00	0	103	80	120				
Hexachloro-1,3-butadiene	16.7	1.00	20.00	0	83.5	80	120				
Naphthalene	18.4	1.25	20.00	0	91.9	80	120				
1,2,3-Trichlorobenzene	19.1	1.00	20.00	0	95.7	80	120				
Surr: Dibromofluoromethane	27.7		25.00		111	80	120				
Surr: Toluene-d8	26.5		25.00		106	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.3		25.00		97.2	80	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: MB-50002		SampType: MBLK		Units: µg/L		Prep Date: 11/12/2025			RunNo: 104651		
Client ID: MBLKW		Batch ID: 50002					Analysis Date: 11/12/2025			SeqNo: 2183434	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	ND	5.00									
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50002	SampType: MBLK	Units: µg/L		Prep Date: 11/12/2025			RunNo: 104651				
Client ID: MBLKW	Batch ID: 50002				Analysis Date: 11/12/2025			SeqNo: 2183434			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloropropene	ND	0.500									
Carbon tetrachloride	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.200									
Benzene	ND	0.200									
Trichloroethene (TCE)	ND	0.500									
1,2-Dichloropropane	ND	0.200									
Bromodichloromethane	ND	0.200									
Dibromomethane	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50002		SampType: MBLK		Units: µg/L		Prep Date: 11/12/2025		RunNo: 104651			
Client ID: MBLKW		Batch ID: 50002				Analysis Date: 11/12/2025		SeqNo: 2183434			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	27.4		25.00		110	80	120				
Surr: Toluene-d8	24.6		25.00		98.5	80	120				
Surr: 1-Bromo-4-fluorobenzene	23.7		25.00		94.6	80	120				

Sample ID: 2511248-002ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/12/2025		RunNo: 104651			
Client ID: W-MW-01-251110		Batch ID: 50002				Analysis Date: 11/12/2025		SeqNo: 2183436			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	ND	1.00						0	0	30	
Chloromethane	ND	1.00						0	0	30	
Vinyl chloride	0.0976	0.200						0.1142	15.6	30	J
Bromomethane	ND	2.00						0	0	30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0	0	30	
Chloroethane	ND	1.00						0	0	30	
1,1-Dichloroethene	ND	0.500						0	0	30	
Acetone	ND	5.00						0	0	30	
Methylene chloride	ND	2.00						0	0	30	

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511248-002ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/12/2025			RunNo: 104651		
Client ID: W-MW-01-251110		Batch ID: 50002		Analysis Date: 11/12/2025						SeqNo: 2183436	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,2-Dichloroethene	ND	0.500						0	0	30	
Methyl tert-butyl ether (MTBE)	ND	0.500						0	0	30	
1,1-Dichloroethane	ND	0.500						0	0	30	
cis-1,2-Dichloroethene	0.240	0.500						0.2536	5.51	30	J
2-Butanone (MEK)	ND	5.00						0	0	30	
Chloroform	ND	0.500						0	0	30	
1,1,1-Trichloroethane (TCA)	ND	0.500						0	0	30	
1,1-Dichloropropene	ND	0.500						0	0	30	
Carbon tetrachloride	ND	0.500						0	0	30	
1,2-Dichloroethane (EDC)	ND	0.200						0	0	30	
Benzene	ND	0.200						0	0	30	
Trichloroethene (TCE)	ND	0.500						0	0	30	
1,2-Dichloropropane	ND	0.200						0	0	30	
Bromodichloromethane	ND	0.200						0	0	30	
Dibromomethane	ND	0.500						0	0	30	
cis-1,3-Dichloropropene	ND	0.500						0	0	30	
Toluene	ND	0.500						0	0	30	
trans-1,3-Dichloropropylene	ND	0.500						0	0	30	
Methyl Isobutyl Ketone (MIBK)	ND	2.50						0	0	30	
1,1,2-Trichloroethane	ND	0.500						0	0	30	
1,3-Dichloropropane	ND	0.500						0	0	30	
Tetrachloroethene (PCE)	ND	0.500						0	0	30	
Dibromochloromethane	ND	0.500						0	0	30	
1,2-Dibromoethane (EDB)	ND	0.500						0	0	30	
2-Hexanone (MBK)	ND	1.25						0	0	30	
Chlorobenzene	ND	0.500						0	0	30	
1,1,1,2-Tetrachloroethane	ND	0.500						0	0	30	
Ethylbenzene	ND	0.500						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	
o-Xylene	ND	0.500						0	0	30	
Styrene	ND	0.500						0	0	30	
Isopropylbenzene	ND	0.500						0	0	30	

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511248-002ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/12/2025		RunNo: 104651			
Client ID: W-MW-01-251110		Batch ID: 50002				Analysis Date: 11/12/2025		SeqNo: 2183436			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromoform	ND	0.500						0	0	30	
1,1,2,2-Tetrachloroethane	ND	0.200						0	0	30	
n-Propylbenzene	ND	0.500						0	0	30	
Bromobenzene	ND	0.200						0	0	30	
1,3,5-Trimethylbenzene	ND	0.500						0	0	30	
2-Chlorotoluene	ND	0.500						0	0	30	
4-Chlorotoluene	ND	0.500						0	0	30	
tert-Butylbenzene	ND	0.500						0	0	30	
1,2,3-Trichloropropane	ND	0.500						0	0	30	
1,2,4-Trichlorobenzene	ND	0.750						0	0	30	
sec-Butylbenzene	ND	0.500						0	0	30	
4-Isopropyltoluene	ND	0.500						0	0	30	
1,3-Dichlorobenzene	ND	0.500						0	0	30	
1,4-Dichlorobenzene	ND	0.500						0	0	30	
n-Butylbenzene	ND	0.500						0	0	30	
1,2-Dichlorobenzene	ND	0.500						0	0	30	
1,2-Dibromo-3-chloropropane	ND	1.00						0	0	30	
1,2,4-Trimethylbenzene	ND	0.500						0	0	30	
Hexachloro-1,3-butadiene	ND	1.00						0	0	30	
Naphthalene	ND	1.25						0	0	30	
1,2,3-Trichlorobenzene	ND	1.00						0	0	30	
Surr: Dibromofluoromethane	28.0		25.00		112	79.9	122		0		
Surr: Toluene-d8	22.6		25.00		90.3	80	121		0		
Surr: 1-Bromo-4-fluorobenzene	23.7		25.00		94.7	79.7	120		0		

Sample ID: VOC-CCV-104651B		SampType: CCV		Units: µg/L		Prep Date: 11/12/2025		RunNo: 104651			
Client ID: CCV		Batch ID: R104651				Analysis Date: 11/12/2025		SeqNo: 2183441			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	19.6	1.00	20.00	0	98.1	80	120				
Chloromethane	19.9	1.00	20.00	0	99.5	80	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104651B		SampType: CCV		Units: µg/L		Prep Date: 11/12/2025		RunNo: 104651			
Client ID: CCV		Batch ID: R104651				Analysis Date: 11/12/2025		SeqNo: 2183441			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	19.5	0.200	20.00	0	97.6	80	120				
Bromomethane	21.2	2.00	20.00	0	106	80	120				
Trichlorofluoromethane (CFC-11)	17.9	0.500	20.00	0	89.4	80	120				
Chloroethane	19.4	1.00	20.00	0	97.0	80	120				
1,1-Dichloroethene	20.2	0.500	20.00	0	101	80	120				
Acetone	41.9	5.00	50.00	0	83.8	80	120				
Methylene chloride	22.0	2.00	20.00	0	110	80	120				
trans-1,2-Dichloroethene	21.3	0.500	20.00	0	106	80	120				
Methyl tert-butyl ether (MTBE)	19.9	0.500	20.00	0	99.6	80	120				
1,1-Dichloroethane	22.3	0.500	20.00	0	112	80	120				
cis-1,2-Dichloroethene	22.6	0.500	20.00	0	113	80	120				
2-Butanone (MEK)	45.7	5.00	50.00	0	91.3	80	120				
Chloroform	21.4	0.500	20.00	0	107	80	120				
1,1,1-Trichloroethane (TCA)	21.4	0.500	20.00	0	107	80	120				
1,1-Dichloropropene	20.6	0.500	20.00	0	103	80	120				
Carbon tetrachloride	18.9	0.500	20.00	0	94.7	80	120				
1,2-Dichloroethane (EDC)	19.8	0.200	20.00	0	98.8	80	120				
Benzene	21.1	0.200	20.00	0	105	80	120				
Trichloroethene (TCE)	20.5	0.500	20.00	0	102	80	120				
1,2-Dichloropropane	22.3	0.200	20.00	0	111	80	120				
Bromodichloromethane	20.0	0.200	20.00	0	100	80	120				
Dibromomethane	19.7	0.500	20.00	0	98.3	80	120				
cis-1,3-Dichloropropene	18.9	0.500	20.00	0	94.4	80	120				
Toluene	16.8	0.500	20.00	0	83.8	80	120				
trans-1,3-Dichloropropylene	17.2	0.500	20.00	0	85.8	80	120				
Methyl Isobutyl Ketone (MIBK)	45.1	2.50	50.00	0	90.1	80	120				
1,1,2-Trichloroethane	17.6	0.500	20.00	0	88.2	80	120				
1,3-Dichloropropane	18.4	0.500	20.00	0	91.9	80	120				
Tetrachloroethene (PCE)	16.6	0.500	20.00	0	82.9	80	120				
Dibromochloromethane	18.6	0.500	20.00	0	92.9	80	120				
1,2-Dibromoethane (EDB)	18.7	0.500	20.00	0	93.5	80	120				
2-Hexanone (MBK)	43.2	1.25	50.00	0	86.5	80	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104651B		SampType: CCV		Units: µg/L		Prep Date: 11/12/2025			RunNo: 104651		
Client ID: CCV		Batch ID: R104651		Analysis Date: 11/12/2025						SeqNo: 2183441	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	17.9	0.500	20.00	0	89.7	80	120				
1,1,1,2-Tetrachloroethane	19.7	0.500	20.00	0	98.6	80	120				
Ethylbenzene	18.9	0.500	20.00	0	94.3	80	120				
m,p-Xylene	36.0	1.00	40.00	0	90.0	80	120				
o-Xylene	18.5	0.500	20.00	0	92.7	80	120				
Styrene	20.0	0.500	20.00	0	100	80	120				
Isopropylbenzene	19.5	0.500	20.00	0	97.6	80	120				
Bromoform	18.2	0.500	20.00	0	90.9	80	120				
1,1,2,2-Tetrachloroethane	18.0	0.200	20.00	0	90.2	80	120				
n-Propylbenzene	20.2	0.500	20.00	0	101	80	120				
Bromobenzene	17.6	0.200	20.00	0	88.1	80	120				
1,3,5-Trimethylbenzene	19.1	0.500	20.00	0	95.6	80	120				
2-Chlorotoluene	18.7	0.500	20.00	0	93.3	80	120				
4-Chlorotoluene	19.1	0.500	20.00	0	95.7	80	120				
tert-Butylbenzene	17.4	0.500	20.00	0	86.9	80	120				
1,2,3-Trichloropropane	17.9	0.500	20.00	0	89.6	80	120				
1,2,4-Trichlorobenzene	14.7	0.750	20.00	0	73.6	80	120				S
sec-Butylbenzene	18.2	0.500	20.00	0	91.0	80	120				
4-Isopropyltoluene	19.3	0.500	20.00	0	96.4	80	120				
1,3-Dichlorobenzene	18.8	0.500	20.00	0	94.2	80	120				
1,4-Dichlorobenzene	18.4	0.500	20.00	0	92.1	80	120				
n-Butylbenzene	19.8	0.500	20.00	0	99.0	80	120				
1,2-Dichlorobenzene	19.2	0.500	20.00	0	96.1	80	120				
1,2-Dibromo-3-chloropropane	18.9	1.00	20.00	0	94.6	80	120				
1,2,4-Trimethylbenzene	19.1	0.500	20.00	0	95.3	80	120				
Hexachloro-1,3-butadiene	15.6	1.00	20.00	0	78.2	80	120				S
Naphthalene	17.0	1.25	20.00	0	85.2	80	120				
1,2,3-Trichlorobenzene	18.5	1.00	20.00	0	92.5	80	120				
Surr: Dibromofluoromethane	27.4		25.00		109	80	120				
Surr: Toluene-d8	23.7		25.00		95.0	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.8		25.00		99.1	80	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104651B		SampType: CCV		Units: µg/L		Prep Date: 11/12/2025			RunNo: 104651		
Client ID: CCV		Batch ID: R104651					Analysis Date: 11/12/2025			SeqNo: 2183441	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

NOTES:

S - Outlying spike recovery observed (low bias). Samples will be qualified with a Q.

Sample ID: 2511218-001AMS		SampType: MS		Units: µg/L		Prep Date: 11/12/2025			RunNo: 104651		
Client ID: BATCH		Batch ID: 50002		Analysis Date: 11/13/2025						SeqNo: 2183459	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	37.7	1.00	20.00	0	188	61	156				S
Chloromethane	28.3	1.00	20.00	0	142	58.6	153				
Vinyl chloride	31.2	0.200	20.00	0	156	70.9	160				
Bromomethane	32.1	2.00	20.00	0	160	57	155				S
Trichlorofluoromethane (CFC-11)	30.7	0.500	20.00	0	154	80	159				
Chloroethane	27.0	1.00	20.00	0	135	71.3	145				
1,1-Dichloroethene	28.1	0.500	20.00	0	141	80	160				
Acetone	45.6	5.00	50.00	0	91.2	12.9	126				
Methylene chloride	24.1	2.00	20.00	0	121	77.6	131				
trans-1,2-Dichloroethene	24.6	0.500	20.00	0	123	80	134				
Methyl tert-butyl ether (MTBE)	22.4	0.500	20.00	0	112	80	127				
1,1-Dichloroethane	25.6	0.500	20.00	0	128	80	129				
cis-1,2-Dichloroethene	25.3	0.500	20.00	0	127	78.2	137				
2-Butanone (MEK)	47.8	5.00	50.00	0	95.5	32.5	130				
Chloroform	25.3	0.500	20.00	1.259	120	78.3	136				
1,1,1-Trichloroethane (TCA)	26.9	0.500	20.00	0	134	80	153				
1,1-Dichloropropene	27.0	0.500	20.00	0	135	80	153				
Carbon tetrachloride	26.8	0.500	20.00	0	134	80	156				
1,2-Dichloroethane (EDC)	22.1	0.200	20.00	0	111	77	133				
Benzene	22.7	0.200	20.00	0	114	80	134				
Trichloroethene (TCE)	20.5	0.500	20.00	0	103	80	133				
1,2-Dichloropropane	25.2	0.200	20.00	0	126	80	125				S
Bromodichloromethane	22.5	0.200	20.00	0	112	80	124				
Dibromomethane	22.0	0.500	20.00	0	110	80	122				
cis-1,3-Dichloropropene	22.3	0.500	20.00	0	112	80	128				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511218-001AMS	SampType: MS	Units: µg/L				Prep Date: 11/12/2025			RunNo: 104651		
Client ID: BATCH	Batch ID: 50002	Analysis Date: 11/13/2025							SeqNo: 2183459		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Toluene	20.0	0.500	20.00	0	100	80	134				
trans-1,3-Dichloropropylene	22.2	0.500	20.00	0	111	78.6	136				
Methyl Isobutyl Ketone (MIBK)	58.6	2.50	50.00	0	117	61.1	145				
1,1,2-Trichloroethane	21.4	0.500	20.00	0	107	79.4	135				
1,3-Dichloropropane	22.3	0.500	20.00	0	112	80	126				
Tetrachloroethene (PCE)	22.1	0.500	20.00	0.3822	109	80	153				
Dibromochloromethane	21.1	0.500	20.00	0	106	77.7	137				
1,2-Dibromoethane (EDB)	20.9	0.500	20.00	0	105	77.8	132				
2-Hexanone (MBK)	51.6	1.25	50.00	0	103	34.7	135				
Chlorobenzene	19.5	0.500	20.00	0	97.4	80	123				
1,1,1,2-Tetrachloroethane	21.4	0.500	20.00	0	107	80	125				
Ethylbenzene	21.2	0.500	20.00	0	106	80	125				
m,p-Xylene	40.2	1.00	40.00	0	101	80	124				
o-Xylene	20.2	0.500	20.00	0	101	80	122				
Styrene	20.8	0.500	20.00	0	104	80	122				
Isopropylbenzene	22.7	0.500	20.00	0	114	80	133				
Bromoform	19.3	0.500	20.00	0	96.5	80	125				
1,1,2,2-Tetrachloroethane	22.1	0.200	20.00	0	111	76.3	138				
n-Propylbenzene	23.5	0.500	20.00	0	117	80	134				
Bromobenzene	18.8	0.200	20.00	0	93.8	80	121				
1,3,5-Trimethylbenzene	21.4	0.500	20.00	0	107	80	126				
2-Chlorotoluene	20.7	0.500	20.00	0	103	80	124				
4-Chlorotoluene	20.9	0.500	20.00	0	104	80	123				
tert-Butylbenzene	20.0	0.500	20.00	0	99.9	80	131				
1,2,3-Trichloropropane	19.4	0.500	20.00	0	96.8	75.3	125				
1,2,4-Trichlorobenzene	20.1	0.750	20.00	0	100	71.2	129				
sec-Butylbenzene	21.7	0.500	20.00	0	109	80	137				
4-Isopropyltoluene	22.6	0.500	20.00	0	113	80	132				
1,3-Dichlorobenzene	20.9	0.500	20.00	0	104	80	120				
1,4-Dichlorobenzene	20.1	0.500	20.00	0	100	80	122				
n-Butylbenzene	24.5	0.500	20.00	0	123	79.5	138				
1,2-Dichlorobenzene	21.0	0.500	20.00	0	105	79	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511218-001AMS		SampType: MS			Units: µg/L		Prep Date: 11/12/2025			RunNo: 104651		
Client ID: BATCH		Batch ID: 50002			Analysis Date: 11/13/2025			SeqNo: 2183459				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dibromo-3-chloropropane	20.8	1.00	20.00	0	104	69.6	137				
1,2,4-Trimethylbenzene	20.9	0.500	20.00	0	105	80	123				
Hexachloro-1,3-butadiene	20.5	1.00	20.00	0	103	74.3	148				
Naphthalene	21.2	1.25	20.00	0	106	74.3	124				
1,2,3-Trichlorobenzene	21.0	1.00	20.00	0	105	71.9	129				
Surr: Dibromofluoromethane	28.3		25.00		113	79.9	122				
Surr: Toluene-d8	27.0		25.00		108	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.1		25.00		96.3	79.7	120				

NOTES:

S - Outlying spike recoveries were associated with this sample.

Sample ID: VOC-CCV-104651C		SampType: CCV			Units: µg/L		Prep Date: 11/13/2025			RunNo: 104651		
Client ID: CCV		Batch ID: R104651			Analysis Date: 11/13/2025					SeqNo: 2183654		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	27.2	1.00	20.00	0	136	80	120				S
Chloromethane	24.6	1.00	20.00	0	123	80	120				S
Vinyl chloride	24.9	0.200	20.00	0	125	80	120				S
Bromomethane	25.4	2.00	20.00	0	127	80	120				S
Trichlorofluoromethane (CFC-11)	23.9	0.500	20.00	0	119	80	120				
Chloroethane	23.5	1.00	20.00	0	117	80	120				
1,1-Dichloroethene	23.5	0.500	20.00	0	117	80	120				
Acetone	47.4	5.00	50.00	0	94.7	80	120				
Methylene chloride	22.7	2.00	20.00	0	114	80	120				
trans-1,2-Dichloroethene	21.8	0.500	20.00	0	109	80	120				
Methyl tert-butyl ether (MTBE)	21.1	0.500	20.00	0	105	80	120				
1,1-Dichloroethane	23.3	0.500	20.00	0	117	80	120				
cis-1,2-Dichloroethene	23.1	0.500	20.00	0	116	80	120				
2-Butanone (MEK)	49.7	5.00	50.00	0	99.3	80	120				
Chloroform	22.4	0.500	20.00	0	112	80	120				
1,1,1-Trichloroethane (TCA)	23.1	0.500	20.00	0	115	80	120				
1,1-Dichloropropene	22.4	0.500	20.00	0	112	80	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104651C		SampType: CCV			Units: µg/L		Prep Date: 11/13/2025			RunNo: 104651		
Client ID: CCV		Batch ID: R104651			Analysis Date: 11/13/2025			SeqNo: 2183654				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Carbon tetrachloride	21.7	0.500	20.00	0	108	80	120				
1,2-Dichloroethane (EDC)	20.9	0.200	20.00	0	104	80	120				
Benzene	21.3	0.200	20.00	0	106	80	120				
Trichloroethene (TCE)	19.4	0.500	20.00	0	97.0	80	120				
1,2-Dichloropropane	23.2	0.200	20.00	0	116	80	120				
Bromodichloromethane	20.7	0.200	20.00	0	104	80	120				
Dibromomethane	20.5	0.500	20.00	0	103	80	120				
cis-1,3-Dichloropropene	20.5	0.500	20.00	0	102	80	120				
Toluene	18.2	0.500	20.00	0	90.9	80	120				
trans-1,3-Dichloropropylene	20.6	0.500	20.00	0	103	80	120				
Methyl Isobutyl Ketone (MIBK)	52.7	2.50	50.00	0	105	80	120				
1,1,2-Trichloroethane	19.8	0.500	20.00	0	99.2	80	120				
1,3-Dichloropropane	20.5	0.500	20.00	0	102	80	120				
Tetrachloroethene (PCE)	18.5	0.500	20.00	0	92.3	80	120				
Dibromochloromethane	19.2	0.500	20.00	0	96.1	80	120				
1,2-Dibromoethane (EDB)	19.3	0.500	20.00	0	96.7	80	120				
2-Hexanone (MBK)	48.2	1.25	50.00	0	96.5	80	120				
Chlorobenzene	18.2	0.500	20.00	0	91.0	80	120				
1,1,1,2-Tetrachloroethane	20.0	0.500	20.00	0	99.9	80	120				
Ethylbenzene	19.2	0.500	20.00	0	96.1	80	120				
m,p-Xylene	36.7	1.00	40.00	0	91.7	80	120				
o-Xylene	18.9	0.500	20.00	0	94.5	80	120				
Styrene	20.3	0.500	20.00	0	102	80	120				
Isopropylbenzene	20.3	0.500	20.00	0	102	80	120				
Bromoform	18.5	0.500	20.00	0	92.3	80	120				
1,1,2,2-Tetrachloroethane	20.1	0.200	20.00	0	100	80	120				
n-Propylbenzene	21.0	0.500	20.00	0	105	80	120				
Bromobenzene	17.7	0.200	20.00	0	88.6	80	120				
1,3,5-Trimethylbenzene	19.5	0.500	20.00	0	97.4	80	120				
2-Chlorotoluene	19.0	0.500	20.00	0	94.9	80	120				
4-Chlorotoluene	19.5	0.500	20.00	0	97.7	80	120				
tert-Butylbenzene	17.8	0.500	20.00	0	88.9	80	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104651C	SampType: CCV	Units: µg/L				Prep Date: 11/13/2025			RunNo: 104651		
Client ID: CCV	Batch ID: R104651	Analysis Date: 11/13/2025						SeqNo: 2183654			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,3-Trichloropropane	18.6	0.500	20.00	0	93.2	80	120				
1,2,4-Trichlorobenzene	18.7	0.750	20.00	0	93.4	80	120				
sec-Butylbenzene	19.2	0.500	20.00	0	96.2	80	120				
4-Isopropyltoluene	19.9	0.500	20.00	0	99.7	80	120				
1,3-Dichlorobenzene	19.5	0.500	20.00	0	97.4	80	120				
1,4-Dichlorobenzene	18.8	0.500	20.00	0	94.1	80	120				
n-Butylbenzene	21.3	0.500	20.00	0	106	80	120				
1,2-Dichlorobenzene	19.7	0.500	20.00	0	98.7	80	120				
1,2-Dibromo-3-chloropropane	19.7	1.00	20.00	0	98.6	80	120				
1,2,4-Trimethylbenzene	19.4	0.500	20.00	0	96.8	80	120				
Hexachloro-1,3-butadiene	17.7	1.00	20.00	0	88.7	80	120				
Naphthalene	19.4	1.25	20.00	0	97.0	80	120				
1,2,3-Trichlorobenzene	19.5	1.00	20.00	0	97.5	80	120				
Surr: Dibromofluoromethane	27.6		25.00		111	80	120				
Surr: Toluene-d8	26.3		25.00		105	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.3		25.00		97.3	80	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: LCS-50039	SampType: LCS	Units: µg/L				Prep Date: 11/14/2025			RunNo: 104766		
Client ID: LCSW	Batch ID: 50039	Analysis Date: 11/14/2025							SeqNo: 2185959		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	17.0	1.00	20.00	0	84.8	80	120				
Chloromethane	19.1	1.00	20.00	0	95.4	80	120				
Vinyl chloride	20.8	0.200	20.00	0	104	80	120				
Bromomethane	24.7	2.00	20.00	0	123	80	120				S
Trichlorofluoromethane (CFC-11)	19.7	0.500	20.00	0	98.6	80	120				
Chloroethane	20.6	1.00	20.00	0	103	80	120				
1,1-Dichloroethene	21.4	0.500	20.00	0	107	80	120				
Acetone	52.9	5.00	50.00	0	106	80	120				
Methylene chloride	20.4	2.00	20.00	0	102	80	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50039	SampType: LCS	Units: µg/L			Prep Date: 11/14/2025			RunNo: 104766			
Client ID: LCSW	Batch ID: 50039	Analysis Date: 11/14/2025						SeqNo: 2185959			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,2-Dichloroethene	20.2	0.500	20.00	0	101	80	120				
Methyl tert-butyl ether (MTBE)	21.1	0.500	20.00	0	105	80	120				
1,1-Dichloroethane	21.7	0.500	20.00	0	108	80	120				
cis-1,2-Dichloroethene	20.6	0.500	20.00	0	103	80	120				
2-Butanone (MEK)	52.1	5.00	50.00	0	104	80	120				
Chloroform	21.0	0.500	20.00	0	105	80	120				
1,1,1-Trichloroethane (TCA)	22.5	0.500	20.00	0	113	80	120				
1,1-Dichloropropene	20.5	0.500	20.00	0	103	80	120				
Carbon tetrachloride	21.8	0.500	20.00	0	109	80	120				
1,2-Dichloroethane (EDC)	20.0	0.200	20.00	0	100	80	120				
Benzene	19.7	0.200	20.00	0	98.5	80	120				
Trichloroethene (TCE)	19.6	0.500	20.00	0	98.0	80	120				
1,2-Dichloropropane	19.4	0.200	20.00	0	96.9	80	120				
Bromodichloromethane	19.7	0.200	20.00	0	98.3	80	120				
Dibromomethane	18.7	0.500	20.00	0	93.3	80	120				
cis-1,3-Dichloropropene	19.6	0.500	20.00	0	98.2	80	120				
Toluene	19.5	0.500	20.00	0	97.3	80	120				
trans-1,3-Dichloropropylene	19.9	0.500	20.00	0	99.6	80	120				
Methyl Isobutyl Ketone (MIBK)	50.3	2.50	50.00	0	101	80	120				
1,1,2-Trichloroethane	19.3	0.500	20.00	0	96.5	80	120				
1,3-Dichloropropane	19.1	0.500	20.00	0	95.3	80	120				
Tetrachloroethene (PCE)	20.2	0.500	20.00	0	101	80	120				
Dibromochloromethane	19.4	0.500	20.00	0	97.1	80	120				
1,2-Dibromoethane (EDB)	19.1	0.500	20.00	0	95.7	80	120				
2-Hexanone (MBK)	52.0	1.25	50.00	0	104	80	120				
Chlorobenzene	19.1	0.500	20.00	0	95.5	80	120				
1,1,1,2-Tetrachloroethane	20.5	0.500	20.00	0	103	80	120				
Ethylbenzene	20.2	0.500	20.00	0	101	80	120				
m,p-Xylene	40.2	1.00	40.00	0	100	80	120				
o-Xylene	20.0	0.500	20.00	0	99.8	80	120				
Styrene	21.0	0.500	20.00	0	105	80	120				
Isopropylbenzene	19.2	0.500	20.00	0	95.9	80	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50039		SampType: LCS		Units: µg/L		Prep Date: 11/14/2025		RunNo: 104766			
Client ID: LCSW		Batch ID: 50039				Analysis Date: 11/14/2025		SeqNo: 2185959			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromoform	19.5	0.500	20.00	0	97.4	80	120				
1,1,2,2-Tetrachloroethane	19.4	0.200	20.00	0	97.0	80	120				
n-Propylbenzene	20.7	0.500	20.00	0	104	80	120				
Bromobenzene	18.7	0.200	20.00	0	93.4	80	120				
1,3,5-Trimethylbenzene	19.9	0.500	20.00	0	99.7	80	120				
2-Chlorotoluene	18.9	0.500	20.00	0	94.5	80	120				
4-Chlorotoluene	19.5	0.500	20.00	0	97.4	80	120				
tert-Butylbenzene	19.3	0.500	20.00	0	96.3	80	120				
1,2,3-Trichloropropane	18.3	0.500	20.00	0	91.5	80	120				
1,2,4-Trichlorobenzene	20.3	0.750	20.00	0	101	80	120				
sec-Butylbenzene	19.7	0.500	20.00	0	98.7	80	120				
4-Isopropyltoluene	20.7	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	19.4	0.500	20.00	0	97.0	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.5	80	120				
n-Butylbenzene	19.6	0.500	20.00	0	98.0	80	120				
1,2-Dichlorobenzene	19.5	0.500	20.00	0	97.4	80	120				
1,2-Dibromo-3-chloropropane	18.8	1.00	20.00	0	94.0	80	120				
1,2,4-Trimethylbenzene	18.8	0.500	20.00	0	94.0	80	120				
Hexachloro-1,3-butadiene	18.6	1.00	20.00	0	92.9	80	120				
Naphthalene	19.4	1.25	20.00	0	96.9	80	120				
1,2,3-Trichlorobenzene	18.1	1.00	20.00	0	90.3	80	120				
Surr: Dibromofluoromethane	25.8		25.00		103	79.9	122				
Surr: Toluene-d8	24.8		25.00		99.3	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.0		25.00		95.9	79.7	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: VOC-CCV-104766A		SampType: CCV		Units: µg/L		Prep Date: 11/14/2025		RunNo: 104766			
Client ID: CCV		Batch ID: R104766				Analysis Date: 11/14/2025		SeqNo: 2185929			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	17.0	1.00	20.00	0	84.8	80	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104766A	SampType: CCV	Units: µg/L				Prep Date: 11/14/2025			RunNo: 104766		
Client ID: CCV	Batch ID: R104766	Analysis Date: 11/14/2025						SeqNo: 2185929			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloromethane	19.1	1.00	20.00	0	95.4	80	120				S
Vinyl chloride	20.8	0.200	20.00	0	104	80	120				
Bromomethane	24.7	2.00	20.00	0	123	80	120				
Trichlorofluoromethane (CFC-11)	19.7	0.500	20.00	0	98.6	80	120				
Chloroethane	20.6	1.00	20.00	0	103	80	120				
1,1-Dichloroethene	21.4	0.500	20.00	0	107	80	120				
Acetone	52.9	5.00	50.00	0	106	80	120				
Methylene chloride	20.4	2.00	20.00	0	102	80	120				
trans-1,2-Dichloroethene	20.2	0.500	20.00	0	101	80	120				
Methyl tert-butyl ether (MTBE)	21.1	0.500	20.00	0	105	80	120				
1,1-Dichloroethane	21.7	0.500	20.00	0	108	80	120				
cis-1,2-Dichloroethene	20.6	0.500	20.00	0	103	80	120				
2-Butanone (MEK)	52.1	5.00	50.00	0	104	80	120				
Chloroform	21.0	0.500	20.00	0	105	80	120				
1,1,1-Trichloroethane (TCA)	22.5	0.500	20.00	0	113	80	120				
1,1-Dichloropropene	20.5	0.500	20.00	0	103	80	120				
Carbon tetrachloride	21.8	0.500	20.00	0	109	80	120				
1,2-Dichloroethane (EDC)	20.0	0.200	20.00	0	100	80	120				
Benzene	19.7	0.200	20.00	0	98.5	80	120				
Trichloroethene (TCE)	19.6	0.500	20.00	0	98.0	80	120				
1,2-Dichloropropane	19.4	0.200	20.00	0	96.9	80	120				
Bromodichloromethane	19.7	0.200	20.00	0	98.3	80	120				
Dibromomethane	18.7	0.500	20.00	0	93.3	80	120				
cis-1,3-Dichloropropene	19.6	0.500	20.00	0	98.2	80	120				
Toluene	19.5	0.500	20.00	0	97.3	80	120				
trans-1,3-Dichloropropylene	19.9	0.500	20.00	0	99.6	80	120				
Methyl Isobutyl Ketone (MIBK)	50.3	2.50	50.00	0	101	80	120				
1,1,2-Trichloroethane	19.3	0.500	20.00	0	96.5	80	120				
1,3-Dichloropropane	19.1	0.500	20.00	0	95.3	80	120				
Tetrachloroethene (PCE)	20.2	0.500	20.00	0	101	80	120				
Dibromochloromethane	19.4	0.500	20.00	0	97.1	80	120				
1,2-Dibromoethane (EDB)	19.1	0.500	20.00	0	95.7	80	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104766A	SampType: CCV	Units: µg/L				Prep Date: 11/14/2025			RunNo: 104766		
Client ID: CCV	Batch ID: R104766	Analysis Date: 11/14/2025						SeqNo: 2185929			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Hexanone (MBK)	52.0	1.25	50.00	0	104	80	120				
Chlorobenzene	19.1	0.500	20.00	0	95.5	80	120				
1,1,1,2-Tetrachloroethane	20.5	0.500	20.00	0	103	80	120				
Ethylbenzene	20.2	0.500	20.00	0	101	80	120				
m,p-Xylene	40.2	1.00	40.00	0	100	80	120				
o-Xylene	20.0	0.500	20.00	0	99.8	80	120				
Styrene	21.0	0.500	20.00	0	105	80	120				
Isopropylbenzene	19.2	0.500	20.00	0	95.9	80	120				
Bromoform	19.5	0.500	20.00	0	97.4	80	120				
1,1,2,2-Tetrachloroethane	19.4	0.200	20.00	0	97.0	80	120				
n-Propylbenzene	20.7	0.500	20.00	0	104	80	120				
Bromobenzene	18.7	0.200	20.00	0	93.4	80	120				
1,3,5-Trimethylbenzene	19.9	0.500	20.00	0	99.7	80	120				
2-Chlorotoluene	18.9	0.500	20.00	0	94.5	80	120				
4-Chlorotoluene	19.5	0.500	20.00	0	97.4	80	120				
tert-Butylbenzene	19.3	0.500	20.00	0	96.3	80	120				
1,2,3-Trichloropropane	18.3	0.500	20.00	0	91.5	80	120				
1,2,4-Trichlorobenzene	20.3	0.750	20.00	0	101	80	120				
sec-Butylbenzene	19.7	0.500	20.00	0	98.7	80	120				
4-Isopropyltoluene	20.7	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	19.4	0.500	20.00	0	97.0	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.5	80	120				
n-Butylbenzene	19.6	0.500	20.00	0	98.0	80	120				
1,2-Dichlorobenzene	19.5	0.500	20.00	0	97.4	80	120				
1,2-Dibromo-3-chloropropane	18.8	1.00	20.00	0	94.0	80	120				
1,2,4-Trimethylbenzene	18.8	0.500	20.00	0	94.0	80	120				
Hexachloro-1,3-butadiene	18.6	1.00	20.00	0	92.9	80	120				
Naphthalene	19.4	1.25	20.00	0	96.9	80	120				
1,2,3-Trichlorobenzene	18.1	1.00	20.00	0	90.3	80	120				
Surr: Dibromofluoromethane	25.8		25.00		103	80	120				
Surr: Toluene-d8	24.8		25.00		99.3	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.0		25.00		95.9	80	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104766A		SampType: CCV			Units: µg/L		Prep Date: 11/14/2025			RunNo: 104766		
Client ID: CCV		Batch ID: R104766			Analysis Date: 11/14/2025					SeqNo: 2185929		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: MB-50039		SampType: MBLK			Units: µg/L		Prep Date: 11/14/2025			RunNo: 104766		
Client ID: MBLKW		Batch ID: 50039			Analysis Date: 11/14/2025					SeqNo: 2185930		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	ND	1.00
Chloromethane	ND	1.00
Vinyl chloride	ND	0.200
Bromomethane	ND	2.00
Trichlorofluoromethane (CFC-11)	ND	0.500
Chloroethane	ND	1.00
1,1-Dichloroethene	ND	0.500
Acetone	ND	5.00
Methylene chloride	ND	2.00
trans-1,2-Dichloroethene	ND	0.500
Methyl tert-butyl ether (MTBE)	ND	0.500
1,1-Dichloroethane	ND	0.500
cis-1,2-Dichloroethene	ND	0.500
2-Butanone (MEK)	ND	5.00
Chloroform	ND	0.500
1,1,1-Trichloroethane (TCA)	ND	0.500
1,1-Dichloropropene	ND	0.500
Carbon tetrachloride	ND	0.500
1,2-Dichloroethane (EDC)	ND	0.200
Benzene	ND	0.200
Trichloroethene (TCE)	ND	0.500
1,2-Dichloropropane	ND	0.200
Bromodichloromethane	ND	0.200
Dibromomethane	ND	0.500
cis-1,3-Dichloropropene	ND	0.500

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50039	SampType: MBLK	Units: µg/L			Prep Date: 11/14/2025			RunNo: 104766			
Client ID: MBLKW	Batch ID: 50039	Analysis Date: 11/14/2025						SeqNo: 2185930			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50039		SampType: MBLK			Units: µg/L		Prep Date: 11/14/2025			RunNo: 104766		
Client ID: MBLKW		Batch ID: 50039						Analysis Date: 11/14/2025			SeqNo: 2185930	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	25.6		25.00		102	80	120				
Surr: Toluene-d8	24.6		25.00		98.3	80	120				
Surr: 1-Bromo-4-fluorobenzene	23.1		25.00		92.3	80	120				

Sample ID: 2511278-001ADUP		SampType: DUP			Units: µg/L		Prep Date: 11/14/2025			RunNo: 104766		
Client ID: BATCH		Batch ID: 50039			Analysis Date: 11/14/2025			SeqNo: 2185933				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	ND	1.00						0	0	30	
Chloromethane	ND	1.00						0	0	30	
Vinyl chloride	ND	0.200						0	0	30	
Bromomethane	ND	2.00						0	0	30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0	0	30	
Chloroethane	ND	1.00						0	0	30	
1,1-Dichloroethene	ND	0.500						0	0	30	
Acetone	ND	5.00						0	0	30	
Methylene chloride	ND	2.00						0	0	30	
trans-1,2-Dichloroethene	ND	0.500						0	0	30	
Methyl tert-butyl ether (MTBE)	ND	0.500						0	0	30	
1,1-Dichloroethane	ND	0.500						0	0	30	
cis-1,2-Dichloroethene	ND	0.500						0	0	30	
2-Butanone (MEK)	ND	5.00						0	0	30	
Chloroform	ND	0.500						0	0	30	
1,1,1-Trichloroethane (TCA)	ND	0.500						0	0	30	
1,1-Dichloropropene	ND	0.500						0	0	30	
Carbon tetrachloride	ND	0.500						0	0	30	

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511278-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/14/2025			RunNo: 104766		
Client ID: BATCH		Batch ID: 50039		Analysis Date: 11/14/2025					SeqNo: 2185933		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dichloroethane (EDC)	ND	0.200						0	0	30	
Benzene	ND	0.200						0	0	30	
Trichloroethene (TCE)	ND	0.500						0	0	30	
1,2-Dichloropropane	ND	0.200						0	0	30	
Bromodichloromethane	ND	0.200						0	0	30	
Dibromomethane	ND	0.500						0	0	30	
cis-1,3-Dichloropropene	ND	0.500						0	0	30	
Toluene	ND	0.500						0	0	30	
trans-1,3-Dichloropropylene	ND	0.500						0	0	30	
Methyl Isobutyl Ketone (MIBK)	ND	2.50						0	0	30	
1,1,2-Trichloroethane	ND	0.500						0	0	30	
1,3-Dichloropropane	ND	0.500						0	0	30	
Tetrachloroethene (PCE)	ND	0.500						0	0	30	
Dibromochloromethane	ND	0.500						0	0	30	
1,2-Dibromoethane (EDB)	ND	0.500						0	0	30	
2-Hexanone (MBK)	ND	1.25						0	0	30	
Chlorobenzene	ND	0.500						0	0	30	
1,1,1,2-Tetrachloroethane	ND	0.500						0	0	30	
Ethylbenzene	ND	0.500						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	
o-Xylene	ND	0.500						0	0	30	
Styrene	ND	0.500						0	0	30	
Isopropylbenzene	ND	0.500						0	0	30	
Bromoform	ND	0.500						0	0	30	
1,1,2,2-Tetrachloroethane	ND	0.200						0	0	30	
n-Propylbenzene	ND	0.500						0	0	30	
Bromobenzene	ND	0.200						0	0	30	
1,3,5-Trimethylbenzene	ND	0.500						0	0	30	
2-Chlorotoluene	ND	0.500						0	0	30	
4-Chlorotoluene	ND	0.500						0	0	30	
tert-Butylbenzene	ND	0.500						0	0	30	
1,2,3-Trichloropropane	ND	0.500						0	0	30	

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511278-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/14/2025		RunNo: 104766			
Client ID: BATCH		Batch ID: 50039				Analysis Date: 11/14/2025		SeqNo: 2185933			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	ND	0.750						0	0	30	
sec-Butylbenzene	ND	0.500						0	0	30	
4-Isopropyltoluene	ND	0.500						0	0	30	
1,3-Dichlorobenzene	ND	0.500						0	0	30	
1,4-Dichlorobenzene	ND	0.500						0	0	30	
n-Butylbenzene	ND	0.500						0	0	30	
1,2-Dichlorobenzene	ND	0.500						0	0	30	
1,2-Dibromo-3-chloropropane	ND	1.00						0	0	30	
1,2,4-Trimethylbenzene	ND	0.500						0	0	30	
Hexachloro-1,3-butadiene	ND	1.00						0	0	30	
Naphthalene	ND	1.25						0	0	30	
1,2,3-Trichlorobenzene	ND	1.00						0	0	30	
Surr: Dibromofluoromethane	25.9		25.00		103	79.9	122		0		
Surr: Toluene-d8	24.4		25.00		97.6	80	121		0		
Surr: 1-Bromo-4-fluorobenzene	23.0		25.00		92.0	79.7	120		0		

Sample ID: VOC-CCV-104766B		SampType: CCV		Units: µg/L		Prep Date: 11/14/2025		RunNo: 104766			
Client ID: CCV		Batch ID: R104766				Analysis Date: 11/14/2025		SeqNo: 2185944			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	19.3	1.00	20.00	0	96.5	80	120				
Chloromethane	19.6	1.00	20.00	0	98.1	80	120				
Vinyl chloride	20.8	0.200	20.00	0	104	80	120				
Bromomethane	24.0	2.00	20.00	0	120	80	120				
Trichlorofluoromethane (CFC-11)	20.1	0.500	20.00	0	101	80	120				
Chloroethane	20.7	1.00	20.00	0	103	80	120				
1,1-Dichloroethene	21.2	0.500	20.00	0	106	80	120				
Acetone	35.7	5.00	50.00	0	71.3	80	120				S
Methylene chloride	19.3	2.00	20.00	0	96.3	80	120				
trans-1,2-Dichloroethene	19.6	0.500	20.00	0	98.1	80	120				
Methyl tert-butyl ether (MTBE)	19.6	0.500	20.00	0	98.0	80	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104766B	SampType: CCV	Units: µg/L				Prep Date: 11/14/2025			RunNo: 104766		
Client ID: CCV	Batch ID: R104766	Analysis Date: 11/14/2025						SeqNo: 2185944			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethane	21.2	0.500	20.00	0	106	80	120				
cis-1,2-Dichloroethene	20.6	0.500	20.00	0	103	80	120				
2-Butanone (MEK)	40.1	5.00	50.00	0	80.2	80	120				
Chloroform	20.4	0.500	20.00	0	102	80	120				
1,1,1-Trichloroethane (TCA)	21.8	0.500	20.00	0	109	80	120				
1,1-Dichloropropene	21.0	0.500	20.00	0	105	80	120				
Carbon tetrachloride	21.2	0.500	20.00	0	106	80	120				
1,2-Dichloroethane (EDC)	19.2	0.200	20.00	0	96.0	80	120				
Benzene	19.4	0.200	20.00	0	97.2	80	120				
Trichloroethene (TCE)	18.1	0.500	20.00	0	90.3	80	120				
1,2-Dichloropropane	18.7	0.200	20.00	0	93.6	80	120				
Bromodichloromethane	18.8	0.200	20.00	0	94.0	80	120				
Dibromomethane	18.4	0.500	20.00	0	92.2	80	120				
cis-1,3-Dichloropropene	19.0	0.500	20.00	0	95.2	80	120				
Toluene	19.1	0.500	20.00	0	95.7	80	120				
trans-1,3-Dichloropropylene	19.0	0.500	20.00	0	94.9	80	120				
Methyl Isobutyl Ketone (MIBK)	46.6	2.50	50.00	0	93.1	80	120				
1,1,2-Trichloroethane	18.1	0.500	20.00	0	90.7	80	120				
1,3-Dichloropropane	18.5	0.500	20.00	0	92.6	80	120				
Tetrachloroethene (PCE)	20.3	0.500	20.00	0	102	80	120				
Dibromochloromethane	18.2	0.500	20.00	0	91.2	80	120				
1,2-Dibromoethane (EDB)	18.1	0.500	20.00	0	90.4	80	120				
2-Hexanone (MBK)	39.6	1.25	50.00	0	79.1	80	120				S
Chlorobenzene	18.6	0.500	20.00	0	92.8	80	120				
1,1,1,2-Tetrachloroethane	20.4	0.500	20.00	0	102	80	120				
Ethylbenzene	20.3	0.500	20.00	0	102	80	120				
m,p-Xylene	40.1	1.00	40.00	0	100	80	120				
o-Xylene	20.1	0.500	20.00	0	100	80	120				
Styrene	20.8	0.500	20.00	0	104	80	120				
Isopropylbenzene	19.8	0.500	20.00	0	99.1	80	120				
Bromoform	18.6	0.500	20.00	0	92.8	80	120				
1,1,2,2-Tetrachloroethane	19.4	0.200	20.00	0	97.2	80	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104766B		SampType: CCV			Units: µg/L		Prep Date: 11/14/2025			RunNo: 104766		
Client ID: CCV		Batch ID: R104766			Analysis Date: 11/14/2025					SeqNo: 2185944		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

n-Propylbenzene	20.6	0.500	20.00	0	103	80	120				
Bromobenzene	18.6	0.200	20.00	0	93.1	80	120				
1,3,5-Trimethylbenzene	20.0	0.500	20.00	0	99.8	80	120				
2-Chlorotoluene	19.7	0.500	20.00	0	98.5	80	120				
4-Chlorotoluene	19.1	0.500	20.00	0	95.5	80	120				
tert-Butylbenzene	19.4	0.500	20.00	0	96.8	80	120				
1,2,3-Trichloropropane	17.9	0.500	20.00	0	89.6	80	120				
1,2,4-Trichlorobenzene	18.6	0.750	20.00	0	93.0	80	120				
sec-Butylbenzene	20.1	0.500	20.00	0	100	80	120				
4-Isopropyltoluene	20.8	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	18.6	0.500	20.00	0	93.2	80	120				
1,4-Dichlorobenzene	18.3	0.500	20.00	0	91.4	80	120				
n-Butylbenzene	20.2	0.500	20.00	0	101	80	120				
1,2-Dichlorobenzene	18.9	0.500	20.00	0	94.4	80	120				
1,2-Dibromo-3-chloropropane	17.6	1.00	20.00	0	87.9	80	120				
1,2,4-Trimethylbenzene	18.9	0.500	20.00	0	94.3	80	120				
Hexachloro-1,3-butadiene	18.5	1.00	20.00	0	92.5	80	120				
Naphthalene	17.7	1.25	20.00	0	88.4	80	120				
1,2,3-Trichlorobenzene	17.0	1.00	20.00	0	85.2	80	120				
Surr: Dibromofluoromethane	25.9		25.00		103	80	120				
Surr: Toluene-d8	25.2		25.00		101	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.0		25.00		96.1	80	120				

NOTES:

S - Outlying spike recovery observed (low bias). Samples will be qualified with a Q.

Sample ID: 2511248-015AMS		SampType: MS			Units: µg/L		Prep Date: 11/14/2025			RunNo: 104766		
Client ID: MW-331-251110		Batch ID: 50039						Analysis Date: 11/15/2025			SeqNo: 2185954	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	25.0	1.00	20.00	0	125	61	156				
Chloromethane	22.6	1.00	20.00	0	113	58.6	153				
Vinyl chloride	26.3	0.200	20.00	0.3498	130	70.9	160				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511248-015AMS		SampType: MS			Units: µg/L		Prep Date: 11/14/2025			RunNo: 104766		
Client ID: MW-331-251110		Batch ID: 50039						Analysis Date: 11/15/2025			SeqNo: 2185954	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Bromomethane	25.1	2.00	20.00	0	126	57	155				
Trichlorofluoromethane (CFC-11)	24.9	0.500	20.00	0	125	80	159				
Chloroethane	24.8	1.00	20.00	0	124	71.3	145				
1,1-Dichloroethene	26.6	0.500	20.00	0	133	80	160				
Acetone	35.2	5.00	50.00	0	70.5	12.9	126				
Methylene chloride	21.7	2.00	20.00	0	109	77.6	131				
trans-1,2-Dichloroethene	22.8	0.500	20.00	0	114	80	134				
Methyl tert-butyl ether (MTBE)	21.2	0.500	20.00	0	106	80	127				
1,1-Dichloroethane	25.3	0.500	20.00	0.8964	122	80	129				
cis-1,2-Dichloroethene	22.4	0.500	20.00	0	112	78.2	137				
2-Butanone (MEK)	40.3	5.00	50.00	0	80.7	32.5	130				
Chloroform	22.8	0.500	20.00	0	114	78.3	136				
1,1,1-Trichloroethane (TCA)	26.4	0.500	20.00	0	132	80	153				
1,1-Dichloropropene	24.9	0.500	20.00	0	124	80	153				
Carbon tetrachloride	26.6	0.500	20.00	0	133	80	156				
1,2-Dichloroethane (EDC)	21.2	0.200	20.00	0	106	77	133				
Benzene	21.5	0.200	20.00	0	107	80	134				
Trichloroethene (TCE)	19.4	0.500	20.00	0	96.9	80	133				
1,2-Dichloropropane	21.0	0.200	20.00	0	105	80	125				
Bromodichloromethane	21.1	0.200	20.00	0	106	80	124				
Dibromomethane	19.5	0.500	20.00	0	97.5	80	122				
cis-1,3-Dichloropropene	20.9	0.500	20.00	0	104	80	128				
Toluene	21.0	0.500	20.00	0	105	80	134				
trans-1,3-Dichloropropylene	20.7	0.500	20.00	0	103	78.6	136				
Methyl Isobutyl Ketone (MIBK)	52.1	2.50	50.00	0	104	61.1	145				
1,1,2-Trichloroethane	20.0	0.500	20.00	0	100	79.4	135				
1,3-Dichloropropane	20.2	0.500	20.00	0	101	80	126				
Tetrachloroethene (PCE)	23.7	0.500	20.00	0	118	80	153				
Dibromochloromethane	20.4	0.500	20.00	0	102	77.7	137				
1,2-Dibromoethane (EDB)	19.7	0.500	20.00	0	98.3	77.8	132				
2-Hexanone (MBK)	43.1	1.25	50.00	0	86.3	34.7	135				
Chlorobenzene	20.4	0.500	20.00	0	102	80	123				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511248-015AMS		SampType: MS		Units: µg/L		Prep Date: 11/14/2025		RunNo: 104766			
Client ID: MW-331-251110		Batch ID: 50039				Analysis Date: 11/15/2025		SeqNo: 2185954			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	21.6	0.500	20.00	0	108	80	125				
Ethylbenzene	22.1	0.500	20.00	0	111	80	125				
m,p-Xylene	44.0	1.00	40.00	0	110	80	124				
o-Xylene	21.3	0.500	20.00	0	106	80	122				
Styrene	22.2	0.500	20.00	0	111	80	122				
Isopropylbenzene	21.2	0.500	20.00	0	106	80	133				
Bromoform	19.8	0.500	20.00	0	98.8	80	125				
1,1,1,2,2-Tetrachloroethane	22.9	0.200	20.00	0	115	76.3	138				
n-Propylbenzene	23.3	0.500	20.00	0	116	80	134				
Bromobenzene	19.2	0.200	20.00	0	96.0	80	121				
1,3,5-Trimethylbenzene	21.8	0.500	20.00	0	109	80	126				
2-Chlorotoluene	20.3	0.500	20.00	0	102	80	124				
4-Chlorotoluene	20.8	0.500	20.00	0	104	80	123				
tert-Butylbenzene	21.1	0.500	20.00	0	106	80	131				
1,2,3-Trichloropropane	18.6	0.500	20.00	0	93.2	75.3	125				
1,2,4-Trichlorobenzene	21.1	0.750	20.00	0	106	71.2	129				
sec-Butylbenzene	22.5	0.500	20.00	0	113	80	137				
4-Isopropyltoluene	22.9	0.500	20.00	0	114	80	132				
1,3-Dichlorobenzene	20.3	0.500	20.00	0	102	80	120				
1,4-Dichlorobenzene	19.7	0.500	20.00	0	98.5	80	122				
n-Butylbenzene	21.9	0.500	20.00	0	109	79.5	138				
1,2-Dichlorobenzene	20.3	0.500	20.00	0	102	79	120				
1,2-Dibromo-3-chloropropane	19.2	1.00	20.00	0	95.8	69.6	137				
1,2,4-Trimethylbenzene	20.2	0.500	20.00	0	101	80	123				
Hexachloro-1,3-butadiene	20.9	1.00	20.00	0	105	74.3	148				
Naphthalene	19.5	1.25	20.00	0	97.6	74.3	124				
1,2,3-Trichlorobenzene	18.5	1.00	20.00	0	92.6	71.9	129				
Surr: Dibromofluoromethane	26.7		25.00		107	79.9	122				
Surr: Toluene-d8	25.5		25.00		102	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.2		25.00		96.7	79.7	120				

Work Order: 2511248
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104766C		SampType: CCV		Units: µg/L		Prep Date: 11/17/2025		RunNo: 104766			
Client ID: CCV		Batch ID: R104766				Analysis Date: 11/17/2025		SeqNo: 2185955			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	20.3	0.200	20.00	0	101	80	120				
cis-1,2-Dichloroethene	20.4	0.500	20.00	0	102	80	120				
Trichloroethene (TCE)	18.0	0.500	20.00	0	90.2	80	120				
Tetrachloroethene (PCE)	20.0	0.500	20.00	0	100	80	120				
Surr: Dibromofluoromethane	25.6		25.00		102	80	120				
Surr: Toluene-d8	24.7		25.00		98.9	80	120				
Surr: 1-Bromo-4-fluorobenzene	23.9		25.00		95.8	80	120				

Client Name: AC

Work Order Number: 2511248

Logged by: Clare Griggs

Date Received: 11/10/2025 3:25:00 PM

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes ☐ No ☐ Not Present ☒
4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all items received at a temperature of >2°C to 6°C * Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. Is there headspace in the VOA vials? Yes ☐ No ☒ NA ☐
11. Did all samples containers arrive in good condition(unbroken)? Yes ☒ No ☐
12. Does paperwork match bottle labels? Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all hold times (except field parameters, pH e.g.) able to be met? Yes ☒ No ☐

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:		Date:	
By Whom:		Via:	☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:			
Client Instructions:			

17. Additional remarks:

Item Information

Item #	Temp °C
Sample	2.8

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11/10/25 Page: 1 of 2

Laboratory Project No (Internal): 2511248

Project Name: 700 Dexter

Project No: AS240461

Special Remarks:
Please bill to WD - AS240461 - 8485. on compa.

Collected by: M. Elliot E. Rusem J. Ravilla

Short hold time due to Nitrate samples!

Location: 700 Dexter

Report To (PM): Hannan Coven + Lea Kane

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Client: Geosyntec Consultants
Address: 801 5th Ave, Suite 2200
City, State, Zip: Seattle, WA 98104
Telephone: 206-480-7724

Email(s): Hannan.Coven@geosyntec.com Lea.Kane@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCs (EPA 8260 / 624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCID)	Diesel/Heavy Oil Range Organics (HX)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8082 / 608)	Metals** (EPA 6020 / 200.8)	Total (T) Dissolved (D)	Anions (IC)**	EDB (8011)	Dissolved Gases (RSC175)	Alkalinity (EPA 300.2)	TDS (9060A)	Comments	
1 MW-161-251110	11/10/25	1115	GW	3	X								X	X	X	X	X				
2 W-MW-01-251110	11/10/25	1210	GW	9	X								X	X	X	X	X				
3 MW-145R-251110	11/10/25	1340	GW	9	X								X	X	X	X	X				
4 GW-251110-EP	11/10/25	1430	GW	9	X								X	X	X	X	X				Sample Name: GW-251110
5 MW-11-251110-EP	11/10/25	1100	GW	9	X								X	X	X	X	X				Sample Name: MW11-251110
6 MW-312-251110	11/10/25	1234	GW	3	X																
7 MW-914-251110	11/10/25	1240	GW	3	X																
8 MW-311-251110	11/10/25	1414	GW	3	X																
9 MW-915-251110	11/10/25	1424	GW	3	X																
10 MW-310-251110	11/10/25	1409	GW	3	X																

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Ce Hg K Mg Mn Mo Na Ni Pb Sb Se Sr Sn Tl Ti V Zn

**Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate-Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Turn-around Time:
☒ Standard ☐ Next Day
☐ 3 Day ☐ Same Day
☐ 2 Day (specify)

Relinquished (Signature) Emily Rusan Date/Time 11/10/25 1525 Received (Signature) Arthur Wells Date/Time 11/10/25 1545
Relinquished (Signature) Emily Rusan Print Name Emily Rusan Date/Time 11/10/25 1525 Received (Signature) Arthur Wells Print Name Arthur Wells Date/Time 11/10/25 1545

Chain of Custody Record & Laboratory Services Agreement

Client: Geosyntec Consultants

Address: 801 5th Ave, Suite 2200

City, State, Zip: Seattle, WA 98104

Telephone: 206-780-7724

Email(s): Hannah.Cohen@geosyntec.com; Lea.Kane@geosyntec.com

Date: 11/10/25

Page: 2 of 2

Project Name: 700 Dexter

Project No: AS2404161

Collected by: M. Elliott, E. Ruesen, J. Rawville

Location: 700 Dexter

Report To (PM): Hannah Cohen + Lea Kane

Laboratory Project No (Internal): 2511248

Special Remarks:

Please bill to WD-AS2404161-8485 through Coupa.

Nitrate Analysis - short haul time

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCs (EPA 8260) 624	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCD)	Diesel/Heavy Oil Range Organics (DH)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8082 / 8081)	Metals** (EPA 8210/200.8)	Total (D)	Disinfectant (D)	Anions (IC)**	EDB (8011)	Dissolved Gases (EPA 8012)	Alkalinity (EPA 8012)	TDS (9010)	Comments
1 MW-308-251110	11/10/25	1236	GW	3	X																
2 MW-309-251110	11/10/25	1204	GW	3	X																
3 SCL-MW101-251110	11/10/25	1126	GW	3	X																
4 MW126-251110	11/10/25	1050	GW	3	X																
5 MW-231-251110	11/10/25	1015	GW	3	X																
6 TRIP-251110	11/10/25	-	GW	1	X																
7																					
8																					
9																					
10																					

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Fe Hg K Mg Mn Mo Na Ni Pb Sb Se Sr Sn Ti Tl V Zn

**Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide Iodide O-Phosphate Fluoride Nitrate-Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished (Signature) Emily Ruesen Print Name Emily Ruesen Date/Time 11/10/25 15:23

Relinquished (Signature) Emily Ruesen Print Name Emily Ruesen Date/Time 11/10/25 15:23

Received (Signature) [Signature] Print Name Nathan Wells Date/Time 11/10/25 15:25

Received (Signature) [Signature] Print Name Nathan Wells Date/Time 11/10/25 15:25

Turn-around Time:
☒ Standard ☐ Next Day
☐ 3 Day ☐ Same Day
☐ 2 Day (specify)



Analytical Resources, LLC
Analytical Chemists and Consultants
Tukwila, WA

28 November 2025

Brianna Barnes
Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle, WA 98103

RE: TOC (2511248)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)

25K0251

Associated SDG ID(s)

N/A

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.



Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Phillip Bates, Project Manager



Alliance Technical Group, LLC -
 Seattle
 3600 Fremont Ave N
 Seattle, WA 98103
 TEL: 206-352-3790
 FAX: 206-352-7178
 Website: www.fremontanalytical.com

SUB CONTRACTOR: ARI		COMPANY: Analytical Resources Inc.		SPECIAL INSTRUCTIONS / COMMENTS: Standard TAT. Please email results to SEA.PM@alliancetg.com and invoices to both SEA.PM@alliancetg.com and ap@alliancetg.com.			
ADDRESS: 4611 South 134th Place, Suite 100							
CITY, STATE, ZIP: Tukwila, WA 98168							
PHONE: (206) 695-6200 FAX: EMAIL:							
ACCOUNT #:							
ITEM #	SAMPLE ID	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS	COMMENTS: Methanol Preserved Weights HOT Sample Notation, Additional Sample Description.
1	2511248-002C	W-MW-01-251110	AMBER 250ML H	Groundwater	11/10/2025 12:10:00 PM	1	EPA 9060
	C-TOC-W-9060						
2	2511248-003C	MW-145R-251110	AMBER 250ML H	Groundwater	11/10/2025 1:40:00 PM	1	EPA 9060
	C-TOC-W-9060						
3	2511248-004C	EQ-251110	AMBER 250ML H	Groundwater	11/10/2025 2:30:00 PM	1	EPA 9060
	C-TOC-W-9060						
4	2511248-005C	MW111-251110	AMBER 250ML H	Groundwater	11/10/2025 11:00:00 AM	1	EPA 9060
	C-TOC-W-9060						

Relinquished By: 	Date: 11/11/25	Time: 1130	Received By: 	Date: 11/11/25	Time: 1507	REPORT TRANSMITTAL DESIRED: ☐ HARDCOPY (extra cost) ☐ FAX ☐ EMAIL ☐ ONLINE FOR LAB USE ONLY Temp of samples _____ °C Attempt to Cool ? _____ Comments: _____
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
TAT: Standard ☐ RUSH Next BD ☐ 2nd BD ☐ 3rd BD ☐ Note: RUSH requests will incur surcharges!						Page 95 of 106



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511248
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:03

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
W-MW-01-251110	25K0251-01	Water	10-Nov-2025 12:10	11-Nov-2025 15:07
MW-145R-251110	25K0251-02	Water	10-Nov-2025 13:40	11-Nov-2025 15:07
EQ-251110	25K0251-03	Water	10-Nov-2025 14:30	11-Nov-2025 15:07
MW111-251110	25K0251-04	Water	10-Nov-2025 11:00	11-Nov-2025 15:07



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511248
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:03

Work Order Case Narrative

Client: Alliance Technical Group, LLC.

Project: TOC

Project Number: 2511248

Work Order: 25K0251

Sample receipt

The sample(s) as listed on the preceding page were received 11-Nov-2025 15:07 under ARI work order 25K0251. For details regarding sample receipt, please refer to the Cooler Receipt Form.

Wet Chemistry

The sample(s) were prepared and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.



WORK ORDER

25K0251

Client: Alliance Technical Group, LLC.

Project Manager: Phillip Bates

Project: TOC

Project Number: 2511248

Preservation Confirmation

Container ID	Container Type	pH	pH Paper Lot#: <u>N000119</u>
25K0251-01 A	Glass NM, Amber, 250 mL, 9N H2SO4	< 2	
25K0251-02 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0251-03 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0251-04 A	Glass NM, Amber, 250 mL, 9N H2SO4		

NDT
Preservation Confirmed By

11/11/25
Date



Cooler Receipt Form

ARI Client: Alliance

Project Name: TOC

COC No(s): NA

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: 25K0251

Tracking No: NA

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler?	YES	<u>NO</u>
Were custody papers included with the cooler?	<u>YES</u>	NO
Were custody papers properly filled out (ink, signed, etc.)	<u>YES</u>	NO
Temperature of Cooler(s) (°C) Time <u>1507</u> <u>5.5</u>	Temp Gun ID#: <u>8117</u>	
Was a temperature blank included in the cooler?	YES	<u>NO</u>
Were coolers received between 0° - 6° (°C)	<u>YES</u>	NO
Was sufficient ice used (if appropriate)?	NA	<u>YES</u> NO

Cooler Accepted by: SA Date: 11/11/25 Time: 1507

Complete custody forms and attach all shipping documents

Log-In Phase:

What kind of packing material was used? Bubble Wrap Wet Ice Gel Packs Baggies Foam Block N/A Other: _____

Are any samples that were out of temperature compliance documented in LIMS? YES NO

How were bottles sealed in plastic bags? _____	Individually	Grouped	<u>Not</u>
Did all bottles arrive in good condition (unbroken)? _____		<u>YES</u>	NO
Were all bottle labels complete and legible? _____		<u>YES</u>	NO
Did the number of containers listed on COC match with the number of containers received? _____		<u>YES</u>	NO
Did all bottle labels and tags agree with custody papers? _____		<u>YES</u>	NO
Were all bottles used correct for the requested analyses? _____		<u>YES</u>	NO
Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ...	NA	<u>YES</u>	NO
Were all VOC vials free of air bubbles? _____	<u>NA</u>	YES	NO
Was sufficient amount of sample sent in each bottle? _____		<u>YES</u>	NO
Date VOC Trip Blank was made at ARI _____	<u>NA</u>		

Were the sample(s) split by ARI? NA YES Date/Time: _____ Equipment: _____ Split by: _____

Samples Logged by: NDT Date: 11/11/25 Time: 1558 Labels checked by: NDT

**** Notify Project Manager of discrepancies or concerns ****

Additional Notes, Discrepancies, & Resolutions:

By: _____ Date: _____



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511248
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:03

W-MW-01-251110
25K0251-01 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/10/2025 12:10

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 11:55

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0251-01 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	72.79	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511248
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:03

MW-145R-251110
25K0251-02 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/10/2025 13:40

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 12:13

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0251-02 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	20.84	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511248
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:03

EQ-251110
25K0251-03 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/10/2025 14:30

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 12:45

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0251-03 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	0.57	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511248
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:03

MW111-251110
25K0251-04 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/10/2025 11:00

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 13:03

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0251-04 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	9.82	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511248
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:03

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BNK0443 - EPA 9060A in Water

Instrument: TOC-LCSH Analyst: RMS

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Blank (BNK0443-BLK1)					Prepared: 25-Nov-2025 Analyzed: 25-Nov-2025 07:10					
Total Organic Carbon	ND	0.50	0.50	mg/L						U
LCS (BNK0443-BS1)					Prepared: 25-Nov-2025 Analyzed: 25-Nov-2025 07:28					
Total Organic Carbon	20.61	0.50	0.50	mg/L	20.00	103	90-110			



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511248
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:03

Uncertified Analytes included in this Report

Analysis Matrix & Analyte

None

Certified Analyses included in this Report

Analysis Matrix & Analyte

Certification Codes

EPA 9060A in Water

Total Organic Carbon

DoD-ELAP,WADOE,NELAP

Certifications

Code	Description	Number	Expires
DoD-ELAP	DoD-Environmental Laboratory Accreditation Program, PJLA Testing	66169	01/31/2026
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-018	05/12/2026
WADOE	WA Dept of Ecology	C558	06/30/2026



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511248
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:03

Notes and Definitions

- * Flagged value is not within established control limits.
- U This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- [2C] Indicates this result was quantified on the second column on a dual column analysis.
- ! Indicates that ARL is NOT ACCREDITED for this parameter in samples logged as 'Drinking Water'
- # Indicates that ARL is NOT ACCREDITED for this parameter in this analysis and matrix.

Geosyntec Consultants

Hannah Cohen

801 5th Ave Suite 2200

Seattle, WA 98104

RE: 700 Dexter, WO-AS240461-8485

Work Order Number: 2511275

December 01, 2025

Attention Hannah Cohen:

Alliance Technical Group, LLC - Seattle received 14 sample(s) on 11/11/2025 for the analyses presented in the following report.

Dissolved Gases by RSK-175

Ion Chromatography by EPA 300.0

Total Alkalinity by EPA 310.2

Total Alkalinity by SM 2320B

Total Metals by EPA 6020B

Total Organic Carbon by SM 5310C

Volatile Organic Compounds by EPA 8260D

All analyses were performed according to our accredited Quality Assurance program. Please contact the laboratory if you should have any questions about the results.

Alliance Technical Group is committed to accuracy, speed, and customer service. Thank you for choosing Alliance Technical Group's Seattle laboratory team for your analytical needs. We appreciate this opportunity to serve you!

Sincerely,



Brianna Barnes
Project Manager

CC:

Lea Kane

DoD-ELAP Accreditation #79636 by PJLA, ISO/IEC 17025:2017 and QSM 5.4 for Environmental Testing
ORELAP Certification: WA 100009 (NELAP Recognized) for Environmental Testing
Washington State Department of Ecology Accredited for Environmental Testing, Lab ID C910

Revision v1



CLIENT: Geosyntec Consultants
Project: 700 Dexter
Work Order: 2511275

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
2511275-001	FMW-131-251111	11/11/2025 9:48 AM	11/11/2025 3:02 PM
2511275-002	MW-341-251111	11/11/2025 10:15 AM	11/11/2025 3:02 PM
2511275-003	FMW-129-251111	11/11/2025 10:25 AM	11/11/2025 3:02 PM
2511275-004	GEI-2-251111	11/11/2025 10:26 AM	11/11/2025 3:02 PM
2511275-005	MW-328-251111	11/11/2025 11:09 AM	11/11/2025 3:02 PM
2511275-006	GEI-MW-1-251111	11/11/2025 11:22 AM	11/11/2025 3:02 PM
2511275-007	MW-326R-251111	11/11/2025 12:00 PM	11/11/2025 3:02 PM
2511275-008	MW-327-251111	11/11/2025 12:04 PM	11/11/2025 3:02 PM
2511275-009	MW107-251111	11/11/2025 12:27 PM	11/11/2025 3:02 PM
2511275-010	MW-340-251111	11/11/2025 12:38 PM	11/11/2025 3:02 PM
2511275-011	MW-325-251111	11/11/2025 1:00 PM	11/11/2025 3:02 PM
2511275-012	MW-338-251111	11/11/2025 1:19 PM	11/11/2025 3:02 PM
2511275-013	EQ-251111	11/11/2025 1:45 PM	11/11/2025 3:02 PM
2511275-014	TRIP-251111	11/11/2025 12:00 AM	11/11/2025 3:02 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

CLIENT: Geosyntec Consultants

Project: 700 Dexter

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

Matrix Spike (MS) and MS Duplicate (MSD) samples are tested from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. The sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

2511275-002C, 003C, 005C, 009C, 013C
C-TOC-W-5310C has been Sub Contracted.

1/9/2026: Rev1 includes additional continued calibration samples for EPA 300.0 per client request.

Qualifiers:

- * - Associated LCS is outside of control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Method Detection Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- DUP - Sample Duplicate
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MCL - Maximum Contaminant Level
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- REP - Sample Replicate
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate



Analytical Report

Work Order: 2511275

Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 9:48:00 AM

Project: 700 Dexter

Lab ID: 2511275-001

Matrix: Groundwater

Client Sample ID: FMW-131-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 19:43:08
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 19:43:08
Vinyl chloride	1.57	0.200	0.0455		µg/L	1	11/14/25 19:43:08
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 19:43:08
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 19:43:08
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 19:43:08
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 19:43:08
Acetone	ND	5.00	2.55	Q	µg/L	1	11/14/25 19:43:08
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 19:43:08
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 19:43:08
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 19:43:08
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 19:43:08
cis-1,2-Dichloroethene	1.61	0.500	0.164		µg/L	1	11/14/25 19:43:08
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 19:43:08
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 19:43:08
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 19:43:08
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 19:43:08
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 19:43:08
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 19:43:08
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 19:43:08
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 19:43:08
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 19:43:08
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 19:43:08
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 19:43:08
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 19:43:08
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 19:43:08
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 19:43:08
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 19:43:08
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 19:43:08
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 19:43:08
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 19:43:08

Client: Geosyntec Consultants

Collection Date: 11/11/2025 9:48:00 AM

Project: 700 Dexter

Lab ID: 2511275-001

Matrix: Groundwater

Client Sample ID: FMW-131-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 19:43:08
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 19:43:08
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/14/25 19:43:08
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 19:43:08
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 19:43:08
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 19:43:08
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 19:43:08
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 19:43:08
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 19:43:08
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 19:43:08
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 19:43:08
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 19:43:08
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 19:43:08
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 19:43:08
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 19:43:08
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 19:43:08
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 19:43:08
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 19:43:08
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 19:43:08
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 19:43:08
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 19:43:08
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 19:43:08
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 19:43:08
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 19:43:08
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 19:43:08
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 19:43:08
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 19:43:08
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 19:43:08
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 19:43:08
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 19:43:08
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 19:43:08



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 9:48:00 AM

Project: 700 Dexter

Lab ID: 2511275-001

Matrix: Groundwater

Client Sample ID: FMW-131-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50039

Analyst: KJ

Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/14/25 19:43:08
Surr: Toluene-d8	98.1	80 - 121			%Rec	1	11/14/25 19:43:08
Surr: 1-Bromo-4-fluorobenzene	90.3	79.7 - 120			%Rec	1	11/14/25 19:43:08

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 10:15:00 AM

Project: 700 Dexter

Lab ID: 2511275-002

Matrix: Groundwater

Client Sample ID: MW-341-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10486		Analyst: BCA	
Methane	0.360	0.0100	0.00901	D	mg/L	2	11/20/25 12:44:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/20/25 11:34:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/20/25 11:34:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50039		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 23:05:26
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 23:05:26
Vinyl chloride	69.9	2.00	0.455	D	µg/L	10	11/17/25 13:57:03
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 23:05:26
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 23:05:26
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 23:05:26
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 23:05:26
Acetone	ND	5.00	2.55	Q	µg/L	1	11/14/25 23:05:26
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 23:05:26
trans-1,2-Dichloroethene	0.160	0.500	0.115	J	µg/L	1	11/14/25 23:05:26
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 23:05:26
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 23:05:26
cis-1,2-Dichloroethene	42.6	5.00	1.64	D	µg/L	10	11/17/25 13:57:03
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 23:05:26
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 23:05:26
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 23:05:26
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 23:05:26
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 23:05:26
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 23:05:26
Benzene	23.7	0.200	0.0540		µg/L	1	11/14/25 23:05:26
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 23:05:26
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 23:05:26
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 23:05:26
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 23:05:26
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 23:05:26
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 23:05:26
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 23:05:26



Analytical Report

Work Order: 2511275

Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 10:15:00 AM

Project: 700 Dexter

Lab ID: 2511275-002

Matrix: Groundwater

Client Sample ID: MW-341-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 23:05:26
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 23:05:26
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 23:05:26
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 23:05:26
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 23:05:26
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 23:05:26
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/14/25 23:05:26
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 23:05:26
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 23:05:26
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 23:05:26
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 23:05:26
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 23:05:26
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 23:05:26
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 23:05:26
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 23:05:26
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 23:05:26
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 23:05:26
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 23:05:26
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 23:05:26
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 23:05:26
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 23:05:26
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 23:05:26
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 23:05:26
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 23:05:26
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 23:05:26
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 23:05:26
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 23:05:26
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 23:05:26
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 23:05:26
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 23:05:26
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 23:05:26

Client: Geosyntec Consultants

Collection Date: 11/11/2025 10:15:00 AM

Project: 700 Dexter

Lab ID: 2511275-002

Matrix: Groundwater

Client Sample ID: MW-341-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 23:05:26
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 23:05:26
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 23:05:26
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 23:05:26
Surr: Dibromofluoromethane	106	79.9 - 122			%Rec	1	11/14/25 23:05:26
Surr: Dibromofluoromethane	102	79.9 - 122		D	%Rec	10	11/17/25 13:57:03
Surr: Toluene-d8	95.3	80 - 121		D	%Rec	10	11/17/25 13:57:03
Surr: Toluene-d8	98.3	80 - 121			%Rec	1	11/14/25 23:05:26
Surr: 1-Bromo-4-fluorobenzene	93.0	79.7 - 120		D	%Rec	10	11/17/25 13:57:03
Surr: 1-Bromo-4-fluorobenzene	90.8	79.7 - 120			%Rec	1	11/14/25 23:05:26

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 49995 Analyst: BB

Chloride	21.0	0.600	0.0609		mg/L	1	11/12/25 10:45:00
Nitrate (as N)	0.0540	0.150	0.0258	J	mg/L	1	11/12/25 10:45:00
Sulfate	118	10.0	2.86	D	mg/L	10	11/20/25 0:49:00

Total Metals by EPA 6020B

Batch ID: 50012 Analyst: ME

Iron	8,930	50.0	10.1		µg/L	1	11/13/25 23:59:00
Manganese	850	0.500	0.208		µg/L	1	11/13/25 23:59:00

Total Alkalinity by EPA 310.2

Batch ID: R10498 Analyst: NR

Alkalinity, Total (As CaCO3)	457	200	100	D	mg/L	20	11/25/25 11:05:00
------------------------------	-----	-----	-----	---	------	----	-------------------

Client: Geosyntec Consultants

Collection Date: 11/11/2025 10:25:00 AM

Project: 700 Dexter

Lab ID: 2511275-003

Matrix: Groundwater

Client Sample ID: FMW-129-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10486		Analyst: BCA	
Methane	ND	0.00500	0.00451		mg/L	1	11/20/25 11:36:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/20/25 11:36:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/20/25 11:36:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50039		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 22:14:52
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 22:14:52
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/14/25 22:14:52
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 22:14:52
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 22:14:52
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 22:14:52
1,1-Dichloroethene	0.528	0.500	0.122		µg/L	1	11/14/25 22:14:52
Acetone	ND	5.00	2.55	Q	µg/L	1	11/14/25 22:14:52
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 22:14:52
trans-1,2-Dichloroethene	0.856	0.500	0.115		µg/L	1	11/14/25 22:14:52
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 22:14:52
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 22:14:52
cis-1,2-Dichloroethene	135	5.00	1.64	D	µg/L	10	11/17/25 14:22:20
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 22:14:52
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 22:14:52
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 22:14:52
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 22:14:52
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 22:14:52
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 22:14:52
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 22:14:52
Trichloroethene (TCE)	57.4	5.00	1.35	D	µg/L	10	11/17/25 14:22:20
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 22:14:52
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 22:14:52
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 22:14:52
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 22:14:52
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 22:14:52
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 22:14:52



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 10:25:00 AM

Project: 700 Dexter

Lab ID: 2511275-003

Matrix: Groundwater

Client Sample ID: FMW-129-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 22:14:52
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 22:14:52
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 22:14:52
Tetrachloroethene (PCE)	50.2	5.00	1.02	D	µg/L	10	11/17/25 14:22:20
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 22:14:52
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 22:14:52
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/14/25 22:14:52
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 22:14:52
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 22:14:52
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 22:14:52
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 22:14:52
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 22:14:52
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 22:14:52
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 22:14:52
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 22:14:52
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 22:14:52
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 22:14:52
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 22:14:52
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 22:14:52
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 22:14:52
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 22:14:52
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 22:14:52
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 22:14:52
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 22:14:52
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 22:14:52
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 22:14:52
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 22:14:52
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 22:14:52
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 22:14:52
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 22:14:52
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 22:14:52



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 10:25:00 AM

Project: 700 Dexter

Lab ID: 2511275-003

Matrix: Groundwater

Client Sample ID: FMW-129-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 22:14:52
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 22:14:52
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 22:14:52
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 22:14:52
Surr: Dibromofluoromethane	105	79.9 - 122			%Rec	1	11/14/25 22:14:52
Surr: Dibromofluoromethane	100	79.9 - 122		D	%Rec	10	11/17/25 14:22:20
Surr: Toluene-d8	95.3	80 - 121		D	%Rec	10	11/17/25 14:22:20
Surr: Toluene-d8	97.6	80 - 121			%Rec	1	11/14/25 22:14:52
Surr: 1-Bromo-4-fluorobenzene	93.3	79.7 - 120		D	%Rec	10	11/17/25 14:22:20
Surr: 1-Bromo-4-fluorobenzene	91.3	79.7 - 120			%Rec	1	11/14/25 22:14:52

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 49995 Analyst: BB

Chloride	17.5	0.600	0.0609		mg/L	1	11/12/25 10:58:00
Nitrate (as N)	1.03	0.150	0.0258		mg/L	1	11/12/25 10:58:00
Sulfate	92.5	10.0	2.86	D	mg/L	10	11/20/25 1:02:00

Total Metals by EPA 6020B

Batch ID: 50012 Analyst: ME

Iron	85.9	50.0	10.1		µg/L	1	11/14/25 0:02:00
Manganese	199	0.500	0.208		µg/L	1	11/14/25 0:02:00

Total Alkalinity by EPA 310.2

Batch ID: R10498 Analyst: NR

Alkalinity, Total (As CaCO3)	169	50.0	25.0	D	mg/L	5	11/25/25 11:07:00
------------------------------	-----	------	------	---	------	---	-------------------



Analytical Report

Work Order: 2511275

Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 10:26:00 AM

Project: 700 Dexter

Lab ID: 2511275-004

Matrix: Groundwater

Client Sample ID: GEI-2-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 20:08:24
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 20:08:24
Vinyl chloride	6.21	0.200	0.0455		µg/L	1	11/14/25 20:08:24
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 20:08:24
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 20:08:24
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 20:08:24
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 20:08:24
Acetone	ND	5.00	2.55	Q	µg/L	1	11/14/25 20:08:24
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 20:08:24
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 20:08:24
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 20:08:24
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 20:08:24
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 20:08:24
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 20:08:24
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 20:08:24
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 20:08:24
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 20:08:24
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 20:08:24
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 20:08:24
Benzene	3.12	0.200	0.0540		µg/L	1	11/14/25 20:08:24
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 20:08:24
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 20:08:24
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 20:08:24
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 20:08:24
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 20:08:24
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 20:08:24
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 20:08:24
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 20:08:24
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 20:08:24
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 20:08:24
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 20:08:24

Client: Geosyntec Consultants

Collection Date: 11/11/2025 10:26:00 AM

Project: 700 Dexter

Lab ID: 2511275-004

Matrix: Groundwater

Client Sample ID: GEI-2-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 20:08:24
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 20:08:24
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/14/25 20:08:24
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 20:08:24
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 20:08:24
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 20:08:24
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 20:08:24
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 20:08:24
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 20:08:24
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 20:08:24
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 20:08:24
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 20:08:24
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 20:08:24
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 20:08:24
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 20:08:24
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 20:08:24
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 20:08:24
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 20:08:24
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 20:08:24
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 20:08:24
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 20:08:24
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 20:08:24
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 20:08:24
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 20:08:24
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 20:08:24
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 20:08:24
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 20:08:24
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 20:08:24
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 20:08:24
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 20:08:24
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 20:08:24



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 10:26:00 AM

Project: 700 Dexter

Lab ID: 2511275-004

Matrix: Groundwater

Client Sample ID: GEI-2-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50039

Analyst: KJ

Surr: Dibromofluoromethane	106	79.9 - 122			%Rec	1	11/14/25 20:08:24
Surr: Toluene-d8	98.8	80 - 121			%Rec	1	11/14/25 20:08:24
Surr: 1-Bromo-4-fluorobenzene	90.6	79.7 - 120			%Rec	1	11/14/25 20:08:24

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Client: Geosyntec Consultants

Collection Date: 11/11/2025 11:09:00 AM

Project: 700 Dexter

Lab ID: 2511275-005

Matrix: Groundwater

Client Sample ID: MW-328-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10486		Analyst: BCA	
Methane	0.165	0.00500	0.00451		mg/L	1	11/20/25 11:39:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/20/25 11:39:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/20/25 11:39:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50039		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 20:33:43
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 20:33:43
Vinyl chloride	0.0525	0.200	0.0455	J	µg/L	1	11/14/25 20:33:43
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 20:33:43
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 20:33:43
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 20:33:43
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 20:33:43
Acetone	ND	5.00	2.55	Q	µg/L	1	11/14/25 20:33:43
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 20:33:43
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 20:33:43
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 20:33:43
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 20:33:43
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 20:33:43
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 20:33:43
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 20:33:43
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 20:33:43
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 20:33:43
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 20:33:43
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 20:33:43
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 20:33:43
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 20:33:43
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 20:33:43
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 20:33:43
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 20:33:43
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 20:33:43
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 20:33:43
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 20:33:43



Analytical Report

Work Order: 2511275

Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 11:09:00 AM

Project: 700 Dexter

Lab ID: 2511275-005

Matrix: Groundwater

Client Sample ID: MW-328-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 20:33:43
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 20:33:43
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 20:33:43
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 20:33:43
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 20:33:43
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 20:33:43
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/14/25 20:33:43
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 20:33:43
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 20:33:43
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 20:33:43
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 20:33:43
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 20:33:43
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 20:33:43
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 20:33:43
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 20:33:43
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 20:33:43
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 20:33:43
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 20:33:43
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 20:33:43
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 20:33:43
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 20:33:43
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 20:33:43
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 20:33:43
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 20:33:43
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 20:33:43
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 20:33:43
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 20:33:43
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 20:33:43
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 20:33:43
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 20:33:43
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 20:33:43

Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 11:09:00 AM

Project: 700 Dexter

Lab ID: 2511275-005

Matrix: Groundwater

Client Sample ID: MW-328-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50039		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 20:33:43
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 20:33:43
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 20:33:43
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 20:33:43
Surr: Dibromofluoromethane	108	79.9 - 122			%Rec	1	11/14/25 20:33:43
Surr: Toluene-d8	99.2	80 - 121			%Rec	1	11/14/25 20:33:43
Surr: 1-Bromo-4-fluorobenzene	89.9	79.7 - 120			%Rec	1	11/14/25 20:33:43

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 49995		Analyst: BB	
Chloride	2.12	1.20	0.122	D	mg/L	2	11/12/25 11:10:00
Nitrate (as N)	ND	0.300	0.0516	D	mg/L	2	11/12/25 11:10:00
Sulfate	14.9	10.0	2.86	D	mg/L	10	11/20/25 1:14:00

<u>Total Metals by EPA 6020B</u>				Batch ID: 50012		Analyst: ME	
Iron	599	50.0	10.1		µg/L	1	11/14/25 0:06:00
Manganese	17.1	0.500	0.208		µg/L	1	11/14/25 0:06:00

<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10498		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	92.0	40.0	20.0	D	mg/L	4	11/25/25 11:08:00



Analytical Report

Work Order: 2511275

Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 11:22:00 AM

Project: 700 Dexter

Lab ID: 2511275-006

Matrix: Groundwater

Client Sample ID: GEI-MW-1-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 20:59:01
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 20:59:01
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/14/25 20:59:01
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 20:59:01
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 20:59:01
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 20:59:01
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 20:59:01
Acetone	ND	5.00	2.55	Q	µg/L	1	11/14/25 20:59:01
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 20:59:01
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 20:59:01
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 20:59:01
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 20:59:01
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 20:59:01
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 20:59:01
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 20:59:01
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 20:59:01
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 20:59:01
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 20:59:01
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 20:59:01
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 20:59:01
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 20:59:01
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 20:59:01
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 20:59:01
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 20:59:01
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 20:59:01
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 20:59:01
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 20:59:01
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 20:59:01
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 20:59:01
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 20:59:01
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 20:59:01

Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 11:22:00 AM

Project: 700 Dexter

Lab ID: 2511275-006

Matrix: Groundwater

Client Sample ID: GEI-MW-1-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 20:59:01
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 20:59:01
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/14/25 20:59:01
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 20:59:01
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 20:59:01
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 20:59:01
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 20:59:01
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 20:59:01
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 20:59:01
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 20:59:01
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 20:59:01
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 20:59:01
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 20:59:01
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 20:59:01
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 20:59:01
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 20:59:01
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 20:59:01
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 20:59:01
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 20:59:01
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 20:59:01
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 20:59:01
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 20:59:01
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 20:59:01
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 20:59:01
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 20:59:01
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 20:59:01
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 20:59:01
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 20:59:01
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 20:59:01
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 20:59:01
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 20:59:01



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 11:22:00 AM

Project: 700 Dexter

Lab ID: 2511275-006

Matrix: Groundwater

Client Sample ID: GEI-MW-1-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50039

Analyst: KJ

Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/14/25 20:59:01
Surr: Toluene-d8	98.6	80 - 121			%Rec	1	11/14/25 20:59:01
Surr: 1-Bromo-4-fluorobenzene	91.5	79.7 - 120			%Rec	1	11/14/25 20:59:01

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 12:00:00 PM

Project: 700 Dexter

Lab ID: 2511275-007

Matrix: Groundwater

Client Sample ID: MW-326R-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 21:24:18
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 21:24:18
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/14/25 21:24:18
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 21:24:18
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 21:24:18
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 21:24:18
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 21:24:18
Acetone	ND	5.00	2.55	Q	µg/L	1	11/14/25 21:24:18
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 21:24:18
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 21:24:18
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 21:24:18
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 21:24:18
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 21:24:18
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 21:24:18
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 21:24:18
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 21:24:18
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 21:24:18
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 21:24:18
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 21:24:18
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 21:24:18
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 21:24:18
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 21:24:18
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 21:24:18
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 21:24:18
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 21:24:18
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 21:24:18
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 21:24:18
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 21:24:18
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 21:24:18
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 21:24:18
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 21:24:18

Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 12:00:00 PM

Project: 700 Dexter

Lab ID: 2511275-007

Matrix: Groundwater

Client Sample ID: MW-326R-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 21:24:18
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 21:24:18
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/14/25 21:24:18
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 21:24:18
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 21:24:18
Ethylbenzene	0.260	0.500	0.125	J	µg/L	1	11/14/25 21:24:18
m,p-Xylene	0.798	1.00	0.289	J	µg/L	1	11/14/25 21:24:18
o-Xylene	0.277	0.500	0.144	J	µg/L	1	11/14/25 21:24:18
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 21:24:18
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 21:24:18
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 21:24:18
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 21:24:18
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 21:24:18
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 21:24:18
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 21:24:18
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 21:24:18
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 21:24:18
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 21:24:18
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 21:24:18
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 21:24:18
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 21:24:18
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 21:24:18
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 21:24:18
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 21:24:18
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 21:24:18
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 21:24:18
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 21:24:18
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 21:24:18
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 21:24:18
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 21:24:18
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 21:24:18



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 12:00:00 PM

Project: 700 Dexter

Lab ID: 2511275-007

Matrix: Groundwater

Client Sample ID: MW-326R-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50039

Analyst: KJ

Surr: Dibromofluoromethane	108	79.9 - 122			%Rec	1	11/14/25 21:24:18
Surr: Toluene-d8	99.0	80 - 121			%Rec	1	11/14/25 21:24:18
Surr: 1-Bromo-4-fluorobenzene	91.4	79.7 - 120			%Rec	1	11/14/25 21:24:18

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Client: Geosyntec Consultants

Collection Date: 11/11/2025 12:04:00 PM

Project: 700 Dexter

Lab ID: 2511275-008

Matrix: Groundwater

Client Sample ID: MW-327-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 22:40:11
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 22:40:11
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/14/25 22:40:11
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 22:40:11
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 22:40:11
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 22:40:11
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 22:40:11
Acetone	ND	5.00	2.55	Q	µg/L	1	11/14/25 22:40:11
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 22:40:11
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 22:40:11
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 22:40:11
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 22:40:11
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 22:40:11
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 22:40:11
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 22:40:11
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 22:40:11
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 22:40:11
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 22:40:11
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 22:40:11
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 22:40:11
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 22:40:11
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 22:40:11
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 22:40:11
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 22:40:11
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 22:40:11
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 22:40:11
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 22:40:11
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 22:40:11
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 22:40:11
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 22:40:11
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 22:40:11

Client: Geosyntec Consultants

Collection Date: 11/11/2025 12:04:00 PM

Project: 700 Dexter

Lab ID: 2511275-008

Matrix: Groundwater

Client Sample ID: MW-327-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 22:40:11
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 22:40:11
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/14/25 22:40:11
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 22:40:11
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 22:40:11
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 22:40:11
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 22:40:11
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 22:40:11
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 22:40:11
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 22:40:11
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 22:40:11
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 22:40:11
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 22:40:11
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 22:40:11
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 22:40:11
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 22:40:11
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 22:40:11
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 22:40:11
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 22:40:11
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 22:40:11
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 22:40:11
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 22:40:11
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 22:40:11
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 22:40:11
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 22:40:11
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 22:40:11
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 22:40:11
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 22:40:11
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 22:40:11
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 22:40:11
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 22:40:11



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 12:04:00 PM

Project: 700 Dexter

Lab ID: 2511275-008

Matrix: Groundwater

Client Sample ID: MW-327-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50039

Analyst: KJ

Surr: Dibromofluoromethane	107	79.9 - 122			%Rec	1	11/14/25 22:40:11
Surr: Toluene-d8	99.8	80 - 121			%Rec	1	11/14/25 22:40:11
Surr: 1-Bromo-4-fluorobenzene	90.2	79.7 - 120			%Rec	1	11/14/25 22:40:11

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Client: Geosyntec Consultants

Collection Date: 11/11/2025 12:27:00 PM

Project: 700 Dexter

Lab ID: 2511275-009

Matrix: Groundwater

Client Sample ID: MW107-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10486		Analyst: BCA	
Methane	5.99	0.500	0.450	D	mg/L	100	11/20/25 13:27:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/20/25 11:41:00
Ethane	0.161	0.0100	0.00754		mg/L	1	11/20/25 11:41:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50039		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 21:49:35
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 21:49:35
Vinyl chloride	0.944	0.200	0.0455		µg/L	1	11/14/25 21:49:35
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 21:49:35
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 21:49:35
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 21:49:35
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 21:49:35
Acetone	ND	5.00	2.55	Q	µg/L	1	11/14/25 21:49:35
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 21:49:35
trans-1,2-Dichloroethene	1.06	0.500	0.115		µg/L	1	11/14/25 21:49:35
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 21:49:35
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 21:49:35
cis-1,2-Dichloroethene	1.95	0.500	0.164		µg/L	1	11/14/25 21:49:35
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 21:49:35
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 21:49:35
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 21:49:35
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 21:49:35
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 21:49:35
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 21:49:35
Benzene	0.0698	0.200	0.0540	J	µg/L	1	11/14/25 21:49:35
Trichloroethene (TCE)	0.264	0.500	0.135	J	µg/L	1	11/14/25 21:49:35
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 21:49:35
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 21:49:35
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 21:49:35
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 21:49:35
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 21:49:35
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 21:49:35

Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 12:27:00 PM

Project: 700 Dexter

Lab ID: 2511275-009

Matrix: Groundwater

Client Sample ID: MW107-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 21:49:35
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 21:49:35
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 21:49:35
Tetrachloroethene (PCE)	0.432	0.500	0.102	J	µg/L	1	11/14/25 21:49:35
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 21:49:35
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 21:49:35
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/14/25 21:49:35
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 21:49:35
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 21:49:35
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 21:49:35
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 21:49:35
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 21:49:35
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 21:49:35
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 21:49:35
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 21:49:35
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 21:49:35
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 21:49:35
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 21:49:35
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 21:49:35
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 21:49:35
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 21:49:35
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 21:49:35
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 21:49:35
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 21:49:35
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 21:49:35
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 21:49:35
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 21:49:35
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 21:49:35
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 21:49:35
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 21:49:35
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 21:49:35

Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 12:27:00 PM

Project: 700 Dexter

Lab ID: 2511275-009

Matrix: Groundwater

Client Sample ID: MW107-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50039		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 21:49:35
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 21:49:35
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 21:49:35
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 21:49:35
Surr: Dibromofluoromethane	107	79.9 - 122			%Rec	1	11/14/25 21:49:35
Surr: Toluene-d8	99.3	80 - 121			%Rec	1	11/14/25 21:49:35
Surr: 1-Bromo-4-fluorobenzene	90.8	79.7 - 120			%Rec	1	11/14/25 21:49:35

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 49995		Analyst: BB		
Chloride	24.4	0.600	0.0609		mg/L	1	11/12/25 11:23:00
Nitrate (as N)	0.0630	0.150	0.0258	J	mg/L	1	11/12/25 11:23:00
Sulfate	3.99	10.0	2.86	DJ	mg/L	10	11/20/25 1:27:00

<u>Total Metals by EPA 6020B</u>			Batch ID: 50012		Analyst: ME		
Iron	5,610	50.0	10.1		µg/L	1	11/14/25 0:09:00
Manganese	751	0.500	0.208		µg/L	1	11/14/25 0:09:00

<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10498		Analyst: NR		
Alkalinity, Total (As CaCO ₃)	367	100	50.0	D	mg/L	10	11/25/25 11:10:00



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 12:38:00 PM

Project: 700 Dexter

Lab ID: 2511275-010

Matrix: Groundwater

Client Sample ID: MW-340-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50045		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 23:30:45
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 23:30:45
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/14/25 23:30:45
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 23:30:45
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 23:30:45
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 23:30:45
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 23:30:45
Acetone	ND	5.00	2.55	Q	µg/L	1	11/14/25 23:30:45
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 23:30:45
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 23:30:45
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 23:30:45
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 23:30:45
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 23:30:45
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 23:30:45
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 23:30:45
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 23:30:45
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 23:30:45
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 23:30:45
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 23:30:45
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 23:30:45
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 23:30:45
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 23:30:45
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 23:30:45
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 23:30:45
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 23:30:45
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 23:30:45
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 23:30:45
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 23:30:45
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 23:30:45
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 23:30:45
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 23:30:45



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 12:38:00 PM

Project: 700 Dexter

Lab ID: 2511275-010

Matrix: Groundwater

Client Sample ID: MW-340-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50045		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 23:30:45
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 23:30:45
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/14/25 23:30:45
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 23:30:45
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 23:30:45
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 23:30:45
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 23:30:45
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 23:30:45
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 23:30:45
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 23:30:45
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 23:30:45
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 23:30:45
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 23:30:45
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 23:30:45
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 23:30:45
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 23:30:45
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 23:30:45
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 23:30:45
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 23:30:45
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 23:30:45
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 23:30:45
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 23:30:45
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 23:30:45
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 23:30:45
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 23:30:45
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 23:30:45
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 23:30:45
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 23:30:45
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 23:30:45
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 23:30:45
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 23:30:45



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 12:38:00 PM

Project: 700 Dexter

Lab ID: 2511275-010

Matrix: Groundwater

Client Sample ID: MW-340-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50045

Analyst: KJ

Surr: Dibromofluoromethane	107	79.9 - 122			%Rec	1	11/14/25 23:30:45
Surr: Toluene-d8	99.3	80 - 121			%Rec	1	11/14/25 23:30:45
Surr: 1-Bromo-4-fluorobenzene	90.3	79.7 - 120			%Rec	1	11/14/25 23:30:45

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 1:00:00 PM

Project: 700 Dexter

Lab ID: 2511275-011

Matrix: Groundwater

Client Sample ID: MW-325-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50045		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 23:56:01
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 23:56:01
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/14/25 23:56:01
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 23:56:01
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 23:56:01
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 23:56:01
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 23:56:01
Acetone	ND	5.00	2.55	Q	µg/L	1	11/14/25 23:56:01
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 23:56:01
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 23:56:01
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 23:56:01
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 23:56:01
cis-1,2-Dichloroethene	1.57	0.500	0.164		µg/L	1	11/14/25 23:56:01
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 23:56:01
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 23:56:01
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 23:56:01
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 23:56:01
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 23:56:01
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 23:56:01
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 23:56:01
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 23:56:01
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 23:56:01
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 23:56:01
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 23:56:01
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 23:56:01
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 23:56:01
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 23:56:01
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 23:56:01
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 23:56:01
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 23:56:01
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 23:56:01

Client: Geosyntec Consultants

Collection Date: 11/11/2025 1:00:00 PM

Project: 700 Dexter

Lab ID: 2511275-011

Matrix: Groundwater

Client Sample ID: MW-325-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50045		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 23:56:01
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 23:56:01
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/14/25 23:56:01
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 23:56:01
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 23:56:01
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 23:56:01
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 23:56:01
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 23:56:01
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 23:56:01
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 23:56:01
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 23:56:01
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 23:56:01
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 23:56:01
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 23:56:01
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 23:56:01
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 23:56:01
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 23:56:01
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 23:56:01
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 23:56:01
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 23:56:01
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 23:56:01
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 23:56:01
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 23:56:01
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 23:56:01
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 23:56:01
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 23:56:01
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 23:56:01
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 23:56:01
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 23:56:01
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 23:56:01
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 23:56:01



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511275-011
Client Sample ID: MW-325-251111

Collection Date: 11/11/2025 1:00:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50045		Analyst: KJ	
Surr: Dibromofluoromethane	107	79.9 - 122			%Rec	1	11/14/25 23:56:01
Surr: Toluene-d8	99.9	80 - 121			%Rec	1	11/14/25 23:56:01
Surr: 1-Bromo-4-fluorobenzene	91.0	79.7 - 120			%Rec	1	11/14/25 23:56:01

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 1:19:00 PM

Project: 700 Dexter

Lab ID: 2511275-012

Matrix: Groundwater

Client Sample ID: MW-338-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50045		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/15/25 0:21:17
Chloromethane	ND	1.00	0.218		µg/L	1	11/15/25 0:21:17
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/15/25 0:21:17
Bromomethane	ND	2.00	0.386		µg/L	1	11/15/25 0:21:17
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/15/25 0:21:17
Chloroethane	ND	1.00	0.334		µg/L	1	11/15/25 0:21:17
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/15/25 0:21:17
Acetone	ND	5.00	2.55	Q	µg/L	1	11/15/25 0:21:17
Methylene chloride	ND	2.00	0.649		µg/L	1	11/15/25 0:21:17
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/15/25 0:21:17
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/15/25 0:21:17
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/15/25 0:21:17
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/15/25 0:21:17
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/15/25 0:21:17
Chloroform	ND	0.500	0.0865		µg/L	1	11/15/25 0:21:17
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/15/25 0:21:17
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/15/25 0:21:17
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/15/25 0:21:17
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/15/25 0:21:17
Benzene	ND	0.200	0.0540		µg/L	1	11/15/25 0:21:17
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/15/25 0:21:17
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/15/25 0:21:17
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/15/25 0:21:17
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/15/25 0:21:17
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/15/25 0:21:17
Toluene	ND	0.500	0.129		µg/L	1	11/15/25 0:21:17
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/15/25 0:21:17
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/15/25 0:21:17
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/15/25 0:21:17
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/15/25 0:21:17
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/15/25 0:21:17



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 1:19:00 PM

Project: 700 Dexter

Lab ID: 2511275-012

Matrix: Groundwater

Client Sample ID: MW-338-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50045		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/15/25 0:21:17
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/15/25 0:21:17
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/15/25 0:21:17
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/15/25 0:21:17
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/15/25 0:21:17
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/15/25 0:21:17
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/15/25 0:21:17
o-Xylene	ND	0.500	0.144		µg/L	1	11/15/25 0:21:17
Styrene	ND	0.500	0.115		µg/L	1	11/15/25 0:21:17
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/15/25 0:21:17
Bromoform	ND	0.500	0.0986		µg/L	1	11/15/25 0:21:17
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/15/25 0:21:17
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/15/25 0:21:17
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/15/25 0:21:17
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/15/25 0:21:17
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/15/25 0:21:17
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/15/25 0:21:17
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/15/25 0:21:17
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/15/25 0:21:17
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/15/25 0:21:17
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/15/25 0:21:17
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/15/25 0:21:17
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/15/25 0:21:17
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/15/25 0:21:17
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/15/25 0:21:17
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/15/25 0:21:17
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/15/25 0:21:17
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/15/25 0:21:17
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/15/25 0:21:17
Naphthalene	ND	1.25	0.405		µg/L	1	11/15/25 0:21:17
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/15/25 0:21:17



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511275-012
Client Sample ID: MW-338-251111

Collection Date: 11/11/2025 1:19:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50045

Analyst: KJ

Surr: Dibromofluoromethane	109	79.9 - 122			%Rec	1	11/15/25 0:21:17
Surr: Toluene-d8	101	80 - 121			%Rec	1	11/15/25 0:21:17
Surr: 1-Bromo-4-fluorobenzene	91.0	79.7 - 120			%Rec	1	11/15/25 0:21:17

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 1:45:00 PM

Project: 700 Dexter

Lab ID: 2511275-013

Matrix: Water

Client Sample ID: EQ-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>			Batch ID: R10486		Analyst: BCA		
Methane	0.00526	0.00500	0.00451		mg/L	1	11/20/25 11:49:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/20/25 11:49:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/20/25 11:49:00
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50045		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 18:27:15
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 18:27:15
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/14/25 18:27:15
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 18:27:15
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 18:27:15
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 18:27:15
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 18:27:15
Acetone	ND	5.00	2.55	Q	µg/L	1	11/14/25 18:27:15
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 18:27:15
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 18:27:15
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 18:27:15
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 18:27:15
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 18:27:15
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 18:27:15
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 18:27:15
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 18:27:15
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 18:27:15
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 18:27:15
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 18:27:15
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 18:27:15
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 18:27:15
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 18:27:15
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 18:27:15
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 18:27:15
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 18:27:15
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 18:27:15
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 18:27:15



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 1:45:00 PM

Project: 700 Dexter

Lab ID: 2511275-013

Matrix: Water

Client Sample ID: EQ-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50045		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 18:27:15
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 18:27:15
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 18:27:15
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 18:27:15
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 18:27:15
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 18:27:15
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/14/25 18:27:15
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 18:27:15
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 18:27:15
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 18:27:15
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 18:27:15
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 18:27:15
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 18:27:15
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 18:27:15
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 18:27:15
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 18:27:15
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 18:27:15
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 18:27:15
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 18:27:15
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 18:27:15
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 18:27:15
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 18:27:15
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 18:27:15
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 18:27:15
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 18:27:15
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 18:27:15
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 18:27:15
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 18:27:15
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 18:27:15
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 18:27:15
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 18:27:15

Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025 1:45:00 PM

Project: 700 Dexter

Lab ID: 2511275-013

Matrix: Water

Client Sample ID: EQ-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50045

Analyst: KJ

1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 18:27:15
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 18:27:15
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 18:27:15
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 18:27:15
Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/14/25 18:27:15
Surr: Toluene-d8	98.8	80 - 121			%Rec	1	11/14/25 18:27:15
Surr: 1-Bromo-4-fluorobenzene	91.4	79.7 - 120			%Rec	1	11/14/25 18:27:15

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 49995

Analyst: BB

Chloride	0.372	0.600	0.0609	J	mg/L	1	11/12/25 11:36:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/12/25 11:36:00
Sulfate	2.97	10.0	2.86	DJ	mg/L	10	11/20/25 1:40:00

Total Metals by EPA 6020B

Batch ID: 50012

Analyst: ME

Iron	ND	50.0	10.1		µg/L	1	11/14/25 0:12:00
Manganese	ND	0.500	0.208		µg/L	1	11/14/25 0:12:00

Total Alkalinity by EPA 310.2

Batch ID: R10498

Analyst: NR

Alkalinity, Total (As CaCO ₃)	ND	10.0	5.00		mg/L	1	11/25/25 11:12:00
---	----	------	------	--	------	---	-------------------

Client: Geosyntec Consultants

Collection Date: 11/11/2025

Project: 700 Dexter

Lab ID: 2511275-014

Matrix: Groundwater

Client Sample ID: TRIP-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50045		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/14/25 18:01:58
Chloromethane	ND	1.00	0.218		µg/L	1	11/14/25 18:01:58
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/14/25 18:01:58
Bromomethane	ND	2.00	0.386		µg/L	1	11/14/25 18:01:58
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/14/25 18:01:58
Chloroethane	ND	1.00	0.334		µg/L	1	11/14/25 18:01:58
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/14/25 18:01:58
Acetone	ND	5.00	2.55	Q	µg/L	1	11/14/25 18:01:58
Methylene chloride	ND	2.00	0.649		µg/L	1	11/14/25 18:01:58
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/14/25 18:01:58
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/14/25 18:01:58
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/14/25 18:01:58
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/14/25 18:01:58
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/14/25 18:01:58
Chloroform	ND	0.500	0.0865		µg/L	1	11/14/25 18:01:58
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/14/25 18:01:58
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/14/25 18:01:58
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/14/25 18:01:58
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/14/25 18:01:58
Benzene	ND	0.200	0.0540		µg/L	1	11/14/25 18:01:58
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/14/25 18:01:58
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/14/25 18:01:58
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/14/25 18:01:58
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/14/25 18:01:58
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/14/25 18:01:58
Toluene	ND	0.500	0.129		µg/L	1	11/14/25 18:01:58
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/14/25 18:01:58
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/14/25 18:01:58
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/14/25 18:01:58
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/14/25 18:01:58
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/14/25 18:01:58

Client: Geosyntec Consultants

Collection Date: 11/11/2025

Project: 700 Dexter

Lab ID: 2511275-014

Matrix: Groundwater

Client Sample ID: TRIP-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50045		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/14/25 18:01:58
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/14/25 18:01:58
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/14/25 18:01:58
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/14/25 18:01:58
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/14/25 18:01:58
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/14/25 18:01:58
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/14/25 18:01:58
o-Xylene	ND	0.500	0.144		µg/L	1	11/14/25 18:01:58
Styrene	ND	0.500	0.115		µg/L	1	11/14/25 18:01:58
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/14/25 18:01:58
Bromoform	ND	0.500	0.0986		µg/L	1	11/14/25 18:01:58
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/14/25 18:01:58
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/14/25 18:01:58
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/14/25 18:01:58
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/14/25 18:01:58
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/14/25 18:01:58
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/14/25 18:01:58
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/14/25 18:01:58
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/14/25 18:01:58
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/14/25 18:01:58
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/14/25 18:01:58
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/14/25 18:01:58
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/14/25 18:01:58
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/14/25 18:01:58
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/14/25 18:01:58
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/14/25 18:01:58
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/14/25 18:01:58
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/14/25 18:01:58
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/14/25 18:01:58
Naphthalene	ND	1.25	0.405		µg/L	1	11/14/25 18:01:58
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/14/25 18:01:58



Analytical Report

Work Order: 2511275
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/11/2025

Project: 700 Dexter

Lab ID: 2511275-014

Matrix: Groundwater

Client Sample ID: TRIP-251111

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50045

Analyst: KJ

Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/14/25 18:01:58
Surr: Toluene-d8	98.5	80 - 121			%Rec	1	11/14/25 18:01:58
Surr: 1-Bromo-4-fluorobenzene	91.2	79.7 - 120			%Rec	1	11/14/25 18:01:58

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by SM 2320B

Sample ID: MB-R104945		SampType: MBLK			Units: mg/L		Prep Date: 11/24/2025			RunNo: 104945		
Client ID: MBLKW		Batch ID: R104945			Analysis Date: 11/24/2025					SeqNo: 2189968		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) ND 2.50

Sample ID: LCS-R104945		SampType: LCS			Units: mg/L		Prep Date: 11/24/2025			RunNo: 104945		
Client ID: LCSW		Batch ID: R104945			Analysis Date: 11/24/2025			SeqNo: 2189969				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 99.1 2.50 100.0 0 99.1 89.2 123

Sample ID: 2511275-002DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/24/2025			RunNo: 104945		
Client ID: MW-341-251111		Batch ID: R104945			Analysis Date: 11/24/2025			SeqNo: 2189971				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 432 2.50 433.3 0.285 20

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-A	SampType: CCV	Units: mg/L				Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCV	Batch ID: R104981					Analysis Date: 11/25/2025			SeqNo: 2190567		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	25.3	10.0	25.00	0	101	80	120				

Sample ID: CCB-A	SampType: CCB	Units: mg/L				Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCB	Batch ID: R104981					Analysis Date: 11/25/2025			SeqNo: 2190568		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	ND	10.0									

Sample ID: MB-104981	SampType: MBLK	Units: mg/L				Prep Date: 11/25/2025			RunNo: 104981		
Client ID: MBLKW	Batch ID: R104981					Analysis Date: 11/25/2025			SeqNo: 2190569		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	ND	10.0									

Sample ID: LCS-104981	SampType: LCS	Units: mg/L				Prep Date: 11/25/2025			RunNo: 104981		
Client ID: LCSW	Batch ID: R104981					Analysis Date: 11/25/2025			SeqNo: 2190570		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	25.2	10.0	25.00	0	101	80	134				

Sample ID: 2511275-013DDUP	SampType: DUP	Units: mg/L				Prep Date: 11/25/2025			RunNo: 104981		
Client ID: EQ-251111	Batch ID: R104981					Analysis Date: 11/25/2025			SeqNo: 2190576		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	ND	10.0						0	0	20	

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-B		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCV		Batch ID: R104981			Analysis Date: 11/25/2025			SeqNo: 2190579				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	27.3	10.0	25.00	0	109	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-B		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCB		Batch ID: R104981			Analysis Date: 11/25/2025				SeqNo: 2190580			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: 2511308-009DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: BATCH		Batch ID: R104981			Analysis Date: 11/25/2025					SeqNo: 2190586		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	19.9	10.0						20.41	2.66	20	
------------------------------	------	------	--	--	--	--	--	-------	------	----	--

Sample ID: CCV-D		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCV		Batch ID: R104981			Analysis Date: 11/25/2025					SeqNo: 2190601		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	26.4	10.0	25.00	0	106	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-D		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCB		Batch ID: R104981			Analysis Date: 11/25/2025					SeqNo: 2190602		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: MB-49995		SampType: MBLK		Units: mg/L		Prep Date: 11/11/2025			RunNo: 104759		
Client ID: MBLKW		Batch ID: 49995					Analysis Date: 11/11/2025			SeqNo: 2185766	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	0.196	0.600									J
Nitrate (as N)	ND	0.150									

Sample ID: LCS-49995		SampType: LCS		Units: mg/L		Prep Date: 11/11/2025		RunNo: 104759			
Client ID: LCSW		Batch ID: 49995				Analysis Date: 11/11/2025		SeqNo: 2185767			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	9.57	0.600	10.00	0	95.7	90	110				
Nitrate (as N)	2.24	0.150	2.259	0	99.2	90	110				

Sample ID: 2511248-003DDUP		SampType: DUP		Units: mg/L		Prep Date: 11/11/2025			RunNo: 104759		
Client ID: BATCH		Batch ID: 49995					Analysis Date: 11/11/2025			SeqNo: 2185770	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	25.9	0.600						25.85	0.104	20	
Nitrate (as N)	0.0610	0.150						0.06000	1.65	20	J

Sample ID: 2511248-003DMS		SampType: MS		Units: mg/L		Prep Date: 11/11/2025		RunNo: 104759			
Client ID: BATCH		Batch ID: 49995				Analysis Date: 11/11/2025		SeqNo: 2185771			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	33.8	0.600	10.00	25.85	79.1	80	120				S
Nitrate (as N)	2.02	0.150	2.259	0.06000	86.8	80	120				

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

Sample ID: 2511248-003DMSD		SampType: MSD		Units: mg/L		Prep Date: 11/11/2025			RunNo: 104759		
Client ID: BATCH		Batch ID: 49995					Analysis Date: 11/11/2025			SeqNo: 2185772	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	33.8	0.600	10.00	25.85	79.3	80	120	33.76	0.0474	20	S

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511248-003DMSD		SampType: MSD			Units: mg/L		Prep Date: 11/11/2025			RunNo: 104759		
Client ID: BATCH		Batch ID: 49995			Analysis Date: 11/11/2025					SeqNo: 2185772		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Nitrate (as N)	2.02	0.150	2.259	0.06000	86.6	80	120	2.021	0.198	20	
----------------	------	-------	-------	---------	------	----	-----	-------	-------	----	--

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

Sample ID: CCV-C		SampType: CCV			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104759		
Client ID: CCV		Batch ID: 49995			Analysis Date: 11/12/2025			SeqNo: 2185778				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	11.5	0.600	12.50	0	92.0	90	110				
Nitrate (as N)	2.61	0.150	2.824	0	92.5	90	110				

Sample ID: CCB-C		SampType: CCB			Units: mg/L		Prep Date: 11/12/2025			RunNo: 104759		
Client ID: CCB		Batch ID: 49995			Analysis Date: 11/12/2025			SeqNo: 2185779				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.203	0.600									
Nitrate (as N)	ND	0.150									

Sample ID: MB-50091		SampType: MBLK			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104858		
Client ID: MBLKW		Batch ID: 50091			Analysis Date: 11/19/2025					SeqNo: 2188168		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Sulfate	ND	1.00									
---------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: LCS-50091		SampType: LCS			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104858		
Client ID: LCSW		Batch ID: 50091			Analysis Date: 11/19/2025					SeqNo: 2188169		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Sulfate	10.8	1.00	10.00	0	108	90	110				
---------	------	------	-------	---	-----	----	-----	--	--	--	--

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511473-002DDUP	SampType: DUP	Units: mg/L			Prep Date: 11/19/2025			RunNo: 104858			
Client ID: BATCH	Batch ID: 50091				Analysis Date: 11/19/2025			SeqNo: 2188171			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Sulfate	0.760	1.00						0.7730	1.70	20	J
---------	-------	------	--	--	--	--	--	--------	------	----	---

Sample ID: 2511473-002DMS	SampType: MS	Units: mg/L			Prep Date: 11/19/2025			RunNo: 104858			
Client ID: BATCH	Batch ID: 50091				Analysis Date: 11/19/2025			SeqNo: 2188172			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Sulfate	10.9	1.00	10.00	0.7730	101	80	120				
---------	------	------	-------	--------	-----	----	-----	--	--	--	--

Sample ID: 2511473-002DMSD	SampType: MSD	Units: mg/L			Prep Date: 11/19/2025			RunNo: 104858			
Client ID: BATCH	Batch ID: 50091				Analysis Date: 11/19/2025			SeqNo: 2188173			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Sulfate	10.0	1.00	10.00	0.7730	92.3	80	120	10.87	8.29	20	
---------	------	------	-------	--------	------	----	-----	-------	------	----	--

Sample ID: 2511490-001DDUP	SampType: DUP	Units: mg/L			Prep Date: 11/19/2025			RunNo: 104858			
Client ID: BATCH	Batch ID: 50091				Analysis Date: 11/19/2025			SeqNo: 2188184			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Sulfate	9.83	1.00						9.771	0.592	20	
---------	------	------	--	--	--	--	--	-------	-------	----	--

Sample ID: 2511490-001DMS	SampType: MS	Units: mg/L			Prep Date: 11/19/2025			RunNo: 104858			
Client ID: BATCH	Batch ID: 50091				Analysis Date: 11/19/2025			SeqNo: 2188185			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Sulfate	19.9	1.00	10.00	9.771	101	80	120				
---------	------	------	-------	-------	-----	----	-----	--	--	--	--

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: CCV-D		SampType: CCV			Units: mg/L		Prep Date: 11/20/2025			RunNo: 104858		
Client ID: CCV		Batch ID: 49995			Analysis Date: 11/20/2025			SeqNo: 2188201				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Sulfate	13.6	1.00	12.50	0	109	90	110				
---------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-D		SampType: CCB			Units: mg/L		Prep Date: 11/20/2025			RunNo: 104858		
Client ID: CCB		Batch ID: 49995			Analysis Date: 11/20/2025					SeqNo: 2188202		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Sulfate	0.844	1.00									
---------	-------	------	--	--	--	--	--	--	--	--	--

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Metals by EPA 6020B

Sample ID: LCS-50012		SampType: LCS			Units: µg/L		Prep Date: 11/13/2025			RunNo: 104704		
Client ID: LCSW		Batch ID: 50012			Analysis Date: 11/13/2025					SeqNo: 2184493		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	1,110	50.0	1,000	0	111	80	120				
Manganese	108	0.500	100.0	0	108	80	120				

Sample ID: 2511203-001AMS		SampType: MS			Units: µg/L		Prep Date: 11/13/2025			RunNo: 104704		
Client ID: BATCH		Batch ID: 50012			Analysis Date: 11/13/2025					SeqNo: 2184496		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	4,660	50.0	1,000	3,671	99.1	75	125				
Manganese	321	0.500	100.0	212.1	109	75	125				

Sample ID: 2511203-001AMSD		SampType: MSD			Units: µg/L		Prep Date: 11/13/2025			RunNo: 104704		
Client ID: BATCH		Batch ID: 50012			Analysis Date: 11/13/2025					SeqNo: 2184498		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	4,660	50.0	1,000	3,671	98.6	75	125	4,662	0.112	20	
Manganese	321	0.500	100.0	212.1	109	75	125	320.7	0.0150	20	

Sample ID: MB-50012		SampType: MBLK			Units: µg/L		Prep Date: 11/13/2025			RunNo: 104704		
Client ID: MBLKW		Batch ID: 50012			Analysis Date: 11/17/2025					SeqNo: 2185789		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	ND	50.0									
Manganese	ND	0.500									

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVA		SampType: CCV			Units: ppmv		Prep Date: 11/20/2025			RunNo: 104864		
Client ID: CCV		Batch ID: R104864			Analysis Date: 11/20/2025			SeqNo: 2188299				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	1,010	0.00500	1,000	0	101	85	115				
Ethene	1,020	0.0100	1,000	0	102	85	115				
Ethane	1,030	0.0100	1,000	0	103	85	115				

Sample ID: LCS-104864		SampType: LCS			Units: ppmv		Prep Date: 11/20/2025			RunNo: 104864		
Client ID: LCSW		Batch ID: R104864			Analysis Date: 11/20/2025			SeqNo: 2188345				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	1,010	0.00500	1,000	0	101	73.6	124				
Ethene	1,020	0.0100	1,000	0	102	76.3	122				
Ethane	1,030	0.0100	1,000	0	103	76.1	123				

Sample ID: MB-104864		SampType: MBLK			Units: mg/L		Prep Date: 11/20/2025			RunNo: 104864		
Client ID: MBLKW		Batch ID: R104864			Analysis Date: 11/20/2025					SeqNo: 2188304		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	ND	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Sample ID: 2511275-013REP		SampType: REP			Units: mg/L		Prep Date: 11/20/2025			RunNo: 104864		
Client ID: BATCH		Batch ID: R104864			Analysis Date: 11/20/2025					SeqNo: 2188279		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	0.00513	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVB		SampType: CCV			Units: ppmv		Prep Date: 11/20/2025			RunNo: 104864		
Client ID: CCV		Batch ID: R104864			Analysis Date: 11/20/2025			SeqNo: 2188300				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	981	0.00500	1,000	0	98.1	85	115				
Ethene	996	0.0100	1,000	0	99.6	85	115				
Ethane	1,030	0.0100	1,000	0	103	85	115				

Sample ID: 2511443-011EREP		SampType: REP			Units: mg/L		Prep Date: 11/20/2025			RunNo: 104864		
Client ID: BATCH		Batch ID: R104864			Analysis Date: 11/20/2025					SeqNo: 2188298		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	2.01	0.00500						2.008	0.279	20	E
Ethene	ND	0.0100						0	0	20	
Ethane	ND	0.0100						0	0	20	

Sample ID: CCVC		SampType: CCV			Units: ppmv		Prep Date: 11/20/2025			RunNo: 104864		
Client ID: CCV		Batch ID: R104864			Analysis Date: 11/20/2025					SeqNo: 2188301		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	1,030	0.00500	1,000	0	103	85	115				
Ethene	1,030	0.0100	1,000	0	103	85	115				
Ethane	1,060	0.0100	1,000	0	106	85	115				

Sample ID: 2511443-011EREP		SampType: REP			Units: mg/L		Prep Date: 11/20/2025			RunNo: 104864		
Client ID: BATCH		Batch ID: R104864			Analysis Date: 11/20/2025			SeqNo: 2188297				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	2.05	0.0500						2.008	2.01	20	D
Ethene	ND	0.100						0	0	20	D
Ethane	ND	0.100						0	0	20	D

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVE	SampType: CCV	Units: ppmv			Prep Date: 11/20/2025				RunNo: 104864			
Client ID: CCV	Batch ID: R104864					Analysis Date: 11/20/2025				SeqNo: 2188303		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	952	0.00500	1,000	0	95.2	85	115				
Ethene	949	0.0100	1,000	0	94.9	85	115				
Ethane	962	0.0100	1,000	0	96.2	85	115				

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104766A	SampType: CCV	Units: µg/L				Prep Date: 11/14/2025			RunNo: 104766		
Client ID: CCV	Batch ID: 50039	Analysis Date: 11/14/2025							SeqNo: 2185929		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	17.0	1.00	20.00	0	84.8	80	120				
Chloromethane	19.1	1.00	20.00	0	95.4	80	120				
Vinyl chloride	20.8	0.200	20.00	0	104	80	120				
Bromomethane	24.7	2.00	20.00	0	123	80	120				S
Trichlorofluoromethane (CFC-11)	19.7	0.500	20.00	0	98.6	80	120				
Chloroethane	20.6	1.00	20.00	0	103	80	120				
1,1-Dichloroethene	21.4	0.500	20.00	0	107	80	120				
Acetone	52.9	5.00	50.00	0	106	80	120				
Methylene chloride	20.4	2.00	20.00	0	102	80	120				
trans-1,2-Dichloroethene	20.2	0.500	20.00	0	101	80	120				
Methyl tert-butyl ether (MTBE)	21.1	0.500	20.00	0	105	80	120				
1,1-Dichloroethane	21.7	0.500	20.00	0	108	80	120				
cis-1,2-Dichloroethene	20.6	0.500	20.00	0	103	80	120				
2-Butanone (MEK)	52.1	5.00	50.00	0	104	80	120				
Chloroform	21.0	0.500	20.00	0	105	80	120				
1,1,1-Trichloroethane (TCA)	22.5	0.500	20.00	0	113	80	120				
1,1-Dichloropropene	20.5	0.500	20.00	0	103	80	120				
Carbon tetrachloride	21.8	0.500	20.00	0	109	80	120				
1,2-Dichloroethane (EDC)	20.0	0.200	20.00	0	100	80	120				
Benzene	19.7	0.200	20.00	0	98.5	80	120				
Trichloroethene (TCE)	19.6	0.500	20.00	0	98.0	80	120				
1,2-Dichloropropane	19.4	0.200	20.00	0	96.9	80	120				
Bromodichloromethane	19.7	0.200	20.00	0	98.3	80	120				
Dibromomethane	18.7	0.500	20.00	0	93.3	80	120				
cis-1,3-Dichloropropene	19.6	0.500	20.00	0	98.2	80	120				
Toluene	19.5	0.500	20.00	0	97.3	80	120				
trans-1,3-Dichloropropylene	19.9	0.500	20.00	0	99.6	80	120				
Methyl Isobutyl Ketone (MIBK)	50.3	2.50	50.00	0	101	80	120				
1,1,2-Trichloroethane	19.3	0.500	20.00	0	96.5	80	120				
1,3-Dichloropropane	19.1	0.500	20.00	0	95.3	80	120				
Tetrachloroethene (PCE)	20.2	0.500	20.00	0	101	80	120				
Dibromochloromethane	19.4	0.500	20.00	0	97.1	80	120				

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104766A	SampType: CCV	Units: µg/L				Prep Date: 11/14/2025			RunNo: 104766		
Client ID: CCV	Batch ID: 50039	Analysis Date: 11/14/2025						SeqNo: 2185929			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	19.1	0.500	20.00	0	95.7	80	120				
2-Hexanone (MBK)	52.0	1.25	50.00	0	104	80	120				
Chlorobenzene	19.1	0.500	20.00	0	95.5	80	120				
1,1,1,2-Tetrachloroethane	20.5	0.500	20.00	0	103	80	120				
Ethylbenzene	20.2	0.500	20.00	0	101	80	120				
m,p-Xylene	40.2	1.00	40.00	0	100	80	120				
o-Xylene	20.0	0.500	20.00	0	99.8	80	120				
Styrene	21.0	0.500	20.00	0	105	80	120				
Isopropylbenzene	19.2	0.500	20.00	0	95.9	80	120				
Bromoform	19.5	0.500	20.00	0	97.4	80	120				
1,1,2,2-Tetrachloroethane	19.4	0.200	20.00	0	97.0	80	120				
n-Propylbenzene	20.7	0.500	20.00	0	104	80	120				
Bromobenzene	18.7	0.200	20.00	0	93.4	80	120				
1,3,5-Trimethylbenzene	19.9	0.500	20.00	0	99.7	80	120				
2-Chlorotoluene	18.9	0.500	20.00	0	94.5	80	120				
4-Chlorotoluene	19.5	0.500	20.00	0	97.4	80	120				
tert-Butylbenzene	19.3	0.500	20.00	0	96.3	80	120				
1,2,3-Trichloropropane	18.3	0.500	20.00	0	91.5	80	120				
1,2,4-Trichlorobenzene	20.3	0.750	20.00	0	101	80	120				
sec-Butylbenzene	19.7	0.500	20.00	0	98.7	80	120				
4-Isopropyltoluene	20.7	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	19.4	0.500	20.00	0	97.0	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.5	80	120				
n-Butylbenzene	19.6	0.500	20.00	0	98.0	80	120				
1,2-Dichlorobenzene	19.5	0.500	20.00	0	97.4	80	120				
1,2-Dibromo-3-chloropropane	18.8	1.00	20.00	0	94.0	80	120				
1,2,4-Trimethylbenzene	18.8	0.500	20.00	0	94.0	80	120				
Hexachloro-1,3-butadiene	18.6	1.00	20.00	0	92.9	80	120				
Naphthalene	19.4	1.25	20.00	0	96.9	80	120				
1,2,3-Trichlorobenzene	18.1	1.00	20.00	0	90.3	80	120				
Surr: Dibromofluoromethane	25.8		25.00		103	80	120				
Surr: Toluene-d8	24.8		25.00		99.3	80	120				

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104766A		SampType: CCV		Units: µg/L		Prep Date: 11/14/2025			RunNo: 104766		
Client ID: CCV		Batch ID: 50039					Analysis Date: 11/14/2025			SeqNo: 2185929	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 1-Bromo-4-fluorobenzene	24.0		25.00		95.9	80	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: LCS-50039		SampType: LCS		Units: µg/L		Prep Date: 11/14/2025			RunNo: 104766		
Client ID: LCSW		Batch ID: 50039		Analysis Date: 11/14/2025						SeqNo: 2185959	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	17.0	1.00	20.00	0	84.8	80	120				
Chloromethane	19.1	1.00	20.00	0	95.4	80	120				
Vinyl chloride	20.8	0.200	20.00	0	104	80	120				
Bromomethane	24.7	2.00	20.00	0	123	80	120				S
Trichlorofluoromethane (CFC-11)	19.7	0.500	20.00	0	98.6	80	120				
Chloroethane	20.6	1.00	20.00	0	103	80	120				
1,1-Dichloroethene	21.4	0.500	20.00	0	107	80	120				
Acetone	52.9	5.00	50.00	0	106	80	120				
Methylene chloride	20.4	2.00	20.00	0	102	80	120				
trans-1,2-Dichloroethene	20.2	0.500	20.00	0	101	80	120				
Methyl tert-butyl ether (MTBE)	21.1	0.500	20.00	0	105	80	120				
1,1-Dichloroethane	21.7	0.500	20.00	0	108	80	120				
cis-1,2-Dichloroethene	20.6	0.500	20.00	0	103	80	120				
2-Butanone (MEK)	52.1	5.00	50.00	0	104	80	120				
Chloroform	21.0	0.500	20.00	0	105	80	120				
1,1,1-Trichloroethane (TCA)	22.5	0.500	20.00	0	113	80	120				
1,1-Dichloropropene	20.5	0.500	20.00	0	103	80	120				
Carbon tetrachloride	21.8	0.500	20.00	0	109	80	120				
1,2-Dichloroethane (EDC)	20.0	0.200	20.00	0	100	80	120				
Benzene	19.7	0.200	20.00	0	98.5	80	120				
Trichloroethene (TCE)	19.6	0.500	20.00	0	98.0	80	120				
1,2-Dichloropropane	19.4	0.200	20.00	0	96.9	80	120				
Bromodichloromethane	19.7	0.200	20.00	0	98.3	80	120				
Dibromomethane	18.7	0.500	20.00	0	93.3	80	120				

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50039	SampType: LCS	Units: µg/L				Prep Date: 11/14/2025			RunNo: 104766		
Client ID: LCSW	Batch ID: 50039	Analysis Date: 11/14/2025							SeqNo: 2185959		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,3-Dichloropropene	19.6	0.500	20.00	0	98.2	80	120				
Toluene	19.5	0.500	20.00	0	97.3	80	120				
trans-1,3-Dichloropropylene	19.9	0.500	20.00	0	99.6	80	120				
Methyl Isobutyl Ketone (MIBK)	50.3	2.50	50.00	0	101	80	120				
1,1,2-Trichloroethane	19.3	0.500	20.00	0	96.5	80	120				
1,3-Dichloropropane	19.1	0.500	20.00	0	95.3	80	120				
Tetrachloroethene (PCE)	20.2	0.500	20.00	0	101	80	120				
Dibromochloromethane	19.4	0.500	20.00	0	97.1	80	120				
1,2-Dibromoethane (EDB)	19.1	0.500	20.00	0	95.7	80	120				
2-Hexanone (MBK)	52.0	1.25	50.00	0	104	80	120				
Chlorobenzene	19.1	0.500	20.00	0	95.5	80	120				
1,1,1,2-Tetrachloroethane	20.5	0.500	20.00	0	103	80	120				
Ethylbenzene	20.2	0.500	20.00	0	101	80	120				
m,p-Xylene	40.2	1.00	40.00	0	100	80	120				
o-Xylene	20.0	0.500	20.00	0	99.8	80	120				
Styrene	21.0	0.500	20.00	0	105	80	120				
Isopropylbenzene	19.2	0.500	20.00	0	95.9	80	120				
Bromoform	19.5	0.500	20.00	0	97.4	80	120				
1,1,2,2-Tetrachloroethane	19.4	0.200	20.00	0	97.0	80	120				
n-Propylbenzene	20.7	0.500	20.00	0	104	80	120				
Bromobenzene	18.7	0.200	20.00	0	93.4	80	120				
1,3,5-Trimethylbenzene	19.9	0.500	20.00	0	99.7	80	120				
2-Chlorotoluene	18.9	0.500	20.00	0	94.5	80	120				
4-Chlorotoluene	19.5	0.500	20.00	0	97.4	80	120				
tert-Butylbenzene	19.3	0.500	20.00	0	96.3	80	120				
1,2,3-Trichloropropane	18.3	0.500	20.00	0	91.5	80	120				
1,2,4-Trichlorobenzene	20.3	0.750	20.00	0	101	80	120				
sec-Butylbenzene	19.7	0.500	20.00	0	98.7	80	120				
4-Isopropyltoluene	20.7	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	19.4	0.500	20.00	0	97.0	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.5	80	120				
n-Butylbenzene	19.6	0.500	20.00	0	98.0	80	120				

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50039		SampType: LCS			Units: µg/L		Prep Date: 11/14/2025			RunNo: 104766		
Client ID: LCSW		Batch ID: 50039						Analysis Date: 11/14/2025			SeqNo: 2185959	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dichlorobenzene	19.5	0.500	20.00	0	97.4	80	120				
1,2-Dibromo-3-chloropropane	18.8	1.00	20.00	0	94.0	80	120				
1,2,4-Trimethylbenzene	18.8	0.500	20.00	0	94.0	80	120				
Hexachloro-1,3-butadiene	18.6	1.00	20.00	0	92.9	80	120				
Naphthalene	19.4	1.25	20.00	0	96.9	80	120				
1,2,3-Trichlorobenzene	18.1	1.00	20.00	0	90.3	80	120				
Surr: Dibromofluoromethane	25.8		25.00		103	79.9	122				
Surr: Toluene-d8	24.8		25.00		99.3	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.0		25.00		95.9	79.7	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: MB-50039		SampType: MBLK		Units: µg/L		Prep Date: 11/14/2025			RunNo: 104766		
Client ID: MBLKW		Batch ID: 50039					Analysis Date: 11/14/2025			SeqNo: 2185930	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	ND	5.00									
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50039	SampType: MBLK	Units: µg/L		Prep Date: 11/14/2025		RunNo: 104766					
Client ID: MBLKW	Batch ID: 50039	Analysis Date: 11/14/2025				SeqNo: 2185930					
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloropropene	ND	0.500									
Carbon tetrachloride	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.200									
Benzene	ND	0.200									
Trichloroethene (TCE)	ND	0.500									
1,2-Dichloropropane	ND	0.200									
Bromodichloromethane	ND	0.200									
Dibromomethane	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50039		SampType: MBLK		Units: µg/L		Prep Date: 11/14/2025		RunNo: 104766			
Client ID: MBLKW		Batch ID: 50039				Analysis Date: 11/14/2025		SeqNo: 2185930			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	25.6		25.00		102	80	120				
Surr: Toluene-d8	24.6		25.00		98.3	80	120				
Surr: 1-Bromo-4-fluorobenzene	23.1		25.00		92.3	80	120				

Sample ID: 2511278-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/14/2025		RunNo: 104766			
Client ID: BATCH		Batch ID: 50039				Analysis Date: 11/14/2025		SeqNo: 2185933			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	ND	1.00						0	0	30	
Chloromethane	ND	1.00						0	0	30	
Vinyl chloride	ND	0.200						0	0	30	
Bromomethane	ND	2.00						0	0	30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0	0	30	
Chloroethane	ND	1.00						0	0	30	
1,1-Dichloroethene	ND	0.500						0	0	30	
Acetone	ND	5.00						0	0	30	
Methylene chloride	ND	2.00						0	0	30	

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511278-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/14/2025		RunNo: 104766			
Client ID: BATCH		Batch ID: 50039				Analysis Date: 11/14/2025		SeqNo: 2185933			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,2-Dichloroethene	ND	0.500						0	0	30	
Methyl tert-butyl ether (MTBE)	ND	0.500						0	0	30	
1,1-Dichloroethane	ND	0.500						0	0	30	
cis-1,2-Dichloroethene	ND	0.500						0	0	30	
2-Butanone (MEK)	ND	5.00						0	0	30	
Chloroform	ND	0.500						0	0	30	
1,1,1-Trichloroethane (TCA)	ND	0.500						0	0	30	
1,1-Dichloropropene	ND	0.500						0	0	30	
Carbon tetrachloride	ND	0.500						0	0	30	
1,2-Dichloroethane (EDC)	ND	0.200						0	0	30	
Benzene	ND	0.200						0	0	30	
Trichloroethene (TCE)	ND	0.500						0	0	30	
1,2-Dichloropropane	ND	0.200						0	0	30	
Bromodichloromethane	ND	0.200						0	0	30	
Dibromomethane	ND	0.500						0	0	30	
cis-1,3-Dichloropropene	ND	0.500						0	0	30	
Toluene	ND	0.500						0	0	30	
trans-1,3-Dichloropropylene	ND	0.500						0	0	30	
Methyl Isobutyl Ketone (MIBK)	ND	2.50						0	0	30	
1,1,2-Trichloroethane	ND	0.500						0	0	30	
1,3-Dichloropropane	ND	0.500						0	0	30	
Tetrachloroethene (PCE)	ND	0.500						0	0	30	
Dibromochloromethane	ND	0.500						0	0	30	
1,2-Dibromoethane (EDB)	ND	0.500						0	0	30	
2-Hexanone (MBK)	ND	1.25						0	0	30	
Chlorobenzene	ND	0.500						0	0	30	
1,1,1,2-Tetrachloroethane	ND	0.500						0	0	30	
Ethylbenzene	ND	0.500						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	
o-Xylene	ND	0.500						0	0	30	
Styrene	ND	0.500						0	0	30	
Isopropylbenzene	ND	0.500						0	0	30	

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511278-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/14/2025		RunNo: 104766			
Client ID: BATCH		Batch ID: 50039				Analysis Date: 11/14/2025		SeqNo: 2185933			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromoform	ND	0.500						0	0	30	
1,1,2,2-Tetrachloroethane	ND	0.200						0	0	30	
n-Propylbenzene	ND	0.500						0	0	30	
Bromobenzene	ND	0.200						0	0	30	
1,3,5-Trimethylbenzene	ND	0.500						0	0	30	
2-Chlorotoluene	ND	0.500						0	0	30	
4-Chlorotoluene	ND	0.500						0	0	30	
tert-Butylbenzene	ND	0.500						0	0	30	
1,2,3-Trichloropropane	ND	0.500						0	0	30	
1,2,4-Trichlorobenzene	ND	0.750						0	0	30	
sec-Butylbenzene	ND	0.500						0	0	30	
4-Isopropyltoluene	ND	0.500						0	0	30	
1,3-Dichlorobenzene	ND	0.500						0	0	30	
1,4-Dichlorobenzene	ND	0.500						0	0	30	
n-Butylbenzene	ND	0.500						0	0	30	
1,2-Dichlorobenzene	ND	0.500						0	0	30	
1,2-Dibromo-3-chloropropane	ND	1.00						0	0	30	
1,2,4-Trimethylbenzene	ND	0.500						0	0	30	
Hexachloro-1,3-butadiene	ND	1.00						0	0	30	
Naphthalene	ND	1.25						0	0	30	
1,2,3-Trichlorobenzene	ND	1.00						0	0	30	
Surr: Dibromofluoromethane	25.9		25.00		103	79.9	122		0		
Surr: Toluene-d8	24.4		25.00		97.6	80	121		0		
Surr: 1-Bromo-4-fluorobenzene	23.0		25.00		92.0	79.7	120		0		

Sample ID: VOC-CCV-104766B		SampType: CCV		Units: µg/L		Prep Date: 11/14/2025		RunNo: 104766			
Client ID: CCV		Batch ID: 50039				Analysis Date: 11/14/2025		SeqNo: 2185944			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	19.3	1.00	20.00	0	96.5	80	120				
Chloromethane	19.6	1.00	20.00	0	98.1	80	120				

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104766B	SampType: CCV	Units: µg/L				Prep Date: 11/14/2025			RunNo: 104766		
Client ID: CCV	Batch ID: 50039	Analysis Date: 11/14/2025							SeqNo: 2185944		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	20.8	0.200	20.00	0	104	80	120				
Bromomethane	24.0	2.00	20.00	0	120	80	120				
Trichlorofluoromethane (CFC-11)	20.1	0.500	20.00	0	101	80	120				
Chloroethane	20.7	1.00	20.00	0	103	80	120				
1,1-Dichloroethene	21.2	0.500	20.00	0	106	80	120				
Acetone	35.7	5.00	50.00	0	71.3	80	120				S
Methylene chloride	19.3	2.00	20.00	0	96.3	80	120				
trans-1,2-Dichloroethene	19.6	0.500	20.00	0	98.1	80	120				
Methyl tert-butyl ether (MTBE)	19.6	0.500	20.00	0	98.0	80	120				
1,1-Dichloroethane	21.2	0.500	20.00	0	106	80	120				
cis-1,2-Dichloroethene	20.6	0.500	20.00	0	103	80	120				
2-Butanone (MEK)	40.1	5.00	50.00	0	80.2	80	120				
Chloroform	20.4	0.500	20.00	0	102	80	120				
1,1,1-Trichloroethane (TCA)	21.8	0.500	20.00	0	109	80	120				
1,1-Dichloropropene	21.0	0.500	20.00	0	105	80	120				
Carbon tetrachloride	21.2	0.500	20.00	0	106	80	120				
1,2-Dichloroethane (EDC)	19.2	0.200	20.00	0	96.0	80	120				
Benzene	19.4	0.200	20.00	0	97.2	80	120				
Trichloroethene (TCE)	18.1	0.500	20.00	0	90.3	80	120				
1,2-Dichloropropane	18.7	0.200	20.00	0	93.6	80	120				
Bromodichloromethane	18.8	0.200	20.00	0	94.0	80	120				
Dibromomethane	18.4	0.500	20.00	0	92.2	80	120				
cis-1,3-Dichloropropene	19.0	0.500	20.00	0	95.2	80	120				
Toluene	19.1	0.500	20.00	0	95.7	80	120				
trans-1,3-Dichloropropylene	19.0	0.500	20.00	0	94.9	80	120				
Methyl Isobutyl Ketone (MIBK)	46.6	2.50	50.00	0	93.1	80	120				
1,1,2-Trichloroethane	18.1	0.500	20.00	0	90.7	80	120				
1,3-Dichloropropane	18.5	0.500	20.00	0	92.6	80	120				
Tetrachloroethene (PCE)	20.3	0.500	20.00	0	102	80	120				
Dibromochloromethane	18.2	0.500	20.00	0	91.2	80	120				
1,2-Dibromoethane (EDB)	18.1	0.500	20.00	0	90.4	80	120				
2-Hexanone (MBK)	39.6	1.25	50.00	0	79.1	80	120				S

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104766B		SampType: CCV		Units: µg/L		Prep Date: 11/14/2025		RunNo: 104766			
Client ID: CCV		Batch ID: 50039				Analysis Date: 11/14/2025		SeqNo: 2185944			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	18.6	0.500	20.00	0	92.8	80	120				
1,1,1,2-Tetrachloroethane	20.4	0.500	20.00	0	102	80	120				
Ethylbenzene	20.3	0.500	20.00	0	102	80	120				
m,p-Xylene	40.1	1.00	40.00	0	100	80	120				
o-Xylene	20.1	0.500	20.00	0	100	80	120				
Styrene	20.8	0.500	20.00	0	104	80	120				
Isopropylbenzene	19.8	0.500	20.00	0	99.1	80	120				
Bromoform	18.6	0.500	20.00	0	92.8	80	120				
1,1,2,2-Tetrachloroethane	19.4	0.200	20.00	0	97.2	80	120				
n-Propylbenzene	20.6	0.500	20.00	0	103	80	120				
Bromobenzene	18.6	0.200	20.00	0	93.1	80	120				
1,3,5-Trimethylbenzene	20.0	0.500	20.00	0	99.8	80	120				
2-Chlorotoluene	19.7	0.500	20.00	0	98.5	80	120				
4-Chlorotoluene	19.1	0.500	20.00	0	95.5	80	120				
tert-Butylbenzene	19.4	0.500	20.00	0	96.8	80	120				
1,2,3-Trichloropropane	17.9	0.500	20.00	0	89.6	80	120				
1,2,4-Trichlorobenzene	18.6	0.750	20.00	0	93.0	80	120				
sec-Butylbenzene	20.1	0.500	20.00	0	100	80	120				
4-Isopropyltoluene	20.8	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	18.6	0.500	20.00	0	93.2	80	120				
1,4-Dichlorobenzene	18.3	0.500	20.00	0	91.4	80	120				
n-Butylbenzene	20.2	0.500	20.00	0	101	80	120				
1,2-Dichlorobenzene	18.9	0.500	20.00	0	94.4	80	120				
1,2-Dibromo-3-chloropropane	17.6	1.00	20.00	0	87.9	80	120				
1,2,4-Trimethylbenzene	18.9	0.500	20.00	0	94.3	80	120				
Hexachloro-1,3-butadiene	18.5	1.00	20.00	0	92.5	80	120				
Naphthalene	17.7	1.25	20.00	0	88.4	80	120				
1,2,3-Trichlorobenzene	17.0	1.00	20.00	0	85.2	80	120				
Surr: Dibromofluoromethane	25.9		25.00		103	80	120				
Surr: Toluene-d8	25.2		25.00		101	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.0		25.00		96.1	80	120				

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104766B		SampType: CCV			Units: µg/L		Prep Date: 11/14/2025			RunNo: 104766		
Client ID: CCV		Batch ID: 50039			Analysis Date: 11/14/2025			SeqNo: 2185944				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

NOTES:

S - Outlying spike recovery observed (low bias). Samples will be qualified with a Q.

Sample ID: VOC-CCV-104764A		SampType: CCV		Units: µg/L		Prep Date: 11/14/2025			RunNo: 104764		
Client ID: CCV		Batch ID: 50045		Analysis Date: 11/14/2025						SeqNo: 2185862	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	19.3	1.00	20.00	0	96.5	80	120				
Chloromethane	19.6	1.00	20.00	0	98.1	80	120				
Vinyl chloride	20.8	0.200	20.00	0	104	80	120				
Bromomethane	24.0	2.00	20.00	0	120	80	120				
Trichlorofluoromethane (CFC-11)	20.1	0.500	20.00	0	101	80	120				
Chloroethane	20.7	1.00	20.00	0	103	80	120				
1,1-Dichloroethene	21.2	0.500	20.00	0	106	80	120				
Acetone	35.7	5.00	50.00	0	71.5	80	120				S
Methylene chloride	19.3	2.00	20.00	0	96.3	80	120				
trans-1,2-Dichloroethene	19.6	0.500	20.00	0	98.1	80	120				
Methyl tert-butyl ether (MTBE)	19.6	0.500	20.00	0	98.0	80	120				
1,1-Dichloroethane	21.2	0.500	20.00	0	106	80	120				
cis-1,2-Dichloroethene	20.6	0.500	20.00	0	103	80	120				
2-Butanone (MEK)	40.1	5.00	50.00	0	80.2	80	120				
Chloroform	20.4	0.500	20.00	0	102	80	120				
1,1,1-Trichloroethane (TCA)	21.8	0.500	20.00	0	109	80	120				
1,1-Dichloropropene	21.0	0.500	20.00	0	105	80	120				
Carbon tetrachloride	21.2	0.500	20.00	0	106	80	120				
1,2-Dichloroethane (EDC)	19.2	0.200	20.00	0	96.0	80	120				
Benzene	19.4	0.200	20.00	0	97.2	80	120				
Trichloroethene (TCE)	18.1	0.500	20.00	0	90.3	80	120				
1,2-Dichloropropane	18.7	0.200	20.00	0	93.6	80	120				
Bromodichloromethane	18.8	0.200	20.00	0	94.0	80	120				
Dibromomethane	18.4	0.500	20.00	0	92.2	80	120				
cis-1,3-Dichloropropene	19.0	0.500	20.00	0	95.2	80	120				

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104764A		SampType: CCV		Units: µg/L		Prep Date: 11/14/2025		RunNo: 104764			
Client ID: CCV		Batch ID: 50045				Analysis Date: 11/14/2025		SeqNo: 2185862			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Toluene	19.1	0.500	20.00	0	95.7	80	120				
trans-1,3-Dichloropropylene	19.0	0.500	20.00	0	94.9	80	120				
Methyl Isobutyl Ketone (MIBK)	46.6	2.50	50.00	0	93.1	80	120				
1,1,2-Trichloroethane	18.1	0.500	20.00	0	90.7	80	120				
1,3-Dichloropropane	18.5	0.500	20.00	0	92.6	80	120				
Tetrachloroethene (PCE)	20.3	0.500	20.00	0	102	80	120				
Dibromochloromethane	18.2	0.500	20.00	0	91.2	80	120				
1,2-Dibromoethane (EDB)	18.1	0.500	20.00	0	90.4	80	120				
2-Hexanone (MBK)	39.6	1.25	50.00	0	79.1	80	120				S
Chlorobenzene	18.6	0.500	20.00	0	92.8	80	120				
1,1,1,2-Tetrachloroethane	20.4	0.500	20.00	0	102	80	120				
Ethylbenzene	20.3	0.500	20.00	0	102	80	120				
m,p-Xylene	40.1	1.00	40.00	0	100	80	120				
o-Xylene	20.1	0.500	20.00	0	100	80	120				
Styrene	20.8	0.500	20.00	0	104	80	120				
Isopropylbenzene	19.8	0.500	20.00	0	99.1	80	120				
Bromoform	18.6	0.500	20.00	0	92.8	80	120				
1,1,2,2-Tetrachloroethane	19.4	0.200	20.00	0	97.2	80	120				
n-Propylbenzene	20.6	0.500	20.00	0	103	80	120				
Bromobenzene	18.6	0.200	20.00	0	93.1	80	120				
1,3,5-Trimethylbenzene	20.0	0.500	20.00	0	99.8	80	120				
2-Chlorotoluene	19.7	0.500	20.00	0	98.5	80	120				
4-Chlorotoluene	19.1	0.500	20.00	0	95.5	80	120				
tert-Butylbenzene	19.4	0.500	20.00	0	96.8	80	120				
1,2,3-Trichloropropane	17.9	0.500	20.00	0	89.6	80	120				
1,2,4-Trichlorobenzene	18.6	0.750	20.00	0	93.0	80	120				
sec-Butylbenzene	20.1	0.500	20.00	0	100	80	120				
4-Isopropyltoluene	20.8	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	18.6	0.500	20.00	0	93.2	80	120				
1,4-Dichlorobenzene	18.3	0.500	20.00	0	91.4	80	120				
n-Butylbenzene	20.2	0.500	20.00	0	101	80	120				
1,2-Dichlorobenzene	18.9	0.500	20.00	0	94.4	80	120				

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104764A		SampType: CCV			Units: µg/L		Prep Date: 11/14/2025			RunNo: 104764		
Client ID: CCV		Batch ID: 50045			Analysis Date: 11/14/2025			SeqNo: 2185862				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dibromo-3-chloropropane	17.6	1.00	20.00	0	87.9	80	120				
1,2,4-Trimethylbenzene	18.9	0.500	20.00	0	94.3	80	120				
Hexachloro-1,3-butadiene	18.5	1.00	20.00	0	92.5	80	120				
Naphthalene	17.7	1.25	20.00	0	88.4	80	120				
1,2,3-Trichlorobenzene	17.0	1.00	20.00	0	85.2	80	120				
Surr: Dibromofluoromethane	25.9		25.00		103	80	120				
Surr: Toluene-d8	25.2		25.00		101	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.0		25.00		96.1	80	120				

NOTES:

S - Outlying spike recovery observed (low bias). Samples will be qualified with a Q.

Sample ID: LCS-50045		SampType: LCS			Units: µg/L		Prep Date: 11/14/2025			RunNo: 104764		
Client ID: LCSW		Batch ID: 50045			Analysis Date: 11/14/2025			SeqNo: 2185873				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	19.3	1.00	20.00	0	96.5	80	120				
Chloromethane	19.6	1.00	20.00	0	98.1	80	120				
Vinyl chloride	20.8	0.200	20.00	0	104	80	120				
Bromomethane	24.0	2.00	20.00	0	120	80	120				
Trichlorofluoromethane (CFC-11)	20.1	0.500	20.00	0	101	80	120				
Chloroethane	20.7	1.00	20.00	0	103	80	120				
1,1-Dichloroethene	21.2	0.500	20.00	0	106	80	120				
Acetone	35.7	5.00	50.00	0	71.5	80	120				S
Methylene chloride	19.3	2.00	20.00	0	96.3	80	120				
trans-1,2-Dichloroethene	19.6	0.500	20.00	0	98.1	80	120				
Methyl tert-butyl ether (MTBE)	19.6	0.500	20.00	0	98.0	80	120				
1,1-Dichloroethane	21.2	0.500	20.00	0	106	80	120				
cis-1,2-Dichloroethene	20.6	0.500	20.00	0	103	80	120				
2-Butanone (MEK)	40.1	5.00	50.00	0	80.2	80	120				
Chloroform	20.4	0.500	20.00	0	102	80	120				
1,1,1-Trichloroethane (TCA)	21.8	0.500	20.00	0	109	80	120				
1,1-Dichloropropene	21.0	0.500	20.00	0	105	80	120				

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50045	SampType: LCS	Units: µg/L				Prep Date: 11/14/2025			RunNo: 104764		
Client ID: LCSW	Batch ID: 50045	Analysis Date: 11/14/2025							SeqNo: 2185873		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Carbon tetrachloride	21.2	0.500	20.00	0	106	80	120				
1,2-Dichloroethane (EDC)	19.2	0.200	20.00	0	96.0	80	120				
Benzene	19.4	0.200	20.00	0	97.2	80	120				
Trichloroethene (TCE)	18.1	0.500	20.00	0	90.3	80	120				
1,2-Dichloropropane	18.7	0.200	20.00	0	93.6	80	120				
Bromodichloromethane	18.8	0.200	20.00	0	94.0	80	120				
Dibromomethane	18.4	0.500	20.00	0	92.2	80	120				
cis-1,3-Dichloropropene	19.0	0.500	20.00	0	95.2	80	120				
Toluene	19.1	0.500	20.00	0	95.7	80	120				
trans-1,3-Dichloropropylene	19.0	0.500	20.00	0	94.9	80	120				
Methyl Isobutyl Ketone (MIBK)	46.6	2.50	50.00	0	93.1	80	120				
1,1,2-Trichloroethane	18.1	0.500	20.00	0	90.7	80	120				
1,3-Dichloropropane	18.5	0.500	20.00	0	92.6	80	120				
Tetrachloroethene (PCE)	20.3	0.500	20.00	0	102	80	120				
Dibromochloromethane	18.2	0.500	20.00	0	91.2	80	120				
1,2-Dibromoethane (EDB)	18.1	0.500	20.00	0	90.4	80	120				
2-Hexanone (MBK)	39.6	1.25	50.00	0	79.1	80	120				S
Chlorobenzene	18.6	0.500	20.00	0	92.8	80	120				
1,1,1,2-Tetrachloroethane	20.4	0.500	20.00	0	102	80	120				
Ethylbenzene	20.3	0.500	20.00	0	102	80	120				
m,p-Xylene	40.1	1.00	40.00	0	100	80	120				
o-Xylene	20.1	0.500	20.00	0	100	80	120				
Styrene	20.8	0.500	20.00	0	104	80	120				
Isopropylbenzene	19.8	0.500	20.00	0	99.1	80	120				
Bromoform	18.6	0.500	20.00	0	92.8	80	120				
1,1,2,2-Tetrachloroethane	19.4	0.200	20.00	0	97.2	80	120				
n-Propylbenzene	20.6	0.500	20.00	0	103	80	120				
Bromobenzene	18.6	0.200	20.00	0	93.1	80	120				
1,3,5-Trimethylbenzene	20.0	0.500	20.00	0	99.8	80	120				
2-Chlorotoluene	19.7	0.500	20.00	0	98.5	80	120				
4-Chlorotoluene	19.1	0.500	20.00	0	95.5	80	120				
tert-Butylbenzene	19.4	0.500	20.00	0	96.8	80	120				

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50045		SampType: LCS			Units: µg/L		Prep Date: 11/14/2025			RunNo: 104764		
Client ID: LCSW		Batch ID: 50045			Analysis Date: 11/14/2025			SeqNo: 2185873				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2,3-Trichloropropane	17.9	0.500	20.00	0	89.6	80	120				
1,2,4-Trichlorobenzene	18.6	0.750	20.00	0	93.0	80	120				
sec-Butylbenzene	20.1	0.500	20.00	0	100	80	120				
4-Isopropyltoluene	20.8	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	18.6	0.500	20.00	0	93.2	80	120				
1,4-Dichlorobenzene	18.3	0.500	20.00	0	91.4	80	120				
n-Butylbenzene	20.2	0.500	20.00	0	101	80	120				
1,2-Dichlorobenzene	18.9	0.500	20.00	0	94.4	80	120				
1,2-Dibromo-3-chloropropane	17.6	1.00	20.00	0	87.9	80	120				
1,2,4-Trimethylbenzene	18.9	0.500	20.00	0	94.3	80	120				
Hexachloro-1,3-butadiene	18.5	1.00	20.00	0	92.5	80	120				
Naphthalene	17.7	1.25	20.00	0	88.4	80	120				
1,2,3-Trichlorobenzene	17.0	1.00	20.00	0	85.2	80	120				
Surr: Dibromofluoromethane	25.9		25.00		103	79.9	122				
Surr: Toluene-d8	25.2		25.00		101	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.0		25.00		96.1	79.7	120				

NOTES:

S - Outlying spike recovery observed (low bias). Samples will be qualified with a Q.

Sample ID: MB-50045		SampType: MBLK		Units: µg/L		Prep Date: 11/14/2025			RunNo: 104764		
Client ID: MBLKW		Batch ID: 50045					Analysis Date: 11/14/2025			SeqNo: 2185863	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	ND	5.00									
Methylene chloride	ND	2.00									

Q

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50045	SampType: MBLK	Units: µg/L		Prep Date: 11/14/2025		RunNo: 104764					
Client ID: MBLKW	Batch ID: 50045			Analysis Date: 11/14/2025		SeqNo: 2185863					
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									
1,1-Dichloropropene	ND	0.500									
Carbon tetrachloride	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.200									
Benzene	ND	0.200									
Trichloroethene (TCE)	ND	0.500									
1,2-Dichloropropane	ND	0.200									
Bromodichloromethane	ND	0.200									
Dibromomethane	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									

Q

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50045		SampType: MBLK			Units: µg/L		Prep Date: 11/14/2025			RunNo: 104764		
Client ID: MBLKW		Batch ID: 50045						Analysis Date: 11/14/2025			SeqNo: 2185863	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	25.8		25.00		103	80	120				
Surr: Toluene-d8	24.5		25.00		97.8	80	120				
Surr: 1-Bromo-4-fluorobenzene	22.9		25.00		91.8	80	120				

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Sample ID: 2511391-001ADUP		SampType: DUP			Units: µg/L		Prep Date: 11/14/2025			RunNo: 104764		
Client ID: BATCH		Batch ID: 50045			Analysis Date: 11/14/2025			SeqNo: 2185867				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	ND	1.00						0	0	30	
----------------------------------	----	------	--	--	--	--	--	---	---	----	--

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511391-001ADUP	SampType: DUP	Units: µg/L			Prep Date: 11/14/2025			RunNo: 104764			
Client ID: BATCH	Batch ID: 50045	Analysis Date: 11/14/2025						SeqNo: 2185867			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloromethane	ND	1.00						0	0	30	
Vinyl chloride	ND	0.200						0	0	30	
Bromomethane	ND	2.00						0	0	30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0	0	30	
Chloroethane	ND	1.00						0	0	30	
1,1-Dichloroethene	ND	0.500						0	0	30	
Acetone	ND	5.00						0	0	30	Q
Methylene chloride	ND	2.00						0	0	30	
trans-1,2-Dichloroethene	ND	0.500						0	0	30	
Methyl tert-butyl ether (MTBE)	ND	0.500						0	0	30	
1,1-Dichloroethane	ND	0.500						0	0	30	
cis-1,2-Dichloroethene	ND	0.500						0	0	30	
2-Butanone (MEK)	ND	5.00						0	0	30	
Chloroform	0.873	0.500						0.9073	3.85	30	
1,1,1-Trichloroethane (TCA)	ND	0.500						0	0	30	
1,1-Dichloropropene	ND	0.500						0	0	30	
Carbon tetrachloride	ND	0.500						0	0	30	
1,2-Dichloroethane (EDC)	ND	0.200						0	0	30	
Benzene	ND	0.200						0	0	30	
Trichloroethene (TCE)	ND	0.500						0	0	30	
1,2-Dichloropropane	ND	0.200						0	0	30	
Bromodichloromethane	0.177	0.200						0.1714	3.16	30	J
Dibromomethane	ND	0.500						0	0	30	
cis-1,3-Dichloropropene	ND	0.500						0	0	30	
Toluene	ND	0.500						0	0	30	
trans-1,3-Dichloropropylene	ND	0.500						0	0	30	
Methyl Isobutyl Ketone (MIBK)	0.363	2.50						0.3613	0.489	30	J
1,1,2-Trichloroethane	ND	0.500						0	0	30	
1,3-Dichloropropane	ND	0.500						0	0	30	
Tetrachloroethene (PCE)	ND	0.500						0	0	30	
Dibromochloromethane	ND	0.500						0	0	30	
1,2-Dibromoethane (EDB)	ND	0.500						0	0	30	

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511391-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/14/2025		RunNo: 104764			
Client ID: BATCH		Batch ID: 50045				Analysis Date: 11/14/2025		SeqNo: 2185867			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Hexanone (MBK)	ND	1.25						0	0	30	Q
Chlorobenzene	ND	0.500						0	0	30	
1,1,1,2-Tetrachloroethane	ND	0.500						0	0	30	
Ethylbenzene	ND	0.500						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	
o-Xylene	ND	0.500						0	0	30	
Styrene	ND	0.500						0	0	30	
Isopropylbenzene	ND	0.500						0	0	30	
Bromoform	ND	0.500						0	0	30	
1,1,2,2-Tetrachloroethane	ND	0.200						0	0	30	
n-Propylbenzene	ND	0.500						0	0	30	
Bromobenzene	ND	0.200						0	0	30	
1,3,5-Trimethylbenzene	ND	0.500						0	0	30	
2-Chlorotoluene	ND	0.500						0	0	30	
4-Chlorotoluene	ND	0.500						0	0	30	
tert-Butylbenzene	ND	0.500						0	0	30	
1,2,3-Trichloropropane	ND	0.500						0	0	30	
1,2,4-Trichlorobenzene	ND	0.750						0	0	30	
sec-Butylbenzene	ND	0.500						0	0	30	
4-Isopropyltoluene	ND	0.500						0	0	30	
1,3-Dichlorobenzene	ND	0.500						0	0	30	
1,4-Dichlorobenzene	ND	0.500						0	0	30	
n-Butylbenzene	ND	0.500						0	0	30	
1,2-Dichlorobenzene	ND	0.500						0	0	30	
1,2-Dibromo-3-chloropropane	ND	1.00						0	0	30	
1,2,4-Trimethylbenzene	ND	0.500						0	0	30	
Hexachloro-1,3-butadiene	ND	1.00						0	0	30	
Naphthalene	ND	1.25						0	0	30	
1,2,3-Trichlorobenzene	ND	1.00						0	0	30	
Surr: Dibromofluoromethane	25.9		25.00		104	79.9	122		0		
Surr: Toluene-d8	24.7		25.00		98.9	80	121		0		
Surr: 1-Bromo-4-fluorobenzene	22.9		25.00		91.5	79.7	120		0		

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511391-001ADUP		SampType: DUP			Units: µg/L		Prep Date: 11/14/2025			RunNo: 104764		
Client ID: BATCH		Batch ID: 50045			Analysis Date: 11/14/2025					SeqNo: 2185867		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Sample ID: 2511248-015AMS		SampType: MS		Units: µg/L		Prep Date: 11/14/2025			RunNo: 104766		
Client ID: BATCH		Batch ID: 50039		Analysis Date: 11/15/2025						SeqNo: 2185954	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	25.0	1.00	20.00	0	125	61	156				
Chloromethane	22.6	1.00	20.00	0	113	58.6	153				
Vinyl chloride	26.3	0.200	20.00	0.3498	130	70.9	160				
Bromomethane	25.1	2.00	20.00	0	126	57	155				
Trichlorofluoromethane (CFC-11)	24.9	0.500	20.00	0	125	80	159				
Chloroethane	24.8	1.00	20.00	0	124	71.3	145				
1,1-Dichloroethene	26.6	0.500	20.00	0	133	80	160				
Acetone	35.2	5.00	50.00	0	70.5	12.9	126				
Methylene chloride	21.7	2.00	20.00	0	109	77.6	131				
trans-1,2-Dichloroethene	22.8	0.500	20.00	0	114	80	134				
Methyl tert-butyl ether (MTBE)	21.2	0.500	20.00	0	106	80	127				
1,1-Dichloroethane	25.3	0.500	20.00	0.8964	122	80	129				
cis-1,2-Dichloroethene	22.4	0.500	20.00	0	112	78.2	137				
2-Butanone (MEK)	40.3	5.00	50.00	0	80.7	32.5	130				
Chloroform	22.8	0.500	20.00	0	114	78.3	136				
1,1,1-Trichloroethane (TCA)	26.4	0.500	20.00	0	132	80	153				
1,1-Dichloropropene	24.9	0.500	20.00	0	124	80	153				
Carbon tetrachloride	26.6	0.500	20.00	0	133	80	156				
1,2-Dichloroethane (EDC)	21.2	0.200	20.00	0	106	77	133				
Benzene	21.5	0.200	20.00	0	107	80	134				
Trichloroethene (TCE)	19.4	0.500	20.00	0	96.9	80	133				
1,2-Dichloropropane	21.0	0.200	20.00	0	105	80	125				
Bromodichloromethane	21.1	0.200	20.00	0	106	80	124				
Dibromomethane	19.5	0.500	20.00	0	97.5	80	122				
cis-1,3-Dichloropropene	20.9	0.500	20.00	0	104	80	128				

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511248-015AMS	SampType: MS	Units: µg/L				Prep Date: 11/14/2025			RunNo: 104766		
Client ID: BATCH	Batch ID: 50039	Analysis Date: 11/15/2025						SeqNo: 2185954			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Toluene	21.0	0.500	20.00	0	105	80	134				
trans-1,3-Dichloropropylene	20.7	0.500	20.00	0	103	78.6	136				
Methyl Isobutyl Ketone (MIBK)	52.1	2.50	50.00	0	104	61.1	145				
1,1,2-Trichloroethane	20.0	0.500	20.00	0	100	79.4	135				
1,3-Dichloropropane	20.2	0.500	20.00	0	101	80	126				
Tetrachloroethene (PCE)	23.7	0.500	20.00	0	118	80	153				
Dibromochloromethane	20.4	0.500	20.00	0	102	77.7	137				
1,2-Dibromoethane (EDB)	19.7	0.500	20.00	0	98.3	77.8	132				
2-Hexanone (MBK)	43.1	1.25	50.00	0	86.3	34.7	135				
Chlorobenzene	20.4	0.500	20.00	0	102	80	123				
1,1,1,2-Tetrachloroethane	21.6	0.500	20.00	0	108	80	125				
Ethylbenzene	22.1	0.500	20.00	0	111	80	125				
m,p-Xylene	44.0	1.00	40.00	0	110	80	124				
o-Xylene	21.3	0.500	20.00	0	106	80	122				
Styrene	22.2	0.500	20.00	0	111	80	122				
Isopropylbenzene	21.2	0.500	20.00	0	106	80	133				
Bromoform	19.8	0.500	20.00	0	98.8	80	125				
1,1,2,2-Tetrachloroethane	22.9	0.200	20.00	0	115	76.3	138				
n-Propylbenzene	23.3	0.500	20.00	0	116	80	134				
Bromobenzene	19.2	0.200	20.00	0	96.0	80	121				
1,3,5-Trimethylbenzene	21.8	0.500	20.00	0	109	80	126				
2-Chlorotoluene	20.3	0.500	20.00	0	102	80	124				
4-Chlorotoluene	20.8	0.500	20.00	0	104	80	123				
tert-Butylbenzene	21.1	0.500	20.00	0	106	80	131				
1,2,3-Trichloropropane	18.6	0.500	20.00	0	93.2	75.3	125				
1,2,4-Trichlorobenzene	21.1	0.750	20.00	0	106	71.2	129				
sec-Butylbenzene	22.5	0.500	20.00	0	113	80	137				
4-Isopropyltoluene	22.9	0.500	20.00	0	114	80	132				
1,3-Dichlorobenzene	20.3	0.500	20.00	0	102	80	120				
1,4-Dichlorobenzene	19.7	0.500	20.00	0	98.5	80	122				
n-Butylbenzene	21.9	0.500	20.00	0	109	79.5	138				
1,2-Dichlorobenzene	20.3	0.500	20.00	0	102	79	120				

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511248-015AMS		SampType: MS			Units: µg/L		Prep Date: 11/14/2025			RunNo: 104766		
Client ID: BATCH		Batch ID: 50039			Analysis Date: 11/15/2025					SeqNo: 2185954		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dibromo-3-chloropropane	19.2	1.00	20.00	0	95.8	69.6	137				
1,2,4-Trimethylbenzene	20.2	0.500	20.00	0	101	80	123				
Hexachloro-1,3-butadiene	20.9	1.00	20.00	0	105	74.3	148				
Naphthalene	19.5	1.25	20.00	0	97.6	74.3	124				
1,2,3-Trichlorobenzene	18.5	1.00	20.00	0	92.6	71.9	129				
Surr: Dibromofluoromethane	26.7		25.00		107	79.9	122				
Surr: Toluene-d8	25.5		25.00		102	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.2		25.00		96.7	79.7	120				

Sample ID: VOC-CCV-104764B		SampType: CCV			Units: µg/L		Prep Date: 11/15/2025			RunNo: 104764		
Client ID: CCV		Batch ID: 50045			Analysis Date: 11/15/2025			SeqNo: 2185871				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

2-Chloroethyl vinyl ether	ND	4.50									
Dichlorodifluoromethane (CFC-12)	19.1	1.00	20.00	0	95.7	80	120				
Chloromethane	20.3	1.00	20.00	0	101	80	120				
Bromomethane	25.1	2.00	20.00	0	126	80	120				S
Trichlorofluoromethane (CFC-11)	20.1	0.500	20.00	0	101	80	120				
Chloroethane	22.4	1.00	20.00	0	112	80	120				
Vinyl acetate	24.3	0.500	20.00	0	121	80	120				S
1,1-Dichloroethene	21.3	0.500	20.00	0	107	80	120				
Methylene chloride	21.7	2.00	20.00	0	109	80	120				
Carbon disulfide	21.1	0.200	20.00	0	105	80	120				
Acrylonitrile	21.4	0.500	20.00	0	107	80	120				
trans-1,2-Dichloroethene	20.4	0.500	20.00	0	102	80	120				
Methyl tert-butyl ether (MTBE)	20.6	0.500	20.00	0	103	80	120				
1,1-Dichloroethane	22.4	0.500	20.00	0	112	80	120				
cis-1,2-Dichloroethene	21.1	0.500	20.00	0	105	80	120				
Chloroform	21.4	0.500	20.00	0	107	80	120				
1,1,1-Trichloroethane (TCA)	22.2	0.500	20.00	0	111	80	120				
1,1-Dichloropropene	20.5	0.500	20.00	0	102	80	120				

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104764B	SampType: CCV	Units: µg/L			Prep Date: 11/15/2025			RunNo: 104764			
Client ID: CCV	Batch ID: 50045	Analysis Date: 11/15/2025						SeqNo: 2185871			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Carbon tetrachloride	21.5	0.500	20.00	0	108	80	120				
1,2-Dichloroethane (EDC)	20.3	0.200	20.00	0	102	80	120				
Benzene	20.0	0.200	20.00	0	99.8	80	120				
Trichloroethene (TCE)	17.9	0.500	20.00	0	89.4	80	120				
1,2-Dichloropropane	19.7	0.200	20.00	0	98.6	80	120				
Bromodichloromethane	20.0	0.200	20.00	0	100	80	120				
Dibromomethane	18.7	0.500	20.00	0	93.5	80	120				
cis-1,3-Dichloropropene	20.1	0.500	20.00	0	101	80	120				
Toluene	19.5	0.500	20.00	0	97.4	80	120				
trans-1,3-Dichloropropylene	20.1	0.500	20.00	0	101	80	120				
Methyl Isobutyl Ketone (MIBK)	49.7	2.50	50.00	0	99.4	80	120				
1,1,2-Trichloroethane	19.4	0.500	20.00	0	96.9	80	120				
1,3-Dichloropropane	19.3	0.500	20.00	0	96.7	80	120				
Tetrachloroethene (PCE)	20.3	0.500	20.00	0	101	80	120				
Dibromochloromethane	19.4	0.500	20.00	0	96.9	80	120				
1,2-Dibromoethane (EDB)	19.0	0.500	20.00	0	95.0	80	120				
Chlorobenzene	19.2	0.500	20.00	0	95.9	80	120				
1,1,1,2-Tetrachloroethane	20.4	0.500	20.00	0	102	80	120				
Ethylbenzene	20.1	0.500	20.00	0	101	80	120				
m,p-Xylene	40.4	1.00	40.00	0	101	80	120				
o-Xylene	20.1	0.500	20.00	0	101	80	120				
Styrene	21.2	0.500	20.00	0	106	80	120				
Isopropylbenzene	19.0	0.500	20.00	0	94.8	80	120				
Bromoform	19.2	0.500	20.00	0	95.9	80	120				
1,1,2,2-Tetrachloroethane	21.2	0.200	20.00	0	106	80	120				
n-Propylbenzene	20.7	0.500	20.00	0	104	80	120				
Bromobenzene	18.3	0.200	20.00	0	91.4	80	120				
1,3,5-Trimethylbenzene	19.8	0.500	20.00	0	98.8	80	120				
2-Chlorotoluene	19.1	0.500	20.00	0	95.4	80	120				
4-Chlorotoluene	19.5	0.500	20.00	0	97.3	80	120				
tert-Butylbenzene	18.7	0.500	20.00	0	93.3	80	120				
1,2,3-Trichloropropane	17.9	0.500	20.00	0	89.7	80	120				

Work Order: 2511275
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104764B		SampType: CCV		Units: µg/L		Prep Date: 11/15/2025		RunNo: 104764			
Client ID: CCV		Batch ID: 50045				Analysis Date: 11/15/2025		SeqNo: 2185871			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	19.7	0.750	20.00	0	98.5	80	120				
sec-Butylbenzene	19.4	0.500	20.00	0	96.9	80	120				
4-Isopropyltoluene	20.2	0.500	20.00	0	101	80	120				
1,3-Dichlorobenzene	19.3	0.500	20.00	0	96.7	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.4	80	120				
n-Butylbenzene	19.6	0.500	20.00	0	97.9	80	120				
1,2-Dichlorobenzene	19.5	0.500	20.00	0	97.4	80	120				
1,2-Dibromo-3-chloropropane	18.7	1.00	20.00	0	93.6	80	120				
1,2,4-Trimethylbenzene	18.8	0.500	20.00	0	94.1	80	120				
Hexachloro-1,3-butadiene	18.2	1.00	20.00	0	91.2	80	120				
Naphthalene	18.6	1.25	20.00	0	93.2	80	120				
1,2,3-Trichlorobenzene	17.6	1.00	20.00	0	88.1	80	120				
IS: Fluorobenzene	ND		25.00	0	0	0	0				
Surr: Dibromofluoromethane	26.2		25.00		105	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.3		25.00		97.3	80	120				

NOTES:

S - Outlying spike recovery observed (high bias).

Sample ID: VOC-CCV-104766C		SampType: CCV		Units: µg/L		Prep Date: 11/17/2025		RunNo: 104766			
Client ID: CCV		Batch ID: 50039				Analysis Date: 11/17/2025		SeqNo: 2185955			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	20.3	0.200	20.00	0	101	80	120				
cis-1,2-Dichloroethene	20.4	0.500	20.00	0	102	80	120				
Trichloroethene (TCE)	18.0	0.500	20.00	0	90.2	80	120				
Tetrachloroethene (PCE)	20.0	0.500	20.00	0	100	80	120				
Surr: Dibromofluoromethane	25.6		25.00		102	80	120				
Surr: Toluene-d8	24.7		25.00		98.9	80	120				
Surr: 1-Bromo-4-fluorobenzene	23.9		25.00		95.8	80	120				

Client Name: AC

Work Order Number: 2511275

Logged by: Morgan Laughlin

Date Received: 11/11/2025 3:02:00 PM

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes ☐ No ☐ Not Present ☒
4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all items received at a temperature of >2°C to 6°C * Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. Is there headspace in the VOA vials? Yes ☐ No ☒ NA ☐
11. Did all samples containers arrive in good condition(unbroken)? Yes ☒ No ☐
12. Does paperwork match bottle labels? Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all hold times (except field parameters, pH e.g.) able to be met? Yes ☒ No ☐

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:		Date:	
By Whom:		Via:	☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:			
Client Instructions:			

17. Additional remarks:

Item Information

Item #	Temp °C
Sample	4.9

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11-11-25

Page: 1 of 2

Project Name: 700 Dexter

Project No: AS240461

Collected by: M. Elliott E. Rusan J. Reville

Location: 700 Dexter

Report To (PM): Hannah Cowan + Leanne

Laboratory Project No (Internal): 2511275

Special Remarks:

Please bill to use - AS240461 -
8485 on Receipt

Short lead time on
Nitrate!

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Client: Geosyntec Consultants
Address: 801 5th Ave Suite 2200
City, State, Zip: Seattle, WA 98104
Telephone: 206-780-7724

Email(s): Hannah.Cowan@geosyntec.com Leanne@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCs (EPA 8260/624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCID)	Diesel/Heavy Oil Range Organics (DX)	SVOCs (EPA 8270/625)	PAHs (EPA 8270-SIM)	PCBs (EPA 8082/608)	Metals** (EPA 6010/200.8)	Total (TD) Dissolved (D)	Anions (IC)**	EDB (8011)	Dissolved Gases (Reactive)	Alkalinity (EPA 8010.2)	TOL (8010.2)	Comments
1 F MW-131-251111	11-11-25	0948	GW	3	X															
2 MW-341-251111	11-11-25	1015	GW	9	X															
3 F MW-129-251111	11-11-25	1025	GW	9	X															
4 GEI-2-251111	11-11-25	1026	GW	3	X															
5 MW-328-251111	11-11-25	1109	GW	9	X															
6 GEI-MW-1-251111	11-11-25	1122	GW	3	X															
7 MW-326R-251111	11-11-25	1200	GW	3	X															
8 MW-327-251111	11-11-25	1204	GW	3	X															
9 MW107-251111	11-11-25	1227	GW	9	X															
10 MW-340-251111	11-11-25	1238	GW	3	X															

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Fe Hg K Mg Mn Mo Na Ni Pb Sb Se Sr Sn Ti Tl V Zn

***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate+Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished (Signature)

Print Name

Date/Time

11/11/25

1502

Received (Signature)

Print Name

Date/Time

11/11/25

1502

Relinquished (Signature)

Print Name

Date/Time

11/11/25

1502

Received (Signature)

Print Name

Date/Time

11/11/25

1502

Turn-around Time:

☒ Standard ☐ Next Day

☐ 3 Day ☐ Same Day

☐ 2 Day (specify)



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11-11-25 Page: 2 of 2

Project Name: 700 Dexter

Project No: AS240461

Collected by: M. Elliott E. Rusev J. Raville

Location: 700 Dexter

Report To (PM): Hannah Cohen + Lea Kave

Laboratory Project No (Internal): 2511275

Special Remarks:

Please bill to 800-AS240461-8485 on Cenpa, Short holdtime on Nitrate!

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Client: Geosyntec Consultants

Address: 801 5th Ave Suite 2200

City, State, Zip: Seattle, WA 98104

Telephone: 206-780-7724

Email: Hannah.Cohen@geosyntec.com Lea.Kave@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCs (EPA 8260 / 624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCD)	Diesel/Heavy Oil Range Organics (DH)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8082 / 608)	Metals** (EPA 6020 / 200.6)	Total (D)	Dissolved (D)	Anions (IC)***	EDB (8011)	Dissolved Gases (EPA 8215)	Alkalinity (EPA 8215)	TOC (4000A)	Comments
-------------	-------------	-------------	-----------------------	------------	-----------------------	------	------------------------------	----------------------------------	--------------------------------------	------------------------	-----------------------	-----------------------	-----------------------------	-----------	---------------	----------------	------------	----------------------------	-----------------------	-------------	----------

1 MW-325-25111

11-11-25

1300

GW

3

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

2 MW-338-25111

11-11-25

1319

GW

3

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

3 EQ-25111

11-11-25

1345

W

4

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

4 TRIP-25111

11-11-25

-

W

1

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

5

6

7

8

9

10



Analytical Resources, LLC
Analytical Chemists and Consultants
Tukwila, WA

28 November 2025

Brianna Barnes
Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle, WA 98103

RE: TOC (2511275)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)

25K0273

Associated SDG ID(s)

N/A

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Phillip Bates, Project Manager



25K0273

SUB CONTRACTOR: ARI		COMPANY: Analytical Resources Inc.		SPECIAL INSTRUCTIONS / COMMENTS: Standard TAT. Please email results to SEA.PM@alliancetg.com and invoices to both SEA.PM@alliancetg.com and ap@alliancetg.com.			
ADDRESS: 4611 South 134th Place, Suite 100							
CITY, STATE, ZIP: Tukwila, WA 98168							
PHONE: (206) 695-6200		FAX: EMAIL: 					
ACCOUNT #:							

ITEM #	SAMPLE ID	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS	COMMENTS: Methanol Preserved Weights HOT Sample Notation, Additional Sample Description.
1	2511275-002C	MW-341-251111	AMBER 250ML	Groundwater	11/11/2025 10:15:00 AM	1	TOC 9060
	C-TOC-W-5310C						
2	2511275-003C	FMW-129-251111	AMBER 250ML	Groundwater	11/11/2025 10:25:00 AM	1	TOC 9060
	C-TOC-W-5310C						
3	2511275-005C	MW-328-251111	AMBER 250ML	Groundwater	11/11/2025 11:09:00 AM	1	TOC 9060
	C-TOC-W-5310C						
4	2511275-009C	MW107-251111	AMBER 250ML	Groundwater	11/11/2025 12:27:00 PM	1	TOC 9060
	C-TOC-W-5310C						
5	2511275-013C	EQ-251111	AMBER 250ML	Water	11/11/2025 1:45:00 PM	1	TOC 9060
	C-TOC-W-5310C						

Relinquished By: 	Date: 11/12/25	Time: 1000	Received By: 	Date: 11/12/25	Time: 1335	REPORT TRANSMITTAL DESIRED: ☐ HARDCOPY (extra cost) ☐ FAX ☐ EMAIL ☐ ONLINE
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
TAT: Standard ☐ RUSH Next BD ☐ 2nd BD ☐ 3rd BD ☐						FOR LAB USE ONLY Temp of samples _____ °C Attempt to Cool ? _____ Comments: _____
Note: RUSH requests will incur surcharges!						Page 87 of 99



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511275
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:08

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-341-251111	25K0273-01	Water	11-Nov-2025 10:15	12-Nov-2025 13:35
FMW-129-251111	25K0273-02	Water	11-Nov-2025 10:25	12-Nov-2025 13:35
MW-328-251111	25K0273-03	Water	11-Nov-2025 11:09	12-Nov-2025 13:35
MW107-251111	25K0273-04	Water	11-Nov-2025 12:27	12-Nov-2025 13:35
EQ-251111	25K0273-05	Water	11-Nov-2025 13:45	12-Nov-2025 13:35



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511275
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:08

Work Order Case Narrative

Client: Alliance Technical Group, LLC.

Project: TOC

Project Number: 2511275

Work Order: 25K0273

Sample receipt

The sample(s) as listed on the preceding page were received 12-Nov-2025 13:35 under ARI work order 25K0273. For details regarding sample receipt, please refer to the Cooler Receipt Form.

Wet Chemistry

The sample(s) were prepared and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.



Cooler Receipt Form

ARI Client: Alliance

Project Name: TOC

COC No(s): _____ (NA)

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: 25K0273

Tracking No: _____ (NA)

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler? _____

YES (NO)

Were custody papers included with the cooler? _____

(YES) NO

Were custody papers properly filled out (ink, signed, etc.) _____

(YES) NO

Temperature of Cooler(s) (°C) Time 1335 5.9

Temp Gun ID#: 9708

Was a temperature blank included in the cooler? _____

YES (NO)

Were coolers received between 0° - 6° (°C) _____

(YES) NO

Was sufficient ice used (if appropriate)? _____

NA (YES) NO

Cooler Accepted by: SA Date: 11/12/25 Time: 1335

Complete custody forms and attach all shipping documents

Log-In Phase:

What kind of packing material was used? Bubble Wrap Wet Ice Gel Packs Baggies Foam Block N/A Other: _____

Are any samples that were out of temperature compliance documented in LIMS? _____

YES (NO)

How were bottles sealed in plastic bags? _____

Individually Grouped (Not)

Did all bottles arrive in good condition (unbroken)? _____

(YES) NO

Were all bottle labels complete and legible? _____

(YES) NO

Did the number of containers listed on COC match with the number of containers received? _____

(YES) NO

Did all bottle labels and tags agree with custody papers? _____

(YES) NO

Were all bottles used correct for the requested analyses? _____

(YES) NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ...

NA (YES) NO

Were all VOC vials free of air bubbles? _____

(NA) YES NO

Was sufficient amount of sample sent in each bottle? _____

(YES) NO

Date VOC Trip Blank was made at ARI: _____

(NA)

Were the sample(s) split by ARI? (NA) YES Date/Time: _____ Equipment: _____ Split by: _____

Samples Logged by: SS Date: 11-12-25 Time: 15:27 Labels checked by: _____

**** Notify Project Manager of discrepancies or concerns ****

Additional Notes, Discrepancies, & Resolutions:

By: _____ Date: _____



WORK ORDER

25K0273

Client: Alliance Technical Group, LLC.

Project Manager: Phillip Bates

Project: 2408332

Project Number: [none]

Preservation Confirmation

Container ID	Container Type	pH	pH Paper Lot#: N000119
25K0273-01 A	Glass NM, Amber, 250 mL, 9N H2SO4	4.2 p ↓	
25K0273-02 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0273-03 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0273-04 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0273-05 A	Glass NM, Amber, 250 mL, 9N H2SO4		

SS

Preservation Confirmed By

11-12-25

Date



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511275
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:08

MW-341-251111
25K0273-01 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/11/2025 10:15

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 13:21

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0273-01 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	30.23	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511275
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:08

FMW-129-251111
25K0273-02 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/11/2025 10:25

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 13:39

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0273-02 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	13.24	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511275
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:08

MW-328-251111
25K0273-03 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/11/2025 11:09

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 14:35

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0273-03 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	14.43	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511275
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:08

MW107-251111
25K0273-04 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/11/2025 12:27

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 14:53

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0273-04 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	27.65	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511275
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:08

EQ-251111
25K0273-05 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/11/2025 13:45

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 15:18

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0273-05 A

Preparation Batch: BNK0443

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	0.63	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511275
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:08

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BNK0443 - EPA 9060A in Water

Instrument: TOC-LCSH Analyst: RMS

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Blank (BNK0443-BLK1)					Prepared: 25-Nov-2025 Analyzed: 25-Nov-2025 07:10					
Total Organic Carbon	ND	0.50	0.50	mg/L						U
LCS (BNK0443-BS1)					Prepared: 25-Nov-2025 Analyzed: 25-Nov-2025 07:28					
Total Organic Carbon	20.61	0.50	0.50	mg/L	20.00	103	90-110			



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511275
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:08

Uncertified Analytes included in this Report

Analysis Matrix & Analyte

None

Certified Analyses included in this Report

Analysis Matrix & Analyte

Certification Codes

EPA 9060A in Water

Total Organic Carbon

DoD-ELAP,WADOE,NELAP

Certifications

Code	Description	Number	Expires
DoD-ELAP	DoD-Environmental Laboratory Accreditation Program, PJLA Testing	66169	01/31/2026
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-018	05/12/2026
WADOE	WA Dept of Ecology	C558	06/30/2026



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511275
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:08

Notes and Definitions

*	Flagged value is not within established control limits.
U	This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
[2C]	Indicates this result was quantified on the second column on a dual column analysis.
!	Indicates that ARL is NOT ACCREDITED for this parameter in samples logged as 'Drinking Water'
#	Indicates that ARL is NOT ACCREDITED for this parameter in this analysis and matrix.

Geosyntec Consultants

Hannah Cohen

801 5th Ave Suite 2200

Seattle, WA 98104

RE: 700 Dexter, WO-AS240461-8485

Work Order Number: 2511308

December 01, 2025

Attention Hannah Cohen:

Alliance Technical Group, LLC - Seattle received 15 sample(s) on 11/12/2025 for the analyses presented in the following report.

Dissolved Gases by RSK-175

Ion Chromatography by EPA 300.0

Total Alkalinity by EPA 310.2

Total Metals by EPA 6020B

Total Organic Carbon by EPA Method 9060

Volatile Organic Compounds by EPA 8260D

All analyses were performed according to our accredited Quality Assurance program. Please contact the laboratory if you should have any questions about the results.

Alliance Technical Group is committed to accuracy, speed, and customer service. Thank you for choosing Alliance Technical Group's Seattle laboratory team for your analytical needs. We appreciate this opportunity to serve you!

Sincerely,



Lyann Rivera
Project Manager

CC:

Lea Kane

DoD-ELAP Accreditation #79636 by PJLA, ISO/IEC 17025:2017 and QSM 5.4 for Environmental Testing
ORELAP Certification: WA 100009 (NELAP Recognized) for Environmental Testing
Washington State Department of Ecology Accredited for Environmental Testing, Lab ID C910

Revision v1



CLIENT: Geosyntec Consultants
Project: 700 Dexter
Work Order: 2511308

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
2511308-001	MW-322-251112	11/12/2025 10:12 AM	11/12/2025 3:42 PM
2511308-002	FMW-142-251112	11/12/2025 10:12 AM	11/12/2025 3:42 PM
2511308-003	MW-344-251112	11/12/2025 10:15 AM	11/12/2025 3:42 PM
2511308-004	MW-147-251112	11/12/2025 11:20 AM	11/12/2025 3:42 PM
2511308-005	MW-319-251112	11/12/2025 11:22 AM	11/12/2025 3:42 PM
2511308-006	MW116-251112	11/12/2025 11:34 AM	11/12/2025 3:42 PM
2511308-007	MW-318-251112	11/12/2025 12:14 PM	11/12/2025 3:42 PM
2511308-008	MW-146-251112	11/12/2025 12:25 PM	11/12/2025 3:42 PM
2511308-009	MW113-251112	11/12/2025 12:28 PM	11/12/2025 3:42 PM
2511308-010	MW-317-251112	11/12/2025 1:00 PM	11/12/2025 3:42 PM
2511308-011	MW-154-251112	11/12/2025 1:20 PM	11/12/2025 3:42 PM
2511308-012	MW115-251112	11/12/2025 1:22 PM	11/12/2025 3:42 PM
2511308-013	MW-153-251112	11/12/2025 2:15 PM	11/12/2025 3:42 PM
2511308-014	MW-332-251112	11/12/2025 2:15 PM	11/12/2025 3:42 PM
2511308-015	TRIP-251112	11/12/2025 12:00 AM	11/12/2025 3:42 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

CLIENT: Geosyntec Consultants

Project: 700 Dexter

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

Matrix Spike (MS) and MS Duplicate (MSD) samples are tested from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. The sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

2511308-001C

C-TOC-W-9060 has been Sub Contracted.

2511308-003C

C-TOC-W-9060 has been Sub Contracted.

2511308-004C

C-TOC-W-9060 has been Sub Contracted.

2511308-005C

C-TOC-W-9060 has been Sub Contracted.

2511308-007C

C-TOC-W-9060 has been Sub Contracted.

2511308-008C

C-TOC-W-9060 has been Sub Contracted.

2511308-009C

C-TOC-W-9060 has been Sub Contracted.

2511308-011C

C-TOC-W-9060 has been Sub Contracted.

1/9/2026: Rev1 includes additional continued calibration samples for EPA 300.0 per client request.

Qualifiers:

- * - Associated LCS is outside of control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Method Detection Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- DUP - Sample Duplicate
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MCL - Maximum Contaminant Level
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- REP - Sample Replicate
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate

Client: Geosyntec Consultants

Collection Date: 11/12/2025 10:12:00 AM

Project: 700 Dexter

Lab ID: 2511308-001

Matrix: Groundwater

Client Sample ID: MW-322-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10495		Analyst: BCA	
Methane	1.03	0.0500	0.0451	D	mg/L	10	11/21/25 15:05:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/21/25 12:06:00
Ethane	0.0279	0.0100	0.00754		mg/L	1	11/21/25 12:06:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50052		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	10.0	1.77	D	µg/L	10	11/18/25 0:00:50
Chloromethane	ND	10.0	2.18	D	µg/L	10	11/18/25 0:00:50
Vinyl chloride	144	2.00	0.455	D	µg/L	10	11/18/25 0:00:50
Bromomethane	ND	20.0	3.86	D	µg/L	10	11/18/25 0:00:50
Trichlorofluoromethane (CFC-11)	ND	5.00	0.618	D	µg/L	10	11/18/25 0:00:50
Chloroethane	ND	10.0	3.34	D	µg/L	10	11/18/25 0:00:50
1,1-Dichloroethene	1.56	5.00	1.22	DJ	µg/L	10	11/18/25 0:00:50
Acetone	ND	50.0	25.5	DQ	µg/L	10	11/18/25 0:00:50
Methylene chloride	ND	20.0	6.49	D	µg/L	10	11/18/25 0:00:50
trans-1,2-Dichloroethene	2.94	5.00	1.15	DJ	µg/L	10	11/18/25 0:00:50
Methyl tert-butyl ether (MTBE)	ND	5.00	1.21	D	µg/L	10	11/18/25 0:00:50
1,1-Dichloroethane	ND	5.00	1.41	D	µg/L	10	11/18/25 0:00:50
cis-1,2-Dichloroethene	393	50.0	16.4	D	µg/L	100	11/17/25 23:35:30
2-Butanone (MEK)	ND	50.0	19.8	DQ	µg/L	10	11/18/25 0:00:50
Chloroform	ND	5.00	0.865	D	µg/L	10	11/18/25 0:00:50
1,1,1-Trichloroethane (TCA)	ND	5.00	1.03	D	µg/L	10	11/18/25 0:00:50
1,1-Dichloropropene	ND	5.00	1.43	D	µg/L	10	11/18/25 0:00:50
Carbon tetrachloride	ND	5.00	0.798	D	µg/L	10	11/18/25 0:00:50
1,2-Dichloroethane (EDC)	ND	2.00	0.477	D	µg/L	10	11/18/25 0:00:50
Benzene	3.40	2.00	0.540	D	µg/L	10	11/18/25 0:00:50
Trichloroethene (TCE)	ND	5.00	1.35	D	µg/L	10	11/18/25 0:00:50
1,2-Dichloropropane	ND	2.00	0.503	D	µg/L	10	11/18/25 0:00:50
Bromodichloromethane	ND	2.00	0.489	D	µg/L	10	11/18/25 0:00:50
Dibromomethane	ND	5.00	0.812	D	µg/L	10	11/18/25 0:00:50
cis-1,3-Dichloropropene	ND	5.00	1.09	D	µg/L	10	11/18/25 0:00:50
Toluene	ND	5.00	1.29	D	µg/L	10	11/18/25 0:00:50
trans-1,3-Dichloropropylene	ND	5.00	0.993	D	µg/L	10	11/18/25 0:00:50



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 10:12:00 AM

Project: 700 Dexter

Lab ID: 2511308-001

Matrix: Groundwater

Client Sample ID: MW-322-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	25.0	3.54	D	µg/L	10	11/18/25 0:00:50
1,1,2-Trichloroethane	ND	5.00	0.807	D	µg/L	10	11/18/25 0:00:50
1,3-Dichloropropane	ND	5.00	0.827	D	µg/L	10	11/18/25 0:00:50
Tetrachloroethene (PCE)	ND	5.00	1.02	D	µg/L	10	11/18/25 0:00:50
Dibromochloromethane	ND	5.00	1.01	D	µg/L	10	11/18/25 0:00:50
1,2-Dibromoethane (EDB)	ND	5.00	0.432	D	µg/L	10	11/18/25 0:00:50
2-Hexanone (MBK)	ND	12.5	3.64	DQ	µg/L	10	11/18/25 0:00:50
Chlorobenzene	ND	5.00	0.934	D	µg/L	10	11/18/25 0:00:50
1,1,1,2-Tetrachloroethane	ND	5.00	1.17	D	µg/L	10	11/18/25 0:00:50
Ethylbenzene	ND	5.00	1.25	D	µg/L	10	11/18/25 0:00:50
m,p-Xylene	ND	10.0	2.89	D	µg/L	10	11/18/25 0:00:50
o-Xylene	ND	5.00	1.44	D	µg/L	10	11/18/25 0:00:50
Styrene	ND	5.00	1.15	D	µg/L	10	11/18/25 0:00:50
Isopropylbenzene	ND	5.00	1.22	D	µg/L	10	11/18/25 0:00:50
Bromoform	ND	5.00	0.986	D	µg/L	10	11/18/25 0:00:50
1,1,2,2-Tetrachloroethane	ND	2.00	0.704	D	µg/L	10	11/18/25 0:00:50
n-Propylbenzene	ND	5.00	1.24	D	µg/L	10	11/18/25 0:00:50
Bromobenzene	ND	2.00	0.677	D	µg/L	10	11/18/25 0:00:50
1,3,5-Trimethylbenzene	ND	5.00	1.02	D	µg/L	10	11/18/25 0:00:50
2-Chlorotoluene	ND	5.00	0.721	D	µg/L	10	11/18/25 0:00:50
4-Chlorotoluene	ND	5.00	0.876	D	µg/L	10	11/18/25 0:00:50
tert-Butylbenzene	ND	5.00	0.821	D	µg/L	10	11/18/25 0:00:50
1,2,3-Trichloropropane	ND	5.00	0.979	D	µg/L	10	11/18/25 0:00:50
1,2,4-Trichlorobenzene	ND	7.50	2.34	D	µg/L	10	11/18/25 0:00:50
sec-Butylbenzene	ND	5.00	1.12	D	µg/L	10	11/18/25 0:00:50
4-Isopropyltoluene	ND	5.00	1.06	D	µg/L	10	11/18/25 0:00:50
1,3-Dichlorobenzene	ND	5.00	0.987	D	µg/L	10	11/18/25 0:00:50
1,4-Dichlorobenzene	ND	5.00	1.19	D	µg/L	10	11/18/25 0:00:50
n-Butylbenzene	ND	5.00	1.65	D	µg/L	10	11/18/25 0:00:50
1,2-Dichlorobenzene	ND	5.00	1.18	D	µg/L	10	11/18/25 0:00:50
1,2-Dibromo-3-chloropropane	ND	10.0	3.31	D	µg/L	10	11/18/25 0:00:50



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 10:12:00 AM

Project: 700 Dexter

Lab ID: 2511308-001

Matrix: Groundwater

Client Sample ID: MW-322-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50052		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	5.00	1.38	D	µg/L	10	11/18/25 0:00:50
Hexachloro-1,3-butadiene	ND	10.0	1.92	D	µg/L	10	11/18/25 0:00:50
Naphthalene	ND	12.5	4.05	D	µg/L	10	11/18/25 0:00:50
1,2,3-Trichlorobenzene	ND	10.0	2.95	D	µg/L	10	11/18/25 0:00:50
Surr: Dibromofluoromethane	104	79.9 - 122		D	%Rec	100	11/17/25 23:35:30
Surr: Dibromofluoromethane	105	79.9 - 122		D	%Rec	10	11/18/25 0:00:50
Surr: Toluene-d8	96.8	80 - 121		D	%Rec	100	11/17/25 23:35:30
Surr: Toluene-d8	97.0	80 - 121		D	%Rec	10	11/18/25 0:00:50
Surr: 1-Bromo-4-fluorobenzene	90.6	79.7 - 120		D	%Rec	10	11/18/25 0:00:50
Surr: 1-Bromo-4-fluorobenzene	90.9	79.7 - 120		D	%Rec	100	11/17/25 23:35:30
NOTES: Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.							
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50027		Analyst: BB	
Chloride	24.7	4.00	1.26	D	mg/L	20	11/14/25 0:03:00
Nitrate (as N)	ND	4.00	1.06	D	mg/L	20	11/14/25 0:03:00
Sulfate	35.6	20.0	7.24	D	mg/L	20	11/14/25 0:03:00
NOTES: Diluted due to matrix.							
<u>Total Metals by EPA 6020B</u>				Batch ID: 50049		Analyst: ME	
Iron	18,000	500	101	D	µg/L	10	11/21/25 16:01:00
Manganese	2,050	5.00	2.08	D	µg/L	10	11/21/25 16:01:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10498		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	603	200	100	D	mg/L	20	11/25/25 11:16:00



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 10:12:00 AM

Project: 700 Dexter

Lab ID: 2511308-002

Matrix: Groundwater

Client Sample ID: FMW-142-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/17/25 16:54:03
Chloromethane	ND	1.00	0.218		µg/L	1	11/17/25 16:54:03
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/17/25 16:54:03
Bromomethane	ND	2.00	0.386		µg/L	1	11/17/25 16:54:03
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/17/25 16:54:03
Chloroethane	ND	1.00	0.334		µg/L	1	11/17/25 16:54:03
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/17/25 16:54:03
Acetone	ND	5.00	2.55		µg/L	1	11/17/25 16:54:03
Methylene chloride	ND	2.00	0.649		µg/L	1	11/17/25 16:54:03
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/17/25 16:54:03
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/17/25 16:54:03
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/17/25 16:54:03
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/17/25 16:54:03
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/17/25 16:54:03
Chloroform	ND	0.500	0.0865		µg/L	1	11/17/25 16:54:03
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/17/25 16:54:03
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/17/25 16:54:03
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/17/25 16:54:03
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/17/25 16:54:03
Benzene	ND	0.200	0.0540		µg/L	1	11/17/25 16:54:03
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/17/25 16:54:03
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/17/25 16:54:03
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/17/25 16:54:03
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/17/25 16:54:03
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/17/25 16:54:03
Toluene	ND	0.500	0.129		µg/L	1	11/17/25 16:54:03
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/17/25 16:54:03
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/17/25 16:54:03
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/17/25 16:54:03
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/17/25 16:54:03
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/17/25 16:54:03

Client: Geosyntec Consultants

Collection Date: 11/12/2025 10:12:00 AM

Project: 700 Dexter

Lab ID: 2511308-002

Matrix: Groundwater

Client Sample ID: FMW-142-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/17/25 16:54:03
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/17/25 16:54:03
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/17/25 16:54:03
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/17/25 16:54:03
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/17/25 16:54:03
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/17/25 16:54:03
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/17/25 16:54:03
o-Xylene	ND	0.500	0.144		µg/L	1	11/17/25 16:54:03
Styrene	ND	0.500	0.115		µg/L	1	11/17/25 16:54:03
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/17/25 16:54:03
Bromoform	ND	0.500	0.0986		µg/L	1	11/17/25 16:54:03
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/17/25 16:54:03
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/17/25 16:54:03
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/17/25 16:54:03
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/17/25 16:54:03
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/17/25 16:54:03
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/17/25 16:54:03
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/17/25 16:54:03
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/17/25 16:54:03
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/17/25 16:54:03
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/17/25 16:54:03
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/17/25 16:54:03
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/17/25 16:54:03
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/17/25 16:54:03
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/17/25 16:54:03
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/17/25 16:54:03
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/17/25 16:54:03
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/17/25 16:54:03
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/17/25 16:54:03
Naphthalene	ND	1.25	0.405		µg/L	1	11/17/25 16:54:03
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/17/25 16:54:03



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 10:12:00 AM

Project: 700 Dexter

Lab ID: 2511308-002

Matrix: Groundwater

Client Sample ID: FMW-142-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50052

Analyst: KJ

Surr: Dibromofluoromethane	106	79.9 - 122			%Rec	1	11/17/25 16:54:03
Surr: Toluene-d8	97.4	80 - 121			%Rec	1	11/17/25 16:54:03
Surr: 1-Bromo-4-fluorobenzene	91.9	79.7 - 120			%Rec	1	11/17/25 16:54:03



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 10:15:00 AM

Project: 700 Dexter

Lab ID: 2511308-003

Matrix: Groundwater

Client Sample ID: MW-344-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10495		Analyst: BCA	
Methane	7.86	0.500	0.450	D	mg/L	100	11/21/25 15:08:00
Ethene	0.0244	0.0100	0.00610		mg/L	1	11/21/25 12:08:00
Ethane	0.123	0.0100	0.00754		mg/L	1	11/21/25 12:08:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50052		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/17/25 18:34:08
Chloromethane	ND	1.00	0.218		µg/L	1	11/17/25 18:34:08
Vinyl chloride	531	10.0	2.28	D	µg/L	50	11/18/25 11:16:52
Bromomethane	ND	2.00	0.386		µg/L	1	11/17/25 18:34:08
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/17/25 18:34:08
Chloroethane	ND	1.00	0.334		µg/L	1	11/17/25 18:34:08
1,1-Dichloroethene	0.671	0.500	0.122		µg/L	1	11/17/25 18:34:08
Acetone	ND	5.00	2.55		µg/L	1	11/17/25 18:34:08
Methylene chloride	ND	2.00	0.649		µg/L	1	11/17/25 18:34:08
trans-1,2-Dichloroethene	4.14	0.500	0.115		µg/L	1	11/17/25 18:34:08
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/17/25 18:34:08
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/17/25 18:34:08
cis-1,2-Dichloroethene	280	25.0	8.22	D	µg/L	50	11/18/25 11:16:52
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/17/25 18:34:08
Chloroform	ND	0.500	0.0865		µg/L	1	11/17/25 18:34:08
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/17/25 18:34:08
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/17/25 18:34:08
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/17/25 18:34:08
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/17/25 18:34:08
Benzene	ND	0.200	0.0540		µg/L	1	11/17/25 18:34:08
Trichloroethene (TCE)	0.951	0.500	0.135		µg/L	1	11/17/25 18:34:08
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/17/25 18:34:08
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/17/25 18:34:08
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/17/25 18:34:08
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/17/25 18:34:08
Toluene	ND	0.500	0.129		µg/L	1	11/17/25 18:34:08
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/17/25 18:34:08



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 10:15:00 AM

Project: 700 Dexter

Lab ID: 2511308-003

Matrix: Groundwater

Client Sample ID: MW-344-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/17/25 18:34:08
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/17/25 18:34:08
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/17/25 18:34:08
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/17/25 18:34:08
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/17/25 18:34:08
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/17/25 18:34:08
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/17/25 18:34:08
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/17/25 18:34:08
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/17/25 18:34:08
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/17/25 18:34:08
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/17/25 18:34:08
o-Xylene	ND	0.500	0.144		µg/L	1	11/17/25 18:34:08
Styrene	ND	0.500	0.115		µg/L	1	11/17/25 18:34:08
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/17/25 18:34:08
Bromoform	ND	0.500	0.0986		µg/L	1	11/17/25 18:34:08
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/17/25 18:34:08
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/17/25 18:34:08
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/17/25 18:34:08
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/17/25 18:34:08
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/17/25 18:34:08
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/17/25 18:34:08
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/17/25 18:34:08
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/17/25 18:34:08
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/17/25 18:34:08
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/17/25 18:34:08
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/17/25 18:34:08
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/17/25 18:34:08
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/17/25 18:34:08
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/17/25 18:34:08
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/17/25 18:34:08
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/17/25 18:34:08

Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 10:15:00 AM

Project: 700 Dexter

Lab ID: 2511308-003

Matrix: Groundwater

Client Sample ID: MW-344-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50052		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/17/25 18:34:08
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/17/25 18:34:08
Naphthalene	ND	1.25	0.405		µg/L	1	11/17/25 18:34:08
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/17/25 18:34:08
Surr: Dibromofluoromethane	105	79.9 - 122		D	%Rec	50	11/18/25 11:16:52
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/17/25 18:34:08
Surr: Toluene-d8	97.9	80 - 121		D	%Rec	50	11/18/25 11:16:52
Surr: Toluene-d8	96.6	80 - 121			%Rec	1	11/17/25 18:34:08
Surr: 1-Bromo-4-fluorobenzene	91.5	79.7 - 120			%Rec	1	11/17/25 18:34:08
Surr: 1-Bromo-4-fluorobenzene	91.5	79.7 - 120		D	%Rec	50	11/18/25 11:16:52
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50080		Analyst: BB	
Chloride	49.1	2.00	0.631	D	mg/L	10	11/19/25 14:22:00
Nitrate (as N)	0.108	0.200	0.0529	J	mg/L	1	11/14/25 1:35:00
Sulfate	24.7	1.00	0.362		mg/L	1	11/14/25 1:35:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50049		Analyst: ME	
Iron	3,860	50.0	10.1		µg/L	1	11/17/25 16:04:00
Manganese	1,910	5.00	2.08	D	µg/L	10	11/21/25 16:04:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10498		Analyst: NR	
Alkalinity, Total (As CaCO3)	503	200	100	D	mg/L	20	11/25/25 11:18:00

Client: Geosyntec Consultants

Collection Date: 11/12/2025 11:20:00 AM

Project: 700 Dexter

Lab ID: 2511308-004

Matrix: Groundwater

Client Sample ID: MW-147-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10495		Analyst: BCA	
Methane	1.28	0.0500	0.0451	D	mg/L	10	11/21/25 15:18:00
Ethene	0.0178	0.0100	0.00610		mg/L	1	11/21/25 12:11:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/21/25 12:11:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50052		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/17/25 14:47:37
Chloromethane	ND	1.00	0.218		µg/L	1	11/17/25 14:47:37
Vinyl chloride	4.54	0.200	0.0455		µg/L	1	11/17/25 14:47:37
Bromomethane	ND	2.00	0.386		µg/L	1	11/17/25 14:47:37
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/17/25 14:47:37
Chloroethane	ND	1.00	0.334		µg/L	1	11/17/25 14:47:37
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/17/25 14:47:37
Acetone	ND	5.00	2.55		µg/L	1	11/17/25 14:47:37
Methylene chloride	ND	2.00	0.649		µg/L	1	11/17/25 14:47:37
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/17/25 14:47:37
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/17/25 14:47:37
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/17/25 14:47:37
cis-1,2-Dichloroethene	1.24	0.500	0.164		µg/L	1	11/17/25 14:47:37
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/17/25 14:47:37
Chloroform	ND	0.500	0.0865		µg/L	1	11/17/25 14:47:37
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/17/25 14:47:37
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/17/25 14:47:37
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/17/25 14:47:37
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/17/25 14:47:37
Benzene	ND	0.200	0.0540		µg/L	1	11/17/25 14:47:37
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/17/25 14:47:37
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/17/25 14:47:37
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/17/25 14:47:37
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/17/25 14:47:37
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/17/25 14:47:37
Toluene	ND	0.500	0.129		µg/L	1	11/17/25 14:47:37
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/17/25 14:47:37

Client: Geosyntec Consultants

Collection Date: 11/12/2025 11:20:00 AM

Project: 700 Dexter

Lab ID: 2511308-004

Matrix: Groundwater

Client Sample ID: MW-147-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/17/25 14:47:37
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/17/25 14:47:37
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/17/25 14:47:37
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/17/25 14:47:37
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/17/25 14:47:37
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/17/25 14:47:37
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/17/25 14:47:37
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/17/25 14:47:37
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/17/25 14:47:37
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/17/25 14:47:37
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/17/25 14:47:37
o-Xylene	ND	0.500	0.144		µg/L	1	11/17/25 14:47:37
Styrene	ND	0.500	0.115		µg/L	1	11/17/25 14:47:37
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/17/25 14:47:37
Bromoform	ND	0.500	0.0986		µg/L	1	11/17/25 14:47:37
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/17/25 14:47:37
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/17/25 14:47:37
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/17/25 14:47:37
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/17/25 14:47:37
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/17/25 14:47:37
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/17/25 14:47:37
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/17/25 14:47:37
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/17/25 14:47:37
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/17/25 14:47:37
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/17/25 14:47:37
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/17/25 14:47:37
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/17/25 14:47:37
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/17/25 14:47:37
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/17/25 14:47:37
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/17/25 14:47:37
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/17/25 14:47:37

Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 11:20:00 AM

Project: 700 Dexter

Lab ID: 2511308-004

Matrix: Groundwater

Client Sample ID: MW-147-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/17/25 14:47:37
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/17/25 14:47:37
Naphthalene	ND	1.25	0.405		µg/L	1	11/17/25 14:47:37
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/17/25 14:47:37
Surr: Dibromofluoromethane	102	79.9 - 122			%Rec	1	11/17/25 14:47:37
Surr: Toluene-d8	95.0	80 - 121			%Rec	1	11/17/25 14:47:37
Surr: 1-Bromo-4-fluorobenzene	92.3	79.7 - 120			%Rec	1	11/17/25 14:47:37
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 50080		Analyst: BB		
Chloride	100	4.00	1.26	D	mg/L	20	11/19/25 16:05:00
Nitrate (as N)	0.280	0.200	0.0529		mg/L	1	11/14/25 1:58:00
Sulfate	24.4	1.00	0.362		mg/L	1	11/14/25 1:58:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 50049		Analyst: ME		
Iron	453	50.0	10.1		µg/L	1	11/17/25 16:07:00
Manganese	213	0.500	0.208		µg/L	1	11/17/25 16:07:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10498		Analyst: NR		
Alkalinity, Total (As CaCO3)	256	100	50.0	D	mg/L	10	11/25/25 11:24:00

Client: Geosyntec Consultants

Collection Date: 11/12/2025 11:22:00 AM

Project: 700 Dexter

Lab ID: 2511308-005

Matrix: Groundwater

Client Sample ID: MW-319-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10495		Analyst: BCA	
Methane	0.106	0.00500	0.00451		mg/L	1	11/21/25 12:17:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/21/25 12:17:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/21/25 12:17:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50052		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 9:35:34
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 9:35:34
Vinyl chloride	0.152	0.200	0.0455	J	µg/L	1	11/18/25 9:35:34
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 9:35:34
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 9:35:34
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 9:35:34
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 9:35:34
Acetone	ND	5.00	2.55		µg/L	1	11/18/25 9:35:34
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 9:35:34
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 9:35:34
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 9:35:34
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 9:35:34
cis-1,2-Dichloroethene	0.815	0.500	0.164		µg/L	1	11/18/25 9:35:34
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 9:35:34
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 9:35:34
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 9:35:34
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 9:35:34
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 9:35:34
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 9:35:34
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 9:35:34
Trichloroethene (TCE)	0.146	0.500	0.135	J	µg/L	1	11/18/25 9:35:34
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 9:35:34
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 9:35:34
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 9:35:34
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 9:35:34
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 9:35:34
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 9:35:34



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 11:22:00 AM

Project: 700 Dexter

Lab ID: 2511308-005

Matrix: Groundwater

Client Sample ID: MW-319-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 9:35:34
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 9:35:34
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 9:35:34
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 9:35:34
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 9:35:34
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 9:35:34
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/18/25 9:35:34
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 9:35:34
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 9:35:34
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 9:35:34
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 9:35:34
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 9:35:34
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 9:35:34
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 9:35:34
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 9:35:34
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 9:35:34
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 9:35:34
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 9:35:34
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 9:35:34
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 9:35:34
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 9:35:34
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 9:35:34
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 9:35:34
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 9:35:34
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 9:35:34
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 9:35:34
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 9:35:34
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 9:35:34
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 9:35:34
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 9:35:34
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 9:35:34



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 11:22:00 AM

Project: 700 Dexter

Lab ID: 2511308-005

Matrix: Groundwater

Client Sample ID: MW-319-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 9:35:34
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 9:35:34
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 9:35:34
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 9:35:34
Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/18/25 9:35:34
Surr: Toluene-d8	96.9	80 - 121			%Rec	1	11/18/25 9:35:34
Surr: 1-Bromo-4-fluorobenzene	91.7	79.7 - 120			%Rec	1	11/18/25 9:35:34
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 50027		Analyst: BB		
Chloride	3.45	0.200	0.0631		mg/L	1	11/14/25 2:21:00
Nitrate (as N)	0.100	0.200	0.0529	J	mg/L	1	11/14/25 2:21:00
Sulfate	2.14	1.00	0.362		mg/L	1	11/14/25 2:21:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 50049		Analyst: ME		
Iron	33.0	50.0	10.1	J	µg/L	1	11/17/25 16:10:00
Manganese	27.4	0.500	0.208		µg/L	1	11/17/25 16:10:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10498		Analyst: NR		
Alkalinity, Total (As CaCO3)	63.7	20.0	10.0	D	mg/L	2	11/25/25 11:26:00



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 11:34:00 AM

Project: 700 Dexter

Lab ID: 2511308-006

Matrix: Groundwater

Client Sample ID: MW116-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 10:00:54
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 10:00:54
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/18/25 10:00:54
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 10:00:54
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 10:00:54
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 10:00:54
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 10:00:54
Acetone	ND	5.00	2.55		µg/L	1	11/18/25 10:00:54
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 10:00:54
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 10:00:54
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 10:00:54
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 10:00:54
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/18/25 10:00:54
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 10:00:54
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 10:00:54
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 10:00:54
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 10:00:54
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 10:00:54
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 10:00:54
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 10:00:54
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 10:00:54
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 10:00:54
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 10:00:54
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 10:00:54
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 10:00:54
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 10:00:54
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 10:00:54
Methyl Isobutyl Ketone (MIBK)	0.389	2.50	0.354	J	µg/L	1	11/18/25 10:00:54
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 10:00:54
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 10:00:54
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 10:00:54

Client: Geosyntec Consultants

Collection Date: 11/12/2025 11:34:00 AM

Project: 700 Dexter

Lab ID: 2511308-006

Matrix: Groundwater

Client Sample ID: MW116-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 10:00:54
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 10:00:54
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/18/25 10:00:54
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 10:00:54
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 10:00:54
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 10:00:54
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 10:00:54
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 10:00:54
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 10:00:54
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 10:00:54
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 10:00:54
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 10:00:54
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 10:00:54
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 10:00:54
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 10:00:54
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 10:00:54
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 10:00:54
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 10:00:54
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 10:00:54
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 10:00:54
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 10:00:54
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 10:00:54
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 10:00:54
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 10:00:54
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 10:00:54
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 10:00:54
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 10:00:54
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 10:00:54
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 10:00:54
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 10:00:54
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 10:00:54



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511308-006
Client Sample ID: MW116-251112

Collection Date: 11/12/2025 11:34:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50052

Analyst: KJ

Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/18/25 10:00:54
Surr: Toluene-d8	96.4	80 - 121			%Rec	1	11/18/25 10:00:54
Surr: 1-Bromo-4-fluorobenzene	90.9	79.7 - 120			%Rec	1	11/18/25 10:00:54



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 12:14:00 PM

Project: 700 Dexter

Lab ID: 2511308-007

Matrix: Groundwater

Client Sample ID: MW-318-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10495		Analyst: BCA	
Methane	0.765	0.0250	0.0225	D	mg/L	5	11/21/25 15:21:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/21/25 12:19:00
Ethane	0.0119	0.0100	0.00754		mg/L	1	11/21/25 12:19:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50052		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/17/25 17:19:22
Chloromethane	ND	1.00	0.218		µg/L	1	11/17/25 17:19:22
Vinyl chloride	25.3	0.200	0.0455		µg/L	1	11/17/25 17:19:22
Bromomethane	ND	2.00	0.386		µg/L	1	11/17/25 17:19:22
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/17/25 17:19:22
Chloroethane	ND	1.00	0.334		µg/L	1	11/17/25 17:19:22
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/17/25 17:19:22
Acetone	ND	5.00	2.55		µg/L	1	11/17/25 17:19:22
Methylene chloride	ND	2.00	0.649		µg/L	1	11/17/25 17:19:22
trans-1,2-Dichloroethene	0.162	0.500	0.115	J	µg/L	1	11/17/25 17:19:22
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/17/25 17:19:22
1,1-Dichloroethane	0.585	0.500	0.141		µg/L	1	11/17/25 17:19:22
cis-1,2-Dichloroethene	13.1	0.500	0.164		µg/L	1	11/17/25 17:19:22
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/17/25 17:19:22
Chloroform	ND	0.500	0.0865		µg/L	1	11/17/25 17:19:22
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/17/25 17:19:22
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/17/25 17:19:22
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/17/25 17:19:22
1,2-Dichloroethane (EDC)	1.05	0.200	0.0477		µg/L	1	11/17/25 17:19:22
Benzene	16.0	0.200	0.0540		µg/L	1	11/17/25 17:19:22
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/17/25 17:19:22
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/17/25 17:19:22
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/17/25 17:19:22
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/17/25 17:19:22
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/17/25 17:19:22
Toluene	ND	0.500	0.129		µg/L	1	11/17/25 17:19:22
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/17/25 17:19:22

Client: Geosyntec Consultants

Collection Date: 11/12/2025 12:14:00 PM

Project: 700 Dexter

Lab ID: 2511308-007

Matrix: Groundwater

Client Sample ID: MW-318-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/17/25 17:19:22
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/17/25 17:19:22
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/17/25 17:19:22
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/17/25 17:19:22
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/17/25 17:19:22
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/17/25 17:19:22
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/17/25 17:19:22
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/17/25 17:19:22
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/17/25 17:19:22
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/17/25 17:19:22
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/17/25 17:19:22
o-Xylene	ND	0.500	0.144		µg/L	1	11/17/25 17:19:22
Styrene	ND	0.500	0.115		µg/L	1	11/17/25 17:19:22
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/17/25 17:19:22
Bromoform	ND	0.500	0.0986		µg/L	1	11/17/25 17:19:22
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/17/25 17:19:22
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/17/25 17:19:22
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/17/25 17:19:22
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/17/25 17:19:22
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/17/25 17:19:22
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/17/25 17:19:22
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/17/25 17:19:22
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/17/25 17:19:22
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/17/25 17:19:22
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/17/25 17:19:22
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/17/25 17:19:22
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/17/25 17:19:22
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/17/25 17:19:22
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/17/25 17:19:22
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/17/25 17:19:22
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/17/25 17:19:22



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 12:14:00 PM

Project: 700 Dexter

Lab ID: 2511308-007

Matrix: Groundwater

Client Sample ID: MW-318-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/17/25 17:19:22
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/17/25 17:19:22
Naphthalene	ND	1.25	0.405		µg/L	1	11/17/25 17:19:22
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/17/25 17:19:22
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/17/25 17:19:22
Surr: Toluene-d8	96.0	80 - 121			%Rec	1	11/17/25 17:19:22
Surr: 1-Bromo-4-fluorobenzene	91.3	79.7 - 120			%Rec	1	11/17/25 17:19:22
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 50027		Analyst: BB		
Chloride	17.9	2.00	0.631	D	mg/L	10	11/14/25 2:44:00
Nitrate (as N)	ND	2.00	0.529	D	mg/L	10	11/14/25 2:44:00
Sulfate	58.1	10.0	3.62	D	mg/L	10	11/14/25 2:44:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 50049		Analyst: ME		
Iron	13,000	500	101	D	µg/L	10	11/21/25 16:07:00
Manganese	3,150	5.00	2.08	D	µg/L	10	11/21/25 16:07:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10498		Analyst: NR		
Alkalinity, Total (As CaCO3)	550	200	100	D	mg/L	20	11/25/25 11:28:00



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 12:25:00 PM

Project: 700 Dexter

Lab ID: 2511308-008

Matrix: Groundwater

Client Sample ID: MW-146-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
Dissolved Gases by RSK-175				Batch ID: R10495		Analyst: BCA	
Methane	5.58	0.500	0.450	D	mg/L	100	11/21/25 15:24:00
Ethene	0.0533	0.0100	0.00610		mg/L	1	11/21/25 12:22:00
Ethane	0.172	0.0100	0.00754		mg/L	1	11/21/25 12:22:00
Volatile Organic Compounds by EPA 8260D				Batch ID: 50052		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/17/25 17:44:40
Chloromethane	ND	1.00	0.218		µg/L	1	11/17/25 17:44:40
Vinyl chloride	337	4.00	0.910	D	µg/L	20	11/18/25 10:51:34
Bromomethane	ND	2.00	0.386		µg/L	1	11/17/25 17:44:40
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/17/25 17:44:40
Chloroethane	ND	1.00	0.334		µg/L	1	11/17/25 17:44:40
1,1-Dichloroethene	0.366	0.500	0.122	J	µg/L	1	11/17/25 17:44:40
Acetone	ND	5.00	2.55		µg/L	1	11/17/25 17:44:40
Methylene chloride	ND	2.00	0.649		µg/L	1	11/17/25 17:44:40
trans-1,2-Dichloroethene	2.13	0.500	0.115		µg/L	1	11/17/25 17:44:40
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/17/25 17:44:40
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/17/25 17:44:40
cis-1,2-Dichloroethene	135	10.0	3.29	D	µg/L	20	11/18/25 10:51:34
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/17/25 17:44:40
Chloroform	ND	0.500	0.0865		µg/L	1	11/17/25 17:44:40
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/17/25 17:44:40
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/17/25 17:44:40
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/17/25 17:44:40
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/17/25 17:44:40
Benzene	ND	0.200	0.0540		µg/L	1	11/17/25 17:44:40
Trichloroethene (TCE)	0.201	0.500	0.135	J	µg/L	1	11/17/25 17:44:40
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/17/25 17:44:40
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/17/25 17:44:40
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/17/25 17:44:40
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/17/25 17:44:40
Toluene	ND	0.500	0.129		µg/L	1	11/17/25 17:44:40
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/17/25 17:44:40



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 12:25:00 PM

Project: 700 Dexter

Lab ID: 2511308-008

Matrix: Groundwater

Client Sample ID: MW-146-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/17/25 17:44:40
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/17/25 17:44:40
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/17/25 17:44:40
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/17/25 17:44:40
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/17/25 17:44:40
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/17/25 17:44:40
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/17/25 17:44:40
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/17/25 17:44:40
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/17/25 17:44:40
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/17/25 17:44:40
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/17/25 17:44:40
o-Xylene	ND	0.500	0.144		µg/L	1	11/17/25 17:44:40
Styrene	ND	0.500	0.115		µg/L	1	11/17/25 17:44:40
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/17/25 17:44:40
Bromoform	ND	0.500	0.0986		µg/L	1	11/17/25 17:44:40
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/17/25 17:44:40
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/17/25 17:44:40
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/17/25 17:44:40
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/17/25 17:44:40
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/17/25 17:44:40
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/17/25 17:44:40
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/17/25 17:44:40
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/17/25 17:44:40
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/17/25 17:44:40
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/17/25 17:44:40
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/17/25 17:44:40
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/17/25 17:44:40
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/17/25 17:44:40
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/17/25 17:44:40
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/17/25 17:44:40
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/17/25 17:44:40

Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 12:25:00 PM

Project: 700 Dexter

Lab ID: 2511308-008

Matrix: Groundwater

Client Sample ID: MW-146-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50052		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/17/25 17:44:40
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/17/25 17:44:40
Naphthalene	ND	1.25	0.405		µg/L	1	11/17/25 17:44:40
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/17/25 17:44:40
Surr: Dibromofluoromethane	105	79.9 - 122		D	%Rec	20	11/18/25 10:51:34
Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/17/25 17:44:40
Surr: Toluene-d8	97.6	80 - 121		D	%Rec	20	11/18/25 10:51:34
Surr: Toluene-d8	97.5	80 - 121			%Rec	1	11/17/25 17:44:40
Surr: 1-Bromo-4-fluorobenzene	91.0	79.7 - 120			%Rec	1	11/17/25 17:44:40
Surr: 1-Bromo-4-fluorobenzene	91.4	79.7 - 120		D	%Rec	20	11/18/25 10:51:34
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50080		Analyst: BB	
Chloride	50.3	2.00	0.631	D	mg/L	10	11/19/25 15:08:00
Nitrate (as N)	ND	0.200	0.0529		mg/L	1	11/14/25 3:53:00
Sulfate	9.61	1.00	0.362		mg/L	1	11/14/25 3:53:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50049		Analyst: ME	
Iron	8,360	50.0	10.1		µg/L	1	11/17/25 16:17:00
Manganese	1,560	0.500	0.208		µg/L	1	11/17/25 16:17:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10498		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	576	200	100	D	mg/L	20	11/25/25 11:30:00



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 12:28:00 PM

Project: 700 Dexter

Lab ID: 2511308-009

Matrix: Groundwater

Client Sample ID: MW113-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10495		Analyst: BCA	
Methane	ND	0.00500	0.00451		mg/L	1	11/21/25 12:25:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/21/25 12:25:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/21/25 12:25:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50052		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 10:26:15
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 10:26:15
Vinyl chloride	0.0691	0.200	0.0455	J	µg/L	1	11/18/25 10:26:15
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 10:26:15
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 10:26:15
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 10:26:15
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 10:26:15
Acetone	4.93	5.00	2.55	J	µg/L	1	11/18/25 10:26:15
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 10:26:15
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 10:26:15
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 10:26:15
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 10:26:15
cis-1,2-Dichloroethene	5.09	0.500	0.164		µg/L	1	11/18/25 10:26:15
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 10:26:15
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 10:26:15
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 10:26:15
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 10:26:15
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 10:26:15
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 10:26:15
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 10:26:15
Trichloroethene (TCE)	1.37	0.500	0.135		µg/L	1	11/18/25 10:26:15
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 10:26:15
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 10:26:15
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 10:26:15
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 10:26:15
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 10:26:15
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 10:26:15

Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 12:28:00 PM

Project: 700 Dexter

Lab ID: 2511308-009

Matrix: Groundwater

Client Sample ID: MW113-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50052		Analyst: KJ	
Methyl Isobutyl Ketone (MIBK)	1.29	2.50	0.354	J	µg/L	1	11/18/25 10:26:15
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 10:26:15
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 10:26:15
Tetrachloroethene (PCE)	0.906	0.500	0.102		µg/L	1	11/18/25 10:26:15
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 10:26:15
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 10:26:15
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/18/25 10:26:15
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 10:26:15
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 10:26:15
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 10:26:15
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 10:26:15
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 10:26:15
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 10:26:15
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 10:26:15
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 10:26:15
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 10:26:15
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 10:26:15
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 10:26:15
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 10:26:15
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 10:26:15
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 10:26:15
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 10:26:15
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 10:26:15
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 10:26:15
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 10:26:15
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 10:26:15
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 10:26:15
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 10:26:15
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 10:26:15
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 10:26:15
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 10:26:15



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 12:28:00 PM

Project: 700 Dexter

Lab ID: 2511308-009

Matrix: Groundwater

Client Sample ID: MW113-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 10:26:15
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 10:26:15
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 10:26:15
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 10:26:15
Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/18/25 10:26:15
Surr: Toluene-d8	97.1	80 - 121			%Rec	1	11/18/25 10:26:15
Surr: 1-Bromo-4-fluorobenzene	91.2	79.7 - 120			%Rec	1	11/18/25 10:26:15
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 50027		Analyst: BB		
Chloride	1.44	0.200	0.0631		mg/L	1	11/14/25 4:16:00
Nitrate (as N)	ND	0.200	0.0529		mg/L	1	11/14/25 4:16:00
Sulfate	1.23	1.00	0.362		mg/L	1	11/14/25 4:16:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 50049		Analyst: ME		
Iron	141	50.0	10.1		µg/L	1	11/17/25 16:20:00
Manganese	28.4	0.500	0.208		µg/L	1	11/17/25 16:20:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10498		Analyst: NR		
Alkalinity, Total (As CaCO ₃)	20.4	10.0	5.00		mg/L	1	11/25/25 11:32:00



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 1:00:00 PM

Project: 700 Dexter

Lab ID: 2511308-010

Matrix: Groundwater

Client Sample ID: MW-317-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/17/25 15:12:55
Chloromethane	ND	1.00	0.218		µg/L	1	11/17/25 15:12:55
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/17/25 15:12:55
Bromomethane	ND	2.00	0.386		µg/L	1	11/17/25 15:12:55
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/17/25 15:12:55
Chloroethane	ND	1.00	0.334		µg/L	1	11/17/25 15:12:55
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/17/25 15:12:55
Acetone	ND	5.00	2.55		µg/L	1	11/17/25 15:12:55
Methylene chloride	ND	2.00	0.649		µg/L	1	11/17/25 15:12:55
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/17/25 15:12:55
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/17/25 15:12:55
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/17/25 15:12:55
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/17/25 15:12:55
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/17/25 15:12:55
Chloroform	ND	0.500	0.0865		µg/L	1	11/17/25 15:12:55
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/17/25 15:12:55
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/17/25 15:12:55
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/17/25 15:12:55
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/17/25 15:12:55
Benzene	ND	0.200	0.0540		µg/L	1	11/17/25 15:12:55
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/17/25 15:12:55
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/17/25 15:12:55
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/17/25 15:12:55
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/17/25 15:12:55
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/17/25 15:12:55
Toluene	ND	0.500	0.129		µg/L	1	11/17/25 15:12:55
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/17/25 15:12:55
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/17/25 15:12:55
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/17/25 15:12:55
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/17/25 15:12:55
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/17/25 15:12:55



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 1:00:00 PM

Project: 700 Dexter

Lab ID: 2511308-010

Matrix: Groundwater

Client Sample ID: MW-317-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/17/25 15:12:55
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/17/25 15:12:55
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/17/25 15:12:55
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/17/25 15:12:55
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/17/25 15:12:55
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/17/25 15:12:55
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/17/25 15:12:55
o-Xylene	ND	0.500	0.144		µg/L	1	11/17/25 15:12:55
Styrene	ND	0.500	0.115		µg/L	1	11/17/25 15:12:55
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/17/25 15:12:55
Bromoform	ND	0.500	0.0986		µg/L	1	11/17/25 15:12:55
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/17/25 15:12:55
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/17/25 15:12:55
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/17/25 15:12:55
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/17/25 15:12:55
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/17/25 15:12:55
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/17/25 15:12:55
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/17/25 15:12:55
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/17/25 15:12:55
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/17/25 15:12:55
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/17/25 15:12:55
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/17/25 15:12:55
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/17/25 15:12:55
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/17/25 15:12:55
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/17/25 15:12:55
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/17/25 15:12:55
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/17/25 15:12:55
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/17/25 15:12:55
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/17/25 15:12:55
Naphthalene	ND	1.25	0.405		µg/L	1	11/17/25 15:12:55
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/17/25 15:12:55



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511308-010
Client Sample ID: MW-317-251112

Collection Date: 11/12/2025 1:00:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50052		Analyst: KJ	
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/17/25 15:12:55
Surr: Toluene-d8	95.8	80 - 121			%Rec	1	11/17/25 15:12:55
Surr: 1-Bromo-4-fluorobenzene	92.1	79.7 - 120			%Rec	1	11/17/25 15:12:55

Client: Geosyntec Consultants

Collection Date: 11/12/2025 1:20:00 PM

Project: 700 Dexter

Lab ID: 2511308-011

Matrix: Groundwater

Client Sample ID: MW-154-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10495		Analyst: BCA	
Methane	2.32	0.100	0.0901	D	mg/L	20	11/21/25 15:27:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/21/25 12:27:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/21/25 12:27:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50052		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/17/25 15:38:12
Chloromethane	ND	1.00	0.218		µg/L	1	11/17/25 15:38:12
Vinyl chloride	1.67	0.200	0.0455		µg/L	1	11/17/25 15:38:12
Bromomethane	ND	2.00	0.386		µg/L	1	11/17/25 15:38:12
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/17/25 15:38:12
Chloroethane	ND	1.00	0.334		µg/L	1	11/17/25 15:38:12
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/17/25 15:38:12
Acetone	ND	5.00	2.55		µg/L	1	11/17/25 15:38:12
Methylene chloride	ND	2.00	0.649		µg/L	1	11/17/25 15:38:12
trans-1,2-Dichloroethene	0.145	0.500	0.115	J	µg/L	1	11/17/25 15:38:12
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/17/25 15:38:12
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/17/25 15:38:12
cis-1,2-Dichloroethene	36.1	0.500	0.164		µg/L	1	11/17/25 15:38:12
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/17/25 15:38:12
Chloroform	ND	0.500	0.0865		µg/L	1	11/17/25 15:38:12
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/17/25 15:38:12
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/17/25 15:38:12
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/17/25 15:38:12
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/17/25 15:38:12
Benzene	ND	0.200	0.0540		µg/L	1	11/17/25 15:38:12
Trichloroethene (TCE)	1.27	0.500	0.135		µg/L	1	11/17/25 15:38:12
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/17/25 15:38:12
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/17/25 15:38:12
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/17/25 15:38:12
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/17/25 15:38:12
Toluene	ND	0.500	0.129		µg/L	1	11/17/25 15:38:12
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/17/25 15:38:12

Client: Geosyntec Consultants

Collection Date: 11/12/2025 1:20:00 PM

Project: 700 Dexter

Lab ID: 2511308-011

Matrix: Groundwater

Client Sample ID: MW-154-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/17/25 15:38:12
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/17/25 15:38:12
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/17/25 15:38:12
Tetrachloroethene (PCE)	0.459	0.500	0.102	J	µg/L	1	11/17/25 15:38:12
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/17/25 15:38:12
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/17/25 15:38:12
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/17/25 15:38:12
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/17/25 15:38:12
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/17/25 15:38:12
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/17/25 15:38:12
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/17/25 15:38:12
o-Xylene	ND	0.500	0.144		µg/L	1	11/17/25 15:38:12
Styrene	ND	0.500	0.115		µg/L	1	11/17/25 15:38:12
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/17/25 15:38:12
Bromoform	ND	0.500	0.0986		µg/L	1	11/17/25 15:38:12
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/17/25 15:38:12
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/17/25 15:38:12
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/17/25 15:38:12
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/17/25 15:38:12
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/17/25 15:38:12
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/17/25 15:38:12
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/17/25 15:38:12
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/17/25 15:38:12
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/17/25 15:38:12
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/17/25 15:38:12
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/17/25 15:38:12
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/17/25 15:38:12
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/17/25 15:38:12
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/17/25 15:38:12
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/17/25 15:38:12
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/17/25 15:38:12

Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511308-011
Client Sample ID: MW-154-251112

Collection Date: 11/12/2025 1:20:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/17/25 15:38:12
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/17/25 15:38:12
Naphthalene	ND	1.25	0.405		µg/L	1	11/17/25 15:38:12
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/17/25 15:38:12
Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/17/25 15:38:12
Surr: Toluene-d8	95.6	80 - 121			%Rec	1	11/17/25 15:38:12
Surr: 1-Bromo-4-fluorobenzene	92.4	79.7 - 120			%Rec	1	11/17/25 15:38:12
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 50080		Analyst: BB		
Chloride	51.3	2.00	0.631	D	mg/L	10	11/19/25 15:31:00
Nitrate (as N)	ND	0.200	0.0529		mg/L	1	11/14/25 4:40:00
Sulfate	59.0	10.0	3.62	D	mg/L	10	11/19/25 15:31:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 50049		Analyst: ME		
Iron	3,820	50.0	10.1		µg/L	1	11/17/25 16:23:00
Manganese	1,780	0.500	0.208		µg/L	1	11/17/25 16:23:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10498		Analyst: NR		
Alkalinity, Total (As CaCO3)	374	200	100	D	mg/L	20	11/25/25 11:42:00

Client: Geosyntec Consultants

Collection Date: 11/12/2025 1:22:00 PM

Project: 700 Dexter

Lab ID: 2511308-012

Matrix: Groundwater

Client Sample ID: MW115-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/17/25 16:03:30
Chloromethane	0.651	1.00	0.218	J	µg/L	1	11/17/25 16:03:30
Vinyl chloride	4.38	0.200	0.0455		µg/L	1	11/17/25 16:03:30
Bromomethane	ND	2.00	0.386		µg/L	1	11/17/25 16:03:30
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/17/25 16:03:30
Chloroethane	ND	1.00	0.334		µg/L	1	11/17/25 16:03:30
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/17/25 16:03:30
Acetone	ND	5.00	2.55		µg/L	1	11/17/25 16:03:30
Methylene chloride	ND	2.00	0.649		µg/L	1	11/17/25 16:03:30
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/17/25 16:03:30
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/17/25 16:03:30
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/17/25 16:03:30
cis-1,2-Dichloroethene	0.883	0.500	0.164		µg/L	1	11/17/25 16:03:30
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/17/25 16:03:30
Chloroform	ND	0.500	0.0865		µg/L	1	11/17/25 16:03:30
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/17/25 16:03:30
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/17/25 16:03:30
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/17/25 16:03:30
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/17/25 16:03:30
Benzene	ND	0.200	0.0540		µg/L	1	11/17/25 16:03:30
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/17/25 16:03:30
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/17/25 16:03:30
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/17/25 16:03:30
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/17/25 16:03:30
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/17/25 16:03:30
Toluene	ND	0.500	0.129		µg/L	1	11/17/25 16:03:30
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/17/25 16:03:30
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/17/25 16:03:30
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/17/25 16:03:30
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/17/25 16:03:30
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/17/25 16:03:30

Client: Geosyntec Consultants

Collection Date: 11/12/2025 1:22:00 PM

Project: 700 Dexter

Lab ID: 2511308-012

Matrix: Groundwater

Client Sample ID: MW115-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/17/25 16:03:30
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/17/25 16:03:30
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/17/25 16:03:30
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/17/25 16:03:30
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/17/25 16:03:30
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/17/25 16:03:30
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/17/25 16:03:30
o-Xylene	ND	0.500	0.144		µg/L	1	11/17/25 16:03:30
Styrene	ND	0.500	0.115		µg/L	1	11/17/25 16:03:30
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/17/25 16:03:30
Bromoform	ND	0.500	0.0986		µg/L	1	11/17/25 16:03:30
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/17/25 16:03:30
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/17/25 16:03:30
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/17/25 16:03:30
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/17/25 16:03:30
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/17/25 16:03:30
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/17/25 16:03:30
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/17/25 16:03:30
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/17/25 16:03:30
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/17/25 16:03:30
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/17/25 16:03:30
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/17/25 16:03:30
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/17/25 16:03:30
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/17/25 16:03:30
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/17/25 16:03:30
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/17/25 16:03:30
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/17/25 16:03:30
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/17/25 16:03:30
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/17/25 16:03:30
Naphthalene	ND	1.25	0.405		µg/L	1	11/17/25 16:03:30
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/17/25 16:03:30



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511308-012
Client Sample ID: MW115-251112

Collection Date: 11/12/2025 1:22:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50052		Analyst: KJ	
Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/17/25 16:03:30
Surr: Toluene-d8	97.0	80 - 121			%Rec	1	11/17/25 16:03:30
Surr: 1-Bromo-4-fluorobenzene	91.2	79.7 - 120			%Rec	1	11/17/25 16:03:30

Client: Geosyntec Consultants

Collection Date: 11/12/2025 2:15:00 PM

Project: 700 Dexter

Lab ID: 2511308-013

Matrix: Groundwater

Client Sample ID: MW-153-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
Volatile Organic Compounds by EPA 8260D			Batch ID: 50052		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/17/25 16:28:47
Chloromethane	ND	1.00	0.218		µg/L	1	11/17/25 16:28:47
Vinyl chloride	0.255	0.200	0.0455		µg/L	1	11/17/25 16:28:47
Bromomethane	ND	2.00	0.386		µg/L	1	11/17/25 16:28:47
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/17/25 16:28:47
Chloroethane	ND	1.00	0.334		µg/L	1	11/17/25 16:28:47
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/17/25 16:28:47
Acetone	ND	5.00	2.55		µg/L	1	11/17/25 16:28:47
Methylene chloride	ND	2.00	0.649		µg/L	1	11/17/25 16:28:47
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/17/25 16:28:47
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/17/25 16:28:47
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/17/25 16:28:47
cis-1,2-Dichloroethene	0.278	0.500	0.164	J	µg/L	1	11/17/25 16:28:47
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/17/25 16:28:47
Chloroform	ND	0.500	0.0865		µg/L	1	11/17/25 16:28:47
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/17/25 16:28:47
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/17/25 16:28:47
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/17/25 16:28:47
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/17/25 16:28:47
Benzene	ND	0.200	0.0540		µg/L	1	11/17/25 16:28:47
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/17/25 16:28:47
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/17/25 16:28:47
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/17/25 16:28:47
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/17/25 16:28:47
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/17/25 16:28:47
Toluene	ND	0.500	0.129		µg/L	1	11/17/25 16:28:47
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/17/25 16:28:47
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/17/25 16:28:47
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/17/25 16:28:47
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/17/25 16:28:47
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/17/25 16:28:47



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 2:15:00 PM

Project: 700 Dexter

Lab ID: 2511308-013

Matrix: Groundwater

Client Sample ID: MW-153-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/17/25 16:28:47
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/17/25 16:28:47
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/17/25 16:28:47
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/17/25 16:28:47
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/17/25 16:28:47
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/17/25 16:28:47
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/17/25 16:28:47
o-Xylene	ND	0.500	0.144		µg/L	1	11/17/25 16:28:47
Styrene	ND	0.500	0.115		µg/L	1	11/17/25 16:28:47
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/17/25 16:28:47
Bromoform	ND	0.500	0.0986		µg/L	1	11/17/25 16:28:47
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/17/25 16:28:47
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/17/25 16:28:47
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/17/25 16:28:47
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/17/25 16:28:47
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/17/25 16:28:47
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/17/25 16:28:47
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/17/25 16:28:47
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/17/25 16:28:47
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/17/25 16:28:47
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/17/25 16:28:47
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/17/25 16:28:47
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/17/25 16:28:47
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/17/25 16:28:47
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/17/25 16:28:47
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/17/25 16:28:47
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/17/25 16:28:47
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/17/25 16:28:47
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/17/25 16:28:47
Naphthalene	ND	1.25	0.405		µg/L	1	11/17/25 16:28:47
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/17/25 16:28:47



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511308-013
Client Sample ID: MW-153-251112

Collection Date: 11/12/2025 2:15:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50052

Analyst: KJ

Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/17/25 16:28:47
Surr: Toluene-d8	96.4	80 - 121			%Rec	1	11/17/25 16:28:47
Surr: 1-Bromo-4-fluorobenzene	92.1	79.7 - 120			%Rec	1	11/17/25 16:28:47



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 2:15:00 PM

Project: 700 Dexter

Lab ID: 2511308-014

Matrix: Groundwater

Client Sample ID: MW-332-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/17/25 23:10:11
Chloromethane	ND	1.00	0.218		µg/L	1	11/17/25 23:10:11
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/17/25 23:10:11
Bromomethane	ND	2.00	0.386		µg/L	1	11/17/25 23:10:11
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/17/25 23:10:11
Chloroethane	ND	1.00	0.334		µg/L	1	11/17/25 23:10:11
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/17/25 23:10:11
Acetone	ND	5.00	2.55	Q	µg/L	1	11/17/25 23:10:11
Methylene chloride	ND	2.00	0.649		µg/L	1	11/17/25 23:10:11
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/17/25 23:10:11
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/17/25 23:10:11
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/17/25 23:10:11
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/17/25 23:10:11
2-Butanone (MEK)	ND	5.00	1.98	Q	µg/L	1	11/17/25 23:10:11
Chloroform	ND	0.500	0.0865		µg/L	1	11/17/25 23:10:11
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/17/25 23:10:11
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/17/25 23:10:11
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/17/25 23:10:11
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/17/25 23:10:11
Benzene	ND	0.200	0.0540		µg/L	1	11/17/25 23:10:11
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/17/25 23:10:11
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/17/25 23:10:11
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/17/25 23:10:11
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/17/25 23:10:11
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/17/25 23:10:11
Toluene	ND	0.500	0.129		µg/L	1	11/17/25 23:10:11
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/17/25 23:10:11
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/17/25 23:10:11
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/17/25 23:10:11
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/17/25 23:10:11
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/17/25 23:10:11



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025 2:15:00 PM

Project: 700 Dexter

Lab ID: 2511308-014

Matrix: Groundwater

Client Sample ID: MW-332-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101	Q	µg/L	1	11/17/25 23:10:11
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/17/25 23:10:11
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/17/25 23:10:11
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/17/25 23:10:11
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/17/25 23:10:11
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/17/25 23:10:11
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/17/25 23:10:11
o-Xylene	ND	0.500	0.144		µg/L	1	11/17/25 23:10:11
Styrene	ND	0.500	0.115		µg/L	1	11/17/25 23:10:11
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/17/25 23:10:11
Bromoform	ND	0.500	0.0986		µg/L	1	11/17/25 23:10:11
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/17/25 23:10:11
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/17/25 23:10:11
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/17/25 23:10:11
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/17/25 23:10:11
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/17/25 23:10:11
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/17/25 23:10:11
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/17/25 23:10:11
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/17/25 23:10:11
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/17/25 23:10:11
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/17/25 23:10:11
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/17/25 23:10:11
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/17/25 23:10:11
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/17/25 23:10:11
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/17/25 23:10:11
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/17/25 23:10:11
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/17/25 23:10:11
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/17/25 23:10:11
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/17/25 23:10:11
Naphthalene	ND	1.25	0.405		µg/L	1	11/17/25 23:10:11
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/17/25 23:10:11



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511308-014
Client Sample ID: MW-332-251112

Collection Date: 11/12/2025 2:15:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50052		Analyst: KJ	
Surr: Dibromofluoromethane	105	79.9 - 122			%Rec	1	11/17/25 23:10:11
Surr: Toluene-d8	97.9	80 - 121			%Rec	1	11/17/25 23:10:11
Surr: 1-Bromo-4-fluorobenzene	90.2	79.7 - 120			%Rec	1	11/17/25 23:10:11

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Client: Geosyntec Consultants

Collection Date: 11/12/2025

Project: 700 Dexter

Lab ID: 2511308-015

Matrix: Groundwater

Client Sample ID: TRIP-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/17/25 21:54:15
Chloromethane	ND	1.00	0.218		µg/L	1	11/17/25 21:54:15
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/17/25 21:54:15
Bromomethane	ND	2.00	0.386		µg/L	1	11/17/25 21:54:15
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/17/25 21:54:15
Chloroethane	ND	1.00	0.334		µg/L	1	11/17/25 21:54:15
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/17/25 21:54:15
Acetone	ND	5.00	2.55	Q	µg/L	1	11/17/25 21:54:15
Methylene chloride	ND	2.00	0.649		µg/L	1	11/17/25 21:54:15
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/17/25 21:54:15
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/17/25 21:54:15
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/17/25 21:54:15
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/17/25 21:54:15
2-Butanone (MEK)	ND	5.00	1.98	Q	µg/L	1	11/17/25 21:54:15
Chloroform	ND	0.500	0.0865		µg/L	1	11/17/25 21:54:15
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/17/25 21:54:15
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/17/25 21:54:15
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/17/25 21:54:15
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/17/25 21:54:15
Benzene	ND	0.200	0.0540		µg/L	1	11/17/25 21:54:15
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/17/25 21:54:15
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/17/25 21:54:15
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/17/25 21:54:15
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/17/25 21:54:15
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/17/25 21:54:15
Toluene	ND	0.500	0.129		µg/L	1	11/17/25 21:54:15
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/17/25 21:54:15
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/17/25 21:54:15
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/17/25 21:54:15
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/17/25 21:54:15
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/17/25 21:54:15

Client: Geosyntec Consultants

Collection Date: 11/12/2025

Project: 700 Dexter

Lab ID: 2511308-015

Matrix: Groundwater

Client Sample ID: TRIP-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50052		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/17/25 21:54:15
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/17/25 21:54:15
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/17/25 21:54:15
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/17/25 21:54:15
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/17/25 21:54:15
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/17/25 21:54:15
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/17/25 21:54:15
o-Xylene	ND	0.500	0.144		µg/L	1	11/17/25 21:54:15
Styrene	ND	0.500	0.115		µg/L	1	11/17/25 21:54:15
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/17/25 21:54:15
Bromoform	ND	0.500	0.0986		µg/L	1	11/17/25 21:54:15
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/17/25 21:54:15
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/17/25 21:54:15
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/17/25 21:54:15
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/17/25 21:54:15
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/17/25 21:54:15
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/17/25 21:54:15
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/17/25 21:54:15
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/17/25 21:54:15
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/17/25 21:54:15
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/17/25 21:54:15
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/17/25 21:54:15
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/17/25 21:54:15
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/17/25 21:54:15
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/17/25 21:54:15
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/17/25 21:54:15
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/17/25 21:54:15
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/17/25 21:54:15
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/17/25 21:54:15
Naphthalene	ND	1.25	0.405		µg/L	1	11/17/25 21:54:15
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/17/25 21:54:15



Analytical Report

Work Order: 2511308
Date Reported: 12/1/2025

Client: Geosyntec Consultants

Collection Date: 11/12/2025

Project: 700 Dexter

Lab ID: 2511308-015

Matrix: Groundwater

Client Sample ID: TRIP-251112

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50052

Analyst: KJ

Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/17/25 21:54:15
Surr: Toluene-d8	97.5	80 - 121			%Rec	1	11/17/25 21:54:15
Surr: 1-Bromo-4-fluorobenzene	91.0	79.7 - 120			%Rec	1	11/17/25 21:54:15

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-A		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCV		Batch ID: R104981			Analysis Date: 11/25/2025			SeqNo: 2190567				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	25.3	10.0	25.00	0	101	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-A		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCB		Batch ID: R104981			Analysis Date: 11/25/2025			SeqNo: 2190568				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: MB-104981		SampType: MBLK			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: MBLKW		Batch ID: R104981			Analysis Date: 11/25/2025					SeqNo: 2190569		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: LCS-104981		SampType: LCS			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: LCSW		Batch ID: R104981			Analysis Date: 11/25/2025			SeqNo: 2190570				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	25.2	10.0	25.00	0	101	80	134				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: 2511275-013DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: BATCH		Batch ID: R104981			Analysis Date: 11/25/2025			SeqNo: 2190576				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0						0	0	20	
------------------------------	----	------	--	--	--	--	--	---	---	----	--

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-B		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCV		Batch ID: R104981			Analysis Date: 11/25/2025			SeqNo: 2190579				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	27.3	10.0	25.00	0	109	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-B		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCB		Batch ID: R104981			Analysis Date: 11/25/2025					SeqNo: 2190580		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: 2511308-009DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: MW113-251112		Batch ID: R104981			Analysis Date: 11/25/2025					SeqNo: 2190586		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	19.9	10.0						20.41	2.66	20	
------------------------------	------	------	--	--	--	--	--	-------	------	----	--

Sample ID: CCV-C		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCV		Batch ID: R104981			Analysis Date: 11/25/2025					SeqNo: 2190591		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	23.9	10.0	25.00	0	95.6	80	120				
------------------------------	------	------	-------	---	------	----	-----	--	--	--	--

Sample ID: CCB-C		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCB		Batch ID: R104981			Analysis Date: 11/25/2025			SeqNo: 2190592				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-D		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCV		Batch ID: R104981			Analysis Date: 11/25/2025			SeqNo: 2190601				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	26.4	10.0	25.00	0	106	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-D		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCB		Batch ID: R104981			Analysis Date: 11/25/2025			SeqNo: 2190602				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: LCS-50027		SampType: LCS			Units: mg/L		Prep Date: 11/13/2025			RunNo: 104714		
Client ID: LCSW		Batch ID: 50027			Analysis Date: 11/13/2025					SeqNo: 2184864		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.816	0.200	0.7500	0	109	90	110				
Nitrate (as N)	0.720	0.200	0.7500	0	96.0	90	110				
Sulfate	3.38	1.00	3.750	0	90.1	90	110				

Sample ID: MB-50027		SampType: MBLK			Units: mg/L		Prep Date: 11/13/2025			RunNo: 104714		
Client ID: MBLKW		Batch ID: 50027			Analysis Date: 11/13/2025					SeqNo: 2184866		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	ND	0.200									
Nitrate (as N)	ND	0.200									
Sulfate	ND	1.00									

Sample ID: 2511308-001DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/13/2025			RunNo: 104714		
Client ID: MW-322-251112		Batch ID: 50027			Analysis Date: 11/14/2025			SeqNo: 2184868				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	23.1	4.00						24.66	6.45	20	D
Nitrate (as N)	ND	4.00						0	0	20	D
Sulfate	33.2	20.0						35.64	7.15	20	D

Sample ID: 2511308-001DMS		SampType: MS			Units: mg/L		Prep Date: 11/13/2025			RunNo: 104714		
Client ID: MW-322-251112		Batch ID: 50027			Analysis Date: 11/14/2025					SeqNo: 2184869		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	38.4	4.00	15.00	24.66	91.3	80	120				D
Nitrate (as N)	15.0	4.00	15.00	0	100	80	120				D
Sulfate	114	20.0	75.00	35.64	104	80	120				D

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511308-001DMSD		SampType: MSD			Units: mg/L		Prep Date: 11/13/2025			RunNo: 104714		
Client ID: MW-322-251112		Batch ID: 50027			Analysis Date: 11/14/2025			SeqNo: 2184870				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	39.4	4.00	15.00	24.66	98.4	80	120	38.36	2.73	20	D
Nitrate (as N)	15.3	4.00	15.00	0	102	80	120	15.02	1.59	20	D
Sulfate	119	20.0	75.00	35.64	111	80	120	113.7	4.34	20	D

Sample ID: CCV-A		SampType: CCV			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104714		
Client ID: CCV		Batch ID: 50027			Analysis Date: 11/14/2025			SeqNo: 2184882				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.754	0.200	0.7500	0	101	90	110				
Nitrate (as N)	0.631	0.200	0.6250	0	101	90	110				
Sulfate	4.03	1.00	3.750	0	108	90	110				

Sample ID: CCB-A		SampType: CCB			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104714		
Client ID: CCB		Batch ID: 50027			Analysis Date: 11/14/2025					SeqNo: 2184883		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	ND	0.200									
Nitrate (as N)	ND	0.200									
Sulfate	ND	1.00									

Sample ID: 2511310-002ADUP		SampType: DUP			Units: mg/L		Prep Date: 11/13/2025			RunNo: 104714		
Client ID: BATCH		Batch ID: 50027			Analysis Date: 11/14/2025					SeqNo: 2184889		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	11.7	0.200						11.71	0.197	20	E
Nitrate (as N)	1.07	0.200						1.074	0.467	20	
Sulfate	9.06	1.00						9.089	0.286	20	

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511310-002AMS		SampType: MS			Units: mg/L		Prep Date: 11/13/2025		RunNo: 104714		
Client ID: BATCH		Batch ID: 50027			Analysis Date: 11/14/2025				SeqNo: 2184890		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	12.1	0.200	0.7500	11.71	57.7	80	120				ES
Nitrate (as N)	1.79	0.200	0.7500	1.074	95.9	80	120				
Sulfate	12.3	1.00	3.750	9.089	84.3	80	120				

NOTES:

S - Spike recovery indicates a possible matrix effect.

Sample ID: CCV-B		SampType: CCV		Units: mg/L		Prep Date: 11/14/2025		RunNo: 104714			
Client ID: CCV		Batch ID: 50027				Analysis Date: 11/14/2025		SeqNo: 2184894			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	0.683	0.200	0.7500	0	91.1	90	110				
Nitrate (as N)	0.568	0.200	0.6250	0	90.9	90	110				
Sulfate	3.70	1.00	3.750	0	98.7	90	110				

Sample ID: CCB-B		SampType: CCB		Units: mg/L		Prep Date: 11/14/2025			RunNo: 104714			
Client ID: CCB		Batch ID: 50027					Analysis Date: 11/14/2025			SeqNo: 2184895		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Chloride	ND	0.200										
Nitrate (as N)	ND	0.200										
Sulfate	ND	1.00										

Sample ID: LCS-50080		SampType: LCS		Units: mg/L		Prep Date: 11/18/2025			RunNo: 104811		
Client ID: LCSW		Batch ID: 50080					Analysis Date: 11/18/2025			SeqNo: 2187143	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	0.693	0.200	0.7500	0	92.4	90	110				
Nitrate (as N)	0.731	0.200	0.7500	0	97.5	90	110				
Sulfate	3.55	1.00	3.750	0	94.7	90	110				

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: MB-50080		SampType: MBLK		Units: mg/L		Prep Date: 11/18/2025			RunNo: 104811		
Client ID: MBLKW		Batch ID: 50080					Analysis Date: 11/18/2025			SeqNo: 2187145	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	ND	0.200									
Nitrate (as N)	ND	0.200									
Sulfate	ND	1.00									

Sample ID: 2511443-001DDUP		SampType: DUP		Units: mg/L		Prep Date: 11/18/2025			RunNo: 104811		
Client ID: BATCH		Batch ID: 50080					Analysis Date: 11/19/2025			SeqNo: 2187160	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	38.9	0.200						38.72	0.379	20	E
Nitrate (as N)	ND	0.200						0	0	20	
Sulfate	14.0	1.00						13.97	0.471	20	

Sample ID: 2511443-001DMS		SampType: MS			Units: mg/L		Prep Date: 11/18/2025		RunNo: 104811		
Client ID: BATCH		Batch ID: 50080			Analysis Date: 11/19/2025				SeqNo: 2187161		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	38.9	0.200	0.7500	38.72	23.9	80	120				ES
Nitrate (as N)	0.689	0.200	0.7500	0	91.9	80	120				
Sulfate	17.3	1.00	3.750	13.97	89.6	80	120				

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

Sample ID: 2511443-001DMSD		SampType: MSD		Units: mg/L		Prep Date: 11/18/2025			RunNo: 104811		
Client ID: BATCH		Batch ID: 50080		Analysis Date: 11/19/2025						SeqNo: 2187162	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	39.0	0.200	0.7500	38.72	33.9	80	120	38.89	0.193	20	ES
Nitrate (as N)	0.734	0.200	0.7500	0	97.9	80	120	0.6890	6.32	20	
Sulfate	17.8	1.00	3.750	13.97	103	80	120	17.33	2.78	20	

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511443-007DDUP		SampType: DUP		Units: mg/L		Prep Date: 11/18/2025		RunNo: 104811			
Client ID: BATCH		Batch ID: 50080				Analysis Date: 11/19/2025		SeqNo: 2187163			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	1.01	0.200						1.004	0.0996	20	
Nitrate (as N)	0.112	0.200						0.1650	38.3	20	J
Sulfate	0.532	1.00						0.5800	8.63	20	J

Sample ID: 2511443-007DMS		SampType: MS		Units: mg/L		Prep Date: 11/18/2025		RunNo: 104811			
Client ID: BATCH		Batch ID: 50080				Analysis Date: 11/19/2025		SeqNo: 2187164			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	1.69	0.200	0.7500	1.004	91.5	80	120				
Nitrate (as N)	0.818	0.200	0.7500	0.1650	87.1	80	120				
Sulfate	4.00	1.00	3.750	0.5800	91.2	80	120				

Sample ID: CCV-D		SampType: CCV		Units: mg/L		Prep Date: 11/19/2025		RunNo: 104811			
Client ID: CCV		Batch ID: 50080				Analysis Date: 11/19/2025		SeqNo: 2187501			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	0.723	0.200	0.7500	0	96.4	90	110				
Nitrate (as N)	0.593	0.200	0.6250	0	94.9	90	110				
Sulfate	3.57	1.00	3.750	0	95.1	90	110				

Sample ID: CCB-D		SampType: CCB		Units: mg/L		Prep Date: 11/19/2025		RunNo: 104811			
Client ID: CCB		Batch ID: 50080				Analysis Date: 11/19/2025		SeqNo: 2187502			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	ND	0.200									
Nitrate (as N)	ND	0.200									
Sulfate	ND	1.00									

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Metals by EPA 6020B

Sample ID: MB-50049		SampType: MBLK			Units: µg/L		Prep Date: 11/17/2025			RunNo: 104765		
Client ID: MBLKW		Batch ID: 50049			Analysis Date: 11/17/2025					SeqNo: 2185907		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	ND	50.0									
Manganese	ND	0.500									

Sample ID: LCS-50049		SampType: LCS			Units: µg/L		Prep Date: 11/17/2025			RunNo: 104765		
Client ID: LCSW		Batch ID: 50049			Analysis Date: 11/17/2025			SeqNo: 2185908				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	1,070	50.0	1,000	0	107	80	120				
Manganese	108	0.500	100.0	0	108	80	120				

Sample ID: 2511308-001BMS		SampType: MS			Units: µg/L		Prep Date: 11/17/2025			RunNo: 104765		
Client ID: MW-322-251112		Batch ID: 50049			Analysis Date: 11/17/2025					SeqNo: 2185912		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	18,100	50.0	1,000	16,760	139	75	125				ES
Manganese	2,110	0.500	100.0	1,975	139	75	125				ES

NOTES:

S - Spiked amount was low relative to sample concentration. Outlying spike recoveries may be expected.

Sample ID: 2511308-001BMSD		SampType: MSD			Units: µg/L		Prep Date: 11/17/2025			RunNo: 104765		
Client ID: MW-322-251112		Batch ID: 50049			Analysis Date: 11/17/2025					SeqNo: 2185914		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	18,000	50.0	1,000	16,760	124	75	125	18,150	0.776	20	E
Manganese	2,110	0.500	100.0	1,975	133	75	125	2,114	0.284	20	ES

NOTES:

S - Spiked amount was low relative to sample concentration. Outlying spike recoveries may be expected.

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVA		SampType: CCV			Units: ppmv		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: CCV		Batch ID: R104955			Analysis Date: 11/21/2025			SeqNo: 2190112				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	911	0.00500	1,000	0	91.1	85	115				
Ethene	896	0.0100	1,000	0	89.6	85	115				
Ethane	900	0.0100	1,000	0	90.0	85	115				

Sample ID: LCS-104955		SampType: LCS			Units: ppmv		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: LCSW		Batch ID: R104955			Analysis Date: 11/21/2025			SeqNo: 2190118				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	911	0.00500	1,000	0	91.1	73.6	124				
Ethene	896	0.0100	1,000	0	89.6	76.3	122				
Ethane	900	0.0100	1,000	0	90.0	76.1	123				

Sample ID: MB-104955		SampType: MBLK			Units: mg/L		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: MBLKW		Batch ID: R104955			Analysis Date: 11/21/2025			SeqNo: 2190117				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	ND	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Sample ID: 2511308-011EREP		SampType: REP			Units: mg/L		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: MW-154-251112		Batch ID: R104955						Analysis Date: 11/21/2025			SeqNo: 2190080	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	2.32	0.00500						2.313	0.287	20	E
Ethene	ND	0.0100						0	0	20	
Ethane	ND	0.0100						0	0	20	

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVB		SampType: CCV			Units: ppmv		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: CCV		Batch ID: R104955			Analysis Date: 11/21/2025			SeqNo: 2190113				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	919	0.00500	1,000	0	91.9	85	115				
Ethene	907	0.0100	1,000	0	90.7	85	115				
Ethane	914	0.0100	1,000	0	91.4	85	115				

Sample ID: 2511473-002EREP		SampType: REP			Units: mg/L		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: BATCH		Batch ID: R104955			Analysis Date: 11/21/2025					SeqNo: 2190097		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	0.279	0.00500						0.2763	0.962	20	E
Ethene	ND	0.0100						0	0	20	
Ethane	ND	0.0100						0	0	20	

Sample ID: CCVC		SampType: CCV			Units: ppmv		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: CCV		Batch ID: R104955			Analysis Date: 11/21/2025			SeqNo: 2190114				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	903	0.00500	1,000	0	90.3	85	115				
Ethene	898	0.0100	1,000	0	89.8	85	115				
Ethane	902	0.0100	1,000	0	90.2	85	115				

Sample ID: 2511308-003EREP		SampType: REP			Units: mg/L		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: MW-344-251112		Batch ID: R104955			Analysis Date: 11/21/2025					SeqNo: 2190068		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	7.77	0.500						7.860	1.15	20	D
Ethene	ND	1.00						0	0	20	D
Ethane	ND	1.00						0	0	20	D

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: 2511471-005AREP		SampType: REP			Units: mg/L		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: BATCH		Batch ID: R104955			Analysis Date: 11/21/2025					SeqNo: 2190091		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Methane	6.00	0.500						6.231	3.86	20	D	
Ethene	ND	1.00						0	0	20	D	
Ethane	ND	1.00						0	0	20	D	

Sample ID: CCVE		SampType: CCV		Units: ppmv		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: CCV		Batch ID: R104955					Analysis Date: 11/21/2025			SeqNo: 2190116	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methane	906	0.00500	1,000	0	90.6	85	115				
Ethene	898	0.0100	1,000	0	89.8	85	115				
Ethane	902	0.0100	1,000	0	90.2	85	115				

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50052	SampType: LCS	Units: µg/L			Prep Date: 11/17/2025			RunNo: 104760			
Client ID: LCSW	Batch ID: 50052	Analysis Date: 11/17/2025						SeqNo: 2185764			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	17.7	1.00	20.00	0	88.7	80	120				
Chloromethane	19.4	1.00	20.00	0	96.8	80	120				
Vinyl chloride	20.3	0.200	20.00	0	101	80	120				
Bromomethane	26.4	2.00	20.00	0	132	80	120				S
Trichlorofluoromethane (CFC-11)	19.6	0.500	20.00	0	97.9	80	120				
Chloroethane	21.6	1.00	20.00	0	108	80	120				
1,1-Dichloroethene	20.8	0.500	20.00	0	104	80	120				
Acetone	50.2	5.00	50.00	0	100	80	120				
Methylene chloride	19.7	2.00	20.00	0	98.7	80	120				
trans-1,2-Dichloroethene	19.8	0.500	20.00	0	99.0	80	120				
Methyl tert-butyl ether (MTBE)	19.4	0.500	20.00	0	97.2	80	120				
1,1-Dichloroethane	21.5	0.500	20.00	0	107	80	120				
cis-1,2-Dichloroethene	20.4	0.500	20.00	0	102	80	120				
2-Butanone (MEK)	48.4	5.00	50.00	0	96.9	80	120				
Chloroform	20.5	0.500	20.00	0	103	80	120				
1,1,1-Trichloroethane (TCA)	21.7	0.500	20.00	0	108	80	120				
1,1-Dichloropropene	19.6	0.500	20.00	0	97.8	80	120				
Carbon tetrachloride	20.9	0.500	20.00	0	104	80	120				
1,2-Dichloroethane (EDC)	18.9	0.200	20.00	0	94.6	80	120				
Benzene	19.5	0.200	20.00	0	97.6	80	120				
Trichloroethene (TCE)	18.0	0.500	20.00	0	90.2	80	120				
1,2-Dichloropropane	18.9	0.200	20.00	0	94.4	80	120				
Bromodichloromethane	19.1	0.200	20.00	0	95.7	80	120				
Dibromomethane	17.6	0.500	20.00	0	88.2	80	120				
cis-1,3-Dichloropropene	19.7	0.500	20.00	0	98.3	80	120				
Toluene	19.3	0.500	20.00	0	96.4	80	120				
trans-1,3-Dichloropropylene	19.7	0.500	20.00	0	98.5	80	120				
Methyl Isobutyl Ketone (MIBK)	44.0	2.50	50.00	0	88.0	80	120				
1,1,2-Trichloroethane	18.0	0.500	20.00	0	89.8	80	120				
1,3-Dichloropropane	17.8	0.500	20.00	0	89.2	80	120				
Tetrachloroethene (PCE)	20.0	0.500	20.00	0	100	80	120				
Dibromochloromethane	18.6	0.500	20.00	0	93.0	80	120				

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50052	SampType: LCS	Units: µg/L			Prep Date: 11/17/2025			RunNo: 104760			
Client ID: LCSW	Batch ID: 50052	Analysis Date: 11/17/2025						SeqNo: 2185764			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	17.7	0.500	20.00	0	88.5	80	120				
2-Hexanone (MBK)	46.1	1.25	50.00	0	92.1	80	120				
Chlorobenzene	18.9	0.500	20.00	0	94.6	80	120				
1,1,1,2-Tetrachloroethane	20.6	0.500	20.00	0	103	80	120				
Ethylbenzene	20.0	0.500	20.00	0	100	80	120				
m,p-Xylene	40.0	1.00	40.00	0	99.9	80	120				
o-Xylene	19.9	0.500	20.00	0	99.3	80	120				
Styrene	20.8	0.500	20.00	0	104	80	120				
Isopropylbenzene	19.0	0.500	20.00	0	95.0	80	120				
Bromoform	18.8	0.500	20.00	0	94.2	80	120				
1,1,2,2-Tetrachloroethane	19.8	0.200	20.00	0	98.9	80	120				
n-Propylbenzene	20.2	0.500	20.00	0	101	80	120				
Bromobenzene	18.1	0.200	20.00	0	90.6	80	120				
1,3,5-Trimethylbenzene	19.6	0.500	20.00	0	98.2	80	120				
2-Chlorotoluene	19.4	0.500	20.00	0	97.2	80	120				
4-Chlorotoluene	19.2	0.500	20.00	0	95.8	80	120				
tert-Butylbenzene	18.7	0.500	20.00	0	93.5	80	120				
1,2,3-Trichloropropane	16.4	0.500	20.00	0	82.1	80	120				
1,2,4-Trichlorobenzene	19.4	0.750	20.00	0	97.0	80	120				
sec-Butylbenzene	19.3	0.500	20.00	0	96.5	80	120				
4-Isopropyltoluene	20.1	0.500	20.00	0	101	80	120				
1,3-Dichlorobenzene	19.4	0.500	20.00	0	96.8	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.3	80	120				
n-Butylbenzene	19.7	0.500	20.00	0	98.3	80	120				
1,2-Dichlorobenzene	19.0	0.500	20.00	0	95.2	80	120				
1,2-Dibromo-3-chloropropane	17.5	1.00	20.00	0	87.3	80	120				
1,2,4-Trimethylbenzene	18.6	0.500	20.00	0	92.9	80	120				
Hexachloro-1,3-butadiene	19.2	1.00	20.00	0	95.8	80	120				
Naphthalene	16.7	1.25	20.00	0	83.4	80	120				
1,2,3-Trichlorobenzene	16.2	1.00	20.00	0	81.2	80	120				
Surr: Dibromofluoromethane	25.6		25.00		102	79.9	122				
Surr: Toluene-d8	24.7		25.00		98.9	80	121				

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50052		SampType: LCS			Units: µg/L		Prep Date: 11/17/2025			RunNo: 104760		
Client ID: LCSW		Batch ID: 50052						Analysis Date: 11/17/2025			SeqNo: 2185764	
Analyte		Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 1-Bromo-4-fluorobenzene		23.9		25.00		95.8	79.7	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: VOC-CCV-104760A		SampType: CCV		Units: µg/L		Prep Date: 11/17/2025			RunNo: 104760		
Client ID: CCV		Batch ID: R104760		Analysis Date: 11/17/2025					SeqNo: 2185758		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	17.7	1.00	20.00	0	88.7	80	120				
Chloromethane	19.4	1.00	20.00	0	96.8	80	120				
Vinyl chloride	20.3	0.200	20.00	0	101	80	120				
Bromomethane	26.4	2.00	20.00	0	132	80	120				S
Trichlorofluoromethane (CFC-11)	19.6	0.500	20.00	0	97.9	80	120				
Chloroethane	21.6	1.00	20.00	0	108	80	120				
1,1-Dichloroethene	20.8	0.500	20.00	0	104	80	120				
Acetone	50.2	5.00	50.00	0	100	80	120				
Methylene chloride	19.7	2.00	20.00	0	98.7	80	120				
trans-1,2-Dichloroethene	19.8	0.500	20.00	0	99.0	80	120				
Methyl tert-butyl ether (MTBE)	19.4	0.500	20.00	0	97.2	80	120				
1,1-Dichloroethane	21.5	0.500	20.00	0	107	80	120				
cis-1,2-Dichloroethene	20.4	0.500	20.00	0	102	80	120				
2-Butanone (MEK)	48.4	5.00	50.00	0	96.9	80	120				
Chloroform	20.5	0.500	20.00	0	103	80	120				
1,1,1-Trichloroethane (TCA)	21.7	0.500	20.00	0	108	80	120				
1,1-Dichloropropene	19.6	0.500	20.00	0	97.8	80	120				
Carbon tetrachloride	20.9	0.500	20.00	0	104	80	120				
1,2-Dichloroethane (EDC)	18.9	0.200	20.00	0	94.6	80	120				
Benzene	19.5	0.200	20.00	0	97.6	80	120				
Trichloroethene (TCE)	18.0	0.500	20.00	0	90.2	80	120				
1,2-Dichloropropane	18.9	0.200	20.00	0	94.4	80	120				
Bromodichloromethane	19.1	0.200	20.00	0	95.7	80	120				
Dibromomethane	17.6	0.500	20.00	0	88.2	80	120				

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104760A		SampType: CCV		Units: µg/L		Prep Date: 11/17/2025		RunNo: 104760			
Client ID: CCV		Batch ID: R104760				Analysis Date: 11/17/2025		SeqNo: 2185758			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,3-Dichloropropene	19.7	0.500	20.00	0	98.3	80	120				
Toluene	19.3	0.500	20.00	0	96.4	80	120				
trans-1,3-Dichloropropylene	19.7	0.500	20.00	0	98.5	80	120				
Methyl Isobutyl Ketone (MIBK)	44.0	2.50	50.00	0	88.0	80	120				
1,1,2-Trichloroethane	18.0	0.500	20.00	0	89.8	80	120				
1,3-Dichloropropane	17.8	0.500	20.00	0	89.2	80	120				
Tetrachloroethene (PCE)	20.0	0.500	20.00	0	100	80	120				
Dibromochloromethane	18.6	0.500	20.00	0	93.0	80	120				
1,2-Dibromoethane (EDB)	17.7	0.500	20.00	0	88.5	80	120				
2-Hexanone (MBK)	46.1	1.25	50.00	0	92.1	80	120				
Chlorobenzene	18.9	0.500	20.00	0	94.6	80	120				
1,1,1,2-Tetrachloroethane	20.6	0.500	20.00	0	103	80	120				
Ethylbenzene	20.0	0.500	20.00	0	100	80	120				
m,p-Xylene	40.0	1.00	40.00	0	99.9	80	120				
o-Xylene	19.9	0.500	20.00	0	99.3	80	120				
Styrene	20.8	0.500	20.00	0	104	80	120				
Isopropylbenzene	19.0	0.500	20.00	0	95.0	80	120				
Bromoform	18.8	0.500	20.00	0	94.2	80	120				
1,1,2,2-Tetrachloroethane	19.8	0.200	20.00	0	98.9	80	120				
n-Propylbenzene	20.2	0.500	20.00	0	101	80	120				
Bromobenzene	18.1	0.200	20.00	0	90.6	80	120				
1,3,5-Trimethylbenzene	19.6	0.500	20.00	0	98.2	80	120				
2-Chlorotoluene	19.4	0.500	20.00	0	97.2	80	120				
4-Chlorotoluene	19.2	0.500	20.00	0	95.8	80	120				
tert-Butylbenzene	18.7	0.500	20.00	0	93.5	80	120				
1,2,3-Trichloropropane	16.4	0.500	20.00	0	82.1	80	120				
1,2,4-Trichlorobenzene	19.4	0.750	20.00	0	97.0	80	120				
sec-Butylbenzene	19.3	0.500	20.00	0	96.5	80	120				
4-Isopropyltoluene	20.1	0.500	20.00	0	101	80	120				
1,3-Dichlorobenzene	19.4	0.500	20.00	0	96.8	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.3	80	120				
n-Butylbenzene	19.7	0.500	20.00	0	98.3	80	120				

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104760A		SampType: CCV			Units: µg/L		Prep Date: 11/17/2025			RunNo: 104760		
Client ID: CCV		Batch ID: R104760			Analysis Date: 11/17/2025			SeqNo: 2185758				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dichlorobenzene	19.0	0.500	20.00	0	95.2	80	120				
1,2-Dibromo-3-chloropropane	17.5	1.00	20.00	0	87.3	80	120				
1,2,4-Trimethylbenzene	18.6	0.500	20.00	0	92.9	80	120				
Hexachloro-1,3-butadiene	19.2	1.00	20.00	0	95.8	80	120				
Naphthalene	16.7	1.25	20.00	0	83.4	80	120				
1,2,3-Trichlorobenzene	16.2	1.00	20.00	0	81.2	80	120				
Surr: Dibromofluoromethane	25.6		25.00		102	80	120				
Surr: Toluene-d8	24.7		25.00		98.9	80	120				
Surr: 1-Bromo-4-fluorobenzene	23.9		25.00		95.8	80	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: MB-50052		SampType: MBLK		Units: µg/L		Prep Date: 11/17/2025			RunNo: 104760		
Client ID: MBLKW		Batch ID: 50052					Analysis Date: 11/17/2025			SeqNo: 2185759	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	0.279	1.00									J
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	ND	5.00									
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50052	SampType: MBLK	Units: µg/L		Prep Date: 11/17/2025		RunNo: 104760					
Client ID: MBLKW	Batch ID: 50052			Analysis Date: 11/17/2025		SeqNo: 2185759					
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloropropene	ND	0.500									
Carbon tetrachloride	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.200									
Benzene	ND	0.200									
Trichloroethene (TCE)	ND	0.500									
1,2-Dichloropropane	ND	0.200									
Bromodichloromethane	ND	0.200									
Dibromomethane	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50052		SampType: MBLK		Units: µg/L		Prep Date: 11/17/2025		RunNo: 104760			
Client ID: MBLKW		Batch ID: 50052				Analysis Date: 11/17/2025		SeqNo: 2185759			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	25.8		25.00		103	80	120				
Surr: Toluene-d8	24.2		25.00		96.9	80	120				
Surr: 1-Bromo-4-fluorobenzene	23.0		25.00		92.0	80	120				

Sample ID: 2511379-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/17/2025		RunNo: 104760			
Client ID: BATCH		Batch ID: 50052				Analysis Date: 11/17/2025		SeqNo: 2185761			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	ND	10.0						0	0	30	D
Chloromethane	ND	10.0						0	0	30	D
Vinyl chloride	ND	2.00						0	0	30	D
Bromomethane	ND	20.0						0	0	30	D
Trichlorofluoromethane (CFC-11)	ND	5.00						0	0	30	D
Chloroethane	ND	10.0						0	0	30	D
1,1-Dichloroethene	ND	5.00						0	0	30	D
Acetone	ND	50.0						0	0	30	D
Methylene chloride	ND	20.0						0	0	30	D

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511379-001ADUP	SampType: DUP	Units: µg/L			Prep Date: 11/17/2025			RunNo: 104760			
Client ID: BATCH	Batch ID: 50052	Analysis Date: 11/17/2025						SeqNo: 2185761			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,2-Dichloroethene	ND	5.00						0	0	30	D
Methyl tert-butyl ether (MTBE)	ND	5.00						0	0	30	D
1,1-Dichloroethane	ND	5.00						0	0	30	D
cis-1,2-Dichloroethene	ND	5.00						0	0	30	D
2-Butanone (MEK)	ND	50.0						0	0	30	D
Chloroform	ND	5.00						0	0	30	D
1,1,1-Trichloroethane (TCA)	ND	5.00						0	0	30	D
1,1-Dichloropropene	ND	5.00						0	0	30	D
Carbon tetrachloride	ND	5.00						0	0	30	D
1,2-Dichloroethane (EDC)	ND	2.00						0	0	30	D
Benzene	ND	2.00						0	0	30	D
Trichloroethene (TCE)	ND	5.00						0	0	30	D
1,2-Dichloropropane	ND	2.00						0	0	30	D
Bromodichloromethane	ND	2.00						0	0	30	D
Dibromomethane	ND	5.00						0	0	30	D
cis-1,3-Dichloropropene	ND	5.00						0	0	30	D
Toluene	ND	5.00						0	0	30	D
trans-1,3-Dichloropropylene	ND	5.00						0	0	30	D
Methyl Isobutyl Ketone (MIBK)	ND	25.0						0	0	30	D
1,1,2-Trichloroethane	ND	5.00						0	0	30	D
1,3-Dichloropropane	ND	5.00						0	0	30	D
Tetrachloroethene (PCE)	ND	5.00						0	0	30	D
Dibromochloromethane	ND	5.00						0	0	30	D
1,2-Dibromoethane (EDB)	ND	5.00						0	0	30	D
2-Hexanone (MBK)	ND	12.5						0	0	30	D
Chlorobenzene	ND	5.00						0	0	30	D
1,1,1,2-Tetrachloroethane	ND	5.00						0	0	30	D
Ethylbenzene	ND	5.00						0	0	30	D
m,p-Xylene	ND	10.0						0	0	30	D
o-Xylene	ND	5.00						0	0	30	D
Styrene	ND	5.00						0	0	30	D
Isopropylbenzene	ND	5.00						0	0	30	D

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511379-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/17/2025		RunNo: 104760			
Client ID: BATCH		Batch ID: 50052				Analysis Date: 11/17/2025		SeqNo: 2185761			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromoform	ND	5.00						0	0	30	D
1,1,2,2-Tetrachloroethane	ND	2.00						0	0	30	D
n-Propylbenzene	ND	5.00						0	0	30	D
Bromobenzene	ND	2.00						0	0	30	D
1,3,5-Trimethylbenzene	ND	5.00						0	0	30	D
2-Chlorotoluene	ND	5.00						0	0	30	D
4-Chlorotoluene	ND	5.00						0	0	30	D
tert-Butylbenzene	ND	5.00						0	0	30	D
1,2,3-Trichloropropane	ND	5.00						0	0	30	D
1,2,4-Trichlorobenzene	ND	7.50						0	0	30	D
sec-Butylbenzene	ND	5.00						0	0	30	D
4-Isopropyltoluene	ND	5.00						0	0	30	D
1,3-Dichlorobenzene	ND	5.00						0	0	30	D
1,4-Dichlorobenzene	ND	5.00						0	0	30	D
n-Butylbenzene	ND	5.00						0	0	30	D
1,2-Dichlorobenzene	ND	5.00						0	0	30	D
1,2-Dibromo-3-chloropropane	ND	10.0						0	0	30	D
1,2,4-Trimethylbenzene	ND	5.00						0	0	30	D
Hexachloro-1,3-butadiene	ND	10.0						0	0	30	D
Naphthalene	ND	12.5						0	0	30	D
1,2,3-Trichlorobenzene	ND	10.0						0	0	30	D
Surr: Dibromofluoromethane	262		250.0		105	79.9	122		0		D
Surr: Toluene-d8	243		250.0		97.3	80	121		0		D
Surr: 1-Bromo-4-fluorobenzene	230		250.0		91.8	79.7	120		0		D

Sample ID: VOC-CCV-104760B		SampType: CCV		Units: µg/L		Prep Date: 11/17/2025		RunNo: 104760			
Client ID: CCV		Batch ID: R104760				Analysis Date: 11/17/2025		SeqNo: 2186470			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	21.1	1.00	20.00	0	106	80	120				
Chloromethane	19.7	1.00	20.00	0	98.5	80	120				

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104760B		SampType: CCV		Units: µg/L		Prep Date: 11/17/2025			RunNo: 104760		
Client ID: CCV		Batch ID: R104760		Analysis Date: 11/17/2025					SeqNo: 2186470		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	22.5	0.200	20.00	0	112	80	120				S
Bromomethane	24.6	2.00	20.00	0	123	80	120				
Trichlorofluoromethane (CFC-11)	22.2	0.500	20.00	0	111	80	120				
Chloroethane	21.9	1.00	20.00	0	110	80	120				
1,1-Dichloroethene	22.7	0.500	20.00	0	114	80	120				
Acetone	36.2	5.00	50.00	0	72.5	80	120				S
Methylene chloride	19.5	2.00	20.00	0	97.4	80	120				
trans-1,2-Dichloroethene	19.8	0.500	20.00	0	99.1	80	120				
Methyl tert-butyl ether (MTBE)	19.4	0.500	20.00	0	97.1	80	120				
1,1-Dichloroethane	21.3	0.500	20.00	0	106	80	120				
cis-1,2-Dichloroethene	20.1	0.500	20.00	0	101	80	120				S
2-Butanone (MEK)	38.9	5.00	50.00	0	77.9	80	120				
Chloroform	20.2	0.500	20.00	0	101	80	120				
1,1,1-Trichloroethane (TCA)	23.0	0.500	20.00	0	115	80	120				
1,1-Dichloropropene	21.6	0.500	20.00	0	108	80	120				
Carbon tetrachloride	23.4	0.500	20.00	0	117	80	120				
1,2-Dichloroethane (EDC)	19.0	0.200	20.00	0	95.0	80	120				
Benzene	19.2	0.200	20.00	0	95.8	80	120				
Trichloroethene (TCE)	17.7	0.500	20.00	0	88.5	80	120				
1,2-Dichloropropane	18.6	0.200	20.00	0	92.9	80	120				
Bromodichloromethane	18.9	0.200	20.00	0	94.3	80	120				
Dibromomethane	17.8	0.500	20.00	0	89.1	80	120				
cis-1,3-Dichloropropene	19.0	0.500	20.00	0	95.2	80	120				
Toluene	19.0	0.500	20.00	0	95.0	80	120				
trans-1,3-Dichloropropylene	19.2	0.500	20.00	0	95.8	80	120				
Methyl Isobutyl Ketone (MIBK)	45.2	2.50	50.00	0	90.4	80	120				
1,1,2-Trichloroethane	17.9	0.500	20.00	0	89.5	80	120				
1,3-Dichloropropane	18.1	0.500	20.00	0	90.4	80	120				
Tetrachloroethene (PCE)	21.2	0.500	20.00	0	106	80	120				
Dibromochloromethane	18.3	0.500	20.00	0	91.7	80	120				
1,2-Dibromoethane (EDB)	18.0	0.500	20.00	0	89.9	80	120				
2-Hexanone (MBK)	37.3	1.25	50.00	0	74.5	80	120				S

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104760B		SampType: CCV		Units: µg/L		Prep Date: 11/17/2025		RunNo: 104760			
Client ID: CCV		Batch ID: R104760				Analysis Date: 11/17/2025		SeqNo: 2186470			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	18.5	0.500	20.00	0	92.3	80	120				
1,1,1,2-Tetrachloroethane	19.6	0.500	20.00	0	97.8	80	120				
Ethylbenzene	20.0	0.500	20.00	0	100	80	120				
m,p-Xylene	39.8	1.00	40.00	0	99.4	80	120				
o-Xylene	19.5	0.500	20.00	0	97.3	80	120				
Styrene	20.5	0.500	20.00	0	102	80	120				
Isopropylbenzene	19.3	0.500	20.00	0	96.5	80	120				
Bromoform	18.4	0.500	20.00	0	92.2	80	120				
1,1,2,2-Tetrachloroethane	20.2	0.200	20.00	0	101	80	120				
n-Propylbenzene	21.0	0.500	20.00	0	105	80	120				
Bromobenzene	17.8	0.200	20.00	0	89.1	80	120				
1,3,5-Trimethylbenzene	19.6	0.500	20.00	0	98.0	80	120				
2-Chlorotoluene	18.3	0.500	20.00	0	91.7	80	120				
4-Chlorotoluene	18.9	0.500	20.00	0	94.6	80	120				
tert-Butylbenzene	19.2	0.500	20.00	0	95.9	80	120				
1,2,3-Trichloropropane	16.7	0.500	20.00	0	83.7	80	120				
1,2,4-Trichlorobenzene	18.7	0.750	20.00	0	93.4	80	120				
sec-Butylbenzene	20.1	0.500	20.00	0	101	80	120				
4-Isopropyltoluene	20.6	0.500	20.00	0	103	80	120				
1,3-Dichlorobenzene	18.8	0.500	20.00	0	93.9	80	120				
1,4-Dichlorobenzene	18.4	0.500	20.00	0	91.8	80	120				
n-Butylbenzene	20.0	0.500	20.00	0	100	80	120				
1,2-Dichlorobenzene	18.6	0.500	20.00	0	93.0	80	120				
1,2-Dibromo-3-chloropropane	17.4	1.00	20.00	0	86.9	80	120				
1,2,4-Trimethylbenzene	18.4	0.500	20.00	0	92.1	80	120				
Hexachloro-1,3-butadiene	19.5	1.00	20.00	0	97.3	80	120				
Naphthalene	17.0	1.25	20.00	0	85.1	80	120				
1,2,3-Trichlorobenzene	16.3	1.00	20.00	0	81.7	80	120				
Surr: Dibromofluoromethane	26.4		25.00		106	80	120				
Surr: Toluene-d8	25.3		25.00		101	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.2		25.00		97.0	80	120				

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104760B		SampType: CCV			Units: µg/L		Prep Date: 11/17/2025			RunNo: 104760		
Client ID: CCV		Batch ID: R104760			Analysis Date: 11/17/2025			SeqNo: 2186470				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.
S - Outlying spike recovery observed (low bias). Samples will be qualified with a Q.

Sample ID: 2511308-013AMS	SampType: MS	Units: µg/L				Prep Date: 11/17/2025			RunNo: 104760		
Client ID: MW-153-251112	Batch ID: 50052	Analysis Date: 11/18/2025						SeqNo: 2186475			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	23.0	1.00	20.00	0	115	61	156				
Chloromethane	21.2	1.00	20.00	0	106	58.6	153				
Vinyl chloride	25.7	0.200	20.00	0.2548	127	70.9	160				
Bromomethane	26.5	2.00	20.00	0	132	57	155				
Trichlorofluoromethane (CFC-11)	24.2	0.500	20.00	0	121	80	159				
Chloroethane	23.8	1.00	20.00	0	119	71.3	145				
1,1-Dichloroethene	25.8	0.500	20.00	0	129	80	160				
Acetone	31.7	5.00	50.00	0	63.4	12.9	126				
Methylene chloride	21.0	2.00	20.00	0	105	77.6	131				
trans-1,2-Dichloroethene	22.1	0.500	20.00	0	111	80	134				
Methyl tert-butyl ether (MTBE)	20.3	0.500	20.00	0	101	80	127				
1,1-Dichloroethane	23.2	0.500	20.00	0	116	80	129				
cis-1,2-Dichloroethene	22.1	0.500	20.00	0.2775	109	78.2	137				
2-Butanone (MEK)	37.6	5.00	50.00	0	75.1	32.5	130				
Chloroform	21.9	0.500	20.00	0	109	78.3	136				
1,1,1-Trichloroethane (TCA)	25.4	0.500	20.00	0	127	80	153				
1,1-Dichloropropene	24.0	0.500	20.00	0	120	80	153				
Carbon tetrachloride	26.3	0.500	20.00	0	131	80	156				
1,2-Dichloroethane (EDC)	20.1	0.200	20.00	0	100	77	133				
Benzene	20.9	0.200	20.00	0	105	80	134				
Trichloroethene (TCE)	19.3	0.500	20.00	0	96.4	80	133				
1,2-Dichloropropane	20.0	0.200	20.00	0	100	80	125				
Bromodichloromethane	20.1	0.200	20.00	0	101	80	124				
Dibromomethane	18.3	0.500	20.00	0	91.4	80	122				

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511308-013AMS		SampType: MS		Units: µg/L		Prep Date: 11/17/2025		RunNo: 104760			
Client ID: MW-153-251112		Batch ID: 50052				Analysis Date: 11/18/2025		SeqNo: 2186475			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,3-Dichloropropene	20.0	0.500	20.00	0	99.9	80	128				
Toluene	20.6	0.500	20.00	0	103	80	134				
trans-1,3-Dichloropropylene	19.7	0.500	20.00	0	98.6	78.6	136				
Methyl Isobutyl Ketone (MIBK)	46.3	2.50	50.00	0	92.6	61.1	145				
1,1,2-Trichloroethane	19.1	0.500	20.00	0	95.6	79.4	135				
1,3-Dichloropropane	18.9	0.500	20.00	0	94.7	80	126				
Tetrachloroethene (PCE)	22.8	0.500	20.00	0	114	80	153				
Dibromochloromethane	19.5	0.500	20.00	0	97.7	77.7	137				
1,2-Dibromoethane (EDB)	18.6	0.500	20.00	0	92.8	77.8	132				
2-Hexanone (MBK)	37.4	1.25	50.00	0	74.8	34.7	135				
Chlorobenzene	19.8	0.500	20.00	0	99.0	80	123				
1,1,1,2-Tetrachloroethane	20.8	0.500	20.00	0	104	80	125				
Ethylbenzene	21.6	0.500	20.00	0	108	80	125				
m,p-Xylene	43.1	1.00	40.00	0	108	80	124				
o-Xylene	21.0	0.500	20.00	0	105	80	122				
Styrene	21.8	0.500	20.00	0	109	80	122				
Isopropylbenzene	20.8	0.500	20.00	0	104	80	133				
Bromoform	19.1	0.500	20.00	0	95.5	80	125				
1,1,2,2-Tetrachloroethane	21.2	0.200	20.00	0	106	76.3	138				
n-Propylbenzene	22.7	0.500	20.00	0	113	80	134				
Bromobenzene	18.7	0.200	20.00	0	93.7	80	121				
1,3,5-Trimethylbenzene	21.1	0.500	20.00	0	105	80	126				
2-Chlorotoluene	19.8	0.500	20.00	0	98.8	80	124				
4-Chlorotoluene	19.9	0.500	20.00	0	99.6	80	123				
tert-Butylbenzene	20.7	0.500	20.00	0	103	80	131				
1,2,3-Trichloropropane	17.3	0.500	20.00	0	86.4	75.3	125				
1,2,4-Trichlorobenzene	19.8	0.750	20.00	0	98.8	71.2	129				
sec-Butylbenzene	21.9	0.500	20.00	0	110	80	137				
4-Isopropyltoluene	22.5	0.500	20.00	0	112	80	132				
1,3-Dichlorobenzene	20.0	0.500	20.00	0	99.8	80	120				
1,4-Dichlorobenzene	19.5	0.500	20.00	0	97.4	80	122				
n-Butylbenzene	21.4	0.500	20.00	0	107	79.5	138				

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511308-013AMS		SampType: MS			Units: µg/L		Prep Date: 11/17/2025			RunNo: 104760		
Client ID: MW-153-251112		Batch ID: 50052						Analysis Date: 11/18/2025			SeqNo: 2186475	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dichlorobenzene	19.7	0.500	20.00	0	98.4	79	120				
1,2-Dibromo-3-chloropropane	17.8	1.00	20.00	0	88.9	69.6	137				
1,2,4-Trimethylbenzene	19.5	0.500	20.00	0	97.6	80	123				
Hexachloro-1,3-butadiene	20.7	1.00	20.00	0	104	74.3	148				
Naphthalene	18.1	1.25	20.00	0	90.6	74.3	124				
1,2,3-Trichlorobenzene	17.1	1.00	20.00	0	85.7	71.9	129				
Surr: Dibromofluoromethane	26.2		25.00		105	79.9	122				
Surr: Toluene-d8	25.2		25.00		101	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.2		25.00		96.7	79.7	120				

Sample ID: VOC-CCV-104760C		SampType: CCV			Units: µg/L		Prep Date: 11/18/2025			RunNo: 104760		
Client ID: CCV		Batch ID: R104760			Analysis Date: 11/18/2025			SeqNo: 2186476				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	21.9	1.00	20.00	0	109	80	120				
Chloromethane	20.5	1.00	20.00	0	102	80	120				
Vinyl chloride	23.7	0.200	20.00	0	118	80	120				
Bromomethane	27.0	2.00	20.00	0	135	80	120				S
Trichlorofluoromethane (CFC-11)	23.1	0.500	20.00	0	115	80	120				
Chloroethane	22.9	1.00	20.00	0	114	80	120				
1,1-Dichloroethene	24.3	0.500	20.00	0	121	80	120				S
Acetone	50.1	5.00	50.00	0	100	80	120				
Methylene chloride	20.4	2.00	20.00	0	102	80	120				
trans-1,2-Dichloroethene	21.1	0.500	20.00	0	106	80	120				
Methyl tert-butyl ether (MTBE)	20.4	0.500	20.00	0	102	80	120				
1,1-Dichloroethane	22.6	0.500	20.00	0	113	80	120				
cis-1,2-Dichloroethene	21.2	0.500	20.00	0	106	80	120				
2-Butanone (MEK)	48.1	5.00	50.00	0	96.3	80	120				
Chloroform	21.4	0.500	20.00	0	107	80	120				
1,1,1-Trichloroethane (TCA)	24.2	0.500	20.00	0	121	80	120				S
1,1-Dichloropropene	22.7	0.500	20.00	0	113	80	120				

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104760C	SampType: CCV	Units: µg/L			Prep Date: 11/18/2025			RunNo: 104760			
Client ID: CCV	Batch ID: R104760	Analysis Date: 11/18/2025						SeqNo: 2186476			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Carbon tetrachloride	24.7	0.500	20.00	0	124	80	120				S
1,2-Dichloroethane (EDC)	19.9	0.200	20.00	0	99.7	80	120				
Benzene	20.4	0.200	20.00	0	102	80	120				
Trichloroethene (TCE)	19.4	0.500	20.00	0	96.8	80	120				
1,2-Dichloropropane	19.7	0.200	20.00	0	98.4	80	120				
Bromodichloromethane	20.1	0.200	20.00	0	100	80	120				
Dibromomethane	18.5	0.500	20.00	0	92.6	80	120				
cis-1,3-Dichloropropene	19.8	0.500	20.00	0	98.9	80	120				
Toluene	20.1	0.500	20.00	0	100	80	120				
trans-1,3-Dichloropropylene	19.7	0.500	20.00	0	98.6	80	120				
Methyl Isobutyl Ketone (MIBK)	47.3	2.50	50.00	0	94.7	80	120				
1,1,2-Trichloroethane	19.1	0.500	20.00	0	95.5	80	120				
1,3-Dichloropropane	18.9	0.500	20.00	0	94.7	80	120				
Tetrachloroethene (PCE)	22.2	0.500	20.00	0	111	80	120				
Dibromochloromethane	19.4	0.500	20.00	0	97.0	80	120				
1,2-Dibromoethane (EDB)	18.7	0.500	20.00	0	93.4	80	120				
2-Hexanone (MBK)	44.7	1.25	50.00	0	89.5	80	120				
Chlorobenzene	19.4	0.500	20.00	0	96.9	80	120				
1,1,1,2-Tetrachloroethane	20.7	0.500	20.00	0	104	80	120				
Ethylbenzene	21.0	0.500	20.00	0	105	80	120				
m,p-Xylene	42.4	1.00	40.00	0	106	80	120				
o-Xylene	20.7	0.500	20.00	0	104	80	120				
Styrene	21.7	0.500	20.00	0	109	80	120				
Isopropylbenzene	20.2	0.500	20.00	0	101	80	120				
Bromoform	19.2	0.500	20.00	0	95.8	80	120				
1,1,2,2-Tetrachloroethane	20.3	0.200	20.00	0	101	80	120				
n-Propylbenzene	22.3	0.500	20.00	0	111	80	120				
Bromobenzene	18.6	0.200	20.00	0	92.8	80	120				
1,3,5-Trimethylbenzene	20.7	0.500	20.00	0	103	80	120				
2-Chlorotoluene	19.5	0.500	20.00	0	97.5	80	120				
4-Chlorotoluene	20.1	0.500	20.00	0	100	80	120				
tert-Butylbenzene	20.1	0.500	20.00	0	100	80	120				

Work Order: 2511308
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104760C		SampType: CCV		Units: µg/L		Prep Date: 11/18/2025		RunNo: 104760			
Client ID: CCV		Batch ID: R104760				Analysis Date: 11/18/2025		SeqNo: 2186476			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,3-Trichloropropane	17.5	0.500	20.00	0	87.7	80	120				
1,2,4-Trichlorobenzene	19.7	0.750	20.00	0	98.7	80	120				
sec-Butylbenzene	21.3	0.500	20.00	0	107	80	120				
4-Isopropyltoluene	22.0	0.500	20.00	0	110	80	120				
1,3-Dichlorobenzene	19.6	0.500	20.00	0	98.2	80	120				
1,4-Dichlorobenzene	19.3	0.500	20.00	0	96.5	80	120				
n-Butylbenzene	21.2	0.500	20.00	0	106	80	120				
1,2-Dichlorobenzene	19.6	0.500	20.00	0	97.8	80	120				
1,2-Dibromo-3-chloropropane	18.2	1.00	20.00	0	90.8	80	120				
1,2,4-Trimethylbenzene	19.4	0.500	20.00	0	97.2	80	120				
Hexachloro-1,3-butadiene	20.5	1.00	20.00	0	103	80	120				
Naphthalene	18.0	1.25	20.00	0	90.0	80	120				
1,2,3-Trichlorobenzene	17.1	1.00	20.00	0	85.6	80	120				
Surr: Dibromofluoromethane	26.0		25.00		104	80	120				
Surr: Toluene-d8	25.1		25.00		101	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.0		25.00		96.1	80	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Client Name: AC

Work Order Number: 2511308

Logged by: Clare Griggs

Date Received: 11/12/2025 3:42:00 PM

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes ☐ No ☐ Not Present ☒
4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all items received at a temperature of >2°C to 6°C * Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. Is there headspace in the VOA vials? Yes ☐ No ☒ NA ☐
11. Did all samples containers arrive in good condition(unbroken)? Yes ☒ No ☐
12. Does paperwork match bottle labels? Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all hold times (except field parameters, pH e.g.) able to be met? Yes ☒ No ☐

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:		Date:	
By Whom:		Via:	☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:			
Client Instructions:			

17. Additional remarks:

Item Information

Item #	Temp °C
Sample	3.2

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



3600 Fremont Ave. N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11/12/25 Page: 1 of 2

Project Name: 700 Dexter

Project No: AS240461

Collected by: M. Elliott E. Rosen J. Raville

Location: 700 Dexter

Report To (PM): Hannah Cohen + Lea Kane

Laboratory Project No (Internal): 2511308

Special Remarks:

PLEASE bill to
WO-AS240461-8485 on Cohen
short hold time due to Nitrate
samples!

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Client: Geosyntec Consultants

Address: 801 5th Ave, Suite 2200

City, State, Zip: Seattle, WA, 98104

Telephone: 206-780-7724

Email(s): Hannah.Cohen@geosyntec.com Lea.Kane@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)	# of Cont.	VOCS (EPA 8260 / 624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCD)	Diesel/Heavy Oil Range Organics (DX)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 / 625)	PCBs (EPA 8082 / 608)	Metals** (EPA 6020 / 200.8)	Total (D) Dissolved (D)	Anions (IC)**	EDB (8011)	Dissolved Gases (RSLP5)	Alkalinity (EPA 8002)	TOC (9050 A)	Comments
1 MW-322-251112	11/12/25	1012	GW	9	X								X	X	X	X	X			
2 F/MW-142-251112	11/12/25	1012	GW	3	X															
3 MW-344-251112	11/12/25	1015	GW	9	X								X	X	X	X	X			
4 MW-147-251112	11/12/25	1120	GW	9	X								X	X	X	X	X			
5 MW-319-251112	11/12/25	1122	GW	9	X								X	X	X	X	X			
6 MW-116-251112	11/12/25	1134	GW	3	X															MW116-251112
7 MW-318-251112	11/12/25	1214	GW	9	X								X	X	X	X	X			
8 MW-146-251112	11/12/25	1225	GW	9	X								X	X	X	X	X			
9 MW-113-251112	11/12/25	1228	GW	9	X								X	X	X	X	X			MW113-251112
10 MW-317-251112	11/12/25	1300	GW	3	X															

Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu (Fe) Hg K Mg (Mn) Mo Na Ni Pb Sb Se Sr Sn Ti Tl V Zn

Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate+Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished (Signature) M. Elliott Print Name M. Elliott Date/Time 11-12-25 1541

Relinquished (Signature) Lea Kane Print Name Lea Kane Date/Time 11/12/25 3:42 PM

Turn-around Time:
☒ Standard ☐ Next Day
☐ 3 Day ☐ Same Day
☐ 2 Day (specify) _____



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11/12/25 Page: 2 of 2

Project Name: 700 Dexter

Project No: AS2404G1

Collected by: M. Elliott E. Rosen J. Rayville

Location: 700 Dexter

Report To (PM): Hannah Cohen + Lea Kane

Laboratory Project No (Internal): 2511308

Special Remarks:
Please bill to WO-AS2404G1-8485
On Coupa.
Short hold time due to Nitrate
Samples!

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Client: Geosyntec Consultants

Address: 801 5th Ave, Suite 2200

City, State, Zip: Seattle, WA, 98104

Telephone: 206-780-7724

Email(s): Hannah.Cohen@geosyntec.com Lea.Kane@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCs (EPA 8260 / 624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCID)	Diesel/Heavy Oil Range Organics (DX)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 / 625)	PCBs (EPA 8270 - SIM)	Metals** (EPA 8082 / 608)	Total (T) (EPA 6020 / 200.8)	Anions (C)***	EDB (8011)	Dissolved Gases (BSK 175)	Alkalinity (EPA 3010.2)	TOC (9060 A)	Comments
1 MW-154-25 1112	11/12/25	1320	GW	9	X								X	X	X	X	X			
2 MW-115-25 1112	11/12/25	1322	GW	3	X															MW115-25 1112
3 MW-153-25 1112	11/12/25	1415	GW	3	X															
4 MW-332-25 1112	11/12/25	1415	GW	3	X															
5 TRIP-25 1112	11/12/25	-	W	1	X															
6																				
7																				
8																				
9																				
10																				

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu (Fe) Hg K Mg Mn Mo Na Ni Pb Sb Se Sr Sn Ti Tl V Zn

***Anions (Circle): Nitrate Nitrite Sulfate Sulfide Bromide O-Phosphate Fluoride Nitrate+Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished (Signature) *[Signature]* Print Name *Nathan Elliott* Date/Time *11-12-25 1541*

Received (Signature) *[Signature]* Print Name *Lea Kane* Date/Time *11/12/25 3:42PM*



Analytical Resources, LLC
Analytical Chemists and Consultants
Tukwila, WA

28 November 2025

Brianna Barnes
Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle, WA 98103

RE: TOC (2511308)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)

25K0319

Associated SDG ID(s)

N/A

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Phillip Bates, Project Manager





CHAIN OF CUSTODY RECORD

Omega COCID 2555

PAGE: 1


OF: 1

ADDRESS

Alliance Technical Group, LLC -
Seattle
3600 Fremont Ave N
Seattle, WA 98103
TEL: 206-352-3790
FAX: 206-352-7178
Website: www.fremontanalytical.com

25K0319

SUB CONTRACTOR: ARI		COMPANY: Analytical Resources Inc.		SPECIAL INSTRUCTIONS / COMMENTS: Standard TAT. Please email results to SEA.PM@alliancetg.com and invoices to both SEA.PM@alliancetg.com and ap@alliancetg.com.			
ADDRESS: 4611 South 134th Place, Suite 100							
CITY, STATE, ZIP: Tukwila, WA 98168							
PHONE: (206) 695-6200 FAX: EMAIL:							
ACCOUNT #:							
ITEM #	SAMPLE ID	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS	COMMENTS: Methanol Preserved Weights HOT Sample Notation, Additional Sample Description.
1	2511308-001C	MW-322-251112	AMBER 250ML	Groundwater	11/12/2025 10:12:00 AM	1	EPA 9060
	C-TOC-W-9060						
2	2511308-003C	MW-344-251112	AMBER 250ML	Groundwater	11/12/2025 10:15:00 AM	1	EPA 9060
	C-TOC-W-9060						
3	2511308-004C	MW-147-251112	AMBER 250ML	Groundwater	11/12/2025 11:20:00 AM	1	EPA 9060
	C-TOC-W-9060						
4	2511308-005C	MW-319-251112	AMBER 250ML	Groundwater	11/12/2025 11:22:00 AM	1	EPA 9060
	C-TOC-W-9060						
5	2511308-007C	MW-318-251112	AMBER 250ML	Groundwater	11/12/2025 12:14:00 PM	1	EPA 9060
	C-TOC-W-9060						
6	2511308-008C	MW-146-251112	AMBER 250ML	Groundwater	11/12/2025 12:25:00 PM	1	EPA 9060
	C-TOC-W-9060						
7	2511308-009C	MW113-251112	AMBER 250ML	Groundwater	11/12/2025 12:28:00 PM	1	EPA 9060
	C-TOC-W-9060						
8	2511308-011C	MW-154-251112	AMBER 250ML	Groundwater	11/12/2025 1:20:00 PM	1	EPA 9060
	C-TOC-W-9060						

Relinquished By: 	Date: 11/13/25	Time: 6:55	Received By: 	Date: 11/13/25	Time: 1:32
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
TAT: Standard ☐ RUSH ☐ Next BD ☐ 2nd BD ☐ 3rd BD ☐					
Note: RUSH requests will incur surcharges!					

REPORT TRANSMITTAL DESIRED:	
☐ HARDCOPY (extra cost)	☐ FAX ☐ EMAIL ☐ ONLINE
FOR LAB USE ONLY	
Temp of samples _____ °C	Attempt to Cool ? _____
Comments: _____	
Page 82 of 97	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511308
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:45

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-322-251112	25K0319-01	Water	12-Nov-2025 10:12	13-Nov-2025 13:21
MW-344-251112	25K0319-02	Water	12-Nov-2025 10:15	13-Nov-2025 13:21
MW-147-251112	25K0319-03	Water	12-Nov-2025 11:20	13-Nov-2025 13:21
MW-319-251112	25K0319-04	Water	12-Nov-2025 11:22	13-Nov-2025 13:21
MW-318-251112	25K0319-05	Water	12-Nov-2025 12:14	13-Nov-2025 13:21
MW-146-251112	25K0319-06	Water	12-Nov-2025 12:25	13-Nov-2025 13:21
MW113-251112	25K0319-07	Water	12-Nov-2025 12:28	13-Nov-2025 13:21
MW-154-251112	25K0319-08	Water	12-Nov-2025 13:20	13-Nov-2025 13:21



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511308
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:45

Work Order Case Narrative

Client: Alliance Technical Group, LLC.

Project: TOC

Project Number: 2511308

Work Order: 25K0319

Sample receipt

The sample(s) as listed on the preceding page were received 13-Nov-2025 13:21 under ARI work order 25K0319. For details regarding sample receipt, please refer to the Cooler Receipt Form.

Wet Chemistry

The sample(s) were prepared and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.



WORK ORDER

25K0319

Client: Alliance Technical Group, LLC.

Project Manager: Phillip Bates

Project: TOC

Project Number: 2511308

Preservation Confirmation

Container ID	Container Type	pH	pH Paper Lot#: <u>N000119</u>
25K0319-01 A	Glass NM, Amber, 250 mL, 9N H2SO4	<2	P
25K0319-02 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0319-03 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0319-04 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0319-05 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0319-06 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0319-07 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0319-08 A	Glass NM, Amber, 250 mL, 9N H2SO4		

NDT

Preservation Confirmed By

11/14/25

Date



Cooler Receipt Form

ARI Client: Alliance

Project Name: TOC

COC No(s): NA

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: 25K0319

Tracking No: NA

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler? YES NO
Were custody papers included with the cooler? YES NO
Were custody papers properly filled out (ink, signed, etc.) YES NO
Temperature of Cooler(s) (°C) Time 1321 7-9 Temp Gun ID#: 9708
Was a temperature blank included in the cooler? YES NO
Were coolers received between 0° - 6° (°C) YES NO
Was sufficient ice used (if appropriate)? NA YES NO

Cooler Accepted by: SA Date: 11/13/25 Time: 1321

Complete custody forms and attach all shipping documents

Log-In Phase:

What kind of packing material was used? Bubble Wrap Wet Ice Gel Packs Baggies Foam Block N/A Other: _____
Are any samples that were out of temperature compliance documented in LIMS? YES NO
How were bottles sealed in plastic bags? Individually Grouped Not
Did all bottles arrive in good condition (unbroken)? YES NO
Were all bottle labels complete and legible? YES NO
Did the number of containers listed on COC match with the number of containers received? YES NO
Did all bottle labels and tags agree with custody papers? YES NO
Were all bottles used correct for the requested analyses? YES NO
Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ... NA YES NO
Were all VOC vials free of air bubbles? NA YES NO
Was sufficient amount of sample sent in each bottle? YES NO
Date VOC Trip Blank was made at ARI: NA
Were the sample(s) split by ARI? NA YES Date/Time: _____ Equipment: _____ Split by: _____

Samples Logged by: NDT Date: 11/14/25 Time: 1044 Labels checked by: NDT

**** Notify Project Manager of discrepancies or concerns ****

Additional Notes, Discrepancies, & Resolutions:

By: _____ Date: _____



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511308
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:45

MW-322-251112
25K0319-01 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/12/2025 10:12

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 20:46

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0319-01 A

Preparation Batch: BNK0444

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	47.08	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511308
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:45

MW-344-251112
25K0319-02 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/12/2025 10:15

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 21:08

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0319-02 A

Preparation Batch: BNK0444

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	30.19	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511308
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:45

MW-147-251112
25K0319-03 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/12/2025 11:20

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 21:30

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0319-03 A

Preparation Batch: BNK0444

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	13.17	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511308
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:45

MW-319-251112
25K0319-04 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/12/2025 11:22

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 22:30

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0319-04 A

Preparation Batch: BNK0444

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	5.45	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511308
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:45

MW-318-251112
25K0319-05 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/12/2025 12:14

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 22:51

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0319-05 A

Preparation Batch: BNK0444

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	33.18	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511308
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:45

MW-146-251112
25K0319-06 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/12/2025 12:25

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 23:14

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0319-06 A

Preparation Batch: BNK0444

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	39.19	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511308
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:45

MW113-251112
25K0319-07 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/12/2025 12:28

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 23:39

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0319-07 A

Preparation Batch: BNK0444

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	5.03	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511308
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:45

MW-154-251112
25K0319-08 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/12/2025 13:20

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/25/2025 23:57

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0319-08 A

Preparation Batch: BNK0444

Sample Size: 20 mL

Prepared: 11/25/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	31.75	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511308
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:45

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BNK0444 - EPA 9060A in Water

Instrument: TOC-LCSH Analyst: RMS

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Blank (BNK0444-BLK1)					Prepared: 25-Nov-2025 Analyzed: 25-Nov-2025 16:18					
Total Organic Carbon	ND	0.50	0.50	mg/L						U
LCS (BNK0444-BS1)					Prepared: 25-Nov-2025 Analyzed: 25-Nov-2025 16:36					
Total Organic Carbon	20.02	0.50	0.50	mg/L	20.00	100	90-110			



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511308
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:45

Uncertified Analytes included in this Report

Analysis Matrix & Analyte

None

Certified Analyses included in this Report

Analysis Matrix & Analyte

Certification Codes

EPA 9060A in Water

Total Organic Carbon

DoD-ELAP,WADOE,NELAP

Certifications

Code	Description	Number	Expires
DoD-ELAP	DoD-Environmental Laboratory Accreditation Program, PJLA Testing	66169	01/31/2026
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-018	05/12/2026
WADOE	WA Dept of Ecology	C558	06/30/2026



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511308
Project Manager: Brianna Barnes

Reported:
28-Nov-2025 10:45

Notes and Definitions

U	This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
[2C]	Indicates this result was quantified on the second column on a dual column analysis.
!	Indicates that ARL is NOT ACCREDITED for this parameter in samples logged as 'Drinking Water'
#	Indicates that ARL is NOT ACCREDITED for this parameter in this analysis and matrix.

Geosyntec Consultants

Hannah Cohen

801 5th Ave Suite 2200

Seattle, WA 98104

RE: 700 Dexter, WO-AS240461-8485

Work Order Number: 2511351

December 05, 2025

Attention Hannah Cohen:

Alliance Technical Group, LLC - Seattle received 16 sample(s) on 11/13/2025 for the analyses presented in the following report.

Dissolved Gases by RSK-175

Ion Chromatography by EPA 300.0

Total Alkalinity by EPA 310.2

Total Metals by EPA 6020B

Total Organic Carbon by EPA Method 9060

Volatile Organic Compounds by EPA 8260D

All analyses were performed according to our accredited Quality Assurance program. Please contact the laboratory if you should have any questions about the results.

Alliance Technical Group is committed to accuracy, speed, and customer service. Thank you for choosing Alliance Technical Group's Seattle laboratory team for your analytical needs. We appreciate this opportunity to serve you!

Sincerely,



Brianna Barnes
Project Manager

CC:
Lea Kane

DoD-ELAP Accreditation #79636 by PJLA, ISO/IEC 17025:2017 and QSM 5.4 for Environmental Testing
ORELAP Certification: WA 100009 (NELAP Recognized) for Environmental Testing
Washington State Department of Ecology Accredited for Environmental Testing, Lab ID C910

Revision v1



CLIENT: Geosyntec Consultants
Project: 700 Dexter
Work Order: 2511351

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
2511351-001	MW102-251113	11/13/2025 1:30 PM	11/13/2025 3:40 PM
2511351-002	MW-158A-251113	11/13/2025 11:25 AM	11/13/2025 3:40 PM
2511351-003	MW-316-251113	11/13/2025 10:15 AM	11/13/2025 3:40 PM
2511351-004	EQ-251113	11/13/2025 2:30 PM	11/13/2025 3:40 PM
2511351-005	MW-323-251113	11/13/2025 10:05 AM	11/13/2025 3:40 PM
2511351-006	MW128-251113	11/13/2025 11:14 AM	11/13/2025 3:40 PM
2511351-007	MW-329-251113	11/13/2025 12:12 PM	11/13/2025 3:40 PM
2511351-008	MW-336-251113	11/13/2025 1:19 PM	11/13/2025 3:40 PM
2511351-009	MW-335-251113	11/13/2025 2:00 PM	11/13/2025 3:40 PM
2511351-010	TRIP-251113	11/13/2025 12:00 AM	11/13/2025 3:40 PM
2511351-011	MW-165-251113	11/13/2025 11:00 AM	11/13/2025 3:40 PM
2511351-012	MW-166-251113	11/13/2025 9:45 AM	11/13/2025 3:40 PM
2511351-013	MW-167-251113	11/13/2025 10:45 AM	11/13/2025 3:40 PM
2511351-014	MW-168-251113	11/13/2025 11:48 AM	11/13/2025 3:40 PM
2511351-015	MW-174-251113	11/13/2025 1:00 PM	11/13/2025 3:40 PM
2511351-016	MW-175-251113	11/13/2025 1:45 PM	11/13/2025 3:40 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

CLIENT: Geosyntec Consultants

Project: 700 Dexter

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

Matrix Spike (MS) and MS Duplicate (MSD) samples are tested from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. The sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

2511351-005C, 006C, 007C, 009C, 011C, 012C, 013C, 014C, 015C, 016C.
C-TOC-W-9060 has been Sub Contracted.

1/9/2026: Rev1 includes additional continued calibration samples for EPA 300.0 per client request.

Qualifiers:

- * - Associated LCS is outside of control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Method Detection Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- DUP - Sample Duplicate
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MCL - Maximum Contaminant Level
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- REP - Sample Replicate
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate

Client: Geosyntec Consultants

Collection Date: 11/13/2025 1:30:00 PM

Project: 700 Dexter

Lab ID: 2511351-001

Matrix: Groundwater

Client Sample ID: MW102-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 14:11:50
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 14:11:50
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/18/25 14:11:50
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 14:11:50
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 14:11:50
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 14:11:50
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 14:11:50
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 14:11:50
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 14:11:50
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 14:11:50
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 14:11:50
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 14:11:50
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/18/25 14:11:50
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 14:11:50
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 14:11:50
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 14:11:50
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 14:11:50
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 14:11:50
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 14:11:50
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 14:11:50
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 14:11:50
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 14:11:50
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 14:11:50
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 14:11:50
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 14:11:50
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 14:11:50
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 14:11:50
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 14:11:50
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 14:11:50
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 14:11:50
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 14:11:50

Client: Geosyntec Consultants

Collection Date: 11/13/2025 1:30:00 PM

Project: 700 Dexter

Lab ID: 2511351-001

Matrix: Groundwater

Client Sample ID: MW102-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 14:11:50
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 14:11:50
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/18/25 14:11:50
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 14:11:50
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 14:11:50
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 14:11:50
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 14:11:50
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 14:11:50
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 14:11:50
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 14:11:50
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 14:11:50
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 14:11:50
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 14:11:50
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 14:11:50
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 14:11:50
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 14:11:50
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 14:11:50
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 14:11:50
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 14:11:50
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 14:11:50
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 14:11:50
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 14:11:50
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 14:11:50
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 14:11:50
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 14:11:50
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 14:11:50
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 14:11:50
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 14:11:50
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 14:11:50
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 14:11:50
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 14:11:50



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511351-001
Client Sample ID: MW102-251113

Collection Date: 11/13/2025 1:30:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50069		Analyst: KJ	
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/18/25 14:11:50
Surr: Toluene-d8	96.3	80 - 121			%Rec	1	11/18/25 14:11:50
Surr: 1-Bromo-4-fluorobenzene	90.4	79.7 - 120			%Rec	1	11/18/25 14:11:50

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 11:25:00 AM

Project: 700 Dexter

Lab ID: 2511351-002

Matrix: Groundwater

Client Sample ID: MW-158A-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 15:02:29
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 15:02:29
Vinyl chloride	0.599	0.200	0.0455		µg/L	1	11/18/25 15:02:29
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 15:02:29
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 15:02:29
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 15:02:29
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 15:02:29
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 15:02:29
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 15:02:29
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 15:02:29
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 15:02:29
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 15:02:29
cis-1,2-Dichloroethene	0.324	0.500	0.164	J	µg/L	1	11/18/25 15:02:29
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 15:02:29
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 15:02:29
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 15:02:29
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 15:02:29
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 15:02:29
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 15:02:29
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 15:02:29
Trichloroethene (TCE)	0.136	0.500	0.135	J	µg/L	1	11/18/25 15:02:29
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 15:02:29
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 15:02:29
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 15:02:29
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 15:02:29
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 15:02:29
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 15:02:29
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 15:02:29
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 15:02:29
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 15:02:29
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 15:02:29

Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 11:25:00 AM

Project: 700 Dexter

Lab ID: 2511351-002

Matrix: Groundwater

Client Sample ID: MW-158A-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 15:02:29
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 15:02:29
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/18/25 15:02:29
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 15:02:29
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 15:02:29
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 15:02:29
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 15:02:29
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 15:02:29
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 15:02:29
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 15:02:29
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 15:02:29
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 15:02:29
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 15:02:29
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 15:02:29
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 15:02:29
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 15:02:29
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 15:02:29
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 15:02:29
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 15:02:29
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 15:02:29
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 15:02:29
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 15:02:29
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 15:02:29
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 15:02:29
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 15:02:29
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 15:02:29
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 15:02:29
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 15:02:29
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 15:02:29
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 15:02:29
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 15:02:29



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 11:25:00 AM

Project: 700 Dexter

Lab ID: 2511351-002

Matrix: Groundwater

Client Sample ID: MW-158A-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50069

Analyst: KJ

Surr: Dibromofluoromethane	107	79.9 - 122			%Rec	1	11/18/25 15:02:29
Surr: Toluene-d8	97.6	80 - 121			%Rec	1	11/18/25 15:02:29
Surr: 1-Bromo-4-fluorobenzene	90.5	79.7 - 120			%Rec	1	11/18/25 15:02:29

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Client: Geosyntec Consultants

Collection Date: 11/13/2025 10:15:00 AM

Project: 700 Dexter

Lab ID: 2511351-003

Matrix: Groundwater

Client Sample ID: MW-316-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 17:08:59
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 17:08:59
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/18/25 17:08:59
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 17:08:59
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 17:08:59
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 17:08:59
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 17:08:59
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 17:08:59
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 17:08:59
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 17:08:59
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 17:08:59
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 17:08:59
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/18/25 17:08:59
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 17:08:59
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 17:08:59
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 17:08:59
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 17:08:59
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 17:08:59
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 17:08:59
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 17:08:59
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 17:08:59
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 17:08:59
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 17:08:59
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 17:08:59
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 17:08:59
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 17:08:59
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 17:08:59
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 17:08:59
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 17:08:59
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 17:08:59
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 17:08:59

Client: Geosyntec Consultants

Collection Date: 11/13/2025 10:15:00 AM

Project: 700 Dexter

Lab ID: 2511351-003

Matrix: Groundwater

Client Sample ID: MW-316-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 17:08:59
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 17:08:59
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/18/25 17:08:59
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 17:08:59
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 17:08:59
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 17:08:59
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 17:08:59
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 17:08:59
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 17:08:59
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 17:08:59
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 17:08:59
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 17:08:59
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 17:08:59
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 17:08:59
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 17:08:59
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 17:08:59
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 17:08:59
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 17:08:59
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 17:08:59
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 17:08:59
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 17:08:59
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 17:08:59
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 17:08:59
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 17:08:59
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 17:08:59
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 17:08:59
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 17:08:59
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 17:08:59
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 17:08:59
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 17:08:59
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 17:08:59



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 10:15:00 AM

Project: 700 Dexter

Lab ID: 2511351-003

Matrix: Groundwater

Client Sample ID: MW-316-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50069

Analyst: KJ

Surr: Dibromofluoromethane	105	79.9 - 122			%Rec	1	11/18/25 17:08:59
Surr: Toluene-d8	97.0	80 - 121			%Rec	1	11/18/25 17:08:59
Surr: 1-Bromo-4-fluorobenzene	90.4	79.7 - 120			%Rec	1	11/18/25 17:08:59

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 2:30:00 PM

Project: 700 Dexter

Lab ID: 2511351-004

Matrix: Water

Client Sample ID: EQ-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 15:27:47
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 15:27:47
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/18/25 15:27:47
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 15:27:47
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 15:27:47
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 15:27:47
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 15:27:47
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 15:27:47
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 15:27:47
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 15:27:47
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 15:27:47
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 15:27:47
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/18/25 15:27:47
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 15:27:47
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 15:27:47
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 15:27:47
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 15:27:47
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 15:27:47
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 15:27:47
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 15:27:47
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 15:27:47
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 15:27:47
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 15:27:47
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 15:27:47
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 15:27:47
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 15:27:47
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 15:27:47
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 15:27:47
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 15:27:47
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 15:27:47
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 15:27:47

Client: Geosyntec Consultants

Collection Date: 11/13/2025 2:30:00 PM

Project: 700 Dexter

Lab ID: 2511351-004

Matrix: Water

Client Sample ID: EQ-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 15:27:47
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 15:27:47
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/18/25 15:27:47
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 15:27:47
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 15:27:47
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 15:27:47
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 15:27:47
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 15:27:47
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 15:27:47
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 15:27:47
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 15:27:47
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 15:27:47
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 15:27:47
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 15:27:47
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 15:27:47
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 15:27:47
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 15:27:47
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 15:27:47
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 15:27:47
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 15:27:47
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 15:27:47
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 15:27:47
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 15:27:47
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 15:27:47
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 15:27:47
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 15:27:47
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 15:27:47
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 15:27:47
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 15:27:47
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 15:27:47
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 15:27:47



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 2:30:00 PM

Project: 700 Dexter

Lab ID: 2511351-004

Matrix: Water

Client Sample ID: EQ-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50069

Analyst: KJ

Surr: Dibromofluoromethane	106	79.9 - 122			%Rec	1	11/18/25 15:27:47
Surr: Toluene-d8	96.6	80 - 121			%Rec	1	11/18/25 15:27:47
Surr: 1-Bromo-4-fluorobenzene	90.4	79.7 - 120			%Rec	1	11/18/25 15:27:47

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 10:05:00 AM

Project: 700 Dexter

Lab ID: 2511351-005

Matrix: Groundwater

Client Sample ID: MW-323-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10498		Analyst: BCA	
Methane	0.173	0.00500	0.00450		mg/L	1	11/25/25 12:14:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/25/25 12:14:00
Ethane	0.0428	0.0100	0.00754		mg/L	1	11/25/25 12:14:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50069		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 17:34:17
Chloromethane	0.925	1.00	0.218	J	µg/L	1	11/18/25 17:34:17
Vinyl chloride	97.1	10.0	2.28	D	µg/L	50	11/19/25 10:34:03
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 17:34:17
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 17:34:17
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 17:34:17
1,1-Dichloroethene	3.46	0.500	0.122		µg/L	1	11/18/25 17:34:17
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 17:34:17
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 17:34:17
trans-1,2-Dichloroethene	1.07	0.500	0.115		µg/L	1	11/18/25 17:34:17
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 17:34:17
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 17:34:17
cis-1,2-Dichloroethene	719	25.0	8.22	D	µg/L	50	11/19/25 10:34:03
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 17:34:17
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 17:34:17
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 17:34:17
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 17:34:17
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 17:34:17
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 17:34:17
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 17:34:17
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 17:34:17
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 17:34:17
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 17:34:17
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 17:34:17
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 17:34:17
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 17:34:17
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 17:34:17

Client: Geosyntec Consultants

Collection Date: 11/13/2025 10:05:00 AM

Project: 700 Dexter

Lab ID: 2511351-005

Matrix: Groundwater

Client Sample ID: MW-323-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 17:34:17
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 17:34:17
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 17:34:17
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 17:34:17
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 17:34:17
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 17:34:17
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/18/25 17:34:17
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 17:34:17
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 17:34:17
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 17:34:17
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 17:34:17
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 17:34:17
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 17:34:17
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 17:34:17
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 17:34:17
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 17:34:17
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 17:34:17
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 17:34:17
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 17:34:17
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 17:34:17
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 17:34:17
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 17:34:17
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 17:34:17
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 17:34:17
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 17:34:17
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 17:34:17
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 17:34:17
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 17:34:17
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 17:34:17
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 17:34:17
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 17:34:17

Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 10:05:00 AM

Project: 700 Dexter

Lab ID: 2511351-005

Matrix: Groundwater

Client Sample ID: MW-323-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 17:34:17
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 17:34:17
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 17:34:17
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 17:34:17
Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/18/25 17:34:17
Surr: Dibromofluoromethane	105	79.9 - 122		D	%Rec	50	11/19/25 10:34:03
Surr: Toluene-d8	96.2	80 - 121		D	%Rec	50	11/19/25 10:34:03
Surr: Toluene-d8	98.5	80 - 121			%Rec	1	11/18/25 17:34:17
Surr: 1-Bromo-4-fluorobenzene	90.5	79.7 - 120		D	%Rec	50	11/19/25 10:34:03
Surr: 1-Bromo-4-fluorobenzene	90.0	79.7 - 120			%Rec	1	11/18/25 17:34:17

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 50046 Analyst: BB

Chloride	35.4	0.600	0.0609		mg/L	1	11/14/25 22:10:00
Nitrate (as N)	0.188	0.150	0.0258		mg/L	1	11/14/25 22:10:00
Sulfate	32.6	1.00	0.286		mg/L	1	11/14/25 22:10:00

Total Metals by EPA 6020B

Batch ID: 50049 Analyst: ME

Iron	3,180	50.0	10.1		µg/L	1	11/17/25 16:30:00
Manganese	968	0.500	0.208		µg/L	1	11/17/25 16:30:00

Total Alkalinity by EPA 310.2

Batch ID: R10498 Analyst: NR

Alkalinity, Total (As CaCO ₃)	330	100	50.0	D	mg/L	10	11/25/25 11:44:00
---	-----	-----	------	---	------	----	-------------------

Client: Geosyntec Consultants

Collection Date: 11/13/2025 11:14:00 AM

Project: 700 Dexter

Lab ID: 2511351-006

Matrix: Groundwater

Client Sample ID: MW128-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10498		Analyst: BCA	
Methane	2.99	0.100	0.0901	D	mg/L	20	11/25/25 13:00:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/25/25 12:17:00
Ethane	0.0193	0.0100	0.00754		mg/L	1	11/25/25 12:17:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50069		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 15:53:07
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 15:53:07
Vinyl chloride	0.614	0.200	0.0455		µg/L	1	11/18/25 15:53:07
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 15:53:07
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 15:53:07
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 15:53:07
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 15:53:07
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 15:53:07
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 15:53:07
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 15:53:07
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 15:53:07
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 15:53:07
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/18/25 15:53:07
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 15:53:07
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 15:53:07
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 15:53:07
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 15:53:07
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 15:53:07
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 15:53:07
Benzene	3.35	0.200	0.0540		µg/L	1	11/18/25 15:53:07
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 15:53:07
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 15:53:07
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 15:53:07
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 15:53:07
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 15:53:07
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 15:53:07
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 15:53:07



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 11:14:00 AM

Project: 700 Dexter

Lab ID: 2511351-006

Matrix: Groundwater

Client Sample ID: MW128-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 15:53:07
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 15:53:07
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 15:53:07
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 15:53:07
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 15:53:07
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 15:53:07
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/18/25 15:53:07
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 15:53:07
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 15:53:07
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 15:53:07
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 15:53:07
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 15:53:07
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 15:53:07
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 15:53:07
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 15:53:07
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 15:53:07
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 15:53:07
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 15:53:07
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 15:53:07
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 15:53:07
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 15:53:07
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 15:53:07
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 15:53:07
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 15:53:07
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 15:53:07
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 15:53:07
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 15:53:07
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 15:53:07
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 15:53:07
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 15:53:07
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 15:53:07



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 11:14:00 AM

Project: 700 Dexter

Lab ID: 2511351-006

Matrix: Groundwater

Client Sample ID: MW128-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50069

Analyst: KJ

1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 15:53:07
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 15:53:07
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 15:53:07
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 15:53:07
Surr: Dibromofluoromethane	105	79.9 - 122			%Rec	1	11/18/25 15:53:07
Surr: Toluene-d8	97.5	80 - 121			%Rec	1	11/18/25 15:53:07
Surr: 1-Bromo-4-fluorobenzene	90.1	79.7 - 120			%Rec	1	11/18/25 15:53:07

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 50046

Analyst: BB

Chloride	33.3	0.600	0.0609		mg/L	1	11/14/25 22:23:00
Nitrate (as N)	0.0490	0.150	0.0258	J	mg/L	1	11/14/25 22:23:00
Sulfate	28.9	1.00	0.286		mg/L	1	11/14/25 22:23:00

Total Metals by EPA 6020B

Batch ID: 50049

Analyst: ME

Iron	12,000	50.0	10.1		µg/L	1	11/17/25 16:33:00
Manganese	358	0.500	0.208		µg/L	1	11/17/25 16:33:00

Total Alkalinity by EPA 310.2

Batch ID: R10498

Analyst: NR

Alkalinity, Total (As CaCO ₃)	546	200	100	D	mg/L	20	11/25/25 11:45:00
---	-----	-----	-----	---	------	----	-------------------

Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 12:12:00 PM

Project: 700 Dexter

Lab ID: 2511351-007

Matrix: Groundwater

Client Sample ID: MW-329-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10498		Analyst: BCA	
Methane	0.0312	0.00500	0.00450		mg/L	1	11/25/25 12:19:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/25/25 12:19:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/25/25 12:19:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50069		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 16:18:23
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 16:18:23
Vinyl chloride	0.186	0.200	0.0455	J	µg/L	1	11/18/25 16:18:23
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 16:18:23
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 16:18:23
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 16:18:23
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 16:18:23
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 16:18:23
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 16:18:23
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 16:18:23
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 16:18:23
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 16:18:23
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/18/25 16:18:23
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 16:18:23
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 16:18:23
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 16:18:23
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 16:18:23
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 16:18:23
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 16:18:23
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 16:18:23
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 16:18:23
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 16:18:23
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 16:18:23
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 16:18:23
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 16:18:23
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 16:18:23
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 16:18:23



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 12:12:00 PM

Project: 700 Dexter

Lab ID: 2511351-007

Matrix: Groundwater

Client Sample ID: MW-329-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 16:18:23
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 16:18:23
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 16:18:23
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 16:18:23
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 16:18:23
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 16:18:23
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/18/25 16:18:23
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 16:18:23
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 16:18:23
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 16:18:23
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 16:18:23
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 16:18:23
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 16:18:23
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 16:18:23
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 16:18:23
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 16:18:23
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 16:18:23
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 16:18:23
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 16:18:23
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 16:18:23
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 16:18:23
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 16:18:23
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 16:18:23
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 16:18:23
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 16:18:23
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 16:18:23
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 16:18:23
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 16:18:23
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 16:18:23
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 16:18:23
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 16:18:23

Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 12:12:00 PM

Project: 700 Dexter

Lab ID: 2511351-007

Matrix: Groundwater

Client Sample ID: MW-329-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50069

Analyst: KJ

1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 16:18:23
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 16:18:23
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 16:18:23
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 16:18:23
Surr: Dibromofluoromethane	108	79.9 - 122			%Rec	1	11/18/25 16:18:23
Surr: Toluene-d8	98.5	80 - 121			%Rec	1	11/18/25 16:18:23
Surr: 1-Bromo-4-fluorobenzene	90.5	79.7 - 120			%Rec	1	11/18/25 16:18:23

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 50046

Analyst: BB

Chloride	4.03	0.600	0.0609		mg/L	1	11/14/25 22:35:00
Nitrate (as N)	0.764	0.150	0.0258		mg/L	1	11/14/25 22:35:00
Sulfate	10.3	1.00	0.286		mg/L	1	11/14/25 22:35:00

Total Metals by EPA 6020B

Batch ID: 50049

Analyst: ME

Iron	223	50.0	10.1		µg/L	1	11/17/25 16:43:00
Manganese	37.1	0.500	0.208		µg/L	1	11/17/25 16:43:00

Total Alkalinity by EPA 310.2

Batch ID: R10498

Analyst: NR

Alkalinity, Total (As CaCO ₃)	111	100	50.0	D	mg/L	10	11/25/25 11:48:00
---	-----	-----	------	---	------	----	-------------------



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 1:19:00 PM

Project: 700 Dexter

Lab ID: 2511351-008

Matrix: Groundwater

Client Sample ID: MW-336-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 16:43:40
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 16:43:40
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/18/25 16:43:40
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 16:43:40
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 16:43:40
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 16:43:40
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 16:43:40
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 16:43:40
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 16:43:40
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 16:43:40
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 16:43:40
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 16:43:40
cis-1,2-Dichloroethene	3.87	0.500	0.164		µg/L	1	11/18/25 16:43:40
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 16:43:40
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 16:43:40
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 16:43:40
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 16:43:40
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 16:43:40
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 16:43:40
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 16:43:40
Trichloroethene (TCE)	0.289	0.500	0.135	J	µg/L	1	11/18/25 16:43:40
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 16:43:40
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 16:43:40
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 16:43:40
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 16:43:40
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 16:43:40
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 16:43:40
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 16:43:40
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 16:43:40
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 16:43:40
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 16:43:40



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 1:19:00 PM

Project: 700 Dexter

Lab ID: 2511351-008

Matrix: Groundwater

Client Sample ID: MW-336-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101	Q	µg/L	1	11/18/25 16:43:40
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 16:43:40
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/18/25 16:43:40
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 16:43:40
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 16:43:40
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 16:43:40
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 16:43:40
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 16:43:40
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 16:43:40
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 16:43:40
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 16:43:40
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 16:43:40
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 16:43:40
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 16:43:40
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 16:43:40
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 16:43:40
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 16:43:40
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 16:43:40
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 16:43:40
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 16:43:40
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 16:43:40
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 16:43:40
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 16:43:40
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 16:43:40
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 16:43:40
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 16:43:40
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 16:43:40
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 16:43:40
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 16:43:40
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 16:43:40
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 16:43:40



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511351-008
Client Sample ID: MW-336-251113

Collection Date: 11/13/2025 1:19:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50069		Analyst: KJ	
Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/18/25 16:43:40
Surr: Toluene-d8	97.7	80 - 121			%Rec	1	11/18/25 16:43:40
Surr: 1-Bromo-4-fluorobenzene	90.0	79.7 - 120			%Rec	1	11/18/25 16:43:40

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511351-009
Client Sample ID: MW-335-251113

Collection Date: 11/13/2025 2:00:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>			Batch ID: R10498		Analyst: BCA		
Methane	0.0386	0.00500	0.00450		mg/L	1	11/25/25 12:22:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/25/25 12:22:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/25/25 12:22:00
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 17:59:33
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 17:59:33
Vinyl chloride	0.342	0.200	0.0455		µg/L	1	11/19/25 12:40:29
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 17:59:33
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 17:59:33
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 17:59:33
1,1-Dichloroethene	0.672	0.500	0.122		µg/L	1	11/18/25 17:59:33
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 17:59:33
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 17:59:33
trans-1,2-Dichloroethene	1.23	0.500	0.115		µg/L	1	11/18/25 17:59:33
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 17:59:33
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 17:59:33
cis-1,2-Dichloroethene	200	5.00	1.64	D	µg/L	10	11/19/25 10:59:21
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 17:59:33
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 17:59:33
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 17:59:33
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 17:59:33
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 17:59:33
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 17:59:33
Benzene	0.0916	0.200	0.0540	J	µg/L	1	11/18/25 17:59:33
Trichloroethene (TCE)	41.9	5.00	1.35	D	µg/L	10	11/19/25 10:59:21
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 17:59:33
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 17:59:33
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 17:59:33
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 17:59:33
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 17:59:33
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 17:59:33



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 2:00:00 PM

Project: 700 Dexter

Lab ID: 2511351-009

Matrix: Groundwater

Client Sample ID: MW-335-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 17:59:33
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 17:59:33
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 17:59:33
Tetrachloroethene (PCE)	22.0	0.500	0.102		µg/L	1	11/18/25 17:59:33
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 17:59:33
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 17:59:33
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/18/25 17:59:33
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 17:59:33
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 17:59:33
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 17:59:33
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 17:59:33
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 17:59:33
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 17:59:33
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 17:59:33
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 17:59:33
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 17:59:33
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 17:59:33
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 17:59:33
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 17:59:33
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 17:59:33
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 17:59:33
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 17:59:33
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 17:59:33
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 17:59:33
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 17:59:33
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 17:59:33
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 17:59:33
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 17:59:33
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 17:59:33
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 17:59:33
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 17:59:33



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511351-009
Client Sample ID: MW-335-251113

Collection Date: 11/13/2025 2:00:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50069

Analyst: KJ

1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 17:59:33
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 17:59:33
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 17:59:33
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 17:59:33
Surr: Dibromofluoromethane	105	79.9 - 122			%Rec	1	11/19/25 12:40:29
Surr: Dibromofluoromethane	105	79.9 - 122		D	%Rec	10	11/19/25 10:59:21
Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/18/25 17:59:33
Surr: Toluene-d8	96.7	80 - 121		D	%Rec	10	11/19/25 10:59:21
Surr: Toluene-d8	97.5	80 - 121			%Rec	1	11/19/25 12:40:29
Surr: Toluene-d8	97.1	80 - 121			%Rec	1	11/18/25 17:59:33
Surr: 1-Bromo-4-fluorobenzene	90.5	79.7 - 120			%Rec	1	11/19/25 12:40:29
Surr: 1-Bromo-4-fluorobenzene	90.1	79.7 - 120			%Rec	1	11/18/25 17:59:33
Surr: 1-Bromo-4-fluorobenzene	90.9	79.7 - 120		D	%Rec	10	11/19/25 10:59:21

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 50046

Analyst: BB

Chloride	21.1	0.600	0.0609		mg/L	1	11/14/25 22:48:00
Nitrate (as N)	0.0640	0.150	0.0258	J	mg/L	1	11/14/25 22:48:00
Sulfate	47.9	1.00	0.286		mg/L	1	11/14/25 22:48:00

Total Metals by EPA 6020B

Batch ID: 50049

Analyst: ME

Iron	838	50.0	10.1		µg/L	1	11/17/25 16:46:00
Manganese	764	0.500	0.208		µg/L	1	11/17/25 16:46:00

Total Alkalinity by EPA 310.2

Batch ID: R10498

Analyst: NR

Alkalinity, Total (As CaCO ₃)	259	100	50.0	D	mg/L	10	11/25/25 11:54:00
---	-----	-----	------	---	------	----	-------------------



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025

Project: 700 Dexter

Lab ID: 2511351-010

Matrix: Water

Client Sample ID: TRIP-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 13:46:28
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 13:46:28
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/18/25 13:46:28
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 13:46:28
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 13:46:28
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 13:46:28
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 13:46:28
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 13:46:28
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 13:46:28
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 13:46:28
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 13:46:28
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 13:46:28
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/18/25 13:46:28
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 13:46:28
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 13:46:28
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 13:46:28
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 13:46:28
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 13:46:28
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 13:46:28
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 13:46:28
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 13:46:28
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 13:46:28
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 13:46:28
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 13:46:28
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 13:46:28
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 13:46:28
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 13:46:28
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 13:46:28
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 13:46:28
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 13:46:28
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 13:46:28

Client: Geosyntec Consultants

Collection Date: 11/13/2025

Project: 700 Dexter

Lab ID: 2511351-010

Matrix: Water

Client Sample ID: TRIP-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 13:46:28
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 13:46:28
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/18/25 13:46:28
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 13:46:28
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 13:46:28
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 13:46:28
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 13:46:28
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 13:46:28
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 13:46:28
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 13:46:28
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 13:46:28
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 13:46:28
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 13:46:28
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 13:46:28
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 13:46:28
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 13:46:28
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 13:46:28
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 13:46:28
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 13:46:28
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 13:46:28
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 13:46:28
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 13:46:28
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 13:46:28
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 13:46:28
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 13:46:28
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 13:46:28
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 13:46:28
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 13:46:28
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 13:46:28
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 13:46:28
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 13:46:28



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025

Project: 700 Dexter

Lab ID: 2511351-010

Matrix: Water

Client Sample ID: TRIP-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50069

Analyst: KJ

Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/18/25 13:46:28
Surr: Toluene-d8	97.3	80 - 121			%Rec	1	11/18/25 13:46:28
Surr: 1-Bromo-4-fluorobenzene	91.3	79.7 - 120			%Rec	1	11/18/25 13:46:28

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Client: Geosyntec Consultants

Collection Date: 11/13/2025 11:00:00 AM

Project: 700 Dexter

Lab ID: 2511351-011

Matrix: Groundwater

Client Sample ID: MW-165-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10498		Analyst: BCA	
Methane	7.25	0.500	0.450	D	mg/L	100	11/25/25 13:03:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/25/25 12:24:00
Ethane	0.107	0.0100	0.00754		mg/L	1	11/25/25 12:24:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50069		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 18:24:50
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 18:24:50
Vinyl chloride	5.38	0.200	0.0455		µg/L	1	11/18/25 18:24:50
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 18:24:50
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 18:24:50
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 18:24:50
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 18:24:50
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 18:24:50
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 18:24:50
trans-1,2-Dichloroethene	0.461	0.500	0.115	J	µg/L	1	11/18/25 18:24:50
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 18:24:50
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 18:24:50
cis-1,2-Dichloroethene	3.62	0.500	0.164		µg/L	1	11/19/25 9:18:10
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 18:24:50
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 18:24:50
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 18:24:50
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 18:24:50
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 18:24:50
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 18:24:50
Benzene	0.0984	0.200	0.0540	J	µg/L	1	11/18/25 18:24:50
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 18:24:50
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 18:24:50
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 18:24:50
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 18:24:50
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 18:24:50
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 18:24:50
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 18:24:50



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 11:00:00 AM

Project: 700 Dexter

Lab ID: 2511351-011

Matrix: Groundwater

Client Sample ID: MW-165-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 18:24:50
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 18:24:50
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 18:24:50
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 18:24:50
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 18:24:50
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 18:24:50
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/18/25 18:24:50
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 18:24:50
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 18:24:50
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 18:24:50
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 18:24:50
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 18:24:50
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 18:24:50
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 18:24:50
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 18:24:50
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 18:24:50
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 18:24:50
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 18:24:50
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 18:24:50
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 18:24:50
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 18:24:50
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 18:24:50
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 18:24:50
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 18:24:50
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 18:24:50
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 18:24:50
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 18:24:50
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 18:24:50
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 18:24:50
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 18:24:50
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 18:24:50

Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 11:00:00 AM

Project: 700 Dexter

Lab ID: 2511351-011

Matrix: Groundwater

Client Sample ID: MW-165-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 18:24:50
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 18:24:50
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 18:24:50
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 18:24:50
Surr: Dibromofluoromethane	106	79.9 - 122			%Rec	1	11/18/25 18:24:50
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/19/25 9:18:10
Surr: Toluene-d8	95.6	80 - 121			%Rec	1	11/19/25 9:18:10
Surr: Toluene-d8	98.0	80 - 121			%Rec	1	11/18/25 18:24:50
Surr: 1-Bromo-4-fluorobenzene	90.6	79.7 - 120			%Rec	1	11/19/25 9:18:10
Surr: 1-Bromo-4-fluorobenzene	90.2	79.7 - 120			%Rec	1	11/18/25 18:24:50

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 50046		Analyst: BB		
Chloride	0.239	0.600	0.0609	J	mg/L	1	11/14/25 23:01:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/14/25 23:01:00
Sulfate	0.522	1.00	0.286	J	mg/L	1	11/14/25 23:01:00

<u>Total Metals by EPA 6020B</u>			Batch ID: 50049		Analyst: ME		
Iron	27,000	500	101	D	µg/L	10	11/21/25 16:11:00
Manganese	5,160	5.00	2.08	D	µg/L	10	11/21/25 16:11:00

<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10498		Analyst: NR		
Alkalinity, Total (As CaCO3)	721	200	100	D	mg/L	20	11/25/25 12:10:00

Client: Geosyntec Consultants

Collection Date: 11/13/2025 9:45:00 AM

Project: 700 Dexter

Lab ID: 2511351-012

Matrix: Groundwater

Client Sample ID: MW-166-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10498		Analyst: BCA	
Methane	5.80	0.500	0.450	D	mg/L	100	11/25/25 13:08:00
Ethene	0.266	0.0100	0.00610		mg/L	1	11/25/25 12:26:00
Ethane	0.259	0.0100	0.00754		mg/L	1	11/25/25 12:26:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50069		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 18:50:08
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 18:50:08
Vinyl chloride	2,030	40.0	9.10	D	µg/L	200	11/19/25 11:24:38
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 18:50:08
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 18:50:08
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 18:50:08
1,1-Dichloroethene	1.68	0.500	0.122		µg/L	1	11/18/25 18:50:08
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 18:50:08
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 18:50:08
trans-1,2-Dichloroethene	50.7	5.00	1.15	D	µg/L	10	11/19/25 13:31:04
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 18:50:08
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 18:50:08
cis-1,2-Dichloroethene	7,890	100	32.9	D	µg/L	200	11/19/25 11:24:38
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 18:50:08
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 18:50:08
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 18:50:08
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 18:50:08
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 18:50:08
1,2-Dichloroethane (EDC)	0.107	0.200	0.0477	J	µg/L	1	11/18/25 18:50:08
Benzene	0.111	0.200	0.0540	J	µg/L	1	11/18/25 18:50:08
Trichloroethene (TCE)	1.45	0.500	0.135		µg/L	1	11/18/25 18:50:08
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 18:50:08
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 18:50:08
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 18:50:08
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 18:50:08
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 18:50:08
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 18:50:08

Client: Geosyntec Consultants

Collection Date: 11/13/2025 9:45:00 AM

Project: 700 Dexter

Lab ID: 2511351-012

Matrix: Groundwater

Client Sample ID: MW-166-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 18:50:08
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 18:50:08
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 18:50:08
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 18:50:08
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 18:50:08
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 18:50:08
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/18/25 18:50:08
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 18:50:08
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 18:50:08
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 18:50:08
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 18:50:08
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 18:50:08
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 18:50:08
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 18:50:08
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 18:50:08
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 18:50:08
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 18:50:08
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 18:50:08
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 18:50:08
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 18:50:08
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 18:50:08
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 18:50:08
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 18:50:08
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 18:50:08
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 18:50:08
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 18:50:08
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 18:50:08
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 18:50:08
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 18:50:08
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 18:50:08
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 18:50:08



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511351-012
Client Sample ID: MW-166-251113

Collection Date: 11/13/2025 9:45:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50069		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 18:50:08
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 18:50:08
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 18:50:08
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 18:50:08
Surr: Dibromofluoromethane	105	79.9 - 122		D	%Rec	10	11/19/25 13:31:04
Surr: Dibromofluoromethane	103	79.9 - 122		D	%Rec	200	11/19/25 11:24:38
Surr: Dibromofluoromethane	102	79.9 - 122			%Rec	1	11/18/25 18:50:08
Surr: Toluene-d8	96.5	80 - 121		D	%Rec	200	11/19/25 11:24:38
Surr: Toluene-d8	98.4	80 - 121		D	%Rec	10	11/19/25 13:31:04
Surr: Toluene-d8	99.5	80 - 121			%Rec	1	11/18/25 18:50:08
Surr: 1-Bromo-4-fluorobenzene	90.9	79.7 - 120		D	%Rec	10	11/19/25 13:31:04
Surr: 1-Bromo-4-fluorobenzene	91.1	79.7 - 120			%Rec	1	11/18/25 18:50:08
Surr: 1-Bromo-4-fluorobenzene	91.5	79.7 - 120		D	%Rec	200	11/19/25 11:24:38
NOTES: Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.							
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50046		Analyst: BB	
Chloride	93.9	30.0	3.05	D	mg/L	50	11/17/25 11:31:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/14/25 23:13:00
Sulfate	4.36	1.00	0.286		mg/L	1	11/14/25 23:13:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50049		Analyst: ME	
Iron	50,900	500	101	D	µg/L	10	11/21/25 16:14:00
Manganese	1,730	5.00	2.08	D	µg/L	10	11/21/25 16:14:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10498		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	1,080	400	200	D	mg/L	40	11/25/25 12:28:00

Client: Geosyntec Consultants

Collection Date: 11/13/2025 10:45:00 AM

Project: 700 Dexter

Lab ID: 2511351-013

Matrix: Groundwater

Client Sample ID: MW-167-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10498		Analyst: BCA	
Methane	5.59	0.250	0.225	D	mg/L	50	11/25/25 13:11:00
Ethene	0.00783	0.0100	0.00610	J	mg/L	1	11/25/25 12:28:00
Ethane	0.122	0.0100	0.00754		mg/L	1	11/25/25 12:28:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50069		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 19:15:24
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 19:15:24
Vinyl chloride	2.59	0.200	0.0455		µg/L	1	11/19/25 9:43:29
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 19:15:24
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 19:15:24
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 19:15:24
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 19:15:24
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 19:15:24
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 19:15:24
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/19/25 9:43:29
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 19:15:24
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 19:15:24
cis-1,2-Dichloroethene	0.786	0.500	0.164		µg/L	1	11/19/25 9:43:29
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 19:15:24
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 19:15:24
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 19:15:24
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 19:15:24
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 19:15:24
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 19:15:24
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 19:15:24
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 19:15:24
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 19:15:24
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 19:15:24
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 19:15:24
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 19:15:24
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 19:15:24
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 19:15:24

Client: Geosyntec Consultants

Collection Date: 11/13/2025 10:45:00 AM

Project: 700 Dexter

Lab ID: 2511351-013

Matrix: Groundwater

Client Sample ID: MW-167-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 19:15:24
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 19:15:24
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 19:15:24
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 19:15:24
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 19:15:24
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 19:15:24
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/18/25 19:15:24
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 19:15:24
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 19:15:24
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 19:15:24
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 19:15:24
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 19:15:24
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 19:15:24
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 19:15:24
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 19:15:24
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 19:15:24
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 19:15:24
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 19:15:24
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 19:15:24
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 19:15:24
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 19:15:24
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 19:15:24
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 19:15:24
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 19:15:24
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 19:15:24
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 19:15:24
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 19:15:24
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 19:15:24
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 19:15:24
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 19:15:24
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 19:15:24



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 10:45:00 AM

Project: 700 Dexter

Lab ID: 2511351-013

Matrix: Groundwater

Client Sample ID: MW-167-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 19:15:24
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 19:15:24
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 19:15:24
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 19:15:24
Surr: Dibromofluoromethane	107	79.9 - 122			%Rec	1	11/18/25 19:15:24
Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/19/25 9:43:29
Surr: Toluene-d8	96.2	80 - 121			%Rec	1	11/19/25 9:43:29
Surr: Toluene-d8	97.7	80 - 121			%Rec	1	11/18/25 19:15:24
Surr: 1-Bromo-4-fluorobenzene	92.2	79.7 - 120			%Rec	1	11/19/25 9:43:29
Surr: 1-Bromo-4-fluorobenzene	91.3	79.7 - 120			%Rec	1	11/18/25 19:15:24

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 50046

Analyst: BB

Chloride	0.323	0.600	0.0609	J	mg/L	1	11/14/25 23:26:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/14/25 23:26:00
Sulfate	ND	1.00	0.286		mg/L	1	11/14/25 23:26:00

Total Metals by EPA 6020B

Batch ID: 50049

Analyst: ME

Iron	3,650	50.0	10.1		µg/L	1	11/17/25 16:56:00
Manganese	1,230	0.500	0.208		µg/L	1	11/17/25 16:56:00

Total Alkalinity by EPA 310.2

Batch ID: R10498

Analyst: NR

Alkalinity, Total (As CaCO3)	526	200	100	D	mg/L	20	11/25/25 12:13:00
------------------------------	-----	-----	-----	---	------	----	-------------------

Client: Geosyntec Consultants

Collection Date: 11/13/2025 11:48:00 AM

Project: 700 Dexter

Lab ID: 2511351-014

Matrix: Groundwater

Client Sample ID: MW-168-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10498		Analyst: BCA	
Methane	4.55	0.500	0.450	D	mg/L	100	11/25/25 13:13:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/25/25 12:31:00
Ethane	0.224	0.0100	0.00754		mg/L	1	11/25/25 12:31:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50069		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 19:40:43
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 19:40:43
Vinyl chloride	2.65	0.200	0.0455		µg/L	1	11/19/25 10:08:45
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 19:40:43
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 19:40:43
Chloroethane	0.646	1.00	0.334	J	µg/L	1	11/18/25 19:40:43
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 19:40:43
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 19:40:43
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 19:40:43
trans-1,2-Dichloroethene	0.142	0.500	0.115	J	µg/L	1	11/18/25 19:40:43
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 19:40:43
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 19:40:43
cis-1,2-Dichloroethene	2.18	0.500	0.164		µg/L	1	11/19/25 10:08:45
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 19:40:43
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 19:40:43
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 19:40:43
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 19:40:43
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 19:40:43
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 19:40:43
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 19:40:43
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 19:40:43
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 19:40:43
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 19:40:43
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 19:40:43
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 19:40:43
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 19:40:43
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 19:40:43



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 11:48:00 AM

Project: 700 Dexter

Lab ID: 2511351-014

Matrix: Groundwater

Client Sample ID: MW-168-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 19:40:43
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 19:40:43
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 19:40:43
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 19:40:43
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 19:40:43
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 19:40:43
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/18/25 19:40:43
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 19:40:43
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 19:40:43
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 19:40:43
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 19:40:43
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 19:40:43
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 19:40:43
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 19:40:43
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 19:40:43
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 19:40:43
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 19:40:43
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 19:40:43
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 19:40:43
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 19:40:43
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 19:40:43
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 19:40:43
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 19:40:43
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 19:40:43
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 19:40:43
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 19:40:43
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 19:40:43
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 19:40:43
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 19:40:43
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 19:40:43
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 19:40:43



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 11:48:00 AM

Project: 700 Dexter

Lab ID: 2511351-014

Matrix: Groundwater

Client Sample ID: MW-168-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 19:40:43
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 19:40:43
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 19:40:43
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 19:40:43
Surr: Dibromofluoromethane	107	79.9 - 122			%Rec	1	11/18/25 19:40:43
Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/19/25 10:08:45
Surr: Toluene-d8	95.5	80 - 121			%Rec	1	11/19/25 10:08:45
Surr: Toluene-d8	97.9	80 - 121			%Rec	1	11/18/25 19:40:43
Surr: 1-Bromo-4-fluorobenzene	91.0	79.7 - 120			%Rec	1	11/19/25 10:08:45
Surr: 1-Bromo-4-fluorobenzene	89.9	79.7 - 120			%Rec	1	11/18/25 19:40:43

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 50046 Analyst: BB

Chloride	43.1	0.600	0.0609		mg/L	1	11/15/25 0:04:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/15/25 0:04:00
Sulfate	1.07	1.00	0.286		mg/L	1	11/15/25 0:04:00

Total Metals by EPA 6020B

Batch ID: 50049 Analyst: ME

Iron	5,610	50.0	10.1		µg/L	1	11/17/25 16:59:00
Manganese	1,360	0.500	0.208		µg/L	1	11/17/25 16:59:00

Total Alkalinity by EPA 310.2

Batch ID: R10500 Analyst: NR

Alkalinity, Total (As CaCO3)	609	200	100	D	mg/L	20	11/25/25 17:25:00
------------------------------	-----	-----	-----	---	------	----	-------------------

Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 1:00:00 PM

Project: 700 Dexter

Lab ID: 2511351-015

Matrix: Groundwater

Client Sample ID: MW-174-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10498		Analyst: BCA	
Methane	6.01	0.500	0.450	D	mg/L	100	11/25/25 13:15:00
Ethene	0.0298	0.0100	0.00610		mg/L	1	11/25/25 12:37:00
Ethane	0.140	0.0100	0.00754		mg/L	1	11/25/25 12:37:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50069		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 20:06:00
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 20:06:00
Vinyl chloride	477	10.0	2.28	D	µg/L	50	11/19/25 11:49:56
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 20:06:00
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 20:06:00
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 20:06:00
1,1-Dichloroethene	1.01	0.500	0.122		µg/L	1	11/18/25 20:06:00
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 20:06:00
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 20:06:00
trans-1,2-Dichloroethene	10.3	0.500	0.115		µg/L	1	11/18/25 20:06:00
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 20:06:00
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 20:06:00
cis-1,2-Dichloroethene	645	25.0	8.22	D	µg/L	50	11/19/25 11:49:56
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 20:06:00
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 20:06:00
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 20:06:00
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 20:06:00
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 20:06:00
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 20:06:00
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 20:06:00
Trichloroethene (TCE)	0.667	0.500	0.135		µg/L	1	11/18/25 20:06:00
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 20:06:00
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 20:06:00
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 20:06:00
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 20:06:00
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 20:06:00
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 20:06:00



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 1:00:00 PM

Project: 700 Dexter

Lab ID: 2511351-015

Matrix: Groundwater

Client Sample ID: MW-174-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 20:06:00
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 20:06:00
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 20:06:00
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 20:06:00
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 20:06:00
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 20:06:00
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/18/25 20:06:00
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 20:06:00
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 20:06:00
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 20:06:00
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 20:06:00
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 20:06:00
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 20:06:00
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 20:06:00
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 20:06:00
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 20:06:00
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 20:06:00
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 20:06:00
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 20:06:00
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 20:06:00
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 20:06:00
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 20:06:00
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 20:06:00
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 20:06:00
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 20:06:00
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 20:06:00
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 20:06:00
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 20:06:00
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 20:06:00
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 20:06:00
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 20:06:00



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511351-015
Client Sample ID: MW-174-251113

Collection Date: 11/13/2025 1:00:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 20:06:00
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 20:06:00
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 20:06:00
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 20:06:00
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/18/25 20:06:00
Surr: Dibromofluoromethane	106	79.9 - 122		D	%Rec	50	11/19/25 11:49:56
Surr: Toluene-d8	97.2	80 - 121		D	%Rec	50	11/19/25 11:49:56
Surr: Toluene-d8	97.8	80 - 121			%Rec	1	11/18/25 20:06:00
Surr: 1-Bromo-4-fluorobenzene	91.0	79.7 - 120		D	%Rec	50	11/19/25 11:49:56
Surr: 1-Bromo-4-fluorobenzene	90.5	79.7 - 120			%Rec	1	11/18/25 20:06:00

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 50046		Analyst: BB		
Chloride	87.4	30.0	3.05	D	mg/L	50	11/17/25 11:43:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/15/25 0:16:00
Sulfate	1.42	1.00	0.286		mg/L	1	11/15/25 0:16:00

<u>Total Metals by EPA 6020B</u>			Batch ID: 50049		Analyst: ME		
Iron	18,700	500	101	D	µg/L	10	11/21/25 16:17:00
Manganese	4,420	5.00	2.08	D	µg/L	10	11/21/25 16:17:00

<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10500		Analyst: NR		
Alkalinity, Total (As CaCO ₃)	1,180	400	200	D	mg/L	40	11/25/25 17:27:00

Client: Geosyntec Consultants

Collection Date: 11/13/2025 1:45:00 PM

Project: 700 Dexter

Lab ID: 2511351-016

Matrix: Groundwater

Client Sample ID: MW-175-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10498		Analyst: BCA	
Methane	8.05	0.500	0.450	D	mg/L	100	11/25/25 13:18:00
Ethene	0.0418	0.0100	0.00610		mg/L	1	11/25/25 12:39:00
Ethane	0.317	0.0100	0.00754		mg/L	1	11/25/25 12:39:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50069		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 20:31:16
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 20:31:16
Vinyl chloride	74.5	2.00	0.455	D	µg/L	10	11/19/25 12:15:10
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 20:31:16
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 20:31:16
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 20:31:16
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 20:31:16
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 20:31:16
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 20:31:16
trans-1,2-Dichloroethene	1.66	0.500	0.115		µg/L	1	11/18/25 20:31:16
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 20:31:16
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 20:31:16
cis-1,2-Dichloroethene	7.86	0.500	0.164		µg/L	1	11/19/25 13:05:47
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 20:31:16
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 20:31:16
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 20:31:16
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 20:31:16
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 20:31:16
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 20:31:16
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 20:31:16
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 20:31:16
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 20:31:16
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 20:31:16
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 20:31:16
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 20:31:16
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 20:31:16
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 20:31:16



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/13/2025 1:45:00 PM

Project: 700 Dexter

Lab ID: 2511351-016

Matrix: Groundwater

Client Sample ID: MW-175-251113

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 20:31:16
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 20:31:16
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 20:31:16
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 20:31:16
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 20:31:16
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 20:31:16
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/18/25 20:31:16
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 20:31:16
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 20:31:16
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 20:31:16
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 20:31:16
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 20:31:16
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 20:31:16
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 20:31:16
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 20:31:16
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 20:31:16
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 20:31:16
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 20:31:16
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 20:31:16
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 20:31:16
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 20:31:16
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 20:31:16
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 20:31:16
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 20:31:16
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 20:31:16
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 20:31:16
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 20:31:16
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 20:31:16
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 20:31:16
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 20:31:16
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 20:31:16



Analytical Report

Work Order: 2511351
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511351-016
Client Sample ID: MW-175-251113

Collection Date: 11/13/2025 1:45:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50069		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 20:31:16
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 20:31:16
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 20:31:16
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 20:31:16
Surr: Dibromofluoromethane	105	79.9 - 122			%Rec	1	11/18/25 20:31:16
Surr: Dibromofluoromethane	106	79.9 - 122			%Rec	1	11/19/25 13:05:47
Surr: Dibromofluoromethane	106	79.9 - 122		D	%Rec	10	11/19/25 12:15:10
Surr: Toluene-d8	99.4	80 - 121		D	%Rec	10	11/19/25 12:15:10
Surr: Toluene-d8	96.1	80 - 121			%Rec	1	11/18/25 20:31:16
Surr: Toluene-d8	98.5	80 - 121			%Rec	1	11/19/25 13:05:47
Surr: 1-Bromo-4-fluorobenzene	91.0	79.7 - 120		D	%Rec	10	11/19/25 12:15:10
Surr: 1-Bromo-4-fluorobenzene	90.7	79.7 - 120			%Rec	1	11/19/25 13:05:47
Surr: 1-Bromo-4-fluorobenzene	90.9	79.7 - 120			%Rec	1	11/18/25 20:31:16
NOTES:							
Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.							
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 50046		Analyst: BB		
Chloride	79.5	30.0	3.05	D	mg/L	50	11/17/25 11:56:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/15/25 1:07:00
Sulfate	ND	1.00	0.286		mg/L	1	11/15/25 1:07:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 50049		Analyst: ME		
Iron	13,800	500	101	D	µg/L	10	11/21/25 16:20:00
Manganese	3,410	5.00	2.08	D	µg/L	10	11/21/25 16:20:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10500		Analyst: NR		
Alkalinity, Total (As CaCO ₃)	1,140	400	200	D	mg/L	40	11/25/25 17:29:00

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-A		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCV		Batch ID: R104981			Analysis Date: 11/25/2025			SeqNo: 2190567				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	25.3	10.0	25.00	0	101	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-A		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCB		Batch ID: R104981			Analysis Date: 11/25/2025			SeqNo: 2190568				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: MB-104981		SampType: MBLK			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: MBLKW		Batch ID: R104981			Analysis Date: 11/25/2025					SeqNo: 2190569		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: LCS-104981		SampType: LCS			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: LCSW		Batch ID: R104981			Analysis Date: 11/25/2025					SeqNo: 2190570		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	25.2	10.0	25.00	0	101	80	134				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: 2511275-013DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: BATCH		Batch ID: R104981			Analysis Date: 11/25/2025					SeqNo: 2190576		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0						0	0	20	
------------------------------	----	------	--	--	--	--	--	---	---	----	--

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-B		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCV		Batch ID: R104981			Analysis Date: 11/25/2025			SeqNo: 2190579				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	27.3	10.0	25.00	0	109	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-B		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCB		Batch ID: R104981			Analysis Date: 11/25/2025					SeqNo: 2190580		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: 2511308-009DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: BATCH		Batch ID: R104981			Analysis Date: 11/25/2025					SeqNo: 2190586		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	19.9	10.0						20.41	2.66	20	
------------------------------	------	------	--	--	--	--	--	-------	------	----	--

Sample ID: CCV-C		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCV		Batch ID: R104981			Analysis Date: 11/25/2025			SeqNo: 2190591				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	23.9	10.0	25.00	0	95.6	80	120				
------------------------------	------	------	-------	---	------	----	-----	--	--	--	--

Sample ID: CCB-C		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCB		Batch ID: R104981			Analysis Date: 11/25/2025					SeqNo: 2190592		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-D		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCV		Batch ID: R104981			Analysis Date: 11/25/2025			SeqNo: 2190601				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	26.4	10.0	25.00	0	106	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-D		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104981		
Client ID: CCB		Batch ID: R104981			Analysis Date: 11/25/2025			SeqNo: 2190602				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: CCV-A		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCV		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2190994				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	25.2	10.0	25.00	0	101	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-A		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCB		Batch ID: R105001			Analysis Date: 11/25/2025					SeqNo: 2190995		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: MB-105001		SampType: MBLK			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: MBLKW		Batch ID: R105001			Analysis Date: 11/25/2025					SeqNo: 2190996		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: LCS-105001		SampType: LCS			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: LCSW		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2190997				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	20.1	10.0	25.00	0	80.6	80	134				
------------------------------	------	------	-------	---	------	----	-----	--	--	--	--

Sample ID: CCV-C		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCV		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2191018				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	23.6	10.0	25.00	0	94.5	80	120				
------------------------------	------	------	-------	---	------	----	-----	--	--	--	--

Sample ID: CCB-C		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCB		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2191019				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: 2511355-001CDUP		SampType: DUP			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: BATCH		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2191020				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	30.5	10.0						31.33	2.60	20	
------------------------------	------	------	--	--	--	--	--	-------	------	----	--

Sample ID: 2511354-001CDUP		SampType: DUP			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: BATCH		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2191022				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	49.8	20.0						52.10	4.57	20	D
------------------------------	------	------	--	--	--	--	--	-------	------	----	---

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-E		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCV		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2191034				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	24.6	10.0	25.00	0	98.5	80	120				
------------------------------	------	------	-------	---	------	----	-----	--	--	--	--

Sample ID: CCB-E		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCB		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2191035				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: LCS-50046		SampType: LCS			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104735		
Client ID: LCSW		Batch ID: 50046			Analysis Date: 11/14/2025					SeqNo: 2185326		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	10.2	0.600	10.00	0	102	90	110				
Nitrate (as N)	2.28	0.150	2.259	0	101	90	110				
Sulfate	9.95	1.00	10.00	0	99.5	90	110				

Sample ID: MB-50046		SampType: MBLK			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104735		
Client ID: MBLKW		Batch ID: 50046			Analysis Date: 11/14/2025					SeqNo: 2185328		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.246	0.600									J
Nitrate (as N)	ND	0.150									
Sulfate	0.287	1.00									J

Sample ID: 2511351-015DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104735		
Client ID: MW-174-251113		Batch ID: 50046			Analysis Date: 11/15/2025			SeqNo: 2185341				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	82.0	0.600						81.98	0.0573	20	E
Nitrate (as N)	ND	0.150						0	0	20	
Sulfate	2.85	1.00						1.415	67.3	20	

Sample ID: 2511351-015DMS		SampType: MS			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104735		
Client ID: MW-174-251113		Batch ID: 50046			Analysis Date: 11/15/2025					SeqNo: 2185342		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	ND	0.600	10.00	81.98	-820	80	120				S
Nitrate (as N)	2.08	0.150	2.259	0	92.1	80	120				
Sulfate	7.39	1.00	10.00	1.415	59.8	80	120				S

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511351-015DMSD	SampType: MSD	Units: mg/L				Prep Date: 11/14/2025			RunNo: 104735		
Client ID: MW-174-251113	Batch ID: 50046	Analysis Date: 11/15/2025							SeqNo: 2185343		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	ND	0.600	10.00	81.98	-820	80	120	0	0	20	S
Nitrate (as N)	2.63	0.150	2.259	0	116	80	120	2.080	23.2	20	R
Sulfate	9.36	1.00	10.00	1.415	79.5	80	120	7.393	23.5	20	RS

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

R - High RPD observed.

Sample ID: CCV-B		SampType: CCV		Units: mg/L		Prep Date: 11/15/2025			RunNo: 104735		
Client ID: CCV		Batch ID: 50046					Analysis Date: 11/15/2025			SeqNo: 2185348	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	12.3	0.600	12.50	0	98.2	90	110				
Nitrate (as N)	2.76	0.150	2.824	0	97.6	90	110				
Sulfate	12.2	1.00	12.50	0	97.6	90	110				

Sample ID: CCB-B		SampType: CCB		Units: mg/L		Prep Date: 11/15/2025			RunNo: 104735		
Client ID: CCB		Batch ID: 50046					Analysis Date: 11/15/2025			SeqNo: 2185349	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	0.215	0.600									
Nitrate (as N)	ND	0.150									
Sulfate	0.286	1.00									

Sample ID: 2511409-012DDUP		SampType: DUP		Units: mg/L		Prep Date: 11/14/2025			RunNo: 104735		
Client ID: BATCH		Batch ID: 50046					Analysis Date: 11/15/2025			SeqNo: 2185356	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	96.6	0.600						98.00	1.39	20	E
Nitrate (as N)	0.0990	0.150						0.5210	136	20	J
Sulfate	ND	1.00						3.678	200	20	

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511409-012DMS		SampType: MS		Units: mg/L		Prep Date: 11/14/2025		RunNo: 104735			
Client ID: BATCH		Batch ID: 50046				Analysis Date: 11/15/2025		SeqNo: 2185357			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	101	0.600	10.00	98.00	32.2	80	120				ES
Nitrate (as N)	2.05	0.150	2.259	0.5210	67.6	80	120				S
Sulfate	9.59	1.00	10.00	3.678	59.2	80	120				S

NOTES:

S - Outlying spike recoveries were associated with this sample.

Sample ID: CCV-E		SampType: CCV		Units: mg/L		Prep Date: 11/17/2025		RunNo: 104735			
Client ID: CCV		Batch ID: 50046				Analysis Date: 11/17/2025		SeqNo: 2185692			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	12.2	0.600	12.50	0	97.5	90	110				
Nitrate (as N)	2.69	0.150	2.824	0	95.3	90	110				
Sulfate	13.1	1.00	12.50	0	105	90	110				

Sample ID: CCB-E		SampType: CCB		Units: mg/L		Prep Date: 11/17/2025		RunNo: 104735			
Client ID: CCB		Batch ID: 50046				Analysis Date: 11/17/2025		SeqNo: 2185693			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	0.222	0.600									
Nitrate (as N)	0.0460	0.150									
Sulfate	ND	1.00									

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Metals by EPA 6020B

Sample ID: MB-50049		SampType: MBLK			Units: µg/L		Prep Date: 11/17/2025			RunNo: 104765		
Client ID: MBLKW		Batch ID: 50049			Analysis Date: 11/17/2025					SeqNo: 2185907		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	ND	50.0									
Manganese	ND	0.500									

Sample ID: LCS-50049		SampType: LCS			Units: µg/L		Prep Date: 11/17/2025			RunNo: 104765		
Client ID: LCSW		Batch ID: 50049			Analysis Date: 11/17/2025					SeqNo: 2185908		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	1,070	50.0	1,000	0	107	80	120				
Manganese	108	0.500	100.0	0	108	80	120				

Sample ID: 2511308-001BMS		SampType: MS			Units: µg/L		Prep Date: 11/17/2025			RunNo: 104765		
Client ID: BATCH		Batch ID: 50049			Analysis Date: 11/17/2025			SeqNo: 2185912				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	18,100	50.0	1,000	16,760	139	75	125				ES
Manganese	2,110	0.500	100.0	1,975	139	75	125				ES

NOTES:

S - Spiked amount was low relative to sample concentration. Outlying spike recoveries may be expected.

Sample ID: 2511308-001BMSD		SampType: MSD			Units: µg/L		Prep Date: 11/17/2025			RunNo: 104765		
Client ID: BATCH		Batch ID: 50049			Analysis Date: 11/17/2025					SeqNo: 2185914		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	18,000	50.0	1,000	16,760	124	75	125	18,150	0.776	20	E
Manganese	2,110	0.500	100.0	1,975	133	75	125	2,114	0.284	20	ES

NOTES:

S - Spiked amount was low relative to sample concentration. Outlying spike recoveries may be expected.

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVA		SampType: CCV			Units: ppmv		Prep Date: 11/25/2025			RunNo: 104986		
Client ID: CCV		Batch ID: R104986			Analysis Date: 11/25/2025			SeqNo: 2190727				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	904	0.00500	1,000	0	90.4	85	115				
Ethene	886	0.0100	1,000	0	88.6	85	115				
Ethane	895	0.0100	1,000	0	89.5	85	115				

Sample ID: LCS-104986		SampType: LCS			Units: ppmv		Prep Date: 11/25/2025			RunNo: 104986		
Client ID: LCSW		Batch ID: R104986			Analysis Date: 11/25/2025			SeqNo: 2190732				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	904	0.00500	1,000	0	90.4	73.6	124				
Ethene	886	0.0100	1,000	0	88.6	76.3	122				
Ethane	895	0.0100	1,000	0	89.5	76.1	123				

Sample ID: MB-104986		SampType: MBLK			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104986		
Client ID: MBLKW		Batch ID: R104986			Analysis Date: 11/25/2025			SeqNo: 2190731				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	ND	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Sample ID: 2511351-014EREP		SampType: REP			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104986		
Client ID: MW-168-251113		Batch ID: R104986						Analysis Date: 11/25/2025			SeqNo: 2190714	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	7.90	0.00500						7.867	0.389	20	
Ethene	ND	0.0100						0	0	20	
Ethane	0.219	0.0100						0.2243	2.31	20	

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVB		SampType: CCV			Units: ppmv		Prep Date: 11/25/2025			RunNo: 104986		
Client ID: CCV		Batch ID: R104986			Analysis Date: 11/25/2025			SeqNo: 2190728				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	905	0.00500	1,000	0	90.5	85	115				
Ethene	907	0.0100	1,000	0	90.7	85	115				
Ethane	894	0.0100	1,000	0	89.4	85	115				

Sample ID: 2511351-011EREP		SampType: REP			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104986		
Client ID: MW-165-251113		Batch ID: R104986			Analysis Date: 11/25/2025			SeqNo: 2190707				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	7.44	0.500						7.251	2.60	20	D
Ethene	ND	1.00						0	0	20	D
Ethane	ND	1.00						0	0	20	D

Sample ID: CCVC		SampType: CCV			Units: ppmv		Prep Date: 11/25/2025			RunNo: 104986		
Client ID: CCV		Batch ID: R104986			Analysis Date: 11/25/2025			SeqNo: 2190729				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	899	0.00500	1,000	0	89.9	85	115				
Ethene	892	0.0100	1,000	0	89.2	85	115				
Ethane	900	0.0100	1,000	0	90.0	85	115				

Sample ID: 2511490-003EREP		SampType: REP			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104986		
Client ID: BATCH		Batch ID: R104986			Analysis Date: 11/25/2025					SeqNo: 2190733		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	4.27	0.250						4.433	3.75	20	D
Ethene	ND	0.500						0	0	20	D
Ethane	ND	0.500						0	0	20	D

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVD		SampType: CCV		Units: ppmv		Prep Date: 11/25/2025			RunNo: 104986		
Client ID: CCV		Batch ID: R104986					Analysis Date: 11/25/2025			SeqNo: 2190730	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methane	899	0.00500	1,000	0	89.9	85	115				
Ethene	888	0.0100	1,000	0	88.8	85	115				
Ethane	896	0.0100	1,000	0	89.6	85	115				

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104865A	SampType: CCV	Units: µg/L			Prep Date: 11/18/2025			RunNo: 104865			
Client ID: CCV	Batch ID: 50069	Analysis Date: 11/18/2025						SeqNo: 2188310			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	19.9	1.00	20.00	0	99.6	80	120				
Chloromethane	19.1	1.00	20.00	0	95.5	80	120				
Vinyl chloride	21.5	0.200	20.00	0	107	80	120				
Bromomethane	28.7	2.00	20.00	0	143	80	120				S
Trichlorofluoromethane (CFC-11)	21.1	0.500	20.00	0	106	80	120				
Chloroethane	22.2	1.00	20.00	0	111	80	120				
1,1-Dichloroethene	22.2	0.500	20.00	0	111	80	120				
Acetone	38.4	5.00	50.00	0	76.8	80	120				S
Methylene chloride	19.8	2.00	20.00	0	99.0	80	120				
trans-1,2-Dichloroethene	20.1	0.500	20.00	0	101	80	120				
Methyl tert-butyl ether (MTBE)	19.3	0.500	20.00	0	96.3	80	120				
1,1-Dichloroethane	21.4	0.500	20.00	0	107	80	120				
cis-1,2-Dichloroethene	20.2	0.500	20.00	0	101	80	120				
2-Butanone (MEK)	41.2	5.00	50.00	0	82.3	80	120				
Chloroform	20.4	0.500	20.00	0	102	80	120				
1,1,1-Trichloroethane (TCA)	22.4	0.500	20.00	0	112	80	120				
1,1-Dichloropropene	20.7	0.500	20.00	0	103	80	120				
Carbon tetrachloride	22.8	0.500	20.00	0	114	80	120				
1,2-Dichloroethane (EDC)	19.0	0.200	20.00	0	95.1	80	120				
Benzene	19.6	0.200	20.00	0	97.9	80	120				
Trichloroethene (TCE)	17.9	0.500	20.00	0	89.7	80	120				
1,2-Dichloropropane	18.8	0.200	20.00	0	94.2	80	120				
Bromodichloromethane	19.1	0.200	20.00	0	95.5	80	120				
Dibromomethane	17.6	0.500	20.00	0	88.1	80	120				
cis-1,3-Dichloropropene	19.3	0.500	20.00	0	96.6	80	120				
Toluene	19.2	0.500	20.00	0	96.2	80	120				
trans-1,3-Dichloropropylene	19.1	0.500	20.00	0	95.5	80	120				
Methyl Isobutyl Ketone (MIBK)	44.1	2.50	50.00	0	88.1	80	120				
1,1,2-Trichloroethane	18.1	0.500	20.00	0	90.6	80	120				
1,3-Dichloropropane	17.8	0.500	20.00	0	89.2	80	120				
Tetrachloroethene (PCE)	20.9	0.500	20.00	0	105	80	120				
Dibromochloromethane	18.7	0.500	20.00	0	93.4	80	120				

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104865A		SampType: CCV		Units: µg/L		Prep Date: 11/18/2025		RunNo: 104865			
Client ID: CCV		Batch ID: 50069				Analysis Date: 11/18/2025		SeqNo: 2188310			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	17.7	0.500	20.00	0	88.4	80	120				S
2-Hexanone (MBK)	38.2	1.25	50.00	0	76.3	80	120				
Chlorobenzene	18.9	0.500	20.00	0	94.3	80	120				
1,1,1,2-Tetrachloroethane	20.2	0.500	20.00	0	101	80	120				
Ethylbenzene	20.2	0.500	20.00	0	101	80	120				
m,p-Xylene	40.8	1.00	40.00	0	102	80	120				
o-Xylene	19.7	0.500	20.00	0	98.6	80	120				
Styrene	20.8	0.500	20.00	0	104	80	120				
Isopropylbenzene	19.3	0.500	20.00	0	96.6	80	120				
Bromoform	18.4	0.500	20.00	0	92.2	80	120				
1,1,2,2-Tetrachloroethane	20.0	0.200	20.00	0	99.9	80	120				
n-Propylbenzene	20.6	0.500	20.00	0	103	80	120				
Bromobenzene	18.2	0.200	20.00	0	90.8	80	120				
1,3,5-Trimethylbenzene	19.9	0.500	20.00	0	99.4	80	120				
2-Chlorotoluene	19.5	0.500	20.00	0	97.4	80	120				
4-Chlorotoluene	19.4	0.500	20.00	0	97.0	80	120				
tert-Butylbenzene	19.5	0.500	20.00	0	97.3	80	120				
1,2,3-Trichloropropane	17.0	0.500	20.00	0	84.8	80	120				
1,2,4-Trichlorobenzene	19.3	0.750	20.00	0	96.5	80	120				
sec-Butylbenzene	20.1	0.500	20.00	0	100	80	120				
4-Isopropyltoluene	20.7	0.500	20.00	0	103	80	120				
1,3-Dichlorobenzene	19.2	0.500	20.00	0	96.2	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.5	80	120				
n-Butylbenzene	20.1	0.500	20.00	0	101	80	120				
1,2-Dichlorobenzene	18.7	0.500	20.00	0	93.6	80	120				
1,2-Dibromo-3-chloropropane	17.0	1.00	20.00	0	85.0	80	120				
1,2,4-Trimethylbenzene	18.7	0.500	20.00	0	93.6	80	120				
Hexachloro-1,3-butadiene	19.6	1.00	20.00	0	98.1	80	120				
Naphthalene	16.9	1.25	20.00	0	84.5	80	120				
1,2,3-Trichlorobenzene	16.7	1.00	20.00	0	83.3	80	120				
Surr: Dibromofluoromethane	26.1		25.00		104	80	120				
Surr: Toluene-d8	24.9		25.00		99.6	80	120				

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104865A		SampType: CCV			Units: µg/L		Prep Date: 11/18/2025			RunNo: 104865		
Client ID: CCV		Batch ID: 50069			Analysis Date: 11/18/2025			SeqNo: 2188310				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Surr: 1-Bromo-4-fluorobenzene	24.2	25.00	96.8	80	120
-------------------------------	------	-------	------	----	-----

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

S - Outlying spike recovery observed (low bias). Samples will be qualified with a Q.

Sample ID: LCS-50069		SampType: LCS			Units: µg/L		Prep Date: 11/18/2025			RunNo: 104865		
Client ID: LCSW		Batch ID: 50069			Analysis Date: 11/18/2025			SeqNo: 2188346				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	19.9	1.00	20.00	0	99.6	80	120				
Chloromethane	19.1	1.00	20.00	0	95.5	80	120				
Vinyl chloride	21.5	0.200	20.00	0	107	80	120				
Bromomethane	28.7	2.00	20.00	0	143	80	120				S
Trichlorofluoromethane (CFC-11)	21.1	0.500	20.00	0	106	80	120				
Chloroethane	22.2	1.00	20.00	0	111	80	120				
1,1-Dichloroethene	22.2	0.500	20.00	0	111	80	120				
Acetone	38.4	5.00	50.00	0	76.8	80	120				S
Methylene chloride	19.8	2.00	20.00	0	99.0	80	120				
trans-1,2-Dichloroethene	20.1	0.500	20.00	0	101	80	120				
Methyl tert-butyl ether (MTBE)	19.3	0.500	20.00	0	96.3	80	120				
1,1-Dichloroethane	21.4	0.500	20.00	0	107	80	120				
cis-1,2-Dichloroethene	20.2	0.500	20.00	0	101	80	120				
2-Butanone (MEK)	41.2	5.00	50.00	0	82.3	80	120				
Chloroform	20.4	0.500	20.00	0	102	80	120				
1,1,1-Trichloroethane (TCA)	22.4	0.500	20.00	0	112	80	120				
1,1-Dichloropropene	20.7	0.500	20.00	0	103	80	120				
Carbon tetrachloride	22.8	0.500	20.00	0	114	80	120				
1,2-Dichloroethane (EDC)	19.0	0.200	20.00	0	95.1	80	120				
Benzene	19.6	0.200	20.00	0	97.9	80	120				
Trichloroethene (TCE)	17.9	0.500	20.00	0	89.7	80	120				
1,2-Dichloropropane	18.8	0.200	20.00	0	94.2	80	120				
Bromodichloromethane	19.1	0.200	20.00	0	95.5	80	120				

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50069	SampType: LCS	Units: µg/L			Prep Date: 11/18/2025			RunNo: 104865			
Client ID: LCSW	Batch ID: 50069	Analysis Date: 11/18/2025						SeqNo: 2188346			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dibromomethane	17.6	0.500	20.00	0	88.1	80	120				
cis-1,3-Dichloropropene	19.3	0.500	20.00	0	96.6	80	120				
Toluene	19.2	0.500	20.00	0	96.2	80	120				
trans-1,3-Dichloropropylene	19.1	0.500	20.00	0	95.5	80	120				
Methyl Isobutyl Ketone (MIBK)	44.1	2.50	50.00	0	88.1	80	120				
1,1,2-Trichloroethane	18.1	0.500	20.00	0	90.6	80	120				
1,3-Dichloropropane	17.8	0.500	20.00	0	89.2	80	120				
Tetrachloroethene (PCE)	20.9	0.500	20.00	0	105	80	120				
Dibromochloromethane	18.7	0.500	20.00	0	93.4	80	120				
1,2-Dibromoethane (EDB)	17.7	0.500	20.00	0	88.4	80	120				
2-Hexanone (MBK)	38.2	1.25	50.00	0	76.3	80	120				S
Chlorobenzene	18.9	0.500	20.00	0	94.3	80	120				
1,1,1,2-Tetrachloroethane	20.2	0.500	20.00	0	101	80	120				
Ethylbenzene	20.2	0.500	20.00	0	101	80	120				
m,p-Xylene	40.8	1.00	40.00	0	102	80	120				
o-Xylene	19.7	0.500	20.00	0	98.6	80	120				
Styrene	20.8	0.500	20.00	0	104	80	120				
Isopropylbenzene	19.3	0.500	20.00	0	96.6	80	120				
Bromoform	18.4	0.500	20.00	0	92.2	80	120				
1,1,2,2-Tetrachloroethane	20.0	0.200	20.00	0	99.9	80	120				
n-Propylbenzene	20.6	0.500	20.00	0	103	80	120				
Bromobenzene	18.2	0.200	20.00	0	90.8	80	120				
1,3,5-Trimethylbenzene	19.9	0.500	20.00	0	99.4	80	120				
2-Chlorotoluene	19.5	0.500	20.00	0	97.4	80	120				
4-Chlorotoluene	19.4	0.500	20.00	0	97.0	80	120				
tert-Butylbenzene	19.5	0.500	20.00	0	97.3	80	120				
1,2,3-Trichloropropane	17.0	0.500	20.00	0	84.8	80	120				
1,2,4-Trichlorobenzene	19.3	0.750	20.00	0	96.5	80	120				
sec-Butylbenzene	20.1	0.500	20.00	0	100	80	120				
4-Isopropyltoluene	20.7	0.500	20.00	0	103	80	120				
1,3-Dichlorobenzene	19.2	0.500	20.00	0	96.2	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.5	80	120				

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50069		SampType: LCS			Units: µg/L		Prep Date: 11/18/2025			RunNo: 104865		
Client ID: LCSW		Batch ID: 50069			Analysis Date: 11/18/2025			SeqNo: 2188346				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

n-Butylbenzene	20.1	0.500	20.00	0	101	80	120				
1,2-Dichlorobenzene	18.7	0.500	20.00	0	93.6	80	120				
1,2-Dibromo-3-chloropropane	17.0	1.00	20.00	0	85.0	80	120				
1,2,4-Trimethylbenzene	18.7	0.500	20.00	0	93.6	80	120				
Hexachloro-1,3-butadiene	19.6	1.00	20.00	0	98.1	80	120				
Naphthalene	16.9	1.25	20.00	0	84.5	80	120				
1,2,3-Trichlorobenzene	16.7	1.00	20.00	0	83.3	80	120				
Surr: Dibromofluoromethane	26.1		25.00		104	79.9	122				
Surr: Toluene-d8	24.9		25.00		99.6	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.2		25.00		96.8	79.7	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

S - Outlying spike recovery observed (low bias). Samples will be qualified with a Q.

Sample ID: MB-50069		SampType: MBLK			Units: µg/L		Prep Date: 11/18/2025			RunNo: 104865		
Client ID: MBLKW		Batch ID: 50069			Analysis Date: 11/18/2025					SeqNo: 2188311		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	ND	5.00									
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									

Q

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50069	SampType: MBLK	Units: µg/L		Prep Date: 11/18/2025			RunNo: 104865				
Client ID: MBLKW	Batch ID: 50069	Analysis Date: 11/18/2025			SeqNo: 2188311						
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									
1,1-Dichloropropene	ND	0.500									
Carbon tetrachloride	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.200									
Benzene	ND	0.200									
Trichloroethene (TCE)	ND	0.500									
1,2-Dichloropropane	ND	0.200									
Bromodichloromethane	ND	0.200									
Dibromomethane	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									Q
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50069		SampType: MBLK		Units: µg/L		Prep Date: 11/18/2025		RunNo: 104865			
Client ID: MBLKW		Batch ID: 50069				Analysis Date: 11/18/2025		SeqNo: 2188311			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	26.0		25.00		104	80	120				
Surr: Toluene-d8	24.4		25.00		97.6	80	120				
Surr: 1-Bromo-4-fluorobenzene	22.6		25.00		90.5	80	120				

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Sample ID: 2511351-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/18/2025		RunNo: 104865			
Client ID: MW102-251113		Batch ID: 50069				Analysis Date: 11/18/2025		SeqNo: 2188314			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	ND	1.00						0	0	30	
Chloromethane	ND	1.00						0	0	30	
Vinyl chloride	ND	0.200						0	0	30	
Bromomethane	ND	2.00						0	0	30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0	0	30	
Chloroethane	ND	1.00						0	0	30	

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511351-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/18/2025		RunNo: 104865			
Client ID: MW102-251113		Batch ID: 50069				Analysis Date: 11/18/2025		SeqNo: 2188314			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	ND	0.500						0	0	30	
Acetone	ND	5.00						0	0	30	Q
Methylene chloride	ND	2.00						0	0	30	
trans-1,2-Dichloroethene	ND	0.500						0	0	30	
Methyl tert-butyl ether (MTBE)	ND	0.500						0	0	30	
1,1-Dichloroethane	ND	0.500						0	0	30	
cis-1,2-Dichloroethene	ND	0.500						0	0	30	
2-Butanone (MEK)	ND	5.00						0	0	30	
Chloroform	ND	0.500						0	0	30	
1,1,1-Trichloroethane (TCA)	ND	0.500						0	0	30	
1,1-Dichloropropene	ND	0.500						0	0	30	
Carbon tetrachloride	ND	0.500						0	0	30	
1,2-Dichloroethane (EDC)	ND	0.200						0	0	30	
Benzene	ND	0.200						0	0	30	
Trichloroethene (TCE)	ND	0.500						0	0	30	
1,2-Dichloropropane	ND	0.200						0	0	30	
Bromodichloromethane	ND	0.200						0	0	30	
Dibromomethane	ND	0.500						0	0	30	
cis-1,3-Dichloropropene	ND	0.500						0	0	30	
Toluene	ND	0.500						0	0	30	
trans-1,3-Dichloropropylene	ND	0.500						0	0	30	
Methyl Isobutyl Ketone (MIBK)	ND	2.50						0	0	30	
1,1,2-Trichloroethane	ND	0.500						0	0	30	
1,3-Dichloropropane	ND	0.500						0	0	30	
Tetrachloroethene (PCE)	ND	0.500						0	0	30	
Dibromochloromethane	ND	0.500						0	0	30	
1,2-Dibromoethane (EDB)	ND	0.500						0	0	30	
2-Hexanone (MBK)	ND	1.25						0	0	30	Q
Chlorobenzene	ND	0.500						0	0	30	
1,1,1,2-Tetrachloroethane	ND	0.500						0	0	30	
Ethylbenzene	ND	0.500						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511351-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/18/2025		RunNo: 104865			
Client ID: MW102-251113		Batch ID: 50069				Analysis Date: 11/18/2025		SeqNo: 2188314			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
o-Xylene	ND	0.500						0	0	30	
Styrene	ND	0.500						0	0	30	
Isopropylbenzene	ND	0.500						0	0	30	
Bromoform	ND	0.500						0	0	30	
1,1,2,2-Tetrachloroethane	ND	0.200						0	0	30	
n-Propylbenzene	ND	0.500						0	0	30	
Bromobenzene	ND	0.200						0	0	30	
1,3,5-Trimethylbenzene	ND	0.500						0	0	30	
2-Chlorotoluene	ND	0.500						0	0	30	
4-Chlorotoluene	ND	0.500						0	0	30	
tert-Butylbenzene	ND	0.500						0	0	30	
1,2,3-Trichloropropane	ND	0.500						0	0	30	
1,2,4-Trichlorobenzene	ND	0.750						0	0	30	
sec-Butylbenzene	ND	0.500						0	0	30	
4-Isopropyltoluene	ND	0.500						0	0	30	
1,3-Dichlorobenzene	ND	0.500						0	0	30	
1,4-Dichlorobenzene	ND	0.500						0	0	30	
n-Butylbenzene	ND	0.500						0	0	30	
1,2-Dichlorobenzene	ND	0.500						0	0	30	
1,2-Dibromo-3-chloropropane	ND	1.00						0	0	30	
1,2,4-Trimethylbenzene	ND	0.500						0	0	30	
Hexachloro-1,3-butadiene	ND	1.00						0	0	30	
Naphthalene	ND	1.25						0	0	30	
1,2,3-Trichlorobenzene	ND	1.00						0	0	30	
Surr: Dibromofluoromethane	26.1		25.00		104	79.9	122		0		
Surr: Toluene-d8	24.4		25.00		97.4	80	121		0		
Surr: 1-Bromo-4-fluorobenzene	22.4		25.00		89.5	79.7	120		0		

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104865B	SampType: CCV	Units: µg/L			Prep Date: 11/18/2025			RunNo: 104865			
Client ID: CCV	Batch ID: 50069	Analysis Date: 11/18/2025						SeqNo: 2188329			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	19.8	1.00	20.00	0	98.8	80	120				
Chloromethane	19.0	1.00	20.00	0	95.2	80	120				
Vinyl chloride	20.0	0.200	20.00	0	99.9	80	120				
Bromomethane	20.5	2.00	20.00	0	103	80	120				
Trichlorofluoromethane (CFC-11)	21.1	0.500	20.00	0	105	80	120				
Chloroethane	22.1	1.00	20.00	0	111	80	120				
1,1-Dichloroethene	22.3	0.500	20.00	0	112	80	120				
Acetone	37.0	5.00	50.00	0	74.0	80	120				S
Methylene chloride	20.1	2.00	20.00	0	100	80	120				
trans-1,2-Dichloroethene	20.3	0.500	20.00	0	101	80	120				
Methyl tert-butyl ether (MTBE)	19.5	0.500	20.00	0	97.4	80	120				
1,1-Dichloroethane	21.6	0.500	20.00	0	108	80	120				
cis-1,2-Dichloroethene	20.8	0.500	20.00	0	104	80	120				
2-Butanone (MEK)	40.5	5.00	50.00	0	81.1	80	120				
Chloroform	20.8	0.500	20.00	0	104	80	120				
1,1,1-Trichloroethane (TCA)	22.7	0.500	20.00	0	114	80	120				
1,1-Dichloropropene	21.0	0.500	20.00	0	105	80	120				
Carbon tetrachloride	23.0	0.500	20.00	0	115	80	120				
1,2-Dichloroethane (EDC)	19.4	0.200	20.00	0	97.1	80	120				
Benzene	19.6	0.200	20.00	0	98.2	80	120				
Trichloroethene (TCE)	18.3	0.500	20.00	0	91.6	80	120				
1,2-Dichloropropane	18.8	0.200	20.00	0	94.1	80	120				
Bromodichloromethane	19.3	0.200	20.00	0	96.6	80	120				
Dibromomethane	18.1	0.500	20.00	0	90.6	80	120				
cis-1,3-Dichloropropene	19.2	0.500	20.00	0	96.2	80	120				
Toluene	19.5	0.500	20.00	0	97.3	80	120				
trans-1,3-Dichloropropylene	19.4	0.500	20.00	0	97.0	80	120				
Methyl Isobutyl Ketone (MIBK)	46.2	2.50	50.00	0	92.4	80	120				
1,1,2-Trichloroethane	18.7	0.500	20.00	0	93.3	80	120				
1,3-Dichloropropane	18.4	0.500	20.00	0	92.2	80	120				
Tetrachloroethene (PCE)	21.0	0.500	20.00	0	105	80	120				
Dibromochloromethane	19.2	0.500	20.00	0	95.8	80	120				

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104865B		SampType: CCV		Units: µg/L		Prep Date: 11/18/2025		RunNo: 104865			
Client ID: CCV		Batch ID: 50069				Analysis Date: 11/18/2025		SeqNo: 2188329			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	18.3	0.500	20.00	0	91.4	80	120				S
2-Hexanone (MBK)	39.1	1.25	50.00	0	78.1	80	120				
Chlorobenzene	19.1	0.500	20.00	0	95.6	80	120				
1,1,1,2-Tetrachloroethane	20.6	0.500	20.00	0	103	80	120				
Ethylbenzene	20.3	0.500	20.00	0	101	80	120				
m,p-Xylene	41.3	1.00	40.00	0	103	80	120				
o-Xylene	20.2	0.500	20.00	0	101	80	120				
Styrene	21.3	0.500	20.00	0	106	80	120				
Isopropylbenzene	19.4	0.500	20.00	0	97.1	80	120				
Bromoform	19.5	0.500	20.00	0	97.7	80	120				
1,1,2,2-Tetrachloroethane	21.1	0.200	20.00	0	105	80	120				
n-Propylbenzene	20.9	0.500	20.00	0	104	80	120				
Bromobenzene	18.4	0.200	20.00	0	92.2	80	120				
1,3,5-Trimethylbenzene	20.1	0.500	20.00	0	100	80	120				
2-Chlorotoluene	19.7	0.500	20.00	0	98.3	80	120				
4-Chlorotoluene	19.6	0.500	20.00	0	97.8	80	120				
tert-Butylbenzene	19.4	0.500	20.00	0	96.9	80	120				
1,2,3-Trichloropropane	17.8	0.500	20.00	0	88.8	80	120				
1,2,4-Trichlorobenzene	19.6	0.750	20.00	0	98.1	80	120				
sec-Butylbenzene	20.2	0.500	20.00	0	101	80	120				
4-Isopropyltoluene	20.7	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	19.3	0.500	20.00	0	96.3	80	120				
1,4-Dichlorobenzene	18.8	0.500	20.00	0	94.0	80	120				
n-Butylbenzene	19.9	0.500	20.00	0	99.5	80	120				
1,2-Dichlorobenzene	19.1	0.500	20.00	0	95.4	80	120				
1,2-Dibromo-3-chloropropane	18.5	1.00	20.00	0	92.7	80	120				
1,2,4-Trimethylbenzene	18.9	0.500	20.00	0	94.4	80	120				
Hexachloro-1,3-butadiene	19.3	1.00	20.00	0	96.3	80	120				
Naphthalene	18.0	1.25	20.00	0	89.9	80	120				
1,2,3-Trichlorobenzene	17.4	1.00	20.00	0	86.9	80	120				
Surr: Dibromofluoromethane	26.0		25.00		104	80	120				
Surr: Toluene-d8	24.9		25.00		99.7	80	120				

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104865B		SampType: CCV			Units: µg/L		Prep Date: 11/18/2025			RunNo: 104865		
Client ID: CCV		Batch ID: 50069			Analysis Date: 11/18/2025			SeqNo: 2188329				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Surr: 1-Bromo-4-fluorobenzene 24.4 25.00 97.8 80 120

NOTES:

S - Outlying spike recovery observed (low bias).

Sample ID: 2511350-001AMS		SampType: MS			Units: µg/L		Prep Date: 11/18/2025			RunNo: 104865		
Client ID: BATCH		Batch ID: 50069			Analysis Date: 11/19/2025			SeqNo: 2188331				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	20.4	1.00	20.00	0	102	61	156				
Chloromethane	18.7	1.00	20.00	0	93.7	58.6	153				
Vinyl chloride	22.1	0.200	20.00	0.04669	110	70.9	160				
Bromomethane	24.9	2.00	20.00	0	125	57	155				
Trichlorofluoromethane (CFC-11)	22.9	0.500	20.00	0	115	80	159				
Chloroethane	22.8	1.00	20.00	0	114	71.3	145				
1,1-Dichloroethene	24.0	0.500	20.00	0	120	80	160				
Acetone	31.2	5.00	50.00	0	62.5	12.9	126				
Methylene chloride	19.8	2.00	20.00	0	99.0	77.6	131				
trans-1,2-Dichloroethene	21.1	0.500	20.00	0	105	80	134				
Methyl tert-butyl ether (MTBE)	18.9	0.500	20.00	0	94.4	80	127				
1,1-Dichloroethane	21.8	0.500	20.00	0	109	80	129				
cis-1,2-Dichloroethene	20.9	0.500	20.00	0	104	78.2	137				
2-Butanone (MEK)	35.6	5.00	50.00	0	71.2	32.5	130				
Chloroform	20.9	0.500	20.00	0	105	78.3	136				
1,1,1-Trichloroethane (TCA)	24.0	0.500	20.00	0	120	80	153				
1,1-Dichloropropene	22.4	0.500	20.00	0	112	80	153				
Carbon tetrachloride	25.0	0.500	20.00	0	125	80	156				
1,2-Dichloroethane (EDC)	19.0	0.200	20.00	0	94.8	77	133				
Benzene	20.3	0.200	20.00	0	102	80	134				
Trichloroethene (TCE)	19.0	0.500	20.00	0	95.2	80	133				
1,2-Dichloropropane	19.0	0.200	20.00	0	94.8	80	125				
Bromodichloromethane	19.3	0.200	20.00	0	96.6	80	124				
Dibromomethane	17.9	0.500	20.00	0	89.3	80	122				

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511350-001AMS		SampType: MS		Units: µg/L		Prep Date: 11/18/2025		RunNo: 104865			
Client ID: BATCH		Batch ID: 50069				Analysis Date: 11/19/2025		SeqNo: 2188331			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,3-Dichloropropene	19.1	0.500	20.00	0	95.4	80	128				
Toluene	20.2	0.500	20.00	0	101	80	134				
trans-1,3-Dichloropropylene	18.9	0.500	20.00	0	94.6	78.6	136				
Methyl Isobutyl Ketone (MIBK)	43.5	2.50	50.00	0	87.1	61.1	145				
1,1,2-Trichloroethane	18.2	0.500	20.00	0	91.2	79.4	135				
1,3-Dichloropropane	18.1	0.500	20.00	0	90.6	80	126				
Tetrachloroethene (PCE)	22.7	0.500	20.00	0	113	80	153				
Dibromochloromethane	18.9	0.500	20.00	0	94.6	77.7	137				
1,2-Dibromoethane (EDB)	17.9	0.500	20.00	0	89.7	77.8	132				
2-Hexanone (MBK)	35.1	1.25	50.00	0	70.3	34.7	135				
Chlorobenzene	19.5	0.500	20.00	0	97.7	80	123				
1,1,1,2-Tetrachloroethane	21.0	0.500	20.00	0	105	80	125				
Ethylbenzene	21.2	0.500	20.00	0	106	80	125				
m,p-Xylene	42.4	1.00	40.00	0	106	80	124				
o-Xylene	20.8	0.500	20.00	0	104	80	122				
Styrene	21.6	0.500	20.00	0	108	80	122				
Isopropylbenzene	20.4	0.500	20.00	0	102	80	133				
Bromoform	19.5	0.500	20.00	0	97.3	80	125				
1,1,2,2-Tetrachloroethane	21.1	0.200	20.00	0	106	76.3	138				
n-Propylbenzene	22.0	0.500	20.00	0	110	80	134				
Bromobenzene	19.2	0.200	20.00	0	96.2	80	121				
1,3,5-Trimethylbenzene	20.8	0.500	20.00	0	104	80	126				
2-Chlorotoluene	20.4	0.500	20.00	0	102	80	124				
4-Chlorotoluene	20.0	0.500	20.00	0	99.9	80	123				
tert-Butylbenzene	20.8	0.500	20.00	0	104	80	131				
1,2,3-Trichloropropane	17.3	0.500	20.00	0	86.6	75.3	125				
1,2,4-Trichlorobenzene	19.4	0.750	20.00	0	96.9	71.2	129				
sec-Butylbenzene	22.0	0.500	20.00	0	110	80	137				
4-Isopropyltoluene	22.3	0.500	20.00	0	112	80	132				
1,3-Dichlorobenzene	19.4	0.500	20.00	0	97.1	80	120				
1,4-Dichlorobenzene	19.1	0.500	20.00	0	95.4	80	122				
n-Butylbenzene	20.8	0.500	20.00	0	104	79.5	138				

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511350-001AMS		SampType: MS			Units: µg/L		Prep Date: 11/18/2025			RunNo: 104865		
Client ID: BATCH		Batch ID: 50069			Analysis Date: 11/19/2025			SeqNo: 2188331				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dichlorobenzene	19.1	0.500	20.00	0	95.5	79	120				
1,2-Dibromo-3-chloropropane	17.2	1.00	20.00	0	86.2	69.6	137				
1,2,4-Trimethylbenzene	19.4	0.500	20.00	0	97.2	80	123				
Hexachloro-1,3-butadiene	20.9	1.00	20.00	0	104	74.3	148				
Naphthalene	17.2	1.25	20.00	0	85.8	74.3	124				
1,2,3-Trichlorobenzene	16.8	1.00	20.00	0	84.2	71.9	129				
Surr: Dibromofluoromethane	25.9		25.00		104	79.9	122				
Surr: Toluene-d8	24.6		25.00		98.6	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.6		25.00		98.2	79.7	120				

Sample ID: VOC-CCV-104865C		SampType: CCV			Units: µg/L		Prep Date: 11/19/2025			RunNo: 104865		
Client ID: CCV		Batch ID: 50069			Analysis Date: 11/19/2025			SeqNo: 2188332				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Vinyl chloride	19.4	0.200	20.00	0	96.9	80	120				
trans-1,2-Dichloroethene	19.2	0.500	20.00	0	96.0	80	120				
cis-1,2-Dichloroethene	19.9	0.500	20.00	0	99.4	80	120				
Trichloroethene (TCE)	18.7	0.500	20.00	0	93.3	80	120				
Surr: Dibromofluoromethane	25.6		25.00		103	80	120				
Surr: Toluene-d8	24.6		25.00		98.3	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.5		25.00		98.1	80	120				

Sample ID: CCB-104865		SampType: CCB			Units: µg/L		Prep Date: 11/19/2025			RunNo: 104865		
Client ID: CCB		Batch ID: 50069			Analysis Date: 11/19/2025			SeqNo: 2188333				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Vinyl chloride	ND	0.200									
trans-1,2-Dichloroethene	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
Trichloroethene (TCE)	ND	0.500									
Surr: Dibromofluoromethane	25.9		25.00		104	80	120				

Work Order: 2511351
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: CCB-104865		SampType: CCB			Units: µg/L		Prep Date: 11/19/2025			RunNo: 104865		
Client ID: CCB		Batch ID: 50069						Analysis Date: 11/19/2025			SeqNo: 2188333	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Surr: Toluene-d8	23.9		25.00		95.6	80	120					
Surr: 1-Bromo-4-fluorobenzene	22.6		25.00		90.5	80	120					

Client Name: AC

Work Order Number: 2511351

Logged by: Matt Langston

Date Received: 11/13/2025 3:40:00 PM

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes ☐ No ☐ Not Present ☒
4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all items received at a temperature of >2°C to 6°C * Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. Is there headspace in the VOA vials? Yes ☐ No ☒ NA ☐
11. Did all samples containers arrive in good condition(unbroken)? Yes ☒ No ☐
12. Does paperwork match bottle labels? Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all hold times (except field parameters, pH e.g.) able to be met? Yes ☒ No ☐

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:		Date:	
By Whom:		Via:	☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:			
Client Instructions:			

17. Additional remarks:

Item Information

Item #	Temp °C
Sample	1.5

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11/13/25 (11/13/25)

Page: 1 of 2

Project Name: 700 Dexter

Project No: AS240461

Collected by: E. Rusey, M. Elliott, J. Raville

Location: 700 Dexter

Report To (PM): Hannah Cohen + Lea Kane

Laboratory Project No (internal): 2511351

Special Remarks:

Please bill to MO-AS240461-8485 through Coupa.
Nitrate analyses with short hold times!

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Client: Geosyntec Consultants
Address: 801 5th Ave, Suite 2200
City, State, Zip: Seattle, WA 98104
Telephone: 206-780-7724

Email(s): Hannah.Cohen@geosyntec.com; Lea.Kane@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCS (EPA 8260/624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCID)	Diesel/Heavy Oil Range Organics (DW)	SVOCs (EPA 8270/625)	PAHs (EPA 8270-625)	PCBs (EPA 8082/608)	Metals** (EPA 6010/200.9)	Total ID** (EPA 6010/200.9)	Anions (IC***)	EDR (8011)	Dissolved Gases (EPA 8210/75)	Alkalinity (EPA 8210/75)	TOC (EPA 8210/75)	Comments
1 MW 102-251113	11/13/25	1330	GW	3	X															
2 MW 158A-251113	11/13/25	1125	GW	3	X															
3 MW 310-251113	11/13/25	1015	GW	3	X															
4 EQ-251113	11/13/25	1430	W	3	X															
5 MW 323-251113	11/13/25	1005	GW	9	X								X	X	X	X	X			
6 MW 128-251113 EQ	11/13/25	1114	GW	9	X								X	X	X	X	X			Sample Name: MW 128-251113
7 MW 329-251113	11/13/25	1212	GW	9	X								X	X	X	X	X			
8 MW 336-251113	11/13/25	1319	GW	3	X															
9 MW 335-251113	11/13/25	1400	GW	9	X								X	X	X	X	X			
10 TRIP-251113	11/13/25	—	W	1	X															

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu **Cu Hg K Mg **Mn** Mo Na Ni Pb Sb Se Sr Sn Ti Tl V Zn

***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide Iodide O-Phosphate Fluoride Nitrate-Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Turn-around Time:
☒ Standard ☐ Next Day
☐ 3 Day ☐ Same Day
☐ 2 Day (specify)

Relinquished (Signature)

Print Name

Date/Time

Received (Signature)

Print Name

Date/Time

Relinquished (Signature)

Print Name

Date/Time

Received (Signature)

Print Name

Date/Time



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11/13/25 Page: 2 of 2

Project Name: 700 DEXTER

Project No: AS 24 0416.1

Collected by: E. Ruesen, J. Raville, M. Elliott

Location: 700 DEXTER

Report To (PM): Hannah Cohen + Lea Kane

Laboratory Project No (Internal): 2511351
Special Remarks:
Please invoice to AS-ER
NO-AS240416-8485 through
Coupa.
Nitrate analyses with short hold
times!
Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Client: Geosyntec Consultants
Address: 801 5th Ave, Suite 2200
City, State, Zip: Seattle, WA 98104
Telephone: 206-780-7724
Email(s): Hannah.Cohen@geosyntec.com; Lea.Kane@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCS (EPA 8260/624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCD)	Diesel/Heavy Oil Range Organics (DHR)	SVOCs (EPA 8270/625)	PAHs (EPA 8270-625)	PCBs (EPA 8270-SIM)	Metals** (EPA 6010/200.8)	Total (D)	Anions (IC-13)	EDB (8011)	Dissolved Gases (EPA 8210)	Alkalinity (EPA 9060B)	Comments
1 MW-165-251113	11/13/25	1100	GW	Q	X								X	X	X	X	X		
2 MW-166-251113	11/13/25	0945	GW	Q	X								X	X	X	X	X		
3 MW-167-251113	11/13/25	1045	GW	Q	X								X	X	X	X	X		
4 MW-168-251113	11/13/25	1148	GW	Q	X								X	X	X	X	X		
5 MW-174-251113	11/13/25	1300	GW	Q	X								X	X	X	X	X		
6 MW-175-251113	11/13/25	1345	GW	Q	X								X	X	X	X	X		
7																			
8																			
9																			
10																			

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Fe Hg K Mg Mn Mo Na Ni Pb Sb Se Sr Sn Ti Tl V Zn

***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate-Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Turn-around Time:
☒ Standard ☐ Next Day
☐ 3 Day ☐ Same Day
☐ 2 Day (specify)

Relinquished (Signature)	Print Name	Date/Time	Received (Signature)	Print Name	Date/Time
<i>[Signature]</i>	Hannah Cohen	11-13-25 1540	<i>[Signature]</i>	Lea Kane	11/13/25 1540
Relinquished (Signature)	Print Name	Date/Time	Received (Signature)	Print Name	Date/Time
<i>[Signature]</i>	Hannah Cohen	11-13-25 1540	<i>[Signature]</i>	Lea Kane	11/13/25 1540



Analytical Resources, LLC
Analytical Chemists and Consultants
Tukwila, WA

05 December 2025

Brianna Barnes
Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle, WA 98103

RE: TOC (2511351)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)
25K0348

Associated SDG ID(s)
N/A

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Matthew Daniel For Phillip Bates, Project Manager



25K0348

CHAIN OF CUSTODY RECORD

Omega COCID 2558

PAGE: 1


OF: 2

ADDRESS

Alliance Technical Group, LLC -
Seattle
3600 Fremont Ave N
Seattle, WA 98103
TEL: 206-352-3790
FAX: 206-352-7178
Website: www.fremontanalytical.com

SUB CONTRATOR: ARI		COMPANY: Analytical Resources Inc.		SPECIAL INSTRUCTIONS / COMMENTS: Standard TAT. Please email results to SEA.PM@alliancetg.com and invoices to both SEA.PM@alliancetg.com and ap@alliancetg.com.			
ADDRESS: 4611 South 134th Place, Suite 100							
CITY, STATE, ZIP: Tukwila, WA 98168							
PHONE: (206) 695-6200		FAX: EMAIL: 					
ACCOUNT #:							

ITEM #	SAMPLE ID	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS	COMMENTS: Methanol Preserved Weights HOT Sample Notation, Additional Sample Description.
1	2511351-005C	MW-323-251113	AMBER 250ML	Groundwater	11/13/2025 10:05:00 AM	1	TOC 9060
	C-TOC-W-9060						
2	2511351-006C	MW128-251113	AMBER 250ML	Groundwater	11/13/2025 11:14:00 AM	1	TOC 9060
	C-TOC-W-9060						
3	2511351-007C	MW-329-251113	AMBER 250ML	Groundwater	11/13/2025 12:12:00 PM	1	TOC 9060
	C-TOC-W-9060						
4	2511351-009C	MW-335-251113	AMBER 250ML	Groundwater	11/13/2025 2:00:00 PM	1	TOC 9060
	C-TOC-W-9060						
5	2511351-011C	MW-165-251113	AMBER 250ML	Groundwater	11/13/2025 11:00:00 AM	1	TOC 9060
	C-TOC-W-9060						
6	2511351-012C	MW-166-251113	AMBER 250ML	Groundwater	11/13/2025 9:45:00 AM	1	TOC 9060
	C-TOC-W-9060						
7	2511351-013C	MW-167-251113	AMBER 250ML	Groundwater	11/13/2025 10:45:00 AM	1	TOC 9060
	C-TOC-W-9060						
8	2511351-014C	MW-168-251113	AMBER 250ML	Groundwater	11/13/2025 11:48:00 AM	1	TOC 9060
	C-TOC-W-9060						
9	2511351-015C	MW-174-251113	AMBER 250ML	Groundwater	11/13/2025 1:00:00 PM	1	TOC 9060
	C-TOC-W-9060						

Relinquished By: 	Date: 11/14/25	Time: 9:08	Received By: 	Date: 11/14/25	Time: 1:30	REPORT TRANSMITTAL DESIRED: ☐ HARDCOPY (extra cost) ☐ FAX ☐ EMAIL ☐ ONLINE FOR LAB USE ONLY Temp of samples _____ °C Attempt to Cool ? _____ Comments: _____
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	

TAT: Standard ☐ RUSH Next BD ☐ 2nd BD ☐ 3rd BD ☐

Note: RUSH requests will incur surcharges!

25K0348

CHAIN OF CUSTODY RECORD

Omega COCID 2558



PAGE: 2

OF: 2

ADDRESS

Alliance Technical Group, LLC -
Seattle
3600 Fremont Ave N
Seattle, WA 98103
TEL: 206-352-3790
FAX: 206-352-7178
Website: www.fremontanalytical.com

SUB CONTRACTOR: ARI		COMPANY: Analytical Resources Inc.		SPECIAL INSTRUCTIONS / COMMENTS: Standard TAT. Please email results to SEA.PM@alliancetg.com and invoices to both SEA.PM@alliancetg.com and ap@alliancetg.com.			
ADDRESS: 4611 South 134th Place, Suite 100							
CITY, STATE, ZIP: Tukwila, WA 98168							
PHONE: (206) 695-6200		FAX: EMAIL:					
ACCOUNT #:							
ITEM #	SAMPLE ID	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS	COMMENTS: Methanol Preserved Weights HOT Sample Notation, Additional Sample Description.
10	2511351-016C C-TOC-W-9060	MW-175-251113	AMBER 250ML	Groundwater	11/13/2025 1:45:00 PM	1	TOC 9060

Relinquished By: 	Date: 11/14/25	Time: 908	Received By:  ARI	Date: 11/14/25	Time: 1305	REPORT TRANSMITTAL DESIRED: ☐ HARDCOPY (extra cost) ☐ FAX ☐ EMAIL ☐ ONLINE
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
TAT: Standard ☐ RUSH Next BD ☐ 2nd BD ☐ 3rd BD ☐						FOR LAB USE ONLY Temp of samples _____ °C Attempt to Cool ? _____ Comments: _____
Note: RUSH requests will incur surcharges!						Page 85 of 102



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511351
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:50

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-323-251113	25K0348-01	Water	13-Nov-2025 10:05	14-Nov-2025 13:04
MW128-251113	25K0348-02	Water	13-Nov-2025 11:14	14-Nov-2025 13:04
MW-329-251113	25K0348-03	Water	13-Nov-2025 12:12	14-Nov-2025 13:04
MW-335-251113	25K0348-04	Water	13-Nov-2025 14:00	14-Nov-2025 13:04
MW-165-251113	25K0348-05	Water	13-Nov-2025 11:00	14-Nov-2025 13:04
MW-166-251113	25K0348-06	Water	13-Nov-2025 09:45	14-Nov-2025 13:04
MW-167-251113	25K0348-07	Water	13-Nov-2025 10:45	14-Nov-2025 13:04
MW-168-251113	25K0348-08	Water	13-Nov-2025 11:48	14-Nov-2025 13:04
MW-174-251113	25K0348-09	Water	13-Nov-2025 13:00	14-Nov-2025 13:04
MW-175-251113	25K0348-10	Water	13-Nov-2025 13:45	14-Nov-2025 13:04



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511351
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:50

Work Order Case Narrative

Client: Alliance Technical Group, LLC.

Project: TOC

Project Number: 2511351

Work Order: 25K0348

Sample receipt

The sample(s) as listed on the preceding page were received 14-Nov-2025 13:04 under ARI work order 25K0348. For details regarding sample receipt, please refer to the Cooler Receipt Form.

Wet Chemistry

The sample(s) were prepared and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.

The matrix spike (MS) percent recoveries and the duplicate (DUP) relative percent difference (RPD) were within advisory control limits, except where flagged on the associated forms.



WORK ORDER

25K0348

Client: Alliance Technical Group, LLC.

Project Manager: Phillip Bates

Project: TOC

Project Number: [none]

Preservation Confirmation

Container ID	Container Type	pH	pH Paper Lot#: <u>N000119</u>
25K0348-01 A	Glass NM, Amber, 250 mL, 9N H2SO4		<u>< 2 P</u> ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓
25K0348-02 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0348-03 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0348-04 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0348-05 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0348-06 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0348-07 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0348-08 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0348-09 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0348-10 A	Glass NM, Amber, 250 mL, 9N H2SO4		

TT
Preservation Confirmed By

11/17/25
Date



Cooler Receipt Form

ARI Client: Alliance

Project Name: TOC

COC No(s): 25K0348 NA

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: NA

Assigned ARI Job No: 25K0348

Tracking No: NA

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler? YES NO

Were custody papers included with the cooler? YES NO

Were custody papers properly filled out (ink, signed, etc.) YES NO

Temperature of Cooler(s) (°C) Time 1304 7.8 5.8 Temp Gun ID#: 9708

Was a temperature blank included in the cooler? YES NO

Were coolers received between 0° - 6° (°C) YES NO

Was sufficient ice used (if appropriate)? NA YES NO

Cooler Accepted by: SA Date: 11/14/25 Time: 1304

Complete custody forms and attach all shipping documents

Log-In Phase:

What kind of packing material was used? Bubble Wrap Wet Ice Gel Packs Baggies Foam Block N/A Other: NA

Are any samples that were out of temperature compliance documented in LIMS? YES NO

How were bottles sealed in plastic bags? Individually Grouped Not

Did all bottles arrive in good condition (unbroken)? YES NO

Were all bottle labels complete and legible? YES NO

Did the number of containers listed on COC match with the number of containers received? YES NO

Did all bottle labels and tags agree with custody papers? YES NO

Were all bottles used correct for the requested analyses? YES NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ... NA YES NO

Were all VOC vials free of air bubbles? NA YES NO

Was sufficient amount of sample sent in each bottle? YES NO

Date VOC Trip Blank was made at ARI: NA

Were the sample(s) split by ARI? NA YES Date/Time: Equipment: Split by:

Samples Logged by: TT Date: 11/17/25 Time: 9:45 Labels checked by: TT

**** Notify Project Manager of discrepancies or concerns ****

Additional Notes, Discrepancies, & Resolutions:

By: Date:



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511351
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:50

MW-323-251113
25K0348-01 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/13/2025 10:05

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 10:52

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0348-01 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	21.52	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511351
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:50

MW128-251113
25K0348-02 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/13/2025 11:14

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 11:54

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0348-02 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	39.73	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511351
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:50

MW-329-251113
25K0348-03 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/13/2025 12:12

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 12:15

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0348-03 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	7.87	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511351
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:50

MW-335-251113
25K0348-04 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/13/2025 14:00

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 12:33

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0348-04 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	17.63	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511351
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:50

MW-165-251113
25K0348-05 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/13/2025 11:00

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 13:37

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0348-05 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	71.31	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511351
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:50

MW-166-251113
25K0348-06 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/13/2025 09:45

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 14:11

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0348-06 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	113.2	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511351
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:50

MW-167-251113
25K0348-07 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/13/2025 10:45

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 14:29

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0348-07 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	34.15	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511351
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:50

MW-168-251113
25K0348-08 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/13/2025 11:48

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 14:47

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0348-08 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	43.57	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511351
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:50

MW-174-251113
25K0348-09 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/13/2025 13:00

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 15:06

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0348-09 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	95.01	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511351
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:50

MW-175-251113
25K0348-10 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/13/2025 13:45

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 15:24

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0348-10 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	83.98	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511351
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:50

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BNK0490 - EPA 9060A in Water

Instrument: TOC-LCSH Analyst: RMS

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BNK0490-BLK1)					Prepared: 27-Nov-2025 Analyzed: 27-Nov-2025 10:12						
Total Organic Carbon	ND	0.50	0.50	mg/L							U
LCS (BNK0490-BS1)					Prepared: 27-Nov-2025 Analyzed: 27-Nov-2025 10:34						
Total Organic Carbon	20.11	0.50	0.50	mg/L	20.00		101	90-110			
Duplicate (BNK0490-DUP1)					Prepared: 27-Nov-2025 Analyzed: 27-Nov-2025 11:10						
Total Organic Carbon	20.75	0.50	0.50	mg/L		21.52			3.64	20	
Matrix Spike (BNK0490-MS1)					Prepared: 27-Nov-2025 Analyzed: 27-Nov-2025 11:36						
Total Organic Carbon	35.25	0.50	0.50	mg/L	20.00	21.52	68.7	75-125			*

Recovery limits for target analytes in MS/MSD QC samples are advisory only.



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511351
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:50

Uncertified Analytes included in this Report

Analysis Matrix & Analyte

None

Certified Analyses included in this Report

Analysis Matrix & Analyte

Certification Codes

EPA 9060A in Water

Total Organic Carbon

DoD-ELAP,WADOE,NELAP

Certifications

Code	Description	Number	Expires
DoD-ELAP	DoD-Environmental Laboratory Accreditation Program, PJLA Testing	66169	01/31/2026
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-018	05/12/2026
WADOE	WA Dept of Ecology	C558	06/30/2026



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511351
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:50

Notes and Definitions

- * Flagged value is not within established control limits.
- U This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- [2C] Indicates this result was quantified on the second column on a dual column analysis.
- ! Indicates that ARL is NOT ACCREDITED for this parameter in samples logged as 'Drinking Water'
- # Indicates that ARL is NOT ACCREDITED for this parameter in this analysis and matrix.

Geosyntec Consultants

Hannah Cohen

801 5th Ave Suite 2200

Seattle, WA 98104

RE: 700 Dexter, WO-AS240461-8485

Work Order Number: 2511409

December 03, 2025

Attention Hannah Cohen:

Alliance Technical Group, LLC - Seattle received 15 sample(s) on 11/14/2025 for the analyses presented in the following report.

Dissolved Gases by RSK-175

Ion Chromatography by EPA 300.0

Total Alkalinity by EPA 310.2

Total Metals by EPA 6020B

Total Organic Carbon by EPA Method 9060

Volatile Organic Compounds by EPA 8260D

All analyses were performed according to our accredited Quality Assurance program. Please contact the laboratory if you should have any questions about the results.

Alliance Technical Group is committed to accuracy, speed, and customer service. Thank you for choosing Alliance Technical Group's Seattle laboratory team for your analytical needs. We appreciate this opportunity to serve you!

Sincerely,



Matt Langston
Laboratory Director

CC:
Lea Kane

DoD-ELAP Accreditation #79636 by PJLA, ISO/IEC 17025:2017 and QSM 5.4 for Environmental Testing
ORELAP Certification: WA 100009 (NELAP Recognized) for Environmental Testing
Washington State Department of Ecology Accredited for Environmental Testing, Lab ID C910

Revision v1



CLIENT: Geosyntec Consultants
Project: 700 Dexter
Work Order: 2511409

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
2511409-001	MW-307-251114	11/14/2025 10:05 AM	11/14/2025 3:16 PM
2511409-002	MW-306-251114	11/14/2025 10:55 AM	11/14/2025 3:16 PM
2511409-003	MW124-251114	11/14/2025 11:50 AM	11/14/2025 3:16 PM
2511409-004	MW104-251114	11/14/2025 1:05 PM	11/14/2025 3:16 PM
2511409-005	MW-160-251114	11/14/2025 2:00 PM	11/14/2025 3:16 PM
2511409-006	MW-342-251114	11/14/2025 10:56 AM	11/14/2025 3:16 PM
2511409-007	MW-343-251114	11/14/2025 9:57 AM	11/14/2025 3:16 PM
2511409-008	MW119-251114	11/14/2025 12:23 PM	11/14/2025 3:16 PM
2511409-009	MW-185-251114	11/14/2025 2:10 PM	11/14/2025 3:16 PM
2511409-010	MW-187-251114	11/14/2025 12:47 PM	11/14/2025 3:16 PM
2511409-011	MW-188-251114	11/14/2025 12:05 PM	11/14/2025 3:16 PM
2511409-012	MW-186-251114	11/14/2025 11:30 AM	11/14/2025 3:16 PM
2511409-013	MW-176-251114	11/14/2025 10:30 AM	11/14/2025 3:16 PM
2511409-014	MW-173-251114	11/14/2025 10:05 AM	11/14/2025 3:16 PM
2511409-015	TRIP-251114	11/14/2025 12:00 AM	11/14/2025 3:16 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

CLIENT: Geosyntec Consultants

Project: 700 Dexter

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

Matrix Spike (MS) and MS Duplicate (MSD) samples are tested from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. The sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

2511409-006C

C-TOC-W-9060 has been Sub Contracted.

2511409-007C

C-TOC-W-9060 has been Sub Contracted.

2511409-009C

C-TOC-W-9060 has been Sub Contracted.

2511409-010C

C-TOC-W-9060 has been Sub Contracted.

2511409-011C

C-TOC-W-9060 has been Sub Contracted.

2511409-012C

C-TOC-W-9060 has been Sub Contracted.

2511409-013C

C-TOC-W-9060 has been Sub Contracted.

2511409-014C

C-TOC-W-9060 has been Sub Contracted.

1/12/2026: Rev1 includes additional continued calibration samples for EPA 300.0 per client request.

Qualifiers:

- * - Associated LCS is outside of control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Method Detection Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- DUP - Sample Duplicate
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MCL - Maximum Contaminant Level
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- REP - Sample Replicate
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 10:05:00 AM

Project: 700 Dexter

Lab ID: 2511409-001

Matrix: Groundwater

Client Sample ID: MW-307-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/19/25 0:14:28
Chloromethane	ND	1.00	0.218		µg/L	1	11/19/25 0:14:28
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/19/25 0:14:28
Bromomethane	ND	2.00	0.386		µg/L	1	11/19/25 0:14:28
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/19/25 0:14:28
Chloroethane	ND	1.00	0.334		µg/L	1	11/19/25 0:14:28
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/19/25 0:14:28
Acetone	ND	5.00	2.55	Q	µg/L	1	11/19/25 0:14:28
Methylene chloride	ND	2.00	0.649		µg/L	1	11/19/25 0:14:28
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/19/25 0:14:28
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/19/25 0:14:28
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/19/25 0:14:28
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/19/25 0:14:28
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/19/25 0:14:28
Chloroform	ND	0.500	0.0865		µg/L	1	11/19/25 0:14:28
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/19/25 0:14:28
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/19/25 0:14:28
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/19/25 0:14:28
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/19/25 0:14:28
Benzene	ND	0.200	0.0540		µg/L	1	11/19/25 0:14:28
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/19/25 0:14:28
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/19/25 0:14:28
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/19/25 0:14:28
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/19/25 0:14:28
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/19/25 0:14:28
Toluene	ND	0.500	0.129		µg/L	1	11/19/25 0:14:28
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/19/25 0:14:28
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/19/25 0:14:28
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/19/25 0:14:28
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/19/25 0:14:28
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/19/25 0:14:28

Client: Geosyntec Consultants

Collection Date: 11/14/2025 10:05:00 AM

Project: 700 Dexter

Lab ID: 2511409-001

Matrix: Groundwater

Client Sample ID: MW-307-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/19/25 0:14:28
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/19/25 0:14:28
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/19/25 0:14:28
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/19/25 0:14:28
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/19/25 0:14:28
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/19/25 0:14:28
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/19/25 0:14:28
o-Xylene	ND	0.500	0.144		µg/L	1	11/19/25 0:14:28
Styrene	ND	0.500	0.115		µg/L	1	11/19/25 0:14:28
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/19/25 0:14:28
Bromoform	ND	0.500	0.0986		µg/L	1	11/19/25 0:14:28
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/19/25 0:14:28
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/19/25 0:14:28
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/19/25 0:14:28
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/19/25 0:14:28
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/19/25 0:14:28
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/19/25 0:14:28
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/19/25 0:14:28
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/19/25 0:14:28
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/19/25 0:14:28
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/19/25 0:14:28
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/19/25 0:14:28
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/19/25 0:14:28
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/19/25 0:14:28
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/19/25 0:14:28
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/19/25 0:14:28
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/19/25 0:14:28
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/19/25 0:14:28
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/19/25 0:14:28
Naphthalene	ND	1.25	0.405		µg/L	1	11/19/25 0:14:28
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/19/25 0:14:28



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 10:05:00 AM

Project: 700 Dexter

Lab ID: 2511409-001

Matrix: Groundwater

Client Sample ID: MW-307-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50078

Analyst: DI

Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/19/25 0:14:28
Surr: Toluene-d8	103	80 - 121			%Rec	1	11/19/25 0:14:28
Surr: 1-Bromo-4-fluorobenzene	98.7	79.7 - 120			%Rec	1	11/19/25 0:14:28

NOTES:

Q - Associated calibration verification is below acceptance criteria (74%, nominal 80-120). Result may be low-biased.



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 10:55:00 AM

Project: 700 Dexter

Lab ID: 2511409-002

Matrix: Groundwater

Client Sample ID: MW-306-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/19/25 0:41:22
Chloromethane	ND	1.00	0.218		µg/L	1	11/19/25 0:41:22
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/19/25 0:41:22
Bromomethane	ND	2.00	0.386		µg/L	1	11/19/25 0:41:22
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/19/25 0:41:22
Chloroethane	ND	1.00	0.334		µg/L	1	11/19/25 0:41:22
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/19/25 0:41:22
Acetone	ND	5.00	2.55	Q	µg/L	1	11/19/25 0:41:22
Methylene chloride	ND	2.00	0.649		µg/L	1	11/19/25 0:41:22
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/19/25 0:41:22
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/19/25 0:41:22
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/19/25 0:41:22
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/19/25 0:41:22
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/19/25 0:41:22
Chloroform	ND	0.500	0.0865		µg/L	1	11/19/25 0:41:22
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/19/25 0:41:22
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/19/25 0:41:22
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/19/25 0:41:22
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/19/25 0:41:22
Benzene	ND	0.200	0.0540		µg/L	1	11/19/25 0:41:22
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/19/25 0:41:22
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/19/25 0:41:22
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/19/25 0:41:22
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/19/25 0:41:22
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/19/25 0:41:22
Toluene	ND	0.500	0.129		µg/L	1	11/19/25 0:41:22
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/19/25 0:41:22
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/19/25 0:41:22
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/19/25 0:41:22
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/19/25 0:41:22
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/19/25 0:41:22

Client: Geosyntec Consultants

Collection Date: 11/14/2025 10:55:00 AM

Project: 700 Dexter

Lab ID: 2511409-002

Matrix: Groundwater

Client Sample ID: MW-306-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/19/25 0:41:22
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/19/25 0:41:22
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/19/25 0:41:22
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/19/25 0:41:22
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/19/25 0:41:22
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/19/25 0:41:22
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/19/25 0:41:22
o-Xylene	ND	0.500	0.144		µg/L	1	11/19/25 0:41:22
Styrene	ND	0.500	0.115		µg/L	1	11/19/25 0:41:22
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/19/25 0:41:22
Bromoform	ND	0.500	0.0986		µg/L	1	11/19/25 0:41:22
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/19/25 0:41:22
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/19/25 0:41:22
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/19/25 0:41:22
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/19/25 0:41:22
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/19/25 0:41:22
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/19/25 0:41:22
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/19/25 0:41:22
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/19/25 0:41:22
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/19/25 0:41:22
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/19/25 0:41:22
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/19/25 0:41:22
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/19/25 0:41:22
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/19/25 0:41:22
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/19/25 0:41:22
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/19/25 0:41:22
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/19/25 0:41:22
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/19/25 0:41:22
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/19/25 0:41:22
Naphthalene	ND	1.25	0.405		µg/L	1	11/19/25 0:41:22
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/19/25 0:41:22



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 10:55:00 AM

Project: 700 Dexter

Lab ID: 2511409-002

Matrix: Groundwater

Client Sample ID: MW-306-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50078

Analyst: DI

Surr: Dibromofluoromethane	101	79.9 - 122			%Rec	1	11/19/25 0:41:22
Surr: Toluene-d8	102	80 - 121			%Rec	1	11/19/25 0:41:22
Surr: 1-Bromo-4-fluorobenzene	98.5	79.7 - 120			%Rec	1	11/19/25 0:41:22

NOTES:

Q - Associated calibration verification is below acceptance criteria (74%, nominal 80-120). Result may be low-biased.

Client: Geosyntec Consultants

Collection Date: 11/14/2025 11:50:00 AM

Project: 700 Dexter

Lab ID: 2511409-003

Matrix: Groundwater

Client Sample ID: MW124-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 18:00:41
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 18:00:41
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/18/25 18:00:41
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 18:00:41
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 18:00:41
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 18:00:41
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 18:00:41
Acetone	ND	5.00	2.55		µg/L	1	11/18/25 18:00:41
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 18:00:41
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 18:00:41
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 18:00:41
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 18:00:41
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/18/25 18:00:41
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 18:00:41
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 18:00:41
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 18:00:41
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 18:00:41
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 18:00:41
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 18:00:41
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 18:00:41
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 18:00:41
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 18:00:41
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 18:00:41
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 18:00:41
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 18:00:41
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 18:00:41
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 18:00:41
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 18:00:41
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 18:00:41
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 18:00:41
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 18:00:41



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 11:50:00 AM

Project: 700 Dexter

Lab ID: 2511409-003

Matrix: Groundwater

Client Sample ID: MW124-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 18:00:41
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 18:00:41
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/18/25 18:00:41
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 18:00:41
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 18:00:41
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 18:00:41
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 18:00:41
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 18:00:41
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 18:00:41
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 18:00:41
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 18:00:41
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 18:00:41
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 18:00:41
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 18:00:41
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 18:00:41
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 18:00:41
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 18:00:41
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 18:00:41
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 18:00:41
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 18:00:41
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 18:00:41
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 18:00:41
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 18:00:41
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 18:00:41
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 18:00:41
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 18:00:41
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 18:00:41
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 18:00:41
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 18:00:41
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 18:00:41
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 18:00:41



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511409-003
Client Sample ID: MW124-251114

Collection Date: 11/14/2025 11:50:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50078		Analyst: DI	
Surr: Dibromofluoromethane	101	79.9 - 122			%Rec	1	11/18/25 18:00:41
Surr: Toluene-d8	102	80 - 121			%Rec	1	11/18/25 18:00:41
Surr: 1-Bromo-4-fluorobenzene	99.7	79.7 - 120			%Rec	1	11/18/25 18:00:41



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 1:05:00 PM

Project: 700 Dexter

Lab ID: 2511409-004

Matrix: Groundwater

Client Sample ID: MW104-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 18:54:27
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 18:54:27
Vinyl chloride	16.2	0.200	0.0455		µg/L	1	11/18/25 18:54:27
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 18:54:27
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 18:54:27
Chloroethane	10.9	1.00	0.334		µg/L	1	11/18/25 18:54:27
1,1-Dichloroethene	0.500	0.500	0.122	J	µg/L	1	11/18/25 18:54:27
Acetone	ND	5.00	2.55		µg/L	1	11/18/25 18:54:27
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 18:54:27
trans-1,2-Dichloroethene	0.469	0.500	0.115	J	µg/L	1	11/18/25 18:54:27
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 18:54:27
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 18:54:27
cis-1,2-Dichloroethene	13.4	0.500	0.164		µg/L	1	11/18/25 18:54:27
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 18:54:27
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 18:54:27
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 18:54:27
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 18:54:27
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 18:54:27
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 18:54:27
Benzene	0.0908	0.200	0.0540	J	µg/L	1	11/18/25 18:54:27
Trichloroethene (TCE)	0.375	0.500	0.135	J	µg/L	1	11/18/25 18:54:27
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 18:54:27
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 18:54:27
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 18:54:27
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 18:54:27
Toluene	0.448	0.500	0.129	J	µg/L	1	11/18/25 18:54:27
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 18:54:27
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 18:54:27
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 18:54:27
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 18:54:27
Tetrachloroethene (PCE)	0.119	0.500	0.102	J	µg/L	1	11/18/25 18:54:27



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 1:05:00 PM

Project: 700 Dexter

Lab ID: 2511409-004

Matrix: Groundwater

Client Sample ID: MW104-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 18:54:27
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 18:54:27
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/18/25 18:54:27
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 18:54:27
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 18:54:27
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 18:54:27
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 18:54:27
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 18:54:27
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 18:54:27
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 18:54:27
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 18:54:27
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 18:54:27
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 18:54:27
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 18:54:27
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 18:54:27
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 18:54:27
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 18:54:27
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 18:54:27
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 18:54:27
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 18:54:27
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 18:54:27
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 18:54:27
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 18:54:27
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 18:54:27
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 18:54:27
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 18:54:27
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 18:54:27
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 18:54:27
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 18:54:27
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 18:54:27
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 18:54:27



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511409-004
Client Sample ID: MW104-251114

Collection Date: 11/14/2025 1:05:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50078

Analyst: DI

Surr: Dibromofluoromethane	106	79.9 - 122			%Rec	1	11/18/25 18:54:27
Surr: Toluene-d8	101	80 - 121			%Rec	1	11/18/25 18:54:27
Surr: 1-Bromo-4-fluorobenzene	100	79.7 - 120			%Rec	1	11/18/25 18:54:27



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 2:00:00 PM

Project: 700 Dexter

Lab ID: 2511409-005

Matrix: Groundwater

Client Sample ID: MW-160-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 19:21:20
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 19:21:20
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/18/25 19:21:20
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 19:21:20
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 19:21:20
Chloroethane	1.42	1.00	0.334		µg/L	1	11/18/25 19:21:20
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 19:21:20
Acetone	ND	5.00	2.55		µg/L	1	11/18/25 19:21:20
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 19:21:20
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 19:21:20
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 19:21:20
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 19:21:20
cis-1,2-Dichloroethene	0.213	0.500	0.164	J	µg/L	1	11/18/25 19:21:20
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 19:21:20
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 19:21:20
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 19:21:20
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 19:21:20
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 19:21:20
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 19:21:20
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 19:21:20
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 19:21:20
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 19:21:20
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 19:21:20
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 19:21:20
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 19:21:20
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 19:21:20
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 19:21:20
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 19:21:20
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 19:21:20
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 19:21:20
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 19:21:20



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511409-005
Client Sample ID: MW-160-251114

Collection Date: 11/14/2025 2:00:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 19:21:20
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 19:21:20
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/18/25 19:21:20
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 19:21:20
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 19:21:20
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 19:21:20
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 19:21:20
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 19:21:20
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 19:21:20
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 19:21:20
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 19:21:20
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 19:21:20
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 19:21:20
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 19:21:20
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 19:21:20
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 19:21:20
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 19:21:20
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 19:21:20
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 19:21:20
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 19:21:20
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 19:21:20
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 19:21:20
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 19:21:20
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 19:21:20
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 19:21:20
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 19:21:20
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 19:21:20
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 19:21:20
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 19:21:20
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 19:21:20
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 19:21:20



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511409-005
Client Sample ID: MW-160-251114

Collection Date: 11/14/2025 2:00:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50078		Analyst: DI	
Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/18/25 19:21:20
Surr: Toluene-d8	102	80 - 121			%Rec	1	11/18/25 19:21:20
Surr: 1-Bromo-4-fluorobenzene	98.0	79.7 - 120			%Rec	1	11/18/25 19:21:20

Client: Geosyntec Consultants

Collection Date: 11/14/2025 10:56:00 AM

Project: 700 Dexter

Lab ID: 2511409-006

Matrix: Groundwater

Client Sample ID: MW-342-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10483		Analyst: BCA	
Methane	3.85	0.250	0.225	D	mg/L	50	11/19/25 15:05:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/19/25 14:25:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/19/25 14:25:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50078		Analyst: DI	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 21:33:04
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 21:33:04
Vinyl chloride	8.56	0.200	0.0455		µg/L	1	11/18/25 21:33:04
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 21:33:04
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 21:33:04
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 21:33:04
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 21:33:04
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 21:33:04
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 21:33:04
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 21:33:04
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 21:33:04
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 21:33:04
cis-1,2-Dichloroethene	9.55	0.500	0.164		µg/L	1	11/18/25 21:33:04
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 21:33:04
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 21:33:04
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 21:33:04
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 21:33:04
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 21:33:04
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 21:33:04
Benzene	2.07	0.200	0.0540		µg/L	1	11/18/25 21:33:04
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 21:33:04
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 21:33:04
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 21:33:04
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 21:33:04
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 21:33:04
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 21:33:04
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 21:33:04

Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 10:56:00 AM

Project: 700 Dexter

Lab ID: 2511409-006

Matrix: Groundwater

Client Sample ID: MW-342-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 21:33:04
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 21:33:04
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 21:33:04
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 21:33:04
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 21:33:04
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 21:33:04
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/18/25 21:33:04
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 21:33:04
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 21:33:04
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 21:33:04
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 21:33:04
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 21:33:04
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 21:33:04
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 21:33:04
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 21:33:04
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 21:33:04
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 21:33:04
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 21:33:04
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 21:33:04
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 21:33:04
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 21:33:04
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 21:33:04
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 21:33:04
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 21:33:04
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 21:33:04
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 21:33:04
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 21:33:04
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 21:33:04
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 21:33:04
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 21:33:04
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 21:33:04



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 10:56:00 AM

Project: 700 Dexter

Lab ID: 2511409-006

Matrix: Groundwater

Client Sample ID: MW-342-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50078		Analyst: DI	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 21:33:04
Hexachloro-1,3-butadiene	0.359	1.00	0.192	J	µg/L	1	11/18/25 21:33:04
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 21:33:04
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 21:33:04
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/18/25 21:33:04
Surr: Toluene-d8	102	80 - 121			%Rec	1	11/18/25 21:33:04
Surr: 1-Bromo-4-fluorobenzene	98.6	79.7 - 120			%Rec	1	11/18/25 21:33:04
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50046		Analyst: BB	
Chloride	21.0	0.600	0.0609		mg/L	1	11/15/25 2:22:00
Nitrate (as N)	0.0650	0.150	0.0258	J	mg/L	1	11/15/25 2:22:00
Sulfate	21.8	1.00	0.286		mg/L	1	11/15/25 2:22:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50101		Analyst: ME	
Iron	6,010	50.0	10.1		µg/L	1	11/20/25 18:32:00
Manganese	491	0.500	0.208		µg/L	1	11/20/25 18:32:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10483		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	441	50.0	15.8	D	mg/L	20	11/19/25 13:55:00

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511409-007
Client Sample ID: MW-343-251114

Collection Date: 11/14/2025 9:57:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10483		Analyst: BCA	
Methane	1.04	0.0500	0.0451	D	mg/L	10	11/19/25 15:07:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/19/25 14:28:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/19/25 14:28:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50078		Analyst: DI	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 21:59:59
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 21:59:59
Vinyl chloride	6.83	0.200	0.0455		µg/L	1	11/18/25 21:59:59
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 21:59:59
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 21:59:59
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 21:59:59
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 21:59:59
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 21:59:59
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 21:59:59
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 21:59:59
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 21:59:59
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 21:59:59
cis-1,2-Dichloroethene	2.43	0.500	0.164		µg/L	1	11/18/25 21:59:59
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 21:59:59
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 21:59:59
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 21:59:59
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 21:59:59
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 21:59:59
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 21:59:59
Benzene	0.0740	0.200	0.0540	J	µg/L	1	11/18/25 21:59:59
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 21:59:59
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 21:59:59
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 21:59:59
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 21:59:59
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 21:59:59
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 21:59:59
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 21:59:59



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 9:57:00 AM

Project: 700 Dexter

Lab ID: 2511409-007

Matrix: Groundwater

Client Sample ID: MW-343-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 21:59:59
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 21:59:59
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 21:59:59
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 21:59:59
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 21:59:59
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 21:59:59
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/18/25 21:59:59
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 21:59:59
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 21:59:59
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 21:59:59
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 21:59:59
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 21:59:59
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 21:59:59
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 21:59:59
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 21:59:59
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 21:59:59
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 21:59:59
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 21:59:59
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 21:59:59
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 21:59:59
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 21:59:59
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 21:59:59
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 21:59:59
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 21:59:59
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 21:59:59
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 21:59:59
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 21:59:59
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 21:59:59
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 21:59:59
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 21:59:59
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 21:59:59



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511409-007
Client Sample ID: MW-343-251114

Collection Date: 11/14/2025 9:57:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078			Analyst: DI	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 21:59:59
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 21:59:59
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 21:59:59
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 21:59:59
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/18/25 21:59:59
Surr: Toluene-d8	102	80 - 121			%Rec	1	11/18/25 21:59:59
Surr: 1-Bromo-4-fluorobenzene	98.9	79.7 - 120			%Rec	1	11/18/25 21:59:59
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 50046			Analyst: BB	
Chloride	32.9	0.600	0.0609		mg/L	1	11/15/25 2:35:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/15/25 2:35:00
Sulfate	1.40	1.00	0.286		mg/L	1	11/15/25 2:35:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 50101			Analyst: ME	
Iron	6,650	500	101	D	µg/L	10	11/21/25 12:15:00
Manganese	2,330	5.00	2.08	D	µg/L	10	11/21/25 12:15:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10483			Analyst: NR	
Alkalinity, Total (As CaCO ₃)	378	50.0	15.8	D	mg/L	20	11/19/25 13:57:00



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 12:23:00 PM

Project: 700 Dexter

Lab ID: 2511409-008

Matrix: Groundwater

Client Sample ID: MW119-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 22:26:53
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 22:26:53
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/18/25 22:26:53
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 22:26:53
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 22:26:53
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 22:26:53
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 22:26:53
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 22:26:53
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 22:26:53
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 22:26:53
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 22:26:53
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 22:26:53
cis-1,2-Dichloroethene	4.71	0.500	0.164		µg/L	1	11/18/25 22:26:53
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 22:26:53
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 22:26:53
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 22:26:53
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 22:26:53
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 22:26:53
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 22:26:53
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 22:26:53
Trichloroethene (TCE)	2.60	0.500	0.135		µg/L	1	11/18/25 22:26:53
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 22:26:53
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 22:26:53
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 22:26:53
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 22:26:53
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 22:26:53
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 22:26:53
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 22:26:53
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 22:26:53
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 22:26:53
Tetrachloroethene (PCE)	1.17	0.500	0.102		µg/L	1	11/18/25 22:26:53



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 12:23:00 PM

Project: 700 Dexter

Lab ID: 2511409-008

Matrix: Groundwater

Client Sample ID: MW119-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 22:26:53
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 22:26:53
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/18/25 22:26:53
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 22:26:53
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 22:26:53
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 22:26:53
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 22:26:53
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 22:26:53
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 22:26:53
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 22:26:53
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 22:26:53
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 22:26:53
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 22:26:53
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 22:26:53
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 22:26:53
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 22:26:53
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 22:26:53
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 22:26:53
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 22:26:53
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 22:26:53
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 22:26:53
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 22:26:53
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 22:26:53
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 22:26:53
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 22:26:53
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 22:26:53
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 22:26:53
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 22:26:53
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 22:26:53
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 22:26:53
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 22:26:53



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 12:23:00 PM

Project: 700 Dexter

Lab ID: 2511409-008

Matrix: Groundwater

Client Sample ID: MW119-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50078

Analyst: DI

Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/18/25 22:26:53
Surr: Toluene-d8	102	80 - 121			%Rec	1	11/18/25 22:26:53
Surr: 1-Bromo-4-fluorobenzene	99.4	79.7 - 120			%Rec	1	11/18/25 22:26:53

NOTES:

Q - Associated calibration verification is below acceptance criteria (74%, nominal 80-120). Result may be low-biased.

Client: Geosyntec Consultants

Collection Date: 11/14/2025 2:10:00 PM

Project: 700 Dexter

Lab ID: 2511409-009

Matrix: Groundwater

Client Sample ID: MW-185-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10483		Analyst: BCA	
Methane	7.81	0.250	0.225	D	mg/L	50	11/19/25 15:13:00
Ethene	0.00666	0.0100	0.00610	J	mg/L	1	11/19/25 14:30:00
Ethane	0.0376	0.0100	0.00754		mg/L	1	11/19/25 14:30:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50078		Analyst: DI	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 22:53:46
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 22:53:46
Vinyl chloride	1.36	0.200	0.0455		µg/L	1	11/18/25 22:53:46
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 22:53:46
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 22:53:46
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 22:53:46
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 22:53:46
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 22:53:46
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 22:53:46
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 22:53:46
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 22:53:46
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 22:53:46
cis-1,2-Dichloroethene	0.475	0.500	0.164	J	µg/L	1	11/18/25 22:53:46
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 22:53:46
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 22:53:46
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 22:53:46
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 22:53:46
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 22:53:46
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 22:53:46
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 22:53:46
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 22:53:46
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 22:53:46
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 22:53:46
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 22:53:46
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 22:53:46
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 22:53:46
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 22:53:46



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 2:10:00 PM

Project: 700 Dexter

Lab ID: 2511409-009

Matrix: Groundwater

Client Sample ID: MW-185-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 22:53:46
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 22:53:46
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 22:53:46
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 22:53:46
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 22:53:46
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 22:53:46
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/18/25 22:53:46
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 22:53:46
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 22:53:46
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 22:53:46
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 22:53:46
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 22:53:46
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 22:53:46
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 22:53:46
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 22:53:46
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 22:53:46
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 22:53:46
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 22:53:46
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 22:53:46
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 22:53:46
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 22:53:46
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 22:53:46
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 22:53:46
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 22:53:46
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 22:53:46
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 22:53:46
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 22:53:46
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 22:53:46
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 22:53:46
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 22:53:46
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 22:53:46

Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511409-009
Client Sample ID: MW-185-251114

Collection Date: 11/14/2025 2:10:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50078		Analyst: DI	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 22:53:46
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 22:53:46
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 22:53:46
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 22:53:46
Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/18/25 22:53:46
Surr: Toluene-d8	103	80 - 121			%Rec	1	11/18/25 22:53:46
Surr: 1-Bromo-4-fluorobenzene	99.5	79.7 - 120			%Rec	1	11/18/25 22:53:46
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50046		Analyst: BB	
Chloride	170	60.0	6.09	D	mg/L	100	11/17/25 12:08:00
Nitrate (as N)	0.0490	0.150	0.0258	J	mg/L	1	11/15/25 2:48:00
Sulfate	0.327	1.00	0.286	J	mg/L	1	11/15/25 2:48:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50105		Analyst: ME	
Iron	15,600	500	101	D	µg/L	10	11/24/25 17:28:00
Manganese	3,380	5.00	2.08	D	µg/L	10	11/24/25 17:28:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10483		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	1,690	200	63.0	D	mg/L	80	11/19/25 16:02:00



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 12:47:00 PM

Project: 700 Dexter

Lab ID: 2511409-010

Matrix: Groundwater

Client Sample ID: MW-187-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10483		Analyst: BCA	
Methane	10.5	0.500	0.450	D	mg/L	100	11/19/25 15:17:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/19/25 14:34:00
Ethane	0.380	0.0100	0.00754		mg/L	1	11/19/25 14:34:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50078		Analyst: DI	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 23:20:39
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 23:20:39
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/18/25 23:20:39
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 23:20:39
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 23:20:39
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 23:20:39
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 23:20:39
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 23:20:39
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 23:20:39
trans-1,2-Dichloroethene	0.128	0.500	0.115	J	µg/L	1	11/18/25 23:20:39
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 23:20:39
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 23:20:39
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/18/25 23:20:39
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 23:20:39
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 23:20:39
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 23:20:39
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 23:20:39
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 23:20:39
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 23:20:39
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 23:20:39
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 23:20:39
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 23:20:39
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 23:20:39
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 23:20:39
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 23:20:39
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 23:20:39
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 23:20:39



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 12:47:00 PM

Project: 700 Dexter

Lab ID: 2511409-010

Matrix: Groundwater

Client Sample ID: MW-187-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 23:20:39
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 23:20:39
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 23:20:39
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 23:20:39
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 23:20:39
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 23:20:39
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/18/25 23:20:39
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 23:20:39
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 23:20:39
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 23:20:39
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 23:20:39
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 23:20:39
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 23:20:39
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 23:20:39
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 23:20:39
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 23:20:39
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 23:20:39
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 23:20:39
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 23:20:39
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 23:20:39
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 23:20:39
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 23:20:39
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 23:20:39
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 23:20:39
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 23:20:39
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 23:20:39
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 23:20:39
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 23:20:39
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 23:20:39
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 23:20:39
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 23:20:39

Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 12:47:00 PM

Project: 700 Dexter

Lab ID: 2511409-010

Matrix: Groundwater

Client Sample ID: MW-187-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50078

Analyst: DI

1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 23:20:39
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 23:20:39
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 23:20:39
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 23:20:39
Surr: Dibromofluoromethane	105	79.9 - 122			%Rec	1	11/18/25 23:20:39
Surr: Toluene-d8	102	80 - 121			%Rec	1	11/18/25 23:20:39
Surr: 1-Bromo-4-fluorobenzene	99.9	79.7 - 120			%Rec	1	11/18/25 23:20:39

NOTES:

Q - Associated calibration verification is below acceptance criteria (74%, nominal 80-120). Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 50046

Analyst: BB

Chloride	94.9	60.0	6.09	D	mg/L	100	11/17/25 12:21:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/15/25 3:00:00
Sulfate	0.344	1.00	0.286	J	mg/L	1	11/15/25 3:00:00

Total Metals by EPA 6020B

Batch ID: 50101

Analyst: ME

Iron	10,000	500	101	D	µg/L	10	11/21/25 12:18:00
Manganese	1,980	5.00	2.08	D	µg/L	10	11/21/25 12:18:00

Total Alkalinity by EPA 310.2

Batch ID: R10483

Analyst: NR

Alkalinity, Total (As CaCO ₃)	1,270	100	31.5	D	mg/L	40	11/19/25 15:50:00
---	-------	-----	------	---	------	----	-------------------

Client: Geosyntec Consultants

Collection Date: 11/14/2025 12:05:00 PM

Project: 700 Dexter

Lab ID: 2511409-011

Matrix: Groundwater

Client Sample ID: MW-188-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10483		Analyst: BCA	
Methane	2.52	0.100	0.0901	D	mg/L	20	11/19/25 15:20:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/19/25 14:40:00
Ethane	0.0215	0.0100	0.00754		mg/L	1	11/19/25 14:40:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50078		Analyst: DI	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 23:47:33
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 23:47:33
Vinyl chloride	0.419	0.200	0.0455		µg/L	1	11/18/25 23:47:33
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 23:47:33
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 23:47:33
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 23:47:33
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 23:47:33
Acetone	ND	5.00	2.55	Q	µg/L	1	11/18/25 23:47:33
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 23:47:33
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 23:47:33
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 23:47:33
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 23:47:33
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/18/25 23:47:33
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 23:47:33
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 23:47:33
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 23:47:33
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 23:47:33
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 23:47:33
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 23:47:33
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 23:47:33
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 23:47:33
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 23:47:33
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 23:47:33
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 23:47:33
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 23:47:33
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 23:47:33
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 23:47:33



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 12:05:00 PM

Project: 700 Dexter

Lab ID: 2511409-011

Matrix: Groundwater

Client Sample ID: MW-188-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 23:47:33
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 23:47:33
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 23:47:33
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 23:47:33
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 23:47:33
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 23:47:33
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/18/25 23:47:33
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 23:47:33
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 23:47:33
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 23:47:33
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 23:47:33
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 23:47:33
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 23:47:33
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 23:47:33
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 23:47:33
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 23:47:33
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 23:47:33
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 23:47:33
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 23:47:33
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 23:47:33
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 23:47:33
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 23:47:33
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 23:47:33
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 23:47:33
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 23:47:33
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 23:47:33
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 23:47:33
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 23:47:33
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 23:47:33
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 23:47:33
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 23:47:33

Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 12:05:00 PM

Project: 700 Dexter

Lab ID: 2511409-011

Matrix: Groundwater

Client Sample ID: MW-188-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50078

Analyst: DI

1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 23:47:33
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 23:47:33
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 23:47:33
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 23:47:33
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/18/25 23:47:33
Surr: Toluene-d8	103	80 - 121			%Rec	1	11/18/25 23:47:33
Surr: 1-Bromo-4-fluorobenzene	99.3	79.7 - 120			%Rec	1	11/18/25 23:47:33

NOTES:

Q - Associated calibration verification is below acceptance criteria (74%, nominal 80-120). Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 50046

Analyst: BB

Chloride	47.5	0.600	0.0609		mg/L	1	11/15/25 3:13:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/15/25 3:13:00
Sulfate	10.1	1.00	0.286		mg/L	1	11/15/25 3:13:00

Total Metals by EPA 6020B

Batch ID: 50101

Analyst: ME

Iron	20,500	50.0	10.1		µg/L	1	11/20/25 18:55:00
Manganese	765	0.500	0.208		µg/L	1	11/20/25 18:55:00

Total Alkalinity by EPA 310.2

Batch ID: R10483

Analyst: NR

Alkalinity, Total (As CaCO ₃)	253	50.0	15.8	D	mg/L	20	11/19/25 13:58:00
---	-----	------	------	---	------	----	-------------------



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 11:30:00 AM

Project: 700 Dexter

Lab ID: 2511409-012

Matrix: Groundwater

Client Sample ID: MW-186-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10483		Analyst: BCA	
Methane	13.2	0.500	0.450	D	mg/L	100	11/19/25 15:23:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/19/25 14:44:00
Ethane	0.146	0.0100	0.00754		mg/L	1	11/19/25 14:44:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50078		Analyst: DI	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/19/25 1:08:19
Chloromethane	ND	1.00	0.218		µg/L	1	11/19/25 1:08:19
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/19/25 1:08:19
Bromomethane	ND	2.00	0.386		µg/L	1	11/19/25 1:08:19
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/19/25 1:08:19
Chloroethane	ND	1.00	0.334		µg/L	1	11/19/25 1:08:19
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/19/25 1:08:19
Acetone	ND	5.00	2.55	Q	µg/L	1	11/19/25 1:08:19
Methylene chloride	ND	2.00	0.649		µg/L	1	11/19/25 1:08:19
trans-1,2-Dichloroethene	0.468	0.500	0.115	J	µg/L	1	11/19/25 1:08:19
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/19/25 1:08:19
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/19/25 1:08:19
cis-1,2-Dichloroethene	0.230	0.500	0.164	J	µg/L	1	11/19/25 1:08:19
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/19/25 1:08:19
Chloroform	ND	0.500	0.0865		µg/L	1	11/19/25 1:08:19
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/19/25 1:08:19
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/19/25 1:08:19
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/19/25 1:08:19
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/19/25 1:08:19
Benzene	ND	0.200	0.0540		µg/L	1	11/19/25 1:08:19
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/19/25 1:08:19
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/19/25 1:08:19
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/19/25 1:08:19
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/19/25 1:08:19
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/19/25 1:08:19
Toluene	ND	0.500	0.129		µg/L	1	11/19/25 1:08:19
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/19/25 1:08:19

Client: Geosyntec Consultants

Collection Date: 11/14/2025 11:30:00 AM

Project: 700 Dexter

Lab ID: 2511409-012

Matrix: Groundwater

Client Sample ID: MW-186-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/19/25 1:08:19
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/19/25 1:08:19
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/19/25 1:08:19
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/19/25 1:08:19
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/19/25 1:08:19
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/19/25 1:08:19
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/19/25 1:08:19
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/19/25 1:08:19
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/19/25 1:08:19
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/19/25 1:08:19
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/19/25 1:08:19
o-Xylene	ND	0.500	0.144		µg/L	1	11/19/25 1:08:19
Styrene	ND	0.500	0.115		µg/L	1	11/19/25 1:08:19
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/19/25 1:08:19
Bromoform	ND	0.500	0.0986		µg/L	1	11/19/25 1:08:19
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/19/25 1:08:19
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/19/25 1:08:19
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/19/25 1:08:19
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/19/25 1:08:19
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/19/25 1:08:19
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/19/25 1:08:19
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/19/25 1:08:19
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/19/25 1:08:19
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/19/25 1:08:19
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/19/25 1:08:19
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/19/25 1:08:19
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/19/25 1:08:19
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/19/25 1:08:19
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/19/25 1:08:19
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/19/25 1:08:19
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/19/25 1:08:19

Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 11:30:00 AM

Project: 700 Dexter

Lab ID: 2511409-012

Matrix: Groundwater

Client Sample ID: MW-186-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50078

Analyst: DI

1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/19/25 1:08:19
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/19/25 1:08:19
Naphthalene	ND	1.25	0.405		µg/L	1	11/19/25 1:08:19
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/19/25 1:08:19
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/19/25 1:08:19
Surr: Toluene-d8	102	80 - 121			%Rec	1	11/19/25 1:08:19
Surr: 1-Bromo-4-fluorobenzene	98.6	79.7 - 120			%Rec	1	11/19/25 1:08:19

NOTES:

Q - Associated calibration verification is below acceptance criteria (74%, nominal 80-120). Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 50046

Analyst: BB

Chloride	107	60.0	6.09	D	mg/L	100	11/17/25 12:34:00
Nitrate (as N)	0.521	0.150	0.0258		mg/L	1	11/15/25 3:25:00
Sulfate	3.68	1.00	0.286		mg/L	1	11/15/25 3:25:00

Total Metals by EPA 6020B

Batch ID: 50105

Analyst: ME

Iron	10,900	500	101	D	µg/L	10	11/24/25 17:31:00
Manganese	2,470	5.00	2.08	D	µg/L	10	11/24/25 17:31:00

Total Alkalinity by EPA 310.2

Batch ID: R10483

Analyst: NR

Alkalinity, Total (As CaCO ₃)	1,200	100	31.5	D	mg/L	40	11/19/25 15:52:00
---	-------	-----	------	---	------	----	-------------------

Client: Geosyntec Consultants

Collection Date: 11/14/2025 10:30:00 AM

Project: 700 Dexter

Lab ID: 2511409-013

Matrix: Groundwater

Client Sample ID: MW-176-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10483		Analyst: BCA	
Methane	12.6	0.500	0.450	D	mg/L	100	11/19/25 15:26:00
Ethene	0.0695	0.0100	0.00610		mg/L	1	11/19/25 14:47:00
Ethane	0.388	0.0100	0.00754		mg/L	1	11/19/25 14:47:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50078		Analyst: DI	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/19/25 1:35:14
Chloromethane	ND	1.00	0.218		µg/L	1	11/19/25 1:35:14
Vinyl chloride	272	4.00	0.910	D	µg/L	20	11/19/25 13:35:41
Bromomethane	ND	2.00	0.386		µg/L	1	11/19/25 1:35:14
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/19/25 1:35:14
Chloroethane	ND	1.00	0.334		µg/L	1	11/19/25 1:35:14
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/19/25 1:35:14
Acetone	ND	5.00	2.55	Q	µg/L	1	11/19/25 1:35:14
Methylene chloride	ND	2.00	0.649		µg/L	1	11/19/25 1:35:14
trans-1,2-Dichloroethene	2.33	0.500	0.115		µg/L	1	11/19/25 1:35:14
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/19/25 1:35:14
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/19/25 1:35:14
cis-1,2-Dichloroethene	47.3	2.50	0.822	D	µg/L	5	11/19/25 14:02:35
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/19/25 1:35:14
Chloroform	ND	0.500	0.0865		µg/L	1	11/19/25 1:35:14
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/19/25 1:35:14
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/19/25 1:35:14
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/19/25 1:35:14
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/19/25 1:35:14
Benzene	ND	0.200	0.0540		µg/L	1	11/19/25 1:35:14
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/19/25 1:35:14
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/19/25 1:35:14
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/19/25 1:35:14
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/19/25 1:35:14
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/19/25 1:35:14
Toluene	ND	0.500	0.129		µg/L	1	11/19/25 1:35:14
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/19/25 1:35:14



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 10:30:00 AM

Project: 700 Dexter

Lab ID: 2511409-013

Matrix: Groundwater

Client Sample ID: MW-176-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/19/25 1:35:14
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/19/25 1:35:14
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/19/25 1:35:14
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/19/25 1:35:14
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/19/25 1:35:14
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/19/25 1:35:14
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/19/25 1:35:14
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/19/25 1:35:14
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/19/25 1:35:14
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/19/25 1:35:14
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/19/25 1:35:14
o-Xylene	ND	0.500	0.144		µg/L	1	11/19/25 1:35:14
Styrene	ND	0.500	0.115		µg/L	1	11/19/25 1:35:14
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/19/25 1:35:14
Bromoform	ND	0.500	0.0986		µg/L	1	11/19/25 1:35:14
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/19/25 1:35:14
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/19/25 1:35:14
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/19/25 1:35:14
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/19/25 1:35:14
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/19/25 1:35:14
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/19/25 1:35:14
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/19/25 1:35:14
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/19/25 1:35:14
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/19/25 1:35:14
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/19/25 1:35:14
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/19/25 1:35:14
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/19/25 1:35:14
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/19/25 1:35:14
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/19/25 1:35:14
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/19/25 1:35:14
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/19/25 1:35:14

Client: Geosyntec Consultants

Collection Date: 11/14/2025 10:30:00 AM

Project: 700 Dexter

Lab ID: 2511409-013

Matrix: Groundwater

Client Sample ID: MW-176-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50078

Analyst: DI

1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/19/25 1:35:14
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/19/25 1:35:14
Naphthalene	ND	1.25	0.405		µg/L	1	11/19/25 1:35:14
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/19/25 1:35:14
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/19/25 1:35:14
Surr: Toluene-d8	102	80 - 121			%Rec	1	11/19/25 1:35:14
Surr: 1-Bromo-4-fluorobenzene	98.5	79.7 - 120			%Rec	1	11/19/25 1:35:14

NOTES:

Q - Associated calibration verification is below acceptance criteria (74%, nominal 80-120). Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 50047

Analyst: BB

Chloride	72.3	30.0	3.05	D	mg/L	50	11/17/25 12:46:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/15/25 4:41:00
Sulfate	0.775	1.00	0.286	J	mg/L	1	11/15/25 4:41:00

Total Metals by EPA 6020B

Batch ID: 50101

Analyst: ME

Iron	15,700	500	101	D	µg/L	10	11/21/25 12:22:00
Manganese	3,150	5.00	2.08	D	µg/L	10	11/21/25 12:22:00

Total Alkalinity by EPA 310.2

Batch ID: R10483

Analyst: NR

Alkalinity, Total (As CaCO ₃)	919	100	31.5	D	mg/L	40	11/19/25 15:54:00
---	-----	-----	------	---	------	----	-------------------

Client: Geosyntec Consultants

Collection Date: 11/14/2025 10:05:00 AM

Project: 700 Dexter

Lab ID: 2511409-014

Matrix: Groundwater

Client Sample ID: MW-173-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10483		Analyst: BCA	
Methane	9.88	0.500	0.450	D	mg/L	100	11/19/25 15:29:00
Ethene	0.00836	0.0100	0.00610	J	mg/L	1	11/19/25 14:50:00
Ethane	0.316	0.0100	0.00754		mg/L	1	11/19/25 14:50:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50078		Analyst: DI	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/19/25 2:02:13
Chloromethane	ND	1.00	0.218		µg/L	1	11/19/25 2:02:13
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/19/25 2:02:13
Bromomethane	ND	2.00	0.386		µg/L	1	11/19/25 2:02:13
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/19/25 2:02:13
Chloroethane	ND	1.00	0.334		µg/L	1	11/19/25 2:02:13
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/19/25 2:02:13
Acetone	ND	5.00	2.55	Q	µg/L	1	11/19/25 2:02:13
Methylene chloride	ND	2.00	0.649		µg/L	1	11/19/25 2:02:13
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/19/25 2:02:13
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/19/25 2:02:13
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/19/25 2:02:13
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/19/25 2:02:13
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/19/25 2:02:13
Chloroform	ND	0.500	0.0865		µg/L	1	11/19/25 2:02:13
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/19/25 2:02:13
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/19/25 2:02:13
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/19/25 2:02:13
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/19/25 2:02:13
Benzene	0.150	0.200	0.0540	J	µg/L	1	11/19/25 2:02:13
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/19/25 2:02:13
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/19/25 2:02:13
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/19/25 2:02:13
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/19/25 2:02:13
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/19/25 2:02:13
Toluene	ND	0.500	0.129		µg/L	1	11/19/25 2:02:13
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/19/25 2:02:13



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 10:05:00 AM

Project: 700 Dexter

Lab ID: 2511409-014

Matrix: Groundwater

Client Sample ID: MW-173-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/19/25 2:02:13
1,1,2-Trichloroethane	0.0884	0.500	0.0807	J	µg/L	1	11/19/25 2:02:13
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/19/25 2:02:13
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/19/25 2:02:13
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/19/25 2:02:13
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/19/25 2:02:13
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/19/25 2:02:13
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/19/25 2:02:13
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/19/25 2:02:13
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/19/25 2:02:13
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/19/25 2:02:13
o-Xylene	ND	0.500	0.144		µg/L	1	11/19/25 2:02:13
Styrene	ND	0.500	0.115		µg/L	1	11/19/25 2:02:13
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/19/25 2:02:13
Bromoform	ND	0.500	0.0986		µg/L	1	11/19/25 2:02:13
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/19/25 2:02:13
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/19/25 2:02:13
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/19/25 2:02:13
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/19/25 2:02:13
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/19/25 2:02:13
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/19/25 2:02:13
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/19/25 2:02:13
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/19/25 2:02:13
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/19/25 2:02:13
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/19/25 2:02:13
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/19/25 2:02:13
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/19/25 2:02:13
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/19/25 2:02:13
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/19/25 2:02:13
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/19/25 2:02:13
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/19/25 2:02:13

Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025 10:05:00 AM

Project: 700 Dexter

Lab ID: 2511409-014

Matrix: Groundwater

Client Sample ID: MW-173-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50078

Analyst: DI

1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/19/25 2:02:13
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/19/25 2:02:13
Naphthalene	ND	1.25	0.405		µg/L	1	11/19/25 2:02:13
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/19/25 2:02:13
Surr: Dibromofluoromethane	103	79.9 - 122			%Rec	1	11/19/25 2:02:13
Surr: Toluene-d8	102	80 - 121			%Rec	1	11/19/25 2:02:13
Surr: 1-Bromo-4-fluorobenzene	99.6	79.7 - 120			%Rec	1	11/19/25 2:02:13

NOTES:

Q - Associated calibration verification is below acceptance criteria (74%, nominal 80-120). Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 50047

Analyst: BB

Chloride	48.7	0.600	0.0609		mg/L	1	11/15/25 4:53:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/15/25 4:53:00
Sulfate	ND	1.00	0.286		mg/L	1	11/15/25 4:53:00

Total Metals by EPA 6020B

Batch ID: 50101

Analyst: ME

Iron	4,400	50.0	10.1		µg/L	1	11/20/25 19:08:00
Manganese	2,460	5.00	2.08	D	µg/L	10	11/21/25 12:25:00

Total Alkalinity by EPA 310.2

Batch ID: R10483

Analyst: NR

Alkalinity, Total (As CaCO ₃)	777	50.0	15.8	D	mg/L	20	11/19/25 14:02:00
---	-----	------	------	---	------	----	-------------------

Client: Geosyntec Consultants

Collection Date: 11/14/2025

Project: 700 Dexter

Lab ID: 2511409-015

Matrix: Groundwater

Client Sample ID: TRIP-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/18/25 17:33:47
Chloromethane	ND	1.00	0.218		µg/L	1	11/18/25 17:33:47
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/18/25 17:33:47
Bromomethane	ND	2.00	0.386		µg/L	1	11/18/25 17:33:47
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/18/25 17:33:47
Chloroethane	ND	1.00	0.334		µg/L	1	11/18/25 17:33:47
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/18/25 17:33:47
Acetone	ND	5.00	2.55		µg/L	1	11/18/25 17:33:47
Methylene chloride	ND	2.00	0.649		µg/L	1	11/18/25 17:33:47
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/18/25 17:33:47
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/18/25 17:33:47
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/18/25 17:33:47
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/18/25 17:33:47
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/18/25 17:33:47
Chloroform	ND	0.500	0.0865		µg/L	1	11/18/25 17:33:47
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/18/25 17:33:47
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/18/25 17:33:47
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/18/25 17:33:47
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/18/25 17:33:47
Benzene	ND	0.200	0.0540		µg/L	1	11/18/25 17:33:47
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/18/25 17:33:47
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/18/25 17:33:47
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/18/25 17:33:47
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/18/25 17:33:47
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/18/25 17:33:47
Toluene	ND	0.500	0.129		µg/L	1	11/18/25 17:33:47
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/18/25 17:33:47
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/18/25 17:33:47
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/18/25 17:33:47
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/18/25 17:33:47
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/18/25 17:33:47



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025

Project: 700 Dexter

Lab ID: 2511409-015

Matrix: Groundwater

Client Sample ID: TRIP-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50078		Analyst: DI		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/18/25 17:33:47
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/18/25 17:33:47
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/18/25 17:33:47
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/18/25 17:33:47
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/18/25 17:33:47
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/18/25 17:33:47
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/18/25 17:33:47
o-Xylene	ND	0.500	0.144		µg/L	1	11/18/25 17:33:47
Styrene	ND	0.500	0.115		µg/L	1	11/18/25 17:33:47
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/18/25 17:33:47
Bromoform	ND	0.500	0.0986		µg/L	1	11/18/25 17:33:47
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/18/25 17:33:47
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/18/25 17:33:47
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/18/25 17:33:47
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/18/25 17:33:47
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/18/25 17:33:47
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/18/25 17:33:47
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/18/25 17:33:47
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/18/25 17:33:47
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/18/25 17:33:47
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/18/25 17:33:47
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/18/25 17:33:47
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/18/25 17:33:47
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/18/25 17:33:47
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/18/25 17:33:47
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/18/25 17:33:47
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/18/25 17:33:47
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/18/25 17:33:47
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/18/25 17:33:47
Naphthalene	ND	1.25	0.405		µg/L	1	11/18/25 17:33:47
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/18/25 17:33:47



Analytical Report

Work Order: 2511409
Date Reported: 12/3/2025

Client: Geosyntec Consultants

Collection Date: 11/14/2025

Project: 700 Dexter

Lab ID: 2511409-015

Matrix: Groundwater

Client Sample ID: TRIP-251114

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50078

Analyst: DI

Surr: Dibromofluoromethane	100	79.9 - 122			%Rec	1	11/18/25 17:33:47
Surr: Toluene-d8	101	80 - 121			%Rec	1	11/18/25 17:33:47
Surr: 1-Bromo-4-fluorobenzene	98.8	79.7 - 120			%Rec	1	11/18/25 17:33:47

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: MB-104839		SampType: MBLK			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: MBLKW		Batch ID: R104839			Analysis Date: 11/19/2025			SeqNo: 2187758				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	1.65	2.50									J
------------------------------	------	------	--	--	--	--	--	--	--	--	---

Sample ID: LCS-104839		SampType: LCS			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: LCSW		Batch ID: R104839			Analysis Date: 11/19/2025			SeqNo: 2187759				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	27.6	2.50	25.00	0	110	80	134				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: 2511224-013DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: BATCH		Batch ID: R104839			Analysis Date: 11/19/2025					SeqNo: 2187761		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	2.50						0	0	20	
------------------------------	----	------	--	--	--	--	--	---	---	----	--

Sample ID: 2511338-001CDUP		SampType: DUP			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: BATCH		Batch ID: R104839			Analysis Date: 11/19/2025					SeqNo: 2187763		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	30.1	5.00						32.24	6.89	20	D
------------------------------	------	------	--	--	--	--	--	-------	------	----	---

Sample ID: CCV-A		SampType: CCV			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCV		Batch ID: R104839			Analysis Date: 11/19/2025			SeqNo: 2187768				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	26.5	2.50	25.00	0	106	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCB-A		SampType: CCB			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCB		Batch ID: R104839			Analysis Date: 11/19/2025			SeqNo: 2187769				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 2.34 2.50

Sample ID: CCV-B		SampType: CCV			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCV		Batch ID: R104839			Analysis Date: 11/19/2025			SeqNo: 2187780				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 28.8 2.50 25.00 0 115 80 120

Sample ID: CCB-B		SampType: CCB			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCB		Batch ID: R104839			Analysis Date: 11/19/2025			SeqNo: 2187781				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 3.39 2.50

Sample ID: CCV-C		SampType: CCV			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCV		Batch ID: R104839			Analysis Date: 11/19/2025			SeqNo: 2187792				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 26.2 2.50 25.00 0 105 80 120

Sample ID: CCB-C		SampType: CCB			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCB		Batch ID: R104839			Analysis Date: 11/19/2025					SeqNo: 2187793		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 2.60 2.50

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-D		SampType: CCV			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCV		Batch ID: R104839			Analysis Date: 11/19/2025			SeqNo: 2187801				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	25.7	2.50	25.00	0	103	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-D		SampType: CCB			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCB		Batch ID: R104839			Analysis Date: 11/19/2025			SeqNo: 2187802				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	3.39	2.50									
------------------------------	------	------	--	--	--	--	--	--	--	--	--

Sample ID: CCV-E		SampType: CCV			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCV		Batch ID: R104839			Analysis Date: 11/19/2025			SeqNo: 2187808				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	27.7	2.50	25.00	0	111	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-E		SampType: CCB			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104839		
Client ID: CCB		Batch ID: R104839			Analysis Date: 11/19/2025					SeqNo: 2187809		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	2.87	2.50									
------------------------------	------	------	--	--	--	--	--	--	--	--	--

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: LCS-50046		SampType: LCS			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104735		
Client ID: LCSW		Batch ID: 50046			Analysis Date: 11/14/2025					SeqNo: 2185326		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	10.2	0.600	10.00	0	102	90	110				
Nitrate (as N)	2.28	0.150	2.259	0	101	90	110				
Sulfate	9.95	1.00	10.00	0	99.5	90	110				

Sample ID: MB-50046		SampType: MBLK			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104735		
Client ID: MBLKW		Batch ID: 50046			Analysis Date: 11/14/2025					SeqNo: 2185328		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.246	0.600									J
Nitrate (as N)	ND	0.150									
Sulfate	0.287	1.00									J

Sample ID: CCV-A		SampType: CCV			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104735		
Client ID: CCV		Batch ID: 50046			Analysis Date: 11/14/2025			SeqNo: 2185337				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	12.8	0.600	12.50	0	102	90	110				
Nitrate (as N)	2.87	0.150	2.824	0	102	90	110				
Sulfate	12.6	1.00	12.50	0	101	90	110				

Sample ID: CCB-A		SampType: CCB			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104735		
Client ID: CCB		Batch ID: 50046			Analysis Date: 11/14/2025			SeqNo: 2185338				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.218	0.600									
Nitrate (as N)	ND	0.150									
Sulfate	ND	1.00									

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511351-015DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104735		
Client ID: BATCH		Batch ID: 50046			Analysis Date: 11/15/2025			SeqNo: 2185341				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Chloride	82.0	0.600						81.98	0.0573	20	E	
Nitrate (as N)	ND	0.150						0	0	20		
Sulfate	2.85	1.00						1.415	67.3	20		

Sample ID: 2511351-015DMS	SampType: MS	Units: mg/L				Prep Date: 11/14/2025			RunNo: 104735		
Client ID: BATCH	Batch ID: 50046					Analysis Date: 11/15/2025			SeqNo: 2185342		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	ND	0.600	10.00	81.98	-820	80	120				S
Nitrate (as N)	2.08	0.150	2.259	0	92.1	80	120				
Sulfate	7.39	1.00	10.00	1.415	59.8	80	120				S

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

Sample ID: 2511351-015DMSD		SampType: MSD		Units: mg/L		Prep Date: 11/14/2025			RunNo: 104735		
Client ID: BATCH		Batch ID: 50046		Analysis Date: 11/15/2025					SeqNo: 2185343		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	ND	0.600	10.00	81.98	-820	80	120	0	0	20	S
Nitrate (as N)	2.63	0.150	2.259	0	116	80	120	2.080	23.2	20	R
Sulfate	9.36	1.00	10.00	1.415	79.5	80	120	7.393	23.5	20	RS

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

R - High RPD observed.

Sample ID: 2511409-012DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104735		
Client ID: MW-186-251114		Batch ID: 50046			Analysis Date: 11/15/2025					SeqNo: 2185356		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Chloride	96.6	0.600						98.00	1.39	20	E	
Nitrate (as N)	0.0990	0.150						0.5210	136	20	J	
Sulfate	ND	1.00						3.678	200	20		

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511409-012DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104735		
Client ID: MW-186-251114		Batch ID: 50046			Analysis Date: 11/15/2025			SeqNo: 2185356				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Sample ID: 2511409-012DMS		SampType: MS			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104735		
Client ID: MW-186-251114		Batch ID: 50046			Analysis Date: 11/15/2025					SeqNo: 2185357		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	101	0.600	10.00	98.00	32.2	80	120				ES
Nitrate (as N)	2.05	0.150	2.259	0.5210	67.6	80	120				S
Sulfate	9.59	1.00	10.00	3.678	59.2	80	120				S

NOTES:

S - Outlying spike recoveries were associated with this sample.

Sample ID: MB-50047		SampType: MBLK			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104757		
Client ID: MBLKW		Batch ID: 50047			Analysis Date: 11/15/2025					SeqNo: 2185733		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.214	0.600									J
Nitrate (as N)	ND	0.150									
Sulfate	0.286	1.00									J

Sample ID: LCS-50047		SampType: LCS			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104757		
Client ID: LCSW		Batch ID: 50047			Analysis Date: 11/15/2025					SeqNo: 2185734		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	10.1	0.600	10.00	0	101	90	110				
Nitrate (as N)	2.37	0.150	2.259	0	105	90	110				
Sulfate	10.7	1.00	10.00	0	107	90	110				

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511409-014DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/14/2025			RunNo: 104757		
Client ID: MW-173-251114		Batch ID: 50047						Analysis Date: 11/15/2025			SeqNo: 2185737	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Chloride	48.4	0.600						48.67	0.513	20		
Nitrate (as N)	ND	0.150						0	0	20		
Sulfate	ND	1.00						0	0	20		

Sample ID: 2511409-014DMS	SampType: MS	Units: mg/L				Prep Date: 11/14/2025			RunNo: 104757		
Client ID: MW-173-251114	Batch ID: 50047					Analysis Date: 11/15/2025			SeqNo: 2185738		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	56.2	0.600	10.00	48.67	75.7	80	120				ES
Nitrate (as N)	2.41	0.150	2.259	0	106	80	120				
Sulfate	10.2	1.00	10.00	0	102	80	120				

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

Sample ID: 2511409-014DMSD		SampType: MSD		Units: mg/L		Prep Date: 11/14/2025			RunNo: 104757			
Client ID: MW-173-251114		Batch ID: 50047		Analysis Date: 11/15/2025							SeqNo: 2185739	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Chloride	55.5	0.600	10.00	48.67	68.7	80	120	56.24	1.24	20	ES	
Nitrate (as N)	1.93	0.150	2.259	0	85.6	80	120	2.405	21.8	20	R	
Sulfate	9.69	1.00	10.00	0	96.9	80	120	10.22	5.34	20		

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

Sample ID: CCV-E		SampType: CCV		Units: mg/L		Prep Date: 11/17/2025			RunNo: 104735		
Client ID: CCV		Batch ID: 50046					Analysis Date: 11/17/2025			SeqNo: 2185692	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	12.2	0.600	12.50	0	97.5	90	110				
Nitrate (as N)	2.69	0.150	2.824	0	95.3	90	110				
Sulfate	13.1	1.00	12.50	0	105	90	110				

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Metals by EPA 6020B

Sample ID: MB-50101		SampType: MBLK			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104884		
Client ID: MBLKW		Batch ID: 50101			Analysis Date: 11/20/2025					SeqNo: 2188658		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	110	50.0									
Manganese	0.873	0.500									

Sample ID: LCS-50101		SampType: LCS			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104884		
Client ID: LCSW		Batch ID: 50101			Analysis Date: 11/20/2025					SeqNo: 2188659		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	1,060	50.0	1,000	0	106	80	120				B
Manganese	107	0.500	100.0	0	107	80	120				

Sample ID: 2511409-006BMS		SampType: MS			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104884		
Client ID: MW-342-251114		Batch ID: 50101			Analysis Date: 11/20/2025			SeqNo: 2188662				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	7,020	50.0	1,000	6,010	101	75	125				E
Manganese	595	0.500	100.0	490.6	105	75	125				E

Sample ID: 2511409-006BMSD		SampType: MSD			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104884		
Client ID: MW-342-251114		Batch ID: 50101			Analysis Date: 11/20/2025					SeqNo: 2188664		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	7,020	50.0	1,000	6,010	101	75	125	7,022	0.0203	20	E
Manganese	595	0.500	100.0	490.6	105	75	125	595.4	0.0422	20	E

Sample ID: MB-50101		SampType: MBLK		Units: µg/L		Prep Date: 11/20/2025			RunNo: 104884		
Client ID: MBLKW		Batch ID: 50101					Analysis Date: 11/21/2025			SeqNo: 2189076	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Iron	111	50.0									
Manganese	0.848	0.500									

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Metals by EPA 6020B

Sample ID: MB-50101		SampType: MBLK			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104884		
Client ID: MBLKW		Batch ID: 50101			Analysis Date: 11/21/2025					SeqNo: 2189076		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Sample ID: MB-50105		SampType: MBLK			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104932		
Client ID: MBLKW		Batch ID: 50105			Analysis Date: 11/21/2025					SeqNo: 2189585		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	ND	50.0
Manganese	ND	0.500

Sample ID: LCS-50105		SampType: LCS			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104932		
Client ID: LCSW		Batch ID: 50105			Analysis Date: 11/21/2025					SeqNo: 2189586		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	1,040	50.0	1,000	0	104	80	120
Manganese	104	0.500	100.0	0	104	80	120

Sample ID: 2511331-001CMS		SampType: MS			Units: µg/L		Prep Date: 11/20/2025		RunNo: 104932		
Client ID: BATCH		Batch ID: 50105			Analysis Date: 11/21/2025				SeqNo: 2189589		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Iron	3,610	50.0	1,000	2,608	100	75	125
Manganese	363	0.500	100.0	259.1	104	75	125

Sample ID: 2511331-001CMSD		SampType: MSD			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104932		
Client ID: BATCH		Batch ID: 50105			Analysis Date: 11/21/2025					SeqNo: 2189591		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	3,580	50.0	1,000	2,608	96.9	75	125	3,609	0.899	20
Manganese	356	0.500	100.0	259.1	96.9	75	125	362.8	1.87	20

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: ICV-104834		SampType: CCV			Units: ppmv		Prep Date: 11/19/2025			RunNo: 104834		
Client ID: CCV		Batch ID: R104834			Analysis Date: 11/19/2025			SeqNo: 2187656				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	1,020	0.00500	1,000	0	102	85	115				
Ethene	1,020	0.0100	1,000	0	102	85	115				
Ethane	1,010	0.0100	1,000	0	101	85	115				

Sample ID: ICB-104834		SampType: MBLK			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104834		
Client ID: MBLKW		Batch ID: R104834			Analysis Date: 11/19/2025					SeqNo: 2187655		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	29.4	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Sample ID: CCVA		SampType: CCV			Units: ppmv		Prep Date: 11/19/2025			RunNo: 104834		
Client ID: CCV		Batch ID: R104834			Analysis Date: 11/19/2025					SeqNo: 2187651		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	999	0.00500	1,000	0	99.9	85	115				
Ethene	1,060	0.0100	1,000	0	106	85	115				
Ethane	1,060	0.0100	1,000	0	106	85	115				

Sample ID: LCS-104834		SampType: LCS			Units: ppmv		Prep Date: 11/19/2025			RunNo: 104834		
Client ID: LCSW		Batch ID: R104834			Analysis Date: 11/19/2025			SeqNo: 2187658				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	999	0.00500	1,000	0	99.9	73.6	124				
Ethene	1,060	0.0100	1,000	0	106	76.3	122				
Ethane	1,060	0.0100	1,000	0	106	76.1	123				

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: MB-104834		SampType: MBLK			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104834		
Client ID: MBLKW		Batch ID: R104834			Analysis Date: 11/19/2025			SeqNo: 2187657				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	ND	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Sample ID: 2511409-010EREP		SampType: REP			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104834		
Client ID: MW-187-251114		Batch ID: R104834			Analysis Date: 11/19/2025					SeqNo: 2187634		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	13.4	0.00500						13.40	0.0909	20	E
Ethene	ND	0.0100						0	0	20	
Ethane	0.378	0.0100						0.3805	0.665	20	

Sample ID: CCVB		SampType: CCV			Units: ppmv		Prep Date: 11/19/2025			RunNo: 104834		
Client ID: CCV		Batch ID: R104834			Analysis Date: 11/19/2025			SeqNo: 2187653				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	1,000	0.00500	1,000	0	100	85	115				
Ethene	1,040	0.0100	1,000	0	104	85	115				
Ethane	1,040	0.0100	1,000	0	104	85	115				

Sample ID: 2511409-007EREP		SampType: REP			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104834		
Client ID: MW-343-251114		Batch ID: R104834			Analysis Date: 11/19/2025			SeqNo: 2187629				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	1.08	0.0500						1.123	3.91	20	D
Ethene	ND	0.100						0	0	20	D
Ethane	ND	0.100						0	0	20	D

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVC		SampType: CCV		Units: ppmv		Prep Date: 11/19/2025		RunNo: 104834			
Client ID: CCV		Batch ID: R104834				Analysis Date: 11/19/2025		SeqNo: 2187654			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methane	990	0.00500	1,000	0	99.0	85	115				
Ethene	1,020	0.0100	1,000	0	102	85	115				
Ethane	1,020	0.0100	1,000	0	102	85	115				

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50078	SampType: LCS	Units: µg/L			Prep Date: 11/18/2025			RunNo: 104829			
Client ID: LCSW	Batch ID: 50078	Analysis Date: 11/18/2025						SeqNo: 2187597			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	18.1	1.00	20.00	0	90.5	80	120				
Chloromethane	18.6	1.00	20.00	0	93.2	80	120				
Vinyl chloride	20.2	0.200	20.00	0	101	80	120				
Bromomethane	20.6	2.00	20.00	0	103	80	120				
Trichlorofluoromethane (CFC-11)	18.5	0.500	20.00	0	92.4	80	120				
Chloroethane	19.5	1.00	20.00	0	97.4	80	120				
1,1-Dichloroethene	20.5	0.500	20.00	0	103	80	120				
Acetone	67.1	5.00	50.00	0	134	80	120				S
Methylene chloride	19.6	2.00	20.00	0	98.1	80	120				
trans-1,2-Dichloroethene	20.1	0.500	20.00	0	100	80	120				
Methyl tert-butyl ether (MTBE)	18.8	0.500	20.00	0	93.9	80	120				
1,1-Dichloroethane	19.9	0.500	20.00	0	99.5	80	120				
cis-1,2-Dichloroethene	19.8	0.500	20.00	0	98.9	80	120				
2-Butanone (MEK)	58.0	5.00	50.00	0	116	80	120				
Chloroform	19.7	0.500	20.00	0	98.7	80	120				
1,1,1-Trichloroethane (TCA)	20.1	0.500	20.00	0	101	80	120				
1,1-Dichloropropene	20.8	0.500	20.00	0	104	80	120				
Carbon tetrachloride	20.3	0.500	20.00	0	101	80	120				
1,2-Dichloroethane (EDC)	19.7	0.200	20.00	0	98.3	80	120				
Benzene	19.2	0.200	20.00	0	96.0	80	120				
Trichloroethene (TCE)	17.5	0.500	20.00	0	87.4	80	120				
1,2-Dichloropropane	19.8	0.200	20.00	0	98.9	80	120				
Bromodichloromethane	19.0	0.200	20.00	0	94.9	80	120				
Dibromomethane	19.2	0.500	20.00	0	96.0	80	120				
cis-1,3-Dichloropropene	20.8	0.500	20.00	0	104	80	120				
Toluene	19.0	0.500	20.00	0	94.9	80	120				
trans-1,3-Dichloropropylene	20.7	0.500	20.00	0	103	80	120				
Methyl Isobutyl Ketone (MIBK)	47.7	2.50	50.00	0	95.4	80	120				
1,1,2-Trichloroethane	19.2	0.500	20.00	0	96.1	80	120				
1,3-Dichloropropane	19.1	0.500	20.00	0	95.5	80	120				
Tetrachloroethene (PCE)	20.3	0.500	20.00	0	102	80	120				
Dibromochloromethane	18.8	0.500	20.00	0	94.2	80	120				

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50078	SampType: LCS	Units: µg/L			Prep Date: 11/18/2025			RunNo: 104829			
Client ID: LCSW	Batch ID: 50078	Analysis Date: 11/18/2025						SeqNo: 2187597			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	19.0	0.500	20.00	0	94.8	80	120				S
2-Hexanone (MBK)	60.5	1.25	50.00	0	121	80	120				
Chlorobenzene	19.0	0.500	20.00	0	94.8	80	120				
1,1,1,2-Tetrachloroethane	19.4	0.500	20.00	0	96.8	80	120				
Ethylbenzene	19.0	0.500	20.00	0	95.1	80	120				
m,p-Xylene	38.1	1.00	40.00	0	95.3	80	120				
o-Xylene	18.9	0.500	20.00	0	94.7	80	120				
Styrene	19.2	0.500	20.00	0	96.1	80	120				
Isopropylbenzene	19.3	0.500	20.00	0	96.5	80	120				
Bromoform	17.6	0.500	20.00	0	88.1	80	120				
1,1,2,2-Tetrachloroethane	21.2	0.200	20.00	0	106	80	120				
n-Propylbenzene	19.5	0.500	20.00	0	97.7	80	120				
Bromobenzene	19.2	0.200	20.00	0	95.8	80	120				
1,3,5-Trimethylbenzene	19.4	0.500	20.00	0	96.9	80	120				
2-Chlorotoluene	19.5	0.500	20.00	0	97.6	80	120				
4-Chlorotoluene	19.1	0.500	20.00	0	95.3	80	120				
tert-Butylbenzene	19.6	0.500	20.00	0	98.2	80	120				
1,2,3-Trichloropropane	18.1	0.500	20.00	0	90.6	80	120				
1,2,4-Trichlorobenzene	19.0	0.750	20.00	0	94.9	80	120				
sec-Butylbenzene	20.0	0.500	20.00	0	99.8	80	120				
4-Isopropyltoluene	19.5	0.500	20.00	0	97.3	80	120				
1,3-Dichlorobenzene	18.7	0.500	20.00	0	93.3	80	120				
1,4-Dichlorobenzene	18.6	0.500	20.00	0	92.9	80	120				
n-Butylbenzene	20.4	0.500	20.00	0	102	80	120				
1,2-Dichlorobenzene	18.5	0.500	20.00	0	92.3	80	120				
1,2-Dibromo-3-chloropropane	18.2	1.00	20.00	0	90.8	80	120				
1,2,4-Trimethylbenzene	19.4	0.500	20.00	0	96.9	80	120				
Hexachloro-1,3-butadiene	19.8	1.00	20.00	0	99.2	80	120				
Naphthalene	17.9	1.25	20.00	0	89.6	80	120				
1,2,3-Trichlorobenzene	17.6	1.00	20.00	0	88.2	80	120				
Surr: Dibromofluoromethane	26.2		25.00		105	79.9	122				
Surr: Toluene-d8	26.0		25.00		104	80	121				

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50078		SampType: LCS		Units: µg/L		Prep Date: 11/18/2025			RunNo: 104829		
Client ID: LCSW		Batch ID: 50078					Analysis Date: 11/18/2025			SeqNo: 2187597	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 1-Bromo-4-fluorobenzene	25.1		25.00		101	79.7	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: CCV-104829A		SampType: CCV		Units: µg/L		Prep Date: 11/18/2025			RunNo: 104829		
Client ID: CCV		Batch ID: R104829					Analysis Date: 11/18/2025			SeqNo: 2187587	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	18.1	1.00	20.00	0	90.5	80	120				
Chloromethane	18.6	1.00	20.00	0	93.2	80	120				
Vinyl chloride	20.2	0.200	20.00	0	101	80	120				
Bromomethane	20.6	2.00	20.00	0	103	80	120				
Trichlorofluoromethane (CFC-11)	18.5	0.500	20.00	0	92.4	80	120				
Chloroethane	19.5	1.00	20.00	0	97.4	80	120				
1,1-Dichloroethene	20.5	0.500	20.00	0	103	80	120				
Acetone	67.1	5.00	50.00	0	134	80	120				S
Methylene chloride	19.6	2.00	20.00	0	98.1	80	120				
trans-1,2-Dichloroethene	20.1	0.500	20.00	0	100	80	120				
Methyl tert-butyl ether (MTBE)	18.8	0.500	20.00	0	93.9	80	120				
1,1-Dichloroethane	19.9	0.500	20.00	0	99.5	80	120				
cis-1,2-Dichloroethene	19.8	0.500	20.00	0	98.9	80	120				
2-Butanone (MEK)	58.0	5.00	50.00	0	116	80	120				
Chloroform	19.7	0.500	20.00	0	98.7	80	120				
1,1,1-Trichloroethane (TCA)	20.1	0.500	20.00	0	101	80	120				
1,1-Dichloropropene	20.8	0.500	20.00	0	104	80	120				
Carbon tetrachloride	20.3	0.500	20.00	0	101	80	120				
1,2-Dichloroethane (EDC)	19.7	0.200	20.00	0	98.3	80	120				
Benzene	19.2	0.200	20.00	0	96.0	80	120				
Trichloroethene (TCE)	17.5	0.500	20.00	0	87.4	80	120				
1,2-Dichloropropane	19.8	0.200	20.00	0	98.9	80	120				
Bromodichloromethane	19.0	0.200	20.00	0	94.9	80	120				
Dibromomethane	19.2	0.500	20.00	0	96.0	80	120				

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: CCV-104829A	SampType: CCV	Units: µg/L				Prep Date: 11/18/2025			RunNo: 104829		
Client ID: CCV	Batch ID: R104829	Analysis Date: 11/18/2025							SeqNo: 2187587		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,3-Dichloropropene	20.8	0.500	20.00	0	104	80	120				
Toluene	19.0	0.500	20.00	0	94.9	80	120				
trans-1,3-Dichloropropylene	20.7	0.500	20.00	0	103	80	120				
Methyl Isobutyl Ketone (MIBK)	47.7	2.50	50.00	0	95.4	80	120				
1,1,2-Trichloroethane	19.2	0.500	20.00	0	96.1	80	120				
1,3-Dichloropropane	19.1	0.500	20.00	0	95.5	80	120				
Tetrachloroethene (PCE)	20.3	0.500	20.00	0	102	80	120				
Dibromochloromethane	18.8	0.500	20.00	0	94.2	80	120				
1,2-Dibromoethane (EDB)	19.0	0.500	20.00	0	94.8	80	120				
2-Hexanone (MBK)	60.5	1.25	50.00	0	121	80	120				S
Chlorobenzene	19.0	0.500	20.00	0	94.8	80	120				
1,1,1,2-Tetrachloroethane	19.4	0.500	20.00	0	96.8	80	120				
Ethylbenzene	19.0	0.500	20.00	0	95.1	80	120				
m,p-Xylene	38.1	1.00	40.00	0	95.3	80	120				
o-Xylene	18.9	0.500	20.00	0	94.7	80	120				
Styrene	19.2	0.500	20.00	0	96.1	80	120				
Isopropylbenzene	19.3	0.500	20.00	0	96.5	80	120				
Bromoform	17.6	0.500	20.00	0	88.1	80	120				
1,1,2,2-Tetrachloroethane	21.2	0.200	20.00	0	106	80	120				
n-Propylbenzene	19.5	0.500	20.00	0	97.7	80	120				
Bromobenzene	19.2	0.200	20.00	0	95.8	80	120				
1,3,5-Trimethylbenzene	19.4	0.500	20.00	0	96.9	80	120				
2-Chlorotoluene	19.5	0.500	20.00	0	97.6	80	120				
4-Chlorotoluene	19.1	0.500	20.00	0	95.3	80	120				
tert-Butylbenzene	19.6	0.500	20.00	0	98.2	80	120				
1,2,3-Trichloropropane	18.1	0.500	20.00	0	90.6	80	120				
1,2,4-Trichlorobenzene	19.0	0.750	20.00	0	94.9	80	120				
sec-Butylbenzene	20.0	0.500	20.00	0	99.8	80	120				
4-Isopropyltoluene	19.5	0.500	20.00	0	97.3	80	120				
1,3-Dichlorobenzene	18.7	0.500	20.00	0	93.3	80	120				
1,4-Dichlorobenzene	18.6	0.500	20.00	0	92.9	80	120				
n-Butylbenzene	20.4	0.500	20.00	0	102	80	120				

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: CCV-104829A		SampType: CCV			Units: µg/L		Prep Date: 11/18/2025			RunNo: 104829		
Client ID: CCV		Batch ID: R104829			Analysis Date: 11/18/2025			SeqNo: 2187587				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dichlorobenzene	18.5	0.500	20.00	0	92.3	80	120				
1,2-Dibromo-3-chloropropane	18.2	1.00	20.00	0	90.8	80	120				
1,2,4-Trimethylbenzene	19.4	0.500	20.00	0	96.9	80	120				
Hexachloro-1,3-butadiene	19.8	1.00	20.00	0	99.2	80	120				
Naphthalene	17.9	1.25	20.00	0	89.6	80	120				
1,2,3-Trichlorobenzene	17.6	1.00	20.00	0	88.2	80	120				
Surr: Dibromofluoromethane	26.2		25.00		105	80	120				
Surr: Toluene-d8	26.0		25.00		104	80	120				
Surr: 1-Bromo-4-fluorobenzene	25.1		25.00		101	80	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: MB-50078		SampType: MBLK		Units: µg/L		Prep Date: 11/18/2025			RunNo: 104829			
Client ID: MBLKW		Batch ID: 50078					Analysis Date: 11/18/2025			SeqNo: 2187598		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	ND	5.00									
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50078		SampType: MBLK		Units: µg/L		Prep Date: 11/18/2025		RunNo: 104829			
Client ID: MBLKW		Batch ID: 50078				Analysis Date: 11/18/2025		SeqNo: 2187598			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloropropene	ND	0.500									
Carbon tetrachloride	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.200									
Benzene	ND	0.200									
Trichloroethene (TCE)	ND	0.500									
1,2-Dichloropropane	ND	0.200									
Bromodichloromethane	ND	0.200									
Dibromomethane	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50078		SampType: MBLK		Units: µg/L		Prep Date: 11/18/2025		RunNo: 104829			
Client ID: MBLKW		Batch ID: 50078				Analysis Date: 11/18/2025		SeqNo: 2187598			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	25.2		25.00		101	80	120				
Surr: Toluene-d8	25.4		25.00		102	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.7		25.00		98.8	80	120				

Sample ID: 2511409-003ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/18/2025		RunNo: 104829			
Client ID: MW124-251114		Batch ID: 50078				Analysis Date: 11/18/2025		SeqNo: 2187590			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	ND	1.00						0	0	30	
Chloromethane	ND	1.00						0	0	30	
Vinyl chloride	ND	0.200						0	0	30	
Bromomethane	ND	2.00						0	0	30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0	0	30	
Chloroethane	ND	1.00						0	0	30	
1,1-Dichloroethene	ND	0.500						0	0	30	
Acetone	ND	5.00						0	0	30	
Methylene chloride	ND	2.00						0	0	30	

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511409-003ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/18/2025		RunNo: 104829			
Client ID: MW124-251114		Batch ID: 50078				Analysis Date: 11/18/2025		SeqNo: 2187590			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,2-Dichloroethene	ND	0.500						0	0	30	
Methyl tert-butyl ether (MTBE)	ND	0.500						0	0	30	
1,1-Dichloroethane	ND	0.500						0	0	30	
cis-1,2-Dichloroethene	ND	0.500						0	0	30	
2-Butanone (MEK)	ND	5.00						0	0	30	
Chloroform	ND	0.500						0	0	30	
1,1,1-Trichloroethane (TCA)	ND	0.500						0	0	30	
1,1-Dichloropropene	ND	0.500						0	0	30	
Carbon tetrachloride	ND	0.500						0	0	30	
1,2-Dichloroethane (EDC)	ND	0.200						0	0	30	
Benzene	ND	0.200						0	0	30	
Trichloroethene (TCE)	ND	0.500						0	0	30	
1,2-Dichloropropane	ND	0.200						0	0	30	
Bromodichloromethane	ND	0.200						0	0	30	
Dibromomethane	ND	0.500						0	0	30	
cis-1,3-Dichloropropene	ND	0.500						0	0	30	
Toluene	ND	0.500						0	0	30	
trans-1,3-Dichloropropylene	ND	0.500						0	0	30	
Methyl Isobutyl Ketone (MIBK)	ND	2.50						0	0	30	
1,1,2-Trichloroethane	ND	0.500						0	0	30	
1,3-Dichloropropane	ND	0.500						0	0	30	
Tetrachloroethene (PCE)	ND	0.500						0	0	30	
Dibromochloromethane	ND	0.500						0	0	30	
1,2-Dibromoethane (EDB)	ND	0.500						0	0	30	
2-Hexanone (MBK)	ND	1.25						0	0	30	
Chlorobenzene	ND	0.500						0	0	30	
1,1,1,2-Tetrachloroethane	ND	0.500						0	0	30	
Ethylbenzene	ND	0.500						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	
o-Xylene	ND	0.500						0	0	30	
Styrene	ND	0.500						0	0	30	
Isopropylbenzene	ND	0.500						0	0	30	

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511409-003ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/18/2025		RunNo: 104829			
Client ID: MW124-251114		Batch ID: 50078				Analysis Date: 11/18/2025		SeqNo: 2187590			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromoform	ND	0.500						0	0	30	
1,1,2,2-Tetrachloroethane	ND	0.200						0	0	30	
n-Propylbenzene	ND	0.500						0	0	30	
Bromobenzene	ND	0.200						0	0	30	
1,3,5-Trimethylbenzene	ND	0.500						0	0	30	
2-Chlorotoluene	ND	0.500						0	0	30	
4-Chlorotoluene	ND	0.500						0	0	30	
tert-Butylbenzene	ND	0.500						0	0	30	
1,2,3-Trichloropropane	ND	0.500						0	0	30	
1,2,4-Trichlorobenzene	ND	0.750						0	0	30	
sec-Butylbenzene	ND	0.500						0	0	30	
4-Isopropyltoluene	ND	0.500						0	0	30	
1,3-Dichlorobenzene	ND	0.500						0	0	30	
1,4-Dichlorobenzene	ND	0.500						0	0	30	
n-Butylbenzene	ND	0.500						0	0	30	
1,2-Dichlorobenzene	ND	0.500						0	0	30	
1,2-Dibromo-3-chloropropane	ND	1.00						0	0	30	
1,2,4-Trimethylbenzene	ND	0.500						0	0	30	
Hexachloro-1,3-butadiene	ND	1.00						0	0	30	
Naphthalene	ND	1.25						0	0	30	
1,2,3-Trichlorobenzene	ND	1.00						0	0	30	
Surr: Dibromofluoromethane	25.3		25.00		101	79.9	122		0		
Surr: Toluene-d8	25.5		25.00		102	80	121		0		
Surr: 1-Bromo-4-fluorobenzene	24.7		25.00		99.0	79.7	120		0		

Sample ID: CCV-104829B		SampType: CCV		Units: µg/L		Prep Date: 11/18/2025		RunNo: 104829			
Client ID: CCV		Batch ID: 50078				Analysis Date: 11/18/2025		SeqNo: 2187592			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	28.2	1.00	20.00	0	141	80	120				S
Chloromethane	21.5	1.00	20.00	0	107	80	120				

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: CCV-104829B		SampType: CCV		Units: µg/L		Prep Date: 11/18/2025			RunNo: 104829		
Client ID: CCV		Batch ID: 50078		Analysis Date: 11/18/2025					SeqNo: 2187592		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	21.8	0.200	20.00	0	109	80	120				
Bromomethane	16.9	2.00	20.00	0	84.5	80	120				
Trichlorofluoromethane (CFC-11)	20.8	0.500	20.00	0	104	80	120				
Chloroethane	21.3	1.00	20.00	0	106	80	120				
1,1-Dichloroethene	22.5	0.500	20.00	0	113	80	120				
Acetone	37.1	5.00	50.00	0	74.1	80	120				S
Methylene chloride	20.2	2.00	20.00	0	101	80	120				
trans-1,2-Dichloroethene	21.3	0.500	20.00	0	107	80	120				
Methyl tert-butyl ether (MTBE)	19.7	0.500	20.00	0	98.6	80	120				
1,1-Dichloroethane	20.9	0.500	20.00	0	105	80	120				
cis-1,2-Dichloroethene	21.1	0.500	20.00	0	106	80	120				
2-Butanone (MEK)	41.0	5.00	50.00	0	82.1	80	120				
Chloroform	20.6	0.500	20.00	0	103	80	120				
1,1,1-Trichloroethane (TCA)	21.6	0.500	20.00	0	108	80	120				
1,1-Dichloropropene	23.0	0.500	20.00	0	115	80	120				
Carbon tetrachloride	22.4	0.500	20.00	0	112	80	120				
1,2-Dichloroethane (EDC)	20.3	0.200	20.00	0	101	80	120				
Benzene	20.0	0.200	20.00	0	100	80	120				
Trichloroethene (TCE)	18.2	0.500	20.00	0	90.8	80	120				
1,2-Dichloropropane	20.4	0.200	20.00	0	102	80	120				
Bromodichloromethane	20.1	0.200	20.00	0	100	80	120				
Dibromomethane	21.0	0.500	20.00	0	105	80	120				
cis-1,3-Dichloropropene	21.3	0.500	20.00	0	106	80	120				
Toluene	19.9	0.500	20.00	0	99.5	80	120				
trans-1,3-Dichloropropylene	21.2	0.500	20.00	0	106	80	120				
Methyl Isobutyl Ketone (MIBK)	49.9	2.50	50.00	0	99.8	80	120				
1,1,2-Trichloroethane	20.4	0.500	20.00	0	102	80	120				
1,3-Dichloropropane	20.5	0.500	20.00	0	103	80	120				
Tetrachloroethene (PCE)	21.9	0.500	20.00	0	109	80	120				
Dibromochloromethane	20.9	0.500	20.00	0	105	80	120				
1,2-Dibromoethane (EDB)	20.3	0.500	20.00	0	102	80	120				
2-Hexanone (MBK)	43.5	1.25	50.00	0	87.0	80	120				

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: CCV-104829B		SampType: CCV		Units: µg/L		Prep Date: 11/18/2025		RunNo: 104829			
Client ID: CCV		Batch ID: 50078				Analysis Date: 11/18/2025		SeqNo: 2187592			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	19.6	0.500	20.00	0	98.2	80	120				
1,1,1,2-Tetrachloroethane	20.8	0.500	20.00	0	104	80	120				
Ethylbenzene	20.0	0.500	20.00	0	100	80	120				
m,p-Xylene	40.1	1.00	40.00	0	100	80	120				
o-Xylene	20.3	0.500	20.00	0	102	80	120				
Styrene	20.1	0.500	20.00	0	101	80	120				
Isopropylbenzene	21.2	0.500	20.00	0	106	80	120				
Bromoform	20.3	0.500	20.00	0	102	80	120				
1,1,2,2-Tetrachloroethane	23.1	0.200	20.00	0	115	80	120				
n-Propylbenzene	20.9	0.500	20.00	0	105	80	120				
Bromobenzene	20.8	0.200	20.00	0	104	80	120				
1,3,5-Trimethylbenzene	20.7	0.500	20.00	0	104	80	120				
2-Chlorotoluene	20.8	0.500	20.00	0	104	80	120				
4-Chlorotoluene	20.0	0.500	20.00	0	99.8	80	120				
tert-Butylbenzene	21.3	0.500	20.00	0	106	80	120				
1,2,3-Trichloropropane	20.4	0.500	20.00	0	102	80	120				
1,2,4-Trichlorobenzene	19.2	0.750	20.00	0	96.2	80	120				
sec-Butylbenzene	21.6	0.500	20.00	0	108	80	120				
4-Isopropyltoluene	21.3	0.500	20.00	0	107	80	120				
1,3-Dichlorobenzene	19.7	0.500	20.00	0	98.3	80	120				
1,4-Dichlorobenzene	19.6	0.500	20.00	0	98.0	80	120				
n-Butylbenzene	21.7	0.500	20.00	0	108	80	120				
1,2-Dichlorobenzene	19.9	0.500	20.00	0	99.4	80	120				
1,2-Dibromo-3-chloropropane	19.9	1.00	20.00	0	99.7	80	120				
1,2,4-Trimethylbenzene	20.6	0.500	20.00	0	103	80	120				
Hexachloro-1,3-butadiene	20.6	1.00	20.00	0	103	80	120				
Naphthalene	18.9	1.25	20.00	0	94.7	80	120				
1,2,3-Trichlorobenzene	19.5	1.00	20.00	0	97.4	80	120				
Surr: Dibromofluoromethane	26.8		25.00		107	80	120				
Surr: Toluene-d8	25.9		25.00		104	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.8		25.00		99.4	80	120				

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: CCV-104829B		SampType: CCV			Units: µg/L		Prep Date: 11/18/2025			RunNo: 104829		
Client ID: CCV		Batch ID: 50078						Analysis Date: 11/18/2025			SeqNo: 2187592	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.
S - Outlying spike recovery observed (low bias). Samples will be qualified with a Q.

Sample ID: 2511409-004AMS	SampType: MS	Units: µg/L			Prep Date: 11/18/2025			RunNo: 104829			
Client ID: MW104-251114	Batch ID: 50078				Analysis Date: 11/19/2025			SeqNo: 2187593			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	24.4	1.00	20.00	0	122	61	156				
Chloromethane	20.3	1.00	20.00	0	102	58.6	153				
Vinyl chloride	39.3	0.200	20.00	16.16	116	70.9	160				
Bromomethane	19.7	2.00	20.00	0	98.3	57	155				
Trichlorofluoromethane (CFC-11)	22.5	0.500	20.00	0	112	80	159				
Chloroethane	27.1	1.00	20.00	10.85	81.5	71.3	145				
1,1-Dichloroethene	25.7	0.500	20.00	0.4995	126	80	160				
Acetone	35.1	5.00	50.00	0	70.1	12.9	126				
Methylene chloride	21.3	2.00	20.00	0	106	77.6	131				
trans-1,2-Dichloroethene	23.3	0.500	20.00	0.4689	114	80	134				
Methyl tert-butyl ether (MTBE)	19.9	0.500	20.00	0	99.3	80	127				
1,1-Dichloroethane	22.1	0.500	20.00	0	110	80	129				
cis-1,2-Dichloroethene	34.7	0.500	20.00	13.40	107	78.2	137				
2-Butanone (MEK)	41.1	5.00	50.00	0	82.2	32.5	130				
Chloroform	21.7	0.500	20.00	0	108	78.3	136				
1,1,1-Trichloroethane (TCA)	24.3	0.500	20.00	0	121	80	153				
1,1-Dichloropropene	25.2	0.500	20.00	0	126	80	153				
Carbon tetrachloride	27.2	0.500	20.00	0	136	80	156				
1,2-Dichloroethane (EDC)	21.2	0.200	20.00	0	106	77	133				
Benzene	21.0	0.200	20.00	0.09081	104	80	134				
Trichloroethene (TCE)	19.7	0.500	20.00	0.3748	96.9	80	133				
1,2-Dichloropropane	21.2	0.200	20.00	0	106	80	125				
Bromodichloromethane	21.6	0.200	20.00	0	108	80	124				
Dibromomethane	20.7	0.500	20.00	0	103	80	122				

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511409-004AMS	SampType: MS	Units: µg/L			Prep Date: 11/18/2025			RunNo: 104829			
Client ID: MW104-251114	Batch ID: 50078	Analysis Date: 11/19/2025						SeqNo: 2187593			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,3-Dichloropropene	20.4	0.500	20.00	0	102	80	128				
Toluene	21.2	0.500	20.00	0.4482	104	80	134				
trans-1,3-Dichloropropylene	18.8	0.500	20.00	0	93.9	78.6	136				
Methyl Isobutyl Ketone (MIBK)	53.4	2.50	50.00	0	107	61.1	145				
1,1,2-Trichloroethane	20.6	0.500	20.00	0	103	79.4	135				
1,3-Dichloropropane	20.2	0.500	20.00	0	101	80	126				
Tetrachloroethene (PCE)	24.2	0.500	20.00	0.1187	120	80	153				
Dibromochloromethane	22.0	0.500	20.00	0	110	77.7	137				
1,2-Dibromoethane (EDB)	20.1	0.500	20.00	0	101	77.8	132				
2-Hexanone (MBK)	45.1	1.25	50.00	0	90.2	34.7	135				
Chlorobenzene	20.4	0.500	20.00	0	102	80	123				
1,1,1,2-Tetrachloroethane	21.1	0.500	20.00	0	105	80	125				
Ethylbenzene	20.9	0.500	20.00	0	105	80	125				
m,p-Xylene	41.7	1.00	40.00	0	104	80	124				
o-Xylene	20.6	0.500	20.00	0	103	80	122				
Styrene	20.4	0.500	20.00	0	102	80	122				
Isopropylbenzene	21.8	0.500	20.00	0	109	80	133				
Bromoform	20.8	0.500	20.00	0	104	80	125				
1,1,2,2-Tetrachloroethane	24.0	0.200	20.00	0	120	76.3	138				
n-Propylbenzene	21.8	0.500	20.00	0	109	80	134				
Bromobenzene	20.3	0.200	20.00	0	102	80	121				
1,3,5-Trimethylbenzene	21.1	0.500	20.00	0	106	80	126				
2-Chlorotoluene	20.8	0.500	20.00	0	104	80	124				
4-Chlorotoluene	20.3	0.500	20.00	0	101	80	123				
tert-Butylbenzene	22.3	0.500	20.00	0	112	80	131				
1,2,3-Trichloropropane	19.3	0.500	20.00	0	96.4	75.3	125				
1,2,4-Trichlorobenzene	20.0	0.750	20.00	0	100	71.2	129				
sec-Butylbenzene	23.1	0.500	20.00	0	116	80	137				
4-Isopropyltoluene	22.1	0.500	20.00	0	110	80	132				
1,3-Dichlorobenzene	20.4	0.500	20.00	0	102	80	120				
1,4-Dichlorobenzene	20.0	0.500	20.00	0	100	80	122				
n-Butylbenzene	21.9	0.500	20.00	0	110	79.5	138				

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511409-004AMS		SampType: MS			Units: µg/L		Prep Date: 11/18/2025			RunNo: 104829		
Client ID: MW104-251114		Batch ID: 50078						Analysis Date: 11/19/2025			SeqNo: 2187593	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dichlorobenzene	19.3	0.500	20.00	0	96.3	79	120				
1,2-Dibromo-3-chloropropane	20.2	1.00	20.00	0	101	69.6	137				
1,2,4-Trimethylbenzene	20.8	0.500	20.00	0	104	80	123				
Hexachloro-1,3-butadiene	21.3	1.00	20.00	0	107	74.3	148				
Naphthalene	21.3	1.25	20.00	0	107	74.3	124				
1,2,3-Trichlorobenzene	19.1	1.00	20.00	0	95.6	71.9	129				
Surr: Dibromofluoromethane	27.1		25.00		108	79.9	122				
Surr: Toluene-d8	26.1		25.00		104	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.8		25.00		99.2	79.7	120				

Sample ID: CCV-104829C		SampType: CCV			Units: µg/L		Prep Date: 11/19/2025			RunNo: 104829		
Client ID: CCV		Batch ID: 50078			Analysis Date: 11/19/2025			SeqNo: 2187594				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	26.5	1.00	20.00	0	132	80	120				S
Chloromethane	21.0	1.00	20.00	0	105	80	120				
Vinyl chloride	22.0	0.200	20.00	0	110	80	120				
Bromomethane	19.2	2.00	20.00	0	95.8	80	120				
Trichlorofluoromethane (CFC-11)	20.4	0.500	20.00	0	102	80	120				
Chloroethane	22.1	1.00	20.00	0	110	80	120				
1,1-Dichloroethene	22.1	0.500	20.00	0	111	80	120				
Acetone	46.7	5.00	50.00	0	93.4	80	120				
Methylene chloride	20.3	2.00	20.00	0	101	80	120				
trans-1,2-Dichloroethene	21.2	0.500	20.00	0	106	80	120				
Methyl tert-butyl ether (MTBE)	18.6	0.500	20.00	0	93.2	80	120				
1,1-Dichloroethane	19.5	0.500	20.00	0	97.5	80	120				
cis-1,2-Dichloroethene	21.0	0.500	20.00	0	105	80	120				
2-Butanone (MEK)	45.5	5.00	50.00	0	91.0	80	120				
Chloroform	20.4	0.500	20.00	0	102	80	120				
1,1,1-Trichloroethane (TCA)	21.3	0.500	20.00	0	107	80	120				
1,1-Dichloropropene	22.6	0.500	20.00	0	113	80	120				

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: CCV-104829C		SampType: CCV		Units: µg/L		Prep Date: 11/19/2025		RunNo: 104829			
Client ID: CCV		Batch ID: 50078				Analysis Date: 11/19/2025		SeqNo: 2187594			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Carbon tetrachloride	22.8	0.500	20.00	0	114	80	120				
1,2-Dichloroethane (EDC)	20.0	0.200	20.00	0	99.8	80	120				
Benzene	19.8	0.200	20.00	0	98.8	80	120				
Trichloroethene (TCE)	17.8	0.500	20.00	0	88.9	80	120				
1,2-Dichloropropane	20.2	0.200	20.00	0	101	80	120				
Bromodichloromethane	20.2	0.200	20.00	0	101	80	120				
Dibromomethane	20.4	0.500	20.00	0	102	80	120				
cis-1,3-Dichloropropene	21.3	0.500	20.00	0	107	80	120				
Toluene	19.6	0.500	20.00	0	98.0	80	120				
trans-1,3-Dichloropropylene	21.0	0.500	20.00	0	105	80	120				
Methyl Isobutyl Ketone (MIBK)	46.6	2.50	50.00	0	93.3	80	120				
1,1,2-Trichloroethane	19.9	0.500	20.00	0	99.6	80	120				
1,3-Dichloropropane	19.9	0.500	20.00	0	99.7	80	120				
Tetrachloroethene (PCE)	21.7	0.500	20.00	0	109	80	120				
Dibromochloromethane	21.2	0.500	20.00	0	106	80	120				
1,2-Dibromoethane (EDB)	19.8	0.500	20.00	0	99.2	80	120				
2-Hexanone (MBK)	44.2	1.25	50.00	0	88.5	80	120				
Chlorobenzene	19.6	0.500	20.00	0	97.8	80	120				
1,1,1,2-Tetrachloroethane	20.9	0.500	20.00	0	104	80	120				
Ethylbenzene	19.9	0.500	20.00	0	99.4	80	120				
m,p-Xylene	39.9	1.00	40.00	0	99.9	80	120				
o-Xylene	20.2	0.500	20.00	0	101	80	120				
Styrene	19.9	0.500	20.00	0	99.6	80	120				
Isopropylbenzene	20.9	0.500	20.00	0	105	80	120				
Bromoform	20.1	0.500	20.00	0	100	80	120				
1,1,2,2-Tetrachloroethane	21.9	0.200	20.00	0	110	80	120				
n-Propylbenzene	20.7	0.500	20.00	0	104	80	120				
Bromobenzene	20.5	0.200	20.00	0	103	80	120				
1,3,5-Trimethylbenzene	20.6	0.500	20.00	0	103	80	120				
2-Chlorotoluene	20.6	0.500	20.00	0	103	80	120				
4-Chlorotoluene	19.9	0.500	20.00	0	99.4	80	120				
tert-Butylbenzene	21.0	0.500	20.00	0	105	80	120				

Work Order: 2511409
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: CCV-104829C		SampType: CCV			Units: µg/L		Prep Date: 11/19/2025			RunNo: 104829		
Client ID: CCV		Batch ID: 50078			Analysis Date: 11/19/2025			SeqNo: 2187594				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2,3-Trichloropropane	19.2	0.500	20.00	0	96.1	80	120				
1,2,4-Trichlorobenzene	18.2	0.750	20.00	0	90.9	80	120				
sec-Butylbenzene	21.4	0.500	20.00	0	107	80	120				
4-Isopropyltoluene	21.1	0.500	20.00	0	106	80	120				
1,3-Dichlorobenzene	19.9	0.500	20.00	0	99.6	80	120				
1,4-Dichlorobenzene	19.8	0.500	20.00	0	99.0	80	120				
n-Butylbenzene	22.2	0.500	20.00	0	111	80	120				
1,2-Dichlorobenzene	19.7	0.500	20.00	0	98.7	80	120				
1,2-Dibromo-3-chloropropane	19.1	1.00	20.00	0	95.6	80	120				
1,2,4-Trimethylbenzene	20.5	0.500	20.00	0	103	80	120				
Hexachloro-1,3-butadiene	21.0	1.00	20.00	0	105	80	120				
Naphthalene	17.1	1.25	20.00	0	85.3	80	120				
1,2,3-Trichlorobenzene	17.6	1.00	20.00	0	87.8	80	120				
Surr: Dibromofluoromethane	27.0		25.00		108	80	120				
Surr: Toluene-d8	26.0		25.00		104	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.6		25.00		98.5	80	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: CCB-104829		SampType: CCB			Units: µg/L		Prep Date: 11/19/2025			RunNo: 104829		
Client ID: CCB		Batch ID: 50078						Analysis Date: 11/19/2025			SeqNo: 2188247	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Vinyl chloride	ND	0.200									
cis-1,2-Dichloroethene	ND	0.500									
Surr: Dibromofluoromethane	25.7		25.00		103	80	120				
Surr: Toluene-d8	25.9		25.00		104	80	120				
Surr: 1-Bromo-4-fluorobenzene	25.1		25.00		100	80	120				

Client Name: AC

Work Order Number: 2511409

Logged by: Morgan Laughlin

Date Received: 11/14/2025 3:16:00 PM

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes ☐ No ☐ Not Present ☒
4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all items received at a temperature of >2°C to 6°C * Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. Is there headspace in the VOA vials? Yes ☐ No ☒ NA ☐
11. Did all samples containers arrive in good condition(unbroken)? Yes ☒ No ☐
12. Does paperwork match bottle labels? Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all hold times (except field parameters, pH e.g.) able to be met? Yes ☒ No ☐

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:		Date:	
By Whom:		Via:	☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:			
Client Instructions:			

17. Additional remarks:

Item Information

Item #	Temp °C
Sample	1.2

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-353-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11/14/25 Page: 1 of 2

Laboratory Project No (Internal): 2511404

Special Remarks:

Please invoice through
Coupa w/o-AS24 0461-8485.
Share hold the due to
nitrate samples!

Project Name: 700 Dexter

Collected by: M. Elliott, E. Rusea, J. Raville

Location: 700 Dexter

Report To (PM): Hannah Cohen + Lea Kane

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Client: Geosyntec Consultants

Address: 8005th Ave, Suite 2200

City, State, Zip: Seattle, WA 98104

Telephone: 206-780-7724

Emails: Hannah.Cohen@geosyntec.com; Lea.Kane@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)	# of Cont.	VOCs (EPA 8260/824)	BTEX	Gasoline Range Organics (GRO)	Hydrocarbon Identification (HID)	Diesel/Heavy Oil Range Organics (DRO)	SVOCs (EPA 8270/825)	PAHs (EPA 8270/825)	PCBs (EPA 8082/8081)	Metal** (EPA 8210/200.8)	Gold/Ag (EPA 8210/200.8)	Alkalinity (EPA 8210/200.8)	TOC (EPA 8210/200.8)	Comments
1 MW-307-251114	11/14/25	1005	GW	3	X												
2 MW-306-251114	11/14/25	1055	GW	3	X												
3 MW124-251114	11/14/25	1150	GW	3	X												
4 MW104-251114	11/14/25	1305	GW	3	X												
5 MW160-251114	11/14/25	1400	GW	3	X												
6 MW-342-251114	11/14/25	1056	GW	9	X												
7 MW-343-251114	11/14/25	0957	GW	9	X												
8 MW-449 ^{ce} -mutter	11/14/25	1223	GW	3	X												Sample Name: MW119-251114
9 MW-185-251114	11/14/25	1410	GW	9	X												
10 MN-187-251114	11/14/25	1247	GW	9	X												

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCS-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al Ar B Ba Be Cd Co Cr Cu Fe Hg K Mg Mn Mo Na Ni Pb Se Sr Ti V Zn

***Anions (Circle): Nitrate Nitrite Sulfate Bromide Chloride Fluoride Nitrate-Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished (Signature)	Print Name	Date/Time	Received (Signature)	Print Name	Date/Time
<i>[Signature]</i>	Mckenzie Elliott	11-14-25 1515	<i>[Signature]</i>	William Miller	11/14/25 1516
Relinquished (Signature)	Print Name	Date/Time	Received (Signature)	Print Name	Date/Time
<i>[Signature]</i>			<i>[Signature]</i>		

Turn-around Time: ☒ Standard ☐ Next Day ☐ 3 Day ☐ Same Day (specify) ☐ 2 Day



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11/14/25 Page: 2 of 2

Laboratory Project No (internal): 2511409

Client: Geosyntec Consultants

Project No: AS 24 04161

Special Remarks:
Please invoice through
Coupa: WO-AS2404161-8485
Short hold time due to
nitrate samples!

Address: 600 5th Ave, Suite 2200

City, State, Zip: Seattle, WA 98104

Location: 700 Dexter

Telephone: 206-780-7724

Report To (PM): Hannah Cohen + Lea Kane

Emails: Hannah.Cohen@geosyntec.com; Lea.Kane@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCs (EPA 8260 / 624)	8TEX	Gasoline Range Organics (GRO)	Hydrocarbon Identification (HID)	Dist./Heavy Oil Range Organics (HOD)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - 5M)	PCBs (EPA 8082 - 5M)	Metal* (EPA 8210 / 601)	Asbestos (EPA 8210 / 601)	Disinfectant (EPA 8210 / 601)	Alkalinity (EPA 8210 / 601)	Comments
1 MW-188-251114	11/14/25	1205	GW	9	X	X	X	X	X	X	X	X	X	X	X	X	Sample ID: MW-188-251114
2 MW-188-24-ER	11/14/25	1130	GW	9	X	X	X	X	X	X	X	X	X	X	X	X	
3 MW-176-251114	11/14/25	1030	GW	9	X	X	X	X	X	X	X	X	X	X	X	X	
4 MW-173-251114	11/14/25	1005	GW	9	X	X	X	X	X	X	X	X	X	X	X	X	
5 TRIP-251114	11/14/25	—	W	1	X												
6																	
7																	
8																	
9																	
10																	

*Matrix: A = Air, AQ = Aquifer, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Wastewater, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCS-5 RCRA-8 TALL Individual: Ag Al As Ba Be Ca Cd Co Cr Cu Fe Hg K Mg Mn Mo Ni Pb Se Sr Sn Ti Tl V Zn

***Anions (Circle): Nitrate Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate+Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished (Signature) <i>Mellett</i>	Print Name Mellette Elliott	Date/Time 11-14-25	Received (Signature) <i>Lea Kane</i>	Print Name Lea Kane	Date/Time 11/14/25
Relinquished (Signature) <i>Mellett</i>	Print Name Mellette Elliott	Date/Time 11-14-25	Received (Signature) <i>Lea Kane</i>	Print Name Lea Kane	Date/Time 11/14/25

Turn-around Time:
☒ Standard ☐ Next Day
☐ 3 Day ☐ Same Day
☐ 2 Day (specify)



Analytical Resources, LLC
Analytical Chemists and Consultants
Tukwila, WA

02 December 2025

Brianna Barnes
Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle, WA 98103

RE: TOC (2511409)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)

25K0361

Associated SDG ID(s)

N/A

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Phillip Bates, Project Manager



25K0361

CHAIN OF CUSTODY RECORD

Omega COCID 2566


PAGE: 1

OF: 1

ADDRESS

Alliance Technical Group, LLC -
Seattle
3600 Fremont Ave N
Seattle, WA 98103
TEL: 206-352-3790
FAX: 206-352-7178
Website: www.fremontanalytical.com

SUB CONTRATOR: ARI		COMPANY: Analytical Resources Inc.		SPECIAL INSTRUCTIONS / COMMENTS: Standard TAT. Please email results to SEA.PM@alliantcgt.com and invoices to both SEA.PM@alliantcgt.com and ap@alliantcgt.com.			
ADDRESS: 4611 South 134th Place, Suite 100							
CITY, STATE, ZIP: Tukwila, WA 98168							
PHONE: (206) 695-6200 FAX: EMAIL:							
ACCOUNT #:							
ITEM #	SAMPLE ID	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS	COMMENTS: Methanol Preserved Weights HOT Sample Notation, Additional Sample Description
1	2511409-006C	MW-342-251114	AMBER 250ML	Groundwater	11/14/2025 10:56:00 AM	1	TOC 9060
	C-TOC-W-9060						
2	2511409-007C	MW-343-251114	AMBER 250ML	Groundwater	11/14/2025 9:57:00 AM	1	TOC 9060
	C-TOC-W-9060						
3	2511409-009C	MW-185-251114	AMBER 250ML	Groundwater	11/14/2025 2:10:00 PM	1	TOC 9060
	C-TOC-W-9060						
4	2511409-010C	MW-187-251114	AMBER 250ML	Groundwater	11/14/2025 12:47:00 PM	1	TOC 9060
	C-TOC-W-9060						
5	2511409-011C	MW-188-251114	AMBER 250ML	Groundwater	11/14/2025 12:05:00 PM	1	TOC 9060
	C-TOC-W-9060						
6	2511409-012C	MW-186-251114	AMBER 250ML	Groundwater	11/14/2025 11:30:00 AM	1	TOC 9060
	C-TOC-W-9060						
7	2511409-013C	MW-176-251114	AMBER 250ML	Groundwater	11/14/2025 10:30:00 AM	1	TOC 9060
	C-TOC-W-9060						
8	2511409-014C	MW-173-251114	AMBER 250ML	Groundwater	11/14/2025 10:05:00 AM	1	TOC 9060
	C-TOC-W-9060						

Relinquished By: 	Date: 11/17/25	Time: 9:07	Received By:  ARI	Date: 11/17/25	Time: 13:20	REPORT TRANSMITTAL DESIRED: ☐ HARDCOPY (extra cost) ☐ FAX ☐ EMAIL ☐ ONLINE FOR LAB USE ONLY Temp of samples _____ °C Attempt to Cool ? _____ Comments: _____
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
TAT: Standard ☐ RUSH Next BD ☐ 2nd BD ☐ 3rd BD ☐ Note: RUSH requests will incur surcharges!						Page 82 of 97



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511409
Project Manager: Brianna Barnes

Reported:
02-Dec-2025 09:32

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-342-251114	25K0361-01	Water	14-Nov-2025 10:56	17-Nov-2025 13:20
MW-343-251114	25K0361-02	Water	14-Nov-2025 09:57	17-Nov-2025 13:20
MW-185-251114	25K0361-03	Water	14-Nov-2025 14:10	17-Nov-2025 13:20
MW-187-251114	25K0361-04	Water	14-Nov-2025 12:47	17-Nov-2025 13:20
MW-188-251114	25K0361-05	Water	14-Nov-2025 12:05	17-Nov-2025 13:20
MW-186-251114	25K0361-06	Water	14-Nov-2025 11:30	17-Nov-2025 13:20
MW-176-251114	25K0361-07	Water	14-Nov-2025 10:30	17-Nov-2025 13:20
MW-173-251114	25K0361-08	Water	14-Nov-2025 10:05	17-Nov-2025 13:20



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511409
Project Manager: Brianna Barnes

Reported:
02-Dec-2025 09:32

Work Order Case Narrative

Client: Alliance Technical Group, LLC.

Project: TOC

Project Number: 2511409

Work Order: 25K0361

Sample receipt

The sample(s) as listed on the preceding page were received 17-Nov-2025 13:20 under ARI work order 25K0361. For details regarding sample receipt, please refer to the Cooler Receipt Form.

Wet Chemistry

The sample(s) were prepared and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.



WORK ORDER

25K0361

Client: Alliance Technical Group, LLC.

Project Manager: Phillip Bates

Project: TOC

Project Number: 2511409

Preservation Confirmation

Container ID	Container Type	pH	pH Paper Lot#: <u>N000119</u>
25K0361-01 A	Glass NM, Amber, 250 mL, 9N H2SO4	<2	
25K0361-02 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0361-03 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0361-04 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0361-05 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0361-06 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0361-07 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0361-08 A	Glass NM, Amber, 250 mL, 9N H2SO4		

NDT

Preservation Confirmed By

11/17/25

Date



Cooler Receipt Form

ARI Client: Alliance

Project Name: TOC

COC No(s): NA

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: NA

Assigned ARI Job No: 25K0361

Tracking No: NA

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler? YES NO

Were custody papers included with the cooler? YES NO

Were custody papers properly filled out (ink, signed, etc.) YES NO

Temperature of Cooler(s) (°C) Time 1320 4.6 Temp Gun ID#: 8117

Was a temperature blank included in the cooler? YES NO

Were coolers received between 0° - 6° (°C) YES NO

Was sufficient ice used (if appropriate)? NA YES NO

Cooler Accepted by: NDT Date: 11/17/25 Time: 1320

Complete custody forms and attach all shipping documents

Log-In Phase:

What kind of packing material was used? Bubble Wrap Wet Ice Gel Packs Baggies Foam Block N/A Other:

Are any samples that were out of temperature compliance documented in LIMS? YES NO

How were bottles sealed in plastic bags? Individually Grouped Not

Did all bottles arrive in good condition (unbroken)? YES NO

Were all bottle labels complete and legible? YES NO

Did the number of containers listed on COC match with the number of containers received? YES NO

Did all bottle labels and tags agree with custody papers? YES NO

Were all bottles used correct for the requested analyses? YES NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ... NA YES NO

Were all VOC vials free of air bubbles? NA YES NO

Was sufficient amount of sample sent in each bottle? YES NO

Date VOC Trip Blank was made at ARI: NA

Were the sample(s) split by ARI? NA YES Date/Time: Equipment: Split by:

Samples Logged by: NDT Date: 11/17/25 Time: 1505 Labels checked by: NDT

**** Notify Project Manager of discrepancies or concerns ****

Additional Notes, Discrepancies, & Resolutions:

By: Date:



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511409
Project Manager: Brianna Barnes

Reported:
02-Dec-2025 09:32

MW-342-251114
25K0361-01 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/14/2025 10:56

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 15:46

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0361-01 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	29.97	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511409
Project Manager: Brianna Barnes

Reported:
02-Dec-2025 09:32

MW-343-251114
25K0361-02 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/14/2025 09:57

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 16:04

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0361-02 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	25.28	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511409
Project Manager: Brianna Barnes

Reported:
02-Dec-2025 09:32

MW-185-251114
25K0361-03 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/14/2025 14:10

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 16:22

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0361-03 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	95.28	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511409
Project Manager: Brianna Barnes

Reported:
02-Dec-2025 09:32

MW-187-251114
25K0361-04 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/14/2025 12:47

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 16:44

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0361-04 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	71.19	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511409
Project Manager: Brianna Barnes

Reported:
02-Dec-2025 09:32

MW-188-251114
25K0361-05 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/14/2025 12:05

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 17:48

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0361-05 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	20.93	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511409
Project Manager: Brianna Barnes

Reported:
02-Dec-2025 09:32

MW-186-251114
25K0361-06 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/14/2025 11:30

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 18:17

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0361-06 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	74.91	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511409
Project Manager: Brianna Barnes

Reported:
02-Dec-2025 09:32

MW-176-251114
25K0361-07 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/14/2025 10:30

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/27/2025 18:39

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0361-07 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	69.76	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511409
Project Manager: Brianna Barnes

Reported:
02-Dec-2025 09:32

MW-173-251114
25K0361-08RE1 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/14/2025 10:05

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 11/28/2025 05:49

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0361-08RE1 A

Preparation Batch: BNK0490

Sample Size: 20 mL

Prepared: 11/27/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	42.81	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511409
Project Manager: Brianna Barnes

Reported:
02-Dec-2025 09:32

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BNK0490 - EPA 9060A in Water

Instrument: TOC-LCSH Analyst: RMS

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD Limit	Notes
Blank (BNK0490-BLK1)					Prepared: 27-Nov-2025 Analyzed: 27-Nov-2025 10:12				
Total Organic Carbon	ND	0.50	0.50	mg/L					U
LCS (BNK0490-BS1)					Prepared: 27-Nov-2025 Analyzed: 27-Nov-2025 10:34				
Total Organic Carbon	20.11	0.50	0.50	mg/L	20.00	101	90-110		



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511409
Project Manager: Brianna Barnes

Reported:
02-Dec-2025 09:32

Uncertified Analytes included in this Report

Analysis Matrix & Analyte

None

Certified Analyses included in this Report

Analysis Matrix & Analyte

Certification Codes

EPA 9060A in Water

Total Organic Carbon

DoD-ELAP,WADOE,NELAP

Certifications

Code	Description	Number	Expires
DoD-ELAP	DoD-Environmental Laboratory Accreditation Program, PJLA Testing	66169	01/31/2026
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-018	05/12/2026
WADOE	WA Dept of Ecology	C558	06/30/2026



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511409
Project Manager: Brianna Barnes

Reported:
02-Dec-2025 09:32

Notes and Definitions

- * Flagged value is not within established control limits.
- U This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- [2C] Indicates this result was quantified on the second column on a dual column analysis.
- ! Indicates that ARL is NOT ACCREDITED for this parameter in samples logged as 'Drinking Water'
- # Indicates that ARL is NOT ACCREDITED for this parameter in this analysis and matrix.

Geosyntec Consultants

Hannah Cohen

801 5th Ave Suite 2200

Seattle, WA 98104

RE: 700 Dexter, WO-AS240461-8485

Work Order Number: 2511443

December 05, 2025

Attention Hannah Cohen:

Alliance Technical Group, LLC - Seattle received 12 sample(s) on 11/17/2025 for the analyses presented in the following report.

Dissolved Gases by RSK-175

Ion Chromatography by EPA 300.0

Total Alkalinity by EPA 310.2

Total Metals by EPA 6020B

Total Organic Carbon by EPA Method 9060

Volatile Organic Compounds by EPA 8260D

All analyses were performed according to our accredited Quality Assurance program. Please contact the laboratory if you should have any questions about the results.

Alliance Technical Group is committed to accuracy, speed, and customer service. Thank you for choosing Alliance Technical Group's Seattle laboratory team for your analytical needs. We appreciate this opportunity to serve you!

Sincerely,



Brianna Barnes
Project Manager

CC:
Lea Kane

DoD-ELAP Accreditation #79636 by PJLA, ISO/IEC 17025:2017 and QSM 5.4 for Environmental Testing
ORELAP Certification: WA 100009 (NELAP Recognized) for Environmental Testing
Washington State Department of Ecology Accredited for Environmental Testing, Lab ID C910

Revision v1



CLIENT: Geosyntec Consultants
Project: 700 Dexter
Work Order: 2511443

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
2511443-001	MW-183-251117	11/17/2025 10:00 AM	11/17/2025 3:33 PM
2511443-002	MW-181-251117	11/17/2025 11:17 AM	11/17/2025 3:33 PM
2511443-003	MW-182-251117	11/17/2025 12:32 PM	11/17/2025 3:33 PM
2511443-004	MW-184-251117	11/17/2025 2:20 PM	11/17/2025 3:33 PM
2511443-005	MW-148-251117	11/17/2025 10:35 AM	11/17/2025 3:33 PM
2511443-006	MW-190-251117	11/17/2025 11:55 AM	11/17/2025 3:33 PM
2511443-007	MW103-251117	11/17/2025 2:00 PM	11/17/2025 3:33 PM
2511443-008	MW-315-251117	11/17/2025 10:44 AM	11/17/2025 3:33 PM
2511443-009	FMW-137-251117	11/17/2025 11:44 AM	11/17/2025 3:33 PM
2511443-010	MW123-251117	11/17/2025 1:27 PM	11/17/2025 3:33 PM
2511443-011	MW109-251117	11/17/2025 2:35 PM	11/17/2025 3:33 PM
2511443-012	EQ-251117	11/17/2025 1:40 PM	11/17/2025 3:33 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

CLIENT: Geosyntec Consultants

Project: 700 Dexter

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

Matrix Spike (MS) and MS Duplicate (MSD) samples are tested from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. The sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

2511443-001C

C-TOC-W-9060 has been Sub Contracted.

2511443-002C

C-TOC-W-9060 has been Sub Contracted.

2511443-003C

C-TOC-W-9060 has been Sub Contracted.

2511443-004C

C-TOC-W-9060 has been Sub Contracted.

2511443-006C

C-TOC-W-9060 has been Sub Contracted.

2511443-007C

C-TOC-W-9060 has been Sub Contracted.

2511443-009C

C-TOC-W-9060 has been Sub Contracted.

2511443-011C

C-TOC-W-9060 has been Sub Contracted.

1/12/2026: Rev1 includes additional continued calibration samples for EPA 300.0 per client request.

Qualifiers:

- * - Associated LCS is outside of control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Method Detection Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- DUP - Sample Duplicate
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MCL - Maximum Contaminant Level
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- REP - Sample Replicate
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate

Client: Geosyntec Consultants

Collection Date: 11/17/2025 10:00:00 AM

Project: 700 Dexter

Lab ID: 2511443-001

Matrix: Groundwater

Client Sample ID: MW-183-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10486		Analyst: BCA	
Methane	11.3	0.500	0.450	D	mg/L	100	11/20/25 12:57:00
Ethene	0.211	0.0100	0.00610		mg/L	1	11/20/25 11:51:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/20/25 11:51:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50097		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	10.0	1.77	D	µg/L	10	11/20/25 3:01:53
Chloromethane	ND	10.0	2.18	D	µg/L	10	11/20/25 3:01:53
Vinyl chloride	1,700	20.0	4.55	D	µg/L	100	11/19/25 22:00:30
Bromomethane	ND	20.0	3.86	D	µg/L	10	11/20/25 3:01:53
Trichlorofluoromethane (CFC-11)	ND	5.00	0.618	D	µg/L	10	11/20/25 3:01:53
Chloroethane	ND	10.0	3.34	D	µg/L	10	11/20/25 3:01:53
1,1-Dichloroethene	ND	5.00	1.22	D	µg/L	10	11/20/25 3:01:53
Acetone	ND	50.0	25.5	D	µg/L	10	11/20/25 3:01:53
Methylene chloride	ND	20.0	6.49	D	µg/L	10	11/20/25 3:01:53
trans-1,2-Dichloroethene	1.51	5.00	1.15	DJ	µg/L	10	11/20/25 3:01:53
Methyl tert-butyl ether (MTBE)	ND	5.00	1.21	D	µg/L	10	11/20/25 3:01:53
1,1-Dichloroethane	ND	5.00	1.41	D	µg/L	10	11/20/25 3:01:53
cis-1,2-Dichloroethene	216	5.00	1.64	D	µg/L	10	11/20/25 3:01:53
2-Butanone (MEK)	ND	50.0	19.8	D	µg/L	10	11/20/25 3:01:53
Chloroform	ND	5.00	0.865	D	µg/L	10	11/20/25 3:01:53
1,1,1-Trichloroethane (TCA)	ND	5.00	1.03	D	µg/L	10	11/20/25 3:01:53
1,1-Dichloropropene	ND	5.00	1.43	D	µg/L	10	11/20/25 3:01:53
Carbon tetrachloride	ND	5.00	0.798	D	µg/L	10	11/20/25 3:01:53
1,2-Dichloroethane (EDC)	ND	2.00	0.477	D	µg/L	10	11/20/25 3:01:53
Benzene	ND	2.00	0.540	D	µg/L	10	11/20/25 3:01:53
Trichloroethene (TCE)	ND	5.00	1.35	D	µg/L	10	11/20/25 3:01:53
1,2-Dichloropropane	ND	2.00	0.503	D	µg/L	10	11/20/25 3:01:53
Bromodichloromethane	ND	2.00	0.489	D	µg/L	10	11/20/25 3:01:53
Dibromomethane	ND	5.00	0.812	D	µg/L	10	11/20/25 3:01:53
cis-1,3-Dichloropropene	ND	5.00	1.09	D	µg/L	10	11/20/25 3:01:53
Toluene	ND	5.00	1.29	D	µg/L	10	11/20/25 3:01:53
trans-1,3-Dichloropropylene	ND	5.00	0.993	D	µg/L	10	11/20/25 3:01:53

Client: Geosyntec Consultants

Collection Date: 11/17/2025 10:00:00 AM

Project: 700 Dexter

Lab ID: 2511443-001

Matrix: Groundwater

Client Sample ID: MW-183-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50097		Analyst: KJ	
Methyl Isobutyl Ketone (MIBK)	ND	25.0	3.54	D	µg/L	10	11/20/25 3:01:53
1,1,2-Trichloroethane	ND	5.00	0.807	D	µg/L	10	11/20/25 3:01:53
1,3-Dichloropropane	ND	5.00	0.827	D	µg/L	10	11/20/25 3:01:53
Tetrachloroethene (PCE)	ND	5.00	1.02	D	µg/L	10	11/20/25 3:01:53
Dibromochloromethane	ND	5.00	1.01	D	µg/L	10	11/20/25 3:01:53
1,2-Dibromoethane (EDB)	ND	5.00	0.432	D	µg/L	10	11/20/25 3:01:53
2-Hexanone (MBK)	ND	12.5	3.64	D	µg/L	10	11/20/25 3:01:53
Chlorobenzene	ND	5.00	0.934	D	µg/L	10	11/20/25 3:01:53
1,1,1,2-Tetrachloroethane	ND	5.00	1.17	D	µg/L	10	11/20/25 3:01:53
Ethylbenzene	ND	5.00	1.25	D	µg/L	10	11/20/25 3:01:53
m,p-Xylene	ND	10.0	2.89	D	µg/L	10	11/20/25 3:01:53
o-Xylene	ND	5.00	1.44	D	µg/L	10	11/20/25 3:01:53
Styrene	ND	5.00	1.15	D	µg/L	10	11/20/25 3:01:53
Isopropylbenzene	ND	5.00	1.22	D	µg/L	10	11/20/25 3:01:53
Bromoform	ND	5.00	0.986	D	µg/L	10	11/20/25 3:01:53
1,1,2,2-Tetrachloroethane	ND	2.00	0.704	D	µg/L	10	11/20/25 3:01:53
n-Propylbenzene	ND	5.00	1.24	D	µg/L	10	11/20/25 3:01:53
Bromobenzene	ND	2.00	0.677	D	µg/L	10	11/20/25 3:01:53
1,3,5-Trimethylbenzene	ND	5.00	1.02	D	µg/L	10	11/20/25 3:01:53
2-Chlorotoluene	ND	5.00	0.721	D	µg/L	10	11/20/25 3:01:53
4-Chlorotoluene	ND	5.00	0.876	D	µg/L	10	11/20/25 3:01:53
tert-Butylbenzene	ND	5.00	0.821	D	µg/L	10	11/20/25 3:01:53
1,2,3-Trichloropropane	ND	5.00	0.979	D	µg/L	10	11/20/25 3:01:53
1,2,4-Trichlorobenzene	ND	7.50	2.34	D	µg/L	10	11/20/25 3:01:53
sec-Butylbenzene	ND	5.00	1.12	D	µg/L	10	11/20/25 3:01:53
4-Isopropyltoluene	ND	5.00	1.06	D	µg/L	10	11/20/25 3:01:53
1,3-Dichlorobenzene	ND	5.00	0.987	D	µg/L	10	11/20/25 3:01:53
1,4-Dichlorobenzene	ND	5.00	1.19	D	µg/L	10	11/20/25 3:01:53
n-Butylbenzene	ND	5.00	1.65	D	µg/L	10	11/20/25 3:01:53
1,2-Dichlorobenzene	ND	5.00	1.18	D	µg/L	10	11/20/25 3:01:53
1,2-Dibromo-3-chloropropane	ND	10.0	3.31	D	µg/L	10	11/20/25 3:01:53

Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/17/2025 10:00:00 AM

Project: 700 Dexter

Lab ID: 2511443-001

Matrix: Groundwater

Client Sample ID: MW-183-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50097		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	5.00	1.38	D	µg/L	10	11/20/25 3:01:53
Hexachloro-1,3-butadiene	ND	10.0	1.92	D	µg/L	10	11/20/25 3:01:53
Naphthalene	ND	12.5	4.05	D	µg/L	10	11/20/25 3:01:53
1,2,3-Trichlorobenzene	ND	10.0	2.95	D	µg/L	10	11/20/25 3:01:53
Surr: Dibromofluoromethane	113	79.9 - 122		D	%Rec	10	11/20/25 3:01:53
Surr: Dibromofluoromethane	113	79.9 - 122		D	%Rec	100	11/19/25 22:00:30
Surr: Toluene-d8	108	80 - 121		D	%Rec	100	11/19/25 22:00:30
Surr: Toluene-d8	106	80 - 121		D	%Rec	10	11/20/25 3:01:53
Surr: 1-Bromo-4-fluorobenzene	89.5	79.7 - 120		D	%Rec	100	11/19/25 22:00:30
Surr: 1-Bromo-4-fluorobenzene	89.0	79.7 - 120		D	%Rec	10	11/20/25 3:01:53
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50080		Analyst: BB	
Chloride	66.1	4.00	1.26	D	mg/L	20	11/19/25 11:09:00
Nitrate (as N)	ND	0.200	0.0529		mg/L	1	11/18/25 23:38:00
Sulfate	14.0	1.00	0.362		mg/L	1	11/18/25 23:38:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50101		Analyst: ME	
Iron	4,030	50.0	10.1		µg/L	1	11/20/25 19:15:00
Manganese	1,530	0.500	0.208		µg/L	1	11/20/25 19:15:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10505		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	583	300	150	D	mg/L	30	12/01/25 16:17:00



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/17/2025 11:17:00 AM

Project: 700 Dexter

Lab ID: 2511443-002

Matrix: Groundwater

Client Sample ID: MW-181-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10486		Analyst: BCA	
Methane	8.38	0.500	0.450	D	mg/L	100	11/20/25 13:03:00
Ethene	0.610	0.0100	0.00610		mg/L	1	11/20/25 11:56:00
Ethane	0.315	0.0100	0.00754		mg/L	1	11/20/25 11:56:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50097		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	20.0	3.54	D	µg/L	20	11/20/25 5:33:46
Chloromethane	ND	20.0	4.37	D	µg/L	20	11/20/25 5:33:46
Vinyl chloride	8,290	100	22.8	D	µg/L	500	11/19/25 22:25:47
Bromomethane	ND	40.0	7.73	D	µg/L	20	11/20/25 5:33:46
Trichlorofluoromethane (CFC-11)	ND	10.0	1.24	D	µg/L	20	11/20/25 5:33:46
Chloroethane	ND	20.0	6.68	D	µg/L	20	11/20/25 5:33:46
1,1-Dichloroethene	11.9	10.0	2.44	D	µg/L	20	11/20/25 5:33:46
Acetone	ND	100	50.9	D	µg/L	20	11/20/25 5:33:46
Methylene chloride	ND	40.0	13.0	D	µg/L	20	11/20/25 5:33:46
trans-1,2-Dichloroethene	18.4	10.0	2.30	D	µg/L	20	11/20/25 5:33:46
Methyl tert-butyl ether (MTBE)	ND	10.0	2.42	D	µg/L	20	11/20/25 5:33:46
1,1-Dichloroethane	ND	10.0	2.82	D	µg/L	20	11/20/25 5:33:46
cis-1,2-Dichloroethene	7,250	250	82.2	D	µg/L	500	11/19/25 22:25:47
2-Butanone (MEK)	ND	100	39.6	D	µg/L	20	11/20/25 5:33:46
Chloroform	ND	10.0	1.73	D	µg/L	20	11/20/25 5:33:46
1,1,1-Trichloroethane (TCA)	ND	10.0	2.06	D	µg/L	20	11/20/25 5:33:46
1,1-Dichloropropene	ND	10.0	2.86	D	µg/L	20	11/20/25 5:33:46
Carbon tetrachloride	ND	10.0	1.60	D	µg/L	20	11/20/25 5:33:46
1,2-Dichloroethane (EDC)	ND	4.00	0.954	D	µg/L	20	11/20/25 5:33:46
Benzene	ND	4.00	1.08	D	µg/L	20	11/20/25 5:33:46
Trichloroethene (TCE)	ND	10.0	2.69	D	µg/L	20	11/20/25 5:33:46
1,2-Dichloropropane	ND	4.00	1.01	D	µg/L	20	11/20/25 5:33:46
Bromodichloromethane	ND	4.00	0.978	D	µg/L	20	11/20/25 5:33:46
Dibromomethane	ND	10.0	1.62	D	µg/L	20	11/20/25 5:33:46
cis-1,3-Dichloropropene	ND	10.0	2.19	D	µg/L	20	11/20/25 5:33:46
Toluene	ND	10.0	2.58	D	µg/L	20	11/20/25 5:33:46
trans-1,3-Dichloropropylene	ND	10.0	1.99	D	µg/L	20	11/20/25 5:33:46

Client: Geosyntec Consultants

Collection Date: 11/17/2025 11:17:00 AM

Project: 700 Dexter

Lab ID: 2511443-002

Matrix: Groundwater

Client Sample ID: MW-181-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50097		Analyst: KJ	
Methyl Isobutyl Ketone (MIBK)	ND	50.0	7.07	D	µg/L	20	11/20/25 5:33:46
1,1,2-Trichloroethane	ND	10.0	1.61	D	µg/L	20	11/20/25 5:33:46
1,3-Dichloropropane	ND	10.0	1.65	D	µg/L	20	11/20/25 5:33:46
Tetrachloroethene (PCE)	ND	10.0	2.03	D	µg/L	20	11/20/25 5:33:46
Dibromochloromethane	ND	10.0	2.01	D	µg/L	20	11/20/25 5:33:46
1,2-Dibromoethane (EDB)	ND	10.0	0.865	D	µg/L	20	11/20/25 5:33:46
2-Hexanone (MBK)	ND	25.0	7.27	D	µg/L	20	11/20/25 5:33:46
Chlorobenzene	ND	10.0	1.87	D	µg/L	20	11/20/25 5:33:46
1,1,1,2-Tetrachloroethane	ND	10.0	2.35	D	µg/L	20	11/20/25 5:33:46
Ethylbenzene	ND	10.0	2.50	D	µg/L	20	11/20/25 5:33:46
m,p-Xylene	ND	20.0	5.78	D	µg/L	20	11/20/25 5:33:46
o-Xylene	ND	10.0	2.87	D	µg/L	20	11/20/25 5:33:46
Styrene	ND	10.0	2.29	D	µg/L	20	11/20/25 5:33:46
Isopropylbenzene	ND	10.0	2.44	D	µg/L	20	11/20/25 5:33:46
Bromoform	ND	10.0	1.97	D	µg/L	20	11/20/25 5:33:46
1,1,2,2-Tetrachloroethane	ND	4.00	1.41	D	µg/L	20	11/20/25 5:33:46
n-Propylbenzene	ND	10.0	2.48	D	µg/L	20	11/20/25 5:33:46
Bromobenzene	ND	4.00	1.35	D	µg/L	20	11/20/25 5:33:46
1,3,5-Trimethylbenzene	ND	10.0	2.04	D	µg/L	20	11/20/25 5:33:46
2-Chlorotoluene	ND	10.0	1.44	D	µg/L	20	11/20/25 5:33:46
4-Chlorotoluene	ND	10.0	1.75	D	µg/L	20	11/20/25 5:33:46
tert-Butylbenzene	ND	10.0	1.64	D	µg/L	20	11/20/25 5:33:46
1,2,3-Trichloropropane	ND	10.0	1.96	D	µg/L	20	11/20/25 5:33:46
1,2,4-Trichlorobenzene	ND	15.0	4.69	D	µg/L	20	11/20/25 5:33:46
sec-Butylbenzene	ND	10.0	2.24	D	µg/L	20	11/20/25 5:33:46
4-Isopropyltoluene	ND	10.0	2.12	D	µg/L	20	11/20/25 5:33:46
1,3-Dichlorobenzene	ND	10.0	1.97	D	µg/L	20	11/20/25 5:33:46
1,4-Dichlorobenzene	ND	10.0	2.38	D	µg/L	20	11/20/25 5:33:46
n-Butylbenzene	ND	10.0	3.29	D	µg/L	20	11/20/25 5:33:46
1,2-Dichlorobenzene	ND	10.0	2.36	D	µg/L	20	11/20/25 5:33:46
1,2-Dibromo-3-chloropropane	ND	20.0	6.62	D	µg/L	20	11/20/25 5:33:46



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511443-002
Client Sample ID: MW-181-251117

Collection Date: 11/17/2025 11:17:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50097		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	10.0	2.75	D	µg/L	20	11/20/25 5:33:46
Hexachloro-1,3-butadiene	ND	20.0	3.84	D	µg/L	20	11/20/25 5:33:46
Naphthalene	ND	25.0	8.10	D	µg/L	20	11/20/25 5:33:46
1,2,3-Trichlorobenzene	ND	20.0	5.91	D	µg/L	20	11/20/25 5:33:46
Surr: Dibromofluoromethane	112	79.9 - 122		D	%Rec	500	11/19/25 22:25:47
Surr: Dibromofluoromethane	111	79.9 - 122		D	%Rec	20	11/20/25 5:33:46
Surr: Toluene-d8	106	80 - 121		D	%Rec	500	11/19/25 22:25:47
Surr: Toluene-d8	105	80 - 121		D	%Rec	20	11/20/25 5:33:46
Surr: 1-Bromo-4-fluorobenzene	87.9	79.7 - 120		D	%Rec	20	11/20/25 5:33:46
Surr: 1-Bromo-4-fluorobenzene	89.1	79.7 - 120		D	%Rec	500	11/19/25 22:25:47
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50080		Analyst: BB	
Chloride	7.23	0.400	0.126	D	mg/L	2	11/19/25 12:41:00
Nitrate (as N)	ND	2.00	0.529	D	mg/L	10	11/19/25 0:02:00
Sulfate	ND	10.0	3.62	D	mg/L	10	11/19/25 0:02:00
NOTES: Diluted due to matrix.							
<u>Total Metals by EPA 6020B</u>				Batch ID: 50101		Analyst: ME	
Iron	11,000	50.0	10.1		µg/L	1	11/20/25 19:18:00
Manganese	1,520	0.500	0.208		µg/L	1	11/20/25 19:18:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10505		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	696	300	150	D	mg/L	30	12/01/25 16:18:00

Client: Geosyntec Consultants

Collection Date: 11/17/2025 12:32:00 PM

Project: 700 Dexter

Lab ID: 2511443-003

Matrix: Groundwater

Client Sample ID: MW-182-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10486		Analyst: BCA	
Methane	9.26	0.500	0.450	D	mg/L	100	11/20/25 13:08:00
Ethene	1.20	0.0100	0.00610		mg/L	1	11/20/25 12:08:00
Ethane	0.166	0.0100	0.00754		mg/L	1	11/20/25 12:08:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50097		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	50.0	8.85	D	µg/L	50	11/20/25 3:52:30
Chloromethane	ND	50.0	10.9	D	µg/L	50	11/20/25 3:52:30
Vinyl chloride	19,000	200	45.5	D	µg/L	1000	11/19/25 22:51:04
Bromomethane	ND	100	19.3	D	µg/L	50	11/20/25 3:52:30
Trichlorofluoromethane (CFC-11)	ND	25.0	3.09	D	µg/L	50	11/20/25 3:52:30
Chloroethane	ND	50.0	16.7	D	µg/L	50	11/20/25 3:52:30
1,1-Dichloroethene	40.6	25.0	6.10	D	µg/L	50	11/20/25 3:52:30
Acetone	ND	250	127	D	µg/L	50	11/20/25 3:52:30
Methylene chloride	ND	100	32.4	D	µg/L	50	11/20/25 3:52:30
trans-1,2-Dichloroethene	72.5	25.0	5.74	D	µg/L	50	11/20/25 3:52:30
Methyl tert-butyl ether (MTBE)	ND	25.0	6.06	D	µg/L	50	11/20/25 3:52:30
1,1-Dichloroethane	ND	25.0	7.06	D	µg/L	50	11/20/25 3:52:30
cis-1,2-Dichloroethene	35,300	500	164	D	µg/L	1000	11/19/25 22:51:04
2-Butanone (MEK)	ND	250	98.9	D	µg/L	50	11/20/25 3:52:30
Chloroform	ND	25.0	4.33	D	µg/L	50	11/20/25 3:52:30
1,1,1-Trichloroethane (TCA)	ND	25.0	5.15	D	µg/L	50	11/20/25 3:52:30
1,1-Dichloropropene	ND	25.0	7.15	D	µg/L	50	11/20/25 3:52:30
Carbon tetrachloride	ND	25.0	3.99	D	µg/L	50	11/20/25 3:52:30
1,2-Dichloroethane (EDC)	ND	10.0	2.39	D	µg/L	50	11/20/25 3:52:30
Benzene	ND	10.0	2.70	D	µg/L	50	11/20/25 3:52:30
Trichloroethene (TCE)	87.7	25.0	6.74	D	µg/L	50	11/20/25 3:52:30
1,2-Dichloropropane	ND	10.0	2.52	D	µg/L	50	11/20/25 3:52:30
Bromodichloromethane	ND	10.0	2.45	D	µg/L	50	11/20/25 3:52:30
Dibromomethane	ND	25.0	4.06	D	µg/L	50	11/20/25 3:52:30
cis-1,3-Dichloropropene	ND	25.0	5.47	D	µg/L	50	11/20/25 3:52:30
Toluene	ND	25.0	6.45	D	µg/L	50	11/20/25 3:52:30
trans-1,3-Dichloropropylene	ND	25.0	4.97	D	µg/L	50	11/20/25 3:52:30

Client: Geosyntec Consultants

Collection Date: 11/17/2025 12:32:00 PM

Project: 700 Dexter

Lab ID: 2511443-003

Matrix: Groundwater

Client Sample ID: MW-182-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
Volatile Organic Compounds by EPA 8260D			Batch ID: 50097		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	125	17.7	D	µg/L	50	11/20/25 3:52:30
1,1,2-Trichloroethane	ND	25.0	4.03	D	µg/L	50	11/20/25 3:52:30
1,3-Dichloropropane	ND	25.0	4.14	D	µg/L	50	11/20/25 3:52:30
Tetrachloroethene (PCE)	151	25.0	5.08	D	µg/L	50	11/20/25 3:52:30
Dibromochloromethane	ND	25.0	5.03	D	µg/L	50	11/20/25 3:52:30
1,2-Dibromoethane (EDB)	ND	25.0	2.16	D	µg/L	50	11/20/25 3:52:30
2-Hexanone (MBK)	ND	62.5	18.2	D	µg/L	50	11/20/25 3:52:30
Chlorobenzene	ND	25.0	4.67	D	µg/L	50	11/20/25 3:52:30
1,1,1,2-Tetrachloroethane	ND	25.0	5.87	D	µg/L	50	11/20/25 3:52:30
Ethylbenzene	ND	25.0	6.26	D	µg/L	50	11/20/25 3:52:30
m,p-Xylene	ND	50.0	14.5	D	µg/L	50	11/20/25 3:52:30
o-Xylene	ND	25.0	7.18	D	µg/L	50	11/20/25 3:52:30
Styrene	ND	25.0	5.73	D	µg/L	50	11/20/25 3:52:30
Isopropylbenzene	ND	25.0	6.11	D	µg/L	50	11/20/25 3:52:30
Bromoform	ND	25.0	4.93	D	µg/L	50	11/20/25 3:52:30
1,1,2,2-Tetrachloroethane	ND	10.0	3.52	D	µg/L	50	11/20/25 3:52:30
n-Propylbenzene	ND	25.0	6.20	D	µg/L	50	11/20/25 3:52:30
Bromobenzene	ND	10.0	3.38	D	µg/L	50	11/20/25 3:52:30
1,3,5-Trimethylbenzene	ND	25.0	5.09	D	µg/L	50	11/20/25 3:52:30
2-Chlorotoluene	ND	25.0	3.61	D	µg/L	50	11/20/25 3:52:30
4-Chlorotoluene	ND	25.0	4.38	D	µg/L	50	11/20/25 3:52:30
tert-Butylbenzene	ND	25.0	4.10	D	µg/L	50	11/20/25 3:52:30
1,2,3-Trichloropropane	ND	25.0	4.90	D	µg/L	50	11/20/25 3:52:30
1,2,4-Trichlorobenzene	ND	37.5	11.7	D	µg/L	50	11/20/25 3:52:30
sec-Butylbenzene	ND	25.0	5.59	D	µg/L	50	11/20/25 3:52:30
4-Isopropyltoluene	ND	25.0	5.31	D	µg/L	50	11/20/25 3:52:30
1,3-Dichlorobenzene	ND	25.0	4.93	D	µg/L	50	11/20/25 3:52:30
1,4-Dichlorobenzene	ND	25.0	5.95	D	µg/L	50	11/20/25 3:52:30
n-Butylbenzene	ND	25.0	8.23	D	µg/L	50	11/20/25 3:52:30
1,2-Dichlorobenzene	ND	25.0	5.90	D	µg/L	50	11/20/25 3:52:30
1,2-Dibromo-3-chloropropane	ND	50.0	16.6	D	µg/L	50	11/20/25 3:52:30

Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/17/2025 12:32:00 PM

Project: 700 Dexter

Lab ID: 2511443-003

Matrix: Groundwater

Client Sample ID: MW-182-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50097		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	25.0	6.89	D	µg/L	50	11/20/25 3:52:30
Hexachloro-1,3-butadiene	ND	50.0	9.60	D	µg/L	50	11/20/25 3:52:30
Naphthalene	ND	62.5	20.2	D	µg/L	50	11/20/25 3:52:30
1,2,3-Trichlorobenzene	ND	50.0	14.8	D	µg/L	50	11/20/25 3:52:30
Surr: Dibromofluoromethane	110	79.9 - 122		D	%Rec	1000	11/19/25 22:51:04
Surr: Dibromofluoromethane	112	79.9 - 122		D	%Rec	50	11/20/25 3:52:30
Surr: Toluene-d8	105	80 - 121		D	%Rec	1000	11/19/25 22:51:04
Surr: Toluene-d8	105	80 - 121		D	%Rec	50	11/20/25 3:52:30
Surr: 1-Bromo-4-fluorobenzene	89.6	79.7 - 120		D	%Rec	50	11/20/25 3:52:30
Surr: 1-Bromo-4-fluorobenzene	89.2	79.7 - 120		D	%Rec	1000	11/19/25 22:51:04
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50080		Analyst: BB	
Chloride	338	20.0	6.31	D	mg/L	100	11/19/25 10:46:00
Nitrate (as N)	ND	2.00	0.529	D	mg/L	10	11/19/25 1:11:00
Sulfate	ND	10.0	3.62	D	mg/L	10	11/19/25 1:11:00
NOTES: Diluted due to matrix.							
<u>Total Metals by EPA 6020B</u>				Batch ID: 50101		Analyst: ME	
Iron	15,900	500	101	D	µg/L	10	11/21/25 12:31:00
Manganese	2,920	5.00	2.08	D	µg/L	10	11/21/25 12:31:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10505		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	722	300	150	D	mg/L	30	12/01/25 16:20:00

Client: Geosyntec Consultants

Collection Date: 11/17/2025 2:20:00 PM

Project: 700 Dexter

Lab ID: 2511443-004

Matrix: Groundwater

Client Sample ID: MW-184-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10486		Analyst: BCA	
Methane	1.26	0.0500	0.0451	D	mg/L	10	11/20/25 13:11:00
Ethene	0.00771	0.0100	0.00610	J	mg/L	1	11/20/25 12:12:00
Ethane	0.0168	0.0100	0.00754		mg/L	1	11/20/25 12:12:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50097		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	10.0	1.77	D	µg/L	10	11/20/25 4:17:52
Chloromethane	ND	10.0	2.18	D	µg/L	10	11/20/25 4:17:52
Vinyl chloride	33.8	2.00	0.455	D	µg/L	10	11/20/25 4:17:52
Bromomethane	ND	20.0	3.86	D	µg/L	10	11/20/25 4:17:52
Trichlorofluoromethane (CFC-11)	ND	5.00	0.618	D	µg/L	10	11/20/25 4:17:52
Chloroethane	ND	10.0	3.34	D	µg/L	10	11/20/25 4:17:52
1,1-Dichloroethene	24.3	5.00	1.22	D	µg/L	10	11/20/25 4:17:52
Acetone	ND	50.0	25.5	D	µg/L	10	11/20/25 4:17:52
Methylene chloride	ND	20.0	6.49	D	µg/L	10	11/20/25 4:17:52
trans-1,2-Dichloroethene	9.90	5.00	1.15	D	µg/L	10	11/20/25 4:17:52
Methyl tert-butyl ether (MTBE)	ND	5.00	1.21	D	µg/L	10	11/20/25 4:17:52
1,1-Dichloroethane	ND	5.00	1.41	D	µg/L	10	11/20/25 4:17:52
cis-1,2-Dichloroethene	370	5.00	1.64	D	µg/L	10	11/20/25 4:17:52
2-Butanone (MEK)	ND	50.0	19.8	D	µg/L	10	11/20/25 4:17:52
Chloroform	ND	5.00	0.865	D	µg/L	10	11/20/25 4:17:52
1,1,1-Trichloroethane (TCA)	ND	5.00	1.03	D	µg/L	10	11/20/25 4:17:52
1,1-Dichloropropene	ND	5.00	1.43	D	µg/L	10	11/20/25 4:17:52
Carbon tetrachloride	ND	5.00	0.798	D	µg/L	10	11/20/25 4:17:52
1,2-Dichloroethane (EDC)	ND	2.00	0.477	D	µg/L	10	11/20/25 4:17:52
Benzene	ND	2.00	0.540	D	µg/L	10	11/20/25 4:17:52
Trichloroethene (TCE)	258	5.00	1.35	D	µg/L	10	11/20/25 4:17:52
1,2-Dichloropropane	ND	2.00	0.503	D	µg/L	10	11/20/25 4:17:52
Bromodichloromethane	ND	2.00	0.489	D	µg/L	10	11/20/25 4:17:52
Dibromomethane	ND	5.00	0.812	D	µg/L	10	11/20/25 4:17:52
cis-1,3-Dichloropropene	ND	5.00	1.09	D	µg/L	10	11/20/25 4:17:52
Toluene	ND	5.00	1.29	D	µg/L	10	11/20/25 4:17:52
trans-1,3-Dichloropropylene	ND	5.00	0.993	D	µg/L	10	11/20/25 4:17:52

Client: Geosyntec Consultants

Collection Date: 11/17/2025 2:20:00 PM

Project: 700 Dexter

Lab ID: 2511443-004

Matrix: Groundwater

Client Sample ID: MW-184-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50097		Analyst: KJ	
Methyl Isobutyl Ketone (MIBK)	ND	25.0	3.54	D	µg/L	10	11/20/25 4:17:52
1,1,2-Trichloroethane	ND	5.00	0.807	D	µg/L	10	11/20/25 4:17:52
1,3-Dichloropropane	ND	5.00	0.827	D	µg/L	10	11/20/25 4:17:52
Tetrachloroethene (PCE)	249	5.00	1.02	D	µg/L	10	11/20/25 4:17:52
Dibromochloromethane	ND	5.00	1.01	D	µg/L	10	11/20/25 4:17:52
1,2-Dibromoethane (EDB)	ND	5.00	0.432	D	µg/L	10	11/20/25 4:17:52
2-Hexanone (MBK)	ND	12.5	3.64	D	µg/L	10	11/20/25 4:17:52
Chlorobenzene	ND	5.00	0.934	D	µg/L	10	11/20/25 4:17:52
1,1,1,2-Tetrachloroethane	ND	5.00	1.17	D	µg/L	10	11/20/25 4:17:52
Ethylbenzene	ND	5.00	1.25	D	µg/L	10	11/20/25 4:17:52
m,p-Xylene	ND	10.0	2.89	D	µg/L	10	11/20/25 4:17:52
o-Xylene	ND	5.00	1.44	D	µg/L	10	11/20/25 4:17:52
Styrene	ND	5.00	1.15	D	µg/L	10	11/20/25 4:17:52
Isopropylbenzene	ND	5.00	1.22	D	µg/L	10	11/20/25 4:17:52
Bromoform	ND	5.00	0.986	D	µg/L	10	11/20/25 4:17:52
1,1,2,2-Tetrachloroethane	ND	2.00	0.704	D	µg/L	10	11/20/25 4:17:52
n-Propylbenzene	ND	5.00	1.24	D	µg/L	10	11/20/25 4:17:52
Bromobenzene	ND	2.00	0.677	D	µg/L	10	11/20/25 4:17:52
1,3,5-Trimethylbenzene	ND	5.00	1.02	D	µg/L	10	11/20/25 4:17:52
2-Chlorotoluene	ND	5.00	0.721	D	µg/L	10	11/20/25 4:17:52
4-Chlorotoluene	ND	5.00	0.876	D	µg/L	10	11/20/25 4:17:52
tert-Butylbenzene	ND	5.00	0.821	D	µg/L	10	11/20/25 4:17:52
1,2,3-Trichloropropane	ND	5.00	0.979	D	µg/L	10	11/20/25 4:17:52
1,2,4-Trichlorobenzene	ND	7.50	2.34	D	µg/L	10	11/20/25 4:17:52
sec-Butylbenzene	ND	5.00	1.12	D	µg/L	10	11/20/25 4:17:52
4-Isopropyltoluene	ND	5.00	1.06	D	µg/L	10	11/20/25 4:17:52
1,3-Dichlorobenzene	ND	5.00	0.987	D	µg/L	10	11/20/25 4:17:52
1,4-Dichlorobenzene	ND	5.00	1.19	D	µg/L	10	11/20/25 4:17:52
n-Butylbenzene	ND	5.00	1.65	D	µg/L	10	11/20/25 4:17:52
1,2-Dichlorobenzene	ND	5.00	1.18	D	µg/L	10	11/20/25 4:17:52
1,2-Dibromo-3-chloropropane	ND	10.0	3.31	D	µg/L	10	11/20/25 4:17:52

Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511443-004
Client Sample ID: MW-184-251117

Collection Date: 11/17/2025 2:20:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50097		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	5.00	1.38	D	µg/L	10	11/20/25 4:17:52
Hexachloro-1,3-butadiene	ND	10.0	1.92	D	µg/L	10	11/20/25 4:17:52
Naphthalene	ND	12.5	4.05	D	µg/L	10	11/20/25 4:17:52
1,2,3-Trichlorobenzene	ND	10.0	2.95	D	µg/L	10	11/20/25 4:17:52
Surr: Dibromofluoromethane	113	79.9 - 122		D	%Rec	10	11/20/25 4:17:52
Surr: Toluene-d8	108	80 - 121		D	%Rec	10	11/20/25 4:17:52
Surr: 1-Bromo-4-fluorobenzene	88.3	79.7 - 120		D	%Rec	10	11/20/25 4:17:52
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50080		Analyst: BB	
Chloride	64.8	4.00	1.26	D	mg/L	20	11/19/25 11:32:00
Nitrate (as N)	ND	0.200	0.0529		mg/L	1	11/19/25 1:34:00
Sulfate	72.6	20.0	7.24	D	mg/L	20	11/19/25 11:32:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50101		Analyst: ME	
Iron	2,150	50.0	10.1		µg/L	1	11/20/25 19:25:00
Manganese	5,800	5.00	2.08	D	µg/L	10	11/21/25 12:34:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10505		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	516	300	150	D	mg/L	30	12/01/25 16:22:00



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/17/2025 10:35:00 AM

Project: 700 Dexter

Lab ID: 2511443-005

Matrix: Groundwater

Client Sample ID: MW-148-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50097		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/19/25 20:19:20
Chloromethane	ND	1.00	0.218		µg/L	1	11/19/25 20:19:20
Vinyl chloride	0.0845	0.200	0.0455	J	µg/L	1	11/19/25 20:19:20
Bromomethane	ND	2.00	0.386		µg/L	1	11/19/25 20:19:20
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/19/25 20:19:20
Chloroethane	ND	1.00	0.334		µg/L	1	11/19/25 20:19:20
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/19/25 20:19:20
Acetone	ND	5.00	2.55	Q	µg/L	1	11/19/25 20:19:20
Methylene chloride	ND	2.00	0.649		µg/L	1	11/19/25 20:19:20
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/19/25 20:19:20
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/19/25 20:19:20
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/19/25 20:19:20
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/19/25 20:19:20
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/19/25 20:19:20
Chloroform	ND	0.500	0.0865		µg/L	1	11/19/25 20:19:20
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/19/25 20:19:20
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/19/25 20:19:20
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/19/25 20:19:20
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/19/25 20:19:20
Benzene	ND	0.200	0.0540		µg/L	1	11/19/25 20:19:20
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/19/25 20:19:20
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/19/25 20:19:20
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/19/25 20:19:20
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/19/25 20:19:20
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/19/25 20:19:20
Toluene	ND	0.500	0.129		µg/L	1	11/19/25 20:19:20
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/19/25 20:19:20
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/19/25 20:19:20
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/19/25 20:19:20
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/19/25 20:19:20
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/19/25 20:19:20

Client: Geosyntec Consultants

Collection Date: 11/17/2025 10:35:00 AM

Project: 700 Dexter

Lab ID: 2511443-005

Matrix: Groundwater

Client Sample ID: MW-148-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50097		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/19/25 20:19:20
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/19/25 20:19:20
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/19/25 20:19:20
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/19/25 20:19:20
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/19/25 20:19:20
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/19/25 20:19:20
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/19/25 20:19:20
o-Xylene	ND	0.500	0.144		µg/L	1	11/19/25 20:19:20
Styrene	ND	0.500	0.115		µg/L	1	11/19/25 20:19:20
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/19/25 20:19:20
Bromoform	ND	0.500	0.0986		µg/L	1	11/19/25 20:19:20
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/19/25 20:19:20
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/19/25 20:19:20
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/19/25 20:19:20
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/19/25 20:19:20
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/19/25 20:19:20
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/19/25 20:19:20
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/19/25 20:19:20
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/19/25 20:19:20
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/19/25 20:19:20
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/19/25 20:19:20
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/19/25 20:19:20
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/19/25 20:19:20
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/19/25 20:19:20
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/19/25 20:19:20
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/19/25 20:19:20
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/19/25 20:19:20
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/19/25 20:19:20
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/19/25 20:19:20
Naphthalene	ND	1.25	0.405		µg/L	1	11/19/25 20:19:20
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/19/25 20:19:20



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/17/2025 10:35:00 AM

Project: 700 Dexter

Lab ID: 2511443-005

Matrix: Groundwater

Client Sample ID: MW-148-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50097

Analyst: KJ

Surr: Dibromofluoromethane	112	79.9 - 122			%Rec	1	11/19/25 20:19:20
Surr: Toluene-d8	105	80 - 121			%Rec	1	11/19/25 20:19:20
Surr: 1-Bromo-4-fluorobenzene	88.2	79.7 - 120			%Rec	1	11/19/25 20:19:20

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Client: Geosyntec Consultants

Collection Date: 11/17/2025 11:55:00 AM

Project: 700 Dexter

Lab ID: 2511443-006

Matrix: Groundwater

Client Sample ID: MW-190-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10486		Analyst: BCA	
Methane	3.08	0.100	0.0901	D	mg/L	20	11/20/25 13:13:00
Ethene	0.00821	0.0100	0.00610	J	mg/L	1	11/20/25 12:16:00
Ethane	0.0103	0.0100	0.00754		mg/L	1	11/20/25 12:16:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50097		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/20/25 9:03:27
Chloromethane	ND	1.00	0.218		µg/L	1	11/20/25 9:03:27
Vinyl chloride	11.5	0.200	0.0455		µg/L	1	11/20/25 9:03:27
Bromomethane	ND	2.00	0.386		µg/L	1	11/20/25 9:03:27
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/20/25 9:03:27
Chloroethane	ND	1.00	0.334		µg/L	1	11/20/25 9:03:27
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/20/25 9:03:27
Acetone	ND	5.00	2.55		µg/L	1	11/20/25 9:03:27
Methylene chloride	ND	2.00	0.649		µg/L	1	11/20/25 9:03:27
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/20/25 9:03:27
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/20/25 9:03:27
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/20/25 9:03:27
cis-1,2-Dichloroethene	0.632	0.500	0.164		µg/L	1	11/20/25 9:03:27
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/20/25 9:03:27
Chloroform	ND	0.500	0.0865		µg/L	1	11/20/25 9:03:27
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/20/25 9:03:27
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/20/25 9:03:27
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/20/25 9:03:27
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/20/25 9:03:27
Benzene	ND	0.200	0.0540		µg/L	1	11/20/25 9:03:27
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/20/25 9:03:27
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/20/25 9:03:27
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/20/25 9:03:27
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/20/25 9:03:27
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/20/25 9:03:27
Toluene	ND	0.500	0.129		µg/L	1	11/20/25 9:03:27
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/20/25 9:03:27



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/17/2025 11:55:00 AM

Project: 700 Dexter

Lab ID: 2511443-006

Matrix: Groundwater

Client Sample ID: MW-190-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50097		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/20/25 9:03:27
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/20/25 9:03:27
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/20/25 9:03:27
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/20/25 9:03:27
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/20/25 9:03:27
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/20/25 9:03:27
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/20/25 9:03:27
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/20/25 9:03:27
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/20/25 9:03:27
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/20/25 9:03:27
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/20/25 9:03:27
o-Xylene	ND	0.500	0.144		µg/L	1	11/20/25 9:03:27
Styrene	ND	0.500	0.115		µg/L	1	11/20/25 9:03:27
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/20/25 9:03:27
Bromoform	ND	0.500	0.0986		µg/L	1	11/20/25 9:03:27
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/20/25 9:03:27
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/20/25 9:03:27
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/20/25 9:03:27
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/20/25 9:03:27
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/20/25 9:03:27
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/20/25 9:03:27
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/20/25 9:03:27
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/20/25 9:03:27
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/20/25 9:03:27
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/20/25 9:03:27
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/20/25 9:03:27
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/20/25 9:03:27
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/20/25 9:03:27
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/20/25 9:03:27
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/20/25 9:03:27
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/20/25 9:03:27



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511443-006
Client Sample ID: MW-190-251117

Collection Date: 11/17/2025 11:55:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50097		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/20/25 9:03:27
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/20/25 9:03:27
Naphthalene	ND	1.25	0.405		µg/L	1	11/20/25 9:03:27
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/20/25 9:03:27
Surr: Dibromofluoromethane	115	79.9 - 122			%Rec	1	11/20/25 9:03:27
Surr: Toluene-d8	110	80 - 121			%Rec	1	11/20/25 9:03:27
Surr: 1-Bromo-4-fluorobenzene	88.7	79.7 - 120			%Rec	1	11/20/25 9:03:27
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 50080		Analyst: BB		
Chloride	20.6	1.00	0.316	D	mg/L	5	11/19/25 12:18:00
Nitrate (as N)	ND	0.200	0.0529		mg/L	1	11/19/25 0:25:00
Sulfate	42.0	5.00	1.81	D	mg/L	5	11/19/25 12:18:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 50101		Analyst: ME		
Iron	2,300	50.0	10.1		µg/L	1	11/20/25 19:28:00
Manganese	803	0.500	0.208		µg/L	1	11/20/25 19:28:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10505		Analyst: NR		
Alkalinity, Total (As CaCO ₃)	248	100	50.0	D	mg/L	10	12/01/25 12:56:00

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511443-007
Client Sample ID: MW103-251117

Collection Date: 11/17/2025 2:00:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10486		Analyst: BCA	
Methane	ND	0.00500	0.00451		mg/L	1	11/20/25 12:18:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/20/25 12:18:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/20/25 12:18:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50097		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/20/25 9:28:45
Chloromethane	ND	1.00	0.218		µg/L	1	11/20/25 9:28:45
Vinyl chloride	0.0602	0.200	0.0455	J	µg/L	1	11/20/25 9:28:45
Bromomethane	ND	2.00	0.386		µg/L	1	11/20/25 9:28:45
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/20/25 9:28:45
Chloroethane	ND	1.00	0.334		µg/L	1	11/20/25 9:28:45
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/20/25 9:28:45
Acetone	ND	5.00	2.55		µg/L	1	11/20/25 9:28:45
Methylene chloride	ND	2.00	0.649		µg/L	1	11/20/25 9:28:45
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/20/25 9:28:45
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/20/25 9:28:45
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/20/25 9:28:45
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/20/25 9:28:45
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/20/25 9:28:45
Chloroform	ND	0.500	0.0865		µg/L	1	11/20/25 9:28:45
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/20/25 9:28:45
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/20/25 9:28:45
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/20/25 9:28:45
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/20/25 9:28:45
Benzene	ND	0.200	0.0540		µg/L	1	11/20/25 9:28:45
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/20/25 9:28:45
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/20/25 9:28:45
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/20/25 9:28:45
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/20/25 9:28:45
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/20/25 9:28:45
Toluene	ND	0.500	0.129		µg/L	1	11/20/25 9:28:45
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/20/25 9:28:45



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511443-007
Client Sample ID: MW103-251117

Collection Date: 11/17/2025 2:00:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50097		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/20/25 9:28:45
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/20/25 9:28:45
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/20/25 9:28:45
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/20/25 9:28:45
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/20/25 9:28:45
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/20/25 9:28:45
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/20/25 9:28:45
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/20/25 9:28:45
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/20/25 9:28:45
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/20/25 9:28:45
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/20/25 9:28:45
o-Xylene	ND	0.500	0.144		µg/L	1	11/20/25 9:28:45
Styrene	ND	0.500	0.115		µg/L	1	11/20/25 9:28:45
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/20/25 9:28:45
Bromoform	ND	0.500	0.0986		µg/L	1	11/20/25 9:28:45
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/20/25 9:28:45
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/20/25 9:28:45
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/20/25 9:28:45
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/20/25 9:28:45
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/20/25 9:28:45
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/20/25 9:28:45
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/20/25 9:28:45
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/20/25 9:28:45
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/20/25 9:28:45
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/20/25 9:28:45
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/20/25 9:28:45
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/20/25 9:28:45
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/20/25 9:28:45
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/20/25 9:28:45
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/20/25 9:28:45
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/20/25 9:28:45



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511443-007
Client Sample ID: MW103-251117

Collection Date: 11/17/2025 2:00:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50097		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/20/25 9:28:45
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/20/25 9:28:45
Naphthalene	ND	1.25	0.405		µg/L	1	11/20/25 9:28:45
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/20/25 9:28:45
Surr: Dibromofluoromethane	115	79.9 - 122			%Rec	1	11/20/25 9:28:45
Surr: Toluene-d8	110	80 - 121			%Rec	1	11/20/25 9:28:45
Surr: 1-Bromo-4-fluorobenzene	87.2	79.7 - 120			%Rec	1	11/20/25 9:28:45
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 50080		Analyst: BB		
Chloride	1.00	0.200	0.0631		mg/L	1	11/19/25 1:57:00
Nitrate (as N)	0.165	0.200	0.0529	J	mg/L	1	11/19/25 1:57:00
Sulfate	0.580	1.00	0.362	J	mg/L	1	11/19/25 1:57:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 50101		Analyst: ME		
Iron	258	50.0	10.1	B	µg/L	1	11/21/25 12:38:00
Manganese	7.56	0.500	0.208	B	µg/L	1	11/21/25 12:38:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10505		Analyst: NR		
Alkalinity, Total (As CaCO3)	18.6	10.0	5.00		mg/L	1	12/01/25 16:24:00



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/17/2025 10:44:00 AM

Project: 700 Dexter

Lab ID: 2511443-008

Matrix: Groundwater

Client Sample ID: MW-315-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50097		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/20/25 0:32:17
Chloromethane	ND	1.00	0.218		µg/L	1	11/20/25 0:32:17
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/20/25 0:32:17
Bromomethane	ND	2.00	0.386		µg/L	1	11/20/25 0:32:17
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/20/25 0:32:17
Chloroethane	ND	1.00	0.334		µg/L	1	11/20/25 0:32:17
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/20/25 0:32:17
Acetone	ND	5.00	2.55	Q	µg/L	1	11/20/25 0:32:17
Methylene chloride	ND	2.00	0.649		µg/L	1	11/20/25 0:32:17
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/20/25 0:32:17
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/20/25 0:32:17
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/20/25 0:32:17
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/20/25 0:32:17
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/20/25 0:32:17
Chloroform	ND	0.500	0.0865		µg/L	1	11/20/25 0:32:17
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/20/25 0:32:17
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/20/25 0:32:17
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/20/25 0:32:17
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/20/25 0:32:17
Benzene	ND	0.200	0.0540		µg/L	1	11/20/25 0:32:17
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/20/25 0:32:17
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/20/25 0:32:17
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/20/25 0:32:17
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/20/25 0:32:17
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/20/25 0:32:17
Toluene	ND	0.500	0.129		µg/L	1	11/20/25 0:32:17
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/20/25 0:32:17
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/20/25 0:32:17
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/20/25 0:32:17
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/20/25 0:32:17
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/20/25 0:32:17



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/17/2025 10:44:00 AM

Project: 700 Dexter

Lab ID: 2511443-008

Matrix: Groundwater

Client Sample ID: MW-315-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50097		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/20/25 0:32:17
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/20/25 0:32:17
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/20/25 0:32:17
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/20/25 0:32:17
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/20/25 0:32:17
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/20/25 0:32:17
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/20/25 0:32:17
o-Xylene	ND	0.500	0.144		µg/L	1	11/20/25 0:32:17
Styrene	ND	0.500	0.115		µg/L	1	11/20/25 0:32:17
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/20/25 0:32:17
Bromoform	ND	0.500	0.0986		µg/L	1	11/20/25 0:32:17
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/20/25 0:32:17
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/20/25 0:32:17
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/20/25 0:32:17
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/20/25 0:32:17
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/20/25 0:32:17
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/20/25 0:32:17
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/20/25 0:32:17
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/20/25 0:32:17
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/20/25 0:32:17
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/20/25 0:32:17
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/20/25 0:32:17
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/20/25 0:32:17
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/20/25 0:32:17
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/20/25 0:32:17
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/20/25 0:32:17
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/20/25 0:32:17
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/20/25 0:32:17
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/20/25 0:32:17
Naphthalene	ND	1.25	0.405		µg/L	1	11/20/25 0:32:17
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/20/25 0:32:17



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/17/2025 10:44:00 AM

Project: 700 Dexter

Lab ID: 2511443-008

Matrix: Groundwater

Client Sample ID: MW-315-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50097

Analyst: KJ

Surr: Dibromofluoromethane	115	79.9 - 122			%Rec	1	11/20/25 0:32:17
Surr: Toluene-d8	111	80 - 121			%Rec	1	11/20/25 0:32:17
Surr: 1-Bromo-4-fluorobenzene	88.0	79.7 - 120			%Rec	1	11/20/25 0:32:17

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Client: Geosyntec Consultants

Collection Date: 11/17/2025 11:44:00 AM

Project: 700 Dexter

Lab ID: 2511443-009

Matrix: Groundwater

Client Sample ID: FMW-137-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10486		Analyst: BCA	
Methane	0.264	0.00500	0.00451		mg/L	1	11/20/25 12:21:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/20/25 12:21:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/20/25 12:21:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50097		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/19/25 21:09:53
Chloromethane	ND	1.00	0.218		µg/L	1	11/19/25 21:09:53
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/19/25 21:09:53
Bromomethane	ND	2.00	0.386		µg/L	1	11/19/25 21:09:53
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/19/25 21:09:53
Chloroethane	ND	1.00	0.334		µg/L	1	11/19/25 21:09:53
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/19/25 21:09:53
Acetone	ND	5.00	2.55	Q	µg/L	1	11/19/25 21:09:53
Methylene chloride	ND	2.00	0.649		µg/L	1	11/19/25 21:09:53
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/19/25 21:09:53
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/19/25 21:09:53
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/19/25 21:09:53
cis-1,2-Dichloroethene	1.08	0.500	0.164		µg/L	1	11/19/25 21:09:53
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/19/25 21:09:53
Chloroform	ND	0.500	0.0865		µg/L	1	11/19/25 21:09:53
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/19/25 21:09:53
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/19/25 21:09:53
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/19/25 21:09:53
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/19/25 21:09:53
Benzene	ND	0.200	0.0540		µg/L	1	11/19/25 21:09:53
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/19/25 21:09:53
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/19/25 21:09:53
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/19/25 21:09:53
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/19/25 21:09:53
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/19/25 21:09:53
Toluene	ND	0.500	0.129		µg/L	1	11/19/25 21:09:53
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/19/25 21:09:53



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/17/2025 11:44:00 AM

Project: 700 Dexter

Lab ID: 2511443-009

Matrix: Groundwater

Client Sample ID: FMW-137-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50097		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/19/25 21:09:53
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/19/25 21:09:53
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/19/25 21:09:53
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/19/25 21:09:53
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/19/25 21:09:53
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/19/25 21:09:53
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/19/25 21:09:53
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/19/25 21:09:53
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/19/25 21:09:53
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/19/25 21:09:53
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/19/25 21:09:53
o-Xylene	ND	0.500	0.144		µg/L	1	11/19/25 21:09:53
Styrene	ND	0.500	0.115		µg/L	1	11/19/25 21:09:53
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/19/25 21:09:53
Bromoform	ND	0.500	0.0986		µg/L	1	11/19/25 21:09:53
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/19/25 21:09:53
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/19/25 21:09:53
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/19/25 21:09:53
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/19/25 21:09:53
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/19/25 21:09:53
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/19/25 21:09:53
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/19/25 21:09:53
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/19/25 21:09:53
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/19/25 21:09:53
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/19/25 21:09:53
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/19/25 21:09:53
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/19/25 21:09:53
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/19/25 21:09:53
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/19/25 21:09:53
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/19/25 21:09:53
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/19/25 21:09:53

Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/17/2025 11:44:00 AM

Project: 700 Dexter

Lab ID: 2511443-009

Matrix: Groundwater

Client Sample ID: FMW-137-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50097

Analyst: KJ

1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/19/25 21:09:53
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/19/25 21:09:53
Naphthalene	ND	1.25	0.405		µg/L	1	11/19/25 21:09:53
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/19/25 21:09:53
Surr: Dibromofluoromethane	115	79.9 - 122			%Rec	1	11/19/25 21:09:53
Surr: Toluene-d8	106	80 - 121			%Rec	1	11/19/25 21:09:53
Surr: 1-Bromo-4-fluorobenzene	89.8	79.7 - 120			%Rec	1	11/19/25 21:09:53

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 50080

Analyst: BB

Chloride	8.64	2.00	0.631	D	mg/L	10	11/19/25 11:55:00
Nitrate (as N)	0.782	0.200	0.0529		mg/L	1	11/19/25 0:48:00
Sulfate	4.97	1.00	0.362		mg/L	1	11/19/25 0:48:00

Total Metals by EPA 6020B

Batch ID: 50101

Analyst: ME

Iron	18.6	50.0	10.1	J	µg/L	1	11/20/25 19:35:00
Manganese	27.2	0.500	0.208		µg/L	1	11/20/25 19:35:00

Total Alkalinity by EPA 310.2

Batch ID: R10505

Analyst: NR

Alkalinity, Total (As CaCO ₃)	64.1	40.0	20.0	D	mg/L	4	12/01/25 16:41:00
---	------	------	------	---	------	---	-------------------



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511443-010
Client Sample ID: MW123-251117

Collection Date: 11/17/2025 1:27:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50097		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/20/25 0:57:37
Chloromethane	ND	1.00	0.218		µg/L	1	11/20/25 0:57:37
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/20/25 0:57:37
Bromomethane	ND	2.00	0.386		µg/L	1	11/20/25 0:57:37
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/20/25 0:57:37
Chloroethane	ND	1.00	0.334		µg/L	1	11/20/25 0:57:37
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/20/25 0:57:37
Acetone	ND	5.00	2.55	Q	µg/L	1	11/20/25 0:57:37
Methylene chloride	ND	2.00	0.649		µg/L	1	11/20/25 0:57:37
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/20/25 0:57:37
Methyl tert-butyl ether (MTBE)	0.215	0.500	0.121	J	µg/L	1	11/20/25 0:57:37
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/20/25 0:57:37
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/20/25 0:57:37
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/20/25 0:57:37
Chloroform	ND	0.500	0.0865		µg/L	1	11/20/25 0:57:37
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/20/25 0:57:37
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/20/25 0:57:37
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/20/25 0:57:37
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/20/25 0:57:37
Benzene	ND	0.200	0.0540		µg/L	1	11/20/25 0:57:37
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/20/25 0:57:37
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/20/25 0:57:37
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/20/25 0:57:37
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/20/25 0:57:37
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/20/25 0:57:37
Toluene	ND	0.500	0.129		µg/L	1	11/20/25 0:57:37
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/20/25 0:57:37
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/20/25 0:57:37
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/20/25 0:57:37
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/20/25 0:57:37
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/20/25 0:57:37



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/17/2025 1:27:00 PM

Project: 700 Dexter

Lab ID: 2511443-010

Matrix: Groundwater

Client Sample ID: MW123-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50097		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/20/25 0:57:37
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/20/25 0:57:37
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/20/25 0:57:37
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/20/25 0:57:37
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/20/25 0:57:37
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/20/25 0:57:37
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/20/25 0:57:37
o-Xylene	ND	0.500	0.144		µg/L	1	11/20/25 0:57:37
Styrene	ND	0.500	0.115		µg/L	1	11/20/25 0:57:37
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/20/25 0:57:37
Bromoform	ND	0.500	0.0986		µg/L	1	11/20/25 0:57:37
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/20/25 0:57:37
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/20/25 0:57:37
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/20/25 0:57:37
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/20/25 0:57:37
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/20/25 0:57:37
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/20/25 0:57:37
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/20/25 0:57:37
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/20/25 0:57:37
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/20/25 0:57:37
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/20/25 0:57:37
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/20/25 0:57:37
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/20/25 0:57:37
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/20/25 0:57:37
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/20/25 0:57:37
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/20/25 0:57:37
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/20/25 0:57:37
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/20/25 0:57:37
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/20/25 0:57:37
Naphthalene	ND	1.25	0.405		µg/L	1	11/20/25 0:57:37
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/20/25 0:57:37



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511443-010
Client Sample ID: MW123-251117

Collection Date: 11/17/2025 1:27:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50097

Analyst: KJ

Surr: Dibromofluoromethane	114	79.9 - 122			%Rec	1	11/20/25 0:57:37
Surr: Toluene-d8	110	80 - 121			%Rec	1	11/20/25 0:57:37
Surr: 1-Bromo-4-fluorobenzene	88.0	79.7 - 120			%Rec	1	11/20/25 0:57:37

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511443-011
Client Sample ID: MW109-251117

Collection Date: 11/17/2025 2:35:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
Dissolved Gases by RSK-175			Batch ID: R10486		Analyst: BCA		
Methane	2.14	0.0500	0.0451	D	mg/L	10	11/20/25 13:17:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/20/25 12:27:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/20/25 12:27:00
Volatile Organic Compounds by EPA 8260D			Batch ID: 50097		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/19/25 21:35:11
Chloromethane	ND	1.00	0.218		µg/L	1	11/19/25 21:35:11
Vinyl chloride	2.11	0.200	0.0455		µg/L	1	11/19/25 21:35:11
Bromomethane	ND	2.00	0.386		µg/L	1	11/19/25 21:35:11
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/19/25 21:35:11
Chloroethane	ND	1.00	0.334		µg/L	1	11/19/25 21:35:11
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/19/25 21:35:11
Acetone	ND	5.00	2.55	Q	µg/L	1	11/19/25 21:35:11
Methylene chloride	ND	2.00	0.649		µg/L	1	11/19/25 21:35:11
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/19/25 21:35:11
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/19/25 21:35:11
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/19/25 21:35:11
cis-1,2-Dichloroethene	8.92	0.500	0.164		µg/L	1	11/19/25 21:35:11
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/19/25 21:35:11
Chloroform	ND	0.500	0.0865		µg/L	1	11/19/25 21:35:11
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/19/25 21:35:11
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/19/25 21:35:11
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/19/25 21:35:11
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/19/25 21:35:11
Benzene	ND	0.200	0.0540		µg/L	1	11/19/25 21:35:11
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/19/25 21:35:11
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/19/25 21:35:11
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/19/25 21:35:11
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/19/25 21:35:11
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/19/25 21:35:11
Toluene	ND	0.500	0.129		µg/L	1	11/19/25 21:35:11
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/19/25 21:35:11



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511443-011
Client Sample ID: MW109-251117

Collection Date: 11/17/2025 2:35:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50097		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/19/25 21:35:11
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/19/25 21:35:11
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/19/25 21:35:11
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/19/25 21:35:11
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/19/25 21:35:11
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/19/25 21:35:11
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/19/25 21:35:11
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/19/25 21:35:11
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/19/25 21:35:11
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/19/25 21:35:11
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/19/25 21:35:11
o-Xylene	ND	0.500	0.144		µg/L	1	11/19/25 21:35:11
Styrene	ND	0.500	0.115		µg/L	1	11/19/25 21:35:11
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/19/25 21:35:11
Bromoform	ND	0.500	0.0986		µg/L	1	11/19/25 21:35:11
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/19/25 21:35:11
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/19/25 21:35:11
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/19/25 21:35:11
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/19/25 21:35:11
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/19/25 21:35:11
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/19/25 21:35:11
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/19/25 21:35:11
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/19/25 21:35:11
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/19/25 21:35:11
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/19/25 21:35:11
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/19/25 21:35:11
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/19/25 21:35:11
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/19/25 21:35:11
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/19/25 21:35:11
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/19/25 21:35:11
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/19/25 21:35:11

Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511443-011
Client Sample ID: MW109-251117

Collection Date: 11/17/2025 2:35:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50097		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/19/25 21:35:11
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/19/25 21:35:11
Naphthalene	ND	1.25	0.405		µg/L	1	11/19/25 21:35:11
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/19/25 21:35:11
Surr: Dibromofluoromethane	113	79.9 - 122			%Rec	1	11/19/25 21:35:11
Surr: Toluene-d8	106	80 - 121			%Rec	1	11/19/25 21:35:11
Surr: 1-Bromo-4-fluorobenzene	89.1	79.7 - 120			%Rec	1	11/19/25 21:35:11
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 50080		Analyst: BB		
Chloride	4.59	0.200	0.0631		mg/L	1	11/19/25 3:06:00
Nitrate (as N)	ND	0.200	0.0529		mg/L	1	11/19/25 3:06:00
Sulfate	ND	1.00	0.362		mg/L	1	11/19/25 3:06:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 50101		Analyst: ME		
Iron	7,780	500	101	D	µg/L	10	11/21/25 12:41:00
Manganese	2,800	5.00	2.08	D	µg/L	10	11/21/25 12:41:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10505		Analyst: NR		
Alkalinity, Total (As CaCO ₃)	394	200	100	D	mg/L	20	12/01/25 16:32:00

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Client: Geosyntec Consultants

Collection Date: 11/17/2025 1:40:00 PM

Project: 700 Dexter

Lab ID: 2511443-012

Matrix: Water

Client Sample ID: EQ-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50097		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/19/25 18:12:50
Chloromethane	0.245	1.00	0.218	J	µg/L	1	11/19/25 18:12:50
Vinyl chloride	0.0707	0.200	0.0455	J	µg/L	1	11/19/25 18:12:50
Bromomethane	ND	2.00	0.386		µg/L	1	11/19/25 18:12:50
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/19/25 18:12:50
Chloroethane	ND	1.00	0.334		µg/L	1	11/19/25 18:12:50
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/19/25 18:12:50
Acetone	ND	5.00	2.55	Q	µg/L	1	11/19/25 18:12:50
Methylene chloride	ND	2.00	0.649		µg/L	1	11/19/25 18:12:50
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/19/25 18:12:50
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/19/25 18:12:50
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/19/25 18:12:50
cis-1,2-Dichloroethene	0.234	0.500	0.164	J	µg/L	1	11/19/25 18:12:50
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/19/25 18:12:50
Chloroform	0.661	0.500	0.0865		µg/L	1	11/19/25 18:12:50
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/19/25 18:12:50
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/19/25 18:12:50
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/19/25 18:12:50
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/19/25 18:12:50
Benzene	ND	0.200	0.0540		µg/L	1	11/19/25 18:12:50
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/19/25 18:12:50
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/19/25 18:12:50
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/19/25 18:12:50
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/19/25 18:12:50
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/19/25 18:12:50
Toluene	ND	0.500	0.129		µg/L	1	11/19/25 18:12:50
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/19/25 18:12:50
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/19/25 18:12:50
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/19/25 18:12:50
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/19/25 18:12:50
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/19/25 18:12:50

Client: Geosyntec Consultants

Collection Date: 11/17/2025 1:40:00 PM

Project: 700 Dexter

Lab ID: 2511443-012

Matrix: Water

Client Sample ID: EQ-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50097			Analyst: KJ	
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/19/25 18:12:50
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/19/25 18:12:50
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/19/25 18:12:50
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/19/25 18:12:50
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/19/25 18:12:50
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/19/25 18:12:50
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/19/25 18:12:50
o-Xylene	ND	0.500	0.144		µg/L	1	11/19/25 18:12:50
Styrene	ND	0.500	0.115		µg/L	1	11/19/25 18:12:50
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/19/25 18:12:50
Bromoform	ND	0.500	0.0986		µg/L	1	11/19/25 18:12:50
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/19/25 18:12:50
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/19/25 18:12:50
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/19/25 18:12:50
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/19/25 18:12:50
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/19/25 18:12:50
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/19/25 18:12:50
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/19/25 18:12:50
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/19/25 18:12:50
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/19/25 18:12:50
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/19/25 18:12:50
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/19/25 18:12:50
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/19/25 18:12:50
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/19/25 18:12:50
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/19/25 18:12:50
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/19/25 18:12:50
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/19/25 18:12:50
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/19/25 18:12:50
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/19/25 18:12:50
Naphthalene	ND	1.25	0.405		µg/L	1	11/19/25 18:12:50
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/19/25 18:12:50



Analytical Report

Work Order: 2511443
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/17/2025 1:40:00 PM

Project: 700 Dexter

Lab ID: 2511443-012

Matrix: Water

Client Sample ID: EQ-251117

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50097

Analyst: KJ

Surr: Dibromofluoromethane	107	79.9 - 122	%Rec	1	11/19/25 18:12:50
Surr: Toluene-d8	101	80 - 121	%Rec	1	11/19/25 18:12:50
Surr: 1-Bromo-4-fluorobenzene	90.3	79.7 - 120	%Rec	1	11/19/25 18:12:50

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-A		SampType: CCV			Units: mg/L		Prep Date: 12/1/2025			RunNo: 105057		
Client ID: CCV		Batch ID: R105057			Analysis Date: 12/1/2025			SeqNo: 2192076				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	24.1	10.0	25.00	0	96.3	80	120				
------------------------------	------	------	-------	---	------	----	-----	--	--	--	--

Sample ID: CCB-A		SampType: CCB			Units: mg/L		Prep Date: 12/1/2025			RunNo: 105057		
Client ID: CCB		Batch ID: R105057			Analysis Date: 12/1/2025			SeqNo: 2192077				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: MB-105057		SampType: MBLK			Units: mg/L		Prep Date: 12/1/2025			RunNo: 105057		
Client ID: MBLKW		Batch ID: R105057			Analysis Date: 12/1/2025			SeqNo: 2192078				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: 2511443-001DDUP		SampType: DUP			Units: mg/L		Prep Date: 12/1/2025			RunNo: 105057		
Client ID: MW-183-251117		Batch ID: R105057			Analysis Date: 12/1/2025			SeqNo: 2192081				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	592	100						577.3	2.60	20	DE
------------------------------	-----	-----	--	--	--	--	--	-------	------	----	----

Sample ID: CCV-B		SampType: CCV			Units: mg/L		Prep Date: 12/1/2025			RunNo: 105057		
Client ID: CCV		Batch ID: R105057			Analysis Date: 12/1/2025			SeqNo: 2192088				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	26.9	10.0	25.00	0	107	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCB-B		SampType: CCB			Units: mg/L		Prep Date: 12/1/2025			RunNo: 105057		
Client ID: CCB		Batch ID: R105057			Analysis Date: 12/1/2025			SeqNo: 2192089				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) ND 10.0

Sample ID: 2511515-001CDUP		SampType: DUP			Units: mg/L		Prep Date: 12/1/2025			RunNo: 105057		
Client ID: BATCH		Batch ID: R105057			Analysis Date: 12/1/2025			SeqNo: 2192092				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 65.4 100 61.83 5.61 20 DJ

Sample ID: LCS-105057		SampType: LCS			Units: mg/L		Prep Date: 12/1/2025			RunNo: 105057		
Client ID: LCSW		Batch ID: R105057			Analysis Date: 12/1/2025			SeqNo: 2192093				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 22.6 10.0 25.00 0 90.2 80 134

Sample ID: CCV-C		SampType: CCV			Units: mg/L		Prep Date: 12/1/2025			RunNo: 105057		
Client ID: CCV		Batch ID: R105057			Analysis Date: 12/1/2025			SeqNo: 2192100				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) 26.7 10.0 25.00 0 107 80 120

Sample ID: CCB-C		SampType: CCB			Units: mg/L		Prep Date: 12/1/2025			RunNo: 105057		
Client ID: CCB		Batch ID: R105057			Analysis Date: 12/1/2025			SeqNo: 2192101				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3) ND 10.0

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: 2511515-001CDUP		SampType: DUP			Units: mg/L		Prep Date: 12/1/2025			RunNo: 105057		
Client ID: BATCH		Batch ID: R105057			Analysis Date: 12/1/2025			SeqNo: 2192104				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	34.6	10.0						33.57	2.89	20	
------------------------------	------	------	--	--	--	--	--	-------	------	----	--

Sample ID: CCV-D		SampType: CCV			Units: mg/L		Prep Date: 12/1/2025			RunNo: 105057		
Client ID: CCV		Batch ID: R105057			Analysis Date: 12/1/2025			SeqNo: 2192109				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	27.1	10.0	25.00	0	108	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-D		SampType: CCB			Units: mg/L		Prep Date: 12/1/2025			RunNo: 105057		
Client ID: CCB		Batch ID: R105057			Analysis Date: 12/1/2025			SeqNo: 2192110				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: LCS-50080		SampType: LCS			Units: mg/L		Prep Date: 11/18/2025			RunNo: 104811		
Client ID: LCSW		Batch ID: 50080			Analysis Date: 11/18/2025					SeqNo: 2187143		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.693	0.200	0.7500	0	92.4	90	110				
Nitrate (as N)	0.731	0.200	0.7500	0	97.5	90	110				
Sulfate	3.55	1.00	3.750	0	94.7	90	110				

Sample ID: MB-50080		SampType: MBLK			Units: mg/L		Prep Date: 11/18/2025			RunNo: 104811		
Client ID: MBLKW		Batch ID: 50080			Analysis Date: 11/18/2025					SeqNo: 2187145		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	ND	0.200									
Nitrate (as N)	ND	0.200									
Sulfate	ND	1.00									

Sample ID: CCV-A		SampType: CCV			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104811		
Client ID: CCV		Batch ID: 50080			Analysis Date: 11/19/2025			SeqNo: 2187153				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.701	0.200	0.7500	0	93.5	90	110				
Nitrate (as N)	0.582	0.200	0.6250	0	93.1	90	110				
Sulfate	3.46	1.00	3.750	0	92.1	90	110				

Sample ID: CCB-A		SampType: CCB			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104811		
Client ID: CCB		Batch ID: 50080			Analysis Date: 11/19/2025					SeqNo: 2187154		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	ND	0.200									
Nitrate (as N)	ND	0.200									
Sulfate	ND	1.00									

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511443-001DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/18/2025			RunNo: 104811		
Client ID: MW-183-251117		Batch ID: 50080						Analysis Date: 11/19/2025			SeqNo: 2187160	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Chloride	38.9	0.200						38.72	0.379	20	E	
Nitrate (as N)	ND	0.200						0	0	20		
Sulfate	14.0	1.00						13.97	0.471	20		

Sample ID: 2511443-001DMS	SampType: MS	Units: mg/L				Prep Date: 11/18/2025			RunNo: 104811		
Client ID: MW-183-251117	Batch ID: 50080					Analysis Date: 11/19/2025			SeqNo: 2187161		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	38.9	0.200	0.7500	38.72	23.9	80	120				ES
Nitrate (as N)	0.689	0.200	0.7500	0	91.9	80	120				
Sulfate	17.3	1.00	3.750	13.97	89.6	80	120				

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

Sample ID: 2511443-001DMSD		SampType: MSD		Units: mg/L		Prep Date: 11/18/2025			RunNo: 104811		
Client ID: MW-183-251117		Batch ID: 50080					Analysis Date: 11/19/2025			SeqNo: 2187162	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	39.0	0.200	0.7500	38.72	33.9	80	120	38.89	0.193	20	ES
Nitrate (as N)	0.734	0.200	0.7500	0	97.9	80	120	0.6890	6.32	20	
Sulfate	17.8	1.00	3.750	13.97	103	80	120	17.33	2.78	20	

NOTES:

S - Outlying spike recovery observed. A duplicate analysis was performed with similar results indicating a possible matrix effect.

Sample ID: 2511443-007DDUP		SampType: DUP		Units: mg/L		Prep Date: 11/18/2025			RunNo: 104811		
Client ID: MW103-251117		Batch ID: 50080					Analysis Date: 11/19/2025			SeqNo: 2187163	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	1.01	0.200						1.004	0.0996	20	
Nitrate (as N)	0.112	0.200						0.1650	38.3	20	J
Sulfate	0.532	1.00						0.5800	8.63	20	J

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511443-007DMS		SampType: MS			Units: mg/L		Prep Date: 11/18/2025			RunNo: 104811		
Client ID: MW103-251117		Batch ID: 50080			Analysis Date: 11/19/2025			SeqNo: 2187164				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	1.69	0.200	0.7500	1.004	91.5	80	120				
Nitrate (as N)	0.818	0.200	0.7500	0.1650	87.1	80	120				
Sulfate	4.00	1.00	3.750	0.5800	91.2	80	120				

Sample ID: CCV-B		SampType: CCV			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104811		
Client ID: CCV		Batch ID: 50080			Analysis Date: 11/19/2025			SeqNo: 2187167				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.709	0.200	0.7500	0	94.5	90	110				
Nitrate (as N)	0.590	0.200	0.6250	0	94.4	90	110				
Sulfate	3.50	1.00	3.750	0	93.4	90	110				

Sample ID: CCB-B		SampType: CCB			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104811		
Client ID: CCB		Batch ID: 50080			Analysis Date: 11/19/2025					SeqNo: 2187168		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	ND	0.200									
Nitrate (as N)	ND	0.200									
Sulfate	ND	1.00									

Sample ID: CCV-C		SampType: CCV			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104811		
Client ID: CCV		Batch ID: 50080			Analysis Date: 11/19/2025			SeqNo: 2187493				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.721	0.200	0.7500	0	96.1	90	110				
Nitrate (as N)	0.599	0.200	0.6250	0	95.8	90	110				
Sulfate	3.54	1.00	3.750	0	94.3	90	110				

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: CCB-C		SampType: CCB		Units: mg/L		Prep Date: 11/19/2025		RunNo: 104811			
Client ID: CCB		Batch ID: 50080				Analysis Date: 11/19/2025		SeqNo: 2187494			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	ND	0.200									
Nitrate (as N)	ND	0.200									
Sulfate	ND	1.00									

Sample ID: CCV-D		SampType: CCV		Units: mg/L		Prep Date: 11/19/2025		RunNo: 104811			
Client ID: CCV		Batch ID: R104811				Analysis Date: 11/19/2025		SeqNo: 2187501			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	0.723	0.200	0.7500	0	96.4	90	110				
Nitrate (as N)	0.593	0.200	0.6250	0	94.9	90	110				
Sulfate	3.57	1.00	3.750	0	95.1	90	110				

Sample ID: CCB-D		SampType: CCB		Units: mg/L		Prep Date: 11/19/2025		RunNo: 104811			
Client ID: CCB		Batch ID: R104811				Analysis Date: 11/19/2025		SeqNo: 2187502			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	ND	0.200									
Nitrate (as N)	ND	0.200									
Sulfate	ND	1.00									

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Metals by EPA 6020B

Sample ID: MB-50101		SampType: MBLK			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104884		
Client ID: MBLKW		Batch ID: 50101			Analysis Date: 11/20/2025					SeqNo: 2188658		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	110	50.0									
Manganese	0.873	0.500									

Sample ID: LCS-50101		SampType: LCS			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104884		
Client ID: LCSW		Batch ID: 50101			Analysis Date: 11/20/2025					SeqNo: 2188659		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	1,060	50.0	1,000	0	106	80	120				B
Manganese	107	0.500	100.0	0	107	80	120				

Sample ID: 2511409-006BMS		SampType: MS			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104884		
Client ID: BATCH		Batch ID: 50101			Analysis Date: 11/20/2025					SeqNo: 2188662		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	7,020	50.0	1,000	6,010	101	75	125				E
Manganese	595	0.500	100.0	490.6	105	75	125				E

Sample ID: 2511409-006BMSD		SampType: MSD			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104884		
Client ID: BATCH		Batch ID: 50101			Analysis Date: 11/20/2025					SeqNo: 2188664		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	7,020	50.0	1,000	6,010	101	75	125	7,022	0.0203	20	E
Manganese	595	0.500	100.0	490.6	105	75	125	595.4	0.0422	20	E

Sample ID: MB-50101		SampType: MBLK		Units: µg/L		Prep Date: 11/20/2025			RunNo: 104884			
Client ID: MBLKW		Batch ID: 50101					Analysis Date: 11/21/2025			SeqNo: 2189076		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	111	50.0									
Manganese	0.848	0.500									

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Metals by EPA 6020B

Sample ID: MB-50101	SampType: MBLK	Units: µg/L	Prep Date: 11/20/2025	RunNo: 104884							
Client ID: MBLKW	Batch ID: 50101		Analysis Date: 11/21/2025	SeqNo: 2189076							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVA		SampType: CCV			Units: ppmv		Prep Date: 11/20/2025			RunNo: 104864		
Client ID: CCV		Batch ID: R104864			Analysis Date: 11/20/2025			SeqNo: 2188299				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	1,010	0.00500	1,000	0	101	85	115				
Ethene	1,020	0.0100	1,000	0	102	85	115				
Ethane	1,030	0.0100	1,000	0	103	85	115				

Sample ID: LCS-104864		SampType: LCS			Units: ppmv		Prep Date: 11/20/2025			RunNo: 104864		
Client ID: LCSW		Batch ID: R104864			Analysis Date: 11/20/2025			SeqNo: 2188345				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	1,010	0.00500	1,000	0	101	73.6	124				
Ethene	1,020	0.0100	1,000	0	102	76.3	122				
Ethane	1,030	0.0100	1,000	0	103	76.1	123				

Sample ID: MB-104864		SampType: MBLK			Units: mg/L		Prep Date: 11/20/2025			RunNo: 104864		
Client ID: MBLKW		Batch ID: R104864			Analysis Date: 11/20/2025			SeqNo: 2188304				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	ND	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Sample ID: 2511275-013REP		SampType: REP			Units: mg/L		Prep Date: 11/20/2025			RunNo: 104864		
Client ID: BATCH		Batch ID: R104864			Analysis Date: 11/20/2025					SeqNo: 2188279		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	0.00513	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVB		SampType: CCV			Units: ppmv		Prep Date: 11/20/2025			RunNo: 104864		
Client ID: CCV		Batch ID: R104864			Analysis Date: 11/20/2025			SeqNo: 2188300				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	981	0.00500	1,000	0	98.1	85	115				
Ethene	996	0.0100	1,000	0	99.6	85	115				
Ethane	1,030	0.0100	1,000	0	103	85	115				

Sample ID: 2511443-011EREP		SampType: REP			Units: mg/L		Prep Date: 11/20/2025			RunNo: 104864		
Client ID: MW109-251117		Batch ID: R104864			Analysis Date: 11/20/2025					SeqNo: 2188298		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	2.01	0.00500						2.008	0.279	20	E
Ethene	ND	0.0100						0	0	20	
Ethane	ND	0.0100						0	0	20	

Sample ID: CCVC		SampType: CCV			Units: ppmv		Prep Date: 11/20/2025			RunNo: 104864		
Client ID: CCV		Batch ID: R104864			Analysis Date: 11/20/2025			SeqNo: 2188301				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	1,030	0.00500	1,000	0	103	85	115				
Ethene	1,030	0.0100	1,000	0	103	85	115				
Ethane	1,060	0.0100	1,000	0	106	85	115				

Sample ID: 2511443-011EREP		SampType: REP			Units: mg/L		Prep Date: 11/20/2025			RunNo: 104864		
Client ID: MW109-251117		Batch ID: R104864			Analysis Date: 11/20/2025					SeqNo: 2188297		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	2.05	0.0500						2.008	2.01	20	D
Ethene	ND	0.100						0	0	20	D
Ethane	ND	0.100						0	0	20	D

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVE		SampType: CCV		Units: ppmv		Prep Date: 11/20/2025		RunNo: 104864			
Client ID: CCV		Batch ID: R104864				Analysis Date: 11/20/2025		SeqNo: 2188303			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methane	952	0.00500	1,000	0	95.2	85	115				
Ethene	949	0.0100	1,000	0	94.9	85	115				
Ethane	962	0.0100	1,000	0	96.2	85	115				

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104850A	SampType: CCV	Units: µg/L			Prep Date: 11/19/2025			RunNo: 104850			
Client ID: CCV	Batch ID: 50097	Analysis Date: 11/19/2025						SeqNo: 2188040			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	22.7	1.00	20.00	0	113	80	120				
Chloromethane	17.8	1.00	20.00	0	89.0	80	120				
Vinyl chloride	18.6	0.200	20.00	0	93.0	80	120				
Bromomethane	27.5	2.00	20.00	0	137	80	120				S
Trichlorofluoromethane (CFC-11)	19.4	0.500	20.00	0	96.9	80	120				
Chloroethane	21.6	1.00	20.00	0	108	80	120				
1,1-Dichloroethene	21.6	0.500	20.00	0	108	80	120				
Acetone	39.9	5.00	50.00	0	79.8	80	120				S
Methylene chloride	20.0	2.00	20.00	0	100	80	120				
trans-1,2-Dichloroethene	20.1	0.500	20.00	0	101	80	120				
Methyl tert-butyl ether (MTBE)	19.7	0.500	20.00	0	98.3	80	120				
1,1-Dichloroethane	21.6	0.500	20.00	0	108	80	120				
cis-1,2-Dichloroethene	21.4	0.500	20.00	0	107	80	120				
2-Butanone (MEK)	43.6	5.00	50.00	0	87.2	80	120				
Chloroform	21.0	0.500	20.00	0	105	80	120				
1,1,1-Trichloroethane (TCA)	22.9	0.500	20.00	0	115	80	120				
1,1-Dichloropropene	21.2	0.500	20.00	0	106	80	120				
Carbon tetrachloride	23.0	0.500	20.00	0	115	80	120				
1,2-Dichloroethane (EDC)	20.0	0.200	20.00	0	99.9	80	120				
Benzene	19.8	0.200	20.00	0	99.1	80	120				
Trichloroethene (TCE)	17.7	0.500	20.00	0	88.6	80	120				
1,2-Dichloropropane	19.0	0.200	20.00	0	94.9	80	120				
Bromodichloromethane	19.5	0.200	20.00	0	97.6	80	120				
Dibromomethane	19.3	0.500	20.00	0	96.3	80	120				
cis-1,3-Dichloropropene	19.5	0.500	20.00	0	97.6	80	120				
Toluene	19.7	0.500	20.00	0	98.4	80	120				
trans-1,3-Dichloropropylene	19.4	0.500	20.00	0	96.8	80	120				
Methyl Isobutyl Ketone (MIBK)	45.2	2.50	50.00	0	90.4	80	120				
1,1,2-Trichloroethane	19.0	0.500	20.00	0	95.2	80	120				
1,3-Dichloropropane	19.1	0.500	20.00	0	95.5	80	120				
Tetrachloroethene (PCE)	21.0	0.500	20.00	0	105	80	120				
Dibromochloromethane	19.4	0.500	20.00	0	96.8	80	120				

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104850A	SampType: CCV	Units: µg/L				Prep Date: 11/19/2025			RunNo: 104850		
Client ID: CCV	Batch ID: 50097	Analysis Date: 11/19/2025							SeqNo: 2188040		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	18.8	0.500	20.00	0	93.9	80	120				S
2-Hexanone (MBK)	39.6	1.25	50.00	0	79.2	80	120				
Chlorobenzene	18.9	0.500	20.00	0	94.7	80	120				
1,1,1,2-Tetrachloroethane	20.9	0.500	20.00	0	105	80	120				
Ethylbenzene	20.5	0.500	20.00	0	103	80	120				
m,p-Xylene	41.6	1.00	40.00	0	104	80	120				
o-Xylene	20.6	0.500	20.00	0	103	80	120				
Styrene	21.3	0.500	20.00	0	107	80	120				
Isopropylbenzene	19.9	0.500	20.00	0	99.6	80	120				
Bromoform	19.2	0.500	20.00	0	96.0	80	120				
1,1,2,2-Tetrachloroethane	21.1	0.200	20.00	0	106	80	120				
n-Propylbenzene	21.6	0.500	20.00	0	108	80	120				
Bromobenzene	19.3	0.200	20.00	0	96.4	80	120				
1,3,5-Trimethylbenzene	20.5	0.500	20.00	0	103	80	120				
2-Chlorotoluene	19.3	0.500	20.00	0	96.7	80	120				
4-Chlorotoluene	19.7	0.500	20.00	0	98.6	80	120				
tert-Butylbenzene	19.8	0.500	20.00	0	99.2	80	120				
1,2,3-Trichloropropane	18.6	0.500	20.00	0	93.2	80	120				
1,2,4-Trichlorobenzene	18.8	0.750	20.00	0	94.1	80	120				
sec-Butylbenzene	20.4	0.500	20.00	0	102	80	120				
4-Isopropyltoluene	21.0	0.500	20.00	0	105	80	120				
1,3-Dichlorobenzene	19.1	0.500	20.00	0	95.3	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.3	80	120				
n-Butylbenzene	20.2	0.500	20.00	0	101	80	120				
1,2-Dichlorobenzene	19.0	0.500	20.00	0	94.9	80	120				
1,2-Dibromo-3-chloropropane	18.2	1.00	20.00	0	90.8	80	120				
1,2,4-Trimethylbenzene	19.2	0.500	20.00	0	96.2	80	120				
Hexachloro-1,3-butadiene	18.5	1.00	20.00	0	92.3	80	120				
Naphthalene	17.9	1.25	20.00	0	89.5	80	120				
1,2,3-Trichlorobenzene	17.7	1.00	20.00	0	88.3	80	120				
Surr: Dibromofluoromethane	26.5		25.00		106	80	120				
Surr: Toluene-d8	25.2		25.00		101	80	120				

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104850A		SampType: CCV			Units: µg/L		Prep Date: 11/19/2025			RunNo: 104850		
Client ID: CCV		Batch ID: 50097			Analysis Date: 11/19/2025			SeqNo: 2188040				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Surr: 1-Bromo-4-fluorobenzene	24.1		25.00		96.2	80	120				
-------------------------------	------	--	-------	--	------	----	-----	--	--	--	--

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

S - Outlying spike recovery observed (low bias). Samples will be qualified with a Q.

Sample ID: MB-50097		SampType: MBLK			Units: µg/L		Prep Date: 11/19/2025			RunNo: 104850		
Client ID: MBLKW		Batch ID: 50097			Analysis Date: 11/19/2025					SeqNo: 2188041		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	ND	1.00
Chloromethane	ND	1.00
Vinyl chloride	ND	0.200
Bromomethane	ND	2.00
Trichlorofluoromethane (CFC-11)	ND	0.500
Chloroethane	ND	1.00
1,1-Dichloroethene	ND	0.500
Acetone	ND	5.00
Methylene chloride	ND	2.00
trans-1,2-Dichloroethene	ND	0.500
Methyl tert-butyl ether (MTBE)	ND	0.500
1,1-Dichloroethane	ND	0.500
cis-1,2-Dichloroethene	ND	0.500
2-Butanone (MEK)	ND	5.00
Chloroform	ND	0.500
1,1,1-Trichloroethane (TCA)	ND	0.500
1,1-Dichloropropene	ND	0.500
Carbon tetrachloride	ND	0.500
1,2-Dichloroethane (EDC)	ND	0.200
Benzene	ND	0.200
Trichloroethene (TCE)	ND	0.500
1,2-Dichloropropane	ND	0.200
Bromodichloromethane	ND	0.200

Q

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50097	SampType: MBLK	Units: µg/L			Prep Date: 11/19/2025			RunNo: 104850			
Client ID: MBLKW	Batch ID: 50097	Analysis Date: 11/19/2025						SeqNo: 2188041			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dibromomethane	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									Q
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50097		SampType: MBLK			Units: µg/L		Prep Date: 11/19/2025			RunNo: 104850		
Client ID: MBLKW		Batch ID: 50097			Analysis Date: 11/19/2025			SeqNo: 2188041				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	26.7		25.00		107	80	120				
Surr: Toluene-d8	25.0		25.00		100	80	120				
Surr: 1-Bromo-4-fluorobenzene	22.7		25.00		91.0	80	120				

Sample ID: 2511443-005ADUP		SampType: DUP			Units: µg/L		Prep Date: 11/19/2025			RunNo: 104850		
Client ID: MW-148-251117		Batch ID: 50097			Analysis Date: 11/19/2025			SeqNo: 2188045				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	ND	1.00						0	0	30	
Chloromethane	ND	1.00						0	0	30	
Vinyl chloride	0.0710	0.200						0.08452	17.4	30	J
Bromomethane	ND	2.00						0	0	30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0	0	30	
Chloroethane	ND	1.00						0	0	30	
1,1-Dichloroethene	ND	0.500						0	0	30	
Acetone	ND	5.00						0	0	30	Q
Methylene chloride	ND	2.00						0	0	30	
trans-1,2-Dichloroethene	ND	0.500						0	0	30	
Methyl tert-butyl ether (MTBE)	ND	0.500						0	0	30	
1,1-Dichloroethane	ND	0.500						0	0	30	
cis-1,2-Dichloroethene	ND	0.500						0	0	30	
2-Butanone (MEK)	ND	5.00						0	0	30	
Chloroform	ND	0.500						0	0	30	
1,1,1-Trichloroethane (TCA)	ND	0.500						0	0	30	

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511443-005ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/19/2025			RunNo: 104850		
Client ID: MW-148-251117		Batch ID: 50097		Analysis Date: 11/19/2025						SeqNo: 2188045	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloropropene	ND	0.500						0	0	30	
Carbon tetrachloride	ND	0.500						0	0	30	
1,2-Dichloroethane (EDC)	ND	0.200						0	0	30	
Benzene	ND	0.200						0	0	30	
Trichloroethene (TCE)	ND	0.500						0	0	30	
1,2-Dichloropropane	ND	0.200						0	0	30	
Bromodichloromethane	ND	0.200						0	0	30	
Dibromomethane	ND	0.500						0	0	30	
cis-1,3-Dichloropropene	ND	0.500						0	0	30	
Toluene	ND	0.500						0	0	30	
trans-1,3-Dichloropropylene	ND	0.500						0	0	30	
Methyl Isobutyl Ketone (MIBK)	ND	2.50						0	0	30	
1,1,2-Trichloroethane	ND	0.500						0	0	30	
1,3-Dichloropropane	ND	0.500						0	0	30	
Tetrachloroethene (PCE)	ND	0.500						0	0	30	
Dibromochloromethane	ND	0.500						0	0	30	
1,2-Dibromoethane (EDB)	ND	0.500						0	0	30	
2-Hexanone (MBK)	ND	1.25						0	0	30	Q
Chlorobenzene	ND	0.500						0	0	30	
1,1,1,2-Tetrachloroethane	ND	0.500						0	0	30	
Ethylbenzene	ND	0.500						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	
o-Xylene	ND	0.500						0	0	30	
Styrene	ND	0.500						0	0	30	
Isopropylbenzene	ND	0.500						0	0	30	
Bromoform	ND	0.500						0	0	30	
1,1,2,2-Tetrachloroethane	ND	0.200						0	0	30	
n-Propylbenzene	ND	0.500						0	0	30	
Bromobenzene	ND	0.200						0	0	30	
1,3,5-Trimethylbenzene	ND	0.500						0	0	30	
2-Chlorotoluene	ND	0.500						0	0	30	
4-Chlorotoluene	ND	0.500						0	0	30	

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511443-005ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/19/2025		RunNo: 104850			
Client ID: MW-148-251117		Batch ID: 50097				Analysis Date: 11/19/2025		SeqNo: 2188045			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	ND	0.500						0	0	30	
1,2,3-Trichloropropane	ND	0.500						0	0	30	
1,2,4-Trichlorobenzene	ND	0.750						0	0	30	
sec-Butylbenzene	ND	0.500						0	0	30	
4-Isopropyltoluene	ND	0.500						0	0	30	
1,3-Dichlorobenzene	ND	0.500						0	0	30	
1,4-Dichlorobenzene	ND	0.500						0	0	30	
n-Butylbenzene	ND	0.500						0	0	30	
1,2-Dichlorobenzene	ND	0.500						0	0	30	
1,2-Dibromo-3-chloropropane	ND	1.00						0	0	30	
1,2,4-Trimethylbenzene	ND	0.500						0	0	30	
Hexachloro-1,3-butadiene	ND	1.00						0	0	30	
Naphthalene	ND	1.25						0	0	30	
1,2,3-Trichlorobenzene	ND	1.00						0	0	30	
Surr: Dibromofluoromethane	28.3		25.00		113	79.9	122		0		
Surr: Toluene-d8	26.2		25.00		105	80	121		0		
Surr: 1-Bromo-4-fluorobenzene	22.6		25.00		90.5	79.7	120		0		

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Sample ID: VOC-CCV-104850B		SampType: CCV		Units: µg/L		Prep Date: 11/20/2025		RunNo: 104850			
Client ID: CCV		Batch ID: 50097				Analysis Date: 11/20/2025		SeqNo: 2188056			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	24.3	1.00	20.00	0	122	80	120				S
Chloromethane	17.8	1.00	20.00	0	89.0	80	120				
Vinyl chloride	20.1	0.200	20.00	0	100	80	120				
Bromomethane	29.3	2.00	20.00	0	146	80	120				S
Trichlorofluoromethane (CFC-11)	19.9	0.500	20.00	0	99.6	80	120				
Chloroethane	21.4	1.00	20.00	0	107	80	120				
1,1-Dichloroethene	22.4	0.500	20.00	0	112	80	120				
Acetone	40.1	5.00	50.00	0	80.2	80	120				

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104850B	SampType: CCV	Units: µg/L				Prep Date: 11/20/2025			RunNo: 104850		
Client ID: CCV	Batch ID: 50097	Analysis Date: 11/20/2025							SeqNo: 2188056		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methylene chloride	20.3	2.00	20.00	0	102	80	120				
trans-1,2-Dichloroethene	21.3	0.500	20.00	0	106	80	120				
Methyl tert-butyl ether (MTBE)	19.9	0.500	20.00	0	99.7	80	120				
1,1-Dichloroethane	23.0	0.500	20.00	0	115	80	120				
cis-1,2-Dichloroethene	22.8	0.500	20.00	0	114	80	120				
2-Butanone (MEK)	46.5	5.00	50.00	0	93.0	80	120				
Chloroform	22.5	0.500	20.00	0	112	80	120				
1,1,1-Trichloroethane (TCA)	25.6	0.500	20.00	0	128	80	120				S
1,1-Dichloropropene	24.4	0.500	20.00	0	122	80	120				S
Carbon tetrachloride	25.6	0.500	20.00	0	128	80	120				S
1,2-Dichloroethane (EDC)	21.5	0.200	20.00	0	107	80	120				
Benzene	20.8	0.200	20.00	0	104	80	120				
Trichloroethene (TCE)	19.8	0.500	20.00	0	98.9	80	120				
1,2-Dichloropropane	20.3	0.200	20.00	0	101	80	120				
Bromodichloromethane	20.8	0.200	20.00	0	104	80	120				
Dibromomethane	20.5	0.500	20.00	0	102	80	120				
cis-1,3-Dichloropropene	20.4	0.500	20.00	0	102	80	120				
Toluene	20.4	0.500	20.00	0	102	80	120				
trans-1,3-Dichloropropylene	20.4	0.500	20.00	0	102	80	120				
Methyl Isobutyl Ketone (MIBK)	46.6	2.50	50.00	0	93.2	80	120				
1,1,2-Trichloroethane	20.2	0.500	20.00	0	101	80	120				
1,3-Dichloropropane	20.2	0.500	20.00	0	101	80	120				
Tetrachloroethene (PCE)	23.3	0.500	20.00	0	117	80	120				
Dibromochloromethane	20.5	0.500	20.00	0	102	80	120				
1,2-Dibromoethane (EDB)	19.8	0.500	20.00	0	99.1	80	120				
2-Hexanone (MBK)	42.3	1.25	50.00	0	84.6	80	120				
Chlorobenzene	20.0	0.500	20.00	0	100	80	120				
1,1,1,2-Tetrachloroethane	21.8	0.500	20.00	0	109	80	120				
Ethylbenzene	21.6	0.500	20.00	0	108	80	120				
m,p-Xylene	44.0	1.00	40.00	0	110	80	120				
o-Xylene	21.7	0.500	20.00	0	109	80	120				
Styrene	22.5	0.500	20.00	0	113	80	120				

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104850B		SampType: CCV		Units: µg/L		Prep Date: 11/20/2025		RunNo: 104850			
Client ID: CCV		Batch ID: 50097				Analysis Date: 11/20/2025		SeqNo: 2188056			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Isopropylbenzene	21.5	0.500	20.00	0	107	80	120				
Bromoform	19.9	0.500	20.00	0	99.6	80	120				
1,1,2,2-Tetrachloroethane	20.9	0.200	20.00	0	105	80	120				
n-Propylbenzene	22.7	0.500	20.00	0	114	80	120				
Bromobenzene	20.0	0.200	20.00	0	100	80	120				
1,3,5-Trimethylbenzene	21.8	0.500	20.00	0	109	80	120				
2-Chlorotoluene	21.3	0.500	20.00	0	107	80	120				
4-Chlorotoluene	20.8	0.500	20.00	0	104	80	120				
tert-Butylbenzene	21.4	0.500	20.00	0	107	80	120				
1,2,3-Trichloropropane	19.2	0.500	20.00	0	95.9	80	120				
1,2,4-Trichlorobenzene	18.5	0.750	20.00	0	92.5	80	120				
sec-Butylbenzene	22.2	0.500	20.00	0	111	80	120				
4-Isopropyltoluene	22.9	0.500	20.00	0	114	80	120				
1,3-Dichlorobenzene	20.0	0.500	20.00	0	99.8	80	120				
1,4-Dichlorobenzene	19.7	0.500	20.00	0	98.5	80	120				
n-Butylbenzene	21.6	0.500	20.00	0	108	80	120				
1,2-Dichlorobenzene	19.9	0.500	20.00	0	99.5	80	120				
1,2-Dibromo-3-chloropropane	18.2	1.00	20.00	0	91.0	80	120				
1,2,4-Trimethylbenzene	20.2	0.500	20.00	0	101	80	120				
Hexachloro-1,3-butadiene	19.0	1.00	20.00	0	94.8	80	120				
Naphthalene	17.9	1.25	20.00	0	89.4	80	120				
1,2,3-Trichlorobenzene	17.2	1.00	20.00	0	85.8	80	120				
Surr: Dibromofluoromethane	27.3		25.00		109	80	120				
Surr: Toluene-d8	26.4		25.00		105	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.4		25.00		97.7	80	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50097	SampType: LCS	Units: µg/L			Prep Date: 11/19/2025			RunNo: 104850			
Client ID: LCSW	Batch ID: 50097	Analysis Date: 11/20/2025						SeqNo: 2188069			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	24.3	1.00	20.00	0	122	80	120				S
Chloromethane	17.8	1.00	20.00	0	89.0	80	120				
Vinyl chloride	20.1	0.200	20.00	0	100	80	120				
Bromomethane	29.3	2.00	20.00	0	146	80	120				S
Trichlorofluoromethane (CFC-11)	19.9	0.500	20.00	0	99.6	80	120				
Chloroethane	21.4	1.00	20.00	0	107	80	120				
1,1-Dichloroethene	22.4	0.500	20.00	0	112	80	120				
Acetone	40.1	5.00	50.00	0	80.2	80	120				
Methylene chloride	20.3	2.00	20.00	0	102	80	120				
trans-1,2-Dichloroethene	21.3	0.500	20.00	0	106	80	120				
Methyl tert-butyl ether (MTBE)	19.9	0.500	20.00	0	99.7	80	120				
1,1-Dichloroethane	23.0	0.500	20.00	0	115	80	120				
cis-1,2-Dichloroethene	22.8	0.500	20.00	0	114	80	120				
2-Butanone (MEK)	46.5	5.00	50.00	0	93.0	80	120				
Chloroform	22.5	0.500	20.00	0	112	80	120				
1,1,1-Trichloroethane (TCA)	25.6	0.500	20.00	0	128	80	120				S
1,1-Dichloropropene	24.4	0.500	20.00	0	122	80	120				S
Carbon tetrachloride	25.6	0.500	20.00	0	128	80	120				S
1,2-Dichloroethane (EDC)	21.5	0.200	20.00	0	107	80	120				
Benzene	20.8	0.200	20.00	0	104	80	120				
Trichloroethene (TCE)	19.8	0.500	20.00	0	98.9	80	120				
1,2-Dichloropropane	20.3	0.200	20.00	0	101	80	120				
Bromodichloromethane	20.8	0.200	20.00	0	104	80	120				
Dibromomethane	20.5	0.500	20.00	0	102	80	120				
cis-1,3-Dichloropropene	20.4	0.500	20.00	0	102	80	120				
Toluene	20.4	0.500	20.00	0	102	80	120				
trans-1,3-Dichloropropylene	20.4	0.500	20.00	0	102	80	120				
Methyl Isobutyl Ketone (MIBK)	46.6	2.50	50.00	0	93.2	80	120				
1,1,2-Trichloroethane	20.2	0.500	20.00	0	101	80	120				
1,3-Dichloropropane	20.2	0.500	20.00	0	101	80	120				
Tetrachloroethene (PCE)	23.3	0.500	20.00	0	117	80	120				
Dibromochloromethane	20.5	0.500	20.00	0	102	80	120				

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50097	SampType: LCS	Units: µg/L				Prep Date: 11/19/2025			RunNo: 104850		
Client ID: LCSW	Batch ID: 50097	Analysis Date: 11/20/2025							SeqNo: 2188069		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	19.8	0.500	20.00	0	99.1	80	120				
2-Hexanone (MBK)	42.3	1.25	50.00	0	84.6	80	120				
Chlorobenzene	20.0	0.500	20.00	0	100	80	120				
1,1,1,2-Tetrachloroethane	21.8	0.500	20.00	0	109	80	120				
Ethylbenzene	21.6	0.500	20.00	0	108	80	120				
m,p-Xylene	44.0	1.00	40.00	0	110	80	120				
o-Xylene	21.7	0.500	20.00	0	109	80	120				
Styrene	22.5	0.500	20.00	0	113	80	120				
Isopropylbenzene	21.5	0.500	20.00	0	107	80	120				
Bromoform	19.9	0.500	20.00	0	99.6	80	120				
1,1,2,2-Tetrachloroethane	20.9	0.200	20.00	0	105	80	120				
n-Propylbenzene	22.7	0.500	20.00	0	114	80	120				
Bromobenzene	20.0	0.200	20.00	0	100	80	120				
1,3,5-Trimethylbenzene	21.8	0.500	20.00	0	109	80	120				
2-Chlorotoluene	21.3	0.500	20.00	0	107	80	120				
4-Chlorotoluene	20.8	0.500	20.00	0	104	80	120				
tert-Butylbenzene	21.4	0.500	20.00	0	107	80	120				
1,2,3-Trichloropropane	19.2	0.500	20.00	0	95.9	80	120				
1,2,4-Trichlorobenzene	18.5	0.750	20.00	0	92.5	80	120				
sec-Butylbenzene	22.2	0.500	20.00	0	111	80	120				
4-Isopropyltoluene	22.9	0.500	20.00	0	114	80	120				
1,3-Dichlorobenzene	20.0	0.500	20.00	0	99.8	80	120				
1,4-Dichlorobenzene	19.7	0.500	20.00	0	98.5	80	120				
n-Butylbenzene	21.6	0.500	20.00	0	108	80	120				
1,2-Dichlorobenzene	19.9	0.500	20.00	0	99.5	80	120				
1,2-Dibromo-3-chloropropane	18.2	1.00	20.00	0	91.0	80	120				
1,2,4-Trimethylbenzene	20.2	0.500	20.00	0	101	80	120				
Hexachloro-1,3-butadiene	19.0	1.00	20.00	0	94.8	80	120				
Naphthalene	17.9	1.25	20.00	0	89.4	80	120				
1,2,3-Trichlorobenzene	17.2	1.00	20.00	0	85.8	80	120				
Surr: Dibromofluoromethane	27.3		25.00		109	79.9	122				
Surr: Toluene-d8	26.4		25.00		105	80	121				

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50097		SampType: LCS			Units: µg/L		Prep Date: 11/19/2025		RunNo: 104850		
Client ID: LCSW		Batch ID: 50097			Analysis Date: 11/20/2025				SeqNo: 2188069		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 1-Bromo-4-fluorobenzene	24.4		25.00		97.7	79.7	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: 2511374-003AMS		SampType: MS		Units: µg/L		Prep Date: 11/19/2025			RunNo: 104850		
Client ID: BATCH		Batch ID: 50097		Analysis Date: 11/20/2025					SeqNo: 2188064		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	25.8	1.00	20.00	0	129	61	156				
Chloromethane	19.8	1.00	20.00	0	99.2	58.6	153				
Vinyl chloride	22.0	0.200	20.00	0	110	70.9	160				
Bromomethane	33.1	2.00	20.00	0	165	57	155				S
Trichlorofluoromethane (CFC-11)	21.1	0.500	20.00	0	106	80	159				
Chloroethane	22.9	1.00	20.00	0	114	71.3	145				
1,1-Dichloroethene	24.0	0.500	20.00	0	120	80	160				
Acetone	83.6	5.00	50.00	27.08	113	12.9	126				
Methylene chloride	20.6	2.00	20.00	0	103	77.6	131				
trans-1,2-Dichloroethene	22.7	0.500	20.00	0	114	80	134				
Methyl tert-butyl ether (MTBE)	20.0	0.500	20.00	0	99.9	80	127				
1,1-Dichloroethane	24.1	0.500	20.00	0	120	80	129				
cis-1,2-Dichloroethene	23.5	0.500	20.00	0	117	78.2	137				
2-Butanone (MEK)	93.9	5.00	50.00	33.11	122	32.5	130				
Chloroform	23.3	0.500	20.00	0	116	78.3	136				
1,1,1-Trichloroethane (TCA)	26.9	0.500	20.00	0	135	80	153				
1,1-Dichloropropene	25.7	0.500	20.00	0	128	80	153				
Carbon tetrachloride	27.7	0.500	20.00	0	139	80	156				
1,2-Dichloroethane (EDC)	21.3	0.200	20.00	0	107	77	133				
Benzene	21.3	0.200	20.00	0	107	80	134				
Trichloroethene (TCE)	21.0	0.500	20.00	0	105	80	133				
1,2-Dichloropropane	20.5	0.200	20.00	0	102	80	125				
Bromodichloromethane	20.9	0.200	20.00	0	105	80	124				
Dibromomethane	20.2	0.500	20.00	0	101	80	122				

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511374-003AMS	SampType: MS	Units: µg/L			Prep Date: 11/19/2025			RunNo: 104850			
Client ID: BATCH	Batch ID: 50097	Analysis Date: 11/20/2025						SeqNo: 2188064			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,3-Dichloropropene	20.2	0.500	20.00	0	101	80	128				
Toluene	21.0	0.500	20.00	0	105	80	134				
trans-1,3-Dichloropropylene	20.0	0.500	20.00	0	100	78.6	136				
Methyl Isobutyl Ketone (MIBK)	92.6	2.50	50.00	47.10	91.1	61.1	145				
1,1,2-Trichloroethane	20.2	0.500	20.00	0	101	79.4	135				
1,3-Dichloropropane	20.0	0.500	20.00	0	99.8	80	126				
Tetrachloroethene (PCE)	23.8	0.500	20.00	0	119	80	153				
Dibromochloromethane	20.2	0.500	20.00	0	101	77.7	137				
1,2-Dibromoethane (EDB)	19.6	0.500	20.00	0	98.2	77.8	132				
2-Hexanone (MBK)	101	1.25	50.00	38.09	127	34.7	135				
Chlorobenzene	20.3	0.500	20.00	0	101	80	123				
1,1,1,2-Tetrachloroethane	21.7	0.500	20.00	0	108	80	125				
Ethylbenzene	22.3	0.500	20.00	0	112	80	125				
m,p-Xylene	45.2	1.00	40.00	0	113	80	124				
o-Xylene	22.1	0.500	20.00	0	110	80	122				
Styrene	22.7	0.500	20.00	0	113	80	122				
Isopropylbenzene	22.0	0.500	20.00	0	110	80	133				
Bromoform	19.4	0.500	20.00	0	97.0	80	125				
1,1,2,2-Tetrachloroethane	19.2	0.200	20.00	0	95.8	76.3	138				
n-Propylbenzene	23.1	0.500	20.00	0	116	80	134				
Bromobenzene	19.9	0.200	20.00	0	99.5	80	121				
1,3,5-Trimethylbenzene	22.2	0.500	20.00	0	111	80	126				
2-Chlorotoluene	21.6	0.500	20.00	0	108	80	124				
4-Chlorotoluene	20.8	0.500	20.00	0	104	80	123				
tert-Butylbenzene	21.8	0.500	20.00	0	109	80	131				
1,2,3-Trichloropropane	18.4	0.500	20.00	0	92.1	75.3	125				
1,2,4-Trichlorobenzene	17.6	0.750	20.00	0	88.2	71.2	129				
sec-Butylbenzene	22.9	0.500	20.00	0	114	80	137				
4-Isopropyltoluene	23.5	0.500	20.00	0	117	80	132				
1,3-Dichlorobenzene	19.8	0.500	20.00	0	98.8	80	120				
1,4-Dichlorobenzene	19.3	0.500	20.00	0	96.4	80	122				
n-Butylbenzene	21.3	0.500	20.00	0	107	79.5	138				

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511374-003AMS		SampType: MS			Units: µg/L		Prep Date: 11/19/2025			RunNo: 104850		
Client ID: BATCH		Batch ID: 50097			Analysis Date: 11/20/2025			SeqNo: 2188064				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dichlorobenzene	19.7	0.500	20.00	0	98.4	79	120				
1,2-Dibromo-3-chloropropane	17.3	1.00	20.00	0	86.4	69.6	137				
1,2,4-Trimethylbenzene	20.4	0.500	20.00	0	102	80	123				
Hexachloro-1,3-butadiene	18.2	1.00	20.00	0	91.0	74.3	148				
Naphthalene	16.9	1.25	20.00	0	84.4	74.3	124				
1,2,3-Trichlorobenzene	16.2	1.00	20.00	0	80.9	71.9	129				
Surr: Dibromofluoromethane	27.8		25.00		111	79.9	122				
Surr: Toluene-d8	26.6		25.00		106	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.4		25.00		97.6	79.7	120				

NOTES:

S - Outlying spike recoveries were associated with this sample.

Sample ID: CCB-104850		SampType: CCB			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104850		
Client ID: CCB		Batch ID: 50097			Analysis Date: 11/20/2025			SeqNo: 2188107				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	7.58	5.00									
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: CCB-104850		SampType: CCB		Units: µg/L		Prep Date: 11/20/2025		RunNo: 104850			
Client ID: CCB		Batch ID: 50097				Analysis Date: 11/20/2025		SeqNo: 2188107			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloropropene	ND	0.500									
Carbon tetrachloride	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.200									
Benzene	ND	0.200									
Trichloroethene (TCE)	ND	0.500									
1,2-Dichloropropane	ND	0.200									
Bromodichloromethane	ND	0.200									
Dibromomethane	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									

Work Order: 2511443
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: CCB-104850		SampType: CCB		Units: µg/L		Prep Date: 11/20/2025		RunNo: 104850			
Client ID: CCB		Batch ID: 50097				Analysis Date: 11/20/2025		SeqNo: 2188107			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	28.9		25.00		116	80	120				
Surr: Toluene-d8	27.4		25.00		110	80	120				
Surr: 1-Bromo-4-fluorobenzene	22.0		25.00		88.2	80	120				

Client Name: AC

Work Order Number: 2511443

Logged by: Morgan Laughlin

Date Received: 11/17/2025 3:33:00 PM

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes ☐ No ☐ Not Present ☒
4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all items received at a temperature of >2°C to 6°C * Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. Is there headspace in the VOA vials? Yes ☐ No ☒ NA ☐
11. Did all samples containers arrive in good condition(unbroken)? Yes ☒ No ☐
12. Does paperwork match bottle labels? Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all hold times (except field parameters, pH e.g.) able to be met? Yes ☒ No ☐

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:		Date:	
By Whom:		Via:	☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:			
Client Instructions:			

17. Additional remarks:

Item Information

Item #	Temp °C
Sample	0.3

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11/17/25 Page: 1 of 2

Project Name: 700 Dexter

Project No: AS240461

Collected by: M. Elliott E. Rusan J. Raville

Location: 700 Dexter

Report To (PM): Hannah Cohen + Lea Kane

Laboratory Project No (Internal): AS114413

Special Remarks:

Please invoice through Coupa
WO-AS240461-8485

Short hold due to nitrate samples!

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Client: Geosyntec Consultants

Address: 801 5th Ave, Suite 2200

City, State, zip: Seattle, WA, 98104

Telephone: 206-780-7724

Email(s): Hannah.Cohen@geosyntec.com ; Lea.Kane@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCs (EPA 8260 / 624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCD)	Diesel/Heavy Oil Range Organics (DX)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8270 - SIM)	Metals** (EPA 6020 / 608)	Total (TD) (EPA 6020 / 200.8)	Anions (IC***)	EDs (8011)	Dissolved Gases (KSK175)	Alkalinity (EPA 8060.2)	TDS (9060A)	Comments
1 MW-183-25 1117	11-17-25	1000	GW	9	X								X	X	X	X	X	X		
2 MW-181-25 1117	11-17-25	1117	GW	9	X								X	X	X	X	X	X		
3 MW-182-25 1117	11-17-25	1232	GW	9	X								X	X	X	X	X	X		
4 MW-184-25 1117	11-17-25	1420	GW	9	X								X	X	X	X	X	X		
5 MW-148-25 1117	11-17-25	1035	GW	3	X								X	X	X	X	X	X		
6 MW-190-25 1117	11-17-25	1155	GW	9	X								X	X	X	X	X	X		
7 MW103-25 1117	11-17-25	1400	GW	9	X								X	X	X	X	X	X		
8 MW-315-25 1117	11-17-25	1044	GW	3	X								X	X	X	X	X	X		
9 F MW-137-25 1117	11-17-25	1144	GW	9	X								X	X	X	X	X	X		
10 MW123-25 1117	11-17-25	1327	GW	3	X								X	X	X	X	X	X		

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCA-8 Priority Pollutants TAC Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu (Ce) Hg K Mg (Mn) Mo Na Ni Pb Sb Se Sr Sn Ti Tl V Zn

***Anions (Circle): Sulfate Nitrate Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate-Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Turn-around Time:
☒ Standard ☐ Next Day
☐ 3 Day ☐ Same Day
☐ 2 Day (specify)

Relinquished (Signature)	Print Name	Date/Time	Received (Signature)	Print Name	Date/Time
<i>[Signature]</i>	Myerence Elliott	11/17/25 1532	<i>[Signature]</i>	Myerence Elliott	11/17/25 1533
Relinquished (Signature)	Print Name	Date/Time	Received (Signature)	Print Name	Date/Time
<i>[Signature]</i>	Myerence Elliott	11/17/25 1532	<i>[Signature]</i>	Myerence Elliott	11/17/25 1533



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11/17/25 Page: 2 of 2

Project Name: 700 Dexter

Project No: AS240461

Collected by: M. Elliott E. Rosen J. Raville

Location: 700 Dexter

Report To (PM): Hannah Cohen + Lea Kane

Laboratory Project No (Internal): AS11413

Special Remarks: Please invoice thru Coupa

WO-AS240461-8485

Short hold due to Nitrate Samples!

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Client: Geosyntec Consultants
Address: 801 5th Ave, Suite 2200
City, State, zip: Seattle, WA, 98104
Telephone: 206-780-7724

Email: Hannah.Cohn@geosyntec.com ; Lea.Kane@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCS (EPA 8260 / 624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCD)	Diesel/Heavy Oil Range Organics (DX)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8082 / 608)	Metals** (EPA 60320 / 200.8)	Total (TD) Dissolved (D)	Anions (IC)**	EDR (8011)	Disinfectant Gases (82175)	Alkalinity (EPA 8060A)	TOC (9060A)	Comments
1 MW109-25117	11-17-25	1435	GW	9	X															
2 EQ-25117	11-17-25	1340	GW	3	X															
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu (Fe) Hg K Mg (Mn) Mo Na Ni Pb Sb Se Sr Sn Ti Tl V Zn

***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate-Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Turn-around Time:

☒ Standard ☐ Next Day

☐ 3 Day ☐ Same Day

☐ 2 Day (specify)

Relinquished (Signature)

Print Name

Date/Time

Print Name

Date/Time

Relinquished (Signature)

Print Name

Date/Time

Received (Signature)

Print Name

Date/Time



Analytical Resources, LLC
Analytical Chemists and Consultants
Tukwila, WA

05 December 2025

Brianna Barnes
Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle, WA 98103

RE: TOC (2511443)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)
25K0406

Associated SDG ID(s)
N/A

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.


Matthew Daniel For Phillip Bates, Project Manager



25K0406

SUB CONTRACTOR: ARI		COMPANY: Analytical Resources Inc.		SPECIAL INSTRUCTIONS / COMMENTS: Standard TAT. Please email results to SEA.PM@alliancetg.com and invoices to both SEA.PM@alliancetg.com and ap@alliancetg.com.	
ADDRESS: 4611 South 134th Place, Suite 100					
CITY, STATE, ZIP: Tukwila, WA 98168					
PHONE: (206) 695-6200		FAX: EMAIL: 			
ACCOUNT #:					

ITEM #	SAMPLE ID	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS	COMMENTS: Methanol Preserved Weights HOT Sample Notation, Additional Sample Description.
1	2511443-001C	MW-183-251117	AMBER 250ML	Groundwater	11/17/2025 10:00:00 AM	1	TOC 9060
	C-TOC-W-9060						
2	2511443-002C	MW-181-251117	AMBER 250ML	Groundwater	11/17/2025 11:17:00 AM	1	TOC 9060
	C-TOC-W-9060						
3	2511443-003C	MW-182-251117	AMBER 250ML	Groundwater	11/17/2025 12:32:00 PM	1	TOC 9060
	C-TOC-W-9060						
4	2511443-004C	MW-184-251117	AMBER 250ML	Groundwater	11/17/2025 2:20:00 PM	1	TOC 9060
	C-TOC-W-9060						
5	2511443-006C	MW-190-251117	AMBER 250ML	Groundwater	11/17/2025 11:55:00 AM	1	TOC 9060
	C-TOC-W-9060						
6	2511443-007C	MW103-251117	AMBER 250ML	Groundwater	11/17/2025 2:00:00 PM	1	TOC 9060
	C-TOC-W-9060						
7	2511443-009C	FMW-137-251117	AMBER 250ML	Groundwater	11/17/2025 11:44:00 AM	1	TOC 9060
	C-TOC-W-9060						
8	2511443-011C	MW109-251117	AMBER 250ML	Groundwater	11/17/2025 2:35:00 PM	1	TOC 9060
	C-TOC-W-9060						

Relinquished By: 	Date: 11/18/25	Time: 9:00	Received By:  ARI	Date: 11/13/25	Time: 12:00	REPORT TRANSMITTAL DESIRED: ☐ HARDCOPY (extra cost) ☐ FAX ☐ EMAIL ☐ ONLINE FOR LAB USE ONLY Temp of samples _____ °C Attempt to Cool? _____ Comments: _____
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
TAT: Standard ☐ RUSH Next BD ☐ 2nd BD ☐ 3rd BD ☐						Page 73 of 88

Note: RUSH requests will incur surcharges!



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511443
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:05

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-183-251117	25K0406-01	Water	17-Nov-2025 10:00	18-Nov-2025 12:00
MW-181-251117	25K0406-02	Water	17-Nov-2025 11:17	18-Nov-2025 12:00
MW-182-251117	25K0406-03	Water	17-Nov-2025 12:32	18-Nov-2025 12:00
MW-184-251117	25K0406-04	Water	17-Nov-2025 14:20	18-Nov-2025 12:00
MW-190-251117	25K0406-05	Water	17-Nov-2025 11:55	18-Nov-2025 12:00
MW103-251117	25K0406-06	Water	17-Nov-2025 14:00	18-Nov-2025 12:00
FMW-137-251117	25K0406-07	Water	17-Nov-2025 11:44	18-Nov-2025 12:00
MW109-251117	25K0406-08	Water	17-Nov-2025 14:35	18-Nov-2025 12:00



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511443
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:05

Work Order Case Narrative

Client: Alliance Technical Group, LLC.

Project: TOC

Work Order: 25K0406

Sample receipt

Samples as listed on the preceding page were received 18-Nov-2025 12:00 under ARI work order 25K0406. For details regarding sample receipt, please refer to the Cooler Receipt Form.

Wet Chemistry

The sample(s) were prepared and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.



WORK ORDER

25K0406

Client: Alliance Technical Group, LLC.

Project Manager: Phillip Bates

Project: 2408332

Project Number: 2511443

Preservation Confirmation

Container ID	Container Type	pH	pH Paper Lot#: <u>N000119</u>
25K0406-01 A	Glass NM, Amber, 250 mL, 9N H2SO4	<u>2.0</u>	
25K0406-02 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0406-03 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0406-04 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0406-05 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0406-06 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0406-07 A	Glass NM, Amber, 250 mL, 9N H2SO4		
25K0406-08 A	Glass NM, Amber, 250 mL, 9N H2SO4		

SS
Preservation Confirmed By

11-19-25
Date

Reviewed By

Date

Page 1 of 1

Page 76 of 88



Analytical Resources, LLC
Analytical Chemists and Consultants

Cooler Receipt Form

ARI Client: Alliance

Project Name: TOC

COC No(s): NA

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: NA

Assigned ARI Job No: 25K0406

Tracking No: NA

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler? YES NO
Were custody papers included with the cooler? YES NO
Were custody papers properly filled out (ink, signed, etc.) YES NO
Temperature of Cooler(s) (°C) Time 1200 6.4 Temp Gun ID#: 8117
Was a temperature blank included in the cooler? YES NO
Were coolers received between 0° - 6° (°C) YES NO
Was sufficient ice used (if appropriate)? NA YES NO

Cooler Accepted by: NDT Date: 11/18/25 Time: 1200

Complete custody forms and attach all shipping documents

Log-In Phase:

What kind of packing material was used? Bubble Wrap Wet Ice Gel Packs Baggies Foam Block N/A Other:
Are any samples that were out of temperature compliance documented in LIMS? YES NO
How were bottles sealed in plastic bags? Individually Grouped Not
Did all bottles arrive in good condition (unbroken)? YES NO
Were all bottle labels complete and legible? YES NO
Did the number of containers listed on COC match with the number of containers received? YES NO
Did all bottle labels and tags agree with custody papers? YES NO
Were all bottles used correct for the requested analyses? YES NO
Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ... NA YES NO
Were all VOC vials free of air bubbles? NA YES NO
Was sufficient amount of sample sent in each bottle? NA YES NO
Date VOC Trip Blank was made at ARI: NA
Were the sample(s) split by ARI? NA YES Date/Time: Equipment: Split by:

Samples Logged by: SS Date: 11-19-25 Time: 14:11 Labels checked by: SA

**** Notify Project Manager of discrepancies or concerns ****

Additional Notes, Discrepancies, & Resolutions:

2 bottle caps broken, sample ID - 001C spilled, may not be enough volume to run analysis

O1A and O2A arrived with broken caps

SS 11-19-25

By:

Date:



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511443
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:05

MW-183-251117
25K0406-01 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/17/2025 10:00

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 09:05

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0406-01 A

Preparation Batch: BNL0031

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	ND	mg/L	U



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511443
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:05

MW-181-251117
25K0406-02RE1 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/17/2025 11:17

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/04/2025 03:27

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0406-02RE1 A

Preparation Batch: BNL0031

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	48.93	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511443
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:05

MW-182-251117
25K0406-03 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/17/2025 12:32

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 09:49

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0406-03 A

Preparation Batch: BNL0031

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	71.52	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511443
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:05

MW-184-251117
25K0406-04RE1 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/17/2025 14:20

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/04/2025 04:04

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0406-04RE1 A

Preparation Batch: BNL0031

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	41.83	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511443
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:05

MW-190-251117
25K0406-05 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/17/2025 11:55

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 10:29

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0406-05 A

Preparation Batch: BNL0031

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	19.05	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511443
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:05

MW103-251117
25K0406-06 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/17/2025 14:00

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 10:54

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0406-06 A

Preparation Batch: BNL0031

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	2.99	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511443
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:05

FMW-137-251117
25K0406-07 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/17/2025 11:44

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 11:16

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0406-07 A

Preparation Batch: BNL0031

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	5.79	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511443
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:05

MW109-251117
25K0406-08 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/17/2025 14:35

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 11:34

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0406-08 A

Preparation Batch: BNL0031

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	28.96	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511443
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:05

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BNL0031 - EPA 9060A in Water

Instrument: TOC-LCSH Analyst: RMS

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Blank (BNL0031-BLK1)										
Prepared: 01-Dec-2025 Analyzed: 03-Dec-2025 05:05										
Total Organic Carbon	ND	0.50	0.50	mg/L						U
LCS (BNL0031-BS1)										
Prepared: 01-Dec-2025 Analyzed: 03-Dec-2025 05:23										
Total Organic Carbon	20.35	0.50	0.50	mg/L	20.00		102 90-110			



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511443
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:05

Uncertified Analytes included in this Report

Analysis Matrix & Analyte

None

Certified Analyses included in this Report

Analysis Matrix & Analyte

Certification Codes

EPA 9060A in Water

Total Organic Carbon

DoD-ELAP,WADOE,NELAP

Certifications

Code	Description	Number	Expires
DoD-ELAP	DoD-Environmental Laboratory Accreditation Program, PJLA Testing	66169	01/31/2026
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-018	05/12/2026
WADOE	WA Dept of Ecology	C558	06/30/2026



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511443
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:05

Notes and Definitions

- * Flagged value is not within established control limits.
- U This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- [2C] Indicates this result was quantified on the second column on a dual column analysis.
- ! Indicates that ARL is NOT ACCREDITED for this parameter in samples logged as 'Drinking Water'
- # Indicates that ARL is NOT ACCREDITED for this parameter in this analysis and matrix.

Geosyntec Consultants

Hannah Cohen

801 5th Ave Suite 2200

Seattle, WA 98104

RE: 700 Dexter, WO-AS240461-8485

Work Order Number: 2511473

December 05, 2025

Attention Hannah Cohen:

Alliance Technical Group, LLC - Seattle received 12 sample(s) on 11/18/2025 for the analyses presented in the following report.

Dissolved Gases by RSK-175

Ion Chromatography by EPA 300.0

Total Alkalinity by EPA 310.2

Total Metals by EPA 6020B

Total Organic Carbon by EPA Method 9060

Volatile Organic Compounds by EPA 8260D

All analyses were performed according to our accredited Quality Assurance program. Please contact the laboratory if you should have any questions about the results.

Alliance Technical Group is committed to accuracy, speed, and customer service. Thank you for choosing Alliance Technical Group's Seattle laboratory team for your analytical needs. We appreciate this opportunity to serve you!

Sincerely,



Brianna Barnes
Project Manager

CC:
Lea Kane

DoD-ELAP Accreditation #79636 by PJLA, ISO/IEC 17025:2017 and QSM 5.4 for Environmental Testing
ORELAP Certification: WA 100009 (NELAP Recognized) for Environmental Testing
Washington State Department of Ecology Accredited for Environmental Testing, Lab ID C910

Revision v1



CLIENT: Geosyntec Consultants
Project: 700 Dexter
Work Order: 2511473

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
2511473-001	MW122-251118	11/18/2025 11:20 AM	11/18/2025 3:30 PM
2511473-002	FMW-141-251118	11/18/2025 9:45 AM	11/18/2025 3:30 PM
2511473-003	FMW-140-251118	11/18/2025 12:45 PM	11/18/2025 3:30 PM
2511473-004	MW-169-251118	11/18/2025 1:40 PM	11/18/2025 3:30 PM
2511473-005	MW-180-251118	11/18/2025 11:40 AM	11/18/2025 3:30 PM
2511473-006	MW-177-251118	11/18/2025 11:06 AM	11/18/2025 3:30 PM
2511473-007	MW-179-251118	11/18/2025 10:01 AM	11/18/2025 3:30 PM
2511473-008	MW-330-251118	11/18/2025 2:11 PM	11/18/2025 3:30 PM
2511473-009	MW-334-251118	11/18/2025 12:25 PM	11/18/2025 3:30 PM
2511473-010	MW-324-251118	11/18/2025 11:21 AM	11/18/2025 3:30 PM
2511473-011	MW108-251118	11/18/2025 9:53 AM	11/18/2025 3:30 PM
2511473-012	EQ-251118	11/18/2025 2:30 PM	11/18/2025 3:30 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

CLIENT: Geosyntec Consultants

Project: 700 Dexter

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

Matrix Spike (MS) and MS Duplicate (MSD) samples are tested from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. The sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

2511473-002-007C, 010-011C

C-TOC-W-9060 has been Sub Contracted.

1/12/2026: Rev1 includes additional continued calibration samples for EPA 300.0 per client request.

Qualifiers:

- * - Associated LCS is outside of control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Method Detection Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- DUP - Sample Duplicate
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MCL - Maximum Contaminant Level
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- REP - Sample Replicate
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate



Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/18/2025 11:20:00 AM

Project: 700 Dexter

Lab ID: 2511473-001

Matrix: Groundwater

Client Sample ID: MW122-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50111		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/20/25 15:53:18
Chloromethane	ND	1.00	0.218		µg/L	1	11/20/25 15:53:18
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/20/25 15:53:18
Bromomethane	ND	2.00	0.386		µg/L	1	11/20/25 15:53:18
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/20/25 15:53:18
Chloroethane	ND	1.00	0.334		µg/L	1	11/20/25 15:53:18
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/20/25 15:53:18
Acetone	ND	5.00	2.55		µg/L	1	11/20/25 15:53:18
Methylene chloride	ND	2.00	0.649		µg/L	1	11/20/25 15:53:18
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/20/25 15:53:18
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/20/25 15:53:18
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/20/25 15:53:18
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/20/25 15:53:18
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/20/25 15:53:18
Chloroform	ND	0.500	0.0865		µg/L	1	11/20/25 15:53:18
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/20/25 15:53:18
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/20/25 15:53:18
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/20/25 15:53:18
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/20/25 15:53:18
Benzene	ND	0.200	0.0540		µg/L	1	11/20/25 15:53:18
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/20/25 15:53:18
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/20/25 15:53:18
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/20/25 15:53:18
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/20/25 15:53:18
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/20/25 15:53:18
Toluene	ND	0.500	0.129		µg/L	1	11/20/25 15:53:18
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/20/25 15:53:18
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/20/25 15:53:18
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/20/25 15:53:18
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/20/25 15:53:18
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/20/25 15:53:18

Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/18/2025 11:20:00 AM

Project: 700 Dexter

Lab ID: 2511473-001

Matrix: Groundwater

Client Sample ID: MW122-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50111		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/20/25 15:53:18
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/20/25 15:53:18
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/20/25 15:53:18
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/20/25 15:53:18
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/20/25 15:53:18
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/20/25 15:53:18
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/20/25 15:53:18
o-Xylene	ND	0.500	0.144		µg/L	1	11/20/25 15:53:18
Styrene	ND	0.500	0.115		µg/L	1	11/20/25 15:53:18
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/20/25 15:53:18
Bromoform	ND	0.500	0.0986		µg/L	1	11/20/25 15:53:18
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/20/25 15:53:18
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/20/25 15:53:18
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/20/25 15:53:18
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/20/25 15:53:18
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/20/25 15:53:18
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/20/25 15:53:18
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/20/25 15:53:18
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/20/25 15:53:18
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/20/25 15:53:18
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/20/25 15:53:18
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/20/25 15:53:18
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/20/25 15:53:18
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/20/25 15:53:18
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/20/25 15:53:18
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/20/25 15:53:18
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/20/25 15:53:18
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/20/25 15:53:18
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/20/25 15:53:18
Naphthalene	ND	1.25	0.405		µg/L	1	11/20/25 15:53:18
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/20/25 15:53:18



Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511473-001
Client Sample ID: MW122-251118

Collection Date: 11/18/2025 11:20:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50111		Analyst: KJ	
Surr: Dibromofluoromethane	114	79.9 - 122			%Rec	1	11/20/25 15:53:18
Surr: Toluene-d8	109	80 - 121			%Rec	1	11/20/25 15:53:18
Surr: 1-Bromo-4-fluorobenzene	89.0	79.7 - 120			%Rec	1	11/20/25 15:53:18

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511473-002
Client Sample ID: FMW-141-251118

Collection Date: 11/18/2025 9:45:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10495		Analyst: BCA	
Methane	0.276	0.0100	0.00901	D	mg/L	2	11/21/25 15:53:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/21/25 14:27:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/21/25 14:27:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50111		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/24/25 16:09:35
Chloromethane	ND	1.00	0.218		µg/L	1	11/24/25 16:09:35
Vinyl chloride	4.80	0.200	0.0455		µg/L	1	11/24/25 16:09:35
Bromomethane	ND	2.00	0.386		µg/L	1	11/24/25 16:09:35
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/24/25 16:09:35
Chloroethane	ND	1.00	0.334		µg/L	1	11/24/25 16:09:35
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/24/25 16:09:35
Acetone	ND	5.00	2.55	Q	µg/L	1	11/24/25 16:09:35
Methylene chloride	ND	2.00	0.649		µg/L	1	11/24/25 16:09:35
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/24/25 16:09:35
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/24/25 16:09:35
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/24/25 16:09:35
cis-1,2-Dichloroethene	2.81	0.500	0.164		µg/L	1	11/24/25 16:09:35
2-Butanone (MEK)	ND	5.00	1.98	Q	µg/L	1	11/24/25 16:09:35
Chloroform	ND	0.500	0.0865		µg/L	1	11/24/25 16:09:35
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/24/25 16:09:35
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/24/25 16:09:35
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/24/25 16:09:35
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/24/25 16:09:35
Benzene	ND	0.200	0.0540		µg/L	1	11/24/25 16:09:35
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/24/25 16:09:35
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/24/25 16:09:35
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/24/25 16:09:35
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/24/25 16:09:35
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/24/25 16:09:35
Toluene	ND	0.500	0.129		µg/L	1	11/24/25 16:09:35
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/24/25 16:09:35



Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/18/2025 9:45:00 AM

Project: 700 Dexter

Lab ID: 2511473-002

Matrix: Groundwater

Client Sample ID: FMW-141-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50111		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354	Q	µg/L	1	11/24/25 16:09:35
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/24/25 16:09:35
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/24/25 16:09:35
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/24/25 16:09:35
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/24/25 16:09:35
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/24/25 16:09:35
2-Hexanone (MBK)	ND	1.25	0.364	Q	µg/L	1	11/24/25 16:09:35
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/24/25 16:09:35
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/24/25 16:09:35
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/24/25 16:09:35
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/24/25 16:09:35
o-Xylene	ND	0.500	0.144		µg/L	1	11/24/25 16:09:35
Styrene	ND	0.500	0.115		µg/L	1	11/24/25 16:09:35
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/24/25 16:09:35
Bromoform	ND	0.500	0.0986		µg/L	1	11/24/25 16:09:35
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/24/25 16:09:35
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/24/25 16:09:35
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/24/25 16:09:35
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/24/25 16:09:35
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/24/25 16:09:35
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/24/25 16:09:35
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/24/25 16:09:35
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/24/25 16:09:35
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/24/25 16:09:35
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/24/25 16:09:35
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/24/25 16:09:35
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/24/25 16:09:35
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/24/25 16:09:35
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/24/25 16:09:35
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/24/25 16:09:35
1,2-Dibromo-3-chloropropane	ND	1.00	0.331	Q	µg/L	1	11/24/25 16:09:35

Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511473-002
Client Sample ID: FMW-141-251118

Collection Date: 11/18/2025 9:45:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50111

Analyst: KJ

1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/24/25 16:09:35
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/24/25 16:09:35
Naphthalene	ND	1.25	0.405		µg/L	1	11/24/25 16:09:35
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/24/25 16:09:35
Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/24/25 16:09:35
Surr: Toluene-d8	92.6	80 - 121			%Rec	1	11/24/25 16:09:35
Surr: 1-Bromo-4-fluorobenzene	93.1	79.7 - 120			%Rec	1	11/24/25 16:09:35

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 50091

Analyst: BB

Chloride	0.700	0.600	0.0609		mg/L	1	11/19/25 19:21:00
Nitrate (as N)	0.0470	0.150	0.0258	J	mg/L	1	11/19/25 19:21:00
Sulfate	0.773	1.00	0.286	J	mg/L	1	11/19/25 19:21:00

Total Metals by EPA 6020B

Batch ID: 50105

Analyst: ME

Iron	2,730	50.0	10.1		µg/L	1	11/21/25 16:53:00
Manganese	108	0.500	0.208		µg/L	1	11/21/25 16:53:00

Total Alkalinity by EPA 310.2

Batch ID: R10500

Analyst: NR

Alkalinity, Total (As CaCO ₃)	32.2	10.0	5.00		mg/L	1	11/25/25 17:14:00
---	------	------	------	--	------	---	-------------------

Client: Geosyntec Consultants

Collection Date: 11/18/2025 12:45:00 PM

Project: 700 Dexter

Lab ID: 2511473-003

Matrix: Groundwater

Client Sample ID: FMW-140-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10495		Analyst: BCA	
Methane	0.425	0.0250	0.0225	D	mg/L	5	11/21/25 15:56:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/21/25 14:36:00
Ethane	0.00882	0.0100	0.00754	J	mg/L	1	11/21/25 14:36:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50111		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/20/25 16:43:56
Chloromethane	ND	1.00	0.218		µg/L	1	11/20/25 16:43:56
Vinyl chloride	114	2.00	0.455	D	µg/L	10	11/24/25 17:50:49
Bromomethane	ND	2.00	0.386		µg/L	1	11/20/25 16:43:56
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/20/25 16:43:56
Chloroethane	ND	1.00	0.334		µg/L	1	11/20/25 16:43:56
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/20/25 16:43:56
Acetone	ND	5.00	2.55		µg/L	1	11/20/25 16:43:56
Methylene chloride	ND	2.00	0.649		µg/L	1	11/20/25 16:43:56
trans-1,2-Dichloroethene	0.227	0.500	0.115	J	µg/L	1	11/20/25 16:43:56
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/20/25 16:43:56
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/20/25 16:43:56
cis-1,2-Dichloroethene	23.2	0.500	0.164		µg/L	1	11/20/25 16:43:56
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/20/25 16:43:56
Chloroform	ND	0.500	0.0865		µg/L	1	11/20/25 16:43:56
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/20/25 16:43:56
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/20/25 16:43:56
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/20/25 16:43:56
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/20/25 16:43:56
Benzene	27.5	0.200	0.0540		µg/L	1	11/20/25 16:43:56
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/20/25 16:43:56
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/20/25 16:43:56
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/20/25 16:43:56
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/20/25 16:43:56
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/20/25 16:43:56
Toluene	ND	0.500	0.129		µg/L	1	11/20/25 16:43:56
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/20/25 16:43:56

Client: Geosyntec Consultants

Collection Date: 11/18/2025 12:45:00 PM

Project: 700 Dexter

Lab ID: 2511473-003

Matrix: Groundwater

Client Sample ID: FMW-140-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50111		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/20/25 16:43:56
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/20/25 16:43:56
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/20/25 16:43:56
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/20/25 16:43:56
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/20/25 16:43:56
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/20/25 16:43:56
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/20/25 16:43:56
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/20/25 16:43:56
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/20/25 16:43:56
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/20/25 16:43:56
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/20/25 16:43:56
o-Xylene	ND	0.500	0.144		µg/L	1	11/20/25 16:43:56
Styrene	ND	0.500	0.115		µg/L	1	11/20/25 16:43:56
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/20/25 16:43:56
Bromoform	ND	0.500	0.0986		µg/L	1	11/20/25 16:43:56
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/20/25 16:43:56
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/20/25 16:43:56
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/20/25 16:43:56
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/20/25 16:43:56
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/20/25 16:43:56
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/20/25 16:43:56
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/20/25 16:43:56
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/20/25 16:43:56
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/20/25 16:43:56
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/20/25 16:43:56
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/20/25 16:43:56
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/20/25 16:43:56
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/20/25 16:43:56
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/20/25 16:43:56
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/20/25 16:43:56
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/20/25 16:43:56

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511473-003
Client Sample ID: FMW-140-251118

Collection Date: 11/18/2025 12:45:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50111		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/20/25 16:43:56
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/20/25 16:43:56
Naphthalene	ND	1.25	0.405		µg/L	1	11/20/25 16:43:56
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/20/25 16:43:56
Surr: Dibromofluoromethane	114	79.9 - 122			%Rec	1	11/20/25 16:43:56
Surr: Dibromofluoromethane	102	79.9 - 122		D	%Rec	10	11/24/25 17:50:49
Surr: Toluene-d8	92.0	80 - 121		D	%Rec	10	11/24/25 17:50:49
Surr: Toluene-d8	106	80 - 121			%Rec	1	11/20/25 16:43:56
Surr: 1-Bromo-4-fluorobenzene	91.9	79.7 - 120		D	%Rec	10	11/24/25 17:50:49
Surr: 1-Bromo-4-fluorobenzene	88.3	79.7 - 120			%Rec	1	11/20/25 16:43:56
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50091		Analyst: BB	
Chloride	27.3	0.600	0.0609		mg/L	1	11/19/25 20:11:00
Nitrate (as N)	0.0540	0.150	0.0258	J	mg/L	1	11/19/25 20:11:00
Sulfate	71.8	10.0	2.86	D	mg/L	10	11/20/25 12:14:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50105		Analyst: ME	
Iron	6,710	50.0	10.1		µg/L	1	11/21/25 16:57:00
Manganese	1,210	0.500	0.208		µg/L	1	11/21/25 16:57:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10500		Analyst: NR	
Alkalinity, Total (As CaCO3)	276	100	50.0	D	mg/L	10	11/25/25 16:06:00

Client: Geosyntec Consultants

Collection Date: 11/18/2025 1:40:00 PM

Project: 700 Dexter

Lab ID: 2511473-004

Matrix: Groundwater

Client Sample ID: MW-169-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10495		Analyst: BCA	
Methane	8.27	0.500	0.450	D	mg/L	100	11/21/25 15:59:00
Ethene	0.0118	0.0100	0.00610		mg/L	1	11/21/25 14:39:00
Ethane	0.112	0.0100	0.00754		mg/L	1	11/21/25 14:39:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50166		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/25/25 15:30:05
Chloromethane	ND	1.00	0.218		µg/L	1	11/25/25 15:30:05
Vinyl chloride	49.7	2.00	0.455	D	µg/L	10	11/25/25 16:11:00
Bromomethane	ND	2.00	0.386		µg/L	1	11/25/25 15:30:05
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/25/25 15:30:05
Chloroethane	ND	1.00	0.334		µg/L	1	11/25/25 15:30:05
1,1-Dichloroethene	0.549	0.500	0.122		µg/L	1	11/25/25 15:30:05
Acetone	ND	5.00	2.55		µg/L	1	11/25/25 15:30:05
Methylene chloride	ND	2.00	0.649		µg/L	1	11/25/25 15:30:05
trans-1,2-Dichloroethene	0.417	0.500	0.115	J	µg/L	1	11/25/25 15:30:05
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/25/25 15:30:05
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/25/25 15:30:05
cis-1,2-Dichloroethene	1.36	0.500	0.164		µg/L	1	11/25/25 15:30:05
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/25/25 15:30:05
Chloroform	ND	0.500	0.0865		µg/L	1	11/25/25 15:30:05
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/25/25 15:30:05
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/25/25 15:30:05
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/25/25 15:30:05
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/25/25 15:30:05
Benzene	0.0990	0.200	0.0540	J	µg/L	1	11/25/25 15:30:05
Trichloroethene (TCE)	0.298	0.500	0.135	J	µg/L	1	11/25/25 15:30:05
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/25/25 15:30:05
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/25/25 15:30:05
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/25/25 15:30:05
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/25/25 15:30:05
Toluene	ND	0.500	0.129		µg/L	1	11/25/25 15:30:05
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/25/25 15:30:05

Client: Geosyntec Consultants

Collection Date: 11/18/2025 1:40:00 PM

Project: 700 Dexter

Lab ID: 2511473-004

Matrix: Groundwater

Client Sample ID: MW-169-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50166		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/25/25 15:30:05
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/25/25 15:30:05
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/25/25 15:30:05
Tetrachloroethene (PCE)	2.42	0.500	0.102		µg/L	1	11/25/25 15:30:05
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/25/25 15:30:05
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/25/25 15:30:05
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/25/25 15:30:05
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/25/25 15:30:05
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/25/25 15:30:05
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/25/25 15:30:05
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/25/25 15:30:05
o-Xylene	ND	0.500	0.144		µg/L	1	11/25/25 15:30:05
Styrene	ND	0.500	0.115		µg/L	1	11/25/25 15:30:05
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/25/25 15:30:05
Bromoform	ND	0.500	0.0986		µg/L	1	11/25/25 15:30:05
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/25/25 15:30:05
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/25/25 15:30:05
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/25/25 15:30:05
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/25/25 15:30:05
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/25/25 15:30:05
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/25/25 15:30:05
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/25/25 15:30:05
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/25/25 15:30:05
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/25/25 15:30:05
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/25/25 15:30:05
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/25/25 15:30:05
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/25/25 15:30:05
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/25/25 15:30:05
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/25/25 15:30:05
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/25/25 15:30:05
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/25/25 15:30:05

Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/18/2025 1:40:00 PM

Project: 700 Dexter

Lab ID: 2511473-004

Matrix: Groundwater

Client Sample ID: MW-169-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50166		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/25/25 15:30:05
Hexachloro-1,3-butadiene	0.360	1.00	0.192	J	µg/L	1	11/25/25 15:30:05
Naphthalene	ND	1.25	0.405		µg/L	1	11/25/25 15:30:05
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/25/25 15:30:05
Surr: Dibromofluoromethane	110	79.9 - 122			%Rec	1	11/25/25 15:30:05
Surr: Dibromofluoromethane	108	79.9 - 122		D	%Rec	10	11/25/25 16:11:00
Surr: Toluene-d8	110	80 - 121		D	%Rec	10	11/25/25 16:11:00
Surr: Toluene-d8	109	80 - 121			%Rec	1	11/25/25 15:30:05
Surr: 1-Bromo-4-fluorobenzene	99.2	79.7 - 120		D	%Rec	10	11/25/25 16:11:00
Surr: 1-Bromo-4-fluorobenzene	97.2	79.7 - 120			%Rec	1	11/25/25 15:30:05
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50091		Analyst: BB	
Chloride	88.9	6.00	0.609	D	mg/L	10	11/20/25 12:26:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/19/25 20:24:00
Sulfate	0.462	1.00	0.286	J	mg/L	1	11/19/25 20:24:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50105		Analyst: ME	
Iron	4,060	50.0	10.1		µg/L	1	11/21/25 17:00:00
Manganese	928	0.500	0.208		µg/L	1	11/21/25 17:00:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10500		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	677	400	200	D	mg/L	40	11/25/25 17:31:00

Client: Geosyntec Consultants

Collection Date: 11/18/2025 11:40:00 AM

Project: 700 Dexter

Lab ID: 2511473-005

Matrix: Groundwater

Client Sample ID: MW-180-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10495		Analyst: BCA	
Methane	7.01	0.250	0.225	D	mg/L	50	11/21/25 16:03:00
Ethene	0.0443	0.0100	0.00610		mg/L	1	11/21/25 14:41:00
Ethane	0.117	0.0100	0.00754		mg/L	1	11/21/25 14:41:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50111		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/20/25 19:15:54
Chloromethane	ND	1.00	0.218		µg/L	1	11/20/25 19:15:54
Vinyl chloride	1,360	10.0	2.28	D	µg/L	50	11/24/25 19:57:22
Bromomethane	ND	2.00	0.386		µg/L	1	11/20/25 19:15:54
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/20/25 19:15:54
Chloroethane	ND	1.00	0.334		µg/L	1	11/20/25 19:15:54
1,1-Dichloroethene	9.97	0.500	0.122		µg/L	1	11/20/25 19:15:54
Acetone	ND	5.00	2.55		µg/L	1	11/20/25 19:15:54
Methylene chloride	ND	2.00	0.649		µg/L	1	11/20/25 19:15:54
trans-1,2-Dichloroethene	29.0	0.500	0.115		µg/L	1	11/20/25 19:15:54
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/20/25 19:15:54
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/20/25 19:15:54
cis-1,2-Dichloroethene	3,930	100	32.9	D	µg/L	200	11/24/25 19:32:04
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/20/25 19:15:54
Chloroform	ND	0.500	0.0865		µg/L	1	11/20/25 19:15:54
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/20/25 19:15:54
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/20/25 19:15:54
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/20/25 19:15:54
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/20/25 19:15:54
Benzene	ND	0.200	0.0540		µg/L	1	11/20/25 19:15:54
Trichloroethene (TCE)	237	25.0	6.74	D	µg/L	50	11/24/25 19:57:22
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/20/25 19:15:54
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/20/25 19:15:54
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/20/25 19:15:54
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/20/25 19:15:54
Toluene	ND	0.500	0.129		µg/L	1	11/20/25 19:15:54
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/20/25 19:15:54

Client: Geosyntec Consultants

Collection Date: 11/18/2025 11:40:00 AM

Project: 700 Dexter

Lab ID: 2511473-005

Matrix: Groundwater

Client Sample ID: MW-180-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50111		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/20/25 19:15:54
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/20/25 19:15:54
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/20/25 19:15:54
Tetrachloroethene (PCE)	140	25.0	5.08	D	µg/L	50	11/24/25 19:57:22
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/20/25 19:15:54
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/20/25 19:15:54
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/20/25 19:15:54
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/20/25 19:15:54
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/20/25 19:15:54
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/20/25 19:15:54
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/20/25 19:15:54
o-Xylene	ND	0.500	0.144		µg/L	1	11/20/25 19:15:54
Styrene	ND	0.500	0.115		µg/L	1	11/20/25 19:15:54
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/20/25 19:15:54
Bromoform	ND	0.500	0.0986		µg/L	1	11/20/25 19:15:54
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/20/25 19:15:54
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/20/25 19:15:54
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/20/25 19:15:54
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/20/25 19:15:54
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/20/25 19:15:54
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/20/25 19:15:54
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/20/25 19:15:54
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/20/25 19:15:54
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/20/25 19:15:54
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/20/25 19:15:54
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/20/25 19:15:54
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/20/25 19:15:54
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/20/25 19:15:54
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/20/25 19:15:54
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/20/25 19:15:54
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/20/25 19:15:54

Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/18/2025 11:40:00 AM

Project: 700 Dexter

Lab ID: 2511473-005

Matrix: Groundwater

Client Sample ID: MW-180-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50111		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/20/25 19:15:54
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/20/25 19:15:54
Naphthalene	ND	1.25	0.405		µg/L	1	11/20/25 19:15:54
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/20/25 19:15:54
Surr: Dibromofluoromethane	100	79.9 - 122		D	%Rec	50	11/24/25 19:57:22
Surr: Dibromofluoromethane	102	79.9 - 122		D	%Rec	200	11/24/25 19:32:04
Surr: Dibromofluoromethane	106	79.9 - 122			%Rec	1	11/20/25 19:15:54
Surr: Toluene-d8	92.1	80 - 121		D	%Rec	200	11/24/25 19:32:04
Surr: Toluene-d8	90.8	80 - 121		D	%Rec	50	11/24/25 19:57:22
Surr: Toluene-d8	109	80 - 121			%Rec	1	11/20/25 19:15:54
Surr: 1-Bromo-4-fluorobenzene	91.0	79.7 - 120		D	%Rec	50	11/24/25 19:57:22
Surr: 1-Bromo-4-fluorobenzene	91.2	79.7 - 120			%Rec	1	11/20/25 19:15:54
Surr: 1-Bromo-4-fluorobenzene	91.0	79.7 - 120		D	%Rec	200	11/24/25 19:32:04
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50091		Analyst: BB	
Chloride	187	60.0	6.09	D	mg/L	100	11/20/25 11:23:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/19/25 20:37:00
Sulfate	22.2	1.00	0.286		mg/L	1	11/19/25 20:37:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50105		Analyst: ME	
Iron	18,700	500	101	D	µg/L	10	11/24/25 17:21:00
Manganese	7,490	5.00	2.08	D	µg/L	10	11/24/25 17:21:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10500		Analyst: NR	
Alkalinity, Total (As CaCO3)	1,480	400	200	D	mg/L	40	11/25/25 17:33:00

Client: Geosyntec Consultants

Collection Date: 11/18/2025 11:06:00 AM

Project: 700 Dexter

Lab ID: 2511473-006

Matrix: Groundwater

Client Sample ID: MW-177-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10495		Analyst: BCA	
Methane	8.08	0.500	0.450	D	mg/L	100	11/21/25 16:06:00
Ethene	0.242	0.0100	0.00610		mg/L	1	11/21/25 14:44:00
Ethane	0.266	0.0100	0.00754		mg/L	1	11/21/25 14:44:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50111		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	10.0	1.77	D	µg/L	10	11/20/25 21:21:11
Chloromethane	ND	10.0	2.18	D	µg/L	10	11/20/25 21:21:11
Vinyl chloride	1,100	20.0	4.55	D	µg/L	100	11/20/25 17:34:35
Bromomethane	ND	20.0	3.86	D	µg/L	10	11/20/25 21:21:11
Trichlorofluoromethane (CFC-11)	ND	5.00	0.618	D	µg/L	10	11/20/25 21:21:11
Chloroethane	5.04	10.0	3.34	DJ	µg/L	10	11/20/25 21:21:11
1,1-Dichloroethene	15.6	5.00	1.22	D	µg/L	10	11/20/25 21:21:11
Acetone	ND	50.0	25.5	D	µg/L	10	11/20/25 21:21:11
Methylene chloride	ND	20.0	6.49	D	µg/L	10	11/20/25 21:21:11
trans-1,2-Dichloroethene	8.18	5.00	1.15	D	µg/L	10	11/20/25 21:21:11
Methyl tert-butyl ether (MTBE)	ND	5.00	1.21	D	µg/L	10	11/20/25 21:21:11
1,1-Dichloroethane	ND	5.00	1.41	D	µg/L	10	11/20/25 21:21:11
cis-1,2-Dichloroethene	1,820	50.0	16.4	D	µg/L	100	11/20/25 17:34:35
2-Butanone (MEK)	ND	50.0	19.8	D	µg/L	10	11/20/25 21:21:11
Chloroform	ND	5.00	0.865	D	µg/L	10	11/20/25 21:21:11
1,1,1-Trichloroethane (TCA)	ND	5.00	1.03	D	µg/L	10	11/20/25 21:21:11
1,1-Dichloropropene	ND	5.00	1.43	D	µg/L	10	11/20/25 21:21:11
Carbon tetrachloride	ND	5.00	0.798	D	µg/L	10	11/20/25 21:21:11
1,2-Dichloroethane (EDC)	ND	2.00	0.477	D	µg/L	10	11/20/25 21:21:11
Benzene	ND	2.00	0.540	D	µg/L	10	11/20/25 21:21:11
Trichloroethene (TCE)	319	5.00	1.35	D	µg/L	10	11/20/25 21:21:11
1,2-Dichloropropane	ND	2.00	0.503	D	µg/L	10	11/20/25 21:21:11
Bromodichloromethane	ND	2.00	0.489	D	µg/L	10	11/20/25 21:21:11
Dibromomethane	ND	5.00	0.812	D	µg/L	10	11/20/25 21:21:11
cis-1,3-Dichloropropene	ND	5.00	1.09	D	µg/L	10	11/20/25 21:21:11
Toluene	ND	5.00	1.29	D	µg/L	10	11/20/25 21:21:11
trans-1,3-Dichloropropylene	ND	5.00	0.993	D	µg/L	10	11/20/25 21:21:11



Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/18/2025 11:06:00 AM

Project: 700 Dexter

Lab ID: 2511473-006

Matrix: Groundwater

Client Sample ID: MW-177-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50111		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	25.0	3.54	D	µg/L	10	11/20/25 21:21:11
1,1,2-Trichloroethane	ND	5.00	0.807	D	µg/L	10	11/20/25 21:21:11
1,3-Dichloropropane	ND	5.00	0.827	D	µg/L	10	11/20/25 21:21:11
Tetrachloroethene (PCE)	1,830	50.0	10.2	D	µg/L	100	11/20/25 17:34:35
Dibromochloromethane	ND	5.00	1.01	D	µg/L	10	11/20/25 21:21:11
1,2-Dibromoethane (EDB)	ND	5.00	0.432	D	µg/L	10	11/20/25 21:21:11
2-Hexanone (MBK)	ND	12.5	3.64	D	µg/L	10	11/20/25 21:21:11
Chlorobenzene	ND	5.00	0.934	D	µg/L	10	11/20/25 21:21:11
1,1,1,2-Tetrachloroethane	ND	5.00	1.17	D	µg/L	10	11/20/25 21:21:11
Ethylbenzene	ND	5.00	1.25	D	µg/L	10	11/20/25 21:21:11
m,p-Xylene	ND	10.0	2.89	D	µg/L	10	11/20/25 21:21:11
o-Xylene	ND	5.00	1.44	D	µg/L	10	11/20/25 21:21:11
Styrene	ND	5.00	1.15	D	µg/L	10	11/20/25 21:21:11
Isopropylbenzene	ND	5.00	1.22	D	µg/L	10	11/20/25 21:21:11
Bromoform	ND	5.00	0.986	D	µg/L	10	11/20/25 21:21:11
1,1,2,2-Tetrachloroethane	ND	2.00	0.704	D	µg/L	10	11/20/25 21:21:11
n-Propylbenzene	ND	5.00	1.24	D	µg/L	10	11/20/25 21:21:11
Bromobenzene	ND	2.00	0.677	D	µg/L	10	11/20/25 21:21:11
1,3,5-Trimethylbenzene	ND	5.00	1.02	D	µg/L	10	11/20/25 21:21:11
2-Chlorotoluene	ND	5.00	0.721	D	µg/L	10	11/20/25 21:21:11
4-Chlorotoluene	ND	5.00	0.876	D	µg/L	10	11/20/25 21:21:11
tert-Butylbenzene	ND	5.00	0.821	D	µg/L	10	11/20/25 21:21:11
1,2,3-Trichloropropane	ND	5.00	0.979	D	µg/L	10	11/20/25 21:21:11
1,2,4-Trichlorobenzene	ND	7.50	2.34	D	µg/L	10	11/20/25 21:21:11
sec-Butylbenzene	ND	5.00	1.12	D	µg/L	10	11/20/25 21:21:11
4-Isopropyltoluene	ND	5.00	1.06	D	µg/L	10	11/20/25 21:21:11
1,3-Dichlorobenzene	ND	5.00	0.987	D	µg/L	10	11/20/25 21:21:11
1,4-Dichlorobenzene	ND	5.00	1.19	D	µg/L	10	11/20/25 21:21:11
n-Butylbenzene	ND	5.00	1.65	D	µg/L	10	11/20/25 21:21:11
1,2-Dichlorobenzene	ND	5.00	1.18	D	µg/L	10	11/20/25 21:21:11
1,2-Dibromo-3-chloropropane	ND	10.0	3.31	D	µg/L	10	11/20/25 21:21:11

Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/18/2025 11:06:00 AM

Project: 700 Dexter

Lab ID: 2511473-006

Matrix: Groundwater

Client Sample ID: MW-177-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50111		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	5.00	1.38	D	µg/L	10	11/20/25 21:21:11
Hexachloro-1,3-butadiene	ND	10.0	1.92	D	µg/L	10	11/20/25 21:21:11
Naphthalene	ND	12.5	4.05	D	µg/L	10	11/20/25 21:21:11
1,2,3-Trichlorobenzene	ND	10.0	2.95	D	µg/L	10	11/20/25 21:21:11
Surr: Dibromofluoromethane	110	79.9 - 122		D	%Rec	10	11/20/25 21:21:11
Surr: Dibromofluoromethane	112	79.9 - 122		D	%Rec	100	11/20/25 17:34:35
Surr: Toluene-d8	104	80 - 121		D	%Rec	10	11/20/25 21:21:11
Surr: Toluene-d8	105	80 - 121		D	%Rec	100	11/20/25 17:34:35
Surr: 1-Bromo-4-fluorobenzene	89.6	79.7 - 120		D	%Rec	10	11/20/25 21:21:11
Surr: 1-Bromo-4-fluorobenzene	89.0	79.7 - 120		D	%Rec	100	11/20/25 17:34:35
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50091		Analyst: BB	
Chloride	82.6	1.20	0.122	D	mg/L	2	11/20/25 12:39:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/19/25 20:49:00
Sulfate	1.02	1.00	0.286		mg/L	1	11/19/25 20:49:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50105		Analyst: ME	
Iron	4,800	50.0	10.1		µg/L	1	11/21/25 17:13:00
Manganese	613	0.500	0.208		µg/L	1	11/21/25 17:13:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10500		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	373	100	50.0	D	mg/L	10	11/25/25 16:16:00

Client: Geosyntec Consultants

Collection Date: 11/18/2025 10:01:00 AM

Project: 700 Dexter

Lab ID: 2511473-007

Matrix: Groundwater

Client Sample ID: MW-179-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10495		Analyst: BCA	
Methane	4.11	0.250	0.225	D	mg/L	50	11/21/25 16:09:00
Ethene	0.0448	0.0100	0.00610		mg/L	1	11/21/25 14:47:00
Ethane	0.00928	0.0100	0.00754	J	mg/L	1	11/21/25 14:47:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50111		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	10.0	1.77	D	µg/L	10	11/20/25 21:46:28
Chloromethane	ND	10.0	2.18	D	µg/L	10	11/20/25 21:46:28
Vinyl chloride	2,280	20.0	4.55	D	µg/L	100	11/20/25 17:59:56
Bromomethane	ND	20.0	3.86	D	µg/L	10	11/20/25 21:46:28
Trichlorofluoromethane (CFC-11)	ND	5.00	0.618	D	µg/L	10	11/20/25 21:46:28
Chloroethane	23.1	10.0	3.34	D	µg/L	10	11/20/25 21:46:28
1,1-Dichloroethene	2.19	5.00	1.22	DJ	µg/L	10	11/20/25 21:46:28
Acetone	ND	50.0	25.5	D	µg/L	10	11/20/25 21:46:28
Methylene chloride	ND	20.0	6.49	D	µg/L	10	11/20/25 21:46:28
trans-1,2-Dichloroethene	5.42	5.00	1.15	D	µg/L	10	11/20/25 21:46:28
Methyl tert-butyl ether (MTBE)	ND	5.00	1.21	D	µg/L	10	11/20/25 21:46:28
1,1-Dichloroethane	ND	5.00	1.41	D	µg/L	10	11/20/25 21:46:28
cis-1,2-Dichloroethene	2,020	50.0	16.4	D	µg/L	100	11/20/25 17:59:56
2-Butanone (MEK)	ND	50.0	19.8	D	µg/L	10	11/20/25 21:46:28
Chloroform	ND	5.00	0.865	D	µg/L	10	11/20/25 21:46:28
1,1,1-Trichloroethane (TCA)	ND	5.00	1.03	D	µg/L	10	11/20/25 21:46:28
1,1-Dichloropropene	ND	5.00	1.43	D	µg/L	10	11/20/25 21:46:28
Carbon tetrachloride	ND	5.00	0.798	D	µg/L	10	11/20/25 21:46:28
1,2-Dichloroethane (EDC)	ND	2.00	0.477	D	µg/L	10	11/20/25 21:46:28
Benzene	ND	2.00	0.540	D	µg/L	10	11/20/25 21:46:28
Trichloroethene (TCE)	3.54	5.00	1.35	DJ	µg/L	10	11/20/25 21:46:28
1,2-Dichloropropane	ND	2.00	0.503	D	µg/L	10	11/20/25 21:46:28
Bromodichloromethane	ND	2.00	0.489	D	µg/L	10	11/20/25 21:46:28
Dibromomethane	ND	5.00	0.812	D	µg/L	10	11/20/25 21:46:28
cis-1,3-Dichloropropene	ND	5.00	1.09	D	µg/L	10	11/20/25 21:46:28
Toluene	ND	5.00	1.29	D	µg/L	10	11/20/25 21:46:28
trans-1,3-Dichloropropylene	ND	5.00	0.993	D	µg/L	10	11/20/25 21:46:28



Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/18/2025 10:01:00 AM

Project: 700 Dexter

Lab ID: 2511473-007

Matrix: Groundwater

Client Sample ID: MW-179-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50111		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	25.0	3.54	D	µg/L	10	11/20/25 21:46:28
1,1,2-Trichloroethane	ND	5.00	0.807	D	µg/L	10	11/20/25 21:46:28
1,3-Dichloropropane	ND	5.00	0.827	D	µg/L	10	11/20/25 21:46:28
Tetrachloroethene (PCE)	8.72	5.00	1.02	D	µg/L	10	11/20/25 21:46:28
Dibromochloromethane	ND	5.00	1.01	D	µg/L	10	11/20/25 21:46:28
1,2-Dibromoethane (EDB)	ND	5.00	0.432	D	µg/L	10	11/20/25 21:46:28
2-Hexanone (MBK)	ND	12.5	3.64	D	µg/L	10	11/20/25 21:46:28
Chlorobenzene	ND	5.00	0.934	D	µg/L	10	11/20/25 21:46:28
1,1,1,2-Tetrachloroethane	ND	5.00	1.17	D	µg/L	10	11/20/25 21:46:28
Ethylbenzene	ND	5.00	1.25	D	µg/L	10	11/20/25 21:46:28
m,p-Xylene	ND	10.0	2.89	D	µg/L	10	11/20/25 21:46:28
o-Xylene	ND	5.00	1.44	D	µg/L	10	11/20/25 21:46:28
Styrene	ND	5.00	1.15	D	µg/L	10	11/20/25 21:46:28
Isopropylbenzene	ND	5.00	1.22	D	µg/L	10	11/20/25 21:46:28
Bromoform	ND	5.00	0.986	D	µg/L	10	11/20/25 21:46:28
1,1,2,2-Tetrachloroethane	ND	2.00	0.704	D	µg/L	10	11/20/25 21:46:28
n-Propylbenzene	ND	5.00	1.24	D	µg/L	10	11/20/25 21:46:28
Bromobenzene	ND	2.00	0.677	D	µg/L	10	11/20/25 21:46:28
1,3,5-Trimethylbenzene	ND	5.00	1.02	D	µg/L	10	11/20/25 21:46:28
2-Chlorotoluene	ND	5.00	0.721	D	µg/L	10	11/20/25 21:46:28
4-Chlorotoluene	ND	5.00	0.876	D	µg/L	10	11/20/25 21:46:28
tert-Butylbenzene	ND	5.00	0.821	D	µg/L	10	11/20/25 21:46:28
1,2,3-Trichloropropane	ND	5.00	0.979	D	µg/L	10	11/20/25 21:46:28
1,2,4-Trichlorobenzene	ND	7.50	2.34	D	µg/L	10	11/20/25 21:46:28
sec-Butylbenzene	ND	5.00	1.12	D	µg/L	10	11/20/25 21:46:28
4-Isopropyltoluene	ND	5.00	1.06	D	µg/L	10	11/20/25 21:46:28
1,3-Dichlorobenzene	ND	5.00	0.987	D	µg/L	10	11/20/25 21:46:28
1,4-Dichlorobenzene	ND	5.00	1.19	D	µg/L	10	11/20/25 21:46:28
n-Butylbenzene	ND	5.00	1.65	D	µg/L	10	11/20/25 21:46:28
1,2-Dichlorobenzene	ND	5.00	1.18	D	µg/L	10	11/20/25 21:46:28
1,2-Dibromo-3-chloropropane	ND	10.0	3.31	D	µg/L	10	11/20/25 21:46:28



Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/18/2025 10:01:00 AM

Project: 700 Dexter

Lab ID: 2511473-007

Matrix: Groundwater

Client Sample ID: MW-179-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50111		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	5.00	1.38	D	µg/L	10	11/20/25 21:46:28
Hexachloro-1,3-butadiene	ND	10.0	1.92	D	µg/L	10	11/20/25 21:46:28
Naphthalene	ND	12.5	4.05	D	µg/L	10	11/20/25 21:46:28
1,2,3-Trichlorobenzene	ND	10.0	2.95	D	µg/L	10	11/20/25 21:46:28
Surr: Dibromofluoromethane	114	79.9 - 122		D	%Rec	100	11/20/25 17:59:56
Surr: Dibromofluoromethane	111	79.9 - 122		D	%Rec	10	11/20/25 21:46:28
Surr: Toluene-d8	108	80 - 121		D	%Rec	100	11/20/25 17:59:56
Surr: Toluene-d8	102	80 - 121		D	%Rec	10	11/20/25 21:46:28
Surr: 1-Bromo-4-fluorobenzene	88.0	79.7 - 120		D	%Rec	10	11/20/25 21:46:28
Surr: 1-Bromo-4-fluorobenzene	88.5	79.7 - 120		D	%Rec	100	11/20/25 17:59:56
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50091		Analyst: BB	
Chloride	252	60.0	6.09	D	mg/L	100	11/20/25 11:36:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/19/25 21:27:00
Sulfate	0.290	1.00	0.286	J	mg/L	1	11/19/25 21:27:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50105		Analyst: ME	
Iron	15,100	500	101	D	µg/L	10	11/24/25 17:24:00
Manganese	3,070	5.00	2.08	D	µg/L	10	11/24/25 17:24:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10500		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	1,190	400	200	D	mg/L	40	11/25/25 17:35:00

Client: Geosyntec Consultants

Collection Date: 11/18/2025 2:11:00 PM

Project: 700 Dexter

Lab ID: 2511473-008

Matrix: Groundwater

Client Sample ID: MW-330-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50111		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/20/25 19:41:10
Chloromethane	ND	1.00	0.218		µg/L	1	11/20/25 19:41:10
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/24/25 15:18:58
Bromomethane	ND	2.00	0.386		µg/L	1	11/20/25 19:41:10
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/20/25 19:41:10
Chloroethane	ND	1.00	0.334		µg/L	1	11/20/25 19:41:10
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/20/25 19:41:10
Acetone	ND	5.00	2.55		µg/L	1	11/20/25 19:41:10
Methylene chloride	ND	2.00	0.649		µg/L	1	11/20/25 19:41:10
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/20/25 19:41:10
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/20/25 19:41:10
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/20/25 19:41:10
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/24/25 15:18:58
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/20/25 19:41:10
Chloroform	ND	0.500	0.0865		µg/L	1	11/20/25 19:41:10
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/20/25 19:41:10
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/20/25 19:41:10
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/20/25 19:41:10
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/20/25 19:41:10
Benzene	ND	0.200	0.0540		µg/L	1	11/20/25 19:41:10
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/24/25 15:18:58
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/20/25 19:41:10
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/20/25 19:41:10
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/20/25 19:41:10
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/20/25 19:41:10
Toluene	ND	0.500	0.129		µg/L	1	11/20/25 19:41:10
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/20/25 19:41:10
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/20/25 19:41:10
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/20/25 19:41:10
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/20/25 19:41:10
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/24/25 15:18:58

Client: Geosyntec Consultants

Collection Date: 11/18/2025 2:11:00 PM

Project: 700 Dexter

Lab ID: 2511473-008

Matrix: Groundwater

Client Sample ID: MW-330-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50111		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/20/25 19:41:10
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/20/25 19:41:10
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/20/25 19:41:10
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/20/25 19:41:10
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/20/25 19:41:10
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/20/25 19:41:10
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/20/25 19:41:10
o-Xylene	ND	0.500	0.144		µg/L	1	11/20/25 19:41:10
Styrene	ND	0.500	0.115		µg/L	1	11/20/25 19:41:10
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/20/25 19:41:10
Bromoform	ND	0.500	0.0986		µg/L	1	11/20/25 19:41:10
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/20/25 19:41:10
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/20/25 19:41:10
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/20/25 19:41:10
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/20/25 19:41:10
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/20/25 19:41:10
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/20/25 19:41:10
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/20/25 19:41:10
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/20/25 19:41:10
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/20/25 19:41:10
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/20/25 19:41:10
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/20/25 19:41:10
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/20/25 19:41:10
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/20/25 19:41:10
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/20/25 19:41:10
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/20/25 19:41:10
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/20/25 19:41:10
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/20/25 19:41:10
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/20/25 19:41:10
Naphthalene	ND	1.25	0.405		µg/L	1	11/20/25 19:41:10
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/20/25 19:41:10



Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511473-008
Client Sample ID: MW-330-251118

Collection Date: 11/18/2025 2:11:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50111		Analyst: KJ		
Surr: Dibromofluoromethane	115	79.9 - 122			%Rec	1	11/20/25 19:41:10
Surr: Dibromofluoromethane	99.8	79.9 - 122			%Rec	1	11/24/25 15:18:58
Surr: Toluene-d8	91.9	80 - 121			%Rec	1	11/24/25 15:18:58
Surr: Toluene-d8	109	80 - 121			%Rec	1	11/20/25 19:41:10
Surr: 1-Bromo-4-fluorobenzene	89.9	79.7 - 120			%Rec	1	11/20/25 19:41:10
Surr: 1-Bromo-4-fluorobenzene	89.9	79.7 - 120			%Rec	1	11/24/25 15:18:58

Client: Geosyntec Consultants

Collection Date: 11/18/2025 12:25:00 PM

Project: 700 Dexter

Lab ID: 2511473-009

Matrix: Groundwater

Client Sample ID: MW-334-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
Volatile Organic Compounds by EPA 8260D			Batch ID: 50111		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/20/25 20:06:28
Chloromethane	ND	1.00	0.218		µg/L	1	11/20/25 20:06:28
Vinyl chloride	0.0505	0.200	0.0455	J	µg/L	1	11/24/25 15:44:17
Bromomethane	ND	2.00	0.386		µg/L	1	11/20/25 20:06:28
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/20/25 20:06:28
Chloroethane	ND	1.00	0.334		µg/L	1	11/20/25 20:06:28
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/20/25 20:06:28
Acetone	ND	5.00	2.55		µg/L	1	11/20/25 20:06:28
Methylene chloride	ND	2.00	0.649		µg/L	1	11/20/25 20:06:28
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/20/25 20:06:28
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/20/25 20:06:28
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/20/25 20:06:28
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/24/25 15:44:17
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/20/25 20:06:28
Chloroform	ND	0.500	0.0865		µg/L	1	11/20/25 20:06:28
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/20/25 20:06:28
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/20/25 20:06:28
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/20/25 20:06:28
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/20/25 20:06:28
Benzene	ND	0.200	0.0540		µg/L	1	11/20/25 20:06:28
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/20/25 20:06:28
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/20/25 20:06:28
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/20/25 20:06:28
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/20/25 20:06:28
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/20/25 20:06:28
Toluene	ND	0.500	0.129		µg/L	1	11/20/25 20:06:28
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/20/25 20:06:28
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/20/25 20:06:28
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/20/25 20:06:28
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/20/25 20:06:28
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/20/25 20:06:28

Client: Geosyntec Consultants

Collection Date: 11/18/2025 12:25:00 PM

Project: 700 Dexter

Lab ID: 2511473-009

Matrix: Groundwater

Client Sample ID: MW-334-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50111		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/20/25 20:06:28
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/20/25 20:06:28
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/20/25 20:06:28
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/20/25 20:06:28
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/20/25 20:06:28
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/20/25 20:06:28
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/20/25 20:06:28
o-Xylene	ND	0.500	0.144		µg/L	1	11/20/25 20:06:28
Styrene	ND	0.500	0.115		µg/L	1	11/20/25 20:06:28
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/20/25 20:06:28
Bromoform	ND	0.500	0.0986		µg/L	1	11/20/25 20:06:28
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/20/25 20:06:28
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/20/25 20:06:28
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/20/25 20:06:28
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/20/25 20:06:28
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/20/25 20:06:28
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/20/25 20:06:28
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/20/25 20:06:28
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/20/25 20:06:28
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/20/25 20:06:28
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/20/25 20:06:28
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/20/25 20:06:28
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/20/25 20:06:28
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/20/25 20:06:28
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/20/25 20:06:28
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/20/25 20:06:28
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/20/25 20:06:28
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/20/25 20:06:28
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/20/25 20:06:28
Naphthalene	ND	1.25	0.405		µg/L	1	11/20/25 20:06:28
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/20/25 20:06:28



Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511473-009
Client Sample ID: MW-334-251118

Collection Date: 11/18/2025 12:25:00 PM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50111		Analyst: KJ	
Surr: Dibromofluoromethane	101	79.9 - 122			%Rec	1	11/24/25 15:44:17
Surr: Dibromofluoromethane	115	79.9 - 122			%Rec	1	11/20/25 20:06:28
Surr: Toluene-d8	109	80 - 121			%Rec	1	11/20/25 20:06:28
Surr: Toluene-d8	92.2	80 - 121			%Rec	1	11/24/25 15:44:17
Surr: 1-Bromo-4-fluorobenzene	88.1	79.7 - 120			%Rec	1	11/20/25 20:06:28
Surr: 1-Bromo-4-fluorobenzene	92.1	79.7 - 120			%Rec	1	11/24/25 15:44:17



Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/18/2025 11:21:00 AM

Project: 700 Dexter

Lab ID: 2511473-010

Matrix: Groundwater

Client Sample ID: MW-324-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10495		Analyst: BCA	
Methane	0.368	0.0250	0.0225	D	mg/L	5	11/21/25 16:12:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/21/25 14:55:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/21/25 14:55:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50111		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	10.0	1.77	D	µg/L	10	11/20/25 22:11:46
Chloromethane	ND	10.0	2.18	D	µg/L	10	11/20/25 22:11:46
Vinyl chloride	19.4	2.00	0.455	D	µg/L	10	11/20/25 22:11:46
Bromomethane	ND	20.0	3.86	D	µg/L	10	11/20/25 22:11:46
Trichlorofluoromethane (CFC-11)	ND	5.00	0.618	D	µg/L	10	11/20/25 22:11:46
Chloroethane	ND	10.0	3.34	D	µg/L	10	11/20/25 22:11:46
1,1-Dichloroethene	2.86	5.00	1.22	DJ	µg/L	10	11/20/25 22:11:46
Acetone	ND	50.0	25.5	D	µg/L	10	11/20/25 22:11:46
Methylene chloride	ND	20.0	6.49	D	µg/L	10	11/20/25 22:11:46
trans-1,2-Dichloroethene	6.29	5.00	1.15	D	µg/L	10	11/20/25 22:11:46
Methyl tert-butyl ether (MTBE)	ND	5.00	1.21	D	µg/L	10	11/20/25 22:11:46
1,1-Dichloroethane	ND	5.00	1.41	D	µg/L	10	11/20/25 22:11:46
cis-1,2-Dichloroethene	1,530	50.0	16.4	D	µg/L	100	11/20/25 18:25:16
2-Butanone (MEK)	ND	50.0	19.8	D	µg/L	10	11/20/25 22:11:46
Chloroform	ND	5.00	0.865	D	µg/L	10	11/20/25 22:11:46
1,1,1-Trichloroethane (TCA)	ND	5.00	1.03	D	µg/L	10	11/20/25 22:11:46
1,1-Dichloropropene	ND	5.00	1.43	D	µg/L	10	11/20/25 22:11:46
Carbon tetrachloride	ND	5.00	0.798	D	µg/L	10	11/20/25 22:11:46
1,2-Dichloroethane (EDC)	ND	2.00	0.477	D	µg/L	10	11/20/25 22:11:46
Benzene	ND	2.00	0.540	D	µg/L	10	11/20/25 22:11:46
Trichloroethene (TCE)	ND	5.00	1.35	D	µg/L	10	11/20/25 22:11:46
1,2-Dichloropropane	ND	2.00	0.503	D	µg/L	10	11/20/25 22:11:46
Bromodichloromethane	ND	2.00	0.489	D	µg/L	10	11/20/25 22:11:46
Dibromomethane	ND	5.00	0.812	D	µg/L	10	11/20/25 22:11:46
cis-1,3-Dichloropropene	ND	5.00	1.09	D	µg/L	10	11/20/25 22:11:46
Toluene	ND	5.00	1.29	D	µg/L	10	11/20/25 22:11:46
trans-1,3-Dichloropropylene	ND	5.00	0.993	D	µg/L	10	11/20/25 22:11:46

Client: Geosyntec Consultants

Collection Date: 11/18/2025 11:21:00 AM

Project: 700 Dexter

Lab ID: 2511473-010

Matrix: Groundwater

Client Sample ID: MW-324-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50111		Analyst: KJ	
Methyl Isobutyl Ketone (MIBK)	ND	25.0	3.54	D	µg/L	10	11/20/25 22:11:46
1,1,2-Trichloroethane	ND	5.00	0.807	D	µg/L	10	11/20/25 22:11:46
1,3-Dichloropropane	ND	5.00	0.827	D	µg/L	10	11/20/25 22:11:46
Tetrachloroethene (PCE)	ND	5.00	1.02	D	µg/L	10	11/20/25 22:11:46
Dibromochloromethane	ND	5.00	1.01	D	µg/L	10	11/20/25 22:11:46
1,2-Dibromoethane (EDB)	ND	5.00	0.432	D	µg/L	10	11/20/25 22:11:46
2-Hexanone (MBK)	ND	12.5	3.64	D	µg/L	10	11/20/25 22:11:46
Chlorobenzene	ND	5.00	0.934	D	µg/L	10	11/20/25 22:11:46
1,1,1,2-Tetrachloroethane	ND	5.00	1.17	D	µg/L	10	11/20/25 22:11:46
Ethylbenzene	ND	5.00	1.25	D	µg/L	10	11/20/25 22:11:46
m,p-Xylene	ND	10.0	2.89	D	µg/L	10	11/20/25 22:11:46
o-Xylene	ND	5.00	1.44	D	µg/L	10	11/20/25 22:11:46
Styrene	ND	5.00	1.15	D	µg/L	10	11/20/25 22:11:46
Isopropylbenzene	ND	5.00	1.22	D	µg/L	10	11/20/25 22:11:46
Bromoform	ND	5.00	0.986	D	µg/L	10	11/20/25 22:11:46
1,1,2,2-Tetrachloroethane	ND	2.00	0.704	D	µg/L	10	11/20/25 22:11:46
n-Propylbenzene	ND	5.00	1.24	D	µg/L	10	11/20/25 22:11:46
Bromobenzene	ND	2.00	0.677	D	µg/L	10	11/20/25 22:11:46
1,3,5-Trimethylbenzene	ND	5.00	1.02	D	µg/L	10	11/20/25 22:11:46
2-Chlorotoluene	ND	5.00	0.721	D	µg/L	10	11/20/25 22:11:46
4-Chlorotoluene	ND	5.00	0.876	D	µg/L	10	11/20/25 22:11:46
tert-Butylbenzene	ND	5.00	0.821	D	µg/L	10	11/20/25 22:11:46
1,2,3-Trichloropropane	ND	5.00	0.979	D	µg/L	10	11/20/25 22:11:46
1,2,4-Trichlorobenzene	ND	7.50	2.34	D	µg/L	10	11/20/25 22:11:46
sec-Butylbenzene	ND	5.00	1.12	D	µg/L	10	11/20/25 22:11:46
4-Isopropyltoluene	ND	5.00	1.06	D	µg/L	10	11/20/25 22:11:46
1,3-Dichlorobenzene	ND	5.00	0.987	D	µg/L	10	11/20/25 22:11:46
1,4-Dichlorobenzene	ND	5.00	1.19	D	µg/L	10	11/20/25 22:11:46
n-Butylbenzene	ND	5.00	1.65	D	µg/L	10	11/20/25 22:11:46
1,2-Dichlorobenzene	ND	5.00	1.18	D	µg/L	10	11/20/25 22:11:46
1,2-Dibromo-3-chloropropane	ND	10.0	3.31	D	µg/L	10	11/20/25 22:11:46

Client: Geosyntec Consultants

Collection Date: 11/18/2025 11:21:00 AM

Project: 700 Dexter

Lab ID: 2511473-010

Matrix: Groundwater

Client Sample ID: MW-324-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50111		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	5.00	1.38	D	µg/L	10	11/20/25 22:11:46
Hexachloro-1,3-butadiene	ND	10.0	1.92	D	µg/L	10	11/20/25 22:11:46
Naphthalene	ND	12.5	4.05	D	µg/L	10	11/20/25 22:11:46
1,2,3-Trichlorobenzene	ND	10.0	2.95	D	µg/L	10	11/20/25 22:11:46
Surr: Dibromofluoromethane	110	79.9 - 122		D	%Rec	10	11/20/25 22:11:46
Surr: Dibromofluoromethane	112	79.9 - 122		D	%Rec	100	11/20/25 18:25:16
Surr: Toluene-d8	103	80 - 121		D	%Rec	10	11/20/25 22:11:46
Surr: Toluene-d8	106	80 - 121		D	%Rec	100	11/20/25 18:25:16
Surr: 1-Bromo-4-fluorobenzene	88.8	79.7 - 120		D	%Rec	100	11/20/25 18:25:16
Surr: 1-Bromo-4-fluorobenzene	89.1	79.7 - 120		D	%Rec	10	11/20/25 22:11:46
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50091		Analyst: BB	
Chloride	32.8	0.600	0.0609		mg/L	1	11/19/25 21:40:00
Nitrate (as N)	0.0560	0.150	0.0258	J	mg/L	1	11/19/25 21:40:00
Sulfate	73.2	2.00	0.571	D	mg/L	2	11/20/25 12:51:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50105		Analyst: ME	
Iron	3,640	50.0	10.1		µg/L	1	11/21/25 17:20:00
Manganese	1,020	0.500	0.208		µg/L	1	11/21/25 17:20:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10500		Analyst: NR	
Alkalinity, Total (As CaCO3)	222	100	50.0	D	mg/L	10	11/25/25 16:26:00

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511473-011
Client Sample ID: MW108-251118

Collection Date: 11/18/2025 9:53:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10495		Analyst: BCA	
Methane	3.08	0.250	0.225	D	mg/L	50	11/21/25 16:16:00
Ethene	0.00751	0.0100	0.00610	J	mg/L	1	11/21/25 14:58:00
Ethane	0.0332	0.0100	0.00754		mg/L	1	11/21/25 14:58:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50111		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	10.0	1.77	D	µg/L	10	11/20/25 22:37:03
Chloromethane	ND	10.0	2.18	D	µg/L	10	11/20/25 22:37:03
Vinyl chloride	178	2.00	0.455	D	µg/L	10	11/20/25 22:37:03
Bromomethane	ND	20.0	3.86	D	µg/L	10	11/20/25 22:37:03
Trichlorofluoromethane (CFC-11)	ND	5.00	0.618	D	µg/L	10	11/20/25 22:37:03
Chloroethane	ND	10.0	3.34	D	µg/L	10	11/20/25 22:37:03
1,1-Dichloroethene	ND	5.00	1.22	D	µg/L	10	11/20/25 22:37:03
Acetone	ND	50.0	25.5	D	µg/L	10	11/20/25 22:37:03
Methylene chloride	ND	20.0	6.49	D	µg/L	10	11/20/25 22:37:03
trans-1,2-Dichloroethene	2.80	5.00	1.15	DJ	µg/L	10	11/20/25 22:37:03
Methyl tert-butyl ether (MTBE)	ND	5.00	1.21	D	µg/L	10	11/20/25 22:37:03
1,1-Dichloroethane	ND	5.00	1.41	D	µg/L	10	11/20/25 22:37:03
cis-1,2-Dichloroethene	648	50.0	16.4	D	µg/L	100	11/20/25 18:50:38
2-Butanone (MEK)	ND	50.0	19.8	D	µg/L	10	11/20/25 22:37:03
Chloroform	ND	5.00	0.865	D	µg/L	10	11/20/25 22:37:03
1,1,1-Trichloroethane (TCA)	ND	5.00	1.03	D	µg/L	10	11/20/25 22:37:03
1,1-Dichloropropene	ND	5.00	1.43	D	µg/L	10	11/20/25 22:37:03
Carbon tetrachloride	ND	5.00	0.798	D	µg/L	10	11/20/25 22:37:03
1,2-Dichloroethane (EDC)	ND	2.00	0.477	D	µg/L	10	11/20/25 22:37:03
Benzene	2.40	2.00	0.540	D	µg/L	10	11/20/25 22:37:03
Trichloroethene (TCE)	1.76	5.00	1.35	DJ	µg/L	10	11/20/25 22:37:03
1,2-Dichloropropane	ND	2.00	0.503	D	µg/L	10	11/20/25 22:37:03
Bromodichloromethane	ND	2.00	0.489	D	µg/L	10	11/20/25 22:37:03
Dibromomethane	ND	5.00	0.812	D	µg/L	10	11/20/25 22:37:03
cis-1,3-Dichloropropene	ND	5.00	1.09	D	µg/L	10	11/20/25 22:37:03
Toluene	ND	5.00	1.29	D	µg/L	10	11/20/25 22:37:03
trans-1,3-Dichloropropylene	ND	5.00	0.993	D	µg/L	10	11/20/25 22:37:03



Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/18/2025 9:53:00 AM

Project: 700 Dexter

Lab ID: 2511473-011

Matrix: Groundwater

Client Sample ID: MW108-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50111		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	25.0	3.54	D	µg/L	10	11/20/25 22:37:03
1,1,2-Trichloroethane	ND	5.00	0.807	D	µg/L	10	11/20/25 22:37:03
1,3-Dichloropropane	ND	5.00	0.827	D	µg/L	10	11/20/25 22:37:03
Tetrachloroethene (PCE)	2.98	5.00	1.02	DJ	µg/L	10	11/20/25 22:37:03
Dibromochloromethane	ND	5.00	1.01	D	µg/L	10	11/20/25 22:37:03
1,2-Dibromoethane (EDB)	ND	5.00	0.432	D	µg/L	10	11/20/25 22:37:03
2-Hexanone (MBK)	ND	12.5	3.64	D	µg/L	10	11/20/25 22:37:03
Chlorobenzene	ND	5.00	0.934	D	µg/L	10	11/20/25 22:37:03
1,1,1,2-Tetrachloroethane	ND	5.00	1.17	D	µg/L	10	11/20/25 22:37:03
Ethylbenzene	ND	5.00	1.25	D	µg/L	10	11/20/25 22:37:03
m,p-Xylene	ND	10.0	2.89	D	µg/L	10	11/20/25 22:37:03
o-Xylene	ND	5.00	1.44	D	µg/L	10	11/20/25 22:37:03
Styrene	ND	5.00	1.15	D	µg/L	10	11/20/25 22:37:03
Isopropylbenzene	ND	5.00	1.22	D	µg/L	10	11/20/25 22:37:03
Bromoform	ND	5.00	0.986	D	µg/L	10	11/20/25 22:37:03
1,1,2,2-Tetrachloroethane	ND	2.00	0.704	D	µg/L	10	11/20/25 22:37:03
n-Propylbenzene	ND	5.00	1.24	D	µg/L	10	11/20/25 22:37:03
Bromobenzene	ND	2.00	0.677	D	µg/L	10	11/20/25 22:37:03
1,3,5-Trimethylbenzene	ND	5.00	1.02	D	µg/L	10	11/20/25 22:37:03
2-Chlorotoluene	ND	5.00	0.721	D	µg/L	10	11/20/25 22:37:03
4-Chlorotoluene	ND	5.00	0.876	D	µg/L	10	11/20/25 22:37:03
tert-Butylbenzene	ND	5.00	0.821	D	µg/L	10	11/20/25 22:37:03
1,2,3-Trichloropropane	ND	5.00	0.979	D	µg/L	10	11/20/25 22:37:03
1,2,4-Trichlorobenzene	ND	7.50	2.34	D	µg/L	10	11/20/25 22:37:03
sec-Butylbenzene	ND	5.00	1.12	D	µg/L	10	11/20/25 22:37:03
4-Isopropyltoluene	ND	5.00	1.06	D	µg/L	10	11/20/25 22:37:03
1,3-Dichlorobenzene	ND	5.00	0.987	D	µg/L	10	11/20/25 22:37:03
1,4-Dichlorobenzene	ND	5.00	1.19	D	µg/L	10	11/20/25 22:37:03
n-Butylbenzene	ND	5.00	1.65	D	µg/L	10	11/20/25 22:37:03
1,2-Dichlorobenzene	ND	5.00	1.18	D	µg/L	10	11/20/25 22:37:03
1,2-Dibromo-3-chloropropane	ND	10.0	3.31	D	µg/L	10	11/20/25 22:37:03

Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511473-011
Client Sample ID: MW108-251118

Collection Date: 11/18/2025 9:53:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50111		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	5.00	1.38	D	µg/L	10	11/20/25 22:37:03
Hexachloro-1,3-butadiene	ND	10.0	1.92	D	µg/L	10	11/20/25 22:37:03
Naphthalene	ND	12.5	4.05	D	µg/L	10	11/20/25 22:37:03
1,2,3-Trichlorobenzene	ND	10.0	2.95	D	µg/L	10	11/20/25 22:37:03
Surr: Dibromofluoromethane	110	79.9 - 122		D	%Rec	10	11/20/25 22:37:03
Surr: Dibromofluoromethane	113	79.9 - 122		D	%Rec	100	11/20/25 18:50:38
Surr: Toluene-d8	103	80 - 121		D	%Rec	10	11/20/25 22:37:03
Surr: Toluene-d8	107	80 - 121		D	%Rec	100	11/20/25 18:50:38
Surr: 1-Bromo-4-fluorobenzene	89.1	79.7 - 120		D	%Rec	100	11/20/25 18:50:38
Surr: 1-Bromo-4-fluorobenzene	87.3	79.7 - 120		D	%Rec	10	11/20/25 22:37:03
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50091		Analyst: BB	
Chloride	22.9	0.600	0.0609		mg/L	1	11/19/25 21:52:00
Nitrate (as N)	0.0530	0.150	0.0258	J	mg/L	1	11/19/25 21:52:00
Sulfate	16.6	1.00	0.286		mg/L	1	11/19/25 21:52:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50105		Analyst: ME	
Iron	14,400	50.0	10.1		µg/L	1	11/21/25 17:23:00
Manganese	1,540	0.500	0.208		µg/L	1	11/21/25 17:23:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10500		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	539	200	100	D	mg/L	20	11/25/25 17:37:00

Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/18/2025 2:30:00 PM

Project: 700 Dexter

Lab ID: 2511473-012

Matrix: Water

Client Sample ID: EQ-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50111		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/20/25 15:27:58
Chloromethane	ND	1.00	0.218		µg/L	1	11/20/25 15:27:58
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/20/25 15:27:58
Bromomethane	ND	2.00	0.386		µg/L	1	11/20/25 15:27:58
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/20/25 15:27:58
Chloroethane	ND	1.00	0.334		µg/L	1	11/20/25 15:27:58
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/20/25 15:27:58
Acetone	ND	5.00	2.55		µg/L	1	11/20/25 15:27:58
Methylene chloride	ND	2.00	0.649		µg/L	1	11/20/25 15:27:58
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/20/25 15:27:58
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/20/25 15:27:58
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/20/25 15:27:58
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/20/25 15:27:58
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/20/25 15:27:58
Chloroform	0.703	0.500	0.0865		µg/L	1	11/20/25 15:27:58
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/20/25 15:27:58
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/20/25 15:27:58
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/20/25 15:27:58
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/20/25 15:27:58
Benzene	ND	0.200	0.0540		µg/L	1	11/20/25 15:27:58
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/20/25 15:27:58
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/20/25 15:27:58
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/20/25 15:27:58
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/20/25 15:27:58
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/20/25 15:27:58
Toluene	ND	0.500	0.129		µg/L	1	11/20/25 15:27:58
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/20/25 15:27:58
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/20/25 15:27:58
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/20/25 15:27:58
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/20/25 15:27:58
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/20/25 15:27:58

Client: Geosyntec Consultants

Collection Date: 11/18/2025 2:30:00 PM

Project: 700 Dexter

Lab ID: 2511473-012

Matrix: Water

Client Sample ID: EQ-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50111		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/20/25 15:27:58
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/20/25 15:27:58
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/20/25 15:27:58
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/20/25 15:27:58
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/20/25 15:27:58
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/20/25 15:27:58
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/20/25 15:27:58
o-Xylene	ND	0.500	0.144		µg/L	1	11/20/25 15:27:58
Styrene	ND	0.500	0.115		µg/L	1	11/20/25 15:27:58
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/20/25 15:27:58
Bromoform	ND	0.500	0.0986		µg/L	1	11/20/25 15:27:58
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/20/25 15:27:58
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/20/25 15:27:58
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/20/25 15:27:58
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/20/25 15:27:58
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/20/25 15:27:58
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/20/25 15:27:58
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/20/25 15:27:58
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/20/25 15:27:58
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/20/25 15:27:58
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/20/25 15:27:58
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/20/25 15:27:58
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/20/25 15:27:58
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/20/25 15:27:58
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/20/25 15:27:58
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/20/25 15:27:58
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/20/25 15:27:58
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/20/25 15:27:58
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/20/25 15:27:58
Naphthalene	ND	1.25	0.405		µg/L	1	11/20/25 15:27:58
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/20/25 15:27:58



Analytical Report

Work Order: 2511473
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/18/2025 2:30:00 PM

Project: 700 Dexter

Lab ID: 2511473-012

Matrix: Water

Client Sample ID: EQ-251118

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 50111

Analyst: KJ

Surr: Dibromofluoromethane	115	79.9 - 122			%Rec	1	11/20/25 15:27:58
Surr: Toluene-d8	109	80 - 121			%Rec	1	11/20/25 15:27:58
Surr: 1-Bromo-4-fluorobenzene	88.7	79.7 - 120			%Rec	1	11/20/25 15:27:58

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-A		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCV		Batch ID: R105001						Analysis Date: 11/25/2025			SeqNo: 2190994	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	25.2	10.0	25.00	0	101	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-A		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCB		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2190995				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: MB-105001		SampType: MBLK			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: MBLKW		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2190996				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: LCS-105001		SampType: LCS			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: LCSW		Batch ID: R105001			Analysis Date: 11/25/2025					SeqNo: 2190997		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	20.1	10.0	25.00	0	80.6	80	134				
------------------------------	------	------	-------	---	------	----	-----	--	--	--	--

Sample ID: CCV-B		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCV		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2191006				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	29.4	10.0	25.00	0	117	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCB-B	SampType: CCB	Units: mg/L			Prep Date: 11/25/2025			RunNo: 105001			
Client ID: CCB	Batch ID: R105001				Analysis Date: 11/25/2025			SeqNo: 2191007			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) ND 10.0

Sample ID: CCV-C	SampType: CCV	Units: mg/L			Prep Date: 11/25/2025			RunNo: 105001			
Client ID: CCV	Batch ID: R105001				Analysis Date: 11/25/2025			SeqNo: 2191018			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) 23.6 10.0 25.00 0 94.5 80 120

Sample ID: CCB-C	SampType: CCB	Units: mg/L			Prep Date: 11/25/2025			RunNo: 105001			
Client ID: CCB	Batch ID: R105001				Analysis Date: 11/25/2025			SeqNo: 2191019			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) ND 10.0

Sample ID: 2511355-001CDUP	SampType: DUP	Units: mg/L			Prep Date: 11/25/2025			RunNo: 105001			
Client ID: BATCH	Batch ID: R105001				Analysis Date: 11/25/2025			SeqNo: 2191020			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) 30.5 10.0 31.33 2.60 20

Sample ID: 2511354-001CDUP	SampType: DUP	Units: mg/L			Prep Date: 11/25/2025			RunNo: 105001			
Client ID: BATCH	Batch ID: R105001				Analysis Date: 11/25/2025			SeqNo: 2191022			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) 49.8 20.0 52.10 4.57 20 D

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-E		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCV		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2191034				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	24.6	10.0	25.00	0	98.5	80	120				
------------------------------	------	------	-------	---	------	----	-----	--	--	--	--

Sample ID: CCB-E		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCB		Batch ID: R105001			Analysis Date: 11/25/2025					SeqNo: 2191035		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: MB-50091	SampType: MBLK	Units: mg/L				Prep Date: 11/19/2025				RunNo: 104858		
Client ID: MBLKW	Batch ID: 50091					Analysis Date: 11/19/2025				SeqNo: 2188168		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Chloride	0.247	0.600									J	
Nitrate (as N)	ND	0.150										
Sulfate	ND	1.00										

Sample ID: LCS-50091	SampType: LCS	Units: mg/L				Prep Date: 11/19/2025			RunNo: 104858		
Client ID: LCSW	Batch ID: 50091					Analysis Date: 11/19/2025			SeqNo: 2188169		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	10.4	0.600	10.00	0	104	90	110				
Nitrate (as N)	2.34	0.150	2.259	0	104	90	110				
Sulfate	10.8	1.00	10.00	0	108	90	110				

Sample ID: 2511473-002DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104858		
Client ID: FMW-141-251118		Batch ID: 50091			Analysis Date: 11/19/2025			SeqNo: 2188171				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Chloride	0.702	0.600						0.7000	0.285	20		
Nitrate (as N)	ND	0.150						0.04700	200	20		
Sulfate	0.760	1.00						0.7730	1.70	20	J	

Sample ID: 2511473-002DMS		SampType: MS		Units: mg/L		Prep Date: 11/19/2025		RunNo: 104858			
Client ID: FMW-141-251118		Batch ID: 50091				Analysis Date: 11/19/2025		SeqNo: 2188172			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	10.4	0.600	10.00	0.7000	97.4	80	120				
Nitrate (as N)	2.20	0.150	2.259	0.04700	95.3	80	120				
Sulfate	10.9	1.00	10.00	0.7730	101	80	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511473-002DMSD		SampType: MSD		Units: mg/L		Prep Date: 11/19/2025		RunNo: 104858			
Client ID: FMW-141-251118		Batch ID: 50091				Analysis Date: 11/19/2025		SeqNo: 2188173			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	9.63	0.600	10.00	0.7000	89.3	80	120	10.44	8.12	20	
Nitrate (as N)	2.01	0.150	2.259	0.04700	86.9	80	120	2.200	8.98	20	
Sulfate	10.0	1.00	10.00	0.7730	92.3	80	120	10.87	8.29	20	

Sample ID: 2511490-001DDUP		SampType: DUP		Units: mg/L		Prep Date: 11/19/2025		RunNo: 104858			
Client ID: BATCH		Batch ID: 50091				Analysis Date: 11/19/2025		SeqNo: 2188184			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	160	0.600						159.1	0.296	20	E
Nitrate (as N)	ND	0.150						0	0	20	
Sulfate	9.83	1.00						9.771	0.592	20	

Sample ID: 2511490-001DMS		SampType: MS		Units: mg/L		Prep Date: 11/19/2025		RunNo: 104858			
Client ID: BATCH		Batch ID: 50091				Analysis Date: 11/19/2025		SeqNo: 2188185			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	162	0.600	10.00	159.1	27.2	80	120				ES
Nitrate (as N)	2.21	0.150	2.259	0	97.7	80	120				
Sulfate	19.9	1.00	10.00	9.771	101	80	120				

NOTES:

S - Spike recovery indicates a possible matrix effect.

Sample ID: CCV-F		SampType: CCV		Units: mg/L		Prep Date: 11/20/2025		RunNo: 104858			
Client ID: CCV		Batch ID: 50091				Analysis Date: 11/20/2025		SeqNo: 2188213			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	13.3	0.600	12.50	0	107	90	110				
Nitrate (as N)	3.02	0.150	2.824	0	107	90	110				
Sulfate	13.5	1.00	12.50	0	108	90	110				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: CCB-F		SampType: CCB			Units: mg/L		Prep Date: 11/20/2025			RunNo: 104858		
Client ID: CCB		Batch ID: 50091			Analysis Date: 11/20/2025					SeqNo: 2188214		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.371	0.600									
Nitrate (as N)	0.0800	0.150									
Sulfate	0.522	1.00									

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Metals by EPA 6020B

Sample ID: MB-50105		SampType: MBLK			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104932		
Client ID: MBLKW		Batch ID: 50105			Analysis Date: 11/21/2025			SeqNo: 2189585				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	ND	50.0									
Manganese	ND	0.500									

Sample ID: LCS-50105		SampType: LCS			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104932		
Client ID: LCSW		Batch ID: 50105			Analysis Date: 11/21/2025			SeqNo: 2189586				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	1,040	50.0	1,000	0	104	80	120				
Manganese	104	0.500	100.0	0	104	80	120				

Sample ID: 2511331-001CMS		SampType: MS			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104932		
Client ID: BATCH		Batch ID: 50105			Analysis Date: 11/21/2025					SeqNo: 2189589		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	3,610	50.0	1,000	2,608	100	75	125				
Manganese	363	0.500	100.0	259.1	104	75	125				

Sample ID: 2511331-001CMSD		SampType: MSD			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104932		
Client ID: BATCH		Batch ID: 50105			Analysis Date: 11/21/2025					SeqNo: 2189591		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	3,580	50.0	1,000	2,608	96.9	75	125	3,609	0.899	20	
Manganese	356	0.500	100.0	259.1	96.9	75	125	362.8	1.87	20	

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVA		SampType: CCV			Units: ppmv		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: CCV		Batch ID: R104955			Analysis Date: 11/21/2025			SeqNo: 2190112				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	911	0.00500	1,000	0	91.1	85	115				
Ethene	896	0.0100	1,000	0	89.6	85	115				
Ethane	900	0.0100	1,000	0	90.0	85	115				

Sample ID: LCS-104955		SampType: LCS			Units: ppmv		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: LCSW		Batch ID: R104955			Analysis Date: 11/21/2025					SeqNo: 2190118		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	911	0.00500	1,000	0	91.1	73.6	124				
Ethene	896	0.0100	1,000	0	89.6	76.3	122				
Ethane	900	0.0100	1,000	0	90.0	76.1	123				

Sample ID: MB-104955		SampType: MBLK			Units: mg/L		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: MBLKW		Batch ID: R104955			Analysis Date: 11/21/2025					SeqNo: 2190117		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	ND	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Sample ID: 2511308-011EREP		SampType: REP			Units: mg/L		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: BATCH		Batch ID: R104955			Analysis Date: 11/21/2025					SeqNo: 2190080		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	2.32	0.00500						2.313	0.287	20	E
Ethene	ND	0.0100						0	0	20	
Ethane	ND	0.0100						0	0	20	

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVB		SampType: CCV			Units: ppmv		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: CCV		Batch ID: R104955			Analysis Date: 11/21/2025			SeqNo: 2190113				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	919	0.00500	1,000	0	91.9	85	115				
Ethene	907	0.0100	1,000	0	90.7	85	115				
Ethane	914	0.0100	1,000	0	91.4	85	115				

Sample ID: 2511473-002EREP		SampType: REP			Units: mg/L		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: FMW-141-251118		Batch ID: R104955			Analysis Date: 11/21/2025					SeqNo: 2190097		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	0.279	0.00500						0.2763	0.962	20	E
Ethene	ND	0.0100						0	0	20	
Ethane	ND	0.0100						0	0	20	

Sample ID: CCVC		SampType: CCV			Units: ppmv		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: CCV		Batch ID: R104955			Analysis Date: 11/21/2025			SeqNo: 2190114				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	903	0.00500	1,000	0	90.3	85	115				
Ethene	898	0.0100	1,000	0	89.8	85	115				
Ethane	902	0.0100	1,000	0	90.2	85	115				

Sample ID: 2511308-003EREP		SampType: REP			Units: mg/L		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: BATCH		Batch ID: R104955			Analysis Date: 11/21/2025					SeqNo: 2190068		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	7.77	0.500						7.860	1.15	20	D
Ethene	ND	1.00						0	0	20	D
Ethane	ND	1.00						0	0	20	D

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: 2511471-005AREP		SampType: REP			Units: mg/L		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: BATCH		Batch ID: R104955			Analysis Date: 11/21/2025					SeqNo: 2190091		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Methane	6.00	0.500						6.231	3.86	20	D	
Ethene	ND	1.00						0	0	20	D	
Ethane	ND	1.00						0	0	20	D	

Sample ID: CCVE		SampType: CCV		Units: ppmv		Prep Date: 11/21/2025			RunNo: 104955		
Client ID: CCV		Batch ID: R104955					Analysis Date: 11/21/2025			SeqNo: 2190116	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methane	906	0.00500	1,000	0	90.6	85	115				
Ethene	898	0.0100	1,000	0	89.8	85	115				
Ethane	902	0.0100	1,000	0	90.2	85	115				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104971A		SampType: CCV		Units: µg/L		Prep Date: 11/20/2025		RunNo: 104971			
Client ID: CCV		Batch ID: 50111				Analysis Date: 11/20/2025		SeqNo: 2190397			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	20.8	1.00	20.00	0	104	80	120				
Chloromethane	17.0	1.00	20.00	0	85.0	80	120				
Vinyl chloride	17.8	0.200	20.00	0	88.8	80	120				
Bromomethane	32.6	2.00	20.00	0	163	80	120				S
Trichlorofluoromethane (CFC-11)	17.6	0.500	20.00	0	88.2	80	120				
Chloroethane	20.4	1.00	20.00	0	102	80	120				
1,1-Dichloroethene	20.1	0.500	20.00	0	100	80	120				
Acetone	47.9	5.00	50.00	0	95.8	80	120				
Methylene chloride	19.5	2.00	20.00	0	97.6	80	120				
trans-1,2-Dichloroethene	20.4	0.500	20.00	0	102	80	120				
Methyl tert-butyl ether (MTBE)	19.6	0.500	20.00	0	98.1	80	120				
1,1-Dichloroethane	22.0	0.500	20.00	0	110	80	120				
cis-1,2-Dichloroethene	22.3	0.500	20.00	0	111	80	120				
2-Butanone (MEK)	53.2	5.00	50.00	0	106	80	120				
Chloroform	21.8	0.500	20.00	0	109	80	120				
1,1,1-Trichloroethane (TCA)	23.4	0.500	20.00	0	117	80	120				
1,1-Dichloropropene	21.8	0.500	20.00	0	109	80	120				
Carbon tetrachloride	23.0	0.500	20.00	0	115	80	120				
1,2-Dichloroethane (EDC)	20.7	0.200	20.00	0	103	80	120				
Benzene	19.8	0.200	20.00	0	99.0	80	120				
Trichloroethene (TCE)	18.0	0.500	20.00	0	89.9	80	120				
1,2-Dichloropropane	19.3	0.200	20.00	0	96.7	80	120				
Bromodichloromethane	20.1	0.200	20.00	0	100	80	120				
Dibromomethane	19.7	0.500	20.00	0	98.6	80	120				
cis-1,3-Dichloropropene	19.9	0.500	20.00	0	99.7	80	120				
Toluene	19.7	0.500	20.00	0	98.3	80	120				
trans-1,3-Dichloropropylene	20.0	0.500	20.00	0	100	80	120				
Methyl Isobutyl Ketone (MIBK)	44.6	2.50	50.00	0	89.1	80	120				
1,1,2-Trichloroethane	19.6	0.500	20.00	0	97.9	80	120				
1,3-Dichloropropane	19.4	0.500	20.00	0	96.9	80	120				
Tetrachloroethene (PCE)	20.9	0.500	20.00	0	105	80	120				
Dibromochloromethane	19.6	0.500	20.00	0	98.1	80	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104971A		SampType: CCV		Units: µg/L		Prep Date: 11/20/2025		RunNo: 104971			
Client ID: CCV		Batch ID: 50111				Analysis Date: 11/20/2025		SeqNo: 2190397			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	19.2	0.500	20.00	0	95.9	80	120				
2-Hexanone (MBK)	47.2	1.25	50.00	0	94.4	80	120				
Chlorobenzene	19.3	0.500	20.00	0	96.5	80	120				
1,1,1,2-Tetrachloroethane	20.9	0.500	20.00	0	104	80	120				
Ethylbenzene	20.5	0.500	20.00	0	103	80	120				
m,p-Xylene	42.0	1.00	40.00	0	105	80	120				
o-Xylene	20.8	0.500	20.00	0	104	80	120				
Styrene	21.7	0.500	20.00	0	109	80	120				
Isopropylbenzene	20.1	0.500	20.00	0	100	80	120				
Bromoform	18.8	0.500	20.00	0	93.8	80	120				
1,1,2,2-Tetrachloroethane	20.5	0.200	20.00	0	103	80	120				
n-Propylbenzene	21.3	0.500	20.00	0	107	80	120				
Bromobenzene	19.3	0.200	20.00	0	96.5	80	120				
1,3,5-Trimethylbenzene	20.9	0.500	20.00	0	104	80	120				
2-Chlorotoluene	20.5	0.500	20.00	0	103	80	120				
4-Chlorotoluene	20.1	0.500	20.00	0	100	80	120				
tert-Butylbenzene	19.7	0.500	20.00	0	98.5	80	120				
1,2,3-Trichloropropane	18.4	0.500	20.00	0	91.9	80	120				
1,2,4-Trichlorobenzene	17.9	0.750	20.00	0	89.3	80	120				
sec-Butylbenzene	20.5	0.500	20.00	0	103	80	120				
4-Isopropyltoluene	21.3	0.500	20.00	0	106	80	120				
1,3-Dichlorobenzene	19.2	0.500	20.00	0	95.9	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.5	80	120				
n-Butylbenzene	20.1	0.500	20.00	0	100	80	120				
1,2-Dichlorobenzene	19.0	0.500	20.00	0	95.2	80	120				
1,2-Dibromo-3-chloropropane	17.4	1.00	20.00	0	87.2	80	120				
1,2,4-Trimethylbenzene	19.5	0.500	20.00	0	97.7	80	120				
Hexachloro-1,3-butadiene	16.8	1.00	20.00	0	84.1	80	120				
Naphthalene	17.3	1.25	20.00	0	86.3	80	120				
1,2,3-Trichlorobenzene	16.5	1.00	20.00	0	82.3	80	120				
Surr: Dibromofluoromethane	27.7		25.00		111	80	120				
Surr: Toluene-d8	26.6		25.00		106	80	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104971A		SampType: CCV			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104971		
Client ID: CCV		Batch ID: 50111			Analysis Date: 11/20/2025			SeqNo: 2190397				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Surr: 1-Bromo-4-fluorobenzene 24.5 25.00 98.0 80 120

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: LCS-50111		SampType: LCS			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104971		
Client ID: LCSW		Batch ID: 50111			Analysis Date: 11/20/2025			SeqNo: 2190431				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	20.8	1.00	20.00	0	104	80	120				
Chloromethane	17.0	1.00	20.00	0	85.0	80	120				
Vinyl chloride	17.8	0.200	20.00	0	88.8	80	120				
Bromomethane	32.6	2.00	20.00	0	163	80	120				S
Trichlorofluoromethane (CFC-11)	17.6	0.500	20.00	0	88.2	80	120				
Chloroethane	20.4	1.00	20.00	0	102	80	120				
1,1-Dichloroethene	20.1	0.500	20.00	0	100	80	120				
Acetone	47.9	5.00	50.00	0	95.8	80	120				
Methylene chloride	19.5	2.00	20.00	0	97.6	80	120				
trans-1,2-Dichloroethene	20.4	0.500	20.00	0	102	80	120				
Methyl tert-butyl ether (MTBE)	19.6	0.500	20.00	0	98.1	80	120				
1,1-Dichloroethane	22.0	0.500	20.00	0	110	80	120				
cis-1,2-Dichloroethene	22.3	0.500	20.00	0	111	80	120				
2-Butanone (MEK)	53.2	5.00	50.00	0	106	80	120				
Chloroform	21.8	0.500	20.00	0	109	80	120				
1,1,1-Trichloroethane (TCA)	23.4	0.500	20.00	0	117	80	120				
1,1-Dichloropropene	21.8	0.500	20.00	0	109	80	120				
Carbon tetrachloride	23.0	0.500	20.00	0	115	80	120				
1,2-Dichloroethane (EDC)	20.7	0.200	20.00	0	103	80	120				
Benzene	19.8	0.200	20.00	0	99.0	80	120				
Trichloroethene (TCE)	18.0	0.500	20.00	0	89.9	80	120				
1,2-Dichloropropane	19.3	0.200	20.00	0	96.7	80	120				
Bromodichloromethane	20.1	0.200	20.00	0	100	80	120				
Dibromomethane	19.7	0.500	20.00	0	98.6	80	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50111	SampType: LCS	Units: µg/L			Prep Date: 11/20/2025			RunNo: 104971			
Client ID: LCSW	Batch ID: 50111	Analysis Date: 11/20/2025						SeqNo: 2190431			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,3-Dichloropropene	19.9	0.500	20.00	0	99.7	80	120				
Toluene	19.7	0.500	20.00	0	98.3	80	120				
trans-1,3-Dichloropropylene	20.0	0.500	20.00	0	100	80	120				
Methyl Isobutyl Ketone (MIBK)	44.6	2.50	50.00	0	89.1	80	120				
1,1,2-Trichloroethane	19.6	0.500	20.00	0	97.9	80	120				
1,3-Dichloropropane	19.4	0.500	20.00	0	96.9	80	120				
Tetrachloroethene (PCE)	20.9	0.500	20.00	0	105	80	120				
Dibromochloromethane	19.6	0.500	20.00	0	98.1	80	120				
1,2-Dibromoethane (EDB)	19.2	0.500	20.00	0	95.9	80	120				
2-Hexanone (MBK)	47.2	1.25	50.00	0	94.4	80	120				
Chlorobenzene	19.3	0.500	20.00	0	96.5	80	120				
1,1,1,2-Tetrachloroethane	20.9	0.500	20.00	0	104	80	120				
Ethylbenzene	20.5	0.500	20.00	0	103	80	120				
m,p-Xylene	42.0	1.00	40.00	0	105	80	120				
o-Xylene	20.8	0.500	20.00	0	104	80	120				
Styrene	21.7	0.500	20.00	0	109	80	120				
Isopropylbenzene	20.1	0.500	20.00	0	100	80	120				
Bromoform	18.8	0.500	20.00	0	93.8	80	120				
1,1,2,2-Tetrachloroethane	20.5	0.200	20.00	0	103	80	120				
n-Propylbenzene	21.3	0.500	20.00	0	107	80	120				
Bromobenzene	19.3	0.200	20.00	0	96.5	80	120				
1,3,5-Trimethylbenzene	20.9	0.500	20.00	0	104	80	120				
2-Chlorotoluene	20.5	0.500	20.00	0	103	80	120				
4-Chlorotoluene	20.1	0.500	20.00	0	100	80	120				
tert-Butylbenzene	19.7	0.500	20.00	0	98.5	80	120				
1,2,3-Trichloropropane	18.4	0.500	20.00	0	91.9	80	120				
1,2,4-Trichlorobenzene	17.9	0.750	20.00	0	89.3	80	120				
sec-Butylbenzene	20.5	0.500	20.00	0	103	80	120				
4-Isopropyltoluene	21.3	0.500	20.00	0	106	80	120				
1,3-Dichlorobenzene	19.2	0.500	20.00	0	95.9	80	120				
1,4-Dichlorobenzene	18.9	0.500	20.00	0	94.5	80	120				
n-Butylbenzene	20.1	0.500	20.00	0	100	80	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50111		SampType: LCS			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104971		
Client ID: LCSW		Batch ID: 50111			Analysis Date: 11/20/2025			SeqNo: 2190431				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dichlorobenzene	19.0	0.500	20.00	0	95.2	80	120				
1,2-Dibromo-3-chloropropane	17.4	1.00	20.00	0	87.2	80	120				
1,2,4-Trimethylbenzene	19.5	0.500	20.00	0	97.7	80	120				
Hexachloro-1,3-butadiene	16.8	1.00	20.00	0	84.1	80	120				
Naphthalene	17.3	1.25	20.00	0	86.3	80	120				
1,2,3-Trichlorobenzene	16.5	1.00	20.00	0	82.3	80	120				
Surr: Dibromofluoromethane	27.7		25.00		111	79.9	122				
Surr: Toluene-d8	26.6		25.00		106	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.5		25.00		98.0	79.7	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: MB-50111		SampType: MBLK			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104971		
Client ID: MBLKW		Batch ID: 50111						Analysis Date: 11/20/2025			SeqNo: 2190398	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	ND	5.00									
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50111		SampType: MBLK		Units: µg/L		Prep Date: 11/20/2025			RunNo: 104971		
Client ID: MBLKW		Batch ID: 50111					Analysis Date: 11/20/2025			SeqNo: 2190398	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloropropene	ND	0.500
Carbon tetrachloride	ND	0.500
1,2-Dichloroethane (EDC)	ND	0.200
Benzene	ND	0.200
Trichloroethene (TCE)	ND	0.500
1,2-Dichloropropane	ND	0.200
Bromodichloromethane	ND	0.200
Dibromomethane	ND	0.500
cis-1,3-Dichloropropene	ND	0.500
Toluene	ND	0.500
trans-1,3-Dichloropropylene	ND	0.500
Methyl Isobutyl Ketone (MIBK)	ND	2.50
1,1,2-Trichloroethane	ND	0.500
1,3-Dichloropropane	ND	0.500
Tetrachloroethene (PCE)	ND	0.500
Dibromochloromethane	ND	0.500
1,2-Dibromoethane (EDB)	ND	0.500
2-Hexanone (MBK)	ND	1.25
Chlorobenzene	ND	0.500
1,1,1,2-Tetrachloroethane	ND	0.500
Ethylbenzene	ND	0.500
m,p-Xylene	ND	1.00
o-Xylene	ND	0.500
Styrene	ND	0.500
Isopropylbenzene	ND	0.500
Bromoform	ND	0.500
1,1,2,2-Tetrachloroethane	ND	0.200
n-Propylbenzene	ND	0.500
Bromobenzene	ND	0.200
1,3,5-Trimethylbenzene	ND	0.500
2-Chlorotoluene	ND	0.500
4-Chlorotoluene	ND	0.500

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50111		SampType: MBLK		Units: µg/L		Prep Date: 11/20/2025		RunNo: 104971			
Client ID: MBLKW		Batch ID: 50111				Analysis Date: 11/20/2025		SeqNo: 2190398			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	28.4		25.00		114	80	120				
Surr: Toluene-d8	26.9		25.00		108	80	120				
Surr: 1-Bromo-4-fluorobenzene	22.4		25.00		89.5	80	120				

Sample ID: 2511473-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/20/2025		RunNo: 104971			
Client ID: MW122-251118		Batch ID: 50111				Analysis Date: 11/20/2025		SeqNo: 2190401			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	ND	1.00						0	0	30	
Chloromethane	ND	1.00						0	0	30	
Vinyl chloride	ND	0.200						0	0	30	
Bromomethane	ND	2.00						0	0	30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0	0	30	
Chloroethane	ND	1.00						0	0	30	
1,1-Dichloroethene	ND	0.500						0	0	30	
Acetone	ND	5.00						0	0	30	
Methylene chloride	ND	2.00						0	0	30	

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511473-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/20/2025			RunNo: 104971		
Client ID: MW122-251118		Batch ID: 50111					Analysis Date: 11/20/2025			SeqNo: 2190401	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,2-Dichloroethene	ND	0.500						0	0	30	
Methyl tert-butyl ether (MTBE)	ND	0.500						0	0	30	
1,1-Dichloroethane	ND	0.500						0	0	30	
cis-1,2-Dichloroethene	ND	0.500						0	0	30	
2-Butanone (MEK)	ND	5.00						0	0	30	
Chloroform	ND	0.500						0	0	30	
1,1,1-Trichloroethane (TCA)	ND	0.500						0	0	30	
1,1-Dichloropropene	ND	0.500						0	0	30	
Carbon tetrachloride	ND	0.500						0	0	30	
1,2-Dichloroethane (EDC)	ND	0.200						0	0	30	
Benzene	ND	0.200						0	0	30	
Trichloroethene (TCE)	ND	0.500						0	0	30	
1,2-Dichloropropane	ND	0.200						0	0	30	
Bromodichloromethane	ND	0.200						0	0	30	
Dibromomethane	ND	0.500						0	0	30	
cis-1,3-Dichloropropene	ND	0.500						0	0	30	
Toluene	ND	0.500						0	0	30	
trans-1,3-Dichloropropylene	ND	0.500						0	0	30	
Methyl Isobutyl Ketone (MIBK)	ND	2.50						0	0	30	
1,1,2-Trichloroethane	ND	0.500						0	0	30	
1,3-Dichloropropane	ND	0.500						0	0	30	
Tetrachloroethene (PCE)	ND	0.500						0	0	30	
Dibromochloromethane	ND	0.500						0	0	30	
1,2-Dibromoethane (EDB)	ND	0.500						0	0	30	
2-Hexanone (MBK)	ND	1.25						0	0	30	
Chlorobenzene	ND	0.500						0	0	30	
1,1,1,2-Tetrachloroethane	ND	0.500						0	0	30	
Ethylbenzene	ND	0.500						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	
o-Xylene	ND	0.500						0	0	30	
Styrene	ND	0.500						0	0	30	
Isopropylbenzene	ND	0.500						0	0	30	

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511473-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/20/2025		RunNo: 104971			
Client ID: MW122-251118		Batch ID: 50111				Analysis Date: 11/20/2025		SeqNo: 2190401			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromoform	ND	0.500						0	0	30	
1,1,2,2-Tetrachloroethane	ND	0.200						0	0	30	
n-Propylbenzene	ND	0.500						0	0	30	
Bromobenzene	ND	0.200						0	0	30	
1,3,5-Trimethylbenzene	ND	0.500						0	0	30	
2-Chlorotoluene	ND	0.500						0	0	30	
4-Chlorotoluene	ND	0.500						0	0	30	
tert-Butylbenzene	ND	0.500						0	0	30	
1,2,3-Trichloropropane	ND	0.500						0	0	30	
1,2,4-Trichlorobenzene	ND	0.750						0	0	30	
sec-Butylbenzene	ND	0.500						0	0	30	
4-Isopropyltoluene	ND	0.500						0	0	30	
1,3-Dichlorobenzene	ND	0.500						0	0	30	
1,4-Dichlorobenzene	ND	0.500						0	0	30	
n-Butylbenzene	ND	0.500						0	0	30	
1,2-Dichlorobenzene	ND	0.500						0	0	30	
1,2-Dibromo-3-chloropropane	ND	1.00						0	0	30	
1,2,4-Trimethylbenzene	ND	0.500						0	0	30	
Hexachloro-1,3-butadiene	ND	1.00						0	0	30	
Naphthalene	ND	1.25						0	0	30	
1,2,3-Trichlorobenzene	ND	1.00						0	0	30	
Surr: Dibromofluoromethane	28.8		25.00		115	79.9	122		0		
Surr: Toluene-d8	27.3		25.00		109	80	121		0		
Surr: 1-Bromo-4-fluorobenzene	22.1		25.00		88.3	79.7	120		0		

Sample ID: VOC-CCV-104971B		SampType: CCV		Units: µg/L		Prep Date: 11/21/2025		RunNo: 104971			
Client ID: CCV		Batch ID: 50111				Analysis Date: 11/21/2025		SeqNo: 2190417			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	21.0	1.00	20.00	0	105	80	120				
Chloromethane	16.1	1.00	20.00	0	80.4	80	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104971B		SampType: CCV		Units: µg/L		Prep Date: 11/21/2025		RunNo: 104971			
Client ID: CCV		Batch ID: 50111				Analysis Date: 11/21/2025		SeqNo: 2190417			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	17.1	0.200	20.00	0	85.4	80	120				
Bromomethane	29.4	2.00	20.00	0	147	80	120				S
Trichlorofluoromethane (CFC-11)	17.8	0.500	20.00	0	89.0	80	120				
Chloroethane	19.7	1.00	20.00	0	98.3	80	120				
1,1-Dichloroethene	20.3	0.500	20.00	0	101	80	120				
Acetone	39.0	5.00	50.00	0	78.1	80	120				S
Methylene chloride	18.8	2.00	20.00	0	93.8	80	120				
trans-1,2-Dichloroethene	19.7	0.500	20.00	0	98.7	80	120				
Methyl tert-butyl ether (MTBE)	18.3	0.500	20.00	0	91.4	80	120				
1,1-Dichloroethane	20.6	0.500	20.00	0	103	80	120				
cis-1,2-Dichloroethene	21.0	0.500	20.00	0	105	80	120				
2-Butanone (MEK)	43.8	5.00	50.00	0	87.6	80	120				
Chloroform	20.8	0.500	20.00	0	104	80	120				
1,1,1-Trichloroethane (TCA)	22.6	0.500	20.00	0	113	80	120				
1,1-Dichloropropene	20.9	0.500	20.00	0	104	80	120				
Carbon tetrachloride	23.0	0.500	20.00	0	115	80	120				
1,2-Dichloroethane (EDC)	19.2	0.200	20.00	0	95.9	80	120				
Benzene	19.6	0.200	20.00	0	98.2	80	120				
Trichloroethene (TCE)	18.7	0.500	20.00	0	93.3	80	120				
1,2-Dichloropropane	18.1	0.200	20.00	0	90.6	80	120				
Bromodichloromethane	19.0	0.200	20.00	0	94.8	80	120				
Dibromomethane	18.7	0.500	20.00	0	93.4	80	120				
cis-1,3-Dichloropropene	18.6	0.500	20.00	0	93.0	80	120				
Toluene	19.7	0.500	20.00	0	98.4	80	120				
trans-1,3-Dichloropropylene	18.7	0.500	20.00	0	93.4	80	120				
Methyl Isobutyl Ketone (MIBK)	41.1	2.50	50.00	0	82.2	80	120				
1,1,2-Trichloroethane	18.6	0.500	20.00	0	92.9	80	120				
1,3-Dichloropropane	18.2	0.500	20.00	0	90.9	80	120				
Tetrachloroethene (PCE)	21.0	0.500	20.00	0	105	80	120				
Dibromochloromethane	18.9	0.500	20.00	0	94.6	80	120				
1,2-Dibromoethane (EDB)	18.3	0.500	20.00	0	91.7	80	120				
2-Hexanone (MBK)	38.6	1.25	50.00	0	77.1	80	120				S

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104971B		SampType: CCV		Units: µg/L		Prep Date: 11/21/2025		RunNo: 104971			
Client ID: CCV		Batch ID: 50111				Analysis Date: 11/21/2025		SeqNo: 2190417			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	19.3	0.500	20.00	0	96.7	80	120				
1,1,1,2-Tetrachloroethane	21.2	0.500	20.00	0	106	80	120				
Ethylbenzene	20.7	0.500	20.00	0	104	80	120				
m,p-Xylene	42.1	1.00	40.00	0	105	80	120				
o-Xylene	21.1	0.500	20.00	0	106	80	120				
Styrene	21.8	0.500	20.00	0	109	80	120				
Isopropylbenzene	20.2	0.500	20.00	0	101	80	120				
Bromoform	19.5	0.500	20.00	0	97.4	80	120				
1,1,2,2-Tetrachloroethane	19.9	0.200	20.00	0	99.5	80	120				
n-Propylbenzene	21.3	0.500	20.00	0	106	80	120				
Bromobenzene	19.8	0.200	20.00	0	99.0	80	120				
1,3,5-Trimethylbenzene	21.0	0.500	20.00	0	105	80	120				
2-Chlorotoluene	20.6	0.500	20.00	0	103	80	120				
4-Chlorotoluene	19.9	0.500	20.00	0	99.3	80	120				
tert-Butylbenzene	20.1	0.500	20.00	0	101	80	120				
1,2,3-Trichloropropane	18.1	0.500	20.00	0	90.7	80	120				
1,2,4-Trichlorobenzene	17.9	0.750	20.00	0	89.5	80	120				
sec-Butylbenzene	20.7	0.500	20.00	0	104	80	120				
4-Isopropyltoluene	21.6	0.500	20.00	0	108	80	120				
1,3-Dichlorobenzene	19.2	0.500	20.00	0	95.8	80	120				
1,4-Dichlorobenzene	18.8	0.500	20.00	0	93.8	80	120				
n-Butylbenzene	19.5	0.500	20.00	0	97.7	80	120				
1,2-Dichlorobenzene	18.9	0.500	20.00	0	94.7	80	120				
1,2-Dibromo-3-chloropropane	17.4	1.00	20.00	0	87.2	80	120				
1,2,4-Trimethylbenzene	19.6	0.500	20.00	0	98.2	80	120				
Hexachloro-1,3-butadiene	17.6	1.00	20.00	0	88.0	80	120				
Naphthalene	16.8	1.25	20.00	0	84.1	80	120				
1,2,3-Trichlorobenzene	16.6	1.00	20.00	0	82.9	80	120				
Surr: Dibromofluoromethane	26.7		25.00		107	80	120				
Surr: Toluene-d8	25.3		25.00		101	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.6		25.00		98.5	80	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104971B		SampType: CCV			Units: µg/L		Prep Date: 11/21/2025			RunNo: 104971		
Client ID: CCV		Batch ID: 50111			Analysis Date: 11/21/2025			SeqNo: 2190417				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

NOTES:

S - Outlying spike recovery observed (high bias).
S - Outlying spike recovery observed (low bias).

Sample ID: 2511473-003AMS		SampType: MS		Units: µg/L		Prep Date: 11/20/2025			RunNo: 104971		
Client ID: FMW-140-251118		Batch ID: 50111					Analysis Date: 11/21/2025			SeqNo: 2190418	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	24.6	1.00	20.00	0	123	61	156				
Chloromethane	20.5	1.00	20.00	0	102	58.6	153				
Vinyl chloride	118	0.200	20.00	117.9	0.603	70.9	160				S
Bromomethane	30.6	2.00	20.00	0	153	57	155				
Trichlorofluoromethane (CFC-11)	20.1	0.500	20.00	0	101	80	159				
Chloroethane	20.7	1.00	20.00	0	103	71.3	145				
1,1-Dichloroethene	24.1	0.500	20.00	0	121	80	160				
Acetone	27.3	5.00	50.00	0	54.6	12.9	126				
Methylene chloride	19.9	2.00	20.00	0	99.3	77.6	131				
trans-1,2-Dichloroethene	21.9	0.500	20.00	0.2266	108	80	134				
Methyl tert-butyl ether (MTBE)	19.1	0.500	20.00	0	95.7	80	127				
1,1-Dichloroethane	22.3	0.500	20.00	0	112	80	129				
cis-1,2-Dichloroethene	44.0	0.500	20.00	23.19	104	78.2	137				
2-Butanone (MEK)	38.3	5.00	50.00	0	76.6	32.5	130				
Chloroform	21.8	0.500	20.00	0	109	78.3	136				
1,1,1-Trichloroethane (TCA)	25.7	0.500	20.00	0	129	80	153				
1,1-Dichloropropene	23.9	0.500	20.00	0	119	80	153				
Carbon tetrachloride	26.7	0.500	20.00	0	134	80	156				
1,2-Dichloroethane (EDC)	20.3	0.200	20.00	0	101	77	133				
Benzene	46.8	0.200	20.00	27.46	96.8	80	134				
Trichloroethene (TCE)	19.9	0.500	20.00	0	99.6	80	133				
1,2-Dichloropropane	19.2	0.200	20.00	0	95.9	80	125				
Bromodichloromethane	19.7	0.200	20.00	0	98.6	80	124				
Dibromomethane	18.9	0.500	20.00	0	94.7	80	122				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511473-003AMS	SampType: MS	Units: µg/L				Prep Date: 11/20/2025			RunNo: 104971		
Client ID: FMW-140-251118	Batch ID: 50111	Analysis Date: 11/21/2025							SeqNo: 2190418		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,3-Dichloropropene	19.4	0.500	20.00	0	96.9	80	128				
Toluene	21.2	0.500	20.00	0	106	80	134				
trans-1,3-Dichloropropylene	19.2	0.500	20.00	0	95.8	78.6	136				
Methyl Isobutyl Ketone (MIBK)	42.6	2.50	50.00	0	85.2	61.1	145				
1,1,2-Trichloroethane	19.2	0.500	20.00	0	95.8	79.4	135				
1,3-Dichloropropane	18.7	0.500	20.00	0	93.7	80	126				
Tetrachloroethene (PCE)	23.2	0.500	20.00	0	116	80	153				
Dibromochloromethane	19.6	0.500	20.00	0	97.8	77.7	137				
1,2-Dibromoethane (EDB)	18.9	0.500	20.00	0	94.4	77.8	132				
2-Hexanone (MBK)	34.4	1.25	50.00	0	68.8	34.7	135				
Chlorobenzene	20.3	0.500	20.00	0	102	80	123				
1,1,1,2-Tetrachloroethane	22.4	0.500	20.00	0	112	80	125				
Ethylbenzene	22.3	0.500	20.00	0	111	80	125				
m,p-Xylene	45.4	1.00	40.00	0	113	80	124				
o-Xylene	22.3	0.500	20.00	0	112	80	122				
Styrene	22.5	0.500	20.00	0	113	80	122				
Isopropylbenzene	22.3	0.500	20.00	0	111	80	133				
Bromoform	19.6	0.500	20.00	0	98.0	80	125				
1,1,2,2-Tetrachloroethane	21.7	0.200	20.00	0	108	76.3	138				
n-Propylbenzene	23.2	0.500	20.00	0	116	80	134				
Bromobenzene	20.5	0.200	20.00	0	102	80	121				
1,3,5-Trimethylbenzene	22.4	0.500	20.00	0	112	80	126				
2-Chlorotoluene	21.6	0.500	20.00	0	108	80	124				
4-Chlorotoluene	20.8	0.500	20.00	0	104	80	123				
tert-Butylbenzene	22.2	0.500	20.00	0	111	80	131				
1,2,3-Trichloropropane	18.3	0.500	20.00	0	91.4	75.3	125				
1,2,4-Trichlorobenzene	18.8	0.750	20.00	0	93.8	71.2	129				
sec-Butylbenzene	23.2	0.500	20.00	0	116	80	137				
4-Isopropyltoluene	23.9	0.500	20.00	0	119	80	132				
1,3-Dichlorobenzene	19.9	0.500	20.00	0	99.7	80	120				
1,4-Dichlorobenzene	19.4	0.500	20.00	0	97.2	80	122				
n-Butylbenzene	21.4	0.500	20.00	0	107	79.5	138				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511473-003AMS		SampType: MS			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104971		
Client ID: FMW-140-251118		Batch ID: 50111						Analysis Date: 11/21/2025			SeqNo: 2190418	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dichlorobenzene	19.8	0.500	20.00	0	98.9	79	120				
1,2-Dibromo-3-chloropropane	18.1	1.00	20.00	0	90.5	69.6	137				
1,2,4-Trimethylbenzene	20.6	0.500	20.00	0	103	80	123				
Hexachloro-1,3-butadiene	20.0	1.00	20.00	0	99.9	74.3	148				
Naphthalene	17.9	1.25	20.00	0	89.4	74.3	124				
1,2,3-Trichlorobenzene	17.7	1.00	20.00	0	88.3	71.9	129				
Surr: Dibromofluoromethane	26.5		25.00		106	79.9	122				
Surr: Toluene-d8	24.9		25.00		99.8	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.3		25.00		97.4	79.7	120				

NOTES:

S - Spiked amount was low relative to sample concentration. Outlying spike recoveries may be expected.

Sample ID: VOC-CCV-104971C		SampType: CCV			Units: µg/L		Prep Date: 11/24/2025			RunNo: 104971		
Client ID: CCV		Batch ID: 50111			Analysis Date: 11/24/2025			SeqNo: 2190422				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	17.7	1.00	20.00	0	88.6	80	120				
Chloromethane	18.4	1.00	20.00	0	92.2	80	120				
Vinyl chloride	19.0	0.200	20.00	0	95.0	80	120				
Bromomethane	28.4	2.00	20.00	0	142	80	120				S
Trichlorofluoromethane (CFC-11)	18.3	0.500	20.00	0	91.7	80	120				
Chloroethane	20.4	1.00	20.00	0	102	80	120				
1,1-Dichloroethene	19.4	0.500	20.00	0	96.8	80	120				
Acetone	36.8	5.00	50.00	0	73.6	80	120				S
Methylene chloride	18.5	2.00	20.00	0	92.6	80	120				
trans-1,2-Dichloroethene	18.8	0.500	20.00	0	94.1	80	120				
Methyl tert-butyl ether (MTBE)	17.4	0.500	20.00	0	87.2	80	120				
1,1-Dichloroethane	19.6	0.500	20.00	0	98.1	80	120				
cis-1,2-Dichloroethene	19.4	0.500	20.00	0	97.1	80	120				
2-Butanone (MEK)	39.0	5.00	50.00	0	78.0	80	120				S
Chloroform	19.3	0.500	20.00	0	96.6	80	120				
1,1,1-Trichloroethane (TCA)	20.4	0.500	20.00	0	102	80	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104971C		SampType: CCV		Units: µg/L		Prep Date: 11/24/2025			RunNo: 104971		
Client ID: CCV		Batch ID: 50111					Analysis Date: 11/24/2025			SeqNo: 2190422	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1-Dichloropropene	18.1	0.500	20.00	0	90.5	80	120				
Carbon tetrachloride	19.3	0.500	20.00	0	96.4	80	120				
1,2-Dichloroethane (EDC)	17.4	0.200	20.00	0	87.0	80	120				
Benzene	19.8	0.200	20.00	0	99.0	80	120				
Trichloroethene (TCE)	19.6	0.500	20.00	0	98.1	80	120				
1,2-Dichloropropane	17.3	0.200	20.00	0	86.6	80	120				
Bromodichloromethane	17.5	0.200	20.00	0	87.5	80	120				
Dibromomethane	16.8	0.500	20.00	0	84.1	80	120				
cis-1,3-Dichloropropene	17.3	0.500	20.00	0	86.6	80	120				
Toluene	19.7	0.500	20.00	0	98.7	80	120				
trans-1,3-Dichloropropylene	16.9	0.500	20.00	0	84.7	80	120				
Methyl Isobutyl Ketone (MIBK)	36.7	2.50	50.00	0	73.4	80	120				S
1,1,2-Trichloroethane	16.9	0.500	20.00	0	84.5	80	120				
1,3-Dichloropropane	16.6	0.500	20.00	0	82.9	80	120				
Tetrachloroethene (PCE)	20.2	0.500	20.00	0	101	80	120				
Dibromochloromethane	17.0	0.500	20.00	0	84.9	80	120				
1,2-Dibromoethane (EDB)	16.9	0.500	20.00	0	84.5	80	120				
2-Hexanone (MBK)	33.6	1.25	50.00	0	67.3	80	120				S
Chlorobenzene	19.7	0.500	20.00	0	98.6	80	120				
1,1,1,2-Tetrachloroethane	20.8	0.500	20.00	0	104	80	120				
Ethylbenzene	20.2	0.500	20.00	0	101	80	120				
m,p-Xylene	42.1	1.00	40.00	0	105	80	120				
o-Xylene	20.7	0.500	20.00	0	103	80	120				
Styrene	21.4	0.500	20.00	0	107	80	120				
Isopropylbenzene	19.4	0.500	20.00	0	96.8	80	120				
Bromoform	18.0	0.500	20.00	0	90.2	80	120				
1,1,2,2-Tetrachloroethane	18.7	0.200	20.00	0	93.3	80	120				
n-Propylbenzene	20.3	0.500	20.00	0	102	80	120				
Bromobenzene	19.5	0.200	20.00	0	97.6	80	120				
1,3,5-Trimethylbenzene	20.3	0.500	20.00	0	102	80	120				
2-Chlorotoluene	19.8	0.500	20.00	0	99.1	80	120				
4-Chlorotoluene	19.7	0.500	20.00	0	98.3	80	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104971C		SampType: CCV		Units: µg/L		Prep Date: 11/24/2025		RunNo: 104971			
Client ID: CCV		Batch ID: 50111				Analysis Date: 11/24/2025		SeqNo: 2190422			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	19.8	0.500	20.00	0	99.0	80	120				
1,2,3-Trichloropropane	16.4	0.500	20.00	0	81.8	80	120				
1,2,4-Trichlorobenzene	19.1	0.750	20.00	0	95.5	80	120				
sec-Butylbenzene	19.5	0.500	20.00	0	97.5	80	120				
4-Isopropyltoluene	20.8	0.500	20.00	0	104	80	120				
1,3-Dichlorobenzene	19.6	0.500	20.00	0	97.9	80	120				
1,4-Dichlorobenzene	19.0	0.500	20.00	0	95.2	80	120				
n-Butylbenzene	18.5	0.500	20.00	0	92.4	80	120				
1,2-Dichlorobenzene	19.0	0.500	20.00	0	94.9	80	120				
1,2-Dibromo-3-chloropropane	15.9	1.00	20.00	0	79.4	80	120				S
1,2,4-Trimethylbenzene	19.0	0.500	20.00	0	95.0	80	120				
Hexachloro-1,3-butadiene	19.1	1.00	20.00	0	95.7	80	120				
Naphthalene	16.0	1.25	20.00	0	80.2	80	120				
1,2,3-Trichlorobenzene	16.3	1.00	20.00	0	81.5	80	120				
Surr: Dibromofluoromethane	24.5		25.00		98.2	80	120				
Surr: Toluene-d8	23.5		25.00		93.8	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.3		25.00		97.2	80	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

S - Outlying spike recovery observed (low bias). Samples will be qualified with a Q.

Sample ID: CCB-104971		SampType: CCB		Units: µg/L		Prep Date: 11/24/2025		RunNo: 104971			
Client ID: CCB		Batch ID: 50111				Analysis Date: 11/24/2025		SeqNo: 2190423			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: CCB-104971		SampType: CCB		Units: µg/L		Prep Date: 11/24/2025			RunNo: 104971		
Client ID: CCB		Batch ID: 50111		Analysis Date: 11/24/2025			SeqNo: 2190423				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acetone	ND	5.00									Q
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									Q
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									
1,1-Dichloropropene	ND	0.500									
Carbon tetrachloride	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.200									
Benzene	ND	0.200									
Trichloroethene (TCE)	ND	0.500									
1,2-Dichloropropane	ND	0.200									
Bromodichloromethane	ND	0.200									
Dibromomethane	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									Q
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									Q
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: CCB-104971		SampType: CCB			Units: µg/L		Prep Date: 11/24/2025			RunNo: 104971		
Client ID: CCB		Batch ID: 50111			Analysis Date: 11/24/2025			SeqNo: 2190423				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									Q
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	25.0		25.00		100	80	120				
Surr: Toluene-d8	23.1		25.00		92.4	80	120				
Surr: 1-Bromo-4-fluorobenzene	23.2		25.00		92.8	80	120				

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104996A	SampType: CCV	Units: µg/L				Prep Date: 11/25/2025			RunNo: 104996		
Client ID: CCV	Batch ID: 50166	Analysis Date: 11/25/2025						SeqNo: 2190908			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	22.0	1.00	20.00	0	110	80	120				
Chloromethane	22.7	1.00	20.00	0	113	80	120				
Vinyl chloride	23.1	0.200	20.00	0	115	80	120				
Bromomethane	26.4	2.00	20.00	0	132	80	120				S
Trichlorofluoromethane (CFC-11)	20.1	0.500	20.00	0	101	80	120				
Chloroethane	25.3	1.00	20.00	0	127	80	120				S
1,1-Dichloroethene	23.2	0.500	20.00	0	116	80	120				
Acetone	67.4	5.00	50.00	0	135	80	120				S
Methylene chloride	22.3	2.00	20.00	0	112	80	120				
trans-1,2-Dichloroethene	23.4	0.500	20.00	0	117	80	120				
Methyl tert-butyl ether (MTBE)	20.2	0.500	20.00	0	101	80	120				
1,1-Dichloroethane	22.8	0.500	20.00	0	114	80	120				
cis-1,2-Dichloroethene	23.0	0.500	20.00	0	115	80	120				
2-Butanone (MEK)	60.6	5.00	50.00	0	121	80	120				S
Chloroform	22.6	0.500	20.00	0	113	80	120				
1,1,1-Trichloroethane (TCA)	22.7	0.500	20.00	0	114	80	120				
1,1-Dichloropropene	23.0	0.500	20.00	0	115	80	120				
Carbon tetrachloride	23.4	0.500	20.00	0	117	80	120				
1,2-Dichloroethane (EDC)	21.7	0.200	20.00	0	109	80	120				
Benzene	19.7	0.200	20.00	0	98.6	80	120				
Trichloroethene (TCE)	17.9	0.500	20.00	0	89.5	80	120				
1,2-Dichloropropane	22.4	0.200	20.00	0	112	80	120				
Bromodichloromethane	22.4	0.200	20.00	0	112	80	120				
Dibromomethane	21.7	0.500	20.00	0	109	80	120				
cis-1,3-Dichloropropene	22.9	0.500	20.00	0	114	80	120				
Toluene	19.6	0.500	20.00	0	98.1	80	120				
trans-1,3-Dichloropropylene	22.3	0.500	20.00	0	111	80	120				
Methyl Isobutyl Ketone (MIBK)	50.3	2.50	50.00	0	101	80	120				
1,1,2-Trichloroethane	21.9	0.500	20.00	0	109	80	120				
1,3-Dichloropropane	21.5	0.500	20.00	0	107	80	120				
Tetrachloroethene (PCE)	22.9	0.500	20.00	0	114	80	120				
Dibromochloromethane	22.5	0.500	20.00	0	113	80	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104996A	SampType: CCV	Units: µg/L				Prep Date: 11/25/2025			RunNo: 104996		
Client ID: CCV	Batch ID: 50166	Analysis Date: 11/25/2025							SeqNo: 2190908		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	21.6	0.500	20.00	0	108	80	120				
2-Hexanone (MBK)	58.5	1.25	50.00	0	117	80	120				
Chlorobenzene	20.0	0.500	20.00	0	100	80	120				
1,1,1,2-Tetrachloroethane	20.2	0.500	20.00	0	101	80	120				
Ethylbenzene	19.5	0.500	20.00	0	97.6	80	120				
m,p-Xylene	40.3	1.00	40.00	0	101	80	120				
o-Xylene	20.0	0.500	20.00	0	99.9	80	120				
Styrene	20.0	0.500	20.00	0	99.9	80	120				
Isopropylbenzene	20.0	0.500	20.00	0	100	80	120				
Bromoform	19.1	0.500	20.00	0	95.6	80	120				
1,1,2,2-Tetrachloroethane	21.6	0.200	20.00	0	108	80	120				
n-Propylbenzene	20.1	0.500	20.00	0	100	80	120				
Bromobenzene	19.7	0.200	20.00	0	98.3	80	120				
1,3,5-Trimethylbenzene	20.3	0.500	20.00	0	102	80	120				
2-Chlorotoluene	20.2	0.500	20.00	0	101	80	120				
4-Chlorotoluene	20.0	0.500	20.00	0	99.9	80	120				
tert-Butylbenzene	20.1	0.500	20.00	0	100	80	120				
1,2,3-Trichloropropane	18.0	0.500	20.00	0	90.1	80	120				
1,2,4-Trichlorobenzene	18.6	0.750	20.00	0	93.2	80	120				
sec-Butylbenzene	20.5	0.500	20.00	0	102	80	120				
4-Isopropyltoluene	20.6	0.500	20.00	0	103	80	120				
1,3-Dichlorobenzene	20.0	0.500	20.00	0	100	80	120				
1,4-Dichlorobenzene	19.9	0.500	20.00	0	99.3	80	120				
n-Butylbenzene	21.1	0.500	20.00	0	105	80	120				
1,2-Dichlorobenzene	19.6	0.500	20.00	0	98.0	80	120				
1,2-Dibromo-3-chloropropane	17.8	1.00	20.00	0	88.8	80	120				
1,2,4-Trimethylbenzene	20.3	0.500	20.00	0	102	80	120				
Hexachloro-1,3-butadiene	21.0	1.00	20.00	0	105	80	120				
Naphthalene	17.1	1.25	20.00	0	85.3	80	120				
1,2,3-Trichlorobenzene	16.7	1.00	20.00	0	83.3	80	120				
Surr: Dibromofluoromethane	28.1		25.00		113	80	120				
Surr: Toluene-d8	27.7		25.00		111	80	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104996A		SampType: CCV			Units: µg/L		Prep Date: 11/25/2025			RunNo: 104996		
Client ID: CCV		Batch ID: 50166			Analysis Date: 11/25/2025					SeqNo: 2190908		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Surr: 1-Bromo-4-fluorobenzene 24.7 25.00 98.8 80 120

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: LCS-50166		SampType: LCS			Units: µg/L		Prep Date: 11/25/2025			RunNo: 104996		
Client ID: LCSW		Batch ID: 50166			Analysis Date: 11/25/2025			SeqNo: 2190924				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	22.0	1.00	20.00	0	110	80	120				
Chloromethane	22.7	1.00	20.00	0	113	80	120				
Vinyl chloride	23.1	0.200	20.00	0	115	80	120				
Bromomethane	26.4	2.00	20.00	0	132	80	120				S
Trichlorofluoromethane (CFC-11)	20.1	0.500	20.00	0	101	80	120				
Chloroethane	25.3	1.00	20.00	0	127	80	120				S
1,1-Dichloroethene	23.2	0.500	20.00	0	116	80	120				
Acetone	67.4	5.00	50.00	0	135	80	120				S
Methylene chloride	22.3	2.00	20.00	0	112	80	120				
trans-1,2-Dichloroethene	23.4	0.500	20.00	0	117	80	120				
Methyl tert-butyl ether (MTBE)	20.2	0.500	20.00	0	101	80	120				
1,1-Dichloroethane	22.8	0.500	20.00	0	114	80	120				
cis-1,2-Dichloroethene	23.0	0.500	20.00	0	115	80	120				
2-Butanone (MEK)	60.6	5.00	50.00	0	121	80	120				S
Chloroform	22.6	0.500	20.00	0	113	80	120				
1,1,1-Trichloroethane (TCA)	22.7	0.500	20.00	0	114	80	120				
1,1-Dichloropropene	23.0	0.500	20.00	0	115	80	120				
Carbon tetrachloride	23.4	0.500	20.00	0	117	80	120				
1,2-Dichloroethane (EDC)	21.7	0.200	20.00	0	109	80	120				
Benzene	19.7	0.200	20.00	0	98.6	80	120				
Trichloroethene (TCE)	17.9	0.500	20.00	0	89.5	80	120				
1,2-Dichloropropane	22.4	0.200	20.00	0	112	80	120				
Bromodichloromethane	22.4	0.200	20.00	0	112	80	120				
Dibromomethane	21.7	0.500	20.00	0	109	80	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50166	SampType: LCS	Units: µg/L			Prep Date: 11/25/2025			RunNo: 104996			
Client ID: LCSW	Batch ID: 50166	Analysis Date: 11/25/2025						SeqNo: 2190924			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,3-Dichloropropene	22.9	0.500	20.00	0	114	80	120				
Toluene	19.6	0.500	20.00	0	98.1	80	120				
trans-1,3-Dichloropropylene	22.3	0.500	20.00	0	111	80	120				
Methyl Isobutyl Ketone (MIBK)	50.3	2.50	50.00	0	101	80	120				
1,1,2-Trichloroethane	21.9	0.500	20.00	0	109	80	120				
1,3-Dichloropropane	21.5	0.500	20.00	0	107	80	120				
Tetrachloroethene (PCE)	22.9	0.500	20.00	0	114	80	120				
Dibromochloromethane	22.5	0.500	20.00	0	113	80	120				
1,2-Dibromoethane (EDB)	21.6	0.500	20.00	0	108	80	120				
2-Hexanone (MBK)	58.5	1.25	50.00	0	117	80	120				
Chlorobenzene	20.0	0.500	20.00	0	100	80	120				
1,1,1,2-Tetrachloroethane	20.2	0.500	20.00	0	101	80	120				
Ethylbenzene	19.5	0.500	20.00	0	97.6	80	120				
m,p-Xylene	40.3	1.00	40.00	0	101	80	120				
o-Xylene	20.0	0.500	20.00	0	99.9	80	120				
Styrene	20.0	0.500	20.00	0	99.9	80	120				
Isopropylbenzene	20.0	0.500	20.00	0	100	80	120				
Bromoform	19.1	0.500	20.00	0	95.6	80	120				
1,1,2,2-Tetrachloroethane	21.6	0.200	20.00	0	108	80	120				
n-Propylbenzene	20.1	0.500	20.00	0	100	80	120				
Bromobenzene	19.7	0.200	20.00	0	98.3	80	120				
1,3,5-Trimethylbenzene	20.3	0.500	20.00	0	102	80	120				
2-Chlorotoluene	20.2	0.500	20.00	0	101	80	120				
4-Chlorotoluene	20.0	0.500	20.00	0	99.9	80	120				
tert-Butylbenzene	20.1	0.500	20.00	0	100	80	120				
1,2,3-Trichloropropane	18.0	0.500	20.00	0	90.1	80	120				
1,2,4-Trichlorobenzene	18.6	0.750	20.00	0	93.2	80	120				
sec-Butylbenzene	20.5	0.500	20.00	0	102	80	120				
4-Isopropyltoluene	20.6	0.500	20.00	0	103	80	120				
1,3-Dichlorobenzene	20.0	0.500	20.00	0	100	80	120				
1,4-Dichlorobenzene	19.9	0.500	20.00	0	99.3	80	120				
n-Butylbenzene	21.1	0.500	20.00	0	105	80	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50166		SampType: LCS			Units: µg/L		Prep Date: 11/25/2025			RunNo: 104996		
Client ID: LCSW		Batch ID: 50166			Analysis Date: 11/25/2025			SeqNo: 2190924				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dichlorobenzene	19.6	0.500	20.00	0	98.0	80	120				
1,2-Dibromo-3-chloropropane	17.8	1.00	20.00	0	88.8	80	120				
1,2,4-Trimethylbenzene	20.3	0.500	20.00	0	102	80	120				
Hexachloro-1,3-butadiene	21.0	1.00	20.00	0	105	80	120				
Naphthalene	17.1	1.25	20.00	0	85.3	80	120				
1,2,3-Trichlorobenzene	16.7	1.00	20.00	0	83.3	80	120				
Surr: Dibromofluoromethane	28.1		25.00		113	79.9	122				
Surr: Toluene-d8	27.7		25.00		111	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.7		25.00		98.8	79.7	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: MB-50166		SampType: MBLK		Units: µg/L		Prep Date: 11/25/2025			RunNo: 104996		
Client ID: MBLKW		Batch ID: 50166					Analysis Date: 11/25/2025			SeqNo: 2190909	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	ND	5.00									
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50166	SampType: MBLK	Units: µg/L		Prep Date: 11/25/2025		RunNo: 104996					
Client ID: MBLKW	Batch ID: 50166			Analysis Date: 11/25/2025		SeqNo: 2190909					
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloropropene	ND	0.500									
Carbon tetrachloride	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.200									
Benzene	ND	0.200									
Trichloroethene (TCE)	ND	0.500									
1,2-Dichloropropane	ND	0.200									
Bromodichloromethane	ND	0.200									
Dibromomethane	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50166		SampType: MBLK		Units: µg/L		Prep Date: 11/25/2025		RunNo: 104996			
Client ID: MBLKW		Batch ID: 50166				Analysis Date: 11/25/2025		SeqNo: 2190909			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	0.372	1.00									J
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	27.2		25.00		109	80	120				
Surr: Toluene-d8	27.4		25.00		109	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.5		25.00		97.9	80	120				

Sample ID: 2511527-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/25/2025		RunNo: 104996			
Client ID: BATCH		Batch ID: 50166				Analysis Date: 11/25/2025		SeqNo: 2190914			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	ND	1.00						0	0	30	
Chloromethane	ND	1.00						0	0	30	
Vinyl chloride	ND	0.200						0	0	30	
Bromomethane	ND	2.00						0	0	30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0	0	30	
Chloroethane	ND	1.00						0	0	30	
1,1-Dichloroethene	ND	0.500						0	0	30	
Acetone	ND	5.00						0	0	30	
Methylene chloride	ND	2.00						0	0	30	

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511527-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/25/2025			RunNo: 104996		
Client ID: BATCH		Batch ID: 50166					Analysis Date: 11/25/2025			SeqNo: 2190914	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,2-Dichloroethene	ND	0.500						0	0	30	
Methyl tert-butyl ether (MTBE)	ND	0.500						0	0	30	
1,1-Dichloroethane	ND	0.500						0	0	30	
cis-1,2-Dichloroethene	ND	0.500						0	0	30	
2-Butanone (MEK)	ND	5.00						0	0	30	
Chloroform	ND	0.500						0	0	30	
1,1,1-Trichloroethane (TCA)	ND	0.500						0	0	30	
1,1-Dichloropropene	ND	0.500						0	0	30	
Carbon tetrachloride	ND	0.500						0	0	30	
1,2-Dichloroethane (EDC)	0.0840	0.200						0.08771	4.38	30	J
Benzene	ND	0.200						0	0	30	
Trichloroethene (TCE)	ND	0.500						0	0	30	
1,2-Dichloropropane	ND	0.200						0	0	30	
Bromodichloromethane	ND	0.200						0	0	30	
Dibromomethane	ND	0.500						0	0	30	
cis-1,3-Dichloropropene	ND	0.500						0	0	30	
Toluene	ND	0.500						0	0	30	
trans-1,3-Dichloropropylene	ND	0.500						0	0	30	
Methyl Isobutyl Ketone (MIBK)	ND	2.50						0	0	30	
1,1,2-Trichloroethane	ND	0.500						0	0	30	
1,3-Dichloropropane	ND	0.500						0	0	30	
Tetrachloroethene (PCE)	ND	0.500						0	0	30	
Dibromochloromethane	ND	0.500						0	0	30	
1,2-Dibromoethane (EDB)	ND	0.500						0	0	30	
2-Hexanone (MBK)	ND	1.25						0	0	30	
Chlorobenzene	ND	0.500						0	0	30	
1,1,1,2-Tetrachloroethane	ND	0.500						0	0	30	
Ethylbenzene	ND	0.500						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	
o-Xylene	ND	0.500						0	0	30	
Styrene	ND	0.500						0	0	30	
Isopropylbenzene	ND	0.500						0	0	30	

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511527-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/25/2025		RunNo: 104996			
Client ID: BATCH		Batch ID: 50166				Analysis Date: 11/25/2025		SeqNo: 2190914			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromoform	ND	0.500						0	0	30	
1,1,2,2-Tetrachloroethane	ND	0.200						0	0	30	
n-Propylbenzene	ND	0.500						0	0	30	
Bromobenzene	ND	0.200						0	0	30	
1,3,5-Trimethylbenzene	ND	0.500						0	0	30	
2-Chlorotoluene	ND	0.500						0	0	30	
4-Chlorotoluene	ND	0.500						0	0	30	
tert-Butylbenzene	ND	0.500						0	0	30	
1,2,3-Trichloropropane	ND	0.500						0	0	30	
1,2,4-Trichlorobenzene	ND	0.750						0	0	30	
sec-Butylbenzene	ND	0.500						0	0	30	
4-Isopropyltoluene	ND	0.500						0	0	30	
1,3-Dichlorobenzene	ND	0.500						0	0	30	
1,4-Dichlorobenzene	ND	0.500						0	0	30	
n-Butylbenzene	ND	0.500						0	0	30	
1,2-Dichlorobenzene	ND	0.500						0	0	30	
1,2-Dibromo-3-chloropropane	ND	1.00						0	0	30	
1,2,4-Trimethylbenzene	ND	0.500						0	0	30	
Hexachloro-1,3-butadiene	0.333	1.00						0.3411	2.28	30	J
Naphthalene	ND	1.25						0	0	30	
1,2,3-Trichlorobenzene	ND	1.00						0	0	30	
Surr: Dibromofluoromethane	28.4		25.00		114	79.9	122		0		
Surr: Toluene-d8	28.2		25.00		113	80	121		0		
Surr: 1-Bromo-4-fluorobenzene	25.0		25.00		100	79.7	120		0		

Sample ID: VOC-CCV-104996B		SampType: CCV		Units: µg/L		Prep Date: 11/25/2025		RunNo: 104996			
Client ID: CCV		Batch ID: 50166				Analysis Date: 11/25/2025		SeqNo: 2190917			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	25.5	1.00	20.00	0	127	80	120				S
Chloromethane	22.8	1.00	20.00	0	114	80	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104996B	SampType: CCV	Units: µg/L				Prep Date: 11/25/2025			RunNo: 104996		
Client ID: CCV	Batch ID: 50166	Analysis Date: 11/25/2025						SeqNo: 2190917			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	23.5	0.200	20.00	0	118	80	120				
Bromomethane	19.4	2.00	20.00	0	97.1	80	120				
Trichlorofluoromethane (CFC-11)	22.1	0.500	20.00	0	111	80	120				
Chloroethane	26.5	1.00	20.00	0	132	80	120				S
1,1-Dichloroethene	24.6	0.500	20.00	0	123	80	120				S
Acetone	44.7	5.00	50.00	0	89.4	80	120				
Methylene chloride	22.5	2.00	20.00	0	113	80	120				
trans-1,2-Dichloroethene	23.5	0.500	20.00	0	117	80	120				
Methyl tert-butyl ether (MTBE)	21.9	0.500	20.00	0	110	80	120				
1,1-Dichloroethane	23.0	0.500	20.00	0	115	80	120				
cis-1,2-Dichloroethene	23.1	0.500	20.00	0	115	80	120				
2-Butanone (MEK)	47.2	5.00	50.00	0	94.4	80	120				
Chloroform	22.6	0.500	20.00	0	113	80	120				
1,1,1-Trichloroethane (TCA)	23.5	0.500	20.00	0	117	80	120				
1,1-Dichloropropene	24.4	0.500	20.00	0	122	80	120				S
Carbon tetrachloride	24.3	0.500	20.00	0	122	80	120				S
1,2-Dichloroethane (EDC)	22.5	0.200	20.00	0	112	80	120				
Benzene	19.0	0.200	20.00	0	94.8	80	120				
Trichloroethene (TCE)	17.3	0.500	20.00	0	86.4	80	120				
1,2-Dichloropropane	22.7	0.200	20.00	0	114	80	120				
Bromodichloromethane	22.1	0.200	20.00	0	110	80	120				
Dibromomethane	22.5	0.500	20.00	0	113	80	120				
cis-1,3-Dichloropropene	23.7	0.500	20.00	0	119	80	120				
Toluene	19.1	0.500	20.00	0	95.7	80	120				
trans-1,3-Dichloropropylene	23.2	0.500	20.00	0	116	80	120				
Methyl Isobutyl Ketone (MIBK)	56.4	2.50	50.00	0	113	80	120				
1,1,2-Trichloroethane	22.9	0.500	20.00	0	115	80	120				
1,3-Dichloropropane	22.7	0.500	20.00	0	114	80	120				
Tetrachloroethene (PCE)	24.1	0.500	20.00	0	121	80	120				S
Dibromochloromethane	22.8	0.500	20.00	0	114	80	120				
1,2-Dibromoethane (EDB)	22.5	0.500	20.00	0	113	80	120				
2-Hexanone (MBK)	49.1	1.25	50.00	0	98.2	80	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104996B	SampType: CCV	Units: µg/L				Prep Date: 11/25/2025			RunNo: 104996		
Client ID: CCV	Batch ID: 50166	Analysis Date: 11/25/2025							SeqNo: 2190917		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	19.4	0.500	20.00	0	97.0	80	120				
1,1,1,2-Tetrachloroethane	19.4	0.500	20.00	0	97.2	80	120				
Ethylbenzene	19.0	0.500	20.00	0	95.0	80	120				
m,p-Xylene	39.2	1.00	40.00	0	97.9	80	120				
o-Xylene	19.4	0.500	20.00	0	96.9	80	120				
Styrene	19.3	0.500	20.00	0	96.5	80	120				
Isopropylbenzene	19.7	0.500	20.00	0	98.5	80	120				
Bromoform	17.7	0.500	20.00	0	88.3	80	120				
1,1,2,2-Tetrachloroethane	23.0	0.200	20.00	0	115	80	120				
n-Propylbenzene	19.8	0.500	20.00	0	98.9	80	120				
Bromobenzene	19.1	0.200	20.00	0	95.7	80	120				
1,3,5-Trimethylbenzene	19.7	0.500	20.00	0	98.7	80	120				
2-Chlorotoluene	19.6	0.500	20.00	0	98.1	80	120				
4-Chlorotoluene	19.3	0.500	20.00	0	96.6	80	120				
tert-Butylbenzene	20.1	0.500	20.00	0	101	80	120				
1,2,3-Trichloropropane	18.8	0.500	20.00	0	94.1	80	120				
1,2,4-Trichlorobenzene	19.2	0.750	20.00	0	95.9	80	120				
sec-Butylbenzene	20.5	0.500	20.00	0	103	80	120				
4-Isopropyltoluene	20.1	0.500	20.00	0	100	80	120				
1,3-Dichlorobenzene	18.8	0.500	20.00	0	93.9	80	120				
1,4-Dichlorobenzene	18.8	0.500	20.00	0	93.8	80	120				
n-Butylbenzene	20.0	0.500	20.00	0	99.8	80	120				
1,2-Dichlorobenzene	18.9	0.500	20.00	0	94.5	80	120				
1,2-Dibromo-3-chloropropane	17.3	1.00	20.00	0	86.5	80	120				
1,2,4-Trimethylbenzene	19.8	0.500	20.00	0	98.9	80	120				
Hexachloro-1,3-butadiene	20.9	1.00	20.00	0	104	80	120				
Naphthalene	18.8	1.25	20.00	0	94.0	80	120				
1,2,3-Trichlorobenzene	17.9	1.00	20.00	0	89.5	80	120				
Surr: Dibromofluoromethane	28.5		25.00		114	80	120				
Surr: Toluene-d8	28.5		25.00		114	80	120				
Surr: 1-Bromo-4-fluorobenzene	25.0		25.00		100	80	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104996B		SampType: CCV			Units: µg/L		Prep Date: 11/25/2025			RunNo: 104996		
Client ID: CCV		Batch ID: 50166			Analysis Date: 11/25/2025			SeqNo: 2190917				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

NOTES:

S - Outlying spike recovery observed (high bias).

Sample ID: 2511527-007AMS	SampType: MS			Units: µg/L	Prep Date: 11/25/2025			RunNo: 104996			
Client ID: BATCH	Batch ID: 50166			Analysis Date: 11/26/2025				SeqNo: 2190923			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	37.2	1.00	20.00	0	186	61	156				S
Chloromethane	24.9	1.00	20.00	0	124	58.6	153				
Vinyl chloride	29.8	0.200	20.00	0	149	70.9	160				
Bromomethane	19.5	2.00	20.00	0	97.5	57	155				
Trichlorofluoromethane (CFC-11)	25.0	0.500	20.00	0	125	80	159				S
Chloroethane	41.6	1.00	20.00	0	208	71.3	145				
1,1-Dichloroethene	29.9	0.500	20.00	0	149	80	160				
Acetone	40.6	5.00	50.00	0	81.2	12.9	126				
Methylene chloride	24.1	2.00	20.00	0	120	77.6	131				
trans-1,2-Dichloroethene	26.4	0.500	20.00	0	132	80	134				
Methyl tert-butyl ether (MTBE)	23.7	0.500	20.00	0	118	80	127				
1,1-Dichloroethane	24.9	0.500	20.00	0	125	80	129				
cis-1,2-Dichloroethene	24.9	0.500	20.00	0	125	78.2	137				
2-Butanone (MEK)	46.7	5.00	50.00	0	93.4	32.5	130				
Chloroform	24.4	0.500	20.00	0	122	78.3	136				
1,1,1-Trichloroethane (TCA)	27.4	0.500	20.00	0	137	80	153				
1,1-Dichloropropene	28.6	0.500	20.00	0	143	80	153				
Carbon tetrachloride	31.1	0.500	20.00	0	156	80	156				
1,2-Dichloroethane (EDC)	23.6	0.200	20.00	0	118	77	133				
Benzene	20.6	0.200	20.00	0	103	80	134				
Trichloroethene (TCE)	19.1	0.500	20.00	0	95.3	80	133				
1,2-Dichloropropane	24.2	0.200	20.00	0	121	80	125				
Bromodichloromethane	24.3	0.200	20.00	0	121	80	124				
Dibromomethane	24.0	0.500	20.00	0	120	80	122				
cis-1,3-Dichloropropene	24.9	0.500	20.00	0	125	80	128				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511527-007AMS	SampType: MS	Units: µg/L			Prep Date: 11/25/2025			RunNo: 104996			
Client ID: BATCH	Batch ID: 50166	Analysis Date: 11/26/2025						SeqNo: 2190923			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Toluene	20.6	0.500	20.00	0	103	80	134				
trans-1,3-Dichloropropylene	24.1	0.500	20.00	0	121	78.6	136				
Methyl Isobutyl Ketone (MIBK)	58.7	2.50	50.00	0	117	61.1	145				
1,1,2-Trichloroethane	24.3	0.500	20.00	0	121	79.4	135				
1,3-Dichloropropane	23.9	0.500	20.00	0	119	80	126				
Tetrachloroethene (PCE)	27.5	0.500	20.00	0	137	80	153				
Dibromochloromethane	25.4	0.500	20.00	0	127	77.7	137				
1,2-Dibromoethane (EDB)	23.9	0.500	20.00	0	119	77.8	132				
2-Hexanone (MBK)	50.2	1.25	50.00	0	100	34.7	135				
Chlorobenzene	20.6	0.500	20.00	0	103	80	123				
1,1,1,2-Tetrachloroethane	20.9	0.500	20.00	0	105	80	125				
Ethylbenzene	20.5	0.500	20.00	0	102	80	125				
m,p-Xylene	41.7	1.00	40.00	0	104	80	124				
o-Xylene	20.5	0.500	20.00	0	102	80	122				
Styrene	20.5	0.500	20.00	0	102	80	122				
Isopropylbenzene	23.3	0.500	20.00	1.829	107	80	133				
Bromoform	20.3	0.500	20.00	0	102	80	125				
1,1,2,2-Tetrachloroethane	24.1	0.200	20.00	0	121	76.3	138				
n-Propylbenzene	21.7	0.500	20.00	0.3034	107	80	134				
Bromobenzene	19.9	0.200	20.00	0	99.7	80	121				
1,3,5-Trimethylbenzene	20.6	0.500	20.00	0	103	80	126				
2-Chlorotoluene	20.6	0.500	20.00	0	103	80	124				
4-Chlorotoluene	19.9	0.500	20.00	0	99.6	80	123				
tert-Butylbenzene	22.0	0.500	20.00	0	110	80	131				
1,2,3-Trichloropropane	19.2	0.500	20.00	0	96.2	75.3	125				
1,2,4-Trichlorobenzene	19.3	0.750	20.00	0	96.7	71.2	129				
sec-Butylbenzene	23.0	0.500	20.00	0.3393	113	80	137				
4-Isopropyltoluene	21.6	0.500	20.00	0	108	80	132				
1,3-Dichlorobenzene	19.3	0.500	20.00	0	96.6	80	120				
1,4-Dichlorobenzene	19.3	0.500	20.00	0	96.3	80	122				
n-Butylbenzene	21.8	0.500	20.00	0	109	79.5	138				
1,2-Dichlorobenzene	19.3	0.500	20.00	0	96.3	79	120				

Work Order: 2511473
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511527-007AMS		SampType: MS			Units: µg/L		Prep Date: 11/25/2025			RunNo: 104996		
Client ID: BATCH		Batch ID: 50166			Analysis Date: 11/26/2025			SeqNo: 2190923				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dibromo-3-chloropropane	19.5	1.00	20.00	0	97.7	69.6	137				
1,2,4-Trimethylbenzene	20.4	0.500	20.00	0	102	80	123				
Hexachloro-1,3-butadiene	21.3	1.00	20.00	0.3475	105	74.3	148				
Naphthalene	20.8	1.25	20.00	0	104	74.3	124				
1,2,3-Trichlorobenzene	17.9	1.00	20.00	0	89.5	71.9	129				
Surr: Dibromofluoromethane	29.3		25.00		117	79.9	122				
Surr: Toluene-d8	28.5		25.00		114	80	121				
Surr: 1-Bromo-4-fluorobenzene	25.1		25.00		101	79.7	120				

NOTES:

S - Outlying spike recoveries were associated with this sample.

Client Name: AC

Work Order Number: 2511473

Logged by: Morgan Laughlin

Date Received: 11/18/2025 3:30:00 PM

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes ☐ No ☐ Not Present ☒
4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all items received at a temperature of >2°C to 6°C * Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. Is there headspace in the VOA vials? Yes ☐ No ☒ NA ☐
11. Did all samples containers arrive in good condition(unbroken)? Yes ☒ No ☐
12. Does paperwork match bottle labels? Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all hold times (except field parameters, pH e.g.) able to be met? Yes ☒ No ☐

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:		Date:	
By Whom:		Via:	☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:			
Client Instructions:			

17. Additional remarks:

Item Information

Item #	Temp °C
Sample	0.4

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11-18-25 Page: 1 of 2

Project Name: 700 Dexter

Project No: AS240461

Collected by: M. Elliott, E. Rusea, J. Ravile

Location: 700 Dexter

Report To (pm): Hannu Levanen + LeKane

Laboratory Project No (Internal): 2511473

Special Remarks:
Please invoice thru LeKane
WB-AS240461-8485

Sheet held on Nitrate!

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Client: Geosyntec Consultants
Address: 8015th Ave, Suite 2200
City, State, Zip: Seattle, WA 98104
Telephone: 206-780-7724

Email: Hannu.Levanen@Geosyntec.com LeKane@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCs (EPA 8260 / 624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HID)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - SW)	PCBs (EPA 8062 / 608)	Metals** (EPA 6010 / 200.9)	Total (T) Dissolved (D)	EDR (2011)	Dissolved Gases (EPA 8211)	Alkalinity (EPA 8211)	TDC (EPA 8211)	Comments	
1 MW-12-251118	11-18	1120	GW	3	X														
2 FMW-141-251118	11-18	0945	GW	9	X														
3 FMW-140-251118	11-18	1245	GW	9	X														
4 MW-164-251118	11-18	1340	GW	9	X														
5 MW-180-251118	11-18	1140	GW	9	X														
6 MW-177-251118	11-18	1106	GW	9	X														
7 MW-179-251118	11-18	1001	GW	9	X														
8 MW-330-251118	11-18	1411	GW	3	X														
9 MW-334-251118	11-18	1225	GW	3	X														
10 MW-324-251118	11-18	1121	GW	9	X														

Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, F = Product, S = Soil, SW = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

Metals (Circle): MTCA-5 PCB-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu **Pb** Hg K Mg **Mn** Mo Na Ni Pb Sb Se Sr Sn Tl Ti V Zn

Anions (Circle): Nitrate Nitrite **Chloride** Sulfate Bromide O-Phosphate Fluoride Nitrate-Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished (Signature)
Emily Pusen
Print Name
Emily Pusen
Date/Time
11/18/25 15:30

Received (Signature)
Don Zalkow
Print Name
Don Zalkow
Date/Time
11/18/25 1530

Relinquished (Signature)
Emily Pusen
Print Name
Emily Pusen
Date/Time
11/18/25 15:30

Received (Signature)
Don Zalkow
Print Name
Don Zalkow
Date/Time
11/18/25 1530

☒ Standard ☐ Next Day

☐ 3 Day ☐ Same Day

☐ 2 Day (specify) _____

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Fe Hg K Mg Mn Mo Ni Pb Sn Se Sr Ti Tl V Zn

***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide D-Phosphate Fluoride Nitrate-Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Client Signature: <i>E. Rusea</i>	Print Name: E. Rusea	Date/Time: 11/18/25 15:30
Client Signature: <i>M. Elliott</i>	Print Name: M. Elliott	Date/Time: 11/18/25 15:30
Client Signature: <i>J. Ravile</i>	Print Name: J. Ravile	Date/Time: 11/18/25 15:30



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 11-18-25 Page: 2 of 2

Laboratory Project No (internal): 2511473

Client: Geosyntec Consultants

Project Name: 700 Dexter

Special Remarks:
Please invoice thru Leanne
108-45 240461- 8495
Short hold on Nitrate!

Address: 801 5th Ave, Suite 2200

Collected by: M Elliott, E. Rusan, J. Pavle

City, State, Zip: Seattle, WA 98104

Location: 700 Dexter

Telephone: 206-790-7724

Report to (PM): Hannah Levent Leanne

Email: Hannah.levent@geosyntec.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)	# of Cont.	YOC (EPA 8260/824)	BTX	Gasoline Range Organics (GRO)	Hydrocarbon Identification (HCOI)	SVOCs (EPA 8270/825)	PAHs (EPA 8270-SIM)	PCBs (EPA 8082/608)	Metals** (EPA 8210/200.9)	Total (D) Dissolved (D)	Anions (VOC**)	ED (8011)	Dissolved Gases (EPA 8015)	Alkalinity (EPA 8015)	TDS (9060 A)
-------------	-------------	-------------	----------------------	------------	--------------------	-----	-------------------------------	-----------------------------------	----------------------	---------------------	---------------------	---------------------------	-------------------------	----------------	-----------	----------------------------	-----------------------	--------------

1 MW 108-251118	11-18	0953	EW	9	X							X	X	X	X			
2 EQ-251118	11-18	1430	W	3	X							X	X	X	X			

3																		
4																		
5																		
6																		
7																		
8																		
9																		
10																		

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 PCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Fe Hg K Mg Mn Mo Ni Pb Sb Se Si Sn Ti V Zn

***Anions (Circle): Nitrate Chloride Sulfate Bromide C-Phosphate Fluoride Nitrate-Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished (Signature) Print Name Date/Time Received (Signature) Print Name Date/Time

Relinquished (Signature) Print Name Date/Time Received (Signature) Print Name Date/Time



Analytical Resources, LLC
Analytical Chemists and Consultants
Tukwila, WA

05 December 2025

Brianna Barnes
Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle, WA 98103

RE: TOC (2511473)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)

25K0410

Associated SDG ID(s)

N/A

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.


Phillip Bates, Project Manager



25K0410

SUB CONTRATOR: ARI	COMPANY: Analytical Resources Inc.	SPECIAL INSTRUCTIONS / COMMENTS: Standard TAT. Please email results to SEA.PM@alliancetg.com and invoices to both SEA.PM@alliancetg.com and ap@alliancetg.com.
ADDRESS: 4611 South 134th Place, Suite 100		
CITY, STATE, ZIP: Tukwila, WA 98168		
PHONE: (206) 695-6200	FAX: EMAIL:	
ACCOUNT #:		

ITEM #	SAMPLE ID	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS	COMMENTS: Methanol Preserved Weights HOT Sample Notation, Additional Sample Description.
1	2511473-002C	FMW-141-251118	AMBER 250ML	Groundwater	11/18/2025 9:45:00 AM	1	TOC 9060
	C-TOC-W-9060						
2	2511473-003C	FMW-140-251118	AMBER 250ML	Groundwater	11/18/2025 12:45:00 PM	1	TOC 9060
	C-TOC-W-9060						
3	2511473-004C	MW-169-251118	AMBER 250ML	Groundwater	11/18/2025 1:40:00 PM	1	TOC 9060
	C-TOC-W-9060						
4	2511473-005C	MW-180-251118	AMBER 250ML	Groundwater	11/18/2025 11:40:00 AM	1	TOC 9060
	C-TOC-W-9060						
5	2511473-006C	MW-177-251118	AMBER 250ML	Groundwater	11/18/2025 11:06:00 AM	1	TOC 9060
	C-TOC-W-9060						
6	2511473-007C	MW-179-251118	AMBER 250ML	Groundwater	11/18/2025 10:01:00 AM	1	TOC 9060
	C-TOC-W-9060						
7	2511473-010C	MW-324-251118	AMBER 250ML	Groundwater	11/18/2025 11:21:00 AM	1	TOC 9060
	C-TOC-W-9060						
8	2511473-011C	MW108-251118	AMBER 250ML	Groundwater	11/18/2025 9:53:00 AM	1	TOC 9060
	C-TOC-W-9060						

Relinquished By: 	Date: 11/19/25	Time: 9:25	Received By: 	Date: 11/19/25	Time: 12:43	REPORT TRANSMITTAL DESIRED: ☐ HARDCOPY (extra cost) ☐ FAX ☐ EMAIL ☐ ONLINE FOR LAB USE ONLY Temp of samples _____ °C Attempt to Cool ? _____ Comments: _____
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	

TAT: Standard ☐ RUSH Next BD ☐ 2nd BD ☐ 3rd BD ☐

Note: RUSH requests will incur surcharges!



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511473
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:21

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
FMW-141-251118	25K0410-01	Water	18-Nov-2025 09:45	19-Nov-2025 12:43
FMW-140-251118	25K0410-02	Water	18-Nov-2025 12:45	19-Nov-2025 12:43
MW-169-251118	25K0410-03	Water	18-Nov-2025 13:40	19-Nov-2025 12:43
MW-180-251118	25K0410-04	Water	18-Nov-2025 11:40	19-Nov-2025 12:43
MW-177-251118	25K0410-05	Water	18-Nov-2025 11:06	19-Nov-2025 12:43
MW-179-251118	25K0410-06	Water	18-Nov-2025 10:01	19-Nov-2025 12:43
MW-324-251118	25K0410-07	Water	18-Nov-2025 11:21	19-Nov-2025 12:43
MW108-251118	25K0410-08	Water	18-Nov-2025 09:53	19-Nov-2025 12:43



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511473
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:21

Work Order Case Narrative

Client: Alliance Technical Group, LLC.

Project: TOC

Project Number: 2511473

Work Order: 25K0410

Sample receipt

The sample(s) as listed on the preceding page were received 19-Nov-2025 12:43 under ARI work order 25K0410. For details regarding sample receipt, please refer to the Cooler Receipt Form.

Wet Chemistry

The sample(s) were prepared and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.

The matrix spike (MS) percent recoveries and the duplicate (DUP) relative percent difference (RPD) were within advisory control limits.



WORK ORDER

25K0410

Client: Alliance Technical Group, LLC.

Project Manager: Phillip Bates

Project: TOC

Project Number: [none]

Preservation Confirmation

Container ID	Container Type	pH	pH Paper Lot#: <u>N600119</u>
25K0410-01 A	Glass NM, Amber, 250 mL, 9N H ₂ SO ₄	<u>12 p</u>	
25K0410-02 A	Glass NM, Amber, 250 mL, 9N H ₂ SO ₄		
25K0410-03 A	Glass NM, Amber, 250 mL, 9N H ₂ SO ₄		
25K0410-04 A	Glass NM, Amber, 250 mL, 9N H ₂ SO ₄		
25K0410-05 A	Glass NM, Amber, 250 mL, 9N H ₂ SO ₄		
25K0410-06 A	Glass NM, Amber, 250 mL, 9N H ₂ SO ₄		
25K0410-07 A	Glass NM, Amber, 250 mL, 9N H ₂ SO ₄		
25K0410-08 A	Glass NM, Amber, 250 mL, 9N H ₂ SO ₄	<u>> 2 p fail *</u>	

SS
Preservation Confirmed By

11-19-25
Date

* 1 mL of H₂SO₄ added on 11/19/25 @ 15:36

SS



Cooler Receipt Form

ARI Client: Alliance

Project Name: TOC

COC No(s): NA

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: 25K0410

Tracking No: _____ NA

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler? _____

YES

NO

Were custody papers included with the cooler? _____

YES

NO

Were custody papers properly filled out (ink, signed, etc.) _____

YES

NO

Temperature of Cooler(s) (°C) Time 1243 6:8

Temp Gun ID#: 817

Was a temperature blank included in the cooler? _____

YES

NO

Were coolers received between 0°- 6° (°C) _____

YES

NO

Was sufficient ice used (if appropriate)? _____

NA

YES

NO

Cooler Accepted by: NDT Date: 11/19/25 Time: 1243

Complete custody forms and attach all shipping documents

Log-In Phase:

What kind of packing material was used? Bubble Wrap Wet Ice Gel Packs Baggies Foam Block N/A Other: _____

Are any samples that were out of temperature compliance documented in LIMS? _____

YES

NO

How were bottles sealed in plastic bags? _____

Individually

Grouped

Not

Did all bottles arrive in good condition (unbroken)? _____

YES

NO

Were all bottle labels complete and legible? _____

YES

NO

Did the number of containers listed on COC match with the number of containers received? _____

YES

NO

Did all bottle labels and tags agree with custody papers? _____

YES

NO

Were all bottles used correct for the requested analyses? _____

YES

NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ...

NA

YES

NO

Were all VOC vials free of air bubbles? _____

NA

YES

NO

Was sufficient amount of sample sent in each bottle? _____

YES

NO

Date VOC Trip Blank was made at ARI: _____

NA

Were the sample(s) split by ARI? NA YES

Date/Time: _____

Equipment: _____

Split by: _____

Samples Logged by: SS Date: 11-19-25 Time: 15:27 Labels checked by: SA

**** Notify Project Manager of discrepancies or concerns ****

Additional Notes, Discrepancies, & Resolutions:

By: _____

Date: _____



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511473
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:21

FMW-141-251118
25K0410-01 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/18/2025 09:45

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 13:48

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0410-01 A

Preparation Batch: BNL0032

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	10.45	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511473
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:21

FMW-140-251118
25K0410-02 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/18/2025 12:45

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 14:46

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0410-02 A

Preparation Batch: BNL0032

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	21.59	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511473
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:21

MW-169-251118
25K0410-03 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/18/2025 13:40

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 15:05

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0410-03 A

Preparation Batch: BNL0032

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	43.37	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511473
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:21

MW-180-251118
25K0410-04 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/18/2025 11:40

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 15:27

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0410-04 A

Preparation Batch: BNL0032

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	123.9	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511473
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:21

MW-177-251118
25K0410-05 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/18/2025 11:06

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 15:52

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0410-05 A

Preparation Batch: BNL0032

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	30.61	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511473
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:21

MW-179-251118
25K0410-06 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/18/2025 10:01

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 16:49

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0410-06 A

Preparation Batch: BNL0032

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	98.83	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511473
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:21

MW-324-251118
25K0410-07 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/18/2025 11:21

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 17:07

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0410-07 A

Preparation Batch: BNL0032

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	19.98	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511473
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:21

MW108-251118
25K0410-08 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/18/2025 09:53

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 17:26

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0410-08 A

Preparation Batch: BNL0032

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	37.42	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511473
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:21

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BNL0032 - EPA 9060A in Water

Instrument: TOC-LCSH Analyst: RMS

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BNL0032-BLK1)					Prepared: 01-Dec-2025 Analyzed: 03-Dec-2025 13:12						
Total Organic Carbon	ND	0.50	0.50	mg/L							U
LCS (BNL0032-BS1)					Prepared: 01-Dec-2025 Analyzed: 03-Dec-2025 13:30						
Total Organic Carbon	20.11	0.50	0.50	mg/L	20.00		101	90-110			
Duplicate (BNL0032-DUP1)					Source: 25K0410-01 Prepared: 01-Dec-2025 Analyzed: 03-Dec-2025 14:06						
Total Organic Carbon	10.47	0.50	0.50	mg/L		10.45			0.19	20	
Matrix Spike (BNL0032-MS1)					Source: 25K0410-01 Prepared: 01-Dec-2025 Analyzed: 03-Dec-2025 14:24						
Total Organic Carbon	30.70	0.50	0.50	mg/L	20.00	10.45	101	75-125			

Recovery limits for target analytes in MS/MSD QC samples are advisory only.



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511473
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:21

Uncertified Analytes included in this Report

Analysis Matrix & Analyte

None

Certified Analyses included in this Report

Analysis Matrix & Analyte

Certification Codes

EPA 9060A in Water

Total Organic Carbon

DoD-ELAP,WADOE,NELAP

Certifications

Code	Description	Number	Expires
DoD-ELAP	DoD-Environmental Laboratory Accreditation Program, PJLA Testing	66169	01/31/2026
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-018	05/12/2026
WADOE	WA Dept of Ecology	C558	06/30/2026



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511473
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 10:21

Notes and Definitions

U	This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
[2C]	Indicates this result was quantified on the second column on a dual column analysis.
!	Indicates that ARL is NOT ACCREDITED for this parameter in samples logged as 'Drinking Water'
#	Indicates that ARL is NOT ACCREDITED for this parameter in this analysis and matrix.

Geosyntec Consultants

Hannah Cohen

801 5th Ave Suite 2200

Seattle, WA 98104

RE: 700 Dexter, WO-AS240461-8485

Work Order Number: 2511490

December 05, 2025

Attention Hannah Cohen:

Alliance Technical Group, LLC - Seattle received 5 sample(s) on 11/19/2025 for the analyses presented in the following report.

Dissolved Gases by RSK-175

Ion Chromatography by EPA 300.0

Total Alkalinity by EPA 310.2

Total Metals by EPA 6020B

Total Organic Carbon by EPA Method 9060

Volatile Organic Compounds by EPA 8260D

All analyses were performed according to our accredited Quality Assurance program. Please contact the laboratory if you should have any questions about the results.

Alliance Technical Group is committed to accuracy, speed, and customer service. Thank you for choosing Alliance Technical Group's Seattle laboratory team for your analytical needs. We appreciate this opportunity to serve you!

Sincerely,



Brianna Barnes
Project Manager

CC:

Lea Kane

DoD-ELAP Accreditation #79636 by PJLA, ISO/IEC 17025:2017 and QSM 5.4 for Environmental Testing
ORELAP Certification: WA 100009 (NELAP Recognized) for Environmental Testing
Washington State Department of Ecology Accredited for Environmental Testing, Lab ID C910

Revision v1



CLIENT: Geosyntec Consultants
Project: 700 Dexter
Work Order: 2511490

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
2511490-001	MW-170-251119	11/19/2025 11:06 AM	11/19/2025 12:38 PM
2511490-002	MW-171-251119	11/19/2025 10:10 AM	11/19/2025 12:38 PM
2511490-003	MW-172-251119	11/19/2025 9:21 AM	11/19/2025 12:38 PM
2511490-004	MW-189-251119	11/19/2025 10:42 AM	11/19/2025 12:38 PM
2511490-005	MW-301-251119	11/19/2025 9:55 AM	11/19/2025 12:38 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

CLIENT: Geosyntec Consultants

Project: 700 Dexter

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

Matrix Spike (MS) and MS Duplicate (MSD) samples are tested from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. The sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

2511490-001C-004C

C-TOC-W-9060 has been Sub Contracted.

1/12/2026: Rev1 includes additional continued calibration samples for EPA 300.0 per client request.

Qualifiers:

- * - Associated LCS is outside of control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Method Detection Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- DUP - Sample Duplicate
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MCL - Maximum Contaminant Level
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- REP - Sample Replicate
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate

Analytical Report

Work Order: 2511490
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/19/2025 11:06:00 AM

Project: 700 Dexter

Lab ID: 2511490-001

Matrix: Groundwater

Client Sample ID: MW-170-251119

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10498		Analyst: BCA	
Methane	7.08	0.500	0.450	D	mg/L	100	11/25/25 13:21:00
Ethene	0.540	0.0100	0.00610		mg/L	1	11/25/25 12:45:00
Ethane	0.0980	0.0100	0.00754		mg/L	1	11/25/25 12:45:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50121		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/21/25 16:04:19
Chloromethane	ND	1.00	0.218		µg/L	1	11/21/25 16:04:19
Vinyl chloride	16,700	200	45.5	D	µg/L	1000	11/24/25 18:41:27
Bromomethane	ND	2.00	0.386		µg/L	1	11/21/25 16:04:19
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/21/25 16:04:19
Chloroethane	ND	1.00	0.334		µg/L	1	11/21/25 16:04:19
1,1-Dichloroethene	97.0	25.0	6.10	D	µg/L	50	11/24/25 22:03:52
Acetone	ND	5.00	2.55		µg/L	1	11/21/25 16:04:19
Methylene chloride	ND	2.00	0.649		µg/L	1	11/21/25 16:04:19
trans-1,2-Dichloroethene	420	25.0	5.74	D	µg/L	50	11/24/25 22:03:52
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/21/25 16:04:19
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/21/25 16:04:19
cis-1,2-Dichloroethene	26,500	500	164	D	µg/L	1000	11/24/25 18:41:27
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/21/25 16:04:19
Chloroform	ND	0.500	0.0865		µg/L	1	11/21/25 16:04:19
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/21/25 16:04:19
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/21/25 16:04:19
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/21/25 16:04:19
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/21/25 16:04:19
Benzene	0.373	0.200	0.0540		µg/L	1	11/21/25 16:04:19
Trichloroethene (TCE)	28.1	0.500	0.135		µg/L	1	11/21/25 16:04:19
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/21/25 16:04:19
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/21/25 16:04:19
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/21/25 16:04:19
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/21/25 16:04:19
Toluene	0.422	0.500	0.129	J	µg/L	1	11/21/25 16:04:19
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/21/25 16:04:19



Analytical Report

Work Order: 2511490
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/19/2025 11:06:00 AM

Project: 700 Dexter

Lab ID: 2511490-001

Matrix: Groundwater

Client Sample ID: MW-170-251119

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50121		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/21/25 16:04:19
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/21/25 16:04:19
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/21/25 16:04:19
Tetrachloroethene (PCE)	5.90	0.500	0.102		µg/L	1	11/21/25 16:04:19
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/21/25 16:04:19
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/21/25 16:04:19
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/21/25 16:04:19
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/21/25 16:04:19
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/21/25 16:04:19
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/21/25 16:04:19
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/21/25 16:04:19
o-Xylene	ND	0.500	0.144		µg/L	1	11/21/25 16:04:19
Styrene	ND	0.500	0.115		µg/L	1	11/21/25 16:04:19
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/21/25 16:04:19
Bromoform	ND	0.500	0.0986		µg/L	1	11/21/25 16:04:19
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/21/25 16:04:19
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/21/25 16:04:19
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/21/25 16:04:19
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/21/25 16:04:19
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/21/25 16:04:19
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/21/25 16:04:19
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/21/25 16:04:19
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/21/25 16:04:19
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/21/25 16:04:19
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/21/25 16:04:19
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/21/25 16:04:19
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/21/25 16:04:19
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/21/25 16:04:19
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/21/25 16:04:19
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/21/25 16:04:19
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/21/25 16:04:19



Analytical Report

Work Order: 2511490
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/19/2025 11:06:00 AM

Project: 700 Dexter

Lab ID: 2511490-001

Matrix: Groundwater

Client Sample ID: MW-170-251119

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50121		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/21/25 16:04:19
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/21/25 16:04:19
Naphthalene	ND	1.25	0.405		µg/L	1	11/21/25 16:04:19
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/21/25 16:04:19
Surr: Dibromofluoromethane	99.9	79.9 - 122		D	%Rec	50	11/24/25 22:03:52
Surr: Dibromofluoromethane	99.9	79.9 - 122		D	%Rec	1000	11/24/25 18:41:27
Surr: Dibromofluoromethane	99.7	79.9 - 122			%Rec	1	11/21/25 16:04:19
Surr: Toluene-d8	91.0	80 - 121		D	%Rec	1000	11/24/25 18:41:27
Surr: Toluene-d8	91.8	80 - 121		D	%Rec	50	11/24/25 22:03:52
Surr: Toluene-d8	101	80 - 121			%Rec	1	11/21/25 16:04:19
Surr: 1-Bromo-4-fluorobenzene	93.0	79.7 - 120			%Rec	1	11/21/25 16:04:19
Surr: 1-Bromo-4-fluorobenzene	91.5	79.7 - 120		D	%Rec	1000	11/24/25 18:41:27
Surr: 1-Bromo-4-fluorobenzene	92.4	79.7 - 120		D	%Rec	50	11/24/25 22:03:52
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50091		Analyst: BB	
Chloride	223	60.0	6.09	D	mg/L	100	11/20/25 11:49:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/19/25 22:05:00
Sulfate	9.77	1.00	0.286		mg/L	1	11/19/25 22:05:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50105		Analyst: ME	
Iron	3,280	50.0	10.1		µg/L	1	11/21/25 17:26:00
Manganese	1,790	0.500	0.208		µg/L	1	11/21/25 17:26:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10500		Analyst: NR	
Alkalinity, Total (As CaCO3)	734	400	200	D	mg/L	40	11/25/25 17:43:00



Analytical Report

Work Order: 2511490
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/19/2025 10:10:00 AM

Project: 700 Dexter

Lab ID: 2511490-002

Matrix: Groundwater

Client Sample ID: MW-171-251119

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10498		Analyst: BCA	
Methane	5.88	0.250	0.225	D	mg/L	50	11/25/25 13:23:00
Ethene	0.257	0.0100	0.00610		mg/L	1	11/25/25 12:49:00
Ethane	0.0165	0.0100	0.00754		mg/L	1	11/25/25 12:49:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50121		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/21/25 16:29:35
Chloromethane	ND	1.00	0.218		µg/L	1	11/21/25 16:29:35
Vinyl chloride	6,610	200	45.5	D	µg/L	1000	11/24/25 16:34:56
Bromomethane	ND	2.00	0.386		µg/L	1	11/21/25 16:29:35
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/21/25 16:29:35
Chloroethane	ND	1.00	0.334		µg/L	1	11/21/25 16:29:35
1,1-Dichloroethene	232	25.0	6.10	D	µg/L	50	11/24/25 21:38:34
Acetone	ND	5.00	2.55		µg/L	1	11/21/25 16:29:35
Methylene chloride	ND	2.00	0.649		µg/L	1	11/21/25 16:29:35
trans-1,2-Dichloroethene	123	25.0	5.74	D	µg/L	50	11/24/25 21:38:34
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/21/25 16:29:35
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/21/25 16:29:35
cis-1,2-Dichloroethene	29,400	500	164	D	µg/L	1000	11/24/25 16:34:56
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/21/25 16:29:35
Chloroform	ND	0.500	0.0865		µg/L	1	11/21/25 16:29:35
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/21/25 16:29:35
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/21/25 16:29:35
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/21/25 16:29:35
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/21/25 16:29:35
Benzene	0.325	0.200	0.0540		µg/L	1	11/21/25 16:29:35
Trichloroethene (TCE)	1,650	25.0	6.74	D	µg/L	50	11/24/25 21:38:34
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/21/25 16:29:35
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/21/25 16:29:35
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/21/25 16:29:35
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/21/25 16:29:35
Toluene	1.43	0.500	0.129		µg/L	1	11/21/25 16:29:35
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/21/25 16:29:35

Client: Geosyntec Consultants

Collection Date: 11/19/2025 10:10:00 AM

Project: 700 Dexter

Lab ID: 2511490-002

Matrix: Groundwater

Client Sample ID: MW-171-251119

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50121		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/21/25 16:29:35
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/21/25 16:29:35
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/21/25 16:29:35
Tetrachloroethene (PCE)	399	25.0	5.08	D	µg/L	50	11/24/25 21:38:34
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/21/25 16:29:35
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/21/25 16:29:35
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/21/25 16:29:35
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/21/25 16:29:35
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/21/25 16:29:35
Ethylbenzene	0.177	0.500	0.125	J	µg/L	1	11/21/25 16:29:35
m,p-Xylene	0.587	1.00	0.289	J	µg/L	1	11/21/25 16:29:35
o-Xylene	0.469	0.500	0.144	J	µg/L	1	11/21/25 16:29:35
Styrene	ND	0.500	0.115		µg/L	1	11/21/25 16:29:35
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/21/25 16:29:35
Bromoform	ND	0.500	0.0986		µg/L	1	11/21/25 16:29:35
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/21/25 16:29:35
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/21/25 16:29:35
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/21/25 16:29:35
1,3,5-Trimethylbenzene	0.143	0.500	0.102	J	µg/L	1	11/21/25 16:29:35
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/21/25 16:29:35
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/21/25 16:29:35
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/21/25 16:29:35
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/21/25 16:29:35
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/21/25 16:29:35
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/21/25 16:29:35
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/21/25 16:29:35
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/21/25 16:29:35
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/21/25 16:29:35
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/21/25 16:29:35
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/21/25 16:29:35
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/21/25 16:29:35



Analytical Report

Work Order: 2511490

Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/19/2025 10:10:00 AM

Project: 700 Dexter

Lab ID: 2511490-002

Matrix: Groundwater

Client Sample ID: MW-171-251119

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50121		Analyst: KJ	
1,2,4-Trimethylbenzene	0.432	0.500	0.138	J	µg/L	1	11/21/25 16:29:35
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/21/25 16:29:35
Naphthalene	ND	1.25	0.405		µg/L	1	11/21/25 16:29:35
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/21/25 16:29:35
Surr: Dibromofluoromethane	98.3	79.9 - 122			%Rec	1	11/21/25 16:29:35
Surr: Dibromofluoromethane	101	79.9 - 122		D	%Rec	1000	11/24/25 16:34:56
Surr: Dibromofluoromethane	99.3	79.9 - 122		D	%Rec	50	11/24/25 21:38:34
Surr: Toluene-d8	93.1	80 - 121		D	%Rec	50	11/24/25 21:38:34
Surr: Toluene-d8	98.2	80 - 121			%Rec	1	11/21/25 16:29:35
Surr: Toluene-d8	91.1	80 - 121		D	%Rec	1000	11/24/25 16:34:56
Surr: 1-Bromo-4-fluorobenzene	91.0	79.7 - 120		D	%Rec	50	11/24/25 21:38:34
Surr: 1-Bromo-4-fluorobenzene	94.5	79.7 - 120			%Rec	1	11/21/25 16:29:35
Surr: 1-Bromo-4-fluorobenzene	91.8	79.7 - 120		D	%Rec	1000	11/24/25 16:34:56
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50091		Analyst: BB	
Chloride	169	60.0	6.09	D	mg/L	100	11/20/25 12:01:00
Nitrate (as N)	ND	0.150	0.0258		mg/L	1	11/19/25 22:43:00
Sulfate	18.4	1.00	0.286		mg/L	1	11/19/25 22:43:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50105		Analyst: ME	
Iron	3,920	50.0	10.1		µg/L	1	11/21/25 17:30:00
Manganese	975	0.500	0.208		µg/L	1	11/21/25 17:30:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10500		Analyst: NR	
Alkalinity, Total (As CaCO3)	439	200	100	D	mg/L	20	11/25/25 17:50:00

Client: Geosyntec Consultants

Collection Date: 11/19/2025 9:21:00 AM

Project: 700 Dexter

Lab ID: 2511490-003

Matrix: Groundwater

Client Sample ID: MW-172-251119

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10498		Analyst: BCA	
Methane	4.43	0.250	0.225	D	mg/L	50	11/25/25 13:28:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/25/25 12:52:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/25/25 12:52:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50121		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/21/25 16:54:53
Chloromethane	ND	1.00	0.218		µg/L	1	11/21/25 16:54:53
Vinyl chloride	21.0	10.0	2.28	D	µg/L	50	11/24/25 19:06:45
Bromomethane	ND	2.00	0.386		µg/L	1	11/21/25 16:54:53
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/21/25 16:54:53
Chloroethane	ND	1.00	0.334		µg/L	1	11/21/25 16:54:53
1,1-Dichloroethene	29.4	25.0	6.10	D	µg/L	50	11/24/25 19:06:45
Acetone	ND	5.00	2.55		µg/L	1	11/21/25 16:54:53
Methylene chloride	ND	2.00	0.649		µg/L	1	11/21/25 16:54:53
trans-1,2-Dichloroethene	16.6	25.0	5.74	DJ	µg/L	50	11/24/25 19:06:45
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/21/25 16:54:53
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/21/25 16:54:53
cis-1,2-Dichloroethene	704	25.0	8.22	D	µg/L	50	11/24/25 19:06:45
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/21/25 16:54:53
Chloroform	ND	0.500	0.0865		µg/L	1	11/21/25 16:54:53
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/21/25 16:54:53
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/21/25 16:54:53
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/21/25 16:54:53
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/21/25 16:54:53
Benzene	ND	0.200	0.0540		µg/L	1	11/21/25 16:54:53
Trichloroethene (TCE)	260	25.0	6.74	D	µg/L	50	11/24/25 19:06:45
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/21/25 16:54:53
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/21/25 16:54:53
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/21/25 16:54:53
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/21/25 16:54:53
Toluene	ND	0.500	0.129		µg/L	1	11/21/25 16:54:53
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/21/25 16:54:53



Analytical Report

Work Order: 2511490
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/19/2025 9:21:00 AM

Project: 700 Dexter

Lab ID: 2511490-003

Matrix: Groundwater

Client Sample ID: MW-172-251119

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50121		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/21/25 16:54:53
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/21/25 16:54:53
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/21/25 16:54:53
Tetrachloroethene (PCE)	10.2	25.0	5.08	DJ	µg/L	50	11/24/25 19:06:45
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/21/25 16:54:53
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/21/25 16:54:53
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/21/25 16:54:53
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/21/25 16:54:53
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/21/25 16:54:53
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/21/25 16:54:53
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/21/25 16:54:53
o-Xylene	ND	0.500	0.144		µg/L	1	11/21/25 16:54:53
Styrene	ND	0.500	0.115		µg/L	1	11/21/25 16:54:53
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/21/25 16:54:53
Bromoform	ND	0.500	0.0986		µg/L	1	11/21/25 16:54:53
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/21/25 16:54:53
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/21/25 16:54:53
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/21/25 16:54:53
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/21/25 16:54:53
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/21/25 16:54:53
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/21/25 16:54:53
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/21/25 16:54:53
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/21/25 16:54:53
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/21/25 16:54:53
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/21/25 16:54:53
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/21/25 16:54:53
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/21/25 16:54:53
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/21/25 16:54:53
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/21/25 16:54:53
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/21/25 16:54:53
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/21/25 16:54:53

Analytical Report

Work Order: 2511490
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/19/2025 9:21:00 AM

Project: 700 Dexter

Lab ID: 2511490-003

Matrix: Groundwater

Client Sample ID: MW-172-251119

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50121		Analyst: KJ	
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/21/25 16:54:53
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/21/25 16:54:53
Naphthalene	ND	1.25	0.405		µg/L	1	11/21/25 16:54:53
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/21/25 16:54:53
Surr: Dibromofluoromethane	104	79.9 - 122			%Rec	1	11/21/25 16:54:53
Surr: Dibromofluoromethane	101	79.9 - 122		D	%Rec	50	11/24/25 19:06:45
Surr: Toluene-d8	92.0	80 - 121		D	%Rec	50	11/24/25 19:06:45
Surr: Toluene-d8	95.7	80 - 121			%Rec	1	11/21/25 16:54:53
Surr: 1-Bromo-4-fluorobenzene	92.2	79.7 - 120			%Rec	1	11/21/25 16:54:53
Surr: 1-Bromo-4-fluorobenzene	92.2	79.7 - 120		D	%Rec	50	11/24/25 19:06:45
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 50091		Analyst: BB	
Chloride	28.0	0.600	0.0609		mg/L	1	11/19/25 22:55:00
Nitrate (as N)	0.0570	0.150	0.0258	J	mg/L	1	11/19/25 22:55:00
Sulfate	21.5	1.00	0.286		mg/L	1	11/19/25 22:55:00
<u>Total Metals by EPA 6020B</u>				Batch ID: 50105		Analyst: ME	
Iron	7,460	50.0	10.1		µg/L	1	11/21/25 17:33:00
Manganese	763	0.500	0.208		µg/L	1	11/21/25 17:33:00
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10500		Analyst: NR	
Alkalinity, Total (As CaCO ₃)	306	100	50.0	D	mg/L	10	11/25/25 16:34:00

Client: Geosyntec Consultants

Collection Date: 11/19/2025 10:42:00 AM

Project: 700 Dexter

Lab ID: 2511490-004

Matrix: Groundwater

Client Sample ID: MW-189-251119

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>				Batch ID: R10498		Analyst: BCA	
Methane	0.471	0.0500	0.0450	D	mg/L	10	11/25/25 13:33:00
Ethene	ND	0.0100	0.00610		mg/L	1	11/25/25 12:55:00
Ethane	ND	0.0100	0.00754		mg/L	1	11/25/25 12:55:00
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50121		Analyst: KJ	
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/21/25 15:39:02
Chloromethane	ND	1.00	0.218		µg/L	1	11/21/25 15:39:02
Vinyl chloride	0.955	0.200	0.0455		µg/L	1	11/21/25 15:39:02
Bromomethane	ND	2.00	0.386		µg/L	1	11/21/25 15:39:02
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/21/25 15:39:02
Chloroethane	ND	1.00	0.334		µg/L	1	11/21/25 15:39:02
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/21/25 15:39:02
Acetone	ND	5.00	2.55		µg/L	1	11/21/25 15:39:02
Methylene chloride	ND	2.00	0.649		µg/L	1	11/21/25 15:39:02
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/21/25 15:39:02
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/21/25 15:39:02
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/21/25 15:39:02
cis-1,2-Dichloroethene	0.650	0.500	0.164		µg/L	1	11/21/25 15:39:02
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/21/25 15:39:02
Chloroform	ND	0.500	0.0865		µg/L	1	11/21/25 15:39:02
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/21/25 15:39:02
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/21/25 15:39:02
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/21/25 15:39:02
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/21/25 15:39:02
Benzene	ND	0.200	0.0540		µg/L	1	11/21/25 15:39:02
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/21/25 15:39:02
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/21/25 15:39:02
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/21/25 15:39:02
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/21/25 15:39:02
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/21/25 15:39:02
Toluene	ND	0.500	0.129		µg/L	1	11/21/25 15:39:02
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/21/25 15:39:02



Analytical Report

Work Order: 2511490
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/19/2025 10:42:00 AM

Project: 700 Dexter

Lab ID: 2511490-004

Matrix: Groundwater

Client Sample ID: MW-189-251119

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50121		Analyst: KJ		
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/21/25 15:39:02
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/21/25 15:39:02
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/21/25 15:39:02
Tetrachloroethene (PCE)	ND	0.500	0.102		µg/L	1	11/21/25 15:39:02
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/21/25 15:39:02
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/21/25 15:39:02
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/21/25 15:39:02
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/21/25 15:39:02
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/21/25 15:39:02
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/21/25 15:39:02
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/21/25 15:39:02
o-Xylene	ND	0.500	0.144		µg/L	1	11/21/25 15:39:02
Styrene	ND	0.500	0.115		µg/L	1	11/21/25 15:39:02
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/21/25 15:39:02
Bromoform	ND	0.500	0.0986		µg/L	1	11/21/25 15:39:02
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/21/25 15:39:02
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/21/25 15:39:02
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/21/25 15:39:02
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/21/25 15:39:02
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/21/25 15:39:02
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/21/25 15:39:02
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/21/25 15:39:02
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/21/25 15:39:02
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/21/25 15:39:02
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/21/25 15:39:02
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/21/25 15:39:02
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/21/25 15:39:02
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/21/25 15:39:02
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/21/25 15:39:02
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/21/25 15:39:02
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/21/25 15:39:02



Analytical Report

Work Order: 2511490
Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/19/2025 10:42:00 AM

Project: 700 Dexter

Lab ID: 2511490-004

Matrix: Groundwater

Client Sample ID: MW-189-251119

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50121		Analyst: KJ		
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/21/25 15:39:02
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/21/25 15:39:02
Naphthalene	ND	1.25	0.405		µg/L	1	11/21/25 15:39:02
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/21/25 15:39:02
Surr: Dibromofluoromethane	110	79.9 - 122			%Rec	1	11/21/25 15:39:02
Surr: Toluene-d8	104	80 - 121			%Rec	1	11/21/25 15:39:02
Surr: 1-Bromo-4-fluorobenzene	90.4	79.7 - 120			%Rec	1	11/21/25 15:39:02
<u>Ion Chromatography by EPA 300.0</u>			Batch ID: 50093		Analyst: BB		
Chloride	22.6	0.600	0.0609		mg/L	1	11/20/25 2:30:00
Nitrate (as N)	0.101	0.150	0.0258	J	mg/L	1	11/20/25 2:30:00
Sulfate	37.5	1.00	0.286		mg/L	1	11/20/25 2:30:00
<u>Total Metals by EPA 6020B</u>			Batch ID: 50105		Analyst: ME		
Iron	577	50.0	10.1		µg/L	1	11/21/25 17:36:00
Manganese	526	0.500	0.208		µg/L	1	11/21/25 17:36:00
<u>Total Alkalinity by EPA 310.2</u>			Batch ID: R10500		Analyst: NR		
Alkalinity, Total (As CaCO ₃)	229	100	50.0	D	mg/L	10	11/25/25 16:35:00



Analytical Report

Work Order: 2511490

Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/19/2025 9:55:00 AM

Project: 700 Dexter

Lab ID: 2511490-005

Matrix: Groundwater

Client Sample ID: MW-301-251119

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50121		Analyst: KJ		
Dichlorodifluoromethane (CFC-12)	ND	1.00	0.177		µg/L	1	11/21/25 17:20:10
Chloromethane	0.465	1.00	0.218	J	µg/L	1	11/21/25 17:20:10
Vinyl chloride	ND	0.200	0.0455		µg/L	1	11/24/25 18:16:08
Bromomethane	ND	2.00	0.386		µg/L	1	11/21/25 17:20:10
Trichlorofluoromethane (CFC-11)	ND	0.500	0.0618		µg/L	1	11/21/25 17:20:10
Chloroethane	ND	1.00	0.334		µg/L	1	11/21/25 17:20:10
1,1-Dichloroethene	ND	0.500	0.122		µg/L	1	11/21/25 17:20:10
Acetone	ND	5.00	2.55		µg/L	1	11/21/25 17:20:10
Methylene chloride	ND	2.00	0.649		µg/L	1	11/21/25 17:20:10
trans-1,2-Dichloroethene	ND	0.500	0.115		µg/L	1	11/24/25 18:16:08
Methyl tert-butyl ether (MTBE)	ND	0.500	0.121		µg/L	1	11/21/25 17:20:10
1,1-Dichloroethane	ND	0.500	0.141		µg/L	1	11/21/25 17:20:10
cis-1,2-Dichloroethene	ND	0.500	0.164		µg/L	1	11/24/25 18:16:08
2-Butanone (MEK)	ND	5.00	1.98		µg/L	1	11/21/25 17:20:10
Chloroform	ND	0.500	0.0865		µg/L	1	11/21/25 17:20:10
1,1,1-Trichloroethane (TCA)	ND	0.500	0.103		µg/L	1	11/21/25 17:20:10
1,1-Dichloropropene	ND	0.500	0.143		µg/L	1	11/21/25 17:20:10
Carbon tetrachloride	ND	0.500	0.0798		µg/L	1	11/21/25 17:20:10
1,2-Dichloroethane (EDC)	ND	0.200	0.0477		µg/L	1	11/21/25 17:20:10
Benzene	ND	0.200	0.0540		µg/L	1	11/21/25 17:20:10
Trichloroethene (TCE)	ND	0.500	0.135		µg/L	1	11/24/25 18:16:08
1,2-Dichloropropane	ND	0.200	0.0503		µg/L	1	11/21/25 17:20:10
Bromodichloromethane	ND	0.200	0.0489		µg/L	1	11/21/25 17:20:10
Dibromomethane	ND	0.500	0.0812		µg/L	1	11/21/25 17:20:10
cis-1,3-Dichloropropene	ND	0.500	0.109		µg/L	1	11/21/25 17:20:10
Toluene	ND	0.500	0.129		µg/L	1	11/21/25 17:20:10
trans-1,3-Dichloropropylene	ND	0.500	0.0993		µg/L	1	11/21/25 17:20:10
Methyl Isobutyl Ketone (MIBK)	ND	2.50	0.354		µg/L	1	11/21/25 17:20:10
1,1,2-Trichloroethane	ND	0.500	0.0807		µg/L	1	11/21/25 17:20:10
1,3-Dichloropropane	ND	0.500	0.0827		µg/L	1	11/21/25 17:20:10
Tetrachloroethene (PCE)	1.51	0.500	0.102		µg/L	1	11/24/25 18:16:08



Analytical Report

Work Order: 2511490

Date Reported: 12/5/2025

Client: Geosyntec Consultants

Collection Date: 11/19/2025 9:55:00 AM

Project: 700 Dexter

Lab ID: 2511490-005

Matrix: Groundwater

Client Sample ID: MW-301-251119

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>			Batch ID: 50121		Analyst: KJ		
Dibromochloromethane	ND	0.500	0.101		µg/L	1	11/21/25 17:20:10
1,2-Dibromoethane (EDB)	ND	0.500	0.0432		µg/L	1	11/21/25 17:20:10
2-Hexanone (MBK)	ND	1.25	0.364		µg/L	1	11/21/25 17:20:10
Chlorobenzene	ND	0.500	0.0934		µg/L	1	11/21/25 17:20:10
1,1,1,2-Tetrachloroethane	ND	0.500	0.117		µg/L	1	11/21/25 17:20:10
Ethylbenzene	ND	0.500	0.125		µg/L	1	11/21/25 17:20:10
m,p-Xylene	ND	1.00	0.289		µg/L	1	11/21/25 17:20:10
o-Xylene	ND	0.500	0.144		µg/L	1	11/21/25 17:20:10
Styrene	ND	0.500	0.115		µg/L	1	11/21/25 17:20:10
Isopropylbenzene	ND	0.500	0.122		µg/L	1	11/21/25 17:20:10
Bromoform	ND	0.500	0.0986		µg/L	1	11/21/25 17:20:10
1,1,2,2-Tetrachloroethane	ND	0.200	0.0704		µg/L	1	11/21/25 17:20:10
n-Propylbenzene	ND	0.500	0.124		µg/L	1	11/21/25 17:20:10
Bromobenzene	ND	0.200	0.0677		µg/L	1	11/21/25 17:20:10
1,3,5-Trimethylbenzene	ND	0.500	0.102		µg/L	1	11/21/25 17:20:10
2-Chlorotoluene	ND	0.500	0.0721		µg/L	1	11/21/25 17:20:10
4-Chlorotoluene	ND	0.500	0.0876		µg/L	1	11/21/25 17:20:10
tert-Butylbenzene	ND	0.500	0.0821		µg/L	1	11/21/25 17:20:10
1,2,3-Trichloropropane	ND	0.500	0.0979		µg/L	1	11/21/25 17:20:10
1,2,4-Trichlorobenzene	ND	0.750	0.234		µg/L	1	11/21/25 17:20:10
sec-Butylbenzene	ND	0.500	0.112		µg/L	1	11/21/25 17:20:10
4-Isopropyltoluene	ND	0.500	0.106		µg/L	1	11/21/25 17:20:10
1,3-Dichlorobenzene	ND	0.500	0.0987		µg/L	1	11/21/25 17:20:10
1,4-Dichlorobenzene	ND	0.500	0.119		µg/L	1	11/21/25 17:20:10
n-Butylbenzene	ND	0.500	0.165		µg/L	1	11/21/25 17:20:10
1,2-Dichlorobenzene	ND	0.500	0.118		µg/L	1	11/21/25 17:20:10
1,2-Dibromo-3-chloropropane	ND	1.00	0.331		µg/L	1	11/21/25 17:20:10
1,2,4-Trimethylbenzene	ND	0.500	0.138		µg/L	1	11/21/25 17:20:10
Hexachloro-1,3-butadiene	ND	1.00	0.192		µg/L	1	11/21/25 17:20:10
Naphthalene	ND	1.25	0.405		µg/L	1	11/21/25 17:20:10
1,2,3-Trichlorobenzene	ND	1.00	0.295		µg/L	1	11/21/25 17:20:10



Analytical Report

Work Order: 2511490
Date Reported: 12/5/2025

Client: Geosyntec Consultants
Project: 700 Dexter
Lab ID: 2511490-005
Client Sample ID: MW-301-251119

Collection Date: 11/19/2025 9:55:00 AM

Matrix: Groundwater

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 50121		Analyst: KJ	
Surr: Dibromofluoromethane	107	79.9 - 122			%Rec	1	11/21/25 17:20:10
Surr: Dibromofluoromethane	102	79.9 - 122			%Rec	1	11/24/25 18:16:08
Surr: Toluene-d8	92.7	80 - 121			%Rec	1	11/24/25 18:16:08
Surr: Toluene-d8	97.0	80 - 121			%Rec	1	11/21/25 17:20:10
Surr: 1-Bromo-4-fluorobenzene	91.7	79.7 - 120			%Rec	1	11/21/25 17:20:10
Surr: 1-Bromo-4-fluorobenzene	91.8	79.7 - 120			%Rec	1	11/24/25 18:16:08

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-A		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCV		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2190994				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	25.2	10.0	25.00	0	101	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-A		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCB		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2190995				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: MB-105001		SampType: MBLK			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: MBLKW		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2190996				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: LCS-105001		SampType: LCS			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: LCSW		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2190997				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	20.1	10.0	25.00	0	80.6	80	134				
------------------------------	------	------	-------	---	------	----	-----	--	--	--	--

Sample ID: CCV-B		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCV		Batch ID: R105001						Analysis Date: 11/25/2025			SeqNo: 2191006	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	29.4	10.0	25.00	0	117	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCB-B	SampType: CCB	Units: mg/L			Prep Date: 11/25/2025			RunNo: 105001			
Client ID: CCB	Batch ID: R105001				Analysis Date: 11/25/2025			SeqNo: 2191007			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) ND 10.0

Sample ID: CCV-C	SampType: CCV	Units: mg/L			Prep Date: 11/25/2025			RunNo: 105001			
Client ID: CCV	Batch ID: R105001				Analysis Date: 11/25/2025			SeqNo: 2191018			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) 23.6 10.0 25.00 0 94.5 80 120

Sample ID: CCB-C	SampType: CCB	Units: mg/L			Prep Date: 11/25/2025			RunNo: 105001			
Client ID: CCB	Batch ID: R105001				Analysis Date: 11/25/2025			SeqNo: 2191019			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) ND 10.0

Sample ID: 2511355-001CDUP	SampType: DUP	Units: mg/L			Prep Date: 11/25/2025			RunNo: 105001			
Client ID: BATCH	Batch ID: R105001				Analysis Date: 11/25/2025			SeqNo: 2191020			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) 30.5 10.0 31.33 2.60 20

Sample ID: 2511354-001CDUP	SampType: DUP	Units: mg/L			Prep Date: 11/25/2025			RunNo: 105001			
Client ID: BATCH	Batch ID: R105001				Analysis Date: 11/25/2025			SeqNo: 2191022			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Alkalinity, Total (As CaCO3) 49.8 20.0 52.10 4.57 20 D

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: CCV-D		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCV		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2191030				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	25.9	10.0	25.00	0	103	80	120				
------------------------------	------	------	-------	---	-----	----	-----	--	--	--	--

Sample ID: CCB-D		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCB		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2191031				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: CCV-E		SampType: CCV			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCV		Batch ID: R105001			Analysis Date: 11/25/2025			SeqNo: 2191034				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	24.6	10.0	25.00	0	98.5	80	120				
------------------------------	------	------	-------	---	------	----	-----	--	--	--	--

Sample ID: CCB-E		SampType: CCB			Units: mg/L		Prep Date: 11/25/2025			RunNo: 105001		
Client ID: CCB		Batch ID: R105001			Analysis Date: 11/25/2025					SeqNo: 2191035		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	10.0									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: MB-50091		SampType: MBLK		Units: mg/L		Prep Date: 11/19/2025			RunNo: 104858		
Client ID: MBLKW		Batch ID: 50091					Analysis Date: 11/19/2025			SeqNo: 2188168	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	0.247	0.600									J
Nitrate (as N)	ND	0.150									
Sulfate	ND	1.00									

Sample ID: LCS-50091	SampType: LCS	Units: mg/L				Prep Date: 11/19/2025			RunNo: 104858		
Client ID: LCSW	Batch ID: 50091					Analysis Date: 11/19/2025			SeqNo: 2188169		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	10.4	0.600	10.00	0	104	90	110				
Nitrate (as N)	2.34	0.150	2.259	0	104	90	110				
Sulfate	10.8	1.00	10.00	0	108	90	110				

Sample ID: 2511473-002DDUP	SampType: DUP	Units: mg/L			Prep Date: 11/19/2025			RunNo: 104858			
Client ID: BATCH	Batch ID: 50091				Analysis Date: 11/19/2025			SeqNo: 2188171			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	0.702	0.600						0.7000	0.285	20	
Nitrate (as N)	ND	0.150						0.04700	200	20	
Sulfate	0.760	1.00						0.7730	1.70	20	J

Sample ID: 2511473-002DMS		SampType: MS		Units: mg/L		Prep Date: 11/19/2025		RunNo: 104858			
Client ID: BATCH		Batch ID: 50091				Analysis Date: 11/19/2025		SeqNo: 2188172			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	10.4	0.600	10.00	0.7000	97.4	80	120				
Nitrate (as N)	2.20	0.150	2.259	0.04700	95.3	80	120				
Sulfate	10.9	1.00	10.00	0.7730	101	80	120				

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2511473-002DMSD		SampType: MSD			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104858		
Client ID: BATCH		Batch ID: 50091			Analysis Date: 11/19/2025					SeqNo: 2188173		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	9.63	0.600	10.00	0.7000	89.3	80	120	10.44	8.12	20	
Nitrate (as N)	2.01	0.150	2.259	0.04700	86.9	80	120	2.200	8.98	20	
Sulfate	10.0	1.00	10.00	0.7730	92.3	80	120	10.87	8.29	20	

Sample ID: 2511490-001DDUP		SampType: DUP			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104858		
Client ID: MW-170-251119		Batch ID: 50091			Analysis Date: 11/19/2025					SeqNo: 2188184		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	160	0.600						159.1	0.296	20	E
Nitrate (as N)	ND	0.150						0	0	20	
Sulfate	9.83	1.00						9.771	0.592	20	

Sample ID: 2511490-001DMS		SampType: MS			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104858		
Client ID: MW-170-251119		Batch ID: 50091			Analysis Date: 11/19/2025					SeqNo: 2188185		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	162	0.600	10.00	159.1	27.2	80	120				ES
Nitrate (as N)	2.21	0.150	2.259	0	97.7	80	120				
Sulfate	19.9	1.00	10.00	9.771	101	80	120				

NOTES:

S - Spike recovery indicates a possible matrix effect.

Sample ID: MB-50093		SampType: MBLK			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104851		
Client ID: MBLKW		Batch ID: 50093			Analysis Date: 11/20/2025					SeqNo: 2188071		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.536	0.600									J
Nitrate (as N)	0.103	0.150									J
Sulfate	0.844	1.00									J

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: LCS-50093		SampType: LCS			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104851		
Client ID: LCSW		Batch ID: 50093			Analysis Date: 11/20/2025					SeqNo: 2188072		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	10.8	0.600	10.00	0	108	90	110				
Nitrate (as N)	2.44	0.150	2.259	0	108	90	110				
Sulfate	10.8	1.00	10.00	0	108	90	110				

Sample ID: 2511313-001ADUP		SampType: DUP			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104851		
Client ID: BATCH		Batch ID: 50093			Analysis Date: 11/20/2025			SeqNo: 2188075				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	1.49	0.600						2.089	33.2	20	
Nitrate (as N)	ND	0.150						0	0	20	
Sulfate	1.97	1.00						3.573	57.8	20	

Sample ID: 2511313-001AMS		SampType: MS			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104851		
Client ID: BATCH		Batch ID: 50093			Analysis Date: 11/20/2025			SeqNo: 2188076				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	11.0	0.600	10.00	2.089	89.2	80	120				
Nitrate (as N)	2.09	0.150	2.259	0	92.5	80	120				
Sulfate	11.9	1.00	10.00	3.573	83.4	80	120				

Sample ID: 2511313-001AMSD		SampType: MSD			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104851		
Client ID: BATCH		Batch ID: 50093			Analysis Date: 11/20/2025					SeqNo: 2188077		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	11.5	0.600	10.00	2.089	94.0	80	120	11.01	4.27	20	
Nitrate (as N)	2.20	0.150	2.259	0	97.6	80	120	2.090	5.31	20	
Sulfate	12.7	1.00	10.00	3.573	90.8	80	120	11.91	6.02	20	

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: CCV-F		SampType: CCV			Units: mg/L		Prep Date: 11/20/2025			RunNo: 104858		
Client ID: CCV		Batch ID: 50091			Analysis Date: 11/20/2025			SeqNo: 2188213				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	13.3	0.600	12.50	0	107	90	110				
Nitrate (as N)	3.02	0.150	2.824	0	107	90	110				
Sulfate	13.5	1.00	12.50	0	108	90	110				

Sample ID: CCB-F		SampType: CCB			Units: mg/L		Prep Date: 11/20/2025			RunNo: 104858		
Client ID: CCB		Batch ID: 50091			Analysis Date: 11/20/2025					SeqNo: 2188214		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	0.371	0.600									
Nitrate (as N)	0.0800	0.150									
Sulfate	0.522	1.00									

Sample ID: 2511450-001BDUP		SampType: DUP			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104851		
Client ID: BATCH		Batch ID: 50093			Analysis Date: 11/20/2025			SeqNo: 2188701				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	4.29	0.600						4.296	0.186	20	
Nitrate (as N)	0.674	0.150						0.6800	0.886	20	
Sulfate	4.30	1.00						4.332	0.811	20	

Sample ID: 2511450-001BMS		SampType: MS			Units: mg/L		Prep Date: 11/19/2025			RunNo: 104851		
Client ID: BATCH		Batch ID: 50093			Analysis Date: 11/20/2025					SeqNo: 2188702		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	14.3	0.600	10.00	4.296	100	80	120				
Nitrate (as N)	2.96	0.150	2.259	0.6800	101	80	120				
Sulfate	14.7	1.00	10.00	4.332	104	80	120				

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Total Metals by EPA 6020B

Sample ID: MB-50105		SampType: MBLK			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104932		
Client ID: MBLKW		Batch ID: 50105			Analysis Date: 11/21/2025					SeqNo: 2189585		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	ND	50.0									
Manganese	ND	0.500									

Sample ID: LCS-50105		SampType: LCS			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104932		
Client ID: LCSW		Batch ID: 50105			Analysis Date: 11/21/2025					SeqNo: 2189586		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	1,040	50.0	1,000	0	104	80	120				
Manganese	104	0.500	100.0	0	104	80	120				

Sample ID: 2511331-001CMS		SampType: MS			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104932		
Client ID: BATCH		Batch ID: 50105			Analysis Date: 11/21/2025					SeqNo: 2189589		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	3,610	50.0	1,000	2,608	100	75	125				
Manganese	363	0.500	100.0	259.1	104	75	125				

NOTES:

S - Spiked amount was low relative to sample concentration. Outlying spike recoveries may be expected.

Sample ID: 2511331-001CMSD		SampType: MSD			Units: µg/L		Prep Date: 11/20/2025			RunNo: 104932		
Client ID: BATCH		Batch ID: 50105			Analysis Date: 11/21/2025					SeqNo: 2189591		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Iron	3,580	50.0	1,000	2,608	96.9	75	125	3,609	0.899	20	
Manganese	356	0.500	100.0	259.1	96.9	75	125	362.8	1.87	20	

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVA		SampType: CCV			Units: ppmv		Prep Date: 11/25/2025			RunNo: 104986		
Client ID: CCV		Batch ID: R104986			Analysis Date: 11/25/2025			SeqNo: 2190727				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	904	0.00500	1,000	0	90.4	85	115				
Ethene	886	0.0100	1,000	0	88.6	85	115				
Ethane	895	0.0100	1,000	0	89.5	85	115				

Sample ID: LCS-104986		SampType: LCS			Units: ppmv		Prep Date: 11/25/2025			RunNo: 104986		
Client ID: LCSW		Batch ID: R104986			Analysis Date: 11/25/2025					SeqNo: 2190732		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	904	0.00500	1,000	0	90.4	73.6	124				
Ethene	886	0.0100	1,000	0	88.6	76.3	122				
Ethane	895	0.0100	1,000	0	89.5	76.1	123				

Sample ID: MB-104986		SampType: MBLK			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104986		
Client ID: MBLKW		Batch ID: R104986			Analysis Date: 11/25/2025					SeqNo: 2190731		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	ND	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Sample ID: 2511351-014EREP		SampType: REP			Units: mg/L		Prep Date: 11/25/2025		RunNo: 104986		
Client ID: BATCH		Batch ID: R104986			Analysis Date: 11/25/2025				SeqNo: 2190714		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Methane	7.90	0.00500						7.867	0.389	20	
Ethene	ND	0.0100						0	0	20	
Ethane	0.219	0.0100						0.2243	2.31	20	

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVB		SampType: CCV			Units: ppmv		Prep Date: 11/25/2025			RunNo: 104986		
Client ID: CCV		Batch ID: R104986			Analysis Date: 11/25/2025			SeqNo: 2190728				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	905	0.00500	1,000	0	90.5	85	115				
Ethene	907	0.0100	1,000	0	90.7	85	115				
Ethane	894	0.0100	1,000	0	89.4	85	115				

Sample ID: 2511351-011EREP		SampType: REP			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104986		
Client ID: BATCH		Batch ID: R104986			Analysis Date: 11/25/2025					SeqNo: 2190707		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	7.44	0.500						7.251	2.60	20	D
Ethene	ND	1.00						0	0	20	D
Ethane	ND	1.00						0	0	20	D

Sample ID: CCVC		SampType: CCV			Units: ppmv		Prep Date: 11/25/2025			RunNo: 104986		
Client ID: CCV		Batch ID: R104986			Analysis Date: 11/25/2025			SeqNo: 2190729				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	899	0.00500	1,000	0	89.9	85	115				
Ethene	892	0.0100	1,000	0	89.2	85	115				
Ethane	900	0.0100	1,000	0	90.0	85	115				

Sample ID: 2511490-003EREP		SampType: REP			Units: mg/L		Prep Date: 11/25/2025			RunNo: 104986		
Client ID: MW-172-251119		Batch ID: R104986			Analysis Date: 11/25/2025					SeqNo: 2190733		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	4.27	0.250						4.433	3.75	20	D
Ethene	ND	0.500						0	0	20	D
Ethane	ND	0.500						0	0	20	D

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: CCVD		SampType: CCV		Units: ppmv		Prep Date: 11/25/2025		RunNo: 104986			
Client ID: CCV		Batch ID: R104986				Analysis Date: 11/25/2025		SeqNo: 2190730			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methane	899	0.00500	1,000	0	89.9	85	115				
Ethene	888	0.0100	1,000	0	88.8	85	115				
Ethane	896	0.0100	1,000	0	89.6	85	115				

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104967A		SampType: CCV		Units: µg/L		Prep Date: 11/21/2025		RunNo: 104967			
Client ID: CCV		Batch ID: 50121				Analysis Date: 11/21/2025		SeqNo: 2190280			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	23.1	1.00	20.00	0	116	80	120				
Chloromethane	16.9	1.00	20.00	0	84.6	80	120				
Vinyl chloride	18.9	0.200	20.00	0	94.5	80	120				
Bromomethane	31.4	2.00	20.00	0	157	80	120				S
Trichlorofluoromethane (CFC-11)	19.7	0.500	20.00	0	98.3	80	120				
Chloroethane	20.7	1.00	20.00	0	103	80	120				
1,1-Dichloroethene	22.3	0.500	20.00	0	112	80	120				
Acetone	46.1	5.00	50.00	0	92.2	80	120				
Methylene chloride	19.9	2.00	20.00	0	99.4	80	120				
trans-1,2-Dichloroethene	21.0	0.500	20.00	0	105	80	120				
Methyl tert-butyl ether (MTBE)	18.8	0.500	20.00	0	93.9	80	120				
1,1-Dichloroethane	21.7	0.500	20.00	0	108	80	120				
cis-1,2-Dichloroethene	22.0	0.500	20.00	0	110	80	120				
2-Butanone (MEK)	49.6	5.00	50.00	0	99.2	80	120				
Chloroform	21.5	0.500	20.00	0	108	80	120				
1,1,1-Trichloroethane (TCA)	24.9	0.500	20.00	0	124	80	120				S
1,1-Dichloropropene	23.0	0.500	20.00	0	115	80	120				
Carbon tetrachloride	25.4	0.500	20.00	0	127	80	120				S
1,2-Dichloroethane (EDC)	19.4	0.200	20.00	0	96.8	80	120				
Benzene	20.6	0.200	20.00	0	103	80	120				
Trichloroethene (TCE)	19.5	0.500	20.00	0	97.3	80	120				
1,2-Dichloropropane	18.7	0.200	20.00	0	93.7	80	120				
Bromodichloromethane	19.7	0.200	20.00	0	98.6	80	120				
Dibromomethane	18.9	0.500	20.00	0	94.6	80	120				
cis-1,3-Dichloropropene	19.6	0.500	20.00	0	98.2	80	120				
Toluene	20.6	0.500	20.00	0	103	80	120				
trans-1,3-Dichloropropylene	19.3	0.500	20.00	0	96.7	80	120				
Methyl Isobutyl Ketone (MIBK)	40.6	2.50	50.00	0	81.2	80	120				
1,1,2-Trichloroethane	19.0	0.500	20.00	0	94.9	80	120				
1,3-Dichloropropane	18.5	0.500	20.00	0	92.3	80	120				
Tetrachloroethene (PCE)	22.9	0.500	20.00	0	114	80	120				
Dibromochloromethane	19.6	0.500	20.00	0	98.2	80	120				

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104967A		SampType: CCV		Units: µg/L		Prep Date: 11/21/2025		RunNo: 104967			
Client ID: CCV		Batch ID: 50121				Analysis Date: 11/21/2025		SeqNo: 2190280			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	18.7	0.500	20.00	0	93.6	80	120				
2-Hexanone (MBK)	44.7	1.25	50.00	0	89.3	80	120				
Chlorobenzene	20.1	0.500	20.00	0	101	80	120				
1,1,1,2-Tetrachloroethane	22.2	0.500	20.00	0	111	80	120				
Ethylbenzene	21.7	0.500	20.00	0	108	80	120				
m,p-Xylene	44.3	1.00	40.00	0	111	80	120				
o-Xylene	21.9	0.500	20.00	0	109	80	120				
Styrene	22.3	0.500	20.00	0	112	80	120				
Isopropylbenzene	21.6	0.500	20.00	0	108	80	120				
Bromoform	19.9	0.500	20.00	0	99.4	80	120				
1,1,2,2-Tetrachloroethane	20.2	0.200	20.00	0	101	80	120				
n-Propylbenzene	22.7	0.500	20.00	0	113	80	120				
Bromobenzene	20.2	0.200	20.00	0	101	80	120				
1,3,5-Trimethylbenzene	21.8	0.500	20.00	0	109	80	120				
2-Chlorotoluene	21.4	0.500	20.00	0	107	80	120				
4-Chlorotoluene	20.6	0.500	20.00	0	103	80	120				
tert-Butylbenzene	21.7	0.500	20.00	0	108	80	120				
1,2,3-Trichloropropane	17.9	0.500	20.00	0	89.4	80	120				
1,2,4-Trichlorobenzene	18.8	0.750	20.00	0	93.9	80	120				
sec-Butylbenzene	22.5	0.500	20.00	0	112	80	120				
4-Isopropyltoluene	23.4	0.500	20.00	0	117	80	120				
1,3-Dichlorobenzene	20.4	0.500	20.00	0	102	80	120				
1,4-Dichlorobenzene	19.9	0.500	20.00	0	99.5	80	120				
n-Butylbenzene	22.1	0.500	20.00	0	110	80	120				
1,2-Dichlorobenzene	20.3	0.500	20.00	0	101	80	120				
1,2-Dibromo-3-chloropropane	17.7	1.00	20.00	0	88.6	80	120				
1,2,4-Trimethylbenzene	20.1	0.500	20.00	0	100	80	120				
Hexachloro-1,3-butadiene	20.5	1.00	20.00	0	102	80	120				
Naphthalene	16.9	1.25	20.00	0	84.3	80	120				
1,2,3-Trichlorobenzene	16.9	1.00	20.00	0	84.6	80	120				
Surr: Dibromofluoromethane	26.7		25.00		107	80	120				
Surr: Toluene-d8	25.2		25.00		101	80	120				

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: VOC-CCV-104967A		SampType: CCV			Units: µg/L		Prep Date: 11/21/2025			RunNo: 104967		
Client ID: CCV		Batch ID: 50121			Analysis Date: 11/21/2025			SeqNo: 2190280				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Surr: 1-Bromo-4-fluorobenzene 24.6 25.00 98.3 80 120

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: LCS-50121		SampType: LCS			Units: µg/L		Prep Date: 11/21/2025			RunNo: 104967		
Client ID: LCSW		Batch ID: 50121			Analysis Date: 11/21/2025					SeqNo: 2190299		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	23.1	1.00	20.00	0	116	80	120				
Chloromethane	16.9	1.00	20.00	0	84.6	80	120				
Vinyl chloride	18.9	0.200	20.00	0	94.5	80	120				
Bromomethane	31.4	2.00	20.00	0	157	80	120				S
Trichlorofluoromethane (CFC-11)	19.7	0.500	20.00	0	98.3	80	120				
Chloroethane	20.7	1.00	20.00	0	103	80	120				
1,1-Dichloroethene	22.3	0.500	20.00	0	112	80	120				
Acetone	46.1	5.00	50.00	0	92.2	80	120				
Methylene chloride	19.9	2.00	20.00	0	99.4	80	120				
trans-1,2-Dichloroethene	21.0	0.500	20.00	0	105	80	120				
Methyl tert-butyl ether (MTBE)	18.8	0.500	20.00	0	93.9	80	120				
1,1-Dichloroethane	21.7	0.500	20.00	0	108	80	120				
cis-1,2-Dichloroethene	22.0	0.500	20.00	0	110	80	120				
2-Butanone (MEK)	49.6	5.00	50.00	0	99.2	80	120				
Chloroform	21.5	0.500	20.00	0	108	80	120				
1,1,1-Trichloroethane (TCA)	24.9	0.500	20.00	0	124	80	120				S
1,1-Dichloropropene	23.0	0.500	20.00	0	115	80	120				
Carbon tetrachloride	25.4	0.500	20.00	0	127	80	120				S
1,2-Dichloroethane (EDC)	19.4	0.200	20.00	0	96.8	80	120				
Benzene	20.6	0.200	20.00	0	103	80	120				
Trichloroethene (TCE)	19.5	0.500	20.00	0	97.3	80	120				
1,2-Dichloropropane	18.7	0.200	20.00	0	93.7	80	120				
Bromodichloromethane	19.7	0.200	20.00	0	98.6	80	120				
Dibromomethane	18.9	0.500	20.00	0	94.6	80	120				

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50121	SampType: LCS	Units: µg/L				Prep Date: 11/21/2025			RunNo: 104967		
Client ID: LCSW	Batch ID: 50121	Analysis Date: 11/21/2025							SeqNo: 2190299		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,3-Dichloropropene	19.6	0.500	20.00	0	98.2	80	120				
Toluene	20.6	0.500	20.00	0	103	80	120				
trans-1,3-Dichloropropylene	19.3	0.500	20.00	0	96.7	80	120				
Methyl Isobutyl Ketone (MIBK)	40.6	2.50	50.00	0	81.2	80	120				
1,1,2-Trichloroethane	19.0	0.500	20.00	0	94.9	80	120				
1,3-Dichloropropane	18.5	0.500	20.00	0	92.3	80	120				
Tetrachloroethene (PCE)	22.9	0.500	20.00	0	114	80	120				
Dibromochloromethane	19.6	0.500	20.00	0	98.2	80	120				
1,2-Dibromoethane (EDB)	18.7	0.500	20.00	0	93.6	80	120				
2-Hexanone (MBK)	44.7	1.25	50.00	0	89.3	80	120				
Chlorobenzene	20.1	0.500	20.00	0	101	80	120				
1,1,1,2-Tetrachloroethane	22.2	0.500	20.00	0	111	80	120				
Ethylbenzene	21.7	0.500	20.00	0	108	80	120				
m,p-Xylene	44.3	1.00	40.00	0	111	80	120				
o-Xylene	21.9	0.500	20.00	0	109	80	120				
Styrene	22.3	0.500	20.00	0	112	80	120				
Isopropylbenzene	21.6	0.500	20.00	0	108	80	120				
Bromoform	19.9	0.500	20.00	0	99.4	80	120				
1,1,2,2-Tetrachloroethane	20.2	0.200	20.00	0	101	80	120				
n-Propylbenzene	22.7	0.500	20.00	0	113	80	120				
Bromobenzene	20.2	0.200	20.00	0	101	80	120				
1,3,5-Trimethylbenzene	21.8	0.500	20.00	0	109	80	120				
2-Chlorotoluene	21.4	0.500	20.00	0	107	80	120				
4-Chlorotoluene	20.6	0.500	20.00	0	103	80	120				
tert-Butylbenzene	21.7	0.500	20.00	0	108	80	120				
1,2,3-Trichloropropane	17.9	0.500	20.00	0	89.4	80	120				
1,2,4-Trichlorobenzene	18.8	0.750	20.00	0	93.9	80	120				
sec-Butylbenzene	22.5	0.500	20.00	0	112	80	120				
4-Isopropyltoluene	23.4	0.500	20.00	0	117	80	120				
1,3-Dichlorobenzene	20.4	0.500	20.00	0	102	80	120				
1,4-Dichlorobenzene	19.9	0.500	20.00	0	99.5	80	120				
n-Butylbenzene	22.1	0.500	20.00	0	110	80	120				

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-50121		SampType: LCS			Units: µg/L		Prep Date: 11/21/2025			RunNo: 104967		
Client ID: LCSW		Batch ID: 50121			Analysis Date: 11/21/2025			SeqNo: 2190299				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dichlorobenzene	20.3	0.500	20.00	0	101	80	120				
1,2-Dibromo-3-chloropropane	17.7	1.00	20.00	0	88.6	80	120				
1,2,4-Trimethylbenzene	20.1	0.500	20.00	0	100	80	120				
Hexachloro-1,3-butadiene	20.5	1.00	20.00	0	102	80	120				
Naphthalene	16.9	1.25	20.00	0	84.3	80	120				
1,2,3-Trichlorobenzene	16.9	1.00	20.00	0	84.6	80	120				
Surr: Dibromofluoromethane	26.7		25.00		107	79.9	122				
Surr: Toluene-d8	25.2		25.00		101	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.6		25.00		98.3	79.7	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: MB-50121		SampType: MBLK			Units: µg/L		Prep Date: 11/21/2025			RunNo: 104967		
Client ID: MBLKW		Batch ID: 50121			Analysis Date: 11/21/2025					SeqNo: 2190281		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	ND	5.00									
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50121	SampType: MBLK	Units: µg/L		Prep Date: 11/21/2025		RunNo: 104967					
Client ID: MBLKW	Batch ID: 50121			Analysis Date: 11/21/2025		SeqNo: 2190281					
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloropropene	ND	0.500									
Carbon tetrachloride	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.200									
Benzene	ND	0.200									
Trichloroethene (TCE)	ND	0.500									
1,2-Dichloropropane	ND	0.200									
Bromodichloromethane	ND	0.200									
Dibromomethane	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-50121	SampType: MBLK	Units: µg/L				Prep Date: 11/21/2025			RunNo: 104967		
Client ID: MBLKW	Batch ID: 50121	Analysis Date: 11/21/2025							SeqNo: 2190281		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	27.8		25.00		111	80	120				
Surr: Toluene-d8	26.1		25.00		105	80	120				
Surr: 1-Bromo-4-fluorobenzene	22.7		25.00		90.6	80	120				

Sample ID: 2511440-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/21/2025			RunNo: 104967		
Client ID: BATCH		Batch ID: 50121					Analysis Date: 11/21/2025			SeqNo: 2190283	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	ND	1.00						0	0	30	
Chloromethane	ND	1.00						0	0	30	
Vinyl chloride	ND	0.200						0	0	30	
Bromomethane	ND	2.00						0	0	30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0	0	30	
Chloroethane	ND	1.00						0	0	30	
1,1-Dichloroethene	ND	0.500						0	0	30	
Acetone	12.5	5.00						13.26	6.13	30	
Methylene chloride	ND	2.00						0	0	30	

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511440-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/21/2025		RunNo: 104967			
Client ID: BATCH		Batch ID: 50121				Analysis Date: 11/21/2025		SeqNo: 2190283			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,2-Dichloroethene	ND	0.500						0	0	30	
Methyl tert-butyl ether (MTBE)	ND	0.500						0	0	30	
1,1-Dichloroethane	ND	0.500						0	0	30	
cis-1,2-Dichloroethene	ND	0.500						0	0	30	
2-Butanone (MEK)	30.1	5.00						29.32	2.63	30	
Chloroform	0.137	0.500						0.1293	5.80	30	J
1,1,1-Trichloroethane (TCA)	ND	0.500						0	0	30	
1,1-Dichloropropene	ND	0.500						0	0	30	
Carbon tetrachloride	ND	0.500						0	0	30	
1,2-Dichloroethane (EDC)	ND	0.200						0	0	30	
Benzene	ND	0.200						0	0	30	
Trichloroethene (TCE)	ND	0.500						0	0	30	
1,2-Dichloropropane	ND	0.200						0	0	30	
Bromodichloromethane	ND	0.200						0	0	30	
Dibromomethane	ND	0.500						0	0	30	
cis-1,3-Dichloropropene	ND	0.500						0	0	30	
Toluene	ND	0.500						0	0	30	
trans-1,3-Dichloropropylene	ND	0.500						0	0	30	
Methyl Isobutyl Ketone (MIBK)	ND	2.50						0	0	30	
1,1,2-Trichloroethane	ND	0.500						0	0	30	
1,3-Dichloropropane	ND	0.500						0	0	30	
Tetrachloroethene (PCE)	ND	0.500						0	0	30	
Dibromochloromethane	ND	0.500						0	0	30	
1,2-Dibromoethane (EDB)	ND	0.500						0	0	30	
2-Hexanone (MBK)	0.391	1.25						0.3969	1.41	30	J
Chlorobenzene	ND	0.500						0	0	30	
1,1,1,2-Tetrachloroethane	ND	0.500						0	0	30	
Ethylbenzene	ND	0.500						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	
o-Xylene	ND	0.500						0	0	30	
Styrene	ND	0.500						0	0	30	
Isopropylbenzene	ND	0.500						0	0	30	

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511440-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 11/21/2025		RunNo: 104967			
Client ID: BATCH		Batch ID: 50121				Analysis Date: 11/21/2025		SeqNo: 2190283			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromoform	ND	0.500						0	0	30	
1,1,2,2-Tetrachloroethane	ND	0.200						0	0	30	
n-Propylbenzene	ND	0.500						0	0	30	
Bromobenzene	ND	0.200						0	0	30	
1,3,5-Trimethylbenzene	ND	0.500						0	0	30	
2-Chlorotoluene	ND	0.500						0	0	30	
4-Chlorotoluene	ND	0.500						0	0	30	
tert-Butylbenzene	ND	0.500						0	0	30	
1,2,3-Trichloropropane	ND	0.500						0	0	30	
1,2,4-Trichlorobenzene	ND	0.750						0	0	30	
sec-Butylbenzene	ND	0.500						0	0	30	
4-Isopropyltoluene	ND	0.500						0	0	30	
1,3-Dichlorobenzene	ND	0.500						0	0	30	
1,4-Dichlorobenzene	ND	0.500						0	0	30	
n-Butylbenzene	ND	0.500						0	0	30	
1,2-Dichlorobenzene	ND	0.500						0	0	30	
1,2-Dibromo-3-chloropropane	ND	1.00						0	0	30	
1,2,4-Trimethylbenzene	ND	0.500						0	0	30	
Hexachloro-1,3-butadiene	ND	1.00						0	0	30	
Naphthalene	ND	1.25						0	0	30	
1,2,3-Trichlorobenzene	ND	1.00						0	0	30	
Surr: Dibromofluoromethane	27.5		25.00		110	79.9	122		0		
Surr: Toluene-d8	25.8		25.00		103	80	121		0		
Surr: 1-Bromo-4-fluorobenzene	22.9		25.00		91.6	79.7	120		0		

Sample ID: 2511490-004AMS		SampType: MS		Units: µg/L		Prep Date: 11/21/2025		RunNo: 104967			
Client ID: MW-189-251119		Batch ID: 50121				Analysis Date: 11/21/2025		SeqNo: 2190290			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	25.8	1.00	20.00	0	129	61	156				
Chloromethane	20.5	1.00	20.00	0	103	58.6	153				

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511490-004AMS		SampType: MS		Units: µg/L		Prep Date: 11/21/2025		RunNo: 104967			
Client ID: MW-189-251119		Batch ID: 50121				Analysis Date: 11/21/2025		SeqNo: 2190290			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	23.4	0.200	20.00	0.9547	112	70.9	160				S
Bromomethane	31.2	2.00	20.00	0	156	57	155				
Trichlorofluoromethane (CFC-11)	21.8	0.500	20.00	0	109	80	159				
Chloroethane	23.4	1.00	20.00	0	117	71.3	145				
1,1-Dichloroethene	25.0	0.500	20.00	0	125	80	160				
Acetone	29.3	5.00	50.00	0	58.6	12.9	126				
Methylene chloride	20.7	2.00	20.00	0	104	77.6	131				
trans-1,2-Dichloroethene	22.8	0.500	20.00	0	114	80	134				
Methyl tert-butyl ether (MTBE)	20.1	0.500	20.00	0	101	80	127				
1,1-Dichloroethane	23.1	0.500	20.00	0	115	80	129				
cis-1,2-Dichloroethene	26.9	0.500	20.00	0.6503	131	78.2	137				
2-Butanone (MEK)	38.5	5.00	50.00	0	77.1	32.5	130				
Chloroform	22.5	0.500	20.00	0	113	78.3	136				
1,1,1-Trichloroethane (TCA)	26.8	0.500	20.00	0	134	80	153				
1,1-Dichloropropene	24.9	0.500	20.00	0	125	80	153				
Carbon tetrachloride	28.2	0.500	20.00	0	141	80	156				
1,2-Dichloroethane (EDC)	20.6	0.200	20.00	0	103	77	133				
Benzene	22.1	0.200	20.00	0	111	80	134				
Trichloroethene (TCE)	21.1	0.500	20.00	0	106	80	133				
1,2-Dichloropropane	19.7	0.200	20.00	0	98.7	80	125				
Bromodichloromethane	20.5	0.200	20.00	0	103	80	124				
Dibromomethane	19.9	0.500	20.00	0	99.6	80	122				
cis-1,3-Dichloropropene	20.4	0.500	20.00	0	102	80	128				
Toluene	22.3	0.500	20.00	0	112	80	134				
trans-1,3-Dichloropropylene	20.6	0.500	20.00	0	103	78.6	136				
Methyl Isobutyl Ketone (MIBK)	44.6	2.50	50.00	0	89.1	61.1	145				
1,1,2-Trichloroethane	19.9	0.500	20.00	0	99.4	79.4	135				
1,3-Dichloropropane	19.5	0.500	20.00	0	97.4	80	126				
Tetrachloroethene (PCE)	25.2	0.500	20.00	0	126	80	153				
Dibromochloromethane	20.7	0.500	20.00	0	103	77.7	137				
1,2-Dibromoethane (EDB)	19.8	0.500	20.00	0	98.9	77.8	132				
2-Hexanone (MBK)	35.5	1.25	50.00	0	71.1	34.7	135				

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511490-004AMS		SampType: MS		Units: µg/L		Prep Date: 11/21/2025		RunNo: 104967			
Client ID: MW-189-251119		Batch ID: 50121				Analysis Date: 11/21/2025		SeqNo: 2190290			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	21.6	0.500	20.00	0	108	80	123				
1,1,1,2-Tetrachloroethane	23.7	0.500	20.00	0	119	80	125				
Ethylbenzene	23.4	0.500	20.00	0	117	80	125				
m,p-Xylene	47.9	1.00	40.00	0	120	80	124				
o-Xylene	23.6	0.500	20.00	0	118	80	122				
Styrene	23.6	0.500	20.00	0	118	80	122				
Isopropylbenzene	23.3	0.500	20.00	0	117	80	133				
Bromoform	21.4	0.500	20.00	0	107	80	125				
1,1,2,2-Tetrachloroethane	22.6	0.200	20.00	0	113	76.3	138				
n-Propylbenzene	25.0	0.500	20.00	0	125	80	134				
Bromobenzene	21.9	0.200	20.00	0	109	80	121				
1,3,5-Trimethylbenzene	23.6	0.500	20.00	0	118	80	126				
2-Chlorotoluene	21.9	0.500	20.00	0	109	80	124				
4-Chlorotoluene	22.2	0.500	20.00	0	111	80	123				
tert-Butylbenzene	23.5	0.500	20.00	0	117	80	131				
1,2,3-Trichloropropane	19.8	0.500	20.00	0	99.2	75.3	125				
1,2,4-Trichlorobenzene	20.3	0.750	20.00	0	101	71.2	129				
sec-Butylbenzene	24.4	0.500	20.00	0	122	80	137				
4-Isopropyltoluene	25.3	0.500	20.00	0	126	80	132				
1,3-Dichlorobenzene	20.9	0.500	20.00	0	104	80	120				
1,4-Dichlorobenzene	20.3	0.500	20.00	0	102	80	122				
n-Butylbenzene	22.4	0.500	20.00	0	112	79.5	138				
1,2-Dichlorobenzene	20.6	0.500	20.00	0	103	79	120				
1,2-Dibromo-3-chloropropane	19.1	1.00	20.00	0	95.3	69.6	137				
1,2,4-Trimethylbenzene	21.8	0.500	20.00	0	109	80	123				
Hexachloro-1,3-butadiene	21.6	1.00	20.00	0	108	74.3	148				
Naphthalene	18.3	1.25	20.00	0	91.4	74.3	124				
1,2,3-Trichlorobenzene	18.6	1.00	20.00	0	92.9	71.9	129				
Surr: Dibromofluoromethane	26.3		25.00		105	79.9	122				
Surr: Toluene-d8	24.9		25.00		99.5	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.7		25.00		98.9	79.7	120				

Work Order: 2511490
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2511490-004AMS		SampType: MS			Units: µg/L		Prep Date: 11/21/2025			RunNo: 104967		
Client ID: MW-189-251119		Batch ID: 50121						Analysis Date: 11/21/2025			SeqNo: 2190290	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

NOTES:

S - Outlying spike recoveries were associated with this sample.

Sample ID: VOC-CCV-104967B	SampType: CCV	Units: µg/L				Prep Date: 11/24/2025			RunNo: 104967		
Client ID: CCV	Batch ID: 50121	Analysis Date: 11/24/2025							SeqNo: 2190291		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	19.0	0.200	20.00	0	95.0	80	120				
1,1-Dichloroethene	19.4	0.500	20.00	0	96.8	80	120				
trans-1,2-Dichloroethene	18.8	0.500	20.00	0	94.1	80	120				
cis-1,2-Dichloroethene	19.4	0.500	20.00	0	97.1	80	120				
Trichloroethene (TCE)	19.6	0.500	20.00	0	98.1	80	120				
Tetrachloroethene (PCE)	20.2	0.500	20.00	0	101	80	120				
Surr: Dibromofluoromethane	24.5		25.00		98.2	80	120				
Surr: Toluene-d8	23.5		25.00		93.8	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.3		25.00		97.2	80	120				

Sample ID: CCB-104967		SampType: CCB		Units: µg/L		Prep Date: 11/24/2025			RunNo: 104967		
Client ID: CCB		Batch ID: 50121					Analysis Date: 11/24/2025			SeqNo: 2190292	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	ND	0.200									
1,1-Dichloroethene	ND	0.500									
trans-1,2-Dichloroethene	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
Trichloroethene (TCE)	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Surr: Dibromofluoromethane	25.0		25.00		100	80	120				
Surr: Toluene-d8	23.1		25.00		92.4	80	120				
Surr: 1-Bromo-4-fluorobenzene	23.2		25.00		92.8	80	120				

Client Name: AC

Work Order Number: 2511490

Logged by: Morgan Laughlin

Date Received: 11/19/2025 12:38:00 PM

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes ☐ No ☐ Not Present ☒
4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all items received at a temperature of >2°C to 6°C * Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. Is there headspace in the VOA vials? Yes ☐ No ☒ NA ☐
11. Did all samples containers arrive in good condition(unbroken)? Yes ☒ No ☐
12. Does paperwork match bottle labels? Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all hold times (except field parameters, pH e.g.) able to be met? Yes ☒ No ☐

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒


Person Notified:		Date:	
By Whom:		Via:	☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:			
Client Instructions:			

17. Additional remarks:

Item Information

Item #	Temp °C
Sample	0.4

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



Chain of Custody Record & Laboratory Services Agreement

Date: 11/19/25 Page: 1 of: 1

Laboratory Project No (Internal): 2511490

Project Name: FOO Bar

7

Project No: A5240401

150-AC3410461-8485.

Collected by: J. KAVILLE. M. ELLIOTT

10

Location: 700 ACCTG AVE N

Scm Flus

Report To (PM): Hannah Cohen + Lea Kemp

☐ Retain volume (specify above) ☐ Return to client

Email(s): Hannah.Poon@geosyntec.com + lea.kane@geosyntec.com

[illegible]

Matrix: A = Air, AQ = aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

Metals (Circle): MTCA-5 PCBs-8 Priority Pollutants TAL *Individual:* Ag Al As B Ba Be Ca Cd Co Cr Cu Pb Hg K Mg Mn Mo Na Ni Pb Sb Se Sn Ti Tl V Zn

Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate+Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Reinforced (Signature)

Print Name: _____

Date/Time

Received (Signature)

Print Name _____

Date/Time

Requisitioned (Signature) Emily Krueger
Print Name Emily Krueger

Date/Time 11/19/25 238

Print Name: Om Jack Vanthorne

Date/Time 1238



Analytical Resources, LLC
Analytical Chemists and Consultants
Tukwila, WA

05 December 2025

Brianna Barnes
Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle, WA 98103

RE: TOC (2511490)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)

25K0475

Associated SDG ID(s)

N/A

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Phillip Bates, Project Manager



SUB CONTRACTOR: ARI		COMPANY: Analytical Resources Inc.		SPECIAL INSTRUCTIONS / COMMENTS: Standard TAT. Please email results to SEA.PM@alliancetg.com and invoices to both SEA.PM@alliancetg.com and ap@alliancetg.com.			
ADDRESS: 4611 South 134th Place, Suite 100							
CITY, STATE, ZIP: Tukwila, WA 98168							
PHONE: (206) 695-6200		FAX: EMAIL:					
ACCOUNT #:							

ITEM #	SAMPLE ID	CLIENT SAMPLE ID	BOTTLE TYPE	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS	COMMENTS: Methanol Preserved Weights HOT Sample Notation, Additional Sample Description,
1	2511490-001C	MW-170-251119	AMBER 250ML	Groundwater	11/19/2025 11:06:00 AM	1	TOC 9060
	C-TOC-W-9060						
2	2511490-002C	MW-171-251119	AMBER 250ML	Groundwater	11/19/2025 10:10:00 AM	1	TOC 9060
	C-TOC-W-9060						
3	2511490-003C	MW-172-251119	AMBER 250ML	Groundwater	11/19/2025 9:21:00 AM	1	TOC 9060
	C-TOC-W-9060						
4	2511490-004C	MW-189-251119	AMBER 250ML	Groundwater	11/19/2025 10:42:00 AM	1	TOC 9060
	C-TOC-W-9060						

Relinquished By: <i>[Signature]</i>	Date: 11/20/25	Time: 1108	Received By: <i>[Signature]</i>	Date: 11/20/25	Time: 1312	REPORT TRANSMITTAL DESIRED: ☐ HARDCOPY (extra cost) ☐ FAX ☐ EMAIL ☐ ONLINE FOR LAB USE ONLY Temp of samples _____ °C Attempt to Cool ? _____ Comments: _____ Page 46 of 57
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	

TAT: Standard ☐ RUSH Next BD ☐ 2nd BD ☐ 3rd BD ☐

Note: RUSH requests will incur surcharges!



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511490
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:57

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-170-251119	25K0475-01	Water	19-Nov-2025 11:06	20-Nov-2025 13:12
MW-171-251119	25K0475-02	Water	19-Nov-2025 10:10	20-Nov-2025 13:12
MW-172-251119	25K0475-03	Water	19-Nov-2025 09:21	20-Nov-2025 13:12
MW-189-251119	25K0475-04	Water	19-Nov-2025 10:42	20-Nov-2025 13:12



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511490
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:57

Work Order Case Narrative

Client: Alliance Technical Group, LLC.

Project: TOC

Project Number: [none]

Work Order: 25K0475

DRAFT

Sample receipt

The sample(s) as listed on the preceding page were received 20-Nov-2025 13:12 under ARI work order 25K0475. For details regarding sample receipt, please refer to the Cooler Receipt Form.

Wet Chemistry

The sample(s) were prepared and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.



WORK ORDER

25K0475

Client: Alliance Technical Group, LLC.

Project Manager: Phillip Bates

Project: TOC

Project Number: [none]

Preservation Confirmation

Container ID	Container Type	pH	pH Paper Lot#: <u>N000119</u>
25K0475-01 A	HDPE NM, 250mL H2SO4	<u>L2P</u>	
25K0475-02 A	HDPE NM, 250mL H2SO4	<u>I</u>	
25K0475-03 A	HDPE NM, 250mL H2SO4		
25K0475-04 A	HDPE NM, 250mL H2SO4		

Preservation Confirmed By SA

Date 11/24/25



Cooler Receipt Form

ARI Client: Alliance

Project Name: TOC

COC No(s): _____ NA

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: 25K0475

Tracking No: _____ NA

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler? YES NO

Were custody papers included with the cooler? YES NO

Were custody papers properly filled out (ink, signed, etc.) YES NO

Temperature of Cooler(s) (°C) Time 1312 79 Temp Gun ID#: 8117

Was a temperature blank included in the cooler? YES NO

Were coolers received between 0°- 6° (°C) YES NO

Was sufficient ice used (if appropriate)? NA YES NO

Cooler Accepted by: NDF Date: 11/20/25 Time: 1312

Complete custody forms and attach all shipping documents

Log-In Phase:

What kind of packing material was used? Bubble Wrap Wet Ice Gel Packs Baggies Foam Block N/A Other: _____

Are any samples that were out of temperature compliance documented in LIMS? YES NO

How were bottles sealed in plastic bags? Individually Grouped Not

Did all bottles arrive in good condition (unbroken)? YES NO

Were all bottle labels complete and legible? YES NO

Did the number of containers listed on COC match with the number of containers received? YES NO

Did all bottle labels and tags agree with custody papers? YES NO

Were all bottles used correct for the requested analyses? YES NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ... NA YES NO

Were all VOC vials free of air bubbles? NA YES NO

Was sufficient amount of sample sent in each bottle? YES NO

Date VOC Trip Blank was made at ARI: NA

Were the sample(s) split by ARI? NA YES Date/Time: _____ Equipment: _____ Split by: _____

Samples Logged by: SA Date: 11/24/25 Time: 1310 Labels checked by: SA

**** Notify Project Manager of discrepancies or concerns ****

Additional Notes, Discrepancies, & Resolutions:

By: _____ Date: _____



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511490
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:57

MW-170-251119
25K0475-01RE1 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/19/2025 11:06

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/04/2025 04:46

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0475-01RE1 A

Preparation Batch: BNL0032

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	44.74	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511490
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:57

MW-171-251119
25K0475-02 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/19/2025 10:10

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 19:29

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0475-02 A

Preparation Batch: BNL0032

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	31.85	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511490
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:57

MW-172-251119
25K0475-03 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/19/2025 09:21

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 19:51

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0475-03 A

Preparation Batch: BNL0032

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	26.19	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511490
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:57

MW-189-251119
25K0475-04 (Water)

Wet Chemistry

Method: EPA 9060A

Sampled: 11/19/2025 10:42

Instrument: TOC-LCSH Analyst: RMS

Analyzed: 12/03/2025 20:55

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25K0475-04 A

Preparation Batch: BNL0032

Sample Size: 20 mL

Prepared: 12/01/2025

Final Volume: 20 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Total Organic Carbon		1	0.50	0.50	13.88	mg/L	



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511490
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:57

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BNL0032 - EPA 9060A in Water

Instrument: TOC-LCSH Analyst: RMS

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Blank (BNL0032-BLK1)					Prepared: 01-Dec-2025 Analyzed: 03-Dec-2025 13:12					
Total Organic Carbon	ND	0.50	0.50	mg/L						U
LCS (BNL0032-BS1)					Prepared: 01-Dec-2025 Analyzed: 03-Dec-2025 13:30					
Total Organic Carbon	20.11	0.50	0.50	mg/L	20.00	101	90-110			



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511490
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:57

Uncertified Analytes included in this Report

Analysis Matrix & Analyte

None

Certified Analyses included in this Report

Analysis Matrix & Analyte

Certification Codes

EPA 9060A in Water

Total Organic Carbon DoD-ELAP,WADOE,NELAP

Certifications

Code	Description	Number	Expires
DoD-ELAP	DoD-Environmental Laboratory Accreditation Program, PJLA Testing	66169	01/31/2026
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-018	05/12/2026
WADOE	WA Dept of Ecology	C558	06/30/2026



Alliance Technical Group, LLC.
3600 Fremont Avenue
Seattle WA, 98103

Project: TOC
Project Number: 2511490
Project Manager: Brianna Barnes

Reported:
05-Dec-2025 09:57

Notes and Definitions

U	This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
[2C]	Indicates this result was quantified on the second column on a dual column analysis.
!	Indicates that ARL is NOT ACCREDITED for this parameter in samples logged as 'Drinking Water'
#	Indicates that ARL is NOT ACCREDITED for this parameter in this analysis and matrix.

Geosyntec Consultants

Hannah Cohen

801 5th Ave Suite 2200

Seattle, WA 98104

RE: 700 Dexter, AS240461

Work Order Number: 2511491

November 26, 2025

Attention Hannah Cohen:

Alliance Technical Group, LLC - Seattle received 3 sample(s) on 11/19/2025 for the analyses presented in the following report.

Field Parameters

Helium by GC/TCD

Volatile Organic Compounds by EPA TO-15

All analyses were performed according to our accredited Quality Assurance program. Please contact the laboratory if you should have any questions about the results.

Alliance Technical Group is committed to accuracy, speed, and customer service. Thank you for choosing Alliance Technical Group's Seattle laboratory team for your analytical needs. We appreciate this opportunity to serve you!

Sincerely,



Brianna Barnes
Project Manager

CC:

Lea Kane

DoD-ELAP Accreditation #79636 by PJLA, ISO/IEC 17025:2017 and QSM 5.4 for Environmental Testing
ORELAP Certification: WA 100009 (NELAP Recognized) for Environmental Testing
Washington State Department of Ecology Accredited for Environmental Testing, Lab ID C910

Revision v1



CLIENT: Geosyntec Consultants
Project: 700 Dexter
Work Order: 2511491

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
2511491-001	SV-18-251119	11/19/2025 10:06 AM	11/19/2025 12:37 PM
2511491-002	SV-101-251119	11/19/2025 11:36 AM	11/19/2025 12:37 PM
2511491-003	SV01-251119	11/19/2025 10:59 AM	11/19/2025 12:37 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

CLIENT: Geosyntec Consultants

Project: 700 Dexter

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Air samples are reported in ppbv and ug/m3.

The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

Standard temperature and pressure assumes 25C and 1 atm.

Rev1: Revised to note, pressure upon receipt:

Canister 11400, -5"

Canister 11411, -5"

Canister 4684, -5"

Qualifiers:

- * - Flagged value is not within established control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Reporting Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- DUP - Sample Duplicate
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MCL - Maximum Contaminant Level
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- REP - Sample Replicate
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate

CLIENT: Geosyntec Consultants
Project: 700 Dexter

Lab ID: 2511491-001 **Collection Date:** 11/19/2025 10:06:00 AM
Client Sample ID: SV-18-251119 **Matrix:** Soil Gas

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Helium by GC/TCD

Batch ID: R10501 Analyst: CO

Helium	ND	0.300	D	%	1.5	11/26/2025 3:33:00 PM
--------	----	-------	---	---	-----	-----------------------

Lab ID: 2511491-002 **Collection Date:** 11/19/2025 11:36:00 AM
Client Sample ID: SV-101-251119 **Matrix:** Soil Gas

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Helium by GC/TCD

Batch ID: R10501 Analyst: CO

Helium	ND	0.300	D	%	1.5	11/26/2025 3:45:00 PM
--------	----	-------	---	---	-----	-----------------------

Lab ID: 2511491-003 **Collection Date:** 11/19/2025 10:59:00 AM
Client Sample ID: SV01-251119 **Matrix:** Soil Gas

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Helium by GC/TCD

Batch ID: R10501 Analyst: CO

Helium	0.765	0.300	D	%	1.5	11/26/2025 3:51:00 PM
--------	-------	-------	---	---	-----	-----------------------



Client: Geosyntec Consultants

WorkOrder: 2511491

Project: 700 Dexter

Client Sample ID: SV-18-251119

Date Sampled: 11/19/2025

Lab ID: 2511491-001A

Date Received: 11/19/2025

Sample Type: Summa Canister

Analyte	Concentration		Reporting Limit		Qual	Method	Date/Analyst	
<u>Volatile Organic Compounds by EPA TO-15</u>								
	(ppbv)	(ug/m³)	(ppbv)	(ug/m³)				
1,1,1-Trichloroethane	24.7	135	0.0400	0.218		EPA-TO-15	11/25/2025	LB
1,1,2,2-Tetrachloroethane	<0.200	<1.37	0.200	1.37		EPA-TO-15	11/25/2025	LB
CFC-113	<0.600	<4.60	0.600	4.60		EPA-TO-15	11/25/2025	LB
1,1,2-Trichloroethane (TCA)	<0.0400	<0.218	0.0400	0.218		EPA-TO-15	11/25/2025	LB
1,1-Dichloroethane	1.73	7.02	0.0400	0.162		EPA-TO-15	11/25/2025	LB
1,1-Dichloroethene (DCE)	<0.0400	<0.159	0.0400	0.159		EPA-TO-15	11/25/2025	LB
1,2,4-Trichlorobenzene	<0.600	<4.45	0.600	4.45		EPA-TO-15	11/25/2025	LB
1,2,4-Trimethylbenzene	<2.00	<9.83	2.00	9.83		EPA-TO-15	11/25/2025	LB
1,2-Dibromoethane (EDB)***	0.0267	0.205	0.00214	0.0164		EPA-TO-15	11/25/2025	LB
1,2-Dichlorobenzene	<0.200	<1.20	0.200	1.20		EPA-TO-15	11/25/2025	LB
1,2-Dichloroethane	<0.0400	<0.162	0.0400	0.162		EPA-TO-15	11/25/2025	LB
1,2-Dichloropropane	<0.200	<0.924	0.200	0.924		EPA-TO-15	11/25/2025	LB
1,3,5-Trimethylbenzene	<0.600	<2.95	0.600	2.95		EPA-TO-15	11/25/2025	LB
1,3-Butadiene	<0.200	<0.442	0.200	0.442		EPA-TO-15	11/25/2025	LB
1,3-Dichlorobenzene	<0.200	<1.20	0.200	1.20		EPA-TO-15	11/25/2025	LB
1,4-Dichlorobenzene	<0.200	<1.20	0.200	1.20		EPA-TO-15	11/25/2025	LB
1,4-Dioxane	<0.600	<2.16	0.600	2.16		EPA-TO-15	11/25/2025	LB
(MEK) 2-Butanone	<0.600	<1.77	0.600	1.77		EPA-TO-15	11/25/2025	LB
2-Hexanone	<0.600	<2.46	0.600	2.46		EPA-TO-15	11/25/2025	LB
Isopropyl Alcohol	<2.00	<4.92	2.00	4.92		EPA-TO-15	11/25/2025	LB
4-Methyl-2-pentanone (MIBK)	<0.600	<2.46	0.600	2.46		EPA-TO-15	11/25/2025	LB
Acetone	<4.00	<9.50	4.00	9.50		EPA-TO-15	11/25/2025	LB
Acrolein***	0.0521	0.120	0.0136	0.0312		EPA-TO-15	11/25/2025	LB
Benzene	<0.0400	<0.128	0.0400	0.128		EPA-TO-15	11/25/2025	LB
Benzyl chloride	<0.600	<3.11	0.600	3.11		EPA-TO-15	11/25/2025	LB
Dichlorobromomethane	<0.200	<1.34	0.200	1.34		EPA-TO-15	11/25/2025	LB
Bromoform	<0.200	<2.07	0.200	2.07		EPA-TO-15	11/25/2025	LB
Bromomethane	<0.200	<0.777	0.200	0.777		EPA-TO-15	11/25/2025	LB
Carbon disulfide	<2.00	<6.23	2.00	6.23		EPA-TO-15	11/25/2025	LB
Carbon tetrachloride	<0.0400	<0.252	0.0400	0.252		EPA-TO-15	11/25/2025	LB



Client: Geosyntec Consultants

WorkOrder: 2511491

Project: 700 Dexter

Client Sample ID: SV-18-251119

Date Sampled: 11/19/2025

Lab ID: 2511491-001A

Date Received: 11/19/2025

Sample Type: Summa Canister

Analyte	Concentration	Reporting Limit	Qual	Method	Date/Analyst
<u>Volatile Organic Compounds by EPA TO-15</u>					
	(ppbv)	(ug/m ³)	(ppbv)	(ug/m ³)	
Chlorobenzene	<0.0400	<0.184	0.0400	0.184	EPA-TO-15 11/25/2025 LB
Dibromochloromethane	<0.200	<1.70	0.200	1.70	EPA-TO-15 11/25/2025 LB
Chloroethane	<0.600	<1.58	0.600	1.58	EPA-TO-15 11/25/2025 LB
Chloroform	2.91	14.2	0.0400	0.195	EPA-TO-15 11/25/2025 LB
Chloromethane	<0.200	<0.413	0.200	0.413	EPA-TO-15 11/25/2025 LB
cis-1,2-Dichloroethene	<0.200	<0.793	0.200	0.793	EPA-TO-15 11/25/2025 LB
cis-1,3-dichloropropene	<0.200	<0.908	0.200	0.908	EPA-TO-15 11/25/2025 LB
Cyclohexane	<0.600	<2.07	0.600	2.07	EPA-TO-15 11/25/2025 LB
Dichlorodifluoromethane (CFC-12)	0.337	1.67	0.200	0.989	EPA-TO-15 11/25/2025 LB
Dichlorotetrafluoroethane (CFC-114)	<0.600	<4.19	0.600	4.19	EPA-TO-15 11/25/2025 LB
Ethyl acetate	<2.00	<7.21	2.00	7.21	EPA-TO-15 11/25/2025 LB
Ethylbenzene	<2.00	<8.68	2.00	8.68	EPA-TO-15 11/25/2025 LB
Heptane	<0.600	<2.46	0.600	2.46	EPA-TO-15 11/25/2025 LB
Hexachlorobutadiene	<0.200	<2.13	0.200	2.13	EPA-TO-15 11/25/2025 LB
m,p-Xylene	<4.00	<17.4	4.00	17.4	EPA-TO-15 11/25/2025 LB
Methyl methacrylate	<2.00	<8.19	2.00	8.19	EPA-TO-15 11/25/2025 LB
Methylene chloride	<0.600	<2.08	0.600	2.08	EPA-TO-15 11/25/2025 LB
Naphthalene	0.174	0.912	0.0560	0.294	EPA-TO-15 11/25/2025 LB
n-Hexane	<2.00	<7.05	2.00	7.05	EPA-TO-15 11/25/2025 LB
o-Xylene	<2.00	<8.68	2.00	8.68	EPA-TO-15 11/25/2025 LB
4-Ethyltoluene	<0.600	<2.95	0.600	2.95	EPA-TO-15 11/25/2025 LB
Propylene	<0.600	<1.03	0.600	1.03	EPA-TO-15 11/25/2025 LB
Styrene	<0.600	<2.56	0.600	2.56	EPA-TO-15 11/25/2025 LB
Methyl tert-butyl ether (MTBE)	<0.200	<0.721	0.200	0.721	EPA-TO-15 11/25/2025 LB
Tetrachloroethene (PCE)	<2.00	<13.6	2.00	13.6	EPA-TO-15 11/25/2025 LB
Tetrahydrofuran	<0.600	<1.77	0.600	1.77	EPA-TO-15 11/25/2025 LB
Toluene	<2.00	<7.54	2.00	7.54	EPA-TO-15 11/25/2025 LB
trans-1,2-Dichloroethene	<0.200	<0.793	0.200	0.793	EPA-TO-15 11/25/2025 LB
trans-1,3-dichloropropene	<0.600	<2.72	0.600	2.72	EPA-TO-15 11/25/2025 LB
Trichloroethene (TCE)	<0.0400	<0.215	0.0400	0.215	EPA-TO-15 11/25/2025 LB



Client: Geosyntec Consultants

WorkOrder: 2511491

Project: 700 Dexter

Client Sample ID: SV-18-251119

Date Sampled: 11/19/2025

Lab ID: 2511491-001A

Date Received: 11/19/2025

Sample Type: Summa Canister

Analyte	Concentration	Reporting Limit	Qual	Method	Date/Analyst
<u>Volatile Organic Compounds by EPA TO-15</u>					
	(ppbv)	(ug/m ³)	(ppbv)	(ug/m ³)	
Trichlorofluoromethane (CFC-11)	<0.200	<1.12	0.200	1.12	EPA-TO-15 11/25/2025 LB
Vinyl acetate	<0.600	<2.11	0.600	2.11	EPA-TO-15 11/25/2025 LB
Vinyl chloride	<0.200	<0.511	0.200	0.511	EPA-TO-15 11/25/2025 LB
Surr: 4-Bromofluorobenzene	100 %Rec	--	70-130	--	EPA-TO-15 11/25/2025 LB



Client: Geosyntec Consultants

WorkOrder: 2511491

Project: 700 Dexter

Client Sample ID: SV-101-251119

Date Sampled: 11/19/2025

Lab ID: 2511491-002A

Date Received: 11/19/2025

Sample Type: Summa Canister

Analyte	Concentration		Reporting Limit		Qual	Method	Date/Analyst
<u>Volatile Organic Compounds by EPA TO-15</u>							
	(ppbv)	(ug/m³)	(ppbv)	(ug/m³)			
1,1,1-Trichloroethane	2.59	14.1	0.0400	0.218		EPA-TO-15	11/25/2025 LB
1,1,2,2-Tetrachloroethane	<0.200	<1.37	0.200	1.37		EPA-TO-15	11/25/2025 LB
CFC-113	<0.600	<4.60	0.600	4.60		EPA-TO-15	11/25/2025 LB
1,1,2-Trichloroethane (TCA)	<0.0400	<0.218	0.0400	0.218		EPA-TO-15	11/25/2025 LB
1,1-Dichloroethane	0.665	2.69	0.0400	0.162		EPA-TO-15	11/25/2025 LB
1,1-Dichloroethene (DCE)	<0.0400	<0.159	0.0400	0.159		EPA-TO-15	11/25/2025 LB
1,2,4-Trichlorobenzene	<0.600	<4.45	0.600	4.45		EPA-TO-15	11/25/2025 LB
1,2,4-Trimethylbenzene	<2.00	<9.83	2.00	9.83		EPA-TO-15	11/25/2025 LB
1,2-Dibromoethane (EDB)***	0.00356	0.0274	0.00214	0.0164		EPA-TO-15	11/25/2025 LB
1,2-Dichlorobenzene	<0.200	<1.20	0.200	1.20		EPA-TO-15	11/25/2025 LB
1,2-Dichloroethane	<0.0400	<0.162	0.0400	0.162		EPA-TO-15	11/25/2025 LB
1,2-Dichloropropane	<0.200	<0.924	0.200	0.924		EPA-TO-15	11/25/2025 LB
1,3,5-Trimethylbenzene	<0.600	<2.95	0.600	2.95		EPA-TO-15	11/25/2025 LB
1,3-Butadiene	<0.200	<0.442	0.200	0.442		EPA-TO-15	11/25/2025 LB
1,3-Dichlorobenzene	<0.200	<1.20	0.200	1.20		EPA-TO-15	11/25/2025 LB
1,4-Dichlorobenzene	<0.200	<1.20	0.200	1.20		EPA-TO-15	11/25/2025 LB
1,4-Dioxane	<0.600	<2.16	0.600	2.16		EPA-TO-15	11/25/2025 LB
(MEK) 2-Butanone	<0.600	<1.77	0.600	1.77		EPA-TO-15	11/25/2025 LB
2-Hexanone	<0.600	<2.46	0.600	2.46		EPA-TO-15	11/25/2025 LB
Isopropyl Alcohol	<2.00	<4.92	2.00	4.92		EPA-TO-15	11/25/2025 LB
4-Methyl-2-pentanone (MIBK)	<0.600	<2.46	0.600	2.46		EPA-TO-15	11/25/2025 LB
Acetone	<4.00	<9.50	4.00	9.50		EPA-TO-15	11/25/2025 LB
Acrolein***	0.0451	0.103	0.0136	0.0312		EPA-TO-15	11/25/2025 LB
Benzene	<0.0400	<0.128	0.0400	0.128		EPA-TO-15	11/25/2025 LB
Benzyl chloride	<0.600	<3.11	0.600	3.11		EPA-TO-15	11/25/2025 LB
Dichlorobromomethane	<0.200	<1.34	0.200	1.34		EPA-TO-15	11/25/2025 LB
Bromoform	<0.200	<2.07	0.200	2.07		EPA-TO-15	11/25/2025 LB
Bromomethane	<0.200	<0.777	0.200	0.777		EPA-TO-15	11/25/2025 LB
Carbon disulfide	<2.00	<6.23	2.00	6.23		EPA-TO-15	11/25/2025 LB
Carbon tetrachloride	<0.0400	<0.252	0.0400	0.252		EPA-TO-15	11/25/2025 LB



Client: Geosyntec Consultants

WorkOrder: 2511491

Project: 700 Dexter

Client Sample ID: SV-101-251119

Date Sampled: 11/19/2025

Lab ID: 2511491-002A

Date Received: 11/19/2025

Sample Type: Summa Canister

Analyte	Concentration	Reporting Limit	Qual	Method	Date/Analyst
<u>Volatile Organic Compounds by EPA TO-15</u>					
	(ppbv)	(ug/m ³)	(ppbv)	(ug/m ³)	
Chlorobenzene	<0.0400	<0.184	0.0400	0.184	EPA-TO-15 11/25/2025 LB
Dibromochloromethane	<0.200	<1.70	0.200	1.70	EPA-TO-15 11/25/2025 LB
Chloroethane	<0.600	<1.58	0.600	1.58	EPA-TO-15 11/25/2025 LB
Chloroform	0.482	2.35	0.0400	0.195	EPA-TO-15 11/25/2025 LB
Chloromethane	<0.200	<0.413	0.200	0.413	EPA-TO-15 11/25/2025 LB
cis-1,2-Dichloroethene	<0.200	<0.793	0.200	0.793	EPA-TO-15 11/25/2025 LB
cis-1,3-dichloropropene	<0.200	<0.908	0.200	0.908	EPA-TO-15 11/25/2025 LB
Cyclohexane	<0.600	<2.07	0.600	2.07	EPA-TO-15 11/25/2025 LB
Dichlorodifluoromethane (CFC-12)	0.375	1.85	0.200	0.989	EPA-TO-15 11/25/2025 LB
Dichlorotetrafluoroethane (CFC-114)	<0.600	<4.19	0.600	4.19	EPA-TO-15 11/25/2025 LB
Ethyl acetate	<2.00	<7.21	2.00	7.21	EPA-TO-15 11/25/2025 LB
Ethylbenzene	<2.00	<8.68	2.00	8.68	EPA-TO-15 11/25/2025 LB
Heptane	<0.600	<2.46	0.600	2.46	EPA-TO-15 11/25/2025 LB
Hexachlorobutadiene	<0.200	<2.13	0.200	2.13	EPA-TO-15 11/25/2025 LB
m,p-Xylene	<4.00	<17.4	4.00	17.4	EPA-TO-15 11/25/2025 LB
Methyl methacrylate	<2.00	<8.19	2.00	8.19	EPA-TO-15 11/25/2025 LB
Methylene chloride	<0.600	<2.08	0.600	2.08	EPA-TO-15 11/25/2025 LB
Naphthalene	0.0575	0.302	0.0560	0.294	EPA-TO-15 11/25/2025 LB
n-Hexane	<2.00	<7.05	2.00	7.05	EPA-TO-15 11/25/2025 LB
o-Xylene	<2.00	<8.68	2.00	8.68	EPA-TO-15 11/25/2025 LB
4-Ethyltoluene	<0.600	<2.95	0.600	2.95	EPA-TO-15 11/25/2025 LB
Propylene	<0.600	<1.03	0.600	1.03	EPA-TO-15 11/25/2025 LB
Styrene	<0.600	<2.56	0.600	2.56	EPA-TO-15 11/25/2025 LB
Methyl tert-butyl ether (MTBE)	<0.200	<0.721	0.200	0.721	EPA-TO-15 11/25/2025 LB
Tetrachloroethene (PCE)	<2.00	<13.6	2.00	13.6	EPA-TO-15 11/25/2025 LB
Tetrahydrofuran	<0.600	<1.77	0.600	1.77	EPA-TO-15 11/25/2025 LB
Toluene	<2.00	<7.54	2.00	7.54	EPA-TO-15 11/25/2025 LB
trans-1,2-Dichloroethene	<0.200	<0.793	0.200	0.793	EPA-TO-15 11/25/2025 LB
trans-1,3-dichloropropene	<0.600	<2.72	0.600	2.72	EPA-TO-15 11/25/2025 LB
Trichloroethene (TCE)	<0.0400	<0.215	0.0400	0.215	EPA-TO-15 11/25/2025 LB



Client: Geosyntec Consultants

WorkOrder: 2511491

Project: 700 Dexter

Client Sample ID: SV-101-251119

Date Sampled: 11/19/2025

Lab ID: 2511491-002A

Date Received: 11/19/2025

Sample Type: Summa Canister

Analyte	Concentration	Reporting Limit	Qual	Method	Date/Analyst
<u>Volatile Organic Compounds by EPA TO-15</u>					
	(ppbv)	(ug/m ³)	(ppbv)	(ug/m ³)	
Trichlorofluoromethane (CFC-11)	<0.200	<1.12	0.200	1.12	EPA-TO-15 11/25/2025 LB
Vinyl acetate	<0.600	<2.11	0.600	2.11	EPA-TO-15 11/25/2025 LB
Vinyl chloride	<0.200	<0.511	0.200	0.511	EPA-TO-15 11/25/2025 LB
Surr: 4-Bromofluorobenzene	102 %Rec	--	70-130	--	EPA-TO-15 11/25/2025 LB



Client: Geosyntec Consultants

WorkOrder: 2511491

Project: 700 Dexter

Client Sample ID: SV01-251119

Date Sampled: 11/19/2025

Lab ID: 2511491-003A

Date Received: 11/19/2025

Sample Type: Summa Canister

Analyte	Concentration		Reporting Limit		Qual	Method	Date/Analyst	
<u>Volatile Organic Compounds by EPA TO-15</u>								
	(ppbv)	(ug/m³)	(ppbv)	(ug/m³)				
1,1,1-Trichloroethane	2.54	13.8	0.0400	0.218		EPA-TO-15	11/26/2025	LB
1,1,2,2-Tetrachloroethane	<0.200	<1.37	0.200	1.37		EPA-TO-15	11/26/2025	LB
CFC-113	<0.600	<4.60	0.600	4.60		EPA-TO-15	11/26/2025	LB
1,1,2-Trichloroethane (TCA)	<0.0400	<0.218	0.0400	0.218		EPA-TO-15	11/26/2025	LB
1,1-Dichloroethane	0.675	2.73	0.0400	0.162		EPA-TO-15	11/26/2025	LB
1,1-Dichloroethene (DCE)	<0.0400	<0.159	0.0400	0.159		EPA-TO-15	11/26/2025	LB
1,2,4-Trichlorobenzene	<0.600	<4.45	0.600	4.45		EPA-TO-15	11/26/2025	LB
1,2,4-Trimethylbenzene	<2.00	<9.83	2.00	9.83		EPA-TO-15	11/26/2025	LB
1,2-Dibromoethane (EDB)***	0.00636	0.0489	0.00214	0.0164		EPA-TO-15	11/26/2025	LB
1,2-Dichlorobenzene	<0.200	<1.20	0.200	1.20		EPA-TO-15	11/26/2025	LB
1,2-Dichloroethane	<0.0400	<0.162	0.0400	0.162		EPA-TO-15	11/26/2025	LB
1,2-Dichloropropane	<0.200	<0.924	0.200	0.924		EPA-TO-15	11/26/2025	LB
1,3,5-Trimethylbenzene	<0.600	<2.95	0.600	2.95		EPA-TO-15	11/26/2025	LB
1,3-Butadiene	<0.200	<0.442	0.200	0.442		EPA-TO-15	11/26/2025	LB
1,3-Dichlorobenzene	<0.200	<1.20	0.200	1.20		EPA-TO-15	11/26/2025	LB
1,4-Dichlorobenzene	<0.200	<1.20	0.200	1.20		EPA-TO-15	11/26/2025	LB
1,4-Dioxane	<0.600	<2.16	0.600	2.16		EPA-TO-15	11/26/2025	LB
(MEK) 2-Butanone	<0.600	<1.77	0.600	1.77		EPA-TO-15	11/26/2025	LB
2-Hexanone	<0.600	<2.46	0.600	2.46		EPA-TO-15	11/26/2025	LB
Isopropyl Alcohol	<2.00	<4.92	2.00	4.92		EPA-TO-15	11/26/2025	LB
4-Methyl-2-pentanone (MIBK)	<0.600	<2.46	0.600	2.46		EPA-TO-15	11/26/2025	LB
Acetone	<4.00	<9.50	4.00	9.50		EPA-TO-15	11/26/2025	LB
Acrolein***	0.0390	0.0893	0.0136	0.0312		EPA-TO-15	11/26/2025	LB
Benzene	<0.0400	<0.128	0.0400	0.128		EPA-TO-15	11/26/2025	LB
Benzyl chloride	<0.600	<3.11	0.600	3.11		EPA-TO-15	11/26/2025	LB
Dichlorobromomethane	<0.200	<1.34	0.200	1.34		EPA-TO-15	11/26/2025	LB
Bromoform	<0.200	<2.07	0.200	2.07		EPA-TO-15	11/26/2025	LB
Bromomethane	<0.200	<0.777	0.200	0.777		EPA-TO-15	11/26/2025	LB
Carbon disulfide	<2.00	<6.23	2.00	6.23		EPA-TO-15	11/26/2025	LB
Carbon tetrachloride	<0.0400	<0.252	0.0400	0.252		EPA-TO-15	11/26/2025	LB



Client: Geosyntec Consultants

WorkOrder: 2511491

Project: 700 Dexter

Client Sample ID: SV01-251119

Date Sampled: 11/19/2025

Lab ID: 2511491-003A

Date Received: 11/19/2025

Sample Type: Summa Canister

Analyte	Concentration	Reporting Limit	Qual	Method	Date/Analyst
<u>Volatile Organic Compounds by EPA TO-15</u>					
	(ppbv)	(ug/m ³)	(ppbv)	(ug/m ³)	
Chlorobenzene	<0.0400	<0.184	0.0400	0.184	EPA-TO-15 11/26/2025 LB
Dibromochloromethane	<0.200	<1.70	0.200	1.70	EPA-TO-15 11/26/2025 LB
Chloroethane	<0.600	<1.58	0.600	1.58	EPA-TO-15 11/26/2025 LB
Chloroform	0.488	2.39	0.0400	0.195	EPA-TO-15 11/26/2025 LB
Chloromethane	<0.200	<0.413	0.200	0.413	EPA-TO-15 11/26/2025 LB
cis-1,2-Dichloroethene	<0.200	<0.793	0.200	0.793	EPA-TO-15 11/26/2025 LB
cis-1,3-dichloropropene	<0.200	<0.908	0.200	0.908	EPA-TO-15 11/26/2025 LB
Cyclohexane	<0.600	<2.07	0.600	2.07	EPA-TO-15 11/26/2025 LB
Dichlorodifluoromethane (CFC-12)	0.406	2.01	0.200	0.989	EPA-TO-15 11/26/2025 LB
Dichlorotetrafluoroethane (CFC-114)	<0.600	<4.19	0.600	4.19	EPA-TO-15 11/26/2025 LB
Ethyl acetate	<2.00	<7.21	2.00	7.21	EPA-TO-15 11/26/2025 LB
Ethylbenzene	<2.00	<8.68	2.00	8.68	EPA-TO-15 11/26/2025 LB
Heptane	<0.600	<2.46	0.600	2.46	EPA-TO-15 11/26/2025 LB
Hexachlorobutadiene	<0.200	<2.13	0.200	2.13	EPA-TO-15 11/26/2025 LB
m,p-Xylene	<4.00	<17.4	4.00	17.4	EPA-TO-15 11/26/2025 LB
Methyl methacrylate	<2.00	<8.19	2.00	8.19	EPA-TO-15 11/26/2025 LB
Methylene chloride	<0.600	<2.08	0.600	2.08	EPA-TO-15 11/26/2025 LB
Naphthalene	<0.0560	<0.294	0.0560	0.294	EPA-TO-15 11/26/2025 LB
n-Hexane	<2.00	<7.05	2.00	7.05	EPA-TO-15 11/26/2025 LB
o-Xylene	<2.00	<8.68	2.00	8.68	EPA-TO-15 11/26/2025 LB
4-Ethyltoluene	<0.600	<2.95	0.600	2.95	EPA-TO-15 11/26/2025 LB
Propylene	<0.600	<1.03	0.600	1.03	EPA-TO-15 11/26/2025 LB
Styrene	<0.600	<2.56	0.600	2.56	EPA-TO-15 11/26/2025 LB
Methyl tert-butyl ether (MTBE)	<0.200	<0.721	0.200	0.721	EPA-TO-15 11/26/2025 LB
Tetrachloroethene (PCE)	<2.00	<13.6	2.00	13.6	EPA-TO-15 11/26/2025 LB
Tetrahydrofuran	<0.600	<1.77	0.600	1.77	EPA-TO-15 11/26/2025 LB
Toluene	<2.00	<7.54	2.00	7.54	EPA-TO-15 11/26/2025 LB
trans-1,2-Dichloroethene	<0.200	<0.793	0.200	0.793	EPA-TO-15 11/26/2025 LB
trans-1,3-dichloropropene	<0.600	<2.72	0.600	2.72	EPA-TO-15 11/26/2025 LB
Trichloroethene (TCE)	<0.0400	<0.215	0.0400	0.215	EPA-TO-15 11/26/2025 LB



Client: Geosyntec Consultants

WorkOrder: 2511491

Project: 700 Dexter

Client Sample ID: SV01-251119

Date Sampled: 11/19/2025

Lab ID: 2511491-003A

Date Received: 11/19/2025

Sample Type: Summa Canister

Analyte	Concentration	Reporting Limit	Qual	Method	Date/Analyst
<u>Volatile Organic Compounds by EPA TO-15</u>					
	(ppbv)	(ug/m ³)	(ppbv)	(ug/m ³)	
Trichlorofluoromethane (CFC-11)	<0.200	<1.12	0.200	1.12	EPA-TO-15 11/26/2025 LB
Vinyl acetate	<0.600	<2.11	0.600	2.11	EPA-TO-15 11/26/2025 LB
Vinyl chloride	<0.200	<0.511	0.200	0.511	EPA-TO-15 11/26/2025 LB
Surr: 4-Bromofluorobenzene	101 %Rec	--	70-130	--	EPA-TO-15 11/26/2025 LB

Work Order: 2511491
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Helium by GC/TCD

Sample ID: LCS-R105013		SampType: LCS			Units: %		Prep Date: 11/26/2025			RunNo: 105013		
Client ID: LCSW		Batch ID: R105013			Analysis Date: 11/26/2025			SeqNo: 2191223				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Helium	5.32	0.200	5.000	0	106	80	120				
--------	------	-------	-------	---	-----	----	-----	--	--	--	--

Sample ID: MB-R105013		SampType: MBLK			Units: %		Prep Date: 11/26/2025			RunNo: 105013		
Client ID: MBLKW		Batch ID: R105013			Analysis Date: 11/26/2025			SeqNo: 2191224				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Helium	ND	0.200									
--------	----	-------	--	--	--	--	--	--	--	--	--

Sample ID: 2511491-001AREP		SampType: REP			Units: %		Prep Date: 11/26/2025			RunNo: 105013		
Client ID: SV-18-251119		Batch ID: R105013			Analysis Date: 11/26/2025			SeqNo: 2191220				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Helium	ND	0.300						0		30	D
--------	----	-------	--	--	--	--	--	---	--	----	---

Work Order: 2511491
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA TO-15

Sample ID: LCS-R105011		SampType: LCS		Units: ppbv		Prep Date: 11/25/2025		RunNo: 105011			
Client ID: LCSW		Batch ID: R105011				Analysis Date: 11/25/2025		SeqNo: 2191171			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Propylene	1.91	0.150	2.000	0	95.3	70	130				
Dichlorodifluoromethane (CFC-12)	1.92	0.0500	2.000	0	96.0	70	130				
Chloromethane	2.03	0.0500	2.000	0	102	70	130				
Dichlorotetrafluoroethane (CFC-114)	1.76	0.150	2.000	0	88.2	70	130				
Vinyl chloride	2.06	0.0500	2.000	0	103	70	130				
1,3-Butadiene	1.98	0.0500	2.000	0	98.9	70	130				
Bromomethane	1.94	0.0500	2.000	0	97.1	70	130				
Trichlorofluoromethane (CFC-11)	1.97	0.0500	2.000	0	98.3	70	130				
Chloroethane	1.86	0.150	2.000	0	92.8	70	130				
Acrolein***	1.79	0.00340	2.000	0	89.3	70	130				
1,1-Dichloroethene (DCE)	1.94	0.0100	2.000	0	97.2	70	130				
Acetone	2.14	1.00	2.000	0	107	70	130				
Isopropyl Alcohol	1.65	0.500	2.000	0	82.5	70	130				
Methylene chloride	1.92	0.150	2.000	0	95.9	70	130				
Carbon disulfide	2.01	0.500	2.000	0	100	70	130				
trans-1,2-Dichloroethene	1.96	0.0500	2.000	0	98.2	70	130				
Methyl tert-butyl ether (MTBE)	2.04	0.0500	2.000	0	102	70	130				
n-Hexane	1.91	0.500	2.000	0	95.6	70	130				
1,1-Dichloroethane	1.94	0.0100	2.000	0	96.8	70	130				
Vinyl acetate	1.88	0.150	2.000	0	93.9	70	130				
cis-1,2-Dichloroethene	1.97	0.0500	2.000	0	98.4	70	130				
(MEK) 2-Butanone	1.89	0.150	2.000	0	94.5	70	130				
Ethyl acetate	1.96	0.500	2.000	0	97.8	70	130				
Chloroform	1.96	0.0100	2.000	0	98.0	70	130				
Tetrahydrofuran	1.89	0.150	2.000	0	94.6	70	130				
1,1,1-Trichloroethane	2.04	0.0100	2.000	0	102	70	130				
Carbon tetrachloride	1.95	0.0100	2.000	0	97.4	70	130				
1,2-Dichloroethane	1.93	0.0100	2.000	0	96.4	70	130				
Benzene	1.93	0.0100	2.000	0	96.6	70	130				
Cyclohexane	1.98	0.150	2.000	0	99.0	70	130				
Trichloroethene (TCE)	1.95	0.0100	2.000	0	97.5	70	130				
1,2-Dichloropropane	1.94	0.0500	2.000	0	97.0	70	130				

Work Order: 2511491
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA TO-15

Sample ID: LCS-R105011		SampType: LCS		Units: ppbv		Prep Date: 11/25/2025		RunNo: 105011			
Client ID: LCSW		Batch ID: R105011				Analysis Date: 11/25/2025		SeqNo: 2191171			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methyl methacrylate	1.90	0.500	2.000	0	95.1	70	130				
Dichlorobromomethane	1.89	0.0500	2.000	0	94.7	70	130				
1,4-Dioxane	1.98	0.150	2.000	0	98.8	70	130				
cis-1,3-dichloropropene	1.84	0.0500	2.000	0	92.2	70	130				
Toluene	1.99	0.500	2.000	0	99.4	70	130				
trans-1,3-dichloropropene	1.89	0.150	2.000	0	94.5	70	130				
1,1,2-Trichloroethane (TCA)	1.96	0.0100	2.000	0	97.8	70	130				
Tetrachloroethene (PCE)	2.02	0.500	2.000	0	101	70	130				
Dibromochloromethane	1.91	0.0500	2.000	0	95.6	70	130				
1,2-Dibromoethane (EDB)***	1.99	0.000534	2.000	0	99.5	70	130				
Chlorobenzene	1.97	0.0100	2.000	0	98.3	70	130				
Ethylbenzene	2.14	0.500	2.000	0	107	70	130				
m,p-Xylene	3.96	1.00	4.000	0	98.9	70	130				
o-Xylene	2.15	0.500	2.000	0	107	70	130				
Styrene	1.95	0.150	2.000	0	97.3	70	130				
Bromoform	1.97	0.0500	2.000	0	98.6	70	130				
1,1,2,2-Tetrachloroethane	1.99	0.0500	2.000	0	99.5	70	130				
1,3,5-Trimethylbenzene	1.96	0.150	2.000	0	97.8	70	130				
1,2,4-Trimethylbenzene	1.95	0.500	2.000	0	97.7	70	130				
Benzyl chloride	1.81	0.150	2.000	0	90.3	70	130				
4-Ethyltoluene	1.99	0.150	2.000	0	99.7	70	130				
1,3-Dichlorobenzene	1.94	0.0500	2.000	0	97.1	70	130				
1,4-Dichlorobenzene	1.92	0.0500	2.000	0	95.9	70	130				
1,2-Dichlorobenzene	1.95	0.0500	2.000	0	97.7	70	130				
1,2,4-Trichlorobenzene	1.93	0.150	2.000	0	96.6	70	130				
Hexachlorobutadiene	2.16	0.0500	2.000	0	108	70	130				
Naphthalene	2.14	0.0140	2.000	0	107	70	130				
2-Hexanone	1.95	0.150	2.000	0	97.5	70	130				
4-Methyl-2-pentanone (MIBK)	1.93	0.150	2.000	0	96.6	70	130				
CFC-113	1.94	0.150	2.000	0	97.1	70	130				
Heptane	1.85	0.150	2.000	0	92.5	70	130				
Surr: 4-Bromofluorobenzene	5.15		5.000		103	70	130				

Work Order: 2511491
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA TO-15

Sample ID: LCS-R105011		SampType: LCS			Units: ppbv		Prep Date: 11/25/2025			RunNo: 105011		
Client ID: LCSW		Batch ID: R105011			Analysis Date: 11/25/2025			SeqNo: 2191171				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Sample ID: MB-R105011		SampType: MBLK			Units: ppbv		Prep Date: 11/25/2025			RunNo: 105011		
Client ID: MBLKW		Batch ID: R105011			Analysis Date: 11/25/2025			SeqNo: 2191172				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Propylene	ND	0.150
Dichlorodifluoromethane (CFC-12)	ND	0.0500
Chloromethane	ND	0.0500
Dichlorotetrafluoroethane (CFC-114)	ND	0.150
Vinyl chloride	ND	0.0500
1,3-Butadiene	ND	0.0500
Bromomethane	ND	0.0500
Trichlorofluoromethane (CFC-11)	ND	0.0500
Chloroethane	ND	0.150
Acrolein***	ND	0.00340
1,1-Dichloroethene (DCE)	ND	0.0100
Acetone	ND	1.00
Isopropyl Alcohol	ND	0.500
Methylene chloride	ND	0.150
Carbon disulfide	ND	0.500
trans-1,2-Dichloroethene	ND	0.0500
Methyl tert-butyl ether (MTBE)	ND	0.0500
n-Hexane	ND	0.500
1,1-Dichloroethane	ND	0.0100
Vinyl acetate	ND	0.150
cis-1,2-Dichloroethene	ND	0.0500
(MEK) 2-Butanone	ND	0.150
Ethyl acetate	ND	0.500
Chloroform	ND	0.0100
Tetrahydrofuran	ND	0.150
1,1,1-Trichloroethane	ND	0.0100

Work Order: 2511491
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA TO-15

Sample ID: MB-R105011		SampType: MBLK			Units: ppbv		Prep Date: 11/25/2025			RunNo: 105011		
Client ID: MBLKW		Batch ID: R105011						Analysis Date: 11/25/2025			SeqNo: 2191172	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Carbon tetrachloride	ND	0.0100
1,2-Dichloroethane	ND	0.0100
Benzene	ND	0.0100
Cyclohexane	ND	0.150
Trichloroethene (TCE)	ND	0.0100
1,2-Dichloropropane	ND	0.0500
Methyl methacrylate	ND	0.500
Dichlorobromomethane	ND	0.0500
1,4-Dioxane	ND	0.150
cis-1,3-dichloropropene	ND	0.0500
Toluene	ND	0.500
trans-1,3-dichloropropene	ND	0.150
1,1,2-Trichloroethane (TCA)	ND	0.0100
Tetrachloroethene (PCE)	ND	0.500
Dibromochloromethane	ND	0.0500
1,2-Dibromoethane (EDB)***	ND	0.000534
Chlorobenzene	ND	0.0100
Ethylbenzene	ND	0.500
m,p-Xylene	ND	1.00
o-Xylene	ND	0.500
Styrene	ND	0.150
Bromoform	ND	0.0500
1,1,2,2-Tetrachloroethane	ND	0.0500
1,3,5-Trimethylbenzene	ND	0.150
1,2,4-Trimethylbenzene	ND	0.500
Benzyl chloride	ND	0.150
4-Ethyltoluene	ND	0.150
1,3-Dichlorobenzene	ND	0.0500
1,4-Dichlorobenzene	ND	0.0500
1,2-Dichlorobenzene	ND	0.0500
1,2,4-Trichlorobenzene	ND	0.150
Hexachlorobutadiene	ND	0.0500

Work Order: 2511491
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA TO-15

Sample ID: MB-R105011		SampType: MBLK			Units: ppbv		Prep Date: 11/25/2025			RunNo: 105011		
Client ID: MBLKW		Batch ID: R105011			Analysis Date: 11/25/2025			SeqNo: 2191172				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Naphthalene	ND	0.0140									
2-Hexanone	ND	0.150									
4-Methyl-2-pentanone (MIBK)	ND	0.150									
CFC-113	ND	0.150									
Heptane	ND	0.150									
Surr: 4-Bromofluorobenzene	4.92		5.000		98.4	70	130				

Sample ID: 2511496-001AREP		SampType: REP			Units: ppbv		Prep Date: 11/26/2025			RunNo: 105011		
Client ID: BATCH		Batch ID: R105011			Analysis Date: 11/26/2025			SeqNo: 2191177				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Propylene	6.51	0.600						6.154	5.67	25	H
Dichlorodifluoromethane (CFC-12)	0.418	0.200						0.4194	0.440	25	H
Chloromethane	0.233	0.200						0.2252	3.34	25	H
Dichlorotetrafluoroethane (CFC-114)	ND	0.600						0		25	H
Vinyl chloride	ND	0.200						0		25	H
1,3-Butadiene	0.458	0.200						0.4390	4.31	25	H
Bromomethane	ND	0.200						0		25	H
Trichlorofluoromethane (CFC-11)	ND	0.200						0		25	H
Chloroethane	ND	0.600						0		25	H
Acrolein***	ND	0.0136						0		25	H
1,1-Dichloroethene (DCE)	ND	0.0400						0		25	H
Acetone	7.38	4.00						7.344	0.495	25	H
Isopropyl Alcohol	6.84	2.00						6.531	4.65	25	H
Methylene chloride	ND	0.600						0		25	H
Carbon disulfide	ND	2.00						0		25	H
trans-1,2-Dichloroethene	ND	0.200						0		25	H
Methyl tert-butyl ether (MTBE)	ND	0.200						0		25	H
n-Hexane	4.11	2.00						3.991	2.82	25	H
1,1-Dichloroethane	ND	0.0400						0		25	H
Vinyl acetate	ND	0.600						0		25	H

Work Order: 2511491
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA TO-15

Sample ID: 2511496-001AREP		SampType: REP		Units: ppbv		Prep Date: 11/26/2025			RunNo: 105011		
Client ID: BATCH		Batch ID: R105011		Analysis Date: 11/26/2025					SeqNo: 2191177		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,2-Dichloroethene	ND	0.200						0		25	H
(MEK) 2-Butanone	ND	0.600						0		25	H
Ethyl acetate	ND	2.00						0		25	H
Chloroform	5.13	0.0400						5.111	0.309	25	H
Tetrahydrofuran	1.08	0.600						1.029	4.42	25	H
1,1,1-Trichloroethane	ND	0.0400						0		25	H
Carbon tetrachloride	0.0458	0.0400						0.04652	1.56	25	H
1,2-Dichloroethane	ND	0.0400						0		25	H
Benzene	1.20	0.0400						1.182	1.08	25	H
Cyclohexane	7.95	0.600						7.995	0.522	25	H
Trichloroethene (TCE)	ND	0.0400						0		25	H
1,2-Dichloropropane	ND	0.200						0		25	H
Methyl methacrylate	ND	2.00						0		25	H
Dichlorobromomethane	ND	0.200						0		25	H
1,4-Dioxane	ND	0.600						0		25	H
cis-1,3-dichloropropene	ND	0.200						0		25	H
Toluene	ND	2.00						0		25	H
trans-1,3-dichloropropene	ND	0.600						0		25	H
1,1,2-Trichloroethane (TCA)	ND	0.0400						0		25	H
Tetrachloroethene (PCE)	ND	2.00						0		25	H
Dibromochloromethane	ND	0.200						0		25	H
1,2-Dibromoethane (EDB)***	ND	0.00214						0		25	H
Chlorobenzene	0.0693	0.0400						0.06824	1.57	25	H
Ethylbenzene	2.13	2.00						2.140	0.555	25	H
m,p-Xylene	ND	4.00						0		25	H
o-Xylene	ND	2.00						0		25	H
Styrene	ND	0.600						0		25	H
Bromoform	ND	0.200						0		25	H
1,1,2,2-Tetrachloroethane	ND	0.200						0		25	H
1,3,5-Trimethylbenzene	ND	0.600						0		25	H
1,2,4-Trimethylbenzene	ND	2.00						0		25	H
Benzyl chloride	ND	0.600						0		25	H

Work Order: 2511491
CLIENT: Geosyntec Consultants
Project: 700 Dexter

QC SUMMARY REPORT

Volatile Organic Compounds by EPA TO-15

Sample ID: 2511496-001AREP		SampType: REP		Units: ppbv		Prep Date: 11/26/2025		RunNo: 105011			
Client ID: BATCH		Batch ID: R105011				Analysis Date: 11/26/2025		SeqNo: 2191177			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Ethyltoluene	ND	0.600						0		25	H
1,3-Dichlorobenzene	ND	0.200						0		25	H
1,4-Dichlorobenzene	ND	0.200						0		25	H
1,2-Dichlorobenzene	ND	0.200						0		25	H
1,2,4-Trichlorobenzene	ND	0.600						0		25	H
Hexachlorobutadiene	ND	0.200						0		25	H
Naphthalene	0.258	0.0560						0.2803	8.40	25	H
2-Hexanone	ND	0.600						0		25	H
4-Methyl-2-pentanone (MIBK)	ND	0.600						0		25	H
CFC-113	ND	0.600						0		25	H
Heptane	1.18	0.600						1.173	0.900	25	H
Surr: 4-Bromofluorobenzene	20.1		20.00		101	70	130		0		H

Client Name: AC

Work Order Number: 2511491

Logged by: Clare Griggs

Date Received: 11/19/2025 12:37:00 PM

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes ☐ No ☐ Not Present ☒
4. Was an attempt made to cool the samples? Yes ☐ No ☐ NA ☒
5. Were all items received at a temperature of >2°C to 6°C * Yes ☐ No ☐ NA ☒
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. Is there headspace in the VOA vials? Yes ☐ No ☐ NA ☒
11. Did all samples containers arrive in good condition(unbroken)? Yes ☒ No ☐
12. Does paperwork match bottle labels? Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all hold times (except field parameters, pH e.g.) able to be met? Yes ☒ No ☐

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:		Date:	
By Whom:		Via:	☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:			
Client Instructions:			

17. Additional remarks:

Item Information

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



Fremont
Analytical
An Alliance Technical Group Company

3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Client: Geosyntec

Address: 200 5th Ave, Suite 2200

City, State, Zip: Seattle, WA 98104

Telephone: 206-780-7724

Fax:

Air Chain of Custody Record & Laboratory Services Agreement

Date: 11/19/25 Page: 1 of 1

Project Name: 700 Dexter

Project No: AS 240461

Location: 700 Dexter Ave N, Seattle, WA

Collected by: E. Kucur

Reports to (PM): Hannah Cavan Thakane

Email (PM): Hannah.Cavan@geosyntec.com + Lea.Kane@geosyntec.com

Laboratory Project No (Internal): 2511491

Special Remarks:

Please invoice through Leupa
WO-AS 240461-8485.

Disposal: Samples will be disposed of one week after report is submitted unless otherwise requested. ☐ Retain volume (specify above) ☐ Return to client

Sample Name	Canister / Flow Reg Serial #	Sample Type (Matrix) *	Container Type **	Expected Fill Time / Flow Rate	Sample Start Date & Time	Field Initial Sample Pressure (¹ Hg)	Sample End Date & Time	Field Final Sample Pressure (¹ Hg)	Analysis								Comments			
									Full list VOCs TO15	Select VOCs TO15 ***	APH TO15	Siloxanes TO15	Sulfur TO15	Major Gases 3C	Helium 3C Mod	VOCs 8260		GX/BTEX 8260		
SV-18-251119	11400	S	1.4L	150CC/ MIN	11/19/25	30	11/19/25	S	X										SV-18-251119	
	0955				1006															
SV-01-251119 ^{EF}	11411	S	1.4L	150CC/ MIN	11/19/25	30	11/19/25	S	X											
	FC-29				1127		1136													
SV-01-251119	4684	S	1.4L	150CC/ MIN	11/19/25	30	11/19/25	S	X											
	FC-6				1049		1059													

* Matrix Codes: AA = Ambient Air OA = Outdoor Air IA = Indoor Air S = Subslab / Soil Gas SVE = SVE RMG = Biogas / Landfill / Digester

** Container Codes: BV = 1 Liter Bottle Vac GL = 6L Canister 1L = 1L Canister CYL = High Pressure Cylinder F = Filter S = Sorbent Tube TB = Tedlar Bag

*** Select one: ☐ BTEXN & APH ☐ PCE & Breakdown ☐ Other, specify in comments

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished (Signature)

Print Name

Date/Time

Relinquished (Signature)

Print Name

Date/Time

Relinquished (Signature)

Print Name

Date/Time

Relinquished (Signature)

Print Name

Date/Time

Turn-Around Time:

☒ Standard ☐ Next Day

☐ 3 Day ☐ Same Day

☐ 2 Day ☐ Specify

APPENDIX C

Data Validation Memorandum

Memorandum

Date: 30 March 2026
To: Hanna Winter, Lea Kane
From: Anya Epstein
CC: Todd Olsen
Subject: **Stage 2A Data Validation - Level II Data Deliverables – Alliance Technical Group (formerly Fremont Analytical) Job IDs 2511121, 2511181, 2511224, 2511248, 2511275, 2511308, 2511351, 2511409, 2511443, 2511473, 2511490, and 2511491**

SITE: 700 Dexter, Seattle, WA

INTRODUCTION

This report summarizes the findings of the Stage 2A data validation of one-hundred and twenty-five groundwater samples, two soil vapor samples, seven groundwater field duplicates, one soil vapor field duplicate, eight trip blanks, and seven equipment blanks collected 05-19 November 2025, as part of the quarterly sampling event for the 700 Dexter project located in Seattle, Washington (WA). The samples were submitted to Alliance Technical Group (ATG), Seattle, WA and analyzed for the following tests:

- United States Environmental Protection Agency (USEPA) Method 8260D – Volatile Organic Compounds (VOCs)
- USEPA Method TO-15 – VOCs
- Modified USEPA Method 3C – Helium
- USEPA Method RSK-175 – Dissolved Gases Including Methane, Ethane, and Ethene
- USEPA Method 6020B – Select Total Metals including Iron and Manganese
- USEPA Method 300.0 – Select Anions Including Chloride, Nitrate, and Sulfate
- USEPA Method 310.2 – Alkalinity

A subset of the samples were sent to Analytical Resources LLC (ARI), Tukwila, Washington, and analyzed for the following test:

- USEPA Method 9060A – Total Organic Carbon (TOC)

EXECUTIVE SUMMARY

Overall, based on this Stage 2A data validation covering the quality control (QC) parameters listed below and based on the information provided, the data as qualified are usable for supporting project objectives, with the following exceptions.

The detected TOC results in this dataset were rejected based on inorganic carbon contamination.

The remainder of the qualified data should be used within the limitations of the qualifications. If there are results with two or more different qualifications due to multiple QC failures, the final qualification is reconciled in the electronic data deliverable (EDD) with qualifications.

The data were reviewed based on the following documents:

- Final Remedial Investigation/ Feasibility Study Work Plan, December 2019 (herein referred to as the WP)
- USEPA National Functional Guidelines for Superfund Organic Methods Data Review, November 2020 (NFG, EPA 540-R-20-005) (herein referred to as the NFG)
- USEPA NFG for Inorganic Superfund Methods Data Review, November 2020 (EPA 542-R-20-006)
- The pertinent methods referenced by the laboratory report, and professional and technical judgment.

The laboratory reported results for the analytical methods requested for each sample on the chain of custody (COC).

The following samples were analyzed and validated at a Stage 2A level in the data sets:

Laboratory ID	Client ID
2511121-001	MW-144R-251105
2511121-002	MW-138-251105
2511121-003	MW-302-251105
2511121-004	MR-MW5-251105
2511121-005	MW-304-251105
2511121-006	MW-159-251105
2511121-007	MW-143-251105
2511121-008	MW-142-251105
2511121-009	BB-8-251105
2511121-010	MW-105-251105
2511121-011	MW-303-251105
2511121-012	TRIP-251105
2511181-001	MW-156-251106
2511181-002	MW-910-251106

Laboratory ID	Client ID
2511181-003	MW-127-251106
2511181-004	MW-350-251106
2511181-005	MW-911-251106
2511181-006	MW-120-251106
2511181-007	MW-909-251106
2511181-008	MW-349-251106
2511181-009	MW-9-251106
2511181-010	MW-348-251106
2511181-011	MW-121-251106
2511181-012	R-MW6-251106
2511181-013	MW-313-251106
2511181-014	MW-347-251106
2511181-015	EQ-251106
2511181-016	TRIP-251106

Laboratory ID	Client ID
2511224-001	MW125-251107
2511224-002	MW-912-251107
2511224-003	MW-305-251107
2511224-004	MW-155-251107
2511224-005	MW-351-251107
2511224-006	HMW-9IB-251107
2511224-007	MW-913-251107
2511224-008	MW106-251107
2511224-009	MW-346-251107
2511224-010	MW-314-251107
2511224-011	MW-110-251107
2511224-012	MW-345-251107
2511224-013	EQ-251107
2511224-014	TRIP-251107
2511248-001	MW-161-251110
2511248-002	W-MW-01-251110
2511248-003	MW-145R-251110
2511248-004	EQ-251110
2511248-005	MW111-251110
2511248-006	MW-312-251110
2511248-007	MW-914-251110
2511248-008	MW-311-251110
2511248-009	MW-915-251110
2511248-010	MW-310-251110
2511248-011	MW-308-251110
2511248-012	MW-309-251110
2511248-013	SCL-MW101-251110
2511248-014	MW126-251110
2511248-015	MW-331-251110
2511248-016	TRIP-251110
2511275-001	FMW-131-251111
2511275-002	MW-341-251111
2511275-003	FMW-129-251111
2511275-004	GEI-2-251111
2511275-005	MW-328-251111
2511275-006	GEI-MW-1-251111
2511275-007	MW-326R-251111
2511275-008	MW-327-251111
2511275-009	MW107-251111
2511275-010	MW-340-251111
2511275-011	MW-325-251111
2511275-012	MW-338-251111
2511275-013	EQ-251111

Laboratory ID	Client ID
2511275-014	TRIP-251111
2511308-001	MW-322-251112
2511308-002	FMW-142-251112
2511308-003	MW-344-251112
2511308-004	MW-147-251112
2511308-005	MW-319-251112
2511308-006	MW116-251112
2511308-007	MW-318-251112
2511308-008	MW-146-251112
2511308-009	MW113-251112
2511308-010	MW-317-251112
2511308-011	MW-154-251112
2511308-012	MW115-251112
2511308-013	MW-153-251112
2511308-014	MW-332-251112
2511308-015	TRIP-251112
2511351-001	MW102-251113
2511351-002	MW-158A-251113
2511351-003	MW-316-251113
2511351-004	EQ-251113
2511351-005	MW-323-251113
2511351-006	MW128-251113
2511351-007	MW-329-251113
2511351-008	MW-336-251113
2511351-009	MW-335-251113
2511351-010	TRIP-251113
2511351-011	MW-165-251113
2511351-012	MW-166-251113
2511351-013	MW-167-251113
2511351-014	MW-168-251113
2511351-015	MW-174-251113
2511351-016	MW-175-251113
2511409-001	MW-307-251114
2511409-002	MW-306-251114
2511409-003	MW124-251114
2511409-004	MW104-251114
2511409-005	MW-160-251114
2511409-006	MW-342-251114
2511409-007	MW-343-251114
2511409-008	MW119-251114
2511409-009	MW-185-251114
2511409-010	MW-187-251114
2511409-011	MW-188-251114

Laboratory ID	Client ID
2511409-012	MW-186-251114
2511409-013	MW-176-251114
2511409-014	MW-173-251114
2511409-015	TRIP-251114
2511443-001	MW-183-251117
2511443-002	MW-181-251117
2511443-003	MW-182-251117
2511443-004	MW-184-251117
2511443-005	MW-148-251117
2511443-006	MW-190-251117
2511443-007	MW103-251117
2511443-008	MW-315-251117
2511443-009	FMW-137-251117
2511443-010	MW123-251117
2511443-011	MW109-251117
2511443-012	EQ-251117
2511473-001	MW122-251118
2511473-002	FMW-141-251118

Laboratory ID	Client ID
2511473-003	FMW-140-251118
2511473-004	MW-169-251118
2511473-005	MW-180-251118
2511473-006	MW-177-251118
2511473-007	MW-179-251118
2511473-008	MW-330-251118
2511473-009	MW-334-251118
2511473-010	MW-324-251118
2511473-011	MW108-251118
2511473-012	EQ-251118
2511490-001	MW-170-251119
2511490-002	MW-171-251119
2511490-003	MW-172-251119
2511490-004	MW-189-251119
2511490-005	MW-301-251119
2511491-001	SV-18-251119
2511491-002	SV-101-251119
2511491-003	SV01-251119

The groundwater samples were received at 0.3 degrees Celsius (°C), 0.4°C, 1.1°C, 1.2°C, 1.5°C, 2.0°C, 2.8°C, 3.2°C, and 4.9°C at ATG and at 4.0°C, 4.6°C, 5.5°C, 5.8°C, 5.9°C, 6.4°C, 6.8°C, 7.8°C, 7.9°C, and 11.4°C at ARI, both within and outside the method-specified criteria of 0-6°C. Temperature acceptance criteria is not specified for air sample matrices.

The sample collection times were not listed on the COCs for samples TRIP-251105, TRIP-251106, TRIP-251107, TRIP-251110, TRIP-251111, TRIP-251112, TRIP-251113, and TRIP-251114; the laboratory assigned collection times of 00:00.

Discrepancies were observed between sample relinquish times and sample receipt times on the COCs between ATG and ARI in jobs 2511121, 2511181, 2511224, 2511248, 2511275, 2511308, 2511351, 2511409, 2511443, 2511473, and 2511490.

Sampling dates did not include the year on the COC in job 2508408 and 2511473.

Incorrect error corrections were observed on COCs in jobs 2511181 and 2511308, instead of the proper procedure of a single strike through, correction, date and initials of person making the corrections.

The laboratory report for job 2511121 was revised on 09 January 2026 to include continuing calibration verification (CCV) results for re-analyses for which laboratory control sample (LCS) results were not reported and further revised on 14 January 2026 to correct the sample ID for sample R-MW5-251105. The revised report name was not changed.

The laboratory report for job 2511224 was revised on 01 December 2025 to update laboratory flagging and further revised on 09 January 2026 to include CCV results for re-analyses for which LCS results were not reported. The revised report name was not changed.

The laboratory report for job 2511491 was revised on 16 December 2025 to include the sample receipt pressures in the case narrative; the revised report name was not changed.

The laboratory reports for jobs 2511121, 2511181, 2511224, 2511275, 2511308, 2511351, 2511409, 2511443, 2511473, and 2511490 were revised on 9 January 2026 to include CCV results for re-analyses for which LCS results were not reported. The revised report names were not changed.

The EDDs containing the TOC results from ARI for jobs 2511121, 2511181, 2511224, 2511248, 2511275, 2511308, 2511351, 2511409, 2511443, 2511473, and 2511490 were revised on 13 January 2026 to report the results in a project-specific EDD format.

This validation report and the associated EDDs were revised on 30 March 2026 to update qualifications of TOC results based on clarifications from the laboratory, see Section 6.1.

1.0 VOLATILE ORGANIC COMPOUNDS

The samples were analyzed for VOCs per USEPA Methods 8260D and TO-15.

The areas of data review are listed below. A leading check mark (✓) indicates an area of review in which the data were acceptable. A preceding crossed circle (⊗) signifies areas where issues were raised during the course of the validation review and should be considered to determine any impact on data quality and usability.

- ⊗ Overall Assessment
- ✓ Holding Times
- ⊗ Method Blank
- ⊗ Matrix Spike/Matrix Spike Duplicate
- ⊗ Laboratory Control Sample
- ⊗ Surrogates
- ⊗ Trip Blank
- ⊗ Equipment Blank
- ⊗ Field Duplicate
- ✓ Laboratory Duplicate
- ✓ Sensitivity
- ✓ Electronic Data Deliverable Review

1.1 Overall Assessment

The VOC data reported in the laboratory report are considered usable for supporting project objectives. The results are considered valid; the analytical completeness, defined as the ratio of the number of valid analytical results (valid analytical results include values qualified as estimated) to the total number of analytical results requested on samples submitted for this analysis, for the sample set is 100%.

LCS results were not reported with the re-analyses from which the following analytes were reported:

- Vinyl chloride in samples MW-143-251105, BB-8-251105, MW-156-251106, MW-127-251106, MW-350-251106, MW-183-251117, FMW-140-251118, and MW-169-251118
- cis-1,2-Dichloroethene in samples MW-155-251107, HMW-9IB-251107, MW-110-251107, MW-308-251110, MW-322-251112, MW-165-251113, MW-324-251118, and MW108-251118
- Vinyl chloride and cis-1,2-dichloroethene in samples MW-142-251105, MW-341-251111, MW-344-251112, MW-146-251112, MW-323-251113, MW-168-251113, MW-174-251113, MW-175-251113, MW-181-251117, MW-182-251117, MW-179-251118, and MW-334-251118
- cis-1,2-Dichloroethene and trichloroethene (TCE) in samples MW-910-251106 and MW-335-251113
- Vinyl chloride and tetrachloroethene (PCE) in sample MW-911-251106
- Vinyl chloride, cis-1,2-dichloroethene, and PCE in sample MW-177-251118
- Vinyl chloride, cis-1,2-dichloroethene, and TCE in sample MW-330-251118
- cis-1,2-Dichloroethene, TCE, and PCE in sample FMW-129-251111
- Vinyl chloride, cis-1,2-dichloroethene, TCE, and PCE in sample MW-180-251118
- Vinyl chloride, cis-1,2-dichloroethene, trans-1,2-dichloroethene, TCE, and PCE in sample MW-301-251119
- Vinyl chloride, cis-1,2-dichloroethene, and trans-1,2-dichloroethene in samples MW-166-251113 and MW-167-251113
- Vinyl chloride, 1,1-dichloroethene, cis-1,2-dichloroethene, and trans-1,2-dichloroethene in sample MW-170-251119
- Vinyl chloride, 1,1-dichloroethene, cis-1,2-dichloroethene, and trans-1,2-dichloroethene, TCE, and PCE in samples MW-171-251119 and MW-172-251119

CCV results were evaluated to assess accuracy of these analytes and were also reported for initial analytical runs. CCVs were associated with project samples based on the analysis date reported in the laboratory reports and EDDs; when associations based on analysis date were unclear, the most conservative estimates of which samples would be associated with a CCV exceedance were used (i.e. if it was unclear if a results was associated with a CCV exceedance, it was qualified as part of

the validation). The CCV recoveries were within the laboratory specified acceptance criteria, with the following exceptions.

The CCV recoveries for dichlorodifluoromethane in VOC-CCV-104604A, VOC-CCV-104604B, VOC-CCV-104651A were high and outside of the laboratory specified acceptance criteria. Therefore, the non-detect dichlorodifluoromethane results in the associated samples were UJ qualified as less than the estimated method detection limit (MDL). These qualifications are presented in Attachment 3.

The CCV recoveries for 1,2,4-trichlorobenzene and hexachloro-1,3-butadiene in VOC-CCV-104651B were low and outside of the laboratory specified acceptance criteria. Therefore, the non-detect 1,2,4-trichlorobenzene and hexachloro-1,3-butadiene results in the associated samples were UJ qualified as less than the estimated MDLs. These qualifications are presented in Attachment 3.

The CCV recoveries for dichlorodifluoromethane, chloromethane, vinyl chloride, and bromomethane in VOC-CCV-104651C were high and outside of the laboratory specified acceptance criteria. Therefore, the non-detect dichlorodifluoromethane, chloromethane, vinyl chloride, and bromomethane results in the associated samples were UJ qualified as less than the estimated MDLs and the detected concentrations were J qualified as estimated. These qualifications are presented in Attachment 3.

The CCV recovery for bromomethane in VOC-CCV-104766A was high and outside of the laboratory specified acceptance criteria and the CCV recoveries for acetone and 2-hexanone in VOC-CCV-104766B were low and outside of the laboratory specified acceptance criteria. Therefore, the non-detect bromomethane, acetone, and 2-hexanone results in the associated samples were UJ qualified as less than the estimated MDLs and the detected concentrations were J qualified as estimated. These qualifications are presented in Attachment 3.

The CCV recoveries for acetone and 2-hexanone in VOC-CCV-104764A were low and outside of the laboratory specified acceptance criteria and the CCV recoveries for bromomethane and vinyl acetate in VOC-CCV-104764B were high and outside laboratory specified acceptance criteria. Therefore, the non-detect acetone, 2-hexanone, and bromomethane results in the associated samples were UJ qualified as less than the estimated MDLs and the detected concentrations were J qualified as estimated. These qualifications are presented in Attachment 3. Since vinyl acetate was not reported in the project samples, no additional qualifications were applied to the data.

The CCV recoveries for bromomethane in VOC-CCV-104760A and VOC-CCV-104760B were high and outside laboratory specified acceptance criteria and the acetone, 2-butanone, and 2-hexanone recoveries in VOC-CCV-104760B were low and outside of the laboratory specified acceptance criteria. Therefore, the non-detect acetone, bromomethane, 2-butanone, and 2-

hexanone results in the associated samples were UJ qualified as less than the estimated MDLs. These qualifications are presented in Attachment 3.

The CCV recoveries for bromomethane, 1,1-dichloroethene, 1,1,1-trichloroethane, and carbon tetrachloride in VOC-CCV-104760C were high and outside laboratory specified acceptance criteria. Therefore, the non-detect bromomethane, 1,1-dichloroethene, 1,1,1-trichloroethane, and carbon tetrachloride results in the associated samples were UJ qualified as less than the estimated MDLs. These qualifications are presented in Attachment 3.

The CCV recoveries for acetone and 2-hexanone in VOC-CCV-104865A and VOC-CCV-104865B were low and outside laboratory specified acceptance criteria and the bromomethane recovery in VOC-CCV-104865A was high and outside laboratory specified acceptance criteria. Therefore, the non-detect acetone, bromomethane, and 2-hexanone results in the associated samples were UJ qualified as less than the estimated MDLs. These qualifications are presented in Attachment 3.

The CCV recovery for acetone in CCV-104829B was low and outside laboratory specified acceptance criteria and the dichlorodifluoromethane recoveries in CCV-104829B and CCV-104829C were high and outside laboratory specified acceptance criteria. Therefore, the non-detect acetone and dichlorodifluoromethane results in the associated samples were UJ qualified as less than the estimated MDLs. These qualifications are presented in Attachment 3.

The CCV recoveries for acetone and 2-hexanone in VOC-CCV-104850A were low and outside laboratory specified acceptance criteria and the bromoethane recovery was high and outside laboratory specified acceptance criteria. Therefore, the non-detect acetone, 2-hexanone, and bromomethane results in the associated samples were UJ qualified as less than the estimated MDLs. These qualifications are presented in Attachment 3.

The CCV recoveries for 1,1,1-trichloroethane, 1,1-dichloropropene, dichlorodifluoromethane, bromomethane, and carbon tetrachloride in VOC-CCV-104850B were high and outside laboratory specified acceptance criteria. Therefore, the non-detect 1,1,1-trichloroethane, 1,1-dichloropropene, dichlorodifluoromethane, bromomethane, and carbon tetrachloride results in the associated samples were UJ qualified as less than the estimated MDLs. These qualifications are presented in Attachment 3.

The CCV recoveries for bromomethane in VOC-CCV-104971A, VOC-CCV-104971B, and VOC-CCV-104971C were high and outside laboratory specified acceptance criteria. Therefore, the non-detect bromomethane results in the associated samples were UJ qualified as less than the estimated MDLs. These qualifications are presented in Attachment 3.

The CCV recoveries for acetone and 2-hexanone in VOC-CCV-104971B were low and outside laboratory specified acceptance criteria. Therefore, the non-detect acetone and 2-hexanone results in the associated samples were UJ qualified as less than the estimated MDLs. These qualifications are presented in Attachment 3.

The CCV recoveries for acetone, 2-hexanone, 2-butanone, and 1,2-dibromo-3-chloropropane in VOC-CCV-104971C were low and outside laboratory specified acceptance criteria. Therefore, the non-detect acetone, 2-hexanone, 2-butanone, and 1,2-dibromo-3-chloropropane results in the associated sample were UJ qualified as less than the estimated MDLs. These qualifications are presented in Attachment 3.

The CCV recoveries for bromomethane, chloroethane, acetone, and 2-butanone in VOC-CCV-104996A were high and outside laboratory specified acceptance criteria, and the CCV recoveries for dichlorodifluoromethane, chloroethane, 1,1-dichloroethene, 1,1-dichloropropene, carbon tetrachloride, and PCE in VOC-CCV-104996B were high and outside laboratory specified acceptance criteria. Therefore, the non-detect acetone, 2-butanone, bromomethane, dichlorodifluoromethane, chloroethane, 1,1-dichloroethene, 1,1-dichloropropene, carbon tetrachloride, and PCE results in the associated sample were UJ qualified as less than the estimated MDLs. These qualifications are presented in Attachment 3.

The CCV recoveries for bromomethane, 1,1,1-trichloroethane, and carbon tetrachloride in VOC-CCV-104967A were high and outside laboratory specified acceptance criteria. Therefore, the non-detect bromomethane, 1,1,1-trichloroethane, and carbon tetrachloride results in the associated samples were UJ qualified as less than the estimated MDLs. These qualifications are presented in Attachment 3.

1.2 Holding Times

The holding time for the VOC analysis of a preserved water sample is 14 days from sample collection to analysis. The holding time for the VOC analysis of an air sample is 30 days from sample collection to analysis. The holding times were met for the sample analyses.

1.3 Method Blank

Thirteen method blanks were reported (aqueous matrix batches 49950, 49994, 50002, 50039, 50045, 50052, 50069, 50078, 50097, 50111, 50121, and 50166 and air matrix batch R105011). VOCs were not detected in the method blanks at or above the MDLs for the aqueous samples and the reporting limits (RLs) for the air samples, with the following exceptions.

Chloromethane was detected in the method blank in batch 50052 at an estimated concentration greater than the MDL and less than the RL. Therefore, the estimated chloromethane concentration

in sample MW115-251112 was U qualified as not detected at the RL. Since chloromethane was not detected in the remainder of the associated samples, no additional qualifications were applied to the data.

Hexachloro-1,3-butadiene was detected in the method blank in batch 50166 at an estimated concentration greater than the MDL and less than the RL. Therefore, the estimated hexachloro-1,3-butadiene concentration in sample MW-169-251118 was U qualified as not detected at the RL.

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier*	Reason Code**
MW115-251112	Chloromethane	0.651	J	1.00	U	3
MW-169-251118	Hexachloro-1,3-butadiene	0.36	J	1.00	U	3

µg/L – Micrograms per liter

J– Laboratory flag indicating the result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

* Validation qualifiers are defined in Attachment 1 at the end of this report

**Reason codes are defined in Attachment 2 at the end of this report

Method blanks were not analyzed with the re-analyses from which the following analytes were reported:

- Vinyl chloride in samples MW-183-251117, FMW-140-251118, MW-177-251118
- Vinyl chloride and cis-1,2-dichloroethene in samples MW-176-251114, MW-181-251117, MW-182-251117, MW-180-251118, MW-179-251118, MW-334-251118
- Vinyl chloride, TCE, and PCE in sample MW-330-251118
- Vinyl chloride, 1,1-dichloroethene, cis-1,2-dichloroethene, and trans-1,2-dichloroethene in sample MW-170-251119
- Vinyl chloride, cis-1,2-dichloroethene, trans-1,2-dichloroethene, TCE, and PCE in sample MW-301-251119
- Vinyl chloride, 1,1-dichloroethene, cis-1,2-dichloroethene, and trans-1,2-dichloroethene, TCE, and PCE in samples MW-171-251119 and MW-172-251119

Continuing calibration blank (CCB) results were evaluated to assess potential contamination of these analytes. VOCs were not detected in the CCBs at or above the MDLs, with the following exception.

Acetone was detected in CCB-104850 at a concentration greater than the RL; since acetone was not detected in the associated samples, no qualifications were applied to the data.

1.4 **Matrix Spike/Matrix Spike Duplicate (MS/MSD)**

Seven sample-set specific MSs were reported, using samples MW-138-251105, MW-349-251106, MW-331-251110, MW-153-251112, MW104-251114, FMW-140-251118, and MW-189-251119.

The recovery and relative percent difference (RPD) results were within the laboratory specified acceptance criteria with the following exceptions.

The 1,1-dichloroethane recovery in the MS using sample MW-138-251105 was high and outside laboratory specified acceptance criteria. Since 1,1-dichloroethane was not detected in sample MW-138-251105, no qualifications were applied to the data.

The tert-butylbenzene and 1,2,4-trimethylbenzene recoveries in the MS using sample MW-138-251105 were low and outside laboratory specified acceptance criteria. Therefore, the non-detect tert-butylbenzene and 1,2,4-trimethylbenzene results in sample MW-138-251105 were UJ qualified as less than the estimated MDLs.

The vinyl chloride recovery in the MS using sample FMW-140-251118 was low and outside laboratory specified acceptance criteria. Due to the difference between the sample concentration and the spike concentration, and based on professional and technical judgment, no qualifications were applied to the data.

The bromomethane recovery in the MS using sample MW-189-251119 was high and outside laboratory specified acceptance criteria. Since bromomethane was not detected in sample MW-189-251119, no qualifications were applied to the data.

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier	Reason Code
MW-138-251105	1,2,4-Trimethylbenzene	0.138	U	0.138	UJ	4
MW-138-251105	tert-Butylbenzene	0.0821	U	0.0821	UJ	4

µg/L-microgram per liter

U – Laboratory flag indicating the analyte was not detected at or above the MDL

Four batch sample MS samples were reported in batches 50002, 50069, 50097, and 50166. Since these were batch QC, the results did not impact the data and did not result in qualification of the data.

MSs were not analyzed with batches 50045 and R105011; LCSs were used to assess accuracy in these batches.

MSDs were not analyzed with all thirteen VOC batches; LCSs were used to assess accuracy and laboratory duplicates were used to assess precision.

1.5 Laboratory Control Sample

LCSs were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Thirteen LCSs were reported. The recovery results were within the laboratory specified acceptance criteria, with the following exceptions.

The LCS recoveries for dichlorodifluoromethane in batch 49994 and 50002 were high and outside of the laboratory specified acceptance criteria. Since dichlorodifluoromethane was not detected in the associated samples, no qualifications were applied to the data.

The LCS recoveries for bromomethane in batch 50039, 50052, 50069, and 50111 were high and outside of the laboratory specified acceptance criteria. Since bromomethane was not detected in the associated samples, no qualifications were applied to the data.

The LCS recoveries for 1,1,1-trichloroethane, 1,1-dichloropropene, acetone, 2-butanone, dichlorodifluoromethane, bromomethane, chloroethane, and/ or carbon tetrachloride in batches 50078, 50097, 50121, and 50166 were high and outside of the laboratory specified acceptance criteria. Since these analytes were not detected in the associated samples, no qualifications were applied to the data.

The LCS recoveries for acetone and 2-hexanone in batches 50045 and 50069 were low and outside of the laboratory specified acceptance criteria. Therefore, the non-detect acetone and 2-hexanone results in the associated samples were UJ qualified as less than the estimated MDLs.

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier	Reason Code
MW-340-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW-340-251111	Acetone	2.55	QU	2.55	UJ	5
MW-325-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW-325-251111	Acetone	2.55	QU	2.55	UJ	5
MW-338-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW-338-251111	Acetone	2.55	QU	2.55	UJ	5
EQ-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
EQ-251111	Acetone	2.55	QU	2.55	UJ	5
TRIP-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
TRIP-251111	Acetone	2.55	QU	2.55	UJ	5
MW102-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW102-251113	Acetone	2.55	QU	2.55	UJ	5
MW-158A-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW-158A-251113	Acetone	2.55	QU	2.55	UJ	5
MW-316-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW-316-251113	Acetone	2.55	QU	2.55	UJ	5
EQ-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier	Reason Code
EQ-251113	Acetone	2.55	QU	2.55	UJ	5
MW-323-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW-323-251113	Acetone	2.55	QU	2.55	UJ	5
MW128-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW128-251113	Acetone	2.55	QU	2.55	UJ	5
MW-329-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW-329-251113	Acetone	2.55	QU	2.55	UJ	5
MW-336-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW-336-251113	Acetone	2.55	QU	2.55	UJ	5
MW-335-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW-335-251113	Acetone	2.55	QU	2.55	UJ	5
TRIP-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
TRIP-251113	Acetone	2.55	QU	2.55	UJ	5
MW-165-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW-165-251113	Acetone	2.55	QU	2.55	UJ	5
MW-166-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW-166-251113	Acetone	2.55	QU	2.55	UJ	5
MW-167-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW-167-251113	Acetone	2.55	QU	2.55	UJ	5
MW-168-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW-168-251113	Acetone	2.55	QU	2.55	UJ	5
MW-174-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW-174-251113	Acetone	2.55	QU	2.55	UJ	5
MW-175-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	5
MW-175-251113	Acetone	2.55	QU	2.55	UJ	5

µg/L – Micrograms per liter

Q – Laboratory flag indicating analyte with an initial or continuing calibration that does not meet established acceptance criteria

U – Laboratory flag indicating the analyte was not detected at or above the MDL

1.6 Surrogate

The surrogate recoveries were within the laboratory specified acceptance criteria, with the following exceptions.

The recoveries of surrogate 1-bromo-4-fluorobenzene in samples MW-303-251105 and TRIP-251107 were high and outside of the laboratory specified acceptance criteria. Since the associated VOC analytes were not detected in samples MW-303-251105 and TRIP-251107, no qualifications were applied to the data.

The recovery of surrogate toluene-d8 in sample MW-121-251106 was high and outside of the laboratory specified acceptance criteria. Therefore, the vinyl chloride concentration in sample MW-121-251106 was J qualified as estimated. Since the remainder of the associated VOC analytes

were not detected in sample MW-121-251106, no additional qualifications were applied to the data.

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier	Reason Code
MW-121-251106	Vinyl chloride	0.476	NA	0.476	J	6

µg/L – Micrograms per liter

NA – Not applicable

1.7 Trip Blank

According to the WP, trip blanks should be collected at a frequency of one per twenty VOC samples or one per shipment to the laboratory containing VOC samples, whichever is less. Eight trip blanks, TRIP-251105, TRIP-251106, TRIP-251107, TRIP-251110, TRIP-251111, TRIP-251112, TRIP-251113, and TRIP-251114, were submitted with the VOC samples. Trip blanks were not submitted with the samples received at the laboratory on 17 November 2025, 18 November 2025, and 19 November 2025. Therefore, the WP requirement was not met. VOCs were not detected in the trip blank at or above the MDLs.

1.8 Equipment Blank

According to the WP, equipment blanks should be collected at a frequency of one per twenty samples collected using non-dedicated sampling equipment. Seven equipment blanks, EQ-251106, EQ-251107, EQ-251110, EQ-251111, EQ-251113, EQ-251117, and EQ-251118, were collected with the one hundred and twenty-five primary samples for VOC analysis; therefore, the WP requirement was met. Equipment blanks were associated with project samples by sampling date (i.e. all samples collected on a given date were associated with the equipment blank collected on that date). VOCs were not detected in the equipment blank at or above the MDLs, with the following exceptions.

Acetone was detected in equipment blank EQ-251106 at an estimated concentration greater than the MDL and less than the RL. Therefore, the estimated acetone concentrations in samples MW-120-251106 and MW-909-251106 were U qualified as not detected at the RL. Since acetone was either not detected or detected at concentrations greater than five times the concentration in the equipment blank in the remainder of the associated samples, no additional qualifications were applied to the data.

Chloromethane was detected in equipment blank EQ-251117 at an estimated concentration greater than the MDL and less than the RL and chloroform was detected at a concentration greater than the RL. Since chloromethane and chloroform were not detected in the associated samples, no qualifications were applied to the data.

Chloroform was detected in equipment blank EQ-251118 at a concentration greater than the RL; since chloroform was not detected in the associated samples, no qualifications were applied to the data.

Vinyl chloride and cis-1,2-dichloroethene were detected in equipment blank EQ-251117 at estimated concentrations greater than the MDLs and less than the RLs. Therefore, the estimated vinyl chloride concentrations in samples MW-148-251117 and MW103-251117 were U qualified as not detected at the RL and the cis-1,2-dichloroethene concentrations in samples MW-190-251117 and FMW-137-251117 were J+ qualified as estimated with high biases. Since vinyl chloride and/or cis-1,2-dichloroethene were either not detected or detected at concentrations greater than five times the concentrations in the equipment blank in the remainder of the associated samples, no additional qualifications were applied to the data.

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier	Reason Code
MW-120-251106	Acetone	3.21	J	5.00	U	3
MW-909-251106	Acetone	2.86	J	5.00	U	3
MW-148-251117	Vinyl chloride	0.0845	J	0.200	U	3
MW103-251117	Vinyl chloride	0.0602	J	0.200	U	3
MW-190-251117	cis-1,2-Dichloroethene	0.632	NA	0.632	J+	3
FMW-137-251117	cis-1,2-Dichloroethene	1.08	NA	1.08	J+	3

µg/L – Micrograms per liter

J– the result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

NA – Not applicable

1.9 Field Duplicate

According to the WP, field duplicates of each matrix should be collected at a frequency of one per twenty primary samples. Seven groundwater field duplicate samples, MW-910-251106, MW-911-251106, MW-909-251106, MW-912-251107, MW-913-251107, MW-914-251110, and MW-915-251110, were collected with one hundred and twenty-five primary groundwater samples for VOC analysis and one soil vapor field duplicate, SV-101-251119, was collected with two primary soil vapor samples for VOC analysis; therefore, the WP requirement was met. Acceptable precision ($RPD \leq 30\%$ for aqueous and air samples) was demonstrated between the field duplicates and the original samples, MW-156-251106, MW-350-251106, MW-120-251106, MW125-251107, HMW-9IB-251107, MW-312-251110, MW-311-251110, and SV01-251119, respectively, with the following exceptions.

1,1-Dichloroethene was detected in field duplicate MW-910-251106 at a concentration greater than the undiluted RL and not detected in parent sample MW-156-251106 at a 10X dilution, resulting in a non-calculable RPD between results. Since both results were less than the MDL of

the diluted parent sample, and based on professional and technical judgement, the results are considered consistent and no qualifications were applied to the data.

Benzene was detected in field duplicate MW-910-251106 at an estimated concentration greater than the MDL and less than the RL and not detected in parent sample MW-156-251106, resulting in a non-calculable RPD between results. Since both results are less than the RL, and based on professional and technical judgement, no qualifications were applied to the data.

trans-1,2-Dichloroethene was detected at a concentration greater than the RL in undiluted field duplicate MW-910-251106 and detected at an estimated concentration greater than the MDL and less than the RL in parent sample MW-156-251106 at a 10X dilution. Since the absolute difference between the results was less than the undiluted RL, and based on professional and technical judgement, no qualifications were applied to the data.

1,2-Dichloroethane was detected at an estimated concentration greater than the MDL and less than the RL in field duplicate MW-913-251107 and not detected in parent sample HMW-9IB-251107, resulting in a non-calculable RPD between results. Since both results are less than the RL, and based on professional and technical judgement, no qualifications were applied to the data.

Toluene and TCE were not detected in field duplicate MW-913-251107 and detected at estimated concentrations greater than the MDLs and less than the RLs in parent sample HMW-9IB-251107, resulting in non-calculable RPDs between results. Since the results are less than the RLs, and based on professional and technical judgement, no qualifications were applied to the data.

Naphthalene was detected at a concentration greater than the RL in field duplicate SV-101-251119 and not detected in parent sample SV01-251119, resulting in a non-calculable RPD between results. Therefore, the naphthalene concentration in sample SV-101-251119 was J qualified as estimated and the non-detect naphthalene result in sample SV01-251119 was UJ qualified as less than the RL.

The field duplicate RPD for vinyl chloride in field duplicate pair MW-350-251106/ MW-911-251106 was greater than 30%; therefore, the vinyl chloride concentrations in samples MW-350-251106 and MW-911-251106 were J qualified as estimated.

The field duplicate RPD for 1,2-dibromoethane in field duplicate pair SV-101-251119/SV01-251119 was greater than 30%; therefore, the 1,2-dibromoethane concentrations in samples SV-101-251119 and SV01-251119/251106 were J qualified as estimated.

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	RPD	Validation Result (µg/L)	Validation Qualifier	Reason Code
MW-350-251106	Vinyl chloride	35.1	NA	34%	35.1	J	7

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	RPD	Validation Result (µg/L)	Validation Qualifier	Reason Code
MW-911-251106	Vinyl chloride	24.9	NA		24.9	J	7

µg/L - Microgram per liter

NA- Not applicable

Sample ID	Compound	Laboratory Result (µg/m³)	Laboratory Flag	RPD	Validation Result (µg/m³)	Validation Qualifier	Reason Code
SV-101-251119	1,2-Dibromoethane (EDB)	0.0274	NA	56%	0.0274	J	7
SV01-251119	1,2-Dibromoethane (EDB)	0.0489	NA		0.0489	J	7
SV-101-251119	Naphthalene	0.302	NA	NC	0.302	J	7
SV01-251119	Naphthalene	0.294	U		0.294	UJ	7

µg/m³ - Microgram per cubic meter

NA- Not applicable

1.10 Laboratory Duplicate

Seven sample-set specific laboratory duplicates were reported, using samples MW-144R-251105, MW-120-251106, W-MW-01-251110, MW102-251113, MW124-251114, MW-148-251117, and MW122-251118. The RPDs were within laboratory specified acceptance criteria.

Six batch sample laboratory duplicates were reported in batches 50039, 50045, 50052, 50121, 50166, and R105011. Since these were batch QC, the results did not impact the data and did not result in qualification of the data.

1.11 Sensitivity

The aqueous samples were reported to the MDLs and the air samples were reported to the RLs. Elevated non-detect results were reported due to dilutions analyzed. The 8260D and TO-15 RLs met the project-specific screening levels.

1.12 Electronic Data Deliverable Review

The results and sample IDs in the EDDs were reviewed against the information provided by the associated level II reports at a minimum of 20%. The air data were reported to the RLs in the level II reports; the EDDs included MDLs. No other discrepancies were identified between the level II reports and the EDDs.

2.0 HELIUM

The samples were analyzed for helium per modified USEPA Method 3C.

The areas of data review are listed below. A leading check mark (✓) indicates an area of review in which the data were acceptable. A preceding crossed circle (⊗) signifies areas where issues were raised during the course of the validation review and should be considered to determine any impact on data quality and usability.

- ✓ Overall Assessment
- ✓ Holding Times
- ✓ Method Blank
- ✓ Matrix Spike/Matrix Spike Duplicate
- ✓ Laboratory Control Sample
- ⊗ Field Duplicate
- ✓ Laboratory Duplicate
- ✓ Sensitivity
- ✓ Electronic Data Deliverable Review

2.1 Overall Assessment

The helium data reported in this laboratory report are considered usable for supporting project objectives. The results are considered valid; the analytical completeness, defined as the ratio of the number of valid analytical results (valid analytical results include values qualified as estimated) to the total number of analytical results requested on samples submitted for this analysis, for this sample set is 100%.

2.2 Holding Times

The holding time for the helium analysis of an air sample is 30 days from sample collection to analysis. The holding times were met for the sample analyses.

2.3 Method Blank

Method blanks were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). One method blank was reported (batch R105013). Helium was not detected in the method blank at or above the RL.

2.4 Matrix Spike/Matrix Spike Duplicate

MS/MSD pairs were not analyzed with the sample sets. An LCS was used to assess accuracy and a laboratory duplicate was used to assess precision.

2.5 Laboratory Control Sample

LCSs were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). One LCS was reported. The recovery result was within the laboratory specified acceptance criteria.

2.6 Field Duplicate

According to the WP, field duplicates of each matrix should be collected at a frequency of one per twenty primary samples. One field duplicate, SV-101-251119, was collected with two primary soil vapor samples; therefore, the WP requirement was met. Acceptable precision ($RPD \leq 30\%$ for air samples) was not demonstrated between the field duplicate and the original sample, SV01-251119.

Helium was not detected in field duplicate SV-101-251119 and was detected at a concentration greater than the RL in parent sample SV01-251119, resulting in a non-calculable RPD between results. Therefore, the helium concentration in sample SV01-251119 was J qualified as estimated and the non-detect helium result in sample SV-101-251119 was UJ qualified as less than the RL.

Sample ID	Compound	Laboratory Result (%)	Laboratory Flag	RPD	Validation Result (%)	Validation Qualifier	Reason Code
SV-101-251119	Helium	0.300	DU	NC	0.300	UJ	7
SV01-251119	Helium	0.765	D		0.765	J	7

D– Laboratory flag indicating dilution was required

U – Laboratory flag indicating the analyte was not detected at or above the MDL

2.7 Laboratory Duplicate

One sample-set specific laboratory duplicate was reported, using sample SV-18-251119. The RPD was within laboratory specified acceptance criteria.

2.8 Sensitivity

The samples were reported to the RL. Elevated non-detect results were not reported.

2.9 Electronic Data Deliverable Review

The results and sample IDs in the EDDs were reviewed against the information provided by the associated level II reports at a minimum of 20%. The data were reported to the RLs in the level II reports; the EDDs included MDLs. No other discrepancies were identified between the level II reports and the EDDs.

3.0 DISSOLVED GASES

The samples were analyzed for methane, ethane, and ethene per USEPA method RSK-175.

The areas of data review are listed below. A leading check mark (✓) indicates an area of review in which the data were acceptable. A preceding crossed circle (⊗) signifies areas where issues were raised over the course of the validation review and should be considered to determine any impact on data quality and usability.

- ✓ Overall Assessment
- ✓ Holding Times
- ⊗ Method Blank
- ✓ Matrix Spike/Matrix Spike Duplicate
- ✓ Laboratory Control Sample
- ⊗ Equipment Blank
- ⊗ Field Duplicate
- ⊗ Laboratory Duplicate
- ✓ Sensitivity
- ✓ Electronic Data Deliverable Review

3.1 Overall Assessment

The dissolved gas data reported in this data set are considered usable for meeting project objectives. The results are considered valid; the analytical completeness, defined as the ratio of the number of valid analytical results (valid analytical results include values qualified as estimated) to the total number of analytical results requested on samples submitted for this analysis, for this sample set is 100%.

LCS results were not reported with the dilution re-analyses from which the following analytes were reported: methane in samples MW-144R-251105, MW-143-251105, MW-142-251105, BB-8-251105, MW-156-251106, MW-910-251106, MW-350-251106, MW-911-251106, MW-349-251106, MW-348-251106, R-MW6-251106, MW-347-251106, HMW-9IB-251107, MW-913-251107, MW-314-251107, MW-110-251107, MW-345-251107, W-MW-01-251110, MW-145R-251110, MW-341-251111, MW107-251111, MW-322-251112, MW-344-251112, MW-147-251112, MW-318-251112, MW-146-251112, MW-154-251112, MW128-251113, MW-165-251113, MW-166-251113, MW-167-251113, MW-168-251113, MW-174-251113, MW-175-251113, MW-342-251114, MW-343-251114, MW-185-251114, MW-187-251114, MW-188-251114, MW-186-251114, MW-176-251114, MW-173-251114, MW-183-251117, MW-181-251117, MW-182-251117, MW-184-251117, MW-190-251117, MW109-251117, FMW-141-251118, FMW-140-251118, MW-169-251118, MW-180-251118, MW-177-251118, MW-179-

251118, MW-324-251118, MW108-251118, MW-170-251119, MW-171-251119, MW-172-251119, and MW-189-251119.

CCV results were evaluated to assess accuracy for these analytes and were also reported for initial analytical runs. CCVs were associated with project samples based on the analysis date reported in the laboratory reports and EDDs; when associations based on analysis date were unclear, the most conservative estimates of which samples would be associated with a CCV exceedance were used (i.e. if it was unclear if a results was associated with a CCV exceedance, it was qualified as part of the validation). The CCV recoveries were within the laboratory specified acceptance criteria.

3.2 Holding Time

The holding time for the dissolved gas analysis a preserved water sample is 14 days from collection to analysis. The holding times were met for the sample analyses.

3.3 Method Blank

Seven method blanks were reported (batches R104599, R104652, R104701, R104834, R104864, R104955, and R104986). Methane, ethane, and ethene were not detected in the method blank at or above the MDLs.

Method blanks were not analyzed with the re-analyses from which the following analytes were reported: methane in samples W-MW-01-251110, MW-145R-251110, EQ-251110, MW111-251110, MW-342-251114, MW-343-251114, MW-185-251114, MW-187-251114, MW-188-251114, MW-186-251114, MW-176-251114, and MW-173-251114. Initial calibration blank (ICB) results were evaluated to assess potential contamination of these analytes. Dissolved gases were not detected in the ICB at or above the MDLs, with the following exception.

Methane was detected in ICB-104834 at a concentration greater than the RL. Therefore, the methane concentrations greater than the RL and less than the concentration in the ICB in the associated samples were U qualified as not detected at the sample concentrations.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
W-MW-01-251110	Methane	10.4	D	10.4	U	3
MW-145R-251110	Methane	0.715	D	0.715	U	3
EQ-251110	Methane	0.00661	NA	0.00661	U	3
MW111-251110	Methane	0.107	NA	0.107	U	3
MW-342-251114	Methane	3.85	D	3.85	U	3
MW-343-251114	Methane	1.04	D	1.04	U	3
MW-185-251114	Methane	7.81	D	7.81	U	3
MW-187-251114	Methane	10.5	D	10.5	U	3

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-188-251114	Methane	2.52	D	2.52	U	3
MW-186-251114	Methane	13.2	D	13.2	U	3
MW-176-251114	Methane	12.6	D	12.6	U	3
MW-173-251114	Methane	9.88	D	9.88	U	3

mg/L – Milligrams per liter

D– Laboratory flag indicating dilution was required

NA – Not applicable

3.4 Matrix Spike/Matrix Spike Duplicate

MS/MSD pairs were not reported. LCSs were used to assess accuracy and a laboratory duplicates were used to assess precision.

3.5 Laboratory Control Sample

LCSs were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Seven LCSs were reported. The recovery results were within the laboratory specified acceptance criteria.

3.6 Equipment Blank

According to the WP, equipment blanks should be collected at a frequency of one per twenty samples collected using non-dedicated sampling equipment. Four equipment blanks, EQ-251106, EQ-251107, EQ-251110, and EQ-251111, were collected with seventy-three primary samples for dissolved gas analysis; therefore, the WP requirement was met. Dissolved gases were not detected in the equipment blanks at or above the MDLs, with the following exceptions.

Methane was detected in equipment blanks EQ-251106, EQ-251107, EQ-251110, and EQ-251111 at concentrations greater than the RLs. Therefore, the methane concentrations less than the concentration in the associated equipment blank in samples MW-120-251106 and MW-909-251106 were U qualified as not detected at the sample results and the methane concentration greater than the concentration in the associated equipment blank in sample MW-346-251107 was J+ qualified as estimated with a high bias. Since methane was either not detected or detected at concentrations greater than five times the concentration in the associated equipment blank in the remainder of the samples, no additional qualifications were applied to the data.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-120-251106	Methane	0.00762	NA	0.00762	U	3
MW-909-251106	Methane	0.00593	NA	0.00593	U	3

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-346-251107	Methane	0.0334	NA	0.0334	J+	3

mg/L - Milligram per liter

NA- Not applicable

3.7 Field Duplicate

According to the WP, field duplicates of each matrix should be collected at a frequency of one per twenty primary samples. Four groundwater field duplicate samples, MW-910-251106, MW-911-251106, MW-909-251106, and MW-913-251107, were collected with seventy-three primary groundwater samples for dissolved gas analysis; therefore, the WP requirement was met. Acceptable precision ($RPD \leq 30\%$ for aqueous samples) was demonstrated between the field duplicates and the original samples, MW-156-251106, MW-350-251106, MW-120-251106, and HMW-9IB-251107, respectively, with the following exceptions.

The field duplicate RPDs for methane and ethene in field duplicate pair MW-350-251106/ MW-911-251106 were greater than 30%; therefore, the methane and ethene concentrations in samples MW-350-251106 and MW-911-251106 were J qualified as estimated.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	RPD	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-350-251106	Ethene	0.0443	NA	31%	0.0443	J	7
MW-911-251106	Ethene	0.0323	NA		0.0323	J	7
MW-350-251106	Methane	3.30	D	32%	3.30	J	7
MW-911-251106	Methane	2.39	D		2.39	J	7

mg/L - Milligram per liter

D- Laboratory flag indicating dilution was required

NA- Not applicable

3.8 Laboratory Duplicate

Seventeen sample-set specific laboratory duplicates were reported, using samples MW-144R-251105, MW-142-251105, MW-156-251106, MW-9-251106, MW-350-251106, EQ-251107, HMW-9IB-251107, MW-187-251114, MW-343-251114, EQ-251111, MW109-251117, MW-344-251112, MW-154-251112, FMW-141-251118, MW-165-251113, MW-168-251113, and MW-172-251119. The RPD results were within the laboratory specified acceptance criteria, with the following exception.

The laboratory duplicate RPD for ethane using sample HMW-9IB-251107 was high and outside of the laboratory specified acceptance criteria; therefore, the ethane concentrations in sample HMW-9IB-251107 was J qualified as estimated.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
HMW-9IB-251107	Ethane	0.271	NA	0.271	J	12

mg/L - Milligram per liter

NA- Not applicable

One batch sample laboratory duplicate was reported in batch R104955. Since this was batch QC, the results did not impact the data and did not result in qualification of the data.

3.9 Sensitivity

The samples were reported to the MDLs. Elevated non-detect results were not reported.

3.10 Electronic Data Deliverables Review

Results and sample IDs in the EDDs were reviewed against the information provided by the associated level II reports at a minimum of 20%. No discrepancies were identified between the level II reports and the EDDs.

4.0 METALS

The samples were analyzed for metals per USEPA method 6020B.

The areas of data review are listed below. A leading check mark (✓) indicates an area of review in which the data were acceptable. A preceding crossed circle (⊗) signifies an area where issues were raised during the course of the validation review and should be considered to assess the impact on data quality and usability.

- ✓ Overall Assessment
- ✓ Holding Times
- ⊗ Method Blank
- ✓ Matrix Spike/Matrix Spike Duplicate
- ✓ Laboratory Control Sample
- ✓ Field Duplicate
- ✓ Equipment Blank
- ✓ Sensitivity
- ✓ Electronic Data Deliverable Review

4.1 Overall Assessment

The metals data reported in this data set are considered usable for meeting project objectives. The results are considered valid; the analytical completeness, defined as the ratio of the number of valid

analytical results (valid analytical results include values qualified as estimated) to the total number of analytical results requested on samples submitted for this analysis, for this sample set is 100%.

4.2 **Holding Times**

The holding time for metals analysis of a preserved water sample is 180 days from collection to analysis. The holding times were met for the sample analyses.

4.3 **Method Blank**

Method blanks were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Six method blanks were reported (batches 49936, 49937, 50012, 50049, 50101, and 50105). Metals were not detected in the method blanks at or above the MDLs, with the following exceptions.

Iron and manganese were detected in the method blanks in batch 50101 at concentrations greater than the RLs. Therefore, the estimated iron concentration in sample FMW-137-251117 was U qualified as not detected at the RL. The iron and manganese concentrations in sample MW103-251117 and the iron concentrations in samples MW-343-251114, MW-187-251114, and MW109-251117 were J+ qualified as estimated with high biases. Since the iron and manganese concentrations in the remainder of the associated samples were greater than ten times the concentrations in the method blanks, no additional qualifications were applied to the data.

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier	Reason Code
MW103-251117	Iron	258	B	258	J+	3
FMW-137-251117	Iron	18.6	J	50	U	3
MW103-251117	Manganese	7.56	B	7.56	J+	3
MW-343-251114	Iron	6,650	D	6,650	J+	3
MW-187-251114	Iron	10,000	D	10,000	J+	3
MW109-251117	Iron	7,780	D	7,780	J+	3

µg/L – Micrograms per liter

B- Laboratory flag indicating analyte detected in the associated Method Blank

D - Laboratory flag indicating the sample was analyzed at a dilution

J- Laboratory flag indicating the result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

4.4 **Matrix Spike/Matrix Spike Duplicate**

MS/MSD pairs were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Three sample set specific MS/MSD pairs were reported,

using samples MW-120-251106, MW-322-251112, and MW-342-251114. The recovery and RPD results were within the laboratory specified acceptance criteria, with the following exceptions.

The iron and manganese recoveries in the MS and/or MSD using sample MW-322-251112 were high and outside laboratory specified acceptance criteria. Since the sample concentrations were greater than four times the MS/MSD spike concentrations, no qualifications were applied to the data.

Three batch sample MS/MSD pairs were reported in batches 49936, 50012, and 50105. Since these was batch QC, the results did not impact the data and did not result in qualification of the data.

4.5 Laboratory Control Sample

LCSs were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Six LCSs were reported. The recovery results were within laboratory specified acceptance criteria.

4.6 Field Duplicate

According to the WP, field duplicates of each matrix should be collected at a frequency of one per twenty primary samples. Four groundwater field duplicate samples, MW-910-251106, MW-911-251106, MW-909-251106, and MW-913-251107, were collected with seventy-one primary groundwater samples for metals analysis; therefore, the WP requirement was met. Acceptable precision ($RPD \leq 30\%$ for aqueous samples) was demonstrated between the field duplicates and the original samples, MW-156-251106, MW-350-251106, MW-120-251106, and HMW-9IB-251107, respectively.

4.7 Equipment Blank

According to the WP, equipment blanks should be collected at a frequency of one per twenty samples collected using non-dedicated sampling equipment. Four equipment blanks, EQ-251106, EQ-251107, EQ-251110, and EQ-251111, were collected with seventy-one primary samples for metals analysis; therefore, the WP requirement was met. Metals were not detected in the equipment blanks at or above the MDLs, with the following exception.

Manganese was detected in equipment blank EQ-251107 at an estimated concentration greater than the MDL and less than the RL. Since the manganese concentrations in the associated samples were greater than ten times the concentration in the equipment blank, no qualifications were applied to the data.

4.8 Sensitivity

The samples were reported to the MDLs. Elevated non-detect results were not reported.

4.9 Electronic Data Deliverable Review

Results and sample IDs in the EDDs were reviewed against the information provided by the associated level II reports at a minimum of 20%. No discrepancies were identified between the level II reports and the EDDs.

5.0 ANIONS

The samples were analyzed for anions per USEPA method 300.0.

The areas of data review are listed below. A leading check mark (✓) indicates an area of review in which the data were acceptable. A preceding crossed circle (⊗) signifies areas where issues were raised during the course of the validation review and should be considered to determine any impact on data quality and usability.

- ✓ Overall Assessment
- ⊗ Holding Times
- ⊗ Method Blank
- ⊗ Matrix Spike/Matrix Spike Duplicate
- ✓ Laboratory Control Sample
- ⊗ Field Duplicate
- ⊗ Laboratory Duplicate
- ⊗ Equipment Blank
- ✓ Sensitivity
- ✓ Electronic Data Deliverable Review

5.1 Overall Assessment

The anion data reported in the laboratory report are considered to be usable for supporting project objectives; the results are considered to be valid. The analytical completeness, defined as the ratio of the number of valid analytical results (valid analytical results include values qualified as estimated) to the total number of analytical results requested on samples submitted for this analysis, for this data set is 100%.

LCS results were not reported with the re-analyses from which the following analytes were reported:

- Sulfate in samples BB-8-251105, MW-9-251106, MW-155-251107, MW-346-251107, MW-314-251107, MW-110-251107, MW-345-251107, MW-341-251111, FMW-129-251111, MW-328-251111, MW107-251111, EQ-251111, FMW-140-251118, MW-324-251118
- Chloride in samples MW-156-251106, MW-910-251106, MW-166-251113, MW-174-251113, MW-175-251113, MW-185-251114, MW-187-251114, MW-186-251114, MW-176-251114, MW-344-251112, MW-147-251112, MW-146-251112, MW-154-251112, MW-166-251113, MW-174-251113, MW-175-251113, MW-185-251114, MW-187-251114, MW-186-251114, MW-176-251114, MW-183-251117, MW-181-251117, MW-182-251117, FMW-137-251117, MW-341-251111, FMW-129-251111, MW-328-251111, MW107-251111, EQ-251111, MW-169-251118, MW-180-251118, MW-177-251118, MW-179-251118, MW-170-251119, and MW-171-251119
- Chloride and sulfate in samples MW-184-251117 and MW-190-251117
- Chloride and nitrate as N in samples MW-341-251111, FMW-129-251111, MW-328-251111, MW107-251111, EQ-251111
- Nitrate as N and sulfate in sample EQ-251107

CCV results were evaluated to assess accuracy of these analytes and were also reported for initial analytical runs. CCVs were associated with project samples based on the analysis date reported in the laboratory reports and EDDs; when associations based on analysis date were unclear, the most conservative estimates of which samples would be associated with a CCV exceedance were used (i.e. if it was unclear if a results was associated with a CCV exceedance, it was qualified as part of the validation). The CCV recoveries were within the laboratory specified acceptance criteria.

Initial and secondary results were reported for nitrate in sample EQ-251107: an in-hold result above the instrument calibration range (30.0 mg/L) and an out of hold diluted result within instrument calibration range (35.2 mg/L). Based on professional and technical judgement, the out of hold nitrate result was considered for validation.

5.2 **Holding Time**

The holding time for anion analysis of a water sample is 48 hours from collection to analysis for nitrate as N and 28 days from sample collection to analysis for chloride and sulfate. The holding times were met for the sample analyses, with the following exception.

Sample EQ-251107 was analyzed for nitrate as N 71 hours after sample collection, greater than the method-specified holding time criteria of 48 hours. Therefore, nitrate concentration in sample EQ-251107 was J- qualified as estimated with a low bias.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
EQ-251107	Nitrate (as N)	35.2	DH	35.2	J-	2

mg/L Milligram per liter

D– Laboratory flag indicating dilution was required

H – Laboratory flag indicating holding times for preparation or analysis exceeded

5.3 **Method Blank**

Method blanks were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Ten method blanks were reported (batches 49900, 49943, 49952, 49995, 50027, 50046, 50047, 50080, 50091, and 50093). Anions were not detected in the method blanks at or above the MDLs, with the following exceptions.

Chloride and nitrate as N were detected in the method blank in batch 49943 at estimated concentrations greater than the MDLs and less than the RLs. Therefore, the estimated chloride concentration in sample EQ-251106 was U qualified as not detected at the RL, the chloride concentrations in samples MW-120-251106, MW-909-251106, and MW-348-251106 were J+ qualified as estimated with high biases, the estimated nitrate concentrations in samples MW-156-251106, MW-910-251106, MW-350-251106, MW-348-251106, and R-MW6-251106 were U qualified as not detected at the RL, and the nitrate concentrations in samples MW-120-251106, MW-909-251106, and EQ-251106 were J+ qualified as estimated with high biases. Since chloride and/or nitrate were either not detected or detected at concentrations greater than ten times the concentration in the method blank in the remainder of the associated samples, no additional qualifications were applied to the data.

Chloride was detected in the method blanks in batches 49952, 49995, and 50091 at estimated concentrations greater than the MDL and less than the RL. Therefore, the estimated chloride concentrations in samples EQ-251107, EQ-251110, and EQ-251111 were U qualified as not detected at the RLs and the chloride concentrations in samples FMW-141-251118 and MW-180-251118 were J+ qualified as estimated with high biases. Since chloride was detected at concentrations greater than ten times the concentration the associated method blank in the remainder of the samples, no additional qualifications were applied to the data.

Chloride and sulfate were detected in the method blank in batch 50046 at estimated concentrations greater than the MDLs and less than the RLs. Therefore, the estimated chloride concentrations in samples MW-165-251113 and MW-167-251113 were U qualified as not detected at the RL, the estimated sulfate concentrations in samples MW-165-251113, MW-185-251114, and MW-187-251114 were U qualified as not detected at the RL, and the sulfate concentrations in samples MW-168-251113, MW-174-251113, and MW-343-251114 were J+ qualified as estimated with high biases. Since chloride and/or sulfate were either not detected or detected at concentrations greater than ten times the concentration in the method blank in the remainder of the associated samples, no additional qualifications were applied to the data.

Chloride and sulfate were detected in the method blank in batch 50047 at estimated concentrations greater than the MDLs and less than the RLs. Therefore, the estimated sulfate concentration in sample MW-176-251114 was U qualified as not detected at the RL. Since the sulfate concentrations in the remainder of the associated samples and the chloride concentrations in the associated samples were greater than ten times the concentrations in the method blank, no additional qualifications were applied to the data.

Chloride, nitrate as N, and sulfate were detected in the method blank in batch 50093 at estimated concentrations greater than the MDLs and less than the RLs. Therefore, the estimated nitrate as N concentration in sample MW-189-251119 was U qualified as not detected at the RL. Since chloride and sulfate were detected in the associated sample at concentrations greater than ten times the concentrations in the method blank, no additional qualifications were applied to the data.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-120-251106	Chloride	1.98	NA	1.98	J+	3
MW-909-251106	Chloride	1.40	NA	1.40	J+	3
MW-348-251106	Chloride	1.88	NA	1.88	J+	3
EQ-251106	Chloride	0.235	J	0.600	U	3
MW-156-251106	Nitrate (as N)	0.083	J	0.150	U	3
MW-910-251106	Nitrate (as N)	0.058	J	0.150	U	3
MW-350-251106	Nitrate (as N)	0.052	J	0.150	U	3
MW-120-251106	Nitrate (as N)	0.294	NA	0.294	J+	3
MW-909-251106	Nitrate (as N)	0.164	NA	0.164	J+	3
MW-348-251106	Nitrate (as N)	0.053	J	0.150	U	3
R-MW6-251106	Nitrate (as N)	0.100	DJ	0.150	U	3
EQ-251106	Nitrate (as N)	0.181	NA	0.181	J+	3
EQ-251107	Chloride	0.252	J	0.600	U	3
EQ-251110	Chloride	0.31	J	0.600	U	3
EQ-251111	Chloride	0.372	J	0.600	U	3
MW-165-251113	Chloride	0.239	J	0.600	U	3
MW-165-251113	Sulfate	0.522	J	1.00	U	3
MW-167-251113	Chloride	0.323	J	0.600	U	3

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-168-251113	Sulfate	1.07	NA	1.07	J+	3
MW-174-251113	Sulfate	1.42	NA	1.42	J+	3
MW-343-251114	Sulfate	1.4	NA	1.40	J+	3
MW-185-251114	Sulfate	0.327	J	1.00	U	3
MW-187-251114	Sulfate	0.344	J	1.00	U	3
MW-176-251114	Sulfate	0.775	J	1.00	U	3
FMW-141-251118	Chloride	0.700	NA	0.700	J+	3
MW-180-251118	Chloride	187	D	187	J+	3
MW-189-251119	Nitrate (as N)	0.101	J	0.150	U	3

mg/L Milligram per liter

D- Laboratory flag indicating dilution was required

J- Laboratory flag indicating the result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

NA – Not applicable

Method blanks were not analyzed with the re-analyses from which the following analytes were reported:

- Sulfate in samples BB-8-251105, MW-9-251106, MW-155-251107, MW-346-251107, MW-314-251107, MW-110-251107, MW-345-251107, MW-341-251111, FMW-129-251111, MW-328-251111, MW107-251111, EQ-251111, FMW-140-251118, MW-324-251118
- Chloride in samples MW-156-251106, MW-910-251106, MW-166-251113, MW-174-251113, MW-175-251113, MW-185-251114, MW-187-251114, MW-186-251114, MW-176-251114, MW-344-251112, MW-147-251112, MW-146-251112, MW-154-251112, MW-166-251113, MW-174-251113, MW-175-251113, MW-185-251114, MW-187-251114, MW-186-251114, MW-176-251114, MW-183-251117, MW-181-251117, MW-182-251117, FMW-137-251117, MW-341-251111, FMW-129-251111, MW-328-251111, MW107-251111, EQ-251111, MW-169-251118, MW-180-251118, MW-177-251118, MW-179-251118, MW-170-251119, and MW-171-251119
- Chloride and sulfate in samples MW-184-251117 and MW-190-251117
- Chloride and nitrate as N in samples MW-341-251111, FMW-129-251111, MW-328-251111, MW107-251111, EQ-251111
- Nitrate as N and sulfate in sample EQ-251107

CCB results were evaluated to assess potential contamination of these analytes. Anions were not detected in the CCBs at or above the MDLs, with the following exceptions.

Chloride was detected at estimated concentrations greater than the MDL and less than the RL in both CCBs associated with the re-analyses of samples MW-156-251106, MW-910-251106, and MW-9-251106 ran on 10 November 2025; since the chloride concentrations in the associated

samples were greater than ten times the concentrations in the CCBs, no qualifications were applied to the data.

Nitrate as N was detected at an estimated concentration greater than the MDL and less than the RL in one of the two CCBs associated with the re-analyses of samples MW-156-251106, MW-910-251106, and MW-9-251106 ran on 10 November 2025; since nitrate as N was not reported from this re-analysis run in any of the associated samples, no qualifications were applied to the data.

Chloride and nitrate as N were detected at estimated concentrations greater than the MDLs and less than the RLs in both CCBs associated with the re-analyses of samples MW-155-251107, MW-314-251107, MW-110-251107, and EQ-251107 ran on 10 November 2025; since chloride was not reported from this re-analysis run in any of the associated samples and nitrate as N was either not reported from this re-analysis run or detected at a concentration greater than ten times the concentration in the CCB in the associated samples, no qualifications were applied to the data.

Chloride, nitrate as N, and sulfate were detected at estimated concentrations greater than the MDLs and less than the RLs in one or both CCBs associated with the re-analyses of samples MW-169-251118, MW-180-251118, MW-177-251118, MW-179-251118, MW-170-251119, MW-171-251119, FMW-140-251118, MW-324-251118, MW-341-251111, FMW-129-251111, MW-328-251111, MW107-251111, and EQ-251111 on 20 November 2025. Therefore, the estimated sulfate concentrations in samples MW107-251111 and EQ-251111 and estimated chloride concentration in sample EQ-251111 were U qualified as not detected at the RL, and the sulfate concentrations in samples MW-328-251111, FMW-140-251118, and MW-324-251118 and chloride concentrations in samples MW-180-251118, MW-179-251118, MW-170-251119, MW-171-251119, and MW-328-251111 were J+ qualified as estimated with high biases. Since these analytes in the remainder of the associated samples were either not reported from this re-analysis run or detected at a concentration greater than ten times the associated concentration in the CCB, no additional qualifications were applied to the data.

Chloride and sulfate were detected at estimated concentrations greater than the MDLs and less than the RLs in one or both CCBs associated with the original analyses of samples MW-323-251113, MW128-251113, MW-329-251113, MW-335-251113, MW-165-251113, MW-166-251113, MW-167-251113, MW-168-251113, MW-174-251113, MW-342-251114, MW-343-251114, MW-185-251114, MW-187-251114, MW-188-251114, MW-186-251114, MW-176-251114, and MW-173-251114 on 14 November 2025. Therefore, the estimated chloride concentrations in samples MW-165-251113 and MW-167-251113 and the estimated sulfate concentrations in samples MW-165-251113, MW-185-251114, MW-187-251114, and MW-176-251114 were U qualified as not detected at the RLs, and the sulfate concentration in samples MW-168-251113, MW-174-251113, and MW-343-251114 were J+ qualified as estimated with high biases. Since chloride and/or sulfate were either not detected or detected at concentrations greater than ten times the concentration in the CCB in the remainder of the associated samples, no additional qualifications were applied to the data.

Chloride and nitrate as N were detected at estimated concentrations greater than the MDLs and less than the RLs in the CCB associated with the re-analyses of samples MW-166-251113, MW-174-251113, MW-175-251113, MW-185-251114, MW-187-251114, MW-186-251114, and MW-176-251114. Therefore, the chloride concentrations in these samples were J+ qualified as estimated with high biases. Since nitrate as N was not reported from this re-analysis run in the associated samples, no additional qualifications were applied to the data.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-328-251111	Sulfate	14.9	D	14.9	J+	3
MW107-251111	Sulfate	3.99	DJ	10.0	U	3
EQ-251111	Sulfate	2.97	DJ	10.0	U	3
MW-180-251118	Chloride	187	D	187	J+	3
MW-179-251118	Chloride	252	D	252	J+	3
MW-170-251119	Chloride	223	D	223	J+	3
MW-171-251119	Chloride	169	D	169	J+	3
MW-328-251111	Chloride	2.12	D	2.12	J+	3
EQ-251111	Chloride	0.372	J	0.600	U	3
FMW-140-251118	Sulfate	71.8	D	71.8	J+	3
MW-324-251118	Sulfate	73.2	D	73.2	J+	3
MW-165-251113	Chloride	0.239	J	0.600	U	3
MW-165-251113	Sulfate	0.522	J	1.00	U	3
MW-167-251113	Chloride	0.323	J	0.600	U	3
MW-168-251113	Sulfate	1.07	NA	1.07	J+	3
MW-174-251113	Sulfate	1.42	NA	1.42	J+	3
MW-343-251114	Sulfate	1.4	NA	1.4	J+	3
MW-185-251114	Sulfate	0.327	J	1.00	U	3
MW-187-251114	Sulfate	0.344	J	1.00	U	3
MW-176-251114	Sulfate	0.775	J	1.00	U	3
MW-166-251113	Chloride	93.9	D	93.9	J+	3
MW-174-251113	Chloride	87.4	D	87.4	J+	3
MW-175-251113	Chloride	79.5	D	79.5	J+	3
MW-185-251114	Chloride	170	D	170	J+	3
MW-187-251114	Chloride	94.9	D	94.9	J+	3
MW-186-251114	Chloride	107	D	107	J+	3
MW-176-251114	Chloride	72.3	D	72.3	J+	3

mg/L Milligram per liter

D- Laboratory flag indicating dilution was required

J- Laboratory flag indicating the result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

NA- Not applicable

5.4 Matrix Spike/Matrix Spike Duplicate

MS/MSD pairs were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Seven sample-set specific MS/MSD pairs and four

additional sample-set specific MSs was reported, using samples MW-156-251106, MW-910-251106, MW-155-251107, MW-145R-251110, MW-322-251112, MW-174-251113, MW-186-251114, MW-183-251117, MW103-251117, FMW-141-251118, and MW-170-251119. The recovery and RPD results were within the laboratory specified acceptance criteria with the following exceptions.

The chloride recoveries in the MSs and/or MSDs using samples MW-156-251106 and MW-910-251106 were high and outside laboratory specified acceptance criteria. Since the MS/MSD chloride concentrations were greater than the instrument calibration range, and based on professional and technical judgement, no qualifications were applied to the data.

The sulfate recoveries in the MS and MSD using sample MW-155-251107 were high and outside laboratory specified acceptance criteria. Since the MS/MSD sulfate concentrations were greater than the instrument calibration range, and based on professional and technical judgement, no qualifications were applied to the data.

The chloride recoveries in the MSs and/or MSDs using samples MW-174-251113 and MW-186-251114 were high and outside laboratory specified acceptance criteria. Since the sample concentrations were greater than four times the MS/MSD spike concentrations, no qualifications were applied to the data.

The chloride recoveries in the MSs and/or MSDs using samples MW-183-251117, MW-170-251119, and MW-173-251114 were low and outside laboratory specified acceptance criteria. Since the sample concentrations were greater than four times the MS/MSD spike concentrations, no qualifications were applied to the data.

The nitrate as N RPDs in the MS/MSD pairs using samples MW-174-251113 and MW-173-251114 were high and outside laboratory specified acceptance criteria. Since nitrate as N was not detected in samples MW-174-251113 and MW-173-251114, no qualifications were applied to the data.

The chloride recoveries in the MS and MSD using sample MW-145R-251110 were low and outside laboratory specified acceptance criteria. Therefore, the chloride concentration in sample MW-145R-251110 was J- qualified as estimated with a low bias.

The sulfate recoveries in the MS and MSD using sample MW-174-251113 were low and outside laboratory specified acceptance criteria and the MS/MSD RPD was high and outside laboratory specified acceptance criteria. Therefore, the sulfate concentration in sample MW-174-251113 was J qualified as estimated.

The nitrate as N and sulfate recoveries in the MS using sample MW-186-251114 were low and outside laboratory specified acceptance criteria. Therefore, the nitrate as N and sulfate concentrations in sample MW-186-251114 were J- qualified as estimated with low biases.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-145R-251110	Chloride	25.9	NA	25.9	J-	4
MW-174-251113	Sulfate	1.42	NA	1.42	J	4
MW-186-251114	Nitrate (as N)	0.521	NA	0.521	J-	4
MW-186-251114	Sulfate	3.68	NA	3.68	J-	4

mg/L Milligram per liter

NA – Not applicable

Additionally, two batch MS/MSD pairs and four batch MS samples were reported in batches 49900, 49952, 50027, and 50093. Since these were batch QC, the results did not impact the data and did not result in qualification of the data.

5.5 Laboratory Control Sample

LCSs were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Ten LCSs were reported. The recovery result was within the laboratory specified acceptance criteria.

5.6 Field Duplicate

According to the WP, field duplicates of each matrix should be collected at a frequency of one per twenty primary samples. Four groundwater field duplicate samples, MW-910-251106, MW-911-251106, MW-909-251106, and MW-913-251107, were collected with seventy-three primary groundwater samples for anion analysis; therefore, the WP requirement was met. Acceptable precision ($RPD \leq 30\%$ for aqueous samples) was demonstrated between the field duplicates and the original samples, MW-156-251106, MW-350-251106, MW-120-251106, and HMW-9IB-251107, respectively, with the following exceptions.

Nitrate as N was not detected in field duplicate MW-911-251106 and was detected in parent sample MW-350-251106 at an estimated concentration greater than the MDL and less than the RL, resulting in a non-calculable RPD between results. Since both results are less than the RL, and based on professional and technical judgement, no qualifications were applied to the data.

The field duplicate RPDs for chloride and nitrate as N in field duplicate pair MW-120-251106/MW-909-251106 were greater than 30%; therefore, the chloride and nitrate as N concentrations in samples MW-120-251106 and MW-909-251106 were J qualified as estimated.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	RPD	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-120-251106	Chloride	1.98	NA	34%	1.98	J	7
MW-909-251106	Chloride	1.40	NA		1.40	J	7
MW-120-251106	Nitrate (as N)	0.294	NA	57%	0.294	J	7
MW-909-251106	Nitrate (as N)	0.164	NA		0.164	J	7

mg/L Milligram per liter
NA – Not applicable

5.7 Laboratory Duplicate

Twelve sample-set specific laboratory duplicates were reported, using samples MW-156-251106, MW-910-251106, MW-155-251107, MW-145R-251110, MW-322-251112, MW-174-251113, MW-186-251114, MW-173-251114, MW-183-251117, MW103-251117, FMW-141-251118, and MW-170-251119. The RPD results were within the laboratory specified acceptance criteria, with the following exceptions.

Nitrate as N was detected at an estimated concentration greater than the MDL and less than the RL in parent sample FMW-141-251118 and not detected in the associated laboratory duplicate, resulting in a non-calculable RPD between results. Since both results are less than the RL, and based on professional and technical judgement, no qualifications were applied to the data.

The laboratory duplicate RPDs for sulfate using samples MW-174-251113 and MW-186-251114 were high and outside of the laboratory specified acceptance criteria; therefore, the sulfate concentrations in samples MW-174-251113 and MW-186-251114 were J qualified as estimated.

Nitrate as N was detected at a concentration greater than the RL in parent sample MW-186-251114 and detected at an estimated concentration greater than the MDL and less than the RL in the associated laboratory duplicate, resulting in a non-calculable RPD between results. Since the absolute difference between the results was greater than the RL, and based on professional and technical judgement, the nitrate as N concentration in sample MW-186-251114 was J qualified as estimated.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-174-251113	Sulfate	1.42	NA	1.42	J	12
MW-186-251114	Nitrate (as N)	0.521	NA	0.521	J	12
MW-186-251114	Sulfate	3.68	NA	3.68	J	12

mg/L Milligram per liter
NA – Not applicable

Additionally, five batch sample laboratory duplicates were reported in batches 49900, 49952, and 50093. Since these were batch QC, the results did not impact the data and did not result in qualification of the data.

5.8 Equipment Blank

According to the WP, equipment blanks should be collected at a frequency of one per twenty samples collected using non-dedicated sampling equipment. Four equipment blanks, EQ-251106, EQ-251107, EQ-251110, and EQ-251111, were collected with seventy-three primary samples for anion analysis; therefore, the WP requirement was met. Anions were not detected in the equipment blanks at or above the MDLs, with the following exceptions.

Chloride was detected in equipment blanks EQ-251106, EQ-251107, EQ-251110, and EQ-251111 at estimated concentrations greater than the MDL and less than the RL. Since these chloride concentrations were U qualified as not detected based on method blank contamination, no qualifications were applied to the data.

Nitrate as N was detected in equipment blank EQ-251110 at an estimated concentration greater than the MDL and less than the RL and in equipment blanks EQ-251106 and EQ-251107 at concentrations greater than the RL. Therefore, the estimated nitrate as N concentrations in samples MW-156-251106, MW-910-251106, MW-350-251106, MW-348-251106, HMW-9IB-251107, MW-913-251107, MW-314-251107, MW-110-251107, W-MW-01-251110, and MW-145R-251110 were U qualified as not detected at the RL, the nitrate as N concentrations in samples MW-120-251106 and MW-909-251106, were J+ qualified as estimated with high biases and the results in samples MW-155-251107 and MW-346-251107 were U qualified as not detected at the sample concentrations. Since nitrate as N was either not detected or detected at concentrations greater than ten times the concentration in the associated method blank in the remainder of the samples, no additional qualifications were applied to the data.

Sulfate was detected in equipment blank EQ-251111 at an estimated concentration greater than the MDL and less than the RL. Since this sulfate concentrations was U qualified as not detected based on CCB contamination, no qualifications were applied to the data.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-156-251106	Nitrate (as N)	0.083	J	0.150	U	3
MW-910-251106	Nitrate (as N)	0.058	J	0.150	U	3
MW-350-251106	Nitrate (as N)	0.052	J	0.150	U	3
MW-120-251106	Nitrate (as N)	0.294	NA	0.294	J+	3
MW-909-251106	Nitrate (as N)	0.164	NA	0.164	J+	3
MW-348-251106	Nitrate (as N)	0.053	J	0.150	U	3
MW-155-251107	Nitrate (as N)	3.17	NA	3.17	U	3

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
HMW-9IB-251107	Nitrate (as N)	0.0590	J	0.15	U	3
MW-913-251107	Nitrate (as N)	0.0670	J	0.15	U	3
MW-346-251107	Nitrate (as N)	0.362	NA	0.362	U	3
MW-314-251107	Nitrate (as N)	0.0600	J	0.150	U	3
MW-110-251107	Nitrate (as N)	0.0510	J	0.150	U	3
W-MW-01-251110	Nitrate (as N)	0.0970	J	0.150	U	3
MW-145R-251110	Nitrate (as N)	0.0600	J	0.150	U	3

mg/L Milligram per liter

D- Laboratory flag indicating dilution was required

J- Laboratory flag indicating the result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

NA – Not applicable

5.9 Sensitivity

The samples were reported to the MDL. Elevated non-detect results were not reported.

5.10 Electronic Data Deliverable Review

Results and sample IDs in the EDDs were reviewed against the information provided by the associated level II reports at a minimum of 20%. No discrepancies were identified between the level II reports and the EDDs.

6.0 TOTAL ORGANIC CARBON

The samples were analyzed for TOC per USEPA method 9060A.

The areas of data review are listed below. A leading check mark (✓) indicates an area of review in which the data were acceptable. A preceding crossed circle (⊗) signifies areas where issues were raised during the course of the validation review and should be considered to determine any impact on data quality and usability.

- ⊗ Overall Assessment
- ✓ Holding Times
- ✓ Method Blank
- ⊗ Matrix Spike/Matrix Spike Duplicate
- ✓ Laboratory Control Sample
- ✓ Field Duplicates
- ✓ Laboratory Duplicates
- ⊗ Equipment Blank
- ✓ Sensitivity

✓ Electronic Data Deliverable Review

6.1 Overall Assessment

The TOC data reported in the laboratory reports are not usable for supporting project objectives; the detected TOC concentrations were rejected based on inorganic contamination. The analytical completeness, defined as the ratio of the number of valid analytical results (valid analytical results include values qualified as estimated) to the total number of analytical results requested on samples submitted for this analysis, for this data set is 1%.

Per clarification from the laboratory via email on 26 March 2026, due to acidification of the interference check standard that serves to ensure total inorganic carbon doesn't bias the TOC results and concurrent failure to perform regular maintenance on the sparger of the TOC instrument, the TOC results in this dataset were biased high due to the potential inclusion of inorganic carbon in the sample results. Therefore, based on project team feedback as well as professional and technical judgement, the detected TOC concentrations in this dataset were R qualified as rejected.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-144R-251105	Total Organic Carbon	49.12	NA	49.12	R	13
MR-MW5-251105	Total Organic Carbon	11.51	NA	11.51	R	13
MW-143-251105	Total Organic Carbon	73.31	NA	73.31	R	13
MW-142-251105	Total Organic Carbon	50.1	NA	50.1	R	13
BB-8-251105	Total Organic Carbon	20.59	NA	20.59	R	13
MW-156-251106	Total Organic Carbon	21.89	NA	21.89	R	13
MW-910-251106	Total Organic Carbon	21.72	NA	21.72	R	13
MW-350-251106	Total Organic Carbon	22.21	NA	22.21	R	13
MW-911-251106	Total Organic Carbon	18.36	NA	18.36	R	13
MW-120-251106	Total Organic Carbon	3.71	NA	3.71	R	13
MW-909-251106	Total Organic Carbon	3.71	NA	3.71	R	13
MW-349-251106	Total Organic Carbon	30.75	NA	30.75	R	13
MW-9-251106	Total Organic Carbon	27.58	NA	27.58	R	13
MW-348-251106	Total Organic Carbon	8.16	NA	8.16	R	13
MW-121-251106	Total Organic Carbon	77.59	NA	77.59	R	13
R-MW6-251106	Total Organic Carbon	90.6	NA	90.6	R	13
MW-347-251106	Total Organic Carbon	33.53	NA	33.53	R	13
EQ-251106	Total Organic Carbon	1.04	NA	1.04	R	13
MW-155-251107	Total Organic Carbon	19.6	NA	19.6	R	13
HMW-9IB-251107	Total Organic Carbon	52.37	NA	52.37	R	13
MW-913-251107	Total Organic Carbon	54.77	NA	54.77	R	13
MW-346-251107	Total Organic Carbon	5.380	NA	5.380	R	13
MW-314-251107	Total Organic Carbon	14.07	NA	14.07	R	13
MW-110-251107	Total Organic Carbon	31.87	NA	31.87	R	13

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-345-251107	Total Organic Carbon	12.700	NA	12.700	R	13
EQ-251107	Total Organic Carbon	0.54	NA	0.54	R	13
W-MW-01-251110	Total Organic Carbon	72.79	NA	72.79	R	13
MW-145R-251110	Total Organic Carbon	20.84	NA	20.84	R	13
EQ-251110	Total Organic Carbon	0.570	NA	0.570	R	13
MW-341-251111	Total Organic Carbon	30.23	NA	30.23	R	13
FMW-129-251111	Total Organic Carbon	13.24	NA	13.24	R	13
MW-328-251111	Total Organic Carbon	14.43	NA	14.43	R	13
MW107-251111	Total Organic Carbon	27.65	NA	27.65	R	13
EQ-251111	Total Organic Carbon	0.63	NA	0.63	R	13
MW-322-251112	Total Organic Carbon	47.08	NA	47.08	R	13
MW-344-251112	Total Organic Carbon	30.19	NA	30.19	R	13
MW-147-251112	Total Organic Carbon	13.1700	NA	13.1700	R	13
MW-319-251112	Total Organic Carbon	5.45	NA	5.45	R	13
MW-318-251112	Total Organic Carbon	33.18	NA	33.18	R	13
MW-146-251112	Total Organic Carbon	39.19	NA	39.19	R	13
MW113-251112	Total Organic Carbon	5.03	NA	5.03	R	13
MW-154-251112	Total Organic Carbon	31.750	NA	31.750	R	13
MW-323-251113	Total Organic Carbon	21.520	NA	21.520	R	13
MW128-251113	Total Organic Carbon	39.73	NA	39.73	R	13
MW-329-251113	Total Organic Carbon	7.87	NA	7.87	R	13
MW-335-251113	Total Organic Carbon	17.63	NA	17.63	R	13
MW-165-251113	Total Organic Carbon	71.31	NA	71.31	R	13
MW-166-251113	Total Organic Carbon	113.2	NA	113.2	R	13
MW-167-251113	Total Organic Carbon	34.15	NA	34.15	R	13
MW-168-251113	Total Organic Carbon	43.57	NA	43.57	R	13
MW-174-251113	Total Organic Carbon	95.01	NA	95.01	R	13
MW-175-251113	Total Organic Carbon	83.98	NA	83.98	R	13
MW-342-251114	Total Organic Carbon	29.97	NA	29.97	R	13
MW-343-251114	Total Organic Carbon	25.28	NA	25.28	R	13
MW-185-251114	Total Organic Carbon	95.28	NA	95.28	R	13
MW-187-251114	Total Organic Carbon	71.19	NA	71.19	R	13
MW-188-251114	Total Organic Carbon	20.93	NA	20.93	R	13
MW-186-251114	Total Organic Carbon	74.91	NA	74.91	R	13
MW-176-251114	Total Organic Carbon	69.76	NA	69.76	R	13
MW-173-251114	Total Organic Carbon	42.81	NA	42.81	R	13
MW-181-251117	Total Organic Carbon	48.93	NA	48.93	R	13
MW-182-251117	Total Organic Carbon	71.52	NA	71.52	R	13
MW-184-251117	Total Organic Carbon	41.83	NA	41.83	R	13
MW-190-251117	Total Organic Carbon	19.05	NA	19.05	R	13
MW103-251117	Total Organic Carbon	2.99	NA	2.99	R	13
FMW-137-251117	Total Organic Carbon	5.79	NA	5.79	R	13
MW109-251117	Total Organic Carbon	28.96	NA	28.96	R	13
FMW-141-251118	Total Organic Carbon	10.45	NA	10.45	R	13
FMW-140-251118	Total Organic Carbon	21.59	NA	21.59	R	13

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-169-251118	Total Organic Carbon	43.37	NA	43.37	R	13
MW-180-251118	Total Organic Carbon	123.9	NA	123.9	R	13
MW-177-251118	Total Organic Carbon	30.61	NA	30.61	R	13
MW-179-251118	Total Organic Carbon	98.83	NA	98.83	R	13
MW-324-251118	Total Organic Carbon	19.98	NA	19.98	R	13
MW108-251118	Total Organic Carbon	37.42	NA	37.42	R	13
MW-170-251119	Total Organic Carbon	44.74	NA	44.74	R	13
MW-171-251119	Total Organic Carbon	31.85	NA	31.85	R	13
MW-172-251119	Total Organic Carbon	26.19	NA	26.19	R	13
MW-189-251119	Total Organic Carbon	13.88	NA	13.88	R	13

mg/L Milligram per liter
NA – Not applicable

The samples in jobs 2511121, 2511181, 2511308, 2511351, 2511443, 2511473, and 2511490 were received at ARI at 11.4°C, 11.4°C, 7.9°C, 7.8°C, 6.4°C, 6.8°C, and 7.9°C, respectively, outside the method-specified temperature criteria of 0-6°C; therefore, the TOC concentrations in the samples in these jobs were J- qualified as estimated with low biases.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-144R-251105	Total Organic Carbon	49.12	NA	49.12	J-	1
MR-MW5-251105	Total Organic Carbon	11.51	NA	11.51	J-	1
MW-143-251105	Total Organic Carbon	73.31	NA	73.31	J-	1
MW-142-251105	Total Organic Carbon	50.1	NA	50.1	J-	1
BB-8-251105	Total Organic Carbon	20.59	NA	20.59	J-	1
MW-156-251106	Total Organic Carbon	21.89	NA	21.89	J-	1
MW-910-251106	Total Organic Carbon	21.72	NA	21.72	J-	1
MW-350-251106	Total Organic Carbon	22.21	NA	22.21	J-	1
MW-911-251106	Total Organic Carbon	18.36	NA	18.36	J-	1
MW-120-251106	Total Organic Carbon	3.71	NA	3.71	J-	1
MW-909-251106	Total Organic Carbon	3.71	NA	3.71	J-	1
MW-349-251106	Total Organic Carbon	30.75	NA	30.75	J-	1
MW-9-251106	Total Organic Carbon	27.58	NA	27.58	J-	1
MW-348-251106	Total Organic Carbon	8.16	NA	8.16	J-	1
MW-121-251106	Total Organic Carbon	77.59	NA	77.59	J-	1
R-MW6-251106	Total Organic Carbon	90.6	NA	90.6	J-	1
MW-347-251106	Total Organic Carbon	33.53	NA	33.53	J-	1
EQ-251106	Total Organic Carbon	1.04	NA	1.04	J-	1
MW-322-251112	Total Organic Carbon	47.08	NA	47.08	J-	1
MW-344-251112	Total Organic Carbon	30.19	NA	30.19	J-	1
MW-147-251112	Total Organic Carbon	13.17	NA	13.17	J-	1
MW-319-251112	Total Organic Carbon	5.450	NA	5.450	J-	1
MW-318-251112	Total Organic Carbon	33.18	NA	33.18	J-	1
MW-146-251112	Total Organic Carbon	39.19	NA	39.19	J-	1

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW113-251112	Total Organic Carbon	5.030	NA	5.030	J-	1
MW-154-251112	Total Organic Carbon	31.75	NA	31.75	J-	1
MW-323-251113	Total Organic Carbon	21.52	NA	21.52	J-	1
MW128-251113	Total Organic Carbon	39.73	NA	39.73	J-	1
MW-329-251113	Total Organic Carbon	7.870	NA	7.870	J-	1
MW-335-251113	Total Organic Carbon	17.63	NA	17.63	J-	1
MW-165-251113	Total Organic Carbon	71.31	NA	71.31	J-	1
MW-166-251113	Total Organic Carbon	113.2	NA	113.2	J-	1
MW-167-251113	Total Organic Carbon	34.15	NA	34.15	J-	1
MW-168-251113	Total Organic Carbon	43.57	NA	43.57	J-	1
MW-174-251113	Total Organic Carbon	95.01	NA	95.01	J-	1
MW-175-251113	Total Organic Carbon	83.98	NA	83.98	J-	1
FMW-141-251118	Total Organic Carbon	10.45	NA	10.45	J-	1
MW-183-251117	Total Organic Carbon	0.5000	U	0.5000	UJ	1
MW-181-251117	Total Organic Carbon	48.93	NA	48.93	J-	1
MW-182-251117	Total Organic Carbon	71.52	NA	71.52	J-	1
MW-184-251117	Total Organic Carbon	41.83	NA	41.83	J-	1
MW-190-251117	Total Organic Carbon	19.05	NA	19.05	J-	1
MW103-251117	Total Organic Carbon	2.990	NA	2.990	J-	1
FMW-137-251117	Total Organic Carbon	5.790	NA	5.790	J-	1
FMW-140-251118	Total Organic Carbon	21.59	NA	21.59	J-	1
MW109-251117	Total Organic Carbon	28.96	NA	28.96	J-	1
MW-169-251118	Total Organic Carbon	43.37	NA	43.37	J-	1
MW-180-251118	Total Organic Carbon	123.9	NA	123.9	J-	1
MW-177-251118	Total Organic Carbon	30.61	NA	30.61	J-	1
MW-179-251118	Total Organic Carbon	98.83	NA	98.83	J-	1
MW-324-251118	Total Organic Carbon	19.98	NA	19.98	J-	1
MW108-251118	Total Organic Carbon	37.42	NA	37.42	J-	1
MW-170-251119	Total Organic Carbon	44.74	NA	44.74	J-	1
MW-171-251119	Total Organic Carbon	31.85	NA	31.85	J-	1
MW-172-251119	Total Organic Carbon	26.19	NA	26.19	J-	1
MW-189-251119	Total Organic Carbon	13.88	NA	13.88	J-	1

mg/L Milligram per liter

NA – Not applicable

U – Laboratory flag indicating the analyte was not detected at or above the MDL

6.2 Holding Time

The holding time for TOC analysis of a water sample is 28 days from sample collection to analysis. The holding times were met for the sample analyses.

6.3 Method Blank

Method blanks were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Six method blanks were reported (batches BNK0385, BNK0443, BNK0444, BNK0490, BNL0031, and BNL0032). TOC was not detected in the method blanks at or above the MDL.

6.4 Matrix Spike/Matrix Spike Duplicate

Four sample-set specific MSs were reported, using samples MW-144R-251105, MW-155-251107, MW-323-251113, and FMW-141-251118. The recovery results were within the laboratory specified acceptance criteria, with the following exceptions.

The TOC recoveries in the MSs using samples MW-155-251107 and MW-323-251113 were low and outside laboratory specified acceptance criteria. Therefore, the TOC concentrations in samples MW-155-251107 and MW-323-251113 were J- qualified as estimated with a low biases.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-155-251107	Total Organic Carbon	19.6	NA	19.6	J-	4
MW-323-251113	Total Organic Carbon	21.5	NA	21.5	J-	4

mg/L - Milligram per liter

NA- Not applicable

MSs were not analyzed with batches BNK0444 and BNL0031; LCSs were used to assess accuracy in these batches and batch-specific precision was not assessed.

6.5 Laboratory Control Sample

LCSs were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Six LCSs were reported. The recovery results were within the laboratory specified acceptance criteria.

6.6 Field Duplicates

According to the WP, field duplicates of each matrix should be collected at a frequency of one per twenty primary samples. Four groundwater field duplicate samples, MW-910-251106, MW-911-251106, MW-909-251106, and MW-913-251107, were collected with seventy-three primary groundwater samples for TOC analysis; therefore, the WP requirement was met. Acceptable precision ($RPD \leq 30\%$ for aqueous samples) was demonstrated between the field duplicates and the original samples, MW-156-251106, MW-350-251106, MW-120-251106, and HMW-9IB-251107, respectively.

6.7 Laboratory Duplicates

Four sample-set specific laboratory duplicates were reported, using samples MW-144R-251105, MW-155-251107, MW-323-251113, and FMW-141-251118. The RPDs were within laboratory specified acceptance criteria.

6.8 Equipment Blank

According to the WP, equipment blanks should be collected at a frequency of one per twenty samples collected using non-dedicated sampling equipment. Four equipment blanks, EQ-251106, EQ-251107, EQ-251110, and EQ-251111, were collected with seventy-three primary samples for TOC analysis; therefore, the WP requirement was met.

TOC was detected in the equipment blanks EQ-251106, EQ-251107, EQ-251110, and EQ-251111 at concentrations greater than the RL. Therefore, the TOC concentrations in samples MW-120-251106, MW-909-251106, MW-348-251106, and MW-346-251107 were J+ qualified as estimated with high biases. Since the TOC concentrations in the remainder of the samples were greater than ten times the concentration in the associated equipment blank, no additional qualifications were applied to the data.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-120-251106	Total Organic Carbon	3.71	NA	3.71	J+	3
MW-909-251106	Total Organic Carbon	3.71	NA	3.71	J+	3
MW-348-251106	Total Organic Carbon	8.16	NA	8.16	J+	3
MW-346-251107	Total Organic Carbon	5.38	NA	5.38	J+	3

mg/L - Milligram per liter

NA- Not applicable

6.9 Sensitivity

The samples were reported to the MDL. No elevated non-detect results were reported.

6.10 Electronic Data Deliverable Review

Results and sample IDs in the EDDs were reviewed against the information provided by the associated level II reports at a minimum of 20%. No discrepancies were identified between the level II reports and the EDDs.

7.0 ALKALINITY

The samples were analyzed for alkalinity per USEPA method 310.2.

The areas of data review are listed below. A leading check mark (✓) indicates an area of review in which the data were acceptable. A preceding crossed circle (⊗) signifies areas where issues were raised during the course of the validation review and should be considered to determine any impact on data quality and usability.

- ✓ Overall Assessment
- ✓ Holding Times
- ⊗ Method Blank
- ✓ Matrix Spike/Matrix Spike Duplicate
- ✓ Laboratory Control Sample
- ✓ Field Duplicates
- ⊗ Laboratory Duplicates
- ✓ Equipment Blank
- ✓ Sensitivity
- ✓ Electronic Data Deliverable Review

7.1 **Overall Assessment**

The alkalinity data reported in the laboratory reports are considered to be usable for supporting project objectives. The results are considered to be valid. The analytical completeness, defined as the ratio of the number of valid analytical results (valid analytical results include values qualified as estimated) to the total number of analytical results requested on samples submitted for this analysis, for this data set is 100%.

CCVs were reported with the alkalinity data set; the CCV recoveries were within the laboratory specified acceptance criteria.

7.2 **Holding Time**

The holding time for alkalinity analysis of a water sample is 14 days from sample collection to analysis. The holding times were met for the sample analyses.

7.3 **Method Blank**

Method blanks were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Six method blanks were reported (batches R104637, R104802, R104839, R104981, R105001, and R105057). Alkalinity was not detected in the method blanks at or above the MDL, with the following exceptions.

Alkalinity was detected in the method blanks in batches R104802 and R104839 at estimated concentrations greater than the MDL and less than the RL. Therefore, the estimated alkalinity concentration in sample EQ-251110 was U qualified as not detected at the RL. Since the alkalinity concentrations in the remainder of the associated samples were greater than ten times the concentrations in the associated method blank, no additional qualifications were applied to the data.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
EQ-251110	Alkalinity, Total (As CaCO ₃)	1.91	J	2.50	U	3

mg/L Milligram per liter

J- Laboratory flag indicating the result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

CCBs were reported with the alkalinity data set. Alkalinity was not detected in the CCBs at or above the MDL, with the following exceptions.

Alkalinity was detected in CCB-B in batch R104802, CCB-D in batch R104637, and CCB-A, CCB-B, CCB-C, CCB-D, and CCB-E in batch R104839 at concentrations greater than the RL. Therefore, the estimated alkalinity concentration in sample EQ-251110 was U qualified as not detected at the RL, and the alkalinity concentrations in samples MW-350-251106, MW-911-251106, MW-349-251106, MW-9-251106, MW-348-251106, MW-347-251106, MW-145R-251110, MW111-251110, MW-342-251114, MW-343-251114, MW-185-251114, MW-187-251114, MW-188-251114, MW-186-251114, and MW-176-251114 were J+ qualified as estimated with high biases. Since the alkalinity concentrations in the remainder of the associated samples were greater than ten times the concentrations in the associated CCBs, no additional qualifications were applied to the data.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-350-251106	Alkalinity, Total (As CaCO ₃)	378	D	378	J+	3
MW-911-251106	Alkalinity, Total (As CaCO ₃)	342	D	342	J+	3
MW-349-251106	Alkalinity, Total (As CaCO ₃)	553	D	553	J+	3
MW-9-251106	Alkalinity, Total (As CaCO ₃)	319	D	319	J+	3
MW-348-251106	Alkalinity, Total (As CaCO ₃)	74	D	74	J+	3
MW-347-251106	Alkalinity, Total (As CaCO ₃)	181	D	181	J+	3
EQ-251110	Alkalinity, Total (As CaCO ₃)	1.91	J	2.50	U	3
MW-145R-251110	Alkalinity, Total (As CaCO ₃)	297	D	297	J+	3
MW111-251110	Alkalinity, Total (As CaCO ₃)	193	D	193	J+	3
MW-342-251114	Alkalinity, Total (As CaCO ₃)	441	D	441	J+	3
MW-343-251114	Alkalinity, Total (As CaCO ₃)	378	D	378	J+	3
MW-185-251114	Alkalinity, Total (As CaCO ₃)	1690	D	1690	J+	3
MW-187-251114	Alkalinity, Total (As CaCO ₃)	1270	D	1270	J+	3
MW-188-251114	Alkalinity, Total (As CaCO ₃)	253	D	253	J+	3

MW-186-251114	Alkalinity, Total (As CaCO ₃)	1200	D	1200	J+	3
MW-176-251114	Alkalinity, Total (As CaCO ₃)	919	D	919	J+	3

mg/L Milligram per liter

D - Laboratory flag indicating the sample was analyzed at a dilution

J- Laboratory flag indicating the result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

NA- Not applicable

7.4 **Matrix Spike/Matrix Spike Duplicate**

MS/MSD pairs were not analyzed with the sample sets. LCSs were used to assess accuracy and laboratory duplicates were used to assess precision.

7.5 **Laboratory Control Sample**

LCSs were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Six LCSs were reported. The recovery results were within the laboratory specified acceptance criteria.

7.6 **Field Duplicates**

According to the WP, field duplicates of each matrix should be collected at a frequency of one per twenty primary samples. Four groundwater field duplicate samples, MW-910-251106, MW-911-251106, MW-909-251106, and MW-913-251107, were collected with seventy-three primary groundwater samples for alkalinity analysis; therefore, the WP requirement was met. Acceptable precision ($RPD \leq 30\%$ for aqueous samples) was demonstrated between the field duplicates and the original samples, MW-156-251106, MW-350-251106, MW-120-251106, and HMW-9IB-251107, respectively.

7.7 **Laboratory Duplicates**

Eight sample-set specific laboratory duplicates were reported, using samples MW-120-251106, MW-909-251106, MW-347-251106, MR-MW5-251105, EQ-251107, EQ-251111, MW113-251112, and MW-183-251117. The RPDs were within laboratory specified acceptance criteria, with the following exception.

The laboratory duplicate RPD for alkalinity using sample MW-909-251106 was high and outside of the laboratory specified acceptance criteria; therefore, the alkalinity concentration in sample MW-909-251106 was J qualified as estimated.

Sample ID	Compound	Laboratory Result (mg/L)	Laboratory Flag	Validation Result (mg/L)	Validation Qualifier	Reason Code
MW-909-251106	Alkalinity, Total (As CaCO ₃)	7.86	NA	7.86	J	12

mg/L Milligram per liter
NA- Not applicable

Additionally, four batch laboratory duplicates were reported in batches R104839, R105001, and R105057. Since these were batch QC, the results did not impact the data and did not result in qualification of the data.

7.8 **Equipment Blank**

According to the WP, equipment blanks should be collected at a frequency of one per twenty samples collected using non-dedicated sampling equipment. Four equipment blanks, EQ-251106, EQ-251107, EQ-251110, and EQ-251111, were collected with seventy-three primary samples for alkalinity analysis; therefore, the WP requirement was met. Alkalinity was not detected in the equipment blanks at or above the MDLs, with the following exception.

Alkalinity was detected in equipment blank EQ-251110 at an estimated concentration greater than the MDL and less than the RL. Since this concentration was U qualified as not detected based on method blank and CCB contamination, no qualifications were applied to the data.

7.9 **Sensitivity**

The samples were reported to the MDL. No elevated non-detect results were reported.

7.10 **Electronic Data Deliverable Review**

Results and sample IDs in the EDDs were reviewed against the information provided by the associated level II reports at a minimum of 20%. No discrepancies were identified between the level II reports and the EDDs.

* * * * *

ATTACHMENT 1
DATA VALIDATION QUALIFIER DEFINITIONS
AND INTERPRETATION KEY
Assigned by Geosyntec's Data Validation Team

DATA QUALIFIER DEFINITIONS

- U The analyte was analyzed for, but was not detected at or above the reported sample quantitation limit. Upon application of the U qualifier to a reported result, the definition changes to “not detected at or above the reported result”.
- J The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- J+ The analyte was positively identified; however, the associated numerical value is likely to be higher than the concentration of the analyte in the sample due to positive bias of associated QC or calibration data or attributable to matrix interference.
- J- The analyte was positively identified; however, the associated numerical value is likely to be lower than the concentration of the analyte in the sample due to negative bias of associated QC or calibration data or attributable to matrix interference.
- UJ The analyte was not detected at or above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.
- D The sample results are reported from analyses at dilutions.

ATTACHMENT 2
DATA VALIDATION REASON CODES
Assigned by Geosyntec's Data Validation Team

Valid Value	Description
1	Preservation requirement not met
2	Extraction or analysis holding time exceeded
3	Blank contamination (i.e., method, trip, equipment, etc.)
4	Matrix spike/matrix spike duplicate recovery or RPD outside limits
5	LCS recovery outside limits or RPD outside limits (LCS/LCSD)
6	Surrogate recovery outside limits
7	Field Duplicate RPD exceeded
8	Serial dilution percent difference exceeded
9	Calibration criteria not met
10	Calibration range exceeded
11	Internal standard or isotope dilution standard criteria not met
12	Lab duplicates RPD exceeded
13	Other
14	Lab flag removed
15	Lab flag removed: result not considered for validation
16	Identification criteria not met

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

RPD - Relative Percent Difference

ATTACHMENT 3

QUALIFICATIONS APPLIED BASED ON CCV EXCEEDANCES

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier	Reason Code
MW-120-251106	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-909-251106	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-349-251106	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-9-251106	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-348-251106	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-121-251106	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
R-MW6-251106	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-313-251106	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-347-251106	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
EQ-251106	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW125-251107	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-912-251107	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-305-251107	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-155-251107	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-351-251107	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
HMW-9IB-251107	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-913-251107	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW106-251107	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-346-251107	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-314-251107	1,2,4-Trichlorobenzene	2.34	DQU	2.34	UJ	9
MW-314-251107	Hexachloro-1,3-butadiene	1.92	DQU	1.92	UJ	9
MW-110-251107	1,2,4-Trichlorobenzene	2.34	DQU	2.34	UJ	9
MW-110-251107	Hexachloro-1,3-butadiene	1.92	DQU	1.92	UJ	9
MW-345-251107	1,2,4-Trichlorobenzene	0.234	QU	0.234	UJ	9
MW-345-251107	Hexachloro-1,3-butadiene	0.192	QU	0.192	UJ	9
EQ-251107	1,2,4-Trichlorobenzene	0.234	QU	0.234	UJ	9
EQ-251107	Hexachloro-1,3-butadiene	0.192	QU	0.192	UJ	9
TRIP-251107	1,2,4-Trichlorobenzene	0.234	QU	0.234	UJ	9
TRIP-251107	Hexachloro-1,3-butadiene	0.192	QU	0.192	UJ	9
MW-314-251107	1,2,4-Trichlorobenzene	2.34	DQU	2.34	UJ	9
MW-314-251107	Bromomethane	3.86	DU	3.86	UJ	9
MW-314-251107	Chloromethane	2.18	DU	2.18	UJ	9
MW-314-251107	Dichlorodifluoromethane (CFC-12)	1.77	DU	1.77	UJ	9
MW-314-251107	Hexachloro-1,3-butadiene	1.92	DQU	1.92	UJ	9
MW-314-251107	Vinyl chloride	0.455	D	0.455	J	9
MW-110-251107	1,2,4-Trichlorobenzene	2.34	DQU	2.34	UJ	9
MW-110-251107	Bromomethane	3.86	DU	3.86	UJ	9
MW-110-251107	Chloromethane	2.18	DU	2.18	UJ	9
MW-110-251107	Dichlorodifluoromethane (CFC-12)	1.77	DU	1.77	UJ	9
MW-110-251107	Hexachloro-1,3-butadiene	1.92	DQU	1.92	UJ	9
MW-110-251107	Vinyl chloride	0.455	D	0.455	J	9

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier	Reason Code
MW-345-251107	1,2,4-Trichlorobenzene	0.234	QU	0.234	UJ	9
MW-345-251107	Bromomethane	0.386	U	0.386	UJ	9
MW-345-251107	Chloromethane	0.218	U	0.218	UJ	9
MW-345-251107	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-345-251107	Hexachloro-1,3-butadiene	0.192	QU	0.192	UJ	9
MW-345-251107	Vinyl chloride	0.0455	NA	0.0455	J	9
EQ-251107	1,2,4-Trichlorobenzene	0.234	QU	0.234	UJ	9
EQ-251107	Bromomethane	0.386	U	0.386	UJ	9
EQ-251107	Chloromethane	0.218	U	0.218	UJ	9
EQ-251107	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
EQ-251107	Hexachloro-1,3-butadiene	0.192	QU	0.192	UJ	9
EQ-251107	Vinyl chloride	0.0455	U	0.0455	UJ	9
TRIP-251107	1,2,4-Trichlorobenzene	0.234	QU	0.234	UJ	9
TRIP-251107	Bromomethane	0.386	U	0.386	UJ	9
TRIP-251107	Chloromethane	0.218	U	0.218	UJ	9
TRIP-251107	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
TRIP-251107	Hexachloro-1,3-butadiene	0.192	QU	0.192	UJ	9
TRIP-251107	Vinyl chloride	0.0455	U	0.0455	UJ	9
MW-161-251110	1,2,4-Trichlorobenzene	0.234	QU	0.234	UJ	9
MW-161-251110	Bromomethane	0.386	U	0.386	UJ	9
MW-161-251110	Chloromethane	0.218	U	0.218	UJ	9
MW-161-251110	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-161-251110	Hexachloro-1,3-butadiene	0.192	QU	0.192	UJ	9
MW-161-251110	Vinyl chloride	0.0455	NA	0.0455	J	9
W-MW-01-251110	1,2,4-Trichlorobenzene	0.234	U	0.234	UJ	9
W-MW-01-251110	Bromomethane	0.386	U	0.386	UJ	9
W-MW-01-251110	Chloromethane	0.218	U	0.218	UJ	9
W-MW-01-251110	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
W-MW-01-251110	Hexachloro-1,3-butadiene	0.192	U	0.192	UJ	9
W-MW-01-251110	Vinyl chloride	0.0455	J	0.0455	J	9
MW-145R-251110	1,2,4-Trichlorobenzene	0.234	QU	0.234	UJ	9
MW-145R-251110	Bromomethane	0.386	U	0.386	UJ	9
MW-145R-251110	Chloromethane	0.218	U	0.218	UJ	9
MW-145R-251110	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-145R-251110	Hexachloro-1,3-butadiene	0.192	QU	0.192	UJ	9
MW-145R-251110	Vinyl chloride	0.0455	U	0.0455	UJ	9
EQ-251110	1,2,4-Trichlorobenzene	0.234	QU	0.234	UJ	9
EQ-251110	Bromomethane	0.386	U	0.386	UJ	9
EQ-251110	Chloromethane	0.218	U	0.218	UJ	9
EQ-251110	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
EQ-251110	Hexachloro-1,3-butadiene	0.192	QU	0.192	UJ	9
EQ-251110	Vinyl chloride	0.0455	U	0.0455	UJ	9
MW111-251110	1,2,4-Trichlorobenzene	0.234	QU	0.234	UJ	9
MW111-251110	Bromomethane	0.386	U	0.386	UJ	9
MW111-251110	Chloromethane	0.218	U	0.218	UJ	9

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier	Reason Code
MW111-251110	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW111-251110	Hexachloro-1,3-butadiene	0.192	QU	0.192	UJ	9
MW111-251110	Vinyl chloride	0.0455	NA	0.0455	J	9
MW-312-251110	1,2,4-Trichlorobenzene	0.234	QU	0.234	UJ	9
MW-312-251110	Bromomethane	0.386	U	0.386	UJ	9
MW-312-251110	Chloromethane	0.218	U	0.218	UJ	9
MW-312-251110	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-312-251110	Hexachloro-1,3-butadiene	0.192	QU	0.192	UJ	9
MW-312-251110	Vinyl chloride	0.0455	U	0.0455	UJ	9
MW-914-251110	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-914-251110	Acetone	2.55	U	2.55	UJ	9
MW-914-251110	Bromomethane	0.386	U	0.386	UJ	9
MW-311-251110	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-311-251110	Acetone	2.55	U	2.55	UJ	9
MW-311-251110	Bromomethane	0.386	U	0.386	UJ	9
MW-915-251110	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-915-251110	Acetone	2.55	U	2.55	UJ	9
MW-915-251110	Bromomethane	0.386	U	0.386	UJ	9
MW-310-251110	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-310-251110	Acetone	2.55	U	2.55	UJ	9
MW-310-251110	Bromomethane	0.386	U	0.386	UJ	9
MW-308-251110	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-308-251110	Acetone	2.55	U	2.55	UJ	9
MW-308-251110	Bromomethane	0.386	U	0.386	UJ	9
MW-309-251110	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-309-251110	Acetone	2.55	U	2.55	UJ	9
MW-309-251110	Bromomethane	0.386	U	0.386	UJ	9
SCL-MW101-251110	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
SCL-MW101-251110	Acetone	2.55	U	2.55	UJ	9
SCL-MW101-251110	Bromomethane	0.386	U	0.386	UJ	9
MW126-251110	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW126-251110	Acetone	2.55	U	2.55	UJ	9
MW126-251110	Bromomethane	0.386	U	0.386	UJ	9
MW-331-251110	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-331-251110	Acetone	2.55	U	2.55	UJ	9
MW-331-251110	Bromomethane	0.386	U	0.386	UJ	9
TRIP-251110	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
TRIP-251110	Acetone	2.55	U	2.55	UJ	9
TRIP-251110	Bromomethane	0.386	U	0.386	UJ	9
FMW-131-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
FMW-131-251111	Acetone	2.55	QU	2.55	UJ	9
FMW-131-251111	Bromomethane	0.386	U	0.386	UJ	9
MW-341-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-341-251111	Acetone	2.55	QU	2.55	UJ	9
MW-341-251111	Bromomethane	0.386	U	0.386	UJ	9

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier	Reason Code
FMW-129-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
FMW-129-251111	Acetone	2.55	QU	2.55	UJ	9
FMW-129-251111	Bromomethane	0.386	U	0.386	UJ	9
GEI-2-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
GEI-2-251111	Acetone	2.55	QU	2.55	UJ	9
GEI-2-251111	Bromomethane	0.386	U	0.386	UJ	9
MW-328-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-328-251111	Acetone	2.55	QU	2.55	UJ	9
MW-328-251111	Bromomethane	0.386	U	0.386	UJ	9
GEI-MW-1-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
GEI-MW-1-251111	Acetone	2.55	QU	2.55	UJ	9
GEI-MW-1-251111	Bromomethane	0.386	U	0.386	UJ	9
MW-326R-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-326R-251111	Acetone	2.55	QU	2.55	UJ	9
MW-326R-251111	Bromomethane	0.386	U	0.386	UJ	9
MW-327-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-327-251111	Acetone	2.55	QU	2.55	UJ	9
MW-327-251111	Bromomethane	0.386	U	0.386	UJ	9
MW107-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW107-251111	Acetone	2.55	QU	2.55	UJ	9
MW107-251111	Bromomethane	0.386	U	0.386	UJ	9
MW-340-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-340-251111	Acetone	2.55	QU	2.55	UJ	9
MW-340-251111	Bromomethane	0.386	U	0.386	UJ	9
MW-325-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-325-251111	Acetone	2.55	QU	2.55	UJ	9
MW-325-251111	Bromomethane	0.386	U	0.386	UJ	9
MW-338-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-338-251111	Acetone	2.55	QU	2.55	UJ	9
MW-338-251111	Bromomethane	0.386	U	0.386	UJ	9
EQ-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
EQ-251111	Acetone	2.55	QU	2.55	UJ	9
EQ-251111	Bromomethane	0.386	U	0.386	UJ	9
TRIP-251111	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
TRIP-251111	Acetone	2.55	QU	2.55	UJ	9
TRIP-251111	Bromomethane	0.386	U	0.386	UJ	9
MW-322-251112	Bromomethane	3.86	DU	3.86	UJ	9
FMW-142-251112	Bromomethane	0.386	U	0.386	UJ	9
MW-344-251112	Bromomethane	0.386	U	0.386	UJ	9
MW-147-251112	Bromomethane	0.386	U	0.386	UJ	9
MW-319-251112	Bromomethane	0.386	U	0.386	UJ	9
MW116-251112	Bromomethane	0.386	U	0.386	UJ	9
MW-318-251112	Bromomethane	0.386	U	0.386	UJ	9
MW-146-251112	Bromomethane	0.386	U	0.386	UJ	9
MW113-251112	Bromomethane	0.386	U	0.386	UJ	9

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier	Reason Code
MW-317-251112	Bromomethane	0.386	U	0.386	UJ	9
MW-154-251112	Bromomethane	0.386	U	0.386	UJ	9
MW115-251112	Bromomethane	0.386	U	0.386	UJ	9
MW-153-251112	Bromomethane	0.386	U	0.386	UJ	9
MW-332-251112	Bromomethane	0.386	U	0.386	UJ	9
TRIP-251112	Bromomethane	0.386	U	0.386	UJ	9
MW-322-251112	2-Butanone (MEK)	19.8	DQU	19.8	UJ	9
MW-322-251112	2-Hexanone (MBK)	3.64	DQU	3.64	UJ	9
MW-322-251112	Acetone	25.5	DQU	25.5	UJ	9
MW-322-251112	Bromomethane	3.86	DU	3.86	UJ	9
FMW-142-251112	2-Butanone (MEK)	1.98	U	1.98	UJ	9
FMW-142-251112	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
FMW-142-251112	Acetone	2.55	U	2.55	UJ	9
FMW-142-251112	Bromomethane	0.386	U	0.386	UJ	9
MW-344-251112	2-Butanone (MEK)	1.98	U	1.98	UJ	9
MW-344-251112	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-344-251112	Acetone	2.55	U	2.55	UJ	9
MW-344-251112	Bromomethane	0.386	U	0.386	UJ	9
MW-147-251112	2-Butanone (MEK)	1.98	U	1.98	UJ	9
MW-147-251112	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-147-251112	Acetone	2.55	U	2.55	UJ	9
MW-147-251112	Bromomethane	0.386	U	0.386	UJ	9
MW-319-251112	1,1,1-Trichloroethane (TCA)	0.103	U	0.103	UJ	9
MW-319-251112	1,1-Dichloroethene	0.122	U	0.122	UJ	9
MW-319-251112	Bromomethane	0.386	U	0.386	UJ	9
MW-319-251112	Carbon tetrachloride	0.0798	U	0.0798	UJ	9
MW116-251112	1,1,1-Trichloroethane (TCA)	0.103	U	0.103	UJ	9
MW116-251112	1,1-Dichloroethene	0.122	U	0.122	UJ	9
MW116-251112	Bromomethane	0.386	U	0.386	UJ	9
MW116-251112	Carbon tetrachloride	0.0798	U	0.0798	UJ	9
MW-318-251112	2-Butanone (MEK)	1.98	U	1.98	UJ	9
MW-318-251112	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-318-251112	Acetone	2.55	U	2.55	UJ	9
MW-146-251112	2-Butanone (MEK)	1.98	U	1.98	UJ	9
MW-146-251112	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-146-251112	Acetone	2.55	U	2.55	UJ	9
MW-146-251112	Bromomethane	0.386	U	0.386	UJ	9
MW113-251112	1,1,1-Trichloroethane (TCA)	0.103	U	0.103	UJ	9
MW113-251112	1,1-Dichloroethene	0.122	U	0.122	UJ	9
MW113-251112	Carbon tetrachloride	0.0798	U	0.0798	UJ	9
MW-317-251112	2-Butanone (MEK)	1.98	U	1.98	UJ	9
MW-317-251112	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-317-251112	Acetone	2.55	U	2.55	UJ	9
MW-317-251112	Bromomethane	0.386	U	0.386	UJ	9
MW-154-251112	2-Butanone (MEK)	1.98	U	1.98	UJ	9

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier	Reason Code
MW-154-251112	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-154-251112	Acetone	2.55	U	2.55	UJ	9
MW-154-251112	Bromomethane	0.386	U	0.386	UJ	9
MW115-251112	2-Butanone (MEK)	1.98	U	1.98	UJ	9
MW115-251112	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW115-251112	Acetone	2.55	U	2.55	UJ	9
MW115-251112	Bromomethane	0.386	U	0.386	UJ	9
MW-153-251112	2-Butanone (MEK)	1.98	U	1.98	UJ	9
MW-153-251112	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-153-251112	Acetone	2.55	U	2.55	UJ	9
MW-153-251112	Bromomethane	0.386	U	0.386	UJ	9
MW-332-251112	2-Butanone (MEK)	1.98	QU	1.98	UJ	9
MW-332-251112	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-332-251112	Acetone	2.55	QU	2.55	UJ	9
MW-332-251112	Bromomethane	0.386	U	0.386	UJ	9
TRIP-251112	2-Butanone (MEK)	1.98	QU	1.98	UJ	9
TRIP-251112	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
TRIP-251112	Acetone	2.55	QU	2.55	UJ	9
TRIP-251112	Bromomethane	0.386	U	0.386	UJ	9
MW102-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW102-251113	Acetone	2.55	QU	2.55	UJ	9
MW102-251113	Bromomethane	0.386	U	0.386	UJ	9
MW-158A-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-158A-251113	Acetone	2.55	QU	2.55	UJ	9
MW-158A-251113	Bromomethane	0.386	U	0.386	UJ	9
MW-316-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-316-251113	Acetone	2.55	QU	2.55	UJ	9
MW-316-251113	Bromomethane	0.386	U	0.386	UJ	9
EQ-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
EQ-251113	Acetone	2.55	QU	2.55	UJ	9
EQ-251113	Bromomethane	0.386	U	0.386	UJ	9
MW-323-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-323-251113	Acetone	2.55	QU	2.55	UJ	9
MW-323-251113	Bromomethane	0.386	U	0.386	UJ	9
MW128-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW128-251113	Acetone	2.55	QU	2.55	UJ	9
MW128-251113	Bromomethane	0.386	U	0.386	UJ	9
MW-329-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-329-251113	Acetone	2.55	QU	2.55	UJ	9
MW-329-251113	Bromomethane	0.386	U	0.386	UJ	9
MW-336-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-336-251113	Acetone	2.55	QU	2.55	UJ	9
MW-336-251113	Bromomethane	0.386	U	0.386	UJ	9
MW-335-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-335-251113	Acetone	2.55	QU	2.55	UJ	9

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier	Reason Code
MW-335-251113	Bromomethane	0.386	U	0.386	UJ	9
TRIP-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
TRIP-251113	Acetone	2.55	QU	2.55	UJ	9
TRIP-251113	Bromomethane	0.386	U	0.386	UJ	9
MW-165-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-165-251113	Acetone	2.55	QU	2.55	UJ	9
MW-165-251113	Bromomethane	0.386	U	0.386	UJ	9
MW-166-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-166-251113	Acetone	2.55	QU	2.55	UJ	9
MW-166-251113	Bromomethane	0.386	U	0.386	UJ	9
MW-167-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-167-251113	Acetone	2.55	QU	2.55	UJ	9
MW-167-251113	Bromomethane	0.386	U	0.386	UJ	9
MW-168-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-168-251113	Acetone	2.55	QU	2.55	UJ	9
MW-168-251113	Bromomethane	0.386	U	0.386	UJ	9
MW-174-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-174-251113	Acetone	2.55	QU	2.55	UJ	9
MW-174-251113	Bromomethane	0.386	U	0.386	UJ	9
MW-175-251113	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-175-251113	Acetone	2.55	QU	2.55	UJ	9
MW-175-251113	Bromomethane	0.386	U	0.386	UJ	9
MW-307-251114	Acetone	2.55	QU	2.55	UJ	9
MW-307-251114	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-306-251114	Acetone	2.55	QU	2.55	UJ	9
MW-306-251114	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW124-251114	Acetone	2.55	U	2.55	UJ	9
MW124-251114	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW104-251114	Acetone	2.55	U	2.55	UJ	9
MW104-251114	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-160-251114	Acetone	2.55	U	2.55	UJ	9
MW-160-251114	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-342-251114	Acetone	2.55	QU	2.55	UJ	9
MW-342-251114	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-343-251114	Acetone	2.55	QU	2.55	UJ	9
MW-343-251114	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW119-251114	Acetone	2.55	QU	2.55	UJ	9
MW119-251114	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-185-251114	Acetone	2.55	QU	2.55	UJ	9
MW-185-251114	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-187-251114	Acetone	2.55	QU	2.55	UJ	9
MW-187-251114	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-188-251114	Acetone	2.55	QU	2.55	UJ	9
MW-188-251114	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-186-251114	Acetone	2.55	QU	2.55	UJ	9

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier	Reason Code
MW-186-251114	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-176-251114	Acetone	2.55	QU	2.55	UJ	9
MW-176-251114	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-173-251114	Acetone	2.55	QU	2.55	UJ	9
MW-173-251114	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
TRIP-251114	Acetone	2.55	U	2.55	UJ	9
TRIP-251114	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-183-251117	2-Hexanone (MBK)	3.64	DU	3.64	UJ	9
MW-183-251117	Acetone	25.5	DU	25.5	UJ	9
MW-183-251117	Bromomethane	3.86	DU	3.86	UJ	9
MW-181-251117	2-Hexanone (MBK)	7.27	DU	7.27	UJ	9
MW-181-251117	Acetone	50.9	DU	50.9	UJ	9
MW-181-251117	Bromomethane	7.73	DU	7.73	UJ	9
MW-182-251117	2-Hexanone (MBK)	18.2	DU	18.2	UJ	9
MW-182-251117	Acetone	127	DU	127	UJ	9
MW-182-251117	Bromomethane	19.3	DU	19.3	UJ	9
MW-184-251117	2-Hexanone (MBK)	3.64	DU	3.64	UJ	9
MW-184-251117	Acetone	25.5	DU	25.5	UJ	9
MW-184-251117	Bromomethane	3.86	DU	3.86	UJ	9
MW-148-251117	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-148-251117	Acetone	2.55	QU	2.55	UJ	9
MW-148-251117	Bromomethane	0.386	U	0.386	UJ	9
MW-190-251117	1,1,1-Trichloroethane (TCA)	0.103	U	0.103	UJ	9
MW-190-251117	1,1-Dichloropropene	0.143	U	0.143	UJ	9
MW-190-251117	Bromomethane	0.386	U	0.386	UJ	9
MW-190-251117	Carbon tetrachloride	0.0798	U	0.0798	UJ	9
MW-190-251117	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW103-251117	1,1,1-Trichloroethane (TCA)	0.103	U	0.103	UJ	9
MW103-251117	1,1-Dichloropropene	0.143	U	0.143	UJ	9
MW103-251117	Bromomethane	0.386	U	0.386	UJ	9
MW103-251117	Carbon tetrachloride	0.0798	U	0.0798	UJ	9
MW103-251117	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-315-251117	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW-315-251117	Acetone	2.55	QU	2.55	UJ	9
MW-315-251117	Bromomethane	0.386	U	0.386	UJ	9
FMW-137-251117	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
FMW-137-251117	Acetone	2.55	QU	2.55	UJ	9
FMW-137-251117	Bromomethane	0.386	U	0.386	UJ	9
MW123-251117	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW123-251117	Acetone	2.55	QU	2.55	UJ	9
MW123-251117	Bromomethane	0.386	U	0.386	UJ	9
MW109-251117	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
MW109-251117	Acetone	2.55	QU	2.55	UJ	9
MW109-251117	Bromomethane	0.386	U	0.386	UJ	9
EQ-251117	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier	Reason Code
EQ-251117	Acetone	2.55	QU	2.55	UJ	9
EQ-251117	Bromomethane	0.386	U	0.386	UJ	9
MW122-251118	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW122-251118	Acetone	2.55	U	2.55	UJ	9
MW122-251118	Bromomethane	0.386	U	0.386	UJ	9
FMW-140-251118	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
FMW-140-251118	Acetone	2.55	U	2.55	UJ	9
FMW-140-251118	Bromomethane	0.386	U	0.386	UJ	9
MW-180-251118	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-180-251118	Acetone	2.55	U	2.55	UJ	9
MW-180-251118	Bromomethane	0.386	U	0.386	UJ	9
MW-177-251118	2-Hexanone (MBK)	3.64	DU	3.64	UJ	9
MW-177-251118	Acetone	25.5	DU	25.5	UJ	9
MW-177-251118	Bromomethane	3.86	DU	3.86	UJ	9
MW-179-251118	2-Hexanone (MBK)	3.64	DU	3.64	UJ	9
MW-179-251118	Acetone	25.5	DU	25.5	UJ	9
MW-179-251118	Bromomethane	3.86	DU	3.86	UJ	9
MW-330-251118	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-330-251118	Acetone	2.55	U	2.55	UJ	9
MW-330-251118	Bromomethane	0.386	U	0.386	UJ	9
MW-334-251118	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
MW-334-251118	Acetone	2.55	U	2.55	UJ	9
MW-334-251118	Bromomethane	0.386	U	0.386	UJ	9
MW-324-251118	2-Hexanone (MBK)	3.64	DU	3.64	UJ	9
MW-324-251118	Acetone	25.5	DU	25.5	UJ	9
MW-324-251118	Bromomethane	3.86	DU	3.86	UJ	9
MW108-251118	2-Hexanone (MBK)	3.64	DU	3.64	UJ	9
MW108-251118	Acetone	25.5	DU	25.5	UJ	9
MW108-251118	Bromomethane	3.86	DU	3.86	UJ	9
EQ-251118	2-Hexanone (MBK)	0.364	U	0.364	UJ	9
EQ-251118	Acetone	2.55	U	2.55	UJ	9
EQ-251118	Bromomethane	0.386	U	0.386	UJ	9
FMW-141-251118	1,2-Dibromo-3-chloropropane	0.331	QU	0.331	UJ	9
FMW-141-251118	2-Butanone (MEK)	1.98	QU	1.98	UJ	9
FMW-141-251118	2-Hexanone (MBK)	0.364	QU	0.364	UJ	9
FMW-141-251118	Acetone	2.55	QU	2.55	UJ	9
FMW-141-251118	Bromomethane	0.386	U	0.386	UJ	9
FMW-141-251118	Methyl Isobutyl Ketone (MIBK)	0.354	QU	0.354	UJ	9
MW-169-251118	2-Butanone (MEK)	1.98	U	1.98	UJ	9
MW-169-251118	Acetone	2.55	U	2.55	UJ	9
MW-169-251118	Bromomethane	0.386	U	0.386	UJ	9
MW-169-251118	Chloroethane	0.334	U	0.334	UJ	9
MW-169-251118	1,1-Dichloroethene	0.549	NA	0.549	J	9
MW-169-251118	1,1-Dichloropropene	0.143	U	0.143	UJ	9
MW-169-251118	Carbon tetrachloride	0.0798	U	0.0798	UJ	9

Sample ID	Compound	Laboratory Result (µg/L)	Laboratory Flag	Validation Result (µg/L)	Validation Qualifier	Reason Code
MW-169-251118	Dichlorodifluoromethane (CFC-12)	0.177	U	0.177	UJ	9
MW-169-251118	Tetrachloroethene (PCE)	2.42	NA	2.42	J	9
MW-170-251119	1,1,1-Trichloroethane (TCA)	0.103	U	0.103	UJ	9
MW-170-251119	Bromomethane	0.386	U	0.386	UJ	9
MW-170-251119	Carbon tetrachloride	0.0798	U	0.0798	UJ	9
MW-171-251119	1,1,1-Trichloroethane (TCA)	0.103	U	0.103	UJ	9
MW-171-251119	Bromomethane	0.386	U	0.386	UJ	9
MW-171-251119	Carbon tetrachloride	0.0798	U	0.0798	UJ	9
MW-172-251119	1,1,1-Trichloroethane (TCA)	0.103	U	0.103	UJ	9
MW-172-251119	Bromomethane	0.386	U	0.386	UJ	9
MW-172-251119	Carbon tetrachloride	0.0798	U	0.0798	UJ	9
MW-189-251119	1,1,1-Trichloroethane (TCA)	0.103	U	0.103	UJ	9
MW-189-251119	Bromomethane	0.386	U	0.386	UJ	9
MW-189-251119	Carbon tetrachloride	0.0798	U	0.0798	UJ	9
MW-301-251119	1,1,1-Trichloroethane (TCA)	0.103	U	0.103	UJ	9
MW-301-251119	Bromomethane	0.386	U	0.386	UJ	9
MW-301-251119	Carbon tetrachloride	0.0798	U	0.0798	UJ	9

µg/L – Micrograms per liter

D– Laboratory flag indicating dilution was required

NA – Not applicable

Q – Laboratory flag indicating analyte with an initial or continuing calibration that does not meet established acceptance criteria

U – Laboratory flag indicating the analyte was not detected at or above the MDL