



**Interim Site Characterization
On-Site and Adjacent Properties
New City Cleaners
747 Stevens Drive
Richland, Washington**

**October 30, 2008
027-30139-00**

Presented to

Washington Department of Ecology
15 West Yakima Avenue, Suite 200
Yakima, Washington 98902

Prepared for

Landye Bennett Blumstein LLP
3500 Wells Fargo Center
1300 SW Fifth Avenue
Portland, Oregon 97201

Prepared by

LFR Inc.
2310 North Molter Road, Suite 101
Liberty Lake, Washington 99019

RECEIVED

MAR 20 2009

DEPARTMENT OF ECOLOGY - CENTRAL REGIONAL OFFICE

CONTENTS

1.0 INTRODUCTION	1
1.1 Purpose of Investigation	1
1.2 Project Objectives	1
1.3 Report Organization	3
2.0 BACKGROUND	3
2.1 Site Description.....	3
2.2 Brief Site History	4
2.3 Prior Supplemental Investigation	6
3.0 ADJACENT PROPERTY INVESTIGATION	6
3.1 Monitoring Well Installation	7
3.2 Grab Groundwater Samples	8
3.3 Soil Sampling Program.....	8
3.4 Monitoring Well Development.....	10
3.5 Investigation Derived Wastes	10
4.0 FIELD ACTIVITIES	10
4.1 Adjacent Property Groundwater Monitoring	10
4.2 Site Groundwater Monitoring	11
4.2 Investigation Derived Wastes	12
5.0 HYDROGEOLOGIC CHARACTERISTICS.....	12
5.1 Aquifer Framework.....	12
5.2 Hydraulic Gradient and Groundwater Flow Direction	13
5.3 Hydraulic Conductivity	14
5.4 Groundwater Velocity	14
6.0 ANALYTICAL RESULTS	15
6.1 Selection of Cleanup Standards	15
6.2 Adjacent Property Soil and Groundwater Sample Results.....	16
6.2.1 Soil Boring Samples	16

6.2.2 August 2008 Groundwater Monitoring Event	17
6.3 On-Site Groundwater Sample Results	18
6.3.1 November 2007 Groundwater Monitoring Event	18
6.3.2 August 2008 Groundwater Monitoring Event	19
6.4 Discussion of Results	20
6.4.1 Adjacent Properties – August 2008	20
6.4.2 On-Site – August 2008	21
7.0 SUMMARY AND CONCLUSIONS	22
8.0 LIMITATIONS	23
9.0 REFERENCES	24

TABLES

- 1 Adjacent Property Monitoring Well and Groundwater Elevation Data
- 2 Site Monitoring Well and Groundwater Elevation Data
- 3 Adjacent Property Soil Analytical Results – Low Level VOC Analyses
- 4 Adjacent Property Groundwater Analytical Results – VOC Analyses
- 5 Site Groundwater Analytical Results – VOC Analyses

FIGURES

- 1 Site Vicinity Map
- 2 Investigation Area and Monitoring Well Plan
- 3 Groundwater Potentiometric Surface for Upper Silt Unit (August 2008)
- 4 Groundwater Potentiometric Surface for Gravelly Sand Unit (August 2008)
- 5 PCE Groundwater Concentrations (August 2008)
- 6 TCE Groundwater Concentrations (August 2008)
- 7 Generalized Geologic Cross-Section with Conceptual PCE and TCE Groundwater Profile

APPENDICES

- A Site Photographs
- B LFR Lithologic Logs
- C Boundary and Monitoring Well Survey
- D Slug/Bail Aquifer Tests
- E Adjacent Properties Analytical Reports
- F On-Site Analytical Reports

CERTIFICATION

All geologic and contaminant characterization information, conclusions, and recommendations in this document have been prepared under the supervision of and reviewed by an LFR Geologist licensed in Washington State.



October 30, 2008

Jeffrey E. Leppo
Principal Geologist
Washington Licensed Geologist No. 1406

Date



1.0 INTRODUCTION

The following Interim Site Characterization (ISC) for On-Site and Adjacent Properties (ISC) report has been prepared by LFR Inc. (LFR) on behalf of Landye Bennett Blumstein LLP for the New City Cleaners (NCC) located at 747 Stevens Drive, Richland, Washington (“the Site”). The area of concern for the ISC includes both the New City Cleaners property, and adjacent properties to the west, south and east (collectively identified as “the Investigative Area”).

1.1 Purpose of Investigation

The prior Supplemental Soil and Groundwater Investigation (LFR, October 2007) provided a review of field activities, data assessment, and findings for soil and groundwater contaminant conditions within the New City Cleaners (the Site”) boundaries. The first groundwater monitoring events following installation of the five new on-Site well clusters identified the presence of dry cleaning solvent compounds, including tetrachloroethylene (PCE), trichloroethylene (TCE), and other volatile organic compounds (VOCs) in Site groundwater.

The October 2007 Supplemental Soil and Groundwater Investigation findings indicated the potential for off-site migration of dissolved contaminants of concern (COCs) to adjoining and nearby properties. It has been determined by the stakeholders and with the knowledge of the Washington Department of Ecology (Ecology), that an adjacent property soil and groundwater investigation was necessary to provide further characterization of the nature and extent of the dissolved COCs beyond the Site’s property boundaries.

The objective of this adjacent properties investigation is to assess the groundwater quality for potential off-Site contaminant fate and transport related to NCC releases of dry cleaning facility COCs, and to combine the additional data with the on-Site information for this ISC report presentation.

1.2 Project Objectives

The individual project objectives and tasks of the investigation for potential off-site fate and transport of NCC releases of COCs to adjacent properties include the following:

- Installation of 4 monitoring well clusters with two different well depth and screen completions. Soil borings and groundwater monitoring wells were completed using drilling methods acceptable to Ecology and in compliance with the regulation *Minimum Standards for the Construction and Maintenance of Wells* (Chapter 173-260 WAC) to limit potential cross-contamination between the Upper Silt and Gravelly Sand Units.
- Installation of three down-gradient monitoring well clusters completed with two different well depth and screen completions, as follows:

- Intermediate monitoring well - screened within the upper portion of the Gravelly Sand Unit to an approximate depth ranging from 25 to 37 ft (ft) below ground surface (bgs); and
- Deep monitoring well - screened within the lower portion of the Gravelly Sand Unit, with well bottom completion into the approximate upper 6 inches (in) to 1 ft of the underlying lower clayey silt confining layer, to an approximate depth ranging from 46 to 58 ft bgs.
- Installation of one upgradient monitoring well cluster with three different well depth and screen completions using the same drilling methods described above to limit cross-contamination:
 - Shallow monitoring well - screened within the Upper Silt Unit to an approximate depth of 14 ft bgs;
 - Intermediate monitoring well - screened within the upper portion of the Gravelly Sand Unit to an approximate depth of 25 ft bgs; and
 - Deep monitoring well - screened within the lower portion of the Gravelly Sand Unit, to an approximate depth of 445 ft bgs and the underlying silt/clay confining layer.
- The adjacent property monitoring well clusters were located according to the following proposed outline:
 - MW-10 Cluster – with an intermediate and deep monitoring well located south of the Site on the adjacent Richland School District property, within the maintenance facility parking area. To be used in collecting down-gradient groundwater and soil data;
 - MW-11 Cluster – with a shallow, intermediate, and deep monitoring well located west of the Site on the adjacent Richland School District high school property (west of the storm water swale). To be used for upgradient groundwater and soil data (i.e., background) and assessment of the ball field irrigation well influence (as applicable);
 - MW-12 Cluster – with an intermediate and deep monitoring well located approximately 300 ft southwest of the Site on the adjacent Richland School District maintenance facility, adjacent to the fenced outdoor storage area. To be used in collecting side-gradient groundwater and soil data and assessment of the Wellsian Way well field influence (as applicable);
 - MW-13 Cluster – with an intermediate and deep monitoring well located east of the Site across Stevens Drive on the SuperValu/Albertson’s lease property. To be used in the collection of down-gradient groundwater and soil data;
 - MW-14 Cluster – with an intermediate and deep monitoring well located east of the Site across Stevens Drive on SuperValu/Albertson’s lease property. To be used in the collection of down-gradient groundwater and soil data.
- Collect basic hydrogeological, physical setting information, and analytical laboratory program for interpretation of the combined Investigative Area for

compliance with Ecology's Model Toxics Control Act (MTCA) requirements for reporting on the nature and extent of the investigated COCs.

- Prepare a combined Investigative Area ISC report that includes soil and groundwater data analysis and assessment for the adjacent properties, and correlate soil and groundwater data from the recent on-Site Supplemental Investigation (October 2007).

1.3 Report Organization

This report is organized in the following manner:

Section 1 - Introduction contains the purpose and objectives of the ISC.

Section 2 - Background includes a site description, site history, overview of the Site's ownership, and summarizes previous investigations.

Section 3 - Adjacent Property Site Investigation describes the methods used for field investigations completed on the adjacent properties, including subsurface soil sampling; sample labeling, shipping, and custody; well installation, development, and sampling; surveying; decontamination; and investigation derived waste (IDW) management.

Section 4 - Field Activities describes the methods used for field investigations completed in the Investigative Area, including monitoring well development and sampling; decontamination; and investigation derived waste (IDW) management.

Section 5 - Hydrogeologic Characteristics describes the surface topography, site geology, and site hydrogeology based on the information collected during the ISC.

Section 6 - Analytical Results presents the laboratory results for both adjacent property soil and on-Site and adjacent property groundwater samples, and provides a discussion as they relate to the investigative area's regulatory compliance for the investigated COCs.

Section 7 - Summary and Conclusions contains a review of the Investigative Area contaminant distribution and hydrogeologic conditions.

2.0 BACKGROUND

2.1 Site Description

The Site is located at 747 Stevens Drive in Richland, Washington (Figure 1), and consists of a 0.5-acre parcel of land including a one-level cinder block structure used as a dry cleaning business. The legal description for the Site is "Lot 18, Block 600, Plat of Richland, Benton County, Washington." A Site Vicinity Map is provided as Figure 1.

The Site is bordered on the east by Stevens Drive, on the north by a vacant lot, and on the south by a vehicle maintenance facility operated by the Richland School District. A relic railroad spur property, identified as the Hanford Works Railroad, was located along the Site's former west property line. A recently enlarged storm water swale is located west of the relic spur. Surface water, when present, in the storm water swale flows north and ultimately discharges into the Columbia River approximately 1 mile from the Site. A parking lot and baseball field associated with Carmichael Junior High School and Columbia High School are located west of the canal. Across Stevens Drive, east of the Site, is a retail shopping center (Albertsons) and mini-mart/service station. The Site currently is zoned for "General Business" use, and is designated "C3." The local area and property boundaries are displayed in Figure 2.

The Site is relatively flat, with an elevation of approximately 360 ft above mean sea level (amsl). Asphalt pavement exists south of the Site's building, east of a fence that is situated approximately perpendicular to the building. The asphalt pavement also extends east from the Site's building to the property line. Water service is provided via buried piping along the north side of the main building. Sanitary sewer and natural gas service is provided via buried piping from Stevens Drive to the southeastern corner of the main building. Storm sewer service is provided via buried piping along the eastern border of the Site, parallel to Stevens Drive. No dry wells were observed at the Site.

The Investigative Area for this ISC includes the New City Cleaners property, along with the Richland School District (RSD) properties to the south and west, and the Albertson's (SuperValu) property to the east across Stevens Drive. The Investigative Area and monitoring well plan is provided as Figure 2.

2.2 Brief Site History

A detailed site history is presented in the "Site History Report" prepared by EMCON April 23, 1997 (EMCON 1997), and the "Remedial Investigation Report" (RI Report) prepared by EMCON June 10, 1999 (EMCON 1999a). The site history presented in these reports is summarized below.

The Site was developed sometime between 1948 and 1952. Based on information provided by Ecology to EMCON, the Site was listed in the 1952/1953 edition of the Polk City Directory. Based on discussions between EMCON and Hanford site historian Mary Kay Campbell of Mack Tech Co. in June 1996 (EMCON 1999a), the facility was constructed as part of the Hanford Works project and was noted in the records as a "cleaner". The earliest records at the city of Richland available for the Site were dated April 1957; however, no building permit was available of the initial site development.

Historical uses of the property to the north of the Site included a theater, coin shop, bookstore, and carpet store. Historical use of the property to the south of the Site since 1953 has included four auto dealership and service facilities, a tile company, and a vehicle maintenance facility for the Richland School District. Historical use of the property to the west has been the baseball field and parking for the high school;

property to the east was formerly utilized as barracks as part of the Hanford Works Project.

As discussed in the Compliance Monitoring Plan ("the CMP"), dated May 25, 1999, and prepared by EMCON, dry cleaning operations began at the time of site development (approximately 1950) and continue to date. The dry cleaning process at the Site used Stoddard solvent, a petroleum-based fluid, as the primary cleaning agent until 1974, when an additional process using tetrachloroethene (PCE) was introduced. The Stoddard solvent was stored in two 1,200-gallon underground storage tanks (USTs) located near the southwestern corner of the site structure. The PCE was delivered and stored in drums located outside the building, on a rack near the southwestern corner of the property, along the southern fence line. The drum rack was moved inside the facility in early 1975, following the release of an unknown quantity of PCE to the ground.

The two 1,200-gallon Stoddard solvent USTs were removed from the Site on April 21, 1992. In addition, one 10,000-gallon UST, reportedly containing Bunker C fuel, and one 500-gallon UST, reportedly containing unknown substances (presumably kerosene), were removed in April 1992. Soil and groundwater samples were collected from the UST excavations and other locations. The following hazardous substances were identified in soil and groundwater beneath the Site during the UST removal activities: PCE; trichloroethene (TCE); 1,2-dichloroethene; 1,2-dichloroethane; benzene, toluene, ethylbenzene, and total xylenes (BTEX); and gasoline-, diesel-, and oil-range petroleum hydrocarbons (TPHg, TPHd, and TPHmo, respectively). Additional site history information is presented in EMCON's "Site History Report," dated April 23, 1997.

In 1997, EMCON performed additional site characterization activities to further define the nature and extent of soil and groundwater contamination beneath the Site. The results of the site characterization were summarized in EMCON's "Remedial Investigation Report," dated June 10, 1999 ("the RI Report"). Results of groundwater monitoring activities conducted in 1997 indicate that groundwater beneath the Site was affected with PCE and TCE at levels exceeding the Method A groundwater cleanup standards listed in WAC 173-340 of the Washington State MTCA.

Based on the findings of the site characterization, an Interim Cleanup Action Plan (ICAP) was prepared by EMCON in 1999. The ICAP was implemented between February and August 2000 and included removal of overlying structures (wood storage sheds, landscaping, fences, and asphalt); excavation of approximately 5,000 tons of contaminated soil; backfilling and compacting of the remedial excavation with clean fill; off-site landfill disposal of soils below the treatability standard; and on-site treatment using a permitted cell for soils with PCE concentrations above the 60 milligrams per kilogram (mg/kg) treatability standard - which could not be landfill disposed. Excavation and off-site soil disposal were performed in two phases between February and June 2000. The findings of this interim cleanup action were summarized in GeoEngineers' entitled "Report of Interim Cleanup Action, Tetrachloroethylene and Petroleum Contaminated Soil, New City Cleaners, Richland, Washington," dated June 26, 2001.

2.3 Prior Supplemental Investigation

The October 2007 Supplemental Soil and Groundwater Investigation provided on-Site soil and groundwater contaminant characterization data for the presence of PCE, TCE, and other VOCs. Figure 6 within the October 2007 LFR report provides a plan view of the soil borings, monitoring wells, and monitoring well abandonment completed during the on-Site field activities.

The investigation found COCs in soils beneath the building to a limited extent, but that COCs did not appear to be migrating along utility conduits outside of the building. Monitoring wells previously installed and completed in portions of both the Upper Silt Unit and the underlying Gravelly Sand Unit were replaced with monitoring wells discretely screened in each of these units. Further, the investigation confirmed the presence of a silty clay confining layer beneath the Gravelly Sand Unit.

Analytical results from the groundwater sampling event conducted on June 21, 2007 indicated that concentrations of PCE were detected in exceedance of the MTCA cleanup level from groundwater samples collected from the shallow screened wells located west, southwest, east and northeast of the Site's building. TCE was detected in exceedance of the MTCA cleanup level in the groundwater sample collected from the shallow screened well located southwest and east of the Site's building. In addition PCE, TCE, and vinyl chloride were detected above the MTCA cleanup levels in groundwater samples collected from the intermediate screened well located east of the Site's building.

While chloroform was detected in exceedance of the MTCA cleanup level in the groundwater samples collected from the shallow screened wells located south and east of the Site's building, this compound is likely detected as a result of laboratory contamination or the use of chlorinated irrigation water, as it is not related to dry cleaning processes.

COCs were not detected above MTCA cleanup levels in groundwater samples collected from the deep wells completed in the lower portion of the Gravelly Sand Unit.

The highest PCE and TCE concentrations were detected in the downgradient intermediate well MW-7I. The distribution of PCE and TCE concentrations detected in monitoring wells combined with the potentiometric surfaces for both the Upper Silt Unit and the Gravelly Sand Unit indicate COCs have migrated laterally in the Upper Silt Unit throughout the southeastern portion of the Site. Further, COCs have migrated downwards into the Gravelly Sand Unit in the southeastern portion of the Site.

3.0 ADJACENT PROPERTY INVESTIGATION

Four tasks were completed during the ISC conducted in April and May 2008. These tasks included 1) installation of eleven new monitoring wells on the three adjacent properties, 2) collection of selective soil samples during the adjacent property

monitoring well installations, 3) groundwater monitoring of the 22 Investigative Area monitoring wells, and 4) management of investigation derived wastes (IDW). Photographs documenting the field activities are included in Appendix A.

Eleven soil borings were advanced in April 2008 on the adjacent properties by Environmental West Exploration, Inc. (EWE) of Spokane, Washington using the Sonic drilling method. LFR personnel provided the oversight and documentation of the drilling and sampling program, performed geologic logging, and conducted soil sampling.

Field and sampling protocols were conducted based on procedures outlined in American Society for Testing and Materials (ASTM) standards D2488-93 *Practice for Description and Identification of Soils (Visual-Manual Procedure)*, D4220-95 *Practices for Preserving and Transporting Soil Samples*, and D4700-91 *Guide for Soil Sampling from the Vadose Zone*.

3.1 Monitoring Well Installation

LFR subcontracted EWE to install eleven monitoring wells in accordance with Chapter 173-160 WAC, "Minimum Standards for Construction and Maintenance of Wells." The eleven monitoring wells consisted of five well clusters which were installed using a Sonic Drill Rig between April 8 and 15, 2008. Each well cluster was designated with an "S" representing a shallow screen installed in the Upper Silt Unit, an "I" representing an intermediate screen installed in the upper portion of the Gravelly Sand Unit, just below the Upper Silt Unit, or designated with a "D" representing a deeper screen installed in the lower portion of the Gravelly Sand Unit.

Four of the two-well well clusters (MW-10I/MW-10D, MW-12I/MW-12D, MW-13I/MW-13D, and MW-14I/MW-14D) were installed on the western and southern adjacent RSD and eastern adjacent Albertson's properties. A fifth three-well cluster (MW-11S/MW-11I/MW-11D) was installed west of the Site and the recently widened storm water swale to provide additional monitoring upgradient from the existing site building. At the fifth location, a shallow monitoring well (MW-11S) was installed and completed in the lower portion of the Upper Silt Unit. The locations of each well cluster are shown on Figure 2.

To install each of the deep groundwater monitoring wells, a 6 5/8-inch-diameter borehole was first drilled to the approximate base of the Upper Silt Unit to collect soil samples. In order to limit the potential for cross contamination from shallower soil and groundwater to the deeper groundwater during drilling, an 8 5/8-inch-diameter steel casing was used to over-drill the 6 5/8-inch-diameter borehole to the approximate depth at the base of the Upper Silt Unit. Once the Upper Silt Unit was sealed with the 8 5/8-inch casing, the borings were then further advanced to the base of the Gravelly Sand Unit into the underlying silty clay using a 6 5/8-inch-diameter casing to depths ranging from 46 to 58 ft bgs.

For each of the well clusters, the deep monitoring well was installed first. The intermediate monitoring wells, MW10I through MW14I, were advanced within a 10-foot radius of the deeper monitoring wells in the Gravelly Sand Unit. The intermediate wells were advanced in the upper portion of the Gravelly Sand Unit, just below the Upper Silt Unit.

After the desired depth of each borehole was reached, a 2-inch-diameter schedule 40 polyvinyl chloride (PVC) casing with a 0.020-inch slotted screen was installed in each borehole. Deep well screens were 10 ft long and were set with the base of the screen generally at the contact of the Gravelly Sand Unit and the underlying silty clay unit. The intermediate screens were 5 ft long and set in the upper portion of the Gravelly Sand Unit, just below the Upper Silt Unit. The one shallow well screen was 5 ft long and set in the lower portion of the Upper Silt Unit within 1 to 2 ft of the contact with the underlying Gravelly Sand Unit.

The annular space between the well screen and the formation was filled with No. 10/20 silica sand to a depth of approximately 2 ft above the screened interval. Hydrated bentonite pellets were placed above the sand pack to form a coherent seal to approximately 1.5 ft bgs. A locking well cap was placed on top of the well casing, and each well was completed using a traffic-rated, flush-mounted well cover. The attached Table 1 provides information on the adjacent property well construction and groundwater elevation data. The lithologic logs for the eleven adjacent property monitoring wells are provided Appendix B.

3.2 Grab Groundwater Samples

Prior to further advancing each boring through the Upper Silt Unit into the underlying Gravelly Sand Unit, LFR made reasonable efforts to collect a grab water quality sample from the Upper Silt Unit. Once a temporary well casing and screen were advanced to the base of the Upper Silt Unit LFR attempted to use a peristaltic pump and disposable bailer to collect a water sample from each borehole. However, due to the low permeability of the Upper Silt formation LFR was unable to collect a grab groundwater sample within a reasonable groundwater recovery period.

3.3 Soil Sampling Program

For each of the eleven soil borings soil cores were collected in an acetate liner as part of the continuous core sample process for maximum preservation of entrained VOCs. Selective soil samples were collected from each of the deep screened adjacent property wells during drilling (MW10 through MW14). A photo-ionization detector (PID) was used to screen the samples for VOCs.

Two soil samples were collected from each of the deep soil boring locations MW10, MW12, MW13, and MW14 and three soil samples were collected from the deep soil boring MW11. The depth of the soil samples ranged from 11.8 to 44.3 ft bgs. Additionally, two duplicate soil samples were collected for quality control purposes from soil boring MW10D (at a depth of 13 ft bgs) and MW14D (at a depth of 11.8 ft

bgs). In addition, one trip blank sample (TRIP) supplied by Test America, was submitted for analysis along with the soil samples. Collected soil samples were placed in pre-prepared EPA Method 5035A laboratory sampling kits which consisted of: two volatile organic aromatic (VOA) vials each containing a stir bar; one VOA vial preserved with methanol; and one 2-ounce glass container with a polyethylene-lined lid per sample. Soil samples selected for chemical analysis were labeled, dated, placed in an iced cooler, and transported to Test America of Bothell, Washington (a Washington-certified analytical laboratory) following strict chain-of-custody protocols for analysis of VOCs by EPA Method 8260B

Analytical results for the soil, duplicate, and trip blank samples are presented in Section 6.2. The following table presents a summary of the soil sample matrix and results of the PID field screening.

Adjacent Property Soil Sample Matrix and PID Field Screening

Soil Boring	Sample Name	Date Sampled	Depth of Sample (ft)	PID Reading (ppm)
MW10	MW10D-13	4/10/08	13	0.3
	MW10D-24.5	4/10/08	24.5	0.4
MW11	MW11D-15.8	4/8/08	15.8	0.0
	MW11D-17.3	4/8/08	17.3	0.0
	MW11D-44.3	4/8/08	44.3	0.0
MW12	MW12D-12	4/9/08	12	0.3
	MW12D-22.5	4/9/08	22.5	0.4
MW13	MW13D-13.3	4/11/08	13.3	0.3
	MW13D-53.6	4/11/08	53.6	0.4
MW14	MW14D-11.8	4/15/08	11.8	0.2
	MW14D-53.4	4/15/08	53.4	0.6
Duplicate	MW30-30	4/10/08	-	-
	MW40-40	4/15/08	-	-

All LFR and EWE sampling equipment was decontaminated between sample points using standard environmental procedures, as follows: tap water and liquinox wash, distilled water rinse, and isopropanol rinse. The drilling contractor conducted decontamination procedures on drill bits, drill casing, and other down-hole drill tools (steam-cleaned) on site. IDW drill cuttings were transferred to appropriately labeled 55-gallon drums for disposal as described in Section 3.3.

The elevations of the monitoring well surface and top-of-casings were surveyed to the nearest 0.01 foot relative to mean sea level (msl) datum by a State of Washington registered land surveyor, Rogers Surveying Inc., P.S. on May 7, 2008. The survey is attached as Appendix C.

3.4 Monitoring Well Development

Well development was completed by EWE on April 16, 2008 in order to remove any sediment left in the wells during installation and to enhance the hydraulic communication between the wells and the surrounding water-bearing sediments. A high-volume electrical submersible pump (Grundfos) was used to develop the intermediate and deep wells (MW-10I/D through MW-14I/D). Due to low productivity a bailer was used to develop the shallow well (MW-11S) located in the Upper Silt Unit.

Observations of the quantity and clarity of water withdrawn were recorded and indicator parameters (pH, temperature, specific conductance, and total dissolved solids) were recorded onto Well Development Record forms during development. Well development continued until indicator parameters stabilized to within 10 percent of the prior measurements and/or until approximately 6 to 10 well volumes were removed from each well, as possible.

3.5 Investigation Derived Wastes

A total of twenty 55-gallon drums of waste water (purge and drilling decontamination water) and thirteen 55-gallon drums of solid material (soil cuttings) were generated during the installation of the adjacent property monitoring wells. The twenty 55-gallon drums of waste water and thirteen drums of solid material were property transported and disposed of by Waste Management at the Chemical Waste Management facility located in Arlington, Oregon.

4.0 FIELD ACTIVITIES

4.1 Adjacent Property Groundwater Monitoring

On August 6 and 7, 2008, LFR personnel conducted a comprehensive round of groundwater elevation measurements and groundwater quality sampling from the eleven newly installed groundwater monitoring wells (MW10I/D through MW14I/D, and MW11S) to assess the direction of groundwater flow and the distribution of COCs

in the Upper Silt and Gravelly Sand Units. This event was completed in conjunction with the eleven Site monitoring wells.

Prior to collection of groundwater samples, depth to water was measured using an electric well probe to the nearest 0.01 foot from a surveyed notch in each well casing. Water depths were recorded on Well Development Forms and included date, time, and sampler's initials. Table 1 summarizes the well construction and groundwater elevation data of the adjacent property monitoring wells measured during the August 7, 2008 event.

After water depths had been recorded, each monitoring well was purged with a peristaltic pump fitted with new polyethylene tubing. Measurements of standard field parameters, including temperature, pH, specific conductance, and total dissolved solids were collected during well purging using a multi-probe meter. All field instruments were calibrated following the manufacturer's specified procedures prior to collection of field data. Purging was continued until all parameters had stabilized to within approximately 10 percent of the previous reading and/or at least three well volumes had been removed. IDW purge water was placed in properly labeled 55-gallon drums as described in Section 3.5.

Upon completion of purging, LFR personnel used a peristaltic pump to collect groundwater samples from each well. In addition, a duplicate water sample (MW-Dup) was collected from MW10I for quality control purposes.

Upon collection, each sample was placed into labeled laboratory-supplied containers for analysis (two VOA vials preserved with hydrochloric acid). All sample containers were placed in an iced cooler (approximately 4 degrees Celsius) and transferred under LFR chain-of-custody protocols to Test America, Inc., of Spokane, Washington for analysis of VOCs by EPA Method 8260B. Analytical results for the groundwater samples collected from the eleven wells located on the adjacent properties are presented in Section 6.2 and summarized in Table 4.

4.2 Site Groundwater Monitoring

On June 21, 2007, November 12, 2007 and August 6 and 7, 2008, LFR personnel conducted a comprehensive round of groundwater elevation measurements and groundwater quality sampling from the eleven on-Site groundwater monitoring wells (MW5S/D through MW9S/D and MW7I) in order to assess the direction of groundwater flow and the distribution of COCs in the Upper Silt and Gravelly Sand Units.

The November 2007 event represents the second groundwater monitoring event, while the August 2008 sampling activities represents the third groundwater monitoring event conducted on-Site. Table 2 provides a comprehensive summary of the well construction and groundwater elevation data for the on-Site monitoring wells measured during the June 2007, November 2007, and August 2008 events. The June 2007 groundwater

monitoring event data was also presented in the LFR Supplemental Soil and Groundwater Investigation, dated October 10, 2007.

Consistent throughout the sampling events, and prior to collection of the groundwater samples, the depth to water was measured and recorded, and each monitoring well was purged using a peristaltic pump. Measurements of pH, specific conductance, and total dissolved solids were collected and recorded during the well purging. Purging was continued until all parameters had stabilized to within approximately 10 percent of the previous reading and/or at least three well volumes had been removed.

After the purging was completed the wells were sampled using a peristaltic pump. IDW purge water was placed in properly labeled 55-gallon drums as described in Section 4.2 below. The well purging and sampling activities completed for the on-Site wells were identical to the methods described in the previous section for the adjacent property monitoring wells.

During the November 2007 monitoring event a duplicate water sample (MW NCC 2) was collected from MW-9S for quality control purposes and a laboratory-provided trip blank (Trip Blank) was also submitted for VOC analysis. The groundwater, duplicate, and trip blank samples collected during the November 12, 2007 event were submitted to Test America, Inc. for analyses of VOCs by EPA Method 8260B. Analytical results for the eleven on-Site wells are presented in Section 6.3.

During the August 2008 monitoring event a duplicate water sample (MW-Dup) was collected from MW6S for quality control purposes and a laboratory-provided trip blank sample (Trip Blank) was also submitted for VOC analysis. The groundwater, duplicate, and trip blank samples collected during the August 6, 2008 event were submitted to Test America, Inc. for analyses of VOCs by EPA Method 8260B. Analytical results for the eleven on-Site wells are presented in Section 6.3 and summarized in Table 5.

4.2 Investigation Derived Wastes

A total of two 55-gallon drums of waste water (purge and drilling decontamination water) were generated during the two groundwater monitoring events conducted on November 2007 and August 2008. The two 55-gallon drums of waste water were properly transported and disposed of by Waste Management at the Chemical Waste Management facility located in Arlington, Oregon.

5.0 HYDROGEOLOGIC CHARACTERISTICS

5.1 Aquifer Framework

A geologic cross-section for the hydrostratigraphic units across an east to west profile (Figure 7) was developed for the Investigative Area using the LFR soil boring and monitoring well logs (Appendix B). The hydrogeologic setting for the Investigative

Area consists of interbedded coarse-grained sand and gravel and fine-grained silt and clay sediments, representing fluvial and glacial outwash deposits and alluvial stream channel and associated overbank deposits, respectively. The specific hydrostratigraphic units encountered at the Site are:

- Fill: Surficial fill consisting of silty sand mixtures is encountered in various locations beneath the Investigative Area to a depth of 2 to 7 feet bgs.
- Upper Silt Unit. Dense, low plasticity silt with fine to medium sand is encountered from below the fill to approximately 25 feet bgs. The unit contains gradational zones of increasing clay content. Groundwater in the Upper Silt Unit is encountered at a depth ranging from 10 to 14 feet bgs and forms the water table at the Investigative Area.
- Gravelly Sand Unit: Gravelly sand is encountered at approximately 24 feet bgs to a maximum depth of 57 feet bgs. A 2- to 3-foot-thick stratum of poorly sorted, medium-grained sand with silt is occasionally present at the top of the Gravelly Sand Unit. Groundwater levels in the Gravelly Sand Unit range from 10 to 13 feet bgs, approximately 11 to 14 feet above the top of this unit. This indicates that the Gravelly Sand Unit is present under confined or semi-confined hydraulic conditions at the Investigative Area.
- Silty Clay Unit: Bluish-gray silty clay is encountered at approximately 43 to 58 feet bgs. A thin layer of brown silt was encountered on top of the silty clay in all deep borings except for MW-5D. The Silty Clay Unit is unsaturated to slightly saturated, and does not appear to be a water-bearing formation in the Investigative Area vicinity.

5.2 Hydraulic Gradient and Groundwater Flow Direction

Groundwater levels in monitoring wells completed in the Upper Silt Unit and the Gravelly Sand Unit were measured to develop potentiometric surface contours for each of the water-bearing units and to determine hydraulic gradients and groundwater flow directions. Further, vertical hydraulic gradients were calculated at each well cluster. The monitoring well and groundwater elevation data for the adjacent properties and on-Site wells are provided in Tables 1 and 2, respectively.

The interpreted potentiometric surface for the Upper Silt Unit derived from shallow monitoring well measurements indicates that groundwater generally flows from the northwest to the southeast across the Site (Figure 3). The average hydraulic gradient of the Upper Silt Unit is approximately 0.005 foot per foot (ft/ft). The interpreted potentiometric surface for the Gravelly Sand Unit derived from the deep monitoring well measurements indicates that groundwater generally flows from the west-northwest to the east-southeast across the Site (Figure 4). The average hydraulic gradient of the Gravelly Sand Unit is approximately 0.0005 ft/ft.

Comparison of groundwater elevations in well clusters indicates that a downward vertical hydraulic gradient (flow from the Upper Silt Unit to the Gravelly Sand Unit) exists in the northwestern portion of the Site, as defined by monitoring wells MW-

5S/5D, MW-8S/8D and MW-9S/9D. The average downward vertical hydraulic gradient in this portion of the Site is 0.008 ft/ft. An upward vertical hydraulic gradient (flow from the Gravelly Sand Unit to the Upper Silt Unit) exists in the southeastern portion of the Site, as defined by monitoring wells MW-6S/6D and MW-7S/7D. The upward vertical hydraulic gradient in this portion of the Investigative Area is 0.02 ft/ft. The downward and upward hydraulic gradients that are measured between the Upper Silt Unit and Gravelly Sand Unit indicate a transmission of water between the two units along the formation boundary.

5.3 Hydraulic Conductivity

Single-well injection/bail-down (“Slug”) aquifer tests were performed by LFR at the site on May 12 and 13, 2008 to evaluate hydraulic conductivity of the Upper Silt Unit and Gravelly Sand Unit. Upper Silt Unit wells MW-5S, MW-7S, and MW-9S were evaluated by both injection (“slug-in”) and bail-down (“slug-out”) methods. Analysis of the injection and bail-down results via Waterloo Hydrogeologic AquiferTest™ software yielded an approximate average hydraulic conductivity of 9×10^{-6} meters per second (m/s), or 2.6 feet per day (ft/d) for the Upper Silt Unit. Gravelly Silt Unit wells MW-5D, MW-7D, and MW-9D were evaluated by injection and bail-down methods. Analysis of the injection result for Gravelly Sand Unit well MW-7D yielded an approximate average hydraulic conductivity of 6×10^{-5} m/s, or 15.4 ft/d. Analysis results for the aquifer tests are presented in Appendix D.

The hydraulic conductivity of a formation characterizes the ability of a formation to transmit water; although hydraulic conductivity had units of a velocity, it is not a representation of the velocity at which water moves through a formation. The calculated values of hydraulic conductivity for the Upper Silt Unit and Gravelly Sand Unit are within the expected range of hydraulic conductivities for respective geological materials (silt, sand and gravel).

5.4 Groundwater Velocity

The average linear velocity of groundwater represents the rate at which groundwater is flowing within in a formation based on the hydraulic conductivity and effective porosity of the formation and the head change (gradient) across the formation. The average linear groundwater velocity for the Upper Silt Unit is calculated at 0.03 ft/d, based on the calculated average hydraulic conductivity of 2.6 ft/d, calculated average horizontal hydraulic gradient of 0.005 ft/ft, and an assumed effective porosity of 0.35 (35%). The average linear groundwater velocity for the Gravelly Silt Unit is calculated at 0.04 ft/d, based on the calculated average hydraulic conductivity of 15.4 ft/d, calculated average horizontal hydraulic gradient of 0.0005 ft/ft, and an assumed effective porosity of 0.20 (20%).

The average linear velocity is also influenced by other factors, including dispersion of constituents in flowing groundwater, soil porosity, and fractional organic carbon content; among other physical and chemical factors. As an example, dispersion is the phenomenon that results from groundwater flowing through different pore spaces in the

formation at different flow rates along flow path lengths. The average linear velocity may be used to predict the rate of solute movement, but may be more accurately defined with additional field tests and laboratory verified data. The average linear velocity also does not take into account factors that influence the retardation of PCE and its degradation products as they move through the aquifer material. This retardation is a result of the PCE sorbing and desorbing onto and off of the aquifer matrix as it migrates with groundwater flow through the aquifer. Hence, the actual nature and extent of the solute's presence may be significantly less or greater than the location predicted using average linear velocity.

6.0 ANALYTICAL RESULTS

6.1 Selection of Cleanup Standards

A necessary part of the ISC is the selection and establishment of appropriate cleanup standards for potential COC-affected soil and groundwater. As provided in the MTCA cleanup standards (Chapter 173-340-700 WAC), appropriate cleanup standards are to be identified for particular substances at a site and the specific areas or pathways, such as land or water, where humans and the environment can become exposed to these substances. In addition, these standards were established by Ecology to protect human health and the environment for current and potential site and resource use. The soil and groundwater investigation effort was designed to provide specific information to meet the soil and groundwater cleanup criteria.

The MTCA stipulates that cleanup levels shall be based on estimates of reasonable maximum exposure. The cleanup actions must achieve cleanup levels defined by MTCA and also comply with other applicable state and federal laws. The exposure pathways and locations on the site where cleanup levels must be attained (points of compliance) are also specified. Ecology has determined that residential land use is generally the site use requiring the most protective cleanup levels and that exposure to hazardous substances under residential land use conditions represents the reasonable maximum exposure scenario. Method A cleanup levels are those defined in the MTCA as applicable to sites where the cleanup action can be considered routine and/or relatively few contaminants are involved. Of the three allowable cleanup standards (Methods A, B and C), Method A soil and groundwater cleanup levels are typically conservative and generally based on groundwater protection factors, but are only available for a limited number of contaminants.

As the Site is considered a commercial-use property, the Method A Soil and Groundwater Cleanup Levels for Unrestricted Land Uses (Tables 740-1 and 720-1, Chapter 173-340 WAC) were applied to specific COCs. However, where a cleanup level for an individual COC is not provided in Method A, the standard Method B Soil and Groundwater Cleanup Levels for Unrestricted Land Use were used. The standard Method B Soil and Groundwater Cleanup Levels were obtained from Cleanup Levels and Risk Calculations Version 3.1, Chapter 173-340-740(3) WAC per the on-line

database. The individual cleanup levels are provided within the analytical results tables referenced in the report sections below.

6.2 Adjacent Property Soil and Groundwater Sample Results

Soil and groundwater samples collected from the monitoring wells installed on the adjacent properties during the ISC were submitted for analyses of VOCs by EPA Method 8260B. The following COCs - PCE, TCE, cis-1,2-dichloroethene (cis-1,2-DCE), and vinyl chloride - are discussed below as they are related to the historical dry cleaning operation at the Site.

The laboratory reports also indicate the presence of chloroform in the groundwater quality data. While chloroform was detected, it is not a dry cleaning solvent or degradation product. Based upon the sporadic chloroform detections, as well as detections in both upgradient and cross-gradient groundwater monitoring wells where PCE and its degradation products were not detected, the chloroform appears to be either a laboratory contaminant, a product of degraded chlorinated irrigation waters from up-gradient sources, or resulting from another source not associated with the Site or its land use.

Analytical results of the low-level (reporting limit) soil sample analyses are summarized in Table 3 and analytical results of the groundwater samples are summarized in Table 4. Laboratory reports for both soil and groundwater are presented in Appendix E.

6.2.1 Soil Boring Samples

LFR collected and analyzed soil samples in accordance with Ecology's guidance regarding implementation of EPA Method 5035A, "Collecting and Preparing Soil Samples for VOC Analysis" (Washington State Department of Ecology, June 2004, Document No. 04-09-087). The following summarizes analytical results of soil samples collected during the advancement of adjacent property monitoring wells. The soil samples were analyzed for VOCs by EPA Method 8260B.

A total of eleven soil samples were collected from the deep screened monitoring wells advanced in the three properties adjacent to the Site. In addition two duplicate soil samples and one laboratory-prepared trip blank sample were submitted for VOC analysis.

With the exception of two samples, MW13D-13.3 and MW13D-53.6, analytical results of the soil samples collected from the adjacent property monitoring wells indicated that concentrations of PCE, TCE, , cis-1,2-DCE, and vinyl chloride were below the laboratory method reporting limits (MRLs) and as such, were below the respective MTCA Cleanup Levels.

Analytical results from soil samples MW13D-13.3 and MW13D-53.6 indicated that concentrations of PCE, TCE, cis-1,2-DCE, and vinyl chloride were below laboratory

MRLs. However, the MRLs reported by Test America exceeded the MTCA cleanup levels for PCE, TCE, and benzene. A representative of Test America indicated the laboratory was unable to analyze these two samples for low level VOCs due to a laboratory error.

Duplicate and Trip Blank Samples

Cis-1,2-DCE and PCE were detected in the duplicate sample, MW30-30, collected from MW10D at a depth of 13 ft bgs, at a concentration above the laboratory MRLs however, below the MTCA cleanup levels. In addition, TCE was reported at a concentration below the laboratory MRL, however, the MRL reported by Test America exceeded the MTCA cleanup level for this constituent.

Concentrations of PCE, TCE, cis-1,2-DCE, and vinyl chloride were not detected above laboratory MRLs in the trip blank sample and the duplicate sample, MW40-40, collected from MW14D at a depth of 11.8 ft bgs.

6.2.2 August 2008 Groundwater Monitoring Event

On August 6 and 7, 2008, LFR personnel completed groundwater sampling from the eleven adjacent property groundwater monitoring wells to assess the direction of groundwater flow and the distribution of contaminants in the Upper Silt and Gravelly Sand Units.

Analytical results indicated that concentrations of PCE exceeded the MTCA Method A cleanup level [5 milligrams per liter ($\mu\text{g/l}$) or parts per billion (ppb)] in samples collected from the following down-gradient intermediate wells: MW-10I (25.2 $\mu\text{g/l}$), MW-13I (25.1 $\mu\text{g/l}$), and MW-14I (47.8 $\mu\text{g/l}$). PCE groundwater concentrations from samples collected in August 2008 are displayed on Figure 5. A conceptual representation of the estimated PCE iso-concentration contour above the MTCA cleanup level is also displayed in Figure 5.

Concentrations of TCE exceeded the MTCA Method A cleanup level (5 $\mu\text{g/l}$) in samples collected from the following down-gradient intermediate wells: MW-10I (21.9 $\mu\text{g/l}$), MW-13I (5.56 $\mu\text{g/l}$), and MW-14I (13.5 $\mu\text{g/l}$). TCE groundwater concentrations from samples collected in August 2008 are displayed on Figure 6. A conceptual representation of the estimated TCE iso-concentration contour above the MTCA cleanup level is also displayed in Figure 6.

Concentrations of vinyl chloride in all the adjacent property monitoring wells were below laboratory MRLs, and as such, were below the MTCA cleanup levels. Cis-1,2-DCE was detected in intermediate wells MW10I (6.98 $\mu\text{g/l}$) and MW14I (2.67 $\mu\text{g/l}$) at concentrations below the MTCA Method B cleanup level (80 $\mu\text{g/l}$). Cis-1,2-DCE was not detected above the laboratory MRL in the remaining adjacent property groundwater samples.

Duplicate Sample

A duplicate sample (MW DUP) was collected from adjacent property well MW10-I. Analytical results indicated that concentrations of PCE, TCE and cis-1,2-DCE, were detected above laboratory MRLs in the duplicate sample. Consistent with the sample collected from MW-10I, PCE and TCE were the only constituents which exceeded the MTCA cleanup levels in the duplicate sample.

6.3 On-Site Groundwater Sample Results

Analytical results of the groundwater samples, including prior events, are summarized in Table 5. Analytical results of the November 2007 and August 2008 groundwater monitoring events are presented in Appendix F. The June 2007 monitoring event is summarized in the prior October 2007 Supplemental Soil and Groundwater Investigation.

6.3.1 November 2007 Groundwater Monitoring Event

On November 12, 2007, LFR personnel completed groundwater sampling from the eleven on-Site groundwater monitoring wells to assess the direction of groundwater flow and the distribution of contaminants in the Upper Silt and Gravelly Sand Units.

Analytical results indicated that concentrations of PCE exceeded the MTCA Method A cleanup level (5 µg/l) in samples collected from the intermediate well MW-7I (206 µg/l) and from shallow wells MW-5S (86 µg/l) and MW-7S (8.44 µg/l). PCE was detected above the laboratory MRL, but below the MTCA Method A cleanup level in shallow wells MW6S (3.87 µg/l), MW-8S (4.34 µg/l), and MW-9S (2.16 µg/l).

PCE was detected above the laboratory MRL, but below the MTCA Method A cleanup level in deep wells MW-6D (2.47 µg/l) and MW-7D (3.00 µg/l).

Analytical results indicated that concentrations of TCE exceeded the MTCA Method A cleanup level (5 µg/l) in samples collected from the intermediate well MW-7I (133 µg/l) and the following shallow wells: MW-5S (10.6 µg/l), MW-7S (13.3 µg/l), and MW-8S (10.4 µg/l). TCE was detected above the laboratory MRL, but below the MTCA Method A cleanup level in shallow well MW6S (1.58 µg/l).

TCE was detected above the laboratory MRL, but below the MTCA Method A cleanup level in deep wells MW-6D (1.22 µg/l) and MW-7D (1.28 µg/l).

Vinyl chloride was not detected above the laboratory MRL in the samples collected from the on-Site wells. However, the MRL reported by Test America for two samples, MW-5S and MW-7I, exceeded the MTCA cleanup for vinyl chloride (0.2 µg/l).

Analytical results indicated that concentrations of cis-1,2-DCE were detected in MW-7S (8.62 µg/l), MW-7I (28.4 µg/l), and MW-8S (4.54 µg/l). The concentrations were below the MTCA Method B cleanup level for cis-1,2-DCE (80 µg/l).

Duplicate and Trip Blank Sample

Analytical results indicated that PCE was detected in the duplicate sample (MW-NCC 2) collected from MW-9S at a concentration below the MTCA Method A cleanup levels. These results are consistent with the sample collected from MW-9S.

Analytical results of the laboratory prepared trip blank sample indicated that PCE, TCE, cis-1,2-DCE, and vinyl chloride were below laboratory MRLs.

6.3.2 August 2008 Groundwater Monitoring Event

On August 6 and 7, 2008, LFR personnel completed groundwater sampling from the eleven on-Site groundwater monitoring wells to assess the direction of groundwater flow and the distribution of contaminants in the Upper Silt and Gravelly Sand Units.

Analytical results indicated that concentrations of PCE exceeded the MTCA Method A cleanup level (5 µg/l) in samples collected from the intermediate well MW-7I (13.3 µg/l) and from following shallow wells: MW-5S (177 µg/l), MW-6S (7.86 µg/l), MW-7S (8.99 µg/l), and MW-8S (10.1 µg/l). PCE was not detected above the laboratory MRL in the samples collected from the deep wells (MW5D, MW6D, MW7D, MW8D, and MW9D). PCE groundwater concentrations from samples collected in August 2008 are displayed on Figure 5. A conceptual representation of the estimated PCE iso-concentration contour above the MTCA cleanup level is also displayed in Figure 5.

Analytical results indicated that concentrations of TCE exceeded the MTCA Method A cleanup level (5 µg/l) in samples collected from the intermediate well MW-7I (12.6 µg/l) and the following shallow wells: MW-5S (21.7 µg/l), MW-6S (6.82 µg/l), MW-7S (12.7 µg/l), and MW-8S (1.86 µg/l). TCE was not detected above the laboratory MRL in the samples collected from the deep wells (MW5D, MW6D, MW7D, MW8D, and MW9D). TCE groundwater concentrations from samples collected in August 2008 are displayed on Figure 6. A conceptual representation of the estimated TCE iso-concentration contour above the MTCA cleanup level is also displayed in Figure 6.

Figure 7 provides a conceptual groundwater profile of the PCE and TCE concentrations in a west-to-east geologic cross-section from monitoring well cluster MW-11, to MW-5, MW-7, and ending at MW-13.

Vinyl chloride was not detected above the laboratory MRL in the samples collected from the on-Site wells. However, the MRL reported by Test America for one sample, MW-5D, exceeded the MTCA cleanup level for vinyl chloride (0.2 µg/l).

Analytical results indicated that concentrations of cis-1,2-DCE were detected in MW-7S (13.9 µg/l), MW-7I (3.17 µg/l), MW-8S (27.0 µg/l), and MW-9S (2.41 µg/l). The concentrations were below the MTCA Method B cleanup level for cis-1,2-DCE (80 µg/l).

Duplicate and Trip Blank Sample

A duplicate sample, MW DUP, was collected from MW-6S. Analytical results indicated concentrations of PCE, TCE, and cis-1,2-DCE, were detected in the duplicate sample. Consistent with MW-6S, PCE and TCE concentrations exceeded the MTCA Method A cleanup levels for PCE and TCE.

Analytical results of the laboratory prepared trip blank sample indicated that PCE, TCE, cis-1,2-DCE, and vinyl chloride were below laboratory MRLs.

6.4 Discussion of Results

6.4.1 Adjacent Properties – August 2008

A review of the distribution of COC soil concentrations based on the limited soil sampling program from the monitoring well installation may be summarized as the following:

- There were no VOC detections reported in any of the soil samples for the adjacent properties.

A review of the distribution of August 2008 VOC groundwater concentrations based on the adjacent property monitoring well network indicated the following:

- There were no dry cleaning-related COC concentrations (PCE, TCE, cis-1,2-DCE, and vinyl chloride) reported above the laboratory MRLs, and hence the MTCA cleanup levels, reported in the shallow, intermediate or deep wells at the up-gradient well cluster MW-11 or in the side-gradient intermediate or deep wells at the well cluster MW-12.
- Chloroform was detected at a concentration above the laboratory MRLs in the shallow up-gradient well MW-11S and deep down-gradient well MW-14D. The detected concentration of chloroform in both these wells exceeded the MTCA Method B cleanup level. Chloroform was also detected above the laboratory MRL, but below the MTCA cleanup level, in several downgradient wells - MW-10I, MW-13D, MW-12D, and MW-13D.
- While chloroform was detected in adjacent property groundwater samples collected from various wells located up-, side- and down-gradient of the Site, this compound is likely present as a result of laboratory contamination, the use and degradation of chlorinated irrigation waters on other adjacent properties, or from other anthropogenic sources or natural processes.

- The PCE and TCE groundwater results were reported at concentrations above their respective MTCA cleanup levels in three of the down-gradient intermediate wells MW-10I, MW-13I, and MW-14I. There were no reported PCE or TCE concentrations in the down-gradient deep wells MW-10D, MW-13D, or MW-14D.
- The highest PCE concentration in groundwater was detected in intermediate well MW-14I located in the Albertson parking lot, southeast and hydraulically down-gradient of the Site.
- The highest TCE concentration in groundwater was detected in the intermediate well MW-10I located in the Richland School District parking lot to the south and hydraulically down-gradient of the Site.
- Generally, PCE and TCE appear to have been transported downgradient to the east and southeast in the lower profile of the Upper Silt Unit and the upper profile of the Gravelly Sand Unit groundwater unit.
- Vinyl chloride was not detected at concentrations above the laboratory MRLs in any of the shallow, intermediate, or deep screened adjacent property wells.
- Cis-1,2-DCE concentrations were detected above laboratory MRLs, but below MTCA Method B cleanup levels, in two intermediate wells, including the down-gradient wells MW-10I and MW-14I.

6.4.2 On-Site – August 2008

A review of the distribution of VOC groundwater concentrations based on the most recent August 2008 monitoring event for on-Site monitoring well network indicated the following:

- There were no COC concentrations above the laboratory method reporting limits, and hence the MTCA cleanup levels, reported at deep wells MW-6D (southeast of NCC building), MW-7D (east side of NCC building), and MW-9D (north central area of the Site).
- The PCE groundwater results were reported at concentrations above their respective MTCA cleanup level in four of the five shallow wells and the one intermediate well, including MW-5S, MW-6S, MW-7S, MW-7I, and MW-8S.
- The TCE groundwater results were reported at concentrations above their respective MTCA cleanup level in three of the five shallow wells and the one intermediate well, including MW-5S, MW-6S, MW-7S, and MW-7I. A TCE concentration was also reported in well MW-8S, but was below the MTCA cleanup level.
- The highest on-Site PCE and TCE concentrations in groundwater were detected in shallow well MW-5S located near the original dry cleaning solvent spill event source reported in 1975, west of the Site building.
- PCE and TCE were not detected at concentrations above the laboratory MRLs in any of the deep screened wells located on-Site.

- Vinyl chloride was not detected at concentrations above the laboratory MRLs in any of the shallow, intermediate, or deep screened on-Site wells. However, the laboratory MRLs reported for MW-5D exceeded the MTCA cleanup levels.
- Cis-1,2-DCE concentrations were detected above laboratory MRLs, but below the respective MTCA Method B cleanup levels in three shallow wells MW-7S, MW-8S, and MW-9S, and one intermediate well MW7-I.

7.0 SUMMARY AND CONCLUSIONS

Several tasks were completed during the ISC conducted in April through August 2008, and included installation and development of eleven monitoring well on three adjacent properties, a limited soil sampling program, groundwater monitoring of on-Site and adjacent property wells, and management of investigation derived wastes.

Analytical results from the soil samples collected during advancement of the deep monitoring wells indicated that dry cleaning-related COCs were below laboratory MRLs and the MTCA cleanup levels.

Generally, the dry cleaning solvent COCs, PCE and the degradation products (TCE, cis-1,2-DCE and vinyl chloride), are identified in a majority of the on-Site wells, the immediately down-gradient well cluster MW10 on the southern adjacent RSD property, and the down-gradient well clusters MW-13 and MW-14 on the Albertson's property across Stevens Drive.

PCE is generally identified with the highest concentrations to the immediate west of the NCC building, to the immediate south of the Site (RSD property), and on the adjacent property to the east (Albertsons). TCE is generally identified with the highest concentrations to the immediate west and east of the NCC building, to the immediate south of the Site (RSD property), and on the adjacent property to the east (Albertsons).

Based on groundwater elevation and gradient data, the interpreted potentiometric surface for the Upper Silt Unit derived from shallow monitoring well measurements indicates that groundwater generally flows from the northwest to the southeast across the Site. The interpreted potentiometric surface for the Gravelly Sand Unit derived from the deep monitoring well measurements indicates that groundwater generally flows from the west-northwest to the east-southeast across the Site.

The groundwater quality and hydrogeological data collected to date supports a preliminary site conceptual model that exhibits the transport and migration of the dry cleaning product PCE (and its degradation products) from residual on-Site soil and ground water sources to downgradient groundwater monitoring locations on adjacent properties to the south and east of the Site.

The data presented in this report represent a limited and interim qualitative assessment of the conditions underlying the Site and adjacent properties within the currently defined Investigative Area. Additional soil and groundwater data will provide a more comprehensive assessment of the fate and transport of dry cleaning COCs.

8.0 LIMITATIONS

The opinions and recommendations presented in this report are based upon the scope of services, information obtained through the performance of the services, and the schedule as agreed upon by LFR and the party for whom this report was originally prepared. This report is an instrument of professional service and was prepared in accordance with the generally accepted standards and level of skill and care under similar conditions and circumstances established by the environmental consulting industry.

To the extent that LFR relied upon any information prepared by other parties not under contract to LFR, LFR makes no representation as to the accuracy or completeness of such information. This report is expressly for the sole and exclusive use of the party for whom this report was originally prepared for a particular purpose. Only the party for whom this report was originally prepared and/or other specifically named parties have the right to make use of and rely upon this report. Reuse of this report or any portion thereof for other than its intended purpose, or if modified, or if used by third parties, shall be at the user's sole risk.

Results of any investigations or testing and any findings presented in this report apply solely to conditions existing at the time when LFR's investigative work was performed. It must be recognized that any such investigative or testing activities are inherently limited and do not represent a conclusive or complete characterization. Conditions in other parts of the project site may vary from those at the locations where data were collected. LFR's ability to interpret investigation results is related to the availability of the data and the extent of the investigation activities. As such, 100% confidence in environmental investigation conclusions cannot reasonably be achieved.

LFR, therefore, does not provide any guarantees, certifications, or warranties regarding any conclusions regarding environmental contamination of any such property. Furthermore, nothing contained in this document shall relieve any other party of its responsibility to abide by contract documents and applicable laws, codes, regulations, or standards.

9.0 REFERENCES

- American Society for Testing and Materials (ASTM) Standards. D 2488-93. *Practice for Description and Identification of Soils (Visual-Manual Procedure)*.
- . D 4220-95. *Standard Practices for Preserving and Transporting Soil Samples*.
- . D 4700-91. *Standard Guide for Soil Sampling from the Vadose Zone*.
- Chen-Northern. 1993. Report of Ground Water Sampling Results. Report prepared for the City of Richland by Chen Northern.
- Ecology. Cleanup Levels and Risk Calculations (CLARC). Version 3.1. 173-340-740(3) WAC. <https://fortress.wa.gov/ecy/clarc/CLARCHome.aspx>.
- . 2001. Model Toxics Control Act (MTCA). 173-340-700 WAC.
- . “Minimum Standards for Construction and Maintenance of Wells” (Chapter 173-160 WAC).EMCON. 1997. Site History Report, New City Cleaners, 747 Stevens Drive, Richland, Washington. April 23.
- EMCON. 1999a. Remedial Investigation Report, New City Cleaners, 747 Stevens Drive, Richland, Washington. June 10.
- . 1999b. Interim Cleanup Action Plan (ICAP).
- GeoEngineers. 2001. Report of Interim Cleanup Action, Tetrachloroethylene and Petroleum Contaminated Soil, New City Cleaners, Richland, Washington. June 26.
- LFR Inc. 2007. Supplemental Soil and Groundwater Investigation, New City Cleaners, 747 Stevens Drive, Richland, Washington. October 10.
- . 2005. Four-Year Review Report, April 2001 through August 2005, and Work Plan to Conduct a Supplemental Soil and Groundwater Investigation, New City Cleaners, Richland, Washington. November 15. (“the Four-Year Review”).
- Reidel and Fecht. 1994. Geologic Map of the Richland 1:100,000 Quadrangle, Washington: Washington Division of Geology and Earth Resources, Open File Report 94-8.
- United States Geological Survey (USGS). 1992. Richland, Washington Quadrangle. 7.5-Minute Series Topographic Map.

TABLES

TABLE 1
Adjacent Property Monitoring Well and Groundwater Elevation Data
New City Cleaners
747 Stevens Drive, Richland, Washington

Monitoring Well	Date of Sampling Event	TOC ⁽¹⁾ (ft amsl ⁽²⁾)	Ground Elevation (ft NAVD)	Top of Screen (ft bgs ⁽³⁾)	Bottom of Screen (ft bgs ⁽⁴⁾)	Measured Screen Length (ft)	Depth to Water (ft below TOC)	Groundwater Elevation (ft amsl)
MW10I	8/7/2008	359.24	359.7	27.35	31.98	4.63	12.51	346.73
MW10D	8/7/2008	359.51	359.7	47.35	57.08	9.73	12.71	346.80
MW11S	8/7/2008	357.56	358.0	10.10	14.40	4.30	10.45	347.11
MW11I	8/7/2008	357.66	358.0	20.05	24.67	4.62	10.51	347.15
MW11D	8/7/2008	357.61	357.9	35.35	45.18	9.83	10.71	346.90
MW12I	8/7/2008	358.83	359.3	24.20	29.00	4.80	12.01	346.82
MW12D	8/7/2008	358.60	359.0	33.70	43.35	9.65	11.77	346.83
MW13I	8/7/2008	359.78	360.2	15.00	19.78	4.78	13.16	346.62
MW13D	8/7/2008	359.97	360.3	44.82	54.43	9.61	13.31	346.66
MW14I	8/7/2008	359.66	360.0	14.92	19.35	4.43	13.09	346.57
MW14D	8/7/2008	359.72	360.2	44.03	53.67	9.64	13.21	346.51

Notes:

- (1) Top of casing (TOC)
- (2) Feet above mean sea level, referenced to North American Vertical 1988 Datum (NAVD).
- (3) bgs - below ground surface
- (4) Sump interval not included in measurement

TABLE 2
Site Monitoring Well and Groundwater Elevation Data
New City Cleaners
747 Stevens Drive, Richland, Washington

Monitoring Well	Date of Sampling Event	TOC ⁽¹⁾ (ft amsl ⁽²⁾)	Ground Elevation (ft NAVD)	Top of Screen (ft bgs ⁽³⁾)	Bottom of Screen (ft bgs ⁽⁴⁾)	Measured Screen Length (ft)	Depth to Water (ft below TOC)	Groundwater Elevation (ft amsl)
MW5S	6/21/2007	359.16	359.3	14.30	19.00	4.70	11.85	347.31
	11/12/2007						12.19	346.97
	8/6/2008						12.56	346.60
MW5D	6/21/2007	359.09	359.4	43.00	52.55	9.55	11.92	347.17
	11/12/2007						12.27	346.82
	8/6/2008						12.25	346.84
MW6S	6/21/2007	359.02	359.5	16.13	20.85	4.72	14.10	344.92
	11/12/2007						14.22	344.80
	8/7/2008						12.86	346.16
MW6D	6/21/2007	359.13	359.5	41.15	50.73	9.58	12.09	347.04
	11/12/2007						13.05	346.08
	8/7/2008						12.37	346.76
MW7S	6/21/2007	359.62	360	14.32	19.06	4.74	13.00	346.62
	11/12/2007						12.84	346.78
	8/7/2008						13.44	346.18
MW7I	6/21/2007	359.51	360.2	22.39	27.14	4.75	12.5	347.01
	11/12/2007						13.05	346.46
	8/7/2008						12.86	346.65
MW7D	6/21/2007	359.75	360.2	43.09	52.64	9.55	12.71	347.04
	11/12/2007						12.98	346.77
	8/7/2008						12.97	346.78
MW8S	6/21/2007	359.66	360.2	11.25	16.00	4.75	12.62	347.04
	11/12/2007						12.48	347.18
	8/6/2008						12.83	346.83
MW8D	6/21/2007	359.57	360	41.93	51.45	9.52	12.51	347.06
	11/12/2007						12.75	346.82
	8/6/2008						12.86	346.71
MW9S	6/21/2007	359.54	359.8	15.40	20.15	4.75	12.25	347.29
	11/12/2007						12.48	347.06
	8/6/2008						12.68	346.86
MW9D	6/21/2007	359.43	359.8	43.05	52.65	9.60	12.25	347.18
	11/12/2007						12.65	346.78
	8/6/2008						13.63	345.80

Notes:

- (1) Top of casing (TOC)
- (2) Feet above mean sea level, referenced to North American Vertical 1988 Datum (NAVD).
- (3) bgs - below ground surface
- (4) Sump interval not included in measurement

Prepared By: ML Date: 8/25/2008
Checked By: JEL Date: 9/24/2008

TABLE 3
Adjacent Property Soil Analytical Results
Low Level Volatile Organic Compounds
New City Cleaners
747 Stevens Drive, Richland, Washington

Sample Name	Date Sampled	PID ⁽¹⁾ (ppm)	VOCs ⁽²⁾									
			Chloroform	Cis-1,2-DCE	PCE	TCE	Vinyl Chloride	Benzene	Toluene	Ethylbenzene	Total Xylenes	
MW10D-13	4/10/2008	0.4	nd ⁽³⁾	nd	nd	nd	nd	nd	nd	nd	nd	nd
MW10D-24.5	4/10/2008	0.4	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
MW11D-15.8	4/8/2008	0.0	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
MW11D-17.3	4/8/2008	0.0	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
MW11D-44.3	4/8/2008	0.0	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
MW12D-12	4/9/2008	0.3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
MW12D-22.5	4/9/2008	0.4	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
MW13D-13.3	4/11/2008	0.3	nd	nd	nd	ndd ⁽⁴⁾	nd	ndd	nd	nd	nd	nd
MW13D-53.6	4/11/2008	0.4	nd	nd	ndd	ndd	nd	ndd	nd	nd	nd	nd
WM14D-11.8	4/15/2008	0.1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
MW14D-53.4	4/15/2008	0.6	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
MW30-30 ⁽⁵⁾	4/10/2008	-	nd	0.0183	0.00838	ndd	nd	nd	nd	nd	nd	nd
MW40-40 ⁽⁶⁾	4/15/2008	-	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
TRIP ⁽¹¹⁾	-	-	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
MTCA Method A - Soil⁽⁷⁾			NS⁽⁸⁾	NS	0.05	0.03	NS	0.03	7	6	9	
MTCA Method B - Soil⁽⁹⁾			160	800⁽¹⁰⁾	--	--	0.67	--	--	--	--	

Notes:

- (1) PID = Photo ionization detector field screening results reported in parts per million (ppm)
- (2) VOCs = Volatile Organic Compounds analyzed by EPA Method 8260B, low soil method
- (3) nd = not detected above laboratory method reporting limit (MRL)
- (4) ndd = not detected above the statistically derived laboratory method detection limit (MDL)
- (5) Duplicate sample of MW10D-13
- (6) Duplicate sample of MW14D-11.8
- (7) MTCA Method A = Soil Cleanup Level for Unrestricted Land Uses, Model Toxics Control Act, Chapter 173-340 WAC
- (8) NS = No Method Standard established.
- (9) MTCA Method B = Soil Cleanup Level, Carcinogen, Direct Contact-Ingestion Only, Model Toxics Control Act, Chapter 173-340 WAC
- (10) MTCA Method B = Soil Cleanup Level, Non-carcinogen (no carcinogenic value established), Direct Contact-Ingestion only, Model Toxics Control Act, Chapter 173-340 WAC
- (11) TRIP = Water trip blank sample prepared by Test America for QA/QC purposes, results reported in micrograms per liter (µg/l)
- (12) MTCA Method A GW = Groundwater Cleanup Levels, Model Toxics Control Act, Chapter 173-340 WAC, reported in µg/l for trip blank QA/QC review only
- (13) MTCA Method B GW = Groundwater Cleanup Level, Carcinogenic Value, Model Toxics Control Act, Chapter 173-340 WAC, reported in µg/l for trip blank QA/QC review only
- (14) MTCA Method B GW = Groundwater Cleanup Level, Non-carcinogenic Value (no carcinogenic value established), reported in µg/l for trip blank QA/QC review only

All concentrations of reported in milligrams per kilogram (mg/kg) or parts per million (ppm), unless otherwise noted
Concentrations shown in **Bold** indicate an exceedance of the cleanup level

Prepared By: ML
Checked By: JEL

Date: 5/14/2008
Date: 6/25/2008

TABLE 4
 Adjacent Property Groundwater Analytical Results
 Volatile Organic Compounds
 New City Cleaners
 747 Stevens Drive, Richland Washington

Sample Name	Date	VOCs ⁽¹⁾										
		Chloroform	Cis-1,2-DCE ⁽²⁾	PCE ⁽³⁾	TCE ⁽⁴⁾	Vinyl Chloride	Benzene	Toluene	Ethylbenzene	Total Xylenes		
MW10I	8/7/2008	5.61	6.98	25.2	21.9	nd	nd	nd	nd	nd	nd	
MW10D	8/7/2008	10.8	nd	nd	nd	nd	nd	nd	nd	nd	nd	
MW11S	8/7/2008	43.6	nd	nd	nd	nd	nd	nd	nd	nd	nd	
MW11I	8/7/2008	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	
MW11D ⁽⁶⁾	8/7/2008	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	
MW12I	8/7/2008	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	
MW12D	8/7/2008	2.20	nd	nd	nd	nd	nd	nd	nd	nd	nd	
MW13I	8/7/2008	nd	nd	25.1	5.56	nd	nd	nd	nd	nd	nd	
MW13D	8/7/2008	2.78	nd	nd	nd	nd	nd	nd	nd	nd	nd	
MW14I	8/7/2008	nd	2.67	47.8	13.5	nd	nd	nd	nd	nd	nd	
MW14D	8/7/2008	21.9	nd	nd	nd	nd	nd	nd	nd	nd	nd	
MW DUP ⁽⁷⁾	8/7/2008	5.64	7.24	26.3	21.9	nd	nd	nd	nd	nd	nd	
MTCA Method A ⁽⁸⁾		NS ⁽⁹⁾	NS	5	5	0.2	1,000	5	700	1,000	1,000	
MTCA Method B ⁽¹⁰⁾		7.2	80 ⁽¹¹⁾	-	-	NS	-	-	-	-	-	

Notes:

- (1) VOCs = Volatile Organic Compounds analyzed by EPA Method 8260B
- (2) cis-1,2-DCE = cis-1,2-Dichloroethene
- (3) PCE = Tetrachloroethene
- (4) TCE = Trichloroethene
- (5) nd = not detected above laboratory method reporting limit
- (6) construction of monitoring well compromised, data presented for information purposes only
- (7) MW DUP = duplicate sample of MW10I
- (8) MTCA Method A = Groundwater Cleanup Levels, Model Toxics Control Act, Chapter 173-340 WAC
- (9) NS = No Method Standard established.
- (10) MTCA Method B = Groundwater Cleanup Level, Carcinogenic Value, Model Toxics Control Act, Chapter 173-340 WAC.
- (11) MTCA Method B Groundwater Cleanup Level, Non-carcinogenic Value (no carcinogenic value established).

All concentrations of water reported in micrograms per liter (µg/l) or parts per billion (ppb)
 Concentrations shown in **Bold** indicated exceedance of cleanup level

Prepared By: _____ ML Date: 8/22/2008
 Checked By: _____ GEP Date: 8/27/2008

TABLE 5
 Site Groundwater Analytical Results
 Volatile Organic Compounds
 New City Cleaners
 747 Stevens Drive, Richland, Washington

Sample Name	Date	VOCs ⁽¹⁾								
		Chloroform	cis-1,2-DCE ⁽²⁾	PCE ⁽³⁾	TCE ⁽⁴⁾	Vinyl Chloride	Benzene	Toluene	Ethylbenzene	Total Xylenes
MW5S	6/21/2007	nd ⁽⁵⁾	1.51	138	24.7	nd	nd	nd	nd	nd
	11/12/2007	<10.0	nd	86.0	10.6	<2.00	<10.0	nd	nd	nd
	8/6/2008	nd	nd	177	21.7	nd	nd	nd	nd	nd
MW5D	6/21/2007	2.44	nd	nd	nd	nd	nd	nd	nd	nd
	11/12/2007	nd	nd	nd	nd	nd	nd	nd	nd	nd
	8/6/2008	<10.0	nd	nd	nd	<2.00	nd	nd	nd	nd
MW6S	6/21/2007	21.4	nd	9.98	1.33	nd	nd	nd	nd	nd
	11/12/2007	1.33	nd	3.87	1.58	nd	nd	nd	nd	nd
	8/7/2008	nd	nd	7.86	6.82	nd	nd	nd	nd	nd
MW6D	6/21/2007	nd	nd	3.41	1.93	nd	nd	nd	nd	nd
	11/12/2007	nd	nd	2.47	1.22	nd	nd	nd	nd	nd
	8/7/2008	nd	nd	nd	nd	nd	nd	nd	nd	nd
MW7S	6/21/2007	8.57	2.10	8.72	3.20	nd	nd	nd	nd	nd
	11/12/2007	nd	8.62	8.44	13.3	nd	nd	nd	nd	nd
	8/7/2008	nd	13.9	8.99	12.7	nd	nd	nd	nd	nd
MW7I	6/21/2007	nd	15.5	190	88.5	0.243	nd	nd	nd	nd
	11/12/2007	<10.0	28.4	206	133	<2.00	<10.0	nd	nd	nd
	8/7/2008	nd	3.17	13.3	12.6	nd	nd	nd	nd	nd
MW7D	6/21/2007	nd	nd	2.81	1.56	nd	nd	nd	nd	nd
	11/12/2007	nd	nd	3.00	1.28	nd	nd	nd	nd	nd
	8/7/2008	nd	nd	nd	nd	nd	nd	nd	nd	nd
MW8S	6/21/2007	nd	1.33	10.0	3.62	nd	nd	nd	nd	nd
	11/12/2007	nd	4.54	4.34	10.4	nd	nd	nd	nd	nd
	8/6/2008	nd	27.0	10.1	1.86	nd	nd	nd	nd	nd
MW8D	6/21/2007	1.10	nd	nd	nd	nd	nd	nd	nd	nd
	11/12/2007	nd	nd	nd	nd	nd	nd	nd	nd	nd
	8/6/2008	5.18	nd	nd	nd	nd	nd	nd	nd	nd
MW9S	6/21/2007	nd	nd	3.77	1.36	nd	nd	nd	nd	nd
	11/12/2007	nd	nd	2.16	nd	nd	nd	nd	nd	nd
	8/6/2008	nd	2.41	nd	nd	nd	0.391	nd	nd	nd
MW9D	6/21/2007	nd	nd	nd	nd	nd	nd	nd	nd	nd
	11/12/2007	nd	nd	nd	nd	nd	nd	nd	nd	nd
	8/6/2008	nd	nd	nd	nd	nd	nd	nd	nd	nd
MW-NCC ⁽⁷⁾	6/21/2007	25	nd	nd	nd	nd	nd	nd	nd	nd
MW-NCC 2 ⁽⁸⁾	11/12/2007	nd	nd	2.56	nd	nd	nd	nd	nd	nd
MW DUP ⁽⁹⁾	8/7/2008	nd	1.01	8.66	7.08	nd	nd	nd	nd	nd
Trip Blank ⁽¹⁰⁾	6/21/2007	nd	nd	nd	nd	nd	nd	nd	nd	nd
	11/12/2007	nd	nd	nd	nd	nd	nd	nd	nd	nd
	8/6/2008	nd	nd	nd	nd	nd	nd	nd	nd	nd
MTCA Method A ⁽¹¹⁾		NS ⁽¹²⁾	NS	5	5	0.2	5	1,000	700	1,000
MTCA Method B ⁽¹³⁾		7.2	80 ⁽¹⁴⁾	-	-	NS	-	-	-	-

- Notes:
 (1) VOCs = Volatile Organic Compounds analyzed by EPA Method 8260B
 (2) cis-1,2-DCE = cis-1,2-Dichloroethene
 (3) PCE = Tetrachloroethene
 (4) TCE = Trichloroethene
 (5) nd = not detected above laboratory method reporting limit
 (6) < = constituent detected below laboratory method reporting limit (MRL), however MRL above MTCA cleanup level
 (7) MW-NCC = duplicate sample of MW8D
 (8) MW-NCC 2 = duplicate sample of MW9S
 (9) MW DUP = duplicate sample of MW6S
 (10) Trip Blank provided by Test America
 (11) MTCA Method A = Groundwater Cleanup Levels, Model Toxics Control Act, Chapter 173-340 WAC
 (12) NS = No Method Standard established.
 (13) MTCA Method B = Groundwater Cleanup Level, Carcinogenic Value, Model Toxics Control Act, Chapter 173-340 WAC.
 (14) MTCA Method B Groundwater Cleanup Level, Non-carcinogenic Value (no carcinogenic value established).


All concentrations of water reported in micrograms per liter (µg/l) or parts per billion (ppb)
 Concentrations shown in **Bold** indicated exceedance of cleanup level

Prepared By: ML
 Checked By: CEP


Date: 8/22/2008
 Date: 8/27/2008

FIGURES

LFP:public\027301391001\NewCityCleaners&Adjacent\ISCFigures.pdf 092608



MAP SOURCE: USGS 7.5 TOPOGRAPHIC MAP RICHLAND, WASH. (1992)




Site Vicinity Map
Interim Site Characterization

On-Site and Adjacent Properties-New City Cleaners
 747 Stevens Drive, Richland, Washington



Figure 1




**Investigative Area & Monitoring Well Plan
Interim Site Characterization**

On-Site and Adjacent Properties-New City Cleaners
747 Stevens Drive, Richland, Washington



Figure 2

L:\Public\02730139\001\NewCityCleaners&Adjacent\ISC\Figures.pdf 092608




Map Source: Rogers Surveying, Inc. (5/15/2008)

**Groundwater Potentiometric Surface
Upper Silt Unit
Interim Site Characterization**
On-Site and Adjacent Properties-New City Cleaners
747 Stevens Drive, Richland, Washington




Figure 3

L:\Public\027130139100\NewCityCleaners\AdjacentSCFigures.pdf 092608




**Groundwater Potentiometric Surface
Gravelly Sand Unit
Interim Site Characterization**
On-Site and Adjacent Properties-New City Cleaners
747 Stevens Drive, Richland, Washington

L:\Public\027130139100***NewCityCleaners&AdjacentSCFigures.pdf 092608



Legend

- Site Property Line
 - Centerline of ROW
 - x-x- Fenceline
 - Adjacent Property Line/ROW
 - Stormwater Swale Contours
- Monitoring Well Locations**
- ◆ Shallow
 - ▲ Intermediate
 - Deep
- | Well | PCE |
|------|-------------|
| 7S | 8.99 |
| 7I | 13.3 |
| 7D | nd |
- PCE Concentrations in groundwater samples collected August 2008
- concentrations reported in ppb
 - concentrations above MTCA Method A Groundwater Cleanup Levels (5ppb) shown in **Bold**
 - nd - not detected above laboratory method reporting limit
- Conceptual Isoconcentration Contour of PCE greater than MTCA groundwater cleanup level (5pp)
- For representation purposes only*




Map Source: Rogers Surveying, Inc. (5/15/2008)

PCE Groundwater Concentrations (August 2008)
Interim Site Characterization
 On-Site and Adjacent Properties-New City Cleaners
 747 Stevens Drive, Richland, Washington



Figure 5

L:\Public\02730139\001\NewCityCleaners&AdjacentSCFigures.pdf 092608



Legend

- Site Property Line
- Centerline of ROW
- x-x- Fenceline
- Adjacent Property Line/ROW
- Stormwater Swale Contours

Monitoring Well Locations

- ◆ Shallow
- ▲ Intermediate
- Deep


Well	TCE
7S	12.7
7I	12.6
7D	nd

TCE Concentrations in groundwater samples collected August 2008

- concentrations reported in ppb
- concentrations above MTCA Method A Groundwater Cleanup Levels (5ppb) shown in **Bold**
- nd - not detected above laboratory method reporting limit

----- Conceptual Isoconcentration Contour of TCE greater than MTCA groundwater cleanup level (5pp)

For representation purposes only




Map Source: Rogers Surveying, Inc. (5/15/2008)

TCE Groundwater Concentrations (August 2008)

Interim Site Characterization
On-Site and Adjacent Properties-New City Cleaners
747 Stevens Drive, Richland, Washington



Figure 6



▽ Groundwater Elevation in Wells (8/7/08)


Explanation

WELL NO.		
PCE	1.0	Tetrochloroethylene Concentration
TCE	1.0	Trichloroethylene Concentration

Conceptual representation of PCE and TCE above MTCA Cleanup Level (5 ppb)

All results reported in parts per billion (ppb)
 ND - not detected above laboratory method reporting limit

*Groundwater samples in Well MW-7D have historically reported low concentrations of PCE and TCE



Generalized Geologic Cross-Section with Conceptual PCE & TCE Groundwater Profile
Interim Site Characterization
 On-Site and Adjacent Properties-New City Cleaners
 747 Stevens Drive, Richland, Washington



Figure 7

LFPublic:0271301391001***NewCityCleaners&AdjacentISCFigures.pdf 092608

APPENDIX A

Site Photographs



Photo 1: Photograph of monitoring wells MW-11s, MW-11I, and MW-11D located west of the New City Cleaner Site (photograph taken from the east).



Photo 2: Photograph of EWE advancing MW-13D located east of the Site, in the Albertsons parking lot (photograph taken from the west).



Photo 3: Photograph of EWE advancing MW-12D located southwest of the Site along Lee Boulevard (photograph taken from the north).



Photo 4: Photograph of lithology from installation of MW-14D (photograph taken from the south).

APPENDIX B

LFR Lithologic Logs

PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW10-D

PAGE 1 OF 3

PROJECT LOCATION Adjacent Properties

DRILLING CONTRACTOR Environmental West Exploration Inc.

PROJECT NUMBER 027-30139-00

DRILLING METHOD Sonic

LOCATION Richland School District Parking Lot

STAMP (IF APPLICABLE) AND/OR NOTES

OVA EQUIPMENT PID: MiniRae 2000

GROUND ELEVATION 359.7 ft HOLE DIAMETER 8-5/8" 0-25' bgs, 6-5/8" 25-58.2' bgs

TOP OF CASING ELEVATION 359.51 ft HOLE DEPTH 58.2 ft

FIRST ENCOUNTERED WATER ---

STABILIZED WATER 13.8 ft / Elev 345.9 ft

LOGGED BY Meghan Lunney DATE 4/10/08

DEPTH (feet)	SAMPLE TYPE NUMBER	SAMPLE RECOVERY	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	PID (ppm)	WELL DIAGRAM	DEPTH (feet)
					0.3	Asphalt	359.4			
			SM			Silty Gravelly SAND; 10YR 4/2; dry; loose consistency; fine to medium sand, moderate sorted; fine to coarse gravel to cobbles (~15%), silt (~10%)			Concrete/Grout	
5					4.0	SILT; 2.5Y 5/2; moist; medium consistency; low plasticity; slow dilatancy	355.7	0.2		5
			ML			very moist		0.6	2" Dia. Sch 40 PVC Casing	
10								0.3		10
	MW10D-13	☒			13.0	Clayey Silt; 2.5Y 5/2; very moist to wet; hard consistency; moderate plasticity	346.7	0.3		
15			ML			oxidation visible 15-22.6' bgs		0.4	Hydrated Bentonite Chips	15
								0.4		
20										20

COMMENTS

(Continued Next Page)

BORING+WELL 2006 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

APPROVED BY:

Meghan Lunney

DATE:

9/10/08



DEPTH (feet)	SAMPLE TYPE NUMBER	SAMPLE RECOVERY	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	PID (ppm)	WELL DIAGRAM	DEPTH (feet)
			ML			Clayey Silt; 2.5Y 5/2; very moist to wet; hard consistency; moderate plasticity (continued)		0.2	<p>2" Dia. Sch 40 PVC Casing</p> <p>Hydrated Bentonite Chips</p> <p>10/20 Colorado Silica Sand</p>	
			ML		22.6	Sandy SILT; 2.5Y 4/1; wet; medium to hard consistency; moderate plasticity; fine to very fine sand (~10%)	337.1	0.7		
25	MW10D-24.5		SP		25.0	Sand; 2.5Y 4/1; wet; loose consistency; fine to medium sand, well sorted	334.7	0.4		
						Sandy GRAVEL; 2.5Y 5/1; moist; loose consistency; fine to coarse gravel to cobbles, poorly sorted; fine to coarse sand (25%)		1.7		
								0.6		
30								0.2		
								0.2		
35								0.2		
			GM					0.0		
40								0.5		
								0.6		
45								0.6		
								0.3		
50										

COMMENTS (Continued Next Page)

BORING-WELL 2006 027-31035-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

APPROVED BY: Megan Loney DATE: 9/10/08



PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW10-D

PAGE 3 OF 3

DEPTH (feet)	SAMPLE TYPE NUMBER	SAMPLE RECOVERY	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	PID (ppm)	WELL DIAGRAM	DEPTH (feet)
55			GM			Sandy GRAVEL; 2.5Y 5/1; moist; loose consistency; fine to coarse gravel to cobbles, poorly sorted; fine to coarse sand (25%) (continued)			<p>2" Dia. Sch 40 PVC, 20 Slot Screen</p> <p>End Cap</p> <p>Bentonite Pellets</p>	55
					56.8		302.9	0.6		
			ML		58.2	Sandy SILT; GLEY 1 3/10G; moist; medium consistency; low plasticity; very fine sand (10%)	301.5	0.6		

COMMENTS

APPROVED BY:

Meghan Long DATE: 9/10/08



BORING-WELL 2006 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW10-I

PAGE 1 OF 2

PROJECT LOCATION Adjacent Properties

DRILLING CONTRACTOR Environmental West Exploration Inc.

PROJECT NUMBER 027-30139-00

DRILLING METHOD Sonic

LOCATION Richland School District Parking Lot

STAMP (IF APPLICABLE) AND/OR NOTES

OVA EQUIPMENT PID: MiniRae 2000

GROUND ELEVATION 359.7 ft HOLE DIAMETER 8-5/8" 0-24' bgs, 6-5/8" 24-32.7' bgs

TOP OF CASING ELEVATION 359.24 ft HOLE DEPTH 32.7 ft

FIRST ENCOUNTERED WATER ---

STABILIZED WATER 13.6 ft / Elev 346.1 ft

LOGGED BY Meghan Lunney DATE 4/10/08

DEPTH (feet)	SAMPLE TYPE NUMBER	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	WELL DIAGRAM	DEPTH (feet)
				0.3	Asphalt	359.4		
		SM			Silty Gravelly SAND; 10YR 4/2; dry to moist; loose consistency; fine to medium sand, well sorted; fine to coarse gravel to cobbles (~20%), silt (10%)		Concrete/Grout	
5				4.0	Sandy SILT; 2.5Y 5/2; medium consistency; low to moderate plasticity; very fine sand (10%); organics (roots bark, 2%)	355.7	2" Dia. Sch 40 PVC Casing	5
10					sand content decrease, increase in clay content (~15%)		Hydrated Bentonite Chips	10
15		ML			oxidation visible 13 to 22' bgs clay content decreases, very fine sand content increase (~10%)			15
20					sand content decreases (~5%), increase in clay content (~15%)			20

COMMENTS

(Continued Next Page)

APPROVED BY: Meghan Lunney DATE: 9/10/08



BORING-WELL 2006 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW10-I

DEPTH (feet)	SAMPLE TYPE NUMBER	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	WELL DIAGRAM	DEPTH (feet)
		ML		22.0	Sandy SILT; 2.5Y 5/2; medium consistency; low to moderate plasticity; very fine sand (10%); organics (roots bark, 2%) <i>(continued)</i>	337.7		
		ML		23.6	Clayey Sandy SILT; GLEY 1 2.5/10Y; medium consistency; low to moderate plasticity; very fine sand (10%); clay (5%)	336.1		
25		SP		24.0	SAND; Gley 1 2.5/10Y; wet; loose consistency; medium sand, well sorted	335.7		
30		GM		32.7	Sandy GRAVEL; 2.5Y 5/1; wet; loose consistency; fine to coarse gravel to cobbles, poorly sorted; fine to medium sand (30%)	327.0		

COMMENTS

APPROVED BY: *Stephan Landye* DATE: 9/10/08



BORING+WELL 2005 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

PROJECT NAME Adj. Prop. NCC

WELL NUMBER **MW11D**

CLIENT Landye Bennett Blumstein LLP

PAGE 1 OF 2

PROJECT LOCATION Adjacent Properties

DRILLING CONTRACTOR Environmental West Exploration Inc.

PROJECT NUMBER 027-30139-00

DRILLING METHOD Sonic

LOCATION West of NCC Bldg & stormwater swale

STAMP (IF APPLICABLE) AND/OR NOTES

OVA EQUIPMENT PID: MiniRae 2000

GROUND ELEVATION 357.9 ft HOLE DIAMETER 8-5/8" 0-17' bgs, 6-5/8" 17-47' bgs

TOP OF CASING ELEVATION 357.61 ft HOLE DEPTH 47.0 ft

▽ FIRST ENCOUNTERED WATER 17.0 ft / Elev 340.9 ft

▽ STABILIZED WATER 11.5 ft / Elev 346.4 ft

LOGGED BY Meghan Lunny DATE 4/8/08

DEPTH (feet)	SAMPLE TYPE NUMBER	SAMPLE RECOVERY	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	PID (ppm)	WELL DIAGRAM	DEPTH (feet)
0.4					0.4	Surface vegetation/weeds	357.5		Concrete/Grout	0.4
5						SILT; 10YR 4/2; moist; hard consistency; low plasticity; slow dilatancy; oxidation visible				5
						increase in clay content (~10%)	0.0		2" Dia. Sch 40 PVC Casing	
10			ML				0.0			10
15							0.0			15
	MW11D-15.8	✗				very moist decrease in clay content, increase in very fine to fine sand (~10%)	0.0		Hydrated Bentonite Chips	
	MW11D-17.3	✗			17.5		340.4			
			SW		18.0	Gravelly SAND; 10YR 3/2; very moist; loose consistency; medium to coarse sand, poorly sorted; fine to coarse gravel (~30%)	339.9			
20			ML							20
			GM		19.5	Sandy SILT; 10YR 4/2; very moist; hard consistency; low plasticity; slow dila.; very fine to fine sand (10%)	338.4			

COMMENTS

(Continued Next Page)

BORING-WELL 2005 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

APPROVED BY:

Meghan Lunny

DATE: 9/10/08



PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW11D

DEPTH (feet)	SAMPLE TYPE NUMBER	SAMPLE RECOVERY	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	PID (ppm)	WELL DIAGRAM	DEPTH (feet)
			GM		22.8	Sandy GRAVEL; 10YR 4/1; wet; loose consistency; fine to coarse gravel, moderate to poorly sorted; fine to coarse sand (~30%) (continued)	335.1		<p>2" Dia. Sch 40 PVC Casing</p> <p>Hydrated Bentonite Chips</p> <p>10/20 Colorado Silica Sand</p> <p>2" Dia. Sch 40 PVC, 20 Slot Screen</p> <p>End Cap</p>	
25			ML		24.0	Sandy SILT; 10YR 3/3; wet; medium dense consistency; low plasticity; fine sand (~30%) color change to 5Y 4/1	333.9	0.0		25
						Sandy GRAVEL; 10YR 4/1; wet; loose consistency; fine to coarse gravel, moderate to poorly sorted; fine to coarse sand (~30%)		0.2		30
								0.0		
30								0.0		
			GM					0.1		35
								0.0		
35								0.0		
								0.0		
40								0.0		
	MW11D-44.3	<input checked="" type="checkbox"/>	ML		44.5		313.4			
45			ML		45.0	Sandy SILT; 10YR 4/3; moist; medium consistency; low plasticity; slow dila.; very fine to fine sand (~10%)	312.9	0.0	45	
						Sandy Silt; GLEY 1 4/N; moist; medium consistency; low plasticity; slow dila.; very fine to fine sand (~10%)		0.0		
					47.0		310.9	0.0		

COMMENTS

APPROVED BY: *Meghan Leary* DATE: *9/10/08*



BORING=WELL 2006 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW11-I

PAGE 1 OF 2

PROJECT LOCATION Adjacent Properties

DRILLING CONTRACTOR Environmental West Exploration Inc.

PROJECT NUMBER 027-30139-00

DRILLING METHOD Sonic

LOCATION West of NCC Bldg & stormwater swale

STAMP (IF APPLICABLE) AND/OR NOTES

OVA EQUIPMENT PID: MiniRae 2000

GROUND ELEVATION 358.0 ft HOLE DIAMETER 8-5/8" 0-16' bgs, 6-5/8" 16-37' bgs

TOP OF CASING ELEVATION 357.66 ft HOLE DEPTH 37.0 ft

▽ FIRST ENCOUNTERED WATER 17.0 ft / Elev 341.0 ft

▽ STABILIZED WATER 11.7 ft / Elev 346.3 ft

LOGGED BY Meghan Lunney DATE 4/8/08

DEPTH (feet)	SAMPLE TYPE NUMBER	U.S.C.S. GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	WELL DIAGRAM	DEPTH (feet)
0.4			0.4	Surface vegetation/weeds	357.6		
5				Sandy SILT; 2.5Y 5/2; dry; hard consistency; low plasticity; slow dilatancy; very fine to fine sand (~3%); organics (roots); garbage present 0 to 7 ft bgs		Concrete/Grout	5
10		ML		very moist, increase in clay and oxidation visible from 7 to 15 ft bgs		2" Dia. Sch 40 PVC Casing	10
15				decrease in clay content, increase in sand content		Hydrated Bentonite Chips	15
16.0			16.0		342.0		
16.5	SW		16.5	Gravelly SAND; 10YR 3/2; very moist; loose consistency; medium to coarse sand, poorly sorted; fine to coarse gravel (~30%)	341.5		
17.5	ML		17.5	Sandy SILT; 10YR 4/2; very moist; hard consistency; low plasticity; slow dila.; very fine to fine sand (10%) color change to 5Y 4/1	340.5		
20	GM			Sandy GRAVEL; 10YR 4/1; wet; loose consistency; fine to coarse gravel, moderate to poorly sorted; fine to coarse sand (~30%)			20

COMMENTS

(Continued Next Page)

BORING+WELL 2006 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

APPROVED BY:

Meghan Lunney

DATE:

9/10/08



PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER **MW11-I**

PAGE 2 OF 2

DEPTH (feet)	SAMPLE TYPE NUMBER	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	WELL DIAGRAM	DEPTH (feet)	
25					Sandy GRAVEL; 10YR 4/1; wet; loose consistency; fine to coarse gravel, moderate to poorly sorted; fine to coarse sand (~30%) <i>(continued)</i>			25	
30									30
35									
				37.0		321.0			

COMMENTS

APPROVED BY:

Meghan Long DATE: 9/10/08



BORING-WELL 2005 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW11-S

PAGE 1 OF 1

PROJECT LOCATION Adjacent Properties

DRILLING CONTRACTOR Environmental West Exploration Inc.

PROJECT NUMBER 027-30139-00

DRILLING METHOD Sonic

LOCATION West of NCC Bldg & stormwater swale

STAMP (IF APPLICABLE) AND/OR NOTES

OVA EQUIPMENT PID: MiniRae 2000

GROUND ELEVATION 358.0 ft HOLE DIAMETER 6-5/8" 0-15.2' bgs

TOP OF CASING ELEVATION 357.56 ft HOLE DEPTH 15.2 ft

▽ FIRST ENCOUNTERED WATER 11.0 ft / Elev 347.0 ft

▽ STABILIZED WATER 11.6 ft / Elev 346.4 ft

LOGGED BY Meghan Lunny DATE 4/8/08

DEPTH (feet)	SAMPLE TYPE NUMBER	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	WELL DIAGRAM	DEPTH (feet)
0.4				0.4	Surface vegetation/weeds	357.6		
5					Sandy SILT; 2.5Y 5/2; dry; hard consistency; low plasticity; slow dilatancy; very fine to fine sand (~10%); organics (roots)		Concrete/Grout 2" Dia. Sch 40 PVC Casing Hydrated Bentonite Chips	5
10		ML						10
15				15.2	increase in clay and oxidation visible from 11 to 15 ft bgs	342.8	10/20 Colorado Silica Sand 2" Dia. Sch 40 PVC, 20 Slot Screen End Cap	15

COMMENTS

APPROVED BY: Meghan Lunny DATE: 9/10/08



BORING+WELL 2006 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 9/10/08

PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW12-D

PAGE 1 OF 2

PROJECT LOCATION Adjacent Properties

DRILLING CONTRACTOR Environmental West Exploration Inc.

PROJECT NUMBER 027-30139-00

DRILLING METHOD Sonic

LOCATION Richland School District, western parking lot

STAMP (IF APPLICABLE) AND/OR NOTES

OVA EQUIPMENT PID: MiniRae 2000

GROUND ELEVATION 359.0 ft HOLE DIAMETER 8-5/8" 0-20' bgs, 6-5/8" 20-46' bgs

TOP OF CASING ELEVATION 358.60 ft HOLE DEPTH 46.0 ft

▽ FIRST ENCOUNTERED WATER 20.0 ft / Elev 339.0 ft

▽ STABILIZED WATER 12.6 ft / Elev 346.4 ft

LOGGED BY Meghan Lunney DATE 4/9/08

DEPTH (feet)	SAMPLE TYPE NUMBER	SAMPLE RECOVERY	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	PID (ppm)	WELL DIAGRAM	DEPTH (feet)	
					0.3	Asphalt	358.7		<p>Concrete/Grout</p> <p>2" Dia. Sch 40 PVC Casing</p> <p>Hydrated Bentonite Chips</p>		
5			SM			Gravelly SAND; 10YR 5/3; dry to slightly moist; loose consistency; fine to medium sand, well sorted; fine to coarse gravel to cobbles (~10%)				5	
					6.0		353.0	0.2			
						SILT; 10YR 5/2; dry to slightly moist; hard consistency; moderate plasticity; slow dilatancy; clay (~10%)		0.3			
10								0.3			
	MW12D-12	✗	ML			▽ very moist, increase in very fine to fine sand (~5%), decrease in clay content		0.3			
15								0.1			
								0.6			
20					20.07		339.0				20

COMMENTS

(Continued Next Page)

APPROVED BY:

Meghan Lunney

DATE:

9/10/08



BORING+WELL 2005 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

DEPTH (feet)	SAMPLE TYPE NUMBER	SAMPLE RECOVERY	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	PID (ppm)	WELL DIAGRAM	DEPTH (feet)
			SM		21.0	Silty SAND; 10YR 4/3; very moist to wet; loose consistency; fine to medium sand, well sorted	338.0		<p>2" Dia. Sch 40 PVC Casing</p> <p>Hydrated Bentonite Chips</p> <p>10/20 Colorado Silica Sand</p> <p>2" Dia. Sch 40 PVC, 20 Slot Screen</p> <p>End Cap</p> <p>Hydrated Bentonite Chips</p>	
			SP		21.5	SAND; 10YR 3/4; very moist to wet; loose consistency; medium sand, well sorted	337.5			
	MW12D-22.5	X	ML		23.0	Sandy SILT; 10YR 4/2; very moist; soft to medium consistency; moderate to low plasticity; very fine to fine sand (15%)	336.0	0.4		
25						Sandy GRAVEL; 10YR 4/1; wet; loose consistency; fine to coarse gravel to cobbles, poorly sorted; fine to medium sand (25%)		0.4		
30								0.1		
35			GM					0.6		
40								0.3		
45					42.5	Sandy SILT; 10YR 4/3; very moist; hard consistency; low plasticity; low dil.; fine sand (10%)	316.5	0.6		
			ML			color change to Gley 1 3/5G		0.4		
					46.0		313.0			

COMMENTS

APPROVED BY: *Meghan Loney* DATE: *9/10/08*



BORING-WELL 2005 027-31038-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW12-I

PAGE 1 OF 2

PROJECT LOCATION Adjacent Properties

DRILLING CONTRACTOR Environmental West Exploration Inc.

PROJECT NUMBER 027-30139-00

DRILLING METHOD Sonic

LOCATION Richland School District, western parking lot

STAMP (IF APPLICABLE) AND/OR NOTES

OVA EQUIPMENT PID: MiniRae 2000

GROUND ELEVATION 359.3 ft HOLE DIAMETER 8-5/8" 0-16' bgs, 6-5/8" 16-36' bgs

TOP OF CASING ELEVATION 358.83 ft HOLE DEPTH 36.0 ft

▽ FIRST ENCOUNTERED WATER 16.0 ft / Elev 343.3 ft

▽ STABILIZED WATER 12.8 ft / Elev 346.6 ft

LOGGED BY Meghan Lunney DATE 4/9/08

DEPTH (feet)	SAMPLE TYPE NUMBER	U.S.C.S. GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	WELL DIAGRAM	DEPTH (feet)
			0.3	Asphalt	359.0		
5		SM		Gravelly SAND; 10YR 5/3; dry; loose consistency; fine sand, well sorted; fine to coarse gravel to cobbles (~10%)		Concrete/Grout	5
10		ML	6.0	SILT; 10YR 5/2; moist; hard consistency; moderate plasticity; slow dilatancy; clay (~10%)	353.3	2" Dia. Sch 40 PVC Casing	10
15				▽		Hydrated Bentonite Chips	15
		SM	16.67	Silty SAND; 10YR 4/3; very moist to wet; loose consistency; fine to medium sand, well sorted	343.3		
20		SP	19.0	SAND; 10YR 3/4; very moist to wet; loose consistency; medium sand, well sorted	340.3		20

COMMENTS

(Continued Next Page)

BORING+WELL 2005 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2005.GDT 9/10/08

APPROVED BY:

Meghan Lunney

DATE:

9/10/08



PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW12-I

DEPTH (feet)	SAMPLE TYPE NUMBER	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	WELL DIAGRAM	DEPTH (feet)
		SP		20.5		338.8		
		ML		22.0	Sandy SILT; 10YR 4/2; very moist; soft to medium consistency; moderate to low plasticity; very fine to fine sand (15%)	337.3		
25							← 10/20 Colorado Silica Sand	25
30		GM			Sandy GRAVEL; 10YR; wet; loose consistency; fine to coarse gravel to cobbles, poorly sorted; fine to medium sand (25%)		← 2" Dia. Sch 40 PVC, 20 Slot Screen	30
35							← End Cap	35
				36.0		323.3	← Hydrated Bentonite Chips	35

COMMENTS

APPROVED BY:

Megan Loney

DATE:

9/10/06



BORING+WELL 2006 027-31039-00 ADJ.PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/06

PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW13-D

PAGE 1 OF 3

PROJECT LOCATION Adjacent Properties

DRILLING CONTRACTOR Environmental West Exploration Inc.

PROJECT NUMBER 027-30139-00

DRILLING METHOD Sonic

LOCATION Albertsons parking lot (west side of bldg)

STAMP (IF APPLICABLE) AND/OR NOTES

OVA EQUIPMENT PID: MiniRae 2000

GROUND ELEVATION 360.3 ft HOLE DIAMETER 8-5/8" 0-13.5' bgs, 6-5/8" 13.5-57.9' bgs

TOP OF CASING ELEVATION 359.97 ft HOLE DEPTH 57.9 ft

▽ FIRST ENCOUNTERED WATER 13.0 ft / Elev 347.3 ft

▽ STABILIZED WATER 14.4 ft / Elev 345.9 ft

LOGGED BY Meghan Lunney DATE 4/11/08

DEPTH (feet)	SAMPLE TYPE NUMBER	SAMPLE RECOVERY	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	PID (ppm)	WELL DIAGRAM	DEPTH (feet)
					0.3	Asphalt	360.0			
			SM			Silty Gravelly SAND; 10YR 5/2; dry; loose consistency; fine to medium sand, well sorted; fine to coarse gravel to cobbles (~20%), silt (10%)			Concrete/Grout	
5					4.0	SILT; 10YR 4/2; moist; medium consistency; low plasticity; slow dilatancy	356.3	0.0		5
			ML			clay content increases, very moist		0.1	2" Dia. Sch 40 PVC Casing	
10								0.0		10
	MW13D-13.3	☒			13.5		346.8	0.3		
15						Sandy GRAVEL; 2.5Y 5/1; moist; loose consistency; fine to coarse gravel to cobbles, poorly sorted; medium sand (25%)		0.3	Hydrated Bentonite Chips	15
			GM					0.3		
20								0.3		20

COMMENTS

(Continued Next Page)

APPROVED BY:

Meghan Lunney

DATE: 9/10/08



BORING+WELL 2006 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW13-D

DEPTH (feet)	SAMPLE TYPE NUMBER	SAMPLE RECOVERY	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	PID (ppm)	WELL DIAGRAM	DEPTH (feet)	
25						Sandy GRAVEL; 2.5Y 5/1; moist; loose consistency; fine to coarse gravel to cobbles, poorly sorted; medium sand (25%) (continued)			<p>2" Dia. Sch 40 PVC Casing</p> <p>Hydrated Bentonite Chips</p>	25	
30								0.7			
35			GM					0.1			
40								0.4			
45								0.4			
50								0.3			
							0.3		<p>10/20 Colorado Silica Sand</p>		
							0.2				
									<p>2" Dia. Sch 40</p>	50	

COMMENTS

(Continued Next Page)

APPROVED BY:

Megan Loney

DATE:

9/10/08



BORING+WELL 2006 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2005.GDT 9/10/08

DEPTH (feet)	SAMPLE TYPE NUMBER	SAMPLE RECOVERY	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	PID (ppm)	WELL DIAGRAM	DEPTH (feet)
			GM			Sandy GRAVEL; 2.5Y 5/1; moist; loose consistency; fine to coarse gravel to cobbles, poorly sorted; medium sand (25%) (continued)		0.5	<p>PVC, 20 Slot Screen</p> <p>End Cap</p> <p>Bentonite Pellets</p>	
	MW13D-53.6	✗	ML		53.6		306.7			
			ML		54.0	Sandy SILT; 2.5Y 5/3; moist; medium consistency; low plasticity; very fine to fine sand (10%)	306.3	0.4		
55			ML		55.5	Sandy SILT; Gley 1 3/10Y; moist, medium consistency; low plasticity; very fine to fine sand (15%)	304.8	0.5		
			ML		57.9	Sandy SILT; 2.5Y 5/3; moist; medium consistency; low plasticity; very fine to fine sand (10%); Bands of color change between Gley 1 3/10Y and 2.5Y 5/3	302.4	0.6		

COMMENTS

APPROVED BY: *Myra Lee* DATE: 9/16/08



BORING+WELL 2006 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW13-1
 PAGE 1 OF 2

PROJECT LOCATION Adjacent Properties

DRILLING CONTRACTOR Environmental West Exploration Inc.

PROJECT NUMBER 027-30139-00

DRILLING METHOD Sonic

LOCATION Albertsons parking lot (west side of bldg)

STAMP (IF APPLICABLE) AND/OR NOTES

OVA EQUIPMENT PID: MiniRae 2000

GROUND ELEVATION 360.2 ft HOLE DIAMETER 8-5/8" 0-12.5' bgs, 6-5/8" 12.5-27.9' bgs

TOP OF CASING ELEVATION 359.78 ft HOLE DEPTH 27.9 ft

▽ FIRST ENCOUNTERED WATER 12.5 ft / Elev 347.7 ft

▽ STABILIZED WATER 14.2 ft / Elev 346.0 ft

LOGGED BY Meghan Lunny DATE 4/14/08

DEPTH (feet)	SAMPLE TYPE NUMBER	U.S.C.S. GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	WELL DIAGRAM	DEPTH (feet)
			0.3	Asphalt	359.9		
5		SM	4.0	Silty Gravelly SAND; 10YR 5/1; dry to moist; loose consistency; fine to medium sand, well sorted; fine to coarse gravel to cobbles (~25%), silt (20%)	356.2	Concrete/Grout	5
10		ML		Sandy SILT; 10YR 4/2; moist to very moist; medium consistency; low plasticity; slow dilatancy; very fine sand (3%) clay content increases (~15%)		2" Dia. Sch 40 PVC Casing	10
15		GM	12.57	Sandy GRAVEL; 10YR 4/1; wet; loose consistency; fine to coarse gravel to cobbles, poorly sorted; medium sand (30%)	347.7	Hydrated Bentonite Chips	15
20						10/20 Colorado Silica Sand	20
						2" Dia. Sch 40 PVC, 20 Slot Screen	

COMMENTS

(Continued Next Page)

APPROVED BY:

Meghan Lunny

DATE:

9/10/08



BORING+WELL 2005 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW13-I

PAGE 2 OF 2

DEPTH (feet)	SAMPLE TYPE NUMBER	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	WELL DIAGRAM	DEPTH (feet)
25		GM		27.9	Sandy GRAVEL; 10YR 4/1; wet; loose consistency; fine to coarse gravel to cobbles, poorly sorted; medium sand (30%) <i>(continued)</i>	332.3		25

COMMENTS

APPROVED BY: Meghan Leary DATE: 9/10/05



BORING-WELL 2006 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW14-D

PAGE 1 OF 3

PROJECT LOCATION Adjacent Properties

DRILLING CONTRACTOR Environmental West Exploration Inc.

PROJECT NUMBER 027-30139-00

DRILLING METHOD Sonic

LOCATION Albertsons parking lot (west side of bldg)

STAMP (IF APPLICABLE) AND/OR NOTES

OVA EQUIPMENT PID: MiniRae 2000

GROUND ELEVATION 360.2 ft HOLE DIAMETER 8-5/8" 0-12' bgs, 6-5/8" 12-57' bgs

TOP OF CASING ELEVATION 359.72 ft HOLE DEPTH 57.0 ft

▽ FIRST ENCOUNTERED WATER 12.0 ft / Elev 348.2 ft

▽ STABILIZED WATER 14.2 ft / Elev 346.0 ft

LOGGED BY Meghan Lunney DATE 4/15/08

DEPTH (feet)	SAMPLE TYPE NUMBER	SAMPLE RECOVERY	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	PID (ppm)	WELL DIAGRAM	DEPTH (feet)
					0.3	Asphalt	359.9		Concrete/Grout	
5			ML			SILT; 10YR 4/2; moist; medium consistency; low plasticity; slow dilatancy; clay nodules present		0.2		
						clay content increases, oxidation visible, very moist		0.1	2" Dia. Sch 40 PVC Casing	
10								0.1		
	MW14D-11.8	✗			12.07	Sandy GRAVEL; 10YR 4/1; moist; loose consistency; fine to coarse gravel to cobbles, poorly sorted; medium sand (25%)	348.2	0.2		
15			GM					0.3	Hydrated Bentonite Chips	
								0.1		
20										

COMMENTS

(Continued Next Page)

BORING-WELL 2008 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

APPROVED BY:

Meghan Lunney

DATE: 9/10/08



DEPTH (feet)	SAMPLE TYPE NUMBER	SAMPLE RECOVERY	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	PID (ppm)	WELL DIAGRAM	DEPTH (feet)	
25						Sandy GRAVEL; 10YR 4/1; moist; loose consistency; fine to coarse gravel to cobbles, poorly sorted; medium sand (25%) (continued)	0.1	<p>2" Dia. Sch 40 PVC Casing</p> <p>Hydrated Bentonite Chips</p> <p>10/20 Colorado Silica Sand</p> <p>2" Dia. Sch 40 PVC, 20 Slot Screen</p>	25		
									0.3		
									0.2		
30									0.5		30
									0.4		
35			GM						0.5		35
									0.3		
40									0.3		40
									0.3		
45									0.5		45
						0.5					
50								50			

COMMENTS

(Continued Next Page)

APPROVED BY:

Michael Loney

DATE: 9/10/00



BORING-WELL 2005 027-31035-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/00

PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW14-D

DEPTH (feet)	SAMPLE TYPE NUMBER	SAMPLE RECOVERY	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	PID (ppm)	WELL DIAGRAM	DEPTH (feet)
			GM			Sandy GRAVEL; 10YR 4/1; moist; loose consistency; fine to coarse gravel to cobbles, poorly sorted; medium sand (25%) (continued)		0.7	<p>End Cap</p> <p>Hydrated Bentonite Chips</p>	
	MW14D-53.4	<input checked="" type="checkbox"/>	ML		53.4		306.8	0.6		
			ML		54.1	Sandy SILT; 2.5Y 5/3; moist; medium consistency; low plasticity; very fine sand (10%)	306.1	0.8		
55			ML			Sandy SILT; Gley 1 3/10Y; medium consistency; low plasticity; very fine to fine sand (20%)		0.6		
					57.0		303.2			55

COMMENTS

APPROVED BY: *Meghan [Signature]* DATE: *9/10/08*



BORING-WELL 2008 027-31035-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER MW14-I

PAGE 1 OF 2

PROJECT LOCATION Adjacent Properties

DRILLING CONTRACTOR Environmental West Exploration Inc.

PROJECT NUMBER 027-30139-00

DRILLING METHOD Sonic

LOCATION Albertsons parking lot (west side of bldg)

STAMP (IF APPLICABLE) AND/OR NOTES

OVA EQUIPMENT PID: MiniRae 2000

GROUND ELEVATION 360.0 ft HOLE DIAMETER 8-5/8" 0-12' bgs, 6-5/8" 12-27.3' bgs

TOP OF CASING ELEVATION 359.66 ft HOLE DEPTH 27.3 ft

▽ FIRST ENCOUNTERED WATER 12.0 ft / Elev 348.0 ft

▽ STABILIZED WATER 14.2 ft / Elev 345.9 ft

LOGGED BY Meghan Lunney DATE 4/15/08

DEPTH (feet)	SAMPLE TYPE NUMBER	U.S.C.S. GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	WELL DIAGRAM	DEPTH (feet)
			0.3	Asphalt	359.7		
5		ML		SILT; 10YR 4/2; moist; medium consistency; low plasticity; slow dilatancy; clay nodules present clay content increases, very moist		Concrete/Grout 2" Dia. Sch 40 PVC Casing Hydrated Bentonite Chips	5
10							10
15		GM	12.87	Sandy GRAVEL; 10YR 4/1; moist; loose consistency; fine to coarse gravel to cobbles, poorly sorted; medium sand (25%)	348.0	10/20 Colorado Silica Sand 2" Dia. Sch 40 PVC, 20 Slot Screen	15
20						End Cap	20

COMMENTS

(Continued Next Page)

BORING+WELL 2006 027-31039-00 ADJ PROP. NCC.GPJ_LFR SEPT 2005.GDT 9/10/08

APPROVED BY:

Meghan Lunney

DATE:



9/10/08



PROJECT NAME Adj. Prop. NCC
 CLIENT Landye Bennett Blumstein LLP

WELL NUMBER **MW14-I**

PAGE 2 OF 2

DEPTH (feet)	SAMPLE TYPE NUMBER	U.S.C.S.	GRAPHIC LOG	DEPTHS (feet)	LITHOLOGIC DESCRIPTION	ELEVATIONS (feet)	WELL DIAGRAM	DEPTH (feet)
25		GM		27.3	Sandy GRAVEL; 10YR 4/1; moist; loose consistency; fine to coarse gravel to cobbles, poorly sorted; medium sand (25%) <i>(continued)</i>	332.7		25

COMMENTS

APPROVED BY:

Meghan Loney

DATE:

9/10/08




BORING+WELL 2006 027-31039-00 ADJ PROP. NCC.GPJ LFR SEPT 2006.GDT 9/10/08

APPENDIX C


Boundary and Monitoring Well Survey

WELL SURVEY

NEW CITY CLEANERS SITE-RICHLAND, WA.
LOT 18, BLOCK 630, PLAT OF RICHLAND



- NOTES:**
1. COORDINATES SHOWN HEREON ARE 'GRID VALUES' WASHINGTON STATE PLANE, (SOUTH ZONE) NAD83-91 DATUM.
 2. ELEVATIONS ARE SEA LEVEL, REFERENCED TO NAVD 1988 DATUM. ELEVATIONS WERE ESTABLISHED USING A LEICA 3003 ELECTRONIC LEVEL AND BARCODE READING ROD.
 3. HORIZONTAL COORDINATES ARE BASED ON A GPS SURVEY BY THIS FIRM USING A TRIMBLE 5800 CONFIGURED FOR REAL TIME KINEMATIC SURVEYING. THIS SURVEY WAS PERFORMED 05-07-08.
 4. OTHER WELLS SHOWN HEREON BUT NOT LISTED IN THE ELEVATION TABLE WERE PREVIOUSLY SURVEYED BY ROGERS SURVEYING IN JUNE, 2007 AND ARE SHOWN FOR REFERENCE ONLY.



NEW WELL DATA TABLE

WELL NO.	Y	X	TOP OF CASING ELEV.	GROUND ELEV.	COMMENTS
MW14	345961.3	1948467.4	359.66	360.0	MARK LN N. RIM PVL
MW14D	345957.8	1948473.6	359.72	360.2	MARK LN N. RIM PVL
MW13D	346019.9	1948472.6	359.97	360.3	MARK LN N. RIM PVL
MW13I	346024.3	1948468.4	359.78	360.2	MARK LN N. RIM PVL
MW10D	345962.2	1948279.5	359.51	359.7	MARK LN N. RIM PVL
MW10I	345955.8	1948279.2	359.24	359.7	MARK LN N. RIM PVL
MW11I	346039.0	1948014.7	357.65	358.0	MARK LN N. RIM PVL
MW11U	346047.9	1948022.2	357.61	357.9	MARK LN N. RIM PVL
MW11S	346047.8	1948012.6	357.56	358.0	MARK LN N. RIM PVL
MW12D	345785.9	1947943.9	358.50	359.0	MARK LN N. RIM PVL
MW12I	345778.6	1947942.3	358.83	359.3	MARK LN N. RIM PVL

RSA ROGERS SURVEYING INC., P.S.
 1455 COLUMBIA PARK TRAIL
 RICHLAND, WA. 99362
 PHONE (509) 783-4141
 FAX: (509) 783-8994
 www.rogerssurveying.com

CLIENT		LFR, INC.		JOB 09808	
PROJECT		2008 WELL SURVEY NEW CITY CLEANERS			
DRN. BY GBW	SCALE 1" = 50'	F. B. NO. 806	SHEET 1		
APPROVED GBW	DATE 05/15/08	SDPROJ- 17207	FILE: 09808.DWG OF 1		

APPENDIX D

Slug/Bail Aquifer Tests



LFR, Inc.
2310 N. Molter Road, #101
Liberty Lake, WA 99019
(509) 535-7225

slug/bail test analysis
BOUWER-RICE's method

Date: 10.09.2008 Page 1


Project: 027-30021-00

Evaluated by: KMF

Slug Test No. 1 - Slug IN

Test conducted on: 5/12/08

Well MW-9S



o MW-9S IN

Hydraulic conductivity [ft/s]: 3.10×10^{-5}



LFR, Inc.
2310 N. Molter Road, #101
Liberty Lake, WA 99019
(509) 535-7225

slug/bail test analysis
BOUWER-RICE's method

Date: 10.09.2008 Page 2

Project: 027-30021-00

Evaluated by: KMF

Slug Test No. 1 - Slug IN

Test conducted on: 5/12/08

Well MW-9S

MW-9S IN

Static water level: 13.61 ft below datum

	Pumping test duration		Water level		Drawdown	
	[s]		[ft]		[ft]	
1	0		17.99		4.38	
2	2		16.50		2.89	
3	4		16.19		2.58	
4	5		15.51		1.90	
5	6		15.47		1.86	
6	7		15.43		1.82	
7	8		15.40		1.79	
8	9		15.34		1.73	
9	10		15.30		1.69	
10	11		15.28		1.67	
11	12		15.23		1.62	
12	13		15.21		1.60	
13	14		15.15		1.54	
14	15		15.13		1.52	
15	16		15.10		1.49	
16	17		15.07		1.46	
17	18		15.04		1.43	
18	19		15.00		1.39	
19	20		14.97		1.36	
20	21		14.94		1.33	
21	23		14.92		1.31	
22	24		14.91		1.30	
23	25		14.90		1.29	
24	27		14.88		1.27	
25	28		14.88		1.27	
26	30		14.87		1.26	
27	32		14.86		1.25	
28	34		14.85		1.24	
29	36		14.84		1.23	
30	38		14.84		1.23	
31	40		14.83		1.22	
32	42		14.82		1.21	
33	45		14.81		1.20	
34	48		14.80		1.19	
35	50		14.79		1.18	
36	53		14.78		1.17	
37	57		14.77		1.16	
38	60		14.76		1.15	
39	64		14.75		1.14	
40	67		14.74		1.13	
41	71		14.73		1.12	
42	76		14.72		1.11	
43	80		14.71		1.10	
44	85		14.69		1.08	
45	90		14.68		1.07	
46	95		14.67		1.06	
47	101		14.65		1.04	
48	107		14.64		1.03	
49	113		14.62		1.01	
50	119		14.60		0.99	



LFR, Inc.
2310 N. Molter Road, #101
Liberty Lake, WA 99019
(509) 535-7225

slug/bail test analysis
BOUWER-RICE's method

Date: 10.09.2008 Page 3

Project: 027-30021-00

Evaluated by: KMF

Slug Test No. 1 - Slug IN

Test conducted on: 5/12/08

Well MW-9S

MW-9S IN

Static water level: 13.61 ft below datum

	Pumping test duration		Water level		Drawdown	
	[s]		[ft]		[ft]	
51	127		14.59		0.98	
52	134		14.57		0.96	
53	142		14.55		0.94	
54	151		14.53		0.92	
55	160		14.52		0.91	
56	169		14.51		0.90	
57	179		14.49		0.88	
58	190		14.48		0.87	
59	201		14.47		0.86	
60	213		14.45		0.84	
61	226		14.44		0.83	
62	239		14.43		0.82	
63	253		14.41		0.80	
64	268		14.40		0.79	
65	284		14.39		0.78	
66	301		14.37		0.76	
67	319		14.36		0.75	
68	337		14.34		0.73	
69	358		14.32		0.71	
70	379		14.31		0.70	
71	401		14.29		0.68	
72	425		14.27		0.66	
73	450		14.25		0.64	
74	476		14.23		0.62	
75	505		14.21		0.60	
76	535		14.19		0.58	
77	566		14.17		0.56	
78	600		14.15		0.54	
79	636		14.13		0.52	
80	672		14.11		0.50	
81	714		14.09		0.48	
82	756		14.07		0.46	
83	798		14.05		0.44	
84	846		14.02		0.41	
85	900		14.00		0.39	
86	948		13.98		0.37	
87	1008		13.96		0.35	
88	1068		13.94		0.33	
89	1128		13.91		0.30	
90	1194		13.90		0.29	
91	1266		13.88		0.27	
92	1344		13.86		0.25	
93	1422		13.85		0.24	
94	1506		13.83		0.22	
95	1596		13.81		0.20	
96	1692		13.80		0.19	
97	1788		13.78		0.17	
98	1896		13.76		0.15	
99	2010		13.75		0.14	
100	2130		13.74		0.13	



LFR, Inc.
2310 N. Molter Road, #101
Liberty Lake, WA 99019
(509) 535-7225

slug/bail test analysis
BOUWER-RICE's method

Date: 10.09.2008 Page 1


Project: 027-30021-00

Evaluated by: KMF

Slug Test No. 2 - Slug OUT

Test conducted on: 5/12/08

Well MW-9S



Hydraulic conductivity [ft/s]: 2.04×10^5



LFR, Inc.
2310 N. Molter Road, #101
Liberty Lake, WA 99019
(509) 535-7225

slug/bail test analysis
BOUWER-RICE's method

Date: 10.09.2008 Page 2

Project: 027-30021-00

Evaluated by: KMF

Slug Test No. 2 - Slug OUT

Test conducted on: 5/12/08

Well MW-9S

MW-9S-OUT

Static water level: 13.61 ft below datum

	Pumping test duration		Water level	Drawdown
	[s]	[ft]	[ft]	[ft]
1	0	10.90	-2.71	
2	3	10.90	-2.71	
3	4	10.96	-2.65	
4	5	11.03	-2.58	
5	6	11.09	-2.52	
6	7	11.17	-2.44	
7	8	11.21	-2.40	
8	9	11.30	-2.31	
9	10	11.36	-2.25	
10	11	11.40	-2.21	
11	12	11.46	-2.15	
12	13	11.49	-2.12	
13	14	11.57	-2.04	
14	15	11.61	-2.00	
15	16	11.64	-1.97	
16	17	11.68	-1.93	
17	18	11.72	-1.89	
18	19	11.76	-1.85	
19	20	11.80	-1.81	
20	21	11.84	-1.77	
21	23	11.88	-1.73	
22	24	11.92	-1.69	
23	25	11.96	-1.65	
24	27	12.00	-1.61	
25	28	12.04	-1.57	
26	30	12.08	-1.53	
27	32	12.11	-1.50	
28	34	12.14	-1.47	
29	36	12.18	-1.43	
30	38	12.21	-1.40	
31	40	12.24	-1.37	
32	42	12.26	-1.35	
33	45	12.28	-1.33	
34	48	12.30	-1.31	
35	50	12.32	-1.29	
36	53	12.34	-1.27	
37	57	12.36	-1.25	
38	60	12.37	-1.24	
39	64	12.38	-1.23	
40	67	12.39	-1.22	
41	71	12.40	-1.21	
42	76	12.41	-1.20	
43	80	12.42	-1.19	
44	85	12.42	-1.19	
45	90	12.43	-1.18	
46	95	12.44	-1.17	
47	101	12.45	-1.16	
48	107	12.45	-1.16	
49	113	12.46	-1.15	
50	119	12.46	-1.15	



LFR, Inc.
2310 N. Molter Road, #101
Liberty Lake, WA 99019
(509) 535-7225

slug/bail test analysis
BOUWER-RICE's method

Date: 9/10/2008 Page 1


Project: 027-30021-00

Evaluated by: KMF

Slug Test No. 1 - Slug IN

Test conducted on: 5/13/08

Well MW-7S



Hydraulic conductivity [ft/min]: 1.38×10^{-5}



LFR, Inc.
2310 N. Molter Road, #101
Liberty Lake, WA 99019
(509) 535-7225

slug/bail test analysis
BOUWER-RICE's method

Date: 9/10/2008 Page 2

Project: 027-30021-00

Evaluated by: KMF

Slug Test No. 1 - Slug IN

Test conducted on: 5/13/08

Well MW-7S

MW-7S-IN

Static water level: 14.00 ft below datum

	Pumping test duration	Water level	Drawdown
	[min]	[ft]	[ft]
1	0.00	11.87	-2.13
2	3.27	12.63	-1.37
3	3.64	12.91	-1.09
4	3.86	11.95	-2.05
5	4.09	12.17	-1.83
6	4.31	12.59	-1.41
7	4.53	11.62	-2.38
8	4.75	12.18	-1.82
9	4.97	12.47	-1.53
10	5.19	12.37	-1.63
11	5.41	12.45	-1.55
12	5.63	12.40	-1.60
13	5.85	12.45	-1.55
14	6.07	12.45	-1.55
15	6.36	12.47	-1.53
16	6.72	12.59	-1.41
17	7.14	12.55	-1.45
18	7.56	12.55	-1.45
19	7.98	12.54	-1.46
20	8.46	12.53	-1.47
21	9.00	12.54	-1.46
22	9.48	12.56	-1.44
23	10.08	12.51	-1.49
24	10.68	13.03	-0.97
25	11.28	12.74	-1.26
26	11.94	12.68	-1.32
27	12.66	12.70	-1.30
28	13.44	12.71	-1.29
29	14.22	12.72	-1.28
30	15.06	12.66	-1.34
31	15.96	12.70	-1.30
32	16.92	12.71	-1.29
33	17.88	12.73	-1.27
34	18.96	12.75	-1.25
35	20.10	12.76	-1.24
36	21.30	12.78	-1.22
37	22.56	12.80	-1.20
38	23.88	12.82	-1.18
39	25.32	12.85	-1.15
40	26.82	12.87	-1.13
41	28.38	12.89	-1.11
42	30.06	12.91	-1.09
43	31.86	12.94	-1.06
44	33.72	12.96	-1.04
45	35.76	12.99	-1.01
46	37.86	13.01	-0.99
47	40.08	13.04	-0.96
48	42.48	13.07	-0.93
49	45.00	13.10	-0.90
50	47.64	13.13	-0.87



LFR, Inc.
2310 N. Molter Road, #101
Liberty Lake, WA 99019
(509) 535-7225

slug/bail test analysis
BOUWER-RICE's method

Date: 9/10/2008 Page 3

Project: 027-30021-00

Evaluated by: KMF

Slug Test No. 1 - Slug IN

Test conducted on: 5/13/08

Well MW-7S

MW-7S-IN

Static water level: 14.00 ft below datum

	Pumping test duration	Water level	Drawdown
	[min]	[ft]	[ft]
51	50.46	13.16	-0.84
52	53.46	13.19	-0.81
53	56.64	13.22	-0.78
54	60.00	13.25	-0.75
55	63.60	13.28	-0.72
56	67.20	13.31	-0.69
57	71.40	13.34	-0.66
58	75.60	13.36	-0.64
59	79.80	13.39	-0.61
60	84.60	13.42	-0.58
61	90.00	13.45	-0.55
62	94.80	13.46	-0.54
63	100.80	13.49	-0.51
64	106.80	13.51	-0.49
65	112.80	13.52	-0.48
66	119.40	13.54	-0.46
67	126.60	13.55	-0.45
68	134.40	13.56	-0.44
69	142.20	13.57	-0.43
70	150.60	13.58	-0.42
71	159.60	13.59	-0.41
72	169.20	13.59	-0.41
73	178.80	13.59	-0.41
74	189.60	13.60	-0.40
75	201.00	13.60	-0.40
76	213.00	13.61	-0.39
77	225.60	13.61	-0.39
78	238.80	13.61	-0.39
79	253.20	13.61	-0.39
80	268.20	13.62	-0.38
81	283.80	13.62	-0.38
82	300.60	13.62	-0.38
83	318.60	13.62	-0.38
84	337.20	13.62	-0.38
85	357.60	13.62	-0.38
86	378.60	13.63	-0.38
87	400.80	13.63	-0.37
88	424.80	13.63	-0.37
89	450.00	13.63	-0.37
90	476.40	13.63	-0.37
91	504.61	13.63	-0.37
92	534.60	13.63	-0.37
93	566.40	13.64	-0.36
94	600.00	13.64	-0.36
95	636.00	13.64	-0.36
96	672.00	13.64	-0.36
97	714.00	13.65	-0.35
98	756.00	13.65	-0.35



LFR, Inc.
2310 N. Molter Road, #101
Liberty Lake, WA 99019
(509) 535-7225

slug/bail test analysis
BOUWER-RICE's method

Date: 9/10/2008 Page 1


Project: 027-30021-00

Evaluated by: KMF

Slug Test No. 2 - Slug OUT

Test conducted on: 5/12/08

Well MW-5S



Hydraulic conductivity [ft/s]: 4.59×10^{-5}



LFR, Inc.
2310 N. Molter Road, #101
Liberty Lake, WA 99019
(509) 535-7225

slug/bail test analysis
BOUWER-RICE's method

Date: 9/10/2008

Page 2

Project: 027-30021-00

Evaluated by: KMF

Slug Test No. 2 - Slug OUT

Test conducted on: 5/12/08

Well MW-5S

MW-5S-OUT

Static water level: 13.43 ft below datum

	Pumping test duration		Water level	Drawdown
	[s]		[ft]	[ft]
1	0		17.58	4.15
2	1		15.32	1.89
3	2		15.27	1.85
4	2		15.24	1.81
5	2		15.17	1.74
6	2		15.13	1.70
7	3		15.06	1.63
8	3		15.00	1.57
9	3		14.91	1.48
10	3		14.87	1.44
11	4		14.85	1.42
12	4		14.80	1.37
13	4		14.73	1.30
14	4		14.70	1.27
15	5		14.68	1.25
16	5		14.65	1.22
17	5		14.61	1.18
18	5		14.59	1.16
19	6		14.57	1.14
20	6		14.55	1.12
21	6		14.54	1.11
22	6		14.51	1.08
23	7		14.51	1.08
24	7		14.47	1.04
25	8		14.46	1.03
26	8		14.42	0.99
27	8		14.38	0.95
28	9		14.37	0.94
29	9		14.36	0.93
30	10		14.34	0.91
31	11		14.32	0.89
32	11		14.30	0.87
33	12		14.28	0.85
34	13		14.26	0.83
35	13		14.23	0.80
36	14		14.19	0.76
37	15		14.14	0.71
38	16		14.10	0.67
39	17		14.05	0.62
40	18		14.01	0.58
41	19		13.97	0.54
42	20		13.93	0.50
43	21		13.89	0.46
44	23		13.85	0.42
45	24		13.81	0.38
46	25		13.78	0.35
47	27		13.74	0.31
48	28		13.71	0.28
49	30		13.68	0.25
50	32		13.65	0.22



LFR, Inc.
2310 N. Molter Road, #101
Liberty Lake, WA 99019
(509) 535-7225

slug/bail test analysis
BOUWER-RICE's method

Date: 9/10/2008

Page 3

Project: 027-30021-00

Evaluated by: KMF

Slug Test No. 2 - Slug OUT

Test conducted on: 5/12/08

Well MW-5S

MW-5S-OUT

Static water level: 13.43 ft below datum

	Pumping test duration		Water level		Drawdown	
	[s]		[ft]		[ft]	
51	34		13.63		0.20	
52	36		13.60		0.18	
53	38		13.58		0.15	
54	40		13.57		0.14	
55	42		13.55		0.12	
56	45		13.54		0.11	
57	48		13.53		0.10	
58	50		13.51		0.09	
59	53		13.51		0.08	
60	57		13.49		0.07	
61	60		13.48		0.05	
62	64		13.47		0.04	
63	67		13.49		0.06	
64	71		13.48		0.05	
65	76		13.48		0.05	
66	80		13.47		0.04	
67	85		13.47		0.04	
68	90		13.46		0.04	
69	95		13.47		0.04	
70	101		13.46		0.03	
71	107		13.48		0.05	
72	113		13.48		0.05	
73	119		13.48		0.05	
74	127		13.48		0.05	
75	134		13.47		0.04	
76	142		13.48		0.05	
77	151		13.48		0.05	
78	160		13.47		0.04	
79	169		13.47		0.04	
80	179		13.48		0.05	
81	190		13.47		0.04	
82	201		13.48		0.05	
83	213		13.47		0.04	
84	226		13.48		0.05	
85	239		13.48		0.05	
86	253		13.47		0.04	
87	268		13.47		0.04	
88	284		13.46		0.03	
89	301		13.47		0.04	
90	319		13.47		0.04	
91	337		13.47		0.04	
92	358		13.47		0.04	
93	379		13.47		0.04	
94	401		13.47		0.04	
95	425		13.47		0.04	
96	450		13.47		0.04	
97	476		13.47		0.04	
98	505		13.47		0.04	
99	535		13.47		0.04	
100	566		13.47		0.04	



LFR, Inc.
2310 N. Molter Road, #101
Liberty Lake, WA 99019
(509) 535-7225

slug/bail test analysis
BOUWER-RICE's method

Date: 10.09.2008 Page 1


Project: 027-30021-00

Evaluated by: KMF

Slug Test No. 1 - Slug IN

Test conducted on: 5/13/08

Well MW-7D



Hydraulic conductivity [ft/s]: 1.78×10^{-4}



LFR, Inc.
 2310 N. Molter Road, #101
 Liberty Lake, WA 99019
 (509) 535-7225

slug/bail test analysis
 BOUWER-RICE's method

Date: 10.09.2008 Page 2

Project: 027-30021-00

Evaluated by: KMF

Slug Test No. 1 - Slug IN

Test conducted on: 5/13/08

Well MW-7D

MW-7D IN

Static water level: 14.00 ft below datum

	Pumping test duration		Water level		Drawdown	
	[s]		[ft]		[ft]	
1	0		10.50		-3.50	
2	6		10.78		-3.22	
3	7		10.66		-3.34	
4	8		11.34		-2.66	
5	9		11.95		-2.05	
6	10		12.40		-1.60	
7	11		12.60		-1.40	
8	12		12.97		-1.03	
9	13		13.15		-0.85	
10	14		13.40		-0.60	
11	15		13.52		-0.48	
12	16		13.60		-0.40	
13	17		13.68		-0.32	
14	18		13.74		-0.26	
15	19		13.79		-0.21	
16	20		13.84		-0.16	
17	21		13.87		-0.13	
18	23		13.90		-0.10	
19	24		13.92		-0.08	
20	25		13.93		-0.07	
21	27		13.95		-0.05	
22	28		13.96		-0.04	
23	30		13.96		-0.04	
24	32		13.98		-0.02	
25	34		13.98		-0.02	
26	36		13.98		-0.02	
27	38		13.98		-0.02	
28	40		13.98		-0.02	
29	42		13.99		-0.01	
30	45		13.99		-0.01	
31	48		13.99		-0.01	
32	50		13.99		-0.01	
33	53		13.99		-0.01	
34	57		13.99		-0.01	
35	60		13.99		-0.01	
36	64		13.99		-0.01	
37	67		13.99		-0.01	
38	71		13.99		-0.01	
39	76		13.99		-0.01	
40	80		13.99		-0.01	
41	85		13.99		-0.01	
42	90		13.99		-0.01	
43	95		13.99		-0.01	
44	101		13.99		-0.01	
45	107		13.99		-0.01	
46	113		13.99		-0.01	
47	119		13.99		-0.01	
48	127		13.99		-0.01	
49	134		13.99		-0.01	
50	142		13.99		-0.01	

APPENDIX E

Adjacent Property Analytical Reports

May 22, 2008

Meghan Lunney
LFR, Inc.
2310 N. Molter Rd. Suite 101
Liberty Lake, WA 99019

RE: ADJ. Prop. NCC

Enclosed are the results of analyses for samples received by the laboratory on 04/14/08 08:12.
The following list is a summary of the Work Orders contained in this report, generated on 05/22/08
09:16.

If you have any questions concerning this report, please feel free to contact me.

<u>Work Order</u>	<u>Project</u>	<u>ProjectNumber</u>
SRD0072	ADJ. Prop. NCC	027-30139-00



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW11D-15.8	SRD0072-01	Soil	04/08/08 07:35	04/14/08 08:12
MW11D-17.3	SRD0072-02	Soil	04/08/08 08:25	04/14/08 08:12
MW11D-44.3	SRD0072-03	Soil	04/08/08 09:45	04/14/08 08:12
MW12D-12	SRD0072-04	Soil	04/09/08 08:15	04/14/08 08:12
MW12D-22.5	SRD0072-05	Soil	04/09/08 09:35	04/14/08 08:12
MW10D-13	SRD0072-06	Soil	04/10/08 09:00	04/14/08 08:12
MW10D-24.5	SRD0072-07	Soil	04/10/08 09:10	04/14/08 08:12
MW30-30	SRD0072-08	Soil	04/10/08 09:35	04/14/08 08:12
MW13D-13.3	SRD0072-09	Soil	04/11/08 08:35	04/14/08 08:12
Trip	SRD0072-10	Soil	04/11/08 00:00	04/14/08 08:12
MW13D-53.6	SRD0072-11	Soil	04/11/08 12:30	04/14/08 08:12



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

Analytical Case Narrative
TestAmerica - Spokane, WA

SRD0072

SAMPLE RECEIPT

The samples were received 04/14/08 by TestAmerica. The temperature of the samples at the time of receipt was 5.2 degrees Celsius.

PREPARATIONS AND ANALYSIS

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)

Samples SRD0072-09 and SRD0072-11 were analyzed by MTCA 5030 due to continuingly failing quality assurance parameters for MTCA 5035.

Sample BRD0198-08 was over the calibration range for Trichloroethene. The samples were analyzed twice by MTCA 5030 and both results were ND. The samples have been qualified with an N1.

No additional anomalies, discrepancies, or issues were associated with sample preparation, analysis and quality control other than those already qualified in the data and described in the Notes and Definitions page at the end of the report

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-01 (MW11D-15.8)		Soil			Sampled: 04/08/08 07:35					
Acetone	EPA 8260B	ND	----	27.7	ug/kg dry	1x	8D15062	04/15/08 19:24	04/16/08 01:12	I2
Benzene	"	ND	----	1.39	"	"	"	"	"	
Bromobenzene	"	ND	----	4.62	"	"	"	"	"	
Bromochloromethane	"	ND	----	4.62	"	"	"	"	"	I2
Bromodichloromethane	"	ND	----	4.62	"	"	"	"	"	
Bromoform	"	ND	----	4.62	"	"	"	"	"	
Bromomethane	"	ND	----	9.24	"	"	"	"	"	I2
2-Butanone	"	ND	----	13.9	"	"	"	"	"	I2
n-Butylbenzene	"	ND	----	4.62	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	4.62	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	4.62	"	"	"	"	"	
Carbon disulfide	"	ND	----	2.77	"	"	"	"	"	I2
Carbon tetrachloride	"	ND	----	4.62	"	"	"	"	"	
Chlorobenzene	"	ND	----	1.85	"	"	"	"	"	
Chloroethane	"	ND	----	4.62	"	"	"	"	"	I2
Chloroform	"	ND	----	2.31	"	"	"	"	"	I2
Chloromethane	"	ND	----	9.24	"	"	"	"	"	I2
2-Chlorotoluene	"	ND	----	4.62	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	4.62	"	"	"	"	"	
Dibromochloromethane	"	ND	----	4.62	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	9.24	"	"	"	"	"	
1,2-Dibromoethane (EDB)	"	ND	----	4.62	"	"	"	"	"	
Dibromomethane	"	ND	----	4.62	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	4.62	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	4.62	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	4.62	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	4.62	"	"	"	"	"	I2
1,1-Dichloroethane	"	ND	----	1.85	"	"	"	"	"	I2
1,2-Dichloroethane	"	ND	----	1.16	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	2.77	"	"	"	"	"	I2
cis-1,2-Dichloroethene	"	ND	----	2.77	"	"	"	"	"	I2
trans-1,2-Dichloroethene	"	ND	----	2.31	"	"	"	"	"	I2
1,2-Dichloropropane	"	ND	----	4.62	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	4.62	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	9.24	"	"	"	"	"	I2
1,1-Dichloropropene	"	ND	----	4.62	"	"	"	"	"	I2
cis-1,3-Dichloropropene	"	ND	----	4.62	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.16	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-01 (MW11D-15.8)		Soil			Sampled: 04/08/08 07:35					
Ethylbenzene	EPA 8260B	ND	----	3.70	ug/kg dry	1x	8D15062	04/15/08 19:24	04/16/08 01:12	
Hexachlorobutadiene	"	ND	----	9.24	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	0.924	"	"	"	"	"	I2
n-Hexane	"	ND	----	4.62	"	"	"	"	"	I2
2-Hexanone	"	ND	----	18.5	"	"	"	"	"	
Isopropylbenzene	"	ND	----	4.62	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	4.62	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	18.5	"	"	"	"	"	
Methylene chloride	"	ND	----	3.24	"	"	"	"	"	I2
Naphthalene	"	ND	----	9.24	"	"	"	"	"	
n-Propylbenzene	"	ND	----	4.62	"	"	"	"	"	
Styrene	"	ND	----	0.924	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	9.24	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	9.24	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	4.62	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	4.62	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.85	"	"	"	"	"	
Toluene	"	ND	----	1.39	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	2.31	"	"	"	"	"	I2
1,1,2-Trichloroethane	"	ND	----	1.16	"	"	"	"	"	
Trichloroethene	"	ND	----	2.31	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	4.62	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	4.62	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	4.62	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	4.62	"	"	"	"	"	
Vinyl chloride	"	ND	----	2.31	"	"	"	"	"	I2
o-Xylene	"	ND	----	4.62	"	"	"	"	"	
m,p-Xylene	"	ND	----	4.62	"	"	"	"	"	
Total Xylenes	"	ND	----	9.24	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>1,2-DCA-d4</i>			<i>121%</i>				<i>60 - 140 %</i>	<i>"</i>	<i>"</i>
	<i>Toluene-d8</i>			<i>95.9%</i>				<i>60 - 140 %</i>	<i>"</i>	<i>"</i>
	<i>4-BFB</i>			<i>98.0%</i>				<i>60 - 140 %</i>	<i>"</i>	<i>"</i>


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-02 (MW11D-17.3)		Soil			Sampled: 04/08/08 08:25					
Acetone	EPA 8260B	ND	---	28.7	ug/kg dry	1x	8D15062	04/15/08 19:24	04/16/08 01:37	
Benzene	"	ND	---	1.44	"	"	"	"	"	
Bromobenzene	"	ND	---	4.79	"	"	"	"	"	
Bromochloromethane	"	ND	---	4.79	"	"	"	"	"	
Bromodichloromethane	"	ND	---	4.79	"	"	"	"	"	
Bromoform	"	ND	---	4.79	"	"	"	"	"	
Bromomethane	"	ND	---	9.58	"	"	"	"	"	
2-Butanone	"	ND	---	14.4	"	"	"	"	"	
n-Butylbenzene	"	ND	---	4.79	"	"	"	"	"	
sec-Butylbenzene	"	ND	---	4.79	"	"	"	"	"	
tert-Butylbenzene	"	ND	---	4.79	"	"	"	"	"	
Carbon disulfide	"	ND	---	2.87	"	"	"	"	"	
Carbon tetrachloride	"	ND	---	4.79	"	"	"	"	"	
Chlorobenzene	"	ND	---	1.92	"	"	"	"	"	
Chloroethane	"	ND	---	4.79	"	"	"	"	"	
Chloroform	"	ND	---	2.39	"	"	"	"	"	
Chloromethane	"	ND	---	9.58	"	"	"	"	"	
2-Chlorotoluene	"	ND	---	4.79	"	"	"	"	"	
4-Chlorotoluene	"	ND	---	4.79	"	"	"	"	"	
Dibromochloromethane	"	ND	---	4.79	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	---	9.58	"	"	"	"	"	
1,2-Dibromoethane (EDB)	"	ND	---	4.79	"	"	"	"	"	
Dibromomethane	"	ND	---	4.79	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	---	4.79	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	---	4.79	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	---	4.79	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	---	4.79	"	"	"	"	"	
1,1-Dichloroethane	"	ND	---	1.92	"	"	"	"	"	
1,2-Dichloroethane	"	ND	---	1.20	"	"	"	"	"	
1,1-Dichloroethene	"	ND	---	2.87	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	---	2.87	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	---	2.39	"	"	"	"	"	
1,2-Dichloropropane	"	ND	---	4.79	"	"	"	"	"	
1,3-Dichloropropane	"	ND	---	4.79	"	"	"	"	"	
2,2-Dichloropropane	"	ND	---	9.58	"	"	"	"	"	
1,1-Dichloropropene	"	ND	---	4.79	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	---	4.79	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	---	1.20	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-02 (MW11D-17.3)		Soil			Sampled: 04/08/08 08:25					
Ethylbenzene	EPA 8260B	ND	----	3.83	ug/kg dry	1x	8D15062	04/15/08 19:24	04/16/08 01:37	
Hexachlorobutadiene	"	ND	----	9.58	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	0.958	"	"	"	"	"	
n-Hexane	"	ND	----	4.79	"	"	"	"	"	
2-Hexanone	"	ND	----	19.2	"	"	"	"	"	
Isopropylbenzene	"	ND	----	4.79	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	4.79	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	19.2	"	"	"	"	"	
Methylene chloride	"	ND	----	3.35	"	"	"	"	"	
Naphthalene	"	ND	----	9.58	"	"	"	"	"	
n-Propylbenzene	"	ND	----	4.79	"	"	"	"	"	
Styrene	"	ND	----	0.958	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	9.58	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	9.58	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	4.79	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	4.79	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.92	"	"	"	"	"	
Toluene	"	ND	----	1.44	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	2.39	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.20	"	"	"	"	"	
Trichloroethene	"	ND	----	2.39	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	4.79	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	4.79	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	4.79	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	4.79	"	"	"	"	"	
Vinyl chloride	"	ND	----	2.39	"	"	"	"	"	
o-Xylene	"	ND	----	4.79	"	"	"	"	"	
m,p-Xylene	"	ND	----	4.79	"	"	"	"	"	
Total Xylenes	"	ND	----	9.58	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>1,2-DCA-d4</i>		<i>126%</i>		<i>60 - 140 %</i>	<i>"</i>			<i>"</i>	
	<i>Toluene-d8</i>		<i>98.9%</i>		<i>60 - 140 %</i>	<i>"</i>			<i>"</i>	
	<i>4-BFB</i>		<i>99.0%</i>		<i>60 - 140 %</i>	<i>"</i>			<i>"</i>	




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-03 (MW11D-44.3)		Soil			Sampled: 04/08/08 09:45					
Acetone	EPA 8260B	ND	----	36.5	ug/kg dry	1x	8D15062	04/15/08 19:24	04/16/08 02:02	
Benzene	"	ND	----	1.82	"	"	"	"	"	
Bromobenzene	"	ND	----	6.08	"	"	"	"	"	
Bromochloromethane	"	ND	----	6.08	"	"	"	"	"	
Bromodichloromethane	"	ND	----	6.08	"	"	"	"	"	
Bromoform	"	ND	----	6.08	"	"	"	"	"	
Bromomethane	"	ND	----	12.2	"	"	"	"	"	
2-Butanone	"	ND	----	18.2	"	"	"	"	"	
n-Butylbenzene	"	ND	----	6.08	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	6.08	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	6.08	"	"	"	"	"	
Carbon disulfide	"	ND	----	3.65	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	6.08	"	"	"	"	"	
Chlorobenzene	"	ND	----	2.43	"	"	"	"	"	
Chloroethane	"	ND	----	6.08	"	"	"	"	"	
Chloroform	"	ND	----	3.04	"	"	"	"	"	
Chloromethane	"	ND	----	12.2	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	6.08	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	6.08	"	"	"	"	"	
Dibromochloromethane	"	ND	----	6.08	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	12.2	"	"	"	"	"	
1,2-Dibromoethane (EDB)	"	ND	----	6.08	"	"	"	"	"	
Dibromomethane	"	ND	----	6.08	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	6.08	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	6.08	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	6.08	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	6.08	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	2.43	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	1.52	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	3.65	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	3.65	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	3.04	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	6.08	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	6.08	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	12.2	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	6.08	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	6.08	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.52	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-03 (MW11D-44.3)		Soil			Sampled: 04/08/08 09:45					
Ethylbenzene	EPA 8260B	ND	----	4.86	ug/kg dry	1x	8D15062	04/15/08 19:24	04/16/08 02:02	
Hexachlorobutadiene	"	ND	----	12.2	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.22	"	"	"	"	"	
n-Hexane	"	ND	----	6.08	"	"	"	"	"	
2-Hexanone	"	ND	----	24.3	"	"	"	"	"	
Isopropylbenzene	"	ND	----	6.08	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	6.08	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	24.3	"	"	"	"	"	
Methylene chloride	"	ND	----	4.25	"	"	"	"	"	
Naphthalene	"	ND	----	12.2	"	"	"	"	"	
n-Propylbenzene	"	ND	----	6.08	"	"	"	"	"	
Styrene	"	ND	----	1.22	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	12.2	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	12.2	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	6.08	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	6.08	"	"	"	"	"	
Tetrachloroethene	"	ND	----	2.43	"	"	"	"	"	
Toluene	"	ND	----	1.82	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	3.04	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.52	"	"	"	"	"	
Trichloroethene	"	ND	----	3.04	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	6.08	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	6.08	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	6.08	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	6.08	"	"	"	"	"	
Vinyl chloride	"	ND	----	3.04	"	"	"	"	"	
o-Xylene	"	ND	----	6.08	"	"	"	"	"	
m,p-Xylene	"	ND	----	6.08	"	"	"	"	"	
Total Xylenes	"	ND	----	12.2	"	"	"	"	"	
<i>Surrogate(s): 1,2-DCA-d4</i>				<i>120%</i>		<i>60 - 140 %</i>	<i>"</i>		<i>"</i>	
<i>Toluene-d8</i>				<i>97.6%</i>		<i>60 - 140 %</i>	<i>"</i>		<i>"</i>	
<i>4-BFB</i>				<i>97.9%</i>		<i>60 - 140 %</i>	<i>"</i>		<i>"</i>	


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-04 (MW12D-12)		Soil		Sampled: 04/09/08 08:15						
Acetone	EPA 8260B	ND	----	24.7	ug/kg dry	1x	8D16025	04/15/08 14:07	04/16/08 19:52	
Benzene	"	ND	----	1.23	"	"	"	"	"	
Bromobenzene	"	ND	----	4.12	"	"	"	"	"	
Bromochloromethane	"	ND	----	4.12	"	"	"	"	"	
Bromodichloromethane	"	ND	----	4.12	"	"	"	"	"	
Bromoforn	"	ND	----	4.12	"	"	"	"	"	
Bromomethane	"	ND	----	8.23	"	"	"	"	"	
2-Butanone	"	ND	----	12.3	"	"	"	"	"	
n-Butylbenzene	"	ND	----	4.12	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	4.12	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	4.12	"	"	"	"	"	
Carbon disulfide	"	ND	----	2.47	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	4.12	"	"	"	"	"	
Chlorobenzene	"	ND	----	1.65	"	"	"	"	"	
Chloroethane	"	ND	----	4.12	"	"	"	"	"	
Chloroforn	"	ND	----	2.06	"	"	"	"	"	
Chloromethane	"	ND	----	8.23	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	4.12	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	4.12	"	"	"	"	"	
Dibromochloromethane	"	ND	----	4.12	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	8.23	"	"	"	"	"	
1,2-Dibromoethane (EDB)	"	ND	----	4.12	"	"	"	"	"	
Dibromomethane	"	ND	----	4.12	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	4.12	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	4.12	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	4.12	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	4.12	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.65	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	1.03	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	2.47	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	2.47	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	2.06	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	4.12	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	4.12	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	8.23	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	4.12	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	4.12	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.03	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-04 (MW12D-12)		Soil			Sampled: 04/09/08 08:15					
Ethylbenzene	EPA 8260B	ND	----	3.29	ug/kg dry	1x	8D16025	04/15/08 14:07	04/16/08 19:52	
Hexachlorobutadiene	"	ND	----	8.23	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	0.823	"	"	"	"	"	
n-Hexane	"	ND	----	4.12	"	"	"	"	"	
2-Hexanone	"	ND	----	16.5	"	"	"	"	"	
Isopropylbenzene	"	ND	----	4.12	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	4.12	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	16.5	"	"	"	"	"	
Methylene chloride	"	ND	----	2.88	"	"	"	"	"	
Naphthalene	"	ND	----	8.23	"	"	"	"	"	
n-Propylbenzene	"	ND	----	4.12	"	"	"	"	"	
Styrene	"	ND	----	0.823	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	8.23	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	8.23	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	4.12	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	4.12	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.65	"	"	"	"	"	
Toluene	"	ND	----	1.23	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	2.06	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.03	"	"	"	"	"	
Trichloroethene	"	ND	----	2.06	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	4.12	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	4.12	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	4.12	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	4.12	"	"	"	"	"	
Vinyl chloride	"	ND	----	2.06	"	"	"	"	"	
o-Xylene	"	ND	----	4.12	"	"	"	"	"	
m,p-Xylene	"	ND	----	4.12	"	"	"	"	"	
Total Xylenes	"	ND	----	8.23	"	"	"	"	"	
<i>Surrogate(s): 1,2-DCA-d4</i>			<i>136%</i>			<i>60 - 140 %</i>	<i>"</i>			<i>"</i>
<i>Toluene-d8</i>			<i>96.0%</i>			<i>60 - 140 %</i>	<i>"</i>			<i>"</i>
<i>4-BFB</i>			<i>98.9%</i>			<i>60 - 140 %</i>	<i>"</i>			<i>"</i>

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-05 (MW12D-22.5)		Soil			Sampled: 04/09/08 09:35					
Acetone	EPA 8260B	ND	----	31.5	ug/kg dry	1x	8D16025	04/15/08 14:07	04/16/08 20:18	
Benzene	"	ND	----	1.57	"	"	"	"	"	"
Bromobenzene	"	ND	----	5.25	"	"	"	"	"	"
Bromochloromethane	"	ND	----	5.25	"	"	"	"	"	"
Bromodichloromethane	"	ND	----	5.25	"	"	"	"	"	"
Bromoforn	"	ND	----	5.25	"	"	"	"	"	"
Bromomethane	"	ND	----	10.5	"	"	"	"	"	"
2-Butanone	"	ND	----	15.7	"	"	"	"	"	"
n-Butylbenzene	"	ND	----	5.25	"	"	"	"	"	"
sec-Butylbenzene	"	ND	----	5.25	"	"	"	"	"	"
tert-Butylbenzene	"	ND	----	5.25	"	"	"	"	"	"
Carbon disulfide	"	ND	----	3.15	"	"	"	"	"	"
Carbon tetrachloride	"	ND	----	5.25	"	"	"	"	"	"
Chlorobenzene	"	ND	----	2.10	"	"	"	"	"	"
Chloroethane	"	ND	----	5.25	"	"	"	"	"	"
Chloroform	"	ND	----	2.62	"	"	"	"	"	"
Chloromethane	"	ND	----	10.5	"	"	"	"	"	"
2-Chlorotoluene	"	ND	----	5.25	"	"	"	"	"	"
4-Chlorotoluene	"	ND	----	5.25	"	"	"	"	"	"
Dibromochloromethane	"	ND	----	5.25	"	"	"	"	"	"
1,2-Dibromo-3-chloropropane	"	ND	----	10.5	"	"	"	"	"	"
1,2-Dibromoethane (EDB)	"	ND	----	5.25	"	"	"	"	"	"
Dibromomethane	"	ND	----	5.25	"	"	"	"	"	"
1,2-Dichlorobenzene	"	ND	----	5.25	"	"	"	"	"	"
1,3-Dichlorobenzene	"	ND	----	5.25	"	"	"	"	"	"
1,4-Dichlorobenzene	"	ND	----	5.25	"	"	"	"	"	"
Dichlorodifluoromethane	"	ND	----	5.25	"	"	"	"	"	"
1,1-Dichloroethane	"	ND	----	2.10	"	"	"	"	"	"
1,2-Dichloroethane	"	ND	----	1.31	"	"	"	"	"	"
1,1-Dichloroethene	"	ND	----	3.15	"	"	"	"	"	"
cis-1,2-Dichloroethene	"	ND	----	3.15	"	"	"	"	"	"
trans-1,2-Dichloroethene	"	ND	----	2.62	"	"	"	"	"	"
1,2-Dichloropropane	"	ND	----	5.25	"	"	"	"	"	"
1,3-Dichloropropane	"	ND	----	5.25	"	"	"	"	"	"
2,2-Dichloropropane	"	ND	----	10.5	"	"	"	"	"	"
1,1-Dichloropropene	"	ND	----	5.25	"	"	"	"	"	"
cis-1,3-Dichloropropene	"	ND	----	5.25	"	"	"	"	"	"
trans-1,3-Dichloropropene	"	ND	----	1.31	"	"	"	"	"	"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-05 (MW12D-22.5)		Soil			Sampled: 04/09/08 09:35					
Ethylbenzene	EPA 8260B	ND	----	4.20	ug/kg dry	1x	8D16025	04/15/08 14:07	04/16/08 20:18	
Hexachlorobutadiene	"	ND	----	10.5	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.05	"	"	"	"	"	
n-Hexane	"	ND	----	5.25	"	"	"	"	"	
2-Hexanone	"	ND	----	21.0	"	"	"	"	"	
Isopropylbenzene	"	ND	----	5.25	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	5.25	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	21.0	"	"	"	"	"	
Methylene chloride	"	ND	----	3.67	"	"	"	"	"	
Naphthalene	"	ND	----	10.5	"	"	"	"	"	
n-Propylbenzene	"	ND	----	5.25	"	"	"	"	"	
Styrene	"	ND	----	1.05	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	10.5	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	10.5	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	5.25	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	5.25	"	"	"	"	"	
Tetrachloroethene	"	ND	----	2.10	"	"	"	"	"	
Toluene	"	ND	----	1.57	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	2.62	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.31	"	"	"	"	"	
Trichloroethene	"	ND	----	2.62	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	5.25	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	5.25	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	5.25	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	5.25	"	"	"	"	"	
Vinyl chloride	"	ND	----	2.62	"	"	"	"	"	
o-Xylene	"	ND	----	5.25	"	"	"	"	"	
m,p-Xylene	"	ND	----	5.25	"	"	"	"	"	
Total Xylenes	"	ND	----	10.5	"	"	"	"	"	
Surrogate(s):	1,2-DCA-d4		134%		60 - 140 %	"			"	
	Toluene-d8		98.8%		60 - 140 %	"			"	
	4-BFB		100%		60 - 140 %	"			"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-06 (MW10D-13)		Soil			Sampled: 04/10/08 09:00					
Acetone	EPA 8260B	35.8	----	33.5	ug/kg dry	1x	8D16025	04/15/08 14:07	04/16/08 20:43	
Benzene	"	ND	----	1.67	"	"	"	"	"	
Bromobenzene	"	ND	----	5.58	"	"	"	"	"	
Bromochloromethane	"	ND	----	5.58	"	"	"	"	"	
Bromodichloromethane	"	ND	----	5.58	"	"	"	"	"	
Bromoform	"	ND	----	5.58	"	"	"	"	"	
Bromomethane	"	ND	----	11.2	"	"	"	"	"	
2-Butanone	"	ND	----	16.7	"	"	"	"	"	
n-Butylbenzene	"	ND	----	5.58	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	5.58	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	5.58	"	"	"	"	"	
Carbon disulfide	"	ND	----	3.35	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	5.58	"	"	"	"	"	
Chlorobenzene	"	ND	----	2.23	"	"	"	"	"	
Chloroethane	"	ND	----	5.58	"	"	"	"	"	
Chloroform	"	ND	----	2.79	"	"	"	"	"	
Chloromethane	"	ND	----	11.2	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	5.58	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	5.58	"	"	"	"	"	
Dibromochloromethane	"	ND	----	5.58	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	11.2	"	"	"	"	"	
1,2-Dibromoethane (EDB)	"	ND	----	5.58	"	"	"	"	"	
Dibromomethane	"	ND	----	5.58	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	5.58	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	5.58	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	5.58	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	5.58	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	2.23	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	1.39	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	3.35	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	3.35	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	2.79	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	5.58	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	5.58	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	11.2	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	5.58	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	5.58	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.39	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-06 (MW10D-13)		Soil			Sampled: 04/10/08 09:00					
Ethylbenzene	EPA 8260B	ND	---	4.46	ug/kg dry	1x	8D16025	04/15/08 14:07	04/16/08 20:43	
Hexachlorobutadiene	"	ND	---	11.2	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	---	1.12	"	"	"	"	"	
n-Hexane	"	ND	---	5.58	"	"	"	"	"	
2-Hexanone	"	ND	---	22.3	"	"	"	"	"	
Isopropylbenzene	"	ND	---	5.58	"	"	"	"	"	
p-Isopropyltoluene	"	ND	---	5.58	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	---	22.3	"	"	"	"	"	
Methylene chloride	"	ND	---	3.90	"	"	"	"	"	
Naphthalene	"	ND	---	11.2	"	"	"	"	"	
n-Propylbenzene	"	ND	---	5.58	"	"	"	"	"	
Styrene	"	ND	---	1.12	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	---	11.2	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	---	11.2	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	---	5.58	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	---	5.58	"	"	"	"	"	
Tetrachloroethene	"	ND	---	2.23	"	"	"	"	"	
Toluene	"	ND	---	1.67	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	---	2.79	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	---	1.39	"	"	"	"	"	
Trichloroethene	"	ND	---	2.79	"	"	"	"	"	
Trichlorofluoromethane	"	ND	---	5.58	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	---	5.58	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	---	5.58	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	---	5.58	"	"	"	"	"	
Vinyl chloride	"	ND	---	2.79	"	"	"	"	"	
o-Xylene	"	ND	---	5.58	"	"	"	"	"	
m,p-Xylene	"	ND	---	5.58	"	"	"	"	"	
Total Xylenes	"	ND	---	11.2	"	"	"	"	"	
Surrogate(s):	1,2-DCA-d4		126%		60 - 140 %	"			"	
	Toluene-d8		97.8%		60 - 140 %	"			"	
	4-BFB		102%		60 - 140 %	"			"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-07 (MW10D-24.5)		Soil			Sampled: 04/10/08 09:10					
Acetone	EPA 8260B	ND	----	34.0	ug/kg dry	1x	8D16025	04/15/08 14:07	04/16/08 21:08	
Benzene	"	ND	----	1.70	"	"	"	"	"	
Bromobenzene	"	ND	----	5.66	"	"	"	"	"	
Bromochloromethane	"	ND	----	5.66	"	"	"	"	"	
Bromodichloromethane	"	ND	----	5.66	"	"	"	"	"	
Bromofom	"	ND	----	5.66	"	"	"	"	"	
Bromomethane	"	ND	----	11.3	"	"	"	"	"	
2-Butanone	"	ND	----	17.0	"	"	"	"	"	
n-Butylbenzene	"	ND	----	5.66	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	5.66	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	5.66	"	"	"	"	"	
Carbon disulfide	"	ND	----	3.40	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	5.66	"	"	"	"	"	
Chlorobenzene	"	ND	----	2.26	"	"	"	"	"	
Chloroethane	"	ND	----	5.66	"	"	"	"	"	
Chlorofom	"	ND	----	2.83	"	"	"	"	"	
Chloromethane	"	ND	----	11.3	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	5.66	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	5.66	"	"	"	"	"	
Dibromochloromethane	"	ND	----	5.66	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	11.3	"	"	"	"	"	
1,2-Dibromoethane (EDB)	"	ND	----	5.66	"	"	"	"	"	
Dibromomethane	"	ND	----	5.66	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	5.66	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	5.66	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	5.66	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	5.66	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	2.26	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	1.41	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	3.40	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	3.40	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	2.83	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	5.66	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	5.66	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	11.3	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	5.66	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	5.66	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.41	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-07 (MW10D-24.5)		Soil			Sampled: 04/10/08 09:10					
Ethylbenzene	EPA 8260B	ND	----	4.53	ug/kg dry	1x	8D16025	04/15/08 14:07	04/16/08 21:08	
Hexachlorobutadiene	"	ND	----	11.3	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.13	"	"	"	"	"	
n-Hexane	"	ND	----	5.66	"	"	"	"	"	
2-Hexanone	"	ND	----	22.6	"	"	"	"	"	
Isopropylbenzene	"	ND	----	5.66	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	5.66	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	22.6	"	"	"	"	"	
Methylene chloride	"	ND	----	3.96	"	"	"	"	"	
Naphthalene	"	ND	----	11.3	"	"	"	"	"	
n-Propylbenzene	"	ND	----	5.66	"	"	"	"	"	
Styrene	"	ND	----	1.13	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	11.3	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	11.3	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	5.66	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	5.66	"	"	"	"	"	
Tetrachloroethene	"	ND	----	2.26	"	"	"	"	"	
Toluene	"	ND	----	1.70	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	2.83	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.41	"	"	"	"	"	
Trichloroethene	"	ND	----	2.83	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	5.66	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	5.66	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	5.66	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	5.66	"	"	"	"	"	
Vinyl chloride	"	ND	----	2.83	"	"	"	"	"	
o-Xylene	"	ND	----	5.66	"	"	"	"	"	
m,p-Xylene	"	ND	----	5.66	"	"	"	"	"	
Total Xylenes	"	ND	----	11.3	"	"	"	"	"	
<hr/>										
Surrogate(s):	1,2-DCA-d4		126%		60 - 140 %	"				"
	Toluene-d8		97.6%		60 - 140 %	"				"
	4-BFB		98.3%		60 - 140 %	"				"


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-08 (MW30-30)		Soil			Sampled: 04/10/08 09:35					
Acetone	EPA 8260B	32.0	----	27.7	ug/kg dry	1x	8D16025	04/15/08 14:07	04/16/08 21:34	
Benzene	"	ND	----	1.38	"	"	"	"	"	
Bromobenzene	"	ND	----	4.62	"	"	"	"	"	
Bromochloromethane	"	ND	----	4.62	"	"	"	"	"	
Bromodichloromethane	"	ND	----	4.62	"	"	"	"	"	
Bromoform	"	ND	----	4.62	"	"	"	"	"	
Bromomethane	"	ND	----	9.23	"	"	"	"	"	
2-Butanone	"	ND	----	13.8	"	"	"	"	"	
n-Butylbenzene	"	ND	----	4.62	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	4.62	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	4.62	"	"	"	"	"	
Carbon disulfide	"	3.48	----	2.77	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	4.62	"	"	"	"	"	
Chlorobenzene	"	ND	----	1.85	"	"	"	"	"	
Chloroethane	"	ND	----	4.62	"	"	"	"	"	
Chloroform	"	ND	----	2.31	"	"	"	"	"	
Chloromethane	"	ND	----	9.23	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	4.62	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	4.62	"	"	"	"	"	
Dibromochloromethane	"	ND	----	4.62	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	9.23	"	"	"	"	"	
1,2-Dibromoethane (EDB)	"	ND	----	4.62	"	"	"	"	"	
Dibromomethane	"	ND	----	4.62	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	4.62	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	4.62	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	4.62	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	4.62	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.85	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	1.15	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	2.77	"	"	"	"	"	
cis-1,2-Dichloroethene	"	18.3	----	2.77	"	"	"	"	"	
trans-1,2-Dichloroethene	"	3.54	----	2.31	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	4.62	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	4.62	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	9.23	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	4.62	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	4.62	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.15	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL [^]	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-08 (MW30-30)		Soil			Sampled: 04/10/08 09:35					
Ethylbenzene	EPA 8260B	ND	----	3.69	ug/kg dry	1x	8D16025	04/15/08 14:07	04/16/08 21:34	
Hexachlorobutadiene	"	ND	----	9.23	"	"	"	"	"	"
Methyl tert-butyl ether	"	ND	----	0.923	"	"	"	"	"	"
n-Hexane	"	ND	----	4.62	"	"	"	"	"	"
2-Hexanone	"	ND	----	18.5	"	"	"	"	"	"
Isopropylbenzene	"	ND	----	4.62	"	"	"	"	"	"
p-Isopropyltoluene	"	ND	----	4.62	"	"	"	"	"	"
4-Methyl-2-pentanone	"	ND	----	18.5	"	"	"	"	"	"
Methylene chloride	"	ND	----	3.23	"	"	"	"	"	"
Naphthalene	"	ND	----	9.23	"	"	"	"	"	"
n-Propylbenzene	"	ND	----	4.62	"	"	"	"	"	"
Styrene	"	ND	----	0.923	"	"	"	"	"	"
1,2,3-Trichlorobenzene	"	ND	----	9.23	"	"	"	"	"	"
1,2,4-Trichlorobenzene	"	ND	----	9.23	"	"	"	"	"	"
1,1,1,2-Tetrachloroethane	"	ND	----	4.62	"	"	"	"	"	"
1,1,2,2-Tetrachloroethane	"	ND	----	4.62	"	"	"	"	"	"
Tetrachloroethene	"	8.38	----	1.85	"	"	"	"	"	"
Toluene	"	ND	----	1.38	"	"	"	"	"	"
1,1,1-Trichloroethane	"	ND	----	2.31	"	"	"	"	"	"
1,1,2-Trichloroethane	"	ND	----	1.15	"	"	"	"	"	"
Trichlorofluoromethane	"	ND	----	4.62	"	"	"	"	"	"
1,2,3-Trichloropropane	"	ND	----	4.62	"	"	"	"	"	"
1,2,4-Trimethylbenzene	"	ND	----	4.62	"	"	"	"	"	"
1,3,5-Trimethylbenzene	"	ND	----	4.62	"	"	"	"	"	"
Vinyl chloride	"	ND	----	2.31	"	"	"	"	"	"
o-Xylene	"	ND	----	4.62	"	"	"	"	"	"
m,p-Xylene	"	ND	----	4.62	"	"	"	"	"	"
Total Xylenes	"	ND	----	9.23	"	"	"	"	"	"
<i>Surrogate(s):</i>	<i>1,2-DCA-d4</i>		<i>128%</i>		<i>60 - 140 %</i>	<i>"</i>			<i>"</i>	
	<i>Toluene-d8</i>		<i>96.9%</i>		<i>60 - 140 %</i>	<i>"</i>			<i>"</i>	
	<i>4-BFB</i>		<i>99.7%</i>		<i>60 - 140 %</i>	<i>"</i>			<i>"</i>	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) by EPA Method 8260B
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-08 (MW30-30)		Soil		Sampled: 04/10/08 09:35						
Trichloroethene	EPA 8260B	ND	0.0251	0.251	mg/kg dry	1x	8D15064	04/15/08 17:01	04/16/08 09:16	NI
<i>Surrogate(s):</i>										
	<i>1,2-DCA-d4</i>		96.2%		75 - 125 %	"				"
	<i>Toluene-d8</i>		98.3%		75 - 125 %	"				"
	<i>4-BFB</i>		98.6%		75 - 125 %	"				"
SRD0072-08RE1 (MW30-30)		Soil		Sampled: 04/10/08 09:35						
Trichloroethene	EPA 8260B	ND	0.0230	0.230	mg/kg dry	1x	8D22022	04/15/08 17:01	04/22/08 18:48	NI
<i>Surrogate(s):</i>										
	<i>1,2-DCA-d4</i>		95.1%		75 - 125 %	"				"
	<i>Toluene-d8</i>		101%		75 - 125 %	"				"
	<i>4-BFB</i>		99.4%		75 - 125 %	"				"
SRD0072-09 (MW13D-13.3)		Soil		Sampled: 04/11/08 08:35						
Acetone	EPA 8260B	ND	0.487	1.87	mg/kg dry	1x	8D15064	04/15/08 17:01	04/16/08 09:43	
Benzene	"	ND	0.0112	0.0373	"	"	"	"	"	
Bromobenzene	"	ND	0.0168	0.187	"	"	"	"	"	
Bromochloromethane	"	ND	0.0187	0.187	"	"	"	"	"	
Bromodichloromethane	"	ND	0.0149	0.187	"	"	"	"	"	
Bromoform	"	ND	0.0243	0.187	"	"	"	"	"	
Bromomethane	"	ND	0.0187	0.187	"	"	"	"	"	
2-Butanone	"	ND	0.218	1.87	"	"	"	"	"	
n-Butylbenzene	"	ND	0.0168	0.187	"	"	"	"	"	
sec-Butylbenzene	"	ND	0.0168	0.187	"	"	"	"	"	
tert-Butylbenzene	"	ND	0.0317	0.187	"	"	"	"	"	
Carbon disulfide	"	ND	0.0149	0.187	"	"	"	"	"	
Carbon tetrachloride	"	ND	0.0224	0.187	"	"	"	"	"	
Chlorobenzene	"	ND	0.00933	0.187	"	"	"	"	"	
Chloroethane	"	ND	0.0280	0.187	"	"	"	"	"	
Chloroform	"	ND	0.0131	0.187	"	"	"	"	"	
Chloromethane	"	ND	0.0299	0.933	"	"	"	"	"	
2-Chlorotoluene	"	ND	0.0336	0.187	"	"	"	"	"	
4-Chlorotoluene	"	ND	0.0336	0.187	"	"	"	"	"	
Dibromochloromethane	"	ND	0.0243	0.187	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	0.336	0.933	"	"	"	"	"	
1,2-Dibromoethane	"	ND	0.0205	0.187	"	"	"	"	"	
Dibromomethane	"	ND	0.0168	0.187	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	0.0112	0.187	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	0.0131	0.187	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	0.0149	0.187	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

Volatile Organic Compounds (Special List) by EPA Method 8260B
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-09 (MW13D-13.3)		Soil		Sampled: 04/11/08 08:35						
Dichlorodifluoromethane	EPA 8260B	ND	0.0299	0.187	mg/kg dry	1x	8D15064	04/15/08 17:01	04/16/08 09:43	
1,1-Dichloroethane	"	ND	0.0149	0.187	"	"	"	"	"	
1,2-Dichloroethane	"	ND	0.0168	0.187	"	"	"	"	"	
1,1-Dichloroethene	"	ND	0.0187	0.187	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	0.0168	0.187	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	0.0168	0.187	"	"	"	"	"	
1,2-Dichloropropane	"	ND	0.0205	0.187	"	"	"	"	"	
1,3-Dichloropropane	"	ND	0.0168	0.187	"	"	"	"	"	
2,2-Dichloropropane	"	ND	0.0280	0.187	"	"	"	"	"	
1,1-Dichloropropene	"	ND	0.0187	0.187	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	0.0131	0.187	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	0.00933	0.187	"	"	"	"	"	
Ethylbenzene	"	ND	0.0168	0.187	"	"	"	"	"	
Hexachlorobutadiene	"	ND	0.0411	0.933	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	0.0112	0.933	"	"	"	"	"	
n-Hexane	"	ND	0.0299	1.87	"	"	"	"	"	
2-Hexanone	"	ND	0.226	1.87	"	"	"	"	"	
Isopropylbenzene	"	ND	0.0149	0.187	"	"	"	"	"	
p-Isopropyltoluene	"	ND	0.0149	0.187	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	0.190	1.87	"	"	"	"	"	
Methylene chloride	"	ND	0.0243	1.87	"	"	"	"	"	
Naphthalene	"	ND	0.0205	0.933	"	"	"	"	"	
n-Propylbenzene	"	ND	0.0187	0.187	"	"	"	"	"	
Styrene	"	ND	0.0112	0.187	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	0.0261	0.933	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	0.0243	0.933	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	0.0149	0.187	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	0.0168	0.187	"	"	"	"	"	
Tetrachloroethene	"	ND	0.0205	0.0373	"	"	"	"	"	
Toluene	"	ND	0.0112	0.187	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	0.0205	0.187	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	0.0168	0.187	"	"	"	"	"	
Trichloroethene	"	ND	0.0187	0.187	"	"	"	"	"	
Trichlorofluoromethane	"	ND	0.0224	0.187	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	0.0765	0.187	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	0.0131	0.187	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	0.0131	0.187	"	"	"	"	"	
Vinyl chloride	"	ND	0.0336	0.187	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) by EPA Method 8260B
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-09 (MW13D-13.3)		Soil			Sampled: 04/11/08 08:35					
Total Xylenes	EPA 8260B	ND	0.0411	0.560	mg/kg dry	1x	8D15064	04/15/08 17:01	04/16/08 09:43	
Surrogate(s):	1,2-DCA-d4		96.7%		75 - 125 %	"				"
	Toluene-d8		98.0%		75 - 125 %	"				"
	4-BFB		93.3%		75 - 125 %	"				"
SRD0072-11 (MW13D-53.6)		Soil			Sampled: 04/11/08 12:30					
Acetone	EPA 8260B	ND	0.680	2.61	mg/kg dry	1x	8D15064	04/15/08 17:01	04/16/08 10:10	
Benzene	"	ND	0.0156	0.0521	"	"	"	"	"	"
Bromobenzene	"	ND	0.0235	0.261	"	"	"	"	"	"
Bromochloromethane	"	ND	0.0261	0.261	"	"	"	"	"	"
Bromodichloromethane	"	ND	0.0209	0.261	"	"	"	"	"	"
Bromoform	"	ND	0.0339	0.261	"	"	"	"	"	"
Bromomethane	"	ND	0.0261	0.261	"	"	"	"	"	"
2-Butanone	"	ND	0.305	2.61	"	"	"	"	"	"
n-Butylbenzene	"	ND	0.0235	0.261	"	"	"	"	"	"
sec-Butylbenzene	"	ND	0.0235	0.261	"	"	"	"	"	"
tert-Butylbenzene	"	ND	0.0443	0.261	"	"	"	"	"	"
Carbon disulfide	"	ND	0.0209	0.261	"	"	"	"	"	"
Carbon tetrachloride	"	ND	0.0313	0.261	"	"	"	"	"	"
Chlorobenzene	"	ND	0.0130	0.261	"	"	"	"	"	"
Chloroethane	"	ND	0.0391	0.261	"	"	"	"	"	"
Chloroform	"	ND	0.0183	0.261	"	"	"	"	"	"
Chloromethane	"	ND	0.0417	1.30	"	"	"	"	"	"
2-Chlorotoluene	"	ND	0.0469	0.261	"	"	"	"	"	"
4-Chlorotoluene	"	ND	0.0469	0.261	"	"	"	"	"	"
Dibromochloromethane	"	ND	0.0339	0.261	"	"	"	"	"	"
1,2-Dibromo-3-chloropropane	"	ND	0.469	1.30	"	"	"	"	"	"
1,2-Dibromoethane	"	ND	0.0287	0.261	"	"	"	"	"	"
Dibromomethane	"	ND	0.0235	0.261	"	"	"	"	"	"
1,2-Dichlorobenzene	"	ND	0.0156	0.261	"	"	"	"	"	"
1,3-Dichlorobenzene	"	ND	0.0183	0.261	"	"	"	"	"	"
1,4-Dichlorobenzene	"	ND	0.0209	0.261	"	"	"	"	"	"
Dichlorodifluoromethane	"	ND	0.0417	0.261	"	"	"	"	"	"
1,1-Dichloroethane	"	ND	0.0209	0.261	"	"	"	"	"	"
1,2-Dichloroethane	"	ND	0.0235	0.261	"	"	"	"	"	"
1,1-Dichloroethene	"	ND	0.0261	0.261	"	"	"	"	"	"
cis-1,2-Dichloroethene	"	ND	0.0235	0.261	"	"	"	"	"	"
trans-1,2-Dichloroethene	"	ND	0.0235	0.261	"	"	"	"	"	"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) by EPA Method 8260B
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-11 (MW13D-53.6)		Soil		Sampled: 04/11/08 12:30						
1,2-Dichloropropane	EPA 8260B	ND	0.0287	0.261	mg/kg dry	1x	8D15064	04/15/08 17:01	04/16/08 10:10	
1,3-Dichloropropane	"	ND	0.0235	0.261	"	"	"	"	"	
2,2-Dichloropropane	"	ND	0.0391	0.261	"	"	"	"	"	
1,1-Dichloropropene	"	ND	0.0261	0.261	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	0.0183	0.261	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	0.0130	0.261	"	"	"	"	"	
Ethylbenzene	"	ND	0.0235	0.261	"	"	"	"	"	
Hexachlorobutadiene	"	ND	0.0574	1.30	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	0.0156	1.30	"	"	"	"	"	
n-Hexane	"	ND	0.0417	2.61	"	"	"	"	"	
2-Hexanone	"	ND	0.315	2.61	"	"	"	"	"	
Isopropylbenzene	"	ND	0.0209	0.261	"	"	"	"	"	
p-Isopropyltoluene	"	ND	0.0209	0.261	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	0.266	2.61	"	"	"	"	"	
Methylene chloride	"	ND	0.0339	2.61	"	"	"	"	"	
Naphthalene	"	ND	0.0287	1.30	"	"	"	"	"	
n-Propylbenzene	"	ND	0.0261	0.261	"	"	"	"	"	
Styrene	"	ND	0.0156	0.261	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	0.0365	1.30	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	0.0339	1.30	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	0.0209	0.261	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	0.0235	0.261	"	"	"	"	"	
Tetrachloroethene	"	ND	0.0287	0.0521	"	"	"	"	"	
Toluene	"	ND	0.0156	0.261	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	0.0287	0.261	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	0.0235	0.261	"	"	"	"	"	
Trichloroethene	"	ND	0.0261	0.261	"	"	"	"	"	
Trichlorofluoromethane	"	ND	0.0313	0.261	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	0.107	0.261	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	0.0183	0.261	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	0.0183	0.261	"	"	"	"	"	
Vinyl chloride	"	ND	0.0469	0.261	"	"	"	"	"	
Total Xylenes	"	ND	0.0574	0.782	"	"	"	"	"	
Surrogate(s):	1,2-DCA-d4		95.9%		75 - 125 %	"			"	
	Toluene-d8		95.9%		75 - 125 %	"			"	
	4-BFB		96.3%		75 - 125 %	"			"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Seattle

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-10 (Trip)		Soil			Sampled: 04/11/08 00:00					
Acetone	EPA 8260B	ND	----	10.0	ug/l	1x	8D15034	04/15/08 08:33	04/15/08 14:48	
Benzene	"	ND	----	0.200	"	"	"	"	"	
Bromobenzene	"	ND	----	0.500	"	"	"	"	"	
Bromochloromethane	"	ND	----	0.250	"	"	"	"	"	
Bromodichloromethane	"	ND	----	0.200	"	"	"	"	"	
Bromoform	"	ND	----	0.250	"	"	"	"	"	
Bromomethane	"	ND	----	2.00	"	"	"	"	"	
2-Butanone	"	ND	----	2.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	0.200	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	0.200	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	0.500	"	"	"	"	"	
Carbon disulfide	"	ND	----	0.500	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	0.200	"	"	"	"	"	C
Chlorobenzene	"	ND	----	0.200	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	0.200	"	"	"	"	"	
Chloromethane	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	0.500	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	0.500	"	"	"	"	"	
Dibromochloromethane	"	ND	----	0.200	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	0.200	"	"	"	"	"	
Dibromomethane	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	0.200	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	0.200	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	0.200	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	0.500	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	0.200	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	0.200	"	"	"	"	"	L
cis-1,2-Dichloroethene	"	ND	----	0.200	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	0.200	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	0.200	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	0.500	"	"	"	"	"	CS
1,1-Dichloropropene	"	ND	----	0.200	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	0.200	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	0.200	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-10 (Trip)		Soil			Sampled: 04/11/08 00:00					
Ethylbenzene	EPA 8260B	ND	----	0.200	ug/l	1x	8D15034	04/15/08 08:33	04/15/08 14:48	
Hexachlorobutadiene	"	ND	----	2.50	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
n-Hexane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	2.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	0.500	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	0.200	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	2.00	"	"	"	"	"	
Methylene chloride	"	ND	----	5.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.50	"	"	"	"	"	
n-Propylbenzene	"	ND	----	0.500	"	"	"	"	"	
Styrene	"	ND	----	0.500	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	0.200	"	"	"	"	"	
1,1,1,2,2-Tetrachloroethane	"	ND	----	0.500	"	"	"	"	"	
Tetrachloroethene	"	ND	----	0.200	"	"	"	"	"	
Toluene	"	ND	----	0.200	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	0.200	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	0.200	"	"	"	"	"	
Trichloroethene	"	ND	----	0.200	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	0.500	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	0.500	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	0.200	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	0.500	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
o-Xylene	"	ND	----	0.250	"	"	"	"	"	
m,p-Xylene	"	ND	----	0.500	"	"	"	"	"	
Total Xylenes	"	ND	----	0.750	"	"	"	"	"	
Surrogate(s):	1,2-DCA-d4		98.4%		76 - 138 %	"			"	
	Toluene-d8		95.4%		80 - 120 %	"			"	
	4-BFB		105%		80 - 120 %	"			"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Physical Parameters by APHA/ASTM/EPA Methods
TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0072-01 (MW11D-15.8)		Soil					Sampled: 04/08/08 07:35			
Dry Weight	BSOPSPLO03R0 8	74.3	----	1.00	%	1x	8D23034	04/23/08 13:32	04/24/08 00:00	
SRD0072-02 (MW11D-17.3)		Soil					Sampled: 04/08/08 08:25			
Dry Weight	BSOPSPLO03R0 8	74.1	----	1.00	%	1x	8D23034	04/23/08 13:32	04/24/08 00:00	
SRD0072-03 (MW11D-44.3)		Soil					Sampled: 04/08/08 09:45			
Dry Weight	BSOPSPLO03R0 8	74.4	----	1.00	%	1x	8D23034	04/23/08 13:32	04/24/08 00:00	
SRD0072-04 (MW12D-12)		Soil					Sampled: 04/09/08 08:15			
Dry Weight	BSOPSPLO03R0 8	79.1	----	1.00	%	1x	8D23034	04/23/08 13:32	04/24/08 00:00	
SRD0072-05 (MW12D-22.5)		Soil					Sampled: 04/09/08 09:35			
Dry Weight	BSOPSPLO03R0 8	70.9	----	1.00	%	1x	8D23034	04/23/08 13:32	04/24/08 00:00	
SRD0072-06 (MW10D-13)		Soil					Sampled: 04/10/08 09:00			
Dry Weight	BSOPSPLO03R0 8	76.2	----	1.00	%	1x	8D23034	04/23/08 13:32	04/24/08 00:00	
SRD0072-07 (MW10D-24.5)		Soil					Sampled: 04/10/08 09:10			
Dry Weight	BSOPSPLO03R0 8	68.1	----	1.00	%	1x	8D23034	04/23/08 13:32	04/24/08 00:00	
SRD0072-08 (MW30-30)		Soil					Sampled: 04/10/08 09:35			
Dry Weight	BSOPSPLO03R0 8	76.1	----	1.00	%	1x	8D23034	04/23/08 13:32	04/24/08 00:00	
SRD0072-09 (MW13D-13.3)		Soil					Sampled: 04/11/08 08:35			
Dry Weight	BSOPSPLO03R0 8	82.0	----	1.00	%	1x	8D23034	04/23/08 13:32	04/24/08 00:00	
SRD0072-11 (MW13D-53.6)		Soil					Sampled: 04/11/08 12:30			
Dry Weight	BSOPSPLO03R0 8	73.5	----	1.00	%	1x	8D23034	04/23/08 13:32	04/24/08 00:00	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------


Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method) - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D15062 Soil Preparation Method: EPA 5035

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8D15062-BLK1)													Extracted: 04/15/08 19:24	
Acetone	EPA 8260B	ND	---	30.0	ug/kg wet	1x	--	--	--	--	--	--	04/16/08 00:46	
Benzene	"	ND	---	1.50	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Bromochloromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Bromodichloromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Bromomethane	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Butanone	"	ND	---	15.0	"	"	--	--	--	--	--	--	"	
n-Butylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
sec-Butylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
tert-Butylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Carbon disulfide	"	ND	---	3.00	"	"	--	--	--	--	--	--	"	
Carbon tetrachloride	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Chlorobenzene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
Chloroethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Chloroform	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
Chloromethane	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Dibromochloromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,2-Dibromoethane (EDB)	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Dibromomethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Dichlorodifluoromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethane	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloroethane	"	ND	---	1.25	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethene	"	ND	---	3.00	"	"	--	--	--	--	--	--	"	
cis-1,2-Dichloroethene	"	ND	---	3.00	"	"	--	--	--	--	--	--	"	
trans-1,2-Dichloroethene	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
1,2-Dichloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,3-Dichloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
2,2-Dichloropropane	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,1-Dichloropropene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
cis-1,3-Dichloropropene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
trans-1,3-Dichloropropene	"	1.65	---	1.25	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	4.00	"	"	--	--	--	--	--	--	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method) - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D15062 **Soil Preparation Method:** EPA 5035

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8D15062-BLK1)													Extracted: 04/15/08 19:24	
Hexachlorobutadiene	EPA 8260B	ND	---	10.0	ug/kg wet	1x	--	--	--	--	--	--	04/16/08 00:46	
Methyl tert-butyl ether	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
n-Hexane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
2-Hexanone	"	23.4	---	20.0	"	"	--	--	--	--	--	--	"	B
Isopropylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
4-Methyl-2-pentanone	"	ND	---	20.0	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	---	3.50	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,1,1,2-Tetrachloroethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	1.50	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	---	1.25	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
o-Xylene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
m,p-Xylene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Total Xylenes	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
<i>Surrogate(s): 1,2-DCA-d4 Recovery: 101% Limits: 60-140% "</i>													<i>04/16/08 00:46</i>	
<i>Toluene-d8 101% 60-140% "</i>													<i>"</i>	
<i>4-BFB 97.8% 60-140% "</i>													<i>"</i>	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method) - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D15062 **Soil Preparation Method:** EPA 5035

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (8D15062-BS1) Extracted: 04/15/08 19:24														
Acetone	EPA 8260B	475	---	30.0	ug/kg wet	1x	--	500	94.9%	(70-130)	--	--	04/15/08 23:56	
Benzene	"	58.1	---	1.50	"	"	--	50.0	116%	"	--	--	"	
2-Butanone	"	495	---	15.0	"	"	--	500	98.9%	"	--	--	"	
Carbon disulfide	"	65.1	---	3.00	"	"	--	50.0	130%	"	--	--	"	
Chlorobenzene	"	61.9	---	2.00	"	"	--	"	124%	"	--	--	"	
1,1-Dichloroethane	"	59.9	---	2.00	"	"	--	"	120%	"	--	--	"	
1,1-Dichloroethene	"	63.8	---	3.00	"	"	--	"	128%	"	--	--	"	
cis-1,2-Dichloroethene	"	60.2	---	3.00	"	"	--	"	120%	"	--	--	"	
Ethylbenzene	"	58.9	---	4.00	"	"	--	"	118%	"	--	--	"	
Hexachlorobutadiene	"	54.8	---	10.0	"	"	--	"	110%	"	--	--	"	
4-Methyl-2-pentanone	"	500	---	20.0	"	"	--	500	100%	"	--	--	"	
Tetrachloroethene	"	58.2	---	2.00	"	"	--	50.0	116%	"	--	--	"	
Toluene	"	56.9	---	1.50	"	"	--	"	114%	"	--	--	"	
1,1,1-Trichloroethane	"	59.9	---	2.50	"	"	--	"	120%	"	--	--	"	
Trichloroethene	"	57.8	---	2.50	"	"	--	"	116%	"	--	--	"	

<i>Surrogate(s): 1,2-DCA-d4</i>	<i>Recovery: 100%</i>	<i>Limits: 60-140%</i>	"	<i>04/15/08 23:56</i>
<i>Toluene-d8</i>	<i>101%</i>	<i>60-140%</i>	"	"
<i>+BFB</i>	<i>99.2%</i>	<i>60-140%</i>	"	"

LCS Dup (8D15062-BS1) Extracted: 04/15/08 19:24														
Acetone	EPA 8260B	454	---	30.0	ug/kg wet	1x	--	500	90.8%	(70-130)	4.46%	(30)	04/16/08 00:21	
Benzene	"	59.5	---	1.50	"	"	--	50.0	119%	"	2.45%	"	"	
2-Butanone	"	493	---	15.0	"	"	--	500	98.6%	"	0.354%	"	"	
Carbon disulfide	"	64.9	---	3.00	"	"	--	50.0	130%	"	0.231%	"	"	
Chlorobenzene	"	60.2	---	2.00	"	"	--	"	120%	"	2.90%	"	"	
1,1-Dichloroethane	"	60.5	---	2.00	"	"	--	"	121%	"	0.931%	"	"	
1,1-Dichloroethene	"	63.6	---	3.00	"	"	--	"	127%	"	0.173%	"	"	
cis-1,2-Dichloroethene	"	59.8	---	3.00	"	"	--	"	120%	"	0.650%	"	"	
Ethylbenzene	"	57.2	---	4.00	"	"	--	"	114%	"	2.89%	"	"	
Hexachlorobutadiene	"	55.0	---	10.0	"	"	--	"	110%	"	0.419%	"	"	
4-Methyl-2-pentanone	"	512	---	20.0	"	"	--	500	102%	"	2.22%	"	"	
Tetrachloroethene	"	54.8	---	2.00	"	"	--	50.0	110%	"	6.09%	"	"	
Toluene	"	54.9	---	1.50	"	"	--	"	110%	"	3.67%	"	"	
1,1,1-Trichloroethane	"	59.0	---	2.50	"	"	--	"	118%	"	1.55%	"	"	
Trichloroethene	"	57.8	---	2.50	"	"	--	"	116%	"	0.0519%	"	"	

<i>Surrogate(s): 1,2-DCA-d4</i>	<i>Recovery: 99.9%</i>	<i>Limits: 60-140%</i>	"	<i>04/16/08 00:21</i>
<i>Toluene-d8</i>	<i>98.5%</i>	<i>60-140%</i>	"	"
<i>+BFB</i>	<i>101%</i>	<i>60-140%</i>	"	"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method) - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D16025 Soil Preparation Method: EPA 5035

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8D16025-BLK1)													Extracted: 04/16/08 11:07	
Acetone	EPA 8260B	ND	---	30.0	ug/kg wet	1x	--	--	--	--	--	--	04/16/08 17:46	
Benzene	"	ND	---	1.50	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Bromochloromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Bromodichloromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Bromomethane	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Butanone	"	17.6	---	15.0	"	"	--	--	--	--	--	--	"	B
n-Butylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
sec-Butylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
tert-Butylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Carbon disulfide	"	ND	---	3.00	"	"	--	--	--	--	--	--	"	
Carbon tetrachloride	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Chlorobenzene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
Chloroethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Chloroform	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
Chloromethane	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Dibromochloromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,2-Dibromoethane (EDB)	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Dibromomethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Dichlorodifluoromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethane	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloroethane	"	ND	---	1.25	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethene	"	ND	---	3.00	"	"	--	--	--	--	--	--	"	
cis-1,2-Dichloroethene	"	ND	---	3.00	"	"	--	--	--	--	--	--	"	
trans-1,2-Dichloroethene	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
1,2-Dichloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,3-Dichloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
2,2-Dichloropropane	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,1-Dichloropropene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
cis-1,3-Dichloropropene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
trans-1,3-Dichloropropene	"	ND	---	1.25	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	4.00	"	"	--	--	--	--	--	--	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method) - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D16025 Soil Preparation Method: EPA 5035

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8D16025-BLK1)													Extracted: 04/16/08 11:07	
Hexachlorobutadiene	EPA 8260B	ND	---	10.0	ug/kg wet	1x	--	--	--	--	--	--	04/16/08 17:46	
Methyl tert-butyl ether	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
n-Hexane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
2-Hexanone	"	ND	---	20.0	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
4-Methyl-2-pentanone	"	ND	---	20.0	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	---	3.50	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,1,1,2-Tetrachloroethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	1.50	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	---	1.25	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
o-Xylene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
m,p-Xylene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Total Xylenes	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Surrogate(s): 1,2-DCA-d4		Recovery: 123%		Limits: 60-140%								04/16/08 17:46		
Toluene-d8		96.6%		60-140%								"		
4-BFB		98.8%		60-140%								"		

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method) - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D16025 **Soil Preparation Method:** EPA 5035

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Extracted: 04/16/08 11:07														
LCS (8D16025-BS1)														
Acetone	EPA 8260B	464	---	30.0	ug/kg wet	1x	--	500	92.8%	(70-130)	--	--	04/16/08 16:56	
Benzene	"	51.4	---	1.50	"	"	--	50.0	103%	"	--	--	"	
2-Butanone	"	485	---	15.0	"	"	--	500	97.0%	"	--	--	"	B1
Carbon disulfide	"	56.8	---	3.00	"	"	--	50.0	114%	"	--	--	"	
Chlorobenzene	"	48.1	---	2.00	"	"	--	"	96.2%	"	--	--	"	
1,1-Dichloroethane	"	53.6	---	2.00	"	"	--	"	107%	"	--	--	"	
1,1-Dichloroethene	"	56.8	---	3.00	"	"	--	"	114%	"	--	--	"	
cis-1,2-Dichloroethene	"	54.5	---	3.00	"	"	--	"	109%	"	--	--	"	
Ethylbenzene	"	47.9	---	4.00	"	"	--	"	95.8%	"	--	--	"	
Hexachlorobutadiene	"	39.8	---	10.0	"	"	--	"	79.5%	"	--	--	"	
4-Methyl-2-pentanone	"	525	---	20.0	"	"	--	500	105%	"	--	--	"	
Tetrachloroethene	"	47.5	---	2.00	"	"	--	50.0	95.1%	"	--	--	"	
Toluene	"	46.8	---	1.50	"	"	--	"	93.6%	"	--	--	"	
1,1,1-Trichloroethane	"	53.2	---	2.50	"	"	--	"	106%	"	--	--	"	
Trichloroethene	"	48.7	---	2.50	"	"	--	"	97.4%	"	--	--	"	
<i>Surrogate(s): 1,2-DCA-d4</i>		<i>Recovery: 101%</i>		<i>Limits: 60-140%</i>								<i>04/16/08 16:56</i>		
<i>Toluene-d8</i>		<i>105%</i>		<i>60-140%</i>								<i>"</i>		
<i>+BFB</i>		<i>92.9%</i>		<i>60-140%</i>								<i>"</i>		

Extracted: 04/16/08 11:07														
LCS Dup (8D16025-BSD1)														
Acetone	EPA 8260B	437	---	30.0	ug/kg wet	1x	--	500	87.4%	(70-130)	5.98%	(30)	04/16/08 17:21	
Benzene	"	48.4	---	1.50	"	"	--	50.0	96.8%	"	5.97%	"	"	
2-Butanone	"	496	---	15.0	"	"	--	500	99.2%	"	2.23%	"	"	B1
Carbon disulfide	"	51.3	---	3.00	"	"	--	50.0	103%	"	10.1%	"	"	
Chlorobenzene	"	48.2	---	2.00	"	"	--	"	96.4%	"	0.187%	"	"	
1,1-Dichloroethane	"	51.6	---	2.00	"	"	--	"	103%	"	3.86%	"	"	
1,1-Dichloroethene	"	51.6	---	3.00	"	"	--	"	103%	"	9.69%	"	"	
cis-1,2-Dichloroethene	"	52.6	---	3.00	"	"	--	"	105%	"	3.68%	"	"	
Ethylbenzene	"	46.4	---	4.00	"	"	--	"	92.9%	"	3.09%	"	"	
Hexachlorobutadiene	"	41.0	---	10.0	"	"	--	"	81.9%	"	3.00%	"	"	
4-Methyl-2-pentanone	"	504	---	20.0	"	"	--	500	101%	"	3.94%	"	"	
Tetrachloroethene	"	48.4	---	2.00	"	"	--	50.0	96.9%	"	1.90%	"	"	
Toluene	"	46.2	---	1.50	"	"	--	"	92.4%	"	1.35%	"	"	
1,1,1-Trichloroethane	"	48.9	---	2.50	"	"	--	"	97.7%	"	8.50%	"	"	
Trichloroethene	"	47.4	---	2.50	"	"	--	"	94.9%	"	2.66%	"	"	
<i>Surrogate(s): 1,2-DCA-d4</i>		<i>Recovery: 97.5%</i>		<i>Limits: 60-140%</i>								<i>04/16/08 17:21</i>		
<i>Toluene-d8</i>		<i>102%</i>		<i>60-140%</i>								<i>"</i>		
<i>+BFB</i>		<i>100%</i>		<i>60-140%</i>								<i>"</i>		

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

Volatile Organic Compounds (Special List) by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D15064 Soil Preparation Method: EPA 5035 [Methanol]

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8D15064-BLK1)													Extracted: 04/15/08 17:01	
o-Xylene	EPA 8260B	ND	0.000500	1.00	mg/kg wet	1x	--	--	--	--	--	--	04/16/08 00:45	
m,p-Xylene	"	0.0430	0.0112	2.00	"	"	--	--	--	--	--	--	"	J
Acetone	"	ND	0.261	1.00	"	"	--	--	--	--	--	--	"	
Benzene	"	ND	0.00600	0.0200	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
Bromochloromethane	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
Bromodichloromethane	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	0.0130	0.100	"	"	--	--	--	--	--	--	"	
Bromomethane	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
2-Butanone	"	0.127	0.117	1.00	"	"	--	--	--	--	--	--	"	J
n-Butylbenzene	"	0.0460	0.00900	0.100	"	"	--	--	--	--	--	--	"	J
sec-Butylbenzene	"	0.0230	0.00900	0.100	"	"	--	--	--	--	--	--	"	J
tert-Butylbenzene	"	ND	0.0170	0.100	"	"	--	--	--	--	--	--	"	
Carbon disulfide	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
Carbon tetrachloride	"	ND	0.0120	0.100	"	"	--	--	--	--	--	--	"	
Chlorobenzene	"	ND	0.00500	0.100	"	"	--	--	--	--	--	--	"	
Chloroethane	"	ND	0.0150	0.100	"	"	--	--	--	--	--	--	"	
Chloroform	"	ND	0.00700	0.100	"	"	--	--	--	--	--	--	"	
Chloromethane	"	ND	0.0160	0.500	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	0.0180	0.100	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	0.0180	0.100	"	"	--	--	--	--	--	--	"	
Dibromochloromethane	"	ND	0.0130	0.100	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	0.180	0.500	"	"	--	--	--	--	--	--	"	
1,2-Dibromoethane	"	ND	0.0110	0.100	"	"	--	--	--	--	--	--	"	
Dibromomethane	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	0.00600	0.100	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	0.00700	0.100	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
Dichlorodifluoromethane	"	ND	0.0160	0.100	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethane	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
1,2-Dichloroethane	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethene	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
cis-1,2-Dichloroethene	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
trans-1,2-Dichloroethene	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
1,2-Dichloropropane	"	ND	0.0110	0.100	"	"	--	--	--	--	--	--	"	
1,3-Dichloropropane	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
2,2-Dichloropropane	"	ND	0.0150	0.100	"	"	--	--	--	--	--	--	"	
1,1-Dichloropropene	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
cis-1,3-Dichloropropene	"	ND	0.00700	0.100	"	"	--	--	--	--	--	--	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

Volatile Organic Compounds (Special List) by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D15064 Soil Preparation Method: EPA 5035 [Methanol]

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8D15064-BLK1)													Extracted: 04/15/08 17:01	
trans-1,3-Dichloropropene	EPA 8260B	ND	0.00500	0.100	mg/kg wet	1x	--	--	--	--	--	--	04/16/08 00:45	
Ethylbenzene	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
Hexachlorobutadiene	"	0.141	0.0220	0.500	"	"	--	--	--	--	--	--	"	J
Methyl tert-butyl ether	"	ND	0.00600	0.500	"	"	--	--	--	--	--	--	"	
n-Hexane	"	0.0260	0.0160	1.00	"	"	--	--	--	--	--	--	"	J
2-Hexanone	"	ND	0.121	1.00	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	0.0230	0.00800	0.100	"	"	--	--	--	--	--	--	"	J
4-Methyl-2-pentanone	"	ND	0.102	1.00	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	0.0130	1.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	0.175	0.0110	0.500	"	"	--	--	--	--	--	--	"	J
n-Propylbenzene	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	0.00600	0.100	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	0.266	0.0140	0.500	"	"	--	--	--	--	--	--	"	J
1,2,4-Trichlorobenzene	"	0.116	0.0130	0.500	"	"	--	--	--	--	--	--	"	J
1,1,1,2-Tetrachloroethane	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	0.0110	0.0200	"	"	--	--	--	--	--	--	"	
Toluene	"	0.0470	0.00600	0.100	"	"	--	--	--	--	--	--	"	J
1,1,1-Trichloroethane	"	ND	0.0110	0.100	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	0.0120	0.100	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	0.0410	0.100	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	0.0240	0.00700	0.100	"	"	--	--	--	--	--	--	"	J
1,3,5-Trimethylbenzene	"	ND	0.00700	0.100	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	0.0180	0.100	"	"	--	--	--	--	--	--	"	
Total Xylenes	"	0.0430	0.0220	0.300	"	"	--	--	--	--	--	--	"	J
Surrogate(s):	1,2-DCA-d4	Recovery:	88.6%	Limits:	75-125%	"							04/16/08 00:45	
	Toluene-d8		104%		75-125%	"							"	
	4-BFB		99.1%		75-125%	"							"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

Volatile Organic Compounds (Special List) by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D15064 Soil Preparation Method: EPA 5035 [Methanol]

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8D15064-BLK2)													Extracted: 04/15/08 17:01	
o-Xylene	EPA 8260B	ND	0.000500	0.100	mg/kg wet	1x	--	--	--	--	--	--	04/16/08 14:03	
m,p-Xylene	"	ND	0.0112	0.200	"	"	--	--	--	--	--	--	"	
Acetone	"	ND	0.261	1.00	"	"	--	--	--	--	--	--	"	
Benzene	"	ND	0.00600	0.100	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
Bromochloromethane	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
Bromodichloromethane	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	0.0130	0.100	"	"	--	--	--	--	--	--	"	
Bromomethane	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
2-Butanone	"	ND	0.117	1.00	"	"	--	--	--	--	--	--	"	
n-Butylbenzene	"	0.0400	0.00900	0.100	"	"	--	--	--	--	--	--	"	J
sec-Butylbenzene	"	0.0210	0.00900	0.100	"	"	--	--	--	--	--	--	"	J
tert-Butylbenzene	"	ND	0.0170	0.100	"	"	--	--	--	--	--	--	"	
Carbon disulfide	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
Carbon tetrachloride	"	ND	0.0120	0.100	"	"	--	--	--	--	--	--	"	
Chlorobenzene	"	ND	0.00500	0.100	"	"	--	--	--	--	--	--	"	
Chloroethane	"	ND	0.0150	0.100	"	"	--	--	--	--	--	--	"	
Chloroform	"	ND	0.00700	0.100	"	"	--	--	--	--	--	--	"	
Chloromethane	"	ND	0.0160	0.500	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	0.0180	0.100	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	0.0180	0.100	"	"	--	--	--	--	--	--	"	
Dibromochloromethane	"	ND	0.0130	0.100	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	0.180	0.500	"	"	--	--	--	--	--	--	"	
1,2-Dibromoethane	"	ND	0.0110	0.100	"	"	--	--	--	--	--	--	"	
Dibromomethane	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	0.00600	0.100	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	0.00700	0.100	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
Dichlorodifluoromethane	"	ND	0.0160	0.100	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethane	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
1,2-Dichloroethane	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethene	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
cis-1,2-Dichloroethene	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
trans-1,2-Dichloroethene	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
1,2-Dichloropropane	"	ND	0.0110	0.100	"	"	--	--	--	--	--	--	"	
1,3-Dichloropropane	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
2,2-Dichloropropane	"	ND	0.0150	0.100	"	"	--	--	--	--	--	--	"	
1,1-Dichloropropene	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
cis-1,3-Dichloropropene	"	ND	0.00700	0.100	"	"	--	--	--	--	--	--	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker
 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

Volatile Organic Compounds (Special List) by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D15064 Soil Preparation Method: EPA 5035 [Methanol]

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8D15064-BLK2)													Extracted: 04/15/08 17:01	
trans-1,3-Dichloropropene	EPA 8260B	ND	0.00500	0.100	mg/kg wet	1x	--	--	--	--	--	--	04/16/08 14:03	
Ethylbenzene	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
Hexachlorobutadiene	"	0.161	0.0220	0.500	"	"	--	--	--	--	--	--	"	J
Methyl tert-butyl ether	"	ND	0.00600	0.500	"	"	--	--	--	--	--	--	"	
n-Hexane	"	ND	0.0160	1.00	"	"	--	--	--	--	--	--	"	
2-Hexanone	"	ND	0.121	1.00	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	0.0240	0.00800	0.100	"	"	--	--	--	--	--	--	"	J
4-Methyl-2-pentanone	"	ND	0.102	1.00	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	0.0130	1.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	0.148	0.0110	0.500	"	"	--	--	--	--	--	--	"	J
n-Propylbenzene	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	0.00600	0.100	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	0.212	0.0140	0.500	"	"	--	--	--	--	--	--	"	J
1,2,4-Trichlorobenzene	"	0.105	0.0130	0.500	"	"	--	--	--	--	--	--	"	J
1,1,1,2-Tetrachloroethane	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	0.0110	0.100	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	0.00600	0.100	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	0.0110	0.100	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	0.0120	0.100	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	0.0410	0.100	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	0.00700	0.100	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	0.00700	0.100	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	0.0180	0.100	"	"	--	--	--	--	--	--	"	
Total Xylenes	"	ND	0.0220	0.300	"	"	--	--	--	--	--	--	"	
<i>Surrogate(s): 1,2-DCA-d4</i>		<i>Recovery: 92.0%</i>		<i>Limits: 75-125%</i>								<i>04/16/08 14:03</i>		
<i>Toluene-d8</i>		<i>95.1%</i>		<i>75-125%</i>								<i>"</i>		
<i>4-BFB</i>		<i>102%</i>		<i>75-125%</i>								<i>"</i>		

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: **8D15064** Soil Preparation Method: **EPA 5035 [Methanol]**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (8D15064-BS1)													Extracted: 04/15/08 17:01	
o-Xylene	EPA 8260B	3.90	0.000500	0.100	mg/kg wet	1x	--	4.00	97.5%	(70-130)	--	--	04/15/08 23:33	J
m,p-Xylene	"	8.06	0.0112	0.200	"	"	--	8.00	101%	"	--	--	"	J
Benzene	"	4.31	0.00600	0.0200	"	"	--	4.00	108%	(75-125)	--	--	"	
Chlorobenzene	"	3.82	0.00500	0.100	"	"	--	"	95.5%	"	--	--	"	
1,1-Dichloroethene	"	4.13	0.0100	0.100	"	"	--	"	103%	(69-128)	--	--	"	
Trichloroethene	"	3.81	0.0100	0.100	"	"	--	"	95.3%	(75-125)	--	--	"	
<i>Surrogate(s): 1,2-DCA-d4</i>		<i>Recovery: 97.2%</i>		<i>Limits: 75-125%</i>								<i>04/15/08 23:33</i>		
<i>Toluene-d8</i>		<i>102%</i>		<i>75-125%</i>								<i>"</i>		
<i>+BFB</i>		<i>99.6%</i>		<i>75-125%</i>								<i>"</i>		

LCS Dup (8D15064-BSD1)													Extracted: 04/15/08 17:01	
o-Xylene	EPA 8260B	3.86	0.000500	1.00	mg/kg wet	1x	--	4.00	96.5%	(70-130)	1.03%	(20)	04/16/08 00:09	J
m,p-Xylene	"	7.91	0.0112	2.00	"	"	--	8.00	98.8%	"	1.87%	"	"	J
Benzene	"	4.07	0.00600	0.0200	"	"	--	4.00	102%	(75-125)	5.77%	"	"	
Chlorobenzene	"	3.78	0.00500	0.100	"	"	--	"	94.4%	"	1.18%	"	"	
1,1-Dichloroethene	"	3.87	0.0100	0.100	"	"	--	"	96.6%	(69-128)	6.65%	"	"	
Trichloroethene	"	3.59	0.0100	0.100	"	"	--	"	89.7%	(75-125)	6.06%	"	"	
<i>Surrogate(s): 1,2-DCA-d4</i>		<i>Recovery: 91.6%</i>		<i>Limits: 75-125%</i>								<i>04/16/08 00:09</i>		
<i>Toluene-d8</i>		<i>105%</i>		<i>75-125%</i>								<i>"</i>		
<i>+BFB</i>		<i>106%</i>		<i>75-125%</i>								<i>"</i>		

TestAmerica Spokane

Randee Decker

Randee Decker, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

Volatile Organic Compounds (Special List) by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D22022 Soil Preparation Method: EPA 5030B

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8D22022-BLK1)													Extracted: 04/22/08 11:31	
m,p-Xylene	EPA 8260B	ND	0.0120	0.200	mg/kg wet	1x	--	--	--	--	--	--	04/22/08 13:45	
o-Xylene	"	ND	0.00500	0.100	"	"	--	--	--	--	--	--	"	
Acetone	"	0.790	0.261	1.00	"	"	--	--	--	--	--	--	"	J
Benzene	"	ND	0.00600	0.0200	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
Bromochloromethane	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
Bromodichloromethane	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	0.0130	0.100	"	"	--	--	--	--	--	--	"	
Bromomethane	"	0.0320	0.0100	0.100	"	"	--	--	--	--	--	--	"	J
2-Butanone	"	0.247	0.117	1.00	"	"	--	--	--	--	--	--	"	J
n-Butylbenzene	"	0.0700	0.00900	0.100	"	"	--	--	--	--	--	--	"	J
sec-Butylbenzene	"	0.0370	0.00900	0.100	"	"	--	--	--	--	--	--	"	J
tert-Butylbenzene	"	0.0220	0.0170	0.100	"	"	--	--	--	--	--	--	"	J
Carbon disulfide	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
Carbon tetrachloride	"	ND	0.0120	0.100	"	"	--	--	--	--	--	--	"	
Chlorobenzene	"	ND	0.00500	0.100	"	"	--	--	--	--	--	--	"	
Chloroethane	"	ND	0.0150	0.100	"	"	--	--	--	--	--	--	"	
Chloroform	"	ND	0.00700	0.100	"	"	--	--	--	--	--	--	"	
Chloromethane	"	ND	0.0160	0.500	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	0.0180	0.100	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	0.0180	0.100	"	"	--	--	--	--	--	--	"	
Dibromochloromethane	"	ND	0.0130	0.100	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	0.180	0.500	"	"	--	--	--	--	--	--	"	
1,2-Dibromoethane	"	ND	0.0110	0.100	"	"	--	--	--	--	--	--	"	
Dibromomethane	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	0.0240	0.00600	0.100	"	"	--	--	--	--	--	--	"	J
1,3-Dichlorobenzene	"	0.0200	0.00700	0.100	"	"	--	--	--	--	--	--	"	J
1,4-Dichlorobenzene	"	0.0200	0.00800	0.100	"	"	--	--	--	--	--	--	"	J
Dichlorodifluoromethane	"	ND	0.0160	0.100	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethane	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
1,2-Dichloroethane	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethene	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
cis-1,2-Dichloroethene	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
trans-1,2-Dichloroethene	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
1,2-Dichloropropane	"	ND	0.0110	0.100	"	"	--	--	--	--	--	--	"	
1,3-Dichloropropane	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
2,2-Dichloropropane	"	ND	0.0150	0.100	"	"	--	--	--	--	--	--	"	
1,1-Dichloropropene	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
cis-1,3-Dichloropropene	"	ND	0.00700	0.100	"	"	--	--	--	--	--	--	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D22022 **Soil Preparation Method:** EPA 5030B

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8D22022-BLK1)													Extracted: 04/22/08 11:31	
trans-1,3-Dichloropropene	EPA 8260B	ND	0.00500	0.100	mg/kg wet	1x	--	--	--	--	--	--	04/22/08 13:45	
Ethylbenzene	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
Hexachlorobutadiene	"	0.210	0.0220	0.500	"	"	--	--	--	--	--	--	"	J
Methyl tert-butyl ether	"	ND	0.00600	0.500	"	"	--	--	--	--	--	--	"	
n-Hexane	"	ND	0.0160	1.00	"	"	--	--	--	--	--	--	"	
2-Hexanone	"	ND	0.121	1.00	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	0.0390	0.00800	0.100	"	"	--	--	--	--	--	--	"	J
4-Methyl-2-pentanone	"	ND	0.102	1.00	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	0.0370	0.0130	1.00	"	"	--	--	--	--	--	--	"	J
Naphthalene	"	0.261	0.0110	0.500	"	"	--	--	--	--	--	--	"	J
n-Propylbenzene	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	0.00600	0.100	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	0.377	0.0140	0.500	"	"	--	--	--	--	--	--	"	J
1,2,4-Trichlorobenzene	"	0.179	0.0130	0.500	"	"	--	--	--	--	--	--	"	J
1,1,1,2-Tetrachloroethane	"	ND	0.00800	0.100	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	0.0110	0.100	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	0.00600	0.100	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	0.0110	0.100	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	0.00900	0.100	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	0.0100	0.100	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	0.0120	0.100	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	0.0410	0.100	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	0.0190	0.00700	0.100	"	"	--	--	--	--	--	--	"	J
1,3,5-Trimethylbenzene	"	ND	0.00700	0.100	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	0.0180	0.100	"	"	--	--	--	--	--	--	"	
Total Xylenes	"	ND	0.0220	0.300	"	"	--	--	--	--	--	--	"	
<i>Surrogate(s): 1,2-DCA-d4</i>		<i>Recovery:</i>	<i>91.4%</i>	<i>Limits:</i>	<i>75-125%</i>	"							<i>04/22/08 13:45</i>	
<i>Toluene-d8</i>			<i>99.8%</i>		<i>75-125%</i>	"							<i>"</i>	
<i>4-BFB</i>			<i>96.9%</i>		<i>75-125%</i>	"							<i>"</i>	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds (Special List) by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D22022 **Soil Preparation Method:** EPA 5030B

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (8D22022-BS1)													Extracted: 04/22/08 11:31	
m,p-Xylene	EPA 8260B	7.57	0.0120	0.200	mg/kg wet	1x	--	8.00	94.6%	(70-130)	--	--	04/22/08 12:41	J
o-Xylene	"	3.74	0.00500	0.100	"	"	--	4.00	93.4%	"	--	--	"	J
Benzene	"	3.77	0.00600	0.0200	"	"	--	"	94.2%	(75-125)	--	--	"	
Chlorobenzene	"	3.86	0.00500	0.100	"	"	--	"	96.4%	"	--	--	"	
1,1-Dichloroethene	"	3.74	0.0100	0.100	"	"	--	"	93.6%	(69-128)	--	--	"	
Trichloroethene	"	3.56	0.0100	0.100	"	"	--	"	89.0%	(75-125)	--	--	"	
<i>Surrogate(s): 1,2-DCA-d4</i>		<i>Recovery:</i>		<i>93.6%</i>		<i>Limits: 75-125%</i>		<i>"</i>				<i>04/22/08 12:41</i>		
<i>Toluene-d8</i>		<i>97.6%</i>		<i>75-125%</i>		<i>"</i>						<i>"</i>		
<i>4-BFB</i>		<i>99.4%</i>		<i>75-125%</i>		<i>"</i>						<i>"</i>		

LCS Dup (8D22022-BSD1)													Extracted: 04/22/08 11:31	
m,p-Xylene	EPA 8260B	8.62	0.0120	0.200	mg/kg wet	1x	--	8.00	108%	(70-130)	13.0%	(20)	04/22/08 13:08	J
o-Xylene	"	4.17	0.00500	0.100	"	"	--	4.00	104%	"	11.0%	"	"	J
Benzene	"	4.09	0.00600	0.0200	"	"	--	"	102%	(75-125)	8.27%	"	"	
Chlorobenzene	"	4.27	0.00500	0.100	"	"	--	"	107%	"	10.0%	"	"	
1,1-Dichloroethene	"	4.09	0.0100	0.100	"	"	--	"	102%	(69-128)	8.81%	"	"	
Trichloroethene	"	3.86	0.0100	0.100	"	"	--	"	96.6%	(75-125)	8.13%	"	"	
<i>Surrogate(s): 1,2-DCA-d4</i>		<i>Recovery:</i>		<i>89.5%</i>		<i>Limits: 75-125%</i>		<i>"</i>				<i>04/22/08 13:08</i>		
<i>Toluene-d8</i>		<i>101%</i>		<i>75-125%</i>		<i>"</i>						<i>"</i>		
<i>4-BFB</i>		<i>97.0%</i>		<i>75-125%</i>		<i>"</i>						<i>"</i>		


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D15034 Water Preparation Method: EPA 5030B

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8D15034-BLK1)													Extracted: 04/15/08 08:33	
Acetone	EPA 8260B	ND	---	10.0	ug/l	1x	--	--	--	--	--	--	04/15/08 13:50	
Benzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Bromochloromethane	"	ND	---	0.250	"	"	--	--	--	--	--	--	"	
Bromodichloromethane	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	---	0.250	"	"	--	--	--	--	--	--	"	
Bromomethane	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
2-Butanone	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	B
n-Butylbenzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
sec-Butylbenzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
tert-Butylbenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Carbon disulfide	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Carbon tetrachloride	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	C
Chlorobenzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Chloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chloroform	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Chloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Dibromochloromethane	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromoethane	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Dibromomethane	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Dichlorodifluoromethane	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethane	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
1,2-Dichloroethane	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	L
cis-1,2-Dichloroethene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
trans-1,2-Dichloroethene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
1,2-Dichloropropane	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
1,3-Dichloropropane	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
2,2-Dichloropropane	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	CS
1,1-Dichloropropene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
cis-1,3-Dichloropropene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
trans-1,3-Dichloropropene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	--

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D15034 Water Preparation Method: EPA 5030B

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8D15034-BLK1)													Extracted: 04/15/08 08:33	
Hexachlorobutadiene	EPA 8260B	ND	---	2.50	ug/l	1x	--	--	--	--	--	--	04/15/08 13:50	
Methyl tert-butyl ether	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
n-Hexane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Hexanone	"	2.29	---	2.00	"	"	--	--	--	--	--	--	"	B
Isopropylbenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
4-Methyl-2-pentanone	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,1,2-Tetrachloroethane	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
o-Xylene	"	ND	---	0.250	"	"	--	--	--	--	--	--	"	
m,p-Xylene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Total Xylenes	"	ND	---	0.750	"	"	--	--	--	--	--	--	"	
Surrogate(s):	1,2-DCA-d4	Recovery:	96.2%	Limits:	76-138%	"							04/15/08 13:50	
	Toluene-d8		94.8%		80-120%	"							"	
	4-BFB		103%		80-120%	"							"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 05/22/08 09:16
--	---	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D15034 Water Preparation Method: EPA 5030B

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (8D15034-BS1)													Extracted: 04/15/08 08:33	
Benzene	EPA 8260B	41.3	---	0.200	ug/l	1x	--	40.0	103%	(80-120)	--	--	04/15/08 12:14	
Chlorobenzene	"	36.5	---	0.200	"	"	--	"	91.3%	"	--	--	"	
1,1-Dichloroethene	"	47.0	---	0.200	"	"	--	"	117%	"	--	--	"	
Methyl tert-butyl ether	"	37.8	---	1.00	"	"	--	"	94.5%	"	--	--	"	
Toluene	"	36.5	---	0.200	"	"	--	"	91.4%	(75-125)	--	--	"	
Trichloroethene	"	40.2	---	0.200	"	"	--	"	101%	(80-120)	--	--	"	
<i>Surrogate(s): 1,2-DCA-d4</i>		<i>Recovery: 92.6%</i>		<i>Limits: 76-138%</i>								<i>04/15/08 12:14</i>		
<i>Toluene-d8</i>		<i>94.4%</i>		<i>80-120%</i>								<i>"</i>		
<i>4-BFB</i>		<i>99.8%</i>		<i>80-120%</i>								<i>"</i>		

LCS Dup (8D15034-BSD1)													Extracted: 04/15/08 08:33	
Benzene	EPA 8260B	42.1	---	0.200	ug/l	1x	--	40.0	105%	(80-120)	2.01% (20)		04/15/08 12:43	
Chlorobenzene	"	35.8	---	0.200	"	"	--	"	89.5%	"	2.02%	"	"	
1,1-Dichloroethene	"	48.3	---	0.200	"	"	--	"	121%	"	2.81%	"	"	L1
Methyl tert-butyl ether	"	37.1	---	1.00	"	"	--	"	92.8%	"	1.79%	"	"	
Toluene	"	35.9	---	0.200	"	"	--	"	89.7%	(75-125)	1.82%	"	"	
Trichloroethene	"	40.8	---	0.200	"	"	--	"	102%	(80-120)	1.33%	"	"	
<i>Surrogate(s): 1,2-DCA-d4</i>		<i>Recovery: 93.0%</i>		<i>Limits: 76-138%</i>								<i>04/15/08 12:43</i>		
<i>Toluene-d8</i>		<i>92.0%</i>		<i>80-120%</i>								<i>"</i>		
<i>4-BFB</i>		<i>100%</i>		<i>80-120%</i>								<i>"</i>		

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name:	ADJ. Prop. NCC	Report Created:
	Project Number:	027-30139-00	05/22/08 09:16
	Project Manager:	Meghan Lunney	

Physical Parameters by APHA/ASTM/EPA Methods - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D23034 Soil Preparation Method: Dry Weight

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8D23034-BLK1)										Extracted: 04/23/08 13:32				
Dry Weight	BSOPSPL00 3R08	100	---	1.00	%	1x	--	--	--	--	--	--	04/24/08 00:00	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc.

2310 N. Molter Rd. Suite 101
Liberty Lake, WA 99019

Project Name: **ADJ. Prop. NCC**

Project Number: 027-30139-00

Project Manager: Meghan Lunney

Report Created:

05/22/08 09:16

Notes and Definitions

Report Specific Notes:

- B - Analyte was detected in the associated Method Blank.
- B1 - Analyte was detected in the associated method blank. Analyte concentration in the sample is greater than 10x the concentration found in the method blank.
- C - Calibration Verification recovery was above the method control limit for this analyte. Analyte not detected, data not impacted.
- C5 - Calibration Verification recovery was below the method control limit for this analyte. An additional check standard was analyzed at the reporting limit to ensure instrument sensitivity at the reporting limit. Samples ND.
- I2 - Internal Standard recovery was outside of method limits.
- J - Estimated value. Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). The user of this data should be aware that this data is of limited reliability.
- L - Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above the acceptance limits. Analyte not detected, data not impacted.
- L1 - Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above acceptance limits.
- N1 - See case narrative.

Laboratory Reporting Conventions:

- DET - Analyte DETECTED at or above the Reporting Limit. Qualitative Analyses only.
- ND - Analyte NOT DETECTED at or above the reporting limit (MDL or MRL, as appropriate).
- NR/NA - Not Reported / Not Available
- dry - Sample results reported on a Dry Weight Basis. Results and Reporting Limits have been corrected for Percent Dry Weight.
- wet - Sample results and reporting limits reported on a Wet Weight Basis (as received). Results with neither 'wet' nor 'dry' are reported on a Wet Weight Basis.
- RPD - RELATIVE PERCENT DIFFERENCE (RPDs calculated using Results, not Percent Recoveries).
- MRL - METHOD REPORTING LIMIT. Reporting Level at, or above, the lowest level standard of the Calibration Table.
- MDL* - METHOD DETECTION LIMIT. Reporting Level at, or above, the statistically derived limit based on 40CFR, Part 136, Appendix B. *MDLs are listed on the report only if the data has been evaluated below the MRL. Results between the MDL and MRL are reported as Estimated Results.
- Dil - Dilutions are calculated based on deviations from the standard dilution performed for an analysis, and may not represent the dilution found on the analytical raw data.
- Reporting Limits - Reporting limits (MDLs and MRLs) are adjusted based on variations in sample preparation amounts, analytical dilutions and percent solids, where applicable.
- Electronic Signature - Electronic Signature added in accordance with TestAmerica's *Electronic Reporting and Electronic Signatures Policy*. Application of electronic signature indicates that the report has been reviewed and approved for release by the laboratory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.



Randee Decker, Project Manager



TestAmerica

ANALYTICAL TESTING CORPORATION

11720 North Creek Pkwy N Suite 400, Bothell, WA 98011-8244
 425-420-9200 FAX 420-9210
 11922 E. First Ave, Spokane, WA 99206-5302
 509-924-9200 FAX 924-9290
 9405 SW Nimbus Ave, Beaverton, OR 97008-7145
 503-906-9200 FAX 906-9210
 2000 W International Airport Rd Ste A10, Anchorage, AK 99502-1119
 907-563-9200 FAX 563-9210

CHAIN OF CUSTODY REPORT

Work Order #: **SP0072**

CLIENT:	INVOICE TO:	PRESERVATIVE		REQUESTED ANALYSES		TURNAROUND REQUEST	
		DATE	TIME	DATE	TIME	in Business Days *	TA WO ID
LFR	LFR						
REPORT TO: Meghan Lunney	ADDRESS: 2310 N. Moller Rd / Ste 101	P.O. NUMBER:		OTHER Specify:		Matrix (W, S, O)	
PHONE: 509-570-4444	FAX: 509-535-7361	PROJECT NUMBER: ADJ. Pop. - NCC		Matrix (W, S, O)		# OF CONT.	
SAMPLED BY: Meghan Lunney	SAMPLING DATE/TIME	PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
CLIENT SAMPLE IDENTIFICATION		PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
1. MW11D-15.3	4/8/08 0735	PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
2. MW11D-17.3	↓ 0825	PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
3. MW11D-44.3	↓ 0945	PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
4. MW12D-12	4/9/08 0815	PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
5. MW12D-22.5	↓ 0935	PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
6. MW10D-13	4/10/08 0900	PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
7. MW10D-24.5	↓ 0910	PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
8. MW30-30	↓ 0935	PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
9. MW13D-13.3	4/11/08 0835	PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
10. TRIP		PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
RELEASED BY: Meghan Lunney	DATE: 4/14/08	PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
PRINT NAME: MEGHAN LUNNEY	TIME: 0812	PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
RELEASED BY:	DATE:	PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
PRINT NAME:	TIME:	PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
ADDITIONAL REMARKS:		PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	
TEMP: 5.2	PAGE 1 OF 7	PROJECT NUMBER: 027-30139-00		Matrix (W, S, O)		# OF CONT.	

PLEASE provide report in pdf and eim equivalent format

11720 North Creek Pkwy N Suite 400, Bothell, WA 98011-8244
 11922 E. First Ave, Spokane, WA 99206-5302
 9405 SW Nimbus Ave, Beaverton, OR 97008-7145
 2000 W International Airport Rd Ste A10, Anchorage, AK 99502-1119

425-420-9200 FAX 420-9210
 509-924-9200 FAX 924-9290
 503-906-9200 FAX 906-9210
 907-563-9200 FAX 563-9210

CHAIN OF CUSTODY REPORT

Work Order #: **SP50072**

CLIENT: LFR	INVOICE TO: LFR	TURNAROUND REQUEST in Business Days *	
REPORT TO: Meghan Lunney	P.O. NUMBER:	<input checked="" type="checkbox"/> STD: Organic & Inorganic Analyses <input type="checkbox"/> STD: Petroleum Hydrocarbon Analyses	7 5 4 3 2 1 <1 5 4 3 2 1 <1
PHONE: 509-570-4424 FAX: 509-535-7314	PRESERVATIVE	OTHER <input type="checkbox"/> Specify:	
PROJECT NAME: ADJ. Prop. NCC	REQUESTED ANALYSES	* Turnaround Requests less than standard may incur Rush Charges.	
PROJECT NUMBER: 027-30139-00		MATRIX (W, S, O)	# OF CONT.
SAMPLED BY: Meghan Lunney		S H	14
CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	LOCATION / COMMENTS	TA WO ID
MW13D-53.6	4/11/08 1230 X		-41
2			
3			
4			
5			
6			
7			
8			
9			
10			
RELEASED BY:	DATE:	RECEIVED BY:	DATE:
PRINT NAME:	TIME:	PRINT NAME: C. Hanson	TIME: 4/14/08
RELEASED BY:	DATE:	RECEIVED BY:	DATE:
PRINT NAME:	TIME:	PRINT NAME:	TIME: 8:12
ADDITIONAL REMARKS:		FIRM:	FIRM:
		FIRM:	FIRM:
TAL-1008 0807		TEMP: 52	PAGE 22 OF

April 29, 2008

Meghan Lunney
LFR, Inc.
2310 N. Molter Rd. Suite 101
Liberty Lake, WA 99019

RE: ADJ. Prop. NCC

Enclosed are the results of analyses for samples received by the laboratory on 04/17/08 08:45.
The following list is a summary of the Work Orders contained in this report, generated on 04/29/08
13:32.

If you have any questions concerning this report, please feel free to contact me.

<u>Work Order</u>	<u>Project</u>	<u>ProjectNumber</u>
SRD0095	ADJ. Prop. NCC	027-30139-00

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 04/29/08 13:32
--	---	-----------------------------------

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW14D-11.8	SRD0095-01	Soil	04/15/08 07:50	04/17/08 08:45
MW14D-53.4	SRD0095-02	Soil	04/15/08 13:30	04/17/08 08:45
MW40-40	SRD0095-03	Soil	04/15/08 08:00	04/17/08 08:45


Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 04/29/08 13:32
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0095-01 (MW14D-11.8)										
		Soil					Sampled: 04/15/08 07:50			
Acetone	EPA 8260B	31.8	----	30.7	ug/kg dry	1x	8D23011	04/23/08 11:00	04/23/08 13:44	
Benzene	"	ND	----	1.53	"	"	"	"	"	
Bromobenzene	"	ND	----	5.11	"	"	"	"	"	
Bromochloromethane	"	ND	----	5.11	"	"	"	"	"	
Bromodichloromethane	"	ND	----	5.11	"	"	"	"	"	
Bromoform	"	ND	----	5.11	"	"	"	"	"	
Bromomethane	"	ND	----	10.2	"	"	"	"	"	
2-Butanone	"	ND	----	15.3	"	"	"	"	"	
n-Butylbenzene	"	ND	----	5.11	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	5.11	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	5.11	"	"	"	"	"	
Carbon disulfide	"	ND	----	3.07	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	5.11	"	"	"	"	"	
Chlorobenzene	"	ND	----	2.04	"	"	"	"	"	
Chloroethane	"	ND	----	5.11	"	"	"	"	"	
Chloroform	"	ND	----	2.55	"	"	"	"	"	
Chloromethane	"	ND	----	10.2	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	5.11	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	5.11	"	"	"	"	"	
Dibromochloromethane	"	ND	----	5.11	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	10.2	"	"	"	"	"	
1,2-Dibromoethane (EDB)	"	ND	----	5.11	"	"	"	"	"	
Dibromomethane	"	ND	----	5.11	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	5.11	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	5.11	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	5.11	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	5.11	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	2.04	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	1.28	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	3.07	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	3.07	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	2.55	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	5.11	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	5.11	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	10.2	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	5.11	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	5.11	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.28	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 04/29/08 13:32
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0095-01 (MW14D-11.8)		Soil			Sampled: 04/15/08 07:50					
Ethylbenzene	EPA 8260B	ND	----	4.09	ug/kg dry	1x	8D23011	04/23/08 11:00	04/23/08 13:44	
Hexachlorobutadiene	"	ND	----	10.2	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.02	"	"	"	"	"	
n-Hexane	"	ND	----	5.11	"	"	"	"	"	
2-Hexanone	"	ND	----	20.4	"	"	"	"	"	
Isopropylbenzene	"	ND	----	5.11	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	5.11	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	20.4	"	"	"	"	"	
Methylene chloride	"	ND	----	3.58	"	"	"	"	"	
Naphthalene	"	ND	----	10.2	"	"	"	"	"	
n-Propylbenzene	"	ND	----	5.11	"	"	"	"	"	
Styrene	"	ND	----	1.02	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	10.2	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	10.2	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	5.11	"	"	"	"	"	
1,1,1,2,2-Tetrachloroethane	"	ND	----	5.11	"	"	"	"	"	
Tetrachloroethene	"	ND	----	2.04	"	"	"	"	"	
Toluene	"	ND	----	1.53	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	2.55	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.28	"	"	"	"	"	
Trichloroethene	"	ND	----	2.55	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	5.11	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	5.11	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	5.11	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	5.11	"	"	"	"	"	
Vinyl chloride	"	ND	----	2.55	"	"	"	"	"	
o-Xylene	"	ND	----	5.11	"	"	"	"	"	
m,p-Xylene	"	ND	----	5.11	"	"	"	"	"	
Total Xylenes	"	ND	----	10.2	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>1,2-DCA-d4</i>			<i>127%</i>		<i>60 - 140 %</i>	<i>"</i>			<i>"</i>
	<i>Toluene-d8</i>			<i>94.5%</i>		<i>60 - 140 %</i>	<i>"</i>			<i>"</i>
	<i>4-BFB</i>			<i>105%</i>		<i>60 - 140 %</i>	<i>"</i>			<i>"</i>


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 04/29/08 13:32
--	---	-----------------------------------

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0095-02 (MW14D-53.4)		Soil			Sampled: 04/15/08 13:30					
Acetone	EPA 8260B	ND	----	33.1	ug/kg dry	1x	8D23011	04/23/08 11:00	04/23/08 14:10	
Benzene	"	ND	----	1.66	"	"	"	"	"	
Bromobenzene	"	ND	----	5.52	"	"	"	"	"	
Bromochloromethane	"	ND	----	5.52	"	"	"	"	"	
Bromodichloromethane	"	ND	----	5.52	"	"	"	"	"	
Bromoform	"	ND	----	5.52	"	"	"	"	"	
Bromomethane	"	ND	----	11.0	"	"	"	"	"	
2-Butanone	"	ND	----	16.6	"	"	"	"	"	
n-Butylbenzene	"	ND	----	5.52	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	5.52	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	5.52	"	"	"	"	"	
Carbon disulfide	"	ND	----	3.31	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	5.52	"	"	"	"	"	
Chlorobenzene	"	ND	----	2.21	"	"	"	"	"	
Chloroethane	"	ND	----	5.52	"	"	"	"	"	
Chloroform	"	ND	----	2.76	"	"	"	"	"	
Chloromethane	"	ND	----	11.0	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	5.52	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	5.52	"	"	"	"	"	
Dibromochloromethane	"	ND	----	5.52	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	11.0	"	"	"	"	"	
1,2-Dibromoethane (EDB)	"	ND	----	5.52	"	"	"	"	"	
Dibromomethane	"	ND	----	5.52	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	5.52	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	5.52	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	5.52	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	5.52	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	2.21	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	1.38	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	3.31	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	3.31	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	2.76	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	5.52	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	5.52	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	11.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	5.52	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	5.52	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.38	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 04/29/08 13:32
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0095-02 (MW14D-53.4)		Soil			Sampled: 04/15/08 13:30					
Ethylbenzene	EPA 8260B	ND	----	4.41	ug/kg dry	1x	8D23011	04/23/08 11:00	04/23/08 14:10	
Hexachlorobutadiene	"	ND	----	11.0	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.10	"	"	"	"	"	
n-Hexane	"	ND	----	5.52	"	"	"	"	"	
2-Hexanone	"	ND	----	22.1	"	"	"	"	"	
Isopropylbenzene	"	ND	----	5.52	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	5.52	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	22.1	"	"	"	"	"	
Methylene chloride	"	ND	----	3.86	"	"	"	"	"	
Naphthalene	"	ND	----	11.0	"	"	"	"	"	
n-Propylbenzene	"	ND	----	5.52	"	"	"	"	"	
Styrene	"	ND	----	1.10	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	11.0	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	11.0	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	5.52	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	5.52	"	"	"	"	"	
Tetrachloroethene	"	ND	----	2.21	"	"	"	"	"	
Toluene	"	ND	----	1.66	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	2.76	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.38	"	"	"	"	"	
Trichloroethene	"	ND	----	2.76	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	5.52	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	5.52	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	5.52	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	5.52	"	"	"	"	"	
Vinyl chloride	"	ND	----	2.76	"	"	"	"	"	
o-Xylene	"	ND	----	5.52	"	"	"	"	"	
m,p-Xylene	"	ND	----	5.52	"	"	"	"	"	
Total Xylenes	"	ND	----	11.0	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>1,2-DCA-d4</i>		<i>125%</i>		<i>60 - 140 %</i>	<i>"</i>			<i>"</i>	
	<i>Toluene-d8</i>		<i>92.7%</i>		<i>60 - 140 %</i>	<i>"</i>			<i>"</i>	
	<i>4-BFB</i>		<i>108%</i>		<i>60 - 140 %</i>	<i>"</i>			<i>"</i>	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 04/29/08 13:32
--	---	-----------------------------------

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0095-03 (MW40-40)		Soil			Sampled: 04/15/08 08:00					
Acetone	EPA 8260B	ND	----	23.5	ug/kg dry	1x	8D23011	04/23/08 11:00	04/23/08 14:36	
Benzene	"	ND	----	1.18	"	"	"	"	"	
Bromobenzene	"	ND	----	3.92	"	"	"	"	"	
Bromochloromethane	"	ND	----	3.92	"	"	"	"	"	
Bromodichloromethane	"	ND	----	3.92	"	"	"	"	"	
Bromoform	"	ND	----	3.92	"	"	"	"	"	
Bromomethane	"	ND	----	7.84	"	"	"	"	"	
2-Butanone	"	ND	----	11.8	"	"	"	"	"	
n-Butylbenzene	"	ND	----	3.92	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	3.92	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	3.92	"	"	"	"	"	
Carbon disulfide	"	ND	----	2.35	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	3.92	"	"	"	"	"	
Chlorobenzene	"	ND	----	1.57	"	"	"	"	"	
Chloroethane	"	ND	----	3.92	"	"	"	"	"	
Chloroform	"	ND	----	1.96	"	"	"	"	"	
Chloromethane	"	ND	----	7.84	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	3.92	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	3.92	"	"	"	"	"	
Dibromochloromethane	"	ND	----	3.92	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	7.84	"	"	"	"	"	
1,2-Dibromoethane (EDB)	"	ND	----	3.92	"	"	"	"	"	
Dibromomethane	"	ND	----	3.92	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	3.92	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	3.92	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	3.92	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	3.92	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.57	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	0.981	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	2.35	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	2.35	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.96	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	3.92	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	3.92	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	7.84	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	3.92	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	3.92	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	0.981	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 04/29/08 13:32
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method)
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0095-03 (MW40-40)		Soil			Sampled: 04/15/08 08:00					
Ethylbenzene	EPA 8260B	ND	---	3.14	ug/kg dry	1x	8D23011	04/23/08 11:00	04/23/08 14:36	
Hexachlorobutadiene	"	ND	----	7.84	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	0.784	"	"	"	"	"	
n-Hexane	"	ND	----	3.92	"	"	"	"	"	
2-Hexanone	"	ND	----	15.7	"	"	"	"	"	
Isopropylbenzene	"	ND	----	3.92	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	3.92	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	15.7	"	"	"	"	"	
Methylene chloride	"	ND	----	2.75	"	"	"	"	"	
Naphthalene	"	ND	----	7.84	"	"	"	"	"	
n-Propylbenzene	"	ND	----	3.92	"	"	"	"	"	
Styrene	"	ND	----	0.784	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	7.84	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	7.84	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	3.92	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	3.92	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.57	"	"	"	"	"	
Toluene	"	ND	----	1.18	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.96	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	0.981	"	"	"	"	"	
Trichloroethene	"	ND	----	1.96	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	3.92	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	3.92	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	3.92	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	3.92	"	"	"	"	"	
Vinyl chloride	"	ND	----	1.96	"	"	"	"	"	
o-Xylene	"	ND	----	3.92	"	"	"	"	"	
m,p-Xylene	"	ND	----	3.92	"	"	"	"	"	
Total Xylenes	"	ND	----	7.84	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>1,2-DCA-d4</i>		<i>128%</i>		<i>60 - 140 %</i>	<i>"</i>			<i>"</i>	
	<i>Toluene-d8</i>		<i>92.3%</i>		<i>60 - 140 %</i>	<i>"</i>			<i>"</i>	
	<i>4-BFB</i>		<i>103%</i>		<i>60 - 140 %</i>	<i>"</i>			<i>"</i>	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name:	ADJ. Prop. NCC	Report Created: 04/29/08 13:32
	Project Number:	027-30139-00	
	Project Manager:	Meghan Lunney	

Physical Parameters by APHA/ASTM/EPA Methods
 TestAmerica Seattle

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRD0095-01 (MW14D-11.8)		Soil					Sampled: 04/15/08 07:50			
Dry Weight	BSOPSP003R0 8	74.9	----	1.00	%	1x	8D24046	04/24/08 14:08	04/25/08 00:00	
SRD0095-02 (MW14D-53.4)		Soil					Sampled: 04/15/08 13:30			
Dry Weight	BSOPSP003R0 8	72.5	----	1.00	%	1x	8D24046	04/24/08 14:08	04/25/08 00:00	
SRD0095-03 (MW40-40)		Soil					Sampled: 04/15/08 08:00			
Dry Weight	BSOPSP003R0 8	74.9	----	1.00	%	1x	8D24046	04/24/08 14:08	04/25/08 00:00	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 04/29/08 13:32
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method) - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D23011 **Soil Preparation Method:** EPA 5035

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8D23011-BLK1)													Extracted: 04/23/08 11:00	
Acetone	EPA 8260B	ND	---	30.0	ug/kg wet	1x	--	--	--	--	--	--	04/23/08 12:53	
Benzene	"	ND	---	1.50	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Bromochloromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Bromodichloromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Bromomethane	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Butanone	"	ND	---	15.0	"	"	--	--	--	--	--	--	"	
n-Butylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
sec-Butylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
tert-Butylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Carbon disulfide	"	ND	---	3.00	"	"	--	--	--	--	--	--	"	
Carbon tetrachloride	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Chlorobenzene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
Chloroethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Chloroform	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
Chloromethane	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Dibromochloromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,2-Dibromoethane (EDB)	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Dibromomethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Dichlorodifluoromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethane	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloroethane	"	ND	---	1.25	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethene	"	ND	---	3.00	"	"	--	--	--	--	--	--	"	
cis-1,2-Dichloroethene	"	ND	---	3.00	"	"	--	--	--	--	--	--	"	
trans-1,2-Dichloroethene	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
1,2-Dichloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,3-Dichloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
2,2-Dichloropropane	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,1-Dichloropropene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
cis-1,3-Dichloropropene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
trans-1,3-Dichloropropene	"	ND	---	1.25	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	4.00	"	"	--	--	--	--	--	--	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 04/29/08 13:32
--	---	-----------------------------------

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method) - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D23011 Soil Preparation Method: EPA 5035

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8D23011-BLK1)										Extracted: 04/23/08 11:00				
Hexachlorobutadiene	EPA 8260B	ND	---	10.0	ug/kg wet	1x	--	--	--	--	--	--	04/23/08 12:53	
Methyl tert-butyl ether	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
n-Hexane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
2-Hexanone	"	ND	---	20.0	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
4-Methyl-2-pentanone	"	ND	---	20.0	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	---	3.50	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,1,1,2-Tetrachloroethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	1.50	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	---	1.25	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
o-Xylene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
m,p-Xylene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Total Xylenes	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Surrogate(s):	1,2-DCA-d4	Recovery:	108%	Limits:	60-140%	"							04/23/08 12:53	
	Toluene-d8		97.8%		60-140%	"							"	
	4-BFB		103%		60-140%	"							"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 04/29/08 13:32
--	---	--

Volatile Organic Compounds (Special List) per EPA Method 8260B (Low Soil Method) - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D23011 **Soil Preparation Method:** EPA 5035

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Extracted: 04/23/08 11:00														
LCS (8D23011-BS1)														
Acetone	EPA 8260B	456	---	30.0	ug/kg wet	1x	--	500	91.2%	(70-130)	--	--	04/23/08 11:37	
Benzene	"	49.3	---	1.50	"	"	--	50.0	98.6%	"	--	--	"	
2-Butanone	"	539	---	15.0	"	"	--	500	108%	"	--	--	"	
Carbon disulfide	"	49.6	---	3.00	"	"	--	50.0	99.2%	"	--	--	"	
Chlorobenzene	"	46.8	---	2.00	"	"	--	"	93.5%	"	--	--	"	
1,1-Dichloroethane	"	49.8	---	2.00	"	"	--	"	99.6%	"	--	--	"	
1,1-Dichloroethene	"	49.7	---	3.00	"	"	--	"	99.4%	"	--	--	"	
cis-1,2-Dichloroethene	"	51.7	---	3.00	"	"	--	"	103%	"	--	--	"	
Ethylbenzene	"	46.4	---	4.00	"	"	--	"	92.7%	"	--	--	"	
Hexachlorobutadiene	"	45.6	---	10.0	"	"	--	"	91.2%	"	--	--	"	
4-Methyl-2-pentanone	"	500	---	20.0	"	"	--	500	100%	"	--	--	"	
Tetrachloroethene	"	46.5	---	2.00	"	"	--	50.0	93.1%	"	--	--	"	
Toluene	"	47.1	---	1.50	"	"	--	"	94.2%	"	--	--	"	
1,1,1-Trichloroethane	"	46.1	---	2.50	"	"	--	"	92.2%	"	--	--	"	
Trichloroethene	"	46.8	---	2.50	"	"	--	"	93.6%	"	--	--	"	

<i>Surrogate(s):</i> 1,2-DCA-d4	<i>Recovery:</i> 98.7%	<i>Limits:</i> 60-140%	"	04/23/08 11:37
Toluene-d8	97.4%	60-140%	"	"
4-BFB	100%	60-140%	"	"

Extracted: 04/23/08 11:00														
LCS Dup (8D23011-BSD1)														
Acetone	EPA 8260B	436	---	30.0	ug/kg wet	1x	--	500	87.2%	(70-130)	4.53%	(30)	04/23/08 12:02	
Benzene	"	54.3	---	1.50	"	"	--	50.0	109%	"	9.66%	"	"	
2-Butanone	"	525	---	15.0	"	"	--	500	105%	"	2.65%	"	"	
Carbon disulfide	"	56.5	---	3.00	"	"	--	50.0	113%	"	13.0%	"	"	
Chlorobenzene	"	50.6	---	2.00	"	"	--	"	101%	"	7.91%	"	"	
1,1-Dichloroethane	"	54.6	---	2.00	"	"	--	"	109%	"	9.25%	"	"	
1,1-Dichloroethene	"	57.9	---	3.00	"	"	--	"	116%	"	15.3%	"	"	
cis-1,2-Dichloroethene	"	56.8	---	3.00	"	"	--	"	114%	"	9.51%	"	"	
Ethylbenzene	"	51.2	---	4.00	"	"	--	"	102%	"	9.84%	"	"	
Hexachlorobutadiene	"	35.9	---	10.0	"	"	--	"	71.8%	"	23.8%	"	"	
4-Methyl-2-pentanone	"	477	---	20.0	"	"	--	500	95.3%	"	4.75%	"	"	
Tetrachloroethene	"	47.6	---	2.00	"	"	--	50.0	95.2%	"	2.27%	"	"	
Toluene	"	53.1	---	1.50	"	"	--	"	106%	"	12.0%	"	"	
1,1,1-Trichloroethane	"	54.9	---	2.50	"	"	--	"	110%	"	17.5%	"	"	
Trichloroethene	"	51.3	---	2.50	"	"	--	"	103%	"	9.14%	"	"	

<i>Surrogate(s):</i> 1,2-DCA-d4	<i>Recovery:</i> 96.8%	<i>Limits:</i> 60-140%	"	04/23/08 12:02
Toluene-d8	103%	60-140%	"	"
4-BFB	102%	60-140%	"	"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: ADJ. Prop. NCC Project Number: 027-30139-00 Project Manager: Meghan Lunney	Report Created: 04/29/08 13:32
--	---	-----------------------------------

Physical Parameters by APHA/ASTM/EPA Methods - Laboratory Quality Control Results
 TestAmerica Seattle

QC Batch: 8D24046 Soil Preparation Method: Dry Weight

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC (Limits)	% RPD (Limits)	Analyzed	Notes
Blank (8D24046-BLK1)						Extracted: 04/24/08 14:08						
Dry Weight	BSOFSPL00 3R08	100	---	1.00	%	1x	--	--	--	--	04/25/08 00:00	



Randee Decker, Project Manager



LFR, Inc.

2310 N. Molter Rd. Suite 101
Liberty Lake, WA 99019

Project Name: **ADJ. Prop. NCC**

Project Number: 027-30139-00

Project Manager: Meghan Lunney

Report Created:

04/29/08 13:32

Notes and Definitions

Report Specific Notes:

None

Laboratory Reporting Conventions:

- DET - Analyte DETECTED at or above the Reporting Limit. Qualitative Analyses only.
- ND - Analyte NOT DETECTED at or above the reporting limit (MDL or MRL, as appropriate).
- NR/NA - Not Reported / Not Available
- dry - Sample results reported on a Dry Weight Basis. Results and Reporting Limits have been corrected for Percent Dry Weight.
- wet - Sample results and reporting limits reported on a Wet Weight Basis (as received). Results with neither 'wet' nor 'dry' are reported on a Wet Weight Basis.
- RPD - RELATIVE PERCENT DIFFERENCE (RPDs calculated using Results, not Percent Recoveries).
- MRL - METHOD REPORTING LIMIT. Reporting Level at, or above, the lowest level standard of the Calibration Table.
- MDL* - METHOD DETECTION LIMIT. Reporting Level at, or above, the statistically derived limit based on 40CFR, Part 136, Appendix B. *MDLs are listed on the report only if the data has been evaluated below the MRL. Results between the MDL and MRL are reported as Estimated Results.
- Dil - Dilutions are calculated based on deviations from the standard dilution performed for an analysis, and may not represent the dilution found on the analytical raw data.
- Reporting Limits - Reporting limits (MDLs and MRLs) are adjusted based on variations in sample preparation amounts, analytical dilutions and percent solids, where applicable.
- Electronic Signature - Electronic Signature added in accordance with TestAmerica's *Electronic Reporting and Electronic Signatures Policy*. Application of electronic signature indicates that the report has been reviewed and approved for release by the laboratory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



TestAmerica

ANALYTICAL TESTING CORPORATION

11720 North Creek Pkwy N Suite 400, Bothell, WA 98011-8244
 11922 E. First Ave, Spokane, WA 99206-5302
 9405 SW Nimbus Ave, Beaverton, OR 97008-7145
 2000 W International Airport Rd Ste A10, Anchorage, AK 99502-1119

425-420-9200 FAX 420-9210
 509-924-9200 FAX 924-9290
 503-906-9200 FAX 906-9210
 907-563-9200 FAX 563-9210

CHAIN OF CUSTODY REPORT

Work Order #: **SP00095**

CLIENT: LFR	INVOICE TO: LFR	TURNAROUND REQUEST in Business Days *			
REPORT TO: Meghan Lunney ADDRESS: 2316 N Miller Rd / Ste 101 Liberty Lake WA 99019	P.O. NUMBER:	<input checked="" type="checkbox"/> 7 <input type="checkbox"/> 5 <input type="checkbox"/> 4 <input type="checkbox"/> 3 <input type="checkbox"/> 2 <input type="checkbox"/> 1 <input type="checkbox"/> <1	<input type="checkbox"/> 5 <input type="checkbox"/> 4 <input type="checkbox"/> 3 <input type="checkbox"/> 2 <input type="checkbox"/> 1 <input type="checkbox"/> <1		
PHONE: 509-570-4424 FAX: 509-535-7361	PRESERVATIVE	Organic & Inorganic Analyses Petroleum Hydrocarbon Analyses			
PROJECT NAME: ADD, Pop. NCC	REQUESTED ANALYSES	OTHER Specify:			
PROJECT NUMBER: 027-30139-00		* Turnaround Requests less than standard may incur Rush Charges.			
SAMPLED BY: Meghan Lunney		MATRIX (W, S, O)	# OF CONT.	LOCATION / COMMENTS	TA W/O ID
CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME				
1 MW14D-11.8	4/15/08 07:50 ✓	S	4		-01
2 MW14D-53.4	↓ 1330 ✓	S	4		-02
3 MW40-40	↓ 0800 ✓	S	4		-03
4					
5					
6					
7					
8					
9					
10					
RELEASED BY: Meghan Lunney FIRM: LFR	DATE: 4/17/08 TIME: 0845	RECEIVED BY: Pat Hanson	PRINT NAME: P. Hanson	DATE: 4/17/08 TIME: 0845	FIRM: TestAmerica
RELEASED BY:	DATE: TIME:	RECEIVED BY:	PRINT NAME:	DATE: TIME:	FIRM:
ADDITIONAL REMARKS: How provide results in pdf and em equivalent formats.					
TAL-1000-0907					

-Thanks!

TEMP: **3.2** PAGE 1 OF

August 25, 2008

Meghan Lunney
LFR, Inc.
2310 N. Molter Rd. Suite 101
Liberty Lake, WA 99019

RE: New City Cleaners

Enclosed are the results of analyses for samples received by the laboratory on 08/07/08 14:45.
The following list is a summary of the Work Orders contained in this report, generated on 08/25/08
09:20.

If you have any questions concerning this report, please feel free to contact me.

<u>Work Order</u>	<u>Project</u>	<u>ProjectNumber</u>
SRH0056	New City Cleaners	02730139-00

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	-----------------------------------

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW10D	SRH0056-01	Water	08/07/08 08:45	08/07/08 14:45
MW10I	SRH0056-02	Water	08/07/08 09:00	08/07/08 14:45
MW12D	SRH0056-03	Water	08/07/08 10:05	08/07/08 14:45
MW12I	SRH0056-04	Water	08/07/08 09:30	08/07/08 14:45
MW11D	SRH0056-05	Water	08/07/08 10:40	08/07/08 14:45
MW11I	SRH0056-06	Water	08/07/08 11:20	08/07/08 14:45
MW11S	SRH0056-07	Water	08/07/08 10:55	08/07/08 14:45
MW13D	SRH0056-08	Water	08/07/08 11:45	08/07/08 14:45
MW13I	SRH0056-09	Water	08/07/08 12:10	08/07/08 14:45
MW DUP	SRH0056-10	Water	08/07/08 00:00	08/07/08 14:45
MW 14D	SRH0056-11	Water	08/07/08 12:50	08/07/08 14:45
MW 14I	SRH0056-12	Water	08/07/08 13:25	08/07/08 14:45

TestAmerica Spokane

Chris Williams For Randee Decker, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-01 (MW10D)		Water				Sampled: 08/07/08 08:45				
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 19:12	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	10.8	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	2.05	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	1.47	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager



LFRR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
---	---	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-01 (MW10D)		Water				Sampled: 08/07/08 08:45				
Chlorobenzene	EPA 8260B	ND	---	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 19:12	
1,1,1,2-Tetrachloroethane	"	ND	---	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	---	2.00	"	"	"	"	"	
o-Xylene	"	ND	---	1.00	"	"	"	"	"	
Styrene	"	ND	---	1.00	"	"	"	"	"	
Bromoform	"	ND	---	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	---	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	---	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	---	1.00	"	"	"	"	"	
Bromobenzene	"	ND	---	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	---	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	---	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	---	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	---	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	---	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	---	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	---	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	---	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	---	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	---	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
Naphthalene	"	ND	---	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>										
	<i>Dibromofluoromethane</i>		<i>109%</i>		<i>62.2 - 128 %</i>	<i>"</i>				<i>"</i>
	<i>Toluene-d8</i>		<i>105%</i>		<i>75.4 - 120 %</i>	<i>"</i>				<i>"</i>
	<i>4-bromofluorobenzene</i>		<i>92.3%</i>		<i>77.3 - 129 %</i>	<i>"</i>				<i>"</i>

TestAmerica Spokane



Chris Williams For Randee Decker, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-02 (MW101)		Water			Sampled: 08/07/08 09:00					
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 19:42	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	6.98	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	5.61	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	21.9	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	25.2	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	1.16	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name:	New City Cleaners	Report Created:
	Project Number:	02730139-00	08/25/08 09:20
	Project Manager:	Meghan Lunney	

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-02 (MW10I)		Water					Sampled: 08/07/08 09:00			
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 19:42	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Surrogate(s):	Dibromofluoromethane		109%		62.2	- 128 %	"		"	
	Toluene-d8		105%		75.4	- 120 %	"		"	
	4-bromofluorobenzene		95.1%		77.3	- 129 %	"		"	

TestAmerica Spokane



Chris Williams For Randee Decker, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



LFRR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
---	---	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-03 (MW12D)		Water			Sampled: 08/07/08 10:05					
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 20:13	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	67.9	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	2.20	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-03 (MW12D)		Water					Sampled: 08/07/08 10:05			
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 20:13	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			<i>11.4%</i>			<i>62.2 - 128 %</i>	<i>"</i>		<i>"</i>
	<i>Toluene-d8</i>			<i>101%</i>			<i>75.4 - 120 %</i>	<i>"</i>		<i>"</i>
	<i>4-bromofluorobenzene</i>			<i>99.2%</i>			<i>77.3 - 129 %</i>	<i>"</i>		<i>"</i>

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-04 (MW121)		Water					Sampled: 08/07/08 09:30			
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 20:44	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane



Chris Williams For Randee Decker, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-04 (MW12I)		Water					Sampled: 08/07/08 09:30			
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 20:44	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			<i>110%</i>				<i>62.2 - 128 %</i>	"	"
	<i>Toluene-d8</i>			<i>106%</i>				<i>75.4 - 120 %</i>	"	"
	<i>4-bromofluorobenzene</i>			<i>93.3%</i>				<i>77.3 - 129 %</i>	"	"

TestAmerica Spokane



Chris Williams For Randee Decker, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-05 (MW11D)		Water					Sampled: 08/07/08 10:40			
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 21:14	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-05 (MW11D)		Water			Sampled: 08/07/08 10:40					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 21:14	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			<i>107%</i>			<i>62.2 - 128 %</i>	<i>"</i>		<i>"</i>
	<i>Toluene-d8</i>			<i>106%</i>			<i>75.4 - 120 %</i>	<i>"</i>		<i>"</i>
	<i>4-bromofluorobenzene</i>			<i>101%</i>			<i>77.3 - 129 %</i>	<i>"</i>		<i>"</i>

TestAmerica Spokane



Chris Williams For Randee Decker, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-06 (MW111)		Water					Sampled: 08/07/08 11:20			
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 21:44	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-06 (MW11I)		Water			Sampled: 08/07/08 11:20					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 21:44	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			107%		62.2 - 128 %	"			"
	<i>Toluene-d8</i>			106%		75.4 - 120 %	"			"
	<i>4-bromofluorobenzene</i>			99.0%		77.3 - 129 %	"			"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-07 (MW11S)		Water			Sampled: 08/07/08 10:55					
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 22:14	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	43.6	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	2.12	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-07 (MW11S)		Water				Sampled: 08/07/08 10:55				
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 22:14	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoforn	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			<i>111%</i>				<i>62.2 - 128 %</i>	"	"
	<i>Toluene-d8</i>			<i>106%</i>				<i>75.4 - 120 %</i>	"	"
	<i>4-bromofluorobenzene</i>			<i>101%</i>				<i>77.3 - 129 %</i>	"	"

TestAmerica Spokane



Chris Williams For Randee Decker, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-08 (MW13D)		Water			Sampled: 08/07/08 11:45					
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 22:43	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	30.4	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	2.78	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	1.16	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	1.77	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane



Chris Williams For Randee Decker, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-08 (MW13D)		Water			Sampled: 08/07/08 11:45					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 22:43	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			<i>110%</i>				<i>62.2 - 128 %</i>		<i>"</i>
	<i>Toluene-d8</i>			<i>105%</i>				<i>75.4 - 120 %</i>		<i>"</i>
	<i>4-bromofluorobenzene</i>			<i>98.7%</i>				<i>77.3 - 129 %</i>		<i>"</i>

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-09 (MW13I)		Water			Sampled: 08/07/08 12:10					
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 23:14	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	5.56	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	25.1	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-09 (MW13I)		Water					Sampled: 08/07/08 12:10			
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 23:14	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			<i>113%</i>			<i>62.2 - 128 %</i>	"		"
	<i>Toluene-d8</i>			<i>104%</i>			<i>75.4 - 120 %</i>	"		"
	<i>4-bromofluorobenzene</i>			<i>96.6%</i>			<i>77.3 - 129 %</i>	"		"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-10 (MW DUP)		Water			Sampled: 08/07/08 00:00					
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 23:44	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	7.24	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	5.64	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	21.9	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	26.3	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	1.12	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-10 (MW DUP)		Water					Sampled: 08/07/08 00:00			
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/07/08 23:44	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Surrogate(s):	Dibromofluoromethane		112%		62.2 - 128 %	"				"
	Toluene-d8		106%		75.4 - 120 %	"				"
	4-bromofluorobenzene		99.5%		77.3 - 129 %	"				"

TestAmerica Spokane



Chris Williams For Randee Decker, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-11 (MW 14D)										
		Water								
		Sampled: 08/07/08 12:50								
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080137	08/19/08 10:26	08/19/08 18:00	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	2.71	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	63.5	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	21.9	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	2.02	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane



Chris Williams For Randee Decker, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-11 (MW 14D)		Water			Sampled: 08/07/08 12:50					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080137	08/19/08 10:26	08/19/08 18:00	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			88.2%			62.2 - 128 %	"		"
	<i>Toluene-d8</i>			84.8%			75.4 - 120 %	"		"
	<i>4-bromofluorobenzene</i>			87.5%			77.3 - 129 %	"		"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-12 (MW 14I)										
		Water								
							Sampled: 08/07/08 13:25			
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080137	08/19/08 10:26	08/19/08 18:31	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	2.67	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	13.5	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	47.8	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0056-12 (MW 14I)		Water			Sampled: 08/07/08 13:25					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080137	08/19/08 10:26	08/19/08 18:31	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			93.8%			62.2 - 128 %	"	"	
	<i>Toluene-d8</i>			96.7%			75.4 - 120 %	"	"	
	<i>4-bromofluorobenzene</i>			106%			77.3 - 129 %	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane

QC Batch: 8080045	Water Preparation Method: GC/MS Volatiles
--------------------------	--

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8080045-BLK1)													Extracted: 08/07/08 15:56	
Dichlorodifluoromethane	EPA 8260B	ND	---	1.00	ug/l	1x	--	--	--	--	--	--	08/07/08 18:41	
Chloromethane	"	ND	---	3.00	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Bromomethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Chloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Carbon disulfide	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Acetone	"	ND	---	25.0	"	"	--	--	--	--	--	--	"	
trans-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methyl tert-butyl ether	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
cis-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chloroform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Carbon tetrachloride	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Butanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,1-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Benzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
1,2-Dichloroethane (EDC)	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dibromomethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromodichloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
cis-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
4-Methyl-2-pentanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
trans-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dibromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromopethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Hexanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane

QC Batch: 8080045 **Water Preparation Method:** GC/MS Volatiles

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8080045-BLK1)													Extracted: 08/07/08 15:56	
1,1,1,2-Tetrachloroethane	EPA 8260B	ND	---	1.00	ug/l	1x	--	--	--	--	--	--	08/07/08 18:41	
m,p-Xylene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
o-Xylene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
tert-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
sec-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
n-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Hexachlorobutadiene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	

<i>Surrogate(s):</i> Dibromofluoromethane	<i>Recovery:</i> 110%	<i>Limits:</i> 62.3-128%	"	08/07/08 18:41
Toluene-d8	104%	75.4-120%	"	"
4-bromofluorobenzene	97.0%	77.3-129%	"	"

TestAmerica Spokane



Chris Williams For Randee Decker, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane

QC Batch: 8080045 **Water Preparation Method:** GC/MS Volatiles

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
---------	--------	--------	------------------	-----	-------	-----	---------------	-----------	-------	----------	-------	----------	----------	-------

LCS (8080045-BS1)

Extracted: 08/07/08 15:56

1,1-Dichloroethene	EPA 8260B	10.5	---	1.00	ug/l	1x	--	10.0	105%	(60.4-140)	--	--	08/07/08 17:39	
Benzene	"	10.4	---	0.200	"	"	--	"	104%	(72.9-120)	--	--	"	
Trichloroethene	"	10.9	---	1.00	"	"	--	"	109%	(73.7-120)	--	--	"	
Toluene	"	12.1	---	1.00	"	"	--	"	121%	(72.4-132)	--	--	"	
Chlorobenzene	"	11.1	---	1.00	"	"	--	"	111%	(80-120)	--	--	"	
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery: 110%</i>		<i>Limits: 62.2-128%</i>										08/07/08 17:39
<i>Toluene-d8</i>		<i>10.4%</i>		<i>75.4-120%</i>										"
<i>4-bromofluorobenzene</i>		<i>98.3%</i>		<i>77.3-129%</i>										"

Matrix Spike (8080045-MS1)

QC Source: SRH0056-12

Extracted: 08/07/08 15:56

1,1-Dichloroethene	EPA 8260B	11.2	---	1.00	ug/l	1x	ND	10.0	112%	(52.5-135)	--	--	08/08/08 10:53	
Benzene	"	11.1	---	0.200	"	"	ND	"	111%	(72.3-120)	--	--	"	
Trichloroethene	"	11.9	---	1.00	"	"	13.5	"	-16.1%	(80-120)	--	--	"	M8
Toluene	"	12.9	---	1.00	"	"	0.509	"	124%	(62.7-137)	--	--	"	
Chlorobenzene	"	11.7	---	1.00	"	"	ND	"	117%	(78.9-120)	--	--	"	
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery: 105%</i>		<i>Limits: 62.2-128%</i>										08/08/08 10:53
<i>Toluene-d8</i>		<i>105%</i>		<i>75.4-120%</i>										"
<i>4-bromofluorobenzene</i>		<i>94.4%</i>		<i>77.3-129%</i>										"

Matrix Spike Dup (8080045-MSD1)

QC Source: SRH0056-12

Extracted: 08/07/08 15:56

1,1-Dichloroethene	EPA 8260B	11.5	---	1.00	ug/l	1x	ND	10.0	115%	(52.5-135)	2.47% (10.5)		08/08/08 11:22	
Benzene	"	10.7	---	0.200	"	"	ND	"	107%	(72.3-120)	3.29% (10.7)		"	
Trichloroethene	"	12.0	---	1.00	"	"	13.5	"	-15.1%	(80-120)	0.796% (10)		"	M8
Toluene	"	12.8	---	1.00	"	"	0.509	"	123%	(62.7-137)	0.366% (13)		"	
Chlorobenzene	"	11.5	---	1.00	"	"	ND	"	115%	(78.9-120)	1.49% (11.2)		"	
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery: 105%</i>		<i>Limits: 62.2-128%</i>										08/08/08 11:22
<i>Toluene-d8</i>		<i>105%</i>		<i>75.4-120%</i>										"
<i>4-bromofluorobenzene</i>		<i>93.6%</i>		<i>77.3-129%</i>										"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane

QC Batch: 8080137 **Water Preparation Method:** GC/MS Volatiles

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8080137-BLK1)													Extracted: 08/19/08 10:26	
Dichlorodifluoromethane	EPA 8260B	ND	---	1.00	ug/l	1x	--	--	--	--	--	--	08/19/08 16:58	
Chloromethane	"	ND	---	3.00	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Bromomethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Chloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Carbon disulfide	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Acetone	"	ND	---	25.0	"	"	--	--	--	--	--	--	"	
trans-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methyl tert-butyl ether	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
cis-1,2-Dichloroethene	"	ND	---	3.00	"	"	--	--	--	--	--	--	"	
2,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chloroform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Carbon tetrachloride	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Butanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,1-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Benzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
1,2-Dichloroethane (EDC)	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dibromomethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromodichloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
cis-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
4-Methyl-2-pentanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
trans-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dibromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromoethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Hexanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	

TestAmerica Spokane



Chris Williams For Randee Decker, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane


QC Batch: 8080137	Water Preparation Method: GC/MS Volatiles
--------------------------	--

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8080137-BLK1)													Extracted: 08/19/08 10:26	
1,1,1,2-Tetrachloroethane	EPA 8260B	ND	---	1.00	ug/l	1x	--	--	--	--	--	--	08/19/08 16:58	
m,p-Xylene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
o-Xylene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
tert-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
sec-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
n-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Hexachlorobutadiene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	

<i>Surrogate(s):</i> Dibromofluoromethane	<i>Recovery:</i> 101%	<i>Limits:</i> 62.2-128%	"	08/19/08 16:58
Toluene-d8	94.8%	75.4-120%	"	"
4-bromofluorobenzene	103%	77.3-129%	"	"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 02730139-00 Project Manager: Meghan Lunney	Report Created: 08/25/08 09:20
--	---	--

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane

QC Batch: 8080137 **Water Preparation Method:** GC/MS Volatiles

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
---------	--------	--------	------	-----	-------	-----	---------------	-----------	-------	----------	-------	----------	----------	-------

LCS (8080137-BS1)

Extracted: 08/19/08 10:26

1,1-Dichloroethene	EPA 8260B	8.79	---	1.00	ug/l	1x	--	10.0	87.9%	(60.4-140)	--	--	08/19/08 17:29	
Benzene	"	9.62	---	0.200	"	"	--	"	96.2%	(72.9-120)	--	--	"	
Trichloroethene	"	9.78	---	1.00	"	"	--	"	97.8%	(73.7-120)	--	--	"	
Toluene	"	10.1	---	1.00	"	"	--	"	101%	(72.4-132)	--	--	"	
Chlorobenzene	"	10.2	---	1.00	"	"	--	"	102%	(80-120)	--	--	"	
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery:</i>		<i>96.5%</i>		<i>Limits: 62.2-128%</i>		<i>"</i>				<i>08/19/08 17:29</i>		
<i>Toluene-d8</i>		<i>101%</i>		<i>75.4-120%</i>		<i>"</i>						<i>"</i>		
<i>4-bromofluorobenzene</i>		<i>105%</i>		<i>77.3-129%</i>		<i>"</i>						<i>"</i>		

Matrix Spike (8080137-MS1)

QC Source: SRH0056-11

Extracted: 08/19/08 10:26

1,1-Dichloroethene	EPA 8260B	8.37	---	1.00	ug/l	1x	ND	10.0	83.7%	(52.5-135)	--	--	08/19/08 19:02	
Benzene	"	9.73	---	0.200	"	"	ND	"	97.3%	(72.3-120)	--	--	"	
Trichloroethene	"	9.61	---	1.00	"	"	ND	"	96.1%	(80-120)	--	--	"	
Toluene	"	9.59	---	1.00	"	"	0.516	"	90.7%	(62.7-137)	--	--	"	
Chlorobenzene	"	10.1	---	1.00	"	"	ND	"	101%	(78.9-120)	--	--	"	
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery:</i>		<i>97.8%</i>		<i>Limits: 62.2-128%</i>		<i>"</i>				<i>08/19/08 19:02</i>		
<i>Toluene-d8</i>		<i>100%</i>		<i>75.4-120%</i>		<i>"</i>						<i>"</i>		
<i>4-bromofluorobenzene</i>		<i>110%</i>		<i>77.3-129%</i>		<i>"</i>						<i>"</i>		

Matrix Spike Dup (8080137-MSD1)


QC Source: SRH0056-11

Extracted: 08/19/08 10:26

1,1-Dichloroethene	EPA 8260B	9.48	---	1.00	ug/l	1x	ND	10.0	94.8%	(52.5-135)	12.5%	(10.5)	08/19/08 19:33	R
Benzene	"	10.4	---	0.200	"	"	ND	"	104%	(72.3-120)	6.19%	(10.7)	"	
Trichloroethene	"	10.2	---	1.00	"	"	ND	"	102%	(80-120)	6.20%	(10)	"	
Toluene	"	10.3	---	1.00	"	"	0.516	"	98.2%	(62.7-137)	7.48%	(13)	"	
Chlorobenzene	"	10.9	---	1.00	"	"	ND	"	109%	(78.9-120)	7.91%	(11.2)	"	
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery:</i>		<i>97.5%</i>		<i>Limits: 62.2-128%</i>		<i>"</i>				<i>08/19/08 19:33</i>		
<i>Toluene-d8</i>		<i>99.1%</i>		<i>75.4-120%</i>		<i>"</i>						<i>"</i>		
<i>4-bromofluorobenzene</i>		<i>114%</i>		<i>77.3-129%</i>		<i>"</i>						<i>"</i>		

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Chris Williams For Randee Decker, Project Manager



LFR, Inc.

2310 N. Molter Rd. Suite 101
Liberty Lake, WA 99019

Project Name: **New City Cleaners**

Project Number: 02730139-00

Project Manager: Meghan Lunney

Report Created:

08/25/08 09:20

Notes and Definitions


Report Specific Notes:

- M8 - The MS and/or MSD were below the acceptance limits. See Blank Spike (LCS).
- R - The RPD exceeded the method control limit due to sample matrix effects. The individual analyte QA/QC recoveries, however, were within acceptance limits.

Laboratory Reporting Conventions:

- DET - Analyte DETECTED at or above the Reporting Limit. Qualitative Analyses only.
- ND - Analyte NOT DETECTED at or above the reporting limit (MDL or MRL, as appropriate).
- NR/NA - Not Reported / Not Available
- dry - Sample results reported on a Dry Weight Basis. Results and Reporting Limits have been corrected for Percent Dry Weight.
- wet - Sample results and reporting limits reported on a Wet Weight Basis (as received). Results with neither 'wet' nor 'dry' are reported on a Wet Weight Basis.
- RPD - RELATIVE PERCENT DIFFERENCE (RPDs calculated using Results, not Percent Recoveries).
- MRL - METHOD REPORTING LIMIT. Reporting Level at, or above, the lowest level standard of the Calibration Table.
- MDL* - METHOD DETECTION LIMIT. Reporting Level at, or above, the statistically derived limit based on 40CFR, Part 136, Appendix B. *MDLs are listed on the report only if the data has been evaluated below the MRL. Results between the MDL and MRL are reported as Estimated Results.
- Dil - Dilutions are calculated based on deviations from the standard dilution performed for an analysis, and may not represent the dilution found on the analytical raw data.
- Reporting Limits - Reporting limits (MDLs and MRLs) are adjusted based on variations in sample preparation amounts, analytical dilutions and percent solids, where applicable.
- Electronic Signature - Electronic Signature added in accordance with TestAmerica's *Electronic Reporting and Electronic Signatures Policy*. Application of electronic signature indicates that the report has been reviewed and approved for release by the laboratory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

TestAmerica Spokane



Chris Williams For Randee Decker, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

11720 North Creek Pkwy N Suite 400, Bothell, WA 98011-8244
 11922 E. First Ave, Spokane, WA 99206-5302
 9405 SW Nimbus Ave, Beaverton, OR 97008-7145
 2000 W International Airport Rd Ste A10, Anchorage, AK 99502-1119

425-420-9200 FAX: 420-9210
 509-924-9200 FAX: 924-9290
 503-906-9200 FAX: 906-9210
 907-563-9200 FAX: 563-9210

CHAIN OF CUSTODY REPORT

CLIENT: *LFR*

REPORT TO: *Meghan Lemay*
 ADDRESS: *2310 North Aloha RA*
Linnharty Lake WA
 PHONE: *509 535 7225* FAX: *509 535 7361*
 PROJECT NAME: *New City Cleaners*
 PROJECT NUMBER: *02730129-00*
 SAMPLED BY: *Jim Finlay*

INVOICE TO: *LFR*

P.O. NUMBER:

TURNAROUND REQUEST
 in Business Days *
 Organic & Inorganic Analyses
 Petroleum Hydrocarbon Analyses

10 7 5 4 3 2 1 <1
 STD. STD. STD. STD. STD. STD. STD.

OTHER Specify:
 *Turnaround Requests less than standard may incur Rush Charges.

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	PRESERVATIVE	REQUESTED ANALYSES	MATRIX (W, S, O)	# OF CONT.	LOCATION/ COMMENTS	TA WO ID
1 MW10 D	8-7-08 8:05			W	2		
2 MW10 I	8-7-08 9:00			W	2		
3 MAXY 12 D	8-7-08 10:05			W	2		
4 MAXY 12 I	8-7-08 09:30			W	2		
5 MW11 D	8-7-08 10:20			W	2		
6 MW11 I	8-7-08 11:20			W	2		
7 MW11 S	8-7-08 10:55			W	2		
8 MW13 D	8-7-08 11:45			W	2		
9 MW13 I	8-7-08 12:10			W	2		
10 MW13 I	8-7-08			W	2		

RECEIVED BY: *Jim Finlay* DATE: *8-7-08*
 PRINT NAME: *Jim Finlay* TIME: *1445*
 RECEIVED BY: *Handover to the* DATE: *8-10-08*
 PRINT NAME: *Handover to the* TIME: *1445*
 RECEIVED BY: *Handover to the* DATE: *8-10-08*
 PRINT NAME: *Handover to the* TIME: *1445*

ADDITIONAL REMARKS:

TEMP: _____ FIRM: _____

PAGE 1 OF 2

TestAmerica

ANALYTICAL TESTING CORPORATION

11720 North Creek Pkwy N Suite 400, Bothell, WA 98011-8244
 11922 E. First Ave, Spokane, WA 99206-5302
 9405 SW Nimbus Ave, Beaverton, OR 97008-7145
 2000 W International Airport Rd Ste A10, Anchorage, AK 99502-1119

425-420-9200 FAX 420-9210
 509-924-9200 FAX 924-9290
 503-906-9200 FAX 906-9210
 907-563-9200 FAX 563-9210

CHAIN OF CUSTODY REPORT

CLIENT: **LFZ**

REPORT TO: **Maghan Lunn**
 ADDRESS: **2310 North Mother Rd
 Liberty Lake WA**
 PHONE: **509 535 7225** FAX: **509 535 7361**

PROJECT NAME: **New City Chambers**

PROJECT NUMBER: **0273013900**

SAMPLED BY: **Jim Finlay**

INVOICE TO: **LFZ**

P.O. NUMBER:

TURNAROUND REQUEST
 in Business Days *
 Organic & Inorganic Analyses
 Petroleum Hydrocarbon Analyses

10 STD 1 1 <1
 7 5 4 3 2 1 <1
 5 4 3 2 1 <1
 STD

OTHER Specify:

* Turnaround Requests less than standard may incur Rush Charges.

NO.	CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	PRESERVATIVE	REQUESTED ANALYSES	MATRIX (W, S, O)	# OF CONT.	LOCATION / COMMENTS	TA WO ID
1	MW 14 D	8-7-08 1250				2		
2	MW 14 D	8-7-08 1325				2		
3								
4								
5								
6								
7								
8								
9								
10								

RECEIVED BY: **Jim Finlay** DATE: **8-9-08**
 PRINT NAME: **Jim Finlay** FIRM: **LFZ** TIME: **1445**

RECEIVED BY: **Andrew Decker** DATE: **8-17-08**
 PRINT NAME: **Andrew Decker** FIRM: **TestAmerica** TIME: **1445**

RECEIVED BY: _____ DATE: _____
 PRINT NAME: _____ FIRM: _____ TIME: _____

ADDITIONAL REMARKS:

TAL-1000-0007

APPENDIX F

On-Site Analytical Reports

August 26, 2008

Meghan Lunney
LFR, Inc.
2310 N. Molter Rd. Suite 101
Liberty Lake, WA 99019

RE: New City Cleaners

Enclosed are the results of analyses for samples received by the laboratory on 11/13/07 12:37.
The following list is a summary of the Work Orders contained in this report, generated on 08/26/08
09:37.

If you have any questions concerning this report, please feel free to contact me.

<u>Work Order</u>	<u>Project</u>	<u>ProjectNumber</u>
SQK0081	New City Cleaners	027-30021-00



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW NCC 2	SQK0081-01	Water	11/12/07 07:45	11/13/07 12:37
MW5S	SQK0081-02	Water	11/12/07 10:15	11/13/07 12:37
MW5D	SQK0081-03	Water	11/12/07 09:35	11/13/07 12:37
MW6S	SQK0081-04	Water	11/12/07 16:40	11/13/07 12:37
MW6D	SQK0081-05	Water	11/12/07 16:10	11/13/07 12:37
MW7S	SQK0081-06	Water	11/12/07 15:20	11/13/07 12:37
MW7I	SQK0081-07	Water	11/12/07 14:55	11/13/07 12:37
MW7D	SQK0081-08	Water	11/12/07 14:20	11/13/07 12:37
MW8S	SQK0081-09	Water	11/12/07 13:45	11/13/07 12:37
MW8D	SQK0081-10	Water	11/12/07 13:15	11/13/07 12:37
MW9S	SQK0081-11	Water	11/12/07 10:15	11/13/07 12:37
MW9D	SQK0081-12	Water	11/12/07 11:35	11/13/07 12:37
Trip Blank	SQK0081-13	Water	11/12/07 00:00	11/13/07 12:37


Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-01 (MW NCC 2)		Water					Sampled: 11/12/07 07:45			
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 15:08	
Chloromethane	"	ND	----	2.50	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	2.56	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name:	New City Cleaners	Report Created:
	Project Number:	027-30021-00	08/26/08 09:37
	Project Manager:	Meghan Lunney	

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes	
SQK0081-01 (MW NCC 2)		Water					Sampled: 11/12/07 07:45				
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 15:08		
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"		
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"		
o-Xylene	"	ND	----	1.00	"	"	"	"	"		
Styrene	"	ND	----	1.00	"	"	"	"	"		
Bromoform	"	ND	----	1.00	"	"	"	"	"		
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"		
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"		
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"		
Bromobenzene	"	ND	----	1.00	"	"	"	"	"		
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"		
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"		
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"		
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"		
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"		
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"		
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"		
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"		
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"		
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"		
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"		
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"		
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"		
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"		
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"		
Naphthalene	"	ND	----	2.00	"	"	"	"	"		
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"		
Surrogate(s):	Dibromofluoromethane		73.8%		62.9 - 131 %	"			"		
	Toluene-d8		80.6%		58.7 - 133 %	"			"		
	4-bromofluorobenzene		95.9%		60.8 - 140 %	"			"		

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-02 (MWSS)		Water					Sampled: 11/12/07 10:15			
Dichlorodifluoromethane	EPA 8260B	ND	----	10.0	ug/l	10x	7110138	11/19/07 08:36	11/20/07 15:37	
Chloromethane	"	ND	----	25.0	"	"	"	"	"	
Vinyl chloride	"	ND	----	2.00	"	"	"	"	"	
Bromomethane	"	ND	----	50.0	"	"	"	"	"	
Chloroethane	"	ND	----	10.0	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	10.0	"	"	"	"	"	
Carbon disulfide	"	ND	----	10.0	"	"	"	"	"	
Methylene chloride	"	ND	----	100	"	"	"	"	"	
Acetone	"	ND	----	250	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	10.0	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	10.0	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	10.0	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	10.0	"	"	"	"	"	
Bromochloromethane	"	ND	----	10.0	"	"	"	"	"	
Chloroform	"	ND	----	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	10.0	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	10.0	"	"	"	"	"	
2-Butanone	"	ND	----	100	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	10.0	"	"	"	"	"	
Benzene	"	ND	----	10.0	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	10.0	"	"	"	"	"	
Trichloroethene	"	10.6	----	10.0	"	"	"	"	"	
Dibromomethane	"	ND	----	10.0	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	10.0	"	"	"	"	"	
Bromodichloromethane	"	ND	----	10.0	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	10.0	"	"	"	"	"	
Toluene	"	ND	----	10.0	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	100	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	10.0	"	"	"	"	"	
Tetrachloroethene	"	86.0	----	10.0	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	10.0	"	"	"	"	"	
Dibromochloromethane	"	ND	----	10.0	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	10.0	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	10.0	"	"	"	"	"	
2-Hexanone	"	ND	----	100	"	"	"	"	"	
Ethylbenzene	"	ND	----	10.0	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-02 (MW5S)		Water					Sampled: 11/12/07 10:15			
Chlorobenzene	EPA 8260B	ND	----	10.0	ug/l	10x	7110138	11/19/07 08:36	11/20/07 15:37	
1,1,1,2-Tetrachloroethane	"	ND	----	10.0	"	"	"	"	"	
m,p-Xylene	"	ND	----	20.0	"	"	"	"	"	
o-Xylene	"	ND	----	10.0	"	"	"	"	"	
Styrene	"	ND	----	10.0	"	"	"	"	"	
Bromoform	"	ND	----	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	----	10.0	"	"	"	"	"	
n-Propylbenzene	"	ND	----	10.0	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	10.0	"	"	"	"	"	
Bromobenzene	"	ND	----	10.0	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	10.0	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	10.0	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	10.0	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	10.0	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	10.0	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	10.0	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	10.0	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	10.0	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	10.0	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	----	10.0	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	10.0	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	50.0	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	10.0	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	10.0	"	"	"	"	"	
Naphthalene	"	ND	----	20.0	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	10.0	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			71.9%		62.9 - 131 %	<i>Ix</i>			"
	<i>Toluene-d8</i>			85.7%		58.7 - 133 %	"			"
	<i>4-bromofluorobenzene</i>			101%		60.8 - 140 %	"			"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-02RE1 (MWSS)		Water					Sampled: 11/12/07 10:15			HI
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	7120036	12/06/07 07:56	12/06/07 22:13	
Chloromethane	"	ND	----	2.50	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	8.10	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	64.8	----	1.00	"	"	"	"	"	E
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-02RE1 (MWSS)		Water					Sampled: 11/12/07 10:15			H1
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	7120036	12/06/07 07:56	12/06/07 22:13	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			70.7%		62.9 - 131 %	"		"	
	<i>Toluene-d8</i>			89.9%		58.7 - 133 %	"		"	
	<i>4-bromofluorobenzene</i>			101%		60.8 - 140 %	"		"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-03 (MW5D)		Water					Sampled: 11/12/07 09:35			
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 16:06	
Chloromethane	"	ND	----	2.50	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-03 (MW5D)		Water			Sampled: 11/12/07 09:35					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 16:06	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			<i>71.1%</i>				<i>62.9 - 131 %</i>		<i>"</i>
	<i>Toluene-d8</i>			<i>85.1%</i>				<i>58.7 - 133 %</i>		<i>"</i>
	<i>4-bromofluorobenzene</i>			<i>100%</i>				<i>60.8 - 140 %</i>		<i>"</i>

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL [^]	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-04 (MW6S)		Water					Sampled: 11/12/07 16:40			
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 16:35	
Chloromethane	"	ND	----	2.50	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	1.33	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	1.58	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	3.87	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-04 (MW6S)		Water					Sampled: 11/12/07 16:40			
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 16:35	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Surrogate(s):	Dibromofluoromethane			74.2%			62.9 - 131 %	"		"
	Toluene-d8			83.5%			58.7 - 133 %	"		"
	4-bromofluorobenzene			98.4%			60.8 - 140 %	"		"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-05 (MW6D)		Water					Sampled: 11/12/07 16:10			
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 17:04	
Chloromethane	"	ND	----	2.50	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	1.22	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	2.47	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-05 (MW6D)		Water			Sampled: 11/12/07 16:10					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 17:04	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			73.1%			62.9 - 131 %	"		"
	<i>Toluene-d8</i>			84.2%			58.7 - 133 %	"		"
	<i>4-bromofluorobenzene</i>			94.9%			60.8 - 140 %	"		"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-06 (MW7S)		Water			Sampled: 11/12/07 15:20					
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 17:33	
Chloromethane	"	ND	----	2.50	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	2.54	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	8.62	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	13.3	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	8.44	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-06 (MW7S)		Water					Sampled: 11/12/07 15:20			
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 17:33	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			<i>73.4%</i>			<i>62.9 - 131 %</i>	<i>"</i>		<i>"</i>
	<i>Toluene-d8</i>			<i>82.5%</i>			<i>58.7 - 133 %</i>	<i>"</i>		<i>"</i>
	<i>4-bromofluorobenzene</i>			<i>102%</i>			<i>60.8 - 140 %</i>	<i>"</i>		<i>"</i>

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-07 (MW7I)		Water					Sampled: 11/12/07 14:55			
Dichlorodifluoromethane	EPA 8260B	ND	----	10.0	ug/l	10x	7110138	11/19/07 08:36	11/20/07 18:02	
Chloromethane	"	ND	----	25.0	"	"	"	"	"	
Vinyl chloride	"	ND	----	2.00	"	"	"	"	"	
Bromomethane	"	ND	----	50.0	"	"	"	"	"	
Chloroethane	"	ND	----	10.0	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	10.0	"	"	"	"	"	
Carbon disulfide	"	ND	----	10.0	"	"	"	"	"	
Methylene chloride	"	ND	----	100	"	"	"	"	"	
Acetone	"	ND	----	250	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	10.0	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	10.0	"	"	"	"	"	
cis-1,2-Dichloroethene	"	28.4	----	10.0	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	10.0	"	"	"	"	"	
Bromochloromethane	"	ND	----	10.0	"	"	"	"	"	
Chloroform	"	ND	----	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	10.0	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	10.0	"	"	"	"	"	
2-Butanone	"	ND	----	100	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	10.0	"	"	"	"	"	
Benzene	"	ND	----	10.0	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	10.0	"	"	"	"	"	
Trichloroethene	"	133	----	10.0	"	"	"	"	"	
Dibromomethane	"	ND	----	10.0	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	10.0	"	"	"	"	"	
Bromodichloromethane	"	ND	----	10.0	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	10.0	"	"	"	"	"	
Toluene	"	ND	----	10.0	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	100	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	10.0	"	"	"	"	"	
Tetrachloroethene	"	206	----	10.0	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	10.0	"	"	"	"	"	
Dibromochloromethane	"	ND	----	10.0	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	10.0	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	10.0	"	"	"	"	"	
2-Hexanone	"	ND	----	100	"	"	"	"	"	
Ethylbenzene	"	ND	----	10.0	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners	Report Created:
	Project Number: 027-30021-00	08/26/08 09:37
	Project Manager: Meghan Lunney	

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-07 (MW71)		Water					Sampled: 11/12/07 14:55			
Chlorobenzene	EPA 8260B	ND	----	10.0	ug/l	10x	7110138	11/19/07 08:36	11/20/07 18:02	
1,1,1,2-Tetrachloroethane	"	ND	----	10.0	"	"	"	"	"	
m,p-Xylene	"	ND	----	20.0	"	"	"	"	"	
o-Xylene	"	ND	----	10.0	"	"	"	"	"	
Styrene	"	ND	----	10.0	"	"	"	"	"	
Bromoforn	"	ND	----	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	----	10.0	"	"	"	"	"	
n-Propylbenzene	"	ND	----	10.0	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	10.0	"	"	"	"	"	
Bromobenzene	"	ND	----	10.0	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	10.0	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	10.0	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	10.0	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	10.0	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	10.0	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	10.0	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	10.0	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	10.0	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	10.0	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	----	10.0	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	10.0	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	50.0	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	10.0	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	10.0	"	"	"	"	"	
Naphthalene	"	ND	----	20.0	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	10.0	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			76.8%		62.9 - 131 %	<i>Ix</i>			"
	<i>Toluene-d8</i>			84.1%		58.7 - 133 %	"			"
	<i>4-bromofluorobenzene</i>			97.2%		60.8 - 140 %	"			"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-07RE1 (MW7I)		Water				Sampled: 11/12/07 14:55				H1
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	7120036	12/06/07 07:56	12/06/07 22:42	
Chloromethane	"	ND	----	2.50	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	28.2	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	124	----	1.00	"	"	"	"	"	E
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	183	----	1.00	"	"	"	"	"	E
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-07RE1 (MW7I)		Water				Sampled: 11/12/07 14:55				H1
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	7120036	12/06/07 07:56	12/06/07 22:42	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			<i>73.0%</i>			<i>62.9 - 131 %</i>	<i>"</i>		<i>"</i>
	<i>Toluene-d8</i>			<i>89.4%</i>			<i>58.7 - 133 %</i>	<i>"</i>		<i>"</i>
	<i>4-bromofluorobenzene</i>			<i>99.5%</i>			<i>60.8 - 140 %</i>	<i>"</i>		<i>"</i>

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-08 (MW7D)		Water					Sampled: 11/12/07 14:20			
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 18:31	
Chloromethane	"	ND	----	2.50	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	1.28	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	3.00	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-08 (MW7D)		Water					Sampled: 11/12/07 14:20			
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 18:31	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			73.6%			62.9 - 131 %	"		"
	<i>Toluene-d8</i>			83.0%			58.7 - 133 %	"		"
	<i>4-bromofluorobenzene</i>			98.3%			60.8 - 140 %	"		"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-09 (MW8S)		Water					Sampled: 11/12/07 13:45			
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 19:00	
Chloromethane	"	ND	----	2.50	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	1.88	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	4.54	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	10.4	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	4.34	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-09 (MW8S)		Water			Sampled: 11/12/07 13:45					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 19:00	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			72.0%			62.9 - 131 %	"		"
	<i>Toluene-d8</i>			83.9%			58.7 - 133 %	"		"
	<i>4-bromofluorobenzene</i>			94.7%			60.8 - 140 %	"		"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-10 (MW8D)		Water					Sampled: 11/12/07 13:15			
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 19:28	
Chloromethane	"	ND	----	2.50	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-10 (MW8D)		Water					Sampled: 11/12/07 13:15			
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 19:28	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			75.2%			62.9 - 131 %	"		"
	<i>Toluene-d8</i>			82.7%			58.7 - 133 %	"		"
	<i>4-bromofluorobenzene</i>			94.3%			60.8 - 140 %	"		"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-11 (MW9S)		Water			Sampled: 11/12/07 10:15					
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 19:57	
Chloromethane	"	ND	----	2.50	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene		2.16	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Deckert, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name:	New City Cleaners	Report Created:
	Project Number:	027-30021-00	08/26/08 09:37
	Project Manager:	Meghan Lunney	

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-11 (MW9S)		Water					Sampled: 11/12/07 10:15			
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 19:57	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Surrogate(s):	Dibromofluoromethane		75.0%		62.9 - 131 %	"				"
	Toluene-d8		81.8%		58.7 - 133 %	"				"
	4-bromofluorobenzene		98.0%		60.8 - 140 %	"				"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-12 (MW9D)		Water					Sampled: 11/12/07 11:35			
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 21:24	
Chloromethane	"	ND	----	2.50	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name:	New City Cleaners	Report Created:
	Project Number:	027-30021-00	08/26/08 09:37
	Project Manager:	Meghan Lunney	

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-12 (MW9D)		Water			Sampled: 11/12/07 11:35					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 21:24	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoforn	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Surrogate(s):	Dibromofluoromethane		72.8%		62.9 - 131 %	"			"	
	Toluene-d8		83.4%		58.7 - 133 %	"			"	
	4-bromofluorobenzene		99.9%		60.8 - 140 %	"			"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-13 (Trip Blank)		Water								
		Sampled: 11/12/07 00:00								
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 21:52	
Chloromethane	"	ND	----	2.50	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SQK0081-13 (Trip Blank)		Water			Sampled: 11/12/07 00:00					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	7110138	11/19/07 08:36	11/20/07 21:52	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			<i>72.5%</i>			<i>62.9 - 131 %</i>	<i>"</i>		<i>"</i>
	<i>Toluene-d8</i>			<i>82.5%</i>			<i>58.7 - 133 %</i>	<i>"</i>		<i>"</i>
	<i>4-bromofluorobenzene</i>			<i>97.2%</i>			<i>60.8 - 140 %</i>	<i>"</i>		<i>"</i>

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane

QC Batch: 7110138 Water Preparation Method: GC/MS Volatiles

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (7110138-BLK1)													Extracted: 11/19/07 08:36	
Dichlorodifluoromethane	EPA 8260B	ND	---	1.00	ug/l	1x	--	--	--	--	--	--	11/20/07 14:39	
Chloromethane	"	ND	---	2.50	"	"	--	--	--	--	--	--		
Vinyl chloride	"	ND	---	0.200	"	"	--	--	--	--	--	--		
Bromomethane	"	ND	---	5.00	"	"	--	--	--	--	--	--		
Chloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--		
Trichlorofluoromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--		
1,1-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--		
Carbon disulfide	"	ND	---	1.00	"	"	--	--	--	--	--	--		
Methylene chloride	"	ND	---	10.0	"	"	--	--	--	--	--	--		
Acetone	"	ND	---	25.0	"	"	--	--	--	--	--	--		
trans-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--		
Methyl tert-butyl ether	"	ND	---	1.00	"	"	--	--	--	--	--	--		
1,1-Dichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--		
cis-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--		
2,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--		
Bromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--		
Chloroform	"	ND	---	1.00	"	"	--	--	--	--	--	--		
Carbon tetrachloride	"	ND	---	1.00	"	"	--	--	--	--	--	--		
1,1,1-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--		
2-Butanone	"	ND	---	10.0	"	"	--	--	--	--	--	--		
1,1-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--		
Benzene	"	ND	---	1.00	"	"	--	--	--	--	--	--		
1,2-Dichloroethane (EDC)	"	ND	---	1.00	"	"	--	--	--	--	--	--		
Trichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--		
Dibromomethane	"	ND	---	1.00	"	"	--	--	--	--	--	--		
1,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--		
Bromodichloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--		
cis-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--		
Toluene	"	ND	---	1.00	"	"	--	--	--	--	--	--		
4-Methyl-2-pentanone	"	ND	---	10.0	"	"	--	--	--	--	--	--		
trans-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--		
Tetrachloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--		
1,1,2-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--		
Dibromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--		
1,3-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--		
1,2-Dibromoethane	"	ND	---	1.00	"	"	--	--	--	--	--	--		
2-Hexanone	"	ND	---	10.0	"	"	--	--	--	--	--	--		
Ethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--		
Chlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--		

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randeck Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane

QC Batch: 7110138 Water Preparation Method: GC/MS Volatiles

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (7110138-BLK1)										Extracted: 11/19/07 08:36				
1,1,1,2-Tetrachloroethane	EPA 8260B	ND	---	1.00	ug/l	1x	--	--	--	--	--	--	11/20/07 14:39	
m,p-Xylene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
o-Xylene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
tert-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
sec-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
n-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Hexachlorobutadiene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Surrogate(s):	Dibromofluoromethane	Recovery:	69.7%	Limits:	62.9-131%	"							11/20/07 14:39	
	Toluene-d8		85.4%		58.7-133%	"							"	
	4-bromofluorobenzene		103%		60.8-140%	"							"	


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane

QC Batch: 7110138 **Water Preparation Method:** GC/MS Volatiles

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
---------	--------	--------	------	-----	-------	-----	---------------	-----------	-------	----------	-------	----------	----------	-------

LCS (7110138-BS1) Extracted: 11/19/07 08:36

1,1-Dichloroethene	EPA 8260B	7.59	---	1.00	ug/l	1x	--	10.0	75.9%	(67-137)	--	--	11/20/07 14:10	
Benzene	"	8.56	---	1.00	"	"	--	"	85.6%	(70-130)	--	--	"	
Trichloroethene	"	8.60	---	1.00	"	"	--	"	86.0%	(68.1-128)	--	--	"	
Toluene	"	10.3	---	1.00	"	"	--	"	103%	(68.8-139)	--	--	"	
Chlorobenzene	"	9.49	---	1.00	"	"	--	"	94.9%	(68.3-123)	--	--	"	
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery:</i> 69.0%		<i>Limits:</i> 62.9-131%										11/20/07 14:10
<i>Toluene-d8</i>		<i>87.6%</i>		<i>58.7-133%</i>										"
<i>4-bromofluorobenzene</i>		<i>108%</i>		<i>60.8-140%</i>										"

Matrix Spike (7110138-MS1) QC Source: SQK0081-10 Extracted: 11/19/07 08:36

1,1-Dichloroethene	EPA 8260B	7.89	---	1.00	ug/l	1x	ND	10.0	78.9%	(63.8-137)	--	--	11/20/07 20:26	
Benzene	"	8.61	---	1.00	"	"	ND	"	86.1%	(59.7-129)	--	--	"	
Trichloroethene	"	8.93	---	1.00	"	"	ND	"	89.3%	(75.5-129)	--	--	"	
Toluene	"	10.1	---	1.00	"	"	ND	"	101%	(84.5-127)	--	--	"	
Chlorobenzene	"	9.76	---	1.00	"	"	ND	"	97.6%	(75.8-121)	--	--	"	
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery:</i> 76.7%		<i>Limits:</i> 62.9-131%										11/20/07 20:26
<i>Toluene-d8</i>		<i>82.3%</i>		<i>58.7-133%</i>										"
<i>4-bromofluorobenzene</i>		<i>106%</i>		<i>60.8-140%</i>										"

Matrix Spike Dup (7110138-MSD1) QC Source: SQK0081-10 Extracted: 11/19/07 08:36

1,1-Dichloroethene	EPA 8260B	8.17	---	1.00	ug/l	1x	ND	10.0	81.7%	(63.8-137)	3.45%	(14)	11/20/07 20:55	
Benzene	"	8.80	---	1.00	"	"	ND	"	88.0%	(59.7-129)	2.22%	(10)	"	
Trichloroethene	"	9.03	---	1.00	"	"	ND	"	90.3%	(75.5-129)	1.11%	"	"	
Toluene	"	10.3	---	1.00	"	"	ND	"	103%	(84.5-127)	1.60%	(12)	"	
Chlorobenzene	"	9.98	---	1.00	"	"	ND	"	99.8%	(75.8-121)	2.27%	(11)	"	
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery:</i> 79.2%		<i>Limits:</i> 62.9-131%										11/20/07 20:55
<i>Toluene-d8</i>		<i>85.1%</i>		<i>58.7-133%</i>										"
<i>4-bromofluorobenzene</i>		<i>111%</i>		<i>60.8-140%</i>										"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results

TestAmerica Spokane

QC Batch: 7120036 Water Preparation Method: GC/MS Volatiles

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (7120036-BLK1)														
										Extracted: 12/06/07 07:56				
Dichlorodifluoromethane	EPA 8260B	ND	---	1.00	ug/l	1x	--	--	--	--	--	--	12/06/07 13:00	
Chloromethane	"	ND	---	2.50	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Bromomethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Chloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Carbon disulfide	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Acetone	"	ND	---	25.0	"	"	--	--	--	--	--	--	"	
trans-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methyl tert-butyl ether	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
cis-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chloroform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Carbon tetrachloride	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Butanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,1-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Benzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloroethane (EDC)	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dibromomethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromodichloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
cis-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
4-Methyl-2-pentanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
trans-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dibromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromoethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Hexanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane

QC Batch: 7120036 Water Preparation Method: GC/MS Volatiles

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (7120036-BLK1)													Extracted: 12/06/07 07:56	
1,1,1,2-Tetrachloroethane	EPA 8260B	ND	---	1.00	ug/l	1x	--	--	--	--	--	--	12/06/07 13:00	
m,p-Xylene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
o-Xylene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
tert-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
sec-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
n-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Hexachlorobutadiene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Surrogate(s):	Dibromofluoromethane	Recovery:	69.8%	Limits:	62.9-131%	"							12/06/07 13:00	
	Toluene-d8		84.2%		58.7-133%	"							"	
	4-bromofluorobenzene		106%		60.8-140%	"							"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:37
--	--	--

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane

QC Batch: 7120036 Water Preparation Method: GC/MS Volatiles

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
---------	--------	--------	------	-----	-------	-----	---------------	-----------	-------	----------	-------	----------	----------	-------

LCS (7120036-BS1) Extracted: 12/06/07 07:56

I,1-Dichloroethene	EPA 8260B	9.00	---	1.00	ug/l	1x	--	10.0	90.0%	(67-137)	--	--	12/06/07 13:29	
Benzene	"	10.2	---	1.00	"	"	--	"	102%	(70-130)	--	--	"	
Trichloroethene	"	10.2	---	1.00	"	"	--	"	102%	(68.1-128)	--	--	"	
Toluene	"	10.5	---	1.00	"	"	--	"	105%	(68.8-139)	--	--	"	
Chlorobenzene	"	9.90	---	1.00	"	"	--	"	99.0%	(68.3-123)	--	--	"	
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery: 111%</i>		<i>Limits: 62.9-131%</i>								<i>12/06/07 13:29</i>		
<i>Toluene-d8</i>		<i>102%</i>		<i>58.7-133%</i>								<i>"</i>		
<i>4-bromofluorobenzene</i>		<i>110%</i>		<i>60.8-140%</i>								<i>"</i>		

Matrix Spike (7120036-MS1) QC Source: SQL0015-05 Extracted: 12/06/07 07:56

I,1-Dichloroethene	EPA 8260B	9.92	---	1.00	ug/l	1x	ND	10.0	99.2%	(63.8-137)	--	--	12/06/07 21:14	
Benzene	"	10.8	---	1.00	"	"	ND	"	108%	(59.7-129)	--	--	"	
Trichloroethene	"	11.1	---	1.00	"	"	ND	"	111%	(75.5-129)	--	--	"	
Toluene	"	11.1	---	1.00	"	"	ND	"	111%	(84.5-127)	--	--	"	
Chlorobenzene	"	10.7	---	1.00	"	"	ND	"	107%	(75.8-121)	--	--	"	
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery: 120%</i>		<i>Limits: 62.9-131%</i>								<i>12/06/07 21:14</i>		
<i>Toluene-d8</i>		<i>107%</i>		<i>58.7-133%</i>								<i>"</i>		
<i>4-bromofluorobenzene</i>		<i>114%</i>		<i>60.8-140%</i>								<i>"</i>		

Matrix Spike Dup (7120036-MSD1) QC Source: SQL0015-05 Extracted: 12/06/07 07:56

I,1-Dichloroethene	EPA 8260B	9.49	---	1.00	ug/l	1x	ND	10.0	94.9%	(63.8-137)	4.41%	(14)	12/06/07 21:43	
Benzene	"	10.1	---	1.00	"	"	ND	"	101%	(59.7-129)	5.87%	(10)	"	
Trichloroethene	"	10.5	---	1.00	"	"	ND	"	105%	(75.5-129)	6.18%	"	"	
Toluene	"	10.4	---	1.00	"	"	ND	"	104%	(84.5-127)	6.56%	(12)	"	
Chlorobenzene	"	10.1	---	1.00	"	"	ND	"	101%	(75.8-121)	5.60%	(11)	"	
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery: 113%</i>		<i>Limits: 62.9-131%</i>								<i>12/06/07 21:43</i>		
<i>Toluene-d8</i>		<i>102%</i>		<i>58.7-133%</i>								<i>"</i>		
<i>4-bromofluorobenzene</i>		<i>108%</i>		<i>60.8-140%</i>								<i>"</i>		

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc.

2310 N. Molter Rd. Suite 101
Liberty Lake, WA 99019

Project Name: **New City Cleaners**
Project Number: 027-30021-00
Project Manager: Meghan Lunney

Report Created:
08/26/08 09:37

Notes and Definitions

Report Specific Notes:

- E - Concentration exceeds the calibration range and therefore result is semi-quantitative.
- H1 - Sample analysis performed past the method-specified holding time per client's approval.

Laboratory Reporting Conventions:

- DET - Analyte DETECTED at or above the Reporting Limit. Qualitative Analyses only.
- ND - Analyte NOT DETECTED at or above the reporting limit (MDL or MRL, as appropriate).
- NR/NA - Not Reported / Not Available
- dry - Sample results reported on a Dry Weight Basis. Results and Reporting Limits have been corrected for Percent Dry Weight.
- wet - Sample results and reporting limits reported on a Wet Weight Basis (as received). Results with neither 'wet' nor 'dry' are reported on a Wet Weight Basis.
- RPD - RELATIVE PERCENT DIFFERENCE (RPDs calculated using Results, not Percent Recoveries).
- MRL - METHOD REPORTING LIMIT. Reporting Level at, or above, the lowest level standard of the Calibration Table.
- MDL* - METHOD DETECTION LIMIT. Reporting Level at, or above, the statistically derived limit based on 40CFR, Part 136, Appendix B. *MDLs are listed on the report only if the data has been evaluated below the MRL. Results between the MDL and MRL are reported as Estimated Results.
- Dil - Dilutions are calculated based on deviations from the standard dilution performed for an analysis, and may not represent the dilution found on the analytical raw data.
- Reporting Limits - Reporting limits (MDLs and MRLs) are adjusted based on variations in sample preparation amounts, analytical dilutions and percent solids, where applicable.
- Electronic Signature - Electronic Signature added in accordance with TestAmerica's *Electronic Reporting and Electronic Signatures Policy*. Application of electronic signature indicates that the report has been reviewed and approved for release by the laboratory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.



Rande Decke, Project Manager



TestAmerica

ANALYTICAL TESTING CORPORATION

11720 North Creek Pkwy N Suite 400, Bothell, WA 98011-8244
 11922 E. First Ave, Spokane, WA 99206-5302
 9405 SW Nimbus Ave, Beaverton, OR 97008-7145
 2000 W International Airport Rd Ste A10, Anchorage, AK 99502-1119

425-420-9200 FAX 420-9210
 509-924-9200 FAX 924-9290
 503-906-9200 FAX 906-9210
 907-569-9200 FAX 563-9210

CHAIN OF CUSTODY REPORT

CLIENT: LF R

REPORT TO: Megan Lunny
 ADDRESS: 2310 North Moller Rd
Liberty Lake Wash. 99019
 PHONE: 509 535-7225 FAX: 509 535 7361

PROJECT NAME: New City Cleaners
 PROJECT NUMBER: 027-30021-00

SAMPLED BY: Sir Finlay 2046618551

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	HCL	REQUESTED ANALYSES	PRESERVATIVE	MATRIX (W, S, O)	# OF CONT.	LOCATION / COMMENTS	TA W/O ID
<u>MW NCC 2</u>	<u>11-12-07 0705</u>	<input checked="" type="checkbox"/>			<u>W</u>	<u>2</u>		<u>-01</u>
<u>MW 5S</u>	<u>1015</u>	<input checked="" type="checkbox"/>			<u>W</u>	<u>2</u>		<u>-02</u>
<u>MW 5D</u>	<u>0905</u>	<input checked="" type="checkbox"/>			<u>W</u>	<u>2</u>		<u>-03</u>
<u>MW 6S</u>	<u>1640</u>	<input checked="" type="checkbox"/>			<u>W</u>	<u>2</u>		<u>-04</u>
<u>MW 6D</u>	<u>1410</u>	<input checked="" type="checkbox"/>			<u>W</u>	<u>2</u>		<u>-05</u>
<u>MW 7S</u>	<u>1520</u>	<input checked="" type="checkbox"/>			<u>W</u>	<u>2</u>		<u>-06</u>
<u>MW 7I</u>	<u>1455</u>	<input checked="" type="checkbox"/>			<u>W</u>	<u>2</u>		<u>-07</u>
<u>MW 7D</u>	<u>1420</u>	<input checked="" type="checkbox"/>			<u>W</u>	<u>2</u>		<u>-08</u>
<u>MW 8S</u>	<u>1345</u>	<input checked="" type="checkbox"/>			<u>W</u>	<u>2</u>		<u>-09</u>
<u>MW 8D</u>	<u>1315</u>	<input checked="" type="checkbox"/>			<u>W</u>	<u>2</u>		<u>-10</u>

INVOICE TO: LF R

P.O. NUMBER:

OTHER: Specify:

Organic & Inorganic Analyses: 10 7 5 4 3 2 1 <1

Petroleum Hydrocarbon Analysis: 5 4 3 2 1 <1

in Business Days *

* Turnaround Request less than standard may incur Rush Charges.

RECEIVED BY: Megan Lunny DATE: 11/13/07
 PRINT NAME: Megan Lunny TIME: 08:00
 RECEIVED BY: Megan Lunny FIRM: LF R
 PRINT NAME: Megan Lunny DATE: 11/13/07
 RECEIVED BY: Megan Lunny FIRM: LF R
 PRINT NAME: Megan Lunny DATE: 11/13/07

TEMP: 34 PAGE: 1 OF 2

TestAmerica

ANALYTICAL TESTING CORPORATION

11720 North Creek Pkwy N Suite 400, Bobbell, WA 98011-8244
 11922 E. First Ave, Spokane, WA 99206-5302
 9405 SW Nimbus Ave, Beaverton, OR 97008-7145
 2000 W International Airport Rd Ste A10, Anchorage, AK 99502-1119

425-420-9200 FAX: 420-9210
 509-924-9200 FAX: 924-9290
 503-906-9200 FAX: 906-9210
 907-563-9200 FAX: 563-9210

CHAIN OF CUSTODY REPORT

Work Order #: **505081**

TURNAROUND REQUEST
 in Business Days *

Organic & Inorganic Analyses
 Petroleum Hydrocarbon Analyses

10 7 5 4 3 2 1 <1
 STD.

5 4 3 2 1 <1
 STD.

OTHER Specify: _____

* Turnaround Request less than standard may incur Rush Charges.

INVOICE TO: **CFR**

P.O. NUMBER: _____

REPORT TO: **MEGHAN LUNNEY**
 ADDRESS: **2310 North H. Moller Rd**
Liberty Lake WA 99019
 PHONE: **509 535 7225** FAX: **509 535 7361**
 PROJECT NAME: **New City Cleaners**

PRESERVATIVE: _____

REQUESTED ANALYSES:

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	HCL	LOLEW	LOGBA	LOGBA	MATRIX (W, S, O)	# OF CONT.	LOCATION / COMMENTS	TA	WO ID
1 MW 95	11-12-07 1015	X				W	2			-01
2 MW 90	11-35	X				W	2			-12
3 Trip Blank		X				W	1			-13
4										
5										
6										
7										
8										
9										
10										

RECEIVED BY: **Jim Finley** FIRM: **CFR** DATE: **11/13/07** TIME: **08:00**

PRINT NAME: **MEGHAN LUNNEY** FIRM: **CFR** DATE: **11/13/07** TIME: **12:37**

RECEIVED BY: **MEGHAN LUNNEY** FIRM: **CFR** DATE: **11/13/07** TIME: **12:37**

PRINT NAME: **MEGHAN LUNNEY** FIRM: **CFR** DATE: **11/13/07** TIME: **12:37**

ADDITIONAL REMARKS: _____

CC REV #0000

TEST: **3.1** PAGE 2 OF 2

August 26, 2008

Meghan Lunney
LFR, Inc.
2310 N. Molter Rd. Suite 101
Liberty Lake, WA 99019

RE: New City Cleaners

Enclosed are the results of analyses for samples received by the laboratory on 08/07/08 14:45.
The following list is a summary of the Work Orders contained in this report, generated on 08/26/08
09:45.

If you have any questions concerning this report, please feel free to contact me.

<u>Work Order</u>	<u>Project</u>	<u>ProjectNumber</u>
SRH0057	New City Cleaners	027-30021-00



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	-----------------------------------

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW5S	SRH0057-01	Water	08/06/08 18:20	08/07/08 14:45
MW5D	SRH0057-02	Water	08/06/08 19:00	08/07/08 14:45
MW6D	SRH0057-03	Water	08/07/08 07:50	08/07/08 14:45
MW6S	SRH0057-04	Water	08/07/08 08:20	08/07/08 14:45
MW7D	SRH0057-05	Water	08/07/08 06:00	08/07/08 14:45
MW7I	SRH0057-06	Water	08/07/08 07:15	08/07/08 14:45
MW7S	SRH0057-07	Water	08/07/08 06:40	08/07/08 14:45
MW8D	SRH0057-08	Water	08/06/08 21:20	08/07/08 14:45
MW8S	SRH0057-09	Water	08/06/08 21:50	08/07/08 14:45
MW DUP	SRH0057-10	Water	08/07/08 00:00	08/07/08 14:45
MW 9D	SRH0057-11	Water	08/06/08 20:40	08/07/08 14:45
MW 9S	SRH0057-12	Water	08/06/08 19:50	08/07/08 14:45
Trip Blank	SRH0057-13	Water	08/06/08 00:00	08/07/08 14:45



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-01 (MW55)		Water			Sampled: 08/06/08 18:20					
Dichlorodifluoromethane	EPA 8260B	ND	----	10.0	ug/l	10x	8080117	08/18/08 09:47	08/18/08 19:09	
Chloromethane	"	ND	----	30.0	"	"	"	"	"	
Vinyl chloride	"	ND	----	2.00	"	"	"	"	"	
Bromomethane	"	ND	----	50.0	"	"	"	"	"	
Chloroethane	"	ND	----	10.0	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	10.0	"	"	"	"	"	
Carbon disulfide	"	ND	----	10.0	"	"	"	"	"	
Methylene chloride	"	ND	----	100	"	"	"	"	"	
Acetone	"	ND	----	250	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	10.0	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	10.0	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	10.0	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	10.0	"	"	"	"	"	
Bromochloromethane	"	ND	----	10.0	"	"	"	"	"	
Chloroform	"	ND	----	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	10.0	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	10.0	"	"	"	"	"	
2-Butanone	"	ND	----	100	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	10.0	"	"	"	"	"	
Benzene	"	ND	----	2.00	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	10.0	"	"	"	"	"	
Trichloroethene	"	21.7	----	10.0	"	"	"	"	"	
Dibromomethane	"	ND	----	10.0	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	10.0	"	"	"	"	"	
Bromodichloromethane	"	ND	----	10.0	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	10.0	"	"	"	"	"	
Toluene	"	ND	----	10.0	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	100	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	10.0	"	"	"	"	"	
Tetrachloroethene	"	177	----	10.0	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	10.0	"	"	"	"	"	
Dibromochloromethane	"	ND	----	10.0	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	10.0	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	10.0	"	"	"	"	"	
2-Hexanone	"	ND	----	100	"	"	"	"	"	
Ethylbenzene	"	ND	----	10.0	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-01 (MW5S)		Water			Sampled: 08/06/08 18:20					
Chlorobenzene	EPA 8260B	ND	----	10.0	ug/l	10x	8080117	08/18/08 09:47	08/18/08 19:09	
1,1,1,2-Tetrachloroethane	"	ND	----	10.0	"	"	"	"	"	
m,p-Xylene	"	ND	----	20.0	"	"	"	"	"	
o-Xylene	"	ND	----	10.0	"	"	"	"	"	
Styrene	"	ND	----	10.0	"	"	"	"	"	
Bromoform	"	ND	----	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	----	10.0	"	"	"	"	"	
n-Propylbenzene	"	ND	----	10.0	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	10.0	"	"	"	"	"	
Bromobenzene	"	ND	----	10.0	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	10.0	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	10.0	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	10.0	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	10.0	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	10.0	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	10.0	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	10.0	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	10.0	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	10.0	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	----	10.0	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	10.0	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	50.0	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	10.0	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	10.0	"	"	"	"	"	
Naphthalene	"	ND	----	20.0	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	10.0	"	"	"	"	"	
Surrogate(s):	<i>Dibromofluoromethane</i>			97.9%		62.2 - 128 %	1x			"
	<i>Toluene-d8</i>			120%		75.4 - 120 %	"			"
	<i>4-bromofluorobenzene</i>			112%		77.3 - 129 %	"			"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-02 (MW5D)		Water					Sampled: 08/06/08 19:00			
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080117	08/18/08 09:47	08/18/08 19:38	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-02 (MW5D)		Water		Sampled: 08/06/08 19:00						
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080117	08/18/08 09:47	08/18/08 19:38	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			92.2%		62.2 - 128 %	"		"	
	<i>Toluene-d8</i>			119%		75.4 - 120 %	"		"	
	<i>4-bromofluorobenzene</i>			118%		77.3 - 129 %	"		"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-03 (MW6D)		Water			Sampled: 08/07/08 07:50					
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/08/08 13:17	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name:	New City Cleaners	Report Created:
	Project Number:	027-30021-00	08/26/08 09:45
	Project Manager:	Meghan Lunney	

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-03 (MW6D)		Water			Sampled: 08/07/08 07:50					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/08/08 13:17	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Surrogate(s):	Dibromofluoromethane		112%		62.2 - 128 %	"			"	
	Toluene-d8		107%		75.4 - 120 %	"			"	
	4-bromofluorobenzene		91.1%		77.3 - 129 %	"			"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-04 (MW6S)		Water				Sampled: 08/07/08 08:20				
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/08/08 13:46	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	6.82	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	7.86	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-04 (MW6S)		Water			Sampled: 08/07/08 08:20					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/08/08 13:46	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>										
<i>Dibromofluoromethane</i>			112%		62.2 - 128 %	"				"
<i>Toluene-d8</i>			105%		75.4 - 120 %	"				"
<i>4-bromofluorobenzene</i>			95.0%		77.3 - 129 %	"				"

TestAmerica Spokane

Randee Decker

Randee Decker, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-05 (MW7D)		Water			Sampled: 08/07/08 06:00					
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/08/08 14:15	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-05 (MW7D)		Water			Sampled: 08/07/08 06:00					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/08/08 14:15	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>										
	<i>Dibromofluoromethane</i>		<i>116%</i>		<i>62.2 - 128 %</i>	<i>"</i>			<i>"</i>	
	<i>Toluene-d8</i>		<i>103%</i>		<i>75.4 - 120 %</i>	<i>"</i>			<i>"</i>	
	<i>4-bromofluorobenzene</i>		<i>94.3%</i>		<i>77.3 - 129 %</i>	<i>"</i>			<i>"</i>	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-06 (MW71)		Water			Sampled: 08/07/08 07:15					
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/08/08 20:35	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	3.17	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	12.6	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	13.3	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-06 (MW7I)		Water			Sampled: 08/07/08 07:15					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/08/08 20:35	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoforn	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>		<i>115%</i>		<i>62.2 - 128 %</i>	<i>"</i>			<i>"</i>	
	<i>Toluene-d8</i>		<i>105%</i>		<i>75.4 - 120 %</i>	<i>"</i>			<i>"</i>	
	<i>4-bromofluorobenzene</i>		<i>89.0%</i>		<i>77.3 - 129 %</i>	<i>"</i>			<i>"</i>	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Deckler, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-07 (MW7S)		Water					Sampled: 08/07/08 06:40			
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/08/08 15:14	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	2.13	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	13.9	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	12.7	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	8.99	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-07 (MW7S)		Water			Sampled: 08/07/08 06:40					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080045	08/07/08 15:56	08/08/08 15:14	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			<i>114%</i>			<i>62.2 - 128 %</i>	<i>"</i>		<i>"</i>
	<i>Toluene-d8</i>			<i>103%</i>			<i>75.4 - 120 %</i>	<i>"</i>		<i>"</i>
	<i>4-bromofluorobenzene</i>			<i>91.0%</i>			<i>77.3 - 129 %</i>	<i>"</i>		<i>"</i>

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-08 (MW8D)		Water			Sampled: 08/06/08 21:20					
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080117	08/18/08 09:47	08/18/08 20:07	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	5.18	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-08 (MW8D)		Water			Sampled: 08/06/08 21:20					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080117	08/18/08 09:47	08/18/08 20:07	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			94.3%			62.2 - 128 %	"		"
	<i>Toluene-d8</i>			117%			75.4 - 120 %	"		"
	<i>4-bromofluorobenzene</i>			116%			77.3 - 129 %	"		"

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-09 (MW8S)										
		Water								
										Sampled: 08/06/08 21:50
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080117	08/18/08 09:47	08/18/08 20:36	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	27.0	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	1.86	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	10.1	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-09 (MW8S)		Water			Sampled: 08/06/08 21:50					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080117	08/18/08 09:47	08/18/08 20:36	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoforn	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			<i>92.5%</i>						<i>62.2 - 128 %</i>
	<i>Toluene-d8</i>			<i>119%</i>						<i>75.4 - 120 %</i>
	<i>4-bromofluorobenzene</i>			<i>111%</i>						<i>77.3 - 129 %</i>

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-10 (MW DUP)										
		Water								
						Sampled: 08/07/08 00:00				
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080117	08/18/08 09:47	08/18/08 21:06	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	1.01	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	7.08	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	8.66	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-10 (MW DUP)		Water				Sampled: 08/07/08 00:00				
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080117	08/18/08 09:47	08/18/08 21:06	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			<i>99.6%</i>				<i>62.2 - 128 %</i>		<i>"</i>
	<i>Toluene-d8</i>			<i>116%</i>				<i>75.4 - 120 %</i>		<i>"</i>
	<i>4-bromofluorobenzene</i>			<i>110%</i>				<i>77.3 - 129 %</i>		<i>"</i>


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-11 (MW 9D)		Water					Sampled: 08/06/08 20:40			
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080117	08/18/08 09:47	08/18/08 21:34	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-11 (MW 9D)		Water			Sampled: 08/06/08 20:40					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080117	08/18/08 09:47	08/18/08 21:34	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			<i>102%</i>			<i>62.2 - 128 %</i>	<i>"</i>		<i>"</i>
	<i>Toluene-d8</i>			<i>112%</i>			<i>75.4 - 120 %</i>	<i>"</i>		<i>"</i>
	<i>4-bromofluorobenzene</i>			<i>108%</i>			<i>77.3 - 129 %</i>	<i>"</i>		<i>"</i>

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-12 (MW 9S)										
		Water								
										Sampled: 08/06/08 19:50
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080117	08/18/08 09:47	08/18/08 22:03	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	2.41	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	0.391	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Randee Decker, Project Manager




LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-12 (MW 9S)		Water			Sampled: 08/06/08 19:50					
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080117	08/18/08 09:47	08/18/08 22:03	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>										
	<i>Dibromofluoromethane</i>			<i>99.0%</i>		<i>62.2 - 128 %</i>	<i>"</i>			<i>"</i>
	<i>Toluene-d8</i>			<i>111%</i>		<i>75.4 - 120 %</i>	<i>"</i>			<i>"</i>
	<i>4-bromofluorobenzene</i>			<i>106%</i>		<i>77.3 - 129 %</i>	<i>"</i>			<i>"</i>

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-13 (Trip Blank)		Water								
		Sampled: 08/06/08 00:00								
Dichlorodifluoromethane	EPA 8260B	ND	----	1.00	ug/l	1x	8080117	08/18/08 09:47	08/18/08 22:31	
Chloromethane	"	ND	----	3.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	0.200	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Acetone	"	ND	----	25.0	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
1,2-Dichloroethane (EDC)	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	

TestAmerica Spokane

Randee Decker

Randee Decker, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica Spokane

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
SRH0057-13 (Trip Blank)		Water								
		Sampled: 08/06/08 00:00								
Chlorobenzene	EPA 8260B	ND	----	1.00	ug/l	1x	8080117	08/18/08 09:47	08/18/08 22:31	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>			<i>93.6%</i>			<i>62.2 - 128 %</i>	<i>"</i>		<i>"</i>
	<i>Toluene-d8</i>			<i>112%</i>			<i>75.4 - 120 %</i>	<i>"</i>		<i>"</i>
	<i>4-bromofluorobenzene</i>			<i>106%</i>			<i>77.3 - 129 %</i>	<i>"</i>		<i>"</i>

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane

QC Batch: 8080045 Water Preparation Method: GC/MS Volatiles

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8080045-BLK1)													Extracted: 08/07/08 15:56	
Dichlorodifluoromethane	EPA 8260B	ND	---	1.00	ug/l	1x	--	--	--	--	--	--	08/07/08 18:41	
Chloromethane	"	ND	---	3.00	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Bromomethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Chloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Carbon disulfide	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Acetone	"	ND	---	25.0	"	"	--	--	--	--	--	--	"	
trans-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methyl tert-butyl ether	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
cis-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chloroform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Carbon tetrachloride	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Butanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,1-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Benzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
1,2-Dichloroethane (EDC)	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dibromomethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromodichloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
cis-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
4-Methyl-2-pentanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
trans-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dibromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromoethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Hexanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name:	New City Cleaners	Report Created:
	Project Number:	027-30021-00	08/26/08 09:45
	Project Manager:	Meghan Lunney	

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane

QC Batch: 8080045	Water Preparation Method: GC/MS Volatiles
-------------------	---

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8080045-BLK1)													Extracted: 08/07/08 15:56	
1,1,1,2-Tetrachloroethane	EPA 8260B	ND	---	1.00	ug/l	1x	--	--	--	--	--	--	08/07/08 18:41	
m,p-Xylene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
o-Xylene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
tert-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
sec-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
n-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Hexachlorobutadiene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Surrogate(s):	Dibromofluoromethane	Recovery:	110%	Limits:	62.2-128%	"							08/07/08 18:41	
	Toluene-d8		104%		75.4-120%	"							"	
	4-bromofluorobenzene		97.0%		77.3-129%	"							"	


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane

QC Batch: 8080045 **Water Preparation Method:** GC/MS Volatiles

Analyte	Method	Result	MDL ^a	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
---------	--------	--------	------------------	-----	-------	-----	---------------	-----------	-------	----------	-------	----------	----------	-------

LCS (8080045-BS1)

Extracted: 08/07/08 15:56

1,1-Dichloroethene	EPA 8260B	10.5	---	1.00	ug/l	1x	--	10.0	105%	(60.4-140)	--	--	08/07/08 17:39	
Benzene	"	10.4	---	0.200	"	"	--	"	104%	(72.9-120)	--	--	"	
Trichloroethene	"	10.9	---	1.00	"	"	--	"	109%	(73.7-120)	--	--	"	
Toluene	"	12.1	---	1.00	"	"	--	"	121%	(72.4-132)	--	--	"	
Chlorobenzene	"	11.1	---	1.00	"	"	--	"	111%	(80-120)	--	--	"	
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery: 110%</i>		<i>Limits: 62.2-128%</i>								<i>08/07/08 17:39</i>		
<i>Toluene-d8</i>		<i>10.4%</i>		<i>75.4-120%</i>								<i>"</i>		
<i>4-bromofluorobenzene</i>		<i>98.3%</i>		<i>77.3-129%</i>								<i>"</i>		

Matrix Spike (8080045-MS1)

QC Source: SRH0056-12

Extracted: 08/07/08 15:56

1,1-Dichloroethene	EPA 8260B	11.2	---	1.00	ug/l	1x	ND	10.0	112%	(52.5-135)	--	--	08/08/08 10:53	
Benzene	"	11.1	---	0.200	"	"	ND	"	111%	(72.3-120)	--	--	"	
Trichloroethene	"	11.9	---	1.00	"	"	13.5	"	-16.1%	(80-120)	--	--	"	M8
Toluene	"	12.9	---	1.00	"	"	0.509	"	124%	(62.7-137)	--	--	"	
Chlorobenzene	"	11.7	---	1.00	"	"	ND	"	117%	(78.9-120)	--	--	"	
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery: 105%</i>		<i>Limits: 62.2-128%</i>								<i>08/08/08 10:53</i>		
<i>Toluene-d8</i>		<i>105%</i>		<i>75.4-120%</i>								<i>"</i>		
<i>4-bromofluorobenzene</i>		<i>94.4%</i>		<i>77.3-129%</i>								<i>"</i>		

Matrix Spike Dup (8080045-MSD1)

QC Source: SRH0056-12

Extracted: 08/07/08 15:56

1,1-Dichloroethene	EPA 8260B	11.5	---	1.00	ug/l	1x	ND	10.0	115%	(52.5-135)	2.47% (10.5)		08/08/08 11:22	
Benzene	"	10.7	---	0.200	"	"	ND	"	107%	(72.3-120)	3.29% (10.7)		"	
Trichloroethene	"	12.0	---	1.00	"	"	13.5	"	-15.1%	(80-120)	0.796% (10)		"	M8
Toluene	"	12.8	---	1.00	"	"	0.509	"	123%	(62.7-137)	0.366% (13)		"	
Chlorobenzene	"	11.5	---	1.00	"	"	ND	"	115%	(78.9-120)	1.49% (11.2)		"	
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery: 105%</i>		<i>Limits: 62.2-128%</i>								<i>08/08/08 11:22</i>		
<i>Toluene-d8</i>		<i>105%</i>		<i>75.4-120%</i>								<i>"</i>		
<i>4-bromofluorobenzene</i>		<i>93.6%</i>		<i>77.3-129%</i>								<i>"</i>		

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Randee Decker

Randee Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane

QC Batch: 8080117 Water Preparation Method: GC/MS Volatiles

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8080117-BLK1)													Extracted: 08/18/08 09:47	
Dichlorodifluoromethane	EPA 8260B	ND	---	1.00	ug/l	1x	--	--	--	--	--	--	08/18/08 18:09	
Chloromethane	"	ND	---	3.00	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Bromomethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Chloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Carbon disulfide	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Acetone	"	ND	---	25.0	"	"	--	--	--	--	--	--	"	
trans-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methyl tert-butyl ether	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
cis-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chloroform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Carbon tetrachloride	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Butanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,1-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Benzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
1,2-Dichloroethane (EDC)	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dibromomethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromodichloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
cis-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
4-Methyl-2-pentanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
trans-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dibromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromoethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Hexanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	-----------------------------------

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane

QC Batch: 8080117	Water Preparation Method: GC/MS Volatiles
-------------------	---

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (8080117-BLK1)													Extracted: 08/18/08 09:47	
1,1,1,2-Tetrachloroethane	EPA 8260B	ND	---	1.00	ug/l	1x	--	--	--	--	--	--	08/18/08 18:09	
m,p-Xylene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
o-Xylene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
tert-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
sec-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
n-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Hexachlorobutadiene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	

<i>Surrogate(s):</i>	<i>Dibromofluoromethane</i>	<i>Recovery:</i>	<i>90.8%</i>	<i>Limits:</i>	<i>62.2-128%</i>	"	<i>08/18/08 18:09</i>
	<i>Toluene-d8</i>		<i>123%</i>		<i>75.4-120%</i>	"	<i>"</i>
	<i>4-bromofluorobenzene</i>		<i>119%</i>		<i>77.3-129%</i>	"	<i>"</i>

Z2

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Rande Decker, Project Manager



LFR, Inc. 2310 N. Molter Rd. Suite 101 Liberty Lake, WA 99019	Project Name: New City Cleaners Project Number: 027-30021-00 Project Manager: Meghan Lunney	Report Created: 08/26/08 09:45
--	--	--

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica Spokane

QC Batch: 8080117	Water Preparation Method: GC/MS Volatiles
--------------------------	--

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
---------	--------	--------	------	-----	-------	-----	---------------	-----------	-------	----------	-------	----------	----------	-------

LCS (8080117-BS1)														
										Extracted: 08/18/08 09:47				
1,1-Dichloroethene	EPA 8260B	9.02	---	1.00	ug/l	1x	--	10.0	90.2%	(60.4-140)	--	--	08/18/08 18:39	
Benzene	"	11.8	---	0.200	"	"	--	"	118%	(72.9-120)	--	--	"	
Trichloroethene	"	10.5	---	1.00	"	"	--	"	105%	(73.7-120)	--	--	"	
Toluene	"	12.9	---	1.00	"	"	--	"	129%	(72.4-132)	--	--	"	
Chlorobenzene	"	11.1	---	1.00	"	"	--	"	111%	(80-120)	--	--	"	
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery:</i>		<i>93.1%</i>		<i>Limits: 62.2-128%</i>						<i>08/18/08 18:39</i>		
<i>Toluene-d8</i>		<i>119%</i>				<i>75.4-120%</i>						<i>"</i>		
<i>+bromofluorobenzene</i>		<i>120%</i>				<i>77.3-129%</i>						<i>"</i>		

Matrix Spike (8080117-MS1)																	
										QC Source: SRH0057-09				Extracted: 08/18/08 09:47			
1,1-Dichloroethene	EPA 8260B	8.98	---	1.00	ug/l	1x	ND	10.0	89.8%	(52.5-135)	--	--	08/18/08 23:00				
Benzene	"	9.75	---	0.200	"	"	ND	"	97.5%	(72.3-120)	--	--	"				
Trichloroethene	"	12.8	---	1.00	"	"	1.86	"	110%	(80-120)	--	--	"				
Toluene	"	13.2	---	1.00	"	"	0.168	"	130%	(62.7-137)	--	--	"				
Chlorobenzene	"	10.8	---	1.00	"	"	ND	"	108%	(78.9-120)	--	--	"				
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery:</i>		<i>96.2%</i>		<i>Limits: 62.2-128%</i>						<i>08/18/08 23:00</i>					
<i>Toluene-d8</i>		<i>122%</i>				<i>75.4-120%</i>						<i>"</i>		Z1			
<i>+bromofluorobenzene</i>		<i>118%</i>				<i>77.3-129%</i>						<i>"</i>					

Matrix Spike Dup (8080117-MSD1)																	
										QC Source: SRH0057-09				Extracted: 08/18/08 09:47			
1,1-Dichloroethene	EPA 8260B	8.18	---	1.00	ug/l	1x	ND	10.0	81.8%	(52.5-135)	9.38% (10.5)		08/18/08 23:28				
Benzene	"	12.0	---	0.200	"	"	ND	"	120%	(72.3-120)	20.6% (10.7)		"	R			
Trichloroethene	"	12.3	---	1.00	"	"	1.86	"	105%	(80-120)	4.12% (10)		"				
Toluene	"	12.5	---	1.00	"	"	0.168	"	124%	(62.7-137)	5.02% (13)		"				
Chlorobenzene	"	10.8	---	1.00	"	"	ND	"	108%	(78.9-120)	0.564% (11.2)		"				
<i>Surrogate(s): Dibromofluoromethane</i>		<i>Recovery:</i>		<i>87.9%</i>		<i>Limits: 62.2-128%</i>						<i>08/18/08 23:28</i>					
<i>Toluene-d8</i>		<i>121%</i>				<i>75.4-120%</i>						<i>"</i>		Z1			
<i>+bromofluorobenzene</i>		<i>131%</i>				<i>77.3-129%</i>						<i>"</i>		Z1			

TestAmerica Spokane

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Rande Decker, Project Manager



LFR, Inc.

2310 N. Molter Rd. Suite 101
Liberty Lake, WA 99019

Project Name: **New City Cleaners**
Project Number: 027-30021-00
Project Manager: Meghan Lunney

Report Created:
08/26/08 09:45

Notes and Definitions

Report Specific Notes:

- M8 - The MS and/or MSD were below the acceptance limits. See Blank Spike (LCS).
- R - The RPD exceeded the method control limit due to sample matrix effects. The individual analyte QA/QC recoveries, however, were within acceptance limits.
- Z1 - Surrogate recovery was above acceptance limits.
- Z2 - Surrogate recovery was above the acceptance limits. Data not impacted.

Laboratory Reporting Conventions:

- DET - Analyte DETECTED at or above the Reporting Limit. Qualitative Analyses only.
- ND - Analyte NOT DETECTED at or above the reporting limit (MDL or MRL, as appropriate).
- NR/NA - Not Reported / Not Available
- dry - Sample results reported on a Dry Weight Basis. Results and Reporting Limits have been corrected for Percent Dry Weight.
- wet - Sample results and reporting limits reported on a Wet Weight Basis (as received). Results with neither 'wet' nor 'dry' are reported on a Wet Weight Basis.
- RPD - RELATIVE PERCENT DIFFERENCE (RPDs calculated using Results, not Percent Recoveries).
- MRL - METHOD REPORTING LIMIT. Reporting Level at, or above, the lowest level standard of the Calibration Table.
- MDL* - METHOD DETECTION LIMIT. Reporting Level at, or above, the statistically derived limit based on 40CFR, Part 136, Appendix B. *MDLs are listed on the report only if the data has been evaluated below the MRL. Results between the MDL and MRL are reported as Estimated Results.
- Dil - Dilutions are calculated based on deviations from the standard dilution performed for an analysis, and may not represent the dilution found on the analytical raw data.
- Reporting Limits - Reporting limits (MDLs and MRLs) are adjusted based on variations in sample preparation amounts, analytical dilutions and percent solids, where applicable.
- Electronic Signature - Electronic Signature added in accordance with TestAmerica's *Electronic Reporting and Electronic Signatures Policy*. Application of electronic signature indicates that the report has been reviewed and approved for release by the laboratory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.



Randee Decker, Project Manager



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

11720 North Creek Pkwy N Suite 400, Bothell, WA 98011-8244
 11922 E. First Ave, Spokane, WA 99206-5302
 9405 SW Nimbus Ave, Beaverton, OR 97008-7145
 2000 W International Airport Rd Ste A10, Anchorage, AK 99502-1119

425-420-9200 FAX 420-9210
 509-924-9200 FAX 924-9290
 509-906-9200 FAX 906-9210
 907-563-9200 FAX 563-9210

CHAIN OF CUSTODY REPORT

Work Order #: **SL40057**

TURNAROUND REQUEST

in Business Days *

Organic & Inorganic Analyses

Petroleum Hydrocarbon Analyses

STP: 10 1 2 3 4 5 <1

Specify: OTHER 1 2 3 4 5 <1

* Turnaround Requests less than standard may incur Rush Charges.

INVOICE TO: **LFR**

P.O. NUMBER:

CLIENT: **LFR**

REPORT TO: **Meghan Gunney**
 ADDRESS: **2310 North Moller Rd.**
Liberty Lake WA 99009
 PHONE: **509 535-7285** FAX: **509 535 7361**

PROJECT NAME: **New City Cleaners**

PROJECT NUMBER: **02730021-00**

SAMPLED BY: **Jim Finlay**

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	PRESERVATIVE	REQUESTED ANALYSES	MATRIX (W, S, O)	# OF CONT.	LOCATION/ COMMENTS	TA WO ID
1 MW 5X S	8-6-08 1820			W	2		-01
2 MW 5X D	8-6-08 1900			W	2		-02
3 MW 6D	8-7-08 0750			W	2		-03
4 MW 6S	8-7-08 0820			W	2		-04
5 MW 7D	8-7-08 0100			W	2		-05
6 MW 7I	8-7-08 0715			W	2		-06
7 MW 7S	8-7-08 0640			W	2		-07
8 MW 8D	8-6-08 2120			W	2		-08
9 MW 8S	8-6-08 2150			W	2		-09
10 MW Dup	8-7-08			W	2		-10

RECEIVED BY: **Jim Finlay** DATE: **8-7-08** TIME: **1445**

PRINT NAME: **Jim Finlay** FIRM: **LFR**

RECEIVED BY: **TestAmerica** DATE: **8/7/08** TIME: **1445**

PRINT NAME: **TestAmerica** FIRM: **TestAmerica**

TEMP: **38°C** PAGE **1 of 2**

TAL-1000(04-03)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

11720 North Creek Pkwy N Suite 400, Bothell, WA 98011-8244
 11922 E. First Ave, Spokane, WA 99206-5302
 9405 SW Nimbus Ave, Beaverton, OR 97008-7145
 2000 W International Airport Rd Ste A10, Anchorage, AK 99502-1119

425-420-9200 FAX 420-9210
 509-924-9200 FAX 924-9290
 503-906-9200 FAX 906-9210
 907-563-9200 FAX 563-9210

Work Order #: **02HO05178**
SR0056

CHAIN OF CUSTODY REPORT

CLIENT: **Meaghan Lunny**
 ADDRESS: **2310 North Miller Rd**
 PHONE: **509 535 7225** FAX: **509 535 7361**
 PROJECT NAME: **New City Cleaners**
 PROJECT NUMBER: **02730021-00**
 SAMPLED BY: **Jim Finlay**

INVOICE TO: **LF2**
 P.O. NUMBER:

TURNAROUND REQUEST
 in Business Days*
 Organic & Inorganic Analyses
 Petroleum Hydrocarbon Analyses

10	7	5	4	3	2	1	<1
5	4	3	2	1	<1		

OTHER Specify:

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	PRESERVATIVE	REQUESTED ANALYSES	MATRIX (W, S, O)	# OF CONT.	LOCATION/ COMMENTS	TA WO ID
1 MW9 D	8-6-08 2040			W	2		-11
2 MV9S	8-6-08 1950			W	2		-12
3 Trip Blank	8-6-08 1300			W	2		-13
4							
5							
6							
7							
8							
9							
10							

RECEIVED BY: **Jim Finlay** DATE: **8-7-08**
 PRINT NAME: **Jim Finlay** TIME: **1445**
 RECEIVED BY: **Patricia Decker** DATE: **8/7/08**
 PRINT NAME: **Patricia Decker** TIME: **1445**

ADDITIONAL REMARKS: