



Geotechnical Engineering
Geology
Environmental Scientists
Construction Monitoring

A large photograph of a construction site in the background. A yellow CAT excavator is positioned on the right, with its arm extended towards a trench. The trench is lined with large, grey, rounded stones. A worker in a white shirt and a white hard hat stands on the left side of the trench. The background is filled with lush green trees under a clear blue sky.

**SECOND QUARTER GROUNDWATER
MONITORING REPORT
FORMER DRY CLEANING BUILDING
1006 LAKE STREET SOUTH
KIRKLAND, WASHINGTON**

ES-2880.05

1805 - 136th Place N.E., Suite 201 - Bellevue, WA 98005
(425) 449-4704 Fax (425) 449-4711
www.earthsolutionsnw.com

PREPARED FOR
POTALA VILLAGE KIRKLAND, LLC

September 15, 2014



Ted W. Sykes
Environmental Senior Project Manager



FOR

Raymond A. Goglas, P.E.
Principal

SECOND QUARTER GROUNDWATER
MONITORING REPORT
FORMER DRY CLEANING BUILDING
1006 LAKE STREET SOUTH
KIRKLAND, WASHINGTON

ES-2880.05

Earth Solutions NW, LLC
2881 – 152nd Place Northeast, Redmond, Washington 98052
Ph: 425-284-3300 Fax: 425-284-2855
Toll Free: 866-336-8710

Table of Contents

ES-2880.05

	PAGE
EXECUTIVE SUMMARY.....	1
1.0 INTRODUCTION	2
1.1 Background.....	2
1.2 Current and Historic Property Uses.....	2
1.3 Geologic and Hydrologic Setting.....	3
2.0 MONITORING WELL SAMPLING PROCEDURES.....	4
3.0 ANALYTICAL RESULTS.....	6
4.0 QUALITY ASSURANCE.....	7
5.0 DISCUSSIONS AND CONCLUSIONS.....	8

Tables

Table 1: Analyses of VOCs in Groundwater

APPENDICES

Appendix A

Plate 1

Vicinity Map

Plate 2

Well Location Plan

Appendix B

Analytical Results

EXECUTIVE SUMMARY

This report summarizes the second quarter groundwater monitoring activity performed at 1006 Lake Street South, Kirkland, Washington by Earth Solutions NW, LLC (ESNW). The location of the site is shown on Plate 1.

On April 25, 2014, AMDO, Inc. removed approximately 140 tons (70 cubic yards) of PCE impacted soil underneath the former dry cleaning building occupying the site. The excavated soil was immediately loaded into plastic lined transport containers and transported by NRC to Columbia Ridge Landfill in Arlington, Oregon for disposal. Confirmation soil sample analytical results indicated that all PCE impacted soil was successfully removed from underneath the former dry cleaning building to concentrations below MTCA Method A soil cleanup levels.

Presented in this report are the results of the second quarter groundwater sampling event completed on June 23, 2014.

During the June 23, 2014 sampling event, groundwater samples were collected from monitoring wells MW-1 and MW-2 that were previously installed at the site by Aspect Consulting, LLC in 2008. A water sample could not be obtained from well MW-3 since it was severely damaged during building demolition and site grading activities. Locations of the groundwater monitoring wells are presented on Plate 2 in Appendix A.

The samples collected from monitoring wells MW-1 and MW-2 were analyzed for volatile organic compounds (VOCs). Analytical results for groundwater samples collected from monitoring wells MW-1 and MW-2 revealed the following:

- Acetone was detected in the water sample collected from monitoring well MW-1 at a concentration of 7.8 micrograms per liter ($\mu\text{g/L}$). The reported concentration of acetone is below the MTCA Method B acetone groundwater cleanup level of 7,200 $\mu\text{g/L}$. Acetone does not have a MTCA Method A groundwater cleanup level.
- No other VOC constituents were detected above the analytical method reporting limits in the water sample obtained from monitoring well MW-1.
- No VOCs were detected above the analytical method reporting limits in the water sample obtained from monitoring well MW-2.

1.0 INTRODUCTION

The subject property is located at the southeast corner of the intersection between Lake Street South and Tenth Street South in Kirkland, Washington (see Plate 1 in Appendix A). The property is currently listed with the address of 1006 Lake Street South. Re-development plans for the property include a multi-family apartment facility with subsurface parking.

Sewer and water services are provided to the site by the City of Kirkland. The surrounding land use consists primarily of apartment buildings, condominiums, and single-family residential homes.

1.1 Background

Between the mid-1990s and 2013, a former dry cleaner, known as Michaels Fine Dry Cleaning, operated out of a commercial building occupying the site. During this time period, volatile organic compounds (VOCs) were released into the environment. Previous site investigations performed between 2006 and 2008 revealed that the detected VOCs in shallow perched groundwater included Tetrachloroethene (PCE) at a concentration of 10 micrograms per liter ($\mu\text{g/L}$), Trichloroethene (TCE) at a concentration of 2.8 $\mu\text{g/L}$, and cis-1,2-Dichloroethene (cis-1,2-DCE) at a concentration of 5 $\mu\text{g/L}$. The concentrations of PCE exceeded the Washington State Model Toxics Control Act (MTCA) Method A groundwater cleanup level of 5 $\mu\text{g/L}$. Detected concentrations of TCE and cis-1,2-DCE were below their respective cleanup levels. Based on these results, previous site investigations concluded that a release of dry cleaning solvents had occurred, "resulting in adverse environmental impacts in the vicinity of the dry cleaning machine" and that the contamination had not migrated outside the building footprint or site boundaries.

In May 2014, An independent remedial action plan was developed by ESNW and implemented by the current owner of the property as part of Department of Ecology's (Ecology) Voluntary Cleanup Program (VCP) in accordance with the Washington State Model Toxics Control Act (MTCA) and the requirements of WAC 173-340-350 (Remedial Investigation and Feasibility Study) and WAC 173-340-515 (Independent Remedial Actions). The VCP identity number was NW2850.

The Cleanup Action Plan (CAP), developed by ESNW outlined the planned remedial actions for the impacted soil and shallow perched water on site.

1.2 Current and Historic Property Uses

According to an October 15, 2010 *Phase I Environmental Site Assessment* (ESA) prepared by Aspect Consulting (Aspect), the dry cleaning facility formerly occupying the subject site was constructed in 1958 with additions to the eastern and southern parts of the building during the 1960s. A commercial tire store (called "OK Tire Store") operated on the property from 1958 until the mid-1970s. According to historical records, OK Tire Store provided the following services: new tires, tire recapping, wheel alignment, and sale of automotive batteries. Reportedly no hydraulic lifts were on record as being used with the tire service. Other records indicated that the subsequent restaurant tenant (Asia Kitchen) and the dry cleaning tenant (Michaels Fine Dry Cleaning) began occupying the site in the mid-1970s and mid-1990s, respectively. The commercial building was demolished in early 2014 in preparation for site re-development as a multi-family apartment facility.

1.3 Geologic and Hydrologic Setting

According to a December 1, 2010 Geotechnical Engineering Services report prepared for the subject property by GeoEngineers and a December 13, 2013 Geotechnical Engineering Study report prepared for the subject property by ESNW, soil conditions generally concur with the mapped conditions noted above. Specifically, the site is underlain by localized deposits of shallow fill, outwash deposits (primarily upper east half of site), and dense to very dense glacial till and transitional bed silt. At the locations of the recent remedial and soil removal activities, the underlying native soil deposits exposed in excavations were observed to consist of dense to very dense (cemented) glacial till and transitional bed silts.

Based on the December 13, 2013 Geotechnical Engineering Study report prepared for the subject property by ESNW, localized and discrete zones of groundwater seepage exist at depths of approximately 4 to 51.5 feet bgs. Groundwater flow across the site is generally to the west. Throughout the westerly portions of the property where recent remedial activities were focused, groundwater conditions are characterized as a near surface (shallow) perched condition. This conclusion is supported by the observed dense to very dense native soils, and absence of an established groundwater table during recent soil removal activities.

To further characterize the site hydrogeology where recent remedial activities occurred, a deep test pit was excavated in the west – central portion of the site. The test pit was excavated on May 7, 2014 (following unusually heavy March and April rainfall amounts). Very dense (and cemented) glacial till underlain by dense transitional bed silt (below 15 feet) was encountered to the maximum exploration depth of 22 feet bgs. No groundwater seepage was observed. The test excavation was left open for 30 minutes following excavation to further assess potential groundwater seepage condition. No evidence of groundwater seepage (or associated excavation instability) was observed.

Based on the above findings, shallow zones of perched groundwater seepage develop seasonally along the upper contact of the very dense till and transitional bed deposits. These shallow zones of seepage are discrete and not indicative of a regional groundwater table.

Previous environmental exploration activities on the subject property encountered perched groundwater at approximately 4.0 feet below the ground surface. During this groundwater sampling event, groundwater levels were measured within monitoring wells MW-1 and MW-2 at depths ranging between 1.10 to 3.55 feet below the top of the well casings, respectively.

2.0 MONITORING WELL SAMPLING PROCEDURES

Sampling activities were conducted on June 23, 2014 by ESNW. Groundwater samples were obtained from wells MW-1 and MW-2 that were previously installed at the site by Aspect Consulting, LLC in 2008. A water sample could not be obtained from well MW-3 since it was severely damaged during building demolition and site grading activities. Locations of the groundwater monitoring wells are presented on Plate 2 in Appendix A.

Prior to sample collection, each monitoring well was purged using a peristaltic pump to remove stagnant well casing water. The wells were purged a minimum of three well casing volumes until monitored field parameters stabilized. The monitoring wells were allowed to recharge and were then sampled to collect the most representative groundwater sample possible.

Static water levels were measured in the monitoring wells using a water level meter prior to well purging and sampling. The probe was decontaminated with deionized water between measurements. The probe was decontaminated with laboratory grade detergent and rinsed with deionized water between wells. Plastic tubing associated with the peristaltic pump was replaced with new tubing between wells.

Groundwater samples were collected from the wells using a peristaltic pump. Groundwater samples to be analyzed for Volatiles using 8260C were collected free of headspace in a 40 mL glass vial with Teflon-lined septa lid and preserved with 1:1 hydrochloric acid. Groundwater samples were submitted to the laboratory for a five day turn-around time.

All water samples collected at the site were properly labeled with adhesive labels which were affixed to the sample containers containing the following information:

- Collector's initials;
- Sample identification;
- Analytical methods requested;
- Company;
- Sample date; and
- Sample time.

Sampling tools and equipment were protected from contamination sources prior to sampling and were not reused between samples. Sample containers were also protected from contamination sources. Sampling personnel wore clean chemical resistant gloves when handling sampling equipment and samples. Gloves were disposed of between samples.

Sample containers were immediately stored in an ice-filled cooler and were kept cold (2° Celsius to 6° Celsius). The samples were then transported to the laboratory for testing and analysis of Environmental Protection Agency (EPA) method 8260C volatiles.

Sealed glass sampling containers and chain-of-custody forms were provided by an accredited laboratory, (OnSite Environmental, Redmond, WA). Documentation of sample collection and location was completed immediately following sampling.

Chain-of-custody (COC) forms were used and procedures were followed to track possession of the samples from the time they were collected until the analytical data from the samples were received and recorded. The following information was recorded using an ink pen on triplicate forms when samples were collected:

- The names and signatures of the sampler;
- The sample identification number and the date and time of sample collection;
- The site designation and analysis required; and
- The names of any persons involved in transferring samples.

No additional sample seals were necessary as samples were delivered directly to the analytical laboratory by ESNW. Analytical QA/QC results were provided along with the laboratory report to validate data usability. The data was evaluated in accordance with *USEPA National Functional Guidelines for Organic Data Review* and found to meet all requirements for accuracy and precision. A summary of analytical results are provided in Section 4.0 and the complete laboratory report is included in Appendix B.

3.0 ANALYTICAL RESULTS

Table 1 below presents data for the analytical results from this sampling event. This table also presents the applicable regulatory groundwater quality standards and date sampled. A copy of the laboratory analytical report is included in Appendix B.

Table 1 Analytical Results

VOCs	MTCA Cleanup Levels (µg / liter)	Lab Reporting Limits (µg/liter)	MW-1	MW-2	MW-3
Acetone	7200 (B)	5.0	7.8	ND	NS
No Other VOC Constituents Identified	-	-	-	-	-

ND = Indicates not detected above laboratory analytical reporting limits

NS = Well not sampled

MTCA = Model Toxics Control Act

(A) = Method A MTCA Groundwater Cleanup Standards

(B) = Method B MTCA Groundwater Cleanup Standards

Bold indicates above MTCA groundwater cleanup level

Note: All analytical results are reported in µg/liter

As shown in Table 1 above, acetone was detected in the water sample collected from monitoring well MW-1 at a concentration of 7.8 micrograms per liter (µg/L). The reported concentration of acetone is below the MTCA Method B acetone groundwater cleanup level of 7,200 µg/L. The source of the acetone in the water sample collected from MW-1 is currently unknown. It was not detected during previous sampling events, but this may be due to different laboratories utilizing different analytical method reporting limits (5.0 µg/L acetone reporting limit used by On-Site Environmental versus 10.0 µg/L acetone reporting limit used by Friedman and Bruya). No other VOC constituents were detected above the laboratory analytical method reporting limits in the water sample collected from monitoring well MW-1.

In regards to the water sample collected from monitoring well MW-2, no VOCs were detected above the analytical method reporting limits.

4.0 QUALITY ASSURANCE

Data quality was checked by running laboratory duplicates and matrix spikes. Appendix B shows the results from laboratory quality control efforts. Duplicate results had good correlation to the original sample results.

5.0 DISCUSSION AND CONCLUSIONS

This report summarizes the second quarterly groundwater monitoring activity performed at 1006 Lake Street South, Kirkland, Washington by ESNW. The location of the site is shown on Plate 1.

On April 25, 2014, AMDO, Inc. removed approximately 140 tons (70 cubic yards) of PCE impacted soil underneath the former dry cleaning building occupying the site. The excavated soil was immediately loaded into plastic lined transport containers and transported by NRC to Columbia Ridge Landfill in Arlington, Oregon for disposal. Confirmation soil sample analytical results indicated that all PCE impacted soil was successfully removed from underneath the former dry cleaning building to concentrations below MTCA Method A soil cleanup levels.

Presented in this report are the results of the second quarter groundwater sampling event completed on June 23, 2014.

During the June 23, 2014 sampling event, groundwater samples were collected from monitoring wells MW-1 and MW-2 that were previously installed at the site by Aspect Consulting, LLC in 2008. A water sample could not be obtained from well MW-3 since it was severely damaged during building demolition and site grading activities. Locations of the groundwater monitoring wells are presented on Plate 2 in Appendix A.

The samples collected from monitoring wells MW-1 and MW-2 were analyzed for volatile organic compounds (VOCs). Analytical results for groundwater samples collected from monitoring wells MW-1 and MW-2 revealed the following:

- Acetone was detected in the water sample collected from monitoring well MW-1 at a concentration of 7.8 micrograms per liter ($\mu\text{g/L}$). The reported concentration of acetone is below the MTCA Method B acetone groundwater cleanup level of 7,200 $\mu\text{g/L}$. Acetone does not have a MTCA Method A groundwater cleanup level.
- No other VOC constituents were detected above the analytical method reporting limits in the water sample obtained from monitoring well MW-1.
- No VOCs were detected above the analytical method reporting limits in the water sample obtained from monitoring well MW-2.

This analytical data supports the fact that PCE impacted soil has been successfully removed from the site. A third quarter sampling event for monitoring wells MW-1 and MW-2 is scheduled to take place on September 23, 2014.

Appendix A

Plates

ES-2880.05



Reference:
 King County, Washington
 Map 536
 By The Thomas Guide
 Rand McNally
 32nd Edition






Earth Solutions NW LLC

Geotechnical Engineering, Construction Monitoring
and Environmental Sciences

**Vicinity Map
 Potlatch Village
 Kirkland, Washington**

NOTE: This plate may contain areas of color. ESNW cannot be responsible for any subsequent misinterpretation of the information resulting from black & white reproductions of this plate.

Drwn. GLS	Date 09/12/2014	Proj. No. 2880.05
Checked TWS	Date Sept. 2014	Plate 1



LEGEND



Subject Site




Former Building Location
(Demolished)



Former Dry Cleaner
Excavation Area



Groundwater Monitoring
Well Location



Not - To - Scale

		Earth Solutions NW LLC Geotechnical Engineering, Construction Monitoring and Environmental Sciences	
Site Plan Potala Village Kirkland, Washington			
Drwn. GLS	Date 09/12/2014	Proj. No. 2880.05	
Checked TWS	Date Sept. 2014	Plate	2

Appendix B
Analytical Results
ES-2880.05



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

June 27, 2014

Ted Sykes
Earth Solutions NW, LLC
1805 136th Place NE, Suite #201
Bellevue, WA 98005

Re: Analytical Data for Project ES-2880.05
Laboratory Reference No. 1406-192

Dear Ted:

Enclosed are the analytical results and associated quality control data for samples submitted on June 23, 2014.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "DB", with a long horizontal flourish extending to the right.

David Baumeister
Project Manager

Enclosures

Date of Report: June 27, 2014
Samples Submitted: June 23, 2014
Laboratory Reference: 1406-192
Project: ES-2880.05

Case Narrative

Samples were collected on June 23, 2014 and received by the laboratory on June 23, 2014. They were maintained at the laboratory at a temperature of 2°C to 6°C.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.

Date of Report: June 27, 2014
 Samples Submitted: June 23, 2014
 Laboratory Reference: 1406-192
 Project: ES-2880.05

VOLATILES EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-1					
Laboratory ID:	06-192-01					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Chloromethane	ND	1.0	EPA 8260C	6-24-14	6-24-14	
Vinyl Chloride	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Bromomethane	ND	0.35	EPA 8260C	6-24-14	6-24-14	
Chloroethane	ND	1.0	EPA 8260C	6-24-14	6-24-14	
Trichlorofluoromethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1-Dichloroethene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Acetone	7.8	5.0	EPA 8260C	6-24-14	6-24-14	
Iodomethane	ND	1.3	EPA 8260C	6-24-14	6-24-14	
Carbon Disulfide	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Methylene Chloride	ND	1.0	EPA 8260C	6-24-14	6-24-14	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Methyl t-Butyl Ether	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1-Dichloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Vinyl Acetate	ND	1.0	EPA 8260C	6-24-14	6-24-14	
2,2-Dichloropropane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
2-Butanone	ND	5.0	EPA 8260C	6-24-14	6-24-14	
Bromochloromethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Chloroform	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Carbon Tetrachloride	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1-Dichloropropene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Benzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2-Dichloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Trichloroethene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2-Dichloropropane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Dibromomethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Bromodichloromethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	6-24-14	6-24-14	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Methyl Isobutyl Ketone	ND	2.0	EPA 8260C	6-24-14	6-24-14	
Toluene	ND	1.0	EPA 8260C	6-24-14	6-24-14	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	6-24-14	6-24-14	

Date of Report: June 27, 2014
 Samples Submitted: June 23, 2014
 Laboratory Reference: 1406-192
 Project: ES-2880.05

VOLATILES EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-1					
Laboratory ID:	06-192-01					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Tetrachloroethene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,3-Dichloropropane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
2-Hexanone	ND	2.0	EPA 8260C	6-24-14	6-24-14	
Dibromochloromethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2-Dibromoethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Chlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Ethylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
m,p-Xylene	ND	0.40	EPA 8260C	6-24-14	6-24-14	
o-Xylene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Styrene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Bromoform	ND	1.0	EPA 8260C	6-24-14	6-24-14	
Isopropylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Bromobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
n-Propylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
2-Chlorotoluene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
4-Chlorotoluene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,3,5-Trimethylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
tert-Butylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2,4-Trimethylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
sec-Butylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
p-Isopropyltoluene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
n-Butylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	6-24-14	6-24-14	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Hexachlorobutadiene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Naphthalene	ND	1.0	EPA 8260C	6-24-14	6-24-14	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>96</i>	<i>62-122</i>				
<i>Toluene-d8</i>	<i>96</i>	<i>70-120</i>				
<i>4-Bromofluorobenzene</i>	<i>94</i>	<i>71-120</i>				

Date of Report: June 27, 2014
 Samples Submitted: June 23, 2014
 Laboratory Reference: 1406-192
 Project: ES-2880.05

VOLATILES EPA 8260C
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-2					
Laboratory ID:	06-192-02					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Chloromethane	ND	1.0	EPA 8260C	6-24-14	6-24-14	
Vinyl Chloride	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Bromomethane	ND	0.35	EPA 8260C	6-24-14	6-24-14	
Chloroethane	ND	1.0	EPA 8260C	6-24-14	6-24-14	
Trichlorofluoromethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1-Dichloroethene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Acetone	ND	5.0	EPA 8260C	6-24-14	6-24-14	
Iodomethane	ND	1.3	EPA 8260C	6-24-14	6-24-14	
Carbon Disulfide	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Methylene Chloride	ND	1.0	EPA 8260C	6-24-14	6-24-14	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Methyl t-Butyl Ether	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1-Dichloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Vinyl Acetate	ND	1.0	EPA 8260C	6-24-14	6-24-14	
2,2-Dichloropropane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
2-Butanone	ND	5.0	EPA 8260C	6-24-14	6-24-14	
Bromochloromethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Chloroform	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Carbon Tetrachloride	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1-Dichloropropene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Benzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2-Dichloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Trichloroethene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2-Dichloropropane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Dibromomethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Bromodichloromethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	6-24-14	6-24-14	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Methyl Isobutyl Ketone	ND	2.0	EPA 8260C	6-24-14	6-24-14	
Toluene	ND	1.0	EPA 8260C	6-24-14	6-24-14	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	6-24-14	6-24-14	

Date of Report: June 27, 2014
 Samples Submitted: June 23, 2014
 Laboratory Reference: 1406-192
 Project: ES-2880.05

VOLATILES EPA 8260C
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-2					
Laboratory ID:	06-192-02					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Tetrachloroethene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,3-Dichloropropane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
2-Hexanone	ND	2.0	EPA 8260C	6-24-14	6-24-14	
Dibromochloromethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2-Dibromoethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Chlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Ethylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
m,p-Xylene	ND	0.40	EPA 8260C	6-24-14	6-24-14	
o-Xylene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Styrene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Bromoform	ND	1.0	EPA 8260C	6-24-14	6-24-14	
Isopropylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Bromobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
n-Propylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
2-Chlorotoluene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
4-Chlorotoluene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,3,5-Trimethylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
tert-Butylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2,4-Trimethylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
sec-Butylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
p-Isopropyltoluene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
n-Butylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	6-24-14	6-24-14	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Hexachlorobutadiene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Naphthalene	ND	1.0	EPA 8260C	6-24-14	6-24-14	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>99</i>	<i>62-122</i>				
<i>Toluene-d8</i>	<i>102</i>	<i>70-120</i>				
<i>4-Bromofluorobenzene</i>	<i>99</i>	<i>71-120</i>				

Date of Report: June 27, 2014
 Samples Submitted: June 23, 2014
 Laboratory Reference: 1406-192
 Project: ES-2880.05

VOLATILES by EPA 8260C
METHOD BLANK QUALITY CONTROL
 page 1 of 2

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Laboratory ID:	MB0624W1					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Chloromethane	ND	1.0	EPA 8260C	6-24-14	6-24-14	
Vinyl Chloride	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Bromomethane	ND	0.35	EPA 8260C	6-24-14	6-24-14	
Chloroethane	ND	1.0	EPA 8260C	6-24-14	6-24-14	
Trichlorofluoromethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1-Dichloroethene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Acetone	ND	5.0	EPA 8260C	6-24-14	6-24-14	
Iodomethane	ND	1.3	EPA 8260C	6-24-14	6-24-14	
Carbon Disulfide	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Methylene Chloride	ND	1.0	EPA 8260C	6-24-14	6-24-14	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Methyl t-Butyl Ether	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1-Dichloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Vinyl Acetate	ND	1.0	EPA 8260C	6-24-14	6-24-14	
2,2-Dichloropropane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
2-Butanone	ND	5.0	EPA 8260C	6-24-14	6-24-14	
Bromochloromethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Chloroform	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Carbon Tetrachloride	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1-Dichloropropene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Benzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2-Dichloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Trichloroethene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2-Dichloropropane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Dibromomethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Bromodichloromethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	6-24-14	6-24-14	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Methyl Isobutyl Ketone	ND	2.0	EPA 8260C	6-24-14	6-24-14	
Toluene	ND	1.0	EPA 8260C	6-24-14	6-24-14	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	6-24-14	6-24-14	

Date of Report: June 27, 2014
 Samples Submitted: June 23, 2014
 Laboratory Reference: 1406-192
 Project: ES-2880.05

VOLATILES by EPA 8260C
METHOD BLANK QUALITY CONTROL
 page 2 of 2

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Laboratory ID:	MB0624W1					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Tetrachloroethene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,3-Dichloropropane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
2-Hexanone	ND	2.0	EPA 8260C	6-24-14	6-24-14	
Dibromochloromethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2-Dibromoethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Chlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Ethylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
m,p-Xylene	ND	0.40	EPA 8260C	6-24-14	6-24-14	
o-Xylene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Styrene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Bromoform	ND	1.0	EPA 8260C	6-24-14	6-24-14	
Isopropylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Bromobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	6-24-14	6-24-14	
n-Propylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
2-Chlorotoluene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
4-Chlorotoluene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,3,5-Trimethylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
tert-Butylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2,4-Trimethylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
sec-Butylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
p-Isopropyltoluene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
n-Butylbenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	6-24-14	6-24-14	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Hexachlorobutadiene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
Naphthalene	ND	1.0	EPA 8260C	6-24-14	6-24-14	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	6-24-14	6-24-14	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	92	62-122				
<i>Toluene-d8</i>	99	70-120				
<i>4-Bromofluorobenzene</i>	99	71-120				

Date of Report: June 27, 2014
 Samples Submitted: June 23, 2014
 Laboratory Reference: 1406-192
 Project: ES-2880.05

**VOLATILES by EPA 8260C
 SB/SBD QUALITY CONTROL**

Matrix: Water
 Units: ug/L

Analyte	Result		Spike Level		Percent Recovery		Recovery	RPD	RPD	Flags
					Recovery	Limits	RPD	Limit		
SPIKE BLANKS										
Laboratory ID:	SB0624W1									
	SB	SBD	SB	SBD	SB	SBD				
1,1-Dichloroethene	9.06	8.41	10.0	10.0	91	84	63-142	7	17	
Benzene	8.64	8.34	10.0	10.0	86	83	78-125	4	15	
Trichloroethene	8.08	7.76	10.0	10.0	81	78	75-125	4	15	
Toluene	9.42	8.79	10.0	10.0	94	88	80-125	7	15	
Chlorobenzene	8.82	8.26	10.0	10.0	88	83	80-140	7	15	
<i>Surrogate:</i>										
<i>Dibromofluoromethane</i>					92	97	62-122			
<i>Toluene-d8</i>					95	95	70-120			
<i>4-Bromofluorobenzene</i>					99	97	71-120			



Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
- B - The analyte indicated was also found in the blank sample.
- C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
- E - The value reported exceeds the quantitation range and is an estimate.
- F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
- H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
- I - Compound recovery is outside of the control limits.
- J - The value reported was below the practical quantitation limit. The value is an estimate.
- K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
- L - The RPD is outside of the control limits.
- M - Hydrocarbons in the gasoline range are impacting the diesel range result.
- M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
- N - Hydrocarbons in the lube oil range are impacting the diesel range result.
- N1 - Hydrocarbons in diesel range are impacting lube oil range results.
- O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
- P - The RPD of the detected concentrations between the two columns is greater than 40.
- Q - Surrogate recovery is outside of the control limits.
- S - Surrogate recovery data is not available due to the necessary dilution of the sample.
- T - The sample chromatogram is not similar to a typical _____.
- U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- U1 - The practical quantitation limit is elevated due to interferences present in the sample.
- V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
- W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
- X - Sample extract treated with a mercury cleanup procedure.
- X1 - Sample extract treated with a Sulfuric acid/Silica gel cleanup procedure.
- Y - The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
- Z -
- ND - Not Detected at PQL
- PQL - Practical Quantitation Limit
- RPD - Relative Percent Difference

Report Distribution

ES-2880.05

EMAIL ONLY

**Potala Village Kirkland, LLC
2804 Grand Avenue, Suite 308
Everett, Washington 98201**

Attention: Mr. Joe Zlab