



MW-15	3/19/2014
TPH-G	<50
TPH-D	<120
TPH-O	<240
B	<5.0
T	<5.0
E	<5.0
X	<10
MTBE	<5.0
Lead	<2.0

Legend

- Monitoring Well
- Sparging Well
- Recovery Well
- OPLC Pipeline
- Property Line
- Buildings
- Limits of 1989 Soil Excavation
- Railroad
- Roads

(75.11) Groundwater Elevation (feet)

Basemap Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community

- The locations shown are approximate.
- Monitoring wells not located are assumed to be covered by pavement, grass or vegetation
- This figure is for information purposes only. It is intended to assist in the identification of features discussed in a related document. Data were compiled from sources as listed in this figure. The data sources do not guarantee these data are accurate or complete. There may have been updates to the data since the publication of this figure.

0 50 100 Feet

TPH-G	Total petroleum hydrocarbons as gasoline by Northwest Method NWTPH-Gx
TPH-D	Total petroleum hydrocarbons as diesel by Northwest Method NWTPH-Dx with silica gel cleanup
TPH-O	Total petroleum hydrocarbons as oil by Northwest Method NWTPH-Ox with silica gel cleanup
BTEX	Benzene, toluene, ethylbenzene, and total xylenes analyzed by EPA Method 8260
MTBE	Methyl-tert-butyl Ether analyzed by EPA Method 8260
Lead	Total lead by EPA Method 6010

Concentrations are shown in micrograms per liter (ug/L)

FIGURE 1
Groundwater Elevation and Analytical Data Map
March 19, 2014

Kent Block Valve
Olympic Pipe Line Company
South 259th Street
Kent, Washington

WAKBVHA131	Kent, Washington	
1H14_KBV-Fig1_GWAD.mxd		
08/11/2014		






- Legend**
- Proposed Soil Boring Locations
 - Soil Sample Location (1989, GeoEngineers)
 - Monitoring Well
 - ⊕ Missing/Abandoned Monitoring Well
 - Limits of Excavation
 - OPLC Pipeline
 - Property Line
 - Buildings
 - Roads
 - Fence

Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community

1. The locations shown are approximate.
2. Monitoring wells not located are assumed to be covered by pavement, grass or vegetation
3. This figure is for information purposes only. It is intended to assist in the identification of features discussed in a related document. Data were compiled from sources as listed in this figure. The data sources do not guarantee these data are accurate or complete. There may have been updates to the data since the publication of this figure.



FIGURE 3
Site Map
Proposed Boring Locations
Kent Block Valve
Olympic Pipe Line Company
South 259th Street
Kent, Washington

WAKBVDA131		
0314_KBV-Fig3-PropSample.mxd	Kent, Washington	
03/27/2014		