

May 23, 2011 Project 101.00173.00010

Mr. Tom Middleton Washington Department of Ecology P.O. Box 47775 Olympia, Washington 98504-7775

### Re: Quarterly Groundwater Sampling Report – March 2011 Event Former Arco Service Station #0855, Longview, Washington

Dear Mr. Middleton:

On behalf of Wakefield Family LLC (property owner), SLR International Corp (SLR) has prepared this report to present the results of the quarterly groundwater sampling activities conducted in March 2011 at the above-referenced site. The former Arco Service Station #0855 property (the property) is located at 4603 Ocean Beach Highway, near the western end of Longview, Washington (see Figure 1). The purposes of the groundwater sampling program are to assess the effectiveness of the current deep groundwater recovery operations and the 2007 site remedial action (soil excavation and shallow groundwater extraction), and to monitor the migration and attenuation of the petroleum hydrocarbon concentrations in the shallow groundwater-bearing unit and the deep aquifer over time.

### BACKGROUND

After completing the 2007 remedial action at the property, quarterly groundwater sampling results in 2007 and 2008 showed that the samples from all of the shallow groundwater monitoring wells, except MW-10, and from all of the deep groundwater monitoring wells, except DMW-4, DMW-5, DMW-9, and DMW-10, contained petroleum hydrocarbon concentrations below the Model Toxics Control Act (MTCA) Method A groundwater cleanup levels for four consecutive quarters (SLR, 2008a; SLR, 2008b; and SLR, 2008c). To remediate the remaining impacted groundwater in the deep aquifer, a deep groundwater recovery well (RW-1) was installed and a recovery/treatment system has been operating since June 2009 (SLR, 2009). After activating the system, the current groundwater sampling program has consisted of conducting annual sampling events (collect samples from all of the shallow and deep monitoring wells) in September, and conducting quarterly sampling events (collect samples from shallow well MW-10 and from deep wells DMW-5, DMW-9, and DMW-10) in December, March, and June. Based on the groundwater sampling results in September and December 2009 and March and June 2010, the samples from shallow monitoring well MW-10 contained petroleum hydrocarbon concentrations below the Method A cleanup levels for four consecutive quarters (SLR, 2009; SLR, 2010a; SLR, 2010b; and SLR, 2010c). Therefore, MW-10 was eliminated from the future quarterly groundwater sampling events.



Mr. Tom Middleton Page 2

#### MARCH 2011 SAMPLING EVENT

SLR personnel conducted the groundwater sampling activities on March 16, 2011. On March 15<sup>th</sup>, SLR deactivated the deep groundwater recovery/treatment system so that the deep aquifer would be under non-pumping static conditions at the time of sampling.

Immediately prior to sampling, SLR measured the depths to groundwater in all of the shallow groundwater monitoring wells (MW-5, MW-8, MW-9, MW-10, MW-11, MW-12, MW-13, and MW-14), all of the deep groundwater monitoring wells (DMW-3, DMW-4, DMW-5, DMW-6, DMW-7, DMW-8, DMW-9, and DMW-10), and the deep groundwater recovery well (RW-1) by using an electronic water level probe. The depth to groundwater measurements were converted to groundwater elevations by using the results of previous well elevation surveys conducted by Gibbs and Olson, Inc., of Longview, Washington. The depths to groundwater in the shallow wells ranged from 1.41 to 3.91 feet below the tops of the well casings. The groundwater elevations in the shallow wells ranged from 4.30 to 7.58 feet above the NAVD 88 datum. The depths to groundwater in the deep wells ranged from 3.95 to 6.26 feet below the tops of the well casings. The groundwater elevations in the deep wells ranged from 2.71 to 3.02 feet above the NAVD 88 datum. The groundwater elevations in the shallow and deep wells were inconsistent and could not be used to determine general shallow or deep groundwater flow directions beneath the site area. The groundwater monitoring data from the March 2011 sampling event, as well as from the previous groundwater sampling events, are presented in Table 1. The groundwater elevations in the shallow and deep wells on March 16, 2011, are shown on Figures 2 and 3, respectively.

SLR personnel collected groundwater samples from deep wells DMW-5, DMW-9, and DMW-10 for laboratory analysis. SLR purged the wells by using a peristaltic pump with dedicated tubing at a flow rate of approximately 0.33 liters per minute. During purging, field parameters of temperature, conductivity, dissolved oxygen (DO), pH, and oxidation-reduction potential were measured every three to five minutes. Each groundwater sample was collected following the stabilization of the field parameter measurements. The purge water was pumped through the groundwater treatment system at the site.

The groundwater samples were submitted to Friedman & Bruya, Inc. (F&B) in Seattle, Washington, for analysis of benzene, toluene, ethylbenzene, and total xylenes (BTEX) by EPA Method 8021B, and gasoline-range organics (GRO) by Ecology Method NWTPH-Gx. The analytical results indicated that all of the samples contained benzene concentrations [11 to 27 micrograms per liter ( $\mu$ g/L)] that exceeded the MTCA Method A groundwater cleanup level (5  $\mu$ g/L). The samples did not contain toluene, ethylbenzene, total xylenes, or GRO concentrations greater than the method reporting limits (MRLs) or the Method A cleanup levels. The groundwater sample analytical results from the March 2011 event, as well as from the previous sampling events, are presented in Table 2.

Mr. Tom Middleton Page 3

benzene and GRO concentrations in the March 2011 samples are shown on Figure 3. A copy of the laboratory analytical report is attached.

#### CONCLUSIONS

The 2008 groundwater sampling results from the shallow wells indicated that the 2007 remediation activities effectively removed the source of the shallow groundwater contamination and extracted most of the impacted shallow groundwater (SLR, 2008a; SLR, 2008b; and SLR, 2008c). In October 2008, the remaining petroleum hydrocarbon concentrations in the shallow groundwater that exceeded the MTCA Method A cleanup levels only occurred in one localized area (near well MW-10). Based on the quarterly groundwater sampling results from September 2009 through September 2010 (SLR, 2009; SLR, 2010a; SLR, 2010b; SLR, 2010c; and SLR, 2010d), the hydrocarbon concentrations near MW-10 have decreased to below the Method A cleanup levels due to natural attenuation.

The 2008 groundwater sampling results from the deep wells showed that the 2007 remediation activities had limited short-term affects on the deep groundwater concentrations (SLR, 2008a; SLR, 2008b; and SLR, 2008c). However, the petroleum hydrocarbon concentrations were decreasing with distance away from the primary source area (the former dispenser island area) due to natural attenuation. To actively remediate the impacted deep groundwater, a deep groundwater recovery/treatment system has been operating since June 2009. Based on the groundwater sampling results from December 2009 through December 2010 sampling results (SLR, 2010a; SLR, 2010b; SLR, 2010c; SLR, 2010d; and SLR, 2011), as well as the March 2011 sampling results, the benzene and GRO concentrations in the deep groundwater are decreasing due to the operation of the system. At the source area well (DMW-9), the benzene and GRO concentrations in March 2011 were 3,286 and 8,290 µg/L, respectively, less than the concentrations in October 2008 (the last sampling event prior to activating the deep groundwater recovery/treatment system). In March 2011, the benzene concentration (14 µg/L) at DMW-9 exceeded the MTCA Method A cleanup level; however, the GRO concentration  $(310 \ \mu g/L)$  was below the Method A cleanup level (800  $\mu g/L)$  for the second consecutive quarter.

If you have any questions, please contact me at (425) 471-0479 or mstaton@slrcorp.com.

Sincerely,

**SLR International Corp** 

Michael D. Staton, L.G. Principal Geologist

T:\101.00173.00010\Groundwater Sampling Report 0311.doc

### Project 101.00173.00010

Mr. Tom Middleton Page 4

Attachments: Limitations References Tables 1 and 2 Figures 1 through 3 Laboratory Analytical Report

cc: Kurt Peterson, Cascadia Law Group PLLC (4 copies)

#### LIMITATIONS

The services reflected in this report were performed consistent with generally accepted professional consulting principals and practices. No other warranty, express or implied, is made. These services were performed consistent with our agreement with our client. This information is solely for the use of our client unless otherwise noted. Any reliance on this information by a third party is at such party's sole risk.

Opinions and recommendations contained herein apply to conditions existing when services were performed and are intended only for the client, purposes, location, timeframes, and project parameters indicated. We are not responsible for the impacts of any changes in environmental standards, practices, or regulations subsequent to performance of services. We do not warrant the accuracy of information supplied by others, nor the use of segregated portions of this report.

### REFERENCES

- SLR. 2008a. Remedial Action Report, Former Arco Service Station #0855, 4603 Ocean Beach Highway, Longview, Washington. July 21.
- SLR. 2008b. Quarterly Groundwater Sampling Report July 2008 Event, Former Arco Service Station #0855, Longview, Washington. August 29.
- SLR. 2008c. Quarterly Groundwater Sampling Report September/October 2008 Event, Former Arco Service Station #0855, Longview, Washington. October 29.
- SLR. 2009. Deep Groundwater Remediation System Installation and Performance Report, Former Arco Service Station #0855, Longview, Washington. November 4.
- SLR. 2010a. Quarterly Groundwater Sampling Report December 2009 Event, Former Arco Service Station #0855, Longview, Washington. January 9.
- SLR. 2010b. Quarterly Groundwater Sampling Report March 2010 Event, Former Arco Service Station #0855, Longview, Washington. April 5.
- SLR. 2010c. Quarterly Groundwater Sampling Report June 2010 Event, Former Arco Service Station #0855, Longview, Washington. July 20.
- SLR. 2010d. Groundwater Sampling Report September 2010 Event, Former Arco Service Station #0855, Longview, Washington. October 25.
- SLR. 2011. Groundwater Sampling Report December 2010 Event, Former Arco Service Station #0855, Longview, Washington. January 4.

Well Number	Top of Casing Elevation <sup>a</sup> (feet)	Date Measured	Depth to Groundwater <sup>b</sup> (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Shallow Mo	nitoring Wells				
MW-1	8.34	03/27/00	4.36	NP	3.98
	× .	05/23/00	5.20	NP	3.14
		07/20/00	5.55	NP	2.79
		10/18/00	5.41	NP	2.93
		01/18/01	4.81	NP	3.53
		04/18/01	4.58	NP	3.76
		07/17/01	5.54 ·	NP	2.80
		10/18/01	5.26	NP	3.08
		01/16/02	4.45	NP	3.89
		07/09/03	5.80	NP	2.54
	8.25°	05/25/05	4.12	NP	4.13
		12/07/05	3.77	NP	4.48
		08/16/06	6.58	NP	1.67
	-			n September 2007.	
MW-2	8.76	03/27/00	3.61	NP	5.15
		05/23/00	4.64	NP	4.12
		07/20/00	5.06	NP	3.70
		10/18/00	5.19	NP	3.57
		01/18/00	3.96	NP	4.80
		04/18/01	3.83	NP	4.93
		07/17/01	5.08	NP	3.68
		10/18/01	4.83	NP	3.93
		01/16/02	3.71	NP	5.05
		07/09/03	5.36	NP	3.40
	8.89°	05/25/05	4.15	NP	4,74
	0.09	12/07/05	4.13	NP	4.74
		08/16/06	5.96	NP	
		08/10/00		n September 2007.	2.93
MW-3	8.78	03/27/00	5.61	NP	3.17
111 11 -5	0.70	05/23/00	6.46	NP	2.32
		07/20/00	7.05	NP	
		10/18/00	. 6.84	NP	1.73 1.94
		01/18/01	6.37	NP	2.41
		04/18/01	5.46		•
		07/17/01	6.93	NP NP	3.32 1.85
		10/18/01	6.47	NP NP	2.31
		01/16/01	4.83	NP	3.95
		07/09/03	6.72		
	0.706			0.02	2.08*
	8.58°	05/25/05	4.65	Film	3.93
		12/07/05	4.45	0.01	4.14*
		08/16/06	6.91	0.24 n September 2007.	1.86*

Well Number	Top of Casing Elevation <sup>a</sup> (feet)	Date Measured	Depth to Groundwater <sup>b</sup> (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Shallow Mo	nitoring Wells (continued)				
MW-4	8.78	11/15/00	6.88	NP	1.90
		01/18/01	6.78	NP	2.00
		04/18/01	6.90	NP	1.88
		07/17/01	7.50	NP	1.28
		10/18/01	6.92	NP	1.86
		01/16/02	6.15	NP	2.63
		07/09/03	7.04	NP	1.74
	8.69 <sup>c</sup>	05/25/05	6.24	NP	2.45
		12/07/05	5.70	NP	2.99
		08/16/06	6.84	NP	1.85
				n September 2007.	
MW-5	8.78	11/15/00	6.54	NP	2.24
		01/18/01	6.07	NP ,	2.71
		04/18/01	5.46	ŃP	3.32
		07/17/01	6.79	NP	1.99
		10/18/01	6.50	NP	2.28
		01/16/02	5.49	NP	3.29
	]	07/09/03	6.86	NP	1.92
	8.67°	05/25/05	5.64	NP	3.03
	0.07	12/07/05	5.53	NP	3.14
		08/16/06	6.28	NP	2.39
	1	12/11/07	4.64	NP	4.03
		03/11/08	4.90	NP	3.77
		07/01/08	5.33	NP	3.34
		09/30/08	6.17	NP	2.50
		09/02/09	7.08	NP	1.59
		12/15/09	4.63	NP	4.04
		03/18/10	4.85	NP	3.82
		06/15/10	4.84	NP	3.83
		09/14/10	6.87	NP	1.80
		12/14/10	3.03	NP	5.64
		03/16/11	2.80	NP	5.87
MW-6	8.21	11/15/00	6.15	NP	2.06
		01/18/01	5.85	NP	2.36
		04/18/01	5.70	NP	2.51
		07/17/01	6.02	NP	2.19
		10/18/01	6.03	NP	2.18
		01/16/02	5.80	NP	2,41
		07/09/03	6.16	NP	2.05
	8.11°	05/25/05	4.00	NP	4.11
	0.11	12/07/05	5.70	NP	2.41
		08/16/06	6.40	NP	1.71
		00/10/00		n November 2007.	1./1

Well	Top of Casing Elevation <sup>a</sup>		Depth to Groundwater <sup>b</sup>	Free Product Thickness	Groundwater
Number	(feet)	Date Measured	(feet)	(feet)	Elevation (feet)
	nitoring Wells (continued) 8.45	11/15/00	( 50	310	1.02
MW-7	8.45		6.52	NP	1.93
		01/18/01	6.24	NP	2.21
		04/18/01	5.98	NP	2.47
		07/17/01	6.44	NP	2.01
		10/18/01	6.39	NP	2.06
		01/16/02	6.31	NP	2.14
		07/09/03	7.00	NP	1.45
	8.26°	05/25/05	5.61	NP	2.65
		12/07/05	6.36 <sup>d</sup>	NP	1.90
	-	08/16/06	6.40	NP	1.86
	C 45	05/05/05		n September 2007.	1.05
MW-8	6.45	05/25/05	4.50	NP	1.95
		12/07/05	3.69	NP	2.76
		08/16/06	4.67	NP	1.78
		12/11/07	3.55	NP	2.90
		03/11/08 07/01/08	3.51 4.03	NP	2.94
		07/01/08	4.03	NP	2.42
		09/02/09	4.19	NP	2.26
				NP	1.90
		12/15/09	3.31	NP	3.14
		03/18/10 06/15/10	3.05	NP	3.40
		09/14/10	2.48	NP	3.97
			4.32	NP	2.13
		12/14/10	2.70	NP	3.75
MW-9	9.43	03/16/11 05/25/05	2.15	NP	4.30
101 00-9	9.45	12/07/05	4.59	NP NP	4.77
		08/16/06	5.23	NP NP	4.84 4.20
		12/11/07	4.52	NP NP	4.20
		03/11/08	4.65	NP	4.91
		07/01/08	5.06	NP	4.78
		09/30/08	5.08	NP	4.37
		09/02/09	5.20	NP	4.33
		12/15/09	4.51	NP	4.23
		03/18/10	4.64	NP	4.92
		06/15/10	4.72	NP	4.79
		09/14/10	4.94	NP	4.49
		12/14/10	4.66	NP	4.77
		03/16/11	3.91	NP	5.52
MW-10	9.52	05/25/05	10.30	NP	-0.78
		12/07/05	5.90	NP	3.62
		08/16/06	7.18	NP	2.34
		12/11/07	4.22	NP	5.30
		03/11/08	6.02	NP	3.50
		07/01/08	6.53	NP	2.99
		09/30/08	4.51	NP	5.01
		09/02/09	7.76	NP	1.76
		12/15/09	5.97	NP	3.55
		03/18/10	8.14	NP	1.38
		06/15/10	5.15	NP	4.37
		09/14/10	7.88	NP	1.64
		12/14/10	3.42	NP	6.10
		03/16/11	3.54	NP	5.98

Well Number	Top of Casing Elevation <sup>a</sup> (feet)	Date Measured	Depth to Groundwater <sup>b</sup> (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Shallow Mo	nitoring Wells (continued)			<u> </u>	
MW-11	8.16	12/07/05	3.87	NP	4.29
		08/16/06	6.10	NP	2.06
		12/11/07	3.51	NP	4.65
		03/11/08	4.86	NP	3.30
		07/01/08	5.61	NP	2.55
		09/30/08	6.56	NP	1.60
		09/02/09	7.52	NP	0.64
		12/15/09	4.35	NP	3.81
		03/18/10	4.17	NP	3.99
		06/15/10	4.22	NP	3.94
		09/14/10	6.28	NP	1.88
		12/14/10	1.86	NP	6.30
		03/16/11	2.59	NP	5.57
MW-12	8.21	12/11/07	2.69	NP	5.52
11111 12	0.21	03/11/08	4.25	NP	3.96
		07/01/08	5.20	NP	3.01
		09/30/08	5.85	NP	2.36
		09/02/09	6.33	NP	1.88
		12/15/09	3.09	NP	5.12
		03/18/10	3.46	NP	4.75
		06/15/10	3.65	NP	4.56
		09/14/10	5.65	NP	2.56
		12/14/10	1.45	NP	6.76
MW-13	9.03	03/16/11 12/11/07	1.90	NP	6.31
IVI W-13	9.03		1.10	NP	7.93
		03/11/08	1.53	NP	7.50
		07/01/08	3.53	NP	5.50
		09/30/08	4.73	NP	4.30
		09/02/09	7.04	NP	1.99
		12/15/09	2.24	NP	6.79
		03/18/10	1.48	NP	7.55
		06/15/10	1.65	NP	7.38
		09/14/10	5.80	NP	3.23
		12/14/10	1.48	NP	7.55
	0.00	03/16/11	1.45	NP	7.58
MW-14	8.39	12/11/07	1.50	NP	6.89
		03/11/08	3.85	NP	4.54
		07/01/08	4.27	NP	4.12
		09/30/08	6.44	NP	1.95
		09/02/09	6.93	NP	1.46
		12/15/09	1.77	NP	6.62
		03/18/10	1.65	NP	6.74
		06/15/10	1.78	NP	6.61
		09/14/10	6.23	NP	2.16
		12/14/10	1.37	NP	7.02
		03/16/11	1.41	NP	6.98
	oring Wells	1010-12-			
DMW-1	8.55	12/07/05	6.73	NP	1.82
		08/16/06	6.28	NP	2.27
				n September 2007.	
DMW-2	8.29	12/07/05	6.10	NP	2.19
		08/16/06	6.71	NP	1.58
			Well abandoned in	n September 2007.	

Well Number	Top of Casing Elevation <sup>a</sup> (feet)	Date Measured	Depth to Groundwater <sup>b</sup> (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Deep Monit	oring Wells (continued)				
DMW-3	6.66	12/07/05	12.15 <sup>d</sup>	NP	-5.49
		08/16/06	4.55	NP	2.11
		12/11/07	4.60	NP	2.06
		03/11/08	5.68	NP	0.98
		07/01/08	5.52	NP	1.14
		09/30/08	5.03	NP	1.63
		09/02/09	5.19	NP	1.47
		12/15/09	4.71	NP	1.95
		03/18/10	4.55	NP	2.11
		06/15/10	4.42	NP	2.24
		09/14/10	5.01	NP	1.65
		12/14/10	4.36	NP	2.30
		03/16/11	3.95	NP	2.71
DMW-4	8.55	12/07/05	6.30	NP	2.25
		08/16/06	7.12	NP	1.43
		12/11/07	6.08	NP	2.47
		03/11/08	6.54	NP	2.01
		07/01/08	6.41	NP	2.14
		09/30/08	6.91	NP	1.64
		09/02/09	7.13	NP	1.42
		12/15/09	6.26	NP	2.29
	1	03/18/10	6.43	NP	2.12
		06/15/10	6.11	NP	2.44
		09/14/10	6.97	NP	1.58
		12/14/10	5.18	NP	3.37
		03/16/11	5.55	NP	3.00
DMW-5	8.14	12/07/05	5.88	NP	2.26
		08/16/06	6.57	NP	1.57
		12/11/07	5.75	NP	2.39
		03/11/08	6.14	NP	2.00
		07/01/08	5.01	NP	3.13
		09/30/08	6.52	NP	1.62
		09/02/09	6.75	NP	1.39
		12/15/09	5.87	NP	2.27
		03/18/10	6.03	NP	2.11
		06/15/10	5.68	NP	2.46
		09/14/10	6.55	NP	1.59
		12/14/10	4.80	NP	3.34
		03/16/11	5.17	NP	2.97
DMW-6	9.15	08/16/06	7.74	NP	1.41
		12/11/07	6.68	NP	2.47
		03/11/08	7.15	NP	2.00
		07/01/08	7.04	NP	2.11
		09/30/08	7.53	NP	1.62
		09/02/09	7.79	NP	1.36
		12/15/09	6.89	NP	2.26
		03/18/10	7.06	NP	2.09
		06/15/10	6.74	NP	2.41
		09/14/10	7.59	NP	1.56
		12/14/10	5.79	NP	3.36
		03/16/11	6.18	NP	2.97

Well Number	Top of Casing Elevation <sup>a</sup> (feet)	Date Measured	Depth to Groundwater <sup>b</sup> (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Deep Monito	oring Wells (continued)				
DMW-7	8.12	08/16/06	6.68	NP	1.44
		12/11/07	5.68	NP	2.44
		03/11/08	6.11	NP	2.01
		07/01/08	6.02	NP	2.10
		09/30/08	6.61	NP	1.51
		09/02/09	6.74	NP	1.38
		12/15/09	5.85	NP	2.27
		03/18/10	5.93	NP	2.19
		06/15/10	5.82	NP	2.30
		09/14/10	6.55	NP	1.57
		12/14/10	5.27	NP	2.85
		03/16/11	5.15	NP	2.97
DMW-8	9.09	08/16/06	7.65	NP	1.44
		12/11/07	6.60	NP	2.49
		03/11/08	7.06	NP	2.03
		07/01/08	6.97	NP	2.12
		09/30/08	7.48	NP	1.61
	1	09/02/09	7.69	NP	1.40
		12/15/09	6.80	NP	2.29
		03/18/10	6.81	NP	2.28
		06/15/10	6.55	NP	2.54
		09/14/10	7.50	NP	1.59
		12/14/10	6.52	NP	2.57
		03/16/11	6.26	NP	2.83
DMW-9	8.86	12/11/07	5.39	NP	3.47
Divivity	0.00	03/11/08	6.84	NP	2.02
		07/01/08	6.85	NP	2.02
		09/30/08	7.20	NP	1.66
		09/02/09	7.44	NP	1.42
		12/15/09	6.54	NP	2.32
		03/18/10	6.69	NP	2.32
		06/15/10	6.39	NP	2.17
		09/14/10	7.23	NP	1.63
		12/14/10	5.66	NP	3.20
		03/16/11	5.87	NP	2.99
DMW-10	8.38	12/11/07	4.91	NP	3.47
DIVI W-10	0.30	03/11/08	6.35	NP NP	2.03
		07/01/08	6.24	NP	2.03
		09/30/08	6.75	NP	1.63
		09/02/09	6.99	NP NP	1.39
		12/15/09			
			6.09	NP	2.29
		03/18/10	6.25	NP	2.13
		06/15/10	5.91	NP	2.47
		09/14/10	6.77	NP	1.61
		12/14/10	5.02	NP	3.36
	<u> </u>	03/16/11	5.38	NP	3.00

Well Number	Top of Casing Elevation <sup>a</sup> (feet)	Date Measured	Depth to Groundwater <sup>b</sup> (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Deep Recove	ery Well				
RW-1	8.08	09/02/09	6.69	NP	1.39
		12/15/09	5.78	NP	2.30
		03/18/10	5.96	NP	2.12
		06/15/10	5.60	NP	2.48
		12/14/10	4.70	NP	3.38
		03/16/11	5.06	NP	3.02

NOTES:

NP = Free product was not present.

<sup>a</sup> Top of well casing elevations were surveyed relative to NAVD 88 datum.

<sup>b</sup> Measurements in feet below top of well casing.

<sup>c</sup> Top of casing (TOC) elevation was re-surveyed in May 2005.

<sup>d</sup> Water in well was under pressure and rising when the cap was removed. The water level was recorded after the well cap was off for over 2 hours. \* Groundwater elevation corrected for product thickness by using the equation: Groundwater elevation = TOC elevation - depth to groundwater + (product thickness x 0.80).

		Benzene <sup>a</sup>	Toluene <sup>a</sup>	Ethylbenzene <sup>a</sup>	Total Xylenes <sup>a</sup>	$\mathbf{GRO}^{b}$	DRO <sup>c</sup>
Well Number	Sample Date	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MTCA Method A Cleanu	p Levels <sup>d</sup>	5	1,000	700	1,000	800	500
<b>Shallow Monitoring Well</b>	s						
MW-1	03/27/00	ND	ND	ND	ND	ND	ND
	05/23/00	ND	ND	ND	ND	ND	NA
	07/20/00	ND	ND	ND	ND	ND	NA
	10/18/00	ND	ND	1.61	ND	404	NA
	01/18/01	, ND	ND	ND	ND	95.6	NA
	04/18/01	ND	ND	ND	ND	NA	NA
	07/17/01	ND	2.63	1.46	ND	386	NA
	10/18/01	ND	ND	ND	ND	ND	NA
	01/16/02	ND	ND	ND	ND	104	NA
	07/09/03	< 0.50	< 0.50	<0.50	<1.0	<50	<250
	05/25/05	<1.0	<1.0	<1.0	<2.0	<100	<50
	11/30/05	<1.0	<1.0	<1.0	<3.0	<100	<50
		Well abandoned in September 2007.					
MW-2	03/27/00	6.89	49.5	599	2,490	17,100	ND
	05/23/00	26.2	16.2	614	1,770	13,200	NA
	07/20/00	11.9	11.8	304	330	7,220	NA
	10/18/00	3.67	1.23	13.9	7.55	743	NA
	01/18/00	ND	ND	41.1	5.62	691	NA
	04/18/01	ND	ND	8.73	ND	NA	NA
	07/17/01	ND	1.26	14	ND	430	NA
	10/18/01	2.11	ND	3.64	ND	304	NA
	01/16/02	1.16	0.81	37.1	6.71	370	NA
	07/09/03	0.86	<0.50	6.43	1.28	131	<250
	05/30/05	<1.0	<1.0	<1.0	<2.0	<100	52
	12/01/05	<1.0	<1.0	<1.0	<3.0	120	<50
		Nacional de la contraction de la contra	and the second state of th	Vell abandoned in	and the second s		
MW-3	03/07/00	7,520	12,900	2,780	14,500	93,700	ND
	05/23/00	4,710	8,330	2,280	11,200	65,200	NA
	07/20/00	10,700	22,600	3,160	17,400	145,000	NA
	10/18/00	12,900	33,000	4,890	26,700	179,000	NA
	01/18/01	9,380	17,200	3,940	20,230	121,000	NA
	04/18/01	7,700	15,300	3,430	16,990	NA	NA
	07/17/01	10,100	21,400	4,120	20,900	940,000	NA
	10/18/01	7,200	19,700	3,340	17,300	139,000	NA
	01/16/02	13,600	26,600	3,920	20,800	177,000	NA
	07/09/03	11,800	20,100	4,560	21,200	124,000	3,750
	05/25/05			ampled due to pro			
	11/28/05			ampled due to pro			
			<u> </u>	Vell abandoned in	1 September 2007	<u> </u>	

						cpob	DROS
Well Number	Sample Date	Benzene <sup>a</sup> (µg/L)	Toluene <sup>a</sup> (μg/L)	Ethylbenzene <sup>a</sup> (µg/L)	Total Xylenes <sup>a</sup> (μg/L)	GRO <sup>b</sup> (μg/L)	DRO <sup>c</sup> (µg/L)
		<u>(μg/L)</u> 5					(μg/L) 500
MTCA Method A Cleanu Shallow Monitoring Well		5	1,000	700	1,000	800	500
MW-4	11/15/00	1,310	53.6	2,430	7,250	45,500	NA
1V1 VV -4	01/18/01	1,510	ND	2,430	2,764	43,300 29,400	NA
	04/18/01	1,130	ND	1,700	2,704		NA
	07/17/01	1,200	35	2,870	1,870	34,900	NA
	10/18/01	1,010	ND	2,300	1,320	33,000	NA
	01/16/02	733	ND	920	948	19,300	NA
	07/09/03	906	39.1	1,350	156	14,100	798
	05/24/05	310	2.90	410	185°	9,600	2,300
	12/01/05	990	140	1,100	1,353°	11,000	2,900 <sup>f</sup>
	12/01/05	22.0		Vell abandoned in	and a second		-3203
MW-5	11/15/00	ND	ND	ND	ND	ND	NA
	01/18/01	ND	ND	ND	ND	786	NA
	04/18/01	9.42	ND	6.76	10.1	NA	NA
	07/17/01	1.83	1.16	1.90	3.28	694	NA
	10/18/01	3.05	1.39	1.48	1.45	647	NA
	01/16/02	52.3	3.82	48	24.9	2,800	NA
· · · ·	07/09/03	1.26	0.99	1.54	4.64	615	<250
	05/24/05	<1.0	<1.0	<1.0	<2.0	460	120
	11/28/05	<1.0	<1.0	<1.0	<3.0	420	230 <sup>f</sup>
· ·	12/11/07	<1.0	<1.0	<1.0	<3.0	140	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
MW-6	11/15/00	ND	ND	ND	ND	131	NA
	01/18/01	ND	ND	ND	ND	732	NA
	04/18/01	ND	ND	ND	ND	NA	NA
	07/17/01	ND	1.35	1.33	5.79	892	NA
	10/18/01	ND	ND	2.60	5.48	1,000	NA
	01/16/02	ND	0.72	1.58	2.78	810	NA
	07/09/03	< 0.50	0.53	1.15	4.84	462	958
	05/25/05	<1.0	<1.0	<1.0	<2.0	370	270
	11/28/05	<1.0	<1.0	<1.0	<1.0	NA	<1.0
	11/17/00			Well destroyed in			<b>N74</b>
MW-7	11/15/00	ND ND	ND	ND	1.35	113	NA
	01/18/01	ND ND	ND	ND ND	ND	242 NA	NA NA
	04/18/01	ND ND	ND	· ND	ND ND	NA 275	NA NA
	07/17/01	ND ND	ND	ND	ND NID	275	NA NA
	10/18/01	ND ND	ND ND	ND ND	ND ND	286	NA NA
	01/16/02		ND <0.50		ND 1.48	362	THE REPORT OF COMPANY AND ADDRESS OF ADDRESS
	07/09/03 05/25/05	<0.50 <1.0	<0.50 <1.0	<0.50 <1.0	1.48 <2.0	232 <100	2,050 220
	05/25/05	<1.0	<1.0 <1.0	<1.0	<2.0	<100 <100	140
	11/50/03	<b>∼1.0</b>		<1.0 Vell abandoned in			140
L			Ŷ		2007	•	

			a				DROS
Well Number	Sample Date	Benzene <sup>a</sup> (µg/L)	Toluene <sup>a</sup> (μg/L)	Ethylbenzene <sup>a</sup> (µg/L)	Total Xylenes <sup>a</sup> (μg/L)	GRO <sup>b</sup> (μg/L)	DRO <sup>c</sup> (µg/L)
MTCA Method A Cleanu		(μg/L) 5	(µg/L) 1,000	700	1,000	(μ <u>g</u> /L) 800	<u>(μg/L)</u> 500
Shallow Monitoring Well		5	1,000	700	1,000	800	500
MW-8	05/25/05	<1.0	<1.0	<1.0	<3.0	<100	<70
	11/29/05	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/01/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/01/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
MW-9	05/25/05	<1.0	<1.0	<1.0	<3.0	<100	<50
	11/28/05	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	. <50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
MW-10	05/25/05	45	<1.0	110	<2.0	1,000	1,200
	11/30/05	31	<1.0	110	<3.0	1,400	1,000 <sup>f</sup>
	12/11/07	9.0	3.0	65	<3.0	3,100	<b>1,000<sup>g</sup></b>
	03/11/08	16	2.0	40	<3.0	3,000	<b>1,200<sup>g</sup></b>
	07/03/08	18	2.0	53	41	2,500	<b>1,1</b> 00 <sup>g</sup>
	10/02/08	<1.0	<1.0	<1.0	<3.0	1,300	NA
	09/03/09	<1.0	<1.0	2.0	<3.0	200	NA
	12/15/09	3.0	<1.0	11	<3.0	310	NA
	03/18/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	06/15/10	<1.0	<1.0	<1.0	<3.0	170	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	180	NA
MW-11	12/05/05	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA

		Benzene <sup>a</sup>	Toluene <sup>a</sup>	<b>Ethylbenzene</b> <sup>a</sup>	Total Xylenes <sup>a</sup>	$\mathbf{GRO}^{\mathbf{b}}$	DRO <sup>c</sup>
Well Number	Sample Date	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MTCA Method A Cleanu	p Levels <sup>d</sup>	5	1,000	700	1,000	800	500
Shallow Monitoring Wells	s (continued)						,
MW-12	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
,	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
MW-13	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/03/08	<1.0	<1.0	<1.0	<3.0	<100	<50
-	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
MW-14	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/01/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
Deep Monitoring Wells				to State Westernichten der Sterentsforder die Bestandung einer einzersteren.	tu Jona na militatu un mattilitat indator 💼 un der Madazana.	ana manina ana ana ana manina maka	-mo-limite
DMW-1	12/07/05	4,000	160	1,100	4,090°	22,000	2,900 <sup>f</sup>
	08/17/06	4,100	<1.0	520	841 <sup>°</sup>	16,000	930 <sup>f</sup>
	10/07/07	terretari al anti anti anti anti anti anti anti anti		Vell abandoned in			
DMW-2	12/07/05	11	<1.0	40	46 <sup>f</sup>	270	<50
	08/16/06	10	<1.0	5.6	<3.0	<100	<50
	12/07/05	-10		Vell abandoned in			-50
DMW-3	12/07/05 08/17/06	<1.0	<1.0	<1.0	<3.0	<50	<50
		<1.0	<1.0	<1.0	<3.0	<100	<50
DMW-4		· · · · · · · · · · · · · · · · · · ·					<u> </u>
	l j						
		A CONTRACT OF A CONTRACT OF A DATE OF					
		And the second					
	l l	and the second					
	I I						
							NA
DMW-4	12/11/07 03/11/08 07/02/08 10/01/08 09/03/09 09/14/10 12/05/05 08/17/06 12/11/07 03/11/08 07/02/08 10/02/08 09/03/09 09/14/10	<1.0 <1.0 <1.0 <1.0 <1.0 <1.0 <1.0 <b>56</b> <b>5.7</b> <b>27</b> <b>6.0</b> <1.0 <1.0 <1.0 <1.0 <1.0	< 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0 < 1.0	$<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\<1.0 \\\\.0 \\<1.0 \\\\.0 \\\\.0 \\\\.0 \\\\.0 \\\\.0 \\\\.0 \\\\.0 \\$	<3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0 <3.0	<100 <100 <100 <100 <100 230 210 260 230 <100 <100 <100 <100	<50 <50 <50 NA NA NA <50 <50 <50 <50 68 <sup>8</sup> <50 NA NA NA NA

MTCA Method A Cleanup Levels <sup>4</sup> 5         1,000         700         1,000         800         500           Deep Monitoring Wells (continued)			Benzene <sup>a</sup>	Toluene <sup>a</sup>	Ethylbenzene <sup>a</sup>	Total Xylenes <sup>a</sup>	<b>GRO</b> <sup>b</sup>	DRO <sup>c</sup>
Deep Monitoring Wells (continued)								(µg/L)
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$			5	1,000	700	1,000	800	500
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$			and the second se					
12/11/07 03/11/08         41 10         <1.0	DMW-5							<50
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			A REAL A REAL PROPERTY AND					<50
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								<50
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								<50
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								<50
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			Concerns and an					NA
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								NA
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								NA
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								NA
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$			and the second sec					NA
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$								NA
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$			the second s					NA
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$								NA
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	DMW-6							<50
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$								
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$								NA
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$								NA
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$				· · · · · · · · · · · · · · · · · · ·				NA
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	DMW-7							<50
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$								
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			_					
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$								
10/02/08         <1.0								
09/03/09         <1.0								
09/14/10         <1.0								
DMW-9         12/11/07         6,100         1,900         970         3,100         27,000         600           03/11/08         3,000         150         380         880         13,000         450           07/03/08         3,600         3.0         320         610         9,500         520           10/02/08         3,300         4.0         140         270         8,600         NA								
03/11/08         3,000         150         380         880         13,000         450           07/03/08         3,600         3.0         320         610         9,500         520           10/02/08         3,300         4.0         140         270         8,600         NA				where the advances of a setting of the setting			And the second real second real second	600 <sup>g</sup>
07/03/08         3,600         3.0         320         610         9,500         520           10/02/08         3,300         4.0         140         270         8,600         NA						And a state of the second s		Photos and a second sec
10/02/08 <b>3,300</b> 4.0 140 270 <b>8,600</b> NA							Contraction of the second	the second se
							activity of the second second second	La construction de la construction
		09/03/09	2,800	4.0	320	1,100	14,000	NA
							and the first second	NA
						second second design design and the second sec	and the second	NA
							The second	NA
							Chiefe and an and an and a state of the	NA
								NA
								NA

Well Number	Sample Date	Benzene <sup>a</sup> (μg/L)	Toluene <sup>a</sup> (μg/L)	Ethylbenzene <sup>a</sup> (µg/L)	Total Xylenes <sup>a</sup> (µg/L)	GRO <sup>b</sup> (μg/L)	DRO <sup>c</sup> (µg/L)
MTCA Method A Cleanup Levels <sup>d</sup>		5	1,000	700	1,000	800	500
Deep Monitoring Wells (continued)							
DMW-10	12/11/07	60	4.0	88	130	750	53 <sup>g</sup>
	03/11/08	75	4.0	140	120	1,000	74 <sup>g</sup>
	07/02/08	89	6.0	160	130	1,100	68 <sup>g</sup>
	10/01/08	90	5.0	120	25	820	NA
	09/03/09	9.0	<1.0	2.0	<3.0	<100	NA
	12/15/09	20	<1.0	13	7.0	150	NA
	03/18/10	41	<1.0	21	13	310	NA
	06/15/10	34	2.3	14	12	340	NA
	09/14/10	12	<1.0	<1.0	<3.0	<100	NA
	12/14/10	32	1.7	7.1	11	120	NA
	03/16/11	27	1.2	8.2	11	220	NA
NOTES: Values in bold exceed the MTCA Method A cleanup levels.							
All concentrations in micrograms per liter (µg/L).							
ND = Not detected above t	he laboratory m	ethod reportir	ng limit (MR	L).			
NA = Not analyzed.							
<sup>a</sup> Benzene, toluene, ethylbenzene, and total xylenes (BTEX) by EPA Method 8021B or EPA Method 8260B.							
<sup>b</sup> Gasoline-range organics (GRO) by Ecology Method NWTPH-Gx.							
<sup>c</sup> Diesel-range organics (DRO) by Ecology Method NWTPH-Dx.							
<sup>d</sup> Chapter 173-340 WAC, Model Toxics Control Act (MTCA) Cleanup Regulation, Method A Cleanup Levels. Amended February 12, 2001.							

<sup>e</sup> Total xylenes calculated by using the formula: total xylenes concentration = (m, p-xylene concentration) + (o-xylene concentration).

<sup>f</sup> The laboratory reported that the DRO concentration is due to overlap from the gasoline range.

<sup>g</sup> The laboratory reported that the pattern of chromatogram peaks from the sample were not indicative of diesel.





#### LEGEND × 1

MW-5 🔶 SHALLOW GROUNDWATER MONITORING WELL LOCATION AND DESIGNATION

MW-2 🕀 ABANDONED OR DESTROYED SHALLOW GROUNDWATER MONITORING WELL LOCATION AND DESIGNATION

(5.87) SHALLOW GROUNDWATER ELEVATION (IN FEET)



FIGURE 2 FORMER ARCO SERVICE STATION #0855 LONGVIEW, WASHINGTON

SHALLOW GROUNDWATER ELEVATIONS -MARCH 16, 2011



Ī	LEGEND
7 💮	DEEP GROUNDWATER MONITORING WELL LOCATION AND DESIGNATION
-1 🛆	DEEP GROUNDWATER RECOVERY WELL LOCATION AND LOCATION
-1 💮	ABANDONED DEEP GROUNDWATER MONITORING WELL LOCATION AND DESIGNATION
(3.02)	DEEP GROUNDWATER ELEVATION (IN FEET)
27 B 20 G	B = BENZENE CONCENTRATION IN GROUNDWATER SAMPLE (in $\mu$ g/L) G = GRO CONCENTRATION IN GROUNDWATER SAMPLE (in $\mu$ g/L)
	VALUES IN BOLD EXCEED MTCA METHOD A CLEANUP LEVELS
	NOTE: THE DEPTHS TO GROUNDWATER WERE MEASURED AFTER THE DEEP GROUNDWATER RECOVERY/TREATMENT SYSTEM HAD BEEN DEACTIVATED FOR OVER 12 HOURS.
E	
	· · · · · · · · · · · · · · · · · · ·
	0 30 60 SCALE IN FEET

FIGURE 3 FORMER ARCO SERVICE STATION #0855 LONGVIEW, WASHINGTON

DEEP GROUNDWATER SAMPLING RESULTS MARCH 16, 2011

#### ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D. Charlene Morrow, M.S. Yelena Aravkina, M.S. Bradley T. Benson, B.S. Kurt Johnson, B.S. 3012 16th Avenue West Seattle, WA 98119-2029 TEL: (206) 285-8282 FAX: (206) 283-5044 e-mail: fbi@isomedia.com

March 23, 2011

Mike Staton, Project Manager SLR International Corp. 22118 20th Ave. SE., G-202 Bothell, WA 98021

Dear Mr. Staton:

Included are the results from the testing of material submitted on March 17, 2011 from the Longview Former ARCO 0855 101.00173.00010, F&BI 103216 project. There are 4 pages included in this report. Any samples that may remain are currently scheduled for disposal in 30 days. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.

Michael Erdahl Project Manager

Enclosures SLR0323R.DOC

#### ENVIRONMENTAL CHEMISTS

#### CASE NARRATIVE

This case narrative encompasses samples received on March 17, 2011 by Friedman & Bruya, Inc. from the SLR International Corp. Longview Former ARCO 0855 101.00173.00010, F&BI 103216 project. Samples were logged in under the laboratory ID's listed below.

<u>Laboratory ID</u>	<u>SLR International Corp.</u>
103216-01	DMW-9-311
103216-02	DMW-5-311
103216-03	DMW-10-311

All quality control requirements were acceptable.

#### ENVIRONMENTAL CHEMISTS

Date of Report: 03/23/11 Date Received: 03/17/11 Project: Longview Former ARCO 0855 101.00173.00010, F&BI 103216 Date Extracted: 03/22/11 Date Analyzed: 03/22/11

### RESULTS FROM THE ANALYSIS OF WATER SAMPLES FOR BENZENE, TOLUENE, ETHYLBENZENE, XYLENES AND TPH AS GASOLINE USING EPA METHOD 8021B AND NWTPH-Gx

Results Reported as ug/L (ppb)

<u>Sample ID</u> Laboratory ID	<u>Benzene</u>	<u>Toluene</u>	Ethyl <u>Benzene</u>	Total <u>Xylenes</u>	Gasoline <u>Range</u>	Surrogate ( <u>% Recovery</u> ) (Limit 52-124)
DMW-9-311 103216-01	14	<1	2.0	3.7	310	79
DMW-5-311 103216-02	11	<1	<1	<3	<100	64
DMW-10-311 103216-03	27	1.2	8.2	11	220	70
Method Blank 01-0460 MB	<1	<1	<1	<3	<100	75

#### ENVIRONMENTAL CHEMISTS

Date of Report: 03/23/11 Date Received: 03/17/11 Project: Longview Former ARCO 0855 101.00173.00010, F&BI 103216

### QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF WATER SAMPLES FOR BENZENE, TOLUENE, ETHYLBENZENE, XYLENES, AND TPH AS GASOLINE USING EPA METHOD 8021B AND NWTPH-Gx

Laboratory Code: 103192-01 (Duplicate)

				Relative Percent
	Reporting	Sample	Duplicate	Difference
Analyte	Units	Result	Result	_(Limit 20)
Benzene	ug/L (ppb)	<1	<1	nm
Toluene	ug/L (ppb)	1.0	<1	nm
Ethylbenzene	ug/L (ppb)	<1	<1	nm
Xylenes	ug/L (ppb)	<3	<3	nm
Gasoline	ug/L (ppb)	<100	<100	nm

Laboratory Code: Laboratory Control Sample

		Percent			
	Reporting	Spike	Recovery	Acceptance	
Analyte	Units	Level	LCS	Criteria	
Benzene	ug/L (ppb)	50	95	65-118	
Toluene	ug/L (ppb)	50	94	72-122	
Ethylbenzene	ug/L (ppb)	50	94	73-126	
Xylenes	ug/L (ppb)	150	96	74-118	
Gasoline	ug/L (ppb)	1,000	91	69-134	

#### ENVIRONMENTAL CHEMISTS

#### **Data Qualifiers & Definitions**

a - The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.

A1 – More than one compound of similar molecule structure was identified with equal probability.

b - The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.

ca - The calibration results for this range fell outside of acceptance criteria. The value reported is an estimate.

c - The presence of the analyte indicated may be due to carryover from previous sample injections.

d - The sample was diluted. Detection limits may be raised due to dilution.

ds - The sample was diluted. Detection limits are raised due to dilution and surrogate recoveries may not be meaningful.

dv - Insufficient sample was available to achieve normal reporting limits and limits are raised accordingly.

fb - Analyte present in the blank and the sample.

fc - The compound is a common laboratory and field contaminant.

hr - The sample and duplicate were reextracted and reanalyzed. RPD results were still outside of control limits. The variability is attributed to sample inhomogeneity.

ht - Analysis performed outside the method or client-specified holding time requirement.

ip - Recovery fell outside of normal control limits. Compounds in the sample matrix interfered with the quantitation of the analyte.

j – The result is below normal reporting limits. The value reported is an estimate.

 ${\rm J}$  - The internal standard associated with the analyte is out of control limits. The reported concentration is an estimate.

jl - The analyte result in the laboratory control sample is out of control limits. The reported concentration should be considered an estimate.

jr - The rpd result in laboratory control sample associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

js - The surrogate associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

lc - The presence of the compound indicated is likely due to laboratory contamination.

L - The reported concentration was generated from a library search.

nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.

 $\rm pc$  – The sample was received in a container not approved by the method. The value reported should be considered an estimate.

pr – The sample was received with incorrect preservation. The value reported should be considered an estimate.

ve - Estimated concentration calculated for an analyte response above the valid instrument calibration range. A dilution is required to obtain an accurate quantification of the analyte.

vo - The value reported fell outside the control limits established for this analyte.

x - The sample chromatographic pattern does not resemble the fuel standard used for quantitation.

17/1/VZ TURNAROUND TIME CStandard (2 Wecks) CRUSH Rush charges authorized by SAMPLE DISPOSAL Dispose after 30 days CREturn samples Will call with instructions	Notes	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$
KJ 3 17	HES BOOCS PA 82770	COMPANY SLA FAA Samples received at
SAMPLE CHAIN OF CUSTODY SAMPLERS (signature) (25 PROJECT NAMI:/NO. #0855 Conjune Acto #0855 /o/. 00/23.00010 RI:MARKS	ACC2 PA8560	HENE KEWE CHOST KRUNE HENE NG WYAN
Thike Station SAMPL SLR MStation SLR converting con Fiax #	Lah Date Time Sampled Sample Type 10 Sampled Sampled View Sample Type 01 AT 3/16/11 1025 LV 02 A D 1050 V 02 A D 1050 V	Relinquished by: SIGNATURE Received by: Received by: Received by: Alphone Alph
103216 Send Report To Mik Company AddressArk City, State, ZIP Phone #	Sample ID DMW-9-311 DMW-10-311	Priedmunt & Hruva, Inc. 1012 Ioth Aconuc West Kennie, WA 98119-2029 M. (200) 285-8282