

January 9, 2012 Project 101.00173.00010

Mr. Tom Middleton Washington Department of Ecology P.O. Box 47775 Olympia, Washington 98504-7775

Re: Quarterly Groundwater Sampling Report – December 2011 Event Former Arco Service Station #0855, Longview, Washington

Dear Mr. Middleton:

On behalf of Wakefield Family LLC (the property owner), SLR International Corp (SLR) has prepared this report to present the results of the quarterly groundwater sampling activities conducted in December 2011 at the above-referenced site. The former Arco Service Station #0855 property is located at 4603 Ocean Beach Highway, near the western end of Longview, Washington (see Figure 1). The purposes of the groundwater sampling program are to assess the effectiveness of the recently deactivated deep groundwater recovery operations and the 2007 site remedial action (soil excavation and shallow groundwater extraction), and to monitor the migration and attenuation of the petroleum hydrocarbon concentrations in the shallow groundwater-bearing unit and the deep aquifer over time.

BACKGROUND

After completing the 2007 remedial action at the property, quarterly groundwater sampling results in 2007 and 2008 showed that the samples from all of the shallow groundwater monitoring wells, except MW-10, and from all of the deep groundwater monitoring wells, except DMW-4, DMW-5, DMW-9, and DMW-10, contained petroleum hydrocarbon concentrations below the Model Toxics Control Act (MTCA) Method A groundwater cleanup levels for four consecutive quarters (SLR, 2008a; SLR, 2008b; and SLR, 2008c). To remediate the remaining impacted groundwater in the deep aquifer, a deep groundwater recovery well (RW-1) was installed and a recovery/treatment system operated from June 2009 through July 2011. The system was deactivated after the groundwater concentrations in all of the deep wells were near or below the Method A cleanup levels.

Since September 2009, the groundwater sampling program has consisted of conducting annual sampling events (collect samples from all of the shallow and deep monitoring wells) in September, and conducting quarterly sampling events (collect samples from shallow well MW-10 and from deep wells DMW-5, DMW-9, and DMW-10) in Mr. Tom Middleton Page 2

December, March, and June. Based on the groundwater sampling results in September and December 2009 and March and June 2010, the samples from shallow monitoring well MW-10 contained petroleum hydrocarbon concentrations below the Method A cleanup levels for four consecutive quarters (SLR, 2009; SLR, 2010a; SLR, 2010b; and SLR, 2010c). Therefore, MW-10 was eliminated from the future quarterly groundwater sampling events.

DECEMBER 2011 SAMPLING EVENT

SLR personnel conducted the groundwater sampling activities on December 8. 2011. Immediately prior to sampling, SLR measured the depths to groundwater in all of the shallow groundwater monitoring wells (MW-5, MW-8, MW-9, MW-10, MW-11, MW-12, MW-13, and MW-14), all of the deep groundwater monitoring wells (DMW-3, DMW-4, DMW-5, DMW-6, DMW-7, DMW-8, DMW-9, and DMW-10), and in the inactive deep groundwater recovery well (RW-1) by using an electronic water level probe. The depth to groundwater measurements were converted to groundwater elevations by using the results of previous well elevation surveys conducted by Gibbs and Olson, Inc., of Longview, Washington. The depths to groundwater in the shallow wells ranged from 1.88 to 5.57 feet below the tops of the well casings. The groundwater elevations in the shallow wells ranged from 2.93 to 6.57 feet above the NAVD 88 datum. The depths to groundwater in the deep wells ranged from 5.83 to 7.52 feet below the tops of the well casings. The groundwater elevations in the deep wells ranged from -0.86 to 2.25 feet above the NAVD 88 datum. The groundwater elevations in the shallow and deep wells were inconsistent and could not be used to determine the general shallow or deep groundwater flow directions beneath the site area. The groundwater monitoring data from the December 2011 sampling event, as well as from the previous groundwater sampling events, are presented in Table 1. The groundwater elevations in the shallow and deep wells on December 8, 2011, are shown on Figures 2 and 3, respectively.

SLR personnel collected groundwater samples from deep wells DMW-5, DMW-9, and DMW-10 for laboratory analysis. SLR purged the wells by using a peristaltic pump with dedicated tubing at a flow rate of approximately 0.33 liters per minute. During purging, field parameters of temperature, conductivity, dissolved oxygen, pH, and oxidation-reduction potential were measured every three to five minutes. Each groundwater sample was collected following the stabilization of the field parameter measurements.

The groundwater samples were submitted to Friedman & Bruya, Inc. (F&B) in Seattle, Washington, for analysis of benzene, toluene, ethylbenzene, and total xylenes (BTEX) by EPA Method 8021B, and gasoline-range organics (GRO) by Ecology Method NWTPH-Gx. The analytical results indicated that the sample from DMW-9 contained a GRO concentration [140 micrograms per liter (μ g/L)] that was below the MTCA Method A groundwater cleanup level (800 μ g/L). The sample from DMW-9 did not contain BTEX concentrations greater than the method reporting limits (MRLs). The samples from Mr. Tom Middleton Page 3

DMW-5 and DMW-10 did not contain BTEX or GRO concentrations greater than the MRLs. The groundwater sample analytical results from the December 2011 event, as well as from the previous sampling events, are presented in Table 2. The benzene and GRO concentrations in the December 2011 samples are also shown on Figure 3. A copy of the laboratory analytical report is attached.

CONCLUSIONS

The 2008 groundwater sampling results from the shallow monitoring wells indicated that the 2007 remediation activities effectively removed the source of the shallow groundwater contamination and extracted most of the impacted shallow groundwater (SLR, 2008a; SLR, 2008b; and SLR, 2008c). Based on the 2009, 2010, and 2011 groundwater sampling results (SLR, 2009; SLR, 2010a; SLR, 2010b; SLR, 2010c; SLR, 2010d; and SLR, 2011d), the remaining petroleum hydrocarbon concentrations in the shallow groundwater have naturally attenuated to below the MTCA Method A cleanup levels.

The 2008 groundwater sampling results from the deep monitoring wells showed that the 2007 remediation activities had limited short-term affects on the deep groundwater concentrations (SLR, 2008a; SLR, 2008b; and SLR, 2008c). To actively remediate the impacted deep groundwater, a deep groundwater recovery/treatment system operated from June 2009 through July 2011. Based on the results of the quarterly groundwater sampling events that have been conducted since September 2009 (SLR, 2009; SLR, 2010a; SLR, 2010b; SLR, 2010c; SLR, 2010d; SLR, 2011a; SLR, 2011b; SLR, 2011c; and SLR, 2011d), including the December 2011 results, the benzene and GRO concentrations in the deep groundwater have decreased due to the previous operation of the system and to natural attenuation. At the source area well (DMW-9), the benzene and GRO concentrations in December 2011 were less than the MRL (1 μ g/L) and 140 μ g/L, respectively. These concentrations were 3,300 and 8,460 μ g/L, respectively, lower than the concentrations in October 2008 (the last sampling event prior to activating the deep groundwater recovery/treatment system).

In December 2011, the BTEX and GRO concentrations were below the MTCA Method A cleanup levels in all of the deep groundwater samples. The concentrations in the sample from well DMW-10 were below the Method A cleanup levels for the first time; however, the concentrations in the samples from wells DMW-5 and DMW-9 have been below the Method A cleanup levels for three and two consecutive quarterly events, respectively.

Mr. Tom Middleton Page 4

If you have any questions, please contact me at (425) 471-0479 or mstaton@slrcorp.com.

Sincerely,

SLR International Corp

Michael D. Staton, L.G. Principal Geologist

Attachments: Limitations References Tables 1 and 2 Figures 1 through 3 Laboratory Analytical Report

cc: Kurt Peterson, Cascadia Law Group PLLC (4 copies)

LIMITATIONS

The services reflected in this report were performed consistent with generally accepted professional consulting principals and practices. No other warranty, express or implied, is made. These services were performed consistent with our agreement with our client. This information is solely for the use of our client unless otherwise noted. Any reliance on this information by a third party is at such party's sole risk.

Opinions and recommendations contained herein apply to conditions existing when services were performed and are intended only for the client, purposes, location, timeframes, and project parameters indicated. We are not responsible for the impacts of any changes in environmental standards, practices, or regulations subsequent to performance of services. We do not warrant the accuracy of information supplied by others, nor the use of segregated portions of this report.

REFERENCES

- SLR. 2008a. Remedial Action Report, Former Arco Service Station #0855, 4603 Ocean Beach Highway, Longview, Washington. July 21.
- SLR. 2008b. Quarterly Groundwater Sampling Report July 2008 Event, Former Arco Service Station #0855, Longview, Washington. August 29.
- SLR. 2008c. Quarterly Groundwater Sampling Report September/October 2008 Event, Former Arco Service Station #0855, Longview, Washington. October 29.
- SLR. 2009. Deep Groundwater Remediation System Installation and Performance Report, Former Arco Service Station #0855, Longview, Washington. November 4.
- SLR. 2010a. Quarterly Groundwater Sampling Report December 2009 Event, Former Arco Service Station #0855, Longview, Washington. January 9.
- SLR. 2010b. Quarterly Groundwater Sampling Report March 2010 Event, Former Arco Service Station #0855, Longview, Washington. April 5.
- SLR. 2010c. Quarterly Groundwater Sampling Report June 2010 Event, Former Arco Service Station #0855, Longview, Washington. July 20.
- SLR. 2010d. Groundwater Sampling Report September 2010 Event, Former Arco Service Station #0855, Longview, Washington. October 25.
- SLR. 2011a. Groundwater Sampling Report December 2010 Event, Former Arco Service Station #0855, Longview, Washington. January 4.
- SLR. 2011b. Groundwater Sampling Report March 2011 Event, Former Arco Service Station #0855, Longview, Washington. May 23.
- SLR. 2011c. Groundwater Sampling Report June 2011 Event, Former Arco Service Station #0855, Longview, Washington. July 20.
- SLR. 2011d. Groundwater Sampling Report September 2011 Event, Former Arco Service Station #0855, Longview, Washington. October 31.



Well Number	Top of Casing Elevation ^a (feet)	Date Measured	Depth to Groundwater ^b (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Shallow Mo	nitoring Wells				
MW-1	8.34	03/27/00	4.36	NP	3.98
		05/23/00	5.20	NP	3.14
		07/20/00	5.55	NP	2.79
		10/18/00	5.41	NP	2.93
		01/18/01	4.81	NP	3.53
		04/18/01	4.58	NP	3.76
		07/17/01	5.54	NP	2.80
		10/18/01	5.26	NP .	3.08
		01/16/02	4.45	NP	3.89
		07/09/03	5.80	NP	2.54
	8.25°	05/25/05	4.12	NP	4.13
		12/07/05	3.77	NP	4.48
		08/16/06	6.58	NP	1.67
		00120100		n September 2007.	
MW-2	8.76	03/27/00	3.61	NP	5.15
		05/23/00	4.64	NP	4.12
		07/20/00	5.06	NP	3.70
		10/18/00	5.19	NP	3.57
		01/18/00	3.96	NP	4.80
		04/18/01	3.83	NP	4.93
		07/17/01	5.08	NP	3.68
		10/18/01	4.83	NP	3.93
		01/16/02	3.71	NP	5.05
		07/09/03	5.36	NP	3.40
	8.89°	05/25/05			
	0.09	12/07/05	4.15 4.09	NP	4.74
		08/16/06	5.96	NP	4.80
	-	08/10/00		NP n September 2007.	2.93
MW-3	8.78	03/27/00	5.61	NP	3.17
11111 5	0.70	05/23/00	6.46	NP	2.32
		07/20/00	7.05	NP	1.73
		10/18/00	6.84	NP	1.94
		01/18/01	6.37	NP	2.41
		04/18/01	5.46	NP	3.32
		07/17/01	6.93	NP	1.85
		10/18/01	6.47	NP	2.31
		01/16/01	4.83	NP	3.95
		07/09/03	6.72	0.02	2.08*
	8.58°	05/25/05	4.65		
	8.38	12/07/05		Film	3.93
		08/16/06	4.45 6.91	0.01 0.24	4.14*
	ſ	08/10/00		n September 2007.	1.86*
MW-4	8.78	11/15/00	6.88	NP	1.90
11111-1	0.70	01/18/01	6.78	NP	2.00
		04/18/01	6.90	NP	1.88
		07/17/01	7.50	NP	1.38
		10/18/01	6.92	NP	1.28
		01/16/02	6.15	NP	2.63
		07/09/03	7.04	NP	1.74
	P. (0 ⁶				
	8.69 [°]	05/25/05	6.24	NP	2.45
		12/07/05	5.70	NP	2.99
		08/16/06	6.84	NP	1.85
			Well abandoned i	n September 2007.	· ·

Well Number	Top of Casing Elevation ^a (feet)	Date Measured	Depth to Groundwater ^b (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Shallow Mo	nitoring Wells (continued)				
MW-5	8.78	11/15/00	6.54	NP	2.24
		01/18/01	6.07	NP	2.71
		04/18/01	5.46	NP	3.32
		07/17/01	6.79	NP	1.99
		10/18/01	6.50	NP	2.28
		01/16/02	5.49	NP	3.29
		07/09/03	6.86	NP	1.92
	8.67 ^c	05/25/05	5.64	NP	3.03
		12/07/05	5.53	NP	3.14
		08/16/06	6.28	NP	2.39
		12/11/07	4.64	NP	4.03
		03/11/08	4.90	NP	3.77
		07/01/08	5.33	NP	3.34
)	09/30/08	6.17	NP	2.50
		09/02/09	7.08	NP	1.59
		12/15/09	4.63	NP	4.04
		03/18/10	4.85	NP	3.82
		06/15/10	4.84	NP	3.83
•		09/14/10	6.87	NP	1.80
		12/14/10	3.03	NP	5.64
		03/16/11	2.80	NP	5.87
		06/16/11	5.66	NP	3.01
		09/14/11	7.12	NP	1.55
		12/08/11	5.57	NP	3.10
MW-6	8.21	11/15/00	6.15	NP	2.06
		01/18/01	5.85	NP	2.36
		04/18/01	5.70	NP	2.51
		07/17/01	6.02	NP	2.19
		10/18/01	6.03	NP	2.18
		01/16/02	5.80	NP	2.41
		07/09/03	6.16	NP	2.05
	8.11 ^c	05/25/05	4.00	NP	4.11
	0.11	12/07/05	5.70	NP	2.41
		08/16/06	6.40	NP	1.71
	-	00/10/00		1 November 2007.	1.71
MW-7	8.45	11/15/00	6.52	NP	1.93
ATA TT - /		01/18/01	6.24	NP	2.21
		04/18/01	5.98	NP	2.47
		07/17/01	6.44	NP	2.01
		10/18/01	6.39	NP	2.06
		01/16/02	6.31	NP	2.14
		07/09/03	7.00	NP	1.45
	8.26 [°]	05/25/05	5.61	NP	2.65
	0.1.8 0	12/07/05	6.36 ^d	NP	1.90
		08/16/06	6.40	NP	1.86
		00/10/00		n September 2007.	1.00

Well Number	Top of Casing Elevation ^a (feet)	Date Measured	Depth to Groundwater ^b (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Shallow Mo	nitoring Wells (continued)		L		
MW-8	6.45	05/25/05	4.50	NP	1.95
		12/07/05	3.69	NP	2.76
		08/16/06	4.67	NP	1.78
		12/11/07	3.55	NP	2.90
		03/11/08	3.51	NP	2.94
		07/01/08	4.03	NP	2.42
		09/30/08	4.19	NP	2.26
		09/02/09	4.55	NP	1.90
		12/15/09	3.31	NP	3.14
		03/18/10	3.05	NP	3.40
		06/15/10	2.48	NP	3.97
		09/14/10	4.32	NP	2.13
	· ·	12/14/10	2.70	NP	3.75
		03/16/11	2.15	NP	4.30
		06/16/11	2.37	NP	4.08
		09/14/11	4.79	NP	1.66
		12/08/11	3.52	NP	2.93
MW-9	9.43	05/25/05	4.66	NP	4.77
		12/07/05	4.59	NP -	4.84
		08/16/06	5.23	NP	4.20
		12/11/07	4.52	NP	4.91
		03/11/08	4.65	NP	4.78
		07/01/08	5.06	NP	4.37
		09/30/08	5:08	NP	4.35
		09/02/09	5.20	NP	4.23
		12/15/09	4.51	NP	4.92
		03/18/10	4.64	NP	4.79
		06/15/10	4.72	NP	4.71
		09/14/10	4.94	NP	4.49
		12/14/10	4.66	NP	4.77
		03/16/11	3.91	NP	5.52
-		06/16/11	4.83	NP	4.60
		09/14/11	5.35	NP	4.08
MW 10	0.52	12/08/11	4.78	NP	4.65
MW-10	9.52	05/25/05	10.30	NP	-0.78
		12/07/05	5.90	NP	3.62
		08/16/06	7.18	NP	2.34
		12/11/07	4.22	NP	5.30
		03/11/08 07/01/08	6.02 6.53	NP	3.50
		09/30/08	4.51	NP NP	2.99 5.01
		09/02/09	4.31 7.76	NP NP	1.76
		12/15/09	5.97	NP NP	3.55
		03/18/10	8.14	NP	1.38
		06/15/10	5.15	NP	4.37
		09/14/10	7.88	NP	1.64
		12/14/10	3.42	NP	6.10
		03/16/11	3.54	NP	5.98
		06/16/11	6.40	NP	3.12
		09/14/11	8.01	NP	1.51
		. 12/08/11	5.36	NP	4.16

Well Number	Top of Casing Elevation ^a (feet)	Date Measured	Depth to Groundwater ^b (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Shallow Mo	nitoring Wells (continued)				
MW-11	8.16	12/07/05	3.87	NP	4.29
		08/16/06	6.10	NP	2.06
		12/11/07	3.51	NP	4.65
		03/11/08	4.86	NP	3.30
		07/01/08	5.61	NP	2.55
		09/30/08	6.56	. NP	1.60
		09/02/09	7.52	NP	0.64
		12/15/09	4.35	NP	3.81
		03/18/10	4.17	NP	3.99
		06/15/10	4.22	NP	3.94
		09/14/10	6.28	NP	1.88
		12/14/10	1.86	NP	6.30
		03/16/11	2.59	NP	5.57
		06/16/11	5.43	NP	2.73
		09/14/11	8.17	NP	-0.01
		12/08/11	4.18	NP	3.98
MW-12	8.21	12/11/07	2.69	NP	5.52
		03/11/08	4.25	NP	3.96
		07/01/08	5.20	NP	3.01
		09/30/08	5.85	· NP	2.36
		09/02/09	6.33	NP	1.88
		12/15/09	3.09	NP	5.12
		03/18/10	3.46	NP	4.75
		06/15/10	3.65	NP	4.56
		09/14/10	5.65	NP	2.56
		12/14/10	1.45	NP	6.76
		03/16/11	1.90	NP	6.31
		06/16/11	4.77	NP	3.44
		09/14/11	5.35	NP	2.86
		12/08/11	3.89	NP	4.32
MW-13	9.03	12/11/07	1.10	· NP	7.93
		03/11/08	1.53	NP	7.50
		07/01/08	3.53	NP	5.50
		09/30/08	4.73	NP	4.30
		09/02/09	7.04	NP	1.99
		12/15/09	2.24	NP	6.79
		03/18/10	1.48	NP	7.55
		06/15/10	1.65	NP	7.38
		09/14/10	5.80	NP	3.23
		12/14/10	1.48	NP	7.55
		03/16/11	1.45	NP	7.58
		06/16/11	3.12	NP	5.91
		09/14/11	6.97	NP	2.06
		12/08/11	2.46	NP	6.57
MW-14	8.39	12/11/07	1.50	NP	6.89
	-	03/11/08	3.85	NP	4.54
		07/01/08	4.27	NP	4.12
		09/30/08	6.44	NP	1.95
		09/02/09	6.93	NP	1.46
		12/15/09	1.77	NP	6.62
		03/18/10	1.65	NP	6.74
		06/15/10	1.78	NP	6.61
	· ·	09/14/10	6.23	NP	2.16
		12/14/10	1.37	NP	7.02
		03/16/11	1.41	NP	6.98
		06/16/11	4.77	NP	3.62
		09/14/11	7.25	NP	1.14
		12/08/11	1.88	NP	6.51

N:\BothelN1 PROJECTS\173 Wakefield Longview\00010 GW Remedial Action\Groundwater Sampling Reports\ Table 1 - GW Monitoring Data_12-8-11

Well Number	Top of Casing Elevation ^a (feet)	Date Measured	Depth to Groundwater ^b (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)			
eep Monit	toring Wells							
DMW-1	8.55	12/07/05	6.73	NP	1.82			
		08/16/06	6.28	NP	2.27			
		Well abandoned in September 2007.						
DMW-2	8.29	12/07/05	6.10	NP	2.19			
		08/16/06	6.71	NP	1.58			
			Well abandoned i	n September 2007.				
DMW-3	6.66	12/07/05	12.15 ^d	NP	-5.49			
		08/16/06	4.55	NP	2.11			
		12/11/07	4.60	NP	2.06			
		03/11/08	5.68	NP	0.98			
		07/01/08	5.52	NP	1.14			
		09/30/08	5.03	NP	1.63			
		09/02/09	5.19	NP	1.47			
		12/15/09	4.71	NP	1.95			
		03/18/10	4.55	NP	2.11			
		06/15/10	4.42	NP	2.24			
		09/14/10	5.01	NP	1.65			
		12/14/10	4.36	NP	2.30			
	03/16/11	3.95	NP	2.71				
	06/16/11	4.10	NP	2.56				
		09/14/11	4.73	NP	1.93			
		12/08/11	7.52	NP	-0.86			
DMW-4	DMW-4 8.55	12/07/05	6.30	NP	2.25			
	1	08/16/06	7.12	NP	1.43			
		12/11/07	6.08	NP	2.47			
		03/11/08	6.54	NP	2.01			
		07/01/08	6.41	NP	2.14			
		09/30/08	6.91	NP	1.64			
		09/02/09	7.13	NP	1.42			
		12/15/09	6.26	NP	2.29			
		03/18/10	6.43	NP	2.12			
		06/15/10	6.11	NP	2.44			
		09/14/10	6.97	NP	1.58			
		12/14/10	5.18	NP	3.37			
		03/16/11	5.55	NP	3.00			
		06/16/11	6.11	NP	2.44			
		09/14/11	7.20	NP	1.35			
D) (377 -		12/08/11	6.67	NP	1.88			
DMW-5	8.14	12/07/05	5.88	NP	2.26			
		08/16/06	6.57	NP	1.57			
		12/11/07	5.75	NP	2.39			
		03/11/08	6.14	NP	2.00			
		07/01/08	5.01	NP	3.13			
		09/30/08 09/02/09	6.52	NP	1.62			
			6.75	NP	1.39			
	· · ·	12/15/09 03/18/10	5.87 6.03	NP	2.27			
			5.68	NP	2.11			
		06/15/10 09/14/10	6.55	NP	2.46			
				NP	1.59			
		12/14/10 03/16/11	4.80 5.17	NP	3.34			
		06/16/11	5.69	NP NP	2.97			
	.	09/14/11	6.79		2.45			
		12/08/11	6.28	NP NP	1.35 1.86			

Well	Top of Casing Elevation ^a	Date Measured	Depth to Groundwater ^b	Free Product Thickness	Groundwater
Number	(feet)	Date measured	(feet)	(feet)	Elevation (feet)
Deep Monit	oring Wells (continued)				
DMW-6	9.15	08/16/06	7.74	NP	1.41
		12/11/07	6.68	NP	2.47
		03/11/08	7.15	NP	2.00
	,	07/01/08	7.04	NP	2.11
		09/30/08	7.53	NP	1.62
		09/02/09	7.79	NP	1.36
		12/15/09	6.89	NP	2.26
,		03/18/10	7.06	NP	2.09
		06/15/10	6.74	NP	2.41
		09/14/10	7.59	NP	1.56
		12/14/10	5.79	NP	3.36
		03/16/11	6.18	NP	2.97
		06/16/11	6.75	NP	2.40
		09/14/11	7.82	NP	1.33
		12/08/11	7.31	NP	1.84
DMW-7	8.12	08/16/06	6.68	NP	1.44
		12/11/07	5.68	NP	2.44
		03/11/08	6.11	NP	2.01
		07/01/08	6.02	NP	2.10
		09/30/08	6.61	NP	1.51
		09/02/09	6.74 5.85	NP NP	1.38 2.27
		12/15/09 03/18/10	5.93	NP	2.19
		06/15/10	5.82	NP	2.30
		09/14/10	6.55	NP	1.57
		12/14/10	5.27	NP	2.85
		03/16/11	5.15	NP	2.97
		06/16/11	5.70	NP	2.42
		09/14/11	6.64	NP	1.48
		12/08/11	6.28	NP	1.84
DMW-8	9.09	08/16/06	7.65	NP	1.44
		12/11/07	6.60	NP	2.49
		03/11/08	7.06	NP	2.03
		07/01/08 09/30/08	6.97 7.48	NP NP	2.12 1.61
		09/02/09	7.69	NP	1.40
		12/15/09	6.80	NP	2.29
		03/18/10	6.81	NP	2.28
		06/15/10	6.55	NP	2.54
		09/14/10	7.50	NP	1.59
		12/14/10	6.52	NP	2.57
		03/16/11	6.26	· NP	2.83
		06/16/11	6.60	NP	2.49
		09/14/11	7.23	NP	1.86
DMULO	0.00	12/08/11	7.19 5.39	NP NP	1.90 3.47
DMW-9	8.86	12/11/07 03/11/08	6.84	NP	2.02
		07/01/08	6.85	NP	2.02
		09/30/08	7.20	NP	1.66
		09/02/09	7.44	NP	1.42
		12/15/09	6.54	NP	2.32
		03/18/10	6.69	NP	2.17
		06/15/10	6.39	NP	2.47
		09/14/10	7.23	NP	1.63
		12/14/10	5.66	NP	3.20
		03/16/11	5.87	NP	2.99
		06/16/11	6.39	NP	2.47
		09/14/11	7.46	NP	1.40
		12/08/11	6.95	NP	1.91

Well Number	Top of Casing Elevation ^a (feet)	Date Measured	Depth to Groundwater ^b (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Deep Monit	coring Wells (continued)				
DMW-10	8.38	12/11/07	4.91	NP	3.47
		03/11/08	6.35	NP	2.03
		07/01/08	6.24	NP	2.14
		09/30/08	6.75	NP	1.63
		09/02/09	6.99	NP	1.39
		12/15/09	6.09	NP	2.29
		03/18/10	6.25	NP	2.13
		06/15/10	5.91	NP	2.47
		09/14/10	6.77	NP	1.61
		12/14/10	5.02	NP	3.36
		03/16/11	5.38	NP	3.00
		06/16/11	5.92	NP	2.46
		09/14/11	7.02	NP	1.36
		12/08/11	6.51	NP	1.87
Inactive Dee	p Recovery Well				
RW-1	8.08	09/02/09	6.69	NP	1.39
		12/15/09	5.78	NP	2.30
		03/18/10	5.96	NP	2.12
		06/15/10	5.60	NP	2.48
		12/14/10	4.70	NP	3.38
		03/16/11	5.06	NP	3.02
		06/16/11	5.61	NP	2.47
		09/14/11	6.95	NP	1.13
		12/08/11	5.83	NP	2,25

NOTES:

NP = Free prroduct was not present.

^a Top of well casing elevations were surveyed relative to NAVD 88 datum.

^b Measurements in feet below top of well casing.

^e Top of casing (TOC) elevation was re-surveyed in May 2005.

Water in well was under pressure and rising when the cap was removed. The water level was recorded after the well cap was off for over 2 hours.

* Groundwater elevation corrected for product thickness by using the equation: Groundwater elevation = TOC elevation - depth to groundwater + (product thickness x 0.80).

		Benzene ^a	Toluene ^a	Ethylbenzene ^a	Total Xylenes ^a	GRO ^b	DRO ^c
Well Number	Sample Date	(μg/L)	(μg/L)	(μg/L)	(µg/L)	(μg/L)	(μg/L)
MTCA Method A Cleanu		5	1,000	700	1,000	800	500
Shallow Monitoring Wells	<u>p 110 v 013 </u>	5	1,000	700	1,000	000	500
MW-1	03/27/00	ND	ND	ND	ND	ND	ND
	05/23/00	ND	ND	ND	ND	ND	NA
	07/20/00	ND	ND	ND	ND	ND	NA
	10/18/00	ND	ND	1.61	ND	404	NA
	01/18/01	ND	ND	ND	ND	95.6	NA
	04/18/01	ND	ND	ND	ND	NA	NA
	07/17/01	ND	2.63	1.46	ND	386	NA
	10/18/01	ND	ND	ND	ND	ND	NA
	01/16/02	ND	ND	ND	ND	104	NA
	07/09/03	< 0.50	< 0.50	< 0.50	<1.0	<50	<250
	05/25/05	<1.0	<1.0	<1.0	<2.0	<100	<50
	11/30/05	<1.0	<1.0	<1.0	<3.0	<100	<50
		Well abandoned in September 2007.					
MW-2	03/27/00	6.89	49.5	599	2,490	17,100	ND
	05/23/00	26.2	16.2	614	1,770	13,200	NA
	07/20/00	11.9	11.8	304	330	7,220	NA
	10/18/00	3.67	1.23	13.9	7.55	743	NA
	01/18/00	ND	ND	41.1	5.62	691	NA
	04/18/01	ND	ND	8.73	ND	NA	NA
	07/17/01	ND	1.26	14	ND	430	NA
	10/18/01	2.11	ND	3.64	ND	304	NA
	01/16/02	1.16	0.81	37.1	6.71	370	NA
	07/09/03	0.86	< 0.50	6.43	1.28	131	<250
	05/30/05	<1.0	<1.0	<1.0	<2.0	<100	52
	12/01/05	<1.0	<1.0	<1.0	<3.0	120	<50
				Vell abandoned in			
MW-3	03/07/00	7,520	12,900	2,780	14,500	93,700	ND
	05/23/00	4,710	8,330	2,280	11,200	65,200	NA
	07/20/00	10,700	22,600	3,160	17,400	145,000	NA
	10/18/00	12,900	33,000	4,890	26,700	179,000	NA
	01/18/01	9,380	17,200	3,940	20,230	121,000	NA
	04/18/01	7,700	15,300	3,430	16,990	NA	NA
	07/17/01	10,100	21,400	4,120	20,900	940,000	NA
	10/18/01	7,200	19,700	3,340	17,300	139,000	NA
	01/16/02	13,600	26,600	3,920	20,800	177,000	NA 2.750
	07/09/03	11,800	20,100	4,560	21,200	124,000	3,750
	05/25/05Not sampled due to presence of free product.11/28/05Not sampled due to presence of free product.						
	11/28/05			ampled due to pre Vell abandoned in			
	<u> </u>		V	ven avandoned m	i September 2007	•	

		Benzene ^a	Toluene ^a	Ethylbenzene ^a	Total Xylenes ^a	GRO ^b	DRO ^c
Well Number	Sample Date	μg/L)	μg/L)	μg/L)	μg/L)	(μg/L)	μg/L)
MTCA Method A Cleanu		(µg/L) 5	$(\mu g/L)$	700	1,000	(μg/L) 800	<u>(μς/1)</u> 500
Shallow Monitoring Well	p Levels	5	1,000	/00	1,000	000	500
MW-4	11/15/00	1,310	53.6	2,430	7,250	45,500	NA
	01/18/01	1,130	ND	2,030	2,764	29,400	NA
	01/18/01	1,130	ND	1,700	2,591	NA	NA
	07/17/01	1,610	35	2,870	1,870	34,900	NA NA
	10/18/01	1,040	ND	2,300	1,320	33,000	NA
	01/16/02	733	ND	920	948	19,300	NA
	07/09/03	906	39.1	1,350	156	14,100	798
	05/24/05	310	2.90	410	185°	9,600	2,300
	12/01/05	990	2.90 140	1,100	1,353°	9,000 11,000	2,900 ^r
	12/01/03	330		Vell abandoned in		A STATE OF A	2,700
MW-5	11/15/00	ND	ND	ND	ND	ND	NA
141 44 -2	01/18/01	ND	ND	ND	ND	786	NA
	01/18/01	9.42	ND	6.76	10.1	NA	NA
	07/17/01	1.83	1.16	1.90	3.28	694	NA
	10/18/01	3.05	1.39	1.48	1.45	647	NA
	01/16/02	52.3	3.82	48	24.9	2,800	NA
	07/09/03	1.26	0.99	1.54	4.64	6 15	<250
	05/24/05	<1.0	<1.0	<1.0	<2.0	460	120
1	11/28/05	<1.0	<1.0	<1.0	<3.0	420	230 ^f
	12/11/07	<1.0	<1.0	<1.0	<3.0	140	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
MW-6	11/15/00	ND	ND	ND	ND	131	NA
	01/18/01	ND	ND	ND	ND	732	NA
	04/18/01	ND	ND	ND	ND	NA	NA
	07/17/01	ND	1.35	1.33	5.79	892	NA
	10/18/01	ND	ND	2.60	5.48	1,000	NA
	01/16/02	ND	0.72	1.58	2.78	810	NA
	07/09/03	<0.50	0.53	1.15	4.84	462	958
	05/25/05	<1.0	<1.0	<1.0	<2.0	370	270
	11/28/05	<1.0	<1.0	<1.0	<1.0	NA	<1.0
				Well destroyed in			
MW-7	11/15/00	ND	ND	ND	1.35	113	NA
	01/18/01	ND	ND	ND	ND	242	NA
	04/18/01	ND	ND	ND	ND	NA	NA
	07/17/01	ND	ND	ND	ND	275	NA
	10/18/01	ND	ND	ND	ND	286	NA
	01/16/02	ND	ND	ND	ND	362	NA
	07/09/03	<0.50	< 0.50	<0.50	1.48	232	2,050
	05/25/05	<1.0	<1.0	<1.0	<2.0	<100	220
	11/30/05	<1.0	<1.0	<1.0	<3.0	<100	140
		I		Vell abandoned in			

N:\Bothell\1 PROJECTS\173 Wakefield Longview\00010 GW Remedial Action\Groundwater Sampling Reports\ Table 2 - GW Sampling Results_12-8-11.xls

		Benzene ^a	Toluene ^a	Ethylbenzene ^a	Total Xylenes ^a	GRO ^b	DRO ^c
Well Number	Sample Date	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(μg/L)	(μg/L)
MTCA Method A Cleanu	<u>^</u>	5	1,000	700	1,000	<u>(µg) =)</u> 800	500
Shallow Monitoring Well			1,000	/00	1,000	000	200
MW-8	05/25/05	<1.0	<1.0	<1.0	<3.0	<100	<70
	11/29/05	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
.*	07/01/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/01/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
MW-9	05/25/05	<1.0	<1.0	<1.0	<3.0	<100	<50
	11/28/05	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
MW-10	05/25/05	45	<1.0	110	<2.0	1,000	1,200
	11/30/05	31	<1.0	110	<3.0	1,400	1,000 ^r
	12/11/07	9.0	3.0	65	<3.0	3,100	1,000 ^g
	03/11/08	16	2.0	40	<3.0	3,000	1,200 ^g
	07/03/08	18	2.0	53	41	2,500	1,100 ^g
	10/02/08	<1.0	<1.0	<1.0	<3.0	1,300	NA
	09/03/09	<1.0	<1.0	2.0	<3.0	200	NA
	12/15/09	3.0	<1.0	11	<3.0	310	NA
	03/18/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	06/15/10	<1.0	<1.0	<1.0	<3.0	170	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	180	NA
	09/14/11	1.5	<1.0	<1.0	<3.0	120	NA
MW-11	12/05/05	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100 <100	NA NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA

Well Number	Sample Date	Benzene ^a (µg/L)	Toluene ^a (μg/L)	Ethylbenzene ^a (µg/L)	Total Xylenes ^a (μg/L)	GRO ^b (µg/L)	DRO ^c (µg/L)
MTCA Method A Cleanu		5	1,000	700	1,000	800	500
Shallow Monitoring Well	s (continued)				,		
MW-12	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
MW-13	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/03/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
MW-14	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/01/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
Deep Monitoring Wells	•						
DMW-1	12/07/05	4,000	160	1,100	4,090°	22,000	2,900 ¹
	08/17/06	4,100	<1.0	520	841 ^e	16,000	930 ^r
			V	Vell abandoned in	September 2007	•	
DMW-2	12/07/05	11	<1.0	40	46 ^f	270	<50
	08/16/06	10	<1.0	5.6	<3.0	<100	<50
			W	Vell abandoned in	September 2007		
DMW-3	12/07/05	<1.0	<1.0	<1.0	<3.0	<50	<50
	08/17/06	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/01/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
DMW-4	12/05/05	56	<1.0	<1.0	<3.0	230	<50
	08/17/06	5.7	<1.0	<1.0	<3.0	210	<50
	12/11/07	27	3.0	2.0	4.0	260	<50
	03/11/08	6.0	<1.0	<1.0	<3.0	230	68 ^g
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	1.2	<1.0	3.3	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA

		9				b	
		Benzene ^a	Toluene ^a	Ethylbenzene ^a	Total Xylenes ^a	GRO ^b	DRO ^c
Well Number	Sample Date	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MTCA Method A Cleanu		5	1,000	700	1,000	800	500
Deep Monitoring Wells (c	, ,						
DMW-5	12/05/05	36	<1.0	<1.0	<3.0	130	<50
	08/17/06	74	<1.0	<1.0	<3.0	170	<50
	12/11/07	41	<1.0	<1.0	<3.0	100	<50
	03/11/08	10	<1.0	<1.0	<3.0	<100	<50
	07/02/08	1.0	<1.0	<1.0	<3.0	<100	<50
	10/01/08	42	<1.0	<1.0	<3.0	110	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	12/15/09	1.0	<1.0	<1.0	<3.0	<100	NA
	03/18/10	13	<1.0	<1.0	<3.0	<100	NA
	06/15/10	13	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	12/14/10	9.0	<1.0	<1.0	<3.0	<100	NA
	03/16/11	11	<1.0	<1.0	<3.0	<100	NA
	06/16/11	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
	12/08/11	<1.0	<1.0	<1.0	<3.0	<100	NA
DMW-6	08/16/06	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
DMW-7	08/16/06	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/01/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/01/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
DMW-8	08/16/06	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA

		Benzene ^a	Toluene ^a	Ethylbenzene ^a	Total Xylenes ^a	GRO ^b	DRO ^c
Well Number	Sample Date	(µg/L)	(µg/L)	(μg/L)	(μg/L)	(µg/L)	(µg/L)
MTCA Method A Cleanu	p Levels ^d	5	1,000	700	1,000	800	500
Deep Monitoring Wells (c	ontinued)		,		,		
DMW-9	12/11/07	6,100	1,900	970	3,100	27,000	600 ^g
	03/11/08	3,000	150	380	880	13,000	450 ^g
	07/03/08	3,600	3.0	320	610	9,500	520 ^g
	10/02/08	3,300	4.0	140	270	8,600	NA
	09/03/09	2,800	4.0	320	1,100	14,000	NA
	12/15/09	980	2.0	<1.0	1,100	5,300	NA
	03/18/10	190	<1.0	10	200	1,600	NA
	06/15/10	50	<1.0	9.1	60	630	NA
	09/14/10	210	<1.0	5.2	120	1,000	NA
	12/14/10	3.3	<1.0	1.3	9.8	320	NA
	03/16/11	14	<1.0	2.0	3.7	310	NA
	06/16/11	87	<1.0	<1.0	33	700	NA
	09/14/11	<1.0	<1.0	<1.0	3.4	200	NA
	12/08/11	<1.0	<1.0	<1.0	<3.0	140	NA
DMW-10	12/11/07	60	4.0	88	130	750	53 ^g
	03/11/08	75	4.0	140	120	1,000	74 ^g
	07/02/08	89	6.0	160	130	1,100	68^{g}
	10/01/08	90	5.0	120	25	820	NA
	09/03/09	9.0	<1.0	2.0	<3.0	<100	NA
	12/15/09	20	<1.0	13	7.0	150	NA
	03/18/10	41	<1.0	21	13	310	NA
	06/15/10	34	2.3	14	12	340	NA
	09/14/10	12	<1.0	<1.0	<3.0	<100	NA
	12/14/10	32	1.7	7.1	11	120	NA
	03/16/11	27	1.2	8.2	11	220	NA
	06/16/11	27	1.8	<1.0	9.9	130	NA
	09/14/11	20	<1.0	<1.0	3.9	140	NA
	12/08/11	<1.0	<1.0	<1.0	<3.0	<100	NA

NOTES: Values in bold exceed the MTCA Method A cleanup levels.

All concentrations in micrograms per liter (μ g/L).

ND = Not detected above the laboratory method reporting limit (MRL).

NA = Not analyzed.

^a Benzene, toluene, ethylbenzene, and total xylenes (BTEX) by EPA Method 8021B or EPA Method 8260B.

^b Gasoline-range organics (GRO) by Ecology Method NWTPH-Gx.

^c Diesel-range organics (DRO) by Ecology Method NWTPH-Dx.

^d Chapter 173-340 WAC, Model Toxics Control Act (MTCA) Cleanup Regulation, Method A Cleanup Levels. Amended February 12, 2001.

² Total xylenes calculated by using the formula: total xylenes concentration = (m, p-xylene concentration) + (o-xylene concentration).

The laboratory reported that the DRO concentration is due to overlap from the gasoline range.

^g The laboratory reported that the pattern of chromatogram peaks from the sample were not indicative of diesel.

FIGURES



C:\DRIVE_E\Clients\SLR\001\001.0173.00010\01-01.dwg, 1/4/2010 8:19:53 PM, BDT



FORMER ARCO SERVICE STATION #0855

SHALLOW GROUNDWATER ELEVATIONS -



LEGEND

- DMW-7 🛞 DEEP GROUNDWATER MONITORING WELL LOCATION AND DESIGNATION
- RW-1 (2) INACTIVE DEEP GROUNDWATER RECOVERY WELL LOCATION AND LOCATION
- DIAW-1 🛞 ABANDONED DEEP GROUNDWATER MONITORING WELL LOCATION AND DESIGNATION
 - (2.25) DEEP GROUNDWATER ELEVATION (IN FEET ABOVE NAVD 88 DATUM)
- <1.0 B
 140 G</pre>
 B = BENZENE CONCENTRATION IN GROUNDWATER SAMPLE (in μ g/L)
 G = GRO CONCENTRATION IN GROUNDWATER SAMPLE (in μ g/L)





DEEP GROUNDWATER SAMPLING RESULTS **DECEMBER 8, 2011**

LABORATORY REPORT

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D. Yelena Aravkina, M.S. Bradley T. Benson, B.S. Kurt Johnson, B.S. 3012 16th Avenue West Seattle, WA 98119-2029 TEL: (206) 285-8282 e-mail: fbi@isomedia.com

December 20, 2011

Mike Staton, Project Manager SLR International Corp. 22118 20th Ave. SE., G-202 Bothell, WA 98021

Dear Mr. Staton:

Included are the results from the testing of material submitted on December 9, 2011 from the Former ARCO 0855, Longview WA, 101.00173.00010, F&BI 112155 project. There are 4 pages included in this report. Any samples that may remain are currently scheduled for disposal in 30 days. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.

Kurt Johnson Chemist

Enclosures mcp/KJ SLR1220R.DOC

ENVIRONMENTAL CHEMISTS

CASE NARRATIVE

This case narrative encompasses samples received on December 9, 2011 by Friedman & Bruya, Inc. from the SLR International Corp. Former ARCO 0855, Longview WA, 101.00173.00010 project. Samples were logged in under the laboratory ID's listed below.

Laboratory ID	<u>SLR International Corp.</u>
112155 -01	DMW5-1211
112155 -02	DMW9-1211
112155 -03	DMW10-1211

All quality control requirements were acceptable.

ENVIRONMENTAL CHEMISTS

Date of Report: 12/20/11 Date Received: 12/09/11 Project: Former ARCO 0855, Longview WA, 101.00173.00010, F&BI 112155 Date Extracted: 12/13/11 Date Analyzed: 12/13/11

RESULTS FROM THE ANALYSIS OF WATER SAMPLES FOR BENZENE, TOLUENE, ETHYLBENZENE, XYLENES AND TPH AS GASOLINE USING EPA METHOD 8021B AND NWTPH-Gx

Results Reported as ug/L (ppb)

<u>Sample ID</u> Laboratory ID	<u>Benzene</u>	Toluene	Ethyl <u>Benzene</u>	Total <u>Xylenes</u>	Gasoline <u>Range</u>	Surrogate (<u>% Recovery</u>) (Limit 50-150)
DMW5-1211 112155-01	<1	<1	<1	<3	<100	92
DMW9-1211 112155-02	<1	<1	<1	<3	140	103
DMW10-1211 112155-03	<1	<1	<1	<3	<100	94
Method Blank 01-2202 MB	<1	<1	<1	<3	<100	101

ENVIRONMENTAL CHEMISTS

Date of Report: 12/20/11 Date Received: 12/09/11 Project: Former ARCO 0855, Longview WA, 101.00173.00010, F&BI 112155

QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF WATER SAMPLES FOR BENZENE, TOLUENE, ETHYLBENZENE, XYLENES, AND TPH AS GASOLINE USING EPA METHOD 8021B AND NWTPH-Gx

1-time De

Laboratory Code: 112165-02 (Duplicate)

				Relative Percent
	Reporting	Sample	Duplicate	Difference
Analyte	Units	Result	Result	(Limit 20)
Benzene	ug/L (ppb)	<1	<1	nm
Toluene	ug/L (ppb)	<1	<1	nm
Ethylbenzene	ug/L (ppb)	<1	<1	nm
Xylenes	ug/L (ppb)	<3	<3	nm
Gasoline	ug/L (ppb)	<100	<100	nm

Laboratory Code: Laboratory Control Sample

		,	Percent	
	Reporting	Spike	Recovery	Acceptance
Analyte	Units	Level	LCS	Criteria
Benzene	ug/L (ppb)	50	88	65-118
Toluene	ug/L (ppb)	50	91	72-122
Ethylbenzene	ug/L (ppb)	50	92	73-126
Xylenes	ug/L (ppb)	150	88	74-118
Gasoline	ug/L (ppb)	1,000	98	69-134

ENVIRONMENTAL CHEMISTS

Data Qualifiers & Definitions

a - The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.

A1 – More than one compound of similar molecule structure was identified with equal probability.

b - The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.

ca - The calibration results for this range fell outside of acceptance criteria. The value reported is an estimate.

c - The presence of the analyte indicated may be due to carryover from previous sample injections.

d - The sample was diluted. Detection limits may be raised due to dilution.

ds - The sample was diluted. Detection limits are raised due to dilution and surrogate recoveries may not be meaningful.

dv - Insufficient sample was available to achieve normal reporting limits and limits are raised accordingly.

fb - Analyte present in the blank and the sample.

fc – The compound is a common laboratory and field contaminant.

hr - The sample and duplicate were reextracted and reanalyzed. RPD results were still outside of control limits. The variability is attributed to sample inhomogeneity.

ht - Analysis performed outside the method or client-specified holding time requirement.

ip - Recovery fell outside of normal control limits. Compounds in the sample matrix interfered with the quantitation of the analyte.

j – The result is below normal reporting limits. The value reported is an estimate.

J - The internal standard associated with the analyte is out of control limits. The reported concentration is an estimate.

jl - The analyte result in the laboratory control sample is out of control limits. The reported concentration should be considered an estimate.

jr - The rpd result in laboratory control sample associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

js - The surrogate associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

lc - The presence of the compound indicated is likely due to laboratory contamination.

L - The reported concentration was generated from a library search.

 $\rm nm$ - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.

 $\rm pc-The\ sample\ was\ received\ in\ a\ container\ not\ approved\ by\ the\ method.\ The\ value\ reported\ should\ be\ considered\ an\ estimate.$

pr – The sample was received with incorrect preservation. The value reported should be considered an estimate.

ve - Estimated concentration calculated for an analyte response above the valid instrument calibration range. A dilution is required to obtain an accurate quantification of the analyte.

vo - The value reported fell outside the control limits established for this analyte.

x - The sample chromatographic pattern does not resemble the fuel standard used for quantitation.

CC1711			DAIVITLE LEALIN UT LUDIULI	IN NITVU			ME IN/07,	111		LN ,	
		-	SAMPI	SAMPLERS (signature)	ture)	0		Pa	Page # 1 0	of	
Send Report To Mike	Mike Szaton		- PROIF	TNAMEN	V V		#Od	X Stand	TUKNAKOUND TIME andard (2 Weeks)	IIME	
Company SUR INTERNATIONAL Address 23-118 2014 Ave SE,		Corp G-202	Former Long	Former Arco # C Longuien, WA 101.00173.00010	# 0895		101.00173.00010	C RUSI Rush ch	Rush charges authorized by	cd by	
City, State, ZIP <u>Bornteser</u> ,	MA	1-6086	REMARKS	KKS		-		X Dispo	SAMPLE DISPOSAT	SAL	
Phone # (425) 403-8800		Fax # (435) 403-8488							□ Return samples □ Will call with instructions	tions	
	-					ANALY	ANALYSES REQUESTED	ED			
Sample ID	Lab Date ID Sampled	Time A Sampled	Sample Type	# of containers	TPH-Diesel BTEX by 8021B B1208 vd XHTB	HE2 2AOC ² P ³ 8530 AOC ² P ³ 8500			й 	Notes	
DMW5-1211	11/8/EI (J-4)	1438	WATER	4	XX						
11-61 - 6MWO	02 A-D	1356			X						
11-e1-01/MWQ	03 A-A	-0121-		\rightarrow	XX		· · · · · · · · · · · · · · · · · · ·				S.F
						-					
					· · · ·		Samples	ples received	ved at 2	S.	
				•							
Friedman & Bruya, Inc.	SIG	SIGNATURE		PRI	PRINT NAME		COMPANY	NY	DATE	TIME	
3012 16th Avenue West	Relinquished by:			Citris	iec		SUR		11/6/61		
Seattle, WA 98119-2029	\sim	2		tony Win	-1 F F		Posti Exa		12/8/11	15:24	
Ph. (206) 285-8282	Kelinquished by:			, ,			•				
Fax (206) 283-5044	Received by ann	7		Dhan	Phan		F168-1		11/6/21	1545	
HORMS/COC/COC/DOC	•										