

August 10, 2012
Project 101.00173.00011

Mr. Tom Middleton
Washington Department of Ecology
P.O. Box 47775
Olympia, Washington 98504-7775

**Re: Quarterly Groundwater Sampling Report – June 2012 Event
Former Arco Service Station #0855, Longview, Washington**

Dear Mr. Middleton:

On behalf of Wakefield Family LLC (the property owner), SLR International Corporation (SLR) has prepared this report to present the results of the quarterly groundwater sampling activities conducted in June 2012 at the above-referenced site. The former Arco Service Station #0855 property is located at 4603 Ocean Beach Highway, near the western end of Longview, Washington (see Figure 1). The purposes of the groundwater sampling program are to assess the effectiveness of the 2007 site remedial action (soil excavation and shallow groundwater extraction) and the subsequent deep groundwater recovery operations that were deactivated in July 2011, and to monitor the migration and attenuation of the petroleum hydrocarbon concentrations in the shallow groundwater-bearing unit and the deep aquifer over time. An additional objective of the June 2012 sampling event is to evaluate if the recent injection of an electron-acceptor solution is stimulating the biodegradation of the remaining petroleum hydrocarbon concentrations in the deep groundwater.

BACKGROUND

After completing the 2007 remedial action at the property, quarterly groundwater sampling results in 2007 and 2008 showed that the samples from all of the shallow groundwater monitoring wells, except MW-10, and from all of the deep groundwater monitoring wells, except DMW-4, DMW-5, DMW-9, and DMW-10, contained petroleum hydrocarbon concentrations below the Model Toxics Control Act (MTCA) Method A groundwater cleanup levels for four consecutive quarters (SLR, 2008a; SLR, 2008b; and SLR, 2008c). To remediate the remaining impacted groundwater in the deep aquifer, a deep groundwater recovery well (RW-1) was installed and a recovery/treatment system operated from June 2009 through July 2011. The system was deactivated after the groundwater concentrations in all of the deep wells were near or below the Method A cleanup levels.

Since September 2009, the groundwater sampling program has consisted of conducting annual sampling events (collect samples from all of the shallow and deep monitoring

wells) in September, and conducting quarterly sampling events (collect samples from shallow well MW-10 and from deep wells DMW-5, DMW-9, and DMW-10) in December, March, and June. Based on the groundwater sampling results in September and December 2009 and March and June 2010, the samples from shallow monitoring well MW-10 contained petroleum hydrocarbon concentrations below the Method A cleanup levels for four consecutive quarters (SLR, 2009; SLR, 2010a; SLR, 2010b; and SLR, 2010c). Therefore, MW-10 was eliminated from the future quarterly groundwater sampling events.

Based on the groundwater sampling results in June, September, and December 2011 and March 2012, the samples from deep monitoring well DMW-5 contained petroleum hydrocarbon concentrations below the Method A cleanup levels for four consecutive quarters (SLR, 2011c; SLR, 2011d; SLR, 2012a; and SLR, 2012b). Therefore, DMW-5 was eliminated from the future quarterly groundwater sampling events.

INJECTION OF ELECTRON ACCEPTOR SOLUTION

The radius of pumping influence of the previous deep groundwater recovery system did not extend to deep well DMW-10, and the benzene concentrations in the groundwater samples from DMW-10 have typically been above the MTCA Method A cleanup level. The groundwater sampling results also indicate that natural attenuation of the remaining benzene concentrations at DMW-10 has been limited. To reduce the benzene concentrations in the deep groundwater near DMW-10 to below the MTCA Method A cleanup levels and to try to ensure that the benzene concentrations in the deep groundwater near wells DMW-5 and DMW-9 remain below the Method A cleanup levels, a sulfate-based, electron-acceptor solution (EASTM) was injected on June 4, 2012, in a total of 9 borings to stimulate anaerobic bacteria activity. Four of the injection borings were located near DMW-10, three of the borings were located near DMW-9, and two of the borings were located near DMW-5 (see Figure 2). The injection borings were spaced approximately 14 to 20 feet apart because there is limited deep groundwater flow beneath the property, the flow directions are inconsistent, and according to the EASTM manufacturer, EOS Remediation, the solution typically lasts 60 to 90 days in the subsurface.

Stratus Corporation (Stratus) of Gaston, Oregon, advanced each of the injection borings to approximately 1 foot below the top of the deep aquifer (approximately 25 feet below ground surface) by using hydraulic push-probe methods, and then pumped approximately 18.3 gallons (165 pounds) of the EASTM solution through the drilling rods and into the formation at the bottom of each boring. The amount of solution injected into each boring was based on EOS Remediation's evaluation of the remaining petroleum hydrocarbon concentrations, the concentrations of several natural attenuation parameters, and the areas to be treated. The pumping pressure exceeded the head pressure of the aquifer to force the solution into the formation. After the EASTM injection in each boring, Stratus abandoned

the boring with Portland cement grout to seal off the deeper aquifer from the shallower perched groundwater. The work was directed by an SLR geologist.

JUNE 2012 SAMPLING EVENT

SLR personnel conducted the groundwater sampling activities on June 15, 2012. Immediately prior to sampling, SLR measured the depths to groundwater in all of the shallow groundwater monitoring wells (MW-5, MW-8, MW-9, MW-10, MW-11, MW-12, MW-13, and MW-14), all of the deep groundwater monitoring wells (DMW-3, DMW-4, DMW-5, DMW-6, DMW-7, DMW-8, DMW-9, and DMW-10), and in the inactive deep groundwater recovery well (RW-1) by using an electronic water level probe. The depth to groundwater measurements were converted to groundwater elevations by using the results of previous well elevation surveys conducted by Gibbs and Olson, Inc., of Longview, Washington. The depths to groundwater in the shallow wells ranged from 1.98 to 5.93 feet below the tops of the well casings. The groundwater elevations in the shallow wells ranged from 3.22 to 6.41 feet above the NAVD 88 datum. The depths to groundwater in the deep wells ranged from 4.70 to 7.09 feet below the tops of the well casings. The groundwater elevations in the deep wells ranged from 1.96 to 2.36 feet above the NAVD 88 datum. The groundwater elevations in the shallow and deep wells were inconsistent and could not be used to determine the general shallow or deep groundwater flow directions beneath the site area. The groundwater monitoring data from the June 2012 sampling event, as well as from the previous groundwater sampling events, are presented in Table 1. The groundwater elevations in the deep and shallow wells on June 15, 2012, are shown on Figures 2 and 3, respectively.

SLR personnel collected groundwater samples from deep wells DMW-4, DMW-9, and DMW-10 for laboratory analysis. In March 2012, DMW-4 was added to the sampling program because there had not previously been four consecutive quarterly samples from the well that contained petroleum hydrocarbon concentrations below the MTCA Method A cleanup levels. SLR purged the wells by using a peristaltic pump with dedicated tubing at a flow rate of approximately 0.33 liters per minute. During purging, field parameters of temperature, conductivity, dissolved oxygen, pH, and oxidation-reduction potential were measured every three to five minutes. Each groundwater sample was collected following the stabilization of the field parameter measurements.

The groundwater samples were submitted to Friedman & Bruya, Inc. (F&B) in Seattle, Washington, for analysis of benzene, toluene, ethylbenzene, and total xylenes (BTEX) by EPA Method 8021B, and gasoline-range organics (GRO) by Ecology Method NWTPH-Gx. To evaluate the distribution of the EASTM, the samples were also analyzed by sulfate by EPA Method 300.0. The analytical results indicated that the sample from DMW-10 contained a benzene concentration [51 micrograms per liter ($\mu\text{g/L}$)] that exceeded the MTCA Method A groundwater cleanup level (5 $\mu\text{g/L}$). The sample from DMW-10 also contained toluene, ethylbenzene, total xylenes, and GRO concentrations

that were below the Method A groundwater cleanup levels. The samples from DMW-4 and DMW-9 contained benzene and GRO concentrations, respectively, that were below the Method A groundwater cleanup levels. The other petroleum analytes in the samples from DMW-4 and DMW-9 were not detected at concentrations above the method reporting limits. The sample from DMW-4 contained a sulfate concentration of 1,300 µg/L, and the samples from DMW-9 and DMW-10 did not contain sulfate concentrations greater than the method reporting limit (1,000 µg/L). The groundwater sample analytical results from the June 2012 event (petroleum hydrocarbons only), as well as from the previous sampling events, are presented in Table 2. The benzene and GRO concentrations in the June 2012 samples are also shown on Figure 2. A copy of the laboratory analytical report is attached.

CONCLUSIONS

The 2008 groundwater sampling results from the shallow monitoring wells indicated that the 2007 remediation activities effectively removed the source of the shallow groundwater contamination and extracted most of the impacted shallow groundwater (SLR, 2008a; SLR, 2008b; and SLR, 2008c). Based on the 2009, 2010, and 2011 groundwater sampling results (SLR, 2009; SLR, 2010a; SLR, 2010b; SLR, 2010c; SLR, 2010d; and SLR, 2011d), the remaining petroleum hydrocarbon concentrations in the shallow groundwater have naturally attenuated to below the MTCA Method A cleanup levels.

The 2008 groundwater sampling results from the deep monitoring wells showed that the 2007 remediation activities had limited short-term effects on the deep groundwater concentrations (SLR, 2008a; SLR, 2008b; and SLR, 2008c). To actively remediate the impacted deep groundwater, a deep groundwater recovery/treatment system operated from June 2009 through July 2011. Based on the results of the quarterly groundwater sampling events that have been conducted since September 2009 (SLR, 2009; SLR, 2010a; SLR, 2010b; SLR, 2010c; SLR, 2010d; SLR, 2011a; SLR, 2011b; SLR, 2011c; SLR, 2011d, SLR, 2012a, and SLR, 2012b), including the June 2012 results, the benzene and GRO concentrations in the deep groundwater have decreased due to the previous operation of the system and to natural attenuation. At the source area well (DMW-9), the BTEX and GRO concentrations in June 2012 were less than the MTCA Method A groundwater cleanup levels for the fourth consecutive quarter.


Since June 2011, groundwater samples from deep well DMW-10 have been the only samples from the subject property to contain petroleum hydrocarbon (benzene only) concentrations greater than the MTCA Method A cleanup levels. The radius of pumping influence of the previous deep groundwater recovery system did not extend to DMW-10, and the natural attenuation of the remaining benzene concentrations at the DMW-10 area has been limited. To reduce the benzene concentrations in the deep groundwater near DMW-10 to below the Method A cleanup levels and to try to ensure that the benzene concentrations in the deep groundwater near wells DMW-5 and DMW-9 remain below the

Method A cleanup levels, EASTM was injected into the deep aquifer on June 4, 2012, to stimulate anaerobic bacteria activity. The lack of detectable sulfate concentrations in the groundwater samples from DMW-9 and DMW-10 indicate that EASTM was not present in the groundwater at those wells by June 15, 2012 (11 days after injection). The elevated benzene concentration (51 µg/L) in the June 2012 sample from DMW-10 shows that the EASTM had not yet stimulated biodegradation of the petroleum hydrocarbons at that location.

If you have any questions, please contact me at (425) 471-0479 or mstaton@slrcorp.com.

Sincerely,

SLR International Corporation



Michael D. Staton, L.G.
Principal Geologist

Attachments: Limitations
References
Tables 1 and 2
Figures 1 through 3
Laboratory Report

cc: Kurt Peterson, Cascadia Law Group PLLC (4 copies)

LIMITATIONS

The services reflected in this report were performed consistent with generally accepted professional consulting principals and practices. No other warranty, express or implied, is made. These services were performed consistent with our agreement with our client. This information is solely for the use of our client unless otherwise noted. Any reliance on this information by a third party is at such party's sole risk.

Opinions and recommendations contained herein apply to conditions existing when services were performed and are intended only for the client, purposes, location, timeframes, and project parameters indicated. We are not responsible for the impacts of any changes in environmental standards, practices, or regulations subsequent to performance of services. We do not warrant the accuracy of information supplied by others, nor the use of segregated portions of this report.

REFERENCES

- SLR. 2008a. *Remedial Action Report, Former Arco Service Station #0855, 4603 Ocean Beach Highway, Longview, Washington*. July 21.
- SLR. 2008b. *Quarterly Groundwater Sampling Report – July 2008 Event, Former Arco Service Station #0855, Longview, Washington*. August 29.
- SLR. 2008c. *Quarterly Groundwater Sampling Report – September/October 2008 Event, Former Arco Service Station #0855, Longview, Washington*. October 29.
- SLR. 2009. *Deep Groundwater Remediation System Installation and Performance Report, Former Arco Service Station #0855, Longview, Washington*. November 4.
- SLR. 2010a. *Quarterly Groundwater Sampling Report – December 2009 Event, Former Arco Service Station #0855, Longview, Washington*. January 9.
- SLR. 2010b. *Quarterly Groundwater Sampling Report – March 2010 Event, Former Arco Service Station #0855, Longview, Washington*. April 5.
- SLR. 2010c. *Quarterly Groundwater Sampling Report – June 2010 Event, Former Arco Service Station #0855, Longview, Washington*. July 20.
- SLR. 2010d. *Groundwater Sampling Report – September 2010 Event, Former Arco Service Station #0855, Longview, Washington*. October 25.
- SLR. 2011a. *Groundwater Sampling Report – December 2010 Event, Former Arco Service Station #0855, Longview, Washington*. January 4.
- SLR. 2011b. *Groundwater Sampling Report – March 2011 Event, Former Arco Service Station #0855, Longview, Washington*. May 23.
- SLR. 2011c. *Groundwater Sampling Report – June 2011 Event, Former Arco Service Station #0855, Longview, Washington*. July 20.
- SLR. 2011d. *Groundwater Sampling Report – September 2011 Event, Former Arco Service Station #0855, Longview, Washington*. October 31.
- SLR. 2012a. *Groundwater Sampling Report – December 2011 Event, Former Arco Service Station #0855, Longview, Washington*. January 9.

SLR. 2012b. *Groundwater Sampling Report – March 2012 Event, Former Arco Service Station #0855, Longview, Washington.* April 13.

TABLES

Table 1
Groundwater Monitoring Data
Former Arco Service Station #0855
Longview Washington

Well Number	Top of Casing Elevation ^a (feet)	Date Measured	Depth to Groundwater ^b (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Shallow Monitoring Wells					
MW-1	8.34	03/27/00	4.36	NP	3.98
		05/23/00	5.20	NP	3.14
		07/20/00	5.55	NP	2.79
		10/18/00	5.41	NP	2.93
		01/18/01	4.81	NP	3.53
		04/18/01	4.58	NP	3.76
		07/17/01	5.54	NP	2.80
	8.25°	10/18/01	5.26	NP	3.08
		01/16/02	4.45	NP	3.89
		07/09/03	5.80	NP	2.54
		05/25/05	4.12	NP	4.13
		12/07/05	3.77	NP	4.48
		08/16/06	6.58	NP	1.67
		Well abandoned in September 2007.			
MW-2	8.76	03/27/00	3.61	NP	5.15
		05/23/00	4.64	NP	4.12
		07/20/00	5.06	NP	3.70
		10/18/00	5.19	NP	3.57
		01/18/00	3.96	NP	4.80
		04/18/01	3.83	NP	4.93
		07/17/01	5.08	NP	3.68
	8.89°	10/18/01	4.83	NP	3.93
		01/16/02	3.71	NP	5.05
		07/09/03	5.36	NP	3.40
		05/25/05	4.15	NP	4.74
		12/07/05	4.09	NP	4.80
		08/16/06	5.96	NP	2.93
		Well abandoned in September 2007.			
MW-3	8.78	03/27/00	5.61	NP	3.17
		05/23/00	6.46	NP	2.32
		07/20/00	7.05	NP	1.73
		10/18/00	6.84	NP	1.94
		01/18/01	6.37	NP	2.41
		04/18/01	5.46	NP	3.32
		07/17/01	6.93	NP	1.85
	8.58°	10/18/01	6.47	NP	2.31
		01/16/01	4.83	NP	3.95
		07/09/03	6.72	0.02	2.08*
		05/25/05	4.65	Film	3.93
		12/07/05	4.45	0.01	4.14*
		08/16/06	6.91	0.24	1.86*
		Well abandoned in September 2007.			
MW-4	8.78	11/15/00	6.88	NP	1.90
		01/18/01	6.78	NP	2.00
		04/18/01	6.90	NP	1.88
		07/17/01	7.50	NP	1.28
		10/18/01	6.92	NP	1.86
		01/16/02	6.15	NP	2.63
		07/09/03	7.04	NP	1.74
	8.69°	05/25/05	6.24	NP	2.45
		12/07/05	5.70	NP	2.99
		08/16/06	6.84	NP	1.85
Well abandoned in September 2007.					

Table 1
Groundwater Monitoring Data
Former Arco Service Station #0855
Longview Washington

Well Number	Top of Casing Elevation ^a (feet)	Date Measured	Depth to Groundwater ^b (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Shallow Monitoring Wells (continued)					
MW-5	8.78	11/15/00	6.54	NP	2.24
		01/18/01	6.07	NP	2.71
		04/18/01	5.46	NP	3.32
		07/17/01	6.79	NP	1.99
		10/18/01	6.50	NP	2.28
		01/16/02	5.49	NP	3.29
	8.67 ^c	07/09/03	6.86	NP	1.92
		05/25/05	5.64	NP	3.03
		12/07/05	5.53	NP	3.14
		08/16/06	6.28	NP	2.39
		12/11/07	4.64	NP	4.03
		03/11/08	4.90	NP	3.77
		07/01/08	5.33	NP	3.34
		09/30/08	6.17	NP	2.50
		09/02/09	7.08	NP	1.59
		12/15/09	4.63	NP	4.04
		03/18/10	4.85	NP	3.82
		06/15/10	4.84	NP	3.83
		09/14/10	6.87	NP	1.80
		12/14/10	3.03	NP	5.64
		03/16/11	2.80	NP	5.87
		06/16/11	5.66	NP	3.01
		09/14/11	7.12	NP	1.55
		12/08/11	5.57	NP	3.10
		03/13/12	2.83	NP	5.84
		06/15/12	5.44	NP	3.23
MW-6	8.21	11/15/00	6.15	NP	2.06
		01/18/01	5.85	NP	2.36
		04/18/01	5.70	NP	2.51
		07/17/01	6.02	NP	2.19
		10/18/01	6.03	NP	2.18
		01/16/02	5.80	NP	2.41
	8.11 ^c	07/09/03	6.16	NP	2.05
		05/25/05	4.00	NP	4.11
		12/07/05	5.70	NP	2.41
		08/16/06	6.40	NP	1.71
		Well destroyed in November 2007.			
MW-7	8.45	11/15/00	6.52	NP	1.93
		01/18/01	6.24	NP	2.21
		04/18/01	5.98	NP	2.47
		07/17/01	6.44	NP	2.01
		10/18/01	6.39	NP	2.06
		01/16/02	6.31	NP	2.14
	8.26 ^c	07/09/03	7.00	NP	1.45
		05/25/05	5.61	NP	2.65
		12/07/05	6.36 ^d	NP	1.90
		08/16/06	6.40	NP	1.86
		Well abandoned in September 2007.			

Table 1
Groundwater Monitoring Data
Former Arco Service Station #0855
Longview Washington

Well Number	Top of Casing Elevation ^a (feet)	Date Measured	Depth to Groundwater ^b (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Shallow Monitoring Wells (continued)					
MW-8	6.45	05/25/05	4.50	NP	1.95
		12/07/05	3.69	NP	2.76
		08/16/06	4.67	NP	1.78
		12/11/07	3.55	NP	2.90
		03/11/08	3.51	NP	2.94
		07/01/08	4.03	NP	2.42
		09/30/08	4.19	NP	2.26
		09/02/09	4.55	NP	1.90
		12/15/09	3.31	NP	3.14
		03/18/10	3.05	NP	3.40
		06/15/10	2.48	NP	3.97
		09/14/10	4.32	NP	2.13
		12/14/10	2.70	NP	3.75
		03/16/11	2.15	NP	4.30
		06/16/11	2.37	NP	4.08
		09/14/11	4.79	NP	1.66
		12/08/11	3.52	NP	2.93
MW-9	9.43	03/13/12	2.76	NP	3.69
		06/15/12	3.01	NP	3.44
		05/25/05	4.66	NP	4.77
		12/07/05	4.59	NP	4.84
		08/16/06	5.23	NP	4.20
		12/11/07	4.52	NP	4.91
		03/11/08	4.65	NP	4.78
		07/01/08	5.06	NP	4.37
		09/30/08	5.08	NP	4.35
		09/02/09	5.20	NP	4.23
		12/15/09	4.51	NP	4.92
		03/18/10	4.64	NP	4.79
		06/15/10	4.72	NP	4.71
		09/14/10	4.94	NP	4.49
		12/14/10	4.66	NP	4.77
		03/16/11	3.91	NP	5.52
		06/16/11	4.83	NP	4.60
MW-10	9.52	09/14/11	5.35	NP	4.08
		12/08/11	4.78	NP	4.65
		03/13/12	4.25	NP	5.18
		06/15/12	4.78	NP	4.65
		05/25/05	10.30	NP	-0.78
		12/07/05	5.90	NP	3.62
		08/16/06	7.18	NP	2.34
		12/11/07	4.22	NP	5.30
		03/11/08	6.02	NP	3.50
		07/01/08	6.53	NP	2.99
		09/30/08	4.51	NP	5.01
		09/02/09	7.76	NP	1.76
		12/15/09	5.97	NP	3.55
		03/18/10	8.14	NP	1.38
		06/15/10	5.15	NP	4.37
		09/14/10	7.88	NP	1.64
		12/14/10	3.42	NP	6.10
		03/16/11	3.54	NP	5.98
		06/16/11	6.40	NP	3.12
		09/14/11	8.01	NP	1.51
		12/08/11	5.36	NP	4.16
		03/13/12	3.73	NP	5.79
		06/15/12	5.93	NP	3.59

Table 1
Groundwater Monitoring Data
Former Arco Service Station #0855
Longview Washington

Well Number	Top of Casing Elevation ^a (feet)	Date Measured	Depth to Groundwater ^b (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Shallow Monitoring Wells (continued)					
MW-11	8.16	12/07/05	3.87	NP	4.29
		08/16/06	6.10	NP	2.06
		12/11/07	3.51	NP	4.65
		03/11/08	4.86	NP	3.30
		07/01/08	5.61	NP	2.55
		09/30/08	6.56	NP	1.60
		09/02/09	7.52	NP	0.64
		12/15/09	4.35	NP	3.81
		03/18/10	4.17	NP	3.99
		06/15/10	4.22	NP	3.94
		09/14/10	6.28	NP	1.88
		12/14/10	1.86	NP	6.30
		03/16/11	2.59	NP	5.57
		06/16/11	5.43	NP	2.73
		09/14/11	8.17	NP	-0.01
		12/08/11	4.18	NP	3.98
MW-12	8.21	03/13/12	5.91	NP	2.25
		06/15/12	4.94	NP	3.22
		12/11/07	2.69	NP	5.52
		03/11/08	4.25	NP	3.96
		07/01/08	5.20	NP	3.01
		09/30/08	5.85	NP	2.36
		09/02/09	6.33	NP	1.88
		12/15/09	3.09	NP	5.12
		03/18/10	3.46	NP	4.75
		06/15/10	3.65	NP	4.56
		09/14/10	5.65	NP	2.56
		12/14/10	1.45	NP	6.76
		03/16/11	1.90	NP	6.31
		06/16/11	4.77	NP	3.44
		09/14/11	5.35	NP	2.86
		12/08/11	3.89	NP	4.32
MW-13	9.03	03/13/12	2.00	NP	6.21
		06/15/12	4.25	NP	3.96
		12/11/07	1.10	NP	7.93
		03/11/08	1.53	NP	7.50
		07/01/08	3.53	NP	5.50
		09/30/08	4.73	NP	4.30
		09/02/09	7.04	NP	1.99
		12/15/09	2.24	NP	6.79
		03/18/10	1.48	NP	7.55
		06/15/10	1.65	NP	7.38
		09/14/10	5.80	NP	3.23
		12/14/10	1.48	NP	7.55
		03/16/11	1.45	NP	7.58
		06/16/11	3.12	NP	5.91
		09/14/11	6.97	NP	2.06
		12/08/11	2.46	NP	6.57
		03/13/12	1.74	NP	7.29
		06/15/12	3.16	NP	5.87

Table 1
Groundwater Monitoring Data
Former Arco Service Station #0855
Longview Washington

Well Number	Top of Casing Elevation ^a (feet)	Date Measured	Depth to Groundwater ^b (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Shallow Monitoring Wells (continued)					
MW-14	8.39	12/11/07	1.50	NP	6.89
		03/11/08	3.85	NP	4.54
		07/01/08	4.27	NP	4.12
		09/30/08	6.44	NP	1.95
		09/02/09	6.93	NP	1.46
		12/15/09	1.77	NP	6.62
		03/18/10	1.65	NP	6.74
		06/15/10	1.78	NP	6.61
		09/14/10	6.23	NP	2.16
		12/14/10	1.37	NP	7.02
		03/16/11	1.41	NP	6.98
		06/16/11	4.77	NP	3.62
		09/14/11	7.25	NP	1.14
		12/08/11	1.88	NP	6.51
		03/13/12	1.45	NP	6.94
		06/15/12	1.98	NP	6.41
Deep Monitoring Wells					
DMW-1	8.55	12/07/05	6.73	NP	1.82
		08/16/06	6.28	NP	2.27
Well abandoned in September 2007.					
DMW-2	8.29	12/07/05	6.10	NP	2.19
		08/16/06	6.71	NP	1.58
Well abandoned in September 2007.					
DMW-3	6.66	12/07/05	12.15 ^d	NP	-5.49
		08/16/06	4.55	NP	2.11
		12/11/07	4.60	NP	2.06
		03/11/08	5.68	NP	0.98
		07/01/08	5.52	NP	1.14
		09/30/08	5.03	NP	1.63
		09/02/09	5.19	NP	1.47
		12/15/09	4.71	NP	1.95
		03/18/10	4.55	NP	2.11
		06/15/10	4.42	NP	2.24
		09/14/10	5.01	NP	1.65
		12/14/10	4.36	NP	2.30
		03/16/11	3.95	NP	2.71
		06/16/11	4.10	NP	2.56
		09/14/11	4.73	NP	1.93
		12/08/11	7.52	NP	-0.86
DMW-4	8.55	03/13/12	6.24	NP	0.42
		06/15/12	4.70	NP	1.96
		12/07/05	6.30	NP	2.25
		08/16/06	7.12	NP	1.43
		12/11/07	6.08	NP	2.47
		03/11/08	6.54	NP	2.01
DMW-4	8.55	07/01/08	6.41	NP	2.14
		09/30/08	6.91	NP	1.64
		09/02/09	7.13	NP	1.42
		12/15/09	6.26	NP	2.29
		03/18/10	6.43	NP	2.12
		06/15/10	6.11	NP	2.44
		09/14/10	6.97	NP	1.58
		12/14/10	5.18	NP	3.37
		03/16/11	5.55	NP	3.00
		06/16/11	6.11	NP	2.44
		09/14/11	7.20	NP	1.35
		12/08/11	6.67	NP	1.88
		03/13/12	5.66	NP	2.89
		06/15/12	6.44	NP	2.11

Table 1
Groundwater Monitoring Data
Former Arco Service Station #0855
Longview Washington

Well Number	Top of Casing Elevation ^a (feet)	Date Measured	Depth to Groundwater ^b (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Deep Monitoring Wells (continued)					
DMW-5	8.14	12/07/05	5.88	NP	2.26
		08/16/06	6.57	NP	1.57
		12/11/07	5.75	NP	2.39
		03/11/08	6.14	NP	2.00
		07/01/08	5.01	NP	3.13
		09/30/08	6.52	NP	1.62
		09/02/09	6.75	NP	1.39
		12/15/09	5.87	NP	2.27
		03/18/10	6.03	NP	2.11
		06/15/10	5.68	NP	2.46
		09/14/10	6.55	NP	1.59
		12/14/10	4.80	NP	3.34
		03/16/11	5.17	NP	2.97
		06/16/11	5.69	NP	2.45
		09/14/11	6.79	NP	1.35
		12/08/11	6.28	NP	1.86
DMW-6	9.15	03/13/12	5.25	NP	2.89
		06/15/12	6.05	NP	2.09
		08/16/06	7.74	NP	1.41
		12/11/07	6.68	NP	2.47
		03/11/08	7.15	NP	2.00
		07/01/08	7.04	NP	2.11
		09/30/08	7.53	NP	1.62
		09/02/09	7.79	NP	1.36
		12/15/09	6.89	NP	2.26
		03/18/10	7.06	NP	2.09
		06/15/10	6.74	NP	2.41
		09/14/10	7.59	NP	1.56
		12/14/10	5.79	NP	3.36
		03/16/11	6.18	NP	2.97
		06/16/11	6.75	NP	2.40
		09/14/11	7.82	NP	1.33
DMW-7	8.12	12/08/11	7.31	NP	1.84
		03/13/12	6.34	NP	2.81
		06/15/12	7.09	NP	2.06
		08/16/06	6.68	NP	1.44
		12/11/07	5.68	NP	2.44
		03/11/08	6.11	NP	2.01
		07/01/08	6.02	NP	2.10
		09/30/08	6.61	NP	1.51
		09/02/09	6.74	NP	1.38
		12/15/09	5.85	NP	2.27
		03/18/10	5.93	NP	2.19
		06/15/10	5.82	NP	2.30
		09/14/10	6.55	NP	1.57
		12/14/10	5.27	NP	2.85
		03/16/11	5.15	NP	2.97
		06/16/11	5.70	NP	2.42
		09/14/11	6.64	NP	1.48
		12/08/11	6.28	NP	1.84
		03/13/12	5.22	NP	2.90
		06/15/12	6.05	NP	2.07

Table 1
Groundwater Monitoring Data
Former Arco Service Station #0855
Longview Washington

Well Number	Top of Casing Elevation ^a (feet)	Date Measured	Depth to Groundwater ^b (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Deep Monitoring Wells (continued)					
DMW-8	9.09	08/16/06	7.65	NP	1.44
		12/11/07	6.60	NP	2.49
		03/11/08	7.06	NP	2.03
		07/01/08	6.97	NP	2.12
		09/30/08	7.48	NP	1.61
		09/02/09	7.69	NP	1.40
		12/15/09	6.80	NP	2.29
		03/18/10	6.81	NP	2.28
		06/15/10	6.55	NP	2.54
		09/14/10	7.50	NP	1.59
		12/14/10	6.52	NP	2.57
		03/16/11	6.26	NP	2.83
		06/16/11	6.60	NP	2.49
		09/14/11	7.23	NP	1.86
		12/08/11	7.19	NP	1.90
DMW-9	8.86	03/13/12	6.17	NP	2.92
		06/15/12	6.98	NP	2.11
		12/11/07	5.39	NP	3.47
		03/11/08	6.84	NP	2.02
		07/01/08	6.85	NP	2.01
		09/30/08	7.20	NP	1.66
		09/02/09	7.44	NP	1.42
		12/15/09	6.54	NP	2.32
		03/18/10	6.69	NP	2.17
		06/15/10	6.39	NP	2.47
		09/14/10	7.23	NP	1.63
		12/14/10	5.66	NP	3.20
		03/16/11	5.87	NP	2.99
		06/16/11	6.39	NP	2.47
		09/14/11	7.46	NP	1.40
DMW-10	8.38	12/08/11	6.95	NP	1.91
		03/13/12	5.91	NP	2.95
		06/15/12	6.73	NP	2.13
		12/11/07	4.91	NP	3.47
		03/11/08	6.35	NP	2.03
		07/01/08	6.24	NP	2.14
		09/30/08	6.75	NP	1.63
		09/02/09	6.99	NP	1.39
		12/15/09	6.09	NP	2.29
		03/18/10	6.25	NP	2.13
		06/15/10	5.91	NP	2.47
		09/14/10	6.77	NP	1.61
		12/14/10	5.02	NP	3.36
		03/16/11	5.38	NP	3.00
		06/16/11	5.92	NP	2.46
		09/14/11	7.02	NP	1.36
		12/08/11	6.51	NP	1.87
		03/13/12	5.50	NP	2.88
		06/15/12	6.28	NP	2.10

Table 1
Groundwater Monitoring Data
Former Arco Service Station #0855
Longview Washington

Well Number	Top of Casing Elevation ^a (feet)	Date Measured	Depth to Groundwater ^b (feet)	Free Product Thickness (feet)	Groundwater Elevation (feet)
Inactive Deep Recovery Well					
RW-1	8.08	09/02/09	6.69	NP	1.39
		12/15/09	5.78	NP	2.30
		03/18/10	5.96	NP	2.12
		06/15/10	5.60	NP	2.48
		12/14/10	4.70	NP	3.38
		03/16/11	5.06	NP	3.02
		06/16/11	5.61	NP	2.47
		09/14/11	6.95	NP	1.13
		12/08/11	5.83	NP	2.25
		03/13/12	5.12	NP	2.96
		06/15/12	5.72	NP	2.36
NOTES:					
NP = Free product was not present.					
^a Top of well casing elevations were surveyed relative to NAVD 88 datum.					
^b Measurements in feet below top of well casing.					
^c Top of casing (TOC) elevation was re-surveyed in May 2005.					
^d Water in well was under pressure and rising when the cap was removed. The water level was recorded after the well cap was off for over 2 hours.					
* Groundwater elevation corrected for product thickness by using the equation: Groundwater elevation = TOC elevation - depth to groundwater + (product thickness x 0.80).					

Table 2
Groundwater Sample Analytical Results - Petroleum Hydrocarbons
Former Arco Service Station #0855
Longview, Washington

Well Number	Sample Date	Benzene ^a (µg/L)	Toluene ^a (µg/L)	Ethylbenzene ^a (µg/L)	Total Xylenes ^a (µg/L)	GRO ^b (µg/L)	DRO ^c (µg/L)
MTCA Method A Cleanup Levels ^d		5	1,000	700	1,000	800	500
Shallow Monitoring Wells							
MW-1	03/27/00	ND	ND	ND	ND	ND	ND
	05/23/00	ND	ND	ND	ND	ND	NA
	07/20/00	ND	ND	ND	ND	ND	NA
	10/18/00	ND	ND	1.61	ND	404	NA
	01/18/01	ND	ND	ND	ND	95.6	NA
	04/18/01	ND	ND	ND	ND	NA	NA
	07/17/01	ND	2.63	1.46	ND	386	NA
	10/18/01	ND	ND	ND	ND	ND	NA
	01/16/02	ND	ND	ND	ND	104	NA
	07/09/03	<0.50	<0.50	<0.50	<1.0	<50	<250
	05/25/05	<1.0	<1.0	<1.0	<2.0	<100	<50
	11/30/05	<1.0	<1.0	<1.0	<3.0	<100	<50
Well abandoned in September 2007.							
MW-2	03/27/00	6.89	49.5	599	2,490	17,100	ND
	05/23/00	26.2	16.2	614	1,770	13,200	NA
	07/20/00	11.9	11.8	304	330	7,220	NA
	10/18/00	3.67	1.23	13.9	7.55	743	NA
	01/18/00	ND	ND	41.1	5.62	691	NA
	04/18/01	ND	ND	8.73	ND	NA	NA
	07/17/01	ND	1.26	14	ND	430	NA
	10/18/01	2.11	ND	3.64	ND	304	NA
	01/16/02	1.16	0.81	37.1	6.71	370	NA
	07/09/03	0.86	<0.50	6.43	1.28	131	<250
	05/30/05	<1.0	<1.0	<1.0	<2.0	<100	52
	12/01/05	<1.0	<1.0	<1.0	<3.0	120	<50
	Well abandoned in September 2007.						
MW-3	03/07/00	7,520	12,900	2,780	14,500	93,700	ND
	05/23/00	4,710	8,330	2,280	11,200	65,200	NA
	07/20/00	10,700	22,600	3,160	17,400	145,000	NA
	10/18/00	12,900	33,000	4,890	26,700	179,000	NA
	01/18/01	9,380	17,200	3,940	20,230	121,000	NA
	04/18/01	7,700	15,300	3,430	16,990	NA	NA
	07/17/01	10,100	21,400	4,120	20,900	940,000	NA
	10/18/01	7,200	19,700	3,340	17,300	139,000	NA
	01/16/02	13,600	26,600	3,920	20,800	177,000	NA
	07/09/03	11,800	20,100	4,560	21,200	124,000	3,750
	05/25/05	Not sampled due to presence of free product.					
	11/28/05	Not sampled due to presence of free product.					
	Well abandoned in September 2007.						

Table 2
Groundwater Sample Analytical Results - Petroleum Hydrocarbons
Former Arco Service Station #0855
Longview, Washington

Well Number	Sample Date	Benzene ^a (µg/L)	Toluene ^a (µg/L)	Ethylbenzene ^a (µg/L)	Total Xylenes ^a (µg/L)	GRO ^b (µg/L)	DRO ^c (µg/L)
MTCA Method A Cleanup Levels^d		5	1,000	700	1,000	800	500
Shallow Monitoring Wells (continued)							
MW-4	11/15/00	1,310	53.6	2,430	7,250	45,500	NA
	01/18/01	1,130	ND	2,030	2,764	29,400	NA
	04/18/01	1,280	ND	1,700	2,591	NA	NA
	07/17/01	1,610	35	2,870	1,870	34,900	NA
	10/18/01	1,040	ND	2,300	1,320	33,000	NA
	01/16/02	733	ND	920	948	19,300	NA
	07/09/03	906	39.1	1,350	156	14,100	798
	05/24/05	310	2.90	410	185 ^e	9,600	2,300
	12/01/05	990	140	1,100	1,353 ^e	11,000	2,900 ^f
	Well abandoned in September 2007.						
MW-5	11/15/00	ND	ND	ND	ND	ND	NA
	01/18/01	ND	ND	ND	ND	786	NA
	04/18/01	9.42	ND	6.76	10.1	NA	NA
	07/17/01	1.83	1.16	1.90	3.28	694	NA
	10/18/01	3.05	1.39	1.48	1.45	647	NA
	01/16/02	52.3	3.82	48	24.9	2,800	NA
	07/09/03	1.26	0.99	1.54	4.64	615	<250
	05/24/05	<1.0	<1.0	<1.0	<2.0	460	120
	11/28/05	<1.0	<1.0	<1.0	<3.0	420	230 ^f
	12/11/07	<1.0	<1.0	<1.0	<3.0	140	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
MW-6	11/15/00	ND	ND	ND	ND	131	NA
	01/18/01	ND	ND	ND	ND	732	NA
	04/18/01	ND	ND	ND	ND	NA	NA
	07/17/01	ND	1.35	1.33	5.79	892	NA
	10/18/01	ND	ND	2.60	5.48	1,000	NA
	01/16/02	ND	0.72	1.58	2.78	810	NA
	07/09/03	<0.50	0.53	1.15	4.84	462	958
	05/25/05	<1.0	<1.0	<1.0	<2.0	370	270
	11/28/05	<1.0	<1.0	<1.0	<1.0	NA	<1.0
	Well destroyed in November 2007.						
MW-7	11/15/00	ND	ND	ND	1.35	113	NA
	01/18/01	ND	ND	ND	ND	242	NA
	04/18/01	ND	ND	ND	ND	NA	NA
	07/17/01	ND	ND	ND	ND	275	NA
	10/18/01	ND	ND	ND	ND	286	NA
	01/16/02	ND	ND	ND	ND	362	NA
	07/09/03	<0.50	<0.50	<0.50	1.48	232	2,050
	05/25/05	<1.0	<1.0	<1.0	<2.0	<100	220
	11/30/05	<1.0	<1.0	<1.0	<3.0	<100	140
	Well abandoned in September 2007.						

Table 2
Groundwater Sample Analytical Results - Petroleum Hydrocarbons
Former Arco Service Station #0855
Longview, Washington

Well Number	Sample Date	Benzene ^a (µg/L)	Toluene ^a (µg/L)	Ethylbenzene ^a (µg/L)	Total Xylenes ^a (µg/L)	GRO ^b (µg/L)	DRO ^c (µg/L)
MTCA Method A Cleanup Levels^d		5	1,000	700	1,000	800	500
Shallow Monitoring Wells (continued)							
MW-8	05/25/05	<1.0	<1.0	<1.0	<3.0	<100	<70
	11/29/05	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/01/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/01/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
MW-9	05/25/05	<1.0	<1.0	<1.0	<3.0	<100	<50
	11/28/05	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
MW-10	05/25/05	45	<1.0	110	<2.0	1,000	1,200
	11/30/05	31	<1.0	110	<3.0	1,400	1,000 ^f
	12/11/07	9.0	3.0	65	<3.0	3,100	1,000 ^g
	03/11/08	16	2.0	40	<3.0	3,000	1,200 ^g
	07/03/08	18	2.0	53	41	2,500	1,100 ^g
	10/02/08	<1.0	<1.0	<1.0	<3.0	1,300	NA
	09/03/09	<1.0	<1.0	2.0	<3.0	200	NA
	12/15/09	3.0	<1.0	11	<3.0	310	NA
	03/18/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	06/15/10	<1.0	<1.0	<1.0	<3.0	170	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	180	NA
	09/14/11	1.5	<1.0	<1.0	<3.0	120	NA
MW-11	12/05/05	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA

Table 2
Groundwater Sample Analytical Results - Petroleum Hydrocarbons
Former Arco Service Station #0855
Longview, Washington

Well Number	Sample Date	Benzene ^a (µg/L)	Toluene ^a (µg/L)	Ethylbenzene ^a (µg/L)	Total Xylenes ^a (µg/L)	GRO ^b (µg/L)	DRO ^c (µg/L)
MTCA Method A Cleanup Levels^d		5	1,000	700	1,000	800	500
Shallow Monitoring Wells (continued)							
MW-12	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
MW-13	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/03/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
MW-14	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/01/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
Deep Monitoring Wells							
DMW-1	12/07/05	4,000	160	1,100	4,090 ^e	22,000	2,900 ^f
	08/17/06	4,100	<1.0	520	841 ^e	16,000	930 ^f
Well abandoned in September 2007.							
DMW-2	12/07/05	11	<1.0	40	46 ^f	270	<50
	08/16/06	10	<1.0	5.6	<3.0	<100	<50
Well abandoned in September 2007.							
DMW-3	12/07/05	<1.0	<1.0	<1.0	<3.0	<50	<50
	08/17/06	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/01/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
DMW-4	12/05/05	56	<1.0	<1.0	<3.0	230	<50
	08/17/06	5.7	<1.0	<1.0	<3.0	210	<50
	12/11/07	27	3.0	2.0	4.0	260	<50
	03/11/08	6.0	<1.0	<1.0	<3.0	230	68 ^g
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	1.2	<1.0	3.3	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
	03/13/12	<1.0	<1.0	<1.0	<3.0	<100	NA
	06/15/12	1.0	<1.0	<1.0	<3.0	<100	NA

Table 2
Groundwater Sample Analytical Results - Petroleum Hydrocarbons
Former Arco Service Station #0855
Longview, Washington

Well Number	Sample Date	Benzene ^a (µg/L)	Toluene ^a (µg/L)	Ethylbenzene ^a (µg/L)	Total Xylenes ^a (µg/L)	GRO ^b (µg/L)	DRO ^c (µg/L)
MTCA Method A Cleanup Levels^d		5	1,000	700	1,000	800	500
Deep Monitoring Wells (continued)							
DMW-5	12/05/05	36	<1.0	<1.0	<3.0	130	<50
	08/17/06	74	<1.0	<1.0	<3.0	170	<50
	12/11/07	41	<1.0	<1.0	<3.0	100	<50
	03/11/08	10	<1.0	<1.0	<3.0	<100	<50
	07/02/08	1.0	<1.0	<1.0	<3.0	<100	<50
	10/01/08	42	<1.0	<1.0	<3.0	110	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	12/15/09	1.0	<1.0	<1.0	<3.0	<100	NA
	03/18/10	13	<1.0	<1.0	<3.0	<100	NA
	06/15/10	13	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	12/14/10	9.0	<1.0	<1.0	<3.0	<100	NA
	03/16/11	11	<1.0	<1.0	<3.0	<100	NA
	06/16/11	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
	12/08/11	<1.0	<1.0	<1.0	<3.0	<100	NA
	03/13/12	3.0	<1.0	<1.0	<3.0	<100	NA
DMW-6	08/16/06	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
DMW-7	08/16/06	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/01/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/01/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA
DMW-8	08/16/06	<1.0	<1.0	<1.0	<3.0	<100	<50
	12/11/07	<1.0	<1.0	<1.0	<3.0	<100	<50
	03/11/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	07/02/08	<1.0	<1.0	<1.0	<3.0	<100	<50
	10/02/08	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/03/09	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/10	<1.0	<1.0	<1.0	<3.0	<100	NA
	09/14/11	<1.0	<1.0	<1.0	<3.0	<100	NA

Table 2
Groundwater Sample Analytical Results - Petroleum Hydrocarbons
Former Arco Service Station #0855
Longview, Washington

Well Number	Sample Date	Benzene ^a (µg/L)	Toluene ^a (µg/L)	Ethylbenzene ^a (µg/L)	Total Xylenes ^a (µg/L)	GRO ^b (µg/L)	DRO ^c (µg/L)
MTCA Method A Cleanup Levels^d		5	1,000	700	1,000	800	500
Deep Monitoring Wells (continued)							
DMW-9	12/11/07	6,100	1,900	970	3,100	27,000	600^g
	03/11/08	3,000	150	380	880	13,000	450 ^g
	07/03/08	3,600	3.0	320	610	9,500	520^g
	10/02/08	3,300	4.0	140	270	8,600	NA
	09/03/09	2,800	4.0	320	1,100	14,000	NA
	12/15/09	980	2.0	<1.0	1,100	5,300	NA
	03/18/10	190	<1.0	10	200	1,600	NA
	06/15/10	50	<1.0	9.1	60	630	NA
	09/14/10	210	<1.0	5.2	120	1,000	NA
	12/14/10	3.3	<1.0	1.3	9.8	320	NA
	03/16/11	14	<1.0	2.0	3.7	310	NA
	06/16/11	87	<1.0	<1.0	33	700	NA
	09/14/11	<1.0	<1.0	<1.0	3.4	200	NA
	12/08/11	<1.0	<1.0	<1.0	<3.0	140	NA
	03/13/12	1.9	<1.0	<1.0	<3.0	310	NA
	06/15/12	<1.0	<1.0	<1.0	<3.0	160	NA
DMW-10	12/11/07	60	4.0	88	130	750	53 ^g
	03/11/08	75	4.0	140	120	1,000	74 ^g
	07/02/08	89	6.0	160	130	1,100	68 ^g
	10/01/08	90	5.0	120	25	820	NA
	09/03/09	9.0	<1.0	2.0	<3.0	<100	NA
	12/15/09	20	<1.0	13	7.0	150	NA
	03/18/10	41	<1.0	21	13	310	NA
	06/15/10	34	2.3	14	12	340	NA
	09/14/10	12	<1.0	<1.0	<3.0	<100	NA
	12/14/10	32	1.7	7.1	11	120	NA
	03/16/11	27	1.2	8.2	11	220	NA
	06/16/11	27	1.8	<1.0	9.9	130	NA
	09/14/11	20	<1.0	<1.0	3.9	140	NA
	12/08/11	<1.0	<1.0	<1.0	<3.0	<100	NA
	03/13/12	37	1.0	3.6	14	260	NA
	06/15/12	51	1.4	1.7	20	400	NA

NOTES: Values in bold exceed the MTCA Method A cleanup levels.

All concentrations in micrograms per liter (µg/L).

ND = Not detected above the laboratory method reporting limit (MRL).

NA = Not analyzed.

^a Benzene, toluene, ethylbenzene, and total xylenes (BTEX) by EPA Method 8021B or EPA Method 8260B.

^b Gasoline-range organics (GRO) by Ecology Method NWTPH-Gx.

^c Diesel-range organics (DRO) by Ecology Method NWTPH-Dx.


^d Chapter 173-340 WAC, Model Toxics Control Act (MTCA) Cleanup Regulation, Method A Cleanup Levels. Amended February 12, 2001.

^e Total xylenes calculated by using the formula: total xylenes concentration = (m, p-xylene concentration) + (o-xylene concentration).

^f The laboratory reported that the DRO concentration is due to overlap from the gasoline range.

^g The laboratory reported that the pattern of chromatogram peaks from the sample were not indicative of diesel.

FIGURES



0 2000 4000
SCALE IN FEET



WASHINGTON

SOURCE: USGS 7.5 Minute Quadrangles Kelso, 1970 Contour Interval 20 Feet and Abernathy Mtn., 1986 Contour Interval 20 Feet.

SLR



22122 20th AVE SE
BLDG. H, SUITE 150
BOTHELL, WA 98021


T: 425-402-8800
F: 425-402-8488


DATE 04/11
DWN. BDT
APPR. mds
REVIS.
PROJECT NO.
101.00173.00011

FIGURE 1
FORMER ARCO SERVICE STATION #0855
LONGVIEW, WASHINGTON

PROPERTY LOCATION MAP

Last Saved: Friday, July 06, 2012 8:44:02 AM by egoodwin Drawing path: N:\Portland\Figures\Bothe\001.00173.0001114-02.dwg






22118 20th AVE SE
BUILDING G, SUITE 202
BOTHELL, WA 98021
T: 425-402-8800
F: 425-402-8488

DATE	4/12
DWN.	NMB
APPR.	MDS
REVIS.	
PROJECT NO.	101.00173.00011

FIGURE 2
FORMER ARCO SERVICE STATION #0855
LONGVIEW, WASHINGTON
DEEP GROUNDWATER SAMPLING RESULTS
JUNE 15, 2012

Last Saved: Thursday, April 12, 2012 8:43:06 AM by nbrennan Drawing path: N:\Portland\Figures\Bothell\001.00173.0001114-03.dwg




 22118 20th AVE SE BUILDING G, SUITE 202 BOTHELL, WA 98021 T: 425-402-8800 F: 425-402-8488	DATE	4/12
	DWN.	NMB
	APPR.	MDS
	REVIS.	
	PROJECT NO.	101.00173.00011

FIGURE 3 FORMER ARCO SERVICE STATION #0855 LONGVIEW, WASHINGTON SHALLOW GROUNDWATER ELEVATIONS - JUNE 15, 2012
--

LABORATORY REPORT

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Yelena Aravkina, M.S.
Bradley T. Benson, B.S.
Kurt Johnson, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
TEL: (206) 285-8282
e-mail: fbi@isomedia.com

July 19, 2012

Mike Staton, Project Manager
SLR International Corp.
22118 20th Ave. SE., G-202
Bothell, WA 98021


Dear Mr. Staton:

Included are the results from the testing of material submitted on June 18, 2012 from the Former Arco No. 0855 Longview, WA PO 101-00173-00011, F&BI 206238 project. There are 4 pages included in this report. Any samples that may remain are currently scheduled for disposal in 30 days. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.

A handwritten signature in black ink, appearing to be 'Kurt Johnson', with a stylized flourish at the end.

Kurt Johnson
Chemist

Enclosures
SLR0719R.DOC

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

CASE NARRATIVE

This case narrative encompasses samples received on June 18, 2012 by Friedman & Bruya, Inc. from the SLR International Corp. Former Arco No. 0855 Longview, WA PO 101-00173-00011, F&BI 206238 project. Samples were logged in under the laboratory ID's listed below.

<u>Laboratory ID</u>	<u>SLR International Corp.</u>
206238-01	DMW4-0612
206238-02	DMW9-0612
206238-03	DMW10-0612

The samples were sent to Analytical Resources for sulfate analysis. The report generated by Analytical Resources is enclosed.

All quality control requirements were acceptable.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 07/19/12

Date Received: 06/18/12

Project: Former Arco No. 0855 Longview, WA PO 101-00173-00011, F&BI 206238

Date Extracted: 06/19/12

Date Analyzed: 06/19/12

**RESULTS FROM THE ANALYSIS OF WATER SAMPLES
FOR BENZENE, TOLUENE, ETHYLBENZENE,
XYLENES AND TPH AS GASOLINE
USING EPA METHOD 8021B AND NWTPH-Gx**

Results Reported as ug/L (ppb)

<u>Sample ID</u> Laboratory ID	<u>Benzene</u>	<u>Toluene</u>	<u>Ethyl Benzene</u>	<u>Total Xylenes</u>	<u>Gasoline Range</u>	<u>Surrogate (% Recovery)</u> (Limit 50-150)
DMW4-0612 206238-01	1.0	<1	<1	<3	<100	81
DMW9-0612 206238-02	<1	<1	<1	<3	160	88
DMW10-0612 206238-03	51	1.4	1.7	20	400	84
Method Blank 02-1056 MB	<1	<1	<1	<3	<100	81

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 07/19/12

Date Received: 06/18/12

Project: Former Arco No. 0855 Longview, WA PO 101-00173-00011, F&BI 206238

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF WATER
SAMPLES FOR BENZENE, TOLUENE, ETHYLBENZENE,
XYLENES, AND TPH AS GASOLINE
USING EPA METHOD 8021B AND NWTPH-Gx**

Laboratory Code: 206238-01 (Duplicate)

Analyte	Reporting Units	Sample Result	Duplicate Result	Relative Percent Difference (Limit 20)
Benzene	ug/L (ppb)	1.0	1.0	0
Toluene	ug/L (ppb)	<1	<1	nm
Ethylbenzene	ug/L (ppb)	<1	<1	nm
Xylenes	ug/L (ppb)	<3	<3	nm
Gasoline	ug/L (ppb)	<100	<100	nm

Laboratory Code: Laboratory Control Sample

Analyte	Reporting Units	Spike Level	Percent Recovery LCS	Acceptance Criteria
Benzene	ug/L (ppb)	50	82	72-119
Toluene	ug/L (ppb)	50	93	71-113
Ethylbenzene	ug/L (ppb)	50	94	72-114
Xylenes	ug/L (ppb)	150	89	72-113
Gasoline	ug/L (ppb)	1,000	103	70-119

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Data Qualifiers & Definitions

a - The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.

A1 - More than one compound of similar molecule structure was identified with equal probability.

b - The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.

ca - The calibration results for this range fell outside of acceptance criteria. The value reported is an estimate.

c - The presence of the analyte indicated may be due to carryover from previous sample injections.

d - The sample was diluted. Detection limits may be raised due to dilution.

ds - The sample was diluted. Detection limits are raised due to dilution and surrogate recoveries may not be meaningful.

dv - Insufficient sample was available to achieve normal reporting limits and limits are raised accordingly.

fb - Analyte present in the blank and the sample.

fc - The compound is a common laboratory and field contaminant.

hr - The sample and duplicate were reextracted and reanalyzed. RPD results were still outside of control limits. The variability is attributed to sample inhomogeneity.

ht - Analysis performed outside the method or client-specified holding time requirement.

ip - Recovery fell outside of normal control limits. Compounds in the sample matrix interfered with the quantitation of the analyte.

j - The result is below normal reporting limits. The value reported is an estimate.

J - The internal standard associated with the analyte is out of control limits. The reported concentration is an estimate.

jl - The analyte result in the laboratory control sample is out of control limits. The reported concentration should be considered an estimate.

jr - The rpd result in laboratory control sample associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

js - The surrogate associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

lc - The presence of the compound indicated is likely due to laboratory contamination.

L - The reported concentration was generated from a library search.

nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.

pc - The sample was received in a container not approved by the method. The value reported should be considered an estimate.

pr - The sample was received with incorrect preservation. The value reported should be considered an estimate.

ve - Estimated concentration calculated for an analyte response above the valid instrument calibration range. A dilution is required to obtain an accurate quantification of the analyte.

vo - The value reported fell outside the control limits established for this analyte.

x - The sample chromatographic pattern does not resemble the fuel standard used for quantitation.



Analytical Resources, Incorporated
Analytical Chemists and Consultants

July 18, 2012

Michele Costales Poquiz
Friedman & Bruya
3012 16th Ave W
Seattle, WA 98119

RE: Project: 206238
ARI Job No.: VB76

Dear Michele:

Please find enclosed the original Chain-of-Custody record (COC), sample receipt documentation, and the final data for the samples from the project referenced above. Analytical Resources, Inc. (ARI) accepted three water samples on July 11, 2012 under job number VB76. For further details regarding sample receipt, please refer to the enclosed Cooler Receipt Form.

The samples were analyzed for Sulfate, as requested on the COC.

An electronic copy of this report and all associated raw data will be kept on file at ARI. Should you have any questions or concerns, please feel free to call me at your convenience.

Respectfully,

ANALYTICAL RESOURCES, INC.

Cheronne Oreiro
Project Manager
(206) 695-6214
cheronneo@arilabs.com
www.arilabs.com

cc: eFile VB76

Enclosures



Analytical Resources, Incorporated
Analytical Chemists and Consultants

Cooler Receipt Form

ARI Client: F 3 B

COC No(s): _____ (NA)

Assigned ARI Job No: ✓ B 76

Project Name: _____

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Tracking No: _____ (NA)

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of to cooler? _____

YES

NO (NA)

Were custody papers included with the cooler? _____

YES

NO

Were custody papers properly filled out (ink, signed, etc.) _____

YES

NO

Temperature of Cooler(s) (°C) (recommended 2.0-6.0 °C for chemistry) 2.6

If cooler temperature is out of compliance fill out form 00070F

Temp Gun ID#: 9044119

Cooler Accepted by: IS Date: 7-11-12 Time: 9 30

Complete custody forms and attach all shipping documents

Log-In Phase:

Was a temperature blank included in the cooler? _____

YES

NO (B)

What kind of packing material was used? ... Bubble Wrap Wet Ice Gel Packs Baggies Foam Block Paper Other: _____

Was sufficient ice used (if appropriate)? _____

NA

YES

NO

Were all bottles sealed in individual plastic bags? _____

YES

NO (NO)

Did all bottles arrive in good condition (unbroken)? _____

YES

NO

Were all bottle labels complete and legible? _____

YES

NO

Did the number of containers listed on COC match with the number of containers received? _____

YES

NO

Did all bottle labels and tags agree with custody papers? _____

YES

NO

Were all bottles used correct for the requested analyses? _____

YES

NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs)...

NA

YES

NO

Were all VOC vials free of air bubbles? _____

NA

YES

NO

Was sufficient amount of sample sent in each bottle? _____

YES

NO

Date VOC Trip Blank was made at ARI: _____

NA

Was Sample Split by ARI: NA YES Date/Time: _____ Equipment: _____ Split by: _____

Samples Logged by: IS Date: 7-11-12 Time: 9 35

**** Notify Project Manager of discrepancies or concerns ****

Sample ID on Bottle	Sample ID on COC	Sample ID on Bottle	Sample ID on COC

Additional Notes, Discrepancies, & Resolutions:

By: _____ Date: _____

Small Air Bubbles -2mm	Peabubbles 2-4 mm	LARGE Air Bubbles > 4 mm	Small → "sm"
			Peabubbles → "pb"
			Large → "lg"
			Headspace → "hs"

Sample ID Cross Reference Report




ARI Job No: VB76
Client: Friedman & Bruya
Project Event: 206238
Project Name: N/A

Sample ID	ARI Lab ID	ARI LIMS ID	Matrix	Sample Date/Time	VTSR
1. DMW4-0612	VB76A	12-13088	Water	06/15/12 13:15	07/11/12 09:30
2. DMW9-0612	VB76B	12-13089	Water	06/15/12 13:59	07/11/12 09:30
3. DMW10-0612	VB76C	12-13090	Water	06/15/12 12:44	07/11/12 09:30

INORGANICS ANALYSIS DATA SHEET
Sulfate by Method EPA 300.0

ANALYTICAL
RESOURCES
INCORPORATED

Data Release Authorized: 
Reported: 07/13/12
Date Received: 07/11/12
Page 1 of 1

QC Report No: VB76-Friedman & Bruya
Project: 206238


Client/ ARI ID	Date Sampled	Matrix	Analysis Date & Batch	RL	Result
DMW4-0612 VB76A 12-13088	06/15/12	Water	07/12/12 10:18 071212#1	1.0	1.3
DMW9-0612 VB76B 12-13089	06/15/12	Water	07/12/12 10:18 071212#1	1.0	< 1.0 U
DMW10-0612 VB76C 12-13090	06/15/12	Water	07/12/12 10:18 071212#1	1.0	< 1.0 U

Reported in mg/L

RL-Analytical reporting limit
U-Undetected at reported detection limit

MS/MSD RESULTS-CONVENTIONALS
VB76-Friedman & Bruya

ANALYTICAL
RESOURCES
INCORPORATED 


Matrix: Water
Data Release Authorized: 
Reported: 07/13/12

Project: NA
Event: 206238
Date Sampled: 06/15/12
Date Received: 07/11/12

Analyte	Date	Units	Sample	Spike	Spike Added	Recovery
ARI ID: VB76A Client ID: DMW4-0612						
Sulfate	07/12/12	mg/L	1.3	20.7	20.0	97.0%

REPLICATE RESULTS-CONVENTIONALS
VB76-Friedman & Bruya

ANALYTICAL
RESOURCES
INCORPORATED 

Matrix: Water
Data Release Authorized: 
Reported: 07/13/12

Project: NA
Event: 206238
Date Sampled: 06/15/12
Date Received: 07/11/12

Analyte	Date	Units	Sample	Replicate(s)	RPD/RSD
ARI ID: VB76A Client ID: DMW4-0612					
Sulfate	07/12/12	mg/L	1.3	1.2	8.0%

METHOD BLANK RESULTS-CONVENTIONALS
VB76-Friedman & Bruya

ANALYTICAL
RESOURCES
INCORPORATED

Matrix: Water
Data Release Authorized:
Reported: 07/13/12



Project: NA
Event: 206238
Date Sampled: NA
Date Received: NA

Analyte	Date/Time	Units	Blank
Sulfate	07/12/12 10:18	mg/L	< 0.1 U

STANDARD REFERENCE RESULTS-CONVENTIONALS
VB76-Friedman & Bruya

ANALYTICAL
RESOURCES
INCORPORATED 

Matrix: Water
Data Release Authorized
Reported: 07/13/12

Project: NA
Event: 206238
Date Sampled: NA
Date Received: NA

Analyte/SRM ID	Date/Time	Units	SRM	True Value	Recovery
Sulfate ERA #070811	07/12/12 10:18	mg/L	3.1	3.0	103.3%

Page # _____ of _____

Email Address mpeyz@friedmanandbrya.com

PROJECT ADDRESS

B-833

☐ ELECTRONIC DATA REQUESTED

TURNAROUND TIME

TURNAROUND TIME

☒ Standard (2 Weeks)

☐ RUSH

Rush charges authorized by:

SAMPLE DISPOSAL

☒ **Dispose after 30 days**

☐ Return samples

- ☐ Return samples
- ☐ Will call with instructions




Samples Received at 26 °C

765A

[illegible]

VB76:00002

SAMPLE CHAIN OF CUSTODY

SIGNATURE	PRINT NAME	COMPANY	DATE	TIME
Relinquished by: 	CHRIS LEE	SLR	6/18/12	1655
Received by: 	Jeff Langston	FBZ	6/19/12	1655
Relinquished by: 				
Received by:				