


# SPOKANE RIVER METALS SITES BARKER ROAD SOUTH REMEDIAL ACTION

SPOKANE COUNTY, WASHINGTON

## VICINITY MAP



PREPARED FOR:

WASHINGTON STATE DEPARTMENT OF ECOLOGY  
TOXICS CLEANUP PROGRAM  
EASTERN REGION  
4601 N. MONROE ST  
SPOKANE, WA 99205



July 2009



1011 WESTERN AVE, SUITE 1006  
SEATTLE, WA 98104  
206-682-7294  
[www.ridolfi.com](http://www.ridolfi.com)

## DRAWING INDEX

Sheet No.	Title
C1	FENCE ALIGNMENT
C2	FENCE DETAILS

**SPOKANE RIVER**



**BARKER ROAD**

STAKE FENCE POST LOCATIONS AND VERIFY WITH ECOLOGY PRIOR TO CONSTRUCTION

**CENTENNIAL TRAIL**

INSTALL FENCE 2 FT BEHIND RETAINING WALL

START TRANSITION TOWARD THE RETAINING WALL

POTENTIAL STAGING AREA



CALL 2 DAYS BEFORE YOU DIG  
1-800-424-5555

OFFSET FENCE 2 FT FROM ASPHALT

2'

ABUT FENCE TO EXISTING VEGETATION TO LIMIT ACCESS TO RIVER

**CENTENNIAL TRAIL**



I:\501C Ecology\_Spokane\_River\CAD\Barker\_South\01\_FENCE\_ALIGNMENT.dwg - 07/28/2009 - scott

REV.	DATE	DESCRIPTION	DES BY	DWN BY	CHK BY	APP BY
-						
-						
-						
-						




Date Of Issue: July 2009  
 Designed By: SJH  
 Drawn By: SJH  
 Checked By: SMF  
 Approved By: BAR

SPOKANE RIVER METALS SITE  
 BARKER ROAD SOUTH  
 REMEDIAL ACTION  
 SPOKANE COUNTY, WASHINGTON

FENCE ALIGNMENT

Drawing No.  
 C1  
 Project No.  
 501C




# FENCE DETAIL

### CONSTRUCTION NOTES:

1. STAKE FENCE POST LOCATIONS AND CONFIRM WITH ECOLOGY PRIOR TO CONSTRUCTION.
2. ADJUST SPACING & DIMENSIONS AS NECESSARY TO MINIMIZE CONSTRUCTION WASTE & REDUCE COST; CONSULT ECOLOGY BEFORE MAKING SUBSTANTIVE CHANGES.
2. INSTALL FENCE POST PLUMB AND IN WORKMAN-LIKE MANNER.
3. BUILD FENCE PARALLEL TO GRADE CHANGES AND MAINTAIN A MAXIMUM CLEARANCE OF 3 INCHES ABOVE GROUND SURFACE.
4. ABUT NEW FENCE TO EXISTING FENCE NEAR THE BARKER ROAD BRIDGE. VERIFY LOCATION WITH ECOLOGY PRIOR TO CONSTRUCTION.
5. USE STANDARD CONCRETE MIX PER SPECIFICATIONS OR APPROVED ALTERNATIVE.
6. PLACE FENCE 2 FT. INSIDE OF THE EDGE OF ASPHALT ON THE CENTENNIAL TRAIL.
7. IN LOCATIONS WHERE A RETAINING WALL EXISTS, OFFSET FENCE 2 FT. RIVERWARD. DO NOT COMPROMISE THE INTEGRITY OF THE RETAINING WALL.
8. USE STANDARD GALVANIZED FENCE HARDWARE.
9. RESTORE ANY DISTURBANCES TO EXISTING GRADE.
10. ATTACH CHAIN LINK FABRIC TO CENTER POSTS USING STANDARD TIE WIRES.

# CHAIN-LINK ATTACHMENT DETAILS



CALL 2 DAYS BEFORE YOU DIG  
1-800-424-5555

I:\501C Ecology\_Spokane\_River\CAD\Barker\_South\Submittals\100% Design\_Submittals\C02\_FENCE\_DETAIL.dwg - 07/28/2009 - scott

REV.	DATE	DESCRIPTION	DES BY	DWN BY	CHK BY	APP BY
-						
-						
-						
-						
-						



Date Of Issue: JULY 2009  
 Designed By: SJH  
 Drawn By: SJH  
 Checked By: SMF  
 Approved By: BAR

SPOKANE RIVER METALS SITES  
 BARKER ROAD SOUTH  
 REMEDIAL ACTION  
 SPOKANE COUNTY, WASHINGTON

FENCE DETAILS

Drawing No. C2  
 Project No. 501C