

## STATE OF WASHINGTON DEPARTMENT OF ECOLOGY

Northwest Regional Office • 3190 160th Ave SE • Bellevue, WA 98008-5452 • 425-649-7000 711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

August 10, 2015

Philip Environmental Inc. c/o LB Walker & Associates Northwest Fwy #125 Houston, TX 77040

Re:

SITE HAZARD ASSESSMENT: Facility Site ID # 47779679

Burlington Environmental LLC Georgetown

734 S Lucile St Seattle, WA 98108

Property Tax # 5084400124, 1722800206

Cleanup Site ID 2622

Dear Sir or Madam:

The Washington State Department of Ecology (Ecology) is writing to inform you that the above referenced property was subject to a site hazard assessment (SHA) as required under the Model Toxics Control Act, on 8/5/2015. The site was determined to be contaminated with trichloroethene, vinyl chloride, cis-1,2-dichloroethene, and 1,4-dioxane. The site's hazard ranking, an estimation of the potential threat to human health and/or the environment relative to all other Washington state sites assessed at this time, has been determined by Ecology to be a 4, where a 1 represents the highest relative risk and 5 the lowest.

For your information, Ecology will be publishing ranking of this, and other recently assessed sites, in the August 2015 Special Issue of the Site Register. The hazard ranking will be used in conjunction with other considerations in determining Ecology's priority for future action at this site. This report is available here: https://fortress.wa.gov/ecy/gsp/Sitepage.aspx?csid=2622. To view the documentation Ecology has available electronically; on the right-hand side of the web-page, click on View Electronic Documents.

For inquiries regarding what may occur with your site now that it is on Ecology's Hazardous Sites List please contact me at (425) 649-7136 or donna.musa@ecy.wa.gov.

Sincerely,

Donna Musa

Site Hazard Assessments

DiraMusa

Toxics Cleanup Program

CC: Ted Benson, Ecology (ted.benson@ecy.wa.gov)

Ed Jones, Ecology (ejon461@ecy.wa.gov)



