



City of Bothell™

Public Works Department

Dawson Building
9654 NE 182nd Street
Bothell, WA 98011

LETTER OF TRANSMITTAL

Phone (425) 486-2768
Fax (425) 486-2489

Date: February 25, 2016

Company: Department of Ecology
Attn: Sunny Becker NWRO Toxics
Address: Cleanup Program 3190 - 160th SE
Bellevue, WA 98008

From: Nduta Mbutia, Capital Projects Division

Attached please find: Electronic copy of:-

1) Letter Report (2/19/2016) - QTR 4 Sampling Event Groundwater Monitoring Report for Ultra Custom Care Cleaners

- | | |
|---|---|
| <input type="checkbox"/> For your information/files | <input type="checkbox"/> For your action |
| <input checked="" type="checkbox"/> At your request | <input type="checkbox"/> Approved as noted |
| <input type="checkbox"/> Returned for correction | <input type="checkbox"/> Please return all copies |
| <input type="checkbox"/> Other: | |

Comments:



February 19, 2016
HWA Project No. 2007-098

Washington State Department of Ecology
3190 160th Ave SE
Bellevue, WA 98008

Attention: Sunny Becker
Subject: **Ultra Custom Care Cleaners Site
Ground Water Monitoring Report
Fourth Quarter After Bioremediation**

Dear Ms. Becker:

This letter describes HWA Geosciences ground water monitoring results for the Ultra Custom Care Cleaners site (the Site) for the fourth quarter after in-situ bioremediation was initiated in January 2015.

Introduction and Background

The first, second and third quarters of monitoring following the in-situ bioremediation were reported in April, August, and November 2015. Interim action cleanup and monitoring of the Site is being performed in accordance with Agreed Order DE9704 between the City of Bothell and the Washington Department of Ecology (Ecology). As part of the approved scope of work for Interim Action No. 2 (Ultra Custom Cleaners, Interim Action Work Plan No. 2, November 7, 2014), enhanced in-situ bioremediation materials were injected into subsurface soil and ground water in four areas to stimulate biological activity and accelerate degradation of tetrachlorethene (PCE) and its degradation products trichloroethene (TCE), (cis) 1,2-dichlorethene (DCE), and vinyl chloride, (VC) at the source area and down-gradient plume. Prior and planned injection locations are shown on Figure 1.

Based on past ground water investigations and monitoring data, concentrations of PCE and its degradation products are present in ground water beneath the Site and beneath areas south of the Site under the east side of Bothell Way NE. Some of these concentrations exceed Model Toxics Control Act (MTCA) Method A cleanup levels. Ground water monitoring well locations and analytical results are illustrated on Figure 2.

Four quarters of post remediation ground water monitoring are now being performed to evaluate the effectiveness of remediation efforts and to determine what additional treatment will be needed. The following paragraphs describe ground water monitoring

activities, laboratory results for ground water samples, and the results of our data evaluation activities. Laboratory results are summarized in Table 1 (attached).

Ground Water Monitoring Results

Figure 2 shows ground water PCE concentrations measured during the January 2016 and previous sampling rounds.

Following is a list of analytes monitored and their significance with respect to the bioremediation efforts:

- Halogenated Volatile Organic Compounds (HVOCs) – PCE should be decreasing in treated areas. TCE, DCE, and VC typically increase (in that order) then decrease during biological treatment, as successive reductive dechlorination occurs. The complete process can take months to a year or two depending on the amount of PCE sorbed to aquifer sediments. “Stalling” at DCE or VC may occur if optimal subsurface conditions are not maintained. Zero valent iron (ZVI) was also deployed in the source area. ZVI can reduce PCE to ethene and/or ethane without the production of DCE or VC intermediates, so stoichiometric (i.e., proportional) production of DCE and/or VC is not expected.
- Dissolved oxygen (DO) / oxidation/reduction potential (ORP) – DO should be depressed (near zero) and ORP should be in the negative range for reductive dechlorination to occur. A reducing environment should be generated and maintained by the injected ZVI and electron donors (emulsified vegetable oil and sodium lactate).
- Nitrate, sulfate – Reducing conditions should eliminate nitrate, and the majority of sulfate (in that order), therefore these parameters can be used to monitor geochemical conditions in addition to other indicators.
- Total organic carbon (TOC) – TOC should be elevated (>10 ppm) where the electron donor has been injected and is set up (bound to soil) in the aquifer.
- Methane, ethane, ethene – Methane is typically present in small amounts in most reduced soils, from anaerobic decomposition of other (natural) organics. Higher methane concentrations (> 1 mg/l) are observed where donor has been added, and is an indicator that methanogenic conditions are present. Ethene is the typical end product of complete dechlorination of VC, with ethane being produced from ethene in very anaerobic environments.
- Sodium – Sodium is an indicator of the injected sodium lactate, but unlike TOC, is a ‘conservative tracer’, meaning it migrates at the same rate as ground water (i.e., will not bind to soil), and is a good indicator of ground water flow rate and direction.

February 19, 2016

HWA Project No 2007 098

- **vcrA** – This genetic test is a rough measure of the amount of inoculated microbes in ground water. It is used to assess bioremediation potential and monitor enhanced bioremediation performance by quantifying and characterizing key dechlorinating bacterial in ground water.

Source area – PCE concentrations in most source area wells have decreased to below cleanup levels, including UCCMW-4, UCCMW-17, UCCMW-18, and UCCMW-19. Reductive dechlorination is generating DCE and some VC, notably in wells MW-1, UCCMW-18, UCCMW-19 and in UCCMW-20, which is 40 feet down gradient of the source injection area. These concentrations are expected to decrease as dechlorination continues. Ethene was not detected in this sampling round but both ethene and ethane have been observed previously in all source area wells where they were sampled for, and at concentrations up to 52 and 65 ug/l respectively. On a molar basis, these ethene /ethane concentrations exceed the highest observed VC concentration by an order of magnitude, indicating that destruction of VC appears to be very rapid in the source area.

ORP remains negative in source area wells that are downgradient of the injection area. Nitrate remains depleted in all wells as does sulfate in most wells. TOC is still elevated where measured

The overall decreasing PCE concentrations, increasing DCE and VC, the presence of ethene and ethane, high TOC, and reducing ground water conditions indicate favorable treatment progress.

Reducing conditions in wells near the injection area are still favorable, however the reducing front has not reached downgradient wells UCCMW-21 and UCCMW-5, suggesting additional injections near or up gradient of these wells will be needed.

First injection row – Similar to the previous two rounds of sampling data, PCE concentrations in UCCMW-25 and UCCMW-7 are essentially unchanged, with no reducing conditions or other treatment indicators in either well. This patterns suggests limited effect of the injections in these areas, or perhaps the injections were too close to the monitoring wells, and the front of emulsified oils set up (bound to soil) downgradient of them. Decreasing PCE and anoxic/reduced conditions in BI-3 and UCCMW-9 (further downgradient of the injections than UCCMW-25 and UCCMW-7) suggests some preferential flow paths of the injected materials, possibly along utilities. Additional injections near or up gradient of these wells are planned.

Second injection row –PCE concentrations in wells UCCMW-8 and BB-2 increased slightly from last round; with redox conditions remaining oxidative. Since treatment in these wells appears to be slowing down, additional injection in these areas is planned.

Third injection row – HVOCs in UCCMW-26 and UCCMW-27 have all dropped to below cleanup levels except VC in UCCMW-26. Both wells now exhibit reducing conditions, and TOC has increased in UCCMW-26, suggesting either a delayed response from the January treatment and/or possible seasonal changes in ground water flow or levels. Based on data from prior rounds, and to address pending development in this area, additional injection in these areas is recommended.

Summary & Recommendations

Overall results are encouraging, with active treatment observed in many wells, as evidenced by decreasing PCE, increased daughter products, and anoxic/reducing conditions. Treatment has been effective in the source area, which is the most important element of the cleanup. Some or most of the HVOC concentrations in downgradient areas may be primarily the result of migration from the source area, as opposed to local sorption from soils. In this case, HVOCs may decrease in downgradient areas over time without active bioremediation in the downgradient areas.

Areas where treatment is not progressing due to insufficient influence of treatment chemicals include:

- Source area – the easternmost, and farthest downgradient wells UCCMW-21 and UCCMW-5, appear to have not received any treatment, and HVOC concentrations, albeit initially low, remain unchanged. Additional localized injections upgradient of these wells are recommended.
- First injection row – Both downgradient wells appear unaffected by treatment. Additional localized injections upgradient of these wells are recommended.
- Second injection row – BB-2 and UCCMW-8 are not maintaining geochemical conditions indicative of treatment chemicals, although PCE concentrations in these wells are decreasing, indicating some positive effects, possibly from upgradient treated areas. Additional localized injections upgradient of these wells are recommended.
- Third injection row – Although both wells UCCMW-26 and UCCMW-27 appear to be responding to treatment in the last round, additional localized injections upgradient of both wells are planned based on data from prior rounds, and to address pending development in this area.


A separate technical memorandum detailing the proposed additional injection treatments was submitted to Ecology on January 26, 2016, and approved on February 1, 2016. Planned injection locations are shown on Figure 1.



February 19, 2016
HWA Project No 2007 098

We appreciate the opportunity to provide our services to you on this project. Please feel free to call us if you have any questions or need more information.

Sincerely,
HWA GEOSCIENCES INC.


Arnie Sugar, LG, LHG
Principal Hydrogeologist


Attachments:

Figure 1: Monitoring well and injection locations

Figure 2: PCE in ground water, last few rounds

Table 1: Analytical results for ground water samples

S:\2007 PROJECTS\2007-098-22 BOTHELL CROSSROADS\CAD 2007-098-HWA 2007-098-21 T2024B.DWG <fig 1 5-20-14 (2)> Plotted: 1/3/2016 2:03 PM



BASE MAP PROVIDED BY:




HWA GEOSCIENCES INC.

ULTRA CUSTOM CARE CLEANERS SITE
BOTHELL, WASHINGTON

SITE
PLAN

DRAWN BY
EFK
CHECK BY
AS/NN
DATE:
05.20.14

FIGURE #
1
PROJECT #
2007-098-21
T 996



UCCMW-19				
Date	PCE	TCE	DCE	VC
5/12/2014	62	10	32	<0.40
6/5/2014	260	41	<0.20	<0.20
8/19/2014	1100	33	60	<5.0
9/16/2014	400	9	11	<0.20
12/19/2014	290	12	24	<2.0
4/2/2015	120	6	5.5	<0.40
7/22/2015	1.9	0.64	24	<0.20
10/21/2015	<0.20	<0.20	37	<0.20
1/28/2016	4.2	1.2	16	<0.20

UCCMW-16				
Date	PCE	TCE	DCE	VC
5/14/2014	<0.20	<0.20	<0.20	<0.20
6/5/2014	<0.20	<0.20	<0.20	<0.20
8/15/2014	<0.20	<0.20	<0.20	<0.20
9/18/2014	0.20	<0.20	<0.20	<0.20
12/17/2014	1.0	<0.20	<0.20	<0.20
3/24/2015	<0.20	<0.20	<0.20	<0.20
7/17/2015	<0.20	<0.20	<0.20	<0.20
9/23/2015	<0.20	<0.20	<0.20	<0.20
2/1/2016	<0.20	<0.20	<0.20	<0.20

UCCMW-17				
Date	PCE	TCE	DCE	VC
5/11/2014	<0.20	<0.20	<0.20	<0.20
6/5/2014	0.36	<0.20	<0.20	<0.20
8/15/2014	0.21	<0.20	<0.20	<0.20
9/17/2014	21	<0.20	<0.20	<0.20
12/17/2014	24	3.2	9.3	<0.20
3/24/2015	0.95	<0.20	<0.20	<0.20
7/17/2015	0.49	<0.20	0.69	<0.20
10/21/2015	0.52	<0.20	0.35	<0.20
1/28/2016	0.51	<0.20	<0.20	<0.20

INJ-2				
Date	PCE	TCE	DCE	VC
12/17/2014	9.3	0.29	0.53	<0.20
3/30/2015	1.5	0.27	3.1	1.1
3/24/2015	91	3.7	7	<0.40
7/17/2015	490	<0.20	16	<0.20
1/28/2016	1300	17	910	4.6

UCCMW-4				
Date	PCE	TCE	DCE	VC
3/13/2014	0.88	<0.20	<0.20	<0.20
5/12/2014	0.20	<0.20	<0.20	<0.20
6/5/2014	0.23	<0.20	<0.20	<0.20
8/19/2014	4.9	<0.20	<0.20	<0.20
9/18/2014	0.26	<0.20	<0.20	<0.20
12/17/2014	17	0.44	<0.20	<0.20
4/2/2015	6.4	<0.20	<0.20	<0.20
7/17/2015	0.48	<0.20	<0.20	<0.20
10/21/2015	0.5	<0.20	<0.20	<0.20
1/28/2016	<0.20	<0.20	<0.20	<0.20

UCCMW-18				
Date	PCE	TCE	DCE	VC
8/19/2014	5.8	<0.20	<0.20	<0.20
9/17/2014	1.7	<0.20	<0.20	<0.20
12/17/2014	1500	55	170	<10
3/24/2015	850	9	15	<0.20
7/22/2015	1.4	0.35	22	0.60
10/20/2015	<1.0	1.2	<1.0	3.4
1/28/2016	<5.0	<5.0	1800	280

UCCMW-20				
Date	PCE	TCE	DCE	VC
5/15/2014	43	5.9	6.8	<0.20
6/3/2014	48	6.7	6.1	<0.20
8/14/2014	48	4.2	6.6	<0.20
9/16/2014	64	7.4	9.5	<0.40
12/11/2014	160	16	32	<0.10
4/2/2015	71	7.5	9.2	<0.40
7/9/2015	31	5.8	53	0.96
10/26/2015	8.6	2.6	56	<0.40
11/29/2016	18	2.7	43	<0.20

UCCMW-6				
Date	PCE	TCE	DCE	VC
3/13/2014	3.8	<0.20	<0.20	<0.20
5/13/2014	3.5	<0.20	<0.20	<0.20
6/6/2014	4.0	<0.20	<0.20	<0.20
8/19/2014	4.8	<0.20	<0.20	<0.20
9/16/2014	3.6	<0.20	<0.20	<0.20
12/17/2014	4.0	<0.20	<0.20	<0.20
3/30/2015	4.6	<0.20	<0.20	<0.20
7/9/2015	4.6	<0.20	<0.20	<0.20
1/27/1900	<0.20	<0.20	<0.20	<0.20

UCCMW-23				
Date	PCE	TCE	DCE	VC
5/13/2014	2.2	<0.20	<0.20	<0.20
6/6/2014	2.1	<0.20	<0.20	<0.20
8/19/2014	2.5	<0.20	<0.20	<0.20
9/16/2014	2.5	<0.20	<0.20	<0.20
12/17/2017	4.6	<0.20	<0.20	<0.20
3/30/2015	2.9	<0.20	<0.20	<0.20
7/17/2015	3.4	<0.20	<0.20	<0.20
2/2/2016	4.1	<0.20	<0.20	<0.20

UCCMW-24				
Date	PCE	TCE	DCE	VC
5/15/2014	2.2	<0.20	<0.20	<0.20
6/3/2014	2.2	<0.20	<0.20	<0.20
8/14/2014	2.5	<0.20	<0.20	<0.20
9/18/2014	2.4	<0.20	<0.20	<0.20
12/11/2014	2.4	<0.20	<0.20	<0.20
4/2/2015	2.3	<0.20	<0.20	<0.20
7/9/2015	2.6	<0.20	<0.20	<0.20
1/29/2026	3.3	<0.20	<0.20	<0.20

BI-3				
Date	PCE	TCE	DCE	VC
6/10/2014	4.5	0.43	1.7	0.26
9/17/2014	2.1	0.52	2.9	1.60
12/17/2014	2.5	0.35	2.4	1.50
3/30/2015				
7/9/2015	0.68	0.37	2.6	1.50
10/22/2015	0.52	<0.20	1.0	0.96
1/27/2016	<0.20	<0.20	1.0	0.83

UCCMW-9				
Date	PCE	TCE	DCE	VC
5/28/2014	1.0	<1.0	<1.0	<1.0
9/13/2014	2.5	0.23	0.21	<0.20
12/17/2014	5.7	0.22	<0.20	<0.20
3/30/2015	0.9	<0.20	<0.20	<0.20
7/9/2015	0.37	0.26	0.49	<0.20
1/27/2016	1.4	<0.20	<0.20	<0.20

UCCMW-8				
Date	PCE	TCE	DCE	VC
5/29/2014	110	<1.0	<1.0	<1.0
9/13/2014	76	0.57	<0.40	<0.40
12/12/2014	83	0.44	<0.40	<0.40
3/23/2015	49	0.38	<0.20	<0.20
7/8/2015	42	2.30	6.0	<0.20
10/21/2015	36	2.90	7.30	<0.20
1/2/2016	75	1.6	1.0	<0.20

UCCMW-10				
Date	PCE	TCE	DCE	VC
6/13/2014	0.90	<0.20	<0.20	<0.20
9/18/2014	0.29	<0.20	<0.20	<0.20
12/11/2014	1.3	<0.20	<0.20	<0.20
4/2/2015	<0.20	<0.20	<0.20	<0.20
7/9/2015	<0.20	<0.20	<0.20	<0.20
10/26/2015	3.0	<0.20	<0.20	<0.20
1/29/2016	0.67	<0.20	<0.20	<0.20

UCCMW-26				
Date	PCE	TCE	DCE	VC
3/23/2015	81	10	21	0.74
7/30/2015	2.2	1.5	130	3.3
10/21/2015	2	1.1	69	10
2/1/2016	0.47	0.22	0.98	0.35

UCCMW-27				
Date	PCE	TCE	DCE	VC
3/23/2015	3.8	<0.20	<0.20	<0.20
7/17/2015	19.0	<0.20	0.27	0.48
10/22/2015	6.6	0.53	0.54	<0.20
1/27/2016	0.72	<0.20	<0.20	<0.20

PCE = Tetrachloroethene (µg/L)

BB-2 - MONITORING WELL

PSD-B6 - SOIL BORINGS

INJ-6 - 4" INJECTION WELL

INJ-7 - 1" INJECTION WELL

INJ-8 - INJECTION PROBE

0' 25' 50' 100'

SCALE: 1"=50'

BASE MAP PROVIDED BY:



HWA GEOSCIENCES INC.

ULTRA CUSTOM CARE CLEANERS SITE
BOTHELL, WASHINGTON

HVOCs in
Ground Water

DRAWN BY EFK	FIGURE # 2
CHECK BY AS	PROJECT # 2007-098-21
DATE: 12.09.15	T 2024

Table 4
Ultra Custom Care Cleaners Site
Ground Water Analytical Data

Sample Location	Screened Depth, (ft bgs)	Sample Date	Depth to Water (ft bgs)	pH (units)	Conductivity (mS)	Temperature (°C)	Diss. Oxygen (mg/L)	Fe ⁺² (mg/L)	Redox Potential (millivolt)	Tetrachloro-ethene (µg/L)	Trichloro-ethene (µg/L)	(cis) 1,2-Dichloro-ethene (µg/L)	Vinyl Chloride (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Methane (µg/L)	Ethane (µg/L)	Ethene (µg/L)	Total Sodium (ug/L)	Dissolved Sodium (ug/L)	Vinyl Chloride Reductase (vcrA) Gene Copies/Liter		
MTCA Method A/B Cleanup Level (Table 720-1, WAC 173-340-900)										5	5	16 (B)	0.2	NA	NA	NA	NA	NA	NA					
Source Area																								
MW-1	5-15	3/13/2014	7.75	6.27	568	12.5	7.9			130	30	120	<1.0	4.4	27	<1.0	<0.50	<0.50	<0.50			Baseline		
		5/12/2014	8.56	6.09	517	15.0	3.17	0.0	+323	21	4.9	13	<0.20	6.0	13	<1.0	<0.50	<0.50	<0.50			Baseline		
		6/5/2014	8.77	5.94	604	15.0	4.05			15	2.9	5.4	<0.20										2 weeks after first injection	
		8/19/2014	9.05	5.56	6.04	20.1	25.68			9.5	0.32	0.4	<0.20										2 weeks after second injection	
		9/17/2014	9.37	5.91	504	18.5	9.14			4.3	<0.20	<0.20	<0.20										6 weeks after second injection	
		12/17/2014	10.14	4.85	3295	13.5	2.24			80	14	27	<0.40											
		3/24/2015	9.88	5.65	1511	13.51	0.00		-135.1	2.5	1.1	8.1	0.21	<0.050	30	840	110	65	52	210000			5 weeks after in situ bio injections	
		7/22/2015	5.11	1489	19.43	0.00	2.0	-112.7		2.5	1.4	130	5.4	0.16	<50	550					66000	57000		
10/21/2015	11.26	6.34	1297	15.94	0.00	1.4	-119	<10	<10	1600	21	0.27	<25	320	7700	<500	<0.5	59000	61000		9 months after in situ bio injections			
1/28/2016		5.97	544	13.2	4.10	2.0	-90.3	6.2	<4.0	760	15	<0.050	<5.0	190	6000	<22	<9.8	60000	62000					
UCCMW-4	35-40	3/13/2014	9.45	6.70	675	14.3	4.61			0.88	<0.20	<0.20	<0.20	<0.05	8.1	<1.0	<0.50	<0.50	<0.50			Baseline		
		5/12/2014	8.30	6.83	523	15.7	0.16	0.0	+247	0.20	<0.20	<0.20	<0.20	<0.05	<5	<1	1.9	<0.5	<0.5			Baseline		
		6/5/2014	8.18	6.71	589	16.0	0.20			0.23	<0.20	<0.20	<0.20									2 weeks after first injection		
		8/19/2014	8.2	6.93	340	22.2	0.37			4.9	<0.20	<0.20	<0.20										2 weeks after second injection	
		9/18/2014	8.41	6.95	361	18.9	0.60			0.26	<0.20	<0.20	<0.20										6 weeks after second injection	
		12/17/2014	9.24	6.51	288	14.5	1.32			17	0.44	<0.20	<0.20											
		4/2/2015	9.21	7.19	248	15.0	1.24		+126.7	6.4	<0.20	<0.20	<0.20										6 weeks after in situ bio injections	
		7/17/2015		6.48	229	17.0	0.01		-12.3	0.48	<0.20	<0.20	<0.20											
10/21/2015	10.20	7.35	196	20.5	2.05		-29.1	0.5	<0.20	<0.20	<0.20											9 months after in situ bio injections		
1/28/2016		6.87	134	14.49	3.59		-25.9	<0.20	<0.20	<0.20	<0.20													
UCCMW-17	10-20	5/11/2014	8.16	6.20	351	14.6	2.03	0.0	-100	<0.20	<0.20	<0.20	<0.20	3.1	11	<1.0	1.5	<0.50	<0.50			Baseline		
		6/5/2014	8.19	6.05	621	14.7	4.85			0.36	<0.20	<0.20	<0.20										2 weeks after first injection	
		8/15/2014	8.45	6.10	563	17.0	28.84			0.21	<0.20	<0.20	<0.20										2 weeks after second injection	
		9/17/2014	8.78	6.40	645	19.1	8.64			21	<0.20	<0.20	<0.20											6 weeks after second injection
		12/17/2014	9.80	6.93	376	14.8	3.25			24	3.2	9.3	<0.20											
		3/24/2015	9.47	5.80	271	15.1	50.0		197.5	0.95	<0.20	<0.20	<0.20										5 weeks after in situ bio injections	
		7/17/2015		5.46	227	17.5	43.9		88.6	0.49	<0.20	0.69	<0.20											
10/21/2015	10.82	6.77	174	19.3	38.1		63.4	0.52	<0.20	0.35	<0.20											9 months after in situ bio injections		
1/28/2016		5.75	112	15.31	5.53	0.0	104.3	0.51	<0.20	<0.20	<0.20	3.2	17	1.1	10	<0.50	<0.50	9100	9400					
UCCMW-18	10-20	8/19/2014	8.68	5.82	480	20.8	NA			5.8	<0.20	<0.20	<0.20									2 weeks after second injection		
		9/17/2014	8.99	5.93	759	19.2	6.63			1.7	<0.20	<0.20	<0.20										6 weeks after second injection	
		12/17/2014	9.83	6.01	372	14.1	1.02			1500	55	170	<10											
		3/24/2015	9.54	5.56	1252	14.8	0.00		-144.7	850	9	15	<0.20	<0.050	<5.0	670	19	8.5	10	170000		8.00E+04		
		7/22/2015		5.64	489	20.8	0.00	1.0	-210.1	1.4	0.35	22	0.60	0.29	75	31				29000	28000			
		10/20/2015	10.89	6.26	263	17.9	3.72	0.8	-106.9	<1.0	1.2	<1.0	3.4	1.2	13	21	4000	<250	<0.50				4.00E+04	9 months after in situ bio injections
		1/28/2016		6.10	790	13.95	3.05	1.0	-87.4	<5.0	<5.0	1800	280	1.1	<10	250	12000	<110	<15	27000	28000			
UCCMW-19	10-20	5/12/2014	8.12	6.31	440	15.2	1.46	0.0	-166	62	10	32	<0.40	3.6	17	<1.0	15	3.3	1.7	19000	18000	Baseline		
		6/5/2014	8.13	5.98	1011	16.3	5.32			260	41	<0.20	<0.20										Post injection	
		8/19/2014	8.34	6.07	1072	21.6	29.85			1100	33	60	<5.0										2 weeks after second injection	
		9/16/2014	8.60	6.14	1004	20.9	7.95			400	9	11	<0.20										6 weeks after second injection	
		12/19/2014	9.27	6.08	334	14.0	2.07			290	12	24	<2.0											
		4/2/2015	9.07	5.75	459	14.5	0.00		-65.9	120	6	5.5	<0.40	0.76	5.6	490	<0.50	<0.50	0.70	22000			6 weeks after in situ bio injections	
		7/22/2015		5.65	395	19.8	0.00	1.6	-185.0	1.9	0.64	24	<0.20	<0.050	17	15				27000	25000			
		10/21/2015	10.44	6.32	579	17.8	0.00	1.0	-98.2	<0.20	<0.20	37	<0.20	0.078	<10	65	65	<500	<0.5	20000	20000		9 months after in situ bio injections	
1/28/2016		6.16	492	12.44	4.90	1.6	-79.6	4.2	1.2	16	<0.20	0.54	<5.0	120	330	<6.2	<0.80	36000	39000					
UCCMW-20	8-18	5/15/2014	7.61	6.28	221	14.2	28.89	0.0	328	43	5.9	6.8	<0.20	2.1	11	1.0	<0.50	<0.50	<0.50			Baseline		
		6/3/2014	7.88	6.07	380	15.3	8.04			48	6.7	6.1	<0.20										2 weeks after first injection	
		8/14/2014	7.99	5.44	548	19.3	9.28			48	4.2	6.6	<0.20										2 weeks after second injection	
		9/16/2014	8.31	5.56	388	20.2	9.34			64	7.4	9.5	<0.40										6 weeks after second injection	
		12/11/2014	8.61	5.53	334	13.1	7.10			160	16	32	<0.10											
		4/2/2015	8.74	6.11	176	12.7	12.90		91.8	71	7.5	9.2	<0.40	4.8	28	1.9	<0.50	<0.50	<0.50	11000			6 weeks after in situ bio injections	
		7/9/2015		5.63	767	20.1	0.00	2.8	-122.8	31	5.8	53	0.96	0.055	<5.0	88	5.4	4.3	6.1	23000	22000			
		10/26/2015	10.01	5.55	434	16.1	0.00	0.8	-57.6	8.6	2.6	56	<0.40	0.076	<5.0	11	37	5.6	<0.50	25000	26000		9 months after in situ bio injections	
1/29/2016		5.99	204	11.84	1.63	2.0	13	18	2.7	43	<0.20	1.5	23	2.7	1.8	<0.50	<0.50	16000	15000					
		5/15/2014	10.38	6.81	614	14.6	15.00	0.0	-318	13	<0.20	<0.20	<0.20	1.3	49	3.0	5.4	1.4	1.0			Baseline		
		6/3/2014	11.67	6.09	611	13.9	8.77			16	0.34	<0.20	<0.20										2 weeks after first injection	
		8/14/2014	11.81	6.22	378	15.9	8.2			19	0.49	<0.20	<0.20										2 weeks after second injection	
		9/16/2014	12.18	6.34	578	17.4	6.65			29	1.2	0.26	<0.20										6 weeks after second injection	

Table 4
Ultra Custom Care Cleaners Site
Ground Water Analytical Data

Sample Location	Screened Depth, (ft bgs)	Sample Date	Depth to Water (ft bgs)	pH (units)	Conductivity (mS)	Temperature (°C)	Diss. Oxygen (mg/L)	Fe ⁺² (mg/L)	Redox Potential (millivolt)	Tetrachloro-ethene (µg/L)	Trichloro-ethene (µg/L)	(cis) 1,2-Dichloro-ethene (µg/L)	Vinyl Chloride (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Methane (µg/L)	Ethane (µg/L)	Ethene (µg/L)	Total Sodium (ug/L)	Dissolved Sodium (ug/L)	Vinyl Chloride Reductase (vcrA) Gene Copies/Liter			
MTCA Method A/B Cleanup Level (Table 720-1, WAC 173-340-900)										5	5	16 (B)	0.2	NA	NA	NA	NA	NA	NA						
UCCMW-21	12-22	12/11/2014	12.66	6.03	356	14.4	6.98			28	1.0	<0.20	<0.20												
		4/2/2015	12.73	6.23	237	15.02	24.5		98.0	28	0.82	<0.20	<0.20	3.6	31	6.1	<0.50	<0.50	<0.50	9700			6 weeks after in situ bio injections		
		7/9/2015		5.61	475	17.58	25.5	0.0	89.3	13	<0.20	<0.20	<0.20	3.0	100	6.5	0.65	<0.50	<0.50	<0.50	26000	25000			
		10/26/2015	14.23	6.30	319	15.37	27.8	0.0	94.8	13	<0.20	<0.20	<0.20	2.5	45	4.3	2.30	<0.50	<0.50	22000	21000		9 months after in situ bio injections		
		1/29/2016		5.75	146	13.59	4.95	0.0	148.9	25	0.69	0.30	<0.20	2.9	16	1.9	9.7	<0.50	<0.50	13000	13000				
BB-3	10-20	3/13/2014	7.94	6.11	710	12.4	9.80			0.3	<0.20	<0.20	<0.20	3.5	20	<1.0	<0.50	<0.50	<0.50				Baseline		
		5/14/2014	8.42	6.48	567	13.7	9.01	0.0	360	0.21	<0.2	<0.2	<0.20	2.6	18	<1.0	<0.50	<0.50	<0.50				Baseline		
		6/4/2014	7.76	6.33	569	17.5	4.38			<0.20	<0.20	<0.20	<0.20										2 weeks after first injection		
		8/19/2014	10.18	6.03	318	17.6	6.71			0.75	<0.20	<0.20	<0.20											2 weeks after second injection	
		9/19/2014	11.39	6.74	335	18.5	3.17			0.42	<0.20	<0.20	<0.20											6 weeks after second injection	
		12/12/2014	5.01	6.99	263	15.5	2.40			1.5	<0.20	<0.20	<0.20												
		4/2/2015	6.19	6.93	320	13.93	6.93			<0.20	<0.20	<0.20	<0.20												6 weeks after in situ bio injections
		7/9/2015		6.16	350	19.50	10.95		81	<0.20	<0.20	<0.20	<0.20												
		1/27/2016		6.25	170	13.99	16.36		140.1	<0.20	<0.20	<0.20	<0.20												
UCCMW-5	10-20	5/14/2014	9.79	5.98	357	13.8	9.60	0.0	376	14	0.34	0.44	<0.20	0.77	9.4	1.7	<0.50	<0.50	<0.50				Baseline		
		6/5/2014	9.94	5.98	382	14.8	5.35			14	0.31	0.22	<0.20											2 weeks after first injection	
		8/19/2014	10.33	5.8	465	19.1	14.10			15	0.24	<0.20	<0.20											2 weeks after second injection	
		9/16/2014	10.59	6.20	855	21.0	6.56			13	0.27	<0.20	<0.20												6 weeks after second injection
		12/17/2014	11.20	6.13	286	13.5	2.28			14	<0.20	<0.20	<0.20												
		4/2/2015	11.04	6.95	150	12.6	15.75		52.0	8.5	<0.20	<0.20	<0.20												6 weeks after in situ bio injections
		7/17/2015		5.40	180	18.5	16.01		62.1	19	0.50	0.20	<0.20												
		9/23/2015	12.39	6.13	212	17.9	4.59		49.2																
		10/21/2015	12.52	6.10	215	19.2	3.33		83.5	19	0.70	1.10	<0.20											9 months after in situ bio injections	
		1/27/2016		6.19	82	12.07	13.65		135.8	5.8	0.21	3.90	<0.20												
UCCMW-24	8-18	5/15/2014	4.70	6.31	486	15.0	7.50	0.0	7	2.2	<0.20	<0.20	<0.20	2.6	18	1.7	3.9	1.2	0.71				Baseline		
		6/3/2014	3.20	6.18	556	14.9	8.75			2.2	<0.20	<0.20	<0.20											2 weeks after first injection	
		8/14/2014	5.61	6.10	425	17.5	7.45			2.5	<0.20	<0.20	<0.20											2 weeks after second injection	
		9/18/2014	5.74	5.85	449	19.0	8.53			2.4	<0.20	<0.20	<0.20												6 weeks after second injection
		12/11/2014	5.58	6.55	294	15.0	6.70			2.4	<0.20	<0.20	<0.20												
		4/2/2015	6.05	6.50	259	14.0	12.48		75.6	2.3	<0.20	<0.20	<0.20												6 weeks after in situ bio injections
		7/9/2015		5.93	191	19.0	4.05		39.6	2.6	<0.20	<0.20	<0.20												
		1/29/2016		6.13	184	13.77	5.53		81.3	3.2	<0.20	<0.20	<0.20												
First Injection Row																									
UCCMW-7	8-18	5/15/2014	5.95	6.23	393	14.1	7.84	0.0	352	27	<0.20	<0.20	<0.20	2.2	28	<1.0	<0.50	<0.50	<0.50				Baseline		
		6/3/2014	6.02	6.13	513	14.3	3.98			26	<0.20	<0.20	<0.20											2 weeks after first injection	
		8/19/2014	6.31	6.13	300	16.3	8.93			28	<0.20	<0.20	<0.20											2 weeks after second injection	
		9/19/2014	6.38	7.05	329	17.2	4.34			21	<0.20	<0.20	<0.20												6 weeks after second injection
		12/17/2014	6.60	6.09	302	14.6	2.41			22	<0.20	<0.20	<0.20												
		4/2/2015	6.34	6.25	238	14.8	NA		-22.5	25	<0.20	<0.20	<0.20	3.5	22	4	<0.50	<0.50	<0.50	10000					6 weeks after in situ bio injections
		7/30/2015	6.16	6.12	405	17.5	NA	0.0	96.4	25	<0.20	<0.20	<0.20	3.7	110	14	<0.50	<0.50	<0.50	10000	10000				
		10/21/2015	7.39	6.20	275	18.1	22	0.0	123.2	24	<0.20	<0.20	<0.20	3.1	65	7.8	<0.50	<0.50	<0.50	10000	11000				9 months after in situ bio injections
		2/2/2016		5.93	192	15.0	11.00	0.0	144.4	26	<0.20	<0.20	<0.20	3	67	7.1	25	<0.50	<0.50	12000	12000				
UCCMW-25	8-18	5/15/2014	4.12	6.08	424	15.3	6.40	0.0	255	6.9	<0.20	<0.20	<0.20	3.9	24	<1.0	<0.50	<0.50	<0.50				Baseline		
		6/3/2014	5.15	6.10	636	14.7	6.29			9.3	<0.20	<0.20	<0.20											2 weeks after first injection	
		8/14/2014	5.21	6.29	554	16.6	5.13			9.3	<0.20	<0.20	<0.20											2 weeks after second injection	
		9/18/2014	5.49	5.87	383	18.4	8.73			8.3	<0.20	<0.20	<0.20												6 weeks after second injection
		12/11/2014	5.30	6.68	331	15.7	4.43			7.5	<0.20	<0.20	<0.20												
		4/2/2015	5.56	6.12	321	14.3	36.58		113	9.4	<0.20	<0.20	<0.20	2.4	67	12	<0.50	<0.50	<0.50	15000					6 weeks after in situ bio injections
		7/9/2015	6.51	5.54	429	17.0	34.30	0.0	100	6.7	<0.20	<0.20	<0.20	<0.050	110	11	<0.50	<0.50	<0.50	14000	13000				
		10/21/2015	6.80	6.50	230	17.1	8.60	0.0	76	9.6	<0.20	<0.20	<0.20	1.8	23	3.7	0.84	<0.50	<0.50	28000	28000				9 months after in situ bio injections
		1/29/2016		6.42	168	14.75	3.80	0.0	87.0	10.0	<0.20	<0.20	<0.20	4.40	14	2.3	1.4	<0.50	<0.50	29000	31000				
BI-3	5-10	6/10/2014	4.27	6.39	493	15.4	1.55	0.0	238	4.5	0.43	1.7	0.26	1.3	10	1.8	128	<1.2	<1.1				2 weeks after first injection		
		9/17/2014	4.17	6.32	394	19.8	0.25			2.1	0.52	2.9	1.6											6 weeks after second injection	
		12/17/2014	3.83	6.77	295	12.00	0.32			2.5	0.35	2.4	1.5												6 weeks after in situ bio injections
		3/30/2015	4.30	6.17	204	14.03	0.00		-29.6																
		7/9/2015		5.86	209	20.31	0.00		-118.3	0.68	0.37	2.6	1.5												
		10/22/2015	4.92	6.69	213	18.79	0.00		-59.5	0.52	<0.20	1.0	0.96												9 months after in situ bio injections
		1/27/2016		7.1	128	12.41	4.63		-72.6	<0.20	<0.20	1.0	0.83												

Table 4
Ultra Custom Care Cleaners Site
Ground Water Analytical Data

Sample Location	Screened Depth, (ft bgs)	Sample Date	Depth to Water (ft bgs)	pH (units)	Conductivity (mS)	Temperature (°C)	Diss. Oxygen (mg/L)	Fe ⁺² (mg/L)	Redox Potential (millivolt)	Tetrachloro-ethene (µg/L)	Trichloro-ethene (µg/L)	(cis) 1,2-Dichloro-ethene (µg/L)	Vinyl Chloride (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Methane (µg/L)	Ethane (µg/L)	Ethene (µg/L)	Total Sodium (ug/L)	Dissolved Sodium (ug/L)	Vinyl Chloride Reductase (vcrA) Gene Copies/Liter		
MTCA Method A/B Cleanup Level (Table 720-1, WAC 173-340-900)										5	5	16 (B)	0.2	NA	NA	NA	NA	NA	NA					
Second Injection Row																								
UCCMW-8	5-15	5/29/2014	6.07	6.52	490	13.9	1.87	0.0	283	110	<1.0	<1.0	<1.0	2.3	18	<1.0	<0.50	<0.50	<0.50			Baseline		
		9/13/2014	6.29	6.5	289	19.1	1.00				76	0.57	<0.40	<0.40									6 weeks after second injection	
		12/12/2014	5.51	6.97	257	14.6	1.30				83	0.44	<0.40	<0.40										
		3/23/2015	5.80	6.12	180	12.7	0.00			-90.1	49	0.38	<0.20	<0.20	0.24	6.2	2.7	48	<0.50	<0.50	5400		5 weeks after in situ bio injections	
		7/8/2015		5.75	237	17.8	0.00			61.2	42	2.3	6.0	<0.20	0.97	15	1.2	<0.50	<0.50	<0.50	14000		14 weeks after in situ bio injections	
		10/21/2015	7.00	6.41	217	18.2	0.00	0.0	84.6	36	2.9	7.3	<0.20	0.71	16	1.8	110	<10	<0.50	12000	12000		9 months after in situ bio injections	
		2/2/2016		6.11	112	12.58	2.55	0.0	106.1	75	1.6	1.0	<0.20	2.2	16	1.4	65	<1.1	<0.58	13000	12000			
UCCMW-9		5/28/2014	6.75	6.51	1164	16.2	0.52	0.0	276	1.0	<1.0	<1.0	<1.0	1.0	19	2.0	16.0	<1.0	<1.0			Baseline		
		9/13/2014	6.71	6.75	611	22.8	0.46				2.5	0.23	0.21	<0.20									6 weeks after second injection	
		12/17/2014	6.09	6.30	523	10.8	0.72				5.7	0.22	<0.20	<0.20										
		3/30/2015	6.58	6.00	366	12.8	0.12			-45.5	0.9	<0.20	<0.20	<0.20										6 weeks after second injection
		7/9/2015		5.95	389	20.4	0.13			-39.8	0.37	0.26	0.49	<0.20										
		1/27/2016		6.64	282	9.64	8.48		72.5	1.4	<0.20	<0.20	<0.20											
UCCMW-10	5-15	6/13/2014	6.15	5.70	736	17.0	0.60	0.0	261	0.90	<0.20	<0.20	<0.20	2.0	24	9.2	48.6	<1.2	<1.1			Baseline		
		9/18/2014	6.02	5.75	414	21.6	0.37				0.29	<0.20	<0.20	<0.20									6 weeks after second injection	
		12/11/2014	5.2	5.65	469	14.0	0.49				1.3	<0.20	<0.20	<0.20										
		1/28/2015																						
		4/2/2015	5.56	6.34	352	12.5	0.00			-94.8	<0.20	<0.20	<0.20	<0.20										6 weeks after in situ bio injections
		7/9/2015		5.27	297	22.3	0.19			71.7	<0.20	<0.20	<0.20	<0.20			19.0							
		10/26/2015	7.17	6.16	182	17.8	0.00		48.9	3.0	<0.20	<0.20	<0.20										9 months after in situ bio injections	
		1/29/2016		5.94	189	10.96	0.00		101.6	0.67	<0.20	<0.20	<0.20											
BB-2	9-19	6/10/2014	5.53	6.63	459	14.9	2.70	0.0	269	79	<0.40	<0.40	<0.40	3.2	9.4	<1.0	<0.70	<1.20	<1.10			2 weeks after first injection		
		9/17/2014	5.86	6.9	306	18.6	1.85				68	<0.40	<0.40	<0.40									6 weeks after second injection	
		12/12/2014	5.01	6.99	263	15.5	2.40				82	<0.40	<0.40	<0.40										
		4/2/2015	5.31	6.39	192	15.44	56.2				65	<0.40	<0.40	<0.40	3.5	8.6	<1.0	<0.50	<0.50	<0.50	13000		6 weeks after in situ bio injections	
		7/22/2015		5.75	203	18.99	3.6	0.0	118.2	67	<0.40	<0.40	<0.40	<0.40	3.4	8.9	<1.0				14000	12000		
		10/22/2015	6.92	6.51	189	17.6	2.5	0.0	69.4	57	<0.40	<0.40	<0.40	<0.40	3.0	9.4	<1.0	2.7	<0.50	<0.50	13000	14000		9 months after in situ bio injections
		2/2/2016		6.21	118	14.71	5.99	0.0	90.1	65	<0.40	<0.40	<0.40	3.3	8.8	<1.0	9.1	<0.50	<0.50	14000	14000			
Third Injection Row																								
EFGB-1		9/29/2014								20	<0.20	<0.20	<0.20										DP boring same loc as UCCMW-26	
UCCMW-26	5-15	3/23/2015	5.43	5.72	574	12.3	4.73		-201.1	81	10	21	0.74	0.14	<5.0	200	2100	0.86	0.82	30000			5 weeks after in situ bio injections	
		7/30/2015		5.97	377	20.0	0.00	1.6	-113.9	2.2	1.5	130	3.3	0.054	<5.0	42	12000	<0.50	<0.50	18000	18000			
		10/21/2015	6.97	6.18	424	18.5	0.00	1.2	-72.7	2	1.1	69	10	0.18	<5.0	26	21000	<1000	<5	18000	19000		9 months after in situ bio injections	
		2/1/2016		6.47	1214	11.14	4.50	2.8	-127.5	0.47	0.22	0.98	0.35	0.77	<5.0	61	11000	<110	<14	110000	95000			
EFGB-2		9/29/2014								17	<0.20	<0.20	<0.20									DP boring same loc as UCCMW-27		
UCCMW-27	5-15	3/23/2015	5.30	7.38	923	12.4	0.23		-251.7	3.8	<0.20	<0.20	<0.20										5 weeks after in situ bio injections	
		7/17/2015		5.73	379	21.3	0.00		36.6	19.0	<0.20	0.27	0.48											
		10/22/2015	7.01	6.58	540	17.8	0.00		44.5	6.6	0.53	0.54	<0.20											9 months after in situ bio injections
		1/27/2016		6.39	760	11.99	2.44		-32.3	0.72	<0.20	<0.20	<0.20											
Other Wells																								
INJ-1	8-23	9/21/2015	9.71	5.8	220	19.37	1.65		-141.4															
INJ-2	8-23	12/17/2014								9.3	0.29	0.53	<0.20	7.1	55	5.7	1.0	<0.50	<0.50	22000				
		3/30/2015								1.5	0.27	3.1	1.1											
		3/24/2015	9.25	5.66	332	14.75	8.15		105.8	91	3.7	7	<0.40										5 weeks after in situ bio injections	
		7/17/2015		5.16	293	18.07	35.42		89.9	490	<0.20	16	<0.20											
		1/28/2016		5.89	276	14.02	5.49		23.3	1300	17	910	4.6											
INJ-3	8-23	9/21/2015	10.85	6.16	369	18.91	4.29		-212.3															
INJ-4	8-23	2/2/2015	10.64	6.26	642	14.3	5.52			2.1	0.28	0.54	<0.20	6.2	49	4.4	0.73	<0.50	<0.50	27000				
INJ-5	8-23	9/23/2015	11.66	6.33	475	23.19	0.00		-210.9														Persulfate test =0	
INJ-6	8-23	2/2/2015	10.46	6.53	557	15.1	6.50			18	0.33	<0.20	<0.20	7.0	91	2.9	0.65	<0.50	<0.50	21000				
INJ-7	8-13	9/21/2015	9.66	6.19	858	19.86	0.26		-96.2															
INJ-8	8-13																							
INJ-9	8-13	9/21/2015																						
		10/21/2015	10.5	5.96	756	21.24	0.00		-56.9	<0.20	<0.20	400	10										Well pumped dry, insufficient volume for field parameters	
INJ-10	8-13																							

Table 4
Ultra Custom Care Cleaners Site
Ground Water Analytical Data

Sample Location	Screened Depth, (ft bgs)	Sample Date	Depth to Water (ft bgs)	pH (units)	Conductivity (mS)	Temperature (°C)	Diss. Oxygen (mg/L)	Fe ⁺² (mg/L)	Redox Potential (millivolt)	Tetrachloro-ethene (µg/L)	Trichloro-ethene (µg/L)	(cis) 1,2-Dichloro-ethene (µg/L)	Vinyl Chloride (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Methane (µg/L)	Ethane (µg/L)	Ethene (µg/L)	Total Sodium (ug/L)	Dissolved Sodium (ug/L)	Vinyl Chloride Reductase (vcrA) Gene Copies/Liter				
MTC A Method A/B Cleanup Level (Table 720-1, WAC 173-340-900)										5	5	16 (B)	0.2	NA	NA	NA	NA	NA	NA	NA						
INJ-11	8-13	9/23/2015	10.85	6.27	1287	19.1	0.37		-106.9																	
INJ-12	8-13																									
INJ-13	8-13	9/23/2015	11.47	6.3	445	23.23	0.00		-89.9																	
INJ-14	8-13																									
INJ-15	8-13	9/23/2015	11.6	6.54	855	22.77	1.40		-82.6																	
INJ-16	8-13																									
INJ-17	8-13	9/23/2015	-	-	-	-	-		-																	
MW-2	3-13	5/11/2014	6.28	6.22	663	14.0	3.45	0.0	208	<0.20	<0.20	<0.20	<0.20	8.0	36	4.9	20	<0.50	<0.50				Baseline			
		6/2/2014	6.32	5.91	685	15.6	3.31				0.26	<0.20	<0.20	<0.20										2 weeks after first injection		
		8/13/2014	6.66	5.99	200	17.9	NA				<0.20	<0.20	<0.20	<0.20											2 weeks after second injection	
		9/15/2014	7.02	6.34	392	20.9	2.50				0.22	<0.20	<0.20	<0.20											6 weeks after second injection	
MW-3R	6-16	5/10/2014	6.36	6.23	1045	13.7	7.50	0.0	238	1.7	<0.20	<0.20	<0.20	9.2	110	2.3	<0.50	<0.50	<0.50				Baseline			
		6/3/2014	6.53	6.13	1090	15.3	4.70				1.6	<0.20	<0.20	<0.20										2 weeks after first injection		
		8/19/2014	6.97	6.2	492	18.9	6.49				1.3	<0.20	<0.20	<0.20											2 weeks after second injection	
		9/15/2014	7.32	6.25	426	19.0	2.40				1.0	<0.20	<0.20	<0.20											6 weeks after second injection	
UCCMW-6	5-15	3/13/2014	5.30	5.75	809	10.9	0.80			3.8	<0.20	<0.20	<0.20	0.39	17	1.5	3.8	<0.50	<0.50				Baseline			
		5/13/2014	5.50	5.96	608	13.7	0.11	0.0	363	3.5	<0.20	<0.20	<0.20	1.4	16	<1.0	0.99	<0.50	<0.50				Baseline			
		6/6/2014	5.75	6.02	645	13.8	5.38				4.0	<0.20	<0.20	<0.20										2 weeks after first injection		
		8/19/2014	5.83	5.91	426	16.5	8.11				4.8	<0.20	<0.20	<0.20											2 weeks after second injection	
		9/16/2014	5.96	6.33	412	16.7	2.16				3.6	<0.20	<0.20	<0.20											6 weeks after second injection	
		12/17/2014	6.14	6.27	395	12.4	0.89				4.0	<0.20	<0.20	<0.20												
		3/30/2015	6.00	5.75	282	15.1	0.00		63.6	4.6	<0.20	<0.20	<0.20	<0.20												6 weeks after in situ bio injections
7/9/2015		5.41	310	19.5	0.00		84.9	4.6	<0.20	<0.20	<0.20	<0.20														
1/27/2016		6.88	126.9	10.31	6.50			127.6	<0.20	<0.20	<0.20	<0.20												9 months after in situ bio injections		
UCCMW-15	9-19	5/11/2014	8.15	6.30	475	13.4	6.28	0.0	21	4.8	<0.20	<0.20	<0.20	3.6	42	1.4	0.93	<0.50	<0.50				Baseline			
		6/5/2014	8.22	6.12	601	14.4	5.45				0.61	<0.20	<0.20	<0.20										2 weeks after first injection		
		8/14/2014	8.36	6.22	478	18.3	24.99				4.2	<0.20	<0.20	<0.20										2 weeks after second injection		
		9/15/2014	8.73	6.08	520	21.1	6.91				2.8	<0.20	<0.20	<0.20										6 weeks after second injection		
UCCMW-16	9-19	5/14/2014	4.28	6.42	544	15.1	1.98	0.0	1	<0.20	<0.20	<0.20	<0.20	1.7	16	<1.0	2.5	0.63	<0.50				Baseline			
		6/5/2014	6.73	6.27	761	15.5	5.25				<0.20	<0.20	<0.20	<0.20										2 weeks after first injection		
		8/15/2014	7.13	6.43	261	18.0	6.31				<0.20	<0.20	<0.20	<0.20										2 weeks after second injection		
		9/18/2014	7.24	6.26	282	18.7	3.68				0.20	<0.20	<0.20	<0.20											6 weeks after second injection	
		12/17/2014	8.30	7.15	237	14.0	1.87				1.0	<0.20	<0.20	<0.20												
		3/24/2015	7.83	5.79	205	13.8	26.76		143.5	<0.20	<0.20	<0.20	<0.20	<0.20											5 weeks after in situ bio injections	
		7/17/2015		5.65	205	17.6	13.30		54.6	<0.20	<0.20	<0.20	<0.20	<0.20												
9/23/2015	9.04	6.00	221	17.8	7.02		70.7																	Persulfate test =0		
2/1/2016		5.68	154	13.09	3.41	0.0	79.5	<0.20	<0.20	<0.20	<0.20	<0.20	2.5	14	<1.0	2.3	<0.50	<0.50	12000	11000						
UCCMW-22	8-18	6/3/2014	6.29	6.11	472	14.4	2.69			0.81	<0.20	<0.20	<0.20										2 weeks after first injection			
		8/15/2014	6.24	6.40	264	17.2	3.86				0.67	<0.20	<0.20	<0.20										2 weeks after second injection		
		9/18/2014	6.33	6.37	280	17.8	2.49				0.89	<0.20	<0.20	<0.20										6 weeks after second injection		
UCCMW-23	8-18	5/13/2014	5.43	6.31	628	14.1	0.15	0.0	-288	2.2	<0.20	<0.20	<0.20	0.38	10	1.9	34	3.9	2.0				Baseline			
		6/6/2014	5.57	6.17	536	13.9	6.48				2.1	<0.20	<0.20	<0.20										2 weeks after first injection		
		8/19/2014	5.56	6.13	281	16.9	5.9				2.5	<0.20	<0.20	<0.20										2 weeks after second injection		
		9/16/2014	5.74	6.29	291	17.5	3.89				2.5	<0.20	<0.20	<0.20										6 weeks after second injection		
		12/17/2014	5.90	6.16	282	13.8	1.59				4.6	<0.20	<0.20	<0.20												
		3/30/2015	5.90	5.27	251	14.4	2.75		116.4	2.9	<0.20	<0.20	<0.20	<0.20											5 weeks after in situ bio injections	
		7/17/2015		5.64	257	19.4	1.09		33.9	3.4	<0.20	<0.20	<0.20	<0.20												
2/2/2016		6.18	233	12.63	2.62		76	4.1	<0.20	<0.20	<0.20	<0.20														
HZMW-16	15-25	5/28/2014	6.35	6.52	451	15.5	0.16	0.0	241	0.32	<0.20	0.30	<0.20	1.6	16	<1.0	0.66	<0.50	<0.50				Baseline			
		9/18/2014	6.78	7.08	207	17.9	1.23				4.2	<0.20	<0.20	<0.20										6 weeks after second injection		
QC Samples																										
Dup 1		5/11/2014								<0.20	<0.20	<0.20	<0.20	3.1	10	<1.0	1.7	0.53	<0.50				Duplicate of UCCMW-17 5/11/14			
Dup 2		5/14/2014								<0.20	<0.20	<0.20	<0.20	0.47	15	<1.0	77	12	6.5				Duplicate of UCCMW-12D 5/14/14			
Dup 01		6/3/2014								1.7	<0.20	<0.20	<0.20										Duplicate of MW-3R 6/3/14			
Dup 6-5-14		6/6/2014								2.1	<0.20	<0.20	<0.20										Duplicate of UCCMW-23 6/6/14			
Trip Blank		5/14/2014								<0.20	<0.20	<0.20	<0.20													
Trip Blank		5/15/2014								<0.20	<0.20	<0.20	<0.20													

Sample Location	Screened Depth, (ft bgs)	Sample Date	Depth to Water (ft bgs)	pH (units)	Conductivity (mS)	Temperature (°C)	Diss. Oxygen (mg/L)	Fe ⁺² (mg/L)	Redox Potential (millivolt)	Tetrachloro-ethene (µg/L)	Trichloro-ethene (µg/L)	(cis) 1,2-Dichloro-ethene (µg/L)	Vinyl Chloride (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Methane (µg/L)	Ethane (µg/L)	Ethene (µg/L)	Total Sodium (ug/L)	Dissolved Sodium (ug/L)	Vinyl Chloride Reductase (vcrA) Gene Copies/Liter	
MTCA Method A/B Cleanup Level (Table 720-1, WAC 173-340-900)										5	5	16 (B)	0.2	NA	NA	NA	NA	NA	NA				
Trip Blank		6/5/2014								<0.20	<0.20	<0.20	<0.20										
Trip Blank		6/6/2014								<0.20	<0.20	<0.20	<0.20										
Trip Blank		9/15/2014								<0.20	<0.20	<0.20	<0.20										
Trip Blank		9/17/2014								<0.20	<0.20	<0.20	<0.20										
Dup1		9/15/2014								3.1	<0.20	<0.20	<0.20										Duplicate of UCCMW-15 9/15/2014
Dup2		9/19/2014								4.4	<0.20	<0.20	<0.20										Duplicate of UCCMW-4 9/19/2014
Dup 1014		10/8/2014								<0.20	<0.20	<0.20	<0.20										Duplicate of UCCMW-12D 10/8/2014
Trip Blank		10/8/2014								<0.20	<0.20	<0.20	<0.20										
DUP 101714		10/17/2014								0.41	<0.20	<0.20	<0.20										
TB		11/3/2014								<0.20	<0.20	<0.20	<0.20										
DUP		11/3/2014								1.2	<0.20	<0.20	<0.20										Duplicate of UCCMW-13S 11/3/2014
TB		11/14/2014								<0.20	<0.20	<0.20	<0.20										
DUP		11/14/2014								<0.20	<0.20	<0.20	<0.20										Duplicate of UCCMW-14D 11/14/2014
DUP 112114		11/21/2014								1.1	<0.20	<0.20	<0.20										Duplicate of UCCMW-13S on 11/21/2014
TB		12/18/2014								<0.20	<0.20	<0.20	<0.20										
DUP1014		12/18/2014								<0.20	<0.20	<0.20	<0.20										
Dup 21215		2/12/2015								0.70	<0.20	<0.20	<0.20										Duplicate of UCCMW 13D on 2/12/2015
TB		3/30/2015								<0.20	<0.20	<0.20	<0.20										
DUP		3/24/2015								0.85	<0.20	<0.20	<0.20										Duplicate of UCCMW 16 on 3/24/2015
DUP 7915		3/24/2015								0.85	<0.20	<0.20	<0.20										
TB		7/17/2015								<0.20	<0.20	<0.20	<0.20										
TB		7/22/2015								<0.20	<0.20	<0.20	<0.20										
UCCDUP-102115		10/21/2015								<0.20	<0.20	41	<0.20										Duplicate of UCCMW-19 on 10/21/15
TB		10/21/2015								<0.20	<0.20	<0.20	<0.20										
TB		10/21/2015								<0.20	<0.20	<0.20	<0.20										
TB		10/26/2015								<0.20	<0.20	<0.20	<0.20										
DUP-0128		1/28/2016								5.2	<4.0	680	12										Duplicate of MW-1 on 1/28/2016
TB		1/28/2016								<0.20	<0.20	<0.20	<0.20										

< – Analyte not detected at laboratory's listed reporting limit
Bold indicates analyte detected at a concentration greater than the laboratory reporting limit
Yellow highlight indicates analyte exceeds **MTCA** cleanup level
Blank – not analyzed or not measured at that sampling location
NA – Not applicable
1 – The MTCA Method A ground water cleanup level for gasoline range hydrocarbons is 800 µg/L if benzene is present; the cleanup level is 1000 µg/L if benzene is not detectable