Attachment C
Laboratory Data Sheets and Chain-of-Custody Documentation

LABORATORY REPORT

April 3, 2013

Monty Busbee
Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

RE: Washington Industries / 64001

Dear Monty:

Enclosed are the results of the samples submitted to our laboratory on March 21, 2013. For your reference, these analyses have been assigned our service request number P1301150.

All analyses were performed according to our laboratory's NELAP and DoD-ELAP-approved quality assurance program. The test results meet requirements of the current NELAP and DoD-ELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP and DoD-ELAP-accredited analytes, refer to the certifications section at www.caslab.com. Results are intended to be considered in their entirety and apply only to the samples analyzed and reported herein.

If you have any questions, please call me at (805) 526-7161.

Respectfully submitted,

ALS | Environmental

Kate Aguilera

By Kate Aguilera at 3:37 pm, Apr 03, 2013

Kate Aguilera
Project Manager

Client: Environmental Partners, Inc. Service Request No: P1301150
Project: Washington Industries / 64001

CASE NARRATIVE

The samples were received intact under chain of custody on March 21, 2013 and were stored in accordance with the analytical method requirements. Please refer to the sample acceptance check form for additional information. The results reported herein are applicable only to the condition of the samples at the time of sample receipt.

Volatile Organic Compound Analysis

The samples were analyzed for volatile organic compounds in accordance with EPA Method TO-15 from the Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, Second Edition (EPA/625/R-96/010b), January, 1999. The analytical system was comprised of a gas chromatograph / mass spectrometer (GC/MS) interfaced to a whole-air preconcentrator. Any analytes flagged with an X are not included on the laboratory's NELAP or DoD-ELAP scope of accreditation.

The Summa canisters were cleaned, prior to sampling, down to the method reporting limit (MRL) reported for this project. Please note, projects which require reporting below the MRL could have results between the MRL and method detection limit (MDL) that are biased high.

The results of analyses are given in the attached laboratory report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. dba ALS Environmental (ALS) is not responsible for utilization of less than the complete report.

Use of Columbia Analytical Services, Inc. dba ALS Environmental (ALS)'s Name. Client shall not use ALS's name or trademark in any marketing or reporting materials, press releases or in any other manner ("Materials") whatsoever and shall not attribute to ALS any test result, tolerance or specification derived from ALS's data ("Attribution") without ALS's prior written consent, which may be withheld by ALS for any reason in its sole discretion. To request ALS's consent, Client shall provide copies of the proposed Materials or Attribution and describe in writing Client's proposed use of such Materials or Attribution. If ALS has not provided written approval of the Materials or Attribution within ten (10) days of receipt from Client, Client's request to use ALS's name or trademark in any Materials or Attribution shall be deemed denied. ALS may, in its discretion, reasonably charge Client for its time in reviewing Materials or Attribution requests. Client acknowledges and agrees that the unauthorized use of ALS's name or trademark may cause ALS to incur irreparable harm for which the recovery of money damages will be inadequate. Accordingly, Client acknowledges and agrees that a violation shall justify preliminary injunctive relief. For questions contact the laboratory.

Columbia Analytical Services, Inc. dba ALS Environmental – Simi Valley

Certifications, Accreditations, and Registrations

Agency	Web Site	Number
AIHA	http://www.aihaaccreditedlabs.org	101661
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0694
DoD ELAP	http://www.pjlabs.com/search-accredited-labs	L11-203
Florida DOH (NELAP)	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E871020
Maine DHHS	http://www.maine.gov/dhhs/mecdc/environmental-health/water/dwp-services/labcert/labcert.htm	2012039
Minnesota DOH (NELAP)	http://www.health.state.mn.us/accreditation	494864
New Jersey DEP (NELAP)	http://www.nj.gov/dep/oqa/	CA009
New York DOH (NELAP)	http://www.wadsworth.org/labcert/elap/elap.html	11221
Oregon PHD (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	CA200007
Pennsylvania DEP	http://www.depweb.state.pa.us/labs	68-03307 (Registration)
Texas CEQ (NELAP)	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704413-12-3
Utah DOH (NELAP)	http://www.health.utah.gov/lab/labimp/certification/index.html	CA015272012-2
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C946

Analyses were performed according to our laboratory's NELAP and DoD-ELAP approved quality assurance program. A complete listing of specific NELAP and DoD-ELAP certified analytes can be found in the certifications section at www.caslab.com, www.alsglobal.com, or at the accreditation body's website.

Each of the certifications listed above have an explicit Scope of Accreditation that applies to specific matrices/methods/analytes; therefore, please contact the laboratory for information corresponding to a particular certification.

DETAIL SUMMARY REPORT

Client: Environmental Partners, Inc. Service Request: P1301150
Project ID: Washington Industries / 64001

Date Received: 3/21/2013
Time Received: 09:35

Client Sample ID	Lab Code	Matrix	Date Collected	Time Collected	Container ID	Pi1 (psig)	Pf1 (psig)	TO-15 - VOC Cans
VS-2	P1301150-001	Air	3/19/2013	16:18	SC01577	-2.32	3.69	X
VS-1	P1301150-002	Air	3/19/2013	16:22	SC00771	-2.82	3.73	X
VS-3	P1301150-003	Air	3/19/2013	16:34	SC01537	-1.79	3.65	X
WISS-1	P1301150-004	Air	3/19/2013	17:43	SC00391	-2.02	3.55	X
WISS-2	P1301150-005	Air	3/19/2013	17:39	SC01718	-2.36	3.61	X
WISS-3	P1301150-006	Air	3/19/2013	17:33	SC00944	-1.29	3.52	X
WISS-4	P1301150-007	Air	3/19/2013	18:05	SC00764	-2.06	3.65	X

Columbia Analytical Services

2655 Park Center Drive, Suite A
Simi Valley, California 93065
Phone (805) 526-7161
Fax (805) 526-7270

Air - Chain of Custody Record & Analytical Service Request

Requested Turnaround Time in Business Days (Surcharges) please circle
1 Day (100%) 2 Day (75%) 3 Day (50%) 4 Day (35%) 5 Day (25%) (10 Day-Standard)

CAS Project No.: K. Aguilera

CAS Contact:

Company Name & Address (Reporting Information)
Environmental Partners, Inc.
295 NE Gilman Blvd. St. 201
Issaquah, WA 98027

Project Name: Washington Industries

Project Number: 64001

Project Manager: Monty Busbee

P.O. # / Billing Information: 64001

Phone: 425-988-4090

Fax: 425-395-0011

Email Address for Result Reporting: montyb@epi-wa.com

Sampler (Print & Sign): Monty Busbee

Client Sample ID	Laboratory ID Number	Date Collected	Time Collected	Canister ID (Bar code # - AC, SC, etc.)	Flow Controller ID (Bar code #- FC #)	Canister Start Pressure "Hg	Canister End Pressure "Hg/psig	Sample Volume	Analysis Method: TO-15 Low Level (VOCs)		Comments e.g. Actual Preservative or specific instructions
VS-2	1-2.53	3/19/13	1618	SC01577		-28	-5		X		
VS-1	2-2.98	3/19/13	1622	SC00771		-28	-5.5		X		
VS-3	3-2.01		1634	SC01537		-30	-5		X		
WISS-1	4-2.27		1743	SC00391		-27.5	-5		X		
WISS-2	5-2.61		1739	SC01718		-27	-4		X		
WISS-3	6-1.52		1733	SC00944		-29	-5		X		
WISS-4	7-2.24		1805	SC00764		-28	-5		X		

Report Tier Levels - please select
Tier I - Results (Default if not specified) X
Tier II (Results + QC Summaries) ____
Tier III (Results + QC & Calibration Summaries) ____
Tier IV (Data Validation Package) 10% Surcharge ____

EDD required Yes / (No)
Type: ____

Project Requirements (MRLs, QAPP)

Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Date:	Time:
	3/20/13	~~1700~~ 1330		3/21/13	0925
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Date:	Time:

Cooler / Blank Temperature ____°C

Columbia Analytical Services
Now part of the ALS Group
2655 Park Center Drive, Suite A, Simi Valley, CA 93065 | 805.526.7161 | www.caslab.com

Sample Acceptance Check Form

Client: Environmental Partners, Inc. Work order: P1301150

Project: Washington Industries / 64001

Sample(s) received on: 3/21/13 Date opened: 3/21/13 by: MZAMORA

Note: This form is used for all samples received by ALS. The use of this form for custody seals is strictly meant to indicate presence/absence and not as an indication of compliance or nonconformity. Thermal preservation and pH will only be evaluated either at the request of the client and/or as required by the method/SOP.

		Yes	No	N/A
1	Were **sample containers** properly marked with client sample ID?	☒	☐	☐
2	Container(s) **supplied by ALS**?	☒	☐	☐
3	Did **sample containers** arrive in good condition?	☒	☐	☐
4	Were **chain-of-custody** papers used and filled out?	☒	☐	☐
5	Did **sample container labels** and/or tags agree with custody papers?	☒	☐	☐
6	Was **sample volume** received adequate for analysis?	☒	☐	☐
7	Are samples within specified holding times?	☒	☐	☐
8	Was proper **temperature** (thermal preservation) of cooler at receipt adhered to?	☐	☐	☒
9	Was a **trip blank** received?	☐	☒	☐
10	Were **custody seals** on outside of cooler/Box?	☐	☒	☐
	Location of seal(s)? _____ Sealing Lid?	☐	☐	☒
	Were signature and date included?	☐	☐	☒
	Were seals intact?	☐	☐	☒
	Were custody seals on outside of sample container?	☐	☒	☐
	Location of seal(s)? _____ Sealing Lid?	☐	☐	☒
	Were signature and date included?	☐	☐	☒
	Were seals intact?	☐	☐	☒
11	Do containers have appropriate **preservation**, according to method/SOP or Client specified information?	☐	☐	☒
	Is there a client indication that the submitted samples are **pH** preserved?	☐	☐	☒
	Were **VOA vials** checked for presence/absence of air bubbles?	☐	☐	☒
	Does the client/method/SOP require that the analyst check the sample pH and if necessary alter it?	☐	☐	☒
12	**Tubes:** Are the tubes capped and intact?	☐	☐	☒
	Do they contain moisture?	☐	☐	☒
13	**Badges:** Are the badges properly capped and intact?	☐	☐	☒
	Are dual bed badges separated and individually capped and intact?	☐	☐	☒

Lab Sample ID	Container Description	Required pH *	Received pH	Adjusted pH	VOA Headspace (Presence/Absence)	Receipt / Preservation Comments
P1301150-001.01	6.0 L Source Can					
P1301150-002.01	6.0 L Source Can					
P1301150-003.01	6.0 L Source Can					
P1301150-004.01	6.0 L Source Can					
P1301150-005.01	6.0 L Source Can					
P1301150-006.01	6.0 L Source Can					
P1301150-007.01	6.0 L Source Can					

Explain any discrepancies: (include lab sample ID numbers): _____

RSK - MEEPP, HCL (pH<2); RSK - CO2, (pH 5-8); Sulfur (pH>4)

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **VS-2** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P1301150-001

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 3/29/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.0025 Liter(s)
Test Notes:
Container ID: SC01577

Initial Pressure (psig): -2.32 Final Pressure (psig): 3.69

Canister Dilution Factor: 1.49

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
115-07-1	Propene	**30,000**	300	**18,000**	170	
75-71-8	Dichlorodifluoromethane (CFC 12)	ND	300	ND	60	
74-87-3	Chloromethane	ND	120	ND	58	
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	ND	300	ND	43	
75-01-4	Vinyl Chloride	ND	60	ND	23	
106-99-0	1,3-Butadiene	ND	120	ND	54	
74-83-9	Bromomethane	ND	60	ND	15	
75-00-3	Chloroethane	ND	60	ND	23	
64-17-5	Ethanol	ND	3,000	ND	1,600	
75-05-8	Acetonitrile	ND	300	ND	180	
107-02-8	Acrolein	ND	1,200	ND	520	
67-64-1	Acetone	ND	3,000	ND	1,300	
75-69-4	Trichlorofluoromethane	ND	60	ND	11	
67-63-0	2-Propanol (Isopropyl Alcohol)	**77,000**	3,000	**31,000**	1,200	
107-13-1	Acrylonitrile	ND	300	ND	140	
75-35-4	1,1-Dichloroethene	ND	60	ND	15	
75-09-2	Methylene Chloride	ND	300	ND	86	
107-05-1	3-Chloro-1-propene (Allyl Chloride)	ND	60	ND	19	
76-13-1	Trichlorotrifluoroethane	ND	60	ND	7.8	
75-15-0	Carbon Disulfide	ND	3,000	ND	960	
156-60-5	trans-1,2-Dichloroethene	ND	60	ND	15	
75-34-3	1,1-Dichloroethane	ND	60	ND	15	
1634-04-4	Methyl tert-Butyl Ether	ND	60	ND	17	
108-05-4	Vinyl Acetate	ND	3,000	ND	850	
78-93-3	2-Butanone (MEK)	ND	3,000	ND	1,000	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **VS-2** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P1301150-001

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 3/29/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.0025 Liter(s)
Test Notes:
Container ID: SC01577

Initial Pressure (psig): -2.32 Final Pressure (psig): 3.69

Canister Dilution Factor: 1.49

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
156-59-2	cis-1,2-Dichloroethene	**410**	60	**100**	15	
141-78-6	Ethyl Acetate	ND	600	ND	170	
110-54-3	n-Hexane	ND	300	ND	85	
67-66-3	Chloroform	ND	60	ND	12	
109-99-9	Tetrahydrofuran (THF)	ND	300	ND	100	
107-06-2	1,2-Dichloroethane	ND	60	ND	15	
71-55-6	1,1,1-Trichloroethane	**85**	60	**16**	11	
71-43-2	Benzene	ND	60	ND	19	
56-23-5	Carbon Tetrachloride	ND	60	ND	9.5	
110-82-7	Cyclohexane	ND	600	ND	170	
78-87-5	1,2-Dichloropropane	ND	60	ND	13	
75-27-4	Bromodichloromethane	ND	60	ND	8.9	
79-01-6	Trichloroethene	**53,000**	60	**9,900**	11	
123-91-1	1,4-Dioxane	ND	300	ND	83	
80-62-6	Methyl Methacrylate	ND	600	ND	150	
142-82-5	n-Heptane	ND	300	ND	73	
10061-01-5	cis-1,3-Dichloropropene	ND	300	ND	66	
108-10-1	4-Methyl-2-pentanone	ND	300	ND	73	
10061-02-6	trans-1,3-Dichloropropene	ND	300	ND	66	
79-00-5	1,1,2-Trichloroethane	ND	60	ND	11	
108-88-3	Toluene	ND	300	ND	79	
591-78-6	2-Hexanone	ND	300	ND	73	
124-48-1	Dibromochloromethane	ND	60	ND	7.0	
106-93-4	1,2-Dibromoethane	ND	60	ND	7.8	
123-86-4	n-Butyl Acetate	ND	300	ND	63	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.** CAS Project ID: P1301150
Client Sample ID: **VS-2** CAS Sample ID: P1301150-001
Client Project ID: **Washington Industries / 64001**

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 3/29/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.0025 Liter(s)
Test Notes:
Container ID: SC01577

Initial Pressure (psig): -2.32 Final Pressure (psig): 3.69

Canister Dilution Factor: 1.49

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
111-65-9	n-Octane	ND	300	ND	64	
127-18-4	Tetrachloroethene	**400**	60	**59**	8.8	
108-90-7	Chlorobenzene	ND	60	ND	13	
100-41-4	Ethylbenzene	ND	300	ND	69	
179601-23-1	m,p-Xylenes	ND	300	ND	69	
75-25-2	Bromoform	ND	300	ND	29	
100-42-5	Styrene	ND	300	ND	70	
95-47-6	o-Xylene	ND	300	ND	69	
111-84-2	n-Nonane	ND	300	ND	57	
79-34-5	1,1,2,2-Tetrachloroethane	ND	60	ND	8.7	
98-82-8	Cumene	ND	300	ND	61	
80-56-8	alpha-Pinene	ND	300	ND	54	
103-65-1	n-Propylbenzene	ND	300	ND	61	
622-96-8	4-Ethyltoluene	ND	300	ND	61	
108-67-8	1,3,5-Trimethylbenzene	ND	300	ND	61	
95-63-6	1,2,4-Trimethylbenzene	ND	300	ND	61	
100-44-7	Benzyl Chloride	ND	300	ND	58	
541-73-1	1,3-Dichlorobenzene	ND	60	ND	9.9	
106-46-7	1,4-Dichlorobenzene	ND	60	ND	9.9	
95-50-1	1,2-Dichlorobenzene	ND	60	ND	9.9	
5989-27-5	d-Limonene	ND	300	ND	54	
96-12-8	1,2-Dibromo-3-chloropropane	ND	300	ND	31	
120-82-1	1,2,4-Trichlorobenzene	ND	300	ND	40	
91-20-3	Naphthalene	ND	300	ND	57	
87-68-3	Hexachlorobutadiene	ND	300	ND	28	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **VS-1** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P1301150-002

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 3/29/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.0010 Liter(s)
Test Notes:
Container ID: SC00771

Initial Pressure (psig): -2.82 Final Pressure (psig): 3.73

Canister Dilution Factor: 1.55

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
115-07-1	Propene	**85,000**	780	**49,000**	450	
75-71-8	Dichlorodifluoromethane (CFC 12)	ND	780	ND	160	
74-87-3	Chloromethane	ND	310	ND	150	
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	ND	780	ND	110	
75-01-4	Vinyl Chloride	ND	160	ND	61	
106-99-0	1,3-Butadiene	ND	310	ND	140	
74-83-9	Bromomethane	ND	160	ND	40	
75-00-3	Chloroethane	ND	160	ND	59	
64-17-5	Ethanol	ND	7,800	ND	4,100	
75-05-8	Acetonitrile	ND	780	ND	460	
107-02-8	Acrolein	ND	3,100	ND	1,400	
67-64-1	Acetone	ND	7,800	ND	3,300	
75-69-4	Trichlorofluoromethane	ND	160	ND	28	
67-63-0	2-Propanol (Isopropyl Alcohol)	**220,000**	7,800	**89,000**	3,200	
107-13-1	Acrylonitrile	ND	780	ND	360	
75-35-4	1,1-Dichloroethene	ND	160	ND	39	
75-09-2	Methylene Chloride	ND	780	ND	220	
107-05-1	3-Chloro-1-propene (Allyl Chloride)	ND	160	ND	50	
76-13-1	Trichlorotrifluoroethane	ND	160	ND	20	
75-15-0	Carbon Disulfide	ND	7,800	ND	2,500	
156-60-5	trans-1,2-Dichloroethene	ND	160	ND	39	
75-34-3	1,1-Dichloroethane	ND	160	ND	38	
1634-04-4	Methyl tert-Butyl Ether	ND	160	ND	43	
108-05-4	Vinyl Acetate	ND	7,800	ND	2,200	
78-93-3	2-Butanone (MEK)	ND	7,800	ND	2,600	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **VS-1** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P1301150-002

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 3/29/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.0010 Liter(s)
Test Notes:
Container ID: SC00771

Initial Pressure (psig): -2.82 Final Pressure (psig): 3.73

Canister Dilution Factor: 1.55

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
156-59-2	cis-1,2-Dichloroethene	**3,100**	160	**790**	39	
141-78-6	Ethyl Acetate	ND	1,600	ND	430	
110-54-3	n-Hexane	ND	780	ND	220	
67-66-3	Chloroform	ND	160	ND	32	
109-99-9	Tetrahydrofuran (THF)	ND	780	ND	260	
107-06-2	1,2-Dichloroethane	ND	160	ND	38	
71-55-6	1,1,1-Trichloroethane	**180**	160	**33**	28	
71-43-2	Benzene	ND	160	ND	49	
56-23-5	Carbon Tetrachloride	ND	160	ND	25	
110-82-7	Cyclohexane	ND	1,600	ND	450	
78-87-5	1,2-Dichloropropane	ND	160	ND	34	
75-27-4	Bromodichloromethane	ND	160	ND	23	
79-01-6	Trichloroethene	**150,000**	160	**28,000**	29	
123-91-1	1,4-Dioxane	ND	780	ND	220	
80-62-6	Methyl Methacrylate	ND	1,600	ND	380	
142-82-5	n-Heptane	ND	780	ND	190	
10061-01-5	cis-1,3-Dichloropropene	ND	780	ND	170	
108-10-1	4-Methyl-2-pentanone	ND	780	ND	190	
10061-02-6	trans-1,3-Dichloropropene	ND	780	ND	170	
79-00-5	1,1,2-Trichloroethane	ND	160	ND	28	
108-88-3	Toluene	ND	780	ND	210	
591-78-6	2-Hexanone	ND	780	ND	190	
124-48-1	Dibromochloromethane	ND	160	ND	18	
106-93-4	1,2-Dibromoethane	ND	160	ND	20	
123-86-4	n-Butyl Acetate	ND	780	ND	160	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.** CAS Project ID: P1301150
Client Sample ID: **VS-1** CAS Sample ID: P1301150-002
Client Project ID: **Washington Industries / 64001**

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 3/29/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.0010 Liter(s)
Test Notes:
Container ID: SC00771

Initial Pressure (psig): -2.82 Final Pressure (psig): 3.73

Canister Dilution Factor: 1.55

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
111-65-9	n-Octane	ND	780	ND	170	
127-18-4	Tetrachloroethene	**2,200**	160	**320**	23	
108-90-7	Chlorobenzene	ND	160	ND	34	
100-41-4	Ethylbenzene	ND	780	ND	180	
179601-23-1	m,p-Xylenes	ND	780	ND	180	
75-25-2	Bromoform	ND	780	ND	75	
100-42-5	Styrene	ND	780	ND	180	
95-47-6	o-Xylene	ND	780	ND	180	
111-84-2	n-Nonane	ND	780	ND	150	
79-34-5	1,1,2,2-Tetrachloroethane	ND	160	ND	23	
98-82-8	Cumene	ND	780	ND	160	
80-56-8	alpha-Pinene	ND	780	ND	140	
103-65-1	n-Propylbenzene	ND	780	ND	160	
622-96-8	4-Ethyltoluene	ND	780	ND	160	
108-67-8	1,3,5-Trimethylbenzene	ND	780	ND	160	
95-63-6	1,2,4-Trimethylbenzene	ND	780	ND	160	
100-44-7	Benzyl Chloride	ND	780	ND	150	
541-73-1	1,3-Dichlorobenzene	ND	160	ND	26	
106-46-7	1,4-Dichlorobenzene	ND	160	ND	26	
95-50-1	1,2-Dichlorobenzene	ND	160	ND	26	
5989-27-5	d-Limonene	ND	780	ND	140	
96-12-8	1,2-Dibromo-3-chloropropane	ND	780	ND	80	
120-82-1	1,2,4-Trichlorobenzene	ND	780	ND	100	
91-20-3	Naphthalene	ND	780	ND	150	
87-68-3	Hexachlorobutadiene	ND	780	ND	73	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **VS-3** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P1301150-003

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 3/29/13 & 4/1/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.00030 Liter(s)
Test Notes: 0.00010 Liter(s)
Container ID: SC01537

Initial Pressure (psig): -1.79 Final Pressure (psig): 3.65

Canister Dilution Factor: 1.42

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
115-07-1	Propene	**310,000**	2,400	**180,000**	1,400	
75-71-8	Dichlorodifluoromethane (CFC 12)	ND	2,400	ND	480	
74-87-3	Chloromethane	ND	950	ND	460	
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	ND	2,400	ND	340	
75-01-4	Vinyl Chloride	ND	470	ND	190	
106-99-0	1,3-Butadiene	ND	950	ND	430	
74-83-9	Bromomethane	ND	470	ND	120	
75-00-3	Chloroethane	ND	470	ND	180	
64-17-5	Ethanol	ND	24,000	ND	13,000	
75-05-8	Acetonitrile	ND	2,400	ND	1,400	
107-02-8	Acrolein	ND	9,500	ND	4,100	
67-64-1	Acetone	ND	24,000	ND	10,000	
75-69-4	Trichlorofluoromethane	ND	470	ND	84	
67-63-0	2-Propanol (Isopropyl Alcohol)	**860,000**	71,000	**350,000**	29,000	**D**
107-13-1	Acrylonitrile	ND	2,400	ND	1,100	
75-35-4	1,1-Dichloroethene	ND	470	ND	120	
75-09-2	Methylene Chloride	ND	2,400	ND	680	
107-05-1	3-Chloro-1-propene (Allyl Chloride)	ND	470	ND	150	
76-13-1	Trichlorotrifluoroethane	ND	470	ND	62	
75-15-0	Carbon Disulfide	ND	24,000	ND	7,600	
156-60-5	trans-1,2-Dichloroethene	ND	470	ND	120	
75-34-3	1,1-Dichloroethane	ND	470	ND	120	
1634-04-4	Methyl tert-Butyl Ether	ND	470	ND	130	
108-05-4	Vinyl Acetate	ND	24,000	ND	6,700	
78-93-3	2-Butanone (MEK)	ND	24,000	ND	8,000	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.
D = The reported result is from a dilution.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **VS-3** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P1301150-003

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 3/29/13 & 4/1/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.00030 Liter(s)
Test Notes: 0.00010 Liter(s)
Container ID: SC01537

Initial Pressure (psig): -1.79 Final Pressure (psig): 3.65

Canister Dilution Factor: 1.42

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
156-59-2	cis-1,2-Dichloroethene	ND	470	ND	120	
141-78-6	Ethyl Acetate	ND	4,700	ND	1,300	
110-54-3	n-Hexane	ND	2,400	ND	670	
67-66-3	Chloroform	ND	470	ND	97	
109-99-9	Tetrahydrofuran (THF)	ND	2,400	ND	800	
107-06-2	1,2-Dichloroethane	ND	470	ND	120	
71-55-6	1,1,1-Trichloroethane	ND	470	ND	87	
71-43-2	Benzene	ND	470	ND	150	
56-23-5	Carbon Tetrachloride	ND	470	ND	75	
110-82-7	Cyclohexane	ND	4,700	ND	1,400	
78-87-5	1,2-Dichloropropane	ND	470	ND	100	
75-27-4	Bromodichloromethane	ND	470	ND	71	
79-01-6	Trichloroethene	**970**	470	**180**	88	
123-91-1	1,4-Dioxane	ND	2,400	ND	660	
80-62-6	Methyl Methacrylate	ND	4,700	ND	1,200	
142-82-5	n-Heptane	ND	2,400	ND	580	
10061-01-5	cis-1,3-Dichloropropene	ND	2,400	ND	520	
108-10-1	4-Methyl-2-pentanone	ND	2,400	ND	580	
10061-02-6	trans-1,3-Dichloropropene	ND	2,400	ND	520	
79-00-5	1,1,2-Trichloroethane	ND	470	ND	87	
108-88-3	Toluene	ND	2,400	ND	630	
591-78-6	2-Hexanone	ND	2,400	ND	580	
124-48-1	Dibromochloromethane	ND	470	ND	56	
106-93-4	1,2-Dibromoethane	ND	470	ND	62	
123-86-4	n-Butyl Acetate	ND	2,400	ND	500	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.** CAS Project ID: P1301150
Client Sample ID: **VS-3** CAS Sample ID: P1301150-003
Client Project ID: **Washington Industries / 64001**

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 3/29/13 & 4/1/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.00030 Liter(s)
Test Notes: 0.00010 Liter(s)
Container ID: SC01537

Initial Pressure (psig): -1.79 Final Pressure (psig): 3.65

Canister Dilution Factor: 1.42

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
111-65-9	n-Octane	ND	2,400	ND	510	
127-18-4	Tetrachloroethene	ND	470	ND	70	
108-90-7	Chlorobenzene	ND	470	ND	100	
100-41-4	Ethylbenzene	ND	2,400	ND	550	
179601-23-1	m,p-Xylenes	ND	2,400	ND	550	
75-25-2	Bromoform	ND	2,400	ND	230	
100-42-5	Styrene	ND	2,400	ND	560	
95-47-6	o-Xylene	ND	2,400	ND	550	
111-84-2	n-Nonane	ND	2,400	ND	450	
79-34-5	1,1,2,2-Tetrachloroethane	ND	470	ND	69	
98-82-8	Cumene	ND	2,400	ND	480	
80-56-8	alpha-Pinene	ND	2,400	ND	420	
103-65-1	n-Propylbenzene	ND	2,400	ND	480	
622-96-8	4-Ethyltoluene	ND	2,400	ND	480	
108-67-8	1,3,5-Trimethylbenzene	ND	2,400	ND	480	
95-63-6	1,2,4-Trimethylbenzene	ND	2,400	ND	480	
100-44-7	Benzyl Chloride	ND	2,400	ND	460	
541-73-1	1,3-Dichlorobenzene	ND	470	ND	79	
106-46-7	1,4-Dichlorobenzene	ND	470	ND	79	
95-50-1	1,2-Dichlorobenzene	ND	470	ND	79	
5989-27-5	d-Limonene	ND	2,400	ND	420	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2,400	ND	240	
120-82-1	1,2,4-Trichlorobenzene	ND	2,400	ND	320	
91-20-3	Naphthalene	ND	2,400	ND	450	
87-68-3	Hexachlorobutadiene	ND	2,400	ND	220	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **WISS-1** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P1301150-004

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 3/29/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.0020 Liter(s)
Test Notes:
Container ID: SC00391

Initial Pressure (psig): -2.02 Final Pressure (psig): 3.55

Canister Dilution Factor: 1.44

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
115-07-1	Propene	**9,400**	360	**5,500**	210	
75-71-8	Dichlorodifluoromethane (CFC 12)	ND	360	ND	73	
74-87-3	Chloromethane	ND	140	ND	70	
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	ND	360	ND	52	
75-01-4	Vinyl Chloride	ND	72	ND	28	
106-99-0	1,3-Butadiene	ND	140	ND	65	
74-83-9	Bromomethane	ND	72	ND	19	
75-00-3	Chloroethane	ND	72	ND	27	
64-17-5	Ethanol	ND	3,600	ND	1,900	
75-05-8	Acetonitrile	ND	360	ND	210	
107-02-8	Acrolein	ND	1,400	ND	630	
67-64-1	Acetone	ND	3,600	ND	1,500	
75-69-4	Trichlorofluoromethane	ND	72	ND	13	
67-63-0	2-Propanol (Isopropyl Alcohol)	**30,000**	3,600	**12,000**	1,500	
107-13-1	Acrylonitrile	ND	360	ND	170	
75-35-4	1,1-Dichloroethene	ND	72	ND	18	
75-09-2	Methylene Chloride	ND	360	ND	100	
107-05-1	3-Chloro-1-propene (Allyl Chloride)	ND	72	ND	23	
76-13-1	Trichlorotrifluoroethane	ND	72	ND	9.4	
75-15-0	Carbon Disulfide	ND	3,600	ND	1,200	
156-60-5	trans-1,2-Dichloroethene	ND	72	ND	18	
75-34-3	1,1-Dichloroethane	ND	72	ND	18	
1634-04-4	Methyl tert-Butyl Ether	ND	72	ND	20	
108-05-4	Vinyl Acetate	ND	3,600	ND	1,000	
78-93-3	2-Butanone (MEK)	ND	3,600	ND	1,200	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **WISS-1** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P1301150-004

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 3/29/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.0020 Liter(s)
Test Notes:
Container ID: SC00391

Initial Pressure (psig): -2.02 Final Pressure (psig): 3.55

Canister Dilution Factor: 1.44

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
156-59-2	cis-1,2-Dichloroethene	**260**	72	**66**	18	
141-78-6	Ethyl Acetate	ND	720	ND	200	
110-54-3	n-Hexane	ND	360	ND	100	
67-66-3	Chloroform	ND	72	ND	15	
109-99-9	Tetrahydrofuran (THF)	ND	360	ND	120	
107-06-2	1,2-Dichloroethane	ND	72	ND	18	
71-55-6	1,1,1-Trichloroethane	**170**	72	**30**	13	
71-43-2	Benzene	ND	72	ND	23	
56-23-5	Carbon Tetrachloride	ND	72	ND	11	
110-82-7	Cyclohexane	ND	720	ND	210	
78-87-5	1,2-Dichloropropane	ND	72	ND	16	
75-27-4	Bromodichloromethane	ND	72	ND	11	
79-01-6	Trichloroethene	**72,000**	72	**13,000**	13	
123-91-1	1,4-Dioxane	ND	360	ND	100	
80-62-6	Methyl Methacrylate	ND	720	ND	180	
142-82-5	n-Heptane	ND	360	ND	88	
10061-01-5	cis-1,3-Dichloropropene	ND	360	ND	79	
108-10-1	4-Methyl-2-pentanone	ND	360	ND	88	
10061-02-6	trans-1,3-Dichloropropene	ND	360	ND	79	
79-00-5	1,1,2-Trichloroethane	ND	72	ND	13	
108-88-3	Toluene	ND	360	ND	96	
591-78-6	2-Hexanone	ND	360	ND	88	
124-48-1	Dibromochloromethane	ND	72	ND	8.5	
106-93-4	1,2-Dibromoethane	ND	72	ND	9.4	
123-86-4	n-Butyl Acetate	ND	360	ND	76	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.** CAS Project ID: P1301150
Client Sample ID: **WISS-1** CAS Sample ID: P1301150-004
Client Project ID: **Washington Industries / 64001**

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 3/29/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.0020 Liter(s)
Test Notes:
Container ID: SC00391

Initial Pressure (psig): -2.02 Final Pressure (psig): 3.55

Canister Dilution Factor: 1.44

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
111-65-9	n-Octane	ND	360	ND	77	
127-18-4	Tetrachloroethene	**670**	72	**99**	11	
108-90-7	Chlorobenzene	ND	72	ND	16	
100-41-4	Ethylbenzene	ND	360	ND	83	
179601-23-1	m,p-Xylenes	ND	360	ND	83	
75-25-2	Bromoform	ND	360	ND	35	
100-42-5	Styrene	ND	360	ND	85	
95-47-6	o-Xylene	ND	360	ND	83	
111-84-2	n-Nonane	ND	360	ND	69	
79-34-5	1,1,2,2-Tetrachloroethane	ND	72	ND	10	
98-82-8	Cumene	ND	360	ND	73	
80-56-8	alpha-Pinene	ND	360	ND	65	
103-65-1	n-Propylbenzene	ND	360	ND	73	
622-96-8	4-Ethyltoluene	ND	360	ND	73	
108-67-8	1,3,5-Trimethylbenzene	ND	360	ND	73	
95-63-6	1,2,4-Trimethylbenzene	ND	360	ND	73	
100-44-7	Benzyl Chloride	ND	360	ND	70	
541-73-1	1,3-Dichlorobenzene	ND	72	ND	12	
106-46-7	1,4-Dichlorobenzene	ND	72	ND	12	
95-50-1	1,2-Dichlorobenzene	ND	72	ND	12	
5989-27-5	d-Limonene	ND	360	ND	65	
96-12-8	1,2-Dibromo-3-chloropropane	ND	360	ND	37	
120-82-1	1,2,4-Trichlorobenzene	ND	360	ND	49	
91-20-3	Naphthalene	ND	360	ND	69	
87-68-3	Hexachlorobutadiene	ND	360	ND	34	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **WISS-2** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P1301150-005

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 4/1/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.000080 Liter(s)
Test Notes:
Container ID: SC01718

Initial Pressure (psig): -2.36 Final Pressure (psig): 3.61

Canister Dilution Factor: 1.48

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
115-07-1	Propene	ND	9,300	ND	5,400	
75-71-8	Dichlorodifluoromethane (CFC 12)	ND	9,300	ND	1,900	
74-87-3	Chloromethane	ND	3,700	ND	1,800	
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	ND	9,300	ND	1,300	
75-01-4	Vinyl Chloride	ND	1,900	ND	720	
106-99-0	1,3-Butadiene	ND	3,700	ND	1,700	
74-83-9	Bromomethane	ND	1,900	ND	480	
75-00-3	Chloroethane	ND	1,900	ND	700	
64-17-5	Ethanol	ND	93,000	ND	49,000	
75-05-8	Acetonitrile	ND	9,300	ND	5,500	
107-02-8	Acrolein	ND	37,000	ND	16,000	
67-64-1	Acetone	ND	93,000	ND	39,000	
75-69-4	Trichlorofluoromethane	ND	1,900	ND	330	
67-63-0	2-Propanol (Isopropyl Alcohol)	**99,000**	93,000	**40,000**	38,000	
107-13-1	Acrylonitrile	ND	9,300	ND	4,300	
75-35-4	1,1-Dichloroethene	**1,900**	1,900	**470**	470	
75-09-2	Methylene Chloride	ND	9,300	ND	2,700	
107-05-1	3-Chloro-1-propene (Allyl Chloride)	ND	1,900	ND	590	
76-13-1	Trichlorotrifluoroethane	ND	1,900	ND	240	
75-15-0	Carbon Disulfide	ND	93,000	ND	30,000	
156-60-5	trans-1,2-Dichloroethene	ND	1,900	ND	470	
75-34-3	1,1-Dichloroethane	ND	1,900	ND	460	
1634-04-4	Methyl tert-Butyl Ether	ND	1,900	ND	510	
108-05-4	Vinyl Acetate	ND	93,000	ND	26,000	
78-93-3	2-Butanone (MEK)	ND	93,000	ND	31,000	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **WISS-2** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P1301150-005

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 4/1/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.000080 Liter(s)
Test Notes:
Container ID: SC01718

Initial Pressure (psig): -2.36 Final Pressure (psig): 3.61

Canister Dilution Factor: 1.48

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
156-59-2	cis-1,2-Dichloroethene	**130,000**	1,900	**33,000**	470	
141-78-6	Ethyl Acetate	ND	19,000	ND	5,100	
110-54-3	n-Hexane	ND	9,300	ND	2,600	
67-66-3	Chloroform	ND	1,900	ND	380	
109-99-9	Tetrahydrofuran (THF)	ND	9,300	ND	3,100	
107-06-2	1,2-Dichloroethane	ND	1,900	ND	460	
71-55-6	1,1,1-Trichloroethane	ND	1,900	ND	340	
71-43-2	Benzene	ND	1,900	ND	580	
56-23-5	Carbon Tetrachloride	ND	1,900	ND	290	
110-82-7	Cyclohexane	ND	19,000	ND	5,400	
78-87-5	1,2-Dichloropropane	ND	1,900	ND	400	
75-27-4	Bromodichloromethane	ND	1,900	ND	280	
79-01-6	Trichloroethene	**1,200,000**	1,900	**220,000**	340	
123-91-1	1,4-Dioxane	ND	9,300	ND	2,600	
80-62-6	Methyl Methacrylate	ND	19,000	ND	4,500	
142-82-5	n-Heptane	ND	9,300	ND	2,300	
10061-01-5	cis-1,3-Dichloropropene	ND	9,300	ND	2,000	
108-10-1	4-Methyl-2-pentanone	ND	9,300	ND	2,300	
10061-02-6	trans-1,3-Dichloropropene	ND	9,300	ND	2,000	
79-00-5	1,1,2-Trichloroethane	ND	1,900	ND	340	
108-88-3	Toluene	ND	9,300	ND	2,500	
591-78-6	2-Hexanone	ND	9,300	ND	2,300	
124-48-1	Dibromochloromethane	ND	1,900	ND	220	
106-93-4	1,2-Dibromoethane	ND	1,900	ND	240	
123-86-4	n-Butyl Acetate	ND	9,300	ND	1,900	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.** CAS Project ID: P1301150
Client Sample ID: **WISS-2** CAS Sample ID: P1301150-005
Client Project ID: **Washington Industries / 64001**

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 4/1/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.000080 Liter(s)
Test Notes:
Container ID: SC01718

Initial Pressure (psig): -2.36 Final Pressure (psig): 3.61

Canister Dilution Factor: 1.48

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
111-65-9	n-Octane	ND	9,300	ND	2,000	
127-18-4	Tetrachloroethene	**6,200**	1,900	**910**	270	
108-90-7	Chlorobenzene	ND	1,900	ND	400	
100-41-4	Ethylbenzene	ND	9,300	ND	2,100	
179601-23-1	m,p-Xylenes	ND	9,300	ND	2,100	
75-25-2	Bromoform	ND	9,300	ND	890	
100-42-5	Styrene	ND	9,300	ND	2,200	
95-47-6	o-Xylene	ND	9,300	ND	2,100	
111-84-2	n-Nonane	ND	9,300	ND	1,800	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1,900	ND	270	
98-82-8	Cumene	ND	9,300	ND	1,900	
80-56-8	alpha-Pinene	ND	9,300	ND	1,700	
103-65-1	n-Propylbenzene	ND	9,300	ND	1,900	
622-96-8	4-Ethyltoluene	ND	9,300	ND	1,900	
108-67-8	1,3,5-Trimethylbenzene	ND	9,300	ND	1,900	
95-63-6	1,2,4-Trimethylbenzene	ND	9,300	ND	1,900	
100-44-7	Benzyl Chloride	ND	9,300	ND	1,800	
541-73-1	1,3-Dichlorobenzene	ND	1,900	ND	310	
106-46-7	1,4-Dichlorobenzene	ND	1,900	ND	310	
95-50-1	1,2-Dichlorobenzene	ND	1,900	ND	310	
5989-27-5	d-Limonene	ND	9,300	ND	1,700	
96-12-8	1,2-Dibromo-3-chloropropane	ND	9,300	ND	960	
120-82-1	1,2,4-Trichlorobenzene	ND	9,300	ND	1,200	
91-20-3	Naphthalene	ND	9,300	ND	1,800	
87-68-3	Hexachlorobutadiene	ND	9,300	ND	870	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **WISS-3** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P1301150-006

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 4/1/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.00020 Liter(s)
Test Notes:
Container ID: SC00944

Initial Pressure (psig): -1.29 Final Pressure (psig): 3.52

Canister Dilution Factor: 1.36

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
115-07-1	Propene	**210,000**	3,400	**120,000**	2,000	
75-71-8	Dichlorodifluoromethane (CFC 12)	ND	3,400	ND	690	
74-87-3	Chloromethane	ND	1,400	ND	660	
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	ND	3,400	ND	490	
75-01-4	Vinyl Chloride	ND	680	ND	270	
106-99-0	1,3-Butadiene	ND	1,400	ND	620	
74-83-9	Bromomethane	ND	680	ND	180	
75-00-3	Chloroethane	ND	680	ND	260	
64-17-5	Ethanol	ND	34,000	ND	18,000	
75-05-8	Acetonitrile	ND	3,400	ND	2,000	
107-02-8	Acrolein	ND	14,000	ND	5,900	
67-64-1	Acetone	ND	34,000	ND	14,000	
75-69-4	Trichlorofluoromethane	ND	680	ND	120	
67-63-0	2-Propanol (Isopropyl Alcohol)	**740,000**	34,000	**300,000**	14,000	
107-13-1	Acrylonitrile	ND	3,400	ND	1,600	
75-35-4	1,1-Dichloroethene	ND	680	ND	170	
75-09-2	Methylene Chloride	ND	3,400	ND	980	
107-05-1	3-Chloro-1-propene (Allyl Chloride)	ND	680	ND	220	
76-13-1	Trichlorotrifluoroethane	ND	680	ND	89	
75-15-0	Carbon Disulfide	ND	34,000	ND	11,000	
156-60-5	trans-1,2-Dichloroethene	ND	680	ND	170	
75-34-3	1,1-Dichloroethane	ND	680	ND	170	
1634-04-4	Methyl tert-Butyl Ether	ND	680	ND	190	
108-05-4	Vinyl Acetate	ND	34,000	ND	9,700	
78-93-3	2-Butanone (MEK)	ND	34,000	ND	12,000	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **WISS-3** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P1301150-006

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 4/1/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.00020 Liter(s)
Test Notes:
Container ID: SC00944

Initial Pressure (psig): -1.29 Final Pressure (psig): 3.52

Canister Dilution Factor: 1.36

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
156-59-2	cis-1,2-Dichloroethene	**1,200**	680	**310**	170	
141-78-6	Ethyl Acetate	ND	6,800	ND	1,900	
110-54-3	n-Hexane	ND	3,400	ND	970	
67-66-3	Chloroform	ND	680	ND	140	
109-99-9	Tetrahydrofuran (THF)	ND	3,400	ND	1,200	
107-06-2	1,2-Dichloroethane	ND	680	ND	170	
71-55-6	1,1,1-Trichloroethane	ND	680	ND	120	
71-43-2	Benzene	ND	680	ND	210	
56-23-5	Carbon Tetrachloride	ND	680	ND	110	
110-82-7	Cyclohexane	ND	6,800	ND	2,000	
78-87-5	1,2-Dichloropropane	ND	680	ND	150	
75-27-4	Bromodichloromethane	ND	680	ND	100	
79-01-6	Trichloroethene	**10,000**	680	**1,900**	130	
123-91-1	1,4-Dioxane	ND	3,400	ND	940	
80-62-6	Methyl Methacrylate	ND	6,800	ND	1,700	
142-82-5	n-Heptane	ND	3,400	ND	830	
10061-01-5	cis-1,3-Dichloropropene	ND	3,400	ND	750	
108-10-1	4-Methyl-2-pentanone	ND	3,400	ND	830	
10061-02-6	trans-1,3-Dichloropropene	ND	3,400	ND	750	
79-00-5	1,1,2-Trichloroethane	ND	680	ND	120	
108-88-3	Toluene	ND	3,400	ND	900	
591-78-6	2-Hexanone	ND	3,400	ND	830	
124-48-1	Dibromochloromethane	ND	680	ND	80	
106-93-4	1,2-Dibromoethane	ND	680	ND	89	
123-86-4	n-Butyl Acetate	ND	3,400	ND	720	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.** CAS Project ID: P1301150
Client Sample ID: **WISS-3** CAS Sample ID: P1301150-006
Client Project ID: **Washington Industries / 64001**

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 4/1/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.00020 Liter(s)
Test Notes:
Container ID: SC00944

Initial Pressure (psig): -1.29 Final Pressure (psig): 3.52

Canister Dilution Factor: 1.36

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
111-65-9	n-Octane	ND	3,400	ND	730	
127-18-4	Tetrachloroethene	ND	680	ND	100	
108-90-7	Chlorobenzene	ND	680	ND	150	
100-41-4	Ethylbenzene	ND	3,400	ND	780	
179601-23-1	m,p-Xylenes	ND	3,400	ND	780	
75-25-2	Bromoform	ND	3,400	ND	330	
100-42-5	Styrene	ND	3,400	ND	800	
95-47-6	o-Xylene	ND	3,400	ND	780	
111-84-2	n-Nonane	ND	3,400	ND	650	
79-34-5	1,1,2,2-Tetrachloroethane	ND	680	ND	99	
98-82-8	Cumene	ND	3,400	ND	690	
80-56-8	alpha-Pinene	ND	3,400	ND	610	
103-65-1	n-Propylbenzene	ND	3,400	ND	690	
622-96-8	4-Ethyltoluene	ND	3,400	ND	690	
108-67-8	1,3,5-Trimethylbenzene	ND	3,400	ND	690	
95-63-6	1,2,4-Trimethylbenzene	ND	3,400	ND	690	
100-44-7	Benzyl Chloride	ND	3,400	ND	660	
541-73-1	1,3-Dichlorobenzene	ND	680	ND	110	
106-46-7	1,4-Dichlorobenzene	ND	680	ND	110	
95-50-1	1,2-Dichlorobenzene	ND	680	ND	110	
5989-27-5	d-Limonene	ND	3,400	ND	610	
96-12-8	1,2-Dibromo-3-chloropropane	ND	3,400	ND	350	
120-82-1	1,2,4-Trichlorobenzene	ND	3,400	ND	460	
91-20-3	Naphthalene	ND	3,400	ND	650	
87-68-3	Hexachlorobutadiene	ND	3,400	ND	320	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **WISS-4** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P1301150-007

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 4/1/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.0020 Liter(s)
Test Notes:
Container ID: SC00764

Initial Pressure (psig): -2.06 Final Pressure (psig): 3.65

Canister Dilution Factor: 1.45

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
115-07-1	Propene	**2,600**	360	**1,500**	210	
75-71-8	Dichlorodifluoromethane (CFC 12)	ND	360	ND	73	
74-87-3	Chloromethane	ND	150	ND	70	
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	ND	360	ND	52	
75-01-4	Vinyl Chloride	ND	73	ND	28	
106-99-0	1,3-Butadiene	ND	150	ND	66	
74-83-9	Bromomethane	ND	73	ND	19	
75-00-3	Chloroethane	ND	73	ND	27	
64-17-5	Ethanol	ND	3,600	ND	1,900	
75-05-8	Acetonitrile	ND	360	ND	220	
107-02-8	Acrolein	ND	1,500	ND	630	
67-64-1	Acetone	ND	3,600	ND	1,500	
75-69-4	Trichlorofluoromethane	ND	73	ND	13	
67-63-0	2-Propanol (Isopropyl Alcohol)	**9,200**	3,600	**3,800**	1,500	
107-13-1	Acrylonitrile	ND	360	ND	170	
75-35-4	1,1-Dichloroethene	ND	73	ND	18	
75-09-2	Methylene Chloride	ND	360	ND	100	
107-05-1	3-Chloro-1-propene (Allyl Chloride)	ND	73	ND	23	
76-13-1	Trichlorotrifluoroethane	ND	73	ND	9.5	
75-15-0	Carbon Disulfide	ND	3,600	ND	1,200	
156-60-5	trans-1,2-Dichloroethene	**460**	73	**120**	18	
75-34-3	1,1-Dichloroethane	ND	73	ND	18	
1634-04-4	Methyl tert-Butyl Ether	ND	73	ND	20	
108-05-4	Vinyl Acetate	ND	3,600	ND	1,000	
78-93-3	2-Butanone (MEK)	ND	3,600	ND	1,200	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **WISS-4** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P1301150-007

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 4/1/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.0020 Liter(s)
Test Notes:
Container ID: SC00764

Initial Pressure (psig): -2.06 Final Pressure (psig): 3.65

Canister Dilution Factor: 1.45

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
156-59-2	cis-1,2-Dichloroethene	**6,000**	73	**1,500**	18	
141-78-6	Ethyl Acetate	ND	730	ND	200	
110-54-3	n-Hexane	ND	360	ND	100	
67-66-3	Chloroform	ND	73	ND	15	
109-99-9	Tetrahydrofuran (THF)	ND	360	ND	120	
107-06-2	1,2-Dichloroethane	ND	73	ND	18	
71-55-6	1,1,1-Trichloroethane	ND	73	ND	13	
71-43-2	Benzene	ND	73	ND	23	
56-23-5	Carbon Tetrachloride	ND	73	ND	12	
110-82-7	Cyclohexane	ND	730	ND	210	
78-87-5	1,2-Dichloropropane	ND	73	ND	16	
75-27-4	Bromodichloromethane	ND	73	ND	11	
79-01-6	Trichloroethene	**59,000**	73	**11,000**	13	
123-91-1	1,4-Dioxane	ND	360	ND	100	
80-62-6	Methyl Methacrylate	ND	730	ND	180	
142-82-5	n-Heptane	ND	360	ND	88	
10061-01-5	cis-1,3-Dichloropropene	ND	360	ND	80	
108-10-1	4-Methyl-2-pentanone	ND	360	ND	88	
10061-02-6	trans-1,3-Dichloropropene	ND	360	ND	80	
79-00-5	1,1,2-Trichloroethane	**320**	73	**58**	13	
108-88-3	Toluene	ND	360	ND	96	
591-78-6	2-Hexanone	ND	360	ND	89	
124-48-1	Dibromochloromethane	ND	73	ND	8.5	
106-93-4	1,2-Dibromoethane	ND	73	ND	9.4	
123-86-4	n-Butyl Acetate	ND	360	ND	76	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.** CAS Project ID: P1301150
Client Sample ID: **WISS-4** CAS Sample ID: P1301150-007
Client Project ID: **Washington Industries / 64001**

Test Code: EPA TO-15 Date Collected: 3/19/13
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: 3/21/13
Analyst: Elsa Moctezuma Date Analyzed: 4/1/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 0.0020 Liter(s)
Test Notes:
Container ID: SC00764

Initial Pressure (psig): -2.06 Final Pressure (psig): 3.65

Canister Dilution Factor: 1.45

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
111-65-9	n-Octane	ND	360	ND	78	
127-18-4	Tetrachloroethene	**2,800**	73	**410**	11	
108-90-7	Chlorobenzene	ND	73	ND	16	
100-41-4	Ethylbenzene	ND	360	ND	83	
179601-23-1	m,p-Xylenes	ND	360	ND	83	
75-25-2	Bromoform	ND	360	ND	35	
100-42-5	Styrene	ND	360	ND	85	
95-47-6	o-Xylene	ND	360	ND	83	
111-84-2	n-Nonane	ND	360	ND	69	
79-34-5	1,1,2,2-Tetrachloroethane	ND	73	ND	11	
98-82-8	Cumene	ND	360	ND	74	
80-56-8	alpha-Pinene	ND	360	ND	65	
103-65-1	n-Propylbenzene	ND	360	ND	74	
622-96-8	4-Ethyltoluene	ND	360	ND	74	
108-67-8	1,3,5-Trimethylbenzene	ND	360	ND	74	
95-63-6	1,2,4-Trimethylbenzene	ND	360	ND	74	
100-44-7	Benzyl Chloride	ND	360	ND	70	
541-73-1	1,3-Dichlorobenzene	ND	73	ND	12	
106-46-7	1,4-Dichlorobenzene	ND	73	ND	12	
95-50-1	1,2-Dichlorobenzene	ND	73	ND	12	
5989-27-5	d-Limonene	ND	360	ND	65	
96-12-8	1,2-Dibromo-3-chloropropane	ND	360	ND	38	
120-82-1	1,2,4-Trichlorobenzene	ND	360	ND	49	
91-20-3	Naphthalene	ND	360	ND	69	
87-68-3	Hexachlorobutadiene	ND	360	ND	34	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **Method Blank**
Client Project ID: **Washington Industries / 64001**

CAS Project ID: P1301150
CAS Sample ID: P130329-MB

Test Code: EPA TO-15
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8
Analyst: Elsa Moctezuma
Sample Type: 6.0 L Summa Canister
Test Notes:

Date Collected: NA
Date Received: NA
Date Analyzed: 3/29/13
Volume(s) Analyzed: 1.00 Liter(s)

Canister Dilution Factor: 1.00

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
115-07-1	Propene	ND	0.50	ND	0.29	
75-71-8	Dichlorodifluoromethane (CFC 12)	ND	0.50	ND	0.10	
74-87-3	Chloromethane	ND	0.20	ND	0.097	
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	ND	0.50	ND	0.072	
75-01-4	Vinyl Chloride	ND	0.10	ND	0.039	
106-99-0	1,3-Butadiene	ND	0.20	ND	0.090	
74-83-9	Bromomethane	ND	0.10	ND	0.026	
75-00-3	Chloroethane	ND	0.10	ND	0.038	
64-17-5	Ethanol	ND	5.0	ND	2.7	
75-05-8	Acetonitrile	ND	0.50	ND	0.30	
107-02-8	Acrolein	ND	2.0	ND	0.87	
67-64-1	Acetone	ND	5.0	ND	2.1	
75-69-4	Trichlorofluoromethane	ND	0.10	ND	0.018	
67-63-0	2-Propanol (Isopropyl Alcohol)	ND	5.0	ND	2.0	
107-13-1	Acrylonitrile	ND	0.50	ND	0.23	
75-35-4	1,1-Dichloroethene	ND	0.10	ND	0.025	
75-09-2	Methylene Chloride	ND	0.50	ND	0.14	
107-05-1	3-Chloro-1-propene (Allyl Chloride)	ND	0.10	ND	0.032	
76-13-1	Trichlorotrifluoroethane	ND	0.10	ND	0.013	
75-15-0	Carbon Disulfide	ND	5.0	ND	1.6	
156-60-5	trans-1,2-Dichloroethene	ND	0.10	ND	0.025	
75-34-3	1,1-Dichloroethane	ND	0.10	ND	0.025	
1634-04-4	Methyl tert-Butyl Ether	ND	0.10	ND	0.028	
108-05-4	Vinyl Acetate	ND	5.0	ND	1.4	
78-93-3	2-Butanone (MEK)	ND	5.0	ND	1.7	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **Method Blank** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P130329-MB

Test Code: EPA TO-15 Date Collected: NA
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: NA
Analyst: Elsa Moctezuma Date Analyzed: 3/29/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 1.00 Liter(s)
Test Notes:

Canister Dilution Factor: 1.00

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
156-59-2	cis-1,2-Dichloroethene	ND	0.10	ND	0.025	
141-78-6	Ethyl Acetate	ND	1.0	ND	0.28	
110-54-3	n-Hexane	ND	0.50	ND	0.14	
67-66-3	Chloroform	ND	0.10	ND	0.020	
109-99-9	Tetrahydrofuran (THF)	ND	0.50	ND	0.17	
107-06-2	1,2-Dichloroethane	ND	0.10	ND	0.025	
71-55-6	1,1,1-Trichloroethane	ND	0.10	ND	0.018	
71-43-2	Benzene	ND	0.10	ND	0.031	
56-23-5	Carbon Tetrachloride	ND	0.10	ND	0.016	
110-82-7	Cyclohexane	ND	1.0	ND	0.29	
78-87-5	1,2-Dichloropropane	ND	0.10	ND	0.022	
75-27-4	Bromodichloromethane	ND	0.10	ND	0.015	
79-01-6	Trichloroethene	ND	0.10	ND	0.019	
123-91-1	1,4-Dioxane	ND	0.50	ND	0.14	
80-62-6	Methyl Methacrylate	ND	1.0	ND	0.24	
142-82-5	n-Heptane	ND	0.50	ND	0.12	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ND	0.11	
108-10-1	4-Methyl-2-pentanone	ND	0.50	ND	0.12	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ND	0.11	
79-00-5	1,1,2-Trichloroethane	ND	0.10	ND	0.018	
108-88-3	Toluene	ND	0.50	ND	0.13	
591-78-6	2-Hexanone	ND	0.50	ND	0.12	
124-48-1	Dibromochloromethane	ND	0.10	ND	0.012	
106-93-4	1,2-Dibromoethane	ND	0.10	ND	0.013	
123-86-4	n-Butyl Acetate	ND	0.50	ND	0.11	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.** CAS Project ID: P1301150
Client Sample ID: **Method Blank** CAS Sample ID: P130329-MB
Client Project ID: **Washington Industries / 64001**

Test Code: EPA TO-15 Date Collected: NA
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: NA
Analyst: Elsa Moctezuma Date Analyzed: 3/29/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 1.00 Liter(s)
Test Notes:

Canister Dilution Factor: 1.00

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
111-65-9	n-Octane	ND	0.50	ND	0.11	
127-18-4	Tetrachloroethene	ND	0.10	ND	0.015	
108-90-7	Chlorobenzene	ND	0.10	ND	0.022	
100-41-4	Ethylbenzene	ND	0.50	ND	0.12	
179601-23-1	m,p-Xylenes	ND	0.50	ND	0.12	
75-25-2	Bromoform	ND	0.50	ND	0.048	
100-42-5	Styrene	ND	0.50	ND	0.12	
95-47-6	o-Xylene	ND	0.50	ND	0.12	
111-84-2	n-Nonane	ND	0.50	ND	0.095	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.10	ND	0.015	
98-82-8	Cumene	ND	0.50	ND	0.10	
80-56-8	alpha-Pinene	ND	0.50	ND	0.090	
103-65-1	n-Propylbenzene	ND	0.50	ND	0.10	
622-96-8	4-Ethyltoluene	ND	0.50	ND	0.10	
108-67-8	1,3,5-Trimethylbenzene	ND	0.50	ND	0.10	
95-63-6	1,2,4-Trimethylbenzene	ND	0.50	ND	0.10	
100-44-7	Benzyl Chloride	ND	0.50	ND	0.097	
541-73-1	1,3-Dichlorobenzene	ND	0.10	ND	0.017	
106-46-7	1,4-Dichlorobenzene	ND	0.10	ND	0.017	
95-50-1	1,2-Dichlorobenzene	ND	0.10	ND	0.017	
5989-27-5	d-Limonene	ND	0.50	ND	0.090	
96-12-8	1,2-Dibromo-3-chloropropane	ND	0.50	ND	0.052	
120-82-1	1,2,4-Trichlorobenzene	ND	0.50	ND	0.067	
91-20-3	Naphthalene	ND	0.50	ND	0.095	
87-68-3	Hexachlorobutadiene	ND	0.50	ND	0.047	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **Method Blank** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P130401-MB

Test Code: EPA TO-15 Date Collected: NA
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: NA
Analyst: Elsa Moctezuma Date Analyzed: 4/1/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 1.00 Liter(s)
Test Notes:

Canister Dilution Factor: 1.00

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
115-07-1	Propene	ND	0.50	ND	0.29	
75-71-8	Dichlorodifluoromethane (CFC 12)	ND	0.50	ND	0.10	
74-87-3	Chloromethane	ND	0.20	ND	0.097	
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	ND	0.50	ND	0.072	
75-01-4	Vinyl Chloride	ND	0.10	ND	0.039	
106-99-0	1,3-Butadiene	ND	0.20	ND	0.090	
74-83-9	Bromomethane	ND	0.10	ND	0.026	
75-00-3	Chloroethane	ND	0.10	ND	0.038	
64-17-5	Ethanol	ND	5.0	ND	2.7	
75-05-8	Acetonitrile	ND	0.50	ND	0.30	
107-02-8	Acrolein	ND	2.0	ND	0.87	
67-64-1	Acetone	ND	5.0	ND	2.1	
75-69-4	Trichlorofluoromethane	ND	0.10	ND	0.018	
67-63-0	2-Propanol (Isopropyl Alcohol)	ND	5.0	ND	2.0	
107-13-1	Acrylonitrile	ND	0.50	ND	0.23	
75-35-4	1,1-Dichloroethene	ND	0.10	ND	0.025	
75-09-2	Methylene Chloride	ND	0.50	ND	0.14	
107-05-1	3-Chloro-1-propene (Allyl Chloride)	ND	0.10	ND	0.032	
76-13-1	Trichlorotrifluoroethane	ND	0.10	ND	0.013	
75-15-0	Carbon Disulfide	ND	5.0	ND	1.6	
156-60-5	trans-1,2-Dichloroethene	ND	0.10	ND	0.025	
75-34-3	1,1-Dichloroethane	ND	0.10	ND	0.025	
1634-04-4	Methyl tert-Butyl Ether	ND	0.10	ND	0.028	
108-05-4	Vinyl Acetate	ND	5.0	ND	1.4	
78-93-3	2-Butanone (MEK)	ND	5.0	ND	1.7	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.**
Client Sample ID: **Method Blank** CAS Project ID: P1301150
Client Project ID: **Washington Industries / 64001** CAS Sample ID: P130401-MB

Test Code: EPA TO-15 Date Collected: NA
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: NA
Analyst: Elsa Moctezuma Date Analyzed: 4/1/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 1.00 Liter(s)
Test Notes:

Canister Dilution Factor: 1.00

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
156-59-2	cis-1,2-Dichloroethene	ND	0.10	ND	0.025	
141-78-6	Ethyl Acetate	ND	1.0	ND	0.28	
110-54-3	n-Hexane	ND	0.50	ND	0.14	
67-66-3	Chloroform	ND	0.10	ND	0.020	
109-99-9	Tetrahydrofuran (THF)	ND	0.50	ND	0.17	
107-06-2	1,2-Dichloroethane	ND	0.10	ND	0.025	
71-55-6	1,1,1-Trichloroethane	ND	0.10	ND	0.018	
71-43-2	Benzene	ND	0.10	ND	0.031	
56-23-5	Carbon Tetrachloride	ND	0.10	ND	0.016	
110-82-7	Cyclohexane	ND	1.0	ND	0.29	
78-87-5	1,2-Dichloropropane	ND	0.10	ND	0.022	
75-27-4	Bromodichloromethane	ND	0.10	ND	0.015	
79-01-6	Trichloroethene	ND	0.10	ND	0.019	
123-91-1	1,4-Dioxane	ND	0.50	ND	0.14	
80-62-6	Methyl Methacrylate	ND	1.0	ND	0.24	
142-82-5	n-Heptane	ND	0.50	ND	0.12	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ND	0.11	
108-10-1	4-Methyl-2-pentanone	ND	0.50	ND	0.12	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ND	0.11	
79-00-5	1,1,2-Trichloroethane	ND	0.10	ND	0.018	
108-88-3	Toluene	ND	0.50	ND	0.13	
591-78-6	2-Hexanone	ND	0.50	ND	0.12	
124-48-1	Dibromochloromethane	ND	0.10	ND	0.012	
106-93-4	1,2-Dibromoethane	ND	0.10	ND	0.013	
123-86-4	n-Butyl Acetate	ND	0.50	ND	0.11	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS

Client: **Environmental Partners, Inc.** CAS Project ID: P1301150
Client Sample ID: **Method Blank** CAS Sample ID: P130401-MB
Client Project ID: **Washington Industries / 64001**

Test Code: EPA TO-15 Date Collected: NA
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date Received: NA
Analyst: Elsa Moctezuma Date Analyzed: 4/1/13
Sample Type: 6.0 L Summa Canister Volume(s) Analyzed: 1.00 Liter(s)
Test Notes:

Canister Dilution Factor: 1.00

CAS #	Compound	Result µg/m³	MRL µg/m³	Result ppbV	MRL ppbV	Data Qualifier
111-65-9	n-Octane	ND	0.50	ND	0.11	
127-18-4	Tetrachloroethene	ND	0.10	ND	0.015	
108-90-7	Chlorobenzene	ND	0.10	ND	0.022	
100-41-4	Ethylbenzene	ND	0.50	ND	0.12	
179601-23-1	m,p-Xylenes	ND	0.50	ND	0.12	
75-25-2	Bromoform	ND	0.50	ND	0.048	
100-42-5	Styrene	ND	0.50	ND	0.12	
95-47-6	o-Xylene	ND	0.50	ND	0.12	
111-84-2	n-Nonane	ND	0.50	ND	0.095	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.10	ND	0.015	
98-82-8	Cumene	ND	0.50	ND	0.10	
80-56-8	alpha-Pinene	ND	0.50	ND	0.090	
103-65-1	n-Propylbenzene	ND	0.50	ND	0.10	
622-96-8	4-Ethyltoluene	ND	0.50	ND	0.10	
108-67-8	1,3,5-Trimethylbenzene	ND	0.50	ND	0.10	
95-63-6	1,2,4-Trimethylbenzene	ND	0.50	ND	0.10	
100-44-7	Benzyl Chloride	ND	0.50	ND	0.097	
541-73-1	1,3-Dichlorobenzene	ND	0.10	ND	0.017	
106-46-7	1,4-Dichlorobenzene	ND	0.10	ND	0.017	
95-50-1	1,2-Dichlorobenzene	ND	0.10	ND	0.017	
5989-27-5	d-Limonene	ND	0.50	ND	0.090	
96-12-8	1,2-Dibromo-3-chloropropane	ND	0.50	ND	0.052	
120-82-1	1,2,4-Trichlorobenzene	ND	0.50	ND	0.067	
91-20-3	Naphthalene	ND	0.50	ND	0.095	
87-68-3	Hexachlorobutadiene	ND	0.50	ND	0.047	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.
MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

SURROGATE SPIKE RECOVERY RESULTS

Client: **Environmental Partners, Inc.**
Client Project ID: **Washington Industries / 64001** CAS Project ID: P1301150

Test Code: EPA TO-15
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8 Date(s) Collected: 3/19/13
Analyst: Elsa Moctezuma Date(s) Received: 3/21/13
Sample Type: 6.0 L Summa Canister(s) Date(s) Analyzed: 3/29 - 4/1/13
Test Notes:

Client Sample ID	CAS Sample ID	1,2-Dichloroethane-d4 Percent Recovered	Toluene-d8 Percent Recovered	Bromofluorobenzene Percent Recovered	Acceptance Limits	Data Qualifier
Method Blank	P130329-MB	**109**	**97**	**94**	70-130	
Method Blank	P130401-MB	**113**	**96**	**95**	70-130	
VS-2	P1301150-001	**112**	**97**	**95**	70-130	
VS-1	P1301150-002	**112**	**97**	**95**	70-130	
VS-3	P1301150-003	**111**	**97**	**95**	70-130	
WISS-1	P1301150-004	**114**	**98**	**94**	70-130	
WISS-2	P1301150-005	**114**	**97**	**93**	70-130	
WISS-3	P1301150-006	**115**	**96**	**93**	70-130	
WISS-4	P1301150-007	**114**	**96**	**95**	70-130	

Surrogate percent recovery is verified and accepted based on the on-column result.
Reported results are shown in concentration units and as a result of the calculation, may vary slightly from the on-column percent recovery.

November 14, 2013

Mr. Adam Morine
Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

Dear Mr. Morine,

On November 5th, 6 samples were received by our laboratory and assigned our laboratory project number EV13110025. The project was identified as your 64001.1. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110025
		ALS SAMPLE#:	EV13110025-01
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/05/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/5/2013 8:48:00 AM
CLIENT SAMPLE ID	MW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	11/06/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/06/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/06/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	**4.6**	2.0	1	UG/L	11/06/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichloroethene	EPA-8260	**7.0**	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/06/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110025
		ALS SAMPLE#:	EV13110025-01
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/05/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/5/2013 8:48:00 AM
CLIENT SAMPLE ID	MW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/06/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chromium (VI)	EPA-7196	**54**	10	1	UG/L	11/05/2013	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK
Chromium	EPA-200.8	**150**	2.0	1	UG/L	11/13/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	11/06/2013	GAP
Toluene-d8	EPA-8260	**96.5**	11/06/2013	GAP
4-Bromofluorobenzene	EPA-8260	**88.7**	11/06/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110025
		ALS SAMPLE#:	EV13110025-02
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/05/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/5/2013 9:40:00 AM
CLIENT SAMPLE ID	MW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Vinyl Chloride	EPA-8260	**15**	0.20	1	UG/L	11/07/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/07/2013	GAP
1,1-Dichloroethene	EPA-8260	**2.4**	2.0	1	UG/L	11/07/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/07/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	**170**	20	10	UG/L	11/07/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trichloroethene	EPA-8260	**200**	20	10	UG/L	11/07/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Tetrachloroethylene	EPA-8260	**6.6**	2.0	1	UG/L	11/07/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/07/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	11/14/2013 EV13110025 EV13110025-02
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/05/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/5/2013 9:40:00 AM
CLIENT SAMPLE ID	MW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/07/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	11/05/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**96.0**	11/07/2013	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**94.7**	11/07/2013	GAP
Toluene-d8	EPA-8260	**99.1**	11/07/2013	GAP
Toluene-d8 10X Dilution	EPA-8260	**97.2**	11/07/2013	GAP
4-Bromofluorobenzene	EPA-8260	**92.7**	11/07/2013	GAP
4-Bromofluorobenzene 10X	EPA-8260	**89.0**	11/07/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110025
		ALS SAMPLE#:	EV13110025-02
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/05/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/5/2013 9:40:00 AM
CLIENT SAMPLE ID	MW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
Dilution				

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110025
		ALS SAMPLE#:	EV13110025-03
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/05/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/5/2013 9:43:00 AM
CLIENT SAMPLE ID	MW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	11/07/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/07/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/07/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/07/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110025
		ALS SAMPLE#:	EV13110025-03
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/05/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/5/2013 9:43:00 AM
CLIENT SAMPLE ID	MW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/07/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	11/05/2013	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK
Chromium	EPA-200.8	U	2.0	1	UG/L	11/13/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**95.8**	11/07/2013	GAP
Toluene-d8	EPA-8260	**97.4**	11/07/2013	GAP
4-Bromofluorobenzene	EPA-8260	**90.0**	11/07/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110025
		ALS SAMPLE#:	EV13110025-04
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/05/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/5/2013 10:25:00 AM
CLIENT SAMPLE ID	MW-14	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	11/07/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/07/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/07/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trichloroethene	EPA-8260	**3.2**	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/07/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110025
		ALS SAMPLE#:	EV13110025-04
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/05/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/5/2013 10:25:00 AM
CLIENT SAMPLE ID	MW-14	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/07/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chromium (VI)	EPA-7196	**16**	10	1	UG/L	11/05/2013	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK
Chromium	EPA-200.8	**19**	2.0	1	UG/L	11/13/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.7**	11/07/2013	GAP
Toluene-d8	EPA-8260	**96.4**	11/07/2013	GAP
4-Bromofluorobenzene	EPA-8260	**88.6**	11/07/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	11/14/2013 EV13110025 EV13110025-05
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/05/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/5/2013 9:43:00 AM
CLIENT SAMPLE ID	MW-DUP 1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	11/07/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/07/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/07/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/07/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110025
		ALS SAMPLE#:	EV13110025-05
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/05/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/5/2013 9:43:00 AM
CLIENT SAMPLE ID	MW-DUP 1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/07/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	11/05/2013	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK
Chromium	EPA-200.8	U	2.0	1	UG/L	11/13/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**96.3**	11/07/2013	GAP
Toluene-d8	EPA-8260	**96.8**	11/07/2013	GAP
4-Bromofluorobenzene	EPA-8260	**87.2**	11/07/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110025
		ALS SAMPLE#:	EV13110025-06
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/05/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/5/2013 10:25:00 AM
CLIENT SAMPLE ID	MW-DUP 2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	11/07/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/07/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/07/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trichloroethene	EPA-8260	**3.8**	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/07/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110025
		ALS SAMPLE#:	EV13110025-06
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/05/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/5/2013 10:25:00 AM
CLIENT SAMPLE ID	MW-DUP 2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/07/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chromium (VI)	EPA-7196	**17**	10	1	UG/L	11/05/2013	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK
Chromium	EPA-200.8	**21**	2.0	1	UG/L	11/13/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**96.6**	11/07/2013	GAP
Toluene-d8	EPA-8260	**96.9**	11/07/2013	GAP
4-Bromofluorobenzene	EPA-8260	**90.5**	11/07/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

CLIENT CONTACT: Adam Morine
CLIENT PROJECT: 64001.1

DATE: 11/14/2013
ALS SDG#: EV13110025
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-110613W - Batch 7355 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	11/06/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/06/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/06/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/06/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

CLIENT CONTACT: Adam Morine
CLIENT PROJECT: 64001.1

DATE: 11/14/2013
ALS SDG#: EV13110025
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-110613W - Batch 7355 - Water by EPA-8260

Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/06/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-1152013 - Batch R92042 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	UG/L	11/05/2013	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-1162013 - Batch R91958 - Water by SM4500-CN E

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS SDG#:	EV13110025
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Adam Morine		
CLIENT PROJECT:	64001.1		

LABORATORY BLANK RESULTS

MBLK-1162013 - Batch R91958 - Water by SM4500-CN E

U - Analyte analyzed for but not detected at level above reporting limit.

MB-110713W - Batch 7361 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	11/11/2013	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS SDG#:	EV13110025
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Adam Morine		
CLIENT PROJECT:	64001.1		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 7355 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**126**			11/06/2013	GAP
1,1-Dichloroethene - BSD	EPA-8260	**118**	**6**		11/06/2013	GAP
Benzene - BS	EPA-8260	**121**			11/06/2013	GAP
Benzene - BSD	EPA-8260	**119**	**2**		11/06/2013	GAP
Trichloroethene - BS	EPA-8260	**119**			11/06/2013	GAP
Trichloroethene - BSD	EPA-8260	**116**	**3**		11/06/2013	GAP
Toluene - BS	EPA-8260	**118**			11/06/2013	GAP
Toluene - BSD	EPA-8260	**116**	**2**		11/06/2013	GAP
Chlorobenzene - BS	EPA-8260	**123**			11/06/2013	GAP
Chlorobenzene - BSD	EPA-8260	**121**	**2**		11/06/2013	GAP

ALS Test Batch ID: R92042 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**102**			11/05/2013	RAL
Chromium (VI) - BSD	EPA-7196	**102**	**0**		11/05/2013	RAL

ALS Test Batch ID: R91958 - Water by SM4500-CN E

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Cyanide - BS	SM4500-CN E	**98.0**			11/06/2013	HJK

ALS Test Batch ID: 7361 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**98.6**			11/11/2013	RAL
Chromium - BSD	EPA-200.8	**97.2**	**1**		11/11/2013	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1311 0025

Date 11/5/13 Page 1 Of 1

PROJECT ID: 6400).1
REPORT TO COMPANY: EPI
PROJECT MANAGER: Adam Maine
ADDRESS: 295 NE Gilman Blvd, Ste 201
Issaquah WA 98027
PHONE: 425-395-0010 FAX: 425-395-0011
P.O. #: E-MAIL:
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chromium (EPA-200.8)	Hexavalent Chromium (EPA-7196)	Cyanide (SM 4500-CN)				NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-2	11/5/13	0848	W	1							X									X	X	X				6	
2. MW-3		0940		2							X										X					4	
3. MW-1		0943		3							X									X	X	X				6	
4. MW-14		1025		4							X									X	X	X				6	
5. ~~MW-16~~																											
6. ~~MW-15~~																											
7. MW-DUP1		0943		5							X									X	X	X				6	
8. MW-DUP2		1025		6							X									X	X	X				6	
9.																											
10.																											

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 11/5/13 1515
Received By: Shawn Roberson ALS 11/5/13 1515
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

* Turnaround request less than standard may incur Rush Charges

November 14, 2013

Mr. Adam Morine
Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

Dear Mr. Morine,

On November 6th, 3 samples were received by our laboratory and assigned our laboratory project number EV13110028. The project was identified as your 64001.1. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110028
		ALS SAMPLE#:	EV13110028-01
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/06/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/6/2013 8:52:00 AM
CLIENT SAMPLE ID	MW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK
Chromium	EPA-200.8	**390**	2.0	1	UG/L	11/13/2013	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110028
		ALS SAMPLE#:	EV13110028-02
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/06/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/6/2013 9:04:00 AM
CLIENT SAMPLE ID	MW-16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Vinyl Chloride	EPA-8260	**1.2**	0.20	1	UG/L	11/07/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/07/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/07/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	**14**	2.0	1	UG/L	11/07/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trichloroethene	EPA-8260	**29**	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/07/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110028
		ALS SAMPLE#:	EV13110028-02
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/06/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/6/2013 9:04:00 AM
CLIENT SAMPLE ID	MW-16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/07/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	11/06/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**94.6**	11/07/2013	GAP
Toluene-d8	EPA-8260	**97.5**	11/07/2013	GAP
4-Bromofluorobenzene	EPA-8260	**91.0**	11/07/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110028
		ALS SAMPLE#:	EV13110028-03
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/06/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/6/2013 9:13:00 AM
CLIENT SAMPLE ID	MW-15	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Vinyl Chloride	EPA-8260	**0.65**	0.20	1	UG/L	11/07/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/07/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/07/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	**6.8**	2.0	1	UG/L	11/07/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	**230**	80	40	UG/L	11/07/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trichloroethene	EPA-8260	**820**	80	40	UG/L	11/07/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Tetrachloroethylene	EPA-8260	**8.2**	2.0	1	UG/L	11/07/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/07/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110028
		ALS SAMPLE#:	EV13110028-03
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/06/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/6/2013 9:13:00 AM
CLIENT SAMPLE ID	MW-15	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/07/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/07/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/07/2013	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	11/06/2013	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK
Chromium	EPA-200.8	**28**	2.0	1	UG/L	11/13/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**94.8**	11/07/2013	GAP
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**94.1**	11/07/2013	GAP
Toluene-d8	EPA-8260	**100**	11/07/2013	GAP
Toluene-d8 40X Dilution	EPA-8260	**98.2**	11/07/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	11/14/2013 EV13110028 EV13110028-03
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/06/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/6/2013 9:13:00 AM
CLIENT SAMPLE ID	MW-15	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**91.3**	11/07/2013	GAP
4-Bromofluorobenzene 40X Dilution	EPA-8260	**91.3**	11/07/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

CLIENT CONTACT: Adam Morine
CLIENT PROJECT: 64001.1

DATE: 11/14/2013
ALS SDG#: EV13110028
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-110613W - Batch 7355 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	11/06/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/06/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/06/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/06/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

CLIENT CONTACT: Adam Morine
CLIENT PROJECT: 64001.1

DATE: 11/14/2013
ALS SDG#: EV13110028
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-110613W - Batch 7355 - Water by EPA-8260

Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/06/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-1162013 - Batch R92043 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	UG/L	11/06/2013	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-1162013 - Batch R91958 - Water by SM4500-CN E

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS SDG#:	EV13110028
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Adam Morine		
CLIENT PROJECT:	64001.1		

LABORATORY BLANK RESULTS

MBLK-1162013 - Batch R91958 - Water by SM4500-CN E

U - Analyte analyzed for but not detected at level above reporting limit.

MB-110713W - Batch 7361 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	11/11/2013	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS SDG#:	EV13110028
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Adam Morine		
CLIENT PROJECT:	64001.1		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 7355 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**126**			11/06/2013	GAP
1,1-Dichloroethene - BSD	EPA-8260	**118**	**6**		11/06/2013	GAP
Benzene - BS	EPA-8260	**121**			11/06/2013	GAP
Benzene - BSD	EPA-8260	**119**	**2**		11/06/2013	GAP
Trichloroethene - BS	EPA-8260	**119**			11/06/2013	GAP
Trichloroethene - BSD	EPA-8260	**116**	**3**		11/06/2013	GAP
Toluene - BS	EPA-8260	**118**			11/06/2013	GAP
Toluene - BSD	EPA-8260	**116**	**2**		11/06/2013	GAP
Chlorobenzene - BS	EPA-8260	**123**			11/06/2013	GAP
Chlorobenzene - BSD	EPA-8260	**121**	**2**		11/06/2013	GAP

ALS Test Batch ID: R92043 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**103**			11/06/2013	RAL
Chromium (VI) - BSD	EPA-7196	**103**	**0**		11/06/2013	RAL

ALS Test Batch ID: R91958 - Water by SM4500-CN E

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Cyanide - BS	SM4500-CN E	**98.0**			11/06/2013	HJK

ALS Test Batch ID: 7361 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**98.6**			11/11/2013	RAL
Chromium - BSD	EPA-200.8	**97.2**	**1**		11/11/2013	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV13110028

Date 11/6/13 Page 1 Of 1

PROJECT ID: 64001.1
REPORT TO COMPANY: EPI
PROJECT MANAGER: Adam Morine
ADDRESS: 395 NE Gilman Blvd, Ste 201 Issaquah, WA 98027
PHONE: 425-395-0010 FAX: 425-395-0011
P.O. #: E-MAIL: adamm@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium (EPA 200.8)	Hexavalent Chromium (EPA-7196)	Cyanide (SM 4500-CN)	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-3	11/6/13	0852	W	1							X									X		X		
2. MW-16	↓	0904	↓	2							X										X			
3. MW-15	↓	0913	↓	3							X									X	X	X		
4.																								
5.																								
6.																								
7.																								
8.																								
9.																								
10.																								

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 11/6/13
   Received By: Shawn Rokusa ALS 11/6/13 11:20
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

* Turnaround request less than standard may incur Rush Charges

November 14, 2013

Mr. Adam Morine
Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

Dear Mr. Morine,

On November 4th, 8 samples were received by our laboratory and assigned our laboratory project number EV13110016. The project was identified as your 64001.1. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group



Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110016
		ALS SAMPLE#:	EV13110016-01
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 9:11:00 AM
CLIENT SAMPLE ID	MW-12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	11/06/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/06/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/06/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/06/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110016
		ALS SAMPLE#:	EV13110016-01
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 9:11:00 AM
CLIENT SAMPLE ID	MW-12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/06/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	11/04/2013	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK
Chromium	EPA-200.8	U	2.0	1	UG/L	11/11/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	11/06/2013	GAP
Toluene-d8	EPA-8260	**96.1**	11/06/2013	GAP
4-Bromofluorobenzene	EPA-8260	**89.7**	11/06/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110016
		ALS SAMPLE#:	EV13110016-02
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 9:58:00 AM
CLIENT SAMPLE ID	MW-10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Vinyl Chloride	EPA-8260	**2.5**	0.20	1	UG/L	11/06/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/06/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/06/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/06/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110016
		ALS SAMPLE#:	EV13110016-02
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 9:58:00 AM
CLIENT SAMPLE ID	MW-10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/06/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	11/04/2013	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK
Chromium	EPA-200.8	**8.9**	2.0	1	UG/L	11/11/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**98.2**	11/06/2013	GAP
Toluene-d8	EPA-8260	**96.4**	11/06/2013	GAP
4-Bromofluorobenzene	EPA-8260	**88.4**	11/06/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	11/14/2013 EV13110016 EV13110016-03
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 10:40:00 AM
CLIENT SAMPLE ID	MW-9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	11/06/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/06/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/06/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/06/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110016
		ALS SAMPLE#:	EV13110016-03
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 10:40:00 AM
CLIENT SAMPLE ID	MW-9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/06/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	11/04/2013	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK
Chromium	EPA-200.8	**15**	2.0	1	UG/L	11/11/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	11/06/2013	GAP
Toluene-d8	EPA-8260	**96.7**	11/06/2013	GAP
4-Bromofluorobenzene	EPA-8260	**88.7**	11/06/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	11/14/2013 EV13110016 EV13110016-04
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 11:11:00 AM
CLIENT SAMPLE ID	MW-5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	11/06/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/06/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/06/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/06/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110016
		ALS SAMPLE#:	EV13110016-04
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 11:11:00 AM
CLIENT SAMPLE ID	MW-5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/06/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	11/04/2013	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK
Chromium	EPA-200.8	U	2.0	1	UG/L	11/11/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.0**	11/06/2013	GAP
Toluene-d8	EPA-8260	**97.0**	11/06/2013	GAP
4-Bromofluorobenzene	EPA-8260	**89.9**	11/06/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110016
		ALS SAMPLE#:	EV13110016-05
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 11:44:00 AM
CLIENT SAMPLE ID	MW-7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Vinyl Chloride	EPA-8260	**0.72**	0.20	1	UG/L	11/06/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/06/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/06/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	**5.3**	2.0	1	UG/L	11/06/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/06/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110016
		ALS SAMPLE#:	EV13110016-05
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 11:44:00 AM
CLIENT SAMPLE ID	MW-7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/06/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	11/04/2013	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK
Chromium	EPA-200.8	U	2.0	1	UG/L	11/11/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.5**	11/06/2013	GAP
Toluene-d8	EPA-8260	**97.7**	11/06/2013	GAP
4-Bromofluorobenzene	EPA-8260	**91.6**	11/06/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110016
		ALS SAMPLE#:	EV13110016-06
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 12:24:00 PM
CLIENT SAMPLE ID	MW-8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Vinyl Chloride	EPA-8260	**2.0**	0.20	1	UG/L	11/06/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/06/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/06/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/06/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110016
		ALS SAMPLE#:	EV13110016-06
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 12:24:00 PM
CLIENT SAMPLE ID	MW-8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/06/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	11/04/2013	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK
Chromium	EPA-200.8	**2.7**	2.0	1	UG/L	11/11/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	11/06/2013	GAP
Toluene-d8	EPA-8260	**95.9**	11/06/2013	GAP
4-Bromofluorobenzene	EPA-8260	**88.5**	11/06/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110016
		ALS SAMPLE#:	EV13110016-07
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 1:47:00 PM
CLIENT SAMPLE ID	MW-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	11/06/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/06/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/06/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/06/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110016
		ALS SAMPLE#:	EV13110016-07
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 1:47:00 PM
CLIENT SAMPLE ID	MW-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/06/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	11/04/2013	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK
Chromium	EPA-200.8	U	2.0	1	UG/L	11/11/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**98.9**	11/06/2013	GAP
Toluene-d8	EPA-8260	**96.0**	11/06/2013	GAP
4-Bromofluorobenzene	EPA-8260	**87.7**	11/06/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110016
		ALS SAMPLE#:	EV13110016-08
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 2:25:00 PM
CLIENT SAMPLE ID	MW-11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	11/06/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/06/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/06/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	**35**	2.0	1	UG/L	11/06/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichloroethene	EPA-8260	**89**	20	10	UG/L	11/06/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Tetrachloroethylene	EPA-8260	**2.6**	2.0	1	UG/L	11/06/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/06/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110016
		ALS SAMPLE#:	EV13110016-08
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 2:25:00 PM
CLIENT SAMPLE ID	MW-11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/06/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chromium (VI)	EPA-7196	**70**	10	1	UG/L	11/04/2013	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK
Chromium	EPA-200.8	**83**	2.0	1	UG/L	11/11/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.8**	11/06/2013	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**101**	11/06/2013	GAP
Toluene-d8	EPA-8260	**96.7**	11/06/2013	GAP
Toluene-d8 10X Dilution	EPA-8260	**95.8**	11/06/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS JOB#:	EV13110016
		ALS SAMPLE#:	EV13110016-08
CLIENT CONTACT:	Adam Morine	DATE RECEIVED:	11/04/2013
CLIENT PROJECT:	64001.1	COLLECTION DATE:	11/4/2013 2:25:00 PM
CLIENT SAMPLE ID	MW-11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**87.1**	11/06/2013	GAP
4-Bromofluorobenzene 10X Dilution	EPA-8260	**86.6**	11/06/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

CLIENT CONTACT: Adam Morine
CLIENT PROJECT: 64001.1

DATE: 11/14/2013
ALS SDG#: EV13110016
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-110613W - Batch 7355 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	11/06/2013	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Acetone	EPA-8260	U	25	1	UG/L	11/06/2013	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	11/06/2013	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	11/06/2013	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

CLIENT CONTACT: Adam Morine
CLIENT PROJECT: 64001.1

DATE: 11/14/2013
ALS SDG#: EV13110016
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-110613W - Batch 7355 - Water by EPA-8260

Chlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	11/06/2013	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	11/06/2013	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	11/06/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-1142013 - Batch R92041 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	UG/L	11/04/2013	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-1162013 - Batch R91958 - Water by SM4500-CN E

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Cyanide	SM4500-CN E	U	0.050	1	MG/L	11/06/2013	HJK

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS SDG#:	EV13110016
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Adam Morine		
CLIENT PROJECT:	64001.1		

LABORATORY BLANK RESULTS

MBLK-1162013 - Batch R91958 - Water by SM4500-CN E

U - Analyte analyzed for but not detected at level above reporting limit.

MB-110713W - Batch 7361 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	11/11/2013	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	11/14/2013
		ALS SDG#:	EV13110016
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Adam Morine		
CLIENT PROJECT:	64001.1		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 7355 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**126**			11/06/2013	GAP
1,1-Dichloroethene - BSD	EPA-8260	**118**	**6**		11/06/2013	GAP
Benzene - BS	EPA-8260	**121**			11/06/2013	GAP
Benzene - BSD	EPA-8260	**119**	**2**		11/06/2013	GAP
Trichloroethene - BS	EPA-8260	**119**			11/06/2013	GAP
Trichloroethene - BSD	EPA-8260	**116**	**3**		11/06/2013	GAP
Toluene - BS	EPA-8260	**118**			11/06/2013	GAP
Toluene - BSD	EPA-8260	**116**	**2**		11/06/2013	GAP
Chlorobenzene - BS	EPA-8260	**123**			11/06/2013	GAP
Chlorobenzene - BSD	EPA-8260	**121**	**2**		11/06/2013	GAP

ALS Test Batch ID: R92041 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**105**			11/04/2013	RAL
Chromium (VI) - BSD	EPA-7196	**105**	**0**		11/04/2013	RAL

ALS Test Batch ID: R91958 - Water by SM4500-CN E

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Cyanide - BS	SM4500-CN E	**98.0**			11/06/2013	HJK

ALS Test Batch ID: 7361 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**98.6**			11/11/2013	RAL
Chromium - BSD	EPA-200.8	**97.2**	**1**		11/11/2013	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV13110016

Date 11/4/13 Page 1 Of 1

PROJECT ID: 64001.1
REPORT TO COMPANY: EPI
PROJECT MANAGER: Adam Morine
ADDRESS: 295 NE Gilman Blvd, Ste 201, Issaquah, WA 98027
PHONE: 425-395-0010 FAX: 425-395-0011
P.O. #: E-MAIL: adamm@ep-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium (EPA-200.8)	Hexavalent Chromium (EPA-3196)	Cyanide (SM 4500-CN)				NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-12	11/4/13	0911	W	1							X									X	X	X				6	
2. MW-10		0958		2							X									X	X	X				6	
3. MW-9		1040		3							X									X	X	X				6	
4. MW-5		1111		4							X									X	X	X				6	
5. MW-7		1144		5							X									X	X	X				6	
6. MW-8		1224		6							X									X	X	X				6	
7. MW-4		1347		7							X									X	X	X				6	
8. MW-11		1425		8							X									X	X	X				6	
9.																											
10.																											

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 11/4/13 1435
   Received By: ALS 11/4/13 14:35PM
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

* Turnaround request less than standard may incur Rush Charges

LABORATORY COPY

March 31, 2014

Mr. Thom Morin
Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

Dear Mr. Morin,

On March 17th, 20 samples were received by our laboratory and assigned our laboratory project number EV14030109. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 9:11:00 AM
CLIENT SAMPLE ID	B-8:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	110	1	UG/KG	03/22/2014	GAP
Chloromethane	EPA-8260	U	65	1	UG/KG	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Bromomethane	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Chloroethane	EPA-8260	U	65	1	UG/KG	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	69	1	UG/KG	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	67	1	UG/KG	03/22/2014	GAP
Acetone	EPA-8260	U	130	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	140	1	UG/KG	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	70	1	UG/KG	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	68	1	UG/KG	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	65	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	66	1	UG/KG	03/22/2014	GAP
2-Butanone	EPA-8260	U	96	1	UG/KG	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**680**	71	1	UG/KG	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	67	1	UG/KG	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	120	1	UG/KG	03/22/2014	GAP
Chloroform	EPA-8260	U	67	1	UG/KG	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP
Trichloroethene	EPA-8260	**28000**	400	40	UG/KG	03/24/2014	GAP
1,2-Dichloropropane	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
Dibromomethane	EPA-8260	U	77	1	UG/KG	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	68	1	UG/KG	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	72	1	UG/KG	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	67	1	UG/KG	03/22/2014	GAP
Toluene	EPA-8260	U	69	1	UG/KG	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	70	1	UG/KG	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	72	1	UG/KG	03/22/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	70	1	UG/KG	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	**2000**	10	1	UG/KG	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	100	1	UG/KG	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 9:11:00 AM
CLIENT SAMPLE ID	B-8:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	72	1	UG/KG	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	71	1	UG/KG	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	130	1	UG/KG	03/22/2014	GAP
Styrene	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
o-Xylene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
Bromoform	EPA-8260	U	78	1	UG/KG	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	75	1	UG/KG	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	79	1	UG/KG	03/22/2014	GAP
Bromobenzene	EPA-8260	U	75	1	UG/KG	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	72	1	UG/KG	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	75	1	UG/KG	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	110	1	UG/KG	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	70	1	UG/KG	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	76	1	UG/KG	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	71	1	UG/KG	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	76	1	UG/KG	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	89	1	UG/KG	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	66	1	UG/KG	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	79	1	UG/KG	03/22/2014	GAP
Naphthalene	EPA-8260	U	75	1	UG/KG	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	71	1	UG/KG	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2014	RAL
Chromium	EPA-6020	**190**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	03/22/2014	GAP
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**101**	03/24/2014	GAP
Toluene-d8	EPA-8260	**94.1**	03/22/2014	GAP
Toluene-d8 40X Dilution	EPA-8260	**97.1**	03/24/2014	GAP
4-Bromofluorobenzene	EPA-8260	**111**	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/31/2014 EV14030109 EV14030109-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 9:11:00 AM
CLIENT SAMPLE ID	B-8:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 40X Dilution	EPA-8260	**103**	03/24/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-02
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 9:13:00 AM
CLIENT SAMPLE ID	B-8:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	83	1	UG/KG	03/22/2014	GAP
Chloromethane	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Bromomethane	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
Chloroethane	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
Acetone	EPA-8260	U	97	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	100	1	UG/KG	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
2-Butanone	EPA-8260	U	73	1	UG/KG	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	89	1	UG/KG	03/22/2014	GAP
Chloroform	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP
Trichloroethene	EPA-8260	**1200**	10	1	UG/KG	03/22/2014	GAP
1,2-Dichloropropane	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
Dibromomethane	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
Toluene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	**130**	10	1	UG/KG	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	80	1	UG/KG	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-02
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 9:13:00 AM
CLIENT SAMPLE ID	B-8:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	43	1	UG/KG	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	98	1	UG/KG	03/22/2014	GAP
Styrene	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
o-Xylene	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
Bromoform	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
Bromobenzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	41	1	UG/KG	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	83	1	UG/KG	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	40	1	UG/KG	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	43	1	UG/KG	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	68	1	UG/KG	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
Naphthalene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2014	RAL
Chromium	EPA-6020	**12**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	03/22/2014	GAP
Toluene-d8	EPA-8260	**93.1**	03/22/2014	GAP
4-Bromofluorobenzene	EPA-8260	**105**	03/22/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-03
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 9:20:00 AM
CLIENT SAMPLE ID	B-8:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	91	1	UG/KG	03/22/2014	GAP
Chloromethane	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Bromomethane	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
Chloroethane	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Acetone	EPA-8260	U	110	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
2-Butanone	EPA-8260	U	80	1	UG/KG	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	97	1	UG/KG	03/22/2014	GAP
Chloroform	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP
Trichloroethene	EPA-8260	**320**	10	1	UG/KG	03/22/2014	GAP
1,2-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
Dibromomethane	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Toluene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	87	1	UG/KG	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-03
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 9:20:00 AM
CLIENT SAMPLE ID	B-8:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/22/2014	GAP
Styrene	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
o-Xylene	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
Bromoform	EPA-8260	U	65	1	UG/KG	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	63	1	UG/KG	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	66	1	UG/KG	03/22/2014	GAP
Bromobenzene	EPA-8260	U	63	1	UG/KG	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	63	1	UG/KG	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	91	1	UG/KG	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	75	1	UG/KG	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	66	1	UG/KG	03/22/2014	GAP
Naphthalene	EPA-8260	U	63	1	UG/KG	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2014	RAL
Chromium	EPA-6020	**36**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	03/22/2014	GAP
Toluene-d8	EPA-8260	**94.1**	03/22/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/22/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/31/2014 EV14030109 EV14030109-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 9:30:00 AM
CLIENT SAMPLE ID	B-8:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/18/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/18/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/18/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**15**	2.0	1	UG/L	03/18/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trichloroethene	EPA-8260	**58**	8.0	4	UG/L	03/18/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/18/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 9:30:00 AM
CLIENT SAMPLE ID	B-8:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/18/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chromium (VI)	EPA-7196	**120**	10	1	UG/L	03/17/2014	RAL	
Chromium	EPA-200.8	**370**	2.0	1	UG/L	03/29/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**97.1**	03/18/2014	GAP	
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**102**	03/18/2014	GAP	
Toluene-d8	EPA-8260	**96.3**	03/18/2014	GAP	
Toluene-d8 4X Dilution	EPA-8260	**95.7**	03/18/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**108**	03/18/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 9:30:00 AM
CLIENT SAMPLE ID	B-8:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 4X Dilution	EPA-8260	**102**	03/18/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-05
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:04:00 AM
CLIENT SAMPLE ID	B-10:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	88	1	UG/KG	03/22/2014	GAP
Chloromethane	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Bromomethane	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
Chloroethane	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
2-Butanone	EPA-8260	U	78	1	UG/KG	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	94	1	UG/KG	03/22/2014	GAP
Chloroform	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP
Trichloroethene	EPA-8260	**6100**	100	10	UG/KG	03/24/2014	GAP
1,2-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
Dibromomethane	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Toluene	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	**280**	10	1	UG/KG	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	85	1	UG/KG	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-05
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:04:00 AM
CLIENT SAMPLE ID	B-10:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/22/2014	GAP
Styrene	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
o-Xylene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Bromoform	EPA-8260	U	63	1	UG/KG	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
Bromobenzene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	88	1	UG/KG	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	73	1	UG/KG	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
Naphthalene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2014	RAL
Chromium	EPA-6020	**280**	0.50	5	MG/KG	03/29/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	03/22/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**102**	03/24/2014	GAP
Toluene-d8	EPA-8260	**94.0**	03/22/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**96.3**	03/24/2014	GAP
4-Bromofluorobenzene	EPA-8260	**104**	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-05
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:04:00 AM
CLIENT SAMPLE ID	B-10:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**102**	03/24/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-06
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:06:00 AM
CLIENT SAMPLE ID	B-10:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	88	1	UG/KG	03/22/2014	GAP
Chloromethane	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Bromomethane	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
Chloroethane	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
2-Butanone	EPA-8260	U	78	1	UG/KG	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**120**	58	1	UG/KG	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	95	1	UG/KG	03/22/2014	GAP
Chloroform	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP
Trichloroethene	EPA-8260	**15000**	100	10	UG/KG	03/24/2014	GAP
1,2-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
Dibromomethane	EPA-8260	U	63	1	UG/KG	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Toluene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	**320**	10	1	UG/KG	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	85	1	UG/KG	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-06
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:06:00 AM
CLIENT SAMPLE ID	B-10:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/22/2014	GAP
Styrene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
o-Xylene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Bromoform	EPA-8260	U	63	1	UG/KG	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
Bromobenzene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	88	1	UG/KG	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	73	1	UG/KG	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
Naphthalene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2014	RAL
Chromium	EPA-6020	**2100**	2.5	25	MG/KG	03/30/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	03/22/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**102**	03/24/2014	GAP
Toluene-d8	EPA-8260	**93.9**	03/22/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**96.3**	03/24/2014	GAP
4-Bromofluorobenzene	EPA-8260	**102**	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-06
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:06:00 AM
CLIENT SAMPLE ID	B-10:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**105**	03/24/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-07
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:08:00 AM
CLIENT SAMPLE ID	B-10:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	87	1	UG/KG	03/22/2014	GAP
Chloromethane	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Bromomethane	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
Chloroethane	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
2-Butanone	EPA-8260	U	77	1	UG/KG	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	94	1	UG/KG	03/22/2014	GAP
Chloroform	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP
Trichloroethene	EPA-8260	**390**	10	1	UG/KG	03/22/2014	GAP
1,2-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
Dibromomethane	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Toluene	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	84	1	UG/KG	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-07
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:08:00 AM
CLIENT SAMPLE ID	B-10:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/22/2014	GAP
Styrene	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
o-Xylene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
Bromoform	EPA-8260	U	63	1	UG/KG	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
Bromobenzene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	87	1	UG/KG	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	72	1	UG/KG	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	63	1	UG/KG	03/22/2014	GAP
Naphthalene	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2014	RAL
Chromium	EPA-6020	**1200**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	03/22/2014	GAP
Toluene-d8	EPA-8260	**94.5**	03/22/2014	GAP
4-Bromofluorobenzene	EPA-8260	**105**	03/22/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-08
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:25:00 AM
CLIENT SAMPLE ID	B-10:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/18/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/18/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/18/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**8.4**	2.0	1	UG/L	03/18/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trichloroethene	EPA-8260	**36**	8.0	4	UG/L	03/18/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/18/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-08
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:25:00 AM
CLIENT SAMPLE ID	B-10:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/18/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/17/2014	RAL	
Chromium	EPA-200.8	**1300**	2.0	1	UG/L	03/29/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**98.1**	03/18/2014	GAP	
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**102**	03/18/2014	GAP	
Toluene-d8	EPA-8260	**95.1**	03/18/2014	GAP	
Toluene-d8 4X Dilution	EPA-8260	**95.3**	03/18/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**106**	03/18/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-08
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:25:00 AM
CLIENT SAMPLE ID	B-10:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 4X Dilution	EPA-8260	**104**	03/18/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-09
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:45:00 AM
CLIENT SAMPLE ID	B-11:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	93	1	UG/KG	03/22/2014	GAP
Chloromethane	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Bromomethane	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
Chloroethane	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Acetone	EPA-8260	U	110	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	120	1	UG/KG	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
2-Butanone	EPA-8260	U	82	1	UG/KG	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**840**	60	1	UG/KG	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	99	1	UG/KG	03/22/2014	GAP
Chloroform	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP
Trichloroethene	EPA-8260	**26000**	400	40	UG/KG	03/24/2014	GAP
1,2-Dichloropropane	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
Dibromomethane	EPA-8260	U	66	1	UG/KG	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Toluene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	**550**	10	1	UG/KG	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	89	1	UG/KG	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-09
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:45:00 AM
CLIENT SAMPLE ID	B-11:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/22/2014	GAP
Styrene	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
o-Xylene	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
Bromoform	EPA-8260	U	67	1	UG/KG	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	67	1	UG/KG	03/22/2014	GAP
Bromobenzene	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	92	1	UG/KG	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	65	1	UG/KG	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	65	1	UG/KG	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	77	1	UG/KG	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	67	1	UG/KG	03/22/2014	GAP
Naphthalene	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2014	RAL
Chromium	EPA-6020	**150**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/22/2014	GAP
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**105**	03/24/2014	GAP
Toluene-d8	EPA-8260	**94.4**	03/22/2014	GAP
Toluene-d8 40X Dilution	EPA-8260	**95.5**	03/24/2014	GAP
4-Bromofluorobenzene	EPA-8260	**105**	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-09
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:45:00 AM
CLIENT SAMPLE ID	B-11:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 40X Dilution	EPA-8260	**104**	03/24/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-10
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:48:00 AM
CLIENT SAMPLE ID	B-11:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	90	1	UG/KG	03/22/2014	GAP
Chloromethane	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Bromomethane	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
Chloroethane	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Acetone	EPA-8260	U	110	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
2-Butanone	EPA-8260	U	80	1	UG/KG	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	97	1	UG/KG	03/22/2014	GAP
Chloroform	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP
Trichloroethene	EPA-8260	**680**	10	1	UG/KG	03/22/2014	GAP
1,2-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
Dibromomethane	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Toluene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	87	1	UG/KG	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-10
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:48:00 AM
CLIENT SAMPLE ID	B-11:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/22/2014	GAP
Styrene	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
o-Xylene	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
Bromoform	EPA-8260	U	65	1	UG/KG	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	66	1	UG/KG	03/22/2014	GAP
Bromobenzene	EPA-8260	U	63	1	UG/KG	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	63	1	UG/KG	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	90	1	UG/KG	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	43	1	UG/KG	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	75	1	UG/KG	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	66	1	UG/KG	03/22/2014	GAP
Naphthalene	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2014	RAL
Chromium	EPA-6020	**18**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/22/2014	GAP
Toluene-d8	EPA-8260	**93.1**	03/22/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/22/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-11
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:52:00 AM
CLIENT SAMPLE ID	B-11:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	88	1	UG/KG	03/22/2014	GAP
Chloromethane	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Bromomethane	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
Chloroethane	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
2-Butanone	EPA-8260	U	78	1	UG/KG	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	95	1	UG/KG	03/22/2014	GAP
Chloroform	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP
Trichloroethene	EPA-8260	**590**	10	1	UG/KG	03/22/2014	GAP
1,2-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
Dibromomethane	EPA-8260	U	63	1	UG/KG	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Toluene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	85	1	UG/KG	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-11
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 10:52:00 AM
CLIENT SAMPLE ID	B-11:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/22/2014	GAP
Styrene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
o-Xylene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Bromoform	EPA-8260	U	63	1	UG/KG	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
Bromobenzene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	88	1	UG/KG	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	73	1	UG/KG	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
Naphthalene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2014	RAL
Chromium	EPA-6020	**130**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/22/2014	GAP
Toluene-d8	EPA-8260	**93.5**	03/22/2014	GAP
4-Bromofluorobenzene	EPA-8260	**107**	03/22/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/31/2014 EV14030109 EV14030109-12
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 11:04:00 AM
CLIENT SAMPLE ID	B-11:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/18/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/18/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/18/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**18**	2.0	1	UG/L	03/18/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trichloroethene	EPA-8260	**72**	20	10	UG/L	03/19/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/18/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-12
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 11:04:00 AM
CLIENT SAMPLE ID	B-11:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/18/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/17/2014	RAL	
Chromium	EPA-200.8	**930**	2.0	1	UG/L	03/29/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**98.4**	03/18/2014	GAP	
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**97.6**	03/19/2014	GAP	
Toluene-d8	EPA-8260	**97.0**	03/18/2014	GAP	
Toluene-d8 10X Dilution	EPA-8260	**98.2**	03/19/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**104**	03/18/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-12
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 11:04:00 AM
CLIENT SAMPLE ID	B-11:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**103**	03/19/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-13
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 11:32:00 AM
CLIENT SAMPLE ID	B-9:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	69	1	UG/KG	03/22/2014	GAP
Chloromethane	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Bromomethane	EPA-8260	U	35	1	UG/KG	03/22/2014	GAP
Chloroethane	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	37	1	UG/KG	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
Acetone	EPA-8260	U	81	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	86	1	UG/KG	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	43	1	UG/KG	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	41	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
2-Butanone	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	43	1	UG/KG	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	74	1	UG/KG	03/22/2014	GAP
Chloroform	EPA-8260	U	43	1	UG/KG	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	38	1	UG/KG	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	38	1	UG/KG	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP
Trichloroethene	EPA-8260	**820**	10	1	UG/KG	03/22/2014	GAP
1,2-Dichloropropane	EPA-8260	U	39	1	UG/KG	03/22/2014	GAP
Dibromomethane	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	43	1	UG/KG	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Toluene	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	**55**	10	1	UG/KG	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	66	1	UG/KG	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-13
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 11:32:00 AM
CLIENT SAMPLE ID	B-9:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	36	1	UG/KG	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	81	1	UG/KG	03/22/2014	GAP
Styrene	EPA-8260	U	35	1	UG/KG	03/22/2014	GAP
o-Xylene	EPA-8260	U	39	1	UG/KG	03/22/2014	GAP
Bromoform	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	38	1	UG/KG	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Bromobenzene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	34	1	UG/KG	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	69	1	UG/KG	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	37	1	UG/KG	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	41	1	UG/KG	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	33	1	UG/KG	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	36	1	UG/KG	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Naphthalene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2014	RAL
Chromium	EPA-6020	**19**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/22/2014	GAP
Toluene-d8	EPA-8260	**93.6**	03/22/2014	GAP
4-Bromofluorobenzene	EPA-8260	**107**	03/22/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-14
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 11:35:00 AM
CLIENT SAMPLE ID	B-9:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	75	1	UG/KG	03/22/2014	GAP
Chloromethane	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Bromomethane	EPA-8260	U	38	1	UG/KG	03/22/2014	GAP
Chloroethane	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	40	1	UG/KG	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
Acetone	EPA-8260	U	88	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	94	1	UG/KG	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
2-Butanone	EPA-8260	U	67	1	UG/KG	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**1200**	49	1	UG/KG	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	81	1	UG/KG	03/22/2014	GAP
Chloroform	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP
Trichloroethene	EPA-8260	**34000**	400	40	UG/KG	03/24/2014	GAP
1,2-Dichloropropane	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
Dibromomethane	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Toluene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	**990**	10	1	UG/KG	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	72	1	UG/KG	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-14
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 11:35:00 AM
CLIENT SAMPLE ID	B-9:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	39	1	UG/KG	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	89	1	UG/KG	03/22/2014	GAP
Styrene	EPA-8260	U	38	1	UG/KG	03/22/2014	GAP
o-Xylene	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
Bromoform	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	41	1	UG/KG	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Bromobenzene	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	38	1	UG/KG	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	75	1	UG/KG	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	41	1	UG/KG	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	36	1	UG/KG	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	39	1	UG/KG	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Naphthalene	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2014	RAL
Chromium	EPA-6020	**93**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	03/22/2014	GAP
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**105**	03/24/2014	GAP
Toluene-d8	EPA-8260	**94.1**	03/22/2014	GAP
Toluene-d8 40X Dilution	EPA-8260	**96.1**	03/24/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-14
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 11:35:00 AM
CLIENT SAMPLE ID	B-9:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 40X Dilution	EPA-8260	**101**	03/24/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-15
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 11:38:00 AM
CLIENT SAMPLE ID	B-9:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	76	1	UG/KG	03/22/2014	GAP
Chloromethane	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Bromomethane	EPA-8260	U	38	1	UG/KG	03/22/2014	GAP
Chloroethane	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	40	1	UG/KG	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
Acetone	EPA-8260	U	89	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	95	1	UG/KG	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
2-Butanone	EPA-8260	U	67	1	UG/KG	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	81	1	UG/KG	03/22/2014	GAP
Chloroform	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP
Trichloroethene	EPA-8260	**580**	10	1	UG/KG	03/22/2014	GAP
1,2-Dichloropropane	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
Dibromomethane	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Toluene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	73	1	UG/KG	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-15
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 11:38:00 AM
CLIENT SAMPLE ID	B-9:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	39	1	UG/KG	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	89	1	UG/KG	03/22/2014	GAP
Styrene	EPA-8260	U	38	1	UG/KG	03/22/2014	GAP
o-Xylene	EPA-8260	U	43	1	UG/KG	03/22/2014	GAP
Bromoform	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Bromobenzene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	38	1	UG/KG	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	76	1	UG/KG	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	41	1	UG/KG	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	36	1	UG/KG	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	39	1	UG/KG	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	63	1	UG/KG	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
Naphthalene	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2014	RAL
Chromium	EPA-6020	**11**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/22/2014	GAP
Toluene-d8	EPA-8260	**93.3**	03/22/2014	GAP
4-Bromofluorobenzene	EPA-8260	**108**	03/22/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-16
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 11:46:00 AM
CLIENT SAMPLE ID	B-9:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/18/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/18/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/18/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**16**	2.0	1	UG/L	03/18/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trichloroethene	EPA-8260	**79**	20	10	UG/L	03/19/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/18/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-16
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 11:46:00 AM
CLIENT SAMPLE ID	B-9:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/18/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/17/2014	RAL	
Chromium	EPA-200.8	**1200**	10	5	UG/L	03/30/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**98.5**	03/18/2014	GAP	
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**98.3**	03/19/2014	GAP	
Toluene-d8	EPA-8260	**95.8**	03/18/2014	GAP	
Toluene-d8 10X Dilution	EPA-8260	**95.1**	03/19/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**106**	03/18/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-16
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 11:46:00 AM
CLIENT SAMPLE ID	B-9:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**104**	03/19/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-17
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 1:11:00 PM
CLIENT SAMPLE ID	B-4:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	82	1	UG/KG	03/22/2014	GAP
Chloromethane	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Bromomethane	EPA-8260	U	41	1	UG/KG	03/22/2014	GAP
Chloroethane	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	43	1	UG/KG	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Acetone	EPA-8260	U	95	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	100	1	UG/KG	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	**70**	49	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
2-Butanone	EPA-8260	U	72	1	UG/KG	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**840**	53	1	UG/KG	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	88	1	UG/KG	03/22/2014	GAP
Chloroform	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP
Trichloroethene	EPA-8260	**8400**	100	10	UG/KG	03/24/2014	GAP
1,2-Dichloropropane	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
Dibromomethane	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Toluene	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	**330**	10	1	UG/KG	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	79	1	UG/KG	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-17
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 1:11:00 PM
CLIENT SAMPLE ID	B-4:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	96	1	UG/KG	03/22/2014	GAP
Styrene	EPA-8260	U	41	1	UG/KG	03/22/2014	GAP
o-Xylene	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
Bromoform	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
Bromobenzene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	**100**	41	1	UG/KG	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	81	1	UG/KG	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	**93**	53	1	UG/KG	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	**140**	44	1	UG/KG	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	**69**	39	1	UG/KG	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	43	1	UG/KG	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	67	1	UG/KG	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
Naphthalene	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2014	RAL
Chromium	EPA-6020	**110**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/22/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**105**	03/24/2014	GAP
Toluene-d8	EPA-8260	**93.2**	03/22/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**95.7**	03/24/2014	GAP
4-Bromofluorobenzene	EPA-8260	**105**	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-17
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 1:11:00 PM
CLIENT SAMPLE ID	B-4:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**99.5**	03/24/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-18
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 1:14:00 PM
CLIENT SAMPLE ID	B-4:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	74	1	UG/KG	03/22/2014	GAP
Chloromethane	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Bromomethane	EPA-8260	U	37	1	UG/KG	03/22/2014	GAP
Chloroethane	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	39	1	UG/KG	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
Acetone	EPA-8260	U	86	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	92	1	UG/KG	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	44	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
2-Butanone	EPA-8260	U	65	1	UG/KG	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**85**	48	1	UG/KG	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	79	1	UG/KG	03/22/2014	GAP
Chloroform	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	41	1	UG/KG	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	41	1	UG/KG	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP
Trichloroethene	EPA-8260	**1400**	10	1	UG/KG	03/22/2014	GAP
1,2-Dichloropropane	EPA-8260	U	41	1	UG/KG	03/22/2014	GAP
Dibromomethane	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
Toluene	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	**170**	10	1	UG/KG	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	71	1	UG/KG	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-18
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 1:14:00 PM
CLIENT SAMPLE ID	B-4:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	38	1	UG/KG	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	87	1	UG/KG	03/22/2014	GAP
Styrene	EPA-8260	U	37	1	UG/KG	03/22/2014	GAP
o-Xylene	EPA-8260	U	42	1	UG/KG	03/22/2014	GAP
Bromoform	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	40	1	UG/KG	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	54	1	UG/KG	03/22/2014	GAP
Bromobenzene	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	37	1	UG/KG	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	73	1	UG/KG	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	40	1	UG/KG	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	43	1	UG/KG	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	35	1	UG/KG	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	38	1	UG/KG	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	53	1	UG/KG	03/22/2014	GAP
Naphthalene	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2014	RAL
Chromium	EPA-6020	**29**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.7**	03/22/2014	GAP
Toluene-d8	EPA-8260	**92.8**	03/22/2014	GAP
4-Bromofluorobenzene	EPA-8260	**108**	03/22/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-19
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 1:20:00 PM
CLIENT SAMPLE ID	B-4:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	93	1	UG/KG	03/22/2014	GAP
Chloromethane	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Bromomethane	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
Chloroethane	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	59	1	UG/KG	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	49	1	UG/KG	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Acetone	EPA-8260	U	110	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	120	1	UG/KG	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	56	1	UG/KG	03/22/2014	GAP
2-Butanone	EPA-8260	U	82	1	UG/KG	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	100	1	UG/KG	03/22/2014	GAP
Chloroform	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP
Trichloroethene	EPA-8260	**340**	10	1	UG/KG	03/22/2014	GAP
1,2-Dichloropropane	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
Dibromomethane	EPA-8260	U	66	1	UG/KG	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	58	1	UG/KG	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Toluene	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	90	1	UG/KG	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-19
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 1:20:00 PM
CLIENT SAMPLE ID	B-4:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/22/2014	GAP
Styrene	EPA-8260	U	47	1	UG/KG	03/22/2014	GAP
o-Xylene	EPA-8260	U	52	1	UG/KG	03/22/2014	GAP
Bromoform	EPA-8260	U	67	1	UG/KG	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	51	1	UG/KG	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	68	1	UG/KG	03/22/2014	GAP
Bromobenzene	EPA-8260	U	65	1	UG/KG	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	62	1	UG/KG	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	46	1	UG/KG	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	93	1	UG/KG	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	60	1	UG/KG	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	50	1	UG/KG	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	55	1	UG/KG	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	45	1	UG/KG	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	65	1	UG/KG	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	48	1	UG/KG	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	65	1	UG/KG	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	77	1	UG/KG	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	57	1	UG/KG	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	67	1	UG/KG	03/22/2014	GAP
Naphthalene	EPA-8260	U	64	1	UG/KG	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	61	1	UG/KG	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2014	RAL
Chromium	EPA-6020	**8.7**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.5**	03/22/2014	GAP
Toluene-d8	EPA-8260	**92.1**	03/22/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/22/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-20
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 1:41:00 PM
CLIENT SAMPLE ID	B-4:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/18/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/18/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/18/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**17**	2.0	1	UG/L	03/18/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trichloroethene	EPA-8260	**150**	8.0	4	UG/L	03/19/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Tetrachloroethylene	EPA-8260	**2.9**	2.0	1	UG/L	03/18/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/18/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-20
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 1:41:00 PM
CLIENT SAMPLE ID	B-4:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/18/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/18/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/18/2014	GAP	
Chromium (VI)	EPA-7196	**1600**	50	5	UG/L	03/17/2014	RAL	
Chromium	EPA-200.8	**1600**	10	5	UG/L	03/30/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**100**	03/18/2014	GAP	
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**100**	03/19/2014	GAP	
Toluene-d8	EPA-8260	**95.5**	03/18/2014	GAP	
Toluene-d8 4X Dilution	EPA-8260	**94.9**	03/19/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**105**	03/18/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS JOB#:	EV14030109
		ALS SAMPLE#:	EV14030109-20
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/17/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 1:41:00 PM
CLIENT SAMPLE ID	B-4:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 4X Dilution	EPA-8260	**103**	03/19/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 3/31/2014
ALS SDG#: EV14030109
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032114S - Batch 7736 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Chloromethane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Bromomethane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Chloroethane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Carbon Tetrachloride	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Trichlorofluoromethane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Carbon Disulfide	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Acetone	EPA-8260	U	50	1	UG/KG	03/21/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Methylene Chloride	EPA-8260	U	20	1	UG/KG	03/21/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/21/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,1-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
2-Butanone	EPA-8260	U	50	1	UG/KG	03/21/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
2,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Bromochloromethane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Chloroform	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,1-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/21/2014	GAP
Trichloroethene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Dibromomethane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Bromodichloromethane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/21/2014	GAP
Toluene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/21/2014	GAP
1,3-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Dibromochloromethane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/21/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 3/31/2014
ALS SDG#: EV14030109
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032114S - Batch 7736 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Ethylbenzene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
m,p-Xylene	EPA-8260	U	20	1	UG/KG	03/21/2014	GAP
Styrene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
o-Xylene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Bromoform	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Isopropylbenzene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Bromobenzene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
N-Propyl Benzene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
2-Chlorotoluene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
4-Chlorotoluene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
T-Butyl Benzene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
S-Butyl Benzene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
P-Isopropyltoluene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
N-Butylbenzene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	UG/KG	03/21/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Hexachlorobutadiene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
Naphthalene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	03/21/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MB-031714W2 - Batch 7715 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/17/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 3/31/2014
ALS SDG#: EV14030109
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-031714W2 - Batch 7715 - Water by EPA-8260

Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/17/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/17/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/17/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/17/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/17/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/17/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/17/2014	GAP
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/17/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 3/31/2014
ALS SDG#: EV14030109
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-031714W2 - Batch 7715 - Water by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/17/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/17/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3182014 - Batch R93298 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3192014 - Batch R93299 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3182014 - Batch R93297 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/17/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS SDG#:	EV14030109
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB-031914S - Batch 7728 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	03/21/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-032614W - Batch 7754 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	03/29/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS SDG#:	EV14030109
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 7736 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**108**			03/21/2014	GAP
1,1-Dichloroethene - BSD	EPA-8260	**112**	**3**		03/21/2014	GAP
Benzene - BS	EPA-8260	**101**			03/21/2014	GAP
Benzene - BSD	EPA-8260	**104**	**3**		03/21/2014	GAP
Trichloroethene - BS	EPA-8260	**111**			03/21/2014	GAP
Trichloroethene - BSD	EPA-8260	**116**	**5**		03/21/2014	GAP
Toluene - BS	EPA-8260	**106**			03/21/2014	GAP
Toluene - BSD	EPA-8260	**108**	**2**		03/21/2014	GAP
Chlorobenzene - BS	EPA-8260	**107**			03/21/2014	GAP
Chlorobenzene - BSD	EPA-8260	**109**	**2**		03/21/2014	GAP

ALS Test Batch ID: 7715 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**99.8**			03/17/2014	GAP
1,1-Dichloroethene - BSD	EPA-8260	**95.9**	**4**		03/17/2014	GAP
Benzene - BS	EPA-8260	**92.7**			03/17/2014	GAP
Benzene - BSD	EPA-8260	**86.2**	**7**		03/17/2014	GAP
Trichloroethene - BS	EPA-8260	**105**			03/17/2014	GAP
Trichloroethene - BSD	EPA-8260	**98.4**	**6**		03/17/2014	GAP
Toluene - BS	EPA-8260	**103**			03/17/2014	GAP
Toluene - BSD	EPA-8260	**95.9**	**7**		03/17/2014	GAP
Chlorobenzene - BS	EPA-8260	**103**			03/17/2014	GAP
Chlorobenzene - BSD	EPA-8260	**96.4**	**6**		03/17/2014	GAP

ALS Test Batch ID: R93298 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**102**			03/18/2014	RAL
Chromium (VI) - BSD	EPA-7196	**100**	**2**		03/18/2014	RAL

ALS Test Batch ID: R93299 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**103**			03/19/2014	RAL
Chromium (VI) - BSD	EPA-7196	**107**	**4**		03/19/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	3/31/2014
		ALS SDG#:	EV14030109
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: R93297 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**100**			03/17/2014	RAL
Chromium (VI) - BSD	EPA-7196	**106**	**6**		03/17/2014	RAL

ALS Test Batch ID: 7728 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**99.8**			03/21/2014	RAL
Chromium - BSD	EPA-6020	**105**	**5**		03/21/2014	RAL

ALS Test Batch ID: 7754 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**104**			03/29/2014	RAL
Chromium - BSD	EPA-200.8	**101**	**2**		03/29/2014	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV14030109

Date _____ Page 1 Of 2

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Thom Morin / Monty Bushen
ADDRESS: 295 NE Gilman Blvd
Issaquah WA
PHONE: 425-988-4090 FAX:
P.O. #: E-MAIL: montyb@epi-inc.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Chrome, Total	Chrome VI						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-8:0.5	3/17/14	0911	soil	1							X									X	X						4	
2. B-8:3		0913	↓	2							X									X	X						4	
3. B-8:6		0920		3							X									X	X						4	
4. B-8:RGW		0930	water	4							X									X	X						5	
5. B-10:0.5		1004	soil	5							X									X	X						4	
6. B-10:3		1006		6							X									X	X						4	
7. B-10:6		1008	↓	7							X									X	X						4	
8. B-10:RGW		1025	water	8							X									X	X						5	
9. B-11:0.5		1045	soil	9							X									X	X						4	
10. B-11:3		1048	soil	10							X									X	X						4	

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 3-17-14 1427
Received By: ALS 3/17/14 1427
2. Relinquished By: _____
Received By: _____

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: ~~5~~ Standard | 3 | 1 | SAME DAY

OTHER:
Specify: _____

* Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV14030109

Date _____ Page 2 of 2

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Thom Morin / Monty Busbee
ADDRESS: 295 NE Gilman Blvd
Issaquah WA
PHONE: 425-488-4090 FAX:
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chrome	Chrome VI					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-11:6	3/17/14	1052	soil	11						X										X	X					4	
2. B-11:RGW		1104	water	12						X										X	X					5	
3. B-9:0.5		1132	soil	13						X										X	X					4	
4. B-9:3		1135		14						X										X	X					4	
5. B-9:6		1138		15						X										X	X					4	
6. B-9:RGW		1146	water	16						X										X	X					5	
7. B-4:0.5		1311	soil	17						X										X	X					4	
8. B-4:3		1314		18						X										X	X					4	
9. B-4:6		1320		19						X										X	X					4	
10. B-4:RGW		1341	water	20						X										X	X					5	

ANALYSIS REQUESTED | OTHER (Specify)

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 3/17/14 1427
Received By: ALS 3/17/14 1427
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: ~~5~~ Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

* Turnaround request less than standard may incur Rush Charges

April 1, 2014

Mr. Thom Morin
Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

Dear Mr. Morin,

On March 18th, 20 samples were received by our laboratory and assigned our laboratory project number EV14030112. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 2:01:00 PM
CLIENT SAMPLE ID	B-5:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	71	1	UG/KG	03/24/2014	GAP	
Chloromethane	EPA-8260	U	43	1	UG/KG	03/24/2014	GAP	
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP	
Bromomethane	EPA-8260	U	36	1	UG/KG	03/24/2014	GAP	
Chloroethane	EPA-8260	U	43	1	UG/KG	03/24/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	45	1	UG/KG	03/24/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	38	1	UG/KG	03/24/2014	GAP	
Carbon Disulfide	EPA-8260	U	44	1	UG/KG	03/24/2014	GAP	
Acetone	EPA-8260	U	83	1	UG/KG	03/24/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP	
Methylene Chloride	EPA-8260	U	89	1	UG/KG	03/24/2014	GAP	
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	45	1	UG/KG	03/24/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	43	1	UG/KG	03/24/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	43	1	UG/KG	03/24/2014	GAP	
2-Butanone	EPA-8260	U	63	1	UG/KG	03/24/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**510**	47	1	UG/KG	03/24/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	44	1	UG/KG	03/24/2014	GAP	
Bromochloromethane	EPA-8260	U	77	1	UG/KG	03/24/2014	GAP	
Chloroform	EPA-8260	U	44	1	UG/KG	03/24/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	40	1	UG/KG	03/24/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	40	1	UG/KG	03/24/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/24/2014	GAP	
Trichloroethene	EPA-8260	**7800**	100	10	UG/KG	03/25/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	40	1	UG/KG	03/24/2014	GAP	
Dibromomethane	EPA-8260	U	51	1	UG/KG	03/24/2014	GAP	
Bromodichloromethane	EPA-8260	U	45	1	UG/KG	03/24/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	47	1	UG/KG	03/24/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP	
Toluene	EPA-8260	U	46	1	UG/KG	03/24/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	46	1	UG/KG	03/24/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	**98**	48	1	UG/KG	03/24/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	46	1	UG/KG	03/24/2014	GAP	
Tetrachloroethylene	EPA-8260	**450**	10	1	UG/KG	03/24/2014	GAP	
Dibromochloromethane	EPA-8260	U	69	1	UG/KG	03/24/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/24/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 2:01:00 PM
CLIENT SAMPLE ID	B-5:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	48	1	UG/KG	03/24/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	37	1	UG/KG	03/24/2014	GAP
Ethylbenzene	EPA-8260	U	47	1	UG/KG	03/24/2014	GAP
m,p-Xylene	EPA-8260	U	84	1	UG/KG	03/24/2014	GAP
Styrene	EPA-8260	U	36	1	UG/KG	03/24/2014	GAP
o-Xylene	EPA-8260	U	40	1	UG/KG	03/24/2014	GAP
Bromoform	EPA-8260	U	51	1	UG/KG	03/24/2014	GAP
Isopropylbenzene	EPA-8260	U	39	1	UG/KG	03/24/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	49	1	UG/KG	03/24/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	52	1	UG/KG	03/24/2014	GAP
Bromobenzene	EPA-8260	U	49	1	UG/KG	03/24/2014	GAP
N-Propyl Benzene	EPA-8260	U	48	1	UG/KG	03/24/2014	GAP
2-Chlorotoluene	EPA-8260	U	49	1	UG/KG	03/24/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	36	1	UG/KG	03/24/2014	GAP
4-Chlorotoluene	EPA-8260	U	71	1	UG/KG	03/24/2014	GAP
T-Butyl Benzene	EPA-8260	U	46	1	UG/KG	03/24/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	**60**	38	1	UG/KG	03/24/2014	GAP
S-Butyl Benzene	EPA-8260	U	42	1	UG/KG	03/24/2014	GAP
P-Isopropyltoluene	EPA-8260	U	34	1	UG/KG	03/24/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	47	1	UG/KG	03/24/2014	GAP
N-Butylbenzene	EPA-8260	U	37	1	UG/KG	03/24/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	59	1	UG/KG	03/24/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	44	1	UG/KG	03/24/2014	GAP
Hexachlorobutadiene	EPA-8260	U	52	1	UG/KG	03/24/2014	GAP
Naphthalene	EPA-8260	U	49	1	UG/KG	03/24/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	47	1	UG/KG	03/24/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2014	RAL
Chromium	EPA-6020	**88**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.7**	03/24/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**110**	03/25/2014	GAP
Toluene-d8	EPA-8260	**95.8**	03/24/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**95.4**	03/25/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/24/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 2:01:00 PM
CLIENT SAMPLE ID	B-5:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**96.9**	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-02
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 2:05:00 PM
CLIENT SAMPLE ID	B-5:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	76	1	UG/KG	03/24/2014	GAP	
Chloromethane	EPA-8260	U	46	1	UG/KG	03/24/2014	GAP	
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP	
Bromomethane	EPA-8260	U	38	1	UG/KG	03/24/2014	GAP	
Chloroethane	EPA-8260	U	46	1	UG/KG	03/24/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	48	1	UG/KG	03/24/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	40	1	UG/KG	03/24/2014	GAP	
Carbon Disulfide	EPA-8260	U	47	1	UG/KG	03/24/2014	GAP	
Acetone	EPA-8260	U	88	1	UG/KG	03/24/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP	
Methylene Chloride	EPA-8260	U	95	1	UG/KG	03/24/2014	GAP	
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	47	1	UG/KG	03/24/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	45	1	UG/KG	03/24/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	46	1	UG/KG	03/24/2014	GAP	
2-Butanone	EPA-8260	U	67	1	UG/KG	03/24/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**480**	49	1	UG/KG	03/24/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	47	1	UG/KG	03/24/2014	GAP	
Bromochloromethane	EPA-8260	U	81	1	UG/KG	03/24/2014	GAP	
Chloroform	EPA-8260	U	47	1	UG/KG	03/24/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	42	1	UG/KG	03/24/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	42	1	UG/KG	03/24/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/24/2014	GAP	
Trichloroethene	EPA-8260	**4000**	40	4	UG/KG	03/25/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	42	1	UG/KG	03/24/2014	GAP	
Dibromomethane	EPA-8260	U	54	1	UG/KG	03/24/2014	GAP	
Bromodichloromethane	EPA-8260	U	47	1	UG/KG	03/24/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP	
Toluene	EPA-8260	U	48	1	UG/KG	03/24/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/24/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/24/2014	GAP	
Tetrachloroethylene	EPA-8260	**260**	10	1	UG/KG	03/24/2014	GAP	
Dibromochloromethane	EPA-8260	U	73	1	UG/KG	03/24/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/24/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-02
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 2:05:00 PM
CLIENT SAMPLE ID	B-5:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	39	1	UG/KG	03/24/2014	GAP
Ethylbenzene	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP
m,p-Xylene	EPA-8260	U	89	1	UG/KG	03/24/2014	GAP
Styrene	EPA-8260	U	38	1	UG/KG	03/24/2014	GAP
o-Xylene	EPA-8260	U	43	1	UG/KG	03/24/2014	GAP
Bromoform	EPA-8260	U	54	1	UG/KG	03/24/2014	GAP
Isopropylbenzene	EPA-8260	U	41	1	UG/KG	03/24/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	52	1	UG/KG	03/24/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	55	1	UG/KG	03/24/2014	GAP
Bromobenzene	EPA-8260	U	53	1	UG/KG	03/24/2014	GAP
N-Propyl Benzene	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP
2-Chlorotoluene	EPA-8260	U	52	1	UG/KG	03/24/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	38	1	UG/KG	03/24/2014	GAP
4-Chlorotoluene	EPA-8260	U	75	1	UG/KG	03/24/2014	GAP
T-Butyl Benzene	EPA-8260	U	49	1	UG/KG	03/24/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	41	1	UG/KG	03/24/2014	GAP
S-Butyl Benzene	EPA-8260	U	44	1	UG/KG	03/24/2014	GAP
P-Isopropyltoluene	EPA-8260	U	36	1	UG/KG	03/24/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	53	1	UG/KG	03/24/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	49	1	UG/KG	03/24/2014	GAP
N-Butylbenzene	EPA-8260	U	39	1	UG/KG	03/24/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	53	1	UG/KG	03/24/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	62	1	UG/KG	03/24/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	46	1	UG/KG	03/24/2014	GAP
Hexachlorobutadiene	EPA-8260	U	55	1	UG/KG	03/24/2014	GAP
Naphthalene	EPA-8260	U	52	1	UG/KG	03/24/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2014	RAL
Chromium	EPA-6020	**16**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**98.6**	03/24/2014	GAP
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**101**	03/25/2014	GAP
Toluene-d8	EPA-8260	**96.1**	03/24/2014	GAP
Toluene-d8 4X Dilution	EPA-8260	**93.8**	03/25/2014	GAP
4-Bromofluorobenzene	EPA-8260	**107**	03/24/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-02
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 2:05:00 PM
CLIENT SAMPLE ID	B-5:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 4X Dilution	EPA-8260	**99.6**	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-03
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 2:09:00 PM
CLIENT SAMPLE ID	B-5:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	78	1	UG/KG	03/25/2014	GAP
Chloromethane	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromomethane	EPA-8260	U	39	1	UG/KG	03/25/2014	GAP
Chloroethane	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP
Carbon Tetrachloride	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
Trichlorofluoromethane	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP
Carbon Disulfide	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
Acetone	EPA-8260	U	91	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Methylene Chloride	EPA-8260	U	98	1	UG/KG	03/25/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethane	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP
2-Butanone	EPA-8260	U	69	1	UG/KG	03/25/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
2,2-Dichloropropane	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
Bromochloromethane	EPA-8260	U	84	1	UG/KG	03/25/2014	GAP
Chloroform	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
1,1-Dichloropropene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP
Trichloroethene	EPA-8260	**380**	10	1	UG/KG	03/25/2014	GAP
1,2-Dichloropropane	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
Dibromomethane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
Bromodichloromethane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Toluene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,3-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
Tetrachloroethylene	EPA-8260	**60**	10	1	UG/KG	03/25/2014	GAP
Dibromochloromethane	EPA-8260	U	75	1	UG/KG	03/25/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-03
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 2:09:00 PM
CLIENT SAMPLE ID	B-5:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP
Ethylbenzene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
m,p-Xylene	EPA-8260	U	92	1	UG/KG	03/25/2014	GAP
Styrene	EPA-8260	U	39	1	UG/KG	03/25/2014	GAP
o-Xylene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
Bromoform	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
Isopropylbenzene	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
Bromobenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
N-Propyl Benzene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
2-Chlorotoluene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	39	1	UG/KG	03/25/2014	GAP
4-Chlorotoluene	EPA-8260	U	78	1	UG/KG	03/25/2014	GAP
T-Butyl Benzene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP
S-Butyl Benzene	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP
P-Isopropyltoluene	EPA-8260	U	38	1	UG/KG	03/25/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
N-Butylbenzene	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
Hexachlorobutadiene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
Naphthalene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2014	RAL
Chromium	EPA-6020	**10**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	03/25/2014	GAP
Toluene-d8	EPA-8260	**95.1**	03/25/2014	GAP
4-Bromofluorobenzene	EPA-8260	**105**	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 2:50:00 PM
CLIENT SAMPLE ID	B-7:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP	
Chloromethane	EPA-8260	U	68	1	UG/KG	03/25/2014	GAP	
Vinyl Chloride	EPA-8260	**150**	10	1	UG/KG	03/25/2014	GAP	
Bromomethane	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
Chloroethane	EPA-8260	U	68	1	UG/KG	03/25/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	72	1	UG/KG	03/25/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP	
Carbon Disulfide	EPA-8260	U	70	1	UG/KG	03/25/2014	GAP	
Acetone	EPA-8260	U	130	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethene	EPA-8260	**49**	10	1	UG/KG	03/25/2014	GAP	
Methylene Chloride	EPA-8260	U	140	1	UG/KG	03/25/2014	GAP	
Acrylonitrile	EPA-8260	U	73	1	UG/KG	03/25/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	71	1	UG/KG	03/25/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	**350**	68	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	68	1	UG/KG	03/25/2014	GAP	
2-Butanone	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**48000**	3000	40	UG/KG	03/25/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	70	1	UG/KG	03/25/2014	GAP	
Bromochloromethane	EPA-8260	U	120	1	UG/KG	03/25/2014	GAP	
Chloroform	EPA-8260	U	70	1	UG/KG	03/25/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	
Trichloroethene	EPA-8260	**20000**	400	40	UG/KG	03/25/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP	
Dibromomethane	EPA-8260	U	80	1	UG/KG	03/25/2014	GAP	
Bromodichloromethane	EPA-8260	U	71	1	UG/KG	03/25/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	75	1	UG/KG	03/25/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	70	1	UG/KG	03/25/2014	GAP	
Toluene	EPA-8260	**73**	72	1	UG/KG	03/25/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	73	1	UG/KG	03/25/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	75	1	UG/KG	03/25/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	73	1	UG/KG	03/25/2014	GAP	
Tetrachloroethylene	EPA-8260	**410**	10	1	UG/KG	03/25/2014	GAP	
Dibromochloromethane	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 2:50:00 PM
CLIENT SAMPLE ID	B-7:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	75	1	UG/KG	03/25/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
Ethylbenzene	EPA-8260	U	74	1	UG/KG	03/25/2014	GAP
m,p-Xylene	EPA-8260	U	130	1	UG/KG	03/25/2014	GAP
Styrene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
o-Xylene	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP
Bromoform	EPA-8260	U	81	1	UG/KG	03/25/2014	GAP
Isopropylbenzene	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	78	1	UG/KG	03/25/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	82	1	UG/KG	03/25/2014	GAP
Bromobenzene	EPA-8260	U	78	1	UG/KG	03/25/2014	GAP
N-Propyl Benzene	EPA-8260	U	75	1	UG/KG	03/25/2014	GAP
2-Chlorotoluene	EPA-8260	U	78	1	UG/KG	03/25/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
4-Chlorotoluene	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP
T-Butyl Benzene	EPA-8260	U	73	1	UG/KG	03/25/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	**99**	61	1	UG/KG	03/25/2014	GAP
S-Butyl Benzene	EPA-8260	U	66	1	UG/KG	03/25/2014	GAP
P-Isopropyltoluene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	80	1	UG/KG	03/25/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	74	1	UG/KG	03/25/2014	GAP
N-Butylbenzene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	79	1	UG/KG	03/25/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	93	1	UG/KG	03/25/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	69	1	UG/KG	03/25/2014	GAP
Hexachlorobutadiene	EPA-8260	U	82	1	UG/KG	03/25/2014	GAP
Naphthalene	EPA-8260	U	78	1	UG/KG	03/25/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	74	1	UG/KG	03/25/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2014	RAL
Chromium	EPA-6020	**55**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**98.9**	03/25/2014	GAP
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**109**	03/25/2014	GAP
Toluene-d8	EPA-8260	**96.3**	03/25/2014	GAP
Toluene-d8 40X Dilution	EPA-8260	**93.3**	03/25/2014	GAP
4-Bromofluorobenzene	EPA-8260	**103**	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 2:50:00 PM
CLIENT SAMPLE ID	B-7:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 40X Dilution	EPA-8260	**99.1**	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-05
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 2:53:00 PM
CLIENT SAMPLE ID	B-7:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	82	1	UG/KG	03/25/2014	GAP	
Chloromethane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Bromomethane	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP	
Chloroethane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP	
Carbon Disulfide	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Acetone	EPA-8260	U	96	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Methylene Chloride	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP	
Acrylonitrile	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
2-Butanone	EPA-8260	U	73	1	UG/KG	03/25/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**490**	54	1	UG/KG	03/25/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Bromochloromethane	EPA-8260	U	88	1	UG/KG	03/25/2014	GAP	
Chloroform	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	
Trichloroethene	EPA-8260	**7500**	100	10	UG/KG	03/25/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP	
Dibromomethane	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP	
Bromodichloromethane	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Toluene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
Tetrachloroethylene	EPA-8260	**290**	10	1	UG/KG	03/25/2014	GAP	
Dibromochloromethane	EPA-8260	U	79	1	UG/KG	03/25/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-05
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 2:53:00 PM
CLIENT SAMPLE ID	B-7:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP
Ethylbenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
m,p-Xylene	EPA-8260	U	97	1	UG/KG	03/25/2014	GAP
Styrene	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP
o-Xylene	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP
Bromoform	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
Isopropylbenzene	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
Bromobenzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
N-Propyl Benzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
2-Chlorotoluene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP
4-Chlorotoluene	EPA-8260	U	82	1	UG/KG	03/25/2014	GAP
T-Butyl Benzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
S-Butyl Benzene	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
P-Isopropyltoluene	EPA-8260	U	40	1	UG/KG	03/25/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
N-Butylbenzene	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	68	1	UG/KG	03/25/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Hexachlorobutadiene	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
Naphthalene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2014	RAL
Chromium	EPA-6020	**37**	0.50	5	MG/KG	03/21/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.8**	03/25/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**108**	03/25/2014	GAP
Toluene-d8	EPA-8260	**95.8**	03/25/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**93.6**	03/25/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-05
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 2:53:00 PM
CLIENT SAMPLE ID	B-7:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**101**	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-06
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 2:55:00 PM
CLIENT SAMPLE ID	B-7:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	78	1	UG/KG	03/25/2014	GAP	
Chloromethane	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP	
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Bromomethane	EPA-8260	U	39	1	UG/KG	03/25/2014	GAP	
Chloroethane	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP	
Carbon Disulfide	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP	
Acetone	EPA-8260	U	91	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Methylene Chloride	EPA-8260	U	97	1	UG/KG	03/25/2014	GAP	
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP	
2-Butanone	EPA-8260	U	69	1	UG/KG	03/25/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**84**	51	1	UG/KG	03/25/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP	
Bromochloromethane	EPA-8260	U	84	1	UG/KG	03/25/2014	GAP	
Chloroform	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	
Trichloroethene	EPA-8260	**1200**	10	1	UG/KG	03/25/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP	
Dibromomethane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
Bromodichloromethane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
Toluene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Tetrachloroethylene	EPA-8260	**85**	10	1	UG/KG	03/25/2014	GAP	
Dibromochloromethane	EPA-8260	U	75	1	UG/KG	03/25/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-06
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 2:55:00 PM
CLIENT SAMPLE ID	B-7:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	40	1	UG/KG	03/25/2014	GAP	
Ethylbenzene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
m,p-Xylene	EPA-8260	U	92	1	UG/KG	03/25/2014	GAP	
Styrene	EPA-8260	U	39	1	UG/KG	03/25/2014	GAP	
o-Xylene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP	
Bromoform	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP	
Isopropylbenzene	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
Bromobenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
N-Propyl Benzene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
2-Chlorotoluene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	39	1	UG/KG	03/25/2014	GAP	
4-Chlorotoluene	EPA-8260	U	78	1	UG/KG	03/25/2014	GAP	
T-Butyl Benzene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP	
S-Butyl Benzene	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	37	1	UG/KG	03/25/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
N-Butylbenzene	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
Naphthalene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/20/2014	GAP	
Chromium	EPA-6020	**8.2**	0.50	5	MG/KG	03/21/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**100**	03/25/2014	GAP	
Toluene-d8	EPA-8260	**96.1**	03/25/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**105**	03/25/2014	GAP	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-07
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 3:07:00 PM
CLIENT SAMPLE ID	B-7:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/21/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/21/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/21/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	**5.9**	2.0	1	UG/L	03/21/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**280**	80	40	UG/L	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trichloroethene	EPA-8260	**760**	80	40	UG/L	03/22/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Tetrachloroethylene	EPA-8260	**3.8**	2.0	1	UG/L	03/21/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/21/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-07
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 3:07:00 PM
CLIENT SAMPLE ID	B-7:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/21/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/18/2014	RAL	
Chromium	EPA-200.8	**280**	10	5	UG/L	03/30/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**105**	03/21/2014	GAP	
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**114**	03/22/2014	GAP	
Toluene-d8	EPA-8260	**95.9**	03/21/2014	GAP	
Toluene-d8 40X Dilution	EPA-8260	**94.6**	03/22/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**101**	03/21/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-07
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 3:07:00 PM
CLIENT SAMPLE ID	B-7:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 40X Dilution	EPA-8260	**98.6**	03/22/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-08
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 3:31:00 PM
CLIENT SAMPLE ID	B-2:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	92	1	UG/KG	03/25/2014	GAP	
Chloromethane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Bromomethane	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP	
Chloroethane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
Carbon Disulfide	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP	
Acetone	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP	
Acrylonitrile	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP	
2-Butanone	EPA-8260	U	81	1	UG/KG	03/25/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**390**	60	1	UG/KG	03/25/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
Bromochloromethane	EPA-8260	U	98	1	UG/KG	03/25/2014	GAP	
Chloroform	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	
Trichloroethene	EPA-8260	**11000**	100	10	UG/KG	03/25/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Dibromomethane	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP	
Bromodichloromethane	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
Toluene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP	
Tetrachloroethylene	EPA-8260	**1200**	10	1	UG/KG	03/25/2014	GAP	
Dibromochloromethane	EPA-8260	U	88	1	UG/KG	03/25/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-08
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 3:31:00 PM
CLIENT SAMPLE ID	B-2:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP	
Ethylbenzene	EPA-8260	**100**	60	1	UG/KG	03/25/2014	GAP	
m,p-Xylene	EPA-8260	**190**	110	1	UG/KG	03/25/2014	GAP	
Styrene	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP	
o-Xylene	EPA-8260	**94**	52	1	UG/KG	03/25/2014	GAP	
Bromoform	EPA-8260	U	66	1	UG/KG	03/25/2014	GAP	
Isopropylbenzene	EPA-8260	**130**	50	1	UG/KG	03/25/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	67	1	UG/KG	03/25/2014	GAP	
Bromobenzene	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP	
N-Propyl Benzene	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP	
2-Chlorotoluene	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	**79**	46	1	UG/KG	03/25/2014	GAP	
4-Chlorotoluene	EPA-8260	U	91	1	UG/KG	03/25/2014	GAP	
T-Butyl Benzene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	**86**	49	1	UG/KG	03/25/2014	GAP	
S-Butyl Benzene	EPA-8260	**75**	54	1	UG/KG	03/25/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP	
N-Butylbenzene	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	76	1	UG/KG	03/25/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	67	1	UG/KG	03/25/2014	GAP	
Naphthalene	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP	
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/20/2014	GAP	
Chromium	EPA-6020	**63**	0.50	5	MG/KG	03/21/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**92.8**	03/25/2014	GAP	
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**106**	03/25/2014	GAP	
Toluene-d8	EPA-8260	**96.7**	03/25/2014	GAP	
Toluene-d8 10X Dilution	EPA-8260	**93.9**	03/25/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**106**	03/25/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-08
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 3:31:00 PM
CLIENT SAMPLE ID	B-2:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**99.6**	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-09
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 3:33:00 PM
CLIENT SAMPLE ID	B-2:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	83	1	UG/KG	03/25/2014	GAP	
Chloromethane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Bromomethane	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP	
Chloroethane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP	
Carbon Disulfide	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Acetone	EPA-8260	U	97	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Methylene Chloride	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP	
Acrylonitrile	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
2-Butanone	EPA-8260	U	73	1	UG/KG	03/25/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**180**	54	1	UG/KG	03/25/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Bromochloromethane	EPA-8260	U	89	1	UG/KG	03/25/2014	GAP	
Chloroform	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	
Trichloroethene	EPA-8260	**6100**	40	4	UG/KG	03/25/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP	
Dibromomethane	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP	
Bromodichloromethane	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Toluene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
Tetrachloroethylene	EPA-8260	**910**	10	1	UG/KG	03/25/2014	GAP	
Dibromochloromethane	EPA-8260	U	80	1	UG/KG	03/25/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-09
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 3:33:00 PM
CLIENT SAMPLE ID	B-2:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP	
Ethylbenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
m,p-Xylene	EPA-8260	U	98	1	UG/KG	03/25/2014	GAP	
Styrene	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP	
o-Xylene	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP	
Bromoform	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP	
Isopropylbenzene	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP	
Bromobenzene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP	
N-Propyl Benzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
2-Chlorotoluene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP	
4-Chlorotoluene	EPA-8260	U	83	1	UG/KG	03/25/2014	GAP	
T-Butyl Benzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP	
S-Butyl Benzene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	40	1	UG/KG	03/25/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
N-Butylbenzene	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	68	1	UG/KG	03/25/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP	
Naphthalene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/20/2014	GAP	
Chromium	EPA-6020	**18**	0.50	5	MG/KG	03/21/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**99.0**	03/25/2014	GAP	
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**107**	03/25/2014	GAP	
Toluene-d8	EPA-8260	**94.6**	03/25/2014	GAP	
Toluene-d8 4X Dilution	EPA-8260	**95.1**	03/25/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**108**	03/25/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-09
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 3:33:00 PM
CLIENT SAMPLE ID	B-2:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 4X Dilution	EPA-8260	**101**	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-10
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 3:35:00 PM
CLIENT SAMPLE ID	B-2:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	82	1	UG/KG	03/25/2014	GAP
Chloromethane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromomethane	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP
Chloroethane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Carbon Tetrachloride	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
Trichlorofluoromethane	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
Carbon Disulfide	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
Acetone	EPA-8260	U	96	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Methylene Chloride	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP
Acrylonitrile	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
2-Butanone	EPA-8260	U	73	1	UG/KG	03/25/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
2,2-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
Bromochloromethane	EPA-8260	U	89	1	UG/KG	03/25/2014	GAP
Chloroform	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP
1,1-Dichloropropene	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP
Trichloroethene	EPA-8260	**530**	10	1	UG/KG	03/25/2014	GAP
1,2-Dichloropropane	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP
Dibromomethane	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
Bromodichloromethane	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
Toluene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,3-Dichloropropane	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
Tetrachloroethylene	EPA-8260	**96**	10	1	UG/KG	03/25/2014	GAP
Dibromochloromethane	EPA-8260	U	80	1	UG/KG	03/25/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-10
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 3:35:00 PM
CLIENT SAMPLE ID	B-2:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP	
Ethylbenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
m,p-Xylene	EPA-8260	U	97	1	UG/KG	03/25/2014	GAP	
Styrene	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP	
o-Xylene	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP	
Bromoform	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP	
Isopropylbenzene	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP	
Bromobenzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
N-Propyl Benzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
2-Chlorotoluene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP	
4-Chlorotoluene	EPA-8260	U	82	1	UG/KG	03/25/2014	GAP	
T-Butyl Benzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP	
S-Butyl Benzene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	40	1	UG/KG	03/25/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
N-Butylbenzene	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	68	1	UG/KG	03/25/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP	
Naphthalene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/20/2014	GAP	
Chromium	EPA-6020	**6.7**	0.50	5	MG/KG	03/28/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**100**	03/25/2014	GAP	
Toluene-d8	EPA-8260	**94.4**	03/25/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**104**	03/25/2014	GAP	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-11
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 3:51:00 PM
CLIENT SAMPLE ID	B-2:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/21/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/21/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/21/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	**2.5**	2.0	1	UG/L	03/21/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**140**	8.0	4	UG/L	03/20/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trichloroethene	EPA-8260	**510**	80	40	UG/L	03/21/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Tetrachloroethylene	EPA-8260	**9.1**	2.0	1	UG/L	03/21/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/21/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-11
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 3:51:00 PM
CLIENT SAMPLE ID	B-2:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/21/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/18/2014	RAL	
Chromium	EPA-200.8	**160**	10	5	UG/L	03/30/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**97.5**	03/20/2014	GAP	
1,2-Dichloroethane-d4	EPA-8260	**104**	03/21/2014	GAP	
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**112**	03/21/2014	GAP	
Toluene-d8 4X Dilution	EPA-8260	**98.4**	03/20/2014	GAP	
Toluene-d8	EPA-8260	**96.6**	03/21/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-11
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/17/2014 3:51:00 PM
CLIENT SAMPLE ID	B-2:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
Toluene-d8 40X Dilution	EPA-8260	**94.6**	03/21/2014	GAP
4-Bromofluorobenzene 4X Dilution	EPA-8260	**104**	03/20/2014	GAP
4-Bromofluorobenzene	EPA-8260	**99.3**	03/21/2014	GAP
4-Bromofluorobenzene 40X Dilution	EPA-8260	**101**	03/21/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-12
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 9:03:00 AM
CLIENT SAMPLE ID	B-1:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	76	1	UG/KG	03/25/2014	GAP	
Chloromethane	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP	
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Bromomethane	EPA-8260	U	38	1	UG/KG	03/25/2014	GAP	
Chloroethane	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	40	1	UG/KG	03/25/2014	GAP	
Carbon Disulfide	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP	
Acetone	EPA-8260	U	89	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Methylene Chloride	EPA-8260	U	95	1	UG/KG	03/25/2014	GAP	
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP	
2-Butanone	EPA-8260	U	68	1	UG/KG	03/25/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**93**	50	1	UG/KG	03/25/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP	
Bromochloromethane	EPA-8260	U	82	1	UG/KG	03/25/2014	GAP	
Chloroform	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	
Trichloroethene	EPA-8260	**710**	10	1	UG/KG	03/25/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP	
Dibromomethane	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
Bromodichloromethane	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
Toluene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
Tetrachloroethylene	EPA-8260	**180**	10	1	UG/KG	03/25/2014	GAP	
Dibromochloromethane	EPA-8260	U	73	1	UG/KG	03/25/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-12
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 9:03:00 AM
CLIENT SAMPLE ID	B-1:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	40	1	UG/KG	03/25/2014	GAP	
Ethylbenzene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
m,p-Xylene	EPA-8260	U	90	1	UG/KG	03/25/2014	GAP	
Styrene	EPA-8260	U	39	1	UG/KG	03/25/2014	GAP	
o-Xylene	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP	
Bromoform	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
Isopropylbenzene	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
Bromobenzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
N-Propyl Benzene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
2-Chlorotoluene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	38	1	UG/KG	03/25/2014	GAP	
4-Chlorotoluene	EPA-8260	U	76	1	UG/KG	03/25/2014	GAP	
T-Butyl Benzene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP	
S-Butyl Benzene	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	37	1	UG/KG	03/25/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
N-Butylbenzene	EPA-8260	U	40	1	UG/KG	03/25/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
Naphthalene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/20/2014	GAP	
Chromium	EPA-6020	**15**	0.50	5	MG/KG	03/28/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**101**	03/25/2014	GAP	
Toluene-d8	EPA-8260	**94.8**	03/25/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**105**	03/25/2014	GAP	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-13
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 9:09:00 AM
CLIENT SAMPLE ID	B-1:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	120	1	UG/KG	03/25/2014	GAP	
Chloromethane	EPA-8260	U	74	1	UG/KG	03/25/2014	GAP	
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Bromomethane	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP	
Chloroethane	EPA-8260	U	74	1	UG/KG	03/25/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	77	1	UG/KG	03/25/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP	
Carbon Disulfide	EPA-8260	U	75	1	UG/KG	03/25/2014	GAP	
Acetone	EPA-8260	U	140	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Methylene Chloride	EPA-8260	U	150	1	UG/KG	03/25/2014	GAP	
Acrylonitrile	EPA-8260	U	79	1	UG/KG	03/25/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	76	1	UG/KG	03/25/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	73	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	74	1	UG/KG	03/25/2014	GAP	
2-Butanone	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	U	80	1	UG/KG	03/25/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	76	1	UG/KG	03/25/2014	GAP	
Bromochloromethane	EPA-8260	U	130	1	UG/KG	03/25/2014	GAP	
Chloroform	EPA-8260	U	76	1	UG/KG	03/25/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	68	1	UG/KG	03/25/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	68	1	UG/KG	03/25/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	
Trichloroethene	EPA-8260	**460**	10	1	UG/KG	03/25/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	69	1	UG/KG	03/25/2014	GAP	
Dibromomethane	EPA-8260	U	87	1	UG/KG	03/25/2014	GAP	
Bromodichloromethane	EPA-8260	U	77	1	UG/KG	03/25/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	81	1	UG/KG	03/25/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	76	1	UG/KG	03/25/2014	GAP	
Toluene	EPA-8260	U	78	1	UG/KG	03/25/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	79	1	UG/KG	03/25/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	82	1	UG/KG	03/25/2014	GAP	
2-Hexanone	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	79	1	UG/KG	03/25/2014	GAP	
Tetrachloroethylene	EPA-8260	**140**	10	1	UG/KG	03/25/2014	GAP	
Dibromochloromethane	EPA-8260	U	120	1	UG/KG	03/25/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-13
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 9:09:00 AM
CLIENT SAMPLE ID	B-1:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	82	1	UG/KG	03/25/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP	
Ethylbenzene	EPA-8260	U	80	1	UG/KG	03/25/2014	GAP	
m,p-Xylene	EPA-8260	U	140	1	UG/KG	03/25/2014	GAP	
Styrene	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP	
o-Xylene	EPA-8260	U	69	1	UG/KG	03/25/2014	GAP	
Bromoform	EPA-8260	U	88	1	UG/KG	03/25/2014	GAP	
Isopropylbenzene	EPA-8260	U	67	1	UG/KG	03/25/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	84	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	89	1	UG/KG	03/25/2014	GAP	
Bromobenzene	EPA-8260	U	85	1	UG/KG	03/25/2014	GAP	
N-Propyl Benzene	EPA-8260	U	82	1	UG/KG	03/25/2014	GAP	
2-Chlorotoluene	EPA-8260	U	85	1	UG/KG	03/25/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP	
4-Chlorotoluene	EPA-8260	U	120	1	UG/KG	03/25/2014	GAP	
T-Butyl Benzene	EPA-8260	U	79	1	UG/KG	03/25/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	66	1	UG/KG	03/25/2014	GAP	
S-Butyl Benzene	EPA-8260	U	72	1	UG/KG	03/25/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	86	1	UG/KG	03/25/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	80	1	UG/KG	03/25/2014	GAP	
N-Butylbenzene	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	86	1	UG/KG	03/25/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	75	1	UG/KG	03/25/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	89	1	UG/KG	03/25/2014	GAP	
Naphthalene	EPA-8260	U	84	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	80	1	UG/KG	03/25/2014	GAP	
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/20/2014	GAP	
Chromium	EPA-6020	**14**	0.50	5	MG/KG	03/28/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**99.9**	03/25/2014	GAP	
Toluene-d8	EPA-8260	**94.2**	03/25/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**107**	03/25/2014	GAP	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-14
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 9:35:00 AM
CLIENT SAMPLE ID	B-3:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	97	1	UG/KG	03/25/2014	GAP	
Chloromethane	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP	
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Bromomethane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
Chloroethane	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
Carbon Disulfide	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP	
Acetone	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Methylene Chloride	EPA-8260	U	120	1	UG/KG	03/25/2014	GAP	
Acrylonitrile	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	**83**	58	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP	
2-Butanone	EPA-8260	U	86	1	UG/KG	03/25/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**2300**	64	1	UG/KG	03/25/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP	
Bromochloromethane	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP	
Chloroform	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	
Trichloroethene	EPA-8260	**24000**	100	10	UG/KG	03/25/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
Dibromomethane	EPA-8260	U	69	1	UG/KG	03/25/2014	GAP	
Bromodichloromethane	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP	
Toluene	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP	
Tetrachloroethylene	EPA-8260	**1600**	10	1	UG/KG	03/25/2014	GAP	
Dibromochloromethane	EPA-8260	U	94	1	UG/KG	03/25/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-14
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 9:35:00 AM
CLIENT SAMPLE ID	B-3:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Ethylbenzene	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP	
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP	
Styrene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
o-Xylene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
Bromoform	EPA-8260	U	70	1	UG/KG	03/25/2014	GAP	
Isopropylbenzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	67	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	71	1	UG/KG	03/25/2014	GAP	
Bromobenzene	EPA-8260	U	68	1	UG/KG	03/25/2014	GAP	
N-Propyl Benzene	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP	
2-Chlorotoluene	EPA-8260	U	68	1	UG/KG	03/25/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
4-Chlorotoluene	EPA-8260	U	97	1	UG/KG	03/25/2014	GAP	
T-Butyl Benzene	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
S-Butyl Benzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	69	1	UG/KG	03/25/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP	
N-Butylbenzene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	69	1	UG/KG	03/25/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	81	1	UG/KG	03/25/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	71	1	UG/KG	03/25/2014	GAP	
Naphthalene	EPA-8260	U	67	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP	
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/20/2014	GAP	
Chromium	EPA-6020	**37**	0.50	5	MG/KG	03/28/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**98.9**	03/25/2014	GAP	
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**108**	03/25/2014	GAP	
Toluene-d8	EPA-8260	**95.4**	03/25/2014	GAP	
Toluene-d8 10X Dilution	EPA-8260	**94.5**	03/25/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**107**	03/25/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-14
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 9:35:00 AM
CLIENT SAMPLE ID	B-3:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**100**	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-15
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 9:38:00 AM
CLIENT SAMPLE ID	B-3:3.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	80	1	UG/KG	03/25/2014	GAP	
Chloromethane	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP	
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Bromomethane	EPA-8260	U	40	1	UG/KG	03/25/2014	GAP	
Chloroethane	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP	
Carbon Disulfide	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
Acetone	EPA-8260	U	94	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Methylene Chloride	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP	
Acrylonitrile	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
2-Butanone	EPA-8260	U	71	1	UG/KG	03/25/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**67**	52	1	UG/KG	03/25/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
Bromochloromethane	EPA-8260	U	86	1	UG/KG	03/25/2014	GAP	
Chloroform	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	
Trichloroethene	EPA-8260	**1700**	10	1	UG/KG	03/25/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP	
Dibromomethane	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
Bromodichloromethane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
Toluene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
Tetrachloroethylene	EPA-8260	**150**	10	1	UG/KG	03/25/2014	GAP	
Dibromochloromethane	EPA-8260	U	77	1	UG/KG	03/25/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-15
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 9:38:00 AM
CLIENT SAMPLE ID	B-3:3.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP	
Ethylbenzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
m,p-Xylene	EPA-8260	U	95	1	UG/KG	03/25/2014	GAP	
Styrene	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP	
o-Xylene	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP	
Bromoform	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP	
Isopropylbenzene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP	
Bromobenzene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP	
N-Propyl Benzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
2-Chlorotoluene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	**74**	40	1	UG/KG	03/25/2014	GAP	
4-Chlorotoluene	EPA-8260	U	80	1	UG/KG	03/25/2014	GAP	
T-Butyl Benzene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	**93**	43	1	UG/KG	03/25/2014	GAP	
S-Butyl Benzene	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	39	1	UG/KG	03/25/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
N-Butylbenzene	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	66	1	UG/KG	03/25/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP	
Naphthalene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/20/2014	GAP	
Chromium	EPA-6020	**9.6**	0.50	5	MG/KG	03/28/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**99.9**	03/25/2014	GAP	
Toluene-d8	EPA-8260	**94.6**	03/25/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**104**	03/25/2014	GAP	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-16
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 9:40:00 AM
CLIENT SAMPLE ID	B-3:6.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	84	1	UG/KG	03/25/2014	GAP	
Chloromethane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Bromomethane	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP	
Chloroethane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP	
Carbon Disulfide	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
Acetone	EPA-8260	U	98	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Methylene Chloride	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP	
Acrylonitrile	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
2-Butanone	EPA-8260	U	74	1	UG/KG	03/25/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
Bromochloromethane	EPA-8260	U	90	1	UG/KG	03/25/2014	GAP	
Chloroform	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	
Trichloroethene	EPA-8260	**400**	10	1	UG/KG	03/25/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP	
Dibromomethane	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP	
Bromodichloromethane	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
Toluene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Dibromochloromethane	EPA-8260	U	81	1	UG/KG	03/25/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-16
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 9:40:00 AM
CLIENT SAMPLE ID	B-3:6.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP	
Ethylbenzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
m,p-Xylene	EPA-8260	U	99	1	UG/KG	03/25/2014	GAP	
Styrene	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP	
o-Xylene	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP	
Bromoform	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP	
Isopropylbenzene	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP	
Bromobenzene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP	
N-Propyl Benzene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP	
2-Chlorotoluene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP	
4-Chlorotoluene	EPA-8260	U	83	1	UG/KG	03/25/2014	GAP	
T-Butyl Benzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP	
S-Butyl Benzene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	40	1	UG/KG	03/25/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
N-Butylbenzene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	69	1	UG/KG	03/25/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP	
Naphthalene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/20/2014	GAP	
Chromium	EPA-6020	**6.7**	0.50	5	MG/KG	03/28/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**101**	03/25/2014	GAP	
Toluene-d8	EPA-8260	**93.9**	03/25/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**105**	03/25/2014	GAP	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-17
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 9:55:00 AM
CLIENT SAMPLE ID	B-3:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/21/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/21/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/21/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	**4.7**	2.0	1	UG/L	03/21/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**280**	80	40	UG/L	03/21/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trichloroethene	EPA-8260	**500**	80	40	UG/L	03/21/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Tetrachloroethylene	EPA-8260	**5.1**	2.0	1	UG/L	03/21/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/21/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-17
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 9:55:00 AM
CLIENT SAMPLE ID	B-3:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/21/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/18/2014	RAL	
Chromium	EPA-200.8	**46**	10	5	UG/L	03/30/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**104**	03/21/2014	GAP	
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**112**	03/21/2014	GAP	
Toluene-d8	EPA-8260	**97.2**	03/21/2014	GAP	
Toluene-d8 40X Dilution	EPA-8260	**94.5**	03/21/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**101**	03/21/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-17
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 9:55:00 AM
CLIENT SAMPLE ID	B-3:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 40X Dilution	EPA-8260	**99.1**	03/21/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-18
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 10:10:00 AM
CLIENT SAMPLE ID	B-5:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/21/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/21/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/21/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**58**	8.0	4	UG/L	03/20/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Trichloroethene	EPA-8260	**290**	20	10	UG/L	03/21/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Tetrachloroethylene	EPA-8260	**3.9**	2.0	1	UG/L	03/21/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/21/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-18
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 10:10:00 AM
CLIENT SAMPLE ID	B-5:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/21/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/18/2014	RAL	
Chromium	EPA-200.8	**62**	10	5	UG/L	03/30/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**101**	03/20/2014	GAP	
1,2-Dichloroethane-d4	EPA-8260	**106**	03/21/2014	GAP	
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**112**	03/21/2014	GAP	
Toluene-d8 4X Dilution	EPA-8260	**97.7**	03/20/2014	GAP	
Toluene-d8	EPA-8260	**96.9**	03/21/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-18
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 10:10:00 AM
CLIENT SAMPLE ID	B-5:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
Toluene-d8 10X Dilution	EPA-8260	**94.8**	03/21/2014	GAP	
4-Bromofluorobenzene 4X Dilution	EPA-8260	**103**	03/20/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**102**	03/21/2014	GAP	
4-Bromofluorobenzene 10X Dilution	EPA-8260	**100**	03/21/2014	GAP	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-19
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 10:49:00 AM
CLIENT SAMPLE ID	B-6:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP	
Chloromethane	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP	
Vinyl Chloride	EPA-8260	**330**	10	1	UG/KG	03/25/2014	GAP	
Bromomethane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
Chloroethane	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP	
Carbon Disulfide	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP	
Acetone	EPA-8260	U	120	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Methylene Chloride	EPA-8260	U	130	1	UG/KG	03/25/2014	GAP	
Acrylonitrile	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	**77**	60	1	UG/KG	03/25/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP	
2-Butanone	EPA-8260	U	89	1	UG/KG	03/25/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**8200**	660	10	UG/KG	03/25/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP	
Bromochloromethane	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP	
Chloroform	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	
Trichloroethene	EPA-8260	**15000**	100	10	UG/KG	03/25/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
Dibromomethane	EPA-8260	U	71	1	UG/KG	03/25/2014	GAP	
Bromodichloromethane	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	67	1	UG/KG	03/25/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP	
Toluene	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	67	1	UG/KG	03/25/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP	
Tetrachloroethylene	EPA-8260	**190**	10	1	UG/KG	03/25/2014	GAP	
Dibromochloromethane	EPA-8260	U	97	1	UG/KG	03/25/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-19
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 10:49:00 AM
CLIENT SAMPLE ID	B-6:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	67	1	UG/KG	03/25/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
Ethylbenzene	EPA-8260	U	66	1	UG/KG	03/25/2014	GAP	
m,p-Xylene	EPA-8260	**200**	120	1	UG/KG	03/25/2014	GAP	
Styrene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP	
o-Xylene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP	
Bromoform	EPA-8260	U	72	1	UG/KG	03/25/2014	GAP	
Isopropylbenzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	70	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	73	1	UG/KG	03/25/2014	GAP	
Bromobenzene	EPA-8260	U	70	1	UG/KG	03/25/2014	GAP	
N-Propyl Benzene	EPA-8260	U	67	1	UG/KG	03/25/2014	GAP	
2-Chlorotoluene	EPA-8260	U	70	1	UG/KG	03/25/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	**84**	50	1	UG/KG	03/25/2014	GAP	
4-Chlorotoluene	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP	
T-Butyl Benzene	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	**110**	54	1	UG/KG	03/25/2014	GAP	
S-Butyl Benzene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP	
P-Isopropyltoluene	EPA-8260	**100**	48	1	UG/KG	03/25/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	71	1	UG/KG	03/25/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	66	1	UG/KG	03/25/2014	GAP	
N-Butylbenzene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	71	1	UG/KG	03/25/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	83	1	UG/KG	03/25/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	73	1	UG/KG	03/25/2014	GAP	
Naphthalene	EPA-8260	U	70	1	UG/KG	03/25/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	66	1	UG/KG	03/25/2014	GAP	
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/20/2014	GAP	
Chromium	EPA-6020	**49**	0.50	5	MG/KG	03/28/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**101**	03/25/2014	GAP	
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**108**	03/25/2014	GAP	
Toluene-d8	EPA-8260	**94.0**	03/25/2014	GAP	
Toluene-d8 10X Dilution	EPA-8260	**94.4**	03/25/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**103**	03/25/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-19
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 10:49:00 AM
CLIENT SAMPLE ID	B-6:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**103**	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-20
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 10:24:00 AM
CLIENT SAMPLE ID	B-1:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/21/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/21/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/21/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	**2.4**	2.0	1	UG/L	03/21/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**160**	8.0	4	UG/L	03/20/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trichloroethene	EPA-8260	**590**	80	40	UG/L	03/21/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Tetrachloroethylene	EPA-8260	**15**	2.0	1	UG/L	03/21/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/21/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-20
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 10:24:00 AM
CLIENT SAMPLE ID	B-1:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/21/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/18/2014	RAL	
Chromium	EPA-200.8	**47**	10	5	UG/L	03/30/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**100**	03/20/2014	GAP	
1,2-Dichloroethane-d4	EPA-8260	**106**	03/21/2014	GAP	
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**112**	03/21/2014	GAP	
Toluene-d8 4X Dilution	EPA-8260	**97.9**	03/20/2014	GAP	
Toluene-d8	EPA-8260	**96.5**	03/21/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS JOB#:	EV14030112
		ALS SAMPLE#:	EV14030112-20
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/18/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 10:24:00 AM
CLIENT SAMPLE ID	B-1:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
Toluene-d8 40X Dilution	EPA-8260	**93.5**	03/21/2014	GAP
4-Bromofluorobenzene 4X Dilution	EPA-8260	**104**	03/20/2014	GAP
4-Bromofluorobenzene	EPA-8260	**99.0**	03/21/2014	GAP
4-Bromofluorobenzene 40X Dilution	EPA-8260	**99.3**	03/21/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/1/2014
ALS SDG#: EV14030112
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032414S - Batch 7737 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Chloromethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Bromomethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Chloroethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Carbon Tetrachloride	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Trichlorofluoromethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Carbon Disulfide	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Acetone	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Methylene Chloride	EPA-8260	U	20	1	UG/KG	03/24/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,1-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
2-Butanone	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
2,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Bromochloromethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Chloroform	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,1-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/24/2014	GAP
Trichloroethene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Dibromomethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Bromodichloromethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP
Toluene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP
1,3-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Dibromochloromethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/24/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/1/2014
ALS SDG#: EV14030112
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032414S - Batch 7737 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Ethylbenzene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
m,p-Xylene	EPA-8260	U	20	1	UG/KG	03/24/2014	GAP
Styrene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
o-Xylene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Bromoform	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Isopropylbenzene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Bromobenzene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
N-Propyl Benzene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
2-Chlorotoluene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
4-Chlorotoluene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
T-Butyl Benzene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
S-Butyl Benzene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
P-Isopropyltoluene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
N-Butylbenzene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	UG/KG	03/24/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Hexachlorobutadiene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
Naphthalene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	03/24/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MB-032014W - Batch 7734 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/20/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS SDG#:	EV14030112
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB-032014W - Batch 7734 - Water by EPA-8260

Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/20/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/20/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/20/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/20/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/20/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/20/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/20/2014	GAP
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/20/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/1/2014
ALS SDG#: EV14030112
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032014W - Batch 7734 - Water by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/20/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3142014 - Batch R93301 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/20/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3192014 - Batch R93299 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3182014 - Batch R93310 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/18/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS SDG#:	EV14030112
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB-031914S - Batch 7728 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	03/21/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-032014S - Batch 7730 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	03/20/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-032614W - Batch 7754 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	03/29/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
295 NE Gilman Blvd., Suite 201
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/1/2014
ALS SDG#: EV14030112
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 7737 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**110**			03/24/2014	GAP
1,1-Dichloroethene - BSD	EPA-8260	**105**	**5**		03/24/2014	GAP
Benzene - BS	EPA-8260	**101**			03/24/2014	GAP
Benzene - BSD	EPA-8260	**96.1**	**5**		03/24/2014	GAP
Trichloroethene - BS	EPA-8260	**107**			03/24/2014	GAP
Trichloroethene - BSD	EPA-8260	**102**	**4**		03/24/2014	GAP
Toluene - BS	EPA-8260	**106**			03/24/2014	GAP
Toluene - BSD	EPA-8260	**103**	**4**		03/24/2014	GAP
Chlorobenzene - BS	EPA-8260	**108**			03/24/2014	GAP
Chlorobenzene - BSD	EPA-8260	**105**	**3**		03/24/2014	GAP

ALS Test Batch ID: 7734 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**99.9**			03/20/2014	GAP
1,1-Dichloroethene - BSD	EPA-8260	**103**	**3**		03/20/2014	GAP
Benzene - BS	EPA-8260	**92.7**			03/20/2014	GAP
Benzene - BSD	EPA-8260	**94.4**	**2**		03/20/2014	GAP
Trichloroethene - BS	EPA-8260	**99.8**			03/20/2014	GAP
Trichloroethene - BSD	EPA-8260	**103**	**3**		03/20/2014	GAP
Toluene - BS	EPA-8260	**98.3**			03/20/2014	GAP
Toluene - BSD	EPA-8260	**102**	**3**		03/20/2014	GAP
Chlorobenzene - BS	EPA-8260	**103**			03/20/2014	GAP
Chlorobenzene - BSD	EPA-8260	**105**	**2**		03/20/2014	GAP

ALS Test Batch ID: R93299 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**103**			03/19/2014	RAL
Chromium (VI) - BSD	EPA-7196	**107**	**4**		03/19/2014	RAL

ALS Test Batch ID: R93301 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**105**			03/20/2014	GAP
Chromium (VI) - BSD	EPA-7196	**106**	**1**		03/20/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 295 NE Gilman Blvd., Suite 201 Issaquah, WA 98027	DATE:	4/1/2014
		ALS SDG#:	EV14030112
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: R93310 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**102**			03/18/2014	RAL
Chromium (VI) - BSD	EPA-7196	**106**	**4**		03/18/2014	RAL

ALS Test Batch ID: 7728 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**99.8**			03/21/2014	RAL
Chromium - BSD	EPA-6020	**105**	**5**		03/21/2014	RAL

ALS Test Batch ID: 7730 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**105**			03/20/2014	RAL
Chromium - BSD	EPA-6020	**106**	**1**		03/20/2014	RAL

ALS Test Batch ID: 7754 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**104**			03/29/2014	RAL
Chromium - BSD	EPA-200.8	**101**	**2**		03/29/2014	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV14030112

Date 3/18/14 Page 1 Of 2

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Thom Morin / Monty Bostwick
ADDRESS: 295 NE Gilman Blvd.
Issaquah WA
PHONE: 425-488-4040 FAX:
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): total Chrome	Chrome III					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-5:0.5	3/17/14	1401	soil	1							X									X	X					4	
2. B-5:3		1405		2							X									X	X					4	
3. B-5:6		1409		3							X									X	X					4	
4. B-7:0.5		1450		4							X									X	X					4	
5. B-7:3		1453		5							X									X	X					4	
6. B-7:6		1455		6							X									X	X					4	
7. B-7: RGW		1507	Water	7							X									X	X					5	
8. B-2:0.5		1531	soil	8							X									X	X					4	
9. B-2:3		1533	soil	9							X									X	X					4	
10. B-2:6		1535	soil	10							X									X	X					4	

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 3/18/14 1700
Received By: ALS 3/18/14 12:00
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: ~~5~~ Standard | 3 | 1 | SAME DAY

OTHER: Specify:

* Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1403012

Date 3/18/14 Page 2 Of 2

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: T. Nash / M. Busbee
ADDRESS: 295 NE Gilman Blvd
Issaquah WA
PHONE: 425-988-4040 FAX:
P.O. #: E-MAIL:
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED / OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chrome	Chrome III					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-2: RGW	3/17/14	1551	water	11							X									X	X					5	
2. B-1: 0.5	3/18/14	0903	soil	12							X									X	X					4	
3. B-1: 3		0909	soil	13							X									X	X					4	
4. B-3: 0.5		0935		14							X									X	X					4	
5. B-3: 3.5		0938		15							X									X	X					4	
6. B-3: 6.5		0940		16							X									X	X					4	
7. B-3: RGW		0955	water	17							X									X	X					5	
8. B-5: RGW		1010	water	18							X									X	X					5	
9. B-6: 1		1049	soil	19							X									X	X					4	
10. B-1: RGW		1024	water	20							X									X	X					5	

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 3/18/14 1200
Received By: 3/18/14 1200 ALS
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: ~~5~~ Standard | 3 | 1 | SAME DAY

OTHER: Specify:

* Turnaround request less than standard may incur Rush Charges

April 2, 2014

Mr. Thom Morin
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Morin,

On March 19th, 14 samples were received by our laboratory and assigned our laboratory project number EV14030124. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030124 EV14030124-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 12:33:00 PM
CLIENT SAMPLE ID	B-13:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	81	1	UG/KG	03/25/2014	GAP
Chloromethane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromomethane	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP
Chloroethane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
Carbon Tetrachloride	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
Trichlorofluoromethane	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP
Carbon Disulfide	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Acetone	EPA-8260	U	95	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Methylene Chloride	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP
Acrylonitrile	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
2-Butanone	EPA-8260	U	72	1	UG/KG	03/25/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**220**	53	1	UG/KG	03/25/2014	GAP
2,2-Dichloropropane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Bromochloromethane	EPA-8260	U	88	1	UG/KG	03/25/2014	GAP
Chloroform	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP
1,1-Dichloropropene	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP
Trichloroethene	EPA-8260	**19000**	400	40	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP
Dibromomethane	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
Bromodichloromethane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Toluene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,3-Dichloropropane	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
Tetrachloroethylene	EPA-8260	**690**	10	1	UG/KG	03/25/2014	GAP
Dibromochloromethane	EPA-8260	U	79	1	UG/KG	03/25/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 12:33:00 PM
CLIENT SAMPLE ID	B-13:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP
Ethylbenzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
m,p-Xylene	EPA-8260	U	96	1	UG/KG	03/25/2014	GAP
Styrene	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP
o-Xylene	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP
Bromoform	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
Isopropylbenzene	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
Bromobenzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
N-Propyl Benzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
2-Chlorotoluene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP
4-Chlorotoluene	EPA-8260	U	81	1	UG/KG	03/25/2014	GAP
T-Butyl Benzene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
S-Butyl Benzene	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
P-Isopropyltoluene	EPA-8260	U	39	1	UG/KG	03/25/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
N-Butylbenzene	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	67	1	UG/KG	03/25/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Hexachlorobutadiene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
Naphthalene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**62**	0.50	5	MG/KG	03/28/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/25/2014	GAP
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**109**	03/26/2014	GAP
Toluene-d8	EPA-8260	**96.1**	03/25/2014	GAP
Toluene-d8 40X Dilution	EPA-8260	**91.9**	03/26/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 12:33:00 PM
CLIENT SAMPLE ID	B-13:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 40X Dilution	EPA-8260	**98.4**	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-02
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 12:35:00 PM
CLIENT SAMPLE ID	B-13:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	92	1	UG/KG	03/25/2014	GAP
Chloromethane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromomethane	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP
Chloroethane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
Carbon Tetrachloride	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
Trichlorofluoromethane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
Carbon Disulfide	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
Acetone	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Methylene Chloride	EPA-8260	U	120	1	UG/KG	03/25/2014	GAP
Acrylonitrile	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethane	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
2-Butanone	EPA-8260	U	82	1	UG/KG	03/25/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
2,2-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
Bromochloromethane	EPA-8260	U	99	1	UG/KG	03/25/2014	GAP
Chloroform	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
1,1-Dichloropropene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP
Trichloroethene	EPA-8260	**700**	10	1	UG/KG	03/25/2014	GAP
1,2-Dichloropropane	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
Dibromomethane	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP
Bromodichloromethane	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
Toluene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,3-Dichloropropane	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Dibromochloromethane	EPA-8260	U	89	1	UG/KG	03/25/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-02
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 12:35:00 PM
CLIENT SAMPLE ID	B-13:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
Ethylbenzene	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP
Styrene	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP
o-Xylene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
Bromoform	EPA-8260	U	66	1	UG/KG	03/25/2014	GAP
Isopropylbenzene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	67	1	UG/KG	03/25/2014	GAP
Bromobenzene	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP
N-Propyl Benzene	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
2-Chlorotoluene	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP
4-Chlorotoluene	EPA-8260	U	92	1	UG/KG	03/25/2014	GAP
T-Butyl Benzene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
S-Butyl Benzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
P-Isopropyltoluene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
N-Butylbenzene	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	76	1	UG/KG	03/25/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
Hexachlorobutadiene	EPA-8260	U	67	1	UG/KG	03/25/2014	GAP
Naphthalene	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**29**	0.50	5	MG/KG	03/28/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/25/2014	GAP
Toluene-d8	EPA-8260	**93.6**	03/25/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030124 EV14030124-03
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 12:39:00 PM
CLIENT SAMPLE ID	B-13:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	88	1	UG/KG	03/25/2014	GAP
Chloromethane	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromomethane	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
Chloroethane	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
Carbon Tetrachloride	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
Trichlorofluoromethane	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP
Carbon Disulfide	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP
Acrylonitrile	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethane	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
2-Butanone	EPA-8260	U	78	1	UG/KG	03/25/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
2,2-Dichloropropane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
Bromochloromethane	EPA-8260	U	95	1	UG/KG	03/25/2014	GAP
Chloroform	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
1,1-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP
Trichloroethene	EPA-8260	**830**	10	1	UG/KG	03/25/2014	GAP
1,2-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
Dibromomethane	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP
Bromodichloromethane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
Toluene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,3-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Dibromochloromethane	EPA-8260	U	85	1	UG/KG	03/25/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-03
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 12:39:00 PM
CLIENT SAMPLE ID	B-13:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP
Ethylbenzene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP
Styrene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
o-Xylene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Bromoform	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP
Isopropylbenzene	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP
Bromobenzene	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
N-Propyl Benzene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
2-Chlorotoluene	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
4-Chlorotoluene	EPA-8260	U	88	1	UG/KG	03/25/2014	GAP
T-Butyl Benzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
S-Butyl Benzene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
P-Isopropyltoluene	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
N-Butylbenzene	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	73	1	UG/KG	03/25/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
Hexachlorobutadiene	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP
Naphthalene	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**59**	0.50	5	MG/KG	03/31/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	03/25/2014	GAP
Toluene-d8	EPA-8260	**95.2**	03/25/2014	GAP
4-Bromofluorobenzene	EPA-8260	**105**	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 12:53:00 PM
CLIENT SAMPLE ID	B-13:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/21/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/21/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/21/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**4.6**	2.0	1	UG/L	03/21/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Trichloroethene	EPA-8260	**66**	8.0	4	UG/L	03/20/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/21/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 12:53:00 PM
CLIENT SAMPLE ID	B-13:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/21/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/19/2014	RAL
Chromium	EPA-200.8	**520**	10	5	UG/L	03/30/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**103**	03/20/2014	GAP
1,2-Dichloroethane-d4	EPA-8260	**109**	03/21/2014	GAP
Toluene-d8 4X Dilution	EPA-8260	**96.8**	03/20/2014	GAP
Toluene-d8	EPA-8260	**95.3**	03/21/2014	GAP
4-Bromofluorobenzene 4X Dilution	EPA-8260	**103**	03/20/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 12:53:00 PM
CLIENT SAMPLE ID	B-13:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**104**	03/21/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-05
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 1:18:00 PM
CLIENT SAMPLE ID	B-15:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	87	1	UG/KG	03/25/2014	GAP
Chloromethane	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromomethane	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
Chloroethane	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
Carbon Tetrachloride	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
Trichlorofluoromethane	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP
Carbon Disulfide	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP
Acrylonitrile	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethane	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
2-Butanone	EPA-8260	U	77	1	UG/KG	03/25/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
2,2-Dichloropropane	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
Bromochloromethane	EPA-8260	U	94	1	UG/KG	03/25/2014	GAP
Chloroform	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
1,1-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP
Trichloroethene	EPA-8260	**680**	10	1	UG/KG	03/25/2014	GAP
1,2-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
Dibromomethane	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP
Bromodichloromethane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
Toluene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,3-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
Tetrachloroethylene	EPA-8260	**60**	10	1	UG/KG	03/25/2014	GAP
Dibromochloromethane	EPA-8260	U	84	1	UG/KG	03/25/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-05
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 1:18:00 PM
CLIENT SAMPLE ID	B-15:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP
Ethylbenzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP
Styrene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
o-Xylene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
Bromoform	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP
Isopropylbenzene	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP
Bromobenzene	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
N-Propyl Benzene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
2-Chlorotoluene	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
4-Chlorotoluene	EPA-8260	U	87	1	UG/KG	03/25/2014	GAP
T-Butyl Benzene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP
S-Butyl Benzene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
P-Isopropyltoluene	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
N-Butylbenzene	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	72	1	UG/KG	03/25/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
Hexachlorobutadiene	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP
Naphthalene	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**9.4**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/25/2014	GAP
Toluene-d8	EPA-8260	**93.9**	03/25/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-06
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 1:45:00 PM
CLIENT SAMPLE ID	B-15:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/21/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/21/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/21/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trichloroethene	EPA-8260	**14**	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/21/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-06
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 1:45:00 PM
CLIENT SAMPLE ID	B-15:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/21/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/19/2014	RAL
Chromium	EPA-200.8	**73**	10	5	UG/L	03/30/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**114**	03/21/2014	GAP
Toluene-d8	EPA-8260	**94.5**	03/21/2014	GAP
4-Bromofluorobenzene	EPA-8260	**96.8**	03/21/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-07
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 2:05:00 PM
CLIENT SAMPLE ID	B-16:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	97	1	UG/KG	03/25/2014	GAP
Chloromethane	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromomethane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
Chloroethane	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
Carbon Tetrachloride	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
Trichlorofluoromethane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
Carbon Disulfide	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
Acetone	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Methylene Chloride	EPA-8260	U	120	1	UG/KG	03/25/2014	GAP
Acrylonitrile	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethane	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
2-Butanone	EPA-8260	U	86	1	UG/KG	03/25/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP
2,2-Dichloropropane	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
Bromochloromethane	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP
Chloroform	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
1,1-Dichloropropene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP
Trichloroethene	EPA-8260	**17000**	100	10	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
Dibromomethane	EPA-8260	U	69	1	UG/KG	03/25/2014	GAP
Bromodichloromethane	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
Toluene	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,3-Dichloropropane	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP
Tetrachloroethylene	EPA-8260	**340**	10	1	UG/KG	03/25/2014	GAP
Dibromochloromethane	EPA-8260	U	93	1	UG/KG	03/25/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-07
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 2:05:00 PM
CLIENT SAMPLE ID	B-16:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Ethylbenzene	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP
Styrene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
o-Xylene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
Bromoform	EPA-8260	U	70	1	UG/KG	03/25/2014	GAP
Isopropylbenzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	67	1	UG/KG	03/25/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	70	1	UG/KG	03/25/2014	GAP
Bromobenzene	EPA-8260	U	67	1	UG/KG	03/25/2014	GAP
N-Propyl Benzene	EPA-8260	U	65	1	UG/KG	03/25/2014	GAP
2-Chlorotoluene	EPA-8260	U	67	1	UG/KG	03/25/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
4-Chlorotoluene	EPA-8260	U	97	1	UG/KG	03/25/2014	GAP
T-Butyl Benzene	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
S-Butyl Benzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
P-Isopropyltoluene	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	68	1	UG/KG	03/25/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP
N-Butylbenzene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	68	1	UG/KG	03/25/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	80	1	UG/KG	03/25/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
Hexachlorobutadiene	EPA-8260	U	70	1	UG/KG	03/25/2014	GAP
Naphthalene	EPA-8260	U	67	1	UG/KG	03/25/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**22**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	03/25/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**108**	03/26/2014	GAP
Toluene-d8	EPA-8260	**93.7**	03/25/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**91.9**	03/26/2014	GAP
4-Bromofluorobenzene	EPA-8260	**104**	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-07
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 2:05:00 PM
CLIENT SAMPLE ID	B-16:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**97.8**	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-08
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 2:07:00 PM
CLIENT SAMPLE ID	B-16:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	85	1	UG/KG	03/25/2014	GAP
Chloromethane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromomethane	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP
Chloroethane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
Carbon Tetrachloride	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
Trichlorofluoromethane	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP
Carbon Disulfide	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
Acetone	EPA-8260	U	99	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP
Acrylonitrile	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
2-Butanone	EPA-8260	U	75	1	UG/KG	03/25/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
2,2-Dichloropropane	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
Bromochloromethane	EPA-8260	U	91	1	UG/KG	03/25/2014	GAP
Chloroform	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP
1,1-Dichloropropene	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP
Trichloroethene	EPA-8260	**280**	10	1	UG/KG	03/25/2014	GAP
1,2-Dichloropropane	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
Dibromomethane	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
Bromodichloromethane	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
Toluene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,3-Dichloropropane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Dibromochloromethane	EPA-8260	U	82	1	UG/KG	03/25/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-08
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 2:07:00 PM
CLIENT SAMPLE ID	B-16:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
Ethylbenzene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP
Styrene	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP
o-Xylene	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
Bromoform	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
Isopropylbenzene	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP
Bromobenzene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
N-Propyl Benzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
2-Chlorotoluene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP
4-Chlorotoluene	EPA-8260	U	85	1	UG/KG	03/25/2014	GAP
T-Butyl Benzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP
S-Butyl Benzene	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
P-Isopropyltoluene	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
N-Butylbenzene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/25/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	70	1	UG/KG	03/25/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
Hexachlorobutadiene	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP
Naphthalene	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**11**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	03/25/2014	GAP
Toluene-d8	EPA-8260	**93.7**	03/25/2014	GAP
4-Bromofluorobenzene	EPA-8260	**105**	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030124 EV14030124-09
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 2:22:00 PM
CLIENT SAMPLE ID	B-16:5.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	80	1	UG/KG	03/25/2014	GAP
Chloromethane	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromomethane	EPA-8260	U	40	1	UG/KG	03/25/2014	GAP
Chloroethane	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
Carbon Tetrachloride	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
Trichlorofluoromethane	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP
Carbon Disulfide	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Acetone	EPA-8260	U	94	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Methylene Chloride	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP
Acrylonitrile	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
2-Butanone	EPA-8260	U	71	1	UG/KG	03/25/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
2,2-Dichloropropane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Bromochloromethane	EPA-8260	U	86	1	UG/KG	03/25/2014	GAP
Chloroform	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP
1,1-Dichloropropene	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP
Trichloroethene	EPA-8260	**240**	10	1	UG/KG	03/25/2014	GAP
1,2-Dichloropropane	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP
Dibromomethane	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
Bromodichloromethane	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Toluene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,3-Dichloropropane	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Dibromochloromethane	EPA-8260	U	78	1	UG/KG	03/25/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-09
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 2:22:00 PM
CLIENT SAMPLE ID	B-16:5.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP
Ethylbenzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
m,p-Xylene	EPA-8260	U	95	1	UG/KG	03/25/2014	GAP
Styrene	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP
o-Xylene	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP
Bromoform	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
Isopropylbenzene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	59	1	UG/KG	03/25/2014	GAP
Bromobenzene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
N-Propyl Benzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
2-Chlorotoluene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	40	1	UG/KG	03/25/2014	GAP
4-Chlorotoluene	EPA-8260	U	80	1	UG/KG	03/25/2014	GAP
T-Butyl Benzene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP
S-Butyl Benzene	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP
P-Isopropyltoluene	EPA-8260	U	39	1	UG/KG	03/25/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
N-Butylbenzene	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	66	1	UG/KG	03/25/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
Hexachlorobutadiene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
Naphthalene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**21**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	03/25/2014	GAP
Toluene-d8	EPA-8260	**93.5**	03/25/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030124 EV14030124-10
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 2:46:00 PM
CLIENT SAMPLE ID	B-16:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/21/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/21/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/21/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trichloroethene	EPA-8260	**7.2**	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/21/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030124 EV14030124-10
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 2:46:00 PM
CLIENT SAMPLE ID	B-16:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/21/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chromium (VI)	EPA-7196	**13**	10	1	UG/L	03/19/2014	RAL
Chromium	EPA-200.8	**100**	10	5	UG/L	03/30/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**117**	03/21/2014	GAP
Toluene-d8	EPA-8260	**93.5**	03/21/2014	GAP
4-Bromofluorobenzene	EPA-8260	**96.3**	03/21/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-11
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 3:58:00 PM
CLIENT SAMPLE ID	B-14:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	80	1	UG/KG	03/25/2014	GAP
Chloromethane	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromomethane	EPA-8260	U	40	1	UG/KG	03/25/2014	GAP
Chloroethane	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
Carbon Tetrachloride	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
Trichlorofluoromethane	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP
Carbon Disulfide	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
Acetone	EPA-8260	U	93	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Methylene Chloride	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP
Acrylonitrile	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethane	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
2-Butanone	EPA-8260	U	71	1	UG/KG	03/25/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
2,2-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
Bromochloromethane	EPA-8260	U	86	1	UG/KG	03/25/2014	GAP
Chloroform	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP
1,1-Dichloropropene	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP
Trichloroethene	EPA-8260	**63**	10	1	UG/KG	03/25/2014	GAP
1,2-Dichloropropane	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP
Dibromomethane	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
Bromodichloromethane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Toluene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,3-Dichloropropane	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Dibromochloromethane	EPA-8260	U	77	1	UG/KG	03/25/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030124 EV14030124-11
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 3:58:00 PM
CLIENT SAMPLE ID	B-14:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	41	1	UG/KG	03/25/2014	GAP
Ethylbenzene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
m,p-Xylene	EPA-8260	U	94	1	UG/KG	03/25/2014	GAP
Styrene	EPA-8260	U	40	1	UG/KG	03/25/2014	GAP
o-Xylene	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP
Bromoform	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
Isopropylbenzene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
Bromobenzene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
N-Propyl Benzene	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
2-Chlorotoluene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	40	1	UG/KG	03/25/2014	GAP
4-Chlorotoluene	EPA-8260	U	80	1	UG/KG	03/25/2014	GAP
T-Butyl Benzene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	43	1	UG/KG	03/25/2014	GAP
S-Butyl Benzene	EPA-8260	U	47	1	UG/KG	03/25/2014	GAP
P-Isopropyltoluene	EPA-8260	U	38	1	UG/KG	03/25/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
N-Butylbenzene	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	66	1	UG/KG	03/25/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
Hexachlorobutadiene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
Naphthalene	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**580**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	03/25/2014	GAP
Toluene-d8	EPA-8260	**93.3**	03/25/2014	GAP
4-Bromofluorobenzene	EPA-8260	**104**	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-12
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 3:43:00 PM
CLIENT SAMPLE ID	B-14:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/21/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/21/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/21/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trichloroethene	EPA-8260	**6.1**	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/21/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030124
		ALS SAMPLE#:	EV14030124-12
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/18/2014 3:43:00 PM
CLIENT SAMPLE ID	B-14:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/21/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chromium (VI)	EPA-7196	**570**	10	1	UG/L	03/19/2014	RAL
Chromium	EPA-200.8	**480**	40	20	UG/L	03/30/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**108**	03/21/2014	GAP
Toluene-d8	EPA-8260	**94.6**	03/21/2014	GAP
4-Bromofluorobenzene	EPA-8260	**98.7**	03/21/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030124 EV14030124-13
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 9:45:00 AM
CLIENT SAMPLE ID	B-12:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/21/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/21/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/21/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**2.8**	2.0	1	UG/L	03/21/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trichloroethene	EPA-8260	**9.6**	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/21/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030124 EV14030124-13
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 9:45:00 AM
CLIENT SAMPLE ID	B-12:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/21/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chromium (VI)	EPA-7196	**70000**	1000	100	UG/L	03/19/2014	RAL
Chromium	EPA-200.8	**57000**	100	50	UG/L	03/30/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	03/21/2014	GAP
Toluene-d8	EPA-8260	**93.6**	03/21/2014	GAP
4-Bromofluorobenzene	EPA-8260	**98.6**	03/21/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/2/2014
ALS SDG#: EV14030124
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032514S - Batch 7738 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Chloromethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromomethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Chloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Carbon Tetrachloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Trichlorofluoromethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Carbon Disulfide	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Acetone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Methylene Chloride	EPA-8260	U	20	1	UG/KG	03/25/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
2-Butanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
2,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromochloromethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Chloroform	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,1-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP
Trichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Dibromomethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromodichloromethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Toluene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,3-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Dibromochloromethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/2/2014
ALS SDG#: EV14030124
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032514S - Batch 7738 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Ethylbenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
m,p-Xylene	EPA-8260	U	20	1	UG/KG	03/25/2014	GAP
Styrene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
o-Xylene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromoform	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Isopropylbenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromobenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
N-Propyl Benzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
2-Chlorotoluene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
4-Chlorotoluene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
T-Butyl Benzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
S-Butyl Benzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
P-Isopropyltoluene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
N-Butylbenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Hexachlorobutadiene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Naphthalene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MB-032014W - Batch 7734 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/20/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/2/2014
ALS SDG#: EV14030124
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032014W - Batch 7734 - Water by EPA-8260

Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/20/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/20/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/20/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/20/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/20/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/20/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/20/2014	GAP
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/20/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/2/2014
ALS SDG#: EV14030124
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032014W - Batch 7734 - Water by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/20/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3212014 - Batch R93302 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3192014 - Batch R93311 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/19/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-032014S - Batch 7730 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	03/20/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS SDG#:	EV14030124
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB2-032014S - Batch 7772 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	03/31/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-032614W - Batch 7754 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	03/29/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS SDG#:	EV14030124
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 7738 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**108**			03/25/2014	GAP
1,1-Dichloroethene - BSD	EPA-8260	**114**	**5**		03/25/2014	GAP
Benzene - BS	EPA-8260	**101**			03/25/2014	GAP
Benzene - BSD	EPA-8260	**103**	**2**		03/25/2014	GAP
Trichloroethene - BS	EPA-8260	**105**			03/25/2014	GAP
Trichloroethene - BSD	EPA-8260	**108**	**3**		03/25/2014	GAP
Toluene - BS	EPA-8260	**105**			03/25/2014	GAP
Toluene - BSD	EPA-8260	**107**	**1**		03/25/2014	GAP
Chlorobenzene - BS	EPA-8260	**107**			03/25/2014	GAP
Chlorobenzene - BSD	EPA-8260	**109**	**2**		03/25/2014	GAP

ALS Test Batch ID: 7734 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**99.9**			03/20/2014	GAP
1,1-Dichloroethene - BSD	EPA-8260	**103**	**3**		03/20/2014	GAP
Benzene - BS	EPA-8260	**92.7**			03/20/2014	GAP
Benzene - BSD	EPA-8260	**94.4**	**2**		03/20/2014	GAP
Trichloroethene - BS	EPA-8260	**99.8**			03/20/2014	GAP
Trichloroethene - BSD	EPA-8260	**103**	**3**		03/20/2014	GAP
Toluene - BS	EPA-8260	**98.3**			03/20/2014	GAP
Toluene - BSD	EPA-8260	**102**	**3**		03/20/2014	GAP
Chlorobenzene - BS	EPA-8260	**103**			03/20/2014	GAP
Chlorobenzene - BSD	EPA-8260	**105**	**2**		03/20/2014	GAP

ALS Test Batch ID: R93302 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**103**			03/21/2014	GAP
Chromium (VI) - BSD	EPA-7196	**101**	**2**		03/21/2014	GAP

ALS Test Batch ID: R93311 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**100**			03/19/2014	RAL
Chromium (VI) - BSD	EPA-7196	**102**	**2**		03/19/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS SDG#:	EV14030124
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 7730 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**105**			03/20/2014	RAL
Chromium - BSD	EPA-6020	**106**	**1**		03/20/2014	RAL

ALS Test Batch ID: 7772 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**103**			03/31/2014	RAL
Chromium - BSD	EPA-6020	**107**	**4**		03/31/2014	RAL

ALS Test Batch ID: 7754 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**104**			03/29/2014	RAL
Chromium - BSD	EPA-200.8	**101**	**2**		03/29/2014	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1403012 4

Date 3/19/14 Page 1 Of 2

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: T. Morin / M. Busbee
ADDRESS: 295 NE Gilman Blvd
Issaquah WA
PHONE: 425-988-4090 FAX:
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chrome	Chrome VI						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-13:0.5	3/18/14	1233	soil	1							X									X	X						4	
2. B-13:3		1235		2							X									X	X						4	
3. B-13:6		1239		3							X									X	X						4	
4. B-13:RGW		1253	water	4							X									X	X						5	
5. B-15:5		1318	soil	5							X									X	X						4	
6. B-15:RGW		1345	water	6							X									X	X						5	
7. B-16:0.5		1405	soil	7							X									X	X						4	
8. B-16:3		1407		8							X									X	X						4	
9. B-16:5.5		1422		9							X									X	X						4	
10. B-16:RGW		1446	water	10							X									X	X						5	

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 3/18/14 EPI 9:55
Received By: ALS 3/19/14 9:55
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

* Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV14030124

Date 3/18/14 Page 2 Of 2

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: T. Morin / M. Busbee
ADDRESS: 295 NE Gilman Blvd
Issaquah
PHONE: 425-988-4090 FAX:
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED / OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chrome	Chrome VI						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-14:8	3/18/14	1558	soil	11							X									X	X						4	
2. B-14:RGW	3/18/14	1543	water	12							X									X	X						5	
3. B-12:RGW	3/19/14	0945	water	13							X									X	X						5	
4. Trip Blank	3/19/14	—	W	14																							2	
5.																												
6.																												
7.																												
8.																												
9.																												
10.																												

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):
1. Relinquished By: EPI 3/19/14 0952
Received By: ALS 3/19/14 09:55
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*
Organic, Metals & Inorganic Analysis: 10 (Standard) 5 3 2 1 SAME DAY
Fuels & Hydrocarbon Analysis: 5 (Standard) 3 1 SAME DAY
OTHER: Specify:

* Turnaround request less than standard may incur Rush Charges

LABORATORY COPY

April 2, 2014

Mr. Thom Morin
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Morin,

On March 19th, 24 samples were received by our laboratory and assigned our laboratory project number EV14030133. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030133 EV14030133-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 9:21:00 AM
CLIENT SAMPLE ID	B-12:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	88	1	UG/KG	03/25/2014	GAP
Chloromethane	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromomethane	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
Chloroethane	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
Carbon Tetrachloride	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
Trichlorofluoromethane	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP
Carbon Disulfide	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/25/2014	GAP
Acrylonitrile	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	52	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethane	EPA-8260	U	53	1	UG/KG	03/25/2014	GAP
2-Butanone	EPA-8260	U	78	1	UG/KG	03/25/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
2,2-Dichloropropane	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
Bromochloromethane	EPA-8260	U	94	1	UG/KG	03/25/2014	GAP
Chloroform	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
1,1-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP
Trichloroethene	EPA-8260	**4400**	40	4	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
Dibromomethane	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP
Bromodichloromethane	EPA-8260	U	55	1	UG/KG	03/25/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
Toluene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,3-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Dibromochloromethane	EPA-8260	U	84	1	UG/KG	03/25/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 9:21:00 AM
CLIENT SAMPLE ID	B-12:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	45	1	UG/KG	03/25/2014	GAP
Ethylbenzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/25/2014	GAP
Styrene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
o-Xylene	EPA-8260	U	49	1	UG/KG	03/25/2014	GAP
Bromoform	EPA-8260	U	63	1	UG/KG	03/25/2014	GAP
Isopropylbenzene	EPA-8260	U	48	1	UG/KG	03/25/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP
Bromobenzene	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
N-Propyl Benzene	EPA-8260	U	58	1	UG/KG	03/25/2014	GAP
2-Chlorotoluene	EPA-8260	U	61	1	UG/KG	03/25/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/25/2014	GAP
4-Chlorotoluene	EPA-8260	U	87	1	UG/KG	03/25/2014	GAP
T-Butyl Benzene	EPA-8260	U	56	1	UG/KG	03/25/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	**74**	47	1	UG/KG	03/25/2014	GAP
S-Butyl Benzene	EPA-8260	U	51	1	UG/KG	03/25/2014	GAP
P-Isopropyltoluene	EPA-8260	U	42	1	UG/KG	03/25/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
N-Butylbenzene	EPA-8260	U	46	1	UG/KG	03/25/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/25/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	72	1	UG/KG	03/25/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/25/2014	GAP
Hexachlorobutadiene	EPA-8260	U	64	1	UG/KG	03/25/2014	GAP
Naphthalene	EPA-8260	**2600**	61	1	UG/KG	03/25/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	57	1	UG/KG	03/25/2014	GAP
Chromium (VI)	EPA-7196	**910**	500	100	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**37000**	25	250	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	03/25/2014	GAP
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**108**	03/26/2014	GAP
Toluene-d8	EPA-8260	**94.3**	03/25/2014	GAP
Toluene-d8 4X Dilution	EPA-8260	**90.8**	03/26/2014	GAP
4-Bromofluorobenzene	EPA-8260	**105**	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 9:21:00 AM
CLIENT SAMPLE ID	B-12:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 4X Dilution	EPA-8260	**96.5**	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-02
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 9:25:00 AM
CLIENT SAMPLE ID	B-12:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	88	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	78	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	95	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**69**	10	1	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	85	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-02
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 9:25:00 AM
CLIENT SAMPLE ID	B-12:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	64	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	64	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	88	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	73	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	64	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	500	100	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**8600**	10	100	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	03/26/2014	GAP
Toluene-d8	EPA-8260	**97.7**	03/26/2014	GAP
4-Bromofluorobenzene	EPA-8260	**105**	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-03
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 9:30:00 AM
CLIENT SAMPLE ID	B-12:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	85	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	99	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	75	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	91	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**330**	10	1	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	82	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-03
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 9:30:00 AM
CLIENT SAMPLE ID	B-12:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	85	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	70	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	100	20	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**12000**	10	100	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	03/26/2014	GAP
Toluene-d8	EPA-8260	**94.2**	03/26/2014	GAP
4-Bromofluorobenzene	EPA-8260	**101**	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030133 EV14030133-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:01:00 AM
CLIENT SAMPLE ID	B-20:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	67	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	34	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	36	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	79	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	84	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	40	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	72	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	38	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	38	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**7100**	100	10	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	38	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	**200**	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	65	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:01:00 AM
CLIENT SAMPLE ID	B-20:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	35	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	80	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	34	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	38	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	37	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	34	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	67	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	36	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	40	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	32	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	35	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**27**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	03/26/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**109**	03/26/2014	GAP
Toluene-d8	EPA-8260	**93.8**	03/26/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**92.7**	03/26/2014	GAP
4-Bromofluorobenzene	EPA-8260	**102**	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:01:00 AM
CLIENT SAMPLE ID	B-20:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**97.9**	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030133 EV14030133-05
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:04:00 AM
CLIENT SAMPLE ID	B-20:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	81	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	94	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	72	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	87	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**7000**	100	10	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	**240**	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	78	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-05
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:04:00 AM
CLIENT SAMPLE ID	B-20:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	95	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	40	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	80	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	39	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	67	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**17**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	03/26/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**109**	03/26/2014	GAP
Toluene-d8	EPA-8260	**93.7**	03/26/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**91.0**	03/26/2014	GAP
4-Bromofluorobenzene	EPA-8260	**104**	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-05
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:04:00 AM
CLIENT SAMPLE ID	B-20:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**98.9**	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-06
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:07:00 AM
CLIENT SAMPLE ID	B-20:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	90	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	80	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	97	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**1400**	10	1	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	64	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	**88**	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	87	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-06
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:07:00 AM
CLIENT SAMPLE ID	B-20:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	65	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	65	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	90	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	74	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	65	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**15**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	03/26/2014	GAP
Toluene-d8	EPA-8260	**92.5**	03/26/2014	GAP
4-Bromofluorobenzene	EPA-8260	**103**	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-07
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:24:00 AM
CLIENT SAMPLE ID	B-20:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/21/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/21/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/21/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Trichloroethene	EPA-8260	**6.6**	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/21/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/21/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-07
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:24:00 AM
CLIENT SAMPLE ID	B-20:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/21/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/21/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/21/2014	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/20/2014	GAP
Chromium	EPA-200.8	**72**	10	5	UG/L	03/30/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**110**	03/21/2014	GAP
Toluene-d8	EPA-8260	**93.8**	03/21/2014	GAP
4-Bromofluorobenzene	EPA-8260	**99.0**	03/21/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030133 EV14030133-08
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:46:00 AM
CLIENT SAMPLE ID	B-19:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	86	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	76	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	92	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**10000**	100	10	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	**280**	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	83	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-08
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:46:00 AM
CLIENT SAMPLE ID	B-19:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	86	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	71	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**32**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	03/26/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**111**	03/26/2014	GAP
Toluene-d8	EPA-8260	**92.9**	03/26/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**92.9**	03/26/2014	GAP
4-Bromofluorobenzene	EPA-8260	**101**	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-08
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:46:00 AM
CLIENT SAMPLE ID	B-19:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**98.5**	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030133 EV14030133-09
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:49:00 AM
CLIENT SAMPLE ID	B-19:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	90	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	80	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	97	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**19000**	400	40	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	64	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	**430**	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	87	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-09
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:49:00 AM
CLIENT SAMPLE ID	B-19:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	65	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	66	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	90	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	74	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	65	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**54**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	03/26/2014	GAP
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**111**	03/26/2014	GAP
Toluene-d8	EPA-8260	**95.0**	03/26/2014	GAP
Toluene-d8 40X Dilution	EPA-8260	**90.0**	03/26/2014	GAP
4-Bromofluorobenzene	EPA-8260	**102**	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-09
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:49:00 AM
CLIENT SAMPLE ID	B-19:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 40X Dilution	EPA-8260	**101**	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030133 EV14030133-10
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:52:00 AM
CLIENT SAMPLE ID	B-19:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	79	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	40	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	92	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	99	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	70	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	85	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**2100**	10	1	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	**92**	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	76	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-10
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 11:52:00 AM
CLIENT SAMPLE ID	B-19:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	93	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	40	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	40	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	79	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	38	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	65	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**26**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	03/26/2014	GAP
Toluene-d8	EPA-8260	**94.6**	03/26/2014	GAP
4-Bromofluorobenzene	EPA-8260	**95.2**	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030133 EV14030133-11
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 12:07:00 PM
CLIENT SAMPLE ID	B-19:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/22/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Trichloroethene	EPA-8260	**88**	8.0	4	UG/L	03/20/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/22/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030133 EV14030133-11
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 12:07:00 PM
CLIENT SAMPLE ID	B-19:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/22/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/20/2014	GAP
Chromium	EPA-200.8	**170**	10	5	UG/L	03/30/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**107**	03/20/2014	GAP
1,2-Dichloroethane-d4	EPA-8260	**110**	03/22/2014	GAP
Toluene-d8 4X Dilution	EPA-8260	**95.7**	03/20/2014	GAP
Toluene-d8	EPA-8260	**97.3**	03/22/2014	GAP
4-Bromofluorobenzene 4X Dilution	EPA-8260	**102**	03/20/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-11
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 12:07:00 PM
CLIENT SAMPLE ID	B-19:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**102**	03/22/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-12
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:07:00 PM
CLIENT SAMPLE ID	B-21:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	79	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	40	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	92	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	98	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	70	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**270**	51	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	85	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	**140**	44	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**160000**	4000	400	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	**5400**	100	10	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	76	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-12
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:07:00 PM
CLIENT SAMPLE ID	B-21:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	**170**	93	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	40	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	**98**	44	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	**66**	39	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	78	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	**89**	42	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	38	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	**65**	41	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	65	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	**95**	54	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**200**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	03/26/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**110**	03/26/2014	GAP
1,2-Dichloroethane-d4 400X Dilution	EPA-8260	**113**	03/26/2014	GAP
Toluene-d8	EPA-8260	**93.6**	03/26/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**91.2**	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-12
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:07:00 PM
CLIENT SAMPLE ID	B-21:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
Toluene-d8 400X Dilution	EPA-8260	**89.9**	03/26/2014	GAP
4-Bromofluorobenzene	EPA-8260	**97.7**	03/26/2014	GAP
4-Bromofluorobenzene 10X Dilution	EPA-8260	**100**	03/26/2014	GAP
4-Bromofluorobenzene 400X Dilution	EPA-8260	**99.1**	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030133 EV14030133-13
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:11:00 PM
CLIENT SAMPLE ID	B-21:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	91	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	81	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	98	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**520**	10	1	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	65	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	88	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-13
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:11:00 PM
CLIENT SAMPLE ID	B-21:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	66	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	67	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	64	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	91	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	64	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	64	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	76	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	66	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**11**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	03/26/2014	GAP
Toluene-d8	EPA-8260	**90.3**	03/26/2014	GAP
4-Bromofluorobenzene	EPA-8260	**104**	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-14
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:14:00 PM
CLIENT SAMPLE ID	B-21:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	87	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	77	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	94	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**1200**	10	1	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	**99**	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	84	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-14
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:14:00 PM
CLIENT SAMPLE ID	B-21:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	87	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	72	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP
Chromium	EPA-6020	**12**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	03/26/2014	GAP
Toluene-d8	EPA-8260	**92.5**	03/26/2014	GAP
4-Bromofluorobenzene	EPA-8260	**102**	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030133 EV14030133-15
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:21:00 PM
CLIENT SAMPLE ID	B-21:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/22/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/22/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/22/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/22/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/22/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Trichloroethene	EPA-8260	**34**	2.0	1	UG/L	03/22/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/22/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/22/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/22/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-15
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:21:00 PM
CLIENT SAMPLE ID	B-21:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/22/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/20/2014	GAP
Chromium	EPA-200.8	**150**	10	5	UG/L	03/30/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**113**	03/22/2014	GAP
Toluene-d8	EPA-8260	**94.6**	03/22/2014	GAP
4-Bromofluorobenzene	EPA-8260	**100**	03/22/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-16
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:43:00 PM
CLIENT SAMPLE ID	B-23:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	75	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	38	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	40	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	87	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	94	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	**120**	45	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	66	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**7400**	2000	40	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	80	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	**200**	42	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**610000**	4000	400	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	**37000**	400	40	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	72	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030133 EV14030133-16
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:43:00 PM
CLIENT SAMPLE ID	B-23:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	39	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	**180**	88	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	38	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	**140**	42	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	**120**	41	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	**120**	37	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	75	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	**85**	48	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	**170**	40	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	**160**	44	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	**130**	36	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	**180**	39	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	**71**	52	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**150**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.8**	03/26/2014	GAP
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**105**	03/27/2014	GAP
1,2-Dichloroethane-d4 400X Dilution	EPA-8260	**109**	03/27/2014	GAP
Toluene-d8	EPA-8260	**88.4**	03/26/2014	GAP
Toluene-d8 40X Dilution	EPA-8260	**91.6**	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-16
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:43:00 PM
CLIENT SAMPLE ID	B-23:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
Toluene-d8 400X Dilution	EPA-8260	**89.5**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**97.8**	03/26/2014	GAP
4-Bromofluorobenzene 40X Dilution	EPA-8260	**97.8**	03/27/2014	GAP
4-Bromofluorobenzene 400X Dilution	EPA-8260	**100**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-17
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:47:00 PM
CLIENT SAMPLE ID	B-23:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	88	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	78	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	95	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**1900**	10	1	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	**180**	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	85	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-17
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:47:00 PM
CLIENT SAMPLE ID	B-23:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	88	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	42	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	73	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**20**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	03/27/2014	GAP
Toluene-d8	EPA-8260	**91.8**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**104**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-18
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:50:00 PM
CLIENT SAMPLE ID	B23:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	93	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	120	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	82	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**1100**	10	1	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	66	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	**110**	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	89	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030133 EV14030133-18
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:50:00 PM
CLIENT SAMPLE ID	B23:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	67	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	67	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	92	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	65	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	65	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	77	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	67	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**29**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/27/2014	GAP
Toluene-d8	EPA-8260	**91.5**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-19
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:52:00 PM
CLIENT SAMPLE ID	B-23:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/22/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/22/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/22/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/22/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/22/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**52**	8.0	4	UG/L	03/20/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Trichloroethene	EPA-8260	**1000**	200	100	UG/L	03/21/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/22/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/22/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Tetrachloroethylene	EPA-8260	**42**	8.0	4	UG/L	03/20/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/22/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-19
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:52:00 PM
CLIENT SAMPLE ID	B-23:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/22/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/22/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/20/2014	GAP	
Chromium	EPA-200.8	**530**	10	5	UG/L	03/30/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**107**	03/20/2014	GAP	
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**114**	03/21/2014	GAP	
1,2-Dichloroethane-d4	EPA-8260	**110**	03/22/2014	GAP	
Toluene-d8 4X Dilution	EPA-8260	**96.2**	03/20/2014	GAP	
Toluene-d8 100X Dilution	EPA-8260	**93.1**	03/21/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-19
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 1:52:00 PM
CLIENT SAMPLE ID	B-23:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
Toluene-d8	EPA-8260	**94.8**	03/22/2014	GAP
4-Bromofluorobenzene 4X Dilution	EPA-8260	**103**	03/20/2014	GAP
4-Bromofluorobenzene 100X Dilution	EPA-8260	**99.1**	03/21/2014	GAP
4-Bromofluorobenzene	EPA-8260	**101**	03/22/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030133 EV14030133-20
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:22:00 PM
CLIENT SAMPLE ID	B-24:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	74	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	37	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	39	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	87	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	93	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	**75**	45	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	66	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**730**	49	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	80	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**19000**	400	40	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	**2400**	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	72	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-20
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:22:00 PM
CLIENT SAMPLE ID	B-24:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	39	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	88	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	38	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	37	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	74	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	40	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	36	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	39	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**27**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/26/2014	GAP
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**109**	03/27/2014	GAP
Toluene-d8	EPA-8260	**88.8**	03/26/2014	GAP
Toluene-d8 40X Dilution	EPA-8260	**90.7**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**103**	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-20
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:22:00 PM
CLIENT SAMPLE ID	B-24:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 40X Dilution	EPA-8260	**101**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030133 EV14030133-21
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:24:00 PM
CLIENT SAMPLE ID	B-24:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	86	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	76	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**150**	56	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	92	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**7600**	100	10	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	**460**	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	83	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-21
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:24:00 PM
CLIENT SAMPLE ID	B-24:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	86	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	71	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**16**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.9**	03/26/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**107**	03/27/2014	GAP
Toluene-d8	EPA-8260	**88.9**	03/26/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**90.1**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**105**	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-21
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:24:00 PM
CLIENT SAMPLE ID	B-24:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**100**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/2/2014 EV14030133 EV14030133-22
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:27:00 PM
CLIENT SAMPLE ID	B-24:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	86	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	76	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**610**	56	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	93	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	**53**	48	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**42000**	1000	100	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	**2700**	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	83	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-22
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:27:00 PM
CLIENT SAMPLE ID	B-24:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	86	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	71	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**110**	0.50	5	MG/KG	04/01/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/26/2014	GAP
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**112**	03/27/2014	GAP
Toluene-d8	EPA-8260	**88.7**	03/26/2014	GAP
Toluene-d8 100X Dilution	EPA-8260	**90.1**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**103**	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-22
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:27:00 PM
CLIENT SAMPLE ID	B-24:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 100X Dilution	EPA-8260	**102**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-23
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:34:00 PM
CLIENT SAMPLE ID	B-24:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/22/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/22/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/22/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/22/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/22/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**10**	2.0	1	UG/L	03/22/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Trichloroethene	EPA-8260	**160**	8.0	4	UG/L	03/20/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/22/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/22/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Tetrachloroethylene	EPA-8260	**3.7**	2.0	1	UG/L	03/22/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/22/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-23
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:34:00 PM
CLIENT SAMPLE ID	B-24:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/22/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/22/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/20/2014	GAP
Chromium	EPA-200.8	**310**	10	5	UG/L	03/30/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**108**	03/20/2014	GAP
1,2-Dichloroethane-d4	EPA-8260	**112**	03/22/2014	GAP
Toluene-d8 4X Dilution	EPA-8260	**95.7**	03/20/2014	GAP
Toluene-d8	EPA-8260	**95.0**	03/22/2014	GAP
4-Bromofluorobenzene 4X Dilution	EPA-8260	**104**	03/20/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-23
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:34:00 PM
CLIENT SAMPLE ID	B-24:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**106**	03/22/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-24
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 3:01:00 PM
CLIENT SAMPLE ID	B-25:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/22/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/22/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/22/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/22/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/22/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**32**	2.0	1	UG/L	03/22/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	**2.1**	2.0	1	UG/L	03/22/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Trichloroethene	EPA-8260	**2700**	200	100	UG/L	03/21/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/22/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/22/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Tetrachloroethylene	EPA-8260	**23**	2.0	1	UG/L	03/22/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/22/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-24
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 3:01:00 PM
CLIENT SAMPLE ID	B-25:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/22/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/22/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/22/2014	GAP	
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/20/2014	GAP	
Chromium	EPA-200.8	**210**	10	5	UG/L	04/02/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**114**	03/21/2014	GAP	
1,2-Dichloroethane-d4	EPA-8260	**113**	03/22/2014	GAP	
Toluene-d8 100X Dilution	EPA-8260	**94.2**	03/21/2014	GAP	
Toluene-d8	EPA-8260	**96.1**	03/22/2014	GAP	
4-Bromofluorobenzene 100X Dilution	EPA-8260	**98.5**	03/21/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS JOB#:	EV14030133
		ALS SAMPLE#:	EV14030133-24
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/19/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 3:01:00 PM
CLIENT SAMPLE ID	B-25:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**101**	03/22/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/2/2014
ALS SDG#: EV14030133
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032514S - Batch 7738 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Chloromethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromomethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Chloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Carbon Tetrachloride	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Trichlorofluoromethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Carbon Disulfide	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Acetone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Methylene Chloride	EPA-8260	U	20	1	UG/KG	03/25/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,1-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
2-Butanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
2,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromochloromethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Chloroform	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,1-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP
Trichloroethene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Dibromomethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromodichloromethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
Toluene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,3-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Dibromochloromethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/25/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/2/2014
ALS SDG#: EV14030133
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032514S - Batch 7738 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Ethylbenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
m,p-Xylene	EPA-8260	U	20	1	UG/KG	03/25/2014	GAP
Styrene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
o-Xylene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromoform	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Isopropylbenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Bromobenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
N-Propyl Benzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
2-Chlorotoluene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
4-Chlorotoluene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
T-Butyl Benzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
S-Butyl Benzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
P-Isopropyltoluene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
N-Butylbenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	UG/KG	03/25/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Hexachlorobutadiene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
Naphthalene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MB-032614S - Batch 7743 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/2/2014
ALS SDG#: EV14030133
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032614S - Batch 7743 - Soil by EPA-8260

Carbon Disulfide	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	20	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Chlorobenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	20	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/2/2014
ALS SDG#: EV14030133
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032614S - Batch 7743 - Soil by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MB-032014W - Batch 7734 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/20/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/20/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/20/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/20/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/20/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/2/2014
ALS SDG#: EV14030133
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032014W - Batch 7734 - Water by EPA-8260

Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/20/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/20/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/20/2014	GAP
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/20/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/2/2014
ALS SDG#: EV14030133
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032014W - Batch 7734 - Water by EPA-8260

P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/20/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/20/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3212014 - Batch R93302 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3212014 - Batch R93303 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3212014 - Batch R93304 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3202014 - Batch R93312 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/20/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-032114S - Batch 7773 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	04/01/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS SDG#:	EV14030133
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB1-032114S - Batch 7773 - Soil by EPA-6020

U - Analyte analyzed for but not detected at level above reporting limit.

MB2-032014S - Batch 7772 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	03/31/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-032614W - Batch 7754 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	03/29/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-040114W - Batch 7767 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	04/02/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS SDG#:	EV14030133
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 7738 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**108**			03/25/2014	GAP
1,1-Dichloroethene - BSD	EPA-8260	**114**	**5**		03/25/2014	GAP
Benzene - BS	EPA-8260	**101**			03/25/2014	GAP
Benzene - BSD	EPA-8260	**103**	**2**		03/25/2014	GAP
Trichloroethene - BS	EPA-8260	**105**			03/25/2014	GAP
Trichloroethene - BSD	EPA-8260	**108**	**3**		03/25/2014	GAP
Toluene - BS	EPA-8260	**105**			03/25/2014	GAP
Toluene - BSD	EPA-8260	**107**	**1**		03/25/2014	GAP
Chlorobenzene - BS	EPA-8260	**107**			03/25/2014	GAP
Chlorobenzene - BSD	EPA-8260	**109**	**2**		03/25/2014	GAP

ALS Test Batch ID: 7743 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**121**			03/26/2014	GAP
1,1-Dichloroethene - BSD	EPA-8260	**128**	**6**		03/26/2014	GAP
Benzene - BS	EPA-8260	**108**			03/26/2014	GAP
Benzene - BSD	EPA-8260	**110**	**2**		03/26/2014	GAP
Trichloroethene - BS	EPA-8260	**114**			03/26/2014	GAP
Trichloroethene - BSD	EPA-8260	**117**	**3**		03/26/2014	GAP
Toluene - BS	EPA-8260	**111**			03/26/2014	GAP
Toluene - BSD	EPA-8260	**113**	**2**		03/26/2014	GAP
Chlorobenzene - BS	EPA-8260	**103**			03/26/2014	GAP
Chlorobenzene - BSD	EPA-8260	**106**	**2**		03/26/2014	GAP

ALS Test Batch ID: 7734 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**99.9**			03/20/2014	GAP
1,1-Dichloroethene - BSD	EPA-8260	**103**	**3**		03/20/2014	GAP
Benzene - BS	EPA-8260	**92.7**			03/20/2014	GAP
Benzene - BSD	EPA-8260	**94.4**	**2**		03/20/2014	GAP
Trichloroethene - BS	EPA-8260	**99.8**			03/20/2014	GAP
Trichloroethene - BSD	EPA-8260	**103**	**3**		03/20/2014	GAP
Toluene - BS	EPA-8260	**98.3**			03/20/2014	GAP
Toluene - BSD	EPA-8260	**102**	**3**		03/20/2014	GAP
Chlorobenzene - BS	EPA-8260	**103**			03/20/2014	GAP
Chlorobenzene - BSD	EPA-8260	**105**	**2**		03/20/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/2/2014
ALS SDG#: EV14030133
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: R93302 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	103			03/21/2014	GAP
Chromium (VI) - BSD	EPA-7196	101	2		03/21/2014	GAP

ALS Test Batch ID: R93303 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	100			03/21/2014	GAP
Chromium (VI) - BSD	EPA-7196	101	1		03/21/2014	GAP

ALS Test Batch ID: R93304 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	108			03/21/2014	RAL
Chromium (VI) - BSD	EPA-7196	100	8		03/21/2014	RAL

ALS Test Batch ID: R93312 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	106			03/20/2014	GAP
Chromium (VI) - BSD	EPA-7196	104	2		03/20/2014	GAP

ALS Test Batch ID: 7772 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	103			03/31/2014	RAL
Chromium - BSD	EPA-6020	107	4		03/31/2014	RAL

ALS Test Batch ID: 7773 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	109			04/01/2014	RAL
Chromium - BSD	EPA-6020	104	4		04/01/2014	RAL

ALS Test Batch ID: 7754 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	104			03/29/2014	RAL
Chromium - BSD	EPA-200.8	101	2		03/29/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/2/2014
		ALS SDG#:	EV14030133
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY

ALS Test Batch ID: 7767 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**96.6**			04/02/2014	RAL
Chromium - BSD	EPA-200.8	**95.2**	**1**		04/02/2014	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1403013 3

Date 3/19/14 Page 1 Of 3

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: T. Morin / M. Busbee
ADDRESS: 295 NE Gilman Blvd.
Issaquah WA
PHONE: 425-988-4090 FAX:
P.O. #: E-MAIL: monty b@ epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chrom	Chrome VI					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-12:0.5	3/19/14	0921	soil	1							X									X	X					4	
2. B-12:3		0925		2							X									X	X					4	
3. B-12:6		0930		3							X									X	X					4	
4. B-20:0.5		1101		4							X									X	X					4	
5. B-20:3		1104		5							X									X	X					4	
6. B-20:6		1107		6							X									X	X					4	
7. B-20:RGW		1124	water	7							X									X	X					5	
8. B-19:0.5		1146	soil	8							X									X	X					4	
9. B-19:3		1149		9							X									X	X					4	
10. B-19:6		1152		10							X									X	X					4	

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 3/19/14 1516
Received By: ALS 3/19/14 1516
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: (10) Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: (5) Standard | 3 | 1 | SAME DAY

OTHER: Specify:

* Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1403013 3

Date 3/19/14 Page 2 Of 3

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: T. Morin / M. Busbee
ADDRESS: 295 NE Gilman Blvd.
Issaquah WA
PHONE: 425-988-4040 FAX:
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Chrome, Total	Chrome, III					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-19:RGW	3/19/14	1207	Water	11							X									X	X						5	
2. B-21:0.5		1307	Soil	12							X									X	X						4	
3. B-21:3		1311	Soil	13							X									X	X						4	
4. B-21:6		1314	Soil	14							X									X	X						4	
5. B-21:RGW		1321	Water	15							X									X	X						5	
6. B-23:0.5		1343	Soil	16							X									X	X						4	
7. B-23:3		1347	Soil	17							X									X	X						4	
8. B-23:6		1350	Soil	18							X									X	X						4	
9. B-23:RGW		1352	Water	19							X									X	X						5	
10. B-24:0.5		1422	Soil	20							X									X	X						4	

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 3/19/14 1516
Received By: ALS 3/19/14 15:16
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: ~~X~~ Standard | 3 | 1 | SAME DAY

OTHER: Specify:

* Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1403013 3

Date 3/1 Page 3 Of 3

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: T. Morin / M. Busbee
ADDRESS:
PHONE: FAX:
P.O. #: E-MAIL:
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#
1. B-24:3	3/19/14	1424	soil	21
2. B-24:6		1427	soil	22
3. B-24: RGW		1434	water	23
4. B-25: RGW		1501	water	24
5.				
6.				
7.				
8.				
9.				
10.				

ANALYSIS REQUESTED

NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐
						X								
						X								
						X								
						X								

OTHER (Specify)

Total Chromium	Chrom VI						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
X	X						4	
X	X						4	
X	X						5	
X	X						5	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: [signature] EPI 3/19/14 1516
   Received By: [signature] ALS 3/19/14 15:16
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: ~~5~~ Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

* Turnaround request less than standard may incur Rush Charges

LABORATORY COPY

April 7, 2014

Mr. Thom Morin
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Morin,

On March 21st, 5 samples were received by our laboratory and assigned our laboratory project number EV14030151. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/7/2014 EV14030151 EV14030151-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/21/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 1:06:00 PM
CLIENT SAMPLE ID	B-31:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	140	1	UG/KG	03/28/2014	GAP
Chloromethane	EPA-8260	U	86	1	UG/KG	03/28/2014	GAP
Vinyl Chloride	EPA-8260	**1500**	10	1	UG/KG	03/28/2014	GAP
Bromomethane	EPA-8260	U	72	1	UG/KG	03/28/2014	GAP
Chloroethane	EPA-8260	U	86	1	UG/KG	03/28/2014	GAP
Carbon Tetrachloride	EPA-8260	U	90	1	UG/KG	03/28/2014	GAP
Trichlorofluoromethane	EPA-8260	U	76	1	UG/KG	03/28/2014	GAP
Carbon Disulfide	EPA-8260	U	88	1	UG/KG	03/28/2014	GAP
Acetone	EPA-8260	U	170	1	UG/KG	03/28/2014	GAP
1,1-Dichloroethene	EPA-8260	**520**	10	1	UG/KG	03/28/2014	GAP
Methylene Chloride	EPA-8260	U	180	1	UG/KG	03/28/2014	GAP
Acrylonitrile	EPA-8260	U	92	1	UG/KG	03/28/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	89	1	UG/KG	03/28/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	**2100**	85	1	UG/KG	03/28/2014	GAP
1,1-Dichloroethane	EPA-8260	U	87	1	UG/KG	03/28/2014	GAP
2-Butanone	EPA-8260	U	130	1	UG/KG	03/28/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**29000**	3700	40	UG/KG	03/28/2014	GAP
2,2-Dichloropropane	EPA-8260	U	88	1	UG/KG	03/28/2014	GAP
Bromochloromethane	EPA-8260	U	150	1	UG/KG	03/28/2014	GAP
Chloroform	EPA-8260	U	89	1	UG/KG	03/28/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	80	1	UG/KG	03/28/2014	GAP
1,1-Dichloropropene	EPA-8260	U	80	1	UG/KG	03/28/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/28/2014	GAP
Trichloroethene	EPA-8260	**85000**	400	40	UG/KG	03/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	80	1	UG/KG	03/28/2014	GAP
Dibromomethane	EPA-8260	U	100	1	UG/KG	03/28/2014	GAP
Bromodichloromethane	EPA-8260	U	90	1	UG/KG	03/28/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	95	1	UG/KG	03/28/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	**890**	88	1	UG/KG	03/28/2014	GAP
Toluene	EPA-8260	**4800**	92	1	UG/KG	03/28/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	92	1	UG/KG	03/28/2014	GAP
1,1,2-Trichloroethane	EPA-8260	**250**	95	1	UG/KG	03/28/2014	GAP
2-Hexanone	EPA-8260	U	61	1	UG/KG	03/28/2014	GAP
1,3-Dichloropropane	EPA-8260	U	93	1	UG/KG	03/28/2014	GAP
Tetrachloroethylene	EPA-8260	**49000**	400	40	UG/KG	03/28/2014	GAP
Dibromochloromethane	EPA-8260	U	140	1	UG/KG	03/28/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/7/2014 EV14030151 EV14030151-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/21/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 1:06:00 PM
CLIENT SAMPLE ID	B-31:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	95	1	UG/KG	03/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	74	1	UG/KG	03/28/2014	GAP
Ethylbenzene	EPA-8260	**1500**	93	1	UG/KG	03/28/2014	GAP
m,p-Xylene	EPA-8260	**4800**	170	1	UG/KG	03/28/2014	GAP
Styrene	EPA-8260	**180**	72	1	UG/KG	03/28/2014	GAP
o-Xylene	EPA-8260	**880**	81	1	UG/KG	03/28/2014	GAP
Bromoform	EPA-8260	U	100	1	UG/KG	03/28/2014	GAP
Isopropylbenzene	EPA-8260	U	78	1	UG/KG	03/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	99	1	UG/KG	03/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	100	1	UG/KG	03/28/2014	GAP
Bromobenzene	EPA-8260	U	99	1	UG/KG	03/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	95	1	UG/KG	03/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	99	1	UG/KG	03/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	**97**	71	1	UG/KG	03/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	140	1	UG/KG	03/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	92	1	UG/KG	03/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	**150**	77	1	UG/KG	03/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	84	1	UG/KG	03/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	69	1	UG/KG	03/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	100	1	UG/KG	03/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	93	1	UG/KG	03/28/2014	GAP
N-Butylbenzene	EPA-8260	U	74	1	UG/KG	03/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	100	1	UG/KG	03/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	120	1	UG/KG	03/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	87	1	UG/KG	03/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	100	1	UG/KG	03/28/2014	GAP
Naphthalene	EPA-8260	U	99	1	UG/KG	03/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	93	1	UG/KG	03/28/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP
Chromium	EPA-6020	**310**	2.5	25	MG/KG	04/04/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	03/28/2014	GAP
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**96.2**	03/28/2014	GAP
Toluene-d8	EPA-8260	**94.1**	03/28/2014	GAP
Toluene-d8 40X Dilution	EPA-8260	**90.4**	03/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**105**	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/7/2014
		ALS JOB#:	EV14030151
		ALS SAMPLE#:	EV14030151-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/21/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 1:06:00 PM
CLIENT SAMPLE ID	B-31:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 40X Dilution	EPA-8260	**114**	03/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/7/2014
		ALS JOB#:	EV14030151
		ALS SAMPLE#:	EV14030151-02
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/21/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 1:10:00 PM
CLIENT SAMPLE ID	B-31:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	110	1	UG/KG	03/28/2014	GAP	
Chloromethane	EPA-8260	U	69	1	UG/KG	03/28/2014	GAP	
Vinyl Chloride	EPA-8260	**220**	10	1	UG/KG	03/28/2014	GAP	
Bromomethane	EPA-8260	U	57	1	UG/KG	03/28/2014	GAP	
Chloroethane	EPA-8260	U	69	1	UG/KG	03/28/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	72	1	UG/KG	03/28/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	61	1	UG/KG	03/28/2014	GAP	
Carbon Disulfide	EPA-8260	U	70	1	UG/KG	03/28/2014	GAP	
Acetone	EPA-8260	U	130	1	UG/KG	03/28/2014	GAP	
1,1-Dichloroethene	EPA-8260	**16**	10	1	UG/KG	03/28/2014	GAP	
Methylene Chloride	EPA-8260	U	140	1	UG/KG	03/28/2014	GAP	
Acrylonitrile	EPA-8260	U	74	1	UG/KG	03/28/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	71	1	UG/KG	03/28/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	68	1	UG/KG	03/28/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	69	1	UG/KG	03/28/2014	GAP	
2-Butanone	EPA-8260	U	100	1	UG/KG	03/28/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**3700**	75	1	UG/KG	03/28/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	71	1	UG/KG	03/28/2014	GAP	
Bromochloromethane	EPA-8260	U	120	1	UG/KG	03/28/2014	GAP	
Chloroform	EPA-8260	U	71	1	UG/KG	03/28/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	64	1	UG/KG	03/28/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	64	1	UG/KG	03/28/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/28/2014	GAP	
Trichloroethene	EPA-8260	**1700**	10	1	UG/KG	03/28/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	64	1	UG/KG	03/28/2014	GAP	
Dibromomethane	EPA-8260	U	81	1	UG/KG	03/28/2014	GAP	
Bromodichloromethane	EPA-8260	U	72	1	UG/KG	03/28/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	76	1	UG/KG	03/28/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	**560**	71	1	UG/KG	03/28/2014	GAP	
Toluene	EPA-8260	**930**	73	1	UG/KG	03/28/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	74	1	UG/KG	03/28/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	76	1	UG/KG	03/28/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	74	1	UG/KG	03/28/2014	GAP	
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP	
Dibromochloromethane	EPA-8260	U	110	1	UG/KG	03/28/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/28/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/7/2014
		ALS JOB#:	EV14030151
		ALS SAMPLE#:	EV14030151-02
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/21/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 1:10:00 PM
CLIENT SAMPLE ID	B-31:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	76	1	UG/KG	03/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	59	1	UG/KG	03/28/2014	GAP
Ethylbenzene	EPA-8260	**11000**	750	10	UG/KG	03/28/2014	GAP
m,p-Xylene	EPA-8260	**11000**	1300	10	UG/KG	03/28/2014	GAP
Styrene	EPA-8260	**140**	58	1	UG/KG	03/28/2014	GAP
o-Xylene	EPA-8260	**1100**	64	1	UG/KG	03/28/2014	GAP
Bromoform	EPA-8260	U	82	1	UG/KG	03/28/2014	GAP
Isopropylbenzene	EPA-8260	**200**	63	1	UG/KG	03/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	79	1	UG/KG	03/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	83	1	UG/KG	03/28/2014	GAP
Bromobenzene	EPA-8260	U	79	1	UG/KG	03/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	76	1	UG/KG	03/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	79	1	UG/KG	03/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	**77**	57	1	UG/KG	03/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	110	1	UG/KG	03/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	74	1	UG/KG	03/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	**110**	62	1	UG/KG	03/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	67	1	UG/KG	03/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	81	1	UG/KG	03/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	75	1	UG/KG	03/28/2014	GAP
N-Butylbenzene	EPA-8260	U	60	1	UG/KG	03/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	80	1	UG/KG	03/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	94	1	UG/KG	03/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	70	1	UG/KG	03/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	83	1	UG/KG	03/28/2014	GAP
Naphthalene	EPA-8260	U	79	1	UG/KG	03/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	75	1	UG/KG	03/28/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP
Chromium	EPA-6020	**60**	0.50	5	MG/KG	04/04/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	03/28/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**96.8**	03/28/2014	GAP
Toluene-d8	EPA-8260	**96.9**	03/28/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**93.9**	03/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**111**	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/7/2014
		ALS JOB#:	EV14030151
		ALS SAMPLE#:	EV14030151-02
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/21/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 1:10:00 PM
CLIENT SAMPLE ID	B-31:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**115**	03/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/7/2014
		ALS JOB#:	EV14030151
		ALS SAMPLE#:	EV14030151-03
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/21/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 1:14:00 PM
CLIENT SAMPLE ID	B-31:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	93	1	UG/KG	03/28/2014	GAP
Chloromethane	EPA-8260	U	56	1	UG/KG	03/28/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Bromomethane	EPA-8260	U	47	1	UG/KG	03/28/2014	GAP
Chloroethane	EPA-8260	U	56	1	UG/KG	03/28/2014	GAP
Carbon Tetrachloride	EPA-8260	U	59	1	UG/KG	03/28/2014	GAP
Trichlorofluoromethane	EPA-8260	U	49	1	UG/KG	03/28/2014	GAP
Carbon Disulfide	EPA-8260	U	57	1	UG/KG	03/28/2014	GAP
Acetone	EPA-8260	U	110	1	UG/KG	03/28/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Methylene Chloride	EPA-8260	U	120	1	UG/KG	03/28/2014	GAP
Acrylonitrile	EPA-8260	U	60	1	UG/KG	03/28/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	58	1	UG/KG	03/28/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	56	1	UG/KG	03/28/2014	GAP
1,1-Dichloroethane	EPA-8260	U	56	1	UG/KG	03/28/2014	GAP
2-Butanone	EPA-8260	U	83	1	UG/KG	03/28/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**170**	61	1	UG/KG	03/28/2014	GAP
2,2-Dichloropropane	EPA-8260	U	58	1	UG/KG	03/28/2014	GAP
Bromochloromethane	EPA-8260	U	100	1	UG/KG	03/28/2014	GAP
Chloroform	EPA-8260	U	58	1	UG/KG	03/28/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	52	1	UG/KG	03/28/2014	GAP
1,1-Dichloropropene	EPA-8260	U	52	1	UG/KG	03/28/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/28/2014	GAP
Trichloroethene	EPA-8260	**1800**	10	1	UG/KG	03/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	52	1	UG/KG	03/28/2014	GAP
Dibromomethane	EPA-8260	U	66	1	UG/KG	03/28/2014	GAP
Bromodichloromethane	EPA-8260	U	58	1	UG/KG	03/28/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	62	1	UG/KG	03/28/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	58	1	UG/KG	03/28/2014	GAP
Toluene	EPA-8260	U	60	1	UG/KG	03/28/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	60	1	UG/KG	03/28/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	62	1	UG/KG	03/28/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP
1,3-Dichloropropane	EPA-8260	U	61	1	UG/KG	03/28/2014	GAP
Tetrachloroethylene	EPA-8260	**310**	10	1	UG/KG	03/28/2014	GAP
Dibromochloromethane	EPA-8260	U	90	1	UG/KG	03/28/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/7/2014
		ALS JOB#:	EV14030151
		ALS SAMPLE#:	EV14030151-03
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/21/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 1:14:00 PM
CLIENT SAMPLE ID	B-31:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	62	1	UG/KG	03/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	48	1	UG/KG	03/28/2014	GAP
Ethylbenzene	EPA-8260	**91**	61	1	UG/KG	03/28/2014	GAP
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/28/2014	GAP
Styrene	EPA-8260	U	47	1	UG/KG	03/28/2014	GAP
o-Xylene	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
Bromoform	EPA-8260	U	67	1	UG/KG	03/28/2014	GAP
Isopropylbenzene	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	64	1	UG/KG	03/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	68	1	UG/KG	03/28/2014	GAP
Bromobenzene	EPA-8260	U	65	1	UG/KG	03/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	62	1	UG/KG	03/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	65	1	UG/KG	03/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	47	1	UG/KG	03/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	93	1	UG/KG	03/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	60	1	UG/KG	03/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	45	1	UG/KG	03/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	66	1	UG/KG	03/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	61	1	UG/KG	03/28/2014	GAP
N-Butylbenzene	EPA-8260	U	49	1	UG/KG	03/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	65	1	UG/KG	03/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	77	1	UG/KG	03/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	57	1	UG/KG	03/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	68	1	UG/KG	03/28/2014	GAP
Naphthalene	EPA-8260	U	64	1	UG/KG	03/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	61	1	UG/KG	03/28/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP
Chromium	EPA-6020	**11**	0.50	5	MG/KG	04/04/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.1**	03/28/2014	GAP
Toluene-d8	EPA-8260	**91.9**	03/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**109**	03/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/7/2014 EV14030151 EV14030151-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/21/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 1:20:00 PM
CLIENT SAMPLE ID	B-31:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/29/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/29/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/29/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/29/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	**3.4**	2.0	1	UG/L	03/29/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/29/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**200**	20	10	UG/L	03/31/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Trichloroethene	EPA-8260	**950**	200	100	UG/L	03/31/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/29/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/29/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Tetrachloroethylene	EPA-8260	**28**	2.0	1	UG/L	03/29/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/29/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/7/2014 EV14030151 EV14030151-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/21/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 1:20:00 PM
CLIENT SAMPLE ID	B-31:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/29/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/29/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/21/2014	RAL	
Chromium	EPA-200.8	**1300**	10	5	UG/L	04/02/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**96.3**	03/29/2014	GAP	
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**101**	03/31/2014	GAP	
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**102**	03/31/2014	GAP	
Toluene-d8	EPA-8260	**95.3**	03/29/2014	GAP	
Toluene-d8 10X Dilution	EPA-8260	**94.1**	03/31/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/7/2014
		ALS JOB#:	EV14030151
		ALS SAMPLE#:	EV14030151-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/21/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 1:20:00 PM
CLIENT SAMPLE ID	B-31:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
Toluene-d8 100X Dilution	EPA-8260	**93.6**	03/31/2014	GAP
4-Bromofluorobenzene	EPA-8260	**111**	03/29/2014	GAP
4-Bromofluorobenzene 10X Dilution	EPA-8260	**106**	03/31/2014	GAP
4-Bromofluorobenzene 100X Dilution	EPA-8260	**105**	03/31/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/7/2014
ALS SDG#: EV14030151
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032714S - Batch 7750 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	20	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/7/2014
ALS SDG#: EV14030151
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032714S - Batch 7750 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	20	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MB-032814W - Batch 7758 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/28/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/7/2014
ALS SDG#: EV14030151
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032814W - Batch 7758 - Water by EPA-8260

Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/28/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/28/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/28/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/28/2014	GAP
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/28/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/7/2014
ALS SDG#: EV14030151
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032814W - Batch 7758 - Water by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3252014 - Batch R93309 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3212014 - Batch R93314 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/21/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-032514S - Batch 7749 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	03/26/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/7/2014
		ALS SDG#:	EV14030151
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB-040114W - Batch 7767 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	04/02/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/7/2014
		ALS SDG#:	EV14030151
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 7750 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**109**			03/27/2014	GAP
1,1-Dichloroethene - BSD	EPA-8260	**111**	**2**		03/27/2014	GAP
Benzene - BS	EPA-8260	**100**			03/27/2014	GAP
Benzene - BSD	EPA-8260	**102**	**1**		03/27/2014	GAP
Trichloroethene - BS	EPA-8260	**105**			03/27/2014	GAP
Trichloroethene - BSD	EPA-8260	**108**	**3**		03/27/2014	GAP
Toluene - BS	EPA-8260	**103**			03/27/2014	GAP
Toluene - BSD	EPA-8260	**105**	**2**		03/27/2014	GAP
Chlorobenzene - BS	EPA-8260	**99.7**			03/27/2014	GAP
Chlorobenzene - BSD	EPA-8260	**101**	**2**		03/27/2014	GAP

ALS Test Batch ID: 7758 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**99.1**			03/28/2014	GAP
1,1-Dichloroethene - BSD	EPA-8260	**101**	**2**		03/28/2014	GAP
Benzene - BS	EPA-8260	**90.6**			03/28/2014	GAP
Benzene - BSD	EPA-8260	**92.9**	**2**		03/28/2014	GAP
Trichloroethene - BS	EPA-8260	**100**			03/28/2014	GAP
Trichloroethene - BSD	EPA-8260	**104**	**4**		03/28/2014	GAP
Toluene - BS	EPA-8260	**97.1**			03/28/2014	GAP
Toluene - BSD	EPA-8260	**101**	**4**		03/28/2014	GAP
Chlorobenzene - BS	EPA-8260	**95.8**			03/28/2014	GAP
Chlorobenzene - BSD	EPA-8260	**99.6**	**4**		03/28/2014	GAP

ALS Test Batch ID: R93309 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**102**			03/25/2014	GAP
Chromium (VI) - BSD	EPA-7196	**103**	**1**		03/25/2014	GAP

ALS Test Batch ID: R93314 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**104**			03/21/2014	RAL
Chromium (VI) - BSD	EPA-7196	**105**	**1**		03/21/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/7/2014
		ALS SDG#:	EV14030151
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 7749 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**94.2**			03/26/2014	RAL
Chromium - BSD	EPA-6020	**96.3**	**2**		03/26/2014	RAL

ALS Test Batch ID: 7767 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**96.6**			04/02/2014	RAL
Chromium - BSD	EPA-200.8	**95.2**	**1**		04/02/2014	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1403151

Date _____ Page 1 Of 1

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: T. Murray / M. Burbee
ADDRESS: 295 NE Gilman Blvd, Ste 201
Issaquah, WA
PHONE: 425-395-0010 FAX:
P.O. #: E-MAIL: murray6@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#
1. B-31:0.5	3/20/14	13:06	Soil	1
2. B-31:3	"	13:10	"	2
3. B-31:6	"	13:14	"	3
4. B-31:RGW	"	13:20	Water	4
5. Trip Blank	3/20/14	—	W	5
6.				
7.				
8.				
9.				
10.				

ANALYSIS REQUESTED

NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐
						X								
						X								
						X								
						X								

OTHER (Specify)

Total Chrome	Chrome VI						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
X	X						4	
X	X						4	
X	X						4	
X	X						5	
							3	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI, 3/21/14, 10:45
Received By: ALS 3/21/14 1045
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: ~~5~~ Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

* Turnaround request less than standard may incur Rush Charges

April 8, 2014

Mr. Thom Morin
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Morin,

On March 20th, 38 samples were received by our laboratory and assigned our laboratory project number EV14030139. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:50:00 PM
CLIENT SAMPLE ID	B-25:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	88	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	47	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	78	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**430**	58	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	95	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	**51**	49	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**31000**	400	40	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	**1400**	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	85	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:50:00 PM
CLIENT SAMPLE ID	B-25:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	64	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	88	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	73	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	64	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**84**	0.50	5	MG/KG	04/02/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	03/26/2014	GAP
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**112**	03/27/2014	GAP
Toluene-d8	EPA-8260	**88.7**	03/26/2014	GAP
Toluene-d8 40X Dilution	EPA-8260	**90.5**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**98.1**	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-01
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:50:00 PM
CLIENT SAMPLE ID	B-25:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 40X Dilution	EPA-8260	**101**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-02
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:55:00 PM
CLIENT SAMPLE ID	B-25:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	66	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	55	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	64	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	120	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	130	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	67	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	65	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	62	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	92	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	68	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	64	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	64	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**3100**	10	1	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	74	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	65	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	69	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	64	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	67	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	67	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	69	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	67	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	**200**	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-02
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:55:00 PM
CLIENT SAMPLE ID	B-25:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	69	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	68	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	120	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	75	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	72	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	76	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	72	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	69	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	72	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	67	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	61	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	73	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	68	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	73	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	86	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	64	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	75	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	72	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	68	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**15**	0.50	5	MG/KG	04/02/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/26/2014	GAP
Toluene-d8	EPA-8260	**88.7**	03/26/2014	GAP
4-Bromofluorobenzene	EPA-8260	**100**	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-03
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:58:00 PM
CLIENT SAMPLE ID	B-25:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	81	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	43	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	95	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	49	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	72	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	87	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**1300**	10	1	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	45	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	51	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	**110**	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	78	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-03
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 2:58:00 PM
CLIENT SAMPLE ID	B-25:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	96	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	46	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	41	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	81	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	48	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	39	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	42	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	67	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	53	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**11**	0.50	5	MG/KG	04/02/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/26/2014	GAP
Toluene-d8	EPA-8260	**88.7**	03/26/2014	GAP
4-Bromofluorobenzene	EPA-8260	**101**	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 4:05:00 PM
CLIENT SAMPLE ID	B-22:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	65	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	65	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	68	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	57	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	66	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	130	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	130	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	69	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	67	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	64	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	65	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	95	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	70	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	66	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	120	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	66	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	**11000**	100	10	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	76	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	67	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	71	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	66	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	69	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	69	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	71	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	70	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	**490**	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	100	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 4:05:00 PM
CLIENT SAMPLE ID	B-22:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	71	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	70	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	130	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	60	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	77	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	59	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	74	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	78	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	74	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	71	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	74	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	54	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	110	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	69	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	58	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	63	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	52	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	75	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	70	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	56	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	75	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	88	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	66	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	78	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	74	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	70	1	UG/KG	03/26/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**23**	0.50	5	MG/KG	04/02/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	03/26/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**108**	03/27/2014	GAP
Toluene-d8	EPA-8260	**89.2**	03/26/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**91.2**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**104**	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-04
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 4:05:00 PM
CLIENT SAMPLE ID	B-22:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**101**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-05
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 4:11:00 PM
CLIENT SAMPLE ID	B-22:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	86	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	76	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	92	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**8300**	100	10	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	**380**	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	83	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-05
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 4:11:00 PM
CLIENT SAMPLE ID	B-22:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	86	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	41	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	71	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**17**	0.50	5	MG/KG	04/02/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/27/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**109**	03/27/2014	GAP
Toluene-d8	EPA-8260	**87.3**	03/27/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**90.5**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-05
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 4:11:00 PM
CLIENT SAMPLE ID	B-22:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**102**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-06
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 4:15:00 PM
CLIENT SAMPLE ID	B-22:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	90	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	80	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	96	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**21000**	400	40	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	**1100**	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	86	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-06
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 4:15:00 PM
CLIENT SAMPLE ID	B-22:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	65	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	89	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	74	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	65	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**25**	0.50	5	MG/KG	04/02/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	03/27/2014	GAP
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**112**	03/27/2014	GAP
Toluene-d8	EPA-8260	**88.1**	03/27/2014	GAP
Toluene-d8 40X Dilution	EPA-8260	**90.2**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-06
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 4:15:00 PM
CLIENT SAMPLE ID	B-22:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 40X Dilution	EPA-8260	**99.6**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-07
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 3:51:00 PM
CLIENT SAMPLE ID	B-22:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/28/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/28/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/28/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trichloroethene	EPA-8260	**43**	8.0	4	UG/L	03/31/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/28/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-07
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 3:51:00 PM
CLIENT SAMPLE ID	B-22:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/28/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/20/2014	RAL	
Chromium	EPA-200.8	**86**	10	5	UG/L	04/02/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**92.7**	03/28/2014	GAP	
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**95.4**	03/31/2014	GAP	
Toluene-d8	EPA-8260	**95.7**	03/28/2014	GAP	
Toluene-d8 4X Dilution	EPA-8260	**94.8**	03/31/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**114**	03/28/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-07
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 3:51:00 PM
CLIENT SAMPLE ID	B-22:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 4X Dilution	EPA-8260	**108**	03/31/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-08
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 4:25:00 PM
CLIENT SAMPLE ID	B-18:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	83	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	42	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	97	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	74	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	89	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**570**	10	1	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	80	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-08
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 4:25:00 PM
CLIENT SAMPLE ID	B-18:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	98	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	42	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	42	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	83	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	40	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	69	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**31**	0.50	5	MG/KG	04/03/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/27/2014	GAP
Toluene-d8	EPA-8260	**86.1**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**104**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-09
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 4:36:00 PM
CLIENT SAMPLE ID	B-18:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	98	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	120	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	87	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**180**	10	1	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	69	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	65	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	65	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	94	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-09
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 4:36:00 PM
CLIENT SAMPLE ID	B-18:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	65	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	120	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	70	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	68	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	71	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	68	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	65	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	68	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	98	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	69	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	69	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	81	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	71	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	68	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**420**	0.50	5	MG/KG	04/03/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/27/2014	GAP
Toluene-d8	EPA-8260	**87.6**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-10
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 4:40:00 PM
CLIENT SAMPLE ID	B-18:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/28/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/28/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/28/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trichloroethene	EPA-8260	**7.0**	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/28/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-10
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/19/2014 4:40:00 PM
CLIENT SAMPLE ID	B-18:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/28/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/20/2014	RAL	
Chromium	EPA-200.8	**1200**	10	5	UG/L	04/02/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**94.8**	03/28/2014	GAP	
Toluene-d8	EPA-8260	**94.2**	03/28/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**113**	03/28/2014	GAP	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-11
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 8:28:00 AM
CLIENT SAMPLE ID	B-17:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	69	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	69	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	72	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	70	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	130	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	140	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	74	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	71	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	68	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	69	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	75	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	71	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	120	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	71	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**1100**	10	1	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	81	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	72	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	76	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	71	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	73	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	74	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	76	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	74	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-11
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 8:28:00 AM
CLIENT SAMPLE ID	B-17:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	76	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	75	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	130	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	82	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	79	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	83	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	79	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	76	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	79	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	74	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	67	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	81	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	75	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	80	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	94	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	70	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	83	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	79	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	75	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	**95**	50	10	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**12000**	10	100	MG/KG	04/03/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/27/2014	GAP
Toluene-d8	EPA-8260	**87.0**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**104**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-12
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 8:32:00 AM
CLIENT SAMPLE ID	B-17:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	95	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	120	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	84	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**25**	10	1	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	67	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	91	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-12
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 8:32:00 AM
CLIENT SAMPLE ID	B-17:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	68	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	66	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	69	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	66	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	66	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	95	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	67	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	67	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	78	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	69	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	66	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**460**	0.50	5	MG/KG	04/03/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	03/27/2014	GAP
Toluene-d8	EPA-8260	**86.9**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**104**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-13
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 8:38:00 AM
CLIENT SAMPLE ID	B-17:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	92	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	81	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	99	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**150**	10	1	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	65	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	88	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-13
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 8:38:00 AM
CLIENT SAMPLE ID	B-17:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	66	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	67	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	92	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	65	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	65	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	76	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	67	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	**26**	25	5	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**3400**	2.5	25	MG/KG	04/03/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	03/27/2014	GAP
Toluene-d8	EPA-8260	**86.2**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**107**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-14
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 8:40:00 AM
CLIENT SAMPLE ID	B-17:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/28/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/28/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/28/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trichloroethene	EPA-8260	**2.7**	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/28/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-14
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 8:40:00 AM
CLIENT SAMPLE ID	B-17:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/28/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chromium (VI)	EPA-7196	**17**	10	1	UG/L	03/20/2014	RAL	
Chromium	EPA-200.8	**1100**	10	5	UG/L	04/02/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**95.9**	03/28/2014	GAP	
Toluene-d8	EPA-8260	**93.2**	03/28/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**111**	03/28/2014	GAP	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-15
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 8:55:00 AM
CLIENT SAMPLE ID	B-28:05	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	71	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	36	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	38	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	83	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	89	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**93**	47	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	77	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	40	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	40	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**1500**	10	1	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	40	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	**58**	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	69	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-15
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 8:55:00 AM
CLIENT SAMPLE ID	B-28:05	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	37	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	84	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	36	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	40	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	39	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	36	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	71	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	39	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	42	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	34	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	37	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**92**	0.50	5	MG/KG	04/03/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/27/2014	GAP
Toluene-d8	EPA-8260	**85.0**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-16
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 9:03:00 AM
CLIENT SAMPLE ID	B-28:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	72	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	36	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	38	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	84	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	90	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**240**	47	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	77	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	40	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	40	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**3600**	40	4	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	40	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	**150**	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	69	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-16
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 9:03:00 AM
CLIENT SAMPLE ID	B-28:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	37	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	85	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	36	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	41	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	40	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	36	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	72	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	39	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	42	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	35	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	38	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**41**	0.50	5	MG/KG	04/03/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	03/27/2014	GAP
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**108**	03/27/2014	GAP
Toluene-d8	EPA-8260	**84.7**	03/27/2014	GAP
Toluene-d8 4X Dilution	EPA-8260	**91.5**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**104**	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-16
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 9:03:00 AM
CLIENT SAMPLE ID	B-28:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 4X Dilution	EPA-8260	**102**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-17
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 9:10:00 AM
CLIENT SAMPLE ID	B-28:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/28/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/28/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/28/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	**3.3**	2.0	1	UG/L	03/28/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**130**	20	10	UG/L	03/31/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trichloroethene	EPA-8260	**1700**	200	100	UG/L	03/31/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Tetrachloroethylene	EPA-8260	**15**	2.0	1	UG/L	03/28/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/28/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-17
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 9:10:00 AM
CLIENT SAMPLE ID	B-28:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/28/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/20/2014	RAL	
Chromium	EPA-200.8	**160**	10	5	UG/L	04/02/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**95.2**	03/28/2014	GAP	
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**96.1**	03/31/2014	GAP	
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**96.8**	03/31/2014	GAP	
Toluene-d8	EPA-8260	**95.3**	03/28/2014	GAP	
Toluene-d8 10X Dilution	EPA-8260	**95.6**	03/31/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-17
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 9:10:00 AM
CLIENT SAMPLE ID	B-28:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
Toluene-d8 100X Dilution	EPA-8260	**94.6**	03/31/2014	GAP
4-Bromofluorobenzene	EPA-8260	**112**	03/28/2014	GAP
4-Bromofluorobenzene 10X Dilution	EPA-8260	**110**	03/31/2014	GAP
4-Bromofluorobenzene 100X Dilution	EPA-8260	**107**	03/31/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-18
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 9:25:00 AM
CLIENT SAMPLE ID	B-30:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	88	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	78	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**59**	57	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	94	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**800**	10	1	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	84	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-18
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 9:25:00 AM
CLIENT SAMPLE ID	B-30:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	87	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	42	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	72	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL
Chromium	EPA-6020	**110**	0.50	5	MG/KG	04/03/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	03/27/2014	GAP
Toluene-d8	EPA-8260	**84.4**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-19
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 9:30:00 AM
CLIENT SAMPLE ID	B-30:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	79	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	40	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	42	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	93	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	99	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	**54**	48	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	70	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**5000**	520	10	UG/KG	03/28/2014	GAP
2,2-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	85	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**62000**	1000	100	UG/KG	03/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	**1700**	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	77	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-19
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 9:30:00 AM
CLIENT SAMPLE ID	B-30:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	41	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	94	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	40	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	40	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	79	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	38	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	41	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	66	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP
Chromium	EPA-6020	**30**	0.50	5	MG/KG	04/03/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.1**	03/27/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**84.8**	03/28/2014	GAP
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**90.7**	03/28/2014	GAP
Toluene-d8	EPA-8260	**92.9**	03/27/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**95.8**	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-19
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 9:30:00 AM
CLIENT SAMPLE ID	B-30:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
Toluene-d8 100X Dilution	EPA-8260	**93.7**	03/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**109**	03/27/2014	GAP
4-Bromofluorobenzene 10X Dilution	EPA-8260	**117**	03/28/2014	GAP
4-Bromofluorobenzene 100X Dilution	EPA-8260	**119**	03/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-20
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 9:33:00 AM
CLIENT SAMPLE ID	B-30:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	88	1	UG/KG	03/27/2014	GAP	
Chloromethane	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP	
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP	
Bromomethane	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP	
Chloroethane	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP	
Carbon Disulfide	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP	
Acetone	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP	
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP	
Acrylonitrile	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP	
2-Butanone	EPA-8260	U	78	1	UG/KG	03/27/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**160**	58	1	UG/KG	03/27/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP	
Bromochloromethane	EPA-8260	U	95	1	UG/KG	03/27/2014	GAP	
Chloroform	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP	
Trichloroethene	EPA-8260	**2400**	10	1	UG/KG	03/27/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP	
Dibromomethane	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP	
Bromodichloromethane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP	
Toluene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP	
Tetrachloroethylene	EPA-8260	**130**	10	1	UG/KG	03/27/2014	GAP	
Dibromochloromethane	EPA-8260	U	85	1	UG/KG	03/27/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-20
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 9:33:00 AM
CLIENT SAMPLE ID	B-30:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	88	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	42	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	73	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP
Chromium	EPA-6020	**15**	0.50	5	MG/KG	04/03/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.8**	03/27/2014	GAP
Toluene-d8	EPA-8260	**92.0**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**107**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-21
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 9:38:00 AM
CLIENT SAMPLE ID	B-30:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/28/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/28/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/28/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	**3.0**	2.0	1	UG/L	03/28/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**250**	200	100	UG/L	03/31/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trichloroethene	EPA-8260	**1300**	200	100	UG/L	03/31/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Tetrachloroethylene	EPA-8260	**13**	2.0	1	UG/L	03/28/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/28/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-21
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 9:38:00 AM
CLIENT SAMPLE ID	B-30:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/28/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/20/2014	RAL
Chromium	EPA-200.8	**200**	10	5	UG/L	04/02/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**96.0**	03/28/2014	GAP
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**98.9**	03/31/2014	GAP
Toluene-d8	EPA-8260	**95.0**	03/28/2014	GAP
Toluene-d8 100X Dilution	EPA-8260	**93.8**	03/31/2014	GAP
4-Bromofluorobenzene	EPA-8260	**112**	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-21
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 9:38:00 AM
CLIENT SAMPLE ID	B-30:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 100X Dilution	EPA-8260	**109**	03/31/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-22
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 10:00:00 AM
CLIENT SAMPLE ID	B-29:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	77	1	UG/KG	03/27/2014	GAP	
Chloromethane	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP	
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP	
Bromomethane	EPA-8260	U	39	1	UG/KG	03/27/2014	GAP	
Chloroethane	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	41	1	UG/KG	03/27/2014	GAP	
Carbon Disulfide	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP	
Acetone	EPA-8260	U	90	1	UG/KG	03/27/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP	
Methylene Chloride	EPA-8260	U	96	1	UG/KG	03/27/2014	GAP	
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP	
2-Butanone	EPA-8260	U	68	1	UG/KG	03/27/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**130**	50	1	UG/KG	03/27/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP	
Bromochloromethane	EPA-8260	U	83	1	UG/KG	03/27/2014	GAP	
Chloroform	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP	
Trichloroethene	EPA-8260	**3700**	40	4	UG/KG	03/28/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP	
Dibromomethane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP	
Bromodichloromethane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP	
Toluene	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP	
Tetrachloroethylene	EPA-8260	**130**	10	1	UG/KG	03/27/2014	GAP	
Dibromochloromethane	EPA-8260	U	74	1	UG/KG	03/27/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-22
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 10:00:00 AM
CLIENT SAMPLE ID	B-29:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	40	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	91	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	39	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	42	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	38	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	77	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	42	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	37	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	40	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP
Chromium	EPA-6020	**44**	0.50	5	MG/KG	04/03/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.2**	03/27/2014	GAP
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**90.7**	03/28/2014	GAP
Toluene-d8	EPA-8260	**92.2**	03/27/2014	GAP
Toluene-d8 4X Dilution	EPA-8260	**91.8**	03/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**109**	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-22
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 10:00:00 AM
CLIENT SAMPLE ID	B-29:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 4X Dilution	EPA-8260	**116**	03/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-23
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 10:06:00 AM
CLIENT SAMPLE ID	B-29:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	77	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	39	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	41	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	90	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	97	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	69	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**2700**	51	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	83	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**54000**	1000	100	UG/KG	03/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	**1100**	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	75	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-23
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 10:06:00 AM
CLIENT SAMPLE ID	B-29:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	40	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	91	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	39	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	42	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	39	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	77	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	42	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	37	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	40	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP
Chromium	EPA-6020	**37**	0.50	5	MG/KG	04/03/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	03/27/2014	GAP
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**93.6**	03/28/2014	GAP
Toluene-d8	EPA-8260	**92.8**	03/27/2014	GAP
Toluene-d8 100X Dilution	EPA-8260	**90.6**	03/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**109**	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-23
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 10:06:00 AM
CLIENT SAMPLE ID	B-29:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 100X Dilution	EPA-8260	**113**	03/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-24
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 10:10:00 AM
CLIENT SAMPLE ID	B-29:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	85	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	76	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**63**	56	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	92	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**890**	10	1	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	82	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-24
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 10:10:00 AM
CLIENT SAMPLE ID	B-29:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	85	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	41	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	71	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP
Chromium	EPA-6020	**30**	0.50	5	MG/KG	04/03/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	03/27/2014	GAP
Toluene-d8	EPA-8260	**90.7**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**108**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-25
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 10:16:00 AM
CLIENT SAMPLE ID	B-29:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/28/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/28/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/28/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/28/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	**3.0**	2.0	1	UG/L	03/28/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**100**	80	40	UG/L	03/31/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Trichloroethene	EPA-8260	**590**	80	40	UG/L	03/31/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Tetrachloroethylene	EPA-8260	**4.9**	2.0	1	UG/L	03/28/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-25
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 10:16:00 AM
CLIENT SAMPLE ID	B-29:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/28/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/20/2014	RAL
Chromium	EPA-200.8	**860**	10	5	UG/L	04/02/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.0**	03/28/2014	GAP
1,2-Dichloroethane-d4 40X Dilution	EPA-8260	**99.5**	03/31/2014	GAP
Toluene-d8	EPA-8260	**95.1**	03/28/2014	GAP
Toluene-d8 40X Dilution	EPA-8260	**94.0**	03/31/2014	GAP
4-Bromofluorobenzene	EPA-8260	**112**	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-25
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 10:16:00 AM
CLIENT SAMPLE ID	B-29:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 40X Dilution	EPA-8260	**107**	03/31/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-26
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:00:00 AM
CLIENT SAMPLE ID	B-26:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	85	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	99	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	**25**	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	75	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**10000**	550	10	UG/KG	03/28/2014	GAP
2,2-Dichloropropane	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	91	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	**56**	53	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	**230**	47	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**450000**	4000	400	UG/KG	03/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	**4100**	100	10	UG/KG	03/28/2014	GAP
Dibromochloromethane	EPA-8260	U	82	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-26
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:00:00 AM
CLIENT SAMPLE ID	B-26:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	42	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	84	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	41	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	70	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP
Mercury	EPA-7471	**0.12**	0.020	1	MG/KG	03/24/2014	RAL
Arsenic	EPA-6020	**3.3**	1.0	5	MG/KG	04/04/2014	RAL
Barium	EPA-6020	**60**	0.50	5	MG/KG	04/04/2014	RAL
Cadmium	EPA-6020	**14**	0.50	5	MG/KG	04/04/2014	RAL
Chromium	EPA-6020	**160**	0.50	5	MG/KG	04/04/2014	RAL
Lead	EPA-6020	**200**	0.50	5	MG/KG	04/04/2014	RAL
Selenium	EPA-6020	U	5.0	5	MG/KG	04/04/2014	RAL
Silver	EPA-6020	**0.67**	0.50	5	MG/KG	04/04/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-26
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:00:00 AM
CLIENT SAMPLE ID	B-26:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/27/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**91.7**	03/28/2014	GAP
1,2-Dichloroethane-d4 400X Dilution	EPA-8260	**94.6**	03/28/2014	GAP
Toluene-d8	EPA-8260	**93.1**	03/27/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**91.4**	03/28/2014	GAP
Toluene-d8 400X Dilution	EPA-8260	**90.0**	03/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**103**	03/27/2014	GAP
4-Bromofluorobenzene 10X Dilution	EPA-8260	**116**	03/28/2014	GAP
4-Bromofluorobenzene 400X Dilution	EPA-8260	**115**	03/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-27
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:03:00 AM
CLIENT SAMPLE ID	B-26:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	91	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	81	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**3300**	590	10	UG/KG	03/28/2014	GAP
2,2-Dichloropropane	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	98	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**42000**	1000	100	UG/KG	03/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	**940**	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	88	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-27
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:03:00 AM
CLIENT SAMPLE ID	B-26:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	65	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	66	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	91	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	75	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	66	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	**77**	63	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP
Chromium	EPA-6020	**23**	0.50	5	MG/KG	04/03/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/27/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**93.9**	03/28/2014	GAP
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**95.2**	03/28/2014	GAP
Toluene-d8	EPA-8260	**92.4**	03/27/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**91.0**	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-27
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:03:00 AM
CLIENT SAMPLE ID	B-26:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
Toluene-d8 100X Dilution	EPA-8260	**90.6**	03/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**109**	03/27/2014	GAP
4-Bromofluorobenzene 10X Dilution	EPA-8260	**113**	03/28/2014	GAP
4-Bromofluorobenzene 100X Dilution	EPA-8260	**111**	03/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-28
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:08:00 AM
CLIENT SAMPLE ID	B-26:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	86	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
Carbon Disulfide	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	77	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**140**	56	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	93	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	**2000**	10	1	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	55	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	**90**	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	83	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-28
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:08:00 AM
CLIENT SAMPLE ID	B-26:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	44	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	43	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	86	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	47	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	42	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	56	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	45	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	71	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP
Chromium	EPA-6020	**12**	0.50	5	MG/KG	04/03/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	03/27/2014	GAP
Toluene-d8	EPA-8260	**92.5**	03/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**101**	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-29
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:15:00 AM
CLIENT SAMPLE ID	B-26:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/28/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/28/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/28/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	**4.7**	2.0	1	UG/L	03/28/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**210**	20	10	UG/L	03/31/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trichloroethene	EPA-8260	**1400**	200	100	UG/L	03/31/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
Tetrachloroethylene	EPA-8260	**8.0**	2.0	1	UG/L	03/28/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/28/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-29
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:15:00 AM
CLIENT SAMPLE ID	B-26:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/28/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/20/2014	RAL
Chromium	EPA-200.8	**870**	10	5	UG/L	04/02/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**96.7**	03/28/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**98.8**	03/31/2014	GAP
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**99.6**	03/31/2014	GAP
Toluene-d8	EPA-8260	**94.2**	03/28/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**94.6**	03/31/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-29
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:15:00 AM
CLIENT SAMPLE ID	B-26:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
Toluene-d8 100X Dilution	EPA-8260	**94.2**	03/31/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**110**	03/28/2014	GAP	
4-Bromofluorobenzene 10X Dilution	EPA-8260	**107**	03/31/2014	GAP	
4-Bromofluorobenzene 100X Dilution	EPA-8260	**108**	03/31/2014	GAP	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-30
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:25:00 AM
CLIENT SAMPLE ID	B-27:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	96	1	UG/KG	03/27/2014	GAP	
Chloromethane	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP	
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP	
Bromomethane	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP	
Chloroethane	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	61	1	UG/KG	03/27/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	51	1	UG/KG	03/27/2014	GAP	
Carbon Disulfide	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP	
Acetone	EPA-8260	U	110	1	UG/KG	03/27/2014	GAP	
1,1-Dichloroethene	EPA-8260	**210**	10	1	UG/KG	03/27/2014	GAP	
Methylene Chloride	EPA-8260	U	120	1	UG/KG	03/27/2014	GAP	
Acrylonitrile	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	**330**	58	1	UG/KG	03/27/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	58	1	UG/KG	03/27/2014	GAP	
2-Butanone	EPA-8260	U	85	1	UG/KG	03/27/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**66000**	25000	400	UG/KG	03/28/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP	
Bromochloromethane	EPA-8260	U	100	1	UG/KG	03/27/2014	GAP	
Chloroform	EPA-8260	**62**	60	1	UG/KG	03/27/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	**370**	54	1	UG/KG	03/27/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP	
Trichloroethene	EPA-8260	**710000**	4000	400	UG/KG	03/28/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP	
Dibromomethane	EPA-8260	U	68	1	UG/KG	03/27/2014	GAP	
Bromodichloromethane	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	60	1	UG/KG	03/27/2014	GAP	
Toluene	EPA-8260	**100**	62	1	UG/KG	03/27/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP	
Tetrachloroethylene	EPA-8260	**4300**	100	10	UG/KG	03/28/2014	GAP	
Dibromochloromethane	EPA-8260	U	93	1	UG/KG	03/27/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-30
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:25:00 AM
CLIENT SAMPLE ID	B-27:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	**190**	110	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	49	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	54	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	69	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	53	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	67	1	UG/KG	03/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	70	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	67	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	64	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	67	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	48	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	96	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	62	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	52	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	57	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	46	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	68	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	68	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	80	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	59	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	70	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	67	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	63	1	UG/KG	03/27/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP
Chromium	EPA-6020	**470**	5.0	50	MG/KG	04/03/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/27/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**93.9**	03/28/2014	GAP
1,2-Dichloroethane-d4 400X Dilution	EPA-8260	**96.2**	03/28/2014	GAP
Toluene-d8	EPA-8260	**92.3**	03/27/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**92.0**	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-30
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:25:00 AM
CLIENT SAMPLE ID	B-27:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
Toluene-d8 400X Dilution	EPA-8260	**90.6**	03/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**104**	03/27/2014	GAP
4-Bromofluorobenzene 10X Dilution	EPA-8260	**115**	03/28/2014	GAP
4-Bromofluorobenzene 400X Dilution	EPA-8260	**113**	03/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-31
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:30:00 AM
CLIENT SAMPLE ID	B-27:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	85	1	UG/KG	03/28/2014	GAP
Chloromethane	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Bromomethane	EPA-8260	U	43	1	UG/KG	03/28/2014	GAP
Chloroethane	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP
Carbon Tetrachloride	EPA-8260	U	54	1	UG/KG	03/28/2014	GAP
Trichlorofluoromethane	EPA-8260	U	45	1	UG/KG	03/28/2014	GAP
Carbon Disulfide	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
Acetone	EPA-8260	U	100	1	UG/KG	03/28/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/28/2014	GAP
Acrylonitrile	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP
1,1-Dichloroethane	EPA-8260	U	52	1	UG/KG	03/28/2014	GAP
2-Butanone	EPA-8260	U	76	1	UG/KG	03/28/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**260**	56	1	UG/KG	03/28/2014	GAP
2,2-Dichloropropane	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
Bromochloromethane	EPA-8260	U	92	1	UG/KG	03/28/2014	GAP
Chloroform	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	48	1	UG/KG	03/28/2014	GAP
1,1-Dichloropropene	EPA-8260	U	48	1	UG/KG	03/28/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/28/2014	GAP
Trichloroethene	EPA-8260	**2900**	10	1	UG/KG	03/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	48	1	UG/KG	03/28/2014	GAP
Dibromomethane	EPA-8260	U	61	1	UG/KG	03/28/2014	GAP
Bromodichloromethane	EPA-8260	U	54	1	UG/KG	03/28/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	57	1	UG/KG	03/28/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
Toluene	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	57	1	UG/KG	03/28/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP
1,3-Dichloropropane	EPA-8260	U	56	1	UG/KG	03/28/2014	GAP
Tetrachloroethylene	EPA-8260	**110**	10	1	UG/KG	03/28/2014	GAP
Dibromochloromethane	EPA-8260	U	82	1	UG/KG	03/28/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-31
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:30:00 AM
CLIENT SAMPLE ID	B-27:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	57	1	UG/KG	03/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	44	1	UG/KG	03/28/2014	GAP
Ethylbenzene	EPA-8260	U	56	1	UG/KG	03/28/2014	GAP
m,p-Xylene	EPA-8260	U	100	1	UG/KG	03/28/2014	GAP
Styrene	EPA-8260	U	43	1	UG/KG	03/28/2014	GAP
o-Xylene	EPA-8260	U	48	1	UG/KG	03/28/2014	GAP
Bromoform	EPA-8260	U	61	1	UG/KG	03/28/2014	GAP
Isopropylbenzene	EPA-8260	U	47	1	UG/KG	03/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	59	1	UG/KG	03/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	62	1	UG/KG	03/28/2014	GAP
Bromobenzene	EPA-8260	U	59	1	UG/KG	03/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	57	1	UG/KG	03/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	59	1	UG/KG	03/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	43	1	UG/KG	03/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	85	1	UG/KG	03/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	46	1	UG/KG	03/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	41	1	UG/KG	03/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	56	1	UG/KG	03/28/2014	GAP
N-Butylbenzene	EPA-8260	U	45	1	UG/KG	03/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	60	1	UG/KG	03/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	71	1	UG/KG	03/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	52	1	UG/KG	03/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	62	1	UG/KG	03/28/2014	GAP
Naphthalene	EPA-8260	U	59	1	UG/KG	03/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	56	1	UG/KG	03/28/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP
Chromium	EPA-6020	**13**	0.50	5	MG/KG	04/04/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/28/2014	GAP
Toluene-d8	EPA-8260	**92.2**	03/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-32
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:34:00 AM
CLIENT SAMPLE ID	B-27:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	90	1	UG/KG	03/28/2014	GAP
Chloromethane	EPA-8260	U	54	1	UG/KG	03/28/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Bromomethane	EPA-8260	U	45	1	UG/KG	03/28/2014	GAP
Chloroethane	EPA-8260	U	54	1	UG/KG	03/28/2014	GAP
Carbon Tetrachloride	EPA-8260	U	57	1	UG/KG	03/28/2014	GAP
Trichlorofluoromethane	EPA-8260	U	48	1	UG/KG	03/28/2014	GAP
Carbon Disulfide	EPA-8260	U	56	1	UG/KG	03/28/2014	GAP
Acetone	EPA-8260	U	110	1	UG/KG	03/28/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Methylene Chloride	EPA-8260	U	110	1	UG/KG	03/28/2014	GAP
Acrylonitrile	EPA-8260	U	58	1	UG/KG	03/28/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	56	1	UG/KG	03/28/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	54	1	UG/KG	03/28/2014	GAP
1,1-Dichloroethane	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
2-Butanone	EPA-8260	U	80	1	UG/KG	03/28/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**340**	59	1	UG/KG	03/28/2014	GAP
2,2-Dichloropropane	EPA-8260	U	56	1	UG/KG	03/28/2014	GAP
Bromochloromethane	EPA-8260	U	97	1	UG/KG	03/28/2014	GAP
Chloroform	EPA-8260	U	56	1	UG/KG	03/28/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP
1,1-Dichloropropene	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/28/2014	GAP
Trichloroethene	EPA-8260	**3500**	40	4	UG/KG	03/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP
Dibromomethane	EPA-8260	U	64	1	UG/KG	03/28/2014	GAP
Bromodichloromethane	EPA-8260	U	57	1	UG/KG	03/28/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	60	1	UG/KG	03/28/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	56	1	UG/KG	03/28/2014	GAP
Toluene	EPA-8260	U	58	1	UG/KG	03/28/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	58	1	UG/KG	03/28/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	60	1	UG/KG	03/28/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP
1,3-Dichloropropane	EPA-8260	U	59	1	UG/KG	03/28/2014	GAP
Tetrachloroethylene	EPA-8260	**160**	10	1	UG/KG	03/28/2014	GAP
Dibromochloromethane	EPA-8260	U	87	1	UG/KG	03/28/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-32
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:34:00 AM
CLIENT SAMPLE ID	B-27:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	60	1	UG/KG	03/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	47	1	UG/KG	03/28/2014	GAP
Ethylbenzene	EPA-8260	U	59	1	UG/KG	03/28/2014	GAP
m,p-Xylene	EPA-8260	U	110	1	UG/KG	03/28/2014	GAP
Styrene	EPA-8260	U	46	1	UG/KG	03/28/2014	GAP
o-Xylene	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP
Bromoform	EPA-8260	U	65	1	UG/KG	03/28/2014	GAP
Isopropylbenzene	EPA-8260	U	49	1	UG/KG	03/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	62	1	UG/KG	03/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	66	1	UG/KG	03/28/2014	GAP
Bromobenzene	EPA-8260	U	63	1	UG/KG	03/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	60	1	UG/KG	03/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	63	1	UG/KG	03/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	45	1	UG/KG	03/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	90	1	UG/KG	03/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	58	1	UG/KG	03/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	49	1	UG/KG	03/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	43	1	UG/KG	03/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	64	1	UG/KG	03/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	59	1	UG/KG	03/28/2014	GAP
N-Butylbenzene	EPA-8260	U	47	1	UG/KG	03/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	63	1	UG/KG	03/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	75	1	UG/KG	03/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	66	1	UG/KG	03/28/2014	GAP
Naphthalene	EPA-8260	U	62	1	UG/KG	03/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	59	1	UG/KG	03/28/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP
Chromium	EPA-6020	**12**	0.50	5	MG/KG	04/04/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	03/28/2014	GAP
1,2-Dichloroethane-d4 4X Dilution	EPA-8260	**94.6**	03/28/2014	GAP
Toluene-d8	EPA-8260	**92.0**	03/28/2014	GAP
Toluene-d8 4X Dilution	EPA-8260	**92.1**	03/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**105**	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-32
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:34:00 AM
CLIENT SAMPLE ID	B-27:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 4X Dilution	EPA-8260	**112**	03/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-33
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:39:00 AM
CLIENT SAMPLE ID	B-27:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/29/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/29/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/29/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/29/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	**2.7**	2.0	1	UG/L	03/29/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/29/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**280**	200	100	UG/L	03/31/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Trichloroethene	EPA-8260	**1700**	200	100	UG/L	03/31/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/29/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/29/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Tetrachloroethylene	EPA-8260	**15**	2.0	1	UG/L	03/29/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/29/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-33
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:39:00 AM
CLIENT SAMPLE ID	B-27:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/29/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/29/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/29/2014	GAP	
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/20/2014	RAL	
Chromium	EPA-200.8	**1500**	10	5	UG/L	04/02/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**95.8**	03/29/2014	GAP	
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**99.9**	03/31/2014	GAP	
Toluene-d8	EPA-8260	**95.4**	03/29/2014	GAP	
Toluene-d8 100X Dilution	EPA-8260	**94.0**	03/31/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**111**	03/29/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-33
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:39:00 AM
CLIENT SAMPLE ID	B-27:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 100X Dilution	EPA-8260	**107**	03/31/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-34
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:54:00 AM
CLIENT SAMPLE ID	B-32:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	79	1	UG/KG	03/28/2014	GAP	
Chloromethane	EPA-8260	U	48	1	UG/KG	03/28/2014	GAP	
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP	
Bromomethane	EPA-8260	U	40	1	UG/KG	03/28/2014	GAP	
Chloroethane	EPA-8260	U	48	1	UG/KG	03/28/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	42	1	UG/KG	03/28/2014	GAP	
Carbon Disulfide	EPA-8260	U	49	1	UG/KG	03/28/2014	GAP	
Acetone	EPA-8260	U	92	1	UG/KG	03/28/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP	
Methylene Chloride	EPA-8260	U	99	1	UG/KG	03/28/2014	GAP	
Acrylonitrile	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	49	1	UG/KG	03/28/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	47	1	UG/KG	03/28/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	48	1	UG/KG	03/28/2014	GAP	
2-Butanone	EPA-8260	U	70	1	UG/KG	03/28/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	U	52	1	UG/KG	03/28/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	49	1	UG/KG	03/28/2014	GAP	
Bromochloromethane	EPA-8260	U	85	1	UG/KG	03/28/2014	GAP	
Chloroform	EPA-8260	U	49	1	UG/KG	03/28/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	44	1	UG/KG	03/28/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	44	1	UG/KG	03/28/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP	
Benzene	EPA-8260	U	5.0	1	UG/KG	03/28/2014	GAP	
Trichloroethene	EPA-8260	**160**	10	1	UG/KG	03/28/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	44	1	UG/KG	03/28/2014	GAP	
Dibromomethane	EPA-8260	U	56	1	UG/KG	03/28/2014	GAP	
Bromodichloromethane	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP	
Toluene	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP	
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP	
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP	
Dibromochloromethane	EPA-8260	U	76	1	UG/KG	03/28/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/28/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-34
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:54:00 AM
CLIENT SAMPLE ID	B-32:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	41	1	UG/KG	03/28/2014	GAP
Ethylbenzene	EPA-8260	U	52	1	UG/KG	03/28/2014	GAP
m,p-Xylene	EPA-8260	U	93	1	UG/KG	03/28/2014	GAP
Styrene	EPA-8260	U	40	1	UG/KG	03/28/2014	GAP
o-Xylene	EPA-8260	U	45	1	UG/KG	03/28/2014	GAP
Bromoform	EPA-8260	U	57	1	UG/KG	03/28/2014	GAP
Isopropylbenzene	EPA-8260	U	43	1	UG/KG	03/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	57	1	UG/KG	03/28/2014	GAP
Bromobenzene	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	39	1	UG/KG	03/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	79	1	UG/KG	03/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	43	1	UG/KG	03/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	46	1	UG/KG	03/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	38	1	UG/KG	03/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	56	1	UG/KG	03/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	52	1	UG/KG	03/28/2014	GAP
N-Butylbenzene	EPA-8260	U	41	1	UG/KG	03/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	65	1	UG/KG	03/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	48	1	UG/KG	03/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	57	1	UG/KG	03/28/2014	GAP
Naphthalene	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	52	1	UG/KG	03/28/2014	GAP
Chromium (VI)	EPA-7196	U	50	10	MG/KG	03/25/2014	GAP
Chromium	EPA-6020	**130**	0.50	5	MG/KG	04/04/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	03/28/2014	GAP
Toluene-d8	EPA-8260	**95.3**	03/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**105**	03/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-35
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:57:00 AM
CLIENT SAMPLE ID	B-32:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	82	1	UG/KG	03/28/2014	GAP
Chloromethane	EPA-8260	U	49	1	UG/KG	03/28/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Bromomethane	EPA-8260	U	41	1	UG/KG	03/28/2014	GAP
Chloroethane	EPA-8260	U	49	1	UG/KG	03/28/2014	GAP
Carbon Tetrachloride	EPA-8260	U	52	1	UG/KG	03/28/2014	GAP
Trichlorofluoromethane	EPA-8260	U	43	1	UG/KG	03/28/2014	GAP
Carbon Disulfide	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP
Acetone	EPA-8260	U	96	1	UG/KG	03/28/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Methylene Chloride	EPA-8260	U	100	1	UG/KG	03/28/2014	GAP
Acrylonitrile	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	49	1	UG/KG	03/28/2014	GAP
1,1-Dichloroethane	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP
2-Butanone	EPA-8260	U	73	1	UG/KG	03/28/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
2,2-Dichloropropane	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP
Bromochloromethane	EPA-8260	U	88	1	UG/KG	03/28/2014	GAP
Chloroform	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	46	1	UG/KG	03/28/2014	GAP
1,1-Dichloropropene	EPA-8260	U	46	1	UG/KG	03/28/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/28/2014	GAP
Trichloroethene	EPA-8260	**110**	10	1	UG/KG	03/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	46	1	UG/KG	03/28/2014	GAP
Dibromomethane	EPA-8260	U	58	1	UG/KG	03/28/2014	GAP
Bromodichloromethane	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP
Toluene	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP
1,3-Dichloropropane	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Dibromochloromethane	EPA-8260	U	79	1	UG/KG	03/28/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-35
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 11:57:00 AM
CLIENT SAMPLE ID	B-32:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	43	1	UG/KG	03/28/2014	GAP
Ethylbenzene	EPA-8260	U	54	1	UG/KG	03/28/2014	GAP
m,p-Xylene	EPA-8260	U	97	1	UG/KG	03/28/2014	GAP
Styrene	EPA-8260	U	41	1	UG/KG	03/28/2014	GAP
o-Xylene	EPA-8260	U	46	1	UG/KG	03/28/2014	GAP
Bromoform	EPA-8260	U	59	1	UG/KG	03/28/2014	GAP
Isopropylbenzene	EPA-8260	U	45	1	UG/KG	03/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	57	1	UG/KG	03/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	60	1	UG/KG	03/28/2014	GAP
Bromobenzene	EPA-8260	U	57	1	UG/KG	03/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	57	1	UG/KG	03/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	41	1	UG/KG	03/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	82	1	UG/KG	03/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	44	1	UG/KG	03/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	48	1	UG/KG	03/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	39	1	UG/KG	03/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
N-Butylbenzene	EPA-8260	U	43	1	UG/KG	03/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	58	1	UG/KG	03/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	68	1	UG/KG	03/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	59	1	UG/KG	03/28/2014	GAP
Naphthalene	EPA-8260	U	57	1	UG/KG	03/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	54	1	UG/KG	03/28/2014	GAP
Chromium (VI)	EPA-7196	U	50	10	MG/KG	03/25/2014	GAP
Chromium	EPA-6020	**83**	0.50	5	MG/KG	04/04/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	03/28/2014	GAP
Toluene-d8	EPA-8260	**93.0**	03/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**106**	03/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-36
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 12:00:00 PM
CLIENT SAMPLE ID	B-32:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	98	1	UG/KG	03/28/2014	GAP
Chloromethane	EPA-8260	U	59	1	UG/KG	03/28/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Bromomethane	EPA-8260	U	49	1	UG/KG	03/28/2014	GAP
Chloroethane	EPA-8260	U	59	1	UG/KG	03/28/2014	GAP
Carbon Tetrachloride	EPA-8260	U	62	1	UG/KG	03/28/2014	GAP
Trichlorofluoromethane	EPA-8260	U	52	1	UG/KG	03/28/2014	GAP
Carbon Disulfide	EPA-8260	U	60	1	UG/KG	03/28/2014	GAP
Acetone	EPA-8260	U	110	1	UG/KG	03/28/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Methylene Chloride	EPA-8260	U	120	1	UG/KG	03/28/2014	GAP
Acrylonitrile	EPA-8260	U	63	1	UG/KG	03/28/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	61	1	UG/KG	03/28/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	59	1	UG/KG	03/28/2014	GAP
1,1-Dichloroethane	EPA-8260	U	59	1	UG/KG	03/28/2014	GAP
2-Butanone	EPA-8260	U	87	1	UG/KG	03/28/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	64	1	UG/KG	03/28/2014	GAP
2,2-Dichloropropane	EPA-8260	U	61	1	UG/KG	03/28/2014	GAP
Bromochloromethane	EPA-8260	U	110	1	UG/KG	03/28/2014	GAP
Chloroform	EPA-8260	U	61	1	UG/KG	03/28/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
1,1-Dichloropropene	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/28/2014	GAP
Trichloroethene	EPA-8260	**260**	10	1	UG/KG	03/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
Dibromomethane	EPA-8260	U	69	1	UG/KG	03/28/2014	GAP
Bromodichloromethane	EPA-8260	U	61	1	UG/KG	03/28/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	65	1	UG/KG	03/28/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	60	1	UG/KG	03/28/2014	GAP
Toluene	EPA-8260	U	63	1	UG/KG	03/28/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	63	1	UG/KG	03/28/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	65	1	UG/KG	03/28/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/28/2014	GAP
1,3-Dichloropropane	EPA-8260	U	64	1	UG/KG	03/28/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/28/2014	GAP
Dibromochloromethane	EPA-8260	U	94	1	UG/KG	03/28/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-36
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 12:00:00 PM
CLIENT SAMPLE ID	B-32:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	65	1	UG/KG	03/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP
Ethylbenzene	EPA-8260	U	64	1	UG/KG	03/28/2014	GAP
m,p-Xylene	EPA-8260	U	120	1	UG/KG	03/28/2014	GAP
Styrene	EPA-8260	U	49	1	UG/KG	03/28/2014	GAP
o-Xylene	EPA-8260	U	55	1	UG/KG	03/28/2014	GAP
Bromoform	EPA-8260	U	70	1	UG/KG	03/28/2014	GAP
Isopropylbenzene	EPA-8260	U	54	1	UG/KG	03/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	68	1	UG/KG	03/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	71	1	UG/KG	03/28/2014	GAP
Bromobenzene	EPA-8260	U	68	1	UG/KG	03/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	65	1	UG/KG	03/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	68	1	UG/KG	03/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	49	1	UG/KG	03/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	98	1	UG/KG	03/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	63	1	UG/KG	03/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	53	1	UG/KG	03/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	58	1	UG/KG	03/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	47	1	UG/KG	03/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	69	1	UG/KG	03/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	64	1	UG/KG	03/28/2014	GAP
N-Butylbenzene	EPA-8260	U	51	1	UG/KG	03/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	69	1	UG/KG	03/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	81	1	UG/KG	03/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	60	1	UG/KG	03/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	71	1	UG/KG	03/28/2014	GAP
Naphthalene	EPA-8260	U	68	1	UG/KG	03/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	64	1	UG/KG	03/28/2014	GAP
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP
Chromium	EPA-6020	**41**	0.50	5	MG/KG	04/04/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	03/28/2014	GAP
Toluene-d8	EPA-8260	**91.7**	03/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**107**	03/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	4/8/2014 EV14030139 EV14030139-37
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 12:05:00 PM
CLIENT SAMPLE ID	B-32:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/31/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Acetone	EPA-8260	U	25	1	UG/L	03/31/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/31/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/31/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
2-Butanone	EPA-8260	U	10	1	UG/L	03/31/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Benzene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Trichloroethene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/31/2014	GAP	
Toluene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	UG/L	03/31/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/31/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS JOB#:	EV14030139
		ALS SAMPLE#:	EV14030139-37
CLIENT CONTACT:	Thom Morin	DATE RECEIVED:	03/20/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	3/20/2014 12:05:00 PM
CLIENT SAMPLE ID	B-32:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/31/2014	GAP	
Styrene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Bromoform	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/31/2014	GAP	
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/31/2014	GAP	
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/20/2014	RAL	
Chromium	EPA-200.8	**190**	10	5	UG/L	04/02/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**100**	03/31/2014	GAP	
Toluene-d8	EPA-8260	**93.6**	03/31/2014	GAP	
4-Bromofluorobenzene	EPA-8260	**107**	03/31/2014	GAP	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/8/2014
ALS SDG#: EV14030139
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032614S - Batch 7743 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Chloromethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromomethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Chloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Carbon Tetrachloride	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Trichlorofluoromethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Carbon Disulfide	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Acetone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Methylene Chloride	EPA-8260	U	20	1	UG/KG	03/26/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,1-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
2-Butanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
2,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromochloromethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Chloroform	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,1-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP
Trichloroethene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Dibromomethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromodichloromethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
Toluene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,3-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Dibromochloromethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/26/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/8/2014
ALS SDG#: EV14030139
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032614S - Batch 7743 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Ethylbenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
m,p-Xylene	EPA-8260	U	20	1	UG/KG	03/26/2014	GAP
Styrene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
o-Xylene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromoform	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Isopropylbenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Bromobenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
N-Propyl Benzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
2-Chlorotoluene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
4-Chlorotoluene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
T-Butyl Benzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
S-Butyl Benzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
P-Isopropyltoluene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
N-Butylbenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	UG/KG	03/26/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Hexachlorobutadiene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
Naphthalene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	03/26/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MB-032714S - Batch 7750 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Chloromethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromomethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Chloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/8/2014
ALS SDG#: EV14030139
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032714S - Batch 7750 - Soil by EPA-8260

Carbon Disulfide	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Acetone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Methylene Chloride	EPA-8260	U	20	1	UG/KG	03/27/2014	GAP
Acrylonitrile	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
2-Butanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromochloromethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Chloroform	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Benzene	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Trichloroethene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Dibromomethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromodichloromethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
Toluene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
2-Hexanone	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Dibromochloromethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	03/27/2014	GAP
Chlorobenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Ethylbenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
m,p-Xylene	EPA-8260	U	20	1	UG/KG	03/27/2014	GAP
Styrene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
o-Xylene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromoform	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Isopropylbenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/8/2014
ALS SDG#: EV14030139
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032714S - Batch 7750 - Soil by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Bromobenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
N-Butylbenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	UG/KG	03/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
Naphthalene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	03/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MB-032814W - Batch 7758 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	03/28/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Acetone	EPA-8260	U	25	1	UG/L	03/28/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	03/28/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	UG/L	03/28/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
2-Butanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/8/2014
ALS SDG#: EV14030139
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032814W - Batch 7758 - Water by EPA-8260

Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Chloroform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Trichloroethene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP
Toluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
2-Hexanone	EPA-8260	U	10	1	UG/L	03/28/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	03/28/2014	GAP
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	03/28/2014	GAP
Styrene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Bromoform	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/8/2014
ALS SDG#: EV14030139
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-032814W - Batch 7758 - Water by EPA-8260

P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	03/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	03/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3212014 - Batch R93304 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3212014 - Batch R93306 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/21/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3252014 - Batch R93308 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3252014 - Batch R93309 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/25/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3202014 - Batch R93313 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	UG/L	03/20/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS SDG#:	EV14030139
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MBLK-3202014 - Batch R93313 - Water by EPA-7196

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-3242014 - Batch R93248 - Soil by EPA-7471

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Mercury	EPA-7471	U	0.020	1	MG/KG	03/24/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-032514S - Batch 7749 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Arsenic	EPA-6020	U	0.80	1	MG/KG	03/26/2014	RAL
Barium	EPA-6020	U	0.10	1	MG/KG	03/26/2014	RAL
Cadmium	EPA-6020	U	0.10	1	MG/KG	03/26/2014	RAL
Chromium	EPA-6020	U	0.10	1	MG/KG	03/26/2014	RAL
Lead	EPA-6020	U	0.10	1	MG/KG	03/26/2014	RAL
Selenium	EPA-6020	U	1.0	1	MG/KG	03/26/2014	RAL
Silver	EPA-6020	U	0.10	1	MG/KG	03/26/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-032114S - Batch 7773 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Arsenic	EPA-6020	U	0.20	1	MG/KG	04/01/2014	RAL
Barium	EPA-6020	U	0.10	1	MG/KG	04/01/2014	RAL
Cadmium	EPA-6020	U	0.10	1	MG/KG	04/01/2014	RAL
Chromium	EPA-6020	U	0.10	1	MG/KG	04/01/2014	RAL
Lead	EPA-6020	U	0.10	1	MG/KG	04/01/2014	RAL
Selenium	EPA-6020	U	1.0	1	MG/KG	04/01/2014	RAL
Silver	EPA-6020	U	0.10	1	MG/KG	04/01/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-040114W - Batch 7767 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	04/02/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	4/8/2014
		ALS SDG#:	EV14030139
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Thom Morin		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 7743 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	121			03/26/2014	GAP
1,1-Dichloroethene - BSD	EPA-8260	128	6		03/26/2014	GAP
Benzene - BS	EPA-8260	108			03/26/2014	GAP
Benzene - BSD	EPA-8260	110	2		03/26/2014	GAP
Trichloroethene - BS	EPA-8260	114			03/26/2014	GAP
Trichloroethene - BSD	EPA-8260	117	3		03/26/2014	GAP
Toluene - BS	EPA-8260	111			03/26/2014	GAP
Toluene - BSD	EPA-8260	113	2		03/26/2014	GAP
Chlorobenzene - BS	EPA-8260	103			03/26/2014	GAP
Chlorobenzene - BSD	EPA-8260	106	2		03/26/2014	GAP

ALS Test Batch ID: 7750 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	109			03/27/2014	GAP
1,1-Dichloroethene - BSD	EPA-8260	111	2		03/27/2014	GAP
Benzene - BS	EPA-8260	100			03/27/2014	GAP
Benzene - BSD	EPA-8260	102	1		03/27/2014	GAP
Trichloroethene - BS	EPA-8260	105			03/27/2014	GAP
Trichloroethene - BSD	EPA-8260	108	3		03/27/2014	GAP
Toluene - BS	EPA-8260	103			03/27/2014	GAP
Toluene - BSD	EPA-8260	105	2		03/27/2014	GAP
Chlorobenzene - BS	EPA-8260	99.7			03/27/2014	GAP
Chlorobenzene - BSD	EPA-8260	101	2		03/27/2014	GAP

ALS Test Batch ID: 7758 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	99.1			03/28/2014	GAP
1,1-Dichloroethene - BSD	EPA-8260	101	2		03/28/2014	GAP
Benzene - BS	EPA-8260	90.6			03/28/2014	GAP
Benzene - BSD	EPA-8260	92.9	2		03/28/2014	GAP
Trichloroethene - BS	EPA-8260	100			03/28/2014	GAP
Trichloroethene - BSD	EPA-8260	104	4		03/28/2014	GAP
Toluene - BS	EPA-8260	97.1			03/28/2014	GAP
Toluene - BSD	EPA-8260	101	4		03/28/2014	GAP
Chlorobenzene - BS	EPA-8260	95.8			03/28/2014	GAP
Chlorobenzene - BSD	EPA-8260	99.6	4		03/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/8/2014
ALS SDG#: EV14030139
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: R93304 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	108			03/21/2014	RAL
Chromium (VI) - BSD	EPA-7196	100	8		03/21/2014	RAL

ALS Test Batch ID: R93306 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	98.0			03/21/2014	RAL
Chromium (VI) - BSD	EPA-7196	103	5		03/21/2014	RAL

ALS Test Batch ID: R93308 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	104			03/25/2014	GAP
Chromium (VI) - BSD	EPA-7196	105	1		03/25/2014	GAP

ALS Test Batch ID: R93309 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	102			03/25/2014	GAP
Chromium (VI) - BSD	EPA-7196	103	1		03/25/2014	GAP

ALS Test Batch ID: R93313 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	102			03/20/2014	RAL
Chromium (VI) - BSD	EPA-7196	101	1		03/20/2014	RAL

ALS Test Batch ID: R93248 - Soil by EPA-7471

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Mercury - BS	EPA-7471	113			03/24/2014	RAL
Mercury - BSD	EPA-7471	109	4		03/24/2014	RAL

ALS Test Batch ID: 7749 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Arsenic - BS	EPA-6020	95.1			03/26/2014	RAL
Arsenic - BSD	EPA-6020	97.6	3		03/26/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Thom Morin
CLIENT PROJECT: 64001

DATE: 4/8/2014
ALS SDG#: EV14030139
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Barium - BS	EPA-6020	**100**			03/26/2014	RAL
Barium - BSD	EPA-6020	**102**	**2**		03/26/2014	RAL
Cadmium - BS	EPA-6020	**95.6**			03/26/2014	RAL
Cadmium - BSD	EPA-6020	**98.0**	**3**		03/26/2014	RAL
Chromium - BS	EPA-6020	**94.2**			03/26/2014	RAL
Chromium - BSD	EPA-6020	**96.3**	**2**		03/26/2014	RAL
Lead - BS	EPA-6020	**98.8**			03/26/2014	RAL
Lead - BSD	EPA-6020	**103**	**4**		03/26/2014	RAL
Selenium - BS	EPA-6020	**90.2**			03/26/2014	RAL
Selenium - BSD	EPA-6020	**92.3**	**2**		03/26/2014	RAL
Silver - BS	EPA-6020	**103**			03/26/2014	RAL
Silver - BSD	EPA-6020	**105**	**2**		03/26/2014	RAL

ALS Test Batch ID: 7773 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Arsenic - BS	EPA-6020	**105**			04/01/2014	RAL
Arsenic - BSD	EPA-6020	**99.6**	**5**		04/01/2014	RAL
Barium - BS	EPA-6020	**107**			04/01/2014	RAL
Barium - BSD	EPA-6020	**104**	**3**		04/01/2014	RAL
Cadmium - BS	EPA-6020	**101**			04/01/2014	RAL
Cadmium - BSD	EPA-6020	**97.8**	**3**		04/01/2014	RAL
Chromium - BS	EPA-6020	**109**			04/01/2014	RAL
Chromium - BSD	EPA-6020	**104**	**4**		04/01/2014	RAL
Lead - BS	EPA-6020	**108**			04/01/2014	RAL
Lead - BSD	EPA-6020	**105**	**2**		04/01/2014	RAL
Selenium - BS	EPA-6020	**99.2**			04/01/2014	RAL
Selenium - BSD	EPA-6020	**92.6**	**7**		04/01/2014	RAL
Silver - BS	EPA-6020	**111**			04/01/2014	RAL
Silver - BSD	EPA-6020	**106**	**4**		04/01/2014	RAL

ALS Test Batch ID: 7767 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**96.6**			04/02/2014	RAL
Chromium - BSD	EPA-200.8	**95.2**	**1**		04/02/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1403013 9

Date _____ Page 1 Of 4

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: T. Moray / M. Burbee
ADDRESS: 245 NE Gilman Blvd, STE 201 Issaquah, WA
PHONE: 425-938-4090 FAX:
P.O. #: E-MAIL: Mburbee@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chrome	OTHER (Specify): Chrome VI					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-25 : 0.5	3/19/14	14:50	Soil	1							X									X	X					4	
2. B-25 : 3		14:55	Soil	2							X									X	X					4	
3. B-25 : 6		14:58	Soil	3							X									X	X					4	
4. B-22 : 0.5		16:05		4							X									X	X					4	
5. B-22 : 3		16:11		5							X									X	X					4	
6. B-22 : 6		16:15	↓	6							X									X	X					4	
7. B-22 : RGW		15:51	Water	7							X									X	X					5	
8. B-18 : 3		16:25	Soil	8							X									X	X					4	
9. B-18 : 6		16:36	Soil	9							X									X	X					4	
10. B-18 : RGW	↓	16:40	Water	10							X									X	X					5	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: _____ EPI 3/20/14 12:40
   Received By: _____ ALS 3/20/14 12:40
2. Relinquished By: _____
   Received By: _____

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ☒ 10 Standard ☐ 5 ☐ 3 ☐ 2 ☐ 1 ☐ SAME DAY

Fuels & Hydrocarbon Analysis: ☒ 5 Standard ☐ 3 ☐ 1 ☐ SAME DAY

OTHER:

Specify: _____

* Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1403013 9

Date _____ Page 2 Of 4

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: T. Moran / M. Bunbee
ADDRESS: 295 NE Gilman Blvd, STE 201
Issaquah WA
PHONE: 425-928-4090 FAX:
P.O. #: E-MAIL: MBunbee@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify)						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
																				Total Chrome	Chrome VI						
1. B-17: 0.5	3/20/14	08:28	Soil	11							X									X	X					4	
2. B-17: 3		08:32		12							X									X	X					4	
3. B-17: 6		08:38		13							X									X	X					4	
4. B-17: RGW		08:40	GW	14							X									X	X					5	
5. B-29: 0.5		08:55	Soil	15							X									X	X					4	
6. B-29: 6		09:03		16							X									X	X					4	
7. B-29: RGW		0910	GW	17							X									X	X					5	
8. B-30: 0.5		09:25	Soil	18							X									X	X					4	
9. B-30: 3		09:20	"	19							X									X	X					4	
10. B-30: 6		09:23	"	20							X									X	X					4	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: T. Moran, EPI, 3/20/14, 12:40
Received By: ALS 3/20/14 12:40
2. Relinquished By: _____
Received By: _____

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: ~~5~~ Standard | 3 | 1 | SAME DAY

OTHER:
Specify: _____

* Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1403139

Date _____ Page 3 Of 4

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: T. Murray / M. Bunbee
ADDRESS: 295 NE Gilman Blvd, STE 201 Issaquah
PHONE: 425-975-4090 FAX:
P.O. #: E-MAIL: murty6@ecy.wa.gov
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260 [1]	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☒ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium / Chromium VI	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-30; R6w	3/20/14	09:58	water	21							X									X X	5	
2. B-29: 0.5		10:00	soil	22							X									X X	4	
3. B-29: 3		10:06	↓	23							X									X X	4	
4. B-29: 6		10:10	↓	24							X									X X	4	
5. B-29: R6w		10:16	water	25							X									X X	5	
6. B-26; 0.5		11:00	soil	26							X						⊗			X X	4	
7. B-26: 3		11:03	↓	27							X									X X	4	
8. B-26: 6		11:08	↓	28							X									X X	4	
9. B-26: R6w		11:15	water	29							X									X X	5	
10. B-27: 0.5	↓	11:24	soil	30							X									X X	4	

SPECIAL INSTRUCTIONS * Added 3/24/14 per Monty

SIGNATURES (Name, Company, Date, Time):
1. Relinquished By: _____, EPI 3/20/14, 12:40
Received By: _____, ALS 3/20/14 12:40
2. Relinquished By: _____
Received By: _____

TURNAROUND REQUESTED in Business Days*
Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY
Fuels & Hydrocarbon Analysis: ~~5~~ Standard | 3 | 1 | SAME DAY
OTHER: Specify: _____

* Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EV14030139

Date 3/24/14 Page 4 Of 4

PROJECT ID: 64001
REPORT TO COMPANY: Environmental Partners, Inc.
PROJECT MANAGER: T. Murin / M. Burbee
ADDRESS: 295 NE Gilman Blvd, Ste 201
Issaquah, WA
PHONE: 425-958-4090 FAX:
P.O. #: E-MAIL: murtyb@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chrome, Chrom 6							NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-27:3	3/20/14	11:30	soil	31							X								X	X								4
2. B-27:6		11:34	"	32							X								X	X								4
3. B-27:RGW		11:54	water	33							X								X	X								5
4. B-32:0.5		11:54	soil	34							X								X	X								4
5. B-32:3		11:57	"	35							X								X	X								4
6. B-32:6		12:00	"	36							X								X	X								4
7. B-32:RGW		12:05	water	37							X								X	X								5
8. Trip Blank	3/20/14	—	water	38																								3
9.																												
10.																												

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI, 3/24/14, 12:40
Received By: ALS 3/20/14 12:40
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: ~~5~~ Standard | 3 | 1 | SAME DAY

OTHER: Specify:

* Turnaround request less than standard may incur Rush Charges

August 7, 2014

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On July 24th, 19 samples were received by our laboratory and assigned our laboratory project number EV14070162. The project was identified as your 64001.1 Washington Industries. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 8:06:00 AM
CLIENT SAMPLE ID	B-32:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 8:06:00 AM
CLIENT SAMPLE ID	B-32:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	U	0.52	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**24**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	07/25/2014	DLC
Toluene-d8	EPA-8260	**96.6**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**102**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 8:13:00 AM
CLIENT SAMPLE ID	B-32:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 8:13:00 AM
CLIENT SAMPLE ID	B-32:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	**0.70**	0.54	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**28**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	07/25/2014	DLC
Toluene-d8	EPA-8260	**94.6**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**98.3**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 8:23:00 AM
CLIENT SAMPLE ID	B-32:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	**29**	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 8:23:00 AM
CLIENT SAMPLE ID	B-32:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	U	0.59	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**23**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**111**	07/25/2014	DLC
Toluene-d8	EPA-8260	**97.6**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**102**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 8:34:00 AM
CLIENT SAMPLE ID	B-32:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 8:34:00 AM
CLIENT SAMPLE ID	B-32:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	U	0.51	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**9.3**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**108**	07/25/2014	DLC
Toluene-d8	EPA-8260	**98.6**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**101**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 8:43:00 AM
CLIENT SAMPLE ID	B-32:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 8:43:00 AM
CLIENT SAMPLE ID	B-32:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	**0.54**	0.50	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**73**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**112**	07/25/2014	DLC
Toluene-d8	EPA-8260	**97.7**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**99.0**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 8:55:00 AM
CLIENT SAMPLE ID	B-32:15	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 8:55:00 AM
CLIENT SAMPLE ID	B-32:15	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	U	0.59	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**59**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**107**	07/25/2014	DLC
Toluene-d8	EPA-8260	**95.7**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**97.5**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 10:57:00 AM
CLIENT SAMPLE ID	B-33:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 10:57:00 AM
CLIENT SAMPLE ID	B-33:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	U	0.54	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**26**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**111**	07/25/2014	DLC
Toluene-d8	EPA-8260	**96.7**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**102**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 11:05:00 AM
CLIENT SAMPLE ID	B-33:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	**16**	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 11:05:00 AM
CLIENT SAMPLE ID	B-33:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	U	0.55	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**22**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**111**	07/25/2014	DLC
Toluene-d8	EPA-8260	**96.1**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**97.3**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 11:14:00 AM
CLIENT SAMPLE ID	B-33:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 11:14:00 AM
CLIENT SAMPLE ID	B-33:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	U	0.52	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**13**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**117**	07/25/2014	DLC
Toluene-d8	EPA-8260	**94.6**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**98.2**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 11:54:00 AM
CLIENT SAMPLE ID	B-34:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	**10**	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 11:54:00 AM
CLIENT SAMPLE ID	B-34:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	U	0.51	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**26**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**111**	07/25/2014	DLC
Toluene-d8	EPA-8260	**93.9**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**98.0**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 12:03:00 PM
CLIENT SAMPLE ID	B-34:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	**43**	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 12:03:00 PM
CLIENT SAMPLE ID	B-34:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	U	0.57	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**27**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	07/25/2014	DLC
Toluene-d8	EPA-8260	**96.5**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**98.8**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 12:13:00 PM
CLIENT SAMPLE ID	B-34:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	**15**	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 12:13:00 PM
CLIENT SAMPLE ID	B-34:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	**0.63**	0.49	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**10**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**114**	07/25/2014	DLC
Toluene-d8	EPA-8260	**93.6**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**95.7**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 12:21:00 PM
CLIENT SAMPLE ID	B-34:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	**11**	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 12:21:00 PM
CLIENT SAMPLE ID	B-34:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	**2.8**	0.58	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**160**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**114**	07/25/2014	DLC
Toluene-d8	EPA-8260	**95.5**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**100**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 12:51:00 PM
CLIENT SAMPLE ID	B-34:16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 12:51:00 PM
CLIENT SAMPLE ID	B-34:16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	U	0.59	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**33**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**114**	07/25/2014	DLC
Toluene-d8	EPA-8260	**95.1**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**101**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 1:00:00 PM
CLIENT SAMPLE ID	B-34:18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 1:00:00 PM
CLIENT SAMPLE ID	B-34:18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	U	0.55	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**20**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**114**	07/25/2014	DLC
Toluene-d8	EPA-8260	**97.2**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**97.3**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 2:02:00 PM
CLIENT SAMPLE ID	B-35:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	**18**	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 2:02:00 PM
CLIENT SAMPLE ID	B-35:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	U	0.51	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**22**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**115**	07/25/2014	DLC
Toluene-d8	EPA-8260	**94.9**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**101**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 2:08:00 PM
CLIENT SAMPLE ID	B-35:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	**41**	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 2:08:00 PM
CLIENT SAMPLE ID	B-35:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	U	0.53	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**29**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**119**	07/25/2014	DLC
Toluene-d8	EPA-8260	**96.2**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**97.8**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 2:15:00 PM
CLIENT SAMPLE ID	B-35:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	**27**	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 2:15:00 PM
CLIENT SAMPLE ID	B-35:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chromium (VI)	EPA-7196	U	0.60	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**10**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**120**	07/25/2014	DLC
Toluene-d8	EPA-8260	**94.1**	07/25/2014	DLC
4-Bromofluorobenzene	EPA-8260	**100**	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-19
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 10:10:00 AM
CLIENT SAMPLE ID	B-32:18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/06/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/06/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/06/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/06/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/06/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/06/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/06/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/06/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070162 EV14070162-19
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 10:10:00 AM
CLIENT SAMPLE ID	B-32:18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/06/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/06/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Chromium (VI)	EPA-7196	**1.0**	0.50	1	MG/KG	08/02/2014	CAS
Chromium	EPA-6020	**42**	0.50	5	MG/KG	08/05/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	08/06/2014	DLC
Toluene-d8	EPA-8260	**99.6**	08/06/2014	DLC
4-Bromofluorobenzene	EPA-8260	**102**	08/06/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/7/2014
		ALS SDG#:	EV14070162
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1 Washington Industries		

LABORATORY BLANK RESULTS

MB-072514S - Batch 84610 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027
CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1 Washington Industries

DATE: 8/7/2014
ALS SDG#: EV14070162
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-072514S - Batch 84610 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-238849 - Batch R238849 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	0.57	1	MG/KG	08/02/2014	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MB-072914S - Batch 84630 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	08/04/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS SDG#: WDOE ACCREDITATION:	8/7/2014 EV14070162 C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1 Washington Industries		

LABORATORY BLANK RESULTS

MB-072914S - Batch 84630 - Soil by EPA-6020

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS SDG#: WDOE ACCREDITATION:	8/7/2014 EV14070162 C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1 Washington Industries		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 84610 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**87.3**			07/25/2014	DLC
1,1-Dichloroethene - BSD	EPA-8260	**74.5**	**16**		07/25/2014	DLC
Benzene - BS	EPA-8260	**99.9**			07/25/2014	DLC
Benzene - BSD	EPA-8260	**92.8**	**7**		07/25/2014	DLC
Trichloroethene - BS	EPA-8260	**93.8**			07/25/2014	DLC
Trichloroethene - BSD	EPA-8260	**86.5**	**8**		07/25/2014	DLC
Toluene - BS	EPA-8260	**95.6**			07/25/2014	DLC
Toluene - BSD	EPA-8260	**89.6**	**6**		07/25/2014	DLC
Chlorobenzene - BS	EPA-8260	**98.5**			07/25/2014	DLC
Chlorobenzene - BSD	EPA-8260	**93.3**	**5**		07/25/2014	DLC

ALS Test Batch ID: R238849 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**85.5**			08/02/2014	CAS

ALS Test Batch ID: 84630 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**96.1**			08/04/2014	RAL
Chromium - BSD	EPA-6020	**83.9**	**14**		08/04/2014	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1407016 2

Date 7/24/14 Page 1 Of 2

PROJECT ID:	64001.1 Washington Industries
REPORT TO COMPANY:	Environmental Partners
PROJECT MANAGER:	Monty Busbee
ADDRESS:	1180 NW Maple St Ste 240
	Issaquah WA 98027
PHONE: 425-395-0010	FAX: 425-395-0011
P.O. #: 64001.1	E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY:	EPI
ATTENTION:	Tom Elsemore
ADDRESS:	

ANALYSIS REQUESTED / OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chromium EPA 200.8	Chromium 6 EPA 7196						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-32:0.5	7/24/14	0806	Soil	1							X								X	X						5	
2. B-32:3		0813		2							X								X	X						5	
3. B-32:6		0823		3							X								X	X						5	
4. B-32:9		0834		4							X								X	X						5	
5. B-32:12		0843		5							X								X	X						5	
6. B-32:15		0855		6							X								X	X						5	
7. B-33:0.5		1057		7							X								X	X						5	
8. B-33:5		1105		8							X								X	X						5	
9. B-33:12		1114	↓	9							X								X	X						5	
10. B-34:0.5	↓	1154	↓	10							X								X	X						5	

LABORATORY COPY

SPECIAL INSTRUCTIONS: All soil samples collected using EPA Method 5035

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: Kristi L Addis EPI 7/24/14 1520
   Received By: [signature] ALS 7/24/14 15:20
2. Relinquished By: _____
   Received By: _____

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ☒ 10 Standard ☐ 5 ☐ 3 ☐ 2 ☐ 1 ☐ SAME DAY

Fuels & Hydrocarbon Analysis: ☐ 5 Standard ☐ 3 ☐ 1 ☐ SAME DAY

OTHER: Specify: _____

* Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV14070162

Date 7/24/14 Page 2 Of 2

PROJECT ID: 64001.1
REPORT TO COMPANY: Env. Partners
PROJECT MANAGER: Monty Boshee
ADDRESS: 1180 NW Maple St Suite 310
Issaquah WA 98027
PHONE: 425-395-0010 FAX: 425-395-0011
P.O. #: E-MAIL: monty b@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium EPA 200.8	Chromium 6 EPA 7196							NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-34:5	7/24/14	1203	Soil	11							X									X	X							5	
2. B-34:12		1213		12							X									X	X							5	
3. B-34:13		1221		13							X									X	X							5	
4. B-34:16		1251		14							X									X	X							5	
5. B-34:18		1300		15							X									X	X							5	
6. B-35:0.5		1402		16							X									X	X							5	
7. B-35:5		1408		17							X									X	X							5	
8. B-35:12		1415		18							X									X	X							5	
9. B-32:18	7/24/14	10:10		19							(X)									(X)	(X)							5	
10.																													

LABORATORY COPY

SPECIAL INSTRUCTIONS All soil samples collected using EPA Method 5035.

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: Kristi L Adels EPI 7/24/14 1520
Received By: ALS 7/24/14 15:20
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: [10] Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: [5] Standard | 3 | 1 | SAME DAY

OTHER:

Specify: (X) Add'l per Monty on 7/29-14 Standard TAT

* Turnaround request less than standard may incur Rush Charges

August 7, 2014

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On July 24th, 6 samples were received by our laboratory and assigned our laboratory project number EV14070161. The project was identified as your 64001.1 Washington Industries. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070161 EV14070161-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 9:20:00 AM
CLIENT SAMPLE ID	B-32W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/06/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/06/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/06/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/06/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070161 EV14070161-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 9:20:00 AM
CLIENT SAMPLE ID	B-32W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/06/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/24/2014	RAL
Chromium	EPA-200.8	**10**	2.0	1	ug/L	08/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	08/06/2014	DLC
Toluene-d8	EPA-8260	**97.3**	08/06/2014	DLC
4-Bromofluorobenzene	EPA-8260	**97.7**	08/06/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070161 EV14070161-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 10:20:00 AM
CLIENT SAMPLE ID	B-32W-D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/05/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/05/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/05/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/05/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070161 EV14070161-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 10:20:00 AM
CLIENT SAMPLE ID	B-32W-D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/05/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/24/2014	RAL
Chromium	EPA-200.8	**10**	2.0	1	ug/L	08/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	08/05/2014	DLC
Toluene-d8	EPA-8260	**99.4**	08/05/2014	DLC
4-Bromofluorobenzene	EPA-8260	**105**	08/05/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070161 EV14070161-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 11:32:00 AM
CLIENT SAMPLE ID	B-33W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/05/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/05/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/05/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/05/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070161 EV14070161-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 11:32:00 AM
CLIENT SAMPLE ID	B-33W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/05/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/24/2014	RAL
Chromium	EPA-200.8	**7.7**	2.0	1	ug/L	08/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	08/05/2014	DLC
Toluene-d8	EPA-8260	**97.8**	08/05/2014	DLC
4-Bromofluorobenzene	EPA-8260	**98.7**	08/05/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070161 EV14070161-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 12:34:00 PM
CLIENT SAMPLE ID	B-34W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/05/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/05/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/05/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trichloroethene	EPA-8260	**5.7**	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/05/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070161 EV14070161-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 12:34:00 PM
CLIENT SAMPLE ID	B-34W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/05/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/24/2014	RAL
Chromium	EPA-200.8	**8.9**	2.0	1	ug/L	08/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	08/05/2014	DLC
Toluene-d8	EPA-8260	**98.3**	08/05/2014	DLC
4-Bromofluorobenzene	EPA-8260	**99.6**	08/05/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070161 EV14070161-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 1:12:00 PM
CLIENT SAMPLE ID	B-34W-D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/05/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/05/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/05/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trichloroethene	EPA-8260	**2.3**	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/05/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070161 EV14070161-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 1:12:00 PM
CLIENT SAMPLE ID	B-34W-D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/05/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/24/2014	RAL
Chromium	EPA-200.8	**180**	2.0	1	ug/L	08/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	08/05/2014	DLC
Toluene-d8	EPA-8260	**98.4**	08/05/2014	DLC
4-Bromofluorobenzene	EPA-8260	**99.4**	08/05/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070161 EV14070161-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 2:24:00 PM
CLIENT SAMPLE ID	B-35W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/05/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/05/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/05/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/05/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/7/2014 EV14070161 EV14070161-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/24/2014
CLIENT PROJECT:	64001.1 Washington Industries	COLLECTION DATE:	7/24/2014 2:24:00 PM
CLIENT SAMPLE ID	B-35W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/05/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/24/2014	RAL
Chromium	EPA-200.8	**15**	2.0	1	ug/L	08/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	08/05/2014	DLC
Toluene-d8	EPA-8260	**98.6**	08/05/2014	DLC
4-Bromofluorobenzene	EPA-8260	**99.3**	08/05/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/7/2014
		ALS SDG#:	EV14070161
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1 Washington Industries		

LABORATORY BLANK RESULTS

MB-080514W - Batch 84860 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/05/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/05/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/05/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/05/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1 Washington Industries

DATE: 8/7/2014
ALS SDG#: EV14070161
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-080514W - Batch 84860 - Water by EPA-8260

Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/05/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/05/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/05/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-238195 - Batch R238195 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/24/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-080114W - Batch 84794 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	ug/L	08/07/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS SDG#: WDOE ACCREDITATION:	8/7/2014 EV14070161 C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1 Washington Industries		

LABORATORY BLANK RESULTS

MB1-080114W - Batch 84794 - Water by EPA-200.8

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS SDG#: WDOE ACCREDITATION:	8/7/2014 EV14070161 C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1 Washington Industries		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 84860 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**95.8**			08/05/2014	DLC
1,1-Dichloroethene - BSD	EPA-8260	**95.9**	**0**		08/05/2014	DLC
Benzene - BS	EPA-8260	**92.1**			08/05/2014	DLC
Benzene - BSD	EPA-8260	**93.1**	**1**		08/05/2014	DLC
Trichloroethene - BS	EPA-8260	**93.9**			08/05/2014	DLC
Trichloroethene - BSD	EPA-8260	**93.7**	**0**		08/05/2014	DLC
Toluene - BS	EPA-8260	**94.4**			08/05/2014	DLC
Toluene - BSD	EPA-8260	**95.6**	**1**		08/05/2014	DLC
Chlorobenzene - BS	EPA-8260	**94.3**			08/05/2014	DLC
Chlorobenzene - BSD	EPA-8260	**97.0**	**3**		08/05/2014	DLC

ALS Test Batch ID: R238195 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**102**			07/24/2014	RAL
Chromium (VI) - BSD	EPA-7196	**104**	**2**		07/24/2014	RAL

ALS Test Batch ID: 84794 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**97.6**			08/07/2014	RAL
Chromium - BSD	EPA-200.8	**95.0**	**3**		08/07/2014	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1407016 1

Date 7/24/14 Page 1 Of 1

PROJECT ID: 64001.1 Washington Industries
REPORT TO COMPANY: Environmental Partners
PROJECT MANAGER: Monty Parsbee
ADDRESS: 1180 NW Maple St Ste 310
Issaquah WA 98027
PHONE: 425-395-0010 FAX: 425-395-0011
P.O. #: 64001.1 E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION: Tom Elsemore
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium EPA 200.8	Chromium 6 EPA 7196					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-32W-S	7/24/14	0920	Water	1							X									X	X					5	
2. B-32W-D	"	1020	"	2							X									X	X					5	
3. B-33W-S	"	1132	"	3							X									X	X					5	
4. B-34W-S	"	1234	"	4							X									X	X					5	
5. B-34W-D	"	1312	"	5							X									X	X					6	
6. B-35W-S	"	1424	"	6							X									X	X					5	
7.																											
8.																											
9.																											
10.																											

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):
1. Relinquished By: Kristin L. Adolfs EPI 7/24/14 1520
Received By: [signature] ALS 7/24/14 15:20
2. Relinquished By: _____
Received By: _____

TURNAROUND REQUESTED in Business Days*
Organic, Metals & Inorganic Analysis: (10) Standard | 5 | 3 | 2 | 1 | SAME DAY
Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY
OTHER: Specify: _____

* Turnaround request less than standard may incur Rush Charges

August 8, 2014

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On July 25th, 11 samples were received by our laboratory and assigned our laboratory project number EV14070166. The project was identified as your 64001.1. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/8/2014
		ALS JOB#:	EV14070166
		ALS SAMPLE#:	EV14070166-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 3:27:00 PM
CLIENT SAMPLE ID	B-36:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/26/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/26/2014	DLC
Trichloroethene	EPA-8260	**29**	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/26/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 3:27:00 PM
CLIENT SAMPLE ID	B-36:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/26/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chromium (VI)	EPA-7196	U	0.53	1	MG/KG	08/06/2014	CAS
Chromium	EPA-6020	**29**	0.50	5	MG/KG	08/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**115**	07/26/2014	DLC
Toluene-d8	EPA-8260	**96.8**	07/26/2014	DLC
4-Bromofluorobenzene	EPA-8260	**98.2**	07/26/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 3:34:00 PM
CLIENT SAMPLE ID	B-36:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/26/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/26/2014	DLC
Trichloroethene	EPA-8260	**38**	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/26/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 3:34:00 PM
CLIENT SAMPLE ID	B-36:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/26/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chromium (VI)	EPA-7196	U	0.53	1	MG/KG	08/06/2014	CAS
Chromium	EPA-6020	**29**	0.50	5	MG/KG	08/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**115**	07/26/2014	DLC
Toluene-d8	EPA-8260	**96.2**	07/26/2014	DLC
4-Bromofluorobenzene	EPA-8260	**104**	07/26/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 3:41:00 PM
CLIENT SAMPLE ID	B-36:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/26/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	**15**	10	1	ug/Kg	07/26/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/26/2014	DLC
Trichloroethene	EPA-8260	**330**	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Tetrachloroethylene	EPA-8260	**13**	10	1	ug/Kg	07/26/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/26/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 3:41:00 PM
CLIENT SAMPLE ID	B-36:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/26/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chromium (VI)	EPA-7196	U	0.51	1	MG/KG	08/06/2014	CAS
Chromium	EPA-6020	**9.4**	0.50	5	MG/KG	08/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**117**	07/26/2014	DLC
1,2-Dichloroethane-d4	EPA-8260	**111**	07/28/2014	DLC
Toluene-d8	EPA-8260	**97.5**	07/26/2014	DLC
Toluene-d8	EPA-8260	**94.7**	07/28/2014	DLC
4-Bromofluorobenzene	EPA-8260	**93.5**	07/26/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/8/2014
		ALS JOB#:	EV14070166
		ALS SAMPLE#:	EV14070166-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 3:41:00 PM
CLIENT SAMPLE ID	B-36:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**100**	07/28/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 3:47:00 PM
CLIENT SAMPLE ID	B-36:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/26/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	**19**	10	1	ug/Kg	07/26/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/26/2014	DLC
Trichloroethene	EPA-8260	**470**	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Tetrachloroethylene	EPA-8260	**13**	10	1	ug/Kg	07/26/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/26/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 3:47:00 PM
CLIENT SAMPLE ID	B-36:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/26/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chromium (VI)	EPA-7196	U	0.55	1	MG/KG	08/06/2014	CAS
Chromium	EPA-6020	**21**	0.50	5	MG/KG	08/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**110**	07/26/2014	DLC
1,2-Dichloroethane-d4	EPA-8260	**106**	07/28/2014	DLC
Toluene-d8	EPA-8260	**96.0**	07/26/2014	DLC
Toluene-d8	EPA-8260	**92.9**	07/28/2014	DLC
4-Bromofluorobenzene	EPA-8260	**99.5**	07/26/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/8/2014
		ALS JOB#:	EV14070166
		ALS SAMPLE#:	EV14070166-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 3:47:00 PM
CLIENT SAMPLE ID	B-36:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**92.0**	07/28/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 3:53:00 PM
CLIENT SAMPLE ID	B-36:16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/26/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/26/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/26/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/8/2014
		ALS JOB#:	EV14070166
		ALS SAMPLE#:	EV14070166-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 3:53:00 PM
CLIENT SAMPLE ID	B-36:16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/26/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chromium (VI)	EPA-7196	U	0.57	1	MG/KG	08/06/2014	CAS
Chromium	EPA-6020	**150**	0.50	5	MG/KG	08/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	07/26/2014	DLC
Toluene-d8	EPA-8260	**92.8**	07/26/2014	DLC
4-Bromofluorobenzene	EPA-8260	**102**	07/26/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 4:24:00 PM
CLIENT SAMPLE ID	B-36:18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC
Trichloroethene	EPA-8260	**49**	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 4:24:00 PM
CLIENT SAMPLE ID	B-36:18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chromium (VI)	EPA-7196	U	0.55	1	MG/KG	08/06/2014	CAS
Chromium	EPA-6020	**61**	0.50	5	MG/KG	08/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**123**	07/28/2014	DLC
Toluene-d8	EPA-8260	**96.5**	07/28/2014	DLC
4-Bromofluorobenzene	EPA-8260	**96.0**	07/28/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 4:04:00 PM
CLIENT SAMPLE ID	B-36W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/01/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/01/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/01/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	**6.5**	2.0	1	ug/L	08/01/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichloroethene	EPA-8260	**120**	20	10	ug/L	08/05/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/01/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/8/2014
		ALS JOB#:	EV14070166
		ALS SAMPLE#:	EV14070166-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 4:04:00 PM
CLIENT SAMPLE ID	B-36W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/01/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/25/2014	RAL
Chromium	EPA-200.8	**32**	2.0	1	ug/L	08/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**114**	08/01/2014	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**106**	08/05/2014	DLC
Toluene-d8	EPA-8260	**98.0**	08/01/2014	DLC
Toluene-d8 10X Dilution	EPA-8260	**99.3**	08/05/2014	DLC
4-Bromofluorobenzene	EPA-8260	**98.0**	08/01/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/8/2014
		ALS JOB#:	EV14070166
		ALS SAMPLE#:	EV14070166-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 4:04:00 PM
CLIENT SAMPLE ID	B-36W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**103**	08/05/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 4:42:00 PM
CLIENT SAMPLE ID	B-36W-D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/01/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/01/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/01/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	**6.0**	2.0	1	ug/L	08/01/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichloroethene	EPA-8260	**77**	10	5	ug/L	08/05/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/01/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 4:42:00 PM
CLIENT SAMPLE ID	B-36W-D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/01/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/25/2014	RAL
Chromium	EPA-200.8	**23**	2.0	1	ug/L	08/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**114**	08/01/2014	DLC
1,2-Dichloroethane-d4 5X Dilution	EPA-8260	**108**	08/05/2014	DLC
Toluene-d8	EPA-8260	**98.6**	08/01/2014	DLC
Toluene-d8 5X Dilution	EPA-8260	**99.6**	08/05/2014	DLC
4-Bromofluorobenzene	EPA-8260	**98.8**	08/01/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/8/2014
		ALS JOB#:	EV14070166
		ALS SAMPLE#:	EV14070166-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/24/2014 4:42:00 PM
CLIENT SAMPLE ID	B-36W-D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 5X Dilution	EPA-8260	**100**	08/05/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 7:44:00 AM
CLIENT SAMPLE ID	MW-20:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/26/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/26/2014	DLC
Trichloroethene	EPA-8260	**33**	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/26/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 7:44:00 AM
CLIENT SAMPLE ID	MW-20:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/26/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chromium (VI)	EPA-7196	U	0.50	1	MG/KG	08/06/2014	CAS
Chromium	EPA-6020	**25**	0.50	5	MG/KG	08/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**119**	07/26/2014	DLC
Toluene-d8	EPA-8260	**94.2**	07/26/2014	DLC
4-Bromofluorobenzene	EPA-8260	**94.8**	07/26/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 7:46:00 AM
CLIENT SAMPLE ID	MW-20:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/26/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/26/2014	DLC
Trichloroethene	EPA-8260	**38**	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/26/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/8/2014
		ALS JOB#:	EV14070166
		ALS SAMPLE#:	EV14070166-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 7:46:00 AM
CLIENT SAMPLE ID	MW-20:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/26/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chromium (VI)	EPA-7196	U	0.51	1	MG/KG	08/06/2014	CAS
Chromium	EPA-6020	**24**	0.50	5	MG/KG	08/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**118**	07/26/2014	DLC
Toluene-d8	EPA-8260	**94.3**	07/26/2014	DLC
4-Bromofluorobenzene	EPA-8260	**98.0**	07/26/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/8/2014 EV14070166 EV14070166-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 7:53:00 AM
CLIENT SAMPLE ID	MW-20:11.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/26/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/26/2014	DLC
Trichloroethene	EPA-8260	**44**	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/26/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/8/2014
		ALS JOB#:	EV14070166
		ALS SAMPLE#:	EV14070166-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 7:53:00 AM
CLIENT SAMPLE ID	MW-20:11.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/26/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/26/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/26/2014	DLC
Chromium (VI)	EPA-7196	U	0.51	1	MG/KG	08/06/2014	CAS
Chromium	EPA-6020	**9.5**	0.50	5	MG/KG	08/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**113**	07/26/2014	DLC
Toluene-d8	EPA-8260	**91.2**	07/26/2014	DLC
4-Bromofluorobenzene	EPA-8260	**97.9**	07/26/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 8/8/2014
ALS SDG#: EV14070166
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-072514S2 - Batch 84609 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 8/8/2014
ALS SDG#: EV14070166
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-072514S2 - Batch 84609 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB-073114W2 - Batch 84786 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	07/31/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/8/2014
		ALS SDG#:	EV14070166
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

LABORATORY BLANK RESULTS

MB-073114W2 - Batch 84786 - Water by EPA-8260

Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	07/31/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	07/31/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	07/31/2014	DLC
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	07/31/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 8/8/2014
ALS SDG#: EV14070166
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-073114W2 - Batch 84786 - Water by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-862014 - Batch R238879 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	0.57	1	MG/KG	08/06/2014	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-238195B - Batch R238195B - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/25/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB2-072814S - Batch 84565 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	08/08/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/8/2014
		ALS SDG#:	EV14070166
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

LABORATORY BLANK RESULTS

MB1-080114W - Batch 84794 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	ug/L	08/07/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/8/2014
		ALS SDG#:	EV14070166
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 84609 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**87.1**			07/26/2014	DLC
1,1-Dichloroethene - BSD	EPA-8260	**88.6**	**2**		07/26/2014	DLC
Benzene - BS	EPA-8260	**99.7**			07/26/2014	DLC
Benzene - BSD	EPA-8260	**99.9**	**0**		07/26/2014	DLC
Trichloroethene - BS	EPA-8260	**90.4**			07/26/2014	DLC
Trichloroethene - BSD	EPA-8260	**91.5**	**1**		07/26/2014	DLC
Toluene - BS	EPA-8260	**90.5**			07/26/2014	DLC
Toluene - BSD	EPA-8260	**92.2**	**2**		07/26/2014	DLC
Chlorobenzene - BS	EPA-8260	**93.2**			07/26/2014	DLC
Chlorobenzene - BSD	EPA-8260	**91.4**	**2**		07/26/2014	DLC

ALS Test Batch ID: 84786 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**116**			07/31/2014	DLC
1,1-Dichloroethene - BSD	EPA-8260	**117**	**2**		08/01/2014	DLC
Benzene - BS	EPA-8260	**104**			07/31/2014	DLC
Benzene - BSD	EPA-8260	**106**	**2**		08/01/2014	DLC
Trichloroethene - BS	EPA-8260	**112**			07/31/2014	DLC
Trichloroethene - BSD	EPA-8260	**113**	**1**		08/01/2014	DLC
Toluene - BS	EPA-8260	**104**			07/31/2014	DLC
Toluene - BSD	EPA-8260	**105**	**1**		08/01/2014	DLC
Chlorobenzene - BS	EPA-8260	**106**			07/31/2014	DLC
Chlorobenzene - BSD	EPA-8260	**106**	**0**		08/01/2014	DLC

ALS Test Batch ID: R238879 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**91.9**			08/06/2014	CAS

ALS Test Batch ID: R238195B - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**96.0**			07/25/2014	RAL
Chromium (VI) - BSD	EPA-7196	**97.0**	**1**		07/25/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/8/2014
		ALS SDG#:	EV14070166
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 84565 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**95.9**			08/08/2014	RAL
Chromium - BSD	EPA-6020	**95.5**	**0**		08/08/2014	RAL

ALS Test Batch ID: 84794 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**97.6**			08/07/2014	RAL
Chromium - BSD	EPA-200.8	**95.0**	**3**		08/07/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/8/2014
		ALS SDG#:	EV14070166
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

MATRIX SPIKE RESULTS

ALS Test Batch ID: 84786 - Water
Parent Sample: Batch QC

SPIKED COMPOUND	METHOD	PARENT SAMPLE RESULT	SPIKE ADDED	RESULT	RPD	%REC	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - MS	EPA-8260	0	10.0	**10.2**		**102**		08/01/2014	DLC
1,1-Dichloroethene - MSD	EPA-8260	0	10.0	**10.7**	**5**	**107**		08/01/2014	DLC
Benzene - MS	EPA-8260	0	10.0	**8.80**		**88.0**		08/01/2014	DLC
Benzene - MSD	EPA-8260	0	10.0	**9.09**	**3**	**90.9**		08/01/2014	DLC
Trichloroethene - MS	EPA-8260	0.28	10.0	**9.02**		**87.4**		08/01/2014	DLC
Trichloroethene - MSD	EPA-8260	0.28	10.0	**9.39**	**4**	**91.2**		08/01/2014	DLC
Toluene - MS	EPA-8260	9.6	10.0	**17.6**		**79.7**		08/01/2014	DLC
Toluene - MSD	EPA-8260	9.6	10.0	**17.1**	**3**	**75.0**		08/01/2014	DLC
Chlorobenzene - MS	EPA-8260	0	10.0	**8.91**		**89.1**		08/01/2014	DLC
Chlorobenzene - MSD	EPA-8260	0	10.0	**9.17**	**3**	**91.7**		08/01/2014	DLC

APPROVED BY

Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1407016 6

Date 7/25/14 Page 1 Of 2

PROJECT ID:	64001.1
REPORT TO COMPANY:	EPI
PROJECT MANAGER:	Monty Busby
ADDRESS:	1180 NW Maple St. Issaquah WA 98027
PHONE:	425-488-4040 FAX:
P.O. #:	E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY:	EPI
ATTENTION:	
ADDRESS:	

ANALYSIS REQUESTED / OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chromium	Cr III						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-36:0.5	7/24/14	1527	soil	1							X									X	X						4	
2. B-36:5		1534		2							X									X	X						5	
3. B-36:12		1541		3							X									X	X						5	
4. B-36:13		1547		4							X									X	X						5	
5. B-36:16		1553		5							X									X	X						5	
6. B-36:18		~~1642~~ 1604	NS	6							X									X	X						5	
7. B-36W-S		1604	Water	7							X									X	X						5	
8. B-36W-D		1642	W.	8							X									X	X						5	
9. MW-20:1	7/25/14	0744	soil	9							X									X	X						5	
10. MW-20:5	7/25/14	0746	S	10							X									X	X						5	

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 7/25/14 1055
   Received By: ALS 7/25/14 10:35
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

* Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV14070166

Date 7/25/14 Page 2 Of 2

PROJECT ID: 640061
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Baskin
ADDRESS: 1180 NW Maple St.
Issaquah WA 98027
PHONE: 425-988-4090 FAX:
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Cr	Cr VI	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-20:1105	7/25/14	0953	soil	11							X									X	X	5	
2.																							
3.																							
4.																							
5.																							
6.																							
7.																							
8.																							
9.																							
10.																							

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 7/25/14 1035
Received By: ALS 7/25/14 1035
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard ☒ | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

* *Turnaround request less than standard may incur Rush Charges*

3600 Fremont Ave. N.
Seattle, WA 98103
T: (206) 352-3790
F: (206) 352-7178
info@fremontanalytical.com

Environmental Partners, Inc.
Monty Busbee
1180 NW Maple Street, Suite 310
Issaquah, WA 98027

RE: Washington Industries
Lab ID: 1408065

August 14, 2014

Attention Monty Busbee:

Fremont Analytical, Inc. received 6 sample(s) on 8/7/2014 for the analyses presented in the following report.

Volatile Organic Compounds-EPA Method TO-15 (SIM)

This report consists of the following:

- Case Narrative
- Analytical Results
- Applicable Quality Control Summary Reports
- Chain of Custody

All analyses were performed consistent with the Quality Assurance program of Fremont Analytical, Inc. Please contact the laboratory if you should have any questions about the results.

Thank you for using Fremont Analytical.

Sincerely,

Mike Ridgeway
President

Date: *08/14/2014*

CLIENT: Environmental Partners, Inc.
Project: Washington Industries
Lab Order: 1408065

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
1408065-001	VS-2	08/07/2014 10:17 AM	08/07/2014 5:31 PM
1408065-002	VS-4	08/07/2014 9:42 AM	08/07/2014 5:31 PM
1408065-003	VS-5	08/07/2014 9:40 AM	08/07/2014 5:31 PM
1408065-004	VS-1	08/07/2014 9:41 AM	08/07/2014 5:31 PM
1408065-005	VS-6	08/07/2014 9:43 AM	08/07/2014 5:31 PM
1408065-006	VS-3	08/07/2014 10:57 AM	08/07/2014 5:31 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

Case Narrative

WO#: **1408065**
Date: **8/14/2014**

CLIENT: Environmental Partners, Inc.
Project: Washington Industries

I. SAMPLE RECEIPT:
Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:
Air samples are reported in ppbv and ug/m3.

The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples to ensure method criteria are achieved throughout the entire analytical process.

N = Tentatively Identified Compounds (TIC).

III. ANALYSES AND EXCEPTIONS:
Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

Client: **Environmental Partners, Inc.**
WorkOrder: 1408065
Project: Washington Industries

Client Sample ID: VS-2
Lab ID: 1408065-001A
Sample Type: Summa Canister

Date Sampled: 8/7/2014
Date Received: 8/7/2014

Volatile Organic Compounds-EPA Method TO-15 (SIM)

Analyte	Concentration (ppbv)	Concentration (ug/m³)	Reporting Limit (ppbv)	Reporting Limit (ug/m³)	Qual	Method	Date/Analyst	
cis-1,2-Dichloroethene	277	1,100	0.160	0.634	E	TO-15	08/08/2014	JY
Tetrachloroethene (PCE)	174	1,180	0.400	2.71	E	TO-15	08/08/2014	JY
trans-1,2-Dichloroethene	14.9	59.0	0.0480	0.190		TO-15	08/08/2014	JY
Trichloroethene (TCE)	3,540	19,000	0.136	0.731	E	TO-15	08/08/2014	JY
Vinyl chloride	<0.0850	<0.217	0.0850	0.217		TO-15	08/09/2014	JY
Surr: Chlorobenzene-d5 (surr)	93.5 %Rec	--	70-130	--		TO-15	08/09/2014	JY

Qualifiers:

B	Analyte detected in the associated Method Blank	D	Dilution was required
E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not detected at the Reporting Limit

Client: **Environmental Partners, Inc.**
WorkOrder: 1408065
Project: Washington Industries

Client Sample ID: VS-4
Lab ID: 1408065-002A
Sample Type: Summa Canister

Date Sampled: 8/7/2014
Date Received: 8/7/2014

Volatile Organic Compounds-EPA Method TO-15 (SIM)

Analyte	Concentration (ppbv)	Concentration (ug/m³)	Reporting Limit (ppbv)	Reporting Limit (ug/m³)	Qual	Method	Date/Analyst	
cis-1,2-Dichloroethene	1,210	4,810	0.160	0.634	E	TO-15	08/09/2014	JY
Tetrachloroethene (PCE)	255	1,730	0.400	2.71	E	TO-15	08/09/2014	JY
trans-1,2-Dichloroethene	45.8	182	0.0480	0.190		TO-15	08/09/2014	JY
Trichloroethene (TCE)	3,500	18,800	0.136	0.731	E	TO-15	08/09/2014	JY
Vinyl chloride	0.118	0.302	0.0850	0.217		TO-15	08/09/2014	JY
Surr: Chlorobenzene-d5 (surr)	95.6 %Rec	--	70-130	--		TO-15	08/09/2014	JY

Qualifiers:

B	Analyte detected in the associated Method Blank	D	Dilution was required
E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not detected at the Reporting Limit

Client: **Environmental Partners, Inc.**
WorkOrder: 1408065
Project: Washington Industries

Client Sample ID: VS-5
Lab ID: 1408065-003A
Sample Type: Summa Canister

Date Sampled: 8/7/2014
Date Received: 8/7/2014

Volatile Organic Compounds-EPA Method TO-15 (SIM)

Analyte	Concentration (ppbv)	Concentration (ug/m³)	Reporting Limit (ppbv)	Reporting Limit (ug/m³)	Qual	Method	Date/Analyst	
cis-1,2-Dichloroethene	11.3	45.0	0.160	0.634		TO-15	08/09/2014	JY
Tetrachloroethene (PCE)	96.5	654	0.400	2.71	E	TO-15	08/09/2014	JY
trans-1,2-Dichloroethene	3.57	14.2	0.00600	0.0238		TO-15	08/09/2014	JY
Trichloroethene (TCE)	1,790	9,640	0.136	0.731	E	TO-15	08/09/2014	JY
Vinyl chloride	<0.0850	<0.217	0.0850	0.217		TO-15	08/09/2014	JY
Surr: Chlorobenzene-d5 (surr)	93.0 %Rec	--	70-130	--		TO-15	08/09/2014	JY

Qualifiers:

B	Analyte detected in the associated Method Blank	D	Dilution was required
E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not detected at the Reporting Limit

Client: **Environmental Partners, Inc.**
WorkOrder: 1408065
Project: Washington Industries

Client Sample ID: VS-1
Lab ID: 1408065-004A
Sample Type: Summa Canister

Date Sampled: 8/7/2014
Date Received: 8/7/2014

Analyte	Concentration		Reporting Limit		Qual	Method	Date/Analyst	
Volatile Organic Compounds-EPA Method TO-15 (SIM)								
	(ppbv)	(ug/m³)	(ppbv)	(ug/m³)				
cis-1,2-Dichloroethene	1,020	4,040	0.160	0.634	E	TO-15	08/09/2014	JY
Tetrachloroethene (PCE)	488	3,310	0.400	2.71	E	TO-15	08/09/2014	JY
trans-1,2-Dichloroethene	45.1	179	0.0480	0.190		TO-15	08/09/2014	JY
Trichloroethene (TCE)	4,040	21,700	0.136	0.731	E	TO-15	08/09/2014	JY
Vinyl chloride	<0.680	<1.74	0.680	1.74		TO-15	08/09/2014	JY
Surr: Chlorobenzene-d5 (surr)	90.1 %Rec	--	70-130	--		TO-15	08/09/2014	JY

Qualifiers:

B	Analyte detected in the associated Method Blank	D	Dilution was required
E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not detected at the Reporting Limit

Client: **Environmental Partners, Inc.**
WorkOrder: 1408065
Project: Washington Industries

Client Sample ID: VS-6
Lab ID: 1408065-005A
Sample Type: Summa Canister

Date Sampled: 8/7/2014
Date Received: 8/7/2014

Analyte	Concentration		Reporting Limit		Qual	Method	Date/Analyst	
Volatile Organic Compounds-EPA Method TO-15 (SIM)								
	(ppbv)	(ug/m³)	(ppbv)	(ug/m³)				
cis-1,2-Dichloroethene	<0.0200	<0.0793	0.0200	0.0793		TO-15	08/09/2014	JY
Tetrachloroethene (PCE)	2.75	18.6	0.0500	0.339		TO-15	08/09/2014	JY
trans-1,2-Dichloroethene	<0.00600	<0.0238	0.00600	0.0238		TO-15	08/09/2014	JY
Trichloroethene (TCE)	490	2,630	0.136	0.731	E	TO-15	08/09/2014	JY
Vinyl chloride	<0.0850	<0.217	0.0850	0.217		TO-15	08/09/2014	JY
Surr: Chlorobenzene-d5 (surr)	97.3 %Rec	--	70-130	--		TO-15	08/09/2014	JY

Qualifiers:

B	Analyte detected in the associated Method Blank	D	Dilution was required
E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not detected at the Reporting Limit

Client: **Environmental Partners, Inc.**
WorkOrder: 1408065
Project: Washington Industries

Client Sample ID: VS-3
Lab ID: 1408065-006A
Sample Type: Summa Canister

Date Sampled: 8/7/2014
Date Received: 8/7/2014

Analyte	Concentration		Reporting Limit		Qual	Method	Date/Analyst	
Volatile Organic Compounds-EPA Method TO-15 (SIM)								
	(ppbv)	(ug/m³)	(ppbv)	(ug/m³)				
cis-1,2-Dichloroethene	<0.0200	<0.0793	0.0200	0.0793		TO-15	08/09/2014	JY
Tetrachloroethene (PCE)	0.712	4.83	0.0500	0.339		TO-15	08/09/2014	JY
trans-1,2-Dichloroethene	<0.00600	<0.0238	0.00600	0.0238		TO-15	08/09/2014	JY
Trichloroethene (TCE)	7.90	42.5	0.136	0.731		TO-15	08/09/2014	JY
Vinyl chloride	<0.0850	<0.217	0.0850	0.217		TO-15	08/09/2014	JY
Surr: Chlorobenzene-d5 (surr)	107 %Rec	--	70-130	--		TO-15	08/09/2014	JY

Qualifiers:

B	Analyte detected in the associated Method Blank	D	Dilution was required
E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not detected at the Reporting Limit

Work Order: 1408065
CLIENT: Environmental Partners, Inc.
Project: Washington Industries

QC SUMMARY REPORT

Volatile Organic Compounds-EPA Method TO-15 (SIM)

Sample ID: **1408065-001AREP** SampType: **REP** Units: **ppbv** Prep Date: **8/8/2014** RunNo: **16092**
Client ID: **VS-2** Batch ID: **R16092** Analysis Date: **8/8/2014** SeqNo: **324458**

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	ND	0.680						0		30	
trans-1,2-Dichloroethene	15.1	0.0480						14.89	1.55	30	
cis-1,2-Dichloroethene	276	0.160						276.8	0.164	30	
Trichloroethene (TCE)	3,560	0.136						3,537	0.703	30	
Tetrachloroethene (PCE)	175	0.400						174.2	0.437	30	
Surr: Chlorobenzene-d5 (surr)	71.4		80.00		89.2	70	130		0		

Sample ID: **LCS-R16092** SampType: **LCS** Units: **ppbv** Prep Date: **8/8/2014** RunNo: **16092**
Client ID: **LCSW** Batch ID: **R16092** Analysis Date: **8/8/2014** SeqNo: **324470**

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	2.36	0.0850	2.500	0	94.4	70	130				
trans-1,2-Dichloroethene	2.43	0.00600	2.500	0	97.3	70	130				
cis-1,2-Dichloroethene	2.43	0.0200	2.500	0	97.1	70	130				
Trichloroethene (TCE)	2.49	0.0170	2.500	0	99.6	70	130				
Tetrachloroethene (PCE)	2.46	0.0500	2.500	0	98.4	70	130				
Surr: Chlorobenzene-d5 (surr)	10.1		10.00		101	70	130				

Sample ID: **MB-R16092** SampType: **MBLK** Units: **ppbv** Prep Date: **8/8/2014** RunNo: **16092**
Client ID: **MBLKW** Batch ID: **R16092** Analysis Date: **8/8/2014** SeqNo: **324471**

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Vinyl chloride	ND	0.0850									
trans-1,2-Dichloroethene	ND	0.00600									
cis-1,2-Dichloroethene	ND	0.0200									
Trichloroethene (TCE)	ND	0.0170									
Tetrachloroethene (PCE)	ND	0.0500									
Surr: Chlorobenzene-d5 (surr)	9.67		10.00		96.7	70	130				

Qualifiers:

B	Analyte detected in the associated Method Blank	D	Dilution was required	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits	ND	Not detected at the Reporting Limit
R	RPD outside accepted recovery limits	RL	Reporting Limit	S	Spike recovery outside accepted recovery limits

Date: *8/14/2014*

Work Order: 1408065
CLIENT: Environmental Partners, Inc.
Project: Washington Industries

QC SUMMARY REPORT

Volatile Organic Compounds-EPA Method TO-15 (SIM)

Sample ID: **MB-R16092**	SampType: **MBLK**			Units: **ppbv**		Prep Date: **8/8/2014**			RunNo: **16092**			
Client ID: **MBLKW**	Batch ID: **R16092**					Analysis Date: **8/8/2014**			SeqNo: **324471**			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Qualifiers:

B	Analyte detected in the associated Method Blank	D	Dilution was required	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits	ND	Not detected at the Reporting Limit
R	RPD outside accepted recovery limits	RL	Reporting Limit	S	Spike recovery outside accepted recovery limits

Sample Log-In Check List

Client Name:	**EPI**	Work Order Number:	**1408065**
Logged by:	**Clare Griggs**	Date Received:	**8/7/2014 5:31:00 PM**

Chain of Custody

1.	Is Chain of Custody complete?	Yes ☑	No ☐	Not Present ☐
2.	How was the sample delivered?	Client		

Log In

3.	Coolers are present?	Yes ☐	No ☑	NA ☐
		Air Samples		
4.	Shipping container/cooler in good condition?	Yes ☑	No ☐	
5.	Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Required ☑
6.	Was an attempt made to cool the samples?	Yes ☐	No ☐	NA ☑
7.	Were all coolers received at a temperature of >0°C to 10.0°C	Yes ☐	No ☐	NA ☑
8.	Sample(s) in proper container(s)?	Yes ☑	No ☐	
9.	Sufficient sample volume for indicated test(s)?	Yes ☑	No ☐	
10.	Are samples properly preserved?	Yes ☑	No ☐	
11.	Was preservative added to bottles?	Yes ☐	No ☑	NA ☐
12.	Is the headspace in the VOA vials?	Yes ☐	No ☐	NA ☑
13.	Did all samples containers arrive in good condition(unbroken)?	Yes ☑	No ☐	
14.	Does paperwork match bottle labels?	Yes ☑	No ☐	
15.	Are matrices correctly identified on Chain of Custody?	Yes ☑	No ☐	
16.	Is it clear what analyses were requested?	Yes ☑	No ☐	
17.	Were all holding times able to be met?	Yes ☑	No ☐	

Special Handling (if applicable)

18.	Was client notified of all discrepancies with this order?	Yes ☐	No ☐	NA ☑

Person Notified:		Date:	
By Whom:		Via:	☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:			
Client Instructions:			

19. Additional remarks:

Item Information

Fremont Analytical

Air Chain of Custody Record

3600 Fremont Ave N
Seattle, WA 98103
Tel: 206-352-3790
Fax: 206-352-7178

Laboratory Project No (internal): 1408065

Date: 8-7-14

Page: 1 of: 1

Client: Environmental Partners, Inc.

Address: 1180 NW Maple St. Ste 310

City, State, Zip: Issaquah WA

Tel: 425-988-4080

Reports To (PM): Monty Busbee

Email: mbusbeec@gmail.com

Project Name: Washington Industries

Location: 825 S Dakota St.

Collected by: M. Busbee

Project No: 64001.1

	Sample Name	Canister Serial #	Sample Date	Sample Time	Indoor/ Outdoor	Sample Volume	Container Type	Lab Cert. Vacuum Pressure	Field Initial Sample Pressure	Field Final Sample Pressure	Analysis Requested	Internal: Receipt Date	Internal: Final (psi)
1	VS-2	12667	8/7/14	1017 (1520)	I		Summa	10mtorr	-27	-2	TO-15 w/ SIM for PCE, TCE, cis-DCE, trans-DCE + VC	8/7/14	-1
2	VS-4	13968	8/7/14	0942 (1512)	I		Summa	10mtorr	-28	-2	"	8/7/14	-1
3	VS-5	13975	8/7/14	0940 (1500)	I		Summa	10mtorr	-28	-2	"	8/7/14	-1
4	VS-1	15895	8/7/14	0941 (1449)	I		Summa	10mtorr	-28	-2	"	8/7/14	-1
5	VS-6	15897	8/7/14	0947 (1556)	I		Summa	10mtorr	~~-28~~ -30	-2	"	8/7/14	-1
6	VS-3	15900	8/7/14	1057 (1454)	I		Summa	10mtorr	-30	-2	"	8/7/14	-1
7													
8													
9													
10													

Condition:

Seals Intact: Y N N/A

Relinquished: x [signature] Date/Time: 8/7/14 1731

Received: x [signature] Date/Time: 8/7/14 1731

Relinquished: x Date/Time:

Received: x Date/Time:

Special Remarks: Hold for confirmation of analyses on 8-8-14.

TAT --> (STD) Rush (specify)

August 14, 2014

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On July 25th, 18 samples were received by our laboratory and assigned our laboratory project number EV14070170. The project was identified as your 64001.1. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070170
		ALS SAMPLE#:	EV14070170-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 10:07:00 AM
CLIENT SAMPLE ID	B-43:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 10:07:00 AM
CLIENT SAMPLE ID	B-43:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chromium (VI)	EPA-7196	U	0.53	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**26**	0.50	5	MG/KG	08/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**122**	07/28/2014	DLC
Toluene-d8	EPA-8260	**93.9**	07/28/2014	DLC
4-Bromofluorobenzene	EPA-8260	**96.5**	07/28/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 10:11:00 AM
CLIENT SAMPLE ID	B-43:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 10:11:00 AM
CLIENT SAMPLE ID	B-43:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chromium (VI)	EPA-7196	U	0.53	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**30**	0.50	5	MG/KG	08/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**120**	07/28/2014	DLC
Toluene-d8	EPA-8260	**90.9**	07/28/2014	DLC
4-Bromofluorobenzene	EPA-8260	**96.6**	07/28/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 10:19:00 AM
CLIENT SAMPLE ID	B-43:11.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC
Trichloroethene	EPA-8260	**19**	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 10:19:00 AM
CLIENT SAMPLE ID	B-43:11.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC	
Styrene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromoform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC	
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Chromium (VI)	EPA-7196	U	0.52	1	MG/KG	08/11/2014	CAS	
Chromium	EPA-6020	**9.0**	0.50	5	MG/KG	08/08/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**125**	07/28/2014	DLC	
Toluene-d8	EPA-8260	**93.0**	07/28/2014	DLC	
4-Bromofluorobenzene	EPA-8260	**99.0**	07/28/2014	DLC	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 10:55:00 AM
CLIENT SAMPLE ID	B-43:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/01/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/01/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/01/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	**2.5**	2.0	1	ug/L	08/01/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichloroethene	EPA-8260	**140**	20	10	ug/L	08/05/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/01/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070170
		ALS SAMPLE#:	EV14070170-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 10:55:00 AM
CLIENT SAMPLE ID	B-43:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/01/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/28/2014	RAL
Chromium	EPA-200.8	**49**	2.0	1	ug/L	08/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**115**	08/01/2014	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**108**	08/05/2014	DLC
Toluene-d8	EPA-8260	**97.2**	08/01/2014	DLC
Toluene-d8 10X Dilution	EPA-8260	**97.8**	08/05/2014	DLC
4-Bromofluorobenzene	EPA-8260	**96.9**	08/01/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070170
		ALS SAMPLE#:	EV14070170-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 10:55:00 AM
CLIENT SAMPLE ID	B-43:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**97.6**	08/05/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 12:49:00 PM
CLIENT SAMPLE ID	B-44:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Acetone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC	
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC	
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC	
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC	
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Chloroform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC	
Trichloroethene	EPA-8260	**16**	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC	
Toluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC	
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 12:49:00 PM
CLIENT SAMPLE ID	B-44:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC	
Styrene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromoform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC	
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Chromium (VI)	EPA-7196	U	0.52	1	MG/KG	08/11/2014	CAS	
Chromium	EPA-6020	**27**	0.50	5	MG/KG	08/08/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**131**	07/28/2014	DLC	
Toluene-d8	EPA-8260	**91.1**	07/28/2014	DLC	
4-Bromofluorobenzene	EPA-8260	**93.3**	07/28/2014	DLC	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 1:05:00 PM
CLIENT SAMPLE ID	B-44:11.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC
Trichloroethene	EPA-8260	**5000**	100	10	ug/Kg	08/06/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 1:05:00 PM
CLIENT SAMPLE ID	B-44:11.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC	
Styrene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromoform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC	
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Chromium (VI)	EPA-7196	U	0.54	1	MG/KG	08/11/2014	CAS	
Chromium	EPA-6020	**14**	0.50	5	MG/KG	08/08/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**131**	07/28/2014	DLC	
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**103**	08/06/2014	DLC	
Toluene-d8	EPA-8260	**95.1**	07/28/2014	DLC	
Toluene-d8 10X Dilution	EPA-8260	**98.7**	08/06/2014	DLC	
4-Bromofluorobenzene	EPA-8260	**98.7**	07/28/2014	DLC	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070170
		ALS SAMPLE#:	EV14070170-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 1:05:00 PM
CLIENT SAMPLE ID	B-44:11.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**99.4**	08/06/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 1:21:00 PM
CLIENT SAMPLE ID	B-44:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC
Trichloroethene	EPA-8260	**49**	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 1:21:00 PM
CLIENT SAMPLE ID	B-44:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC	
Styrene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromoform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC	
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Chromium (VI)	EPA-7196	U	0.53	1	MG/KG	08/11/2014	CAS	
Chromium	EPA-6020	**10**	0.50	5	MG/KG	08/08/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**126**	07/28/2014	DLC	
Toluene-d8	EPA-8260	**94.7**	07/28/2014	DLC	
4-Bromofluorobenzene	EPA-8260	**96.8**	07/28/2014	DLC	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070170
		ALS SAMPLE#:	EV14070170-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 1:23:00 PM
CLIENT SAMPLE ID	B-44:16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 1:23:00 PM
CLIENT SAMPLE ID	B-44:16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chromium (VI)	EPA-7196	U	0.63	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**22**	0.50	5	MG/KG	08/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**128**	07/28/2014	DLC
Toluene-d8	EPA-8260	**90.8**	07/28/2014	DLC
4-Bromofluorobenzene	EPA-8260	**98.6**	07/28/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 1:34:00 PM
CLIENT SAMPLE ID	B-44:W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/01/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/01/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/01/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/01/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 1:34:00 PM
CLIENT SAMPLE ID	B-44:W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/01/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/28/2014	RAL
Chromium	EPA-200.8	**92**	2.0	1	ug/L	08/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**113**	08/01/2014	DLC
Toluene-d8	EPA-8260	**97.2**	08/01/2014	DLC
4-Bromofluorobenzene	EPA-8260	**97.5**	08/01/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 2:00:00 PM
CLIENT SAMPLE ID	B-44:18.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 2:00:00 PM
CLIENT SAMPLE ID	B-44:18.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chromium (VI)	EPA-7196	U	0.56	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**22**	0.50	5	MG/KG	08/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**128**	07/28/2014	DLC
Toluene-d8	EPA-8260	**90.7**	07/28/2014	DLC
4-Bromofluorobenzene	EPA-8260	**97.8**	07/28/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 2:15:00 PM
CLIENT SAMPLE ID	B-44:W-D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/01/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/01/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/01/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichloroethene	EPA-8260	**4.9**	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/01/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 2:15:00 PM
CLIENT SAMPLE ID	B-44:W-D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/01/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/28/2014	RAL
Chromium	EPA-200.8	**140**	2.0	1	ug/L	08/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**114**	08/01/2014	DLC
Toluene-d8	EPA-8260	**97.3**	08/01/2014	DLC
4-Bromofluorobenzene	EPA-8260	**96.6**	08/01/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070170
		ALS SAMPLE#:	EV14070170-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 3:24:00 PM
CLIENT SAMPLE ID	B-45:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC
Trichloroethene	EPA-8260	**17**	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070170
		ALS SAMPLE#:	EV14070170-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 3:24:00 PM
CLIENT SAMPLE ID	B-45:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC	
Styrene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromoform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC	
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Chromium (VI)	EPA-7196	U	0.51	1	MG/KG	08/11/2014	CAS	
Chromium	EPA-6020	**25**	0.50	5	MG/KG	08/08/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**126**	07/28/2014	DLC	
Toluene-d8	EPA-8260	**93.9**	07/28/2014	DLC	
4-Bromofluorobenzene	EPA-8260	**92.8**	07/28/2014	DLC	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 3:28:00 PM
CLIENT SAMPLE ID	B-45:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC
Trichloroethene	EPA-8260	**30**	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070170
		ALS SAMPLE#:	EV14070170-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 3:28:00 PM
CLIENT SAMPLE ID	B-45:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC	
Styrene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromoform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC	
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Chromium (VI)	EPA-7196	U	0.53	1	MG/KG	08/11/2014	CAS	
Chromium	EPA-6020	**25**	0.50	5	MG/KG	08/08/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**133**	07/28/2014	DLC	
Toluene-d8	EPA-8260	**91.8**	07/28/2014	DLC	
4-Bromofluorobenzene	EPA-8260	**95.9**	07/28/2014	DLC	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 3:36:00 PM
CLIENT SAMPLE ID	B-45:11.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC
Trichloroethene	EPA-8260	**43**	10	1	ug/Kg	07/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070170
		ALS SAMPLE#:	EV14070170-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 3:36:00 PM
CLIENT SAMPLE ID	B-45:11.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/28/2014	DLC	
Styrene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromoform	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/28/2014	DLC	
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/28/2014	DLC	
Chromium (VI)	EPA-7196	U	0.52	1	MG/KG	08/11/2014	CAS	
Chromium	EPA-6020	**9.4**	0.50	5	MG/KG	08/08/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**128**	07/28/2014	DLC	
Toluene-d8	EPA-8260	**94.6**	07/28/2014	DLC	
4-Bromofluorobenzene	EPA-8260	**97.6**	07/28/2014	DLC	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 4:00:00 PM
CLIENT SAMPLE ID	B-45:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/01/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/01/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/01/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/01/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070170 EV14070170-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/25/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	7/25/2014 4:00:00 PM
CLIENT SAMPLE ID	B-45:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/01/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/28/2014	RAL
Chromium	EPA-200.8	**210**	2.0	1	ug/L	08/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**116**	08/01/2014	DLC
Toluene-d8	EPA-8260	**97.6**	08/01/2014	DLC
4-Bromofluorobenzene	EPA-8260	**98.5**	08/01/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS SDG#:	EV14070170
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

LABORATORY BLANK RESULTS

MB-072514S2 - Batch 84609 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	07/25/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 8/14/2014
ALS SDG#: EV14070170
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-072514S2 - Batch 84609 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	07/25/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	07/25/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	07/25/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB-073114W2 - Batch 84786 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	07/31/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 8/14/2014
ALS SDG#: EV14070170
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-073114W2 - Batch 84786 - Water by EPA-8260

Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	07/31/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	07/31/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	07/31/2014	DLC
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	07/31/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 8/14/2014
ALS SDG#: EV14070170
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-073114W2 - Batch 84786 - Water by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-08/11/2014 - Batch R239261 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	0.54	1	MG/KG	08/11/2014	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MB2-08/11/2014 - Batch R239261 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	0.54	1	MG/KG	08/11/2014	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-238195C - Batch R238195C - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/28/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS SDG#:	EV14070170
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

LABORATORY BLANK RESULTS

MB2-072814S - Batch 84565 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	08/08/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-080114W - Batch 84794 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	ug/L	08/07/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 8/14/2014
ALS SDG#: EV14070170
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 84609 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**87.1**			07/26/2014	DLC
1,1-Dichloroethene - BSD	EPA-8260	**88.6**	**2**		07/26/2014	DLC
Benzene - BS	EPA-8260	**99.7**			07/26/2014	DLC
Benzene - BSD	EPA-8260	**99.9**	**0**		07/26/2014	DLC
Trichloroethene - BS	EPA-8260	**90.4**			07/26/2014	DLC
Trichloroethene - BSD	EPA-8260	**91.5**	**1**		07/26/2014	DLC
Toluene - BS	EPA-8260	**90.5**			07/26/2014	DLC
Toluene - BSD	EPA-8260	**92.2**	**2**		07/26/2014	DLC
Chlorobenzene - BS	EPA-8260	**93.2**			07/26/2014	DLC
Chlorobenzene - BSD	EPA-8260	**91.4**	**2**		07/26/2014	DLC

ALS Test Batch ID: 84786 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**116**			07/31/2014	DLC
1,1-Dichloroethene - BSD	EPA-8260	**117**	**2**		08/01/2014	DLC
Benzene - BS	EPA-8260	**104**			07/31/2014	DLC
Benzene - BSD	EPA-8260	**106**	**2**		08/01/2014	DLC
Trichloroethene - BS	EPA-8260	**112**			07/31/2014	DLC
Trichloroethene - BSD	EPA-8260	**113**	**1**		08/01/2014	DLC
Toluene - BS	EPA-8260	**104**			07/31/2014	DLC
Toluene - BSD	EPA-8260	**105**	**1**		08/01/2014	DLC
Chlorobenzene - BS	EPA-8260	**106**			07/31/2014	DLC
Chlorobenzene - BSD	EPA-8260	**106**	**0**		08/01/2014	DLC

ALS Test Batch ID: R239261 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**90.5**			08/11/2014	CAS
Chromium (VI) - BS	EPA-7196	**91.4**			08/11/2014	CAS

ALS Test Batch ID: R238195C - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**105**			07/28/2014	RAL
Chromium (VI) - BSD	EPA-7196	**106**	**1**		07/28/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS SDG#:	EV14070170
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 84565 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**95.9**			08/08/2014	RAL
Chromium - BSD	EPA-6020	**95.5**	**0**		08/08/2014	RAL

ALS Test Batch ID: 84794 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**97.6**			08/07/2014	RAL
Chromium - BSD	EPA-200.8	**95.0**	**3**		08/07/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee

CLIENT PROJECT: 64001.1

DATE: 8/14/2014

ALS SDG#: EV14070170

WDOE ACCREDITATION: C601

MATRIX SPIKE RESULTS

ALS Test Batch ID: 84786 - Water

Parent Sample: Batch QC

SPIKED COMPOUND	METHOD	PARENT SAMPLE RESULT	SPIKE ADDED	RESULT	RPD	%REC	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - MS	EPA-8260	0	10.0	**10.2**		**102**		08/01/2014	DLC
1,1-Dichloroethene - MSD	EPA-8260	0	10.0	**10.7**	**5**	**107**		08/01/2014	DLC
Benzene - MS	EPA-8260	0	10.0	**8.80**		**88.0**		08/01/2014	DLC
Benzene - MSD	EPA-8260	0	10.0	**9.09**	**3**	**90.9**		08/01/2014	DLC
Trichloroethene - MS	EPA-8260	0.28	10.0	**9.02**		**87.4**		08/01/2014	DLC
Trichloroethene - MSD	EPA-8260	0.28	10.0	**9.39**	**4**	**91.2**		08/01/2014	DLC
Toluene - MS	EPA-8260	9.6	10.0	**17.6**		**79.7**		08/01/2014	DLC
Toluene - MSD	EPA-8260	9.6	10.0	**17.1**	**3**	**75.0**		08/01/2014	DLC
Chlorobenzene - MS	EPA-8260	0	10.0	**8.91**		**89.1**		08/01/2014	DLC
Chlorobenzene - MSD	EPA-8260	0	10.0	**9.17**	**3**	**91.7**		08/01/2014	DLC

APPROVED BY

Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV14070170

Date 7/25/14 Page 1 Of 2

PROJECT ID: 64001.1
REPORT TO COMPANY: EPI
PROJECT MANAGER: M. Busbee
ADDRESS: 1180 NW Maple St.
Issaquah WA
PHONE: 425-988-4090 FAX:
P.O. #: E-MAIL: mandy@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chromium Cr III								NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. ~~MW-20:1~~	7/25/14	0744	Soil	1							X									X	X							5	
2. ~~MW-20:5~~		0746		2							X									X	X								
3. ~~MW-20:11.5~~		0753		3							X									X	X								
4. B-43:1		1007		4							X									X	X								
5. B-43:6		1011		5							X									X	X								
6. B-43:11.5		1019		6							X									X	X								
7. B-43:W		1055	Water	7							X									X	X								
8. B-44:1		1249	Soil	8							X									X	X								
9. B-44:11.5		1305		9							X									X	X								
10. B-44:13		1321		10							X									X	X								

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 7/25/14 1604
Received By: ALS 7/25/14 1604
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify: ⓐ No samples for #1, #2, #3 on this CoC. These samples were included on EV14070166 #9, #10, #11.

* Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EV1407017O

Date 7/25/14 Page 2 Of 2

PROJECT ID:
REPORT TO COMPANY:
PROJECT MANAGER:
ADDRESS:
PHONE: FAX:
P.O. #: E-MAIL:
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chromium	Cr VI						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-44:16	7/25/14	1323	soil	11							X									X	X					5	
2. B-44:W-S		1354	water	12							X									X	X					5	
3. B-44:18.5		1400	soil	13							X									X	X					5	
4. B-44:W-D		1415	water	14							X									X	X					5	
5. B-45:1		1524	soil	15							X									X	X					5	
6. B-45:6		1528	soil	16							X									X	X					5	
7. B-45:11.5		1536	soil	17							X									X	X					5	
8. B-45:W		1600	water	18							X									X	X					5	
9.																											
10.																											

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 7/25/14 1604
   Received By: ALS 72514 16:04
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: (10) Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

* Turnaround request less than standard may incur Rush Charges

August 14, 2014

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On July 28th, 19 samples were received by our laboratory and assigned our laboratory project number EV14070174. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group



Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 8:17:00 AM
CLIENT SAMPLE ID	B-46:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 8:17:00 AM
CLIENT SAMPLE ID	B-46:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chromium (VI)	EPA-7196	U	0.53	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**27**	0.50	5	MG/KG	07/30/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	08/07/2014	DLC
Toluene-d8	EPA-8260	**101**	08/07/2014	DLC
4-Bromofluorobenzene	EPA-8260	**105**	08/07/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 8:20:00 AM
CLIENT SAMPLE ID	B-46:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC
Trichloroethene	EPA-8260	**14**	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 8:20:00 AM
CLIENT SAMPLE ID	B-46:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chromium (VI)	EPA-7196	U	0.54	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**28**	0.50	5	MG/KG	07/30/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	08/07/2014	DLC
Toluene-d8	EPA-8260	**98.1**	08/07/2014	DLC
4-Bromofluorobenzene	EPA-8260	**103**	08/07/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 8:27:00 AM
CLIENT SAMPLE ID	B-46:11.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC
Trichloroethene	EPA-8260	**13**	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 8:27:00 AM
CLIENT SAMPLE ID	B-46:11.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chromium (VI)	EPA-7196	U	0.54	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**8.7**	0.50	5	MG/KG	07/30/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	08/07/2014	DLC
Toluene-d8	EPA-8260	**98.5**	08/07/2014	DLC
4-Bromofluorobenzene	EPA-8260	**105**	08/07/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 8:31:00 AM
CLIENT SAMPLE ID	B-46:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 8:31:00 AM
CLIENT SAMPLE ID	B-46:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chromium (VI)	EPA-7196	U	0.59	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**200**	0.50	5	MG/KG	07/30/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.4**	08/07/2014	DLC
Toluene-d8	EPA-8260	**100**	08/07/2014	DLC
4-Bromofluorobenzene	EPA-8260	**104**	08/07/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070174
		ALS SAMPLE#:	EV14070174-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 9:14:00 AM
CLIENT SAMPLE ID	B-46:16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070174
		ALS SAMPLE#:	EV14070174-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 9:14:00 AM
CLIENT SAMPLE ID	B-46:16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chromium (VI)	EPA-7196	U	0.57	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**27**	0.50	5	MG/KG	07/30/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	08/07/2014	DLC
Toluene-d8	EPA-8260	**98.9**	08/07/2014	DLC
4-Bromofluorobenzene	EPA-8260	**105**	08/07/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 9:16:00 AM
CLIENT SAMPLE ID	B-46:18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070174
		ALS SAMPLE#:	EV14070174-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 9:16:00 AM
CLIENT SAMPLE ID	B-46:18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chromium (VI)	EPA-7196	U	0.56	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**21**	0.50	5	MG/KG	07/30/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	08/07/2014	DLC
Toluene-d8	EPA-8260	**99.0**	08/07/2014	DLC
4-Bromofluorobenzene	EPA-8260	**99.6**	08/07/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 8:40:00 AM
CLIENT SAMPLE ID	B-46:W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/01/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/01/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/01/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/01/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 8:40:00 AM
CLIENT SAMPLE ID	B-46:W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/01/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/28/2014	RAL
Chromium	EPA-200.8	**120**	2.0	1	ug/L	08/12/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**118**	08/01/2014	DLC
Toluene-d8	EPA-8260	**97.3**	08/01/2014	DLC
4-Bromofluorobenzene	EPA-8260	**96.4**	08/01/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 9:28:00 AM
CLIENT SAMPLE ID	B-46:W-D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/01/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/01/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/01/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/01/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 9:28:00 AM
CLIENT SAMPLE ID	B-46:W-D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/01/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/28/2014	RAL
Chromium	EPA-200.8	**46**	2.0	1	ug/L	08/12/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**117**	08/01/2014	DLC
Toluene-d8	EPA-8260	**97.9**	08/01/2014	DLC
4-Bromofluorobenzene	EPA-8260	**99.2**	08/01/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 9:54:00 AM
CLIENT SAMPLE ID	B-47:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 9:54:00 AM
CLIENT SAMPLE ID	B-47:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chromium (VI)	EPA-7196	U	0.53	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**27**	0.50	5	MG/KG	07/31/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	08/07/2014	DLC
Toluene-d8	EPA-8260	**98.1**	08/07/2014	DLC
4-Bromofluorobenzene	EPA-8260	**99.9**	08/07/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 10:04:00 AM
CLIENT SAMPLE ID	B-47:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 10:04:00 AM
CLIENT SAMPLE ID	B-47:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chromium (VI)	EPA-7196	U	0.52	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**23**	0.50	5	MG/KG	07/31/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	08/07/2014	DLC
Toluene-d8	EPA-8260	**97.7**	08/07/2014	DLC
4-Bromofluorobenzene	EPA-8260	**100**	08/07/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 10:12:00 AM
CLIENT SAMPLE ID	B-47:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 10:12:00 AM
CLIENT SAMPLE ID	B-47:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chromium (VI)	EPA-7196	U	0.52	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**8.2**	0.50	5	MG/KG	07/31/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**107**	08/07/2014	DLC
Toluene-d8	EPA-8260	**96.0**	08/07/2014	DLC
4-Bromofluorobenzene	EPA-8260	**105**	08/07/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 10:27:00 AM
CLIENT SAMPLE ID	B-47:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/01/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/01/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/01/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichloroethene	EPA-8260	**10**	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/01/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070174
		ALS SAMPLE#:	EV14070174-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 10:27:00 AM
CLIENT SAMPLE ID	B-47:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/01/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/28/2014	RAL
Chromium	EPA-200.8	**50**	2.0	1	ug/L	08/12/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**117**	08/01/2014	DLC
Toluene-d8	EPA-8260	**98.2**	08/01/2014	DLC
4-Bromofluorobenzene	EPA-8260	**98.8**	08/01/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070174
		ALS SAMPLE#:	EV14070174-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 12:19:00 PM
CLIENT SAMPLE ID	B-38:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 12:19:00 PM
CLIENT SAMPLE ID	B-38:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chromium (VI)	EPA-7196	U	0.54	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**34**	0.50	5	MG/KG	07/31/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	08/07/2014	DLC
Toluene-d8	EPA-8260	**99.5**	08/07/2014	DLC
4-Bromofluorobenzene	EPA-8260	**104**	08/07/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 12:20:00 PM
CLIENT SAMPLE ID	B-38:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 12:20:00 PM
CLIENT SAMPLE ID	B-38:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chromium (VI)	EPA-7196	U	0.71	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**30**	2.5	25	MG/KG	07/31/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**111**	08/07/2014	DLC
Toluene-d8	EPA-8260	**101**	08/07/2014	DLC
4-Bromofluorobenzene	EPA-8260	**107**	08/07/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 12:26:00 PM
CLIENT SAMPLE ID	B-38:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC
Trichloroethene	EPA-8260	**24**	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 12:26:00 PM
CLIENT SAMPLE ID	B-38:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chromium (VI)	EPA-7196	U	0.55	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**11**	0.50	5	MG/KG	07/31/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	08/07/2014	DLC
Toluene-d8	EPA-8260	**97.2**	08/07/2014	DLC
4-Bromofluorobenzene	EPA-8260	**101**	08/07/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 12:42:00 PM
CLIENT SAMPLE ID	B-38:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	**11**	10	1	ug/Kg	08/07/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC
Trichloroethene	EPA-8260	**48**	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 12:42:00 PM
CLIENT SAMPLE ID	B-38:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chromium (VI)	EPA-7196	U	0.64	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**28**	0.50	5	MG/KG	07/31/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	08/07/2014	DLC
Toluene-d8	EPA-8260	**101**	08/07/2014	DLC
4-Bromofluorobenzene	EPA-8260	**106**	08/07/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 1:10:00 PM
CLIENT SAMPLE ID	B-38:W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/01/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/01/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/01/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	**16**	2.0	1	ug/L	08/01/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trichloroethene	EPA-8260	**370**	200	100	ug/L	08/05/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Tetrachloroethylene	EPA-8260	**6.3**	2.0	1	ug/L	08/01/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/01/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070174
		ALS SAMPLE#:	EV14070174-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 1:10:00 PM
CLIENT SAMPLE ID	B-38:W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/01/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/01/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/01/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/28/2014	RAL
Chromium	EPA-200.8	**550**	2.0	1	ug/L	08/12/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**116**	08/01/2014	DLC
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**108**	08/05/2014	DLC
Toluene-d8	EPA-8260	**96.5**	08/01/2014	DLC
Toluene-d8 100X Dilution	EPA-8260	**98.6**	08/05/2014	DLC
4-Bromofluorobenzene	EPA-8260	**97.4**	08/01/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070174
		ALS SAMPLE#:	EV14070174-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 1:10:00 PM
CLIENT SAMPLE ID	B-38:W-S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 100X Dilution	EPA-8260	**102**	08/05/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 1:35:00 PM
CLIENT SAMPLE ID	B-38:14	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 1:35:00 PM
CLIENT SAMPLE ID	B-38:14	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chromium (VI)	EPA-7196	U	0.63	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**22**	0.50	5	MG/KG	07/31/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	08/07/2014	DLC
Toluene-d8	EPA-8260	**98.1**	08/07/2014	DLC
4-Bromofluorobenzene	EPA-8260	**104**	08/07/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070174
		ALS SAMPLE#:	EV14070174-19
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 1:37:00 PM
CLIENT SAMPLE ID	B-38:16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/07/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070174 EV14070174-19
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/28/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 1:37:00 PM
CLIENT SAMPLE ID	B-38:16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/07/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/07/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/07/2014	DLC
Chromium (VI)	EPA-7196	U	0.62	1	MG/KG	08/11/2014	CAS
Chromium	EPA-6020	**20**	0.50	5	MG/KG	07/31/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	08/07/2014	DLC
Toluene-d8	EPA-8260	**98.0**	08/07/2014	DLC
4-Bromofluorobenzene	EPA-8260	**103**	08/07/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS SDG#:	EV14070174
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB-080614S - Batch 84949 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/06/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/06/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/06/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/06/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/06/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/06/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/06/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/06/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 8/14/2014
ALS SDG#: EV14070174
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-080614S - Batch 84949 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/06/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/06/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/06/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB-073114W2 - Batch 84786 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	07/31/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS SDG#:	EV14070174
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB-073114W2 - Batch 84786 - Water by EPA-8260

Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	07/31/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	07/31/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	07/31/2014	DLC
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	07/31/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 8/14/2014
ALS SDG#: EV14070174
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-073114W2 - Batch 84786 - Water by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-08/11/2014 - Batch R239260 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	0.59	1	MG/KG	08/11/2014	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MB2-08/11/2014 - Batch R239260 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	0.63	1	MG/KG	08/11/2014	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MB3-08/11/2014 - Batch R239260 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	0.53	1	MG/KG	08/11/2014	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS SDG#:	EV14070174
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB4-08/11/2014 - Batch R239260 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	0.64	1	MG/KG	08/11/2014	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-7282014 - Batch R238998 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/28/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-073014S - Batch 84652 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	07/30/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-080114W - Batch 84794 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	ug/L	08/07/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS SDG#:	EV14070174
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 84949 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**91.6**			08/06/2014	DLC
1,1-Dichloroethene - BSD	EPA-8260	**71.6**	**24**		08/06/2014	DLC
Benzene - BS	EPA-8260	**87.1**			08/06/2014	DLC
Benzene - BSD	EPA-8260	**92.0**	**5**		08/06/2014	DLC
Trichloroethene - BS	EPA-8260	**85.6**			08/06/2014	DLC
Trichloroethene - BSD	EPA-8260	**87.7**	**2**		08/06/2014	DLC
Toluene - BS	EPA-8260	**89.3**			08/06/2014	DLC
Toluene - BSD	EPA-8260	**91.2**	**2**		08/06/2014	DLC
Chlorobenzene - BS	EPA-8260	**85.9**			08/06/2014	DLC
Chlorobenzene - BSD	EPA-8260	**88.4**	**3**		08/06/2014	DLC

ALS Test Batch ID: 84786 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**116**			07/31/2014	DLC
1,1-Dichloroethene - BSD	EPA-8260	**117**	**2**		08/01/2014	DLC
Benzene - BS	EPA-8260	**104**			07/31/2014	DLC
Benzene - BSD	EPA-8260	**106**	**2**		08/01/2014	DLC
Trichloroethene - BS	EPA-8260	**112**			07/31/2014	DLC
Trichloroethene - BSD	EPA-8260	**113**	**1**		08/01/2014	DLC
Toluene - BS	EPA-8260	**104**			07/31/2014	DLC
Toluene - BSD	EPA-8260	**105**	**1**		08/01/2014	DLC
Chlorobenzene - BS	EPA-8260	**106**			07/31/2014	DLC
Chlorobenzene - BSD	EPA-8260	**106**	**0**		08/01/2014	DLC

ALS Test Batch ID: R239260 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**90.5**			08/11/2014	CAS
Chromium (VI) - BS	EPA-7196	**91.4**			08/11/2014	CAS
Chromium (VI) - BS	EPA-7196	**87.7**			08/11/2014	CAS
Chromium (VI) - BS	EPA-7196	**82.8**			08/11/2014	CAS

ALS Test Batch ID: R238998 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**104**			07/28/2014	RAL
Chromium (VI) - BSD	EPA-7196	**104**	**0**		07/28/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS SDG#:	EV14070174
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 84652 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**106**			07/30/2014	RAL
Chromium - BSD	EPA-6020	**104**	**2**		07/30/2014	RAL

ALS Test Batch ID: 84794 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**97.6**			08/07/2014	RAL
Chromium - BSD	EPA-200.8	**95.0**	**3**		08/07/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 8/14/2014
ALS SDG#: EV14070174
WDOE ACCREDITATION: C601

MATRIX SPIKE RESULTS

ALS Test Batch ID: 84786 - Water
Parent Sample: Batch QC

SPIKED COMPOUND	METHOD	PARENT SAMPLE RESULT	SPIKE ADDED	RESULT	RPD	%REC	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - MS	EPA-8260	0	10.0	**10.2**		**102**		08/01/2014	DLC
1,1-Dichloroethene - MSD	EPA-8260	0	10.0	**10.7**	**5**	**107**		08/01/2014	DLC
Benzene - MS	EPA-8260	0	10.0	**8.80**		**88.0**		08/01/2014	DLC
Benzene - MSD	EPA-8260	0	10.0	**9.09**	**3**	**90.9**		08/01/2014	DLC
Trichloroethene - MS	EPA-8260	0.28	10.0	**9.02**		**87.4**		08/01/2014	DLC
Trichloroethene - MSD	EPA-8260	0.28	10.0	**9.39**	**4**	**91.2**		08/01/2014	DLC
Toluene - MS	EPA-8260	9.6	10.0	**17.6**		**79.7**		08/01/2014	DLC
Toluene - MSD	EPA-8260	9.6	10.0	**17.1**	**3**	**75.0**		08/01/2014	DLC
Chlorobenzene - MS	EPA-8260	0	10.0	**8.91**		**89.1**		08/01/2014	DLC
Chlorobenzene - MSD	EPA-8260	0	10.0	**9.17**	**3**	**91.7**		08/01/2014	DLC

APPROVED BY

Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

EV1407017 4

Date 7-23-14 Page 1 Of 2

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Bushaw
ADDRESS: 1180 NW Maple St
Issaquah WA
PHONE: 425-988-4090 FAX:
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#
1. B-46:1	7/23/14	0817	soil	1
2. B-46:6		0820		2
3. B-46:11.5		0827		3
4. B-46:13		0851		4
5. B-46:16		0914		5
6. B-46:18		0916		6
7. B-46:W-S		0840	water	7
8. B-46:W-D		0928	water	8
9. B-47:1		0954	soil	9
10. B-47:6		1004	soil	10

ANALYSIS REQUESTED

NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260 X	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐

OTHER (Specify)

Total Chromium	Chrome VI						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
X	X						5	
X	X							
X	X							
X	X							
X	X							
X	X							
X	X							
X	X							
X	X							
X	X							

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: Monty Bushaw EPI 7/24/13 1457
   Received By: [signature] ALS 7/28/14 3:00
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

* Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EV1407017Y

Date 7/29/14 Page 1 Of 2

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Bushen
ADDRESS: 1180 NW Maple St.
Issaquah WA
PHONE: 425-988-4090 FAX:
P.O. #: E-MAIL: monty.b@epi-inc.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260 *	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chrom	Chrome VI							NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-47:12	7/28/14	1012	soil	11							X									X	X							5
2. B-47:W		1027	water	12							X									X	X							5
3. B-38:0.5		1219	soil	13							X									X	X							5
4. B-38:4		1220	soil	14							X									X	X							5
5. B-38:9		1226	soil	15							X									X	X							5
6. B-38:12		1242	soil	16							X									X	X							5
7. B-38:W-5		1310	water	17							X									X	X							5
8. B-38:14		1335	soil	18							X									X	X							5
9. B-38:16		1337	soil	19							X									X	X							5
10.																												

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 7/28/14 1457
Received By: ALS 7/28/14 1457
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

* Turnaround request less than standard may incur Rush Charges

August 14, 2014

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On July 29th, 12 samples were received by our laboratory and assigned our laboratory project number EV14070179. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group



Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 3:36:00 PM
CLIENT SAMPLE ID	B-42:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/08/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/08/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/08/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 3:36:00 PM
CLIENT SAMPLE ID	B-42:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/08/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chromium (VI)	EPA-7196	U	0.53	1	MG/KG	08/13/2014	CAS
Chromium	EPA-6020	**18**	0.50	5	MG/KG	08/13/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**111**	08/08/2014	DLC
Toluene-d8	EPA-8260	**95.7**	08/08/2014	DLC
4-Bromofluorobenzene	EPA-8260	**101**	08/08/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 3:38:00 PM
CLIENT SAMPLE ID	B-42:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/08/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/08/2014	DLC
Trichloroethene	EPA-8260	**2800**	10	1	ug/Kg	08/11/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/08/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 3:38:00 PM
CLIENT SAMPLE ID	B-42:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/08/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chromium (VI)	EPA-7196	U	0.57	1	MG/KG	08/13/2014	CAS
Chromium	EPA-6020	**56**	0.50	5	MG/KG	08/13/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	08/08/2014	DLC
1,2-Dichloroethane-d4	EPA-8260	**109**	08/11/2014	DLC
Toluene-d8	EPA-8260	**100**	08/08/2014	DLC
Toluene-d8	EPA-8260	**97.3**	08/11/2014	DLC
4-Bromofluorobenzene	EPA-8260	**103**	08/08/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070179
		ALS SAMPLE#:	EV14070179-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 3:38:00 PM
CLIENT SAMPLE ID	B-42:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**96.7**	08/11/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 3:40:00 PM
CLIENT SAMPLE ID	B-42:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/08/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/08/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/08/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 3:40:00 PM
CLIENT SAMPLE ID	B-42:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/08/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chromium (VI)	EPA-7196	U	0.55	1	MG/KG	08/13/2014	CAS
Chromium	EPA-6020	**17**	0.50	5	MG/KG	08/13/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	08/08/2014	DLC
Toluene-d8	EPA-8260	**95.3**	08/08/2014	DLC
4-Bromofluorobenzene	EPA-8260	**104**	08/08/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 4:02:00 PM
CLIENT SAMPLE ID	B-42:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/02/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/02/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/02/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/02/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/02/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Trichloroethene	EPA-8260	**18**	2.0	1	ug/L	08/02/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/02/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/02/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/02/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/28/2014 4:02:00 PM
CLIENT SAMPLE ID	B-42:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/02/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/02/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/29/2014	RAL
Chromium	EPA-200.8	**29**	2.0	1	ug/L	08/12/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**115**	08/02/2014	DLC
Toluene-d8	EPA-8260	**98.1**	08/02/2014	DLC
4-Bromofluorobenzene	EPA-8260	**99.6**	08/02/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 8:18:00 AM
CLIENT SAMPLE ID	B37:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/08/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/08/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/08/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 8:18:00 AM
CLIENT SAMPLE ID	B37:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/08/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chromium (VI)	EPA-7196	U	0.57	1	MG/KG	08/13/2014	CAS
Chromium	EPA-6020	**50**	0.59	5	MG/KG	08/13/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**108**	08/08/2014	DLC
Toluene-d8	EPA-8260	**95.4**	08/08/2014	DLC
4-Bromofluorobenzene	EPA-8260	**102**	08/08/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 8:21:00 AM
CLIENT SAMPLE ID	B37:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/08/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/08/2014	DLC
Trichloroethene	EPA-8260	**20**	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/08/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 8:21:00 AM
CLIENT SAMPLE ID	B37:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/08/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chromium (VI)	EPA-7196	U	0.52	1	MG/KG	08/13/2014	CAS
Chromium	EPA-6020	**14**	0.50	5	MG/KG	08/13/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**107**	08/08/2014	DLC
Toluene-d8	EPA-8260	**95.6**	08/08/2014	DLC
4-Bromofluorobenzene	EPA-8260	**101**	08/08/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 8:45:00 AM
CLIENT SAMPLE ID	B-37:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/02/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/02/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/02/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/02/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	**3.0**	2.0	1	ug/L	08/02/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/02/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	**34**	2.0	1	ug/L	08/02/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Trichloroethene	EPA-8260	**360**	50	25	ug/L	08/05/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/02/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/02/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Tetrachloroethylene	EPA-8260	**2.5**	2.0	1	ug/L	08/02/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/02/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 8:45:00 AM
CLIENT SAMPLE ID	B-37:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/02/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/02/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/29/2014	RAL
Chromium	EPA-200.8	**190**	2.0	1	ug/L	08/12/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**115**	08/02/2014	DLC
1,2-Dichloroethane-d4 25X Dilution	EPA-8260	**110**	08/05/2014	DLC
Toluene-d8	EPA-8260	**98.5**	08/02/2014	DLC
Toluene-d8 25X Dilution	EPA-8260	**98.8**	08/05/2014	DLC
4-Bromofluorobenzene	EPA-8260	**99.8**	08/02/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070179
		ALS SAMPLE#:	EV14070179-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 8:45:00 AM
CLIENT SAMPLE ID	B-37:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 25X Dilution	EPA-8260	**99.9**	08/05/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 9:22:00 AM
CLIENT SAMPLE ID	B-41:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	76	1	ug/Kg	08/11/2014	DLC
Chloromethane	EPA-8260	U	46	1	ug/Kg	08/11/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Bromomethane	EPA-8260	U	38	1	ug/Kg	08/11/2014	DLC
Chloroethane	EPA-8260	U	46	1	ug/Kg	08/11/2014	DLC
Carbon Tetrachloride	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC
Trichlorofluoromethane	EPA-8260	U	40	1	ug/Kg	08/11/2014	DLC
Carbon Disulfide	EPA-8260	U	47	1	ug/Kg	08/11/2014	DLC
Acetone	EPA-8260	U	88	1	ug/Kg	08/11/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Methylene Chloride	EPA-8260	U	95	1	ug/Kg	08/11/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	47	1	ug/Kg	08/11/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	45	1	ug/Kg	08/11/2014	DLC
1,1-Dichloroethane	EPA-8260	U	46	1	ug/Kg	08/11/2014	DLC
2-Butanone	EPA-8260	U	67	1	ug/Kg	08/11/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
2,2-Dichloropropane	EPA-8260	U	47	1	ug/Kg	08/11/2014	DLC
Bromochloromethane	EPA-8260	U	81	1	ug/Kg	08/11/2014	DLC
Chloroform	EPA-8260	U	47	1	ug/Kg	08/11/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	42	1	ug/Kg	08/11/2014	DLC
1,1-Dichloropropene	EPA-8260	U	42	1	ug/Kg	08/11/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/11/2014	DLC
Trichloroethene	EPA-8260	**11**	10	1	ug/Kg	08/11/2014	DLC
1,2-Dichloropropane	EPA-8260	U	42	1	ug/Kg	08/11/2014	DLC
Dibromomethane	EPA-8260	U	54	1	ug/Kg	08/11/2014	DLC
Bromodichloromethane	EPA-8260	U	47	1	ug/Kg	08/11/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
Toluene	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
1,3-Dichloropropane	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Dibromochloromethane	EPA-8260	U	73	1	ug/Kg	08/11/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/11/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 9:22:00 AM
CLIENT SAMPLE ID	B-41:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	39	1	ug/Kg	08/11/2014	DLC
Ethylbenzene	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
m,p-Xylene	EPA-8260	U	89	1	ug/Kg	08/11/2014	DLC
Styrene	EPA-8260	U	38	1	ug/Kg	08/11/2014	DLC
o-Xylene	EPA-8260	U	43	1	ug/Kg	08/11/2014	DLC
Bromoform	EPA-8260	U	54	1	ug/Kg	08/11/2014	DLC
Isopropylbenzene	EPA-8260	U	41	1	ug/Kg	08/11/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	52	1	ug/Kg	08/11/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	55	1	ug/Kg	08/11/2014	DLC
Bromobenzene	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
N-Propyl Benzene	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
2-Chlorotoluene	EPA-8260	U	52	1	ug/Kg	08/11/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	38	1	ug/Kg	08/11/2014	DLC
4-Chlorotoluene	EPA-8260	U	75	1	ug/Kg	08/11/2014	DLC
T-Butyl Benzene	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	41	1	ug/Kg	08/11/2014	DLC
S-Butyl Benzene	EPA-8260	U	44	1	ug/Kg	08/11/2014	DLC
P-Isopropyltoluene	EPA-8260	U	36	1	ug/Kg	08/11/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
N-Butylbenzene	EPA-8260	U	39	1	ug/Kg	08/11/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	62	1	ug/Kg	08/11/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	46	1	ug/Kg	08/11/2014	DLC
Hexachlorobutadiene	EPA-8260	U	55	1	ug/Kg	08/11/2014	DLC
Naphthalene	EPA-8260	U	52	1	ug/Kg	08/11/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
Chromium (VI)	EPA-7196	U	0.53	1	MG/KG	08/13/2014	CAS
Chromium	EPA-6020	**35**	0.50	5	MG/KG	08/13/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**108**	08/11/2014	DLC
Toluene-d8	EPA-8260	**97.1**	08/11/2014	DLC
4-Bromofluorobenzene	EPA-8260	**100**	08/11/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 9:33:00 AM
CLIENT SAMPLE ID	B-41:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	98	1	ug/Kg	08/11/2014	DLC
Chloromethane	EPA-8260	U	59	1	ug/Kg	08/11/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Bromomethane	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
Chloroethane	EPA-8260	U	59	1	ug/Kg	08/11/2014	DLC
Carbon Tetrachloride	EPA-8260	U	62	1	ug/Kg	08/11/2014	DLC
Trichlorofluoromethane	EPA-8260	U	52	1	ug/Kg	08/11/2014	DLC
Carbon Disulfide	EPA-8260	U	60	1	ug/Kg	08/11/2014	DLC
Acetone	EPA-8260	U	110	1	ug/Kg	08/11/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Methylene Chloride	EPA-8260	U	120	1	ug/Kg	08/11/2014	DLC
Acrylonitrile	EPA-8260	U	63	1	ug/Kg	08/11/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	61	1	ug/Kg	08/11/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	59	1	ug/Kg	08/11/2014	DLC
1,1-Dichloroethane	EPA-8260	U	59	1	ug/Kg	08/11/2014	DLC
2-Butanone	EPA-8260	U	87	1	ug/Kg	08/11/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	**210**	64	1	ug/Kg	08/11/2014	DLC
2,2-Dichloropropane	EPA-8260	U	61	1	ug/Kg	08/11/2014	DLC
Bromochloromethane	EPA-8260	U	110	1	ug/Kg	08/11/2014	DLC
Chloroform	EPA-8260	U	61	1	ug/Kg	08/11/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	55	1	ug/Kg	08/11/2014	DLC
1,1-Dichloropropene	EPA-8260	U	55	1	ug/Kg	08/11/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/11/2014	DLC
Trichloroethene	EPA-8260	**200**	10	1	ug/Kg	08/11/2014	DLC
1,2-Dichloropropane	EPA-8260	U	55	1	ug/Kg	08/11/2014	DLC
Dibromomethane	EPA-8260	U	69	1	ug/Kg	08/11/2014	DLC
Bromodichloromethane	EPA-8260	U	61	1	ug/Kg	08/11/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	65	1	ug/Kg	08/11/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	60	1	ug/Kg	08/11/2014	DLC
Toluene	EPA-8260	U	63	1	ug/Kg	08/11/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	63	1	ug/Kg	08/11/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	65	1	ug/Kg	08/11/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
1,3-Dichloropropane	EPA-8260	U	64	1	ug/Kg	08/11/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Dibromochloromethane	EPA-8260	U	94	1	ug/Kg	08/11/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/11/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 9:33:00 AM
CLIENT SAMPLE ID	B-41:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	65	1	ug/Kg	08/11/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	51	1	ug/Kg	08/11/2014	DLC
Ethylbenzene	EPA-8260	U	64	1	ug/Kg	08/11/2014	DLC
m,p-Xylene	EPA-8260	U	120	1	ug/Kg	08/11/2014	DLC
Styrene	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
o-Xylene	EPA-8260	U	55	1	ug/Kg	08/11/2014	DLC
Bromoform	EPA-8260	U	70	1	ug/Kg	08/11/2014	DLC
Isopropylbenzene	EPA-8260	U	54	1	ug/Kg	08/11/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	68	1	ug/Kg	08/11/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	71	1	ug/Kg	08/11/2014	DLC
Bromobenzene	EPA-8260	U	68	1	ug/Kg	08/11/2014	DLC
N-Propyl Benzene	EPA-8260	U	65	1	ug/Kg	08/11/2014	DLC
2-Chlorotoluene	EPA-8260	U	68	1	ug/Kg	08/11/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
4-Chlorotoluene	EPA-8260	U	98	1	ug/Kg	08/11/2014	DLC
T-Butyl Benzene	EPA-8260	U	63	1	ug/Kg	08/11/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
S-Butyl Benzene	EPA-8260	U	58	1	ug/Kg	08/11/2014	DLC
P-Isopropyltoluene	EPA-8260	U	47	1	ug/Kg	08/11/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	69	1	ug/Kg	08/11/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	64	1	ug/Kg	08/11/2014	DLC
N-Butylbenzene	EPA-8260	U	51	1	ug/Kg	08/11/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	69	1	ug/Kg	08/11/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	81	1	ug/Kg	08/11/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	60	1	ug/Kg	08/11/2014	DLC
Hexachlorobutadiene	EPA-8260	U	71	1	ug/Kg	08/11/2014	DLC
Naphthalene	EPA-8260	U	68	1	ug/Kg	08/11/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	64	1	ug/Kg	08/11/2014	DLC
Chromium (VI)	EPA-7196	U	0.67	1	MG/KG	08/13/2014	CAS
Chromium	EPA-6020	**49**	0.50	5	MG/KG	08/13/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**117**	08/11/2014	DLC
Toluene-d8	EPA-8260	**98.5**	08/11/2014	DLC
4-Bromofluorobenzene	EPA-8260	**103**	08/11/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070179
		ALS SAMPLE#:	EV14070179-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 9:35:00 AM
CLIENT SAMPLE ID	B-41:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	93	1	ug/Kg	08/11/2014	DLC
Chloromethane	EPA-8260	U	56	1	ug/Kg	08/11/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Bromomethane	EPA-8260	U	47	1	ug/Kg	08/11/2014	DLC
Chloroethane	EPA-8260	U	56	1	ug/Kg	08/11/2014	DLC
Carbon Tetrachloride	EPA-8260	U	59	1	ug/Kg	08/11/2014	DLC
Trichlorofluoromethane	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
Carbon Disulfide	EPA-8260	U	57	1	ug/Kg	08/11/2014	DLC
Acetone	EPA-8260	U	110	1	ug/Kg	08/11/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Methylene Chloride	EPA-8260	U	120	1	ug/Kg	08/11/2014	DLC
Acrylonitrile	EPA-8260	U	60	1	ug/Kg	08/11/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	58	1	ug/Kg	08/11/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	55	1	ug/Kg	08/11/2014	DLC
1,1-Dichloroethane	EPA-8260	U	56	1	ug/Kg	08/11/2014	DLC
2-Butanone	EPA-8260	U	82	1	ug/Kg	08/11/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	61	1	ug/Kg	08/11/2014	DLC
2,2-Dichloropropane	EPA-8260	U	57	1	ug/Kg	08/11/2014	DLC
Bromochloromethane	EPA-8260	U	100	1	ug/Kg	08/11/2014	DLC
Chloroform	EPA-8260	U	58	1	ug/Kg	08/11/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	52	1	ug/Kg	08/11/2014	DLC
1,1-Dichloropropene	EPA-8260	U	52	1	ug/Kg	08/11/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/11/2014	DLC
Trichloroethene	EPA-8260	**110**	10	1	ug/Kg	08/11/2014	DLC
1,2-Dichloropropane	EPA-8260	U	52	1	ug/Kg	08/11/2014	DLC
Dibromomethane	EPA-8260	U	66	1	ug/Kg	08/11/2014	DLC
Bromodichloromethane	EPA-8260	U	58	1	ug/Kg	08/11/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	62	1	ug/Kg	08/11/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	57	1	ug/Kg	08/11/2014	DLC
Toluene	EPA-8260	U	59	1	ug/Kg	08/11/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	60	1	ug/Kg	08/11/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	62	1	ug/Kg	08/11/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
1,3-Dichloropropane	EPA-8260	U	60	1	ug/Kg	08/11/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Dibromochloromethane	EPA-8260	U	89	1	ug/Kg	08/11/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/11/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 9:35:00 AM
CLIENT SAMPLE ID	B-41:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	62	1	ug/Kg	08/11/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC
Ethylbenzene	EPA-8260	U	61	1	ug/Kg	08/11/2014	DLC
m,p-Xylene	EPA-8260	U	110	1	ug/Kg	08/11/2014	DLC
Styrene	EPA-8260	U	47	1	ug/Kg	08/11/2014	DLC
o-Xylene	EPA-8260	U	52	1	ug/Kg	08/11/2014	DLC
Bromoform	EPA-8260	U	67	1	ug/Kg	08/11/2014	DLC
Isopropylbenzene	EPA-8260	U	51	1	ug/Kg	08/11/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	64	1	ug/Kg	08/11/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	67	1	ug/Kg	08/11/2014	DLC
Bromobenzene	EPA-8260	U	64	1	ug/Kg	08/11/2014	DLC
N-Propyl Benzene	EPA-8260	U	62	1	ug/Kg	08/11/2014	DLC
2-Chlorotoluene	EPA-8260	U	64	1	ug/Kg	08/11/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	46	1	ug/Kg	08/11/2014	DLC
4-Chlorotoluene	EPA-8260	U	92	1	ug/Kg	08/11/2014	DLC
T-Butyl Benzene	EPA-8260	U	60	1	ug/Kg	08/11/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
S-Butyl Benzene	EPA-8260	U	54	1	ug/Kg	08/11/2014	DLC
P-Isopropyltoluene	EPA-8260	U	45	1	ug/Kg	08/11/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	65	1	ug/Kg	08/11/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	61	1	ug/Kg	08/11/2014	DLC
N-Butylbenzene	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	65	1	ug/Kg	08/11/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	77	1	ug/Kg	08/11/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	57	1	ug/Kg	08/11/2014	DLC
Hexachlorobutadiene	EPA-8260	U	67	1	ug/Kg	08/11/2014	DLC
Naphthalene	EPA-8260	U	64	1	ug/Kg	08/11/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	61	1	ug/Kg	08/11/2014	DLC
Chromium (VI)	EPA-7196	U	0.51	1	MG/KG	08/13/2014	CAS
Chromium	EPA-6020	**10**	0.50	5	MG/KG	08/13/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**112**	08/11/2014	DLC
Toluene-d8	EPA-8260	**98.0**	08/11/2014	DLC
4-Bromofluorobenzene	EPA-8260	**99.1**	08/11/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 9:56:00 AM
CLIENT SAMPLE ID	B-41:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/02/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/02/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/02/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/02/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/02/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Trichloroethene	EPA-8260	**40**	2.0	1	ug/L	08/02/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/02/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/02/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/02/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 9:56:00 AM
CLIENT SAMPLE ID	B-41:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/02/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/02/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/02/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/29/2014	RAL
Chromium	EPA-200.8	**28**	2.0	1	ug/L	08/12/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**115**	08/02/2014	DLC
Toluene-d8	EPA-8260	**98.5**	08/02/2014	DLC
4-Bromofluorobenzene	EPA-8260	**99.7**	08/02/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070179 EV14070179-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 10:39:00 AM
CLIENT SAMPLE ID	B-39:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	68	1	ug/Kg	08/11/2014	DLC
Chloromethane	EPA-8260	U	41	1	ug/Kg	08/11/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Bromomethane	EPA-8260	U	34	1	ug/Kg	08/11/2014	DLC
Chloroethane	EPA-8260	U	41	1	ug/Kg	08/11/2014	DLC
Carbon Tetrachloride	EPA-8260	U	43	1	ug/Kg	08/11/2014	DLC
Trichlorofluoromethane	EPA-8260	U	36	1	ug/Kg	08/11/2014	DLC
Carbon Disulfide	EPA-8260	U	42	1	ug/Kg	08/11/2014	DLC
Acetone	EPA-8260	U	79	1	ug/Kg	08/11/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Methylene Chloride	EPA-8260	U	85	1	ug/Kg	08/11/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	42	1	ug/Kg	08/11/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	41	1	ug/Kg	08/11/2014	DLC
1,1-Dichloroethane	EPA-8260	U	41	1	ug/Kg	08/11/2014	DLC
2-Butanone	EPA-8260	U	60	1	ug/Kg	08/11/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	44	1	ug/Kg	08/11/2014	DLC
2,2-Dichloropropane	EPA-8260	U	42	1	ug/Kg	08/11/2014	DLC
Bromochloromethane	EPA-8260	U	73	1	ug/Kg	08/11/2014	DLC
Chloroform	EPA-8260	U	42	1	ug/Kg	08/11/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	38	1	ug/Kg	08/11/2014	DLC
1,1-Dichloropropene	EPA-8260	U	38	1	ug/Kg	08/11/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/11/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
1,2-Dichloropropane	EPA-8260	U	38	1	ug/Kg	08/11/2014	DLC
Dibromomethane	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC
Bromodichloromethane	EPA-8260	U	43	1	ug/Kg	08/11/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	45	1	ug/Kg	08/11/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
Toluene	EPA-8260	U	44	1	ug/Kg	08/11/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	44	1	ug/Kg	08/11/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	45	1	ug/Kg	08/11/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
1,3-Dichloropropane	EPA-8260	U	44	1	ug/Kg	08/11/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Dibromochloromethane	EPA-8260	U	65	1	ug/Kg	08/11/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/11/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070179
		ALS SAMPLE#:	EV14070179-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/29/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 10:39:00 AM
CLIENT SAMPLE ID	B-39:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	45	1	ug/Kg	08/11/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	35	1	ug/Kg	08/11/2014	DLC
Ethylbenzene	EPA-8260	U	44	1	ug/Kg	08/11/2014	DLC
m,p-Xylene	EPA-8260	U	80	1	ug/Kg	08/11/2014	DLC
Styrene	EPA-8260	U	34	1	ug/Kg	08/11/2014	DLC
o-Xylene	EPA-8260	U	38	1	ug/Kg	08/11/2014	DLC
Bromoform	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
Isopropylbenzene	EPA-8260	U	37	1	ug/Kg	08/11/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	47	1	ug/Kg	08/11/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
Bromobenzene	EPA-8260	U	47	1	ug/Kg	08/11/2014	DLC
N-Propyl Benzene	EPA-8260	U	45	1	ug/Kg	08/11/2014	DLC
2-Chlorotoluene	EPA-8260	U	47	1	ug/Kg	08/11/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	34	1	ug/Kg	08/11/2014	DLC
4-Chlorotoluene	EPA-8260	U	68	1	ug/Kg	08/11/2014	DLC
T-Butyl Benzene	EPA-8260	U	44	1	ug/Kg	08/11/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	37	1	ug/Kg	08/11/2014	DLC
S-Butyl Benzene	EPA-8260	U	40	1	ug/Kg	08/11/2014	DLC
P-Isopropyltoluene	EPA-8260	U	33	1	ug/Kg	08/11/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	44	1	ug/Kg	08/11/2014	DLC
N-Butylbenzene	EPA-8260	U	35	1	ug/Kg	08/11/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	56	1	ug/Kg	08/11/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	42	1	ug/Kg	08/11/2014	DLC
Hexachlorobutadiene	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
Naphthalene	EPA-8260	U	47	1	ug/Kg	08/11/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	44	1	ug/Kg	08/11/2014	DLC
Chromium (VI)	EPA-7196	U	0.52	1	MG/KG	08/13/2014	CAS
Chromium	EPA-6020	**36**	0.50	5	MG/KG	08/13/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**119**	08/11/2014	DLC
Toluene-d8	EPA-8260	**99.0**	08/11/2014	DLC
4-Bromofluorobenzene	EPA-8260	**101**	08/11/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 8/14/2014
ALS SDG#: EV14070179
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-080814S - Batch 84681 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/08/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/08/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/08/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 8/14/2014
ALS SDG#: EV14070179
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-080814S - Batch 84681 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/08/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB-073114W2 - Batch 84786 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	07/31/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 8/14/2014
ALS SDG#: EV14070179
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-073114W2 - Batch 84786 - Water by EPA-8260

Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	07/31/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	07/31/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	07/31/2014	DLC
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	07/31/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 8/14/2014
ALS SDG#: EV14070179
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-073114W2 - Batch 84786 - Water by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	07/31/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	07/31/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-08/13/2014 - Batch R239262 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	0.53	1	MG/KG	08/13/2014	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MB2-08/13/2014 - Batch R239262 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	0.52	1	MG/KG	08/13/2014	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-7292014 - Batch R238351 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/29/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS SDG#:	EV14070179
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB-073114S - Batch 84692 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	08/13/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-080114W - Batch 84794 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	ug/L	08/07/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 8/14/2014
ALS SDG#: EV14070179
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 84681 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**94.0**			08/08/2014	DLC
1,1-Dichloroethene - BSD	EPA-8260	**83.3**	**12**		08/08/2014	DLC
Benzene - BS	EPA-8260	**90.0**			08/08/2014	DLC
Benzene - BSD	EPA-8260	**89.2**	**1**		08/08/2014	DLC
Trichloroethene - BS	EPA-8260	**88.8**			08/08/2014	DLC
Trichloroethene - BSD	EPA-8260	**88.1**	**1**		08/08/2014	DLC
Toluene - BS	EPA-8260	**93.1**			08/08/2014	DLC
Toluene - BSD	EPA-8260	**92.3**	**1**		08/08/2014	DLC
Chlorobenzene - BS	EPA-8260	**82.9**			08/08/2014	DLC
Chlorobenzene - BSD	EPA-8260	**86.2**	**4**		08/08/2014	DLC

ALS Test Batch ID: 84786 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**116**			07/31/2014	DLC
1,1-Dichloroethene - BSD	EPA-8260	**117**	**2**		08/01/2014	DLC
Benzene - BS	EPA-8260	**104**			07/31/2014	DLC
Benzene - BSD	EPA-8260	**106**	**2**		08/01/2014	DLC
Trichloroethene - BS	EPA-8260	**112**			07/31/2014	DLC
Trichloroethene - BSD	EPA-8260	**113**	**1**		08/01/2014	DLC
Toluene - BS	EPA-8260	**104**			07/31/2014	DLC
Toluene - BSD	EPA-8260	**105**	**1**		08/01/2014	DLC
Chlorobenzene - BS	EPA-8260	**106**			07/31/2014	DLC
Chlorobenzene - BSD	EPA-8260	**106**	**0**		08/01/2014	DLC

ALS Test Batch ID: R239262 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**92.7**			08/13/2014	CAS
Chromium (VI) - BS	EPA-7196	**99.9**			08/13/2014	CAS

ALS Test Batch ID: R238351 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**104**			07/29/2014	RAL
Chromium (VI) - BSD	EPA-7196	**106**	**2**		07/29/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS SDG#:	EV14070179
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 84692 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**108**			08/13/2014	RAL
Chromium - BSD	EPA-6020	**110**	**1**		08/13/2014	RAL

ALS Test Batch ID: 84794 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**97.6**			08/07/2014	RAL
Chromium - BSD	EPA-200.8	**95.0**	**3**		08/07/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee

CLIENT PROJECT: 64001

DATE: 8/14/2014
ALS SDG#: EV14070179
WDOE ACCREDITATION: C601

MATRIX SPIKE RESULTS

ALS Test Batch ID: 84786 - Water
Parent Sample: Batch QC

SPIKED COMPOUND	METHOD	PARENT SAMPLE RESULT	SPIKE ADDED	RESULT	RPD	%REC	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - MS	EPA-8260	0	10.0	**10.2**		**102**		08/01/2014	DLC
1,1-Dichloroethene - MSD	EPA-8260	0	10.0	**10.7**	**5**	**107**		08/01/2014	DLC
Benzene - MS	EPA-8260	0	10.0	**8.80**		**88.0**		08/01/2014	DLC
Benzene - MSD	EPA-8260	0	10.0	**9.09**	**3**	**90.9**		08/01/2014	DLC
Trichloroethene - MS	EPA-8260	0.28	10.0	**9.02**		**87.4**		08/01/2014	DLC
Trichloroethene - MSD	EPA-8260	0.28	10.0	**9.39**	**4**	**91.2**		08/01/2014	DLC
Toluene - MS	EPA-8260	9.6	10.0	**17.6**		**79.7**		08/01/2014	DLC
Toluene - MSD	EPA-8260	9.6	10.0	**17.1**	**3**	**75.0**		08/01/2014	DLC
Chlorobenzene - MS	EPA-8260	0	10.0	**8.91**		**89.1**		08/01/2014	DLC
Chlorobenzene - MSD	EPA-8260	0	10.0	**9.17**	**3**	**91.7**		08/01/2014	DLC

APPROVED BY

Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV14070179

Date 7/29/14 Page 1 Of 2

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Bubbee
ADDRESS: 1180 NW Maple St.
Issaquah WA
PHONE: 425-988-4090 FAX:
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium	Chromium VI	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-42:0.5	7/28/14	1536	soil	1							X									X	X	5	
2. B-42:4		1538	soil	2							X									X	X	5	
3. B-42:9		1540	soil	3							X									X	X	5	
4. B-42:W		1602	water	4							X									X	X	5	
5. B-37:4	7/29/14	0818	soil	5							X									X	X	5	
6. B-37:9		0821	soil	6							X									X	X	5	
7. B-37:W		0845	water	7							X									X	X	5	
8. B-41:0.5		0922	soil	8							X									X	X	5	
9. B-41:5		0933		9							X									X	X	5	
10. B-41:9		0935		10							X									X	X	5	

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):
1. Relinquished By: EPI 7/29/14 1156
Received By: ALS 7/29/14 11:56
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*
Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY
Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY
OTHER:
Specify:

* Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV14070179

Date 7/29/14 Page 2 Of 2

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Bushue
ADDRESS: 1180 NW Maple St.
Issaquah WA
PHONE: 425-988-4090 FAX:
P.O. #: E-MAIL:
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium	Chromium VI						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-41:W	7/29/14	0956	water	11							X									X	X						S	
2. B-39:0.5		1039	soil	12							X									X	X						S	
3.																												
4.																												
5.																												
6.																												
7.																												
8.																												
9.																												
10.																												

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):
1. Relinquished By: EPI 7/29/14 1156
Received By: ALS 7/29/14 11:56
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*
Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY
Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY
OTHER: Specify:

* Turnaround request less than standard may incur Rush Charges

August 14, 2014

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On July 30th, 6 samples were received by our laboratory and assigned our laboratory project number EV14070185. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070185
		ALS SAMPLE#:	EV14070185-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/30/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 1:02:00 PM
CLIENT SAMPLE ID	B-40:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	74	1	ug/Kg	08/11/2014	DLC
Chloromethane	EPA-8260	U	45	1	ug/Kg	08/11/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Bromomethane	EPA-8260	U	37	1	ug/Kg	08/11/2014	DLC
Chloroethane	EPA-8260	U	45	1	ug/Kg	08/11/2014	DLC
Carbon Tetrachloride	EPA-8260	U	47	1	ug/Kg	08/11/2014	DLC
Trichlorofluoromethane	EPA-8260	U	39	1	ug/Kg	08/11/2014	DLC
Carbon Disulfide	EPA-8260	U	46	1	ug/Kg	08/11/2014	DLC
Acetone	EPA-8260	U	86	1	ug/Kg	08/11/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Methylene Chloride	EPA-8260	U	92	1	ug/Kg	08/11/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	46	1	ug/Kg	08/11/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	44	1	ug/Kg	08/11/2014	DLC
1,1-Dichloroethane	EPA-8260	U	45	1	ug/Kg	08/11/2014	DLC
2-Butanone	EPA-8260	U	66	1	ug/Kg	08/11/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC
2,2-Dichloropropane	EPA-8260	U	46	1	ug/Kg	08/11/2014	DLC
Bromochloromethane	EPA-8260	U	79	1	ug/Kg	08/11/2014	DLC
Chloroform	EPA-8260	U	46	1	ug/Kg	08/11/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	41	1	ug/Kg	08/11/2014	DLC
1,1-Dichloropropene	EPA-8260	U	41	1	ug/Kg	08/11/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/11/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
1,2-Dichloropropane	EPA-8260	U	41	1	ug/Kg	08/11/2014	DLC
Dibromomethane	EPA-8260	U	52	1	ug/Kg	08/11/2014	DLC
Bromodichloromethane	EPA-8260	U	46	1	ug/Kg	08/11/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
Toluene	EPA-8260	U	47	1	ug/Kg	08/11/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
1,3-Dichloropropane	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Dibromochloromethane	EPA-8260	U	71	1	ug/Kg	08/11/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/11/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070185 EV14070185-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/30/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 1:02:00 PM
CLIENT SAMPLE ID	B-40:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC	
1,1,1,2-Tetrachloroethane	EPA-8260	U	38	1	ug/Kg	08/11/2014	DLC	
Ethylbenzene	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC	
m,p-Xylene	EPA-8260	U	87	1	ug/Kg	08/11/2014	DLC	
Styrene	EPA-8260	U	37	1	ug/Kg	08/11/2014	DLC	
o-Xylene	EPA-8260	U	42	1	ug/Kg	08/11/2014	DLC	
Bromoform	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC	
Isopropylbenzene	EPA-8260	U	41	1	ug/Kg	08/11/2014	DLC	
1,1,2,2-Tetrachloroethane	EPA-8260	U	51	1	ug/Kg	08/11/2014	DLC	
1,2,3-Trichloropropane	EPA-8260	U	54	1	ug/Kg	08/11/2014	DLC	
Bromobenzene	EPA-8260	U	51	1	ug/Kg	08/11/2014	DLC	
N-Propyl Benzene	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC	
2-Chlorotoluene	EPA-8260	U	51	1	ug/Kg	08/11/2014	DLC	
1,3,5-Trimethylbenzene	EPA-8260	U	37	1	ug/Kg	08/11/2014	DLC	
4-Chlorotoluene	EPA-8260	U	74	1	ug/Kg	08/11/2014	DLC	
T-Butyl Benzene	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC	
1,2,4-Trimethylbenzene	EPA-8260	U	40	1	ug/Kg	08/11/2014	DLC	
S-Butyl Benzene	EPA-8260	U	43	1	ug/Kg	08/11/2014	DLC	
P-Isopropyltoluene	EPA-8260	U	36	1	ug/Kg	08/11/2014	DLC	
1,3 Dichlorobenzene	EPA-8260	U	52	1	ug/Kg	08/11/2014	DLC	
1,4-Dichlorobenzene	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC	
N-Butylbenzene	EPA-8260	U	39	1	ug/Kg	08/11/2014	DLC	
1,2-Dichlorobenzene	EPA-8260	U	52	1	ug/Kg	08/11/2014	DLC	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	61	1	ug/Kg	08/11/2014	DLC	
1,2,4-Trichlorobenzene	EPA-8260	U	45	1	ug/Kg	08/11/2014	DLC	
Hexachlorobutadiene	EPA-8260	U	54	1	ug/Kg	08/11/2014	DLC	
Naphthalene	EPA-8260	U	51	1	ug/Kg	08/11/2014	DLC	
1,2,3-Trichlorobenzene	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC	
Chromium (VI)	EPA-7196	U	0.54	1	MG/KG	08/13/2014	CAS	
Chromium	EPA-6020	**35**	0.50	5	MG/KG	08/13/2014	RAL	

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY	
1,2-Dichloroethane-d4	EPA-8260	**122**	08/11/2014	DLC	
Toluene-d8	EPA-8260	**98.9**	08/11/2014	DLC	
4-Bromofluorobenzene	EPA-8260	**99.2**	08/11/2014	DLC	

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070185 EV14070185-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/30/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 1:05:00 PM
CLIENT SAMPLE ID	B-40:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	82	1	ug/Kg	08/11/2014	DLC
Chloromethane	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Bromomethane	EPA-8260	U	41	1	ug/Kg	08/11/2014	DLC
Chloroethane	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
Carbon Tetrachloride	EPA-8260	U	52	1	ug/Kg	08/11/2014	DLC
Trichlorofluoromethane	EPA-8260	U	44	1	ug/Kg	08/11/2014	DLC
Carbon Disulfide	EPA-8260	U	51	1	ug/Kg	08/11/2014	DLC
Acetone	EPA-8260	U	96	1	ug/Kg	08/11/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Methylene Chloride	EPA-8260	U	100	1	ug/Kg	08/11/2014	DLC
Acrylonitrile	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	51	1	ug/Kg	08/11/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
1,1-Dichloroethane	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
2-Butanone	EPA-8260	U	73	1	ug/Kg	08/11/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	54	1	ug/Kg	08/11/2014	DLC
2,2-Dichloropropane	EPA-8260	U	51	1	ug/Kg	08/11/2014	DLC
Bromochloromethane	EPA-8260	U	88	1	ug/Kg	08/11/2014	DLC
Chloroform	EPA-8260	U	51	1	ug/Kg	08/11/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	46	1	ug/Kg	08/11/2014	DLC
1,1-Dichloropropene	EPA-8260	U	46	1	ug/Kg	08/11/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/11/2014	DLC
Trichloroethene	EPA-8260	**1300**	10	1	ug/Kg	08/11/2014	DLC
1,2-Dichloropropane	EPA-8260	U	46	1	ug/Kg	08/11/2014	DLC
Dibromomethane	EPA-8260	U	58	1	ug/Kg	08/11/2014	DLC
Bromodichloromethane	EPA-8260	U	52	1	ug/Kg	08/11/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	55	1	ug/Kg	08/11/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	51	1	ug/Kg	08/11/2014	DLC
Toluene	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	55	1	ug/Kg	08/11/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
1,3-Dichloropropane	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
Tetrachloroethylene	EPA-8260	**30**	10	1	ug/Kg	08/11/2014	DLC
Dibromochloromethane	EPA-8260	U	79	1	ug/Kg	08/11/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/11/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070185 EV14070185-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/30/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 1:05:00 PM
CLIENT SAMPLE ID	B-40:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	55	1	ug/Kg	08/11/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	43	1	ug/Kg	08/11/2014	DLC
Ethylbenzene	EPA-8260	U	54	1	ug/Kg	08/11/2014	DLC
m,p-Xylene	EPA-8260	U	97	1	ug/Kg	08/11/2014	DLC
Styrene	EPA-8260	U	42	1	ug/Kg	08/11/2014	DLC
o-Xylene	EPA-8260	U	46	1	ug/Kg	08/11/2014	DLC
Bromoform	EPA-8260	U	59	1	ug/Kg	08/11/2014	DLC
Isopropylbenzene	EPA-8260	U	45	1	ug/Kg	08/11/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	57	1	ug/Kg	08/11/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	60	1	ug/Kg	08/11/2014	DLC
Bromobenzene	EPA-8260	U	57	1	ug/Kg	08/11/2014	DLC
N-Propyl Benzene	EPA-8260	U	55	1	ug/Kg	08/11/2014	DLC
2-Chlorotoluene	EPA-8260	U	57	1	ug/Kg	08/11/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	41	1	ug/Kg	08/11/2014	DLC
4-Chlorotoluene	EPA-8260	U	82	1	ug/Kg	08/11/2014	DLC
T-Butyl Benzene	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	44	1	ug/Kg	08/11/2014	DLC
S-Butyl Benzene	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC
P-Isopropyltoluene	EPA-8260	U	40	1	ug/Kg	08/11/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	58	1	ug/Kg	08/11/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	54	1	ug/Kg	08/11/2014	DLC
N-Butylbenzene	EPA-8260	U	43	1	ug/Kg	08/11/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	58	1	ug/Kg	08/11/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	68	1	ug/Kg	08/11/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
Hexachlorobutadiene	EPA-8260	U	60	1	ug/Kg	08/11/2014	DLC
Naphthalene	EPA-8260	U	57	1	ug/Kg	08/11/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	54	1	ug/Kg	08/11/2014	DLC
Chromium (VI)	EPA-7196	U	0.62	1	MG/KG	08/13/2014	CAS
Chromium	EPA-6020	**42**	0.50	5	MG/KG	08/13/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**119**	08/11/2014	DLC
Toluene-d8	EPA-8260	**96.4**	08/11/2014	DLC
4-Bromofluorobenzene	EPA-8260	**101**	08/11/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070185
		ALS SAMPLE#:	EV14070185-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/30/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 2:15:00 PM
CLIENT SAMPLE ID	B-40:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	95	1	ug/Kg	08/11/2014	DLC
Chloromethane	EPA-8260	U	57	1	ug/Kg	08/11/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Bromomethane	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC
Chloroethane	EPA-8260	U	57	1	ug/Kg	08/11/2014	DLC
Carbon Tetrachloride	EPA-8260	U	60	1	ug/Kg	08/11/2014	DLC
Trichlorofluoromethane	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
Carbon Disulfide	EPA-8260	U	58	1	ug/Kg	08/11/2014	DLC
Acetone	EPA-8260	U	110	1	ug/Kg	08/11/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Methylene Chloride	EPA-8260	U	120	1	ug/Kg	08/11/2014	DLC
Acrylonitrile	EPA-8260	U	61	1	ug/Kg	08/11/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	59	1	ug/Kg	08/11/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	57	1	ug/Kg	08/11/2014	DLC
1,1-Dichloroethane	EPA-8260	U	58	1	ug/Kg	08/11/2014	DLC
2-Butanone	EPA-8260	U	84	1	ug/Kg	08/11/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	62	1	ug/Kg	08/11/2014	DLC
2,2-Dichloropropane	EPA-8260	U	59	1	ug/Kg	08/11/2014	DLC
Bromochloromethane	EPA-8260	U	100	1	ug/Kg	08/11/2014	DLC
Chloroform	EPA-8260	U	59	1	ug/Kg	08/11/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
1,1-Dichloropropene	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/11/2014	DLC
Trichloroethene	EPA-8260	**170**	10	1	ug/Kg	08/11/2014	DLC
1,2-Dichloropropane	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
Dibromomethane	EPA-8260	U	67	1	ug/Kg	08/11/2014	DLC
Bromodichloromethane	EPA-8260	U	60	1	ug/Kg	08/11/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	63	1	ug/Kg	08/11/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	59	1	ug/Kg	08/11/2014	DLC
Toluene	EPA-8260	U	61	1	ug/Kg	08/11/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	61	1	ug/Kg	08/11/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	63	1	ug/Kg	08/11/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
1,3-Dichloropropane	EPA-8260	U	62	1	ug/Kg	08/11/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Dibromochloromethane	EPA-8260	U	92	1	ug/Kg	08/11/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/11/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070185 EV14070185-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/30/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 2:15:00 PM
CLIENT SAMPLE ID	B-40:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	63	1	ug/Kg	08/11/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
Ethylbenzene	EPA-8260	U	62	1	ug/Kg	08/11/2014	DLC
m,p-Xylene	EPA-8260	U	110	1	ug/Kg	08/11/2014	DLC
Styrene	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC
o-Xylene	EPA-8260	U	54	1	ug/Kg	08/11/2014	DLC
Bromoform	EPA-8260	U	68	1	ug/Kg	08/11/2014	DLC
Isopropylbenzene	EPA-8260	U	52	1	ug/Kg	08/11/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	66	1	ug/Kg	08/11/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	69	1	ug/Kg	08/11/2014	DLC
Bromobenzene	EPA-8260	U	66	1	ug/Kg	08/11/2014	DLC
N-Propyl Benzene	EPA-8260	U	63	1	ug/Kg	08/11/2014	DLC
2-Chlorotoluene	EPA-8260	U	66	1	ug/Kg	08/11/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	47	1	ug/Kg	08/11/2014	DLC
4-Chlorotoluene	EPA-8260	U	95	1	ug/Kg	08/11/2014	DLC
T-Butyl Benzene	EPA-8260	U	61	1	ug/Kg	08/11/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	51	1	ug/Kg	08/11/2014	DLC
S-Butyl Benzene	EPA-8260	U	56	1	ug/Kg	08/11/2014	DLC
P-Isopropyltoluene	EPA-8260	U	46	1	ug/Kg	08/11/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	67	1	ug/Kg	08/11/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	62	1	ug/Kg	08/11/2014	DLC
N-Butylbenzene	EPA-8260	U	49	1	ug/Kg	08/11/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	67	1	ug/Kg	08/11/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	78	1	ug/Kg	08/11/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	58	1	ug/Kg	08/11/2014	DLC
Hexachlorobutadiene	EPA-8260	U	69	1	ug/Kg	08/11/2014	DLC
Naphthalene	EPA-8260	U	66	1	ug/Kg	08/11/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	62	1	ug/Kg	08/11/2014	DLC
Chromium (VI)	EPA-7196	U	0.52	1	MG/KG	08/13/2014	CAS
Chromium	EPA-6020	**8.5**	0.50	5	MG/KG	08/13/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**117**	08/11/2014	DLC
Toluene-d8	EPA-8260	**99.8**	08/11/2014	DLC
4-Bromofluorobenzene	EPA-8260	**101**	08/11/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070185
		ALS SAMPLE#:	EV14070185-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/30/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 1:38:00 PM
CLIENT SAMPLE ID	B-40:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/06/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/06/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/06/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	**2.3**	2.0	1	ug/L	08/06/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Trichloroethene	EPA-8260	**120**	20	10	ug/L	08/06/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/06/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070185 EV14070185-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/30/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 1:38:00 PM
CLIENT SAMPLE ID	B-40:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/06/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Chromium	EPA-200.8	**1900**	10	5	ug/L	08/06/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**108**	08/06/2014	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**108**	08/06/2014	DLC
Toluene-d8	EPA-8260	**97.6**	08/06/2014	DLC
Toluene-d8 10X Dilution	EPA-8260	**96.5**	08/06/2014	DLC
4-Bromofluorobenzene	EPA-8260	**98.0**	08/06/2014	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**98.5**	08/06/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070185 EV14070185-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/30/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 1:38:00 PM
CLIENT SAMPLE ID	B-40:W	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070185 EV14070185-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/30/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 2:32:00 PM
CLIENT SAMPLE ID	B-38:W-D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/06/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/06/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/06/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	**5.4**	2.0	1	ug/L	08/06/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Trichloroethene	EPA-8260	**48**	10	5	ug/L	08/06/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/06/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070185 EV14070185-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/30/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 2:32:00 PM
CLIENT SAMPLE ID	B-38:W-D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/06/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/30/2014	RAL
Chromium	EPA-200.8	**760**	10	5	ug/L	08/06/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	08/06/2014	DLC
1,2-Dichloroethane-d4 5X Dilution	EPA-8260	**110**	08/06/2014	DLC
Toluene-d8	EPA-8260	**99.5**	08/06/2014	DLC
Toluene-d8 5X Dilution	EPA-8260	**97.6**	08/06/2014	DLC
4-Bromofluorobenzene	EPA-8260	**102**	08/06/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070185
		ALS SAMPLE#:	EV14070185-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/30/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 2:32:00 PM
CLIENT SAMPLE ID	B-38:W-D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 5X Dilution	EPA-8260	**98.3**	08/06/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	8/14/2014 EV14070185 EV14070185-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/30/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 3:16:00 PM
CLIENT SAMPLE ID	IDW-Soil:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	85	1	ug/Kg	08/11/2014	DLC
Chloromethane	EPA-8260	U	51	1	ug/Kg	08/11/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Bromomethane	EPA-8260	U	43	1	ug/Kg	08/11/2014	DLC
Chloroethane	EPA-8260	U	51	1	ug/Kg	08/11/2014	DLC
Carbon Tetrachloride	EPA-8260	U	54	1	ug/Kg	08/11/2014	DLC
Trichlorofluoromethane	EPA-8260	U	45	1	ug/Kg	08/11/2014	DLC
Carbon Disulfide	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
Acetone	EPA-8260	U	100	1	ug/Kg	08/11/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Methylene Chloride	EPA-8260	U	110	1	ug/Kg	08/11/2014	DLC
Acrylonitrile	EPA-8260	U	55	1	ug/Kg	08/11/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	51	1	ug/Kg	08/11/2014	DLC
1,1-Dichloroethane	EPA-8260	U	52	1	ug/Kg	08/11/2014	DLC
2-Butanone	EPA-8260	U	76	1	ug/Kg	08/11/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	56	1	ug/Kg	08/11/2014	DLC
2,2-Dichloropropane	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
Bromochloromethane	EPA-8260	U	92	1	ug/Kg	08/11/2014	DLC
Chloroform	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC
1,1-Dichloropropene	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/11/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/11/2014	DLC
Trichloroethene	EPA-8260	**1000**	10	1	ug/Kg	08/11/2014	DLC
1,2-Dichloropropane	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC
Dibromomethane	EPA-8260	U	61	1	ug/Kg	08/11/2014	DLC
Bromodichloromethane	EPA-8260	U	54	1	ug/Kg	08/11/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	57	1	ug/Kg	08/11/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	53	1	ug/Kg	08/11/2014	DLC
Toluene	EPA-8260	U	55	1	ug/Kg	08/11/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	55	1	ug/Kg	08/11/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	57	1	ug/Kg	08/11/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC
1,3-Dichloropropane	EPA-8260	U	55	1	ug/Kg	08/11/2014	DLC
Tetrachloroethylene	EPA-8260	**15**	10	1	ug/Kg	08/11/2014	DLC
Dibromochloromethane	EPA-8260	U	82	1	ug/Kg	08/11/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/11/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070185
		ALS SAMPLE#:	EV14070185-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/30/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 3:16:00 PM
CLIENT SAMPLE ID	IDW-Soil:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Chlorobenzene	EPA-8260	U	57	1	ug/Kg	08/11/2014	DLC	
1,1,1,2-Tetrachloroethane	EPA-8260	U	44	1	ug/Kg	08/11/2014	DLC	
Ethylbenzene	EPA-8260	U	56	1	ug/Kg	08/11/2014	DLC	
m,p-Xylene	EPA-8260	U	100	1	ug/Kg	08/11/2014	DLC	
Styrene	EPA-8260	U	43	1	ug/Kg	08/11/2014	DLC	
o-Xylene	EPA-8260	U	48	1	ug/Kg	08/11/2014	DLC	
Bromoform	EPA-8260	U	61	1	ug/Kg	08/11/2014	DLC	
Isopropylbenzene	EPA-8260	U	47	1	ug/Kg	08/11/2014	DLC	
1,1,2,2-Tetrachloroethane	EPA-8260	U	59	1	ug/Kg	08/11/2014	DLC	
1,2,3-Trichloropropane	EPA-8260	U	62	1	ug/Kg	08/11/2014	DLC	
Bromobenzene	EPA-8260	U	59	1	ug/Kg	08/11/2014	DLC	
N-Propyl Benzene	EPA-8260	U	57	1	ug/Kg	08/11/2014	DLC	
2-Chlorotoluene	EPA-8260	U	59	1	ug/Kg	08/11/2014	DLC	
1,3,5-Trimethylbenzene	EPA-8260	U	43	1	ug/Kg	08/11/2014	DLC	
4-Chlorotoluene	EPA-8260	U	85	1	ug/Kg	08/11/2014	DLC	
T-Butyl Benzene	EPA-8260	U	55	1	ug/Kg	08/11/2014	DLC	
1,2,4-Trimethylbenzene	EPA-8260	**63**	46	1	ug/Kg	08/11/2014	DLC	
S-Butyl Benzene	EPA-8260	U	50	1	ug/Kg	08/11/2014	DLC	
P-Isopropyltoluene	EPA-8260	U	41	1	ug/Kg	08/11/2014	DLC	
1,3 Dichlorobenzene	EPA-8260	U	60	1	ug/Kg	08/11/2014	DLC	
1,4-Dichlorobenzene	EPA-8260	U	56	1	ug/Kg	08/11/2014	DLC	
N-Butylbenzene	EPA-8260	U	45	1	ug/Kg	08/11/2014	DLC	
1,2-Dichlorobenzene	EPA-8260	U	60	1	ug/Kg	08/11/2014	DLC	
1,2-Dibromo 3-Chloropropane	EPA-8260	U	71	1	ug/Kg	08/11/2014	DLC	
1,2,4-Trichlorobenzene	EPA-8260	U	52	1	ug/Kg	08/11/2014	DLC	
Hexachlorobutadiene	EPA-8260	U	62	1	ug/Kg	08/11/2014	DLC	
Naphthalene	EPA-8260	U	59	1	ug/Kg	08/11/2014	DLC	
1,2,3-Trichlorobenzene	EPA-8260	U	56	1	ug/Kg	08/11/2014	DLC	
Chromium (VI)	EPA-7196	U	0.57	1	MG/KG	08/13/2014	CAS	
Mercury	EPA-7471	**0.027**	0.020	1	MG/KG	07/31/2014	RAL	
Arsenic	EPA-6020	**2.1**	1.0	5	MG/KG	08/13/2014	RAL	
Barium	EPA-6020	**74**	0.50	5	MG/KG	08/13/2014	RAL	
Cadmium	EPA-6020	U	0.50	5	MG/KG	08/13/2014	RAL	
Chromium	EPA-6020	**28**	0.50	5	MG/KG	08/13/2014	RAL	
Lead	EPA-6020	**2.6**	0.50	5	MG/KG	08/13/2014	RAL	
Selenium	EPA-6020	U	5.0	5	MG/KG	08/13/2014	RAL	
Silver	EPA-6020	U	0.50	5	MG/KG	08/13/2014	RAL	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS JOB#:	EV14070185
		ALS SAMPLE#:	EV14070185-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	07/30/2014
CLIENT PROJECT:	64001	COLLECTION DATE:	7/29/2014 3:16:00 PM
CLIENT SAMPLE ID	IDW-Soil:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**133**	08/11/2014	DLC
Toluene-d8	EPA-8260	**99.9**	08/11/2014	DLC
4-Bromofluorobenzene	EPA-8260	**105**	08/11/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 8/14/2014
ALS SDG#: EV14070185
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-080814S - Batch 84681 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Vinyl Chloride	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromomethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Carbon Disulfide	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Acetone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Methylene Chloride	EPA-8260	U	20	1	ug/Kg	08/08/2014	DLC
Acrylonitrile	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Butanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromochloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Chloroform	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Benzene	EPA-8260	U	5.0	1	ug/Kg	08/08/2014	DLC
Trichloroethene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Dibromomethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromodichloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
Toluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Hexanone	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Tetrachloroethylene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Dibromochloromethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dibromoethane	EPA-8260	U	5.0	1	ug/Kg	08/08/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 8/14/2014
ALS SDG#: EV14070185
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-080814S - Batch 84681 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Ethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
m,p-Xylene	EPA-8260	U	20	1	ug/Kg	08/08/2014	DLC
Styrene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
o-Xylene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromoform	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Isopropylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Bromobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
N-Propyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
2-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
4-Chlorotoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
T-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
S-Butyl Benzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
N-Butylbenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	ug/Kg	08/08/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
Naphthalene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	ug/Kg	08/08/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB-080614W - Batch 84992 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/06/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 8/14/2014
ALS SDG#: EV14070185
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-080614W - Batch 84992 - Water by EPA-8260

Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/06/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/06/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/06/2014	DLC
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/06/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 8/14/2014
ALS SDG#: EV14070185
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-080614W - Batch 84992 - Water by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/06/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/06/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-08/13/2014 - Batch R239263 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	0.52	1	MG/KG	08/13/2014	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MB2-08/13/2014 - Batch R239263 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	0.52	1	MG/KG	08/13/2014	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-238468 - Batch R238468 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	ug/L	07/30/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS SDG#:	EV14070185
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MBLK-7312014 - Batch R238489 - Soil by EPA-7471

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Mercury	EPA-7471	U	0.020	1	MG/KG	07/31/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-073114S - Batch 84692 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Arsenic	EPA-6020	U	0.20	1	MG/KG	08/13/2014	RAL
Barium	EPA-6020	U	0.10	1	MG/KG	08/13/2014	RAL
Cadmium	EPA-6020	U	0.10	1	MG/KG	08/13/2014	RAL
Chromium	EPA-6020	U	0.10	1	MG/KG	08/13/2014	RAL
Lead	EPA-6020	U	0.10	1	MG/KG	08/13/2014	RAL
Selenium	EPA-6020	U	1.0	1	MG/KG	08/13/2014	RAL
Silver	EPA-6020	U	0.10	1	MG/KG	08/13/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-080514W - Batch 84840 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	ug/L	08/05/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS SDG#:	EV14070185
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 84681 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**94.0**			08/08/2014	DLC
1,1-Dichloroethene - BSD	EPA-8260	**83.3**	**12**		08/08/2014	DLC
Benzene - BS	EPA-8260	**90.0**			08/08/2014	DLC
Benzene - BSD	EPA-8260	**89.2**	**1**		08/08/2014	DLC
Trichloroethene - BS	EPA-8260	**88.8**			08/08/2014	DLC
Trichloroethene - BSD	EPA-8260	**88.1**	**1**		08/08/2014	DLC
Toluene - BS	EPA-8260	**93.1**			08/08/2014	DLC
Toluene - BSD	EPA-8260	**92.3**	**1**		08/08/2014	DLC
Chlorobenzene - BS	EPA-8260	**82.9**			08/08/2014	DLC
Chlorobenzene - BSD	EPA-8260	**86.2**	**4**		08/08/2014	DLC

ALS Test Batch ID: 84992 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**99.0**			08/06/2014	DLC
1,1-Dichloroethene - BSD	EPA-8260	**95.2**	**4**		08/06/2014	DLC
Benzene - BS	EPA-8260	**94.9**			08/06/2014	DLC
Benzene - BSD	EPA-8260	**90.5**	**5**		08/06/2014	DLC
Trichloroethene - BS	EPA-8260	**97.1**			08/06/2014	DLC
Trichloroethene - BSD	EPA-8260	**93.2**	**4**		08/06/2014	DLC
Toluene - BS	EPA-8260	**96.4**			08/06/2014	DLC
Toluene - BSD	EPA-8260	**91.9**	**5**		08/06/2014	DLC
Chlorobenzene - BS	EPA-8260	**99.6**			08/06/2014	DLC
Chlorobenzene - BSD	EPA-8260	**94.7**	**5**		08/06/2014	DLC

ALS Test Batch ID: R239263 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**92.7**			08/13/2014	CAS
Chromium (VI) - BS	EPA-7196	**99.9**			08/13/2014	CAS

ALS Test Batch ID: R238468 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**98.0**			07/30/2014	RAL
Chromium (VI) - BSD	EPA-7196	**100**	**2**		07/30/2014	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	8/14/2014
		ALS SDG#:	EV14070185
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: R238489 - Soil by EPA-7471

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Mercury - BS	EPA-7471	**112**			07/31/2014	RAL
Mercury - BSD	EPA-7471	**106**	**6**		07/31/2014	RAL

ALS Test Batch ID: 84692 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Arsenic - BS	EPA-6020	**105**			08/13/2014	RAL
Arsenic - BSD	EPA-6020	**107**	**1**		08/13/2014	RAL
Barium - BS	EPA-6020	**108**			08/13/2014	RAL
Barium - BSD	EPA-6020	**114**	**6**		08/13/2014	RAL
Cadmium - BS	EPA-6020	**105**			08/13/2014	RAL
Cadmium - BSD	EPA-6020	**110**	**5**		08/13/2014	RAL
Chromium - BS	EPA-6020	**108**			08/13/2014	RAL
Chromium - BSD	EPA-6020	**110**	**1**		08/13/2014	RAL
Lead - BS	EPA-6020	**109**			08/13/2014	RAL
Lead - BSD	EPA-6020	**113**	**4**		08/13/2014	RAL
Selenium - BS	EPA-6020	**107**			08/13/2014	RAL
Selenium - BSD	EPA-6020	**108**	**0**		08/13/2014	RAL
Silver - BS	EPA-6020	**117**			08/13/2014	RAL
Silver - BSD	EPA-6020	**118**	**0**		08/13/2014	RAL

ALS Test Batch ID: 84840 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**88.8**			08/05/2014	RAL
Chromium - BSD	EPA-200.8	**90.8**	**2**		08/05/2014	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EV1407018S

Date 7/29/14 Page 1 Of 1

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Busbee
ADDRESS: 1180 NW Maple St.
Issaquah WA
PHONE: 425-988-2090 FAX:
P.O. #: E-MAIL: monty.b@epivm.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chromium	Chromium VI						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-40:0.5	7/29/14	1302	soil	1							X									X	X						5	
2. B-40:4		1305	soil	2							X									X	X						5	
3. B-40:9		1415	soil	3							X									X	X						5	
4. B-40:W		1338	water	4							X									X	X (NO)						5	4
5. B-38:W-D		1432	water	5							X									X	X						5	
6. IDW-soil:1		1516	soil	6							X						X										5	
7.																												
8.																												
9.																												
10.																												

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 7/30/14 1050
Received By: ALS 7/30/14 10:50
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

* Turnaround request less than standard may incur Rush Charges

September 10, 2014

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On August 27th, 11 samples were received by our laboratory and assigned our laboratory project number EV14080141. The project was identified as your 64001.1. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080141
		ALS SAMPLE#:	EV14080141-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 7:35:00 AM
CLIENT SAMPLE ID	MW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/29/2014	HJK
Chromium	EPA-200.8	**57**	10	5	ug/L	09/08/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080141 EV14080141-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 8:13:00 AM
CLIENT SAMPLE ID	MW-21	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/28/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trichloroethene	EPA-8260	**24**	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080141 EV14080141-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 8:13:00 AM
CLIENT SAMPLE ID	MW-21	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/27/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/29/2014	HJK
Chromium	EPA-200.8	U	2.0	1	ug/L	09/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	08/28/2014	DLC
Toluene-d8	EPA-8260	**97.0**	08/28/2014	DLC
4-Bromofluorobenzene	EPA-8260	**101**	08/28/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080141 EV14080141-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 8:17:00 AM
CLIENT SAMPLE ID	MW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/28/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080141 EV14080141-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 8:17:00 AM
CLIENT SAMPLE ID	MW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/27/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/29/2014	HJK
Chromium	EPA-200.8	**23**	10	5	ug/L	09/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	08/28/2014	DLC
Toluene-d8	EPA-8260	**96.9**	08/28/2014	DLC
4-Bromofluorobenzene	EPA-8260	**104**	08/28/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080141 EV14080141-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 9:20:00 AM
CLIENT SAMPLE ID	MW-5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/28/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080141 EV14080141-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 9:20:00 AM
CLIENT SAMPLE ID	MW-5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/27/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/29/2014	HJK
Chromium	EPA-200.8	U	2.0	1	ug/L	09/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	08/28/2014	DLC
Toluene-d8	EPA-8260	**97.4**	08/28/2014	DLC
4-Bromofluorobenzene	EPA-8260	**102**	08/28/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080141 EV14080141-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 10:04:00 AM
CLIENT SAMPLE ID	MW-UW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/28/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080141 EV14080141-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 10:04:00 AM
CLIENT SAMPLE ID	MW-UW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/27/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/29/2014	HJK
Chromium	EPA-200.8	**10**	2.0	1	ug/L	09/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	08/28/2014	DLC
Toluene-d8	EPA-8260	**96.9**	08/28/2014	DLC
4-Bromofluorobenzene	EPA-8260	**101**	08/28/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080141 EV14080141-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 10:11:00 AM
CLIENT SAMPLE ID	MW-18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/28/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	**8.4**	2.0	1	ug/L	08/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trichloroethene	EPA-8260	**53**	20	10	ug/L	08/29/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080141
		ALS SAMPLE#:	EV14080141-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 10:11:00 AM
CLIENT SAMPLE ID	MW-18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chromium (VI)	EPA-7196	**580**	10	1	ug/L	08/27/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/29/2014	HJK
Chromium	EPA-200.8	**860**	2.0	1	ug/L	09/06/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	08/28/2014	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**99.5**	08/29/2014	DLC
Toluene-d8	EPA-8260	**97.2**	08/28/2014	DLC
Toluene-d8 10X Dilution	EPA-8260	**98.3**	08/29/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080141
		ALS SAMPLE#:	EV14080141-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 10:11:00 AM
CLIENT SAMPLE ID	MW-18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**98.0**	08/28/2014	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**101**	08/29/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080141
		ALS SAMPLE#:	EV14080141-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 11:12:00 AM
CLIENT SAMPLE ID	MW-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/28/2014	DLC	
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	DLC	
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	DLC	
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	DLC	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC	
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC	
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC	
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	DLC	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080141
		ALS SAMPLE#:	EV14080141-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 11:12:00 AM
CLIENT SAMPLE ID	MW-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/27/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/29/2014	HJK
Chromium	EPA-200.8	U	2.0	1	ug/L	09/06/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	08/28/2014	DLC
Toluene-d8	EPA-8260	**95.5**	08/28/2014	DLC
4-Bromofluorobenzene	EPA-8260	**101**	08/28/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080141 EV14080141-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 11:12:00 AM
CLIENT SAMPLE ID	MW-19	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/28/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	**33**	2.0	1	ug/L	08/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trichloroethene	EPA-8260	**190**	20	10	ug/L	08/29/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080141 EV14080141-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 11:12:00 AM
CLIENT SAMPLE ID	MW-19	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/27/2014	RAL
Cyanide	SM4500-CN E	**0.26**	0.050	1	MG/L	08/29/2014	HJK
Chromium	EPA-200.8	**1500**	2.0	1	ug/L	09/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	08/28/2014	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**100**	08/29/2014	DLC
Toluene-d8	EPA-8260	**99.4**	08/28/2014	DLC
Toluene-d8 10X Dilution	EPA-8260	**98.0**	08/29/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080141
		ALS SAMPLE#:	EV14080141-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 11:12:00 AM
CLIENT SAMPLE ID	MW-19	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**105**	08/28/2014	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**102**	08/29/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080141 EV14080141-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 12:30:00 PM
CLIENT SAMPLE ID	MW-20	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/28/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	**16**	2.0	1	ug/L	08/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trichloroethene	EPA-8260	**55**	20	10	ug/L	08/29/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080141 EV14080141-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 12:30:00 PM
CLIENT SAMPLE ID	MW-20	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/27/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/29/2014	HJK
Chromium	EPA-200.8	**7.0**	2.0	1	ug/L	09/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	08/28/2014	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**103**	08/29/2014	DLC
Toluene-d8	EPA-8260	**97.7**	08/28/2014	DLC
Toluene-d8 10X Dilution	EPA-8260	**96.2**	08/29/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080141
		ALS SAMPLE#:	EV14080141-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 12:30:00 PM
CLIENT SAMPLE ID	MW-20	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**98.8**	08/28/2014	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**98.2**	08/29/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080141 EV14080141-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 12:24:00 PM
CLIENT SAMPLE ID	MW-07	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/28/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080141 EV14080141-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 12:24:00 PM
CLIENT SAMPLE ID	MW-07	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/27/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/29/2014	HJK
Chromium	EPA-200.8	U	2.0	1	ug/L	09/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	08/28/2014	DLC
Toluene-d8	EPA-8260	**95.3**	08/28/2014	DLC
4-Bromofluorobenzene	EPA-8260	**97.9**	08/28/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080141
		ALS SAMPLE#:	EV14080141-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 2:00:00 PM
CLIENT SAMPLE ID	MW-05	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/28/2014	DLC	
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	DLC	
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	DLC	
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	DLC	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC	
Cis-1,2-Dichloroethene	EPA-8260	**2.5**	2.0	1	ug/L	08/28/2014	DLC	
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Trichloroethene	EPA-8260	**110**	20	10	ug/L	08/29/2014	DLC	
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC	
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	DLC	
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC	
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	DLC	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080141 EV14080141-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 2:00:00 PM
CLIENT SAMPLE ID	MW-05	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/27/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/29/2014	HJK
Chromium	EPA-200.8	**15**	2.0	1	ug/L	09/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**116**	08/28/2014	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**104**	08/29/2014	DLC
Toluene-d8	EPA-8260	**97.6**	08/28/2014	DLC
Toluene-d8 10X Dilution	EPA-8260	**97.6**	08/29/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080141
		ALS SAMPLE#:	EV14080141-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/27/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/27/2014 2:00:00 PM
CLIENT SAMPLE ID	MW-05	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**101**	08/28/2014	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**97.7**	08/29/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 9/10/2014
ALS SDG#: EV14080141
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-082714W - Batch 85559 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/27/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Acetone	EPA-8260	U	25	1	ug/L	08/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/27/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
2-Butanone	EPA-8260	U	10	1	ug/L	08/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Chloroform	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Benzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/27/2014	GAP
Toluene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
2-Hexanone	EPA-8260	U	10	1	ug/L	08/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 9/10/2014
ALS SDG#: EV14080141
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-082714W - Batch 85559 - Water by EPA-8260

Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/27/2014	GAP
Styrene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Bromoform	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-8272014 - Batch R240033 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/27/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-8292014 - Batch R240128 - Water by SM4500-CN E

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/29/2014	HJK

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS SDG#:	EV14080141
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

LABORATORY BLANK RESULTS

MBLK-8292014 - Batch R240128 - Water by SM4500-CN E

U - Analyte analyzed for but not detected at level above reporting limit.

MB-082814W - Batch 85570 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	ug/L	09/06/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS SDG#:	EV14080141
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 85559 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**115**			08/27/2014	GAP
1,1-Dichloroethene - BSD	EPA-8260	**101**	**13**		08/27/2014	GAP
Benzene - BS	EPA-8260	**100**			08/27/2014	GAP
Benzene - BSD	EPA-8260	**93.6**	**7**		08/27/2014	GAP
Trichloroethene - BS	EPA-8260	**112**			08/27/2014	GAP
Trichloroethene - BSD	EPA-8260	**95.5**	**16**		08/27/2014	GAP
Toluene - BS	EPA-8260	**112**			08/27/2014	GAP
Toluene - BSD	EPA-8260	**97.1**	**14**		08/27/2014	GAP
Chlorobenzene - BS	EPA-8260	**110**			08/27/2014	GAP
Chlorobenzene - BSD	EPA-8260	**97.8**	**12**		08/27/2014	GAP

ALS Test Batch ID: R240033 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**103**			08/27/2014	RAL
Chromium (VI) - BSD	EPA-7196	**107**	**4**		08/27/2014	RAL

ALS Test Batch ID: R240128 - Water by SM4500-CN E

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Cyanide - BS	SM4500-CN E	**95.0**			08/29/2014	HJK

ALS Test Batch ID: 85570 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**93.4**			09/06/2014	RAL
Chromium - BSD	EPA-200.8	**95.5**	**2**		09/06/2014	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1408014/

Date 8/27/14 Page 1 Of 2

PROJECT ID: 64001.1
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Busbee
ADDRESS: 1180 NW Maple St, Ste 310 Issaquah WA 98027
PHONE: 425-395-0010 FAX: 425-395-0011
P.O. #: E-MAIL: montyb@epi-wa-com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chromium	Hexavalent Chromium	Cyanide				NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-3	8/27/14	0735	W	1															X		X				2	
2. MW-21		0813		2							X								X	X	X				6	
3. MW-2		0817		3							X								X	X	X				6	
4. MW-5		0920		4							X								X	X	X				6	
5. MW-4W		1004		5							X								X	X	X				6	
6. MW-18		1011		6							X								X	X	X				6	
7. MW-4		1112		7							X								X	X	X				6	
8. MW-19		1112		8							X								X	X	X				6	
9. MW-20		1230		9							X								X	X	X				6	
10. MW-07	↓	1224	↓	10							X								X	X	X				6	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 8/27/14
   Received By: AG 8/28/14 1530
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/
Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1408014/

Date 8/27/14 Page 2 Of 2

PROJECT ID: 64001.1
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Bushee
ADDRESS: 1180 NW Maple St, Ste 310
Issaquah, WA 98027
PHONE: 425-395-0010 FAX: 425-395-0011
P.O. #: E-MAIL: monty@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium	Hexavalent Chromium	Cyanide					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-05	8/27/14	1460	W	11							X									X	X	X						6	
2.																													
3.																													
4.																													
5.																													
6.																													
7.																													
8.																													
9.																													
10.																													

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 8/27/14
   Received By: ALS 8/27/14 1530
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: [10] Standard [5] [3] [2] [1] [SAME DAY]

Fuels & Hydrocarbon Analysis: [5] Standard [3] [1] [SAME DAY]

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

September 10, 2014

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On August 26th, 8 samples were received by our laboratory and assigned our laboratory project number EV14080134. The project was identified as your 64001.1. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080134 EV14080134-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 10:40:00 AM
CLIENT SAMPLE ID	MW-12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/27/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Acetone	EPA-8260	U	25	1	ug/L	08/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/27/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
2-Butanone	EPA-8260	U	10	1	ug/L	08/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Chloroform	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Benzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/27/2014	GAP
Toluene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
2-Hexanone	EPA-8260	U	10	1	ug/L	08/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080134
		ALS SAMPLE#:	EV14080134-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 10:40:00 AM
CLIENT SAMPLE ID	MW-12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/27/2014	GAP
Styrene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Bromoform	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/26/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/27/2014	HJK
Chromium	EPA-200.8	U	2.0	1	ug/L	09/06/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.9**	08/27/2014	GAP
Toluene-d8	EPA-8260	**98.3**	08/27/2014	GAP
4-Bromofluorobenzene	EPA-8260	**105**	08/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080134 EV14080134-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 11:24:00 AM
CLIENT SAMPLE ID	MW-10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Vinyl Chloride	EPA-8260	**3.0**	0.20	1	ug/L	08/28/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP	
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080134
		ALS SAMPLE#:	EV14080134-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 11:24:00 AM
CLIENT SAMPLE ID	MW-10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	GAP
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/26/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/27/2014	HJK
Chromium	EPA-200.8	**3.8**	2.0	1	ug/L	09/06/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	08/28/2014	GAP
Toluene-d8	EPA-8260	**96.1**	08/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**100**	08/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080134
		ALS SAMPLE#:	EV14080134-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 11:33:00 AM
CLIENT SAMPLE ID	MW-11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/28/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**45**	20	10	ug/L	08/28/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trichloroethene	EPA-8260	**100**	20	10	ug/L	08/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080134
		ALS SAMPLE#:	EV14080134-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 11:33:00 AM
CLIENT SAMPLE ID	MW-11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	GAP
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chromium (VI)	EPA-7196	**59**	10	1	ug/L	08/26/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/27/2014	HJK
Chromium	EPA-200.8	**65**	2.0	1	ug/L	09/06/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	08/28/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**103**	08/28/2014	GAP
Toluene-d8	EPA-8260	**96.6**	08/28/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**98.0**	08/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080134
		ALS SAMPLE#:	EV14080134-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 11:33:00 AM
CLIENT SAMPLE ID	MW-11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**99.5**	08/28/2014	GAP
4-Bromofluorobenzene 10X Dilution	EPA-8260	**99.8**	08/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080134 EV14080134-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 12:46:00 PM
CLIENT SAMPLE ID	MW-9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/28/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080134 EV14080134-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 12:46:00 PM
CLIENT SAMPLE ID	MW-9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	GAP
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/26/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/27/2014	HJK
Chromium	EPA-200.8	U	2.0	1	ug/L	09/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	08/28/2014	GAP
Toluene-d8	EPA-8260	**95.4**	08/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**99.4**	08/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080134
		ALS SAMPLE#:	EV14080134-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 12:55:00 PM
CLIENT SAMPLE ID	MW-8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Vinyl Chloride	EPA-8260	**1.1**	0.20	1	ug/L	08/28/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080134
		ALS SAMPLE#:	EV14080134-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 12:55:00 PM
CLIENT SAMPLE ID	MW-8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	GAP
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/26/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/27/2014	HJK
Chromium	EPA-200.8	**2.3**	2.0	1	ug/L	09/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	08/28/2014	GAP
Toluene-d8	EPA-8260	**96.9**	08/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**101**	08/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080134 EV14080134-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 2:08:00 PM
CLIENT SAMPLE ID	MW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/28/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080134 EV14080134-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 2:08:00 PM
CLIENT SAMPLE ID	MW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	GAP
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/26/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/27/2014	HJK
Chromium	EPA-200.8	U	2.0	1	ug/L	09/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	08/28/2014	GAP
Toluene-d8	EPA-8260	**107**	08/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**104**	08/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080134 EV14080134-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 2:05:00 PM
CLIENT SAMPLE ID	MW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Vinyl Chloride	EPA-8260	**7.4**	0.20	1	ug/L	08/28/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	**150**	20	10	ug/L	08/28/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trichloroethene	EPA-8260	**130**	20	10	ug/L	08/28/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Tetrachloroethylene	EPA-8260	**3.3**	2.0	1	ug/L	08/28/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080134
		ALS SAMPLE#:	EV14080134-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 2:05:00 PM
CLIENT SAMPLE ID	MW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	GAP
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/26/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	08/28/2014	GAP
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**105**	08/28/2014	GAP
Toluene-d8	EPA-8260	**97.7**	08/28/2014	GAP
Toluene-d8 10X Dilution	EPA-8260	**95.2**	08/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**104**	08/28/2014	GAP
4-Bromofluorobenzene 10X Dilution	EPA-8260	**99.3**	08/28/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080134 EV14080134-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 2:05:00 PM
CLIENT SAMPLE ID	MW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS JOB#:	EV14080134
		ALS SAMPLE#:	EV14080134-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 2:50:00 PM
CLIENT SAMPLE ID	MW-7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY	
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Vinyl Chloride	EPA-8260	**0.38**	0.20	1	ug/L	08/28/2014	GAP	
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Acetone	EPA-8260	U	25	1	ug/L	08/28/2014	GAP	
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/28/2014	GAP	
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/28/2014	GAP	
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
2-Butanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP	
Cis-1,2-Dichloroethene	EPA-8260	**3.6**	2.0	1	ug/L	08/28/2014	GAP	
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Chloroform	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP	
Toluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
2-Hexanone	EPA-8260	U	10	1	ug/L	08/28/2014	GAP	
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP	
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/28/2014	GAP	

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/10/2014 EV14080134 EV14080134-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/26/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/26/2014 2:50:00 PM
CLIENT SAMPLE ID	MW-7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/28/2014	GAP
Styrene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromoform	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/28/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/28/2014	GAP
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/26/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/27/2014	HJK
Chromium	EPA-200.8	U	2.0	1	ug/L	09/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	08/28/2014	GAP
Toluene-d8	EPA-8260	**97.4**	08/28/2014	GAP
4-Bromofluorobenzene	EPA-8260	**105**	08/28/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 9/10/2014
ALS SDG#: EV14080134
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-082714W - Batch 85559 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/27/2014	GAP
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Acetone	EPA-8260	U	25	1	ug/L	08/27/2014	GAP
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/27/2014	GAP
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/27/2014	GAP
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
2-Butanone	EPA-8260	U	10	1	ug/L	08/27/2014	GAP
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Chloroform	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Benzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/27/2014	GAP
Toluene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
2-Hexanone	EPA-8260	U	10	1	ug/L	08/27/2014	GAP
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/27/2014	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 9/10/2014
ALS SDG#: EV14080134
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-082714W - Batch 85559 - Water by EPA-8260

Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/27/2014	GAP
Styrene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Bromoform	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/27/2014	GAP
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/27/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-8262014 - Batch R239959 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/26/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-8272014 - Batch R239914 - Water by SM4500-CN E

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/27/2014	HJK

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS SDG#:	EV14080134
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

LABORATORY BLANK RESULTS

MBLK-8272014 - Batch R239914 - Water by SM4500-CN E

U - Analyte analyzed for but not detected at level above reporting limit.

MB-082814W - Batch 85570 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	ug/L	09/06/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/10/2014
		ALS SDG#:	EV14080134
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 85559 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**115**			08/27/2014	GAP
1,1-Dichloroethene - BSD	EPA-8260	**101**	**13**		08/27/2014	GAP
Benzene - BS	EPA-8260	**100**			08/27/2014	GAP
Benzene - BSD	EPA-8260	**93.6**	**7**		08/27/2014	GAP
Trichloroethene - BS	EPA-8260	**112**			08/27/2014	GAP
Trichloroethene - BSD	EPA-8260	**95.5**	**16**		08/27/2014	GAP
Toluene - BS	EPA-8260	**112**			08/27/2014	GAP
Toluene - BSD	EPA-8260	**97.1**	**14**		08/27/2014	GAP
Chlorobenzene - BS	EPA-8260	**110**			08/27/2014	GAP
Chlorobenzene - BSD	EPA-8260	**97.8**	**12**		08/27/2014	GAP

ALS Test Batch ID: R239959 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**103**			08/26/2014	RAL
Chromium (VI) - BSD	EPA-7196	**96.0**	**7**		08/26/2014	RAL

ALS Test Batch ID: R239914 - Water by SM4500-CN E

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Cyanide - BS	SM4500-CN E	**96.0**			08/27/2014	HJK

ALS Test Batch ID: 85570 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**93.4**			09/06/2014	RAL
Chromium - BSD	EPA-200.8	**95.5**	**2**		09/06/2014	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1408013 4

Date 8/26/14 Page 1 Of 1

PROJECT ID: 64001.1
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Bushee
ADDRESS: 1180 NW Maple St, Ste 310
Issaquah, WA 98027
PHONE: 425-395-0010 FAX: 425-395-0011
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium	Hexavalent Chromium	Cyanide					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-12	8/26/14	1040	W	1							X									X	X	X					6	
2. MW-10	"	1124	"	2							X									X	X	X					6	
3. MW-11	"	1133	"	3							X									X	X	X					6	
4. MW-9	"	1246	"	4							X									X	X	X					6	
5. MW-8	"	1255	"	5							X									X	X	X					6	
6. MW-1	"	1408	"	6							X									X	X	X					6	
7. MW-3	"	1405	"	7							X										X						4	
8. MW-7	"	1450	"	8							X									X	X	X					6	
9.																												
10.																												

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 8/26/14
Received By: ALS 8/26/14 2:50
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis
10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis
5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

September 12, 2014

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On August 28th, 4 samples were received by our laboratory and assigned our laboratory project number EV14080153. The project was identified as your 64001.1. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/12/2014 EV14080153 EV14080153-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/28/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/28/2014 7:32:00 AM
CLIENT SAMPLE ID	MW-16 PP	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/29/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/29/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/29/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/29/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/12/2014 EV14080153 EV14080153-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/28/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/28/2014 7:32:00 AM
CLIENT SAMPLE ID	MW-16 PP	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/29/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/28/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/29/2014	HJK
Chromium	EPA-200.8	**2.8**	2.0	1	ug/L	09/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	08/29/2014	DLC
Toluene-d8	EPA-8260	**101**	08/29/2014	DLC
4-Bromofluorobenzene	EPA-8260	**101**	08/29/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/12/2014 EV14080153 EV14080153-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/28/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/28/2014 8:04:00 AM
CLIENT SAMPLE ID	MW-14	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/29/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/29/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/29/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Trichloroethene	EPA-8260	**4.0**	2.0	1	ug/L	08/29/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/29/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/12/2014 EV14080153 EV14080153-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/28/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/28/2014 8:04:00 AM
CLIENT SAMPLE ID	MW-14	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/29/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Chromium (VI)	EPA-7196	**19**	10	1	ug/L	08/28/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/29/2014	HJK
Chromium	EPA-200.8	**25**	2.0	1	ug/L	09/07/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	08/29/2014	DLC
Toluene-d8	EPA-8260	**96.4**	08/29/2014	DLC
4-Bromofluorobenzene	EPA-8260	**100**	08/29/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/12/2014 EV14080153 EV14080153-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/28/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/28/2014 8:40:00 AM
CLIENT SAMPLE ID	MW-15	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/29/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/29/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/29/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	**4.8**	2.0	1	ug/L	08/29/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	**490**	200	100	ug/L	09/04/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1,1-Trichloroethane	EPA-8260	**2.1**	2.0	1	ug/L	08/29/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Trichloroethene	EPA-8260	**1600**	200	100	ug/L	09/04/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Tetrachloroethylene	EPA-8260	**8.0**	2.0	1	ug/L	08/29/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/29/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/12/2014 EV14080153 EV14080153-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/28/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/28/2014 8:40:00 AM
CLIENT SAMPLE ID	MW-15	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/29/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/28/2014	RAL
Chromium	EPA-200.8	**73**	2.0	1	ug/L	09/08/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	08/29/2014	DLC
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**99.8**	09/04/2014	DLC
Toluene-d8	EPA-8260	**98.1**	08/29/2014	DLC
Toluene-d8 100X Dilution	EPA-8260	**99.4**	09/04/2014	DLC
4-Bromofluorobenzene	EPA-8260	**104**	08/29/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/12/2014
		ALS JOB#:	EV14080153
		ALS SAMPLE#:	EV14080153-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/28/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/28/2014 8:40:00 AM
CLIENT SAMPLE ID	MW-15	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 100X Dilution	EPA-8260	**97.2**	09/04/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/12/2014 EV14080153 EV14080153-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/28/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/28/2014 9:55:00 AM
CLIENT SAMPLE ID	MW-16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	09/04/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	09/04/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	09/04/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	09/04/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	09/04/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	**2.4**	2.0	1	ug/L	09/04/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	09/04/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	09/04/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	09/04/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/12/2014 EV14080153 EV14080153-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	08/28/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	8/28/2014 9:55:00 AM
CLIENT SAMPLE ID	MW-16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	09/04/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	09/04/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/04/2014	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	09/04/2014	DLC
Toluene-d8	EPA-8260	**99.9**	09/04/2014	DLC
4-Bromofluorobenzene	EPA-8260	**96.0**	09/04/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee

CLIENT PROJECT: 64001.1

DATE: 9/12/2014

ALS SDG#: EV14080153

WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-082914W - Batch 85651 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	08/29/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	08/29/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	08/29/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	08/29/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 9/12/2014
ALS SDG#: EV14080153
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-082914W - Batch 85651 - Water by EPA-8260

Chlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	08/29/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	08/29/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	08/29/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-240083 - Batch R240083 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	ug/L	08/28/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-8292014 - Batch R240128 - Water by SM4500-CN E

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Cyanide	SM4500-CN E	U	0.050	1	MG/L	08/29/2014	HJK

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS SDG#: WDOE ACCREDITATION:	9/12/2014 EV14080153 C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

LABORATORY BLANK RESULTS

MBLK-8292014 - Batch R240128 - Water by SM4500-CN E

U - Analyte analyzed for but not detected at level above reporting limit.

MB-082914W - Batch 85616 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	ug/L	09/04/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/12/2014
		ALS SDG#:	EV14080153
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 85651 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**98.5**			08/29/2014	DLC
1,1-Dichloroethene - BSD	EPA-8260	**102**	**4**		08/29/2014	DLC
Benzene - BS	EPA-8260	**94.0**			08/29/2014	DLC
Benzene - BSD	EPA-8260	**96.9**	**3**		08/29/2014	DLC
Trichloroethene - BS	EPA-8260	**96.5**			08/29/2014	DLC
Trichloroethene - BSD	EPA-8260	**102**	**5**		08/29/2014	DLC
Toluene - BS	EPA-8260	**97.9**			08/29/2014	DLC
Toluene - BSD	EPA-8260	**101**	**3**		08/29/2014	DLC
Chlorobenzene - BS	EPA-8260	**102**			08/29/2014	DLC
Chlorobenzene - BSD	EPA-8260	**104**	**2**		08/29/2014	DLC

ALS Test Batch ID: R240083 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**107**			08/28/2014	RAL
Chromium (VI) - BSD	EPA-7196	**107**	**0**		08/28/2014	RAL

ALS Test Batch ID: R240128 - Water by SM4500-CN E

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Cyanide - BS	SM4500-CN E	**95.0**			08/29/2014	HJK

ALS Test Batch ID: 85616 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**99.3**			09/04/2014	RAL
Chromium - BSD	EPA-200.8	**102**	**3**		09/04/2014	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1408015 3

Date 8/28/14 Page 1 Of 1

PROJECT ID: 64001.1
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Busbee
ADDRESS: 1100 NW Maple St, Ste 310
Issaquah, WA 98027
PHONE: 425-395-0010 FAX: 425-395-0011
P.O. #: E-MAIL: montyb@epi-nw.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐
1. MW-16 PF	8/28/14	0732	W	1							X								
2. MW-14		0804		2							X								
3. MW-15		0840		3							X								
4. MW-16		0955		4							X								
5.																			
6.																			
7.																			
8.																			
9.																			
10.																			

OTHER (Specify)

	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
Total Chromium, Hexavalent Chromium, Cyanide	6	
	6	
	5	
	2	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI
Received By: ALS 8/28/14 1:35
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: [10] Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

September 29, 2014

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On September 22nd, 2 samples were received by our laboratory and assigned our laboratory project number EV14090134. The project was identified as your 64001.1. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2014 EV14090134 EV14090134-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/22/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/22/2014 11:50:00 AM
CLIENT SAMPLE ID	MW-7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	09/24/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	09/24/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	09/24/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	09/24/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	09/24/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	09/24/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	09/24/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	09/24/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2014 EV14090134 EV14090134-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/22/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/22/2014 11:50:00 AM
CLIENT SAMPLE ID	MW-7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	09/24/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	09/24/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	09/22/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	09/24/2014	HJK
Chromium	EPA-200.8	U	2.0	1	ug/L	09/24/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.7**	09/24/2014	DLC
Toluene-d8	EPA-8260	**100**	09/24/2014	DLC
4-Bromofluorobenzene	EPA-8260	**98.4**	09/24/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2014 EV14090134 EV14090134-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/22/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/22/2014 12:10:00 PM
CLIENT SAMPLE ID	MW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Vinyl Chloride	EPA-8260	**8.5**	0.20	1	ug/L	09/24/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	09/24/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	09/24/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	09/24/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	**5.4**	2.0	1	ug/L	09/24/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	09/24/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	100	50	ug/L	09/24/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Trichloroethene	EPA-8260	**230**	100	50	ug/L	09/24/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	09/24/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	09/24/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Tetrachloroethylene	EPA-8260	**4.1**	2.0	1	ug/L	09/24/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	09/24/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2014 EV14090134 EV14090134-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/22/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/22/2014 12:10:00 PM
CLIENT SAMPLE ID	MW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	09/24/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	09/24/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	09/22/2014	RAL
Cyanide	SM4500-CN E	U	0.050	1	MG/L	09/24/2014	HJK
Chromium	EPA-200.8	**6.0**	2.0	1	ug/L	09/24/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.3**	09/24/2014	DLC
1,2-Dichloroethane-d4 50X Dilution	EPA-8260	**111**	09/24/2014	DLC
Toluene-d8	EPA-8260	**102**	09/24/2014	DLC
Toluene-d8 50X Dilution	EPA-8260	**98.2**	09/24/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/29/2014
		ALS JOB#:	EV14090134
		ALS SAMPLE#:	EV14090134-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/22/2014
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/22/2014 12:10:00 PM
CLIENT SAMPLE ID	MW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**97.9**	09/24/2014	DLC
4-Bromofluorobenzene 50X Dilution	EPA-8260	**103**	09/24/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 9/29/2014
ALS SDG#: EV14090134
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-092414W - Batch 86349 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	09/24/2014	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Acetone	EPA-8260	U	25	1	ug/L	09/24/2014	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	09/24/2014	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	09/24/2014	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	09/24/2014	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	09/24/2014	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	09/24/2014	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2-Dibromoethane	EPA-8260	U	0.01	1	ug/L	09/24/2014	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 9/29/2014
ALS SDG#: EV14090134
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-092414W - Batch 86349 - Water by EPA-8260

Chlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	09/24/2014	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	09/24/2014	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	09/24/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-9222014 - Batch R241334 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	ug/L	09/22/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-9242014 - Batch R241488 - Water by SM4500-CN E

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Cyanide	SM4500-CN E	U	0.050	1	MG/L	09/24/2014	HJK

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/29/2014
		ALS SDG#:	EV14090134
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

LABORATORY BLANK RESULTS

MBLK-9242014 - Batch R241488 - Water by SM4500-CN E

U - Analyte analyzed for but not detected at level above reporting limit.

MB-092314W - Batch 86301 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	ug/L	09/24/2014	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/29/2014
		ALS SDG#:	EV14090134
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 86349 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**104**			09/24/2014	DLC
1,1-Dichloroethene - BSD	EPA-8260	**110**	**5**		09/24/2014	DLC
Benzene - BS	EPA-8260	**102**			09/24/2014	DLC
Benzene - BSD	EPA-8260	**109**	**6**		09/24/2014	DLC
Trichloroethene - BS	EPA-8260	**99.7**			09/24/2014	DLC
Trichloroethene - BSD	EPA-8260	**107**	**7**		09/24/2014	DLC
Toluene - BS	EPA-8260	**102**			09/24/2014	DLC
Toluene - BSD	EPA-8260	**108**	**6**		09/24/2014	DLC
Chlorobenzene - BS	EPA-8260	**112**			09/24/2014	DLC
Chlorobenzene - BSD	EPA-8260	**116**	**3**		09/24/2014	DLC

ALS Test Batch ID: R241334 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**110**			09/22/2014	RAL
Chromium (VI) - BSD	EPA-7196	**110**	**0**		09/22/2014	RAL

ALS Test Batch ID: R241488 - Water by SM4500-CN E

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Cyanide - BS	SM4500-CN E	**94.0**			09/24/2014	HJK

ALS Test Batch ID: 86301 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**90.8**			09/24/2014	RAL
Chromium - BSD	EPA-200.8	**98.6**	**8**		09/24/2014	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV 14090134

Date 9/22/14 Page 1 Of 1

PROJECT ID: 64001.1
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Bushee
ADDRESS: 1180 NW Maple St. Ste 350
Issaquah, WA 98027
PHONE: 425-395-0010 FAX: 425-395-9011
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chromium	Hexavalent Chromium	Cyanide					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-7	9/22/14	1150	W	1							X									X	X	X				6	
2. MW-1	↓	1210	↓	2							X									X	X	X				6	
3.																											
4.																											
5.																											
6.																											
7.																											
8.																											
9.																											
10.																											

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 9/22/14
Received By: 9/22/14 1:00 ALS
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

March 16, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On March 2nd, 28 samples were received by our laboratory and assigned our laboratory project number EV15030003. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 9:31:00 AM
CLIENT SAMPLE ID	B-48:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 9:31:00 AM
CLIENT SAMPLE ID	B-48:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**25**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.2**	03/05/2015	DLC
Toluene-d8	EPA-8260	**97.9**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.4**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 9:40:00 AM
CLIENT SAMPLE ID	B-48:4.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 9:40:00 AM
CLIENT SAMPLE ID	B-48:4.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**25**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.6**	03/05/2015	DLC
Toluene-d8	EPA-8260	**96.9**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 9:43:00 AM
CLIENT SAMPLE ID	B-48:7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 9:43:00 AM
CLIENT SAMPLE ID	B-48:7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**29**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**95.7**	03/05/2015	DLC
Toluene-d8	EPA-8260	**100**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 9:44:00 AM
CLIENT SAMPLE ID	B-48:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 9:44:00 AM
CLIENT SAMPLE ID	B-48:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**8.1**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**98.7**	03/05/2015	DLC
Toluene-d8	EPA-8260	**99.2**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.8**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 10:28:00 AM
CLIENT SAMPLE ID	B-49:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	0.010	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 10:28:00 AM
CLIENT SAMPLE ID	B-49:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**27**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**96.3**	03/05/2015	DLC
Toluene-d8	EPA-8260	**99.1**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.3**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 10:30:00 AM
CLIENT SAMPLE ID	B-49:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 10:30:00 AM
CLIENT SAMPLE ID	B-49:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**26**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.9**	03/05/2015	DLC
Toluene-d8	EPA-8260	**97.0**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 10:31:00 AM
CLIENT SAMPLE ID	B-49:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 10:31:00 AM
CLIENT SAMPLE ID	B-49:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**23**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**96.3**	03/05/2015	DLC
Toluene-d8	EPA-8260	**99.2**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.6**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 10:35:00 AM
CLIENT SAMPLE ID	B-49:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 10:35:00 AM
CLIENT SAMPLE ID	B-49:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**8.5**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.5**	03/05/2015	DLC
Toluene-d8	EPA-8260	**97.5**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 11:35:00 AM
CLIENT SAMPLE ID	B-50:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 11:35:00 AM
CLIENT SAMPLE ID	B-50:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**28**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**96.2**	03/05/2015	DLC
Toluene-d8	EPA-8260	**98.5**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 11:36:00 AM
CLIENT SAMPLE ID	B-50:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 11:36:00 AM
CLIENT SAMPLE ID	B-50:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**30**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**96.1**	03/05/2015	DLC
Toluene-d8	EPA-8260	**98.1**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.1**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 11:39:00 AM
CLIENT SAMPLE ID	B-50:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 11:39:00 AM
CLIENT SAMPLE ID	B-50:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**25**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**94.1**	03/05/2015	DLC
Toluene-d8	EPA-8260	**99.1**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 11:40:00 AM
CLIENT SAMPLE ID	B-50:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 11:40:00 AM
CLIENT SAMPLE ID	B-50:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**9.1**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**92.7**	03/05/2015	DLC
Toluene-d8	EPA-8260	**99.4**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 12:29:00 PM
CLIENT SAMPLE ID	B-53:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 12:29:00 PM
CLIENT SAMPLE ID	B-53:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**27**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**90.9**	03/05/2015	DLC
Toluene-d8	EPA-8260	**97.6**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 12:31:00 PM
CLIENT SAMPLE ID	B-53:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 12:31:00 PM
CLIENT SAMPLE ID	B-53:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**28**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**92.4**	03/05/2015	DLC
Toluene-d8	EPA-8260	**100**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 12:35:00 PM
CLIENT SAMPLE ID	B-53:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 12:35:00 PM
CLIENT SAMPLE ID	B-53:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**28**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**96.4**	03/05/2015	DLC
Toluene-d8	EPA-8260	**99.8**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 12:39:00 PM
CLIENT SAMPLE ID	B-53:11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 12:39:00 PM
CLIENT SAMPLE ID	B-53:11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**49**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**94.5**	03/05/2015	DLC
Toluene-d8	EPA-8260	**98.4**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 12:41:00 PM
CLIENT SAMPLE ID	B-53:14	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/16/2015
		ALS JOB#:	EV15030003
		ALS SAMPLE#:	EV15030003-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 12:41:00 PM
CLIENT SAMPLE ID	B-53:14	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**9.6**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**88.6**	03/05/2015	DLC
Toluene-d8	EPA-8260	**97.8**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 12:47:00 PM
CLIENT SAMPLE ID	B-53:18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 12:47:00 PM
CLIENT SAMPLE ID	B-53:18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**76**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**88.5**	03/05/2015	DLC
Toluene-d8	EPA-8260	**99.7**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-19
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 2:15:00 PM
CLIENT SAMPLE ID	B-52:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-19
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 2:15:00 PM
CLIENT SAMPLE ID	B-52:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/05/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**29**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**89.5**	03/05/2015	DLC
Toluene-d8	EPA-8260	**97.1**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-20
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 2:18:00 PM
CLIENT SAMPLE ID	B-52:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-20
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 2:18:00 PM
CLIENT SAMPLE ID	B-52:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT
Chromium	EPA-6020	**29**	0.50	5	MG/KG	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**88.0**	03/06/2015	DLC
Toluene-d8	EPA-8260	**98.4**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.5**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-21
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 2:20:00 PM
CLIENT SAMPLE ID	B-52:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-21
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 2:20:00 PM
CLIENT SAMPLE ID	B-52:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**25**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**90.6**	03/06/2015	DLC
Toluene-d8	EPA-8260	**97.1**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.7**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-22
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 2:23:00 PM
CLIENT SAMPLE ID	B-52:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-22
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 2:23:00 PM
CLIENT SAMPLE ID	B-52:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**8.6**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**91.3**	03/06/2015	DLC
Toluene-d8	EPA-8260	**97.6**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-23
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 9:45:00 AM
CLIENT SAMPLE ID	B-48:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/03/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/03/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/03/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Toluene	EPA-8260	**19**	2.0	1	ug/L	03/03/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/03/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-23
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 9:45:00 AM
CLIENT SAMPLE ID	B-48:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Ethylbenzene	EPA-8260	**5.2**	2.0	1	ug/L	03/03/2015	DLC
m,p-Xylene	EPA-8260	**24**	4.0	1	ug/L	03/03/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
o-Xylene	EPA-8260	**11**	2.0	1	ug/L	03/03/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**3.0**	2.0	1	ug/L	03/03/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**12**	2.0	1	ug/L	03/03/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/02/2015	RAL
Chromium	EPA-200.8	**50**	2.0	1	ug/L	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	03/03/2015	DLC
Toluene-d8	EPA-8260	**98.6**	03/03/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.1**	03/03/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-24
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 10:43:00 AM
CLIENT SAMPLE ID	B-49:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/03/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/03/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/03/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Toluene	EPA-8260	**16**	2.0	1	ug/L	03/03/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/03/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-24
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 10:43:00 AM
CLIENT SAMPLE ID	B-49:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Ethylbenzene	EPA-8260	**4.4**	2.0	1	ug/L	03/03/2015	DLC
m,p-Xylene	EPA-8260	**21**	4.0	1	ug/L	03/03/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
o-Xylene	EPA-8260	**9.0**	2.0	1	ug/L	03/03/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**2.2**	2.0	1	ug/L	03/03/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**9.0**	2.0	1	ug/L	03/03/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/02/2015	RAL
Chromium	EPA-200.8	**20**	2.0	1	ug/L	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	03/03/2015	DLC
Toluene-d8	EPA-8260	**98.9**	03/03/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.4**	03/03/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-25
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 12:05:00 PM
CLIENT SAMPLE ID	B-50:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/03/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/03/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/03/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Toluene	EPA-8260	**14**	2.0	1	ug/L	03/03/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/03/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-25
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 12:05:00 PM
CLIENT SAMPLE ID	B-50:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Ethylbenzene	EPA-8260	**4.5**	2.0	1	ug/L	03/03/2015	DLC
m,p-Xylene	EPA-8260	**22**	4.0	1	ug/L	03/03/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
o-Xylene	EPA-8260	**9.3**	2.0	1	ug/L	03/03/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**2.9**	2.0	1	ug/L	03/03/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**12**	2.0	1	ug/L	03/03/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Naphthalene	EPA-8260	**2.0**	2.0	1	ug/L	03/03/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/02/2015	RAL
Chromium	EPA-200.8	**13**	2.0	1	ug/L	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	03/03/2015	DLC
Toluene-d8	EPA-8260	**98.8**	03/03/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.7**	03/03/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-26
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 2:32:00 PM
CLIENT SAMPLE ID	B-52:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/03/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/03/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/03/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Toluene	EPA-8260	**17**	2.0	1	ug/L	03/03/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/03/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-26
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 2:32:00 PM
CLIENT SAMPLE ID	B-52:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Ethylbenzene	EPA-8260	**4.7**	2.0	1	ug/L	03/03/2015	DLC
m,p-Xylene	EPA-8260	**22**	4.0	1	ug/L	03/03/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
o-Xylene	EPA-8260	**9.0**	2.0	1	ug/L	03/03/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**2.0**	2.0	1	ug/L	03/03/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**8.2**	2.0	1	ug/L	03/03/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/02/2015	RAL
Chromium	EPA-200.8	**120**	2.0	1	ug/L	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	03/03/2015	DLC
Toluene-d8	EPA-8260	**98.8**	03/03/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.5**	03/03/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-27
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 1:13:00 PM
CLIENT SAMPLE ID	B-53:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/03/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/03/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/03/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Toluene	EPA-8260	**12**	2.0	1	ug/L	03/03/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/03/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-27
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 1:13:00 PM
CLIENT SAMPLE ID	B-53:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Ethylbenzene	EPA-8260	**3.7**	2.0	1	ug/L	03/03/2015	DLC
m,p-Xylene	EPA-8260	**18**	4.0	1	ug/L	03/03/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
o-Xylene	EPA-8260	**7.5**	2.0	1	ug/L	03/03/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**2.2**	2.0	1	ug/L	03/03/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**8.7**	2.0	1	ug/L	03/03/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/02/2015	RAL
Chromium	EPA-200.8	**3.5**	2.0	1	ug/L	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	03/03/2015	DLC
Toluene-d8	EPA-8260	**98.4**	03/03/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.7**	03/03/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-28
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015
CLIENT SAMPLE ID	B-Soil Dup 1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/16/2015 EV15030003 EV15030003-28
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015
CLIENT SAMPLE ID	B-Soil Dup 1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**46**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**91.2**	03/06/2015	DLC
Toluene-d8	EPA-8260	**96.6**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/16/2015
ALS SDG#: EV15030003
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030415S - Batch 91132 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/04/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/04/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/04/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/16/2015
ALS SDG#: EV15030003
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030415S - Batch 91132 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/04/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB-030515S - Batch 91133 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/16/2015
ALS SDG#: EV15030003
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030515S - Batch 91133 - Soil by EPA-8260

Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Acetone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	ACE
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/05/2015	ACE
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/05/2015	ACE
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	ACE
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	ACE
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	ACE
Toluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/05/2015	ACE
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/05/2015	ACE
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/05/2015	ACE
Styrene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/16/2015
ALS SDG#: EV15030003
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030515S - Batch 91133 - Soil by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/05/2015	ACE
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/05/2015	ACE

U - Analyte analyzed for but not detected at level above reporting limit.

MB-030315W - Batch 91084 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/03/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/03/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/03/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/16/2015
ALS SDG#: EV15030003
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030315W - Batch 91084 - Water by EPA-8260

Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/03/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	03/03/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/16/2015
ALS SDG#: EV15030003
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030315W - Batch 91084 - Water by EPA-8260

P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-251083 - Batch R251083 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/09/2015	ALFT

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-322015 - Batch R250871 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/02/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-030315S - Batch 91071 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	03/04/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-030615S - Batch 91172 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	03/06/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-030415W - Batch 91091 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	ug/L	03/04/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/16/2015
		ALS SDG#:	EV15030003
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB-030415W - Batch 91091 - Water by EPA-200.8

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/16/2015
		ALS SDG#:	EV15030003
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 91132 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**88.4**			03/05/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**88.5**	**0**		03/05/2015	DLC
Benzene - BS	EPA-8260	**97.6**			03/05/2015	DLC
Benzene - BSD	EPA-8260	**97.1**	**1**		03/05/2015	DLC
Trichloroethene - BS	EPA-8260	**96.5**			03/05/2015	DLC
Trichloroethene - BSD	EPA-8260	**96.0**	**1**		03/05/2015	DLC
Toluene - BS	EPA-8260	**88.6**			03/05/2015	DLC
Toluene - BSD	EPA-8260	**87.7**	**1**		03/05/2015	DLC
Chlorobenzene - BS	EPA-8260	**96.3**			03/05/2015	DLC
Chlorobenzene - BSD	EPA-8260	**93.7**	**3**		03/05/2015	DLC

ALS Test Batch ID: 91133 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**101**			03/05/2015	ACE
1,1-Dichloroethene - BSD	EPA-8260	**97.9**	**3**		03/05/2015	ACE
Benzene - BS	EPA-8260	**105**			03/05/2015	ACE
Benzene - BSD	EPA-8260	**95.9**	**9**		03/05/2015	ACE
Trichloroethene - BS	EPA-8260	**106**			03/05/2015	ACE
Trichloroethene - BSD	EPA-8260	**96.5**	**9**		03/05/2015	ACE
Toluene - BS	EPA-8260	**96.1**			03/05/2015	ACE
Toluene - BSD	EPA-8260	**87.8**	**9**		03/05/2015	ACE
Chlorobenzene - BS	EPA-8260	**102**			03/05/2015	ACE
Chlorobenzene - BSD	EPA-8260	**99.0**	**3**		03/05/2015	ACE

ALS Test Batch ID: 91084 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**84.8**			03/03/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**95.1**	**11**		03/03/2015	DLC
Benzene - BS	EPA-8260	**92.6**			03/03/2015	DLC
Benzene - BSD	EPA-8260	**96.7**	**4**		03/03/2015	DLC
Trichloroethene - BS	EPA-8260	**94.9**			03/03/2015	DLC
Trichloroethene - BSD	EPA-8260	**100**	**5**		03/03/2015	DLC
Toluene - BS	EPA-8260	**92.6**			03/03/2015	DLC
Toluene - BSD	EPA-8260	**96.1**	**4**		03/03/2015	DLC
Chlorobenzene - BS	EPA-8260	**95.0**			03/03/2015	DLC
Chlorobenzene - BSD	EPA-8260	**97.3**	**2**		03/03/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/16/2015
		ALS SDG#:	EV15030003
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: R251083 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**94.0**			03/09/2015	ALFT

ALS Test Batch ID: R250871 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**99.0**			03/02/2015	RAL
Chromium (VI) - BSD	EPA-7196	**104**	**5**		03/02/2015	RAL

ALS Test Batch ID: 91071 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**98.0**			03/04/2015	RAL
Chromium - BSD	EPA-6020	**98.9**	**1**		03/04/2015	RAL

ALS Test Batch ID: 91172 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**105**			03/06/2015	RAL
Chromium - BSD	EPA-6020	**104**	**1**		03/06/2015	RAL

ALS Test Batch ID: 91091 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**97.6**			03/04/2015	RAL
Chromium - BSD	EPA-200.8	**97.6**	**0**		03/04/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1503003

Date 3-2-15 Page 1 Of 3

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: M. Busbee
ADDRESS: 1180 NW Maple St Ste 310
Issaquah WA 98027
PHONE: 425-988-4090 FAX:
P.O. #: 64001.3 E-MAIL: mattb@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Chrome - Total	Chrome - C-6	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-48:0.5	3-2-15	0931	soil	1							X									X	X		
2. B-48:4.5		0940		2							X									X	X		
3. B-48:7		0943		3							X									X	X		
4. B-48:12		0944		4							X									X	X		
5. B-49:0.5		1028		5							X									X	X		
6. B-49:5		1030		6							X									X	X		
7. B-49:8		1051		7							X									X	X		
8. B-49:12		1035		8							X									X	X		
9. B-50:0.5		1135		9							X									X	X		
10. B-50:5		1136		10							X									X	X		

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: [signature] EPI 3/2/15 1501
   Received By: [signature] ALS 3/2/15 15:01
2. Relinquished By: _____
   Received By: _____

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: [10] Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify: _____

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1503003

Date 3-2-15 Page 2 Of 3

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: M. Bushaw
ADDRESS: See pg 1
PHONE: 425-988-4040 FAX:
P.O. #: E-MAIL: Mbushaw@epiwa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chrom	Chrom 6	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-50: 8	3-02-15	1139	soil	11							X									X	X		
2. B-50: 12		1140		12							X									X	X		
3. B-53: 0.5		1229		13							X									X	X		
4. B-53: 5		1231		14							X									X	X		
5. B-53: 8		1235		15							X									X	X		
6. B-53: 12 (11 ND)		1239		16							X									X	X		
7. B-53: 14		1241		17							X									X	X		
8. B-53: 18		1247		18							X									X	X		
9. B-52: 0.5		1415		19							X									X	X		
10. B-52: 5		1418		20							X									X	X		

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 3/2/15 1501
   Received By: ALS 3/2/15 1501
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: [10] Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1503003

Date 3-2-15 Page 3 Of 3

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: M. Busboc
ADDRESS: See pg 1
PHONE: 425-488-4090 FAX:
P.O. #: 64001-3 E-MAIL: monty@epinw.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Chlorine-to Tal	Chlorine 6						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-52:8	3-2-15	1420	soil	21							X									X	X						
2. B-52:12		1423	soil	22							X									X	X						
3. B-48:RGW		0945	water	23							X									X	X						
4. B-49:RGW		1023		24							X									X	X						
5. B-50:RGW		1205		25							X									X	X						
6. B-52:RGW		1432		26							X									X	X						
7. B-53:RGW		1313		27							X									X	X						
8. B-Soil Dup 1	3/2/15	00:00	soil	28							(X)									(X)	(X)						
9.																											
10.																											

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 3/2/15 1501
   Received By: ALS 3/2/15 15:01
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify: (X) Added sample to COC per Monty 3/2/15 SM

*Turnaround request less than standard may incur Rush Charges

March 17, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On March 3rd, 18 samples were received by our laboratory and assigned our laboratory project number EV15030011. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 3:12:00 PM
CLIENT SAMPLE ID	B-51:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 3:12:00 PM
CLIENT SAMPLE ID	B-51:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**24**	0.50	5	MG/KG	03/05/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**91.7**	03/06/2015	DLC
Toluene-d8	EPA-8260	**97.7**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 3:14:00 PM
CLIENT SAMPLE ID	B-51:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 3:14:00 PM
CLIENT SAMPLE ID	B-51:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**27**	0.50	5	MG/KG	03/05/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**90.1**	03/06/2015	DLC
Toluene-d8	EPA-8260	**98.8**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.1**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 3:16:00 PM
CLIENT SAMPLE ID	B-51:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 3:16:00 PM
CLIENT SAMPLE ID	B-51:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**38**	0.50	5	MG/KG	03/05/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**98.4**	03/06/2015	DLC
Toluene-d8	EPA-8260	**97.9**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 3:32:00 PM
CLIENT SAMPLE ID	B-51:11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 3:32:00 PM
CLIENT SAMPLE ID	B-51:11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**14**	0.50	5	MG/KG	03/05/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**94.0**	03/06/2015	DLC
Toluene-d8	EPA-8260	**96.4**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.4**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 3:34:00 PM
CLIENT SAMPLE ID	B-51:14	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 3:34:00 PM
CLIENT SAMPLE ID	B-51:14	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**14**	0.56	5	MG/KG	03/05/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**86.6**	03/06/2015	DLC
Toluene-d8	EPA-8260	**98.4**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.1**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 3:36:00 PM
CLIENT SAMPLE ID	B-51:18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/2/2015 3:36:00 PM
CLIENT SAMPLE ID	B-51:18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**18**	0.50	5	MG/KG	03/05/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**92.7**	03/06/2015	DLC
Toluene-d8	EPA-8260	**97.4**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.2**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 7:52:00 AM
CLIENT SAMPLE ID	B-54:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/17/2015
		ALS JOB#:	EV15030011
		ALS SAMPLE#:	EV15030011-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 7:52:00 AM
CLIENT SAMPLE ID	B-54:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**29**	0.50	5	MG/KG	03/05/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**92.3**	03/06/2015	DLC
Toluene-d8	EPA-8260	**97.3**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.6**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 7:54:00 AM
CLIENT SAMPLE ID	B-54:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 7:54:00 AM
CLIENT SAMPLE ID	B-54:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**26**	0.50	5	MG/KG	03/05/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**90.4**	03/06/2015	DLC
Toluene-d8	EPA-8260	**97.9**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.8**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 7:56:00 AM
CLIENT SAMPLE ID	B-54:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 7:56:00 AM
CLIENT SAMPLE ID	B-54:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**21**	0.50	5	MG/KG	03/05/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**92.5**	03/06/2015	DLC
Toluene-d8	EPA-8260	**96.8**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.0**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 8:03:00 AM
CLIENT SAMPLE ID	B-54:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 8:03:00 AM
CLIENT SAMPLE ID	B-54:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**15**	0.54	5	MG/KG	03/05/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**96.1**	03/06/2015	DLC
Toluene-d8	EPA-8260	**97.4**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.9**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015
CLIENT SAMPLE ID	Soil Dup-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015
CLIENT SAMPLE ID	Soil Dup-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**29**	0.50	5	MG/KG	03/05/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**90.2**	03/06/2015	DLC
Toluene-d8	EPA-8260	**95.5**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.7**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 9:10:00 AM
CLIENT SAMPLE ID	B-55:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 9:10:00 AM
CLIENT SAMPLE ID	B-55:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**32**	0.50	5	MG/KG	03/05/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**91.1**	03/06/2015	DLC
Toluene-d8	EPA-8260	**97.6**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.2**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 9:12:00 AM
CLIENT SAMPLE ID	B-55:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 9:12:00 AM
CLIENT SAMPLE ID	B-55:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**34**	0.50	5	MG/KG	03/05/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**91.7**	03/06/2015	DLC
Toluene-d8	EPA-8260	**97.2**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.9**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 9:57:00 AM
CLIENT SAMPLE ID	B-55:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 9:57:00 AM
CLIENT SAMPLE ID	B-55:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**28**	0.50	5	MG/KG	03/05/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**96.4**	03/06/2015	DLC
Toluene-d8	EPA-8260	**98.6**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.2**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 10:12:00 AM
CLIENT SAMPLE ID	B-55:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 10:12:00 AM
CLIENT SAMPLE ID	B-55:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**8.1**	0.50	5	MG/KG	03/05/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**92.6**	03/06/2015	DLC
Toluene-d8	EPA-8260	**99.5**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.3**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 8:40:00 AM
CLIENT SAMPLE ID	B-51:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/04/2015	DLC
Toluene	EPA-8260	**20**	2.0	1	ug/L	03/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 8:40:00 AM
CLIENT SAMPLE ID	B-51:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Ethylbenzene	EPA-8260	**5.1**	2.0	1	ug/L	03/04/2015	DLC
m,p-Xylene	EPA-8260	**24**	4.0	1	ug/L	03/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
o-Xylene	EPA-8260	**9.3**	2.0	1	ug/L	03/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**2.1**	2.0	1	ug/L	03/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**8.4**	2.0	1	ug/L	03/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/03/2015	RAL
Chromium	EPA-200.8	**57**	2.0	1	ug/L	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	03/04/2015	DLC
Toluene-d8	EPA-8260	**97.7**	03/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.7**	03/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 8:20:00 AM
CLIENT SAMPLE ID	B-54:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/04/2015	DLC
Toluene	EPA-8260	**16**	2.0	1	ug/L	03/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 8:20:00 AM
CLIENT SAMPLE ID	B-54:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Ethylbenzene	EPA-8260	**4.4**	2.0	1	ug/L	03/04/2015	DLC
m,p-Xylene	EPA-8260	**21**	4.0	1	ug/L	03/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
o-Xylene	EPA-8260	**8.6**	2.0	1	ug/L	03/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**2.4**	2.0	1	ug/L	03/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**9.5**	2.0	1	ug/L	03/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/03/2015	RAL
Chromium	EPA-200.8	**18**	2.0	1	ug/L	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	03/04/2015	DLC
Toluene-d8	EPA-8260	**98.5**	03/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.9**	03/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 10:23:00 AM
CLIENT SAMPLE ID	B-55:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/04/2015	DLC
Toluene	EPA-8260	**16**	2.0	1	ug/L	03/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/17/2015 EV15030011 EV15030011-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/3/2015 10:23:00 AM
CLIENT SAMPLE ID	B-55:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Ethylbenzene	EPA-8260	**4.3**	2.0	1	ug/L	03/04/2015	DLC
m,p-Xylene	EPA-8260	**20**	4.0	1	ug/L	03/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
o-Xylene	EPA-8260	**7.6**	2.0	1	ug/L	03/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**6.4**	2.0	1	ug/L	03/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/03/2015	RAL
Chromium	EPA-200.8	**3.8**	2.0	1	ug/L	03/04/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	03/04/2015	DLC
Toluene-d8	EPA-8260	**98.6**	03/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.5**	03/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/17/2015
ALS SDG#: EV15030011
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030615S - Batch 91193 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/17/2015
ALS SDG#: EV15030011
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030615S - Batch 91193 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB-030315W - Batch 91084 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/03/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/17/2015
ALS SDG#: EV15030011
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030315W - Batch 91084 - Water by EPA-8260

Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/03/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/03/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/03/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	03/03/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/17/2015
ALS SDG#: EV15030011
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030315W - Batch 91084 - Water by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-251185 - Batch R251185 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-332015 - Batch R250870 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/03/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-030515S - Batch 91145 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	03/05/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/17/2015
		ALS SDG#:	EV15030011
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB-030415W - Batch 91091 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	ug/L	03/04/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/17/2015
		ALS SDG#:	EV15030011
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 91193 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**94.7**			03/06/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**88.9**	**6**		03/06/2015	DLC
Benzene - BS	EPA-8260	**92.7**			03/06/2015	DLC
Benzene - BSD	EPA-8260	**87.9**	**5**		03/06/2015	DLC
Trichloroethene - BS	EPA-8260	**93.1**			03/06/2015	DLC
Trichloroethene - BSD	EPA-8260	**87.7**	**6**		03/06/2015	DLC
Toluene - BS	EPA-8260	**84.2**			03/06/2015	DLC
Toluene - BSD	EPA-8260	**80.4**	**5**		03/06/2015	DLC
Chlorobenzene - BS	EPA-8260	**97.5**			03/06/2015	DLC
Chlorobenzene - BSD	EPA-8260	**92.6**	**5**		03/06/2015	DLC

ALS Test Batch ID: 91084 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**84.8**			03/03/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**95.1**	**11**		03/03/2015	DLC
Benzene - BS	EPA-8260	**92.6**			03/03/2015	DLC
Benzene - BSD	EPA-8260	**96.7**	**4**		03/03/2015	DLC
Trichloroethene - BS	EPA-8260	**94.9**			03/03/2015	DLC
Trichloroethene - BSD	EPA-8260	**100**	**5**		03/03/2015	DLC
Toluene - BS	EPA-8260	**92.6**			03/03/2015	DLC
Toluene - BSD	EPA-8260	**96.1**	**4**		03/03/2015	DLC
Chlorobenzene - BS	EPA-8260	**95.0**			03/03/2015	DLC
Chlorobenzene - BSD	EPA-8260	**97.3**	**2**		03/03/2015	DLC

ALS Test Batch ID: R251185 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**90.0**			03/10/2015	ALFT

ALS Test Batch ID: R250870 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**108**			03/03/2015	RAL
Chromium (VI) - BSD	EPA-7196	**109**	**1**		03/03/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/17/2015
		ALS SDG#:	EV15030011
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 91145 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**104**			03/05/2015	RAL
Chromium - BSD	EPA-6020	**111**	**6**		03/05/2015	RAL

ALS Test Batch ID: 91091 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**97.6**			03/04/2015	RAL
Chromium - BSD	EPA-200.8	**97.6**	**0**		03/04/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1503001 1

Date 3-3-15 Page 1 Of 2

PROJECT ID: C4001
REPORT TO COMPANY: EPI
PROJECT MANAGER: M Barker
ADDRESS: 1180 NW Maple St Ste 310
Issaquah WA 98027
PHONE: 425-988-4090 FAX:
P.O. #: E-MAIL: mbarker@epinw.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#
1. B-51-0.5	3-2-15	1512	Soil	1
2. B-51-5		1514		2
3. B-51-8		1516		3
4. B-51-11		1532		4
5. B-51-14		1534		5
6. B-51-18		1536		6
7. B-54-0.5	3-3-15	0752		7
8. B-54-5		0754		8
9. B-54-8		0756		9
10. B-54-12		0803		10

ANALYSIS REQUESTED

NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐
						X								
						X								
						X								
						X								
						X								
						X								
						X								
						X								
						X								
						X								

OTHER (Specify)

Total Chrom	Cr+6									NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
X	X										
X	X										
X	X										
X	X										
X	X										
X	X										
X	X										
X	X										
X	X										
X	X										

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 3/3/15 1729
   Received By: ALS 3/3/15 1429
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1503011

Date 3.3.15 Page 2 Of 2

PROJECT ID: EPI001
REPORT TO COMPANY: EPI
PROJECT MANAGER: M Busker
ADDRESS: PO 1
PHONE: 425-988-4090 FAX:
P.O. #: E-MAIL:
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total chromium	Chrome 6						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. Soil Dup 2	3/3/15	0000	Soil	11							X									X	X						5	
2. B-55: 0.5		0910		12							X									X	X						5	
3. B-55: 5		0912		13							X									X	X						5	
4. B-55: 8		0957		14							X									X	X						5	
5. B-55: 12		1012		15							X									X	X						5	
6. B-51: RGW		0840	water	16							X									X	X						5	
7. B-54: RGW		0820		17							X									X	X						5	
8. B-55: RGW		1023		18							X									X	X						5	
9.																												
10.																												

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 3/3/15 1729
   Received By: ALS 3/3/15 1729
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

March 18, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On March 4th, 21 samples were received by our laboratory and assigned our laboratory project number EV15030019. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 8:26:00 AM
CLIENT SAMPLE ID	B-62:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	80	0.49	10	MG/KG	03/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 8:26:00 AM
CLIENT SAMPLE ID	B-62:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**1800**	2.5	25	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	03/06/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**108**	03/09/2015	DLC
Toluene-d8	EPA-8260	**102**	03/06/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**98.4**	03/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**105**	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/18/2015
		ALS JOB#:	EV15030019
		ALS SAMPLE#:	EV15030019-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 8:26:00 AM
CLIENT SAMPLE ID	B-62:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**98.0**	03/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 8:28:00 AM
CLIENT SAMPLE ID	B-62:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/07/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**0.036**	0.010	1	MG/KG	03/07/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/07/2015	DLC
Trichloroethene	EPA-8260	**45**	0.52	10	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Tetrachloroethylene	EPA-8260	**0.030**	0.010	1	MG/KG	03/07/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/07/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 8:28:00 AM
CLIENT SAMPLE ID	B-62:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/07/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/07/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**380**	0.51	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**94.2**	03/07/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**115**	03/10/2015	DLC
Toluene-d8	EPA-8260	**102**	03/07/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**100**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	03/07/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/18/2015
		ALS JOB#:	EV15030019
		ALS SAMPLE#:	EV15030019-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 8:28:00 AM
CLIENT SAMPLE ID	B-62:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**96.8**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 8:31:00 AM
CLIENT SAMPLE ID	B-62:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/09/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/09/2015	DLC
Trichloroethene	EPA-8260	0.012	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 8:31:00 AM
CLIENT SAMPLE ID	B-62:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/09/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**13**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**112**	03/09/2015	DLC
Toluene-d8	EPA-8260	**97.5**	03/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.9**	03/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 8:55:00 AM
CLIENT SAMPLE ID	B-62:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/06/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**4.7**	2.0	1	ug/L	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**54**	10	5	ug/L	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Trichloroethene	EPA-8260	**420**	100	50	ug/L	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/06/2015	DLC
Toluene	EPA-8260	**16**	2.0	1	ug/L	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	**4.9**	2.0	1	ug/L	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 8:55:00 AM
CLIENT SAMPLE ID	B-62:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Ethylbenzene	EPA-8260	**3.7**	2.0	1	ug/L	03/06/2015	DLC
m,p-Xylene	EPA-8260	**18**	4.0	1	ug/L	03/06/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
o-Xylene	EPA-8260	**7.3**	2.0	1	ug/L	03/06/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**8.1**	2.0	1	ug/L	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/06/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/04/2015	RAL
Chromium	EPA-200.8	**73**	2.0	1	ug/L	03/09/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 50X Dilution	EPA-8260	**104**	03/06/2015	DLC
1,2-Dichloroethane-d4 5X Dilution	EPA-8260	**103**	03/06/2015	DLC
1,2-Dichloroethane-d4	EPA-8260	**106**	03/06/2015	DLC
Toluene-d8 50X Dilution	EPA-8260	**97.8**	03/06/2015	DLC
Toluene-d8 5X Dilution	EPA-8260	**98.8**	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/18/2015
		ALS JOB#:	EV15030019
		ALS SAMPLE#:	EV15030019-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 8:55:00 AM
CLIENT SAMPLE ID	B-62:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
Toluene-d8	EPA-8260	**98.9**	03/06/2015	DLC
4-Bromofluorobenzene 50X Dilution	EPA-8260	**96.3**	03/06/2015	DLC
4-Bromofluorobenzene 5X Dilution	EPA-8260	**97.4**	03/06/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.4**	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 10:13:00 AM
CLIENT SAMPLE ID	B-63:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/09/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/09/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 10:13:00 AM
CLIENT SAMPLE ID	B-63:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/09/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**31**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**114**	03/09/2015	DLC
Toluene-d8	EPA-8260	**98.5**	03/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	03/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 10:15:00 AM
CLIENT SAMPLE ID	B-63:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/07/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/07/2015	DLC
Trichloroethene	EPA-8260	**0.026**	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/07/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 10:15:00 AM
CLIENT SAMPLE ID	B-63:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/07/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/07/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**19**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.8**	03/07/2015	DLC
Toluene-d8	EPA-8260	**100**	03/07/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	03/07/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 10:21:00 AM
CLIENT SAMPLE ID	B-63:7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/07/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/07/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/07/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 10:21:00 AM
CLIENT SAMPLE ID	B-63:7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/07/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/07/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**190**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**92.8**	03/07/2015	DLC
Toluene-d8	EPA-8260	**96.8**	03/07/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	03/07/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 11:17:00 AM
CLIENT SAMPLE ID	B-64:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/07/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/07/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/07/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 11:17:00 AM
CLIENT SAMPLE ID	B-64:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/07/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/07/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**32**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.0**	03/07/2015	DLC
Toluene-d8	EPA-8260	**97.2**	03/07/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	03/07/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 11:19:00 AM
CLIENT SAMPLE ID	B-64:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/07/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/07/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/07/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 11:19:00 AM
CLIENT SAMPLE ID	B-64:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/07/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/07/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**10**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**94.4**	03/07/2015	DLC
Toluene-d8	EPA-8260	**97.6**	03/07/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	03/07/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 11:21:00 AM
CLIENT SAMPLE ID	B-64:7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/07/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/07/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/07/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 11:21:00 AM
CLIENT SAMPLE ID	B-64:7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/07/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/07/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**17**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**94.1**	03/07/2015	DLC
Toluene-d8	EPA-8260	**99.0**	03/07/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.8**	03/07/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 11:45:00 AM
CLIENT SAMPLE ID	B-65:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/07/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/07/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/07/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/07/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 11:45:00 AM
CLIENT SAMPLE ID	B-65:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/07/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/07/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/07/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**53**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**95.1**	03/07/2015	DLC
Toluene-d8	EPA-8260	**98.6**	03/07/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.7**	03/07/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 11:48:00 AM
CLIENT SAMPLE ID	B-65:7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/09/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/09/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 11:48:00 AM
CLIENT SAMPLE ID	B-65:7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/09/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/09/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**19**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	03/09/2015	DLC
Toluene-d8	EPA-8260	**98.2**	03/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	03/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 12:00:00 PM
CLIENT SAMPLE ID	B-65:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/05/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trichloroethene	EPA-8260	**12**	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Toluene	EPA-8260	**8.2**	2.0	1	ug/L	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 12:00:00 PM
CLIENT SAMPLE ID	B-65:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Ethylbenzene	EPA-8260	**2.2**	2.0	1	ug/L	03/05/2015	DLC
m,p-Xylene	EPA-8260	**11**	4.0	1	ug/L	03/05/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
o-Xylene	EPA-8260	**3.9**	2.0	1	ug/L	03/05/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**5.0**	2.0	1	ug/L	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chromium (VI)	EPA-7196	**1200**	50	5	ug/L	03/04/2015	RAL
Chromium	EPA-200.8	**1100**	2.0	1	ug/L	03/09/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	03/05/2015	DLC
Toluene-d8	EPA-8260	**99.0**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**96.9**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 12:52:00 PM
CLIENT SAMPLE ID	B-66:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 12:52:00 PM
CLIENT SAMPLE ID	B-66:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**76**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**126**	03/10/2015	DLC
Toluene-d8	EPA-8260	**98.7**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 12:54:00 PM
CLIENT SAMPLE ID	B-66:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 12:54:00 PM
CLIENT SAMPLE ID	B-66:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**11**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**117**	03/10/2015	DLC
Toluene-d8	EPA-8260	**101**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 12:56:00 PM
CLIENT SAMPLE ID	B-66:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 12:56:00 PM
CLIENT SAMPLE ID	B-66:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**27**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**122**	03/10/2015	DLC
Toluene-d8	EPA-8260	**100**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**105**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 1:13:00 PM
CLIENT SAMPLE ID	B-66:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/05/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Toluene	EPA-8260	**4.7**	2.0	1	ug/L	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 1:13:00 PM
CLIENT SAMPLE ID	B-66:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
m,p-Xylene	EPA-8260	**6.3**	4.0	1	ug/L	03/05/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
o-Xylene	EPA-8260	**2.0**	2.0	1	ug/L	03/05/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**2.5**	2.0	1	ug/L	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/04/2015	RAL
Chromium	EPA-200.8	**18**	2.0	1	ug/L	03/09/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	03/05/2015	DLC
Toluene-d8	EPA-8260	**98.7**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**96.8**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 1:41:00 PM
CLIENT SAMPLE ID	B-67:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 1:41:00 PM
CLIENT SAMPLE ID	B-67:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**44**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**135**	03/10/2015	DLC
Toluene-d8	EPA-8260	**101**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**105**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-19
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 1:50:00 PM
CLIENT SAMPLE ID	B-67:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-19
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 1:50:00 PM
CLIENT SAMPLE ID	B-67:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	**U**	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	**U**	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	**U**	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**57**	0.50	5	MG/KG	03/06/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**123**	03/10/2015	DLC
Toluene-d8	EPA-8260	**99.2**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.8**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-20
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 2:05:00 PM
CLIENT SAMPLE ID	B-67:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/05/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Toluene	EPA-8260	**4.7**	2.0	1	ug/L	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-20
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 2:05:00 PM
CLIENT SAMPLE ID	B-67:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
m,p-Xylene	EPA-8260	**7.3**	4.0	1	ug/L	03/05/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
o-Xylene	EPA-8260	**2.4**	2.0	1	ug/L	03/05/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**2.9**	2.0	1	ug/L	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/04/2015	RAL
Chromium	EPA-200.8	**380**	2.0	1	ug/L	03/09/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	03/05/2015	DLC
Toluene-d8	EPA-8260	**97.8**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.9**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-21
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 12:02:00 AM
CLIENT SAMPLE ID	Water Dup 1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/05/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Toluene	EPA-8260	**4.8**	2.0	1	ug/L	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/18/2015 EV15030019 EV15030019-21
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 12:02:00 AM
CLIENT SAMPLE ID	Water Dup 1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
m,p-Xylene	EPA-8260	**7.4**	4.0	1	ug/L	03/05/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
o-Xylene	EPA-8260	**2.4**	2.0	1	ug/L	03/05/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**2.9**	2.0	1	ug/L	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chromium (VI)	EPA-7196	**65**	10	1	ug/L	03/04/2015	RAL
Chromium	EPA-200.8	**310**	2.0	1	ug/L	03/09/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	03/05/2015	DLC
Toluene-d8	EPA-8260	**98.8**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.4**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/18/2015
ALS SDG#: EV15030019
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030615S2 - Batch 91194 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/18/2015
ALS SDG#: EV15030019
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030615S2 - Batch 91194 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB-030315W - Batch 91084 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/03/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/18/2015
ALS SDG#: EV15030019
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030315W - Batch 91084 - Water by EPA-8260

Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/03/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/03/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/03/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	03/03/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/18/2015
ALS SDG#: EV15030019
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030315W - Batch 91084 - Water by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-251227 - Batch R251227 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-342015 - Batch R250918 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/04/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-030615S - Batch 91172 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	03/06/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/18/2015
		ALS SDG#:	EV15030019
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB-030615W - Batch 91173 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	ug/L	03/09/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/18/2015
		ALS SDG#:	EV15030019
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 91194 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**91.9**			03/06/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**91.9**	**0**		03/06/2015	DLC
Benzene - BS	EPA-8260	**95.0**			03/06/2015	DLC
Benzene - BSD	EPA-8260	**94.2**	**1**		03/06/2015	DLC
Trichloroethene - BS	EPA-8260	**94.0**			03/06/2015	DLC
Trichloroethene - BSD	EPA-8260	**92.5**	**2**		03/06/2015	DLC
Toluene - BS	EPA-8260	**86.2**			03/06/2015	DLC
Toluene - BSD	EPA-8260	**84.4**	**2**		03/06/2015	DLC
Chlorobenzene - BS	EPA-8260	**95.4**			03/06/2015	DLC
Chlorobenzene - BSD	EPA-8260	**96.2**	**1**		03/06/2015	DLC

ALS Test Batch ID: 91084 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**84.8**			03/03/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**95.1**	**11**		03/03/2015	DLC
Benzene - BS	EPA-8260	**92.6**			03/03/2015	DLC
Benzene - BSD	EPA-8260	**96.7**	**4**		03/03/2015	DLC
Trichloroethene - BS	EPA-8260	**94.9**			03/03/2015	DLC
Trichloroethene - BSD	EPA-8260	**100**	**5**		03/03/2015	DLC
Toluene - BS	EPA-8260	**92.6**			03/03/2015	DLC
Toluene - BSD	EPA-8260	**96.1**	**4**		03/03/2015	DLC
Chlorobenzene - BS	EPA-8260	**95.0**			03/03/2015	DLC
Chlorobenzene - BSD	EPA-8260	**97.3**	**2**		03/03/2015	DLC

ALS Test Batch ID: R251227 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**90.0**			03/10/2015	ALFT

ALS Test Batch ID: R250918 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**104**			03/04/2015	RAL
Chromium (VI) - BSD	EPA-7196	**99.0**	**5**		03/04/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/18/2015
		ALS SDG#:	EV15030019
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 91172 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**105**			03/06/2015	RAL
Chromium - BSD	EPA-6020	**104**	**1**		03/06/2015	RAL

ALS Test Batch ID: 91173 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**95.0**			03/09/2015	RAL
Chromium - BSD	EPA-200.8	**95.8**	**1**		03/09/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1503019

Date 3-4-15 Page 1 Of 2

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: M. Bush
ADDRESS: 1100 NW Maple St. Ste 310
Issaquah WA 98027
PHONE: 425-988-4090 FAX:
P.O. #: E-MAIL: Monty.b@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED / OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chrome	Chrome 6						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-62 0.5	3/4/15	0826	soil	1							X									X	X					5	
2. B-62 3		0828		2							X									X	X						
3. B-62 6		0831		3							X									X	X						
4. B-62 GW		0855	water	4							X									X	X						
5. B-63 0.5		1013	soil	5							X									X	X						
6. B-63 3		1015		6							X									X	X						
7. B-63 7		1021		7							X									X	X						
8. B-64 0.5		1117		8							X									X	X						
9. B-64 4		1119		9							X									X	X						
10. B-64 7		1121		10							X									X	X						

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 3/4/15 1440
   Received By: ALS 3/4/15 1440
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1503019

Date 3/4/15 Page 2 Of 3

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: M. Bushman
ADDRESS: see pg 1
PHONE: 425-488-4090 FAX:
P.O. #: 64001 E-MAIL:
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chrome, Chromium 6							NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-65: 4	3/4/15	1145	soil	11							X									X	X							5	
2. B-65: 7		1148	↓	12							X									X	X								
3. B-65: RGW		1200	water	13							X									X	X								
4. B-66: 0.5		1252	soil	14							X									X	X								
5. B-66: 3		1254	↓	15							X									X	X								
6. B-66: 6		1256	↓	16							X									X	X								
7. B-66: RGW		1313	water	17							X									X	X								
8. B-67: 0.5		1341	soil	18							X									X	X								
9. B-67: 6		1350	soil	19							X									X	X								
10. B-67: RGW		1405	water	20							X									X	X							4	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: RDWalker EPI 3/4/15 1440
   Received By: ALS 3/4/15 1440
2. Relinquished By: _____
   Received By: _____

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 (Standard) | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 (Standard) | 3 | 1 | SAME DAY

OTHER: Specify: _____

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EV1503019

Date 3/4/15 Page 3 Of 3

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: M. Bushe
ADDRESS:
PHONE: FAX:
P.O. #: E-MAIL:
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chlorine	OTHER (Specify): Chlorine						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. Water Dup 1	3/4/15	0002	water	21							X									X	X						
2.																											
3.																											
4.																											
5.																											
6.																											
7.																											
8.																											
9.																											
10.																											

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 3/4/15 1440
   Received By: ALS 3/4/15 1440
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

March 20, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On March 9th, 32 samples were received by our laboratory and assigned our laboratory project number EV15030046. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 1:00:00 PM
CLIENT SAMPLE ID	SBB-1:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 1:00:00 PM
CLIENT SAMPLE ID	SBB-1:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	03/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/09/2015	RAL
Chromium	EPA-200.8	**4.3**	2.0	1	ug/L	03/13/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**107**	03/10/2015	DLC
Toluene-d8	EPA-8260	**98.7**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**96.1**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 9:22:00 AM
CLIENT SAMPLE ID	B-61:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 9:22:00 AM
CLIENT SAMPLE ID	B-61:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**9.3**	0.50	5	MG/KG	03/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	03/10/2015	DLC
Toluene-d8	EPA-8260	**96.1**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.9**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 9:29:00 AM
CLIENT SAMPLE ID	B-61:10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 9:29:00 AM
CLIENT SAMPLE ID	B-61:10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**8.3**	0.50	5	MG/KG	03/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	03/10/2015	DLC
Toluene-d8	EPA-8260	**97.7**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.6**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 9:38:00 AM
CLIENT SAMPLE ID	B-61:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 9:38:00 AM
CLIENT SAMPLE ID	B-61:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	03/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/09/2015	RAL
Chromium	EPA-200.8	**7.8**	2.0	1	ug/L	03/13/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	03/10/2015	DLC
Toluene-d8	EPA-8260	**98.2**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.2**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 10:08:00 AM
CLIENT SAMPLE ID	B-59:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 10:08:00 AM
CLIENT SAMPLE ID	B-59:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**17**	0.50	5	MG/KG	03/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**83.9**	03/10/2015	DLC
Toluene-d8	EPA-8260	**100**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.0**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 10:10:00 AM
CLIENT SAMPLE ID	B-59:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 10:10:00 AM
CLIENT SAMPLE ID	B-59:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**9.6**	0.50	5	MG/KG	03/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**95.3**	03/10/2015	DLC
Toluene-d8	EPA-8260	**98.4**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**96.8**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 10:16:00 AM
CLIENT SAMPLE ID	B-59:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 10:16:00 AM
CLIENT SAMPLE ID	B-59:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**8.2**	0.50	5	MG/KG	03/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**89.2**	03/10/2015	DLC
Toluene-d8	EPA-8260	**98.4**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.5**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 10:35:00 AM
CLIENT SAMPLE ID	B-59:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 10:35:00 AM
CLIENT SAMPLE ID	B-59:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	03/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/09/2015	RAL
Chromium	EPA-200.8	**15**	2.0	1	ug/L	03/13/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	03/10/2015	DLC
Toluene-d8	EPA-8260	**98.7**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.4**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 10:58:00 AM
CLIENT SAMPLE ID	B-58:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 10:58:00 AM
CLIENT SAMPLE ID	B-58:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**34**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**92.2**	03/10/2015	DLC
Toluene-d8	EPA-8260	**96.4**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 11:01:00 AM
CLIENT SAMPLE ID	B-58:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 11:01:00 AM
CLIENT SAMPLE ID	B-58:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**8.2**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**134**	03/13/2015	DLC
Toluene-d8	EPA-8260	**97.6**	03/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.5**	03/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 11:02:00 AM
CLIENT SAMPLE ID	B58:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 11:02:00 AM
CLIENT SAMPLE ID	B58:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**8.1**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**133**	03/13/2015	DLC
Toluene-d8	EPA-8260	**99.6**	03/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	03/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 11:15:00 AM
CLIENT SAMPLE ID	B-58:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trichloroethene	EPA-8260	**3.5**	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 11:15:00 AM
CLIENT SAMPLE ID	B-58:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	03/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/09/2015	RAL
Chromium	EPA-200.8	**34**	2.0	1	ug/L	03/13/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	03/10/2015	DLC
Toluene-d8	EPA-8260	**99.3**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**96.8**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:01:00 AM
CLIENT SAMPLE ID	SOIL DUP 4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:01:00 AM
CLIENT SAMPLE ID	SOIL DUP 4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**10**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**137**	03/13/2015	DLC
Toluene-d8	EPA-8260	**98.8**	03/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	03/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:14:00 PM
CLIENT SAMPLE ID	B-57:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:14:00 PM
CLIENT SAMPLE ID	B-57:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**21**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**132**	03/13/2015	DLC
Toluene-d8	EPA-8260	**99.6**	03/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	03/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:16:00 PM
CLIENT SAMPLE ID	B-57:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	**0.30**	0.010	1	MG/KG	03/19/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:16:00 PM
CLIENT SAMPLE ID	B-57:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**34**	0.52	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**138 GS1**	03/13/2015	DLC
1,2-Dichloroethane-d4	EPA-8260	**95.0**	03/19/2015	DLC
Toluene-d8	EPA-8260	**98.3**	03/13/2015	DLC
Toluene-d8	EPA-8260	**93.4**	03/19/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/20/2015
		ALS JOB#:	EV15030046
		ALS SAMPLE#:	EV15030046-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:16:00 PM
CLIENT SAMPLE ID	B-57:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**96.4**	03/19/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.
GS1 - Surrogate outside of control limits due to matrix effect.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:18:00 PM
CLIENT SAMPLE ID	B-57:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:18:00 PM
CLIENT SAMPLE ID	B-57:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**7.9**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**133**	03/13/2015	DLC
Toluene-d8	EPA-8260	**97.2**	03/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.5**	03/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:19:00 PM
CLIENT SAMPLE ID	B-57:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	**0.032**	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:19:00 PM
CLIENT SAMPLE ID	B-57:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**13**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**135**	03/13/2015	DLC
Toluene-d8	EPA-8260	**101**	03/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.8**	03/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:20:00 PM
CLIENT SAMPLE ID	B-57:15	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:20:00 PM
CLIENT SAMPLE ID	B-57:15	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**16**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**139 GS1**	03/13/2015	DLC
Toluene-d8	EPA-8260	**97.3**	03/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	03/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.
GS1 - Surrogate outside of control limits due to matrix effect.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-19
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:21:00 PM
CLIENT SAMPLE ID	B-57:18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-19
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:21:00 PM
CLIENT SAMPLE ID	B-57:18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**35**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**133**	03/13/2015	DLC
Toluene-d8	EPA-8260	**99.2**	03/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.9**	03/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-20
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:30:00 PM
CLIENT SAMPLE ID	B-57:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-20
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:30:00 PM
CLIENT SAMPLE ID	B-57:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	03/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/09/2015	RAL
Chromium	EPA-200.8	**21**	2.0	1	ug/L	03/13/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	03/10/2015	DLC
Toluene-d8	EPA-8260	**99.2**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**96.1**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-21
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 1:09:00 PM
CLIENT SAMPLE ID	B-56:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-21
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 1:09:00 PM
CLIENT SAMPLE ID	B-56:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**33**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**145 GS1**	03/13/2015	DLC
Toluene-d8	EPA-8260	**96.9**	03/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	03/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.
GS1 - Surrogate outside of control limits due to matrix effect.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-22
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 1:11:00 PM
CLIENT SAMPLE ID	B-56:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	**20**	0.45	10	MG/KG	03/16/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-22
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 1:11:00 PM
CLIENT SAMPLE ID	B-56:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**29**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**147 GS1**	03/13/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**123**	03/16/2015	DLC
Toluene-d8	EPA-8260	**115**	03/13/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**97.2**	03/16/2015	DLC
4-Bromofluorobenzene	EPA-8260	**114**	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/20/2015
		ALS JOB#:	EV15030046
		ALS SAMPLE#:	EV15030046-22
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 1:11:00 PM
CLIENT SAMPLE ID	B-56:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**99.3**	03/16/2015	DLC

GS1 - Surrogate outside of control limits due to matrix effect.
U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-23
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 1:13:00 PM
CLIENT SAMPLE ID	B-56:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-23
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 1:13:00 PM
CLIENT SAMPLE ID	B-56:9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**8.8**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**138**	03/13/2015	DLC
Toluene-d8	EPA-8260	**99.0**	03/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.1**	03/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-24
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 1:15:00 PM
CLIENT SAMPLE ID	B-56:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trichloroethene	EPA-8260	**20**	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-24
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 1:15:00 PM
CLIENT SAMPLE ID	B-56:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	03/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/09/2015	RAL
Chromium	EPA-200.8	**17**	2.0	1	ug/L	03/13/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	03/10/2015	DLC
Toluene-d8	EPA-8260	**98.8**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**96.0**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-25
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 2:09:00 PM
CLIENT SAMPLE ID	B-60:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	**0.010**	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-25
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 2:09:00 PM
CLIENT SAMPLE ID	B-60:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT
Chromium	EPA-6020	**4.8**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**189 GS1**	03/13/2015	DLC
Toluene-d8	EPA-8260	**95.0**	03/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	03/13/2015	DLC

GS1 - Surrogate outside of control limits due to matrix effect.
U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-26
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 2:11:00 PM
CLIENT SAMPLE ID	B-60:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-26
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 2:11:00 PM
CLIENT SAMPLE ID	B-60:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2015	ALFT
Chromium	EPA-6020	**40**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**140 GS1**	03/13/2015	DLC
Toluene-d8	EPA-8260	**106**	03/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**107**	03/13/2015	DLC

GS1 - Surrogate outside of control limits due to matrix effect.
U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-27
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 2:13:00 PM
CLIENT SAMPLE ID	B-60:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-27
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 2:13:00 PM
CLIENT SAMPLE ID	B-60:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2015	ALFT
Chromium	EPA-6020	**8.3**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**135**	03/13/2015	DLC
Toluene-d8	EPA-8260	**97.0**	03/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	03/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-28
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 2:15:00 PM
CLIENT SAMPLE ID	B-60:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-28
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 2:15:00 PM
CLIENT SAMPLE ID	B-60:12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2015	ALFT
Chromium	EPA-6020	**13**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**132**	03/13/2015	DLC
Toluene-d8	EPA-8260	**98.4**	03/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.9**	03/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-29
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 2:17:00 PM
CLIENT SAMPLE ID	B-60:15	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-29
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 2:17:00 PM
CLIENT SAMPLE ID	B-60:15	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2015	ALFT
Chromium	EPA-6020	**25**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**144 GS1**	03/13/2015	DLC
Toluene-d8	EPA-8260	**102**	03/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	03/13/2015	DLC

GS1 - Surrogate outside of control limits due to matrix effect.
U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-30
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 2:19:00 PM
CLIENT SAMPLE ID	B-60:18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/16/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/16/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/16/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/16/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/16/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/16/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/16/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/16/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-30
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 2:19:00 PM
CLIENT SAMPLE ID	B-60:18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/16/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/16/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2015	ALFT
Chromium	EPA-6020	**18**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**119**	03/16/2015	DLC
Toluene-d8	EPA-8260	**96.6**	03/16/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	03/16/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-31
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 2:30:00 PM
CLIENT SAMPLE ID	B-60:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-31
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 2:30:00 PM
CLIENT SAMPLE ID	B-60:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	03/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/09/2015	RAL
Chromium	EPA-200.8	**110**	2.0	1	ug/L	03/13/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	03/10/2015	DLC
Toluene-d8	EPA-8260	**99.0**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.5**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-32
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:02:00 AM
CLIENT SAMPLE ID	SOIL DUP 5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/16/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/16/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/16/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/16/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/16/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/16/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/16/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/16/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/20/2015 EV15030046 EV15030046-32
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/09/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/9/2015 12:02:00 AM
CLIENT SAMPLE ID	SOIL DUP 5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/16/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/16/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/16/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2015	ALFT
Chromium	EPA-6020	**24**	0.50	5	MG/KG	03/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**112**	03/16/2015	DLC
Toluene-d8	EPA-8260	**97.7**	03/16/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	03/16/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/20/2015
ALS SDG#: EV15030046
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030615S - Batch 91193 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/06/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/20/2015
ALS SDG#: EV15030046
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030615S - Batch 91193 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/06/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/06/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/06/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB-031015S - Batch 91307 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/20/2015
ALS SDG#: EV15030046
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-031015S - Batch 91307 - Soil by EPA-8260

Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/20/2015
ALS SDG#: EV15030046
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-031015S - Batch 91307 - Soil by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB-031015W - Batch 91308 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/20/2015
ALS SDG#: EV15030046
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-031015W - Batch 91308 - Water by EPA-8260

Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/10/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	03/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/20/2015
ALS SDG#: EV15030046
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-031015W - Batch 91308 - Water by EPA-8260

P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-251424 - Batch R251424 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/18/2015	ALFT

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-251426 - Batch R251426 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/19/2015	ALFT

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-392015 - Batch R250919 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/09/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-031015S - Batch 91281 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	03/10/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-031115S - Batch 91328 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	03/11/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/20/2015
		ALS SDG#:	EV15030046
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB-031115S - Batch 91328 - Soil by EPA-6020

U - Analyte analyzed for but not detected at level above reporting limit.

MB-031215S - Batch 91402 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	03/12/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-031215W - Batch 91356 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	ug/L	03/13/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/20/2015
		ALS SDG#:	EV15030046
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 91193 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**94.7**			03/06/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**88.9**	**6**		03/06/2015	DLC
Benzene - BS	EPA-8260	**92.7**			03/06/2015	DLC
Benzene - BSD	EPA-8260	**87.9**	**5**		03/06/2015	DLC
Trichloroethene - BS	EPA-8260	**93.1**			03/06/2015	DLC
Trichloroethene - BSD	EPA-8260	**87.7**	**6**		03/06/2015	DLC
Toluene - BS	EPA-8260	**84.2**			03/06/2015	DLC
Toluene - BSD	EPA-8260	**80.4**	**5**		03/06/2015	DLC
Chlorobenzene - BS	EPA-8260	**97.5**			03/06/2015	DLC
Chlorobenzene - BSD	EPA-8260	**92.6**	**5**		03/06/2015	DLC

ALS Test Batch ID: 91307 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**96.6**			03/10/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**95.5**	**1**		03/10/2015	DLC
Benzene - BS	EPA-8260	**108**			03/10/2015	DLC
Benzene - BSD	EPA-8260	**104**	**5**		03/10/2015	DLC
Trichloroethene - BS	EPA-8260	**107**			03/10/2015	DLC
Trichloroethene - BSD	EPA-8260	**101**	**5**		03/10/2015	DLC
Toluene - BS	EPA-8260	**100**			03/10/2015	DLC
Toluene - BSD	EPA-8260	**95.6**	**4**		03/10/2015	DLC
Chlorobenzene - BS	EPA-8260	**87.8**			03/10/2015	DLC
Chlorobenzene - BSD	EPA-8260	**87.4**	**0**		03/10/2015	DLC

ALS Test Batch ID: 91308 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**89.9**			03/10/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**77.5**	**15**		03/10/2015	DLC
Benzene - BS	EPA-8260	**90.2**			03/10/2015	DLC
Benzene - BSD	EPA-8260	**83.2**	**8**		03/10/2015	DLC
Trichloroethene - BS	EPA-8260	**97.8**			03/10/2015	DLC
Trichloroethene - BSD	EPA-8260	**87.6**	**11**		03/10/2015	DLC
Toluene - BS	EPA-8260	**89.9**			03/10/2015	DLC
Toluene - BSD	EPA-8260	**82.4**	**9**		03/10/2015	DLC
Chlorobenzene - BS	EPA-8260	**89.9**			03/10/2015	DLC
Chlorobenzene - BSD	EPA-8260	**85.7**	**5**		03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/20/2015
ALS SDG#: EV15030046
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: R251424 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**91.7**			03/18/2015	ALFT

ALS Test Batch ID: R251426 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**95.0**			03/19/2015	ALFT

ALS Test Batch ID: R250919 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**103**			03/09/2015	RAL
Chromium (VI) - BSD	EPA-7196	**104**	**1**		03/09/2015	RAL

ALS Test Batch ID: 91281 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**105**			03/10/2015	RAL
Chromium - BSD	EPA-6020	**102**	**3**		03/10/2015	RAL

ALS Test Batch ID: 91328 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**96.1**			03/11/2015	RAL
Chromium - BSD	EPA-6020	**96.7**	**1**		03/11/2015	RAL

ALS Test Batch ID: 91402 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**108**			03/12/2015	RAL
Chromium - BSD	EPA-6020	**102**	**5**		03/12/2015	RAL

ALS Test Batch ID: 91356 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**93.4**			03/13/2015	RAL
Chromium - BSD	EPA-200.8	**92.0**	**1**		03/13/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1503004 6

Date 3/9/15 Page 1 Of 4

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: M. Busby
ADDRESS: 1180 NW Maple St
Issaquah WA
PHONE: 425-988-4090 FAX:
P.O. #: E-MAIL: mary.b@epiwa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium	Chrom 6	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. STSS-1:RGW	3/9/15	1300	water	1							X									X	X	5	
2. B-61:5		0922	soil	2							X									X	X		
3. B-61:10		0929	soil	3							X									X	X		
4. B-61:RGW		0938	water	4							X									X	X		
5. B-59:0.5		1008	S	5							X									X	X		
6. B-59:5		1010	S	6							X									X	X		
7. B-59:9		1016	S	7							X									X	X		
8. B-59:RGW		1035	W	8							X									X	X		
9. B-58:0.5		1058	S	9							X									X	X		
10. B-58:5		1101	S	10							X									X	X		

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):
1. Relinquished By: EPI 3/9/15 1512
Received By: ALS 3/9/15 15:12
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*
Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY
Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY
OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1503004G

Date 3/9/15 Page 2 Of 4

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: M. Buchert
ADDRESS: See pg. 1
PHONE: FAX:
P.O. #: E-MAIL:
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	total chrome	chrome 6						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-58: 9	3/9/15	1102	S	11							X									X	X						5	
2. B-58: RGW		1115	W	12							X									X	X							
3. Soil Dup 4		0001	Soil	13							X									X	X							
4. B-57: 0.5		1214	S	14							X									X	X							
5. B-57: 3		1216		15							X									X	X							
6. B-57: 6		1218		16							X									X	X							
7. B-57: 9		1219		17							X									X	X							
8. B-57: 15		1220		18							X									X	X							
9. B-57: 18		1221		19							X									X	X							
10. B-57: RGW		1230	W	20							X									X	X							

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 3/9/15, 1512
   Received By: RKS 3/9/15 15:12
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1503046

Date 3/9/15 Page 3 Of 4

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: M. Bushen
ADDRESS:
PHONE: 425-988-4090 FAX:
P.O. #: E-MAIL: martybro@pi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total chrom	Chrom 6						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-56:0.5	3/9/15	1309	Soil	21							X									X	X							5	
2. B-56:4		1311	S	22							X									X	X								
3. B-56:9		1313	S	23							X									X	X								
4. B-56:R6W		1315	GW	24							X									X	X								
5. B-60:0.5		1409	S	25							X									X	X								
6. B-60:4		1411	S	26							X									X	X								
7. B-60:8		1413	S	27							X									X	X								
8. B-60:12		1415	S	28							X									X	X								
9. B-60:15		1417	S	29							X									X	X								
10. B-60:18		1419	S	30							X									X	X								

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: 3/9/15 1512
   Received By: ALS 3/9/15 15:12
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1503046

Date 3/9/15 Page 4 Of 4

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Busbee
ADDRESS: Pg 1
PHONE: 425-988-4090 FAX:
P.O. #: 64001 E-MAIL: montybe@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chrome	OTHER (Specify): Chrome 6					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-60:RGW	3/9/15	1430	Water	31							X									X	X					5	
2. SOILDUPS	3/9/15	0002	Soil	32							X									X	X					5	
3.																											
4.																											
5.																											
6.																											
7.																											
8.																											
9.																											
10.																											

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: 3/9/15 1512
   Received By: ALS 3/9/15 15:12
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

March 19, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On March 5th, 9 samples were received by our laboratory and assigned our laboratory project number EV15030022. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 2:48:00 PM
CLIENT SAMPLE ID	B-68:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 2:48:00 PM
CLIENT SAMPLE ID	B-68:1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**22**	2.5	25	MG/KG	03/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**136**	03/10/2015	DLC
Toluene-d8	EPA-8260	**98.5**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 2:50:00 PM
CLIENT SAMPLE ID	B-68:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 2:50:00 PM
CLIENT SAMPLE ID	B-68:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**8.1**	0.50	5	MG/KG	03/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**118**	03/10/2015	DLC
Toluene-d8	EPA-8260	**97.5**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.6**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 2:52:00 PM
CLIENT SAMPLE ID	B-68:7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 2:52:00 PM
CLIENT SAMPLE ID	B-68:7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**9.2**	0.50	5	MG/KG	03/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**111**	03/10/2015	DLC
Toluene-d8	EPA-8260	**97.5**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.7**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 3:10:00 PM
CLIENT SAMPLE ID	B-68:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/05/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trichloroethene	EPA-8260	**2.3**	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Toluene	EPA-8260	**20**	2.0	1	ug/L	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 3:10:00 PM
CLIENT SAMPLE ID	B-68:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Ethylbenzene	EPA-8260	**4.9**	2.0	1	ug/L	03/05/2015	DLC
m,p-Xylene	EPA-8260	**24**	4.0	1	ug/L	03/05/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
o-Xylene	EPA-8260	**8.9**	2.0	1	ug/L	03/05/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**6.7**	2.0	1	ug/L	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/05/2015	RAL
Chromium	EPA-200.8	**41**	2.0	1	ug/L	03/09/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	03/05/2015	DLC
Toluene-d8	EPA-8260	**98.6**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.7**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 3:31:00 PM
CLIENT SAMPLE ID	B-69:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	**0.061**	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 3:31:00 PM
CLIENT SAMPLE ID	B-69:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**140**	2.5	25	MG/KG	03/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**130**	03/10/2015	DLC
Toluene-d8	EPA-8260	**101**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 3:33:00 PM
CLIENT SAMPLE ID	B-69:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 3:33:00 PM
CLIENT SAMPLE ID	B-69:4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**12**	0.50	5	MG/KG	03/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**119**	03/10/2015	DLC
Toluene-d8	EPA-8260	**98.0**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 3:37:00 PM
CLIENT SAMPLE ID	B-69:7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 3:37:00 PM
CLIENT SAMPLE ID	B-69:7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**8.7**	0.50	5	MG/KG	03/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	03/10/2015	DLC
Toluene-d8	EPA-8260	**97.4**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.5**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 12:03:00 AM
CLIENT SAMPLE ID	SOIL DUP 3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 12:03:00 AM
CLIENT SAMPLE ID	SOIL DUP 3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/10/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/10/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	03/10/2015	ALFT
Chromium	EPA-6020	**9.5**	0.50	5	MG/KG	03/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	03/10/2015	DLC
Toluene-d8	EPA-8260	**96.9**	03/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	03/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 3:55:00 PM
CLIENT SAMPLE ID	B-69:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/05/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/05/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trichloroethene	EPA-8260	**5.6**	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
Toluene	EPA-8260	**8.9**	2.0	1	ug/L	03/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	3/19/2015 EV15030022 EV15030022-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	03/05/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	3/4/2015 3:55:00 PM
CLIENT SAMPLE ID	B-69:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Ethylbenzene	EPA-8260	**2.6**	2.0	1	ug/L	03/05/2015	DLC
m,p-Xylene	EPA-8260	**13**	4.0	1	ug/L	03/05/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
o-Xylene	EPA-8260	**4.4**	2.0	1	ug/L	03/05/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**5.7**	2.0	1	ug/L	03/05/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/05/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/05/2015	RAL
Chromium	EPA-200.8	**84**	2.0	1	ug/L	03/09/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	03/05/2015	DLC
Toluene-d8	EPA-8260	**96.7**	03/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.8**	03/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/19/2015
ALS SDG#: EV15030022
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030915S - Batch 91306 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	03/09/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	03/09/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	03/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/19/2015
ALS SDG#: EV15030022
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030915S - Batch 91306 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	03/09/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	03/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	03/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB-030315W - Batch 91084 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	ug/L	03/03/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/19/2015
ALS SDG#: EV15030022
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030315W - Batch 91084 - Water by EPA-8260

Carbon Disulfide	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Acetone	EPA-8260	U	25	1	ug/L	03/03/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	ug/L	03/03/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Butanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Chloroform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
Toluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Hexanone	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	ug/L	03/03/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	ug/L	03/03/2015	DLC
Styrene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromoform	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 3/19/2015
ALS SDG#: EV15030022
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-030315W - Batch 91084 - Water by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,3 Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	ug/L	03/03/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	ug/L	03/03/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-352015 - Batch R250872 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	ug/L	03/05/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-031015S - Batch 91281 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	03/10/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-030615W - Batch 91173 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	ug/L	03/09/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/19/2015
		ALS SDG#:	EV15030022
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 91306 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**103**			03/09/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**103**	**0**		03/09/2015	DLC
Benzene - BS	EPA-8260	**112**			03/09/2015	DLC
Benzene - BSD	EPA-8260	**110**	**2**		03/09/2015	DLC
Trichloroethene - BS	EPA-8260	**111**			03/09/2015	DLC
Trichloroethene - BSD	EPA-8260	**108**	**2**		03/09/2015	DLC
Toluene - BS	EPA-8260	**105**			03/09/2015	DLC
Toluene - BSD	EPA-8260	**103**	**3**		03/09/2015	DLC
Chlorobenzene - BS	EPA-8260	**97.8**			03/09/2015	DLC
Chlorobenzene - BSD	EPA-8260	**97.6**	**0**		03/09/2015	DLC

ALS Test Batch ID: 91084 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**84.8**			03/03/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**95.1**	**11**		03/03/2015	DLC
Benzene - BS	EPA-8260	**92.6**			03/03/2015	DLC
Benzene - BSD	EPA-8260	**96.7**	**4**		03/03/2015	DLC
Trichloroethene - BS	EPA-8260	**94.9**			03/03/2015	DLC
Trichloroethene - BSD	EPA-8260	**100**	**5**		03/03/2015	DLC
Toluene - BS	EPA-8260	**92.6**			03/03/2015	DLC
Toluene - BSD	EPA-8260	**96.1**	**4**		03/03/2015	DLC
Chlorobenzene - BS	EPA-8260	**95.0**			03/03/2015	DLC
Chlorobenzene - BSD	EPA-8260	**97.3**	**2**		03/03/2015	DLC

ALS Test Batch ID: R250872 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**109**			03/05/2015	RAL
Chromium (VI) - BSD	EPA-7196	**102**	**7**		03/05/2015	RAL

ALS Test Batch ID: 91281 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**105**			03/10/2015	RAL
Chromium - BSD	EPA-6020	**102**	**3**		03/10/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	3/19/2015
		ALS SDG#:	EV15030022
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 91173 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**95.0**			03/09/2015	RAL
Chromium - BSD	EPA-200.8	**95.8**	**1**		03/09/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): 1503022

Date 3/5/15 Page 1 Of 1

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: M. Busbee
ADDRESS: 1180 NW Maple St. Ste 310
Issaquah WA 98027
PHONE: 425-988-4090 FAX:
P.O. #: 64001 E-MAIL: monty@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chrome	Chrome 6						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-68:1	3/4/15	1448	soil	1							X									X	X						5	
2. B-68:5		1450		2							X									X	X							
3. B-68:7		1452		3							X									X	X							
4. B-68:RGW		1510	water	4							X									X	X							
5. B-69:0.5		1531	soil	5							X									X	X							
6. B-69:4		1533		6							X									X	X							
7. B-69:7		1537		7							X									X	X							
8. SOILDUP3		0003		8							X									X	X							
9. B-69:RGW		1555	water	9							X									X	X							
10.																												

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 3/5/15
   Received By: ALS 3/5/15 1055
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

May 13, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On May 1st, 5 samples were received by our laboratory and assigned our laboratory project number EV15050009. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/13/2015 EV15050009 EV15050009-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/30/2015 8:35:00 AM
CLIENT SAMPLE ID	MW-22I:8.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/07/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/07/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/07/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/13/2015 EV15050009 EV15050009-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/30/2015 8:35:00 AM
CLIENT SAMPLE ID	MW-22I:8.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/07/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/05/2015	RAL
Chromium	EPA-6020	**8.2**	0.50	5	MG/KG	05/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**117**	05/07/2015	DLC
Toluene-d8	EPA-8260	**88.9**	05/07/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.7**	05/07/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/13/2015 EV15050009 EV15050009-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/30/2015 10:19:00 AM
CLIENT SAMPLE ID	MW-21I:10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/07/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/07/2015	DLC
Trichloroethene	EPA-8260	**0.011**	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/07/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/13/2015 EV15050009 EV15050009-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/30/2015 10:19:00 AM
CLIENT SAMPLE ID	MW-21I:10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/07/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/05/2015	RAL
Chromium	EPA-6020	**20**	0.50	5	MG/KG	05/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**119**	05/07/2015	DLC
Toluene-d8	EPA-8260	**90.0**	05/07/2015	DLC
4-Bromofluorobenzene	EPA-8260	**94.1**	05/07/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/13/2015 EV15050009 EV15050009-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/30/2015 1:04:00 PM
CLIENT SAMPLE ID	MW-24S:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/07/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/07/2015	DLC
Trichloroethene	EPA-8260	**1.2**	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/07/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/13/2015 EV15050009 EV15050009-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/30/2015 1:04:00 PM
CLIENT SAMPLE ID	MW-24S:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/07/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/05/2015	RAL
Chromium	EPA-6020	**250**	2.5	25	MG/KG	05/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**138 GS1**	05/07/2015	DLC
1,2-Dichloroethane-d4	EPA-8260	**95.0**	05/07/2015	DLC
Toluene-d8	EPA-8260	**104**	05/07/2015	DLC
Toluene-d8	EPA-8260	**93.2**	05/07/2015	DLC
4-Bromofluorobenzene	EPA-8260	**108**	05/07/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	5/13/2015
		ALS JOB#:	EV15050009
		ALS SAMPLE#:	EV15050009-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/30/2015 1:04:00 PM
CLIENT SAMPLE ID	MW-24S:0.5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**87.0**	05/07/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.
GS1 - Surrogate outside of control limits due to matrix effect.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/13/2015 EV15050009 EV15050009-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/30/2015 1:06:00 PM
CLIENT SAMPLE ID	MW-24S:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/07/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/07/2015	DLC
Trichloroethene	EPA-8260	**1.0**	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/07/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/13/2015 EV15050009 EV15050009-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/30/2015 1:06:00 PM
CLIENT SAMPLE ID	MW-24S:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/07/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/07/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/07/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/05/2015	RAL
Chromium	EPA-6020	**140**	0.50	5	MG/KG	05/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**121**	05/07/2015	DLC
1,2-Dichloroethane-d4	EPA-8260	**95.1**	05/07/2015	DLC
Toluene-d8	EPA-8260	**90.7**	05/07/2015	DLC
Toluene-d8	EPA-8260	**93.0**	05/07/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.9**	05/07/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	5/13/2015
		ALS JOB#:	EV15050009
		ALS SAMPLE#:	EV15050009-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/30/2015 1:06:00 PM
CLIENT SAMPLE ID	MW-24S:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**89.2**	05/07/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/13/2015 EV15050009 EV15050009-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/30/2015 1:09:00 PM
CLIENT SAMPLE ID	MW-24S:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/13/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/13/2015	DLC
Trichloroethene	EPA-8260	**0.015**	0.010	1	MG/KG	05/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/13/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/13/2015 EV15050009 EV15050009-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/30/2015 1:09:00 PM
CLIENT SAMPLE ID	MW-24S:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/13/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/13/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/05/2015	RAL
Chromium	EPA-6020	**13**	0.50	5	MG/KG	05/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	05/13/2015	DLC
Toluene-d8	EPA-8260	**96.2**	05/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	05/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	5/13/2015
		ALS SDG#:	EV15050009
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB-050515S - Batch 93205 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/05/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/05/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/05/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 5/13/2015
ALS SDG#: EV15050009
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-050515S - Batch 93205 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/05/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-254550 - Batch R254550 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/05/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-050515S - Batch 93133 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	05/11/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	5/13/2015
		ALS SDG#:	EV15050009
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB-050515S - Batch 93133 - Soil by EPA-6020

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	5/13/2015
		ALS SDG#:	EV15050009
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 93205 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**103**			05/05/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**101**	**2**		05/05/2015	DLC
Benzene - BS	EPA-8260	**94.4**			05/05/2015	DLC
Benzene - BSD	EPA-8260	**96.2**	**2**		05/05/2015	DLC
Trichloroethene - BS	EPA-8260	**89.5**			05/05/2015	DLC
Trichloroethene - BSD	EPA-8260	**91.5**	**2**		05/05/2015	DLC
Toluene - BS	EPA-8260	**91.2**			05/05/2015	DLC
Toluene - BSD	EPA-8260	**93.4**	**2**		05/05/2015	DLC
Chlorobenzene - BS	EPA-8260	**93.2**			05/05/2015	DLC
Chlorobenzene - BSD	EPA-8260	**99.4**	**6**		05/05/2015	DLC

ALS Test Batch ID: R254550 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**101**			05/05/2015	RAL
Chromium (VI) - BSD	EPA-7196	**101**	**0**		05/05/2015	RAL

ALS Test Batch ID: 93133 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**107**			05/11/2015	RAL
Chromium - BSD	EPA-6020	**110**	**2**		05/11/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1505009

Date 4-30-15 Page 1 Of 1

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: M. Busbee
ADDRESS: 1180 NW Maple St. Ste 310
Issaquah WA 98027
PHONE: 425-988-4090 FAX:
P.O. #: 64001 E-MAIL: Monty@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium	Chromium VI					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-22I:8.5	4/30/15	0835	soil	1							X									X	X					5	
2. MW-21I:10		1019		2							X									X	X					5	
3. MW-24S:0.5		1304		3							X									X	X					5	
4. MW-24S:5		1306		4							X									X	X					5	
5. MW-24S:8		1309		5							X									X	X					5	
6.																											
7.																											
8.																											
9.																											
10.																											

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: [signature] EPI 5/01/15 10:39
Received By: Patrick Learna/ALS 5-1-15 10:39
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

June 4, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On May 28th, 3 samples were received by our laboratory and assigned our laboratory project number EV15050112. The project was identified as your 64001.3 Washington Industries. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/4/2015 EV15050112 EV15050112-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/28/2015
CLIENT PROJECT:	64001.3 Washington Industries	COLLECTION DATE:	5/27/2015 9:30:00 AM
CLIENT SAMPLE ID	MW-26I:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/28/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/28/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/28/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/4/2015 EV15050112 EV15050112-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/28/2015
CLIENT PROJECT:	64001.3 Washington Industries	COLLECTION DATE:	5/27/2015 9:30:00 AM
CLIENT SAMPLE ID	MW-26I:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/28/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/29/2015	RAL
Chromium	EPA-6020	**38**	0.50	5	MG/KG	06/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**110**	05/28/2015	DLC
Toluene-d8	EPA-8260	**94.8**	05/28/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	05/28/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/4/2015 EV15050112 EV15050112-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/28/2015
CLIENT PROJECT:	64001.3 Washington Industries	COLLECTION DATE:	5/28/2015 8:40:00 AM
CLIENT SAMPLE ID	MW-27S:10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/28/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/28/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/28/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/4/2015 EV15050112 EV15050112-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/28/2015
CLIENT PROJECT:	64001.3 Washington Industries	COLLECTION DATE:	5/28/2015 8:40:00 AM
CLIENT SAMPLE ID	MW-27S:10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/28/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/29/2015	RAL
Chromium	EPA-6020	**7.5**	0.50	5	MG/KG	06/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**117**	05/28/2015	DLC
Toluene-d8	EPA-8260	**92.2**	05/28/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	05/28/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/4/2015 EV15050112 EV15050112-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/28/2015
CLIENT PROJECT:	64001.3 Washington Industries	COLLECTION DATE:	5/28/2015 10:23:00 AM
CLIENT SAMPLE ID	MW-8S:7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/28/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/28/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/28/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/4/2015 EV15050112 EV15050112-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/28/2015
CLIENT PROJECT:	64001.3 Washington Industries	COLLECTION DATE:	5/28/2015 10:23:00 AM
CLIENT SAMPLE ID	MW-8S:7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/28/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/28/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/28/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/29/2015	RAL
Chromium	EPA-6020	**12**	0.50	5	MG/KG	06/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**120**	05/28/2015	DLC
Toluene-d8	EPA-8260	**91.3**	05/28/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	05/28/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee

CLIENT PROJECT: 64001.3 Washington Industries

DATE: 6/4/2015
ALS SDG#: EV15050112
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-052715S - Batch 93791 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/27/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/27/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/27/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.3 Washington Industries

DATE: 6/4/2015
ALS SDG#: EV15050112
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-052715S - Batch 93791 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/27/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-5292015 - Batch R255462 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/29/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-060315S - Batch 93983 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	06/03/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS SDG#: WDOE ACCREDITATION:	6/4/2015 EV15050112 C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3 Washington Industries		

LABORATORY BLANK RESULTS

MB-060315S - Batch 93983 - Soil by EPA-6020

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS SDG#: WDOE ACCREDITATION:	6/4/2015 EV15050112 C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3 Washington Industries		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 93791 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**113**			05/27/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**113**	**0**		05/27/2015	DLC
Benzene - BS	EPA-8260	**114**			05/27/2015	DLC
Benzene - BSD	EPA-8260	**116**	**1**		05/27/2015	DLC
Trichloroethene - BS	EPA-8260	**117**			05/27/2015	DLC
Trichloroethene - BSD	EPA-8260	**118**	**0**		05/27/2015	DLC
Toluene - BS	EPA-8260	**96.7**			05/27/2015	DLC
Toluene - BSD	EPA-8260	**97.5**	**1**		05/27/2015	DLC
Chlorobenzene - BS	EPA-8260	**97.3**			05/27/2015	DLC
Chlorobenzene - BSD	EPA-8260	**95.8**	**2**		05/27/2015	DLC

ALS Test Batch ID: R255462 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**98.0**			05/29/2015	RAL
Chromium (VI) - BSD	EPA-7196	**99.0**	**1**		05/29/2015	RAL

ALS Test Batch ID: 93983 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**99.3**			06/03/2015	RAL
Chromium - BSD	EPA-6020	**101**	**1**		06/03/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)
EV1505011 2

Date 5-28-14 Page 1 Of 1

PROJECT ID: 64001.3 Washington Industries
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Busbee
ADDRESS: 1180 NW Maple St. Ste 310
Issaquah WA 98038
PHONE: 425-988-4040 FAX:
P.O. #: 64001.3 E-MAIL:
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify) Total Chromium Chrome VI							NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-76I:13	5/27/15	0930	SOIL	1							X									X	X						4	
2. MW-27S:10	5/28/15	0840		2							X									X	X						5	
3. MW-8S:7	5/28/15	1023	↓	3							X									X	X						5	
4.																												
5.																												
6.																												
7.																												
8.																												
9.																												
10.																												

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):
1. Relinquished By: EPI 5/28/15 1408
Received By: ALS 5/28/15 1408
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*
Organic, Metals & Inorganic Analysis
~~X~~ Standard | 5 | 3 | 2 | 1 | SAME DAY
Fuels & Hydrocarbon Analysis
5 Standard | 3 | 1 | SAME DAY
OTHER:
Specify:

* Turnaround request less than standard may incur Rush Charges

June 2, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On May 27th, 3 samples were received by our laboratory and assigned our laboratory project number EV15050100. The project was identified as your 64001.3. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/2/2015 EV15050100 EV15050100-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/27/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	5/26/2015 12:09:00 PM
CLIENT SAMPLE ID	B70:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	05/27/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	05/27/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	05/27/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	05/27/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	05/27/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	05/27/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	05/27/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	05/27/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	05/27/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/2/2015 EV15050100 EV15050100-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/27/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	5/26/2015 12:09:00 PM
CLIENT SAMPLE ID	B70:RGW	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	05/27/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	05/27/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	05/27/2015	RAL
Chromium	EPA-200.8	**66**	2.0	1	UG/L	06/01/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**108**	05/27/2015	DLC
Toluene-d8	EPA-8260	**104**	05/27/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	05/27/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/2/2015 EV15050100 EV15050100-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/27/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	5/26/2015 11:30:00 AM
CLIENT SAMPLE ID	B-70:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/27/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/27/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/27/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/2/2015 EV15050100 EV15050100-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/27/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	5/26/2015 11:30:00 AM
CLIENT SAMPLE ID	B-70:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/27/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/27/2015	RAL
Chromium	EPA-6020	**7.9**	0.50	5	MG/KG	05/29/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**115**	05/27/2015	DLC
Toluene-d8	EPA-8260	**93.8**	05/27/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	05/27/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/2/2015 EV15050100 EV15050100-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/27/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	5/26/2015 3:00:00 PM
CLIENT SAMPLE ID	MW-25S:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/27/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/27/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/27/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/2/2015 EV15050100 EV15050100-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	05/27/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	5/26/2015 3:00:00 PM
CLIENT SAMPLE ID	MW-25S:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/27/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/27/2015	RAL
Chromium	EPA-6020	**8.3**	0.50	5	MG/KG	05/29/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**114**	05/27/2015	DLC
Toluene-d8	EPA-8260	**95.2**	05/27/2015	DLC
4-Bromofluorobenzene	EPA-8260	**106**	05/27/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/2/2015
		ALS SDG#:	EV15050100
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY BLANK RESULTS

MB-052715S - Batch 93791 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/27/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/27/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/27/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.3

DATE: 6/2/2015
ALS SDG#: EV15050100
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-052715S - Batch 93791 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/27/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/27/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/27/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB-052715W - Batch 93790 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	05/27/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/2/2015
		ALS SDG#:	EV15050100
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY BLANK RESULTS

MB-052715W - Batch 93790 - Water by EPA-8260

Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	05/27/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	05/27/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	05/27/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	05/27/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	05/27/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	05/27/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	05/27/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	05/27/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	05/27/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.3

DATE: 6/2/2015
ALS SDG#: EV15050100
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-052715W - Batch 93790 - Water by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	05/27/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	05/27/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-5272015 - Batch R255421 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/27/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-255237 - Batch R255237 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	UG/L	05/27/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-052815S - Batch 93851 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	05/29/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/2/2015
		ALS SDG#:	EV15050100
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY BLANK RESULTS

MB-052915W - Batch 93860 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	06/01/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/2/2015
		ALS SDG#:	EV15050100
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 93791 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**113**			05/27/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**113**	**0**		05/27/2015	DLC
Benzene - BS	EPA-8260	**114**			05/27/2015	DLC
Benzene - BSD	EPA-8260	**116**	**1**		05/27/2015	DLC
Trichloroethene - BS	EPA-8260	**117**			05/27/2015	DLC
Trichloroethene - BSD	EPA-8260	**118**	**0**		05/27/2015	DLC
Toluene - BS	EPA-8260	**96.7**			05/27/2015	DLC
Toluene - BSD	EPA-8260	**97.5**	**1**		05/27/2015	DLC
Chlorobenzene - BS	EPA-8260	**97.3**			05/27/2015	DLC
Chlorobenzene - BSD	EPA-8260	**95.8**	**2**		05/27/2015	DLC

ALS Test Batch ID: 93790 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**109**			05/27/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**107**	**1**		05/27/2015	DLC
Benzene - BS	EPA-8260	**107**			05/27/2015	DLC
Benzene - BSD	EPA-8260	**106**	**1**		05/27/2015	DLC
Trichloroethene - BS	EPA-8260	**102**			05/27/2015	DLC
Trichloroethene - BSD	EPA-8260	**99.2**	**3**		05/27/2015	DLC
Toluene - BS	EPA-8260	**106**			05/27/2015	DLC
Toluene - BSD	EPA-8260	**105**	**1**		05/27/2015	DLC
Chlorobenzene - BS	EPA-8260	**107**			05/27/2015	DLC
Chlorobenzene - BSD	EPA-8260	**107**	**0**		05/27/2015	DLC

ALS Test Batch ID: R255421 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**104**			05/27/2015	RAL
Chromium (VI) - BSD	EPA-7196	**103**	**1**		05/27/2015	RAL

ALS Test Batch ID: R255237 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**96.0**			05/27/2015	RAL
Chromium (VI) - BSD	EPA-7196	**96.0**	**0**		05/27/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/2/2015
		ALS SDG#:	EV15050100
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 93851 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**102**			05/29/2015	RAL
Chromium - BSD	EPA-6020	**101**	**1**		05/29/2015	RAL

ALS Test Batch ID: 93860 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**95.8**			06/01/2015	RAL
Chromium - BSD	EPA-200.8	**94.7**	**1**		06/01/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EV1505010O

Date 5/27/15 Page 1 Of 1

PROJECT ID: 64001.3
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Bugbee
ADDRESS: 1183 NW Maple St Ste 310
Issaquah WA 98027
PHONE: 425-988-4090 FAX:
P.O. #: 64001.3 E-MAIL: montyb@epi-nw.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify) Chromium VI + CrIII	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify)	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. B-70:RGW	5/26/15	1200	Water	1							X							X			5	
2. B-70:8	↓	1130	soil	2							X							X			5	
3. MW-25s:13	↓	1500	soil	3							X							X			5	
4.																						
5.																						
6.																						
7.																						
8.																						
9.																						
10.																						

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 5/27/15 0953
   Received By: ALS 5/27/15 9:53AM
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

June 17, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On June 8th, 18 samples were received by our laboratory and assigned our laboratory project number EV15060049. The project was identified as your 64001.3. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 7:57:00 AM
CLIENT SAMPLE ID	SBW-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	**0.47**	0.40	1	UG/L	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 7:57:00 AM
CLIENT SAMPLE ID	SBW-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	GAP
Chromium	EPA-200.8	**14**	2.0	1	UG/L	06/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**107**	06/09/2015	DLC
Toluene-d8	EPA-8260	**102**	06/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 8:14:00 AM
CLIENT SAMPLE ID	MW-12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 8:14:00 AM
CLIENT SAMPLE ID	MW-12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	GAP
Chromium	EPA-200.8	U	2.0	1	UG/L	06/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	06/09/2015	DLC
Toluene-d8	EPA-8260	**101**	06/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 9:02:00 AM
CLIENT SAMPLE ID	MW-11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**49**	20	10	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	**54**	4.0	10	UG/L	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 9:02:00 AM
CLIENT SAMPLE ID	MW-11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chromium (VI)	EPA-7196	**23**	10	1	UG/L	06/09/2015	GAP
Chromium	EPA-200.8	**35**	2.0	1	UG/L	06/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**108**	06/09/2015	DLC
1,2-Dichloroethane-d4	EPA-8260	**106**	06/09/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**101**	06/09/2015	DLC
Toluene-d8	EPA-8260	**103**	06/09/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**103**	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 9:02:00 AM
CLIENT SAMPLE ID	MW-11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**104**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 10:03:00 AM
CLIENT SAMPLE ID	MW-28S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 10:03:00 AM
CLIENT SAMPLE ID	MW-28S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	GAP
Chromium	EPA-200.8	U	2.0	1	UG/L	06/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	06/09/2015	DLC
Toluene-d8	EPA-8260	**102**	06/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 10:50:00 AM
CLIENT SAMPLE ID	MW-27S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	**4.3**	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 10:50:00 AM
CLIENT SAMPLE ID	MW-27S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	GAP
Chromium	EPA-200.8	U	2.0	1	UG/L	06/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**107**	06/09/2015	DLC
Toluene-d8	EPA-8260	**102**	06/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 8:43:00 AM
CLIENT SAMPLE ID	SBW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**22**	2.0	1	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	**70**	4.0	10	UG/L	06/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 8:43:00 AM
CLIENT SAMPLE ID	SBW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chromium (VI)	EPA-7196	**46**	10	1	UG/L	06/09/2015	GAP
Chromium	EPA-200.8	**100**	2.0	1	UG/L	06/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**109**	06/10/2015	DLC
1,2-Dichloroethane-d4	EPA-8260	**108**	06/09/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**102**	06/10/2015	DLC
Toluene-d8	EPA-8260	**102**	06/09/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**102**	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/17/2015
		ALS JOB#:	EV15060049
		ALS SAMPLE#:	EV15060049-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 8:43:00 AM
CLIENT SAMPLE ID	SBW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**103**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 9:32:00 AM
CLIENT SAMPLE ID	MW-26I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 9:32:00 AM
CLIENT SAMPLE ID	MW-26I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	GAP
Chromium	EPA-200.8	**4.9**	2.0	1	UG/L	06/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**108**	06/09/2015	DLC
Toluene-d8	EPA-8260	**101**	06/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 10:30:00 AM
CLIENT SAMPLE ID	MW-26S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	**0.94**	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**31**	2.0	1	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	**9.5**	0.40	1	UG/L	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 10:30:00 AM
CLIENT SAMPLE ID	MW-26S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	GAP
Chromium	EPA-200.8	**9.2**	2.0	1	UG/L	06/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	06/09/2015	DLC
Toluene-d8	EPA-8260	**103**	06/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 11:07:00 AM
CLIENT SAMPLE ID	MW-10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	**1.0**	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 11:07:00 AM
CLIENT SAMPLE ID	MW-10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	GAP
Chromium	EPA-200.8	**4.9**	2.0	1	UG/L	06/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**108**	06/09/2015	DLC
Toluene-d8	EPA-8260	**103**	06/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 11:47:00 AM
CLIENT SAMPLE ID	MW-10I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 11:47:00 AM
CLIENT SAMPLE ID	MW-10I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	GAP
Chromium	EPA-200.8	**12**	2.0	1	UG/L	06/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	06/09/2015	DLC
Toluene-d8	EPA-8260	**101**	06/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 11:48:00 AM
CLIENT SAMPLE ID	MW-25S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	**0.45**	0.40	1	UG/L	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 11:48:00 AM
CLIENT SAMPLE ID	MW-25S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	GAP
Chromium	EPA-200.8	U	2.0	1	UG/L	06/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	06/09/2015	DLC
Toluene-d8	EPA-8260	**102**	06/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 12:18:00 PM
CLIENT SAMPLE ID	MW-25I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 12:18:00 PM
CLIENT SAMPLE ID	MW-25I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	GAP
Chromium	EPA-200.8	U	2.0	1	UG/L	06/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	06/09/2015	DLC
Toluene-d8	EPA-8260	**102**	06/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 12:50:00 PM
CLIENT SAMPLE ID	MW-8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	**0.80**	0.40	1	UG/L	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 12:50:00 PM
CLIENT SAMPLE ID	MW-8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	GAP
Chromium	EPA-200.8	U	2.0	1	UG/L	06/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**107**	06/09/2015	DLC
Toluene-d8	EPA-8260	**101**	06/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 1:18:00 PM
CLIENT SAMPLE ID	MW-9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 1:18:00 PM
CLIENT SAMPLE ID	MW-9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	GAP
Chromium	EPA-200.8	**6.0**	2.0	1	UG/L	06/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**108**	06/09/2015	DLC
Toluene-d8	EPA-8260	**101**	06/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 2:00:00 PM
CLIENT SAMPLE ID	MW-8S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	**4.5**	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**4.1**	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**240**	100	50	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	**390**	20	50	UG/L	06/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	**2.5**	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 2:00:00 PM
CLIENT SAMPLE ID	MW-8S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	GAP
Chromium	EPA-200.8	**17**	2.0	1	UG/L	06/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 50X Dilution	EPA-8260	**108**	06/10/2015	DLC
1,2-Dichloroethane-d4	EPA-8260	**109**	06/09/2015	DLC
Toluene-d8 50X Dilution	EPA-8260	**100**	06/10/2015	DLC
Toluene-d8	EPA-8260	**102**	06/09/2015	DLC
4-Bromofluorobenzene 50X Dilution	EPA-8260	**102**	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/17/2015
		ALS JOB#:	EV15060049
		ALS SAMPLE#:	EV15060049-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 2:00:00 PM
CLIENT SAMPLE ID	MW-8S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**102**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 2:25:00 PM
CLIENT SAMPLE ID	MW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	**2.7**	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**93**	20	10	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	**81**	4.0	10	UG/L	06/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 2:25:00 PM
CLIENT SAMPLE ID	MW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	GAP

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**109**	06/10/2015	DLC
1,2-Dichloroethane-d4	EPA-8260	**108**	06/09/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**101**	06/10/2015	DLC
Toluene-d8	EPA-8260	**101**	06/09/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**103**	06/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 2:25:00 PM
CLIENT SAMPLE ID	MW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 12:00:00 PM
CLIENT SAMPLE ID	DUP-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	**0.62**	0.40	1	UG/L	06/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 12:00:00 PM
CLIENT SAMPLE ID	DUP-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	GAP
Chromium	EPA-200.8	**3.3**	2.0	1	UG/L	06/10/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	06/10/2015	DLC
Toluene-d8	EPA-8260	**102**	06/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	06/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 1:04:00 PM
CLIENT SAMPLE ID	MW-29S:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	06/09/2015	DLC
Trichloroethene	EPA-8260	**0.023**	0.010	1	MG/KG	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	06/09/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060049 EV15060049-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/08/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/8/2015 1:04:00 PM
CLIENT SAMPLE ID	MW-29S:6	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	06/09/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	06/11/2015	RAL
Chromium	EPA-6020	**10**	0.50	5	MG/KG	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**108**	06/09/2015	DLC
Toluene-d8	EPA-8260	**97.3**	06/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/17/2015
		ALS SDG#:	EV15060049
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY BLANK RESULTS

MB-060815S - Batch 94164 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	06/08/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	06/08/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	06/08/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.3

DATE: 6/17/2015
ALS SDG#: EV15060049
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-060815S - Batch 94164 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	06/08/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB-060915W - Batch 94156 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.3

DATE: 6/17/2015
ALS SDG#: EV15060049
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-060915W - Batch 94156 - Water by EPA-8260

Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.3

DATE: 6/17/2015
ALS SDG#: EV15060049
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-060915W - Batch 94156 - Water by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-6112015 - Batch R256285 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	06/11/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-255855 - Batch R255855 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	GAP

U - Analyte analyzed for but not detected at level above reporting limit.

MB-061115S - Batch 94238 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	06/12/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS SDG#: WDOE ACCREDITATION:	6/17/2015 EV15060049 C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY BLANK RESULTS

MB1-060915W - Batch 94235 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	06/09/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB2-060915W - Batch 94236 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	06/10/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/17/2015
		ALS SDG#:	EV15060049
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 94164 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**99.6**			06/08/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**102**	**3**		06/08/2015	DLC
Benzene - BS	EPA-8260	**103**			06/08/2015	DLC
Benzene - BSD	EPA-8260	**103**	**0**		06/08/2015	DLC
Trichloroethene - BS	EPA-8260	**102**			06/08/2015	DLC
Trichloroethene - BSD	EPA-8260	**102**	**0**		06/08/2015	DLC
Toluene - BS	EPA-8260	**90.5**			06/08/2015	DLC
Toluene - BSD	EPA-8260	**91.2**	**1**		06/08/2015	DLC
Chlorobenzene - BS	EPA-8260	**94.4**			06/08/2015	DLC
Chlorobenzene - BSD	EPA-8260	**97.5**	**3**		06/08/2015	DLC

ALS Test Batch ID: 94156 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**119**			06/09/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**114**	**4**		06/09/2015	DLC
Benzene - BS	EPA-8260	**115**			06/09/2015	DLC
Benzene - BSD	EPA-8260	**111**	**3**		06/09/2015	DLC
Trichloroethene - BS	EPA-8260	**102**			06/09/2015	DLC
Trichloroethene - BSD	EPA-8260	**99.9**	**2**		06/09/2015	DLC
Toluene - BS	EPA-8260	**112**			06/09/2015	DLC
Toluene - BSD	EPA-8260	**109**	**3**		06/09/2015	DLC
Chlorobenzene - BS	EPA-8260	**111**			06/09/2015	DLC
Chlorobenzene - BSD	EPA-8260	**109**	**2**		06/09/2015	DLC

ALS Test Batch ID: R256285 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**90.0**			06/11/2015	RAL
Chromium (VI) - BSD	EPA-7196	**92.0**	**2**		06/11/2015	RAL

ALS Test Batch ID: R255855 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**97.0**			06/09/2015	GAP
Chromium (VI) - BSD	EPA-7196	**97.0**	**0**		06/09/2015	GAP

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/17/2015
		ALS SDG#:	EV15060049
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 94238 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**97.9**			06/12/2015	RAL
Chromium - BSD	EPA-6020	**98.6**	**1**		06/12/2015	RAL

ALS Test Batch ID: 94235 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**96.3**			06/09/2015	RAL
Chromium - BSD	EPA-200.8	**98.3**	**2**		06/09/2015	RAL

ALS Test Batch ID: 94236 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**97.0**			06/10/2015	RAL
Chromium - BSD	EPA-200.8	**97.2**	**0**		06/10/2015	RAL

APPROVED BY

Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV15060049

Date 6/8/15 Page 1 Of

PROJECT ID: 64001.3
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Busbee
ADDRESS: 1180 NW Maple St. Ste 310
Issaquah, WA 98027
PHONE: 425-395-0010 FAX: 425-395-0011
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium (EPA 200.8)	OTHER (Specify): Hex. Chromium (EPA 7196)	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. SBW-4	6/6/15	0757	W	1							X									X	X	5	
2. MW-12		0814		2							X									X	X	5	
3. MW-11		0902		3							X									X	X	5	
4. MW-28s		1003		4							X									X	X	5	
5. MW-27s		1050		5							X									X	X	5	
6. SBW-3		0843		6							X									X	X	5	
7. MW-26i		0932		7							X									X	X	5	
8. MW-26s		1030		8							X									X	X	5	
9. MW-10		1107		9							X									X	X	5	
10. MW-10i		1147		10							X									X	X	5	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 6/8/15 3:00
Received By: ALS 6/8/15 3:00
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1506049

Date _____ Page 2 Of _____

PROJECT ID: 64001.3
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Bushee
ADDRESS: 1180 NW Maple St Ste 310
Issaquah, WA 98027
PHONE: 425-395-0010 FAX: 425-395-0011
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium (EPA 200.8)	OTHER (Specify): Hex. Chromium (EPA 7196)	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-25S	6/8/15	1148	W	11							X								X	X	5	
2. MW-25I		1218		12							X								X	X	5	
3. MW-8		1250		13							X								X	X	5	
4. MW-9		1318		14							X								X	X	5	
5. MW-8S		1400		15							X								X	X	5	
6. MW-3		1425		16							X									X	3	
7. DUP-1	6/8/15	1200	W	17							X								X	X	5	
8. MW-29S:6	6/8/15	1304	S	18							X								X	X		
9.																						
10.																						

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 6/8/15 3:00
Received By: ALS 6/8/15 3:00
2. Relinquished By: _____
Received By: _____

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify: _____

*Turnaround request less than standard may incur Rush Charges

June 18, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On June 11th, 2 samples were received by our laboratory and assigned our laboratory project number EV15060068. The project was identified as your 64001.3. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060068 EV15060068-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/11/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/11/2015 7:50:00 AM
CLIENT SAMPLE ID	MW-15S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Vinyl Chloride	EPA-8260	**0.35**	0.20	1	UG/L	06/17/2015	CCN
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Acetone	EPA-8260	U	25	1	UG/L	06/17/2015	CCN
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/17/2015	CCN
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/17/2015	CCN
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Trans-1,2-Dichloroethene	EPA-8260	**4.7**	2.0	1	UG/L	06/17/2015	CCN
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
2-Butanone	EPA-8260	U	10	1	UG/L	06/17/2015	CCN
Cis-1,2-Dichloroethene	EPA-8260	**530**	200	100	UG/L	06/16/2015	CCN
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Chloroform	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Benzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Trichloroethene	EPA-8260	**2100**	40	100	UG/L	06/16/2015	CCN
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/17/2015	CCN
Toluene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
2-Hexanone	EPA-8260	U	10	1	UG/L	06/17/2015	CCN
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Tetrachloroethylene	EPA-8260	**12**	2.0	1	UG/L	06/17/2015	CCN
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/17/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060068 EV15060068-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/11/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/11/2015 7:50:00 AM
CLIENT SAMPLE ID	MW-15S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/17/2015	CCN
Styrene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Bromoform	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/17/2015	CCN
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/11/2015	RAL
Chromium	EPA-200.8	**7.4**	2.0	1	UG/L	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**85.2**	06/16/2015	CCN
1,2-Dichloroethane-d4	EPA-8260	**102**	06/17/2015	CCN
Toluene-d8 100X Dilution	EPA-8260	**100**	06/16/2015	CCN
Toluene-d8	EPA-8260	**96.0**	06/17/2015	CCN
4-Bromofluorobenzene 100X Dilution	EPA-8260	**98.3**	06/16/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/18/2015
		ALS JOB#:	EV15060068
		ALS SAMPLE#:	EV15060068-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/11/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/11/2015 7:50:00 AM
CLIENT SAMPLE ID	MW-15S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**96.0**	06/17/2015	CCN

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060068 EV15060068-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/11/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/11/2015 8:12:00 AM
CLIENT SAMPLE ID	MW-15I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/17/2015	CCN
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Acetone	EPA-8260	U	25	1	UG/L	06/17/2015	CCN
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/17/2015	CCN
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/17/2015	CCN
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
2-Butanone	EPA-8260	U	10	1	UG/L	06/17/2015	CCN
Cis-1,2-Dichloroethene	EPA-8260	**7.1**	2.0	1	UG/L	06/17/2015	CCN
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Chloroform	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Benzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Trichloroethene	EPA-8260	**210**	4.0	10	UG/L	06/16/2015	CCN
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/17/2015	CCN
Toluene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
2-Hexanone	EPA-8260	U	10	1	UG/L	06/17/2015	CCN
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Tetrachloroethylene	EPA-8260	**4.8**	2.0	1	UG/L	06/17/2015	CCN
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/17/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060068 EV15060068-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/11/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/11/2015 8:12:00 AM
CLIENT SAMPLE ID	MW-15I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/17/2015	CCN
Styrene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Bromoform	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/17/2015	CCN
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/17/2015	CCN
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/11/2015	RAL
Chromium	EPA-200.8	**4.0**	2.0	1	UG/L	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**90.1**	06/16/2015	CCN
1,2-Dichloroethane-d4	EPA-8260	**107**	06/17/2015	CCN
Toluene-d8 10X Dilution	EPA-8260	**96.9**	06/16/2015	CCN
Toluene-d8	EPA-8260	**95.5**	06/17/2015	CCN
4-Bromofluorobenzene 10X Dilution	EPA-8260	**101**	06/16/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/18/2015
		ALS JOB#:	EV15060068
		ALS SAMPLE#:	EV15060068-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/11/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/11/2015 8:12:00 AM
CLIENT SAMPLE ID	MW-15I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**99.7**	06/17/2015	CCN

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee

CLIENT PROJECT: 64001.3

DATE: 6/18/2015

ALS SDG#: EV15060068

WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-061515W - Batch 94331 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/15/2015	CCN
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Acetone	EPA-8260	U	25	1	UG/L	06/15/2015	CCN
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/15/2015	CCN
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Butanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/15/2015	CCN
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Toluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Hexanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/15/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.3

DATE: 6/18/2015
ALS SDG#: EV15060068
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-061515W - Batch 94331 - Water by EPA-8260

Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/15/2015	CCN
Styrene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromoform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-256436 - Batch R256436 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/11/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-061215W - Batch 94240 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	06/12/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS SDG#: WDOE ACCREDITATION:	6/18/2015 EV15060068 C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY BLANK RESULTS

MB-061215W - Batch 94240 - Water by EPA-200.8

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/18/2015
		ALS SDG#:	EV15060068
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 94331 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**125**			06/15/2015	CCN
1,1-Dichloroethene - BSD	EPA-8260	**116**	**8**		06/15/2015	CCN
Benzene - BS	EPA-8260	**112**			06/15/2015	CCN
Benzene - BSD	EPA-8260	**107**	**5**		06/15/2015	CCN
Trichloroethene - BS	EPA-8260	**113**			06/15/2015	CCN
Trichloroethene - BSD	EPA-8260	**107**	**6**		06/15/2015	CCN
Toluene - BS	EPA-8260	**105**			06/15/2015	CCN
Toluene - BSD	EPA-8260	**99.0**	**6**		06/15/2015	CCN
Chlorobenzene - BS	EPA-8260	**115**			06/15/2015	CCN
Chlorobenzene - BSD	EPA-8260	**103**	**11**		06/15/2015	CCN

ALS Test Batch ID: R256436 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**94.0**			06/11/2015	RAL
Chromium (VI) - BSD	EPA-7196	**99.0**	**5**		06/11/2015	RAL

ALS Test Batch ID: 94240 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**96.2**			06/12/2015	RAL
Chromium - BSD	EPA-200.8	**92.9**	**3**		06/16/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): 1506006 8

Date 6/11/15 Page 1 Of 1

PROJECT ID:	640013
REPORT TO COMPANY:	EPI
PROJECT MANAGER:	Monty Busbee
ADDRESS:	1180 NW Maple St, STE 310
	Issaquah, WA 98027
PHONE:	425 395-0010 FAX: 425-395-0011
P.O. #:	E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY:	
ATTENTION:	
ADDRESS:	

ANALYSIS REQUESTED

OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chromium (EPA 200.8)	Hex. Chromium (EPA 7196)						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-15S	6/11/15	0750	H_2O	1							X									X	X							2	
2. MW-15I	6/11/15	0812	H_2O	2							X									X	X							2	
3.																													
4.																													
5.																													
6.																													
7.																													
8.																													
9.																													
10.																													

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: Charles McFadden EPI 6/11/15 11:35
   Received By: ALS 6/11/15 1135
2. Relinquished By: _____
   Received By: _____

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: ~~5~~ Standard | 3 | 1 | SAME DAY

OTHER:

Specify: _____

*Turnaround request less than standard may incur Rush Charges

June 18, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On June 5th, 2 samples were received by our laboratory and assigned our laboratory project number EV15060044. The project was identified as your 64001.3. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060044 EV15060044-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/05/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/2/2015 1:42:00 PM
CLIENT SAMPLE ID	MW-15I:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	06/08/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**0.73**	0.48	1	MG/KG	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	06/08/2015	DLC
Trichloroethene	EPA-8260	**51**	0.31	1	MG/KG	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Tetrachloroethylene	EPA-8260	**3.1**	0.030	1	MG/KG	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	06/08/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060044 EV15060044-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/05/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/2/2015 1:42:00 PM
CLIENT SAMPLE ID	MW-15I:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	06/08/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	06/11/2015	RAL
Chromium	EPA-6020	**40**	0.50	5	MG/KG	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**107**	06/08/2015	DLC
1,2-Dichloroethane-d4	EPA-8260	**107**	06/09/2015	DLC
1,2-Dichloroethane-d4	EPA-8260	**108**	06/09/2015	DLC
Toluene-d8	EPA-8260	**102**	06/08/2015	DLC
Toluene-d8	EPA-8260	**100**	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/18/2015
		ALS JOB#:	EV15060044
		ALS SAMPLE#:	EV15060044-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/05/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/2/2015 1:42:00 PM
CLIENT SAMPLE ID	MW-15I:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
Toluene-d8	EPA-8260	**95.9**	06/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**110**	06/08/2015	DLC
4-Bromofluorobenzene	EPA-8260	**106**	06/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**105**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060044 EV15060044-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/05/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/2/2015 2:55:00 PM
CLIENT SAMPLE ID	MW-15I:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	06/09/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	06/09/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060044 EV15060044-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/05/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/2/2015 2:55:00 PM
CLIENT SAMPLE ID	MW-15I:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	06/09/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/09/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	06/11/2015	RAL
Chromium	EPA-6020	**19**	0.50	5	MG/KG	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	06/09/2015	DLC
Toluene-d8	EPA-8260	**98.8**	06/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/18/2015
		ALS SDG#:	EV15060044
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY BLANK RESULTS

MB-060815S - Batch 94164 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	06/08/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	06/08/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	06/08/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.3

DATE: 6/18/2015
ALS SDG#: EV15060044
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-060815S - Batch 94164 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	06/08/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	06/08/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	06/08/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-6112015 - Batch R256285 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	06/11/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-061115S - Batch 94238 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	06/12/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS SDG#: WDOE ACCREDITATION:	6/18/2015 EV15060044 C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY BLANK RESULTS

MB-061115S - Batch 94238 - Soil by EPA-6020

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/18/2015
		ALS SDG#:	EV15060044
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 94164 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**99.6**			06/08/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**102**	**3**		06/08/2015	DLC
Benzene - BS	EPA-8260	**103**			06/08/2015	DLC
Benzene - BSD	EPA-8260	**103**	**0**		06/08/2015	DLC
Trichloroethene - BS	EPA-8260	**102**			06/08/2015	DLC
Trichloroethene - BSD	EPA-8260	**102**	**0**		06/08/2015	DLC
Toluene - BS	EPA-8260	**90.5**			06/08/2015	DLC
Toluene - BSD	EPA-8260	**91.2**	**1**		06/08/2015	DLC
Chlorobenzene - BS	EPA-8260	**94.4**			06/08/2015	DLC
Chlorobenzene - BSD	EPA-8260	**97.5**	**3**		06/08/2015	DLC

ALS Test Batch ID: R256285 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**90.0**			06/11/2015	RAL
Chromium (VI) - BSD	EPA-7196	**92.0**	**2**		06/11/2015	RAL

ALS Test Batch ID: 94238 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**97.9**			06/12/2015	RAL
Chromium - BSD	EPA-6020	**98.6**	**1**		06/12/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1506044

Date 6-5-15 Page 1 Of 1

PROJECT ID: 64001.3
REPORT TO COMPANY: EPI
PROJECT MANAGER: Mary Busbee
ADDRESS: 1180 NW Maple St. Ste 310
Issaquah WA 98027
PHONE: 425-392-4090 FAX:
P.O. #: 64001.3 E-MAIL:
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify) Chrome-total	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify) Chrome VI							NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-15I:8	6/2/15	1342	soil	1							X							X		X									
2. MW-15I:13	6/2/15	1455	soil	2							X							X		X									
3.																													
4.																													
5.																													
6.																													
7.																													
8.																													
9.																													
10.																													

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 6/5/15 1125
   Received By: Patrick Leonard /ALS/ 6-5-15/ 1125
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

June 18, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On June 10th, 11 samples were received by our laboratory and assigned our laboratory project number EV15060067. The project was identified as your 64001.3. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 7:38:00 AM
CLIENT SAMPLE ID	SBW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Vinyl Chloride	EPA-8260	**0.23**	0.20	1	UG/L	06/15/2015	CCN
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Acetone	EPA-8260	U	25	1	UG/L	06/15/2015	CCN
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/15/2015	CCN
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,2-Dichloroethene	EPA-8260	**6.1**	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Butanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Cis-1,2-Dichloroethene	EPA-8260	**310**	200	100	UG/L	06/15/2015	CCN
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichloroethene	EPA-8260	**1400**	40	100	UG/L	06/15/2015	CCN
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Toluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Hexanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Tetrachloroethylene	EPA-8260	**36**	2.0	1	UG/L	06/15/2015	CCN
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/15/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 7:38:00 AM
CLIENT SAMPLE ID	SBW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/15/2015	CCN
Styrene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromoform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chromium (VI)	EPA-7196	**50**	10	1	UG/L	06/10/2015	RAL
Chromium	EPA-200.8	**60**	2.0	1	UG/L	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**97.5**	06/15/2015	CCN
1,2-Dichloroethane-d4	EPA-8260	**102**	06/15/2015	CCN
Toluene-d8 100X Dilution	EPA-8260	**96.1**	06/15/2015	CCN
Toluene-d8	EPA-8260	**97.7**	06/15/2015	CCN
4-Bromofluorobenzene 100X Dilution	EPA-8260	**99.3**	06/15/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/18/2015
		ALS JOB#:	EV15060067
		ALS SAMPLE#:	EV15060067-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 7:38:00 AM
CLIENT SAMPLE ID	SBW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**103**	06/15/2015	CCN

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 7:35:00 AM
CLIENT SAMPLE ID	SBW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/15/2015	CCN
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Acetone	EPA-8260	U	25	1	UG/L	06/15/2015	CCN
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/15/2015	CCN
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Butanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Cis-1,2-Dichloroethene	EPA-8260	**15**	2.0	1	UG/L	06/15/2015	CCN
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichloroethene	EPA-8260	**29**	0.40	1	UG/L	06/15/2015	CCN
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Toluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Hexanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/15/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 7:35:00 AM
CLIENT SAMPLE ID	SBW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/15/2015	CCN
Styrene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromoform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/10/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**96.4**	06/15/2015	CCN
Toluene-d8	EPA-8260	**98.5**	06/15/2015	CCN
4-Bromofluorobenzene	EPA-8260	**96.4**	06/15/2015	CCN

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 8:12:00 AM
CLIENT SAMPLE ID	MW-5B	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/15/2015	CCN
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Acetone	EPA-8260	U	25	1	UG/L	06/15/2015	CCN
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/15/2015	CCN
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Butanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/15/2015	CCN
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Toluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Hexanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/15/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 8:12:00 AM
CLIENT SAMPLE ID	MW-5B	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/15/2015	CCN
Styrene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromoform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/10/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**95.8**	06/15/2015	CCN
Toluene-d8	EPA-8260	**99.5**	06/15/2015	CCN
4-Bromofluorobenzene	EPA-8260	**99.2**	06/15/2015	CCN

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 8:25:00 AM
CLIENT SAMPLE ID	MW-7I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Vinyl Chloride	EPA-8260	**0.32**	0.20	1	UG/L	06/15/2015	CCN
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Acetone	EPA-8260	U	25	1	UG/L	06/15/2015	CCN
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/15/2015	CCN
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Butanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Cis-1,2-Dichloroethene	EPA-8260	**3.4**	2.0	1	UG/L	06/15/2015	CCN
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/15/2015	CCN
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Toluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Hexanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/15/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 8:25:00 AM
CLIENT SAMPLE ID	MW-7I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/15/2015	CCN
Styrene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromoform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/10/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	06/15/2015	CCN
Toluene-d8	EPA-8260	**97.9**	06/15/2015	CCN
4-Bromofluorobenzene	EPA-8260	**105**	06/15/2015	CCN

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 8:48:00 AM
CLIENT SAMPLE ID	MW-7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/15/2015	CCN
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Acetone	EPA-8260	U	25	1	UG/L	06/15/2015	CCN
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/15/2015	CCN
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Butanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichloroethene	EPA-8260	**0.50**	0.40	1	UG/L	06/15/2015	CCN
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Toluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Hexanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/15/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 8:48:00 AM
CLIENT SAMPLE ID	MW-7	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/15/2015	CCN
Styrene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromoform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/10/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	06/15/2015	CCN
Toluene-d8	EPA-8260	**100**	06/15/2015	CCN
4-Bromofluorobenzene	EPA-8260	**103**	06/15/2015	CCN

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 10:00:00 AM
CLIENT SAMPLE ID	MW-19	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/15/2015	CCN
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Acetone	EPA-8260	U	25	1	UG/L	06/15/2015	CCN
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/15/2015	CCN
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Butanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Cis-1,2-Dichloroethene	EPA-8260	**22**	2.0	1	UG/L	06/15/2015	CCN
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichloroethene	EPA-8260	**180**	4.0	10	UG/L	06/15/2015	CCN
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Toluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Hexanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/15/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 10:00:00 AM
CLIENT SAMPLE ID	MW-19	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/15/2015	CCN
Styrene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromoform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/10/2015	RAL
Chromium	EPA-200.8	**23**	2.0	1	UG/L	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**101**	06/15/2015	CCN
1,2-Dichloroethane-d4	EPA-8260	**103**	06/15/2015	CCN
Toluene-d8 10X Dilution	EPA-8260	**95.0**	06/15/2015	CCN
Toluene-d8	EPA-8260	**93.2**	06/15/2015	CCN
4-Bromofluorobenzene 10X Dilution	EPA-8260	**98.0**	06/15/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/18/2015
		ALS JOB#:	EV15060067
		ALS SAMPLE#:	EV15060067-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 10:00:00 AM
CLIENT SAMPLE ID	MW-19	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**101**	06/15/2015	CCN

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 10:10:00 AM
CLIENT SAMPLE ID	MW-18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/15/2015	CCN
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Acetone	EPA-8260	U	25	1	UG/L	06/15/2015	CCN
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/15/2015	CCN
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Butanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Cis-1,2-Dichloroethene	EPA-8260	**5.7**	2.0	1	UG/L	06/15/2015	CCN
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichloroethene	EPA-8260	**22**	0.40	1	UG/L	06/15/2015	CCN
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Toluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Hexanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/15/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 10:10:00 AM
CLIENT SAMPLE ID	MW-18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/15/2015	CCN
Styrene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromoform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chromium (VI)	EPA-7196	**300**	10	1	UG/L	06/10/2015	RAL
Chromium	EPA-200.8	**640**	2.0	1	UG/L	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**94.2**	06/15/2015	CCN
Toluene-d8	EPA-8260	**97.0**	06/15/2015	CCN
4-Bromofluorobenzene	EPA-8260	**102**	06/15/2015	CCN

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 11:19:00 AM
CLIENT SAMPLE ID	MW-16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Vinyl Chloride	EPA-8260	**2.1**	0.20	1	UG/L	06/15/2015	CCN
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Acetone	EPA-8260	U	25	1	UG/L	06/15/2015	CCN
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/15/2015	CCN
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Butanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Cis-1,2-Dichloroethene	EPA-8260	**6.4**	2.0	1	UG/L	06/15/2015	CCN
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichloroethene	EPA-8260	**14**	0.40	1	UG/L	06/15/2015	CCN
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Toluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Hexanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/15/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 11:19:00 AM
CLIENT SAMPLE ID	MW-16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/15/2015	CCN
Styrene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromoform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/10/2015	RAL
Chromium	EPA-200.8	**29**	2.0	1	UG/L	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**98.3**	06/15/2015	CCN
Toluene-d8	EPA-8260	**97.5**	06/15/2015	CCN
4-Bromofluorobenzene	EPA-8260	**105**	06/15/2015	CCN

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 12:20:00 PM
CLIENT SAMPLE ID	MW-29S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/15/2015	CCN
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Acetone	EPA-8260	U	25	1	UG/L	06/15/2015	CCN
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/15/2015	CCN
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Butanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichloroethene	EPA-8260	**6.3**	0.40	1	UG/L	06/15/2015	CCN
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Toluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Hexanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/15/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 12:20:00 PM
CLIENT SAMPLE ID	MW-29S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/15/2015	CCN
Styrene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromoform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/10/2015	RAL
Chromium	EPA-200.8	**7.1**	2.0	1	UG/L	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.1**	06/15/2015	CCN
Toluene-d8	EPA-8260	**96.7**	06/15/2015	CCN
4-Bromofluorobenzene	EPA-8260	**101**	06/15/2015	CCN

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 12:27:00 PM
CLIENT SAMPLE ID	MW-14	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/15/2015	CCN
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Acetone	EPA-8260	U	25	1	UG/L	06/15/2015	CCN
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/15/2015	CCN
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Butanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichloroethene	EPA-8260	**7.8**	0.40	1	UG/L	06/15/2015	CCN
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Toluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Hexanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/15/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 12:27:00 PM
CLIENT SAMPLE ID	MW-14	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/15/2015	CCN
Styrene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromoform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chromium (VI)	EPA-7196	**55**	10	1	UG/L	06/10/2015	RAL
Chromium	EPA-200.8	**52**	2.0	1	UG/L	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	06/15/2015	CCN
Toluene-d8	EPA-8260	**94.8**	06/15/2015	CCN
4-Bromofluorobenzene	EPA-8260	**101**	06/15/2015	CCN

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 12:00:00 PM
CLIENT SAMPLE ID	DUP-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/15/2015	CCN
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Acetone	EPA-8260	U	25	1	UG/L	06/15/2015	CCN
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/15/2015	CCN
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Butanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichloroethene	EPA-8260	**7.1**	0.40	1	UG/L	06/15/2015	CCN
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Toluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Hexanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/15/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/18/2015 EV15060067 EV15060067-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/10/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/10/2015 12:00:00 PM
CLIENT SAMPLE ID	DUP-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/15/2015	CCN
Styrene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromoform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chromium (VI)	EPA-7196	**57**	10	1	UG/L	06/10/2015	RAL
Chromium	EPA-200.8	**53**	2.0	1	UG/L	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	06/15/2015	CCN
Toluene-d8	EPA-8260	**96.2**	06/15/2015	CCN
4-Bromofluorobenzene	EPA-8260	**99.7**	06/15/2015	CCN

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee

CLIENT PROJECT: 64001.3

DATE: 6/18/2015

ALS SDG#: EV15060067

WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-061515W - Batch 94331 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/15/2015	CCN
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Acetone	EPA-8260	U	25	1	UG/L	06/15/2015	CCN
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/15/2015	CCN
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Butanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Chloroform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/15/2015	CCN
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
Toluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Hexanone	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/15/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.3

DATE: 6/18/2015
ALS SDG#: EV15060067
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-061515W - Batch 94331 - Water by EPA-8260

Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/15/2015	CCN
Styrene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromoform	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/15/2015	CCN
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/15/2015	CCN

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-256434 - Batch R256434 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/10/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-061215W - Batch 94240 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	06/12/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/18/2015
		ALS SDG#:	EV15060067
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY BLANK RESULTS

MB-061215W - Batch 94240 - Water by EPA-200.8

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/18/2015
		ALS SDG#:	EV15060067
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 94331 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**125**			06/15/2015	CCN
1,1-Dichloroethene - BSD	EPA-8260	**116**	**8**		06/15/2015	CCN
Benzene - BS	EPA-8260	**112**			06/15/2015	CCN
Benzene - BSD	EPA-8260	**107**	**5**		06/15/2015	CCN
Trichloroethene - BS	EPA-8260	**113**			06/15/2015	CCN
Trichloroethene - BSD	EPA-8260	**107**	**6**		06/15/2015	CCN
Toluene - BS	EPA-8260	**105**			06/15/2015	CCN
Toluene - BSD	EPA-8260	**99.0**	**6**		06/15/2015	CCN
Chlorobenzene - BS	EPA-8260	**115**			06/15/2015	CCN
Chlorobenzene - BSD	EPA-8260	**103**	**11**		06/15/2015	CCN

ALS Test Batch ID: R256434 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**103**			06/10/2015	RAL
Chromium (VI) - BSD	EPA-7196	**106**	**3**		06/10/2015	RAL

ALS Test Batch ID: 94240 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**96.2**			06/12/2015	RAL
Chromium - BSD	EPA-200.8	**92.9**	**3**		06/16/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV15060067

Date 6/10/15 Page 1 Of 2

PROJECT ID: 64001.3
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Bosbee
ADDRESS: 1180 NW Maple St, Ste 310, Issaquah, WA 98027
PHONE: 425-395-0010 FAX: 425-395-0011
P.O. #: E-MAIL: monty@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium (Corr-2008)	OTHER (Specify): Hex. Chromium (EPA-7196)	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. SBW-2	6/10/15	0738	W	1							X									X	X	5	
2. SBW-1		0735		2							X									X	X	5	
3. MW-5B		0812		3							X									X	X	5	
4. MW-7i		0825		4							X									X	X	5	
5. MW-7		0848		5							X									X	X	5	
6. MW-19		1000		6							X									X	X	4	
7. MW-18		1010		7							X									X	X	4	
8. MW-16		1119		8							X									X	X	4	
9. MW-29S		1220		9							X									X	X	5	
10. MW-14	↓	1227	↓	10							X									X	X	4	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: BGT 6/10/15
   Received By: ALS 6/10/15 1:25
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 (Standard) | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 (Standard) | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EVI5060067

Date 6/10/15 Page 2 Of 2

PROJECT ID: 64001.3
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Busbee
ADDRESS: 1180 NW Maple St, Ste 310
Issaquah, WA 98027
PHONE: 425-295-0010 FAX: 425-395-0011
P.O. #: E-MAIL: montybe@epi-nw.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify)						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
																				Total Chromium	Hex Chromium						
1. Dup-4	6/10/15	1200	W	11							X									X	X					4	
2.																											
3.																											
4.																											
5.																											
6.																											
7.																											
8.																											
9.																											
10.																											

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: 6/10/15
Received By: ALS 6/10/15 1:25
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

June 17, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On June 9th, 22 samples were received by our laboratory and assigned our laboratory project number EV15060053. The project was identified as your 64001.3. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 6:00:00 AM
CLIENT SAMPLE ID	MW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	**230**	2.0	1	UG/L	06/11/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 6:57:00 AM
CLIENT SAMPLE ID	MW-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	**1.9**	0.40	1	UG/L	06/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 6:57:00 AM
CLIENT SAMPLE ID	MW-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**108**	06/10/2015	DLC
Toluene-d8	EPA-8260	**102**	06/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	06/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 7:06:00 AM
CLIENT SAMPLE ID	MW-22S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 7:06:00 AM
CLIENT SAMPLE ID	MW-22S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**107**	06/10/2015	DLC
Toluene-d8	EPA-8260	**101**	06/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	06/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 7:24:00 AM
CLIENT SAMPLE ID	MW-07	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 7:24:00 AM
CLIENT SAMPLE ID	MW-07	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**108**	06/10/2015	DLC
Toluene-d8	EPA-8260	**102**	06/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	06/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 7:43:00 AM
CLIENT SAMPLE ID	MW-22I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 7:43:00 AM
CLIENT SAMPLE ID	MW-22I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**110**	06/10/2015	DLC
Toluene-d8	EPA-8260	**101**	06/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	06/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 8:05:00 AM
CLIENT SAMPLE ID	MW-05I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	**3.6**	0.40	1	UG/L	06/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 8:05:00 AM
CLIENT SAMPLE ID	MW-05I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	**5.8**	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	06/10/2015	DLC
Toluene-d8	EPA-8260	**102**	06/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.4**	06/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 8:23:00 AM
CLIENT SAMPLE ID	MW-21S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	**2.1**	0.40	1	UG/L	06/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 8:23:00 AM
CLIENT SAMPLE ID	MW-21S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	**3.0**	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	06/10/2015	DLC
Toluene-d8	EPA-8260	**101**	06/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	06/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 8:44:00 AM
CLIENT SAMPLE ID	MW-05	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	**61**	4.0	10	UG/L	06/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 8:44:00 AM
CLIENT SAMPLE ID	MW-05	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	**8.4**	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	06/10/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**105**	06/13/2015	DLC
Toluene-d8	EPA-8260	**103**	06/10/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**109**	06/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/17/2015
		ALS JOB#:	EV15060053
		ALS SAMPLE#:	EV15060053-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 8:44:00 AM
CLIENT SAMPLE ID	MW-05	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**90.4**	06/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 8:56:00 AM
CLIENT SAMPLE ID	MW-21I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 8:56:00 AM
CLIENT SAMPLE ID	MW-21I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**111**	06/10/2015	DLC
Toluene-d8	EPA-8260	**101**	06/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	06/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 9:30:00 AM
CLIENT SAMPLE ID	MW-20I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	**2.0**	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	**0.74**	0.40	1	UG/L	06/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 9:30:00 AM
CLIENT SAMPLE ID	MW-20I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	**2.2**	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**110**	06/10/2015	DLC
Toluene-d8	EPA-8260	**102**	06/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	06/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 9:51:00 AM
CLIENT SAMPLE ID	MW-24S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**2.9**	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**24**	2.0	1	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	**38**	0.40	1	UG/L	06/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 9:51:00 AM
CLIENT SAMPLE ID	MW-24S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	**7.3**	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	06/10/2015	DLC
Toluene-d8	EPA-8260	**102**	06/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	06/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 10:12:00 AM
CLIENT SAMPLE ID	MW-24I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	**0.67**	0.40	1	UG/L	06/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 10:12:00 AM
CLIENT SAMPLE ID	MW-24I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	**4.5**	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**110**	06/10/2015	DLC
Toluene-d8	EPA-8260	**102**	06/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	06/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 10:22:00 AM
CLIENT SAMPLE ID	MW-20S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**14**	2.0	1	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	**54**	4.0	10	UG/L	06/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 10:22:00 AM
CLIENT SAMPLE ID	MW-20S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	**9.9**	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	06/10/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**103**	06/13/2015	DLC
Toluene-d8	EPA-8260	**101**	06/10/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**101**	06/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 10:22:00 AM
CLIENT SAMPLE ID	MW-20S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**89.9**	06/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 10:45:00 AM
CLIENT SAMPLE ID	MW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	**12**	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**5.9**	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**110**	40	20	UG/L	06/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	**420**	8.0	20	UG/L	06/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	**5.2**	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 10:45:00 AM
CLIENT SAMPLE ID	MW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	**12**	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	06/10/2015	DLC
1,2-Dichloroethane-d4 20X Dilution	EPA-8260	**104**	06/13/2015	DLC
Toluene-d8	EPA-8260	**101**	06/10/2015	DLC
Toluene-d8 20X Dilution	EPA-8260	**98.2**	06/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/17/2015
		ALS JOB#:	EV15060053
		ALS SAMPLE#:	EV15060053-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 10:45:00 AM
CLIENT SAMPLE ID	MW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 20X Dilution	EPA-8260	**89.3**	06/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 11:06:00 AM
CLIENT SAMPLE ID	MW-1I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/12/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/12/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/12/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/12/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/12/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/12/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/12/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/12/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/12/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 11:06:00 AM
CLIENT SAMPLE ID	MW-1I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/12/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/12/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	**4.6**	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	06/12/2015	DLC
Toluene-d8	EPA-8260	**99.3**	06/12/2015	DLC
4-Bromofluorobenzene	EPA-8260	**96.3**	06/12/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 11:18:00 AM
CLIENT SAMPLE ID	MW-23I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 11:18:00 AM
CLIENT SAMPLE ID	MW-23I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	06/10/2015	DLC
Toluene-d8	EPA-8260	**102**	06/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	06/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 11:34:00 AM
CLIENT SAMPLE ID	MW-23S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 11:34:00 AM
CLIENT SAMPLE ID	MW-23S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	**4.1**	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**110**	06/10/2015	DLC
Toluene-d8	EPA-8260	**102**	06/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	06/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 12:28:00 PM
CLIENT SAMPLE ID	MW-7S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Vinyl Chloride	EPA-8260	**1.1**	0.20	1	UG/L	06/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**7.9**	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**380**	200	100	UG/L	06/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trichloroethene	EPA-8260	**810**	40	100	UG/L	06/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Tetrachloroethylene	EPA-8260	**13**	2.0	1	UG/L	06/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 12:28:00 PM
CLIENT SAMPLE ID	MW-7S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/10/2015	DLC
Chromium (VI)	EPA-7196	**12**	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	**43**	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**110**	06/10/2015	DLC
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**107**	06/13/2015	DLC
Toluene-d8	EPA-8260	**101**	06/10/2015	DLC
Toluene-d8 100X Dilution	EPA-8260	**97.5**	06/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	06/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/17/2015
		ALS JOB#:	EV15060053
		ALS SAMPLE#:	EV15060053-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 12:28:00 PM
CLIENT SAMPLE ID	MW-7S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 100X Dilution	EPA-8260	**113**	06/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-19
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 12:50:00 PM
CLIENT SAMPLE ID	MW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/12/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/12/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/12/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/12/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/12/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Trichloroethene	EPA-8260	**0.62**	0.40	1	UG/L	06/12/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/12/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/12/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/12/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-19
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 12:50:00 PM
CLIENT SAMPLE ID	MW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/12/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/12/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	**36**	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**108**	06/12/2015	DLC
Toluene-d8	EPA-8260	**100**	06/12/2015	DLC
4-Bromofluorobenzene	EPA-8260	**90.5**	06/12/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-20
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 1:25:00 PM
CLIENT SAMPLE ID	MW-5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/12/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/12/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/12/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/12/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/12/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/12/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/12/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/12/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/12/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-20
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 1:25:00 PM
CLIENT SAMPLE ID	MW-5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/12/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/12/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/12/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	**2.6**	2.0	1	UG/L	06/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**107**	06/12/2015	DLC
Toluene-d8	EPA-8260	**98.1**	06/12/2015	DLC
4-Bromofluorobenzene	EPA-8260	**89.5**	06/12/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-21
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 8:00:00 AM
CLIENT SAMPLE ID	DUP-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/11/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/11/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Trichloroethene	EPA-8260	**66**	4.0	10	UG/L	06/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/11/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-21
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 8:00:00 AM
CLIENT SAMPLE ID	DUP-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/11/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/11/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	**8.4**	2.0	1	UG/L	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**111**	06/11/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**107**	06/13/2015	DLC
Toluene-d8	EPA-8260	**100**	06/11/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**98.9**	06/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	06/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/17/2015
		ALS JOB#:	EV15060053
		ALS SAMPLE#:	EV15060053-21
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 8:00:00 AM
CLIENT SAMPLE ID	DUP-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**89.8**	06/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-22
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 11:00:00 AM
CLIENT SAMPLE ID	DUP-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/13/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/13/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/13/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/13/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/13/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/13/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/13/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/13/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/13/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	6/17/2015 EV15060053 EV15060053-22
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	06/09/2015
CLIENT PROJECT:	64001.3	COLLECTION DATE:	6/9/2015 11:00:00 AM
CLIENT SAMPLE ID	DUP-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/13/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/13/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/13/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	06/12/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**107**	06/13/2015	DLC
Toluene-d8	EPA-8260	**100**	06/13/2015	DLC
4-Bromofluorobenzene	EPA-8260	**70.3**	06/13/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.3

DATE: 6/17/2015
ALS SDG#: EV15060053
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-060915W - Batch 94156 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.3

DATE: 6/17/2015
ALS SDG#: EV15060053
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-060915W - Batch 94156 - Water by EPA-8260

Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB-060915W2 - Batch 94157 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	06/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/17/2015
		ALS SDG#:	EV15060053
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY BLANK RESULTS

MB-060915W2 - Batch 94157 - Water by EPA-8260

Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	06/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	06/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trichloroethene	EPA-8260	U	0.40	1	UG/L	06/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	06/09/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	06/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.3

DATE: 6/17/2015
ALS SDG#: EV15060053
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-060915W2 - Batch 94157 - Water by EPA-8260

1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	06/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	06/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-256411 - Batch R256411 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-256412 - Batch R256412 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	10	1	UG/L	06/09/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-061015W - Batch 94239 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	06/11/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/17/2015
		ALS SDG#:	EV15060053
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY BLANK RESULTS

MB-061215W - Batch 94240 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	2.0	1	UG/L	06/12/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/17/2015
		ALS SDG#:	EV15060053
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 94156 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**119**			06/09/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**114**	**4**		06/09/2015	DLC
Benzene - BS	EPA-8260	**115**			06/09/2015	DLC
Benzene - BSD	EPA-8260	**111**	**3**		06/09/2015	DLC
Trichloroethene - BS	EPA-8260	**102**			06/09/2015	DLC
Trichloroethene - BSD	EPA-8260	**99.9**	**2**		06/09/2015	DLC
Toluene - BS	EPA-8260	**112**			06/09/2015	DLC
Toluene - BSD	EPA-8260	**109**	**3**		06/09/2015	DLC
Chlorobenzene - BS	EPA-8260	**111**			06/09/2015	DLC
Chlorobenzene - BSD	EPA-8260	**109**	**2**		06/09/2015	DLC

ALS Test Batch ID: 94157 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**117**			06/10/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**118**	**0**		06/10/2015	DLC
Benzene - BS	EPA-8260	**116**			06/10/2015	DLC
Benzene - BSD	EPA-8260	**118**	**1**		06/10/2015	DLC
Trichloroethene - BS	EPA-8260	**107**			06/10/2015	DLC
Trichloroethene - BSD	EPA-8260	**108**	**1**		06/10/2015	DLC
Toluene - BS	EPA-8260	**111**			06/10/2015	DLC
Toluene - BSD	EPA-8260	**114**	**2**		06/10/2015	DLC
Chlorobenzene - BS	EPA-8260	**108**			06/10/2015	DLC
Chlorobenzene - BSD	EPA-8260	**112**	**4**		06/10/2015	DLC

ALS Test Batch ID: R256411 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**104**			06/09/2015	RAL
Chromium (VI) - BSD	EPA-7196	**104**	**0**		06/09/2015	RAL

ALS Test Batch ID: R256412 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**105**			06/09/2015	RAL
Chromium (VI) - BSD	EPA-7196	**104**	**1**		06/09/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	6/17/2015
		ALS SDG#:	EV15060053
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.3		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 94239 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**96.0**			06/11/2015	RAL
Chromium - BSD	EPA-200.8	**94.5**	**2**		06/11/2015	RAL

ALS Test Batch ID: 94240 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**96.2**			06/12/2015	RAL
Chromium - BSD	EPA-200.8	**92.9**	**3**		06/16/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV150 60053

Date 6/9/15 Page 1 Of 3

PROJECT ID: 64001.3
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Bushell
ADDRESS: 1180 NW Maple St, Ste 310, Issaquah, WA 98027
PHONE: 425-395-0010 FAX: 425-395-0011
P.O. #: E-MAIL: monty@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium (EPA 200.8)	OTHER (Specify): Hex. Chromium (EPA 7196)	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-3	6/9/15	0600	W	1															X		1	
2. MW-4		0657		2							X								X	X	5	
3. MW-22s		0706		3							X								X	X	5	
4. MW-07		0724		4							X								X	X	5	
5. MW-22i		0743		5							X								X	X	5	
6. MW-05i		0805		6							X								X	X	5	
7. MW-21s		0823		7							X								X	X	5	
8. MW-05		0844		8							X								X	X	5	
9. MW-21i		0856		9							X								X	X	5	
10. MW-20i		0930		10							X								X	X	5	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 6/9/15 14:00
   Received By: ALS 6/9/15 14:00
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1506053

Date 6/9/15 Page 2 Of 3

PROJECT ID: 64001.3
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Busbee
ADDRESS: 1180 NW Maple St, Ste 310, Issaquah, WA 98027
PHONE: 425-395-0010 FAX: 425-395-0011
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium (EPA 200.8)	OTHER (Specify): Hex. Chromium (EPA 7196)						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-24s	6/9/15	0951	W	11							X									X	X							5	
2. MW-24i		1012		12							X									X	X							5	
3. MW-20s		1022		13							X									X	X							5	
4. MW-1		1045		14							X									X	X							5	
5. MW-1i		1106		15							X									X	X							5	
6. MW-23i		1118		16							X									X	X							5	
7. MW-23s		1134		17							X									X	X							4	
8. MW-7s		1228		18							X									X	X							5	
9. MW-2		1250		19							X									X	X							5	
10. MW-5	↓	1325		20							X									X	X							5	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 6/9/15 14:00
   Received By: ALS 6:9:15 14:00
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1506O053

Date 6/9/15 Page 3 Of 3

PROJECT ID: 640013
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Busbee
ADDRESS: 1180 NW Maple St, Ste 310
Issaquah WA 98027
PHONE: 425-395-0010 FAX: 425-395-0011
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium (EPA 218.6)	Hex. Chromium (EPA 7196)	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. Dup-2	6/9/15	0800	W	21							X									X	X	5	
2. Dup-3	↓	1100		22							X									X	X	5	
3. ~~Trip Blank~~																							
4.																							
5.																							
6.																							
7.																							
8.																							
9.																							
10.																							

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 6/9/15 14:00
Received By: ALS 6/9/15 14:00
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

May 20, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On April 30th, 5 samples were received by our laboratory and assigned our laboratory project number EV15040156. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/20/2015 EV15040156 EV15040156-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	04/30/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/29/2015 8:40:00 AM
CLIENT SAMPLE ID	MW-05I:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/01/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/01/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/01/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/20/2015 EV15040156 EV15040156-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	04/30/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/29/2015 8:40:00 AM
CLIENT SAMPLE ID	MW-05I:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/01/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/01/2015	RAL
Chromium	EPA-6020	**26**	0.50	5	MG/KG	05/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	05/01/2015	DLC
Toluene-d8	EPA-8260	**95.2**	05/01/2015	DLC
4-Bromofluorobenzene	EPA-8260	**96.3**	05/01/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/20/2015 EV15040156 EV15040156-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	04/30/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/28/2015 11:15:00 AM
CLIENT SAMPLE ID	MW-20I:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.089	1	MG/KG	05/01/2015	DLC
Chloromethane	EPA-8260	U	0.054	1	MG/KG	05/01/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromomethane	EPA-8260	U	0.045	1	MG/KG	05/01/2015	DLC
Chloroethane	EPA-8260	U	0.054	1	MG/KG	05/01/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.057	1	MG/KG	05/01/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.047	1	MG/KG	05/01/2015	DLC
Carbon Disulfide	EPA-8260	U	0.055	1	MG/KG	05/01/2015	DLC
Acetone	EPA-8260	U	0.10	1	MG/KG	05/01/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Methylene Chloride	EPA-8260	U	0.11	1	MG/KG	05/01/2015	DLC
Acrylonitrile	EPA-8260	U	0.058	1	MG/KG	05/01/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.056	1	MG/KG	05/01/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.053	1	MG/KG	05/01/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.054	1	MG/KG	05/01/2015	DLC
2-Butanone	EPA-8260	U	0.079	1	MG/KG	05/01/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**0.16**	0.058	1	MG/KG	05/01/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.055	1	MG/KG	05/01/2015	DLC
Bromochloromethane	EPA-8260	U	0.096	1	MG/KG	05/01/2015	DLC
Chloroform	EPA-8260	U	0.055	1	MG/KG	05/01/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/01/2015	DLC
Trichloroethene	EPA-8260	**5.6**	0.10	10	MG/KG	05/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
Dibromomethane	EPA-8260	U	0.063	1	MG/KG	05/01/2015	DLC
Bromodichloromethane	EPA-8260	U	0.056	1	MG/KG	05/01/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.059	1	MG/KG	05/01/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.055	1	MG/KG	05/01/2015	DLC
Toluene	EPA-8260	U	0.057	1	MG/KG	05/01/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.058	1	MG/KG	05/01/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.060	1	MG/KG	05/01/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.058	1	MG/KG	05/01/2015	DLC
Tetrachloroethylene	EPA-8260	**0.067**	0.010	1	MG/KG	05/01/2015	DLC
Dibromochloromethane	EPA-8260	U	0.086	1	MG/KG	05/01/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/01/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/20/2015 EV15040156 EV15040156-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	04/30/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/28/2015 11:15:00 AM
CLIENT SAMPLE ID	MW-20I:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.060	1	MG/KG	05/01/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.046	1	MG/KG	05/01/2015	DLC
Ethylbenzene	EPA-8260	U	0.058	1	MG/KG	05/01/2015	DLC
m,p-Xylene	EPA-8260	U	0.11	1	MG/KG	05/01/2015	DLC
Styrene	EPA-8260	U	0.045	1	MG/KG	05/01/2015	DLC
o-Xylene	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
Bromoform	EPA-8260	U	0.064	1	MG/KG	05/01/2015	DLC
Isopropylbenzene	EPA-8260	U	0.049	1	MG/KG	05/01/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.062	1	MG/KG	05/01/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.065	1	MG/KG	05/01/2015	DLC
Bromobenzene	EPA-8260	U	0.062	1	MG/KG	05/01/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.060	1	MG/KG	05/01/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.062	1	MG/KG	05/01/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.045	1	MG/KG	05/01/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.089	1	MG/KG	05/01/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.058	1	MG/KG	05/01/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.048	1	MG/KG	05/01/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.053	1	MG/KG	05/01/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.043	1	MG/KG	05/01/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.063	1	MG/KG	05/01/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.058	1	MG/KG	05/01/2015	DLC
N-Butylbenzene	EPA-8260	U	0.047	1	MG/KG	05/01/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.063	1	MG/KG	05/01/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.074	1	MG/KG	05/01/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.055	1	MG/KG	05/01/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.065	1	MG/KG	05/01/2015	DLC
Naphthalene	EPA-8260	U	0.062	1	MG/KG	05/01/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.058	1	MG/KG	05/01/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/01/2015	RAL
Chromium	EPA-6020	**32**	0.50	5	MG/KG	05/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	05/01/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**99.0**	05/05/2015	DLC
Toluene-d8	EPA-8260	**95.9**	05/01/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**94.4**	05/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**92.8**	05/01/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/20/2015 EV15040156 EV15040156-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	04/30/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/28/2015 11:15:00 AM
CLIENT SAMPLE ID	MW-20I:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**93.1**	05/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/20/2015 EV15040156 EV15040156-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	04/30/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/29/2015 12:40:00 PM
CLIENT SAMPLE ID	MW-23I:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/01/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/01/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/01/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/20/2015 EV15040156 EV15040156-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	04/30/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/29/2015 12:40:00 PM
CLIENT SAMPLE ID	MW-23I:3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/01/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/01/2015	RAL
Chromium	EPA-6020	**31**	0.50	5	MG/KG	05/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**98.2**	05/01/2015	DLC
Toluene-d8	EPA-8260	**95.6**	05/01/2015	DLC
4-Bromofluorobenzene	EPA-8260	**95.2**	05/01/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/20/2015 EV15040156 EV15040156-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	04/30/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/29/2015 12:57:00 PM
CLIENT SAMPLE ID	MW-23I:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/01/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/01/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/01/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/20/2015 EV15040156 EV15040156-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	04/30/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/29/2015 12:57:00 PM
CLIENT SAMPLE ID	MW-23I:13	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/01/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/01/2015	RAL
Chromium	EPA-6020	**9.7**	0.50	5	MG/KG	05/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**98.8**	05/01/2015	DLC
Toluene-d8	EPA-8260	**95.9**	05/01/2015	DLC
4-Bromofluorobenzene	EPA-8260	**95.6**	05/01/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/20/2015 EV15040156 EV15040156-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	04/30/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/28/2015 2:45:00 PM
CLIENT SAMPLE ID	MW-7S:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.10	1	MG/KG	05/01/2015	DLC
Chloromethane	EPA-8260	U	0.063	1	MG/KG	05/01/2015	DLC
Vinyl Chloride	EPA-8260	**0.14**	0.010	1	MG/KG	05/01/2015	DLC
Bromomethane	EPA-8260	U	0.053	1	MG/KG	05/01/2015	DLC
Chloroethane	EPA-8260	U	0.063	1	MG/KG	05/01/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.067	1	MG/KG	05/01/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.056	1	MG/KG	05/01/2015	DLC
Carbon Disulfide	EPA-8260	U	0.065	1	MG/KG	05/01/2015	DLC
Acetone	EPA-8260	**0.19**	0.12	1	MG/KG	05/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Methylene Chloride	EPA-8260	U	0.13	1	MG/KG	05/01/2015	DLC
Acrylonitrile	EPA-8260	U	0.068	1	MG/KG	05/01/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.066	1	MG/KG	05/01/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.063	1	MG/KG	05/01/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.064	1	MG/KG	05/01/2015	DLC
2-Butanone	EPA-8260	**1.3**	0.093	1	MG/KG	05/01/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**0.27**	0.069	1	MG/KG	05/01/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.065	1	MG/KG	05/01/2015	DLC
Bromochloromethane	EPA-8260	U	0.11	1	MG/KG	05/01/2015	DLC
Chloroform	EPA-8260	U	0.065	1	MG/KG	05/01/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.059	1	MG/KG	05/01/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.059	1	MG/KG	05/01/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/01/2015	DLC
Trichloroethene	EPA-8260	**0.12**	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.059	1	MG/KG	05/01/2015	DLC
Dibromomethane	EPA-8260	U	0.075	1	MG/KG	05/01/2015	DLC
Bromodichloromethane	EPA-8260	U	0.066	1	MG/KG	05/01/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.070	1	MG/KG	05/01/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.065	1	MG/KG	05/01/2015	DLC
Toluene	EPA-8260	**0.24**	0.067	1	MG/KG	05/01/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.068	1	MG/KG	05/01/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.070	1	MG/KG	05/01/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.068	1	MG/KG	05/01/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Dibromochloromethane	EPA-8260	U	0.10	1	MG/KG	05/01/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/01/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	5/20/2015 EV15040156 EV15040156-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	04/30/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/28/2015 2:45:00 PM
CLIENT SAMPLE ID	MW-7S:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	0.070	1	MG/KG	05/01/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.055	1	MG/KG	05/01/2015	DLC
Ethylbenzene	EPA-8260	**0.67**	0.069	1	MG/KG	05/04/2015	DLC
m,p-Xylene	EPA-8260	**3.5**	0.12	1	MG/KG	05/04/2015	DLC
Styrene	EPA-8260	U	0.053	1	MG/KG	05/01/2015	DLC
o-Xylene	EPA-8260	**0.42**	0.059	1	MG/KG	05/01/2015	DLC
Bromoform	EPA-8260	U	0.075	1	MG/KG	05/01/2015	DLC
Isopropylbenzene	EPA-8260	U	0.058	1	MG/KG	05/01/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.073	1	MG/KG	05/01/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.076	1	MG/KG	05/01/2015	DLC
Bromobenzene	EPA-8260	U	0.073	1	MG/KG	05/01/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.070	1	MG/KG	05/01/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.073	1	MG/KG	05/01/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.053	1	MG/KG	05/01/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.10	1	MG/KG	05/01/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.068	1	MG/KG	05/01/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	**0.16**	0.057	1	MG/KG	05/01/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.062	1	MG/KG	05/01/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.051	1	MG/KG	05/01/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.074	1	MG/KG	05/01/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.069	1	MG/KG	05/01/2015	DLC
N-Butylbenzene	EPA-8260	U	0.055	1	MG/KG	05/01/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.074	1	MG/KG	05/01/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.087	1	MG/KG	05/01/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.064	1	MG/KG	05/01/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.076	1	MG/KG	05/01/2015	DLC
Naphthalene	EPA-8260	U	0.073	1	MG/KG	05/01/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.069	1	MG/KG	05/01/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/01/2015	RAL
Chromium	EPA-6020	**68**	0.50	5	MG/KG	05/11/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**108**	05/01/2015	DLC
1,2-Dichloroethane-d4	EPA-8260	**103**	05/04/2015	DLC
Toluene-d8	EPA-8260	**96.9**	05/01/2015	DLC
Toluene-d8	EPA-8260	**93.7**	05/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**96.8**	05/01/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	5/20/2015
		ALS JOB#:	EV15040156
		ALS SAMPLE#:	EV15040156-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	04/30/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	4/28/2015 2:45:00 PM
CLIENT SAMPLE ID	MW-7S:8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene	EPA-8260	**92.4**	05/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	5/20/2015
		ALS SDG#:	EV15040156
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB-050115S - Batch 93125 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Carbon Disulfide	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Acetone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	05/01/2015	DLC
Acrylonitrile	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
2-Butanone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Benzene	EPA-8260	U	0.0050	1	MG/KG	05/01/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
Toluene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
2-Hexanone	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	05/01/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 5/20/2015
ALS SDG#: EV15040156
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-050115S - Batch 93125 - Soil by EPA-8260

Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Ethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
m,p-Xylene	EPA-8260	U	0.020	1	MG/KG	05/01/2015	DLC
Styrene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
o-Xylene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Isopropylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
N-Propyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
T-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
S-Butyl Benzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
P-Isopropyltoluene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
N-Butylbenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	05/01/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
Naphthalene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	05/01/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-254548 - Batch R254548 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	05/01/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-050515S - Batch 93133 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	0.10	1	MG/KG	05/11/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	5/20/2015
		ALS SDG#:	EV15040156
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB-050515S - Batch 93133 - Soil by EPA-6020

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	5/20/2015
		ALS SDG#:	EV15040156
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 93125 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**96.6**			05/01/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**88.4**	**9**		05/01/2015	DLC
Benzene - BS	EPA-8260	**101**			05/01/2015	DLC
Benzene - BSD	EPA-8260	**96.5**	**4**		05/01/2015	DLC
Trichloroethene - BS	EPA-8260	**97.9**			05/01/2015	DLC
Trichloroethene - BSD	EPA-8260	**93.7**	**4**		05/01/2015	DLC
Toluene - BS	EPA-8260	**96.4**			05/01/2015	DLC
Toluene - BSD	EPA-8260	**93.9**	**3**		05/01/2015	DLC
Chlorobenzene - BS	EPA-8260	**99.0**			05/01/2015	DLC
Chlorobenzene - BSD	EPA-8260	**98.2**	**1**		05/01/2015	DLC

ALS Test Batch ID: R254548 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**99.0**			05/01/2015	RAL
Chromium (VI) - BSD	EPA-7196	**99.0**	**0**		05/01/2015	RAL

ALS Test Batch ID: 93133 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**107**			05/11/2015	RAL
Chromium - BSD	EPA-6020	**110**	**2**		05/11/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Laboratory Group A Campbell Brothers Limited Company

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1504015 6

Date 4-29-15 Page 1 Of 1

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: M. Busbee
ADDRESS: 1180 NW Maple St Ste 310
Issaquah WA 98027
PHONE: 425-988-4040 FAX:
P.O. #: 64001 E-MAIL: Mortyb@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#
1. MW-05I:15	4/29/15	0840	soil	1
2. MW-20I:8	4-28-15	1115		2
3. MW-23I:3	4-29-15	1240		3
4. MW-23I:13	4-29-15	1257		4
5. MW-7:8	4-28-15	1445		5
6.				
7.				
8.				
9.				
10.				

ANALYSIS REQUESTED

NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐
						X								
						X								
						X								
						X								
						X								

OTHER (Specify)

Chromium (Total)	Chromium VI						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
X	X						5	
X	X						5	
X	X						5	
X	X						5	
X	X						5	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 4/30/15 10:38
   Received By: Patrick Leanza/ALS/4-30-15/10:38
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

3600 Fremont Ave. N.
Seattle, WA 98103
T: (206) 352-3790
F: (206) 352-7178
info@fremontanalytical.com

Environmental Partners, Inc.
Monty Busbee
1180 NW Maple Street, Suite 310
Issaquah, WA 98027

RE: Washington Industries
Lab ID: 1507011

July 08, 2015

Attention Monty Busbee:

Fremont Analytical, Inc. received 5 sample(s) on 7/1/2015 for the analyses presented in the following report.

Volatile Organic Compounds by EPA Method TO-15


This report consists of the following:

- Case Narrative
- Analytical Results
- Applicable Quality Control Summary Reports
- Chain of Custody

All analyses were performed consistent with the Quality Assurance program of Fremont Analytical, Inc. Please contact the laboratory if you should have any questions about the results.

Thank you for using Fremont Analytical.

Sincerely,



Mike Ridgeway
President

Date: *07/08/2015*

CLIENT: Environmental Partners, Inc.
Project: Washington Industries
Lab Order: 1507011

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
1507011-001	VS-8	07/01/2015 12:00 AM	07/01/2015 5:00 PM
1507011-002	DGV-1	07/01/2015 12:00 AM	07/01/2015 5:00 PM
1507011-003	DGV-2	07/01/2015 12:00 AM	07/01/2015 5:00 PM
1507011-004	DGV-3	07/01/2015 12:00 AM	07/01/2015 5:00 PM
1507011-005	VS-7	07/01/2015 3:05 PM	07/01/2015 5:00 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

Case Narrative

WO#: **1507011**
Date: **7/8/2015**

CLIENT: Environmental Partners, Inc.
Project: Washington Industries

I. SAMPLE RECEIPT:
Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:
Air samples are reported in ppbv and ug/m3.

The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:
Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

Standard temperature and pressure assumes 24.45 = (25C and 1 atm).

Qualifiers:

* - Flagged value is not within established control limits
B - Analyte detected in the associated Method Blank
D - Dilution was required
E - Value above quantitation range
H - Holding times for preparation or analysis exceeded
I - Analyte with an internal standard that does not meet established acceptance criteria
J - Analyte detected below LOQ
N - Tentatively Identified Compound (TIC)
Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria (<20%RSD, <20% Drift or minimum RRF)
S - Spike recovery outside accepted recovery limits
ND - Not detected at the Reporting Limit

Acronyms:

%Rec - Percent Recovery
CCB - Continued Calibration Blank
CCV - Continued Calibration Verification
DF - Dilution Factor
HEM - Hexane Extractable Material
ICV - Initial Calibration Verification
LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
MB or MBLANK - Method Blank
MDL - Method Detection Limit
MS/MSD - Matrix Spike / Matrix Spike Duplicate
PDS - Post Digestion Spike
Ref Val - Reference Value
RL - Reporting Limit
RPD - Relative Percent Difference
SD - Serial Dilution
SGT - Silica Gel Treatment
SPK - Spike
Surr - Surrogate

Client: **Environmental Partners, Inc.**
WorkOrder: 1507011
Project: Washington Industries

Client Sample ID: VS-8
Lab ID: 1507011-001A
Sample Type: Summa Canister

Date Sampled: 7/1/2015
Date Received: 7/1/2015

Volatile Organic Compounds by EPA Method TO-15

Analyte	Concentration (ppbv)	Concentration (ug/m³)	Reporting Limit (ppbv)	Reporting Limit (ug/m³)	Qual	Method	Date/Analyst	
1,1,1-Trichloroethane	<0.200	<1.09	0.200	1.09		TO-15	07/02/2015	JY
1,1,2,2-Tetrachloroethane	<0.300	<2.06	0.300	2.06		TO-15	07/02/2015	JY
CFC-113	<0.500	<3.83	0.500	3.83		TO-15	07/02/2015	JY
1,1,2-Trichloroethane (TCA)	<0.500	<2.73	0.500	2.73		TO-15	07/02/2015	JY
1,1-Dichloroethane	<0.200	<0.810	0.200	0.810		TO-15	07/02/2015	JY
1,1-Dichloroethene (DCE)	<0.200	<0.793	0.200	0.793		TO-15	07/02/2015	JY
1,2,4-Trichlorobenzene	<0.300	<2.23	0.300	2.23		TO-15	07/02/2015	JY
1,2,4-Trimethylbenzene	<0.300	<1.47	0.300	1.47		TO-15	07/02/2015	JY
1,2-Dibromoethane (EDB)	<0.200	<1.54	0.200	1.54		TO-15	07/02/2015	JY
1,2-Dichlorobenzene	<0.300	<1.80	0.300	1.80		TO-15	07/02/2015	JY
1,2-Dichloroethane	<0.200	<0.809	0.200	0.809		TO-15	07/02/2015	JY
1,2-Dichloropropane	<0.500	<2.31	0.500	2.31		TO-15	07/02/2015	JY
1,3,5-Trimethylbenzene	<0.300	<1.47	0.300	1.47		TO-15	07/02/2015	JY
1,3-Butadiene	<0.500	<1.11	0.500	1.11		TO-15	07/02/2015	JY
1,3-Dichlorobenzene	<0.300	<1.80	0.300	1.80		TO-15	07/02/2015	JY
1,4-Dichlorobenzene	<0.300	<1.80	0.300	1.80		TO-15	07/02/2015	JY
1,4-Dioxane	<1.00	<3.60	1.00	3.60		TO-15	07/02/2015	JY
(MEK) 2-Butanone	4.89	14.4	0.500	1.47		TO-15	07/02/2015	JY
2-Hexanone	<1.00	<4.10	1.00	4.10		TO-15	07/02/2015	JY
Isopropyl Alcohol	61.8	152	8.00	19.7		TO-15	07/02/2015	JY
4-Methyl-2-pentanone (MIBK)	<1.00	<4.10	1.00	4.10		TO-15	07/02/2015	JY
Acetone	163	388	8.00	19.0	E	TO-15	07/02/2015	JY
Acrolein	<0.500	<1.15	0.500	1.15		TO-15	07/02/2015	JY
Benzene	0.267	0.854	0.200	0.639		TO-15	07/02/2015	JY
Benzyl chloride	<0.500	<2.59	0.500	2.59		TO-15	07/02/2015	JY
Dichlorobromomethane	0.341	2.28	0.300	2.01		TO-15	07/02/2015	JY
Bromoform	<0.200	<2.07	0.200	2.07		TO-15	07/02/2015	JY
Bromomethane	<0.500	<1.94	0.500	1.94		TO-15	07/02/2015	JY
Carbon disulfide	<1.50	<4.67	1.50	4.67		TO-15	07/02/2015	JY
Carbon tetrachloride	<0.200	<1.26	0.200	1.26		TO-15	07/02/2015	JY

Client: **Environmental Partners, Inc.**
WorkOrder: 1507011
Project: Washington Industries

Client Sample ID: VS-8
Lab ID: 1507011-001A
Sample Type: Summa Canister

Date Sampled: 7/1/2015
Date Received: 7/1/2015

Volatile Organic Compounds by EPA Method TO-15

Analyte	Concentration (ppbv)	Concentration (ug/m³)	Reporting Limit (ppbv)	Reporting Limit (ug/m³)	Qual	Method	Date/Analyst	
Chlorobenzene	<0.200	<0.921	0.200	0.921		TO-15	07/02/2015	JY
Dibromochloromethane	<0.500	<4.26	0.500	4.26		TO-15	07/02/2015	JY
Chloroethane	<0.500	<1.32	0.500	1.32		TO-15	07/02/2015	JY
Chloroform	3.53	17.2	0.200	0.977		TO-15	07/02/2015	JY
Chloromethane	<0.500	<1.03	0.500	1.03		TO-15	07/02/2015	JY
cis-1,2-Dichloroethene	<0.200	<0.793	0.200	0.793		TO-15	07/02/2015	JY
cis-1,3-dichloropropene	<0.500	<2.27	0.500	2.27		TO-15	07/02/2015	JY
Cyclohexane	<0.200	<0.688	0.200	0.688		TO-15	07/02/2015	JY
Dichlorodifluoromethane (CFC-12)	0.520	2.57	0.300	1.48		TO-15	07/02/2015	JY
Dichlorotetrafluoroethane (CFC-114)	<0.500	<3.50	0.500	3.50		TO-15	07/02/2015	JY
Ethyl acetate	<1.00	<3.60	1.00	3.60		TO-15	07/02/2015	JY
Ethylbenzene	3.40	14.8	0.300	1.30		TO-15	07/02/2015	JY
Heptane	<0.500	<2.01	0.500	2.01		TO-15	07/02/2015	JY
Hexachlorobutadiene	<1.00	<10.7	1.00	10.7		TO-15	07/02/2015	JY
m,p-Xylene	11.9	51.5	0.200	0.868		TO-15	07/02/2015	JY
Methyl methacrylate	<0.300	<1.23	0.300	1.23		TO-15	07/02/2015	JY
Methylene chloride	22.6	78.3	12.0	41.7		TO-15	07/02/2015	JY
Naphthalene	2.31	12.1	0.300	1.57		TO-15	07/02/2015	JY
Hexane	<0.200	<0.705	0.200	0.705		TO-15	07/02/2015	JY
o-Xylene	4.76	20.7	0.200	0.868		TO-15	07/02/2015	JY
4-Ethyltoluene	0.366	1.80	0.300	1.47		TO-15	07/02/2015	JY
Propylene	<0.500	<0.861	0.500	0.861		TO-15	07/02/2015	JY
Styrene	<0.300	<1.28	0.300	1.28		TO-15	07/02/2015	JY
Methyl tert-butyl ether (MTBE)	<0.200	<0.721	0.200	0.721		TO-15	07/02/2015	JY
Tetrachloroethene (PCE)	<0.300	<2.03	0.300	2.03		TO-15	07/02/2015	JY
Tetrahydrofuran	1.72	5.07	0.500	1.47		TO-15	07/02/2015	JY
Toluene	3.56	13.4	0.200	0.754		TO-15	07/02/2015	JY
trans-1,2-Dichloroethene	<0.200	<0.793	0.200	0.793		TO-15	07/02/2015	JY
trans-1,3-dichloropropene	<0.500	<2.27	0.500	2.27		TO-15	07/02/2015	JY
Trichloroethene (TCE)	<0.200	<1.07	0.200	1.07		TO-15	07/02/2015	JY

Client: **Environmental Partners, Inc.**
WorkOrder: 1507011
Project: Washington Industries

Client Sample ID: VS-8
Lab ID: 1507011-001A
Sample Type: Summa Canister

Date Sampled: 7/1/2015
Date Received: 7/1/2015

Volatile Organic Compounds by EPA Method TO-15

Analyte	Concentration (ppbv)	Concentration (ug/m³)	Reporting Limit (ppbv)	Reporting Limit (ug/m³)	Qual	Method	Date/Analyst	
Trichlorofluoromethane (CFC-11)	0.337	1.89	0.300	1.69		TO-15	07/02/2015	JY
Vinyl acetate	<1.00	<3.52	1.00	3.52		TO-15	07/02/2015	JY
Vinyl chloride	<0.200	<0.511	0.200	0.511		TO-15	07/02/2015	JY
Surr: 4-Bromofluorobenzene	88.6 %Rec	--	70-130	--		TO-15	07/02/2015	JY

Client: **Environmental Partners, Inc.**
WorkOrder: 1507011
Project: Washington Industries

Client Sample ID: DGV-1
Lab ID: 1507011-002A
Sample Type: Summa Canister

Date Sampled: 7/1/2015
Date Received: 7/1/2015

Volatile Organic Compounds by EPA Method TO-15

Analyte	Concentration (ppbv)	Concentration (ug/m³)	Reporting Limit (ppbv)	Reporting Limit (ug/m³)	Qual	Method	Date/Analyst	
1,1,1-Trichloroethane	11.4	62.3	1.60	8.73		TO-15	07/02/2015	JY
1,1,2,2-Tetrachloroethane	<0.300	<2.06	0.300	2.06		TO-15	07/03/2015	JY
CFC-113	<0.500	<3.83	0.500	3.83		TO-15	07/03/2015	JY
1,1,2-Trichloroethane (TCA)	<0.500	<2.73	0.500	2.73		TO-15	07/03/2015	JY
1,1-Dichloroethane	0.748	3.03	0.200	0.810		TO-15	07/03/2015	JY
1,1-Dichloroethene (DCE)	<0.200	<0.793	0.200	0.793		TO-15	07/03/2015	JY
1,2,4-Trichlorobenzene	<0.300	<2.23	0.300	2.23		TO-15	07/03/2015	JY
1,2,4-Trimethylbenzene	<0.300	<1.47	0.300	1.47		TO-15	07/03/2015	JY
1,2-Dibromoethane (EDB)	<0.200	<1.54	0.200	1.54		TO-15	07/03/2015	JY
1,2-Dichlorobenzene	<0.300	<1.80	0.300	1.80		TO-15	07/03/2015	JY
1,2-Dichloroethane	<0.200	<0.809	0.200	0.809		TO-15	07/03/2015	JY
1,2-Dichloropropane	<0.500	<2.31	0.500	2.31		TO-15	07/03/2015	JY
1,3,5-Trimethylbenzene	<0.300	<1.47	0.300	1.47		TO-15	07/03/2015	JY
1,3-Butadiene	<0.500	<1.11	0.500	1.11		TO-15	07/03/2015	JY
1,3-Dichlorobenzene	<0.300	<1.80	0.300	1.80		TO-15	07/03/2015	JY
1,4-Dichlorobenzene	<0.300	<1.80	0.300	1.80		TO-15	07/03/2015	JY
1,4-Dioxane	<1.00	<3.60	1.00	3.60		TO-15	07/03/2015	JY
(MEK) 2-Butanone	7.72	22.8	0.500	1.47		TO-15	07/03/2015	JY
2-Hexanone	<1.00	<4.10	1.00	4.10		TO-15	07/03/2015	JY
Isopropyl Alcohol	43.0	106	8.00	19.7		TO-15	07/02/2015	JY
4-Methyl-2-pentanone (MIBK)	<1.00	<4.10	1.00	4.10		TO-15	07/03/2015	JY
Acetone	225	533	8.00	19.0	E	TO-15	07/02/2015	JY
Acrolein	3.01	6.91	0.500	1.15		TO-15	07/03/2015	JY
Benzene	4.61	14.7	0.200	0.639		TO-15	07/03/2015	JY
Benzyl chloride	<0.500	<2.59	0.500	2.59		TO-15	07/03/2015	JY
Dichlorobromomethane	<0.300	<2.01	0.300	2.01		TO-15	07/03/2015	JY
Bromoform	<0.200	<2.07	0.200	2.07		TO-15	07/03/2015	JY
Bromomethane	<0.500	<1.94	0.500	1.94		TO-15	07/03/2015	JY
Carbon disulfide	4.22	13.1	1.50	4.67		TO-15	07/03/2015	JY
Carbon tetrachloride	<0.200	<1.26	0.200	1.26		TO-15	07/03/2015	JY

Client: **Environmental Partners, Inc.**
WorkOrder: 1507011
Project: Washington Industries

Client Sample ID: DGV-1
Lab ID: 1507011-002A
Sample Type: Summa Canister

Date Sampled: 7/1/2015
Date Received: 7/1/2015

Volatile Organic Compounds by EPA Method TO-15

Analyte	Concentration (ppbv)	Concentration (ug/m³)	Reporting Limit (ppbv)	Reporting Limit (ug/m³)	Qual	Method	Date/Analyst	
Chlorobenzene	<0.200	<0.921	0.200	0.921		TO-15	07/03/2015	JY
Dibromochloromethane	<0.500	<4.26	0.500	4.26		TO-15	07/03/2015	JY
Chloroethane	<0.500	<1.32	0.500	1.32		TO-15	07/03/2015	JY
Chloroform	18.4	90.1	1.60	7.81		TO-15	07/02/2015	JY
Chloromethane	0.720	1.49	0.500	1.03		TO-15	07/03/2015	JY
cis-1,2-Dichloroethene	1,050	4,150	1.60	6.34	E	TO-15	07/02/2015	JY
cis-1,3-dichloropropene	<0.500	<2.27	0.500	2.27		TO-15	07/03/2015	JY
Cyclohexane	<0.200	<0.688	0.200	0.688		TO-15	07/03/2015	JY
Dichlorodifluoromethane (CFC-12)	<0.300	<1.48	0.300	1.48		TO-15	07/03/2015	JY
Dichlorotetrafluoroethane (CFC-114)	<0.500	<3.50	0.500	3.50		TO-15	07/03/2015	JY
Ethyl acetate	<1.00	<3.60	1.00	3.60		TO-15	07/03/2015	JY
Ethylbenzene	4.04	17.5	0.300	1.30		TO-15	07/03/2015	JY
Heptane	<0.500	<2.01	0.500	2.01		TO-15	07/03/2015	JY
Hexachlorobutadiene	<1.00	<10.7	1.00	10.7		TO-15	07/03/2015	JY
m,p-Xylene	13.2	57.3	0.200	0.868		TO-15	07/03/2015	JY
Methyl methacrylate	<0.300	<1.23	0.300	1.23		TO-15	07/03/2015	JY
Methylene chloride	<1.50	<5.21	1.50	5.21		TO-15	07/03/2015	JY
Naphthalene	2.88	15.1	0.300	1.57		TO-15	07/03/2015	JY
Hexane	<0.200	<0.705	0.200	0.705		TO-15	07/03/2015	JY
o-Xylene	5.33	23.1	0.200	0.868		TO-15	07/03/2015	JY
4-Ethyltoluene	<0.300	<1.47	0.300	1.47		TO-15	07/03/2015	JY
Propylene	<0.500	<0.861	0.500	0.861		TO-15	07/03/2015	JY
Styrene	<0.300	<1.28	0.300	1.28		TO-15	07/03/2015	JY
Methyl tert-butyl ether (MTBE)	<0.200	<0.721	0.200	0.721		TO-15	07/03/2015	JY
Tetrachloroethene (PCE)	893	6,060	2.40	16.3	E	TO-15	07/02/2015	JY
Tetrahydrofuran	<0.500	<1.47	0.500	1.47		TO-15	07/03/2015	JY
Toluene	2.05	7.73	0.200	0.754		TO-15	07/03/2015	JY
trans-1,2-Dichloroethene	62.5	248	1.60	6.34		TO-15	07/02/2015	JY
trans-1,3-dichloropropene	<0.500	<2.27	0.500	2.27		TO-15	07/03/2015	JY
Trichloroethene (TCE)	4,360	23,500	1.60	8.60	E	TO-15	07/02/2015	JY

Client: **Environmental Partners, Inc.**
WorkOrder: 1507011
Project: Washington Industries

Client Sample ID: DGV-1
Lab ID: 1507011-002A
Sample Type: Summa Canister

Date Sampled: 7/1/2015
Date Received: 7/1/2015

Analyte	Concentration		Reporting Limit		Qual	Method	Date/Analyst	
Volatile Organic Compounds by EPA Method TO-15								
	(ppbv)	**(ug/m³)**	**(ppbv)**	**(ug/m³)**				
Trichlorofluoromethane (CFC-11)	0.599	3.37	0.300	1.69		TO-15	07/03/2015	JY
Vinyl acetate	<1.00	<3.52	1.00	3.52		TO-15	07/03/2015	JY
Vinyl chloride	<0.200	<0.511	0.200	0.511		TO-15	07/03/2015	JY
Surr: 4-Bromofluorobenzene	104 %Rec	--	70-130	--		TO-15	07/03/2015	JY

Client: **Environmental Partners, Inc.**
WorkOrder: 1507011
Project: Washington Industries

Client Sample ID: DGV-2
Lab ID: 1507011-003A
Sample Type: Summa Canister

Date Sampled: 7/1/2015
Date Received: 7/1/2015

Volatile Organic Compounds by EPA Method TO-15

Analyte	Concentration (ppbv)	Concentration (ug/m³)	Reporting Limit (ppbv)	Reporting Limit (ug/m³)	Qual	Method	Date/Analyst	
1,1,1-Trichloroethane	<0.200	<1.09	0.200	1.09		TO-15	07/03/2015	JY
1,1,2,2-Tetrachloroethane	<0.300	<2.06	0.300	2.06		TO-15	07/03/2015	JY
CFC-113	<0.500	<3.83	0.500	3.83		TO-15	07/03/2015	JY
1,1,2-Trichloroethane (TCA)	<0.500	<2.73	0.500	2.73		TO-15	07/03/2015	JY
1,1-Dichloroethane	<0.200	<0.810	0.200	0.810		TO-15	07/03/2015	JY
1,1-Dichloroethene (DCE)	<0.200	<0.793	0.200	0.793		TO-15	07/03/2015	JY
1,2,4-Trichlorobenzene	<0.300	<2.23	0.300	2.23		TO-15	07/03/2015	JY
1,2,4-Trimethylbenzene	<0.300	<1.47	0.300	1.47		TO-15	07/03/2015	JY
1,2-Dibromoethane (EDB)	<0.200	<1.54	0.200	1.54		TO-15	07/03/2015	JY
1,2-Dichlorobenzene	<0.300	<1.80	0.300	1.80		TO-15	07/03/2015	JY
1,2-Dichloroethane	<0.200	<0.809	0.200	0.809		TO-15	07/03/2015	JY
1,2-Dichloropropane	<0.500	<2.31	0.500	2.31		TO-15	07/03/2015	JY
1,3,5-Trimethylbenzene	<0.300	<1.47	0.300	1.47		TO-15	07/03/2015	JY
1,3-Butadiene	<0.500	<1.11	0.500	1.11		TO-15	07/03/2015	JY
1,3-Dichlorobenzene	<0.300	<1.80	0.300	1.80		TO-15	07/03/2015	JY
1,4-Dichlorobenzene	<0.300	<1.80	0.300	1.80		TO-15	07/03/2015	JY
1,4-Dioxane	<1.00	<3.60	1.00	3.60		TO-15	07/03/2015	JY
(MEK) 2-Butanone	7.08	20.9	0.500	1.47		TO-15	07/03/2015	JY
2-Hexanone	<1.00	<4.10	1.00	4.10		TO-15	07/03/2015	JY
Isopropyl Alcohol	50.2	123	8.00	19.7		TO-15	07/02/2015	JY
4-Methyl-2-pentanone (MIBK)	<1.00	<4.10	1.00	4.10		TO-15	07/03/2015	JY
Acetone	290	688	8.00	19.0	E	TO-15	07/02/2015	JY
Acrolein	8.83	20.2	0.500	1.15		TO-15	07/03/2015	JY
Benzene	0.475	1.52	0.200	0.639		TO-15	07/03/2015	JY
Benzyl chloride	<0.500	<2.59	0.500	2.59		TO-15	07/03/2015	JY
Dichlorobromomethane	<0.300	<2.01	0.300	2.01		TO-15	07/03/2015	JY
Bromoform	<0.200	<2.07	0.200	2.07		TO-15	07/03/2015	JY
Bromomethane	<0.500	<1.94	0.500	1.94		TO-15	07/03/2015	JY
Carbon disulfide	<1.50	<4.67	1.50	4.67		TO-15	07/03/2015	JY
Carbon tetrachloride	<0.200	<1.26	0.200	1.26		TO-15	07/03/2015	JY

Client: **Environmental Partners, Inc.**
WorkOrder: 1507011
Project: Washington Industries

Client Sample ID: DGV-2
Lab ID: 1507011-003A
Sample Type: Summa Canister

Date Sampled: 7/1/2015
Date Received: 7/1/2015

Volatile Organic Compounds by EPA Method TO-15

Analyte	Concentration (ppbv)	Concentration (ug/m³)	Reporting Limit (ppbv)	Reporting Limit (ug/m³)	Qual	Method	Date/Analyst	
Chlorobenzene	<0.200	<0.921	0.200	0.921		TO-15	07/03/2015	JY
Dibromochloromethane	<0.500	<4.26	0.500	4.26		TO-15	07/03/2015	JY
Chloroethane	<0.500	<1.32	0.500	1.32		TO-15	07/03/2015	JY
Chloroform	1.31	6.40	0.200	0.977		TO-15	07/03/2015	JY
Chloromethane	0.833	1.72	0.500	1.03		TO-15	07/03/2015	JY
cis-1,2-Dichloroethene	0.547	2.17	0.200	0.793		TO-15	07/03/2015	JY
cis-1,3-dichloropropene	<0.500	<2.27	0.500	2.27		TO-15	07/03/2015	JY
Cyclohexane	<0.200	<0.688	0.200	0.688		TO-15	07/03/2015	JY
Dichlorodifluoromethane (CFC-12)	0.432	2.13	0.300	1.48		TO-15	07/03/2015	JY
Dichlorotetrafluoroethane (CFC-114)	<0.500	<3.50	0.500	3.50		TO-15	07/03/2015	JY
Ethyl acetate	<1.00	<3.60	1.00	3.60		TO-15	07/03/2015	JY
Ethylbenzene	5.06	22.0	0.300	1.30		TO-15	07/03/2015	JY
Heptane	<0.500	<2.01	0.500	2.01		TO-15	07/03/2015	JY
Hexachlorobutadiene	<1.00	<10.7	1.00	10.7		TO-15	07/03/2015	JY
m,p-Xylene	17.3	75.2	0.200	0.868		TO-15	07/03/2015	JY
Methyl methacrylate	<0.300	<1.23	0.300	1.23		TO-15	07/03/2015	JY
Methylene chloride	<1.50	<5.21	1.50	5.21		TO-15	07/03/2015	JY
Naphthalene	3.75	19.7	0.300	1.57		TO-15	07/03/2015	JY
Hexane	<0.200	<0.705	0.200	0.705		TO-15	07/03/2015	JY
o-Xylene	7.03	30.5	0.200	0.868		TO-15	07/03/2015	JY
4-Ethyltoluene	<0.300	<1.47	0.300	1.47		TO-15	07/03/2015	JY
Propylene	1.11	1.91	0.500	0.861		TO-15	07/03/2015	JY
Styrene	<0.300	<1.28	0.300	1.28		TO-15	07/03/2015	JY
Methyl tert-butyl ether (MTBE)	<0.200	<0.721	0.200	0.721		TO-15	07/03/2015	JY
Tetrachloroethene (PCE)	2.65	18.0	0.300	2.03		TO-15	07/03/2015	JY
Tetrahydrofuran	1.05	3.08	0.500	1.47		TO-15	07/03/2015	JY
Toluene	2.94	11.1	0.200	0.754		TO-15	07/03/2015	JY
trans-1,2-Dichloroethene	<0.200	<0.793	0.200	0.793		TO-15	07/03/2015	JY
trans-1,3-dichloropropene	<0.500	<2.27	0.500	2.27		TO-15	07/03/2015	JY
Trichloroethene (TCE)	12.0	64.3	1.60	8.60		TO-15	07/02/2015	JY

Client: **Environmental Partners, Inc.**
WorkOrder: 1507011
Project: Washington Industries

Client Sample ID: DGV-2
Lab ID: 1507011-003A
Sample Type: Summa Canister

Date Sampled: 7/1/2015
Date Received: 7/1/2015

Analyte	Concentration		Reporting Limit		Qual	Method	Date/Analyst	
Volatile Organic Compounds by EPA Method TO-15								
	(ppbv)	**(ug/m³)**	**(ppbv)**	**(ug/m³)**				
Trichlorofluoromethane (CFC-11)	0.423	2.38	0.300	1.69		TO-15	07/03/2015	JY
Vinyl acetate	<1.00	<3.52	1.00	3.52		TO-15	07/03/2015	JY
Vinyl chloride	<0.200	<0.511	0.200	0.511		TO-15	07/03/2015	JY
Surr: 4-Bromofluorobenzene	97.7 %Rec	--	70-130	--		TO-15	07/03/2015	JY

Client: **Environmental Partners, Inc.**
WorkOrder: 1507011
Project: Washington Industries

Client Sample ID: DGV-3
Lab ID: 1507011-004A
Sample Type: Summa Canister

Date Sampled: 7/1/2015
Date Received: 7/1/2015

Volatile Organic Compounds by EPA Method TO-15

Analyte	Concentration (ppbv)	Concentration (ug/m³)	Reporting Limit (ppbv)	Reporting Limit (ug/m³)	Qual	Method	Date/Analyst	
1,1,1-Trichloroethane	<0.200	<1.09	0.200	1.09		TO-15	07/03/2015	JY
1,1,2,2-Tetrachloroethane	<0.300	<2.06	0.300	2.06		TO-15	07/03/2015	JY
CFC-113	<0.500	<3.83	0.500	3.83		TO-15	07/03/2015	JY
1,1,2-Trichloroethane (TCA)	<0.500	<2.73	0.500	2.73		TO-15	07/03/2015	JY
1,1-Dichloroethane	<0.200	<0.810	0.200	0.810		TO-15	07/03/2015	JY
1,1-Dichloroethene (DCE)	<0.200	<0.793	0.200	0.793		TO-15	07/03/2015	JY
1,2,4-Trichlorobenzene	<0.300	<2.23	0.300	2.23		TO-15	07/03/2015	JY
1,2,4-Trimethylbenzene	<0.300	<1.47	0.300	1.47		TO-15	07/03/2015	JY
1,2-Dibromoethane (EDB)	<0.200	<1.54	0.200	1.54		TO-15	07/03/2015	JY
1,2-Dichlorobenzene	<0.300	<1.80	0.300	1.80		TO-15	07/03/2015	JY
1,2-Dichloroethane	<0.200	<0.809	0.200	0.809		TO-15	07/03/2015	JY
1,2-Dichloropropane	<0.500	<2.31	0.500	2.31		TO-15	07/03/2015	JY
1,3,5-Trimethylbenzene	<0.300	<1.47	0.300	1.47		TO-15	07/03/2015	JY
1,3-Butadiene	<0.500	<1.11	0.500	1.11		TO-15	07/03/2015	JY
1,3-Dichlorobenzene	<0.300	<1.80	0.300	1.80		TO-15	07/03/2015	JY
1,4-Dichlorobenzene	0.501	3.01	0.300	1.80		TO-15	07/03/2015	JY
1,4-Dioxane	<1.00	<3.60	1.00	3.60		TO-15	07/03/2015	JY
(MEK) 2-Butanone	4.12	12.2	0.500	1.47		TO-15	07/03/2015	JY
2-Hexanone	<1.00	<4.10	1.00	4.10		TO-15	07/03/2015	JY
Isopropyl Alcohol	44.0	108	8.00	19.7		TO-15	07/02/2015	JY
4-Methyl-2-pentanone (MIBK)	<1.00	<4.10	1.00	4.10		TO-15	07/03/2015	JY
Acetone	191	454	8.00	19.0	E	TO-15	07/02/2015	JY
Acrolein	2.91	6.68	0.500	1.15		TO-15	07/03/2015	JY
Benzene	0.446	1.42	0.200	0.639		TO-15	07/03/2015	JY
Benzyl chloride	<0.500	<2.59	0.500	2.59		TO-15	07/03/2015	JY
Dichlorobromomethane	<0.300	<2.01	0.300	2.01		TO-15	07/03/2015	JY
Bromoform	<0.200	<2.07	0.200	2.07		TO-15	07/03/2015	JY
Bromomethane	<0.500	<1.94	0.500	1.94		TO-15	07/03/2015	JY
Carbon disulfide	<1.50	<4.67	1.50	4.67		TO-15	07/03/2015	JY
Carbon tetrachloride	<0.200	<1.26	0.200	1.26		TO-15	07/03/2015	JY

Client: **Environmental Partners, Inc.**
WorkOrder: 1507011
Project: Washington Industries

Client Sample ID: DGV-3
Lab ID: 1507011-004A
Sample Type: Summa Canister

Date Sampled: 7/1/2015
Date Received: 7/1/2015

Volatile Organic Compounds by EPA Method TO-15

Analyte	Concentration (ppbv)	Concentration (ug/m³)	Reporting Limit (ppbv)	Reporting Limit (ug/m³)	Qual	Method	Date/Analyst	
Chlorobenzene	<0.200	<0.921	0.200	0.921		TO-15	07/03/2015	JY
Dibromochloromethane	<0.500	<4.26	0.500	4.26		TO-15	07/03/2015	JY
Chloroethane	<0.500	<1.32	0.500	1.32		TO-15	07/03/2015	JY
Chloroform	3.05	14.9	0.200	0.977		TO-15	07/03/2015	JY
Chloromethane	0.813	1.68	0.500	1.03		TO-15	07/03/2015	JY
cis-1,2-Dichloroethene	<0.200	<0.793	0.200	0.793		TO-15	07/03/2015	JY
cis-1,3-dichloropropene	<0.500	<2.27	0.500	2.27		TO-15	07/03/2015	JY
Cyclohexane	<0.200	<0.688	0.200	0.688		TO-15	07/03/2015	JY
Dichlorodifluoromethane (CFC-12)	<0.300	<1.48	0.300	1.48		TO-15	07/03/2015	JY
Dichlorotetrafluoroethane (CFC-114)	<0.500	<3.50	0.500	3.50		TO-15	07/03/2015	JY
Ethyl acetate	<1.00	<3.60	1.00	3.60		TO-15	07/03/2015	JY
Ethylbenzene	3.52	15.3	0.300	1.30		TO-15	07/03/2015	JY
Heptane	<0.500	<2.01	0.500	2.01		TO-15	07/03/2015	JY
Hexachlorobutadiene	<1.00	<10.7	1.00	10.7		TO-15	07/03/2015	JY
m,p-Xylene	11.3	49.2	0.200	0.868		TO-15	07/03/2015	JY
Methyl methacrylate	<0.300	<1.23	0.300	1.23		TO-15	07/03/2015	JY
Methylene chloride	<1.50	<5.21	1.50	5.21		TO-15	07/03/2015	JY
Naphthalene	3.63	19.1	0.300	1.57		TO-15	07/03/2015	JY
Hexane	<0.200	<0.705	0.200	0.705		TO-15	07/03/2015	JY
o-Xylene	4.72	20.5	0.200	0.868		TO-15	07/03/2015	JY
4-Ethyltoluene	<0.300	<1.47	0.300	1.47		TO-15	07/03/2015	JY
Propylene	<0.500	<0.861	0.500	0.861		TO-15	07/03/2015	JY
Styrene	<0.300	<1.28	0.300	1.28		TO-15	07/03/2015	JY
Methyl tert-butyl ether (MTBE)	<0.200	<0.721	0.200	0.721		TO-15	07/03/2015	JY
Tetrachloroethene (PCE)	2.03	13.7	0.300	2.03		TO-15	07/03/2015	JY
Tetrahydrofuran	<0.500	<1.47	0.500	1.47		TO-15	07/03/2015	JY
Toluene	2.22	8.37	0.200	0.754		TO-15	07/03/2015	JY
trans-1,2-Dichloroethene	<0.200	<0.793	0.200	0.793		TO-15	07/03/2015	JY
trans-1,3-dichloropropene	<0.500	<2.27	0.500	2.27		TO-15	07/03/2015	JY
Trichloroethene (TCE)	1.03	5.52	0.200	1.07		TO-15	07/03/2015	JY

Client: **Environmental Partners, Inc.**
WorkOrder: 1507011
Project: Washington Industries

Client Sample ID: DGV-3
Lab ID: 1507011-004A
Sample Type: Summa Canister

Date Sampled: 7/1/2015
Date Received: 7/1/2015

Analyte	Concentration		Reporting Limit		Qual	Method	Date/Analyst	
Volatile Organic Compounds by EPA Method TO-15								
	(ppbv)	**(ug/m³)**	**(ppbv)**	**(ug/m³)**				
Trichlorofluoromethane (CFC-11)	0.405	2.28	0.300	1.69		TO-15	07/03/2015	JY
Vinyl acetate	<1.00	<3.52	1.00	3.52		TO-15	07/03/2015	JY
Vinyl chloride	<0.200	<0.511	0.200	0.511		TO-15	07/03/2015	JY
Surr: 4-Bromofluorobenzene	98.6 %Rec	--	70-130	--		TO-15	07/03/2015	JY

Client: **Environmental Partners, Inc.**
WorkOrder: 1507011
Project: Washington Industries

Client Sample ID: VS-7
Lab ID: 1507011-005A
Sample Type: Summa Canister

Date Sampled: 7/1/2015
Date Received: 7/1/2015

Volatile Organic Compounds by EPA Method TO-15

Analyte	Concentration (ppbv)	Concentration (ug/m³)	Reporting Limit (ppbv)	Reporting Limit (ug/m³)	Qual	Method	Date/Analyst	
1,1,1-Trichloroethane	0.251	1.37	0.200	1.09		TO-15	07/03/2015	JY
1,1,2,2-Tetrachloroethane	<0.300	<2.06	0.300	2.06		TO-15	07/03/2015	JY
CFC-113	<0.500	<3.83	0.500	3.83		TO-15	07/03/2015	JY
1,1,2-Trichloroethane (TCA)	<0.500	<2.73	0.500	2.73		TO-15	07/03/2015	JY
1,1-Dichloroethane	<0.200	<0.810	0.200	0.810		TO-15	07/03/2015	JY
1,1-Dichloroethene (DCE)	<0.200	<0.793	0.200	0.793		TO-15	07/03/2015	JY
1,2,4-Trichlorobenzene	<0.300	<2.23	0.300	2.23		TO-15	07/03/2015	JY
1,2,4-Trimethylbenzene	<0.300	<1.47	0.300	1.47		TO-15	07/03/2015	JY
1,2-Dibromoethane (EDB)	<0.200	<1.54	0.200	1.54		TO-15	07/03/2015	JY
1,2-Dichlorobenzene	<0.300	<1.80	0.300	1.80		TO-15	07/03/2015	JY
1,2-Dichloroethane	<0.200	<0.809	0.200	0.809		TO-15	07/03/2015	JY
1,2-Dichloropropane	<0.500	<2.31	0.500	2.31		TO-15	07/03/2015	JY
1,3,5-Trimethylbenzene	<0.300	<1.47	0.300	1.47		TO-15	07/03/2015	JY
1,3-Butadiene	<0.500	<1.11	0.500	1.11		TO-15	07/03/2015	JY
1,3-Dichlorobenzene	<0.300	<1.80	0.300	1.80		TO-15	07/03/2015	JY
1,4-Dichlorobenzene	<0.300	<1.80	0.300	1.80		TO-15	07/03/2015	JY
1,4-Dioxane	<1.00	<3.60	1.00	3.60		TO-15	07/03/2015	JY
(MEK) 2-Butanone	2.16	6.37	0.500	1.47		TO-15	07/03/2015	JY
2-Hexanone	<1.00	<4.10	1.00	4.10		TO-15	07/03/2015	JY
Isopropyl Alcohol	26.4	65.0	8.00	19.7		TO-15	07/02/2015	JY
4-Methyl-2-pentanone (MIBK)	<1.00	<4.10	1.00	4.10		TO-15	07/03/2015	JY
Acetone	84.0	199	8.00	19.0		TO-15	07/02/2015	JY
Acrolein	<0.500	<1.15	0.500	1.15		TO-15	07/03/2015	JY
Benzene	<0.200	<0.639	0.200	0.639		TO-15	07/03/2015	JY
Benzyl chloride	<0.500	<2.59	0.500	2.59		TO-15	07/03/2015	JY
Dichlorobromomethane	<0.300	<2.01	0.300	2.01		TO-15	07/03/2015	JY
Bromoform	<0.200	<2.07	0.200	2.07		TO-15	07/03/2015	JY
Bromomethane	<0.500	<1.94	0.500	1.94		TO-15	07/03/2015	JY
Carbon disulfide	<1.50	<4.67	1.50	4.67		TO-15	07/03/2015	JY
Carbon tetrachloride	<0.200	<1.26	0.200	1.26		TO-15	07/03/2015	JY

Client: **Environmental Partners, Inc.**
WorkOrder: 1507011
Project: Washington Industries

Client Sample ID: VS-7
Lab ID: 1507011-005A
Sample Type: Summa Canister

Date Sampled: 7/1/2015
Date Received: 7/1/2015

Volatile Organic Compounds by EPA Method TO-15

Analyte	Concentration (ppbv)	Concentration (ug/m³)	Reporting Limit (ppbv)	Reporting Limit (ug/m³)	Qual	Method	Date/Analyst	
Chlorobenzene	<0.200	<0.921	0.200	0.921		TO-15	07/03/2015	JY
Dibromochloromethane	<0.500	<4.26	0.500	4.26		TO-15	07/03/2015	JY
Chloroethane	<0.500	<1.32	0.500	1.32		TO-15	07/03/2015	JY
Chloroform	<0.200	<0.977	0.200	0.977		TO-15	07/03/2015	JY
Chloromethane	<0.500	<1.03	0.500	1.03		TO-15	07/03/2015	JY
cis-1,2-Dichloroethene	<0.200	<0.793	0.200	0.793		TO-15	07/03/2015	JY
cis-1,3-dichloropropene	<0.500	<2.27	0.500	2.27		TO-15	07/03/2015	JY
Cyclohexane	<0.200	<0.688	0.200	0.688		TO-15	07/03/2015	JY
Dichlorodifluoromethane (CFC-12)	0.471	2.33	0.300	1.48		TO-15	07/03/2015	JY
Dichlorotetrafluoroethane (CFC-114)	<0.500	<3.50	0.500	3.50		TO-15	07/03/2015	JY
Ethyl acetate	<1.00	<3.60	1.00	3.60		TO-15	07/03/2015	JY
Ethylbenzene	2.89	12.5	0.300	1.30		TO-15	07/03/2015	JY
Heptane	<0.500	<2.01	0.500	2.01		TO-15	07/03/2015	JY
Hexachlorobutadiene	<1.00	<10.7	1.00	10.7		TO-15	07/03/2015	JY
m,p-Xylene	9.54	41.4	0.200	0.868		TO-15	07/03/2015	JY
Methyl methacrylate	<0.300	<1.23	0.300	1.23		TO-15	07/03/2015	JY
Methylene chloride	<1.50	<5.21	1.50	5.21		TO-15	07/03/2015	JY
Naphthalene	2.75	14.4	0.300	1.57		TO-15	07/03/2015	JY
Hexane	<0.200	<0.705	0.200	0.705		TO-15	07/03/2015	JY
o-Xylene	3.88	16.8	0.200	0.868		TO-15	07/03/2015	JY
4-Ethyltoluene	<0.300	<1.47	0.300	1.47		TO-15	07/03/2015	JY
Propylene	<0.500	<0.861	0.500	0.861		TO-15	07/03/2015	JY
Styrene	<0.300	<1.28	0.300	1.28		TO-15	07/03/2015	JY
Methyl tert-butyl ether (MTBE)	<0.200	<0.721	0.200	0.721		TO-15	07/03/2015	JY
Tetrachloroethene (PCE)	1.57	10.7	0.300	2.03		TO-15	07/03/2015	JY
Tetrahydrofuran	<0.500	<1.47	0.500	1.47		TO-15	07/03/2015	JY
Toluene	1.86	6.99	0.200	0.754		TO-15	07/03/2015	JY
trans-1,2-Dichloroethene	<0.200	<0.793	0.200	0.793		TO-15	07/03/2015	JY
trans-1,3-dichloropropene	<0.500	<2.27	0.500	2.27		TO-15	07/03/2015	JY
Trichloroethene (TCE)	0.446	2.40	0.200	1.07		TO-15	07/03/2015	JY

Client: **Environmental Partners, Inc.**
WorkOrder: 1507011
Project: Washington Industries

Client Sample ID: VS-7
Lab ID: 1507011-005A
Sample Type: Summa Canister

Date Sampled: 7/1/2015
Date Received: 7/1/2015

Analyte	Concentration		Reporting Limit		Qual	Method	Date/Analyst	
Volatile Organic Compounds by EPA Method TO-15								
	(ppbv)	**(ug/m³)**	**(ppbv)**	**(ug/m³)**				
Trichlorofluoromethane (CFC-11)	<0.300	<1.69	0.300	1.69		TO-15	07/03/2015	JY
Vinyl acetate	<1.00	<3.52	1.00	3.52		TO-15	07/03/2015	JY
Vinyl chloride	<0.200	<0.511	0.200	0.511		TO-15	07/03/2015	JY
Surr: 4-Bromofluorobenzene	99.3 %Rec	--	70-130	--		TO-15	07/03/2015	JY

Work Order: 1507011
CLIENT: Environmental Partners, Inc.
Project: Washington Industries

QC SUMMARY REPORT

Volatile Organic Compounds by EPA Method TO-15

Sample ID: **1507011-001AREP** SampType: **REP** Units: **ppbv** Prep Date: **7/3/2015** RunNo: **23383**
Client ID: **VS-8** Batch ID: **R23383** Analysis Date: **7/3/2015** SeqNo: **442973**

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Propylene	ND	0.500						0		30	
Dichlorodifluoromethane (CFC-12)	0.455	0.300						0.5199	13.2	30	
Chloromethane	ND	0.500						0		30	
Dichlorotetrafluoroethane (CFC-114)	ND	0.500						0		30	
Vinyl chloride	ND	0.200						0		30	
1,3-Butadiene	ND	0.500						0		30	
Bromomethane	ND	0.500						0		30	
Trichlorofluoromethane (CFC-11)	0.333	0.300						0.3368	1.16	30	
Chloroethane	ND	0.500						0		30	
Acrolein	ND	0.500						0		30	
1,1-Dichloroethene (DCE)	ND	0.200						0		30	
Acetone	200	1.00						204.7	2.57	30	
Isopropyl Alcohol	90.3	1.00						86.92	3.84	30	
Methylene chloride	24.2	1.50						25.13	3.77	30	
Carbon disulfide	ND	1.50						0		30	
trans-1,2-Dichloroethene	ND	0.200						0		30	
Methyl tert-butyl ether (MTBE)	ND	0.200						0		30	
Hexane	ND	0.200						0		30	
1,1-Dichloroethane	ND	0.200						0		30	
Vinyl acetate	ND	1.00						0		30	
cis-1,2-Dichloroethene	ND	0.200						0		30	
(MEK) 2-Butanone	4.94	0.500						4.893	0.996	30	
Ethyl acetate	ND	1.00						0		30	
Chloroform	3.51	0.200						3.528	0.375	30	
Tetrahydrofuran	1.92	0.500						1.718	11.4	30	
1,1,1-Trichloroethane	ND	0.200						0		30	
Carbon tetrachloride	ND	0.200						0		30	
1,2-Dichloroethane	ND	0.200						0		30	
Benzene	0.300	0.200						0.2674	11.5	30	
Cyclohexane	ND	0.200						0		30	
Trichloroethene (TCE)	0.204	0.200						0.1921	6.06	30	

Work Order: 1507011
CLIENT: Environmental Partners, Inc.
Project: Washington Industries

QC SUMMARY REPORT

Volatile Organic Compounds by EPA Method TO-15

Sample ID: **1507011-001AREP** SampType: **REP** Units: **ppbv** Prep Date: **7/3/2015** RunNo: **23383**
Client ID: **VS-8** Batch ID: **R23383** Analysis Date: **7/3/2015** SeqNo: **442973**

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dichloropropane	ND	0.500						0		30	
Methyl methacrylate	ND	0.300						0		30	
Dichlorobromomethane	0.348	0.300						0.3407	2.03	30	
1,4-Dioxane	ND	1.00						0		30	
cis-1,3-dichloropropene	ND	0.500						0		30	
Toluene	3.57	0.200						3.559	0.267	30	
trans-1,3-dichloropropene	ND	0.500						0		30	
1,1,2-Trichloroethane (TCA)	ND	0.500						0		30	
Tetrachloroethene (PCE)	ND	0.300						0		30	
Dibromochloromethane	ND	0.500						0		30	
1,2-Dibromoethane (EDB)	ND	0.200						0		30	
Chlorobenzene	ND	0.200						0		30	
Ethylbenzene	3.50	0.300						3.402	2.72	30	
m,p-Xylene	12.2	0.200						11.85	2.55	30	
o-Xylene	4.87	0.200						4.765	2.15	30	
Styrene	ND	0.300						0		30	
Bromoform	ND	0.200						0		30	
1,1,2,2-Tetrachloroethane	ND	0.300						0		30	
1,3,5-Trimethylbenzene	ND	0.300						0		30	
1,2,4-Trimethylbenzene	ND	0.300						0		30	
Benzyl chloride	ND	0.500						0		30	
4-Ethyltoluene	ND	0.300						0.3663	82.3	30	
1,3-Dichlorobenzene	ND	0.300						0		30	
1,4-Dichlorobenzene	ND	0.300						0		30	
1,2-Dichlorobenzene	ND	0.300						0		30	
1,2,4-Trichlorobenzene	ND	0.300						0		30	
Hexachlorobutadiene	ND	1.00						0		30	
Naphthalene	2.44	0.300						2.310	5.36	30	
2-Hexanone	ND	1.00						0		30	
4-Methyl-2-pentanone (MIBK)	ND	1.00						0		30	
CFC-113	ND	0.500						0		30	

Work Order: 1507011
CLIENT: Environmental Partners, Inc.
Project: Washington Industries

QC SUMMARY REPORT

Volatile Organic Compounds by EPA Method TO-15

Sample ID: **1507011-001AREP**	SampType: **REP**	Units: **ppbv**	Prep Date: **7/3/2015**	RunNo: **23383**
Client ID: **VS-8**	Batch ID: **R23383**		Analysis Date: **7/3/2015**	SeqNo: **442973**

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Heptane	ND	0.500						0		30	
Surr: 4-Bromofluorobenzene	9.05		10.00		90.5	70	130		0		

Sample ID: **LCS-R23383**	SampType: **LCS**	Units: **ppbv**	Prep Date: **7/2/2015**	RunNo: **23383**
Client ID: **LCSW**	Batch ID: **R23383**		Analysis Date: **7/2/2015**	SeqNo: **442984**

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Propylene	4.73	0.500	5.000	0	94.6	70	130				
Dichlorodifluoromethane (CFC-12)	4.03	0.300	5.000	0	80.7	70	130				
Chloromethane	4.86	0.500	5.000	0	97.2	70	130				
Dichlorotetrafluoroethane (CFC-114)	3.62	0.500	5.000	0	72.5	70	130				
Vinyl chloride	3.63	0.200	5.000	0	72.5	70	130				
1,3-Butadiene	3.72	0.500	5.000	0	74.5	70	130				
Bromomethane	7.64	0.500	5.000	0	153	70	130				S
Trichlorofluoromethane (CFC-11)	4.56	0.300	5.000	0	91.1	70	130				
Chloroethane	5.15	0.500	5.000	0	103	70	130				
Acrolein	4.61	0.500	5.000	0	92.1	70	130				
1,1-Dichloroethene (DCE)	4.87	0.200	5.000	0	97.3	70	130				
Acetone	4.74	1.00	5.000	0	94.8	70	130				
Isopropyl Alcohol	4.62	1.00	5.000	0	92.3	70	130				
Methylene chloride	4.60	1.50	5.000	0	92.0	70	130				
Carbon disulfide	4.89	1.50	5.000	0	97.7	70	130				
trans-1,2-Dichloroethene	4.75	0.200	5.000	0	94.9	70	130				
Methyl tert-butyl ether (MTBE)	4.99	0.200	5.000	0	99.7	70	130				
Hexane	5.20	0.200	5.000	0	104	70	130				
1,1-Dichloroethane	4.83	0.200	5.000	0	96.7	70	130				
Vinyl acetate	5.23	1.00	5.000	0	105	70	130				
cis-1,2-Dichloroethene	4.97	0.200	5.000	0	99.4	70	130				
(MEK) 2-Butanone	5.25	0.500	5.000	0	105	70	130				
Ethyl acetate	5.10	1.00	5.000	0	102	70	130				
Chloroform	4.76	0.200	5.000	0	95.3	70	130				

Work Order: 1507011
CLIENT: Environmental Partners, Inc.
Project: Washington Industries

QC SUMMARY REPORT

Volatile Organic Compounds by EPA Method TO-15

Sample ID: **LCS-R23383** SampType: **LCS** Units: **ppbv** Prep Date: **7/2/2015** RunNo: **23383**
Client ID: **LCSW** Batch ID: **R23383** Analysis Date: **7/2/2015** SeqNo: **442984**

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Tetrahydrofuran	4.53	0.500	5.000	0	90.6	70	130				
1,1,1-Trichloroethane	4.64	0.200	5.000	0	92.7	70	130				
Carbon tetrachloride	4.69	0.200	5.000	0	93.7	70	130				
1,2-Dichloroethane	4.71	0.200	5.000	0	94.3	70	130				
Benzene	5.06	0.200	5.000	0	101	70	130				
Cyclohexane	5.02	0.200	5.000	0	100	70	130				
Trichloroethene (TCE)	5.26	0.200	5.000	0	105	70	130				
1,2-Dichloropropane	5.09	0.500	5.000	0	102	70	130				
Methyl methacrylate	5.70	0.300	5.000	0	114	70	130				
Dichlorobromomethane	5.06	0.300	5.000	0	101	70	130				
1,4-Dioxane	5.76	1.00	5.000	0	115	70	130				
cis-1,3-dichloropropene	5.45	0.500	5.000	0	109	70	130				
Toluene	5.78	0.200	5.000	0	116	70	130				
trans-1,3-dichloropropene	5.34	0.500	5.000	0	107	70	130				
1,1,2-Trichloroethane (TCA)	5.20	0.500	5.000	0	104	70	130				
Tetrachloroethene (PCE)	5.26	0.300	5.000	0	105	70	130				
Dibromochloromethane	5.07	0.500	5.000	0	101	70	130				
1,2-Dibromoethane (EDB)	5.18	0.200	5.000	0	104	70	130				
Chlorobenzene	5.40	0.200	5.000	0	108	70	130				
Ethylbenzene	5.95	0.300	5.000	0	119	70	130				
m,p-Xylene	11.7	0.200	10.00	0	117	70	130				
o-Xylene	5.86	0.200	5.000	0	117	70	130				
Styrene	4.99	0.300	5.000	0	99.8	70	130				
Bromoform	5.31	0.200	5.000	0	106	70	130				
1,1,2,2-Tetrachloroethane	5.31	0.300	5.000	0	106	70	130				
1,3,5-Trimethylbenzene	5.63	0.300	5.000	0	113	70	130				
1,2,4-Trimethylbenzene	5.89	0.300	5.000	0	118	70	130				
Benzyl chloride	5.63	0.500	5.000	0	113	70	130				
4-Ethyltoluene	5.85	0.300	5.000	0	117	70	130				
1,3-Dichlorobenzene	5.67	0.300	5.000	0	113	70	130				
1,4-Dichlorobenzene	6.35	0.300	5.000	0	127	70	130				

Work Order: 1507011
CLIENT: Environmental Partners, Inc.
Project: Washington Industries

QC SUMMARY REPORT

Volatile Organic Compounds by EPA Method TO-15

Sample ID: **LCS-R23383** SampType: **LCS** Units: **ppbv** Prep Date: **7/2/2015** RunNo: **23383**
Client ID: **LCSW** Batch ID: **R23383** Analysis Date: **7/2/2015** SeqNo: **442984**

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dichlorobenzene	12.9	0.300	5.000	0	257	70	130				S
1,2,4-Trichlorobenzene	4.87	0.300	5.000	0	97.4	70	130				
Hexachlorobutadiene	4.54	1.00	5.000	0	90.9	70	130				
Naphthalene	4.54	0.300	5.000	0	90.8	70	130				
2-Hexanone	4.94	1.00	5.000	0	98.7	70	130				
4-Methyl-2-pentanone (MIBK)	5.91	1.00	5.000	0	118	70	130				
CFC-113	5.05	0.500	5.000	0	101	70	130				
Heptane	5.58	0.500	5.000	0	112	70	130				
Surr: 4-Bromofluorobenzene	10.2		10.00		102	70	130				

NOTES:
S - Outlying QC recoveries were associated with this sample (high bias). There were no detections of these analytes in the following samples.

Sample ID: **MB-R23383** SampType: **MBLK** Units: **ppbv** Prep Date: **7/2/2015** RunNo: **23383**
Client ID: **MBLKW** Batch ID: **R23383** Analysis Date: **7/2/2015** SeqNo: **442985**

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Propylene	ND	0.500									
Dichlorodifluoromethane (CFC-12)	ND	0.300									
Chloromethane	ND	0.500									
Dichlorotetrafluoroethane (CFC-114)	ND	0.500									
Vinyl chloride	ND	0.200									
1,3-Butadiene	ND	0.500									
Bromomethane	ND	0.500									
Trichlorofluoromethane (CFC-11)	ND	0.300									
Chloroethane	ND	0.500									
Acrolein	ND	0.500									
1,1-Dichloroethene (DCE)	ND	0.200									
Acetone	ND	1.00									
Isopropyl Alcohol	ND	1.00									
Methylene chloride	ND	1.50									
Carbon disulfide	ND	1.50									
trans-1,2-Dichloroethene	ND	0.200									

Work Order: 1507011
CLIENT: Environmental Partners, Inc.
Project: Washington Industries

QC SUMMARY REPORT

Volatile Organic Compounds by EPA Method TO-15

Sample ID: **MB-R23383** SampType: **MBLK** Units: **ppbv** Prep Date: **7/2/2015** RunNo: **23383**
Client ID: **MBLKW** Batch ID: **R23383** Analysis Date: **7/2/2015** SeqNo: **442985**

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methyl tert-butyl ether (MTBE)	ND	0.200									
Hexane	ND	0.200									
1,1-Dichloroethane	ND	0.200									
Vinyl acetate	ND	1.00									
cis-1,2-Dichloroethene	ND	0.200									
(MEK) 2-Butanone	ND	0.500									
Ethyl acetate	ND	1.00									
Chloroform	ND	0.200									
Tetrahydrofuran	ND	0.500									
1,1,1-Trichloroethane	ND	0.200									
Carbon tetrachloride	ND	0.200									
1,2-Dichloroethane	ND	0.200									
Benzene	ND	0.200									
Cyclohexane	ND	0.200									
Trichloroethene (TCE)	ND	0.200									
1,2-Dichloropropane	ND	0.500									
Methyl methacrylate	ND	0.300									
Dichlorobromomethane	ND	0.300									
1,4-Dioxane	ND	1.00									
cis-1,3-dichloropropene	ND	0.500									
Toluene	ND	0.200									
trans-1,3-dichloropropene	ND	0.500									
1,1,2-Trichloroethane (TCA)	ND	0.500									
Tetrachloroethene (PCE)	ND	0.300									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.200									
Chlorobenzene	ND	0.200									
Ethylbenzene	ND	0.300									
m,p-Xylene	ND	0.200									
o-Xylene	ND	0.200									
Styrene	ND	0.300									

Work Order: 1507011
CLIENT: Environmental Partners, Inc.
Project: Washington Industries

QC SUMMARY REPORT

Volatile Organic Compounds by EPA Method TO-15

Sample ID: **MB-R23383** SampType: **MBLK** Units: **ppbv** Prep Date: **7/2/2015** RunNo: **23383**
Client ID: **MBLKW** Batch ID: **R23383** Analysis Date: **7/2/2015** SeqNo: **442985**

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromoform	ND	0.200									
1,1,2,2-Tetrachloroethane	ND	0.300									
1,3,5-Trimethylbenzene	ND	0.300									
1,2,4-Trimethylbenzene	ND	0.300									
Benzyl chloride	ND	0.500									
4-Ethyltoluene	ND	0.300									
1,3-Dichlorobenzene	ND	0.300									
1,4-Dichlorobenzene	ND	0.300									
1,2-Dichlorobenzene	ND	0.300									
1,2,4-Trichlorobenzene	ND	0.300									
Hexachlorobutadiene	ND	1.00									
Naphthalene	ND	0.300									
2-Hexanone	ND	1.00									
4-Methyl-2-pentanone (MIBK)	ND	1.00									
CFC-113	ND	0.500									
Heptane	ND	0.500									
Surr: 4-Bromofluorobenzene	9.33		10.00		93.3	70	130				

Sample Log-In Check List

Client Name:	**EPI**	Work Order Number:	**1507011**
Logged by:	**Clare Griggs**	Date Received:	**7/1/2015 5:00:00 PM**

Chain of Custody

1.	Is Chain of Custody complete?	Yes ☑	No ☐	Not Present ☐
2.	How was the sample delivered?	Client		

Log In

3.	Coolers are present?	Yes ☐	No ☑	NA ☐
		Air Samples		
4.	Shipping container/cooler in good condition?	Yes ☑	No ☐	
5.	Custody Seals present on shipping container/cooler? (Refer to comments for Custody Seals not intact)	Yes ☐	No ☐	Not Required ☑
6.	Was an attempt made to cool the samples?	Yes ☐	No ☐	NA ☑
7.	Were all items received at a temperature of >0°C to 10.0°C *	Yes ☐	No ☐	NA ☑
8.	Sample(s) in proper container(s)?	Yes ☑	No ☐	
9.	Sufficient sample volume for indicated test(s)?	Yes ☑	No ☐	
10.	Are samples properly preserved?	Yes ☑	No ☐	
11.	Was preservative added to bottles?	Yes ☐	No ☑	NA ☐
12.	Is there headspace in the VOA vials?	Yes ☐	No ☐	NA ☑
13.	Did all samples containers arrive in good condition(unbroken)?	Yes ☑	No ☐	
14.	Does paperwork match bottle labels?	Yes ☑	No ☐	
15.	Are matrices correctly identified on Chain of Custody?	Yes ☑	No ☐	
16.	Is it clear what analyses were requested?	Yes ☑	No ☐	
17.	Were all holding times able to be met?	Yes ☑	No ☐	

Special Handling (if applicable)

18.	Was client notified of all discrepancies with this order?	Yes ☐	No ☐	NA ☑

Person Notified:		Date:	
By Whom:		Via:	☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:			
Client Instructions:			

19. Additional remarks:

Item Information

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C

Air Chain of Custody Record - Whole Air Sample

Fremont Analytical

3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790
Fax: 206-352-7178

Date: 7-1-15

Laboratory Project No (Internal): 1507011

Page: 1 of: 1

Client: EPI
Address: 1180 NW Maple St. Ste 310
City, State, Zip: Issaquah WA 98027
Telephone: 425-988-4090 Fax:

Project Name: Washington Industries
Project No: 64001 Collected by: M. Busbee
Location: 825 S. Dakota St. Seattle WA
Reports To (PM): Monty Busbee
Email (PM): Monty@epi-wa.com

* Gas Matrix Codes: I = Indoor SS = Subslab L = Landfill SG = Soil Gas M = Plume Mapping Q = Fuel Gas Quality L = LEED (Consult Client Services)

** Container Codes: 6L = Six Liter Canister (Summa) TB = Tedlar Bag BV = 1 Liter Bottle Vac MC = 1 Liter MiniCan HP = High Pressure Cylinder HJ = Glass Headspace Jar

	Sample Name	Canister / Flow Reg Serial #	Sample Date & Time	Gas Matrix Code *	Anticipated Fill Time	Sample Volume	Container Type **	Internal: Evacuation Pressure (mtorr)	Internal: Pressure at Time of Pick-up (" Hg)	Internal: Equipment Certificaton Code	Field Initial Sample Pressure (" Hg)	Field Final Sample Pressure (" Hg)	Analysis Requested	Internal: Receipt Date	Internal: Final Pressure ("Hg)
1	VS-8	17234 / FR8-02		SS	8h	6L	Summa	10 mtorr / 6/12/15 11:00			-30 / ~~0450~~ 0907	0 -5 / 1618	TO-15	07/01/15	-3
2	DGV-1	15422 / FR8-19		SS	8h	6L	Summa	10 mtorr / 6/15/15 11:00			-30 / 0812	-3 / 1523	TO-15		-2
3	DGV-2	17242 / FR8-14		SS	8h	6L	Summa	10 mtorr / 6/15/15 11:00			-30 / 0842	-3 / 1524	TO-15		-4
4	DGV-3	15897 / FR8-15		SS	8h	6L	Summa	10 mtorr / 6/15/15 11:00			-30 / 0836	-4 / 1600	TO-15		-4
5	VS-7	15893 / FR8-22	7-1-15 1505	SS	8h	6L	Summa	10 mtorr / 6/30/15 8:30			-70 / 0756	-3 / 1505	TO-15	↓	-2

Rental Equipment (Circle all that apply): Manifold Mini-Pump Fittings Tedlar Bags Canisters Flow Controllers Helium Cylinder Flouridated Tubing Wrench

Condition:

Seals Intact: Y N N/A

Turn-around times for samples received after 4:00pm will begin on the following business day.

Special Remarks:

Relinquished: [signature] Date/Time: 7-1-15 1700

Relinquished: [signature] Date/Time: 07/01/15 17:00

Relinquished: Date/Time:

Relinquished: Date/Time:

TAT → STD Rush (specify)

September 28, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On September 16th, 16 samples were received by our laboratory and assigned our laboratory project number EV15090098. The project was identified as your 64001.1. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group



Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 7:54:00 AM
CLIENT SAMPLE ID	MW-12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/24/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/24/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 7:54:00 AM
CLIENT SAMPLE ID	MW-12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/24/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/16/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/18/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	09/24/2015	DLC
Toluene-d8	EPA-8260	**99.9**	09/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	09/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 8:28:00 AM
CLIENT SAMPLE ID	MW-7I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Vinyl Chloride	EPA-8260	**0.28**	0.20	1	UG/L	09/24/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/24/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**3.0**	2.0	1	UG/L	09/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/24/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 8:28:00 AM
CLIENT SAMPLE ID	MW-7I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/24/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/16/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/18/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	09/24/2015	DLC
Toluene-d8	EPA-8260	**101**	09/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	09/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 8:44:00 AM
CLIENT SAMPLE ID	MW-10I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/24/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/24/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/24/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 8:44:00 AM
CLIENT SAMPLE ID	MW-10I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/24/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/16/2015	RAL
Chromium	EPA-200.8	**8.8**	2.0	1	UG/L	09/18/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	09/24/2015	DLC
Toluene-d8	EPA-8260	**99.1**	09/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	09/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 9:29:00 AM
CLIENT SAMPLE ID	MW-10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Vinyl Chloride	EPA-8260	**3.2**	0.20	1	UG/L	09/24/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/24/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/24/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 9:29:00 AM
CLIENT SAMPLE ID	MW-10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/24/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/16/2015	RAL
Chromium	EPA-200.8	**9.6**	2.0	1	UG/L	09/18/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	09/24/2015	DLC
Toluene-d8	EPA-8260	**97.5**	09/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.7**	09/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 9:40:00 AM
CLIENT SAMPLE ID	MW-7D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/24/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/24/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/24/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 9:40:00 AM
CLIENT SAMPLE ID	MW-7D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/24/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/16/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/18/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	09/24/2015	DLC
Toluene-d8	EPA-8260	**99.2**	09/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	09/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 10:15:00 AM
CLIENT SAMPLE ID	MW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Vinyl Chloride	EPA-8260	**25**	0.20	1	UG/L	09/24/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/24/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**3.9**	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**57**	20	10	UG/L	09/25/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichloroethene	EPA-8260	**240**	20	10	UG/L	09/25/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Tetrachloroethylene	EPA-8260	**4.7**	2.0	1	UG/L	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/24/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 10:15:00 AM
CLIENT SAMPLE ID	MW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/24/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/16/2015	RAL
Chromium	EPA-200.8	**9.0**	2.0	1	UG/L	09/18/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	09/24/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**104**	09/25/2015	DLC
Toluene-d8	EPA-8260	**98.4**	09/24/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**100**	09/25/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.1**	09/24/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**100**	09/25/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 10:54:00 AM
CLIENT SAMPLE ID	MW-25I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/24/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/24/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/24/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 10:54:00 AM
CLIENT SAMPLE ID	MW-25I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/24/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/16/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/18/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	09/24/2015	DLC
Toluene-d8	EPA-8260	**100**	09/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	09/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 11:05:00 AM
CLIENT SAMPLE ID	MW-5B	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/24/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/24/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/24/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 11:05:00 AM
CLIENT SAMPLE ID	MW-5B	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/24/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/16/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/18/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	09/24/2015	DLC
Toluene-d8	EPA-8260	**98.4**	09/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	09/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 11:30:00 AM
CLIENT SAMPLE ID	MW-25S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/24/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/24/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/24/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 11:30:00 AM
CLIENT SAMPLE ID	MW-25S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/24/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/16/2015	RAL
Chromium	EPA-200.8	**3.0**	2.0	1	UG/L	09/18/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	09/24/2015	DLC
Toluene-d8	EPA-8260	**100**	09/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	09/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 12:18:00 PM
CLIENT SAMPLE ID	MW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/24/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/24/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/24/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 12:18:00 PM
CLIENT SAMPLE ID	MW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/24/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/16/2015	RAL
Chromium	EPA-200.8	**41**	2.0	1	UG/L	09/18/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	09/24/2015	DLC
Toluene-d8	EPA-8260	**99.3**	09/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	09/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 12:49:00 PM
CLIENT SAMPLE ID	MW-8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Vinyl Chloride	EPA-8260	**0.91**	0.20	1	UG/L	09/24/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/24/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/24/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 12:49:00 PM
CLIENT SAMPLE ID	MW-8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/24/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/16/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/18/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	09/24/2015	DLC
Toluene-d8	EPA-8260	**97.8**	09/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.8**	09/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 12:18:00 PM
CLIENT SAMPLE ID	MW-8S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Vinyl Chloride	EPA-8260	**6.8**	0.20	1	UG/L	09/24/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/24/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**3.6**	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**240**	20	10	UG/L	09/25/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichloroethene	EPA-8260	**250**	20	10	UG/L	09/25/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Tetrachloroethylene	EPA-8260	**2.5**	2.0	1	UG/L	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/24/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 12:18:00 PM
CLIENT SAMPLE ID	MW-8S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/24/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/16/2015	RAL
Chromium	EPA-200.8	**18**	2.0	1	UG/L	09/18/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	09/24/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**105**	09/25/2015	DLC
Toluene-d8	EPA-8260	**99.0**	09/24/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**99.2**	09/25/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	09/24/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**100**	09/25/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 1:50:00 PM
CLIENT SAMPLE ID	MW-9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Vinyl Chloride	EPA-8260	**0.27**	0.20	1	UG/L	09/24/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/24/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/24/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 1:50:00 PM
CLIENT SAMPLE ID	MW-9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/24/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/16/2015	RAL
Chromium	EPA-200.8	**6.7**	2.0	1	UG/L	09/18/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	09/24/2015	DLC
Toluene-d8	EPA-8260	**98.6**	09/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.8**	09/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 2:46:00 PM
CLIENT SAMPLE ID	MW-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/24/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/24/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/24/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 2:46:00 PM
CLIENT SAMPLE ID	MW-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/24/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/16/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/18/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	09/24/2015	DLC
Toluene-d8	EPA-8260	**98.4**	09/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.5**	09/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 1:00:00 PM
CLIENT SAMPLE ID	DUP-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Vinyl Chloride	EPA-8260	**0.29**	0.20	1	UG/L	09/24/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/24/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/24/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 1:00:00 PM
CLIENT SAMPLE ID	DUP-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/24/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/24/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/16/2015	RAL
Chromium	EPA-200.8	**6.4**	2.0	1	UG/L	09/18/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	09/24/2015	DLC
Toluene-d8	EPA-8260	**98.6**	09/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	09/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 12:00:00 PM
CLIENT SAMPLE ID	DUP-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/25/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/25/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/25/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/25/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/28/2015 EV15090098 EV15090098-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/16/2015
CLIENT PROJECT:	64001.1	COLLECTION DATE:	9/16/2015 12:00:00 PM
CLIENT SAMPLE ID	DUP-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/25/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/16/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/18/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	09/25/2015	DLC
Toluene-d8	EPA-8260	**99.1**	09/25/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.7**	09/25/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027
CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 9/28/2015
ALS SDG#: EV15090098
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-092415W - Batch 97471 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Chloromethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Vinyl Chloride	EPA-8260	U		UG/L	0.20	09/24/2015	DLC
Bromomethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Chloroethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Acetone	EPA-8260	U		UG/L	25	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Methylene Chloride	EPA-8260	U		UG/L	5.0	09/24/2015	DLC
Acrylonitrile	EPA-8260	U		UG/L	10	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
2-Butanone	EPA-8260	U		UG/L	10	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Bromochloromethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Chloroform	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Benzene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Trichloroethene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Dibromomethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U		UG/L	10	09/24/2015	DLC
Toluene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
2-Hexanone	EPA-8260	U		UG/L	10	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027
CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 9/28/2015
ALS SDG#: EV15090098
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-092415W - Batch 97471 - Water by EPA-8260

Tetrachloroethylene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	UG/L	0.010	09/24/2015	DLC
Chlorobenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	UG/L	4.0	09/24/2015	DLC
Styrene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
o-Xylene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
Bromoform	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
Bromobenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	UG/L	10	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
Naphthalene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-261369 - Batch R261369 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U		UG/L	10	09/16/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/28/2015
		ALS SDG#:	EV15090098
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001.1		

LABORATORY BLANK RESULTS

MBLK-261369 - Batch R261369 - Water by EPA-7196

U - Analyte analyzed for but not detected at level above reporting limit.

MB-091715W - Batch 97166 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U		UG/L	2.0	09/18/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001.1

DATE: 9/28/2015
ALS SDG#: EV15090098
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 97471 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**105**			09/24/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**101**	**4**		09/24/2015	DLC
Benzene - BS	EPA-8260	**103**			09/24/2015	DLC
Benzene - BSD	EPA-8260	**100**	**3**		09/24/2015	DLC
Trichloroethene - BS	EPA-8260	**112**			09/24/2015	DLC
Trichloroethene - BSD	EPA-8260	**107**	**4**		09/24/2015	DLC
Toluene - BS	EPA-8260	**90.8**			09/24/2015	DLC
Toluene - BSD	EPA-8260	**87.5**	**4**		09/24/2015	DLC
Chlorobenzene - BS	EPA-8260	**83.7**			09/24/2015	DLC
Chlorobenzene - BSD	EPA-8260	**81.8**	**2**		09/24/2015	DLC

ALS Test Batch ID: R261369 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**93.0**			09/16/2015	RAL
Chromium (VI) - BSD	EPA-7196	**99.0**	**6**		09/16/2015	RAL

ALS Test Batch ID: 97166 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**98.8**			09/18/2015	RAL
Chromium - BSD	EPA-200.8	**99.4**	**1**		09/18/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1509098

Date _____ Page 1 Of 2

PROJECT ID: 64001.1
REPORT TO COMPANY: Environmental Partners Inc
PROJECT MANAGER: Monty Busbee
ADDRESS: 1180 NW Maple St ste 310 Issaquah WA 98027
PHONE: 425-395-0010 FAX:
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify) Total & Hexavalent Chromium	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-12	9/16/15	7:54	water	1							X									X	5	
2. MW-7I		828		2							X									X	5	
3. MW-10I		844		3							X									X	5	
4. MW-10		929		4							X									X	5	
5. MW-7d		940		5							X									X	5	
6. MW-1		1015		6							X									X	5	
7. MW-25I		1054		7							X									X	5	
8. MW-5B		1105		8							X									X	5	
9. MW-25S		1130		9							X									X	5	
10. MW-2		1218		10							X									X	5	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: ERI 9/16/15 1556
   Received By: Patti Lee, ALS, 9/16/15, 1556
2. Relinquished By: _____
   Received By: _____

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify: _____

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1509098

Date _____ Page 2 Of 2

PROJECT ID: 64001.1
REPORT TO COMPANY: Environmental Partners Inc
PROJECT MANAGER: Marty Busbee
ADDRESS: 1180 NW Maple St ste 310
Issaquah WA 98027
PHONE: 425-395-0010 FAX:
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): total & Hexavalent Chromium						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-8	9/16/15	1249	water	11							X									XX							5	
2. MW-8S		1218		12							X									XX							5	
3. ~~SBW-1~~		~~1340~~									X									X							5	
4. MW-9		1350		13							X									X							5	
5. MW-4		1446	↓	14							X									X							5	
6.																												
7.																												
8.																												
9. Dup-3		1300		15							X									X							5	
10. DUP 2		1200		16							X									X							5	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: [signature] EPI 9/16/15 1555
   Received By: [signature] ALS 9/16/15 1556
2. Relinquished By: _____
   Received By: _____

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify: _____

*Turnaround request less than standard may incur Rush Charges

October 2, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On September 17th, 11 samples were received by our laboratory and assigned our laboratory project number EV15090109. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	10/2/2015
		ALS JOB#:	EV15090109
		ALS SAMPLE#:	EV15090109-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 7:05:00 AM
CLIENT SAMPLE ID	SBW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/25/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/25/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/25/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**6.5**	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**350**	200	100	UG/L	09/29/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichloroethene	EPA-8260	**1600**	200	100	UG/L	09/29/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Tetrachloroethylene	EPA-8260	**29**	2.0	1	UG/L	09/25/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/25/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 7:05:00 AM
CLIENT SAMPLE ID	SBW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/25/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chromium (VI)	EPA-7196	**35**	10	1	UG/L	09/17/2015	RAL
Chromium	EPA-200.8	**45**	2.0	1	UG/L	09/23/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	09/25/2015	DLC
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**105**	09/29/2015	DLC
Toluene-d8	EPA-8260	**98.6**	09/25/2015	DLC
Toluene-d8 100X Dilution	EPA-8260	**98.8**	09/29/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.3**	09/25/2015	DLC
4-Bromofluorobenzene 100X Dilution	EPA-8260	**101**	09/29/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	10/2/2015
		ALS JOB#:	EV15090109
		ALS SAMPLE#:	EV15090109-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 7:05:00 AM
CLIENT SAMPLE ID	SBW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 8:00:00 AM
CLIENT SAMPLE ID	SBW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/25/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/25/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/25/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**6.7**	2.0	1	UG/L	09/25/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichloroethene	EPA-8260	**55**	20	10	UG/L	09/29/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/25/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 8:00:00 AM
CLIENT SAMPLE ID	SBW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/25/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/17/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/23/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	09/25/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**106**	09/29/2015	DLC
Toluene-d8	EPA-8260	**98.6**	09/25/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**98.7**	09/29/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	09/25/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**101**	09/29/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 8:04:00 AM
CLIENT SAMPLE ID	MW-07	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/25/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/25/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/25/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/25/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 8:04:00 AM
CLIENT SAMPLE ID	MW-07	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/25/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/17/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/23/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	09/25/2015	DLC
Toluene-d8	EPA-8260	**98.6**	09/25/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	09/25/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 8:10:00 AM
CLIENT SAMPLE ID	MW-23I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/25/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/25/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/25/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/25/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 8:10:00 AM
CLIENT SAMPLE ID	MW-23I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/25/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/17/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/23/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	09/25/2015	DLC
Toluene-d8	EPA-8260	**98.8**	09/25/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.6**	09/25/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 9:08:00 AM
CLIENT SAMPLE ID	MW-05S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/25/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/25/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/25/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**3.2**	2.0	1	UG/L	09/25/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichloroethene	EPA-8260	**100**	20	10	UG/L	09/29/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/25/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 9:08:00 AM
CLIENT SAMPLE ID	MW-05S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/25/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/17/2015	RAL
Methane	RSK-175	**0.12**	0.010	1	MG/L	09/28/2015	CCN
Ethane	RSK-175	U	0.010	1	MG/L	09/28/2015	CCN
Ethene	RSK-175	U	0.010	1	MG/L	09/28/2015	CCN
Bromide	EPA-300.0	U	0.20	1	MG/L	09/18/2015	DNT
Chloride	EPA-300.0	**35**	0.92	10	MG/L	09/18/2015	DNT
Nitrate	EPA-300.0	**2.5**	0.15	1	MG/L	09/18/2015	DNT
Nitrite	EPA-300.0	U	0.14	1	MG/L	09/18/2015	DNT
Sulfate	EPA-300.0	**31**	2.6	10	MG/L	09/18/2015	DNT
Arsenic	EPA-200.8	**1.7**	1.0	1	UG/L	09/23/2015	RAL
Barium	EPA-200.8	**10**	1.0	1	UG/L	09/23/2015	RAL
Cadmium	EPA-200.8	**2.2**	1.0	1	UG/L	09/23/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	10/2/2015
		ALS JOB#:	EV15090109
		ALS SAMPLE#:	EV15090109-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 9:08:00 AM
CLIENT SAMPLE ID	MW-05S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	**20**	2.0	1	UG/L	09/23/2015	RAL
Copper	EPA-200.8	U	2.0	1	UG/L	09/23/2015	RAL
Iron	EPA-200.8	**72**	50	1	UG/L	09/23/2015	RAL
Lead	EPA-200.8	U	1.0	1	UG/L	09/23/2015	RAL
Selenium	EPA-200.8	U	4.0	1	UG/L	09/23/2015	RAL
Alkalinity as CaCO3, Total	SM2320B	**310**	15	1	MG/L	09/21/2015	CAS
Sulfide	EPA-376.1	U	0.050	1	MG/L	09/22/2015	CAS
Dissolved Organic Carbon (DOC)	EPA-415.1	**3.0**	0.50	1	MG/L	09/23/2015	CAS
Total Organic Carbon (TOC)	EPA-415.1	**3.0**	0.50	1	MG/L	09/23/2015	CAS
Chemical Oxygen Demand (COD)	SM5220D	**7.7**	5.0	1	MG/L	09/25/2015	CAS
Carbon Dioxide	RSK-175M	**62000**	1000	1	UG/L	09/28/2015	ALSS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	09/25/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**107**	09/29/2015	DLC
Toluene-d8	EPA-8260	**99.2**	09/25/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**98.2**	09/29/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	09/25/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**101**	09/29/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 9:18:00 AM
CLIENT SAMPLE ID	MW-20S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/25/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/25/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/25/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**27**	2.0	1	UG/L	09/25/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichloroethene	EPA-8260	**160**	20	10	UG/L	09/29/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Tetrachloroethylene	EPA-8260	**2.3**	2.0	1	UG/L	09/25/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/25/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 9:18:00 AM
CLIENT SAMPLE ID	MW-20S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/25/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/17/2015	RAL
Chromium	EPA-200.8	**8.6**	2.0	1	UG/L	09/23/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	09/25/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**106**	09/29/2015	DLC
Toluene-d8	EPA-8260	**98.5**	09/25/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**98.5**	09/29/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	09/25/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**101**	09/29/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 10:07:00 AM
CLIENT SAMPLE ID	MW-20I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/25/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/25/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/25/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/25/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 10:07:00 AM
CLIENT SAMPLE ID	MW-20I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/25/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/17/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/23/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	09/25/2015	DLC
Toluene-d8	EPA-8260	**99.1**	09/25/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	09/25/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 10:17:00 AM
CLIENT SAMPLE ID	MW-05I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/25/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/25/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/25/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichloroethene	EPA-8260	**4.0**	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/25/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 10:17:00 AM
CLIENT SAMPLE ID	MW-05I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/25/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/17/2015	RAL
Chromium	EPA-200.8	**2.6**	2.0	1	UG/L	09/23/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	09/25/2015	DLC
Toluene-d8	EPA-8260	**98.1**	09/25/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.1**	09/25/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 11:00:00 AM
CLIENT SAMPLE ID	MW-23S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/25/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/25/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/25/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/25/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 11:00:00 AM
CLIENT SAMPLE ID	MW-23S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/25/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**107**	09/25/2015	DLC
Toluene-d8	EPA-8260	**98.6**	09/25/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	09/25/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 11:20:00 AM
CLIENT SAMPLE ID	MW-16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Vinyl Chloride	EPA-8260	**1.5**	0.20	1	UG/L	09/25/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/25/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/25/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**3.7**	2.0	1	UG/L	09/25/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichloroethene	EPA-8260	**2.2**	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/25/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 11:20:00 AM
CLIENT SAMPLE ID	MW-16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/25/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/17/2015	RAL
Chromium	EPA-200.8	**2.5**	2.0	1	UG/L	09/23/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	09/25/2015	DLC
Toluene-d8	EPA-8260	**100**	09/25/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	09/25/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 12:00:00 PM
CLIENT SAMPLE ID	DUP-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/25/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Disulfide	EPA-8260	**2.0**	2.0	1	UG/L	09/25/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/25/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/25/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/25/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/2/2015 EV15090109 EV15090109-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/17/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/17/2015 12:00:00 PM
CLIENT SAMPLE ID	DUP-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/25/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/17/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/23/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	09/25/2015	DLC
Toluene-d8	EPA-8260	**99.2**	09/25/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.9**	09/25/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 10/2/2015
ALS SDG#: EV15090109
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-092415W2 - Batch 97472 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Chloromethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Vinyl Chloride	EPA-8260	U		UG/L	0.20	09/24/2015	DLC
Bromomethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Chloroethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Carbon Disulfide	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Acetone	EPA-8260	U		UG/L	25	09/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Methylene Chloride	EPA-8260	U		UG/L	5.0	09/24/2015	DLC
Acrylonitrile	EPA-8260	U		UG/L	10	09/24/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
2-Butanone	EPA-8260	U		UG/L	10	09/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Bromochloromethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Chloroform	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Benzene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Trichloroethene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Dibromomethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Bromodichloromethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U		UG/L	10	09/24/2015	DLC
Toluene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
2-Hexanone	EPA-8260	U		UG/L	10	09/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Tetrachloroethylene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
Dibromochloromethane	EPA-8260	U		UG/L	2.0	09/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U		UG/L	0.010	09/24/2015	DLC
Chlorobenzene	EPA-8260	U		UG/L	2.0	09/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 10/2/2015
ALS SDG#: EV15090109
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-092415W2 - Batch 97472 - Water by EPA-8260

1,1,1,2-Tetrachloroethane	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
Ethylbenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
m,p-Xylene	EPA-8260	U	UG/L	4.0	09/24/2015	DLC
Styrene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
o-Xylene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
Bromoform	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
Isopropylbenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
Bromobenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
N-Propyl Benzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
T-Butyl Benzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
S-Butyl Benzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
P-Isopropyltoluene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
N-Butylbenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	UG/L	10	09/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
Naphthalene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	UG/L	2.0	09/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-9172015 - Batch R261580 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U		UG/L	10	09/17/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-262133 - Batch R262133 - Water by RSK-175

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Methane	RSK-175	U		MG/L	0.010	09/28/2015	CCN
Ethane	RSK-175	U		MG/L	0.010	09/28/2015	CCN
Ethene	RSK-175	U		MG/L	0.010	09/28/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027
CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 10/2/2015
ALS SDG#: EV15090109
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MBLK-262133 - Batch R262133 - Water by RSK-175

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-9182015 - Batch R261581 - Water by EPA-300.0

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Bromide	EPA-300.0	U		MG/L	0.20	09/18/2015	DNT
Chloride	EPA-300.0	U		MG/L	0.092	09/18/2015	DNT
Nitrate	EPA-300.0	U		MG/L	0.15	09/18/2015	DNT
Nitrite	EPA-300.0	U		MG/L	0.14	09/18/2015	DNT
Sulfate	EPA-300.0	U		MG/L	0.26	09/18/2015	DNT

U - Analyte analyzed for but not detected at level above reporting limit.

MB-091815W - Batch 97232 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Arsenic	EPA-200.8	U		UG/L	1.0	09/23/2015	RAL
Barium	EPA-200.8	U		UG/L	1.0	09/23/2015	RAL
Cadmium	EPA-200.8	U		UG/L	1.0	09/23/2015	RAL
Chromium	EPA-200.8	U		UG/L	2.0	09/23/2015	RAL
Copper	EPA-200.8	U		UG/L	2.0	09/23/2015	RAL
Iron	EPA-200.8	U		UG/L	50	09/23/2015	RAL
Lead	EPA-200.8	U		UG/L	1.0	09/23/2015	RAL
Selenium	EPA-200.8	U		UG/L	4.0	09/23/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-09/21/2015 - Batch R262197 - Water by SM2320B

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Alkalinity as CaCO3, Total	SM2320B	U		MG/L	15	09/21/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-09/22/2015 - Batch R262198 - Water by EPA-376.1

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Sulfide	EPA-376.1	U		MG/L	0.050	09/22/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	10/2/2015
		ALS SDG#:	EV15090109
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MB1-09/23/2015 - Batch R262199 - Water by EPA-415.1

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Dissolved Organic Carbon (DOC)	EPA-415.1	U		MG/L	0.50	09/23/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-09/23/2015 - Batch R262200 - Water by EPA-415.1

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Total Organic Carbon (TOC)	EPA-415.1	U		MG/L	0.50	09/23/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MB3-09/25/2015 - Batch R262438 - Water by SM5220D

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chemical Oxygen Demand (COD)	SM5220D	U		MG/L	5.0	09/25/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-262206 - Batch R262206 - Water by RSK-175M

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Carbon Dioxide	RSK-175M	U		UG/L	1000	09/28/2015	ALSS

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 10/2/2015
ALS SDG#: EV15090109
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 97472 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**109**			09/24/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**111**	**2**		09/24/2015	DLC
Benzene - BS	EPA-8260	**110**			09/24/2015	DLC
Benzene - BSD	EPA-8260	**110**	**0**		09/24/2015	DLC
Trichloroethene - BS	EPA-8260	**113**			09/24/2015	DLC
Trichloroethene - BSD	EPA-8260	**114**	**1**		09/24/2015	DLC
Toluene - BS	EPA-8260	**95.9**			09/24/2015	DLC
Toluene - BSD	EPA-8260	**96.8**	**1**		09/24/2015	DLC
Chlorobenzene - BS	EPA-8260	**90.0**			09/24/2015	DLC
Chlorobenzene - BSD	EPA-8260	**89.4**	**1**		09/24/2015	DLC

ALS Test Batch ID: R261580 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**102**			09/17/2015	RAL
Chromium (VI) - BSD	EPA-7196	**103**	**1**		09/17/2015	RAL

ALS Test Batch ID: R262133 - Water by RSK-175

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Methane - BS	RSK-175	**95.7**			09/28/2015	CCN
Methane - BSD	RSK-175	**94.3**	**1**		09/28/2015	CCN
Ethane - BS	RSK-175	**96.5**			09/28/2015	CCN
Ethane - BSD	RSK-175	**96.4**	**0**		09/28/2015	CCN
Ethene - BS	RSK-175	**96.2**			09/28/2015	CCN
Ethene - BSD	RSK-175	**93.5**	**3**		09/28/2015	CCN

ALS Test Batch ID: R261581 - Water by EPA-300.0

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Bromide - BS	EPA-300.0	**99.0**			09/18/2015	DNT
Bromide - BSD	EPA-300.0	**95.0**	**4**		09/18/2015	DNT
Chloride - BS	EPA-300.0	**91.0**			09/18/2015	DNT
Chloride - BSD	EPA-300.0	**91.0**	**0**		09/18/2015	DNT
Nitrate - BS	EPA-300.0	**99.0**			09/18/2015	DNT
Nitrate - BSD	EPA-300.0	**100**	**1**		09/18/2015	DNT
Nitrite - BS	EPA-300.0	**88.0**			09/18/2015	DNT
Nitrite - BSD	EPA-300.0	**91.0**	**3**		09/18/2015	DNT
Sulfate - BS	EPA-300.0	**93.0**			09/18/2015	DNT

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 10/2/2015
ALS SDG#: EV15090109
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Sulfate - BSD	EPA-300.0	**97.0**	**4**		09/18/2015	DNT

ALS Test Batch ID: 97232 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Arsenic - BS	EPA-200.8	**97.3**			09/23/2015	RAL
Arsenic - BSD	EPA-200.8	**96.9**	**0**		09/23/2015	RAL
Barium - BS	EPA-200.8	**98.2**			09/23/2015	RAL
Barium - BSD	EPA-200.8	**97.6**	**1**		09/23/2015	RAL
Cadmium - BS	EPA-200.8	**97.5**			09/23/2015	RAL
Cadmium - BSD	EPA-200.8	**98.8**	**1**		09/23/2015	RAL
Chromium - BS	EPA-200.8	**97.3**			09/23/2015	RAL
Chromium - BSD	EPA-200.8	**97.1**	**0**		09/23/2015	RAL
Copper - BS	EPA-200.8	**99.5**			09/23/2015	RAL
Copper - BSD	EPA-200.8	**98.0**	**2**		09/23/2015	RAL
Iron - BS	EPA-200.8	**96.2**			09/23/2015	RAL
Iron - BSD	EPA-200.8	**96.0**	**0**		09/23/2015	RAL
Lead - BS	EPA-200.8	**97.3**			09/23/2015	RAL
Lead - BSD	EPA-200.8	**96.9**	**0**		09/23/2015	RAL
Selenium - BS	EPA-200.8	**98.0**			09/23/2015	RAL
Selenium - BSD	EPA-200.8	**98.5**	**1**		09/23/2015	RAL

ALS Test Batch ID: R262197 - Water by SM2320B

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Alkalinity as CaCO3, Total - BS	SM2320B	**97.8**			09/21/2015	CAS

ALS Test Batch ID: R262198 - Water by EPA-376.1

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Sulfide - BS	EPA-376.1	**90.6**			09/22/2015	CAS

ALS Test Batch ID: R262199 - Water by EPA-415.1

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Dissolved Organic Carbon (DOC) - BS	EPA-415.1	**96.5**			09/23/2015	CAS

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	10/2/2015
		ALS SDG#:	EV15090109
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: R262200 - Water by EPA-415.1

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Total Organic Carbon (TOC) - BS	EPA-415.1	**94.9**			09/23/2015	CAS

ALS Test Batch ID: R262438 - Water by SM5220D

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chemical Oxygen Demand (COD) - BS	SM5220D	**103**			09/25/2015	CAS

ALS Test Batch ID: R262206 - Water by RSK-175M

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Carbon Dioxide - BS	RSK-175M	**99.6**			09/28/2015	ALSS
Carbon Dioxide - BSD	RSK-175M	**85.6**	**15**		09/28/2015	ALSS

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1509109

Date 9/17/15 Page 1 Of 2

PROJECT ID: C04001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Barbee
ADDRESS: 1180 NW Maple St STE 310
Issaquah Wa
PHONE: 425-395-0010 FAX:
P.O. #: E-MAIL: montyb@epi-watcan
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium	Hex Chromium	Bioremediation Parameters					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. SBW-2	9/17/15	705	water	1							X									X	X						5	
2. SBW-1		800	water	2							X									X	X						4	
3. MW-07		804	Water	3							X									X	X						5	
4. MW-23i		810	water	4							X									X	X						5	
5. MW-05S		908	water	5							X									X	X	X					15	
6. MW-20S		918	water	6							X									X	X						5	
7. MW-20i		1007	water	7							X									X	X						5	
8. MW-05I		1017	water	8							X									X	X						5	
9. MW-23S		1100	water	9							X																2	
10. MW-16	↓	1120	water	10							X									X	X						5	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: epi 9/17/15 1335
Received By: ALS, 9/17/15, 1336
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1509010 9

Date _____ Page 2 Of 2

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Basbee
ADDRESS: 1180 NW Maple St STE 310
Issaquah, Wa 98027
PHONE: 425-395-0010 FAX:
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium	Hex Chromium						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. Dup-4	9/17/15	1200	water	11							X									X	X						
2.																											
3.																											
4.																											
5.																											
6.																											
7.																											
8.																											
9.																											
10.																											

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: epi 9/17/15 1335
Received By: ALS, 9/17/15, 1335
2. Relinquished By: _____
Received By: _____

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify: _____

*Turnaround request less than standard may incur Rush Charges

September 29, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On September 15th, 16 samples were received by our laboratory and assigned our laboratory project number EV15090089. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 8:07:00 AM
CLIENT SAMPLE ID	SBW-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/17/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/17/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 8:07:00 AM
CLIENT SAMPLE ID	SBW-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/17/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chromium (VI)	EPA-7196	**13**	10	1	UG/L	09/15/2015	RAL
Chromium	EPA-200.8	**12**	2.0	1	UG/L	09/17/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	09/17/2015	DLC
Toluene-d8	EPA-8260	**100**	09/17/2015	DLC
4-Bromofluorobenzene	EPA-8260	**97.6**	09/17/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 8:10:00 AM
CLIENT SAMPLE ID	MW-21S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/17/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/17/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichloroethene	EPA-8260	**17**	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/17/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 8:10:00 AM
CLIENT SAMPLE ID	MW-21S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/17/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/15/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/17/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	09/17/2015	DLC
Toluene-d8	EPA-8260	**95.8**	09/17/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	09/17/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 8:49:00 AM
CLIENT SAMPLE ID	MW-21I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/17/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/17/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/17/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 8:49:00 AM
CLIENT SAMPLE ID	MW-21I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/17/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/15/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/17/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	09/17/2015	DLC
Toluene-d8	EPA-8260	**94.1**	09/17/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.7**	09/17/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 9:02:00 AM
CLIENT SAMPLE ID	MW-28S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Vinyl Chloride	EPA-8260	**0.31**	0.20	1	UG/L	09/17/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/17/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/17/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 9:02:00 AM
CLIENT SAMPLE ID	MW-28S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/17/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/15/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/17/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	09/17/2015	DLC
Toluene-d8	EPA-8260	**97.9**	09/17/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	09/17/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 9:45:00 AM
CLIENT SAMPLE ID	MW-11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/17/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/17/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**25**	2.0	1	UG/L	09/17/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichloroethene	EPA-8260	**36**	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/17/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 9:45:00 AM
CLIENT SAMPLE ID	MW-11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/17/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chromium (VI)	EPA-7196	**27**	10	1	UG/L	09/15/2015	RAL
Chromium	EPA-200.8	**53**	2.0	1	UG/L	09/17/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	09/17/2015	DLC
Toluene-d8	EPA-8260	**96.9**	09/17/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	09/17/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 9:46:00 AM
CLIENT SAMPLE ID	MW-22S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/17/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/17/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/17/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 9:46:00 AM
CLIENT SAMPLE ID	MW-22S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/17/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/15/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/17/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	09/17/2015	DLC
Toluene-d8	EPA-8260	**101**	09/17/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.5**	09/17/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 10:29:00 AM
CLIENT SAMPLE ID	MW-22I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/17/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/17/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/17/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 10:29:00 AM
CLIENT SAMPLE ID	MW-22I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/17/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/15/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/17/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	09/17/2015	DLC
Toluene-d8	EPA-8260	**96.7**	09/17/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.5**	09/17/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 11:13:00 AM
CLIENT SAMPLE ID	MW-27S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/17/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/17/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/17/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 11:13:00 AM
CLIENT SAMPLE ID	MW-27S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/17/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/15/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/17/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	09/17/2015	DLC
Toluene-d8	EPA-8260	**99.2**	09/17/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.4**	09/17/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 11:55:00 AM
CLIENT SAMPLE ID	SBW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/17/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/17/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**25**	2.0	1	UG/L	09/17/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichloroethene	EPA-8260	**110**	20	10	UG/L	09/19/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/17/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 11:55:00 AM
CLIENT SAMPLE ID	SBW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/17/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chromium (VI)	EPA-7196	**190**	10	1	UG/L	09/15/2015	RAL
Chromium	EPA-200.8	**180**	2.0	1	UG/L	09/17/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	09/17/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**98.6**	09/19/2015	DLC
Toluene-d8	EPA-8260	**97.2**	09/17/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**99.4**	09/19/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	09/17/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**99.8**	09/19/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 12:29:00 PM
CLIENT SAMPLE ID	MW-24I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/17/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/17/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/17/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 12:29:00 PM
CLIENT SAMPLE ID	MW-24I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/17/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/15/2015	RAL
Chromium	EPA-200.8	**2.2**	2.0	1	UG/L	09/17/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.4**	09/17/2015	DLC
Toluene-d8	EPA-8260	**103**	09/17/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.4**	09/17/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 11:43:00 AM
CLIENT SAMPLE ID	MW-24S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/17/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/17/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**23**	2.0	1	UG/L	09/17/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichloroethene	EPA-8260	**220**	20	10	UG/L	09/19/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	**4.3**	2.0	1	UG/L	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/17/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 11:43:00 AM
CLIENT SAMPLE ID	MW-24S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/17/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/15/2015	RAL
Chromium	EPA-200.8	**11**	2.0	1	UG/L	09/17/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	09/17/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**98.4**	09/19/2015	DLC
Toluene-d8	EPA-8260	**98.2**	09/17/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**97.5**	09/19/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	09/17/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**99.2**	09/19/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 12:39:00 PM
CLIENT SAMPLE ID	MW-26S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Vinyl Chloride	EPA-8260	**0.67**	0.20	1	UG/L	09/17/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/17/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**27**	2.0	1	UG/L	09/17/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichloroethene	EPA-8260	**8.0**	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/17/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 12:39:00 PM
CLIENT SAMPLE ID	MW-26S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/17/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/15/2015	RAL
Methane	RSK-175	**0.18**	0.010	1	MG/L	09/28/2015	CCN
Ethane	RSK-175	U	0.010	1	MG/L	09/28/2015	CCN
Ethene	RSK-175	U	0.010	1	MG/L	09/28/2015	CCN
Bromide	EPA-300.0	**0.22**	0.20	1	MG/L	09/16/2015	DNT
Chloride	EPA-300.0	**24**	0.92	10	MG/L	09/16/2015	DNT
Nitrate	EPA-300.0	**0.96**	0.15	1	MG/L	09/16/2015	DNT
Nitrite	EPA-300.0	U	0.14	1	MG/L	09/16/2015	DNT
Sulfate	EPA-300.0	**34**	2.6	10	MG/L	09/16/2015	DNT
Arsenic	EPA-200.8	U	1.0	1	UG/L	09/17/2015	RAL
Barium	EPA-200.8	**5.0**	1.0	1	UG/L	09/17/2015	RAL
Cadmium	EPA-200.8	U	1.0	1	UG/L	09/17/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 12:39:00 PM
CLIENT SAMPLE ID	MW-26S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	**5.8**	2.0	1	UG/L	09/17/2015	RAL
Copper	EPA-200.8	U	2.0	1	UG/L	09/17/2015	RAL
Iron	EPA-200.8	**530**	50	1	UG/L	09/17/2015	RAL
Lead	EPA-200.8	U	1.0	1	UG/L	09/17/2015	RAL
Selenium	EPA-200.8	U	4.0	1	UG/L	09/17/2015	RAL
Alkalinity as CaCO3, Total	SM2320B	**280**	15	1	MG/L	09/21/2015	CAS
Sulfide	EPA-376.1	U	0.050	1	MG/L	09/22/2015	CAS
Dissolved Organic Carbon (DOC)	EPA-415.1	**2.4**	0.50	1	MG/L	09/23/2015	CAS
Total Organic Carbon (TOC)	EPA-415.1	**2.4**	0.50	1	MG/L	09/23/2015	CAS
Chemical Oxygen Demand (COD)	SM5220D	**11**	5.0	1	MG/L	09/22/2015	CAS
Carbon Dioxide	RSK-175M	**33000**	1000	1	UG/L	09/28/2015	ALSS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	09/17/2015	DLC
Toluene-d8	EPA-8260	**98.4**	09/17/2015	DLC
4-Bromofluorobenzene	EPA-8260	**98.7**	09/17/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 1:49:00 PM
CLIENT SAMPLE ID	MW-26I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/17/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/17/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/17/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 1:49:00 PM
CLIENT SAMPLE ID	MW-26I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/17/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/15/2015	RAL
Chromium	EPA-200.8	**15**	2.0	1	UG/L	09/17/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	09/17/2015	DLC
Toluene-d8	EPA-8260	**98.0**	09/17/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	09/17/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 1:52:00 PM
CLIENT SAMPLE ID	MW-1I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/17/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/17/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichloroethene	EPA-8260	**2.9**	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/17/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 1:52:00 PM
CLIENT SAMPLE ID	MW-1I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/17/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/15/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/17/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	09/17/2015	DLC
Toluene-d8	EPA-8260	**97.8**	09/17/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	09/17/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 1:00:00 PM
CLIENT SAMPLE ID	DUP-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/17/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/17/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichloroethene	EPA-8260	**2.6**	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/17/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 1:00:00 PM
CLIENT SAMPLE ID	DUP-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/17/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/15/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	09/17/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	09/17/2015	DLC
Toluene-d8	EPA-8260	**100**	09/17/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	09/17/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 3:00:00 PM
CLIENT SAMPLE ID	MW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Vinyl Chloride	EPA-8260	**44**	4.0	20	UG/L	09/19/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	**9.2**	2.0	1	UG/L	09/17/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/17/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**3.8**	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**420**	40	20	UG/L	09/19/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trichloroethene	EPA-8260	**280**	40	20	UG/L	09/19/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	**5.4**	2.0	1	UG/L	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/17/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	9/29/2015 EV15090089 EV15090089-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/15/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/15/2015 3:00:00 PM
CLIENT SAMPLE ID	MW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/17/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/17/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/15/2015	RAL
Chromium	EPA-200.8	**340**	2.0	1	UG/L	09/17/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	09/17/2015	DLC
1,2-Dichloroethane-d4 20X Dilution	EPA-8260	**99.0**	09/19/2015	DLC
Toluene-d8	EPA-8260	**100**	09/17/2015	DLC
Toluene-d8 20X Dilution	EPA-8260	**98.8**	09/19/2015	DLC
4-Bromofluorobenzene	EPA-8260	**109**	09/17/2015	DLC
4-Bromofluorobenzene 20X Dilution	EPA-8260	**100**	09/19/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 9/29/2015
ALS SDG#: EV15090089
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-091615W - Batch 97164 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Chloromethane	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Vinyl Chloride	EPA-8260	U		UG/L	0.20	09/17/2015	DLC
Bromomethane	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Chloroethane	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Carbon Tetrachloride	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Trichlorofluoromethane	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Carbon Disulfide	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Acetone	EPA-8260	U		UG/L	25	09/17/2015	DLC
1,1-Dichloroethene	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Methylene Chloride	EPA-8260	U		UG/L	5.0	09/17/2015	DLC
Acrylonitrile	EPA-8260	U		UG/L	10	09/17/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
1,1-Dichloroethane	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
2-Butanone	EPA-8260	U		UG/L	10	09/17/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
2,2-Dichloropropane	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Bromochloromethane	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Chloroform	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
1,1-Dichloropropene	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
1,2-Dichloroethane	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Benzene	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Trichloroethene	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
1,2-Dichloropropane	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Dibromomethane	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Bromodichloromethane	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U		UG/L	10	09/17/2015	DLC
Toluene	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
2-Hexanone	EPA-8260	U		UG/L	10	09/17/2015	DLC
1,3-Dichloropropane	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Tetrachloroethylene	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
Dibromochloromethane	EPA-8260	U		UG/L	2.0	09/17/2015	DLC
1,2-Dibromoethane	EPA-8260	U		UG/L	0.010	09/17/2015	DLC
Chlorobenzene	EPA-8260	U		UG/L	2.0	09/17/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 9/29/2015
ALS SDG#: EV15090089
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-091615W - Batch 97164 - Water by EPA-8260

1,1,1,2-Tetrachloroethane	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
Ethylbenzene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
m,p-Xylene	EPA-8260	U	UG/L	4.0	09/17/2015	DLC
Styrene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
o-Xylene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
Bromoform	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
Isopropylbenzene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
Bromobenzene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
N-Propyl Benzene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
2-Chlorotoluene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
4-Chlorotoluene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
T-Butyl Benzene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
S-Butyl Benzene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
P-Isopropyltoluene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
N-Butylbenzene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	UG/L	10	09/17/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
Hexachlorobutadiene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
Naphthalene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	UG/L	2.0	09/17/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-9152015 - Batch R261291 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U		UG/L	10	09/15/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-262133 - Batch R262133 - Water by RSK-175

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Methane	RSK-175	U		MG/L	0.010	09/28/2015	CCN
Ethane	RSK-175	U		MG/L	0.010	09/28/2015	CCN
Ethene	RSK-175	U		MG/L	0.010	09/28/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027
CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 9/29/2015
ALS SDG#: EV15090089
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MBLK-262133 - Batch R262133 - Water by RSK-175

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-9162015 - Batch R262203 - Water by EPA-300.0

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Bromide	EPA-300.0	U		MG/L	0.20	09/16/2015	DNT
Chloride	EPA-300.0	U		MG/L	0.092	09/16/2015	DNT
Nitrate	EPA-300.0	U		MG/L	0.15	09/16/2015	DNT
Nitrite	EPA-300.0	U		MG/L	0.14	09/16/2015	DNT
Sulfate	EPA-300.0	U		MG/L	0.26	09/16/2015	DNT

U - Analyte analyzed for but not detected at level above reporting limit.

MB-091615W - Batch 97140 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Arsenic	EPA-200.8	U		UG/L	1.0	09/17/2015	RAL
Barium	EPA-200.8	U		UG/L	1.0	09/17/2015	RAL
Cadmium	EPA-200.8	U		UG/L	1.0	09/17/2015	RAL
Chromium	EPA-200.8	U		UG/L	2.0	09/17/2015	RAL
Copper	EPA-200.8	U		UG/L	2.0	09/17/2015	RAL
Iron	EPA-200.8	U		UG/L	50	09/17/2015	RAL
Lead	EPA-200.8	U		UG/L	1.0	09/17/2015	RAL
Selenium	EPA-200.8	U		UG/L	4.0	09/17/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-09/21/2015 - Batch R262197 - Water by SM2320B

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Alkalinity as CaCO3, Total	SM2320B	U		MG/L	15	09/21/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-09/22/2015 - Batch R262198 - Water by EPA-376.1

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Sulfide	EPA-376.1	U		MG/L	0.050	09/22/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 9/29/2015
ALS SDG#: EV15090089
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB1-09/23/2015 - Batch R262199 - Water by EPA-415.1

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Dissolved Organic Carbon (DOC)	EPA-415.1	U		MG/L	0.50	09/23/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-09/23/2015 - Batch R262200 - Water by EPA-415.1

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Total Organic Carbon (TOC)	EPA-415.1	U		MG/L	0.50	09/23/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-09/22/2015 - Batch R262194 - Water by SM5220D

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chemical Oxygen Demand (COD)	SM5220D	U		MG/L	5.0	09/22/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-262206 - Batch R262206 - Water by RSK-175M

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Carbon Dioxide	RSK-175M	U		UG/L	1000	09/28/2015	ALSS

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 9/29/2015
ALS SDG#: EV15090089
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 97164 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**101**			09/17/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**97.9**	**3**		09/17/2015	DLC
Benzene - BS	EPA-8260	**106**			09/17/2015	DLC
Benzene - BSD	EPA-8260	**103**	**3**		09/17/2015	DLC
Trichloroethene - BS	EPA-8260	**97.8**			09/17/2015	DLC
Trichloroethene - BSD	EPA-8260	**95.8**	**2**		09/17/2015	DLC
Toluene - BS	EPA-8260	**90.2**			09/17/2015	DLC
Toluene - BSD	EPA-8260	**91.0**	**1**		09/17/2015	DLC
Chlorobenzene - BS	EPA-8260	**97.6**			09/17/2015	DLC
Chlorobenzene - BSD	EPA-8260	**95.1**	**3**		09/17/2015	DLC

ALS Test Batch ID: R261291 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**105**			09/15/2015	RAL
Chromium (VI) - BSD	EPA-7196	**107**	**2**		09/15/2015	RAL

ALS Test Batch ID: R262133 - Water by RSK-175

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Methane - BS	RSK-175	**95.7**			09/28/2015	CCN
Methane - BSD	RSK-175	**94.3**	**1**		09/28/2015	CCN
Ethane - BS	RSK-175	**96.5**			09/28/2015	CCN
Ethane - BSD	RSK-175	**96.4**	**0**		09/28/2015	CCN
Ethene - BS	RSK-175	**96.2**			09/28/2015	CCN
Ethene - BSD	RSK-175	**93.5**	**3**		09/28/2015	CCN

ALS Test Batch ID: R262203 - Water by EPA-300.0

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Bromide - BS	EPA-300.0	**99.0**			09/16/2015	DNT
Bromide - BSD	EPA-300.0	**99.0**	**0**		09/16/2015	DNT
Chloride - BS	EPA-300.0	**91.0**			09/16/2015	DNT
Chloride - BSD	EPA-300.0	**92.0**	**1**		09/16/2015	DNT
Nitrate - BS	EPA-300.0	**97.0**			09/16/2015	DNT
Nitrate - BSD	EPA-300.0	**105**	**8**		09/16/2015	DNT
Nitrite - BS	EPA-300.0	**92.0**			09/16/2015	DNT
Nitrite - BSD	EPA-300.0	**92.0**	**0**		09/16/2015	DNT
Sulfate - BS	EPA-300.0	**99.0**			09/16/2015	DNT

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 9/29/2015
ALS SDG#: EV15090089
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Sulfate - BSD	EPA-300.0	**99.0**	**0**		09/16/2015	DNT

ALS Test Batch ID: 97140 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Arsenic - BS	EPA-200.8	**111**			09/17/2015	RAL
Arsenic - BSD	EPA-200.8	**98.7**	**11**		09/17/2015	RAL
Barium - BS	EPA-200.8	**99.5**			09/17/2015	RAL
Barium - BSD	EPA-200.8	**101**	**2**		09/17/2015	RAL
Cadmium - BS	EPA-200.8	**100**			09/17/2015	RAL
Cadmium - BSD	EPA-200.8	**99.3**	**1**		09/17/2015	RAL
Chromium - BS	EPA-200.8	**108**			09/17/2015	RAL
Chromium - BSD	EPA-200.8	**97.8**	**10**		09/17/2015	RAL
Copper - BS	EPA-200.8	**110**			09/17/2015	RAL
Copper - BSD	EPA-200.8	**100**	**10**		09/17/2015	RAL
Iron - BS	EPA-200.8	**109**			09/17/2015	RAL
Iron - BSD	EPA-200.8	**98.0**	**10**		09/17/2015	RAL
Lead - BS	EPA-200.8	**98.2**			09/17/2015	RAL
Lead - BSD	EPA-200.8	**98.4**	**0**		09/17/2015	RAL
Selenium - BS	EPA-200.8	**111**			09/17/2015	RAL
Selenium - BSD	EPA-200.8	**99.8**	**10**		09/17/2015	RAL

ALS Test Batch ID: R262197 - Water by SM2320B

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Alkalinity as CaCO3, Total - BS	SM2320B	**97.8**			09/21/2015	CAS

ALS Test Batch ID: R262198 - Water by EPA-376.1

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Sulfide - BS	EPA-376.1	**90.6**			09/22/2015	CAS

ALS Test Batch ID: R262199 - Water by EPA-415.1

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Dissolved Organic Carbon (DOC) - BS	EPA-415.1	**96.5**			09/23/2015	CAS

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	9/29/2015
		ALS SDG#:	EV15090089
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: R262200 - Water by EPA-415.1

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Total Organic Carbon (TOC) - BS	EPA-415.1	**94.9**			09/23/2015	CAS

ALS Test Batch ID: R262194 - Water by SM5220D

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chemical Oxygen Demand (COD) - BS	SM5220D	**100**			09/22/2015	CAS

ALS Test Batch ID: R262206 - Water by RSK-175M

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Carbon Dioxide - BS	RSK-175M	**99.6**			09/28/2015	ALSS
Carbon Dioxide - BSD	RSK-175M	**85.6**	**15**		09/28/2015	ALSS

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1509084

Date 9/15/15 Page 1 Of 2

PROJECT ID: 64061
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Bushee
ADDRESS: 1180 NW Maple St STE 310
Issaquah, WA
PHONE: 425-395-0010 FAX:
P.O. #: E-MAIL: Montyb@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total Chromium	Hexivalent Chromium					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. SBW-4	9/15/15	0807	Water	1							X									X	X					5	
2. MW-21S		0810		2							X									X	X					5	
3. MW-21i		0849		3							X									X	X					5	
4. MW-28S		0902		4							X									X	X					5	
5. MW-11		0945		5							X									X	X					5	
6. MW-22S		0946		6							X									X	X					5	
7. MW-22i		~~1041~~ 1229		7							X									X	X					5	
8. MW-27S		1113		8							X									X	X					5	
9. ~~MW-~~ SBW-3		1155		9							X									X	X					5	
10. MW-24i		1229		10							X									X	X					5	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: epi 9/15/15 1520
Received By: ALS, 9/15/15, 1520
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 (Standard) | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 (Standard) | 3 | 1 | SAME DAY

OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1509089

Date 9/15/15 Page 2 Of 2

PROJECT ID:	64001
REPORT TO COMPANY:	EPI
PROJECT MANAGER:	Monty Bashaw
ADDRESS:	1180 NW Maple St STE 310
	Issaquah, WA 98027
PHONE:	425-395-0010 FAX:
P.O. #:	E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY:	
ATTENTION:	
ADDRESS:	

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil) COD EPA 410.4	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify) Total metals EPA 6020	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium	Hexivalent Chromium	Anion EPA 300.0	Sulfide EPA 376.1	RSK 175 (ea, Methane, Ethane, Ethene)	Alkalinity EPA 310.1	TOC + DOC EPA 415.1	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-24S	9/15/15	1143	water	11							X									X	X						5	
2. MW-26S	9/15/15	1239	↓	12							X		X						X	X	X	X	X	X	X	X	15	
3. MW-26I	9/15/15	1349		13							X									X	X						5	
4. MW-2I	9/15/15	1352	↓	14							X									X	X						5	
5. Dup-1	9/15/15	1300	water	15							X									X	X						5	
6. MW-3	9/15/15	1500	water	16							X									X	X							
7.																												
8.																												
9.																												
10.																												

SPECIAL INSTRUCTIONS: Total metals to include As, Ba, Cd, Cr, Cu, Fe, Pb, Se. Anions = Cl, Br, NO2, NO3, SO4

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: [signature] EPI 9/15/15 1520
   Received By: Patrick Green, ALS, 9/15/15, 1520
2. Relinquished By: _____
   Received By: _____

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify: _____

*Turnaround request less than standard may incur Rush Charges

October 5, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On September 18th, 6 samples were received by our laboratory and assigned our laboratory project number EV15090118. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/5/2015 EV15090118 EV15090118-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/18/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/18/2015 7:10:00 AM
CLIENT SAMPLE ID	MW-18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/25/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/25/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/25/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**6.9**	2.0	1	UG/L	09/25/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trichloroethene	EPA-8260	**38**	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/25/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/5/2015 EV15090118 EV15090118-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/18/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/18/2015 7:10:00 AM
CLIENT SAMPLE ID	MW-18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/25/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/25/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/25/2015	DLC
Chromium (VI)	EPA-7196	**620**	10	1	UG/L	09/18/2015	RAL
Chromium	EPA-200.8	**1500**	2.0	1	UG/L	09/22/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	09/25/2015	DLC
Toluene-d8	EPA-8260	**99.8**	09/25/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	09/25/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/5/2015 EV15090118 EV15090118-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/18/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/18/2015 7:40:00 AM
CLIENT SAMPLE ID	MW-19	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/26/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/26/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/26/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**40**	2.0	1	UG/L	09/26/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trichloroethene	EPA-8260	**470**	200	100	UG/L	09/29/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Tetrachloroethylene	EPA-8260	**2.8**	2.0	1	UG/L	09/26/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/26/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/5/2015 EV15090118 EV15090118-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/18/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/18/2015 7:40:00 AM
CLIENT SAMPLE ID	MW-19	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/26/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/18/2015	RAL
Chromium	EPA-200.8	**41**	2.0	1	UG/L	09/22/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	09/26/2015	DLC
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**107**	09/29/2015	DLC
Toluene-d8	EPA-8260	**99.6**	09/26/2015	DLC
Toluene-d8 100X Dilution	EPA-8260	**99.9**	09/29/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.0**	09/26/2015	DLC
4-Bromofluorobenzene 100X Dilution	EPA-8260	**100**	09/29/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/5/2015 EV15090118 EV15090118-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/18/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/18/2015 8:20:00 AM
CLIENT SAMPLE ID	MW-15	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Vinyl Chloride	EPA-8260	**0.43**	0.20	1	UG/L	09/26/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/26/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/26/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**5.4**	2.0	1	UG/L	09/26/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**460**	200	100	UG/L	09/29/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trichloroethene	EPA-8260	**1700**	200	100	UG/L	09/29/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Tetrachloroethylene	EPA-8260	**10**	2.0	1	UG/L	09/26/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/26/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/5/2015 EV15090118 EV15090118-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/18/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/18/2015 8:20:00 AM
CLIENT SAMPLE ID	MW-15	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/26/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/18/2015	RAL
Chromium	EPA-200.8	**25**	2.0	1	UG/L	09/22/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	09/26/2015	DLC
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**107**	09/29/2015	DLC
Toluene-d8	EPA-8260	**99.3**	09/26/2015	DLC
Toluene-d8 100X Dilution	EPA-8260	**98.4**	09/29/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	09/26/2015	DLC
4-Bromofluorobenzene 100X Dilution	EPA-8260	**101**	09/29/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/5/2015 EV15090118 EV15090118-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/18/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/18/2015 9:12:00 AM
CLIENT SAMPLE ID	MW-15I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/26/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/26/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/26/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**6.5**	2.0	1	UG/L	09/26/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trichloroethene	EPA-8260	**130**	20	10	UG/L	09/29/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Tetrachloroethylene	EPA-8260	**3.1**	2.0	1	UG/L	09/26/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/26/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/5/2015 EV15090118 EV15090118-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/18/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/18/2015 9:12:00 AM
CLIENT SAMPLE ID	MW-15I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/26/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/18/2015	RAL
Methane	RSK-175	**0.090**	0.010	1	MG/L	09/28/2015	CCN
Ethane	RSK-175	U	0.010	1	MG/L	09/28/2015	CCN
Ethene	RSK-175	U	0.010	1	MG/L	09/28/2015	CCN
Bromide	EPA-300.0	U	0.20	1	MG/L	09/18/2015	DNT
Chloride	EPA-300.0	**14**	0.092	1	MG/L	09/18/2015	DNT
Nitrate	EPA-300.0	U	0.15	1	MG/L	09/18/2015	DNT
Nitrite	EPA-300.0	U	0.14	1	MG/L	09/18/2015	DNT
Sulfate	EPA-300.0	**4.8**	0.26	1	MG/L	09/18/2015	DNT
Arsenic	EPA-200.8	**1.9**	1.0	1	UG/L	09/22/2015	RAL
Barium	EPA-200.8	**23**	1.0	1	UG/L	09/22/2015	RAL
Cadmium	EPA-200.8	U	1.0	1	UG/L	09/22/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/5/2015 EV15090118 EV15090118-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/18/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/18/2015 9:12:00 AM
CLIENT SAMPLE ID	MW-15I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	**4.8**	2.0	1	UG/L	09/22/2015	RAL
Copper	EPA-200.8	U	2.0	1	UG/L	09/22/2015	RAL
Iron	EPA-200.8	**900**	50	1	UG/L	09/22/2015	RAL
Lead	EPA-200.8	U	1.0	1	UG/L	09/22/2015	RAL
Selenium	EPA-200.8	U	4.0	1	UG/L	09/22/2015	RAL
Alkalinity as CaCO3, Total	SM2320B	**770**	150	10	MG/L	09/28/2015	CAS
Sulfide	EPA-376.1	U	0.050	1	MG/L	09/22/2015	CAS
Dissolved Organic Carbon (DOC)	EPA-415.1	**24**	5.0	10	MG/L	09/30/2015	CAS
Total Organic Carbon (TOC)	EPA-415.1	**26**	10	20	MG/L	09/23/2015	CAS
Chemical Oxygen Demand (COD)	SM5220D	**88**	5.0	1	MG/L	09/25/2015	CAS
Carbon Dioxide	RSK-175M	**9000**	1000	1	UG/L	09/28/2015	CAS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	09/26/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**107**	09/29/2015	DLC
Toluene-d8	EPA-8260	**98.4**	09/26/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**97.8**	09/29/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	09/26/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**101**	09/29/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/5/2015 EV15090118 EV15090118-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/18/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/18/2015 10:05:00 AM
CLIENT SAMPLE ID	MW-14	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/26/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/26/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/26/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trichloroethene	EPA-8260	**2.8**	2.0	1	UG/L	09/26/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/26/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/5/2015 EV15090118 EV15090118-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/18/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/18/2015 10:05:00 AM
CLIENT SAMPLE ID	MW-14	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/26/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/18/2015	RAL
Chromium	EPA-200.8	**25**	2.0	1	UG/L	09/22/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	09/26/2015	DLC
Toluene-d8	EPA-8260	**99.6**	09/26/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	09/26/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/5/2015 EV15090118 EV15090118-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/18/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/18/2015 10:42:00 AM
CLIENT SAMPLE ID	MW-29S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	09/26/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	09/26/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	09/26/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trichloroethene	EPA-8260	**2.2**	2.0	1	UG/L	09/26/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	09/26/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	10/5/2015 EV15090118 EV15090118-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	09/18/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	9/18/2015 10:42:00 AM
CLIENT SAMPLE ID	MW-29S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	09/26/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	09/26/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	09/26/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	09/18/2015	RAL
Chromium	EPA-200.8	**18**	2.0	1	UG/L	09/22/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	09/26/2015	DLC
Toluene-d8	EPA-8260	**101**	09/26/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	09/26/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 10/5/2015
ALS SDG#: EV15090118
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-092515W2 - Batch 97524 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Chloromethane	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Vinyl Chloride	EPA-8260	U		UG/L	0.20	09/25/2015	DLC
Bromomethane	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Chloroethane	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Carbon Tetrachloride	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Trichlorofluoromethane	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Carbon Disulfide	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Acetone	EPA-8260	U		UG/L	25	09/25/2015	DLC
1,1-Dichloroethene	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Methylene Chloride	EPA-8260	U		UG/L	5.0	09/25/2015	DLC
Acrylonitrile	EPA-8260	U		UG/L	10	09/25/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
1,1-Dichloroethane	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
2-Butanone	EPA-8260	U		UG/L	10	09/25/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
2,2-Dichloropropane	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Bromochloromethane	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Chloroform	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
1,1-Dichloropropene	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
1,2-Dichloroethane	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Benzene	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Trichloroethene	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
1,2-Dichloropropane	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Dibromomethane	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Bromodichloromethane	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U		UG/L	10	09/25/2015	DLC
Toluene	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
2-Hexanone	EPA-8260	U		UG/L	10	09/25/2015	DLC
1,3-Dichloropropane	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Tetrachloroethylene	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
Dibromochloromethane	EPA-8260	U		UG/L	2.0	09/25/2015	DLC
1,2-Dibromoethane	EPA-8260	U		UG/L	0.010	09/25/2015	DLC
Chlorobenzene	EPA-8260	U		UG/L	2.0	09/25/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 10/5/2015
ALS SDG#: EV15090118
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-092515W2 - Batch 97524 - Water by EPA-8260

1,1,1,2-Tetrachloroethane	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
Ethylbenzene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
m,p-Xylene	EPA-8260	U	UG/L	4.0	09/25/2015	DLC
Styrene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
o-Xylene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
Bromoform	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
Isopropylbenzene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
Bromobenzene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
N-Propyl Benzene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
2-Chlorotoluene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
4-Chlorotoluene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
T-Butyl Benzene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
S-Butyl Benzene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
P-Isopropyltoluene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
N-Butylbenzene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	UG/L	10	09/25/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
Hexachlorobutadiene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
Naphthalene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	UG/L	2.0	09/25/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-9182015 - Batch R261528 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U		UG/L	10	09/18/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-262133 - Batch R262133 - Water by RSK-175

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Methane	RSK-175	U		MG/L	0.010	09/28/2015	CCN
Ethane	RSK-175	U		MG/L	0.010	09/28/2015	CCN
Ethene	RSK-175	U		MG/L	0.010	09/28/2015	CCN

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027
CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 10/5/2015
ALS SDG#: EV15090118
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MBLK-262133 - Batch R262133 - Water by RSK-175

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-9182015 - Batch R261581 - Water by EPA-300.0

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Bromide	EPA-300.0	U		MG/L	0.20	09/18/2015	DNT
Chloride	EPA-300.0	U		MG/L	0.092	09/18/2015	DNT
Nitrate	EPA-300.0	U		MG/L	0.15	09/18/2015	DNT
Nitrite	EPA-300.0	U		MG/L	0.14	09/18/2015	DNT
Sulfate	EPA-300.0	U		MG/L	0.26	09/18/2015	DNT

U - Analyte analyzed for but not detected at level above reporting limit.

MB-092215W - Batch 97323 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Arsenic	EPA-200.8	U		UG/L	1.0	09/22/2015	RAL
Barium	EPA-200.8	U		UG/L	1.0	09/22/2015	RAL
Cadmium	EPA-200.8	U		UG/L	1.0	09/22/2015	RAL
Chromium	EPA-200.8	U		UG/L	2.0	09/22/2015	RAL
Copper	EPA-200.8	U		UG/L	2.0	09/22/2015	RAL
Iron	EPA-200.8	U		UG/L	50	09/22/2015	RAL
Lead	EPA-200.8	U		UG/L	1.0	09/22/2015	RAL
Selenium	EPA-200.8	U		UG/L	4.0	09/22/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-09/28/2015 - Batch R262473E - Water by SM2320B

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Alkalinity as CaCO3, Total	SM2320B	U		MG/L	15	09/28/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-09/22/2015 - Batch R262473A - Water by EPA-376.1

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Sulfide	EPA-376.1	U		MG/L	0.050	09/22/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 10/5/2015
ALS SDG#: EV15090118
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB1-09/23/2015 - Batch R262473B - Water by EPA-415.1

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Dissolved Organic Carbon (DOC)	EPA-415.1	U		MG/L	0.50	09/23/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MB2-09/30/2015 - Batch R262473B - Water by EPA-415.1

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Dissolved Organic Carbon (DOC)	EPA-415.1	U		MG/L	0.50	09/30/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-09/23/2015 - Batch R262473C - Water by EPA-415.1

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Total Organic Carbon (TOC)	EPA-415.1	U		MG/L	0.50	09/23/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MB1-09/25/2015 - Batch R262473D - Water by SM5220D

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chemical Oxygen Demand (COD)	SM5220D	U		MG/L	5.0	09/25/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-9282015 - Batch R262472 - Water by RSK-175M

ANALYTE	METHOD	RESULTS	QUAL	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Carbon Dioxide	RSK-175M	U		UG/L	1000	09/28/2015	CAS

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 10/5/2015
ALS SDG#: EV15090118
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 97524 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**110**			09/25/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**108**	**2**		09/25/2015	DLC
Benzene - BS	EPA-8260	**110**			09/25/2015	DLC
Benzene - BSD	EPA-8260	**108**	**3**		09/25/2015	DLC
Trichloroethene - BS	EPA-8260	**113**			09/25/2015	DLC
Trichloroethene - BSD	EPA-8260	**112**	**1**		09/25/2015	DLC
Toluene - BS	EPA-8260	**95.6**			09/25/2015	DLC
Toluene - BSD	EPA-8260	**95.4**	**0**		09/25/2015	DLC
Chlorobenzene - BS	EPA-8260	**89.3**			09/25/2015	DLC
Chlorobenzene - BSD	EPA-8260	**88.0**	**1**		09/25/2015	DLC

ALS Test Batch ID: R261528 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**112**			09/18/2015	RAL
Chromium (VI) - BSD	EPA-7196	**111**	**1**		09/18/2015	RAL

ALS Test Batch ID: R262133 - Water by RSK-175

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Methane - BS	RSK-175	**95.7**			09/28/2015	CCN
Methane - BSD	RSK-175	**94.3**	**1**		09/28/2015	CCN
Ethane - BS	RSK-175	**96.5**			09/28/2015	CCN
Ethane - BSD	RSK-175	**96.4**	**0**		09/28/2015	CCN
Ethene - BS	RSK-175	**96.2**			09/28/2015	CCN
Ethene - BSD	RSK-175	**93.5**	**3**		09/28/2015	CCN

ALS Test Batch ID: R261581 - Water by EPA-300.0

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Bromide - BS	EPA-300.0	**99.0**			09/18/2015	DNT
Bromide - BSD	EPA-300.0	**95.0**	**4**		09/18/2015	DNT
Chloride - BS	EPA-300.0	**91.0**			09/18/2015	DNT
Chloride - BSD	EPA-300.0	**91.0**	**0**		09/18/2015	DNT
Nitrate - BS	EPA-300.0	**99.0**			09/18/2015	DNT
Nitrate - BSD	EPA-300.0	**100**	**1**		09/18/2015	DNT
Nitrite - BS	EPA-300.0	**88.0**			09/18/2015	DNT
Nitrite - BSD	EPA-300.0	**91.0**	**3**		09/18/2015	DNT
Sulfate - BS	EPA-300.0	**93.0**			09/18/2015	DNT

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 10/5/2015
ALS SDG#: EV15090118
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Sulfate - BSD	EPA-300.0	**97.0**	**4**		09/18/2015	DNT

ALS Test Batch ID: 97323 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Arsenic - BS	EPA-200.8	**97.3**			09/22/2015	RAL
Arsenic - BSD	EPA-200.8	**99.2**	**2**		09/22/2015	RAL
Barium - BS	EPA-200.8	**98.0**			09/22/2015	RAL
Barium - BSD	EPA-200.8	**100**	**2**		09/22/2015	RAL
Cadmium - BS	EPA-200.8	**99.7**			09/22/2015	RAL
Cadmium - BSD	EPA-200.8	**101**	**2**		09/22/2015	RAL
Chromium - BS	EPA-200.8	**96.7**			09/22/2015	RAL
Chromium - BSD	EPA-200.8	**97.8**	**1**		09/22/2015	RAL
Copper - BS	EPA-200.8	**100**			09/22/2015	RAL
Copper - BSD	EPA-200.8	**100**	**0**		09/22/2015	RAL
Iron - BS	EPA-200.8	**95.8**			09/22/2015	RAL
Iron - BSD	EPA-200.8	**96.0**	**0**		09/22/2015	RAL
Lead - BS	EPA-200.8	**98.1**			09/22/2015	RAL
Lead - BSD	EPA-200.8	**101**	**3**		09/22/2015	RAL
Selenium - BS	EPA-200.8	**97.8**			09/22/2015	RAL
Selenium - BSD	EPA-200.8	**102**	**4**		09/22/2015	RAL

ALS Test Batch ID: R262473E - Water by SM2320B

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Alkalinity as CaCO3, Total - BS	SM2320B	**97.8**			09/28/2015	CAS

ALS Test Batch ID: R262473A - Water by EPA-376.1

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Sulfide - BS	EPA-376.1	**90.6**			09/22/2015	CAS

ALS Test Batch ID: R262473B - Water by EPA-415.1

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Dissolved Organic Carbon (DOC) - BS	EPA-415.1	**96.5**			09/23/2015	CAS
Dissolved Organic Carbon (DOC) - BS	EPA-415.1	**96.0**			09/30/2015	CAS

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	10/5/2015
		ALS SDG#:	EV15090118
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: R262473C - Water by EPA-415.1

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Total Organic Carbon (TOC) - BS	EPA-415.1	**94.9**			09/23/2015	CAS

ALS Test Batch ID: R262473D - Water by SM5220D

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chemical Oxygen Demand (COD) - BS	SM5220D	**103**			09/25/2015	CAS

ALS Test Batch ID: R262472 - Water by RSK-175M

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Carbon Dioxide - BS	RSK-175M	**99.6**			09/28/2015	CAS
Carbon Dioxide - BSD	RSK-175M	**85.6**	**15**		09/28/2015	CAS

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1509118

Date 9/18/15 Page 1 Of 1

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Bosher
ADDRESS: 1180 NW Maple St STE 310
Issaquah WA 98027
PHONE: 425-395-0010 FAX: montyb@epi-water.com
P.O. #: E-MAIL:
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium	Hex Chromium	Bioremediation parameters					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-18	9/18/15	710	water	1							X									X	X							
2. MW-19	↓	740	↓	2							X									X	X							
3. MW-15		820		3							X									X	X							
4. MW-15i		912		4							X									X	X	X						
5. MW-14		1005		5							X									X	X							
6. MW-29S		1042		6							X									X	X							
7.																												
8.																												
9.																												
10.																												

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 9/18/15 1225
Received By: ALS 9/15/15 1225
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 (Standard) | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 (Standard) | 3 | 1 | SAME DAY

OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

December 15, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On December 4th, 6 samples were received by our laboratory and assigned our laboratory project number EV15120049. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group



Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/15/2015 EV15120049 EV15120049-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/4/2015 7:52:00 AM
CLIENT SAMPLE ID	MW-4I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/11/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/11/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/15/2015 EV15120049 EV15120049-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/4/2015 7:52:00 AM
CLIENT SAMPLE ID	MW-4I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/11/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/04/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/09/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**98.9**	12/11/2015	DLC
Toluene-d8	EPA-8260	**98.9**	12/11/2015	DLC
4-Bromofluorobenzene	EPA-8260	**100**	12/11/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/15/2015 EV15120049 EV15120049-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/4/2015 8:53:00 AM
CLIENT SAMPLE ID	MW-7D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/11/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/11/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/11/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/15/2015 EV15120049 EV15120049-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/4/2015 8:53:00 AM
CLIENT SAMPLE ID	MW-7D	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/11/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/04/2015	RAL
Chromium	EPA-200.8	**3.2**	2.0	1	UG/L	12/09/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.7**	12/11/2015	DLC
Toluene-d8	EPA-8260	**99.1**	12/11/2015	DLC
4-Bromofluorobenzene	EPA-8260	**106**	12/11/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/15/2015 EV15120049 EV15120049-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/4/2015 9:29:00 AM
CLIENT SAMPLE ID	MW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Vinyl Chloride	EPA-8260	**4.0**	0.20	1	UG/L	12/11/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/11/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**3.6**	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**200**	100	50	UG/L	12/14/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichloroethene	EPA-8260	**890**	100	50	UG/L	12/14/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Tetrachloroethylene	EPA-8260	**22**	2.0	1	UG/L	12/11/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/11/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/15/2015 EV15120049 EV15120049-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/4/2015 9:29:00 AM
CLIENT SAMPLE ID	MW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/11/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chromium (VI)	EPA-7196	**18**	10	1	UG/L	12/04/2015	RAL
Chromium	EPA-200.8	**27**	2.0	1	UG/L	12/09/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**98.9**	12/11/2015	DLC
1,2-Dichloroethane-d4 50X Dilution	EPA-8260	**96.3**	12/14/2015	DLC
Toluene-d8	EPA-8260	**96.6**	12/11/2015	DLC
Toluene-d8 50X Dilution	EPA-8260	**98.6**	12/14/2015	DLC
4-Bromofluorobenzene	EPA-8260	**107**	12/11/2015	DLC
4-Bromofluorobenzene 50X Dilution	EPA-8260	**107**	12/14/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/15/2015 EV15120049 EV15120049-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/4/2015 10:30:00 AM
CLIENT SAMPLE ID	MW-19	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/11/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/11/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**16**	2.0	1	UG/L	12/11/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichloroethene	EPA-8260	**180**	20	10	UG/L	12/14/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/11/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/15/2015 EV15120049 EV15120049-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/4/2015 10:30:00 AM
CLIENT SAMPLE ID	MW-19	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/11/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chromium (VI)	EPA-7196	**120**	10	1	UG/L	12/04/2015	RAL
Chromium	EPA-200.8	**120**	2.0	1	UG/L	12/09/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.9**	12/11/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**97.4**	12/14/2015	DLC
Toluene-d8	EPA-8260	**99.4**	12/11/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**98.0**	12/14/2015	DLC
4-Bromofluorobenzene	EPA-8260	**106**	12/11/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**109**	12/14/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/15/2015 EV15120049 EV15120049-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/4/2015 11:00:00 AM
CLIENT SAMPLE ID	MW-15S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Vinyl Chloride	EPA-8260	**0.61**	0.20	1	UG/L	12/11/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/11/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**89**	20	10	UG/L	12/14/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichloroethene	EPA-8260	**25**	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/11/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/15/2015 EV15120049 EV15120049-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/4/2015 11:00:00 AM
CLIENT SAMPLE ID	MW-15S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/11/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/04/2015	RAL
Chromium	EPA-200.8	**12**	2.0	1	UG/L	12/09/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	12/11/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**97.5**	12/14/2015	DLC
Toluene-d8	EPA-8260	**98.2**	12/11/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**99.1**	12/14/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	12/11/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**111**	12/14/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/15/2015 EV15120049 EV15120049-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/4/2015 12:00:00 PM
CLIENT SAMPLE ID	DUP-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/11/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/11/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/11/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/15/2015 EV15120049 EV15120049-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/04/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/4/2015 12:00:00 PM
CLIENT SAMPLE ID	DUP-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/11/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/04/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/09/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**98.1**	12/11/2015	DLC
Toluene-d8	EPA-8260	**99.1**	12/11/2015	DLC
4-Bromofluorobenzene	EPA-8260	**109**	12/11/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027
CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 12/15/2015
ALS SDG#: EV15120049
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-121115W - Batch 99815 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Chloromethane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Vinyl Chloride	EPA-8260	U	UG/L	0.20	12/11/2015	DLC
Bromomethane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Chloroethane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Carbon Disulfide	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Acetone	EPA-8260	U	UG/L	25	12/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Methylene Chloride	EPA-8260	U	UG/L	5.0	12/11/2015	DLC
Acrylonitrile	EPA-8260	U	UG/L	10	12/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
2-Butanone	EPA-8260	U	UG/L	10	12/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
2,2-Dichloropropane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Bromochloromethane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Chloroform	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Benzene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Trichloroethene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,2-Dichloropropane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Dibromomethane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Bromodichloromethane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	UG/L	10	12/11/2015	DLC
Toluene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
2-Hexanone	EPA-8260	U	UG/L	10	12/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027
CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 12/15/2015
ALS SDG#: EV15120049
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-121115W - Batch 99815 - Water by EPA-8260

Tetrachloroethylene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Dibromochloromethane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	UG/L	0.010	12/11/2015	DLC
Chlorobenzene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Ethylbenzene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
m,p-Xylene	EPA-8260	U	UG/L	4.0	12/11/2015	DLC
Styrene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
o-Xylene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Bromoform	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Isopropylbenzene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Bromobenzene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
N-Butylbenzene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	UG/L	10	12/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
Naphthalene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	UG/L	2.0	12/11/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-265998 - Batch R265998 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	UG/L	10	12/04/2015	RAL

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	12/15/2015
		ALS SDG#:	EV15120049
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	64001		

LABORATORY BLANK RESULTS

MBLK-265998 - Batch R265998 - Water by EPA-7196

U - Analyte analyzed for but not detected at level above reporting limit.

MB-120815W - Batch 99619 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	UG/L	2.0	12/08/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 12/15/2015
ALS SDG#: EV15120049
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 99815 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**102**			12/11/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**111**	**9**		12/11/2015	DLC
Benzene - BS	EPA-8260	**103**			12/11/2015	DLC
Benzene - BSD	EPA-8260	**119**	**14**		12/11/2015	DLC
Trichloroethene - BS	EPA-8260	**103**			12/11/2015	DLC
Trichloroethene - BSD	EPA-8260	**115**	**11**		12/11/2015	DLC
Toluene - BS	EPA-8260	**95.3**			12/11/2015	DLC
Toluene - BSD	EPA-8260	**106**	**11**		12/11/2015	DLC
Chlorobenzene - BS	EPA-8260	**91.9**			12/11/2015	DLC
Chlorobenzene - BSD	EPA-8260	**100**	**9**		12/11/2015	DLC

ALS Test Batch ID: R265998 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**106**			12/04/2015	RAL
Chromium (VI) - BSD	EPA-7196	**110**	**4**		12/04/2015	RAL

ALS Test Batch ID: 99619 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**92.7**			12/08/2015	RAL
Chromium - BSD	EPA-200.8	**89.7**	**3**		12/08/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV15120049

Date 12/4/15 Page 1 Of 1

PROJECT ID:	64001
REPORT TO COMPANY:	EPI
PROJECT MANAGER:	Monty Busboe
ADDRESS:	1180 NW Maple St STE 310
	Issaquah WA
PHONE:	425-395-0010 FAX:
P.O. #:	E-MAIL: montyb@epi-nw.com
INVOICE TO COMPANY:	
ATTENTION:	
ADDRESS:	

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Cr	OTHER (Specify): Hex Cr						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-4I	12/4/15	752	Water	1							X									X	X						5	
2. MW-7D		853		2							X									X	X						5	
3. MW-1		929		3							X									X	X						5	
4. MW-14		1030		4							X									X	X						5	
5. MW-15S		1100		5							X									X	X						5	
6. ~~MW~~ Dup-4		1200		6							X									X	X						5	
7.																												
8.																												
9.																												
10.																												

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 12/4/15 1145
   Received By: ALS 12/4/15 1145
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 (Standard) 5 3 2 1 SAME DAY

Fuels & Hydrocarbon Analysis: 5 (Standard) 3 1 SAME DAY

OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

December 14, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On December 3rd, 15 samples were received by our laboratory and assigned our laboratory project number EV15120040. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 8:08:00 AM
CLIENT SAMPLE ID	MW-24IR	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/11/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/11/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 8:08:00 AM
CLIENT SAMPLE ID	MW-24IR	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/11/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/03/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	12/11/2015	DLC
Toluene-d8	EPA-8260	**97.9**	12/11/2015	DLC
4-Bromofluorobenzene	EPA-8260	**106**	12/11/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 8:19:00 AM
CLIENT SAMPLE ID	MW-24I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/11/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/11/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/11/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 8:19:00 AM
CLIENT SAMPLE ID	MW-24I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/11/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/03/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.7**	12/11/2015	DLC
Toluene-d8	EPA-8260	**98.9**	12/11/2015	DLC
4-Bromofluorobenzene	EPA-8260	**107**	12/11/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 8:46:00 AM
CLIENT SAMPLE ID	MW-1I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/11/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/11/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichloroethene	EPA-8260	**2.2**	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/11/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 8:46:00 AM
CLIENT SAMPLE ID	MW-1I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/11/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/03/2015	RAL
Chromium	EPA-200.8	**11**	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.7**	12/11/2015	DLC
Toluene-d8	EPA-8260	**98.7**	12/11/2015	DLC
4-Bromofluorobenzene	EPA-8260	**107**	12/11/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 9:08:00 AM
CLIENT SAMPLE ID	MW-7S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/11/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/11/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**5.5**	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**340**	50	25	UG/L	12/12/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichloroethene	EPA-8260	**1200**	200	100	UG/L	12/14/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Tetrachloroethylene	EPA-8260	U	50	25	UG/L	12/12/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/11/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 9:08:00 AM
CLIENT SAMPLE ID	MW-7S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/11/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chromium (VI)	EPA-7196	**24**	10	1	UG/L	12/03/2015	RAL
Chromium	EPA-200.8	**40**	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.2**	12/11/2015	DLC
1,2-Dichloroethane-d4 25X Dilution	EPA-8260	**97.7**	12/12/2015	DLC
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**96.8**	12/14/2015	DLC
Toluene-d8	EPA-8260	**98.2**	12/11/2015	DLC
Toluene-d8 25X Dilution	EPA-8260	**99.8**	12/12/2015	DLC
Toluene-d8 100X Dilution	EPA-8260	**99.0**	12/14/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 9:08:00 AM
CLIENT SAMPLE ID	MW-7S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 25X Dilution	EPA-8260	**104**	12/12/2015	DLC
4-Bromofluorobenzene 100X Dilution	EPA-8260	**104**	12/14/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 9:31:00 AM
CLIENT SAMPLE ID	MW-7I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Vinyl Chloride	EPA-8260	**0.30**	0.20	1	UG/L	12/11/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/11/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**3.7**	2.0	1	UG/L	12/11/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/11/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 9:31:00 AM
CLIENT SAMPLE ID	MW-7I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/11/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/03/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.2**	12/11/2015	DLC
Toluene-d8	EPA-8260	**100**	12/11/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	12/11/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 9:56:00 AM
CLIENT SAMPLE ID	MW-7IR	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/11/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/11/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**27**	2.0	1	UG/L	12/11/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichloroethene	EPA-8260	**72**	20	10	UG/L	12/11/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Tetrachloroethylene	EPA-8260	**3.4**	2.0	1	UG/L	12/11/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/11/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 9:56:00 AM
CLIENT SAMPLE ID	MW-7IR	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/11/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/03/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**98.1**	12/11/2015	DLC
1,2-Dichloroethane-d4	EPA-8260	**101**	12/11/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**98.1**	12/11/2015	DLC
Toluene-d8	EPA-8260	**98.3**	12/11/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**98.0**	12/11/2015	DLC
4-Bromofluorobenzene	EPA-8260	**105**	12/11/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 10:30:00 AM
CLIENT SAMPLE ID	MW-24S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/11/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/11/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**3.0**	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**36**	2.0	1	UG/L	12/11/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichloroethene	EPA-8260	**430**	40	20	UG/L	12/11/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Tetrachloroethylene	EPA-8260	**3.1**	2.0	1	UG/L	12/11/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/11/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 10:30:00 AM
CLIENT SAMPLE ID	MW-24S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/11/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/03/2015	RAL
Chromium	EPA-200.8	**6.8**	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 20X Dilution	EPA-8260	**99.3**	12/11/2015	DLC
1,2-Dichloroethane-d4	EPA-8260	**98.2**	12/11/2015	DLC
Toluene-d8 20X Dilution	EPA-8260	**101**	12/11/2015	DLC
Toluene-d8	EPA-8260	**98.8**	12/11/2015	DLC
4-Bromofluorobenzene 20X Dilution	EPA-8260	**105**	12/11/2015	DLC
4-Bromofluorobenzene	EPA-8260	**109**	12/11/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 10:32:00 AM
CLIENT SAMPLE ID	MW-18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**2.9**	2.0	1	UG/L	12/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trichloroethene	EPA-8260	**13**	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/10/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 10:32:00 AM
CLIENT SAMPLE ID	MW-18	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chromium (VI)	EPA-7196	**2600**	50	5	UG/L	12/03/2015	RAL
Chromium	EPA-200.8	**3500**	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.3**	12/10/2015	DLC
Toluene-d8	EPA-8260	**99.2**	12/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.5**	12/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 11:57:00 AM
CLIENT SAMPLE ID	MW-16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Vinyl Chloride	EPA-8260	**5.3**	0.20	1	UG/L	12/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**9.7**	2.0	1	UG/L	12/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trichloroethene	EPA-8260	**14**	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/10/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 11:57:00 AM
CLIENT SAMPLE ID	MW-16	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/03/2015	RAL
Chromium	EPA-200.8	**4.8**	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	12/10/2015	DLC
Toluene-d8	EPA-8260	**99.0**	12/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**107**	12/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 12:02:00 PM
CLIENT SAMPLE ID	MW-14	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/10/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 12:02:00 PM
CLIENT SAMPLE ID	MW-14	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chromium (VI)	EPA-7196	**13**	10	1	UG/L	12/03/2015	RAL
Chromium	EPA-200.8	**12**	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**98.0**	12/10/2015	DLC
Toluene-d8	EPA-8260	**99.0**	12/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	12/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 12:39:00 PM
CLIENT SAMPLE ID	MW-29S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/10/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 12:39:00 PM
CLIENT SAMPLE ID	MW-29S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/03/2015	RAL
Chromium	EPA-200.8	**6.6**	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.7**	12/10/2015	DLC
Toluene-d8	EPA-8260	**98.4**	12/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	12/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 12:00:00 PM
CLIENT SAMPLE ID	DUP-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/10/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 12:00:00 PM
CLIENT SAMPLE ID	DUP-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/03/2015	RAL
Chromium	EPA-200.8	**8.6**	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**98.3**	12/10/2015	DLC
Toluene-d8	EPA-8260	**99.3**	12/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**106**	12/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 1:20:00 PM
CLIENT SAMPLE ID	MW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Vinyl Chloride	EPA-8260	**5.7**	0.20	1	UG/L	12/11/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/11/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**2.0**	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**160**	20	10	UG/L	12/11/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichloroethene	EPA-8260	**290**	20	10	UG/L	12/11/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Tetrachloroethylene	EPA-8260	**8.8**	2.0	1	UG/L	12/11/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/11/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 1:20:00 PM
CLIENT SAMPLE ID	MW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/11/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chromium (VI)	EPA-7196	**320**	10	1	UG/L	12/03/2015	RAL
Chromium	EPA-200.8	**690**	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**98.0**	12/11/2015	DLC
1,2-Dichloroethane-d4	EPA-8260	**99.2**	12/11/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**99.0**	12/11/2015	DLC
Toluene-d8	EPA-8260	**100**	12/11/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**99.3**	12/11/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	12/11/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 1:23:00 PM
CLIENT SAMPLE ID	MW-15I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Vinyl Chloride	EPA-8260	**0.52**	0.20	1	UG/L	12/11/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/11/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/11/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**150**	20	10	UG/L	12/12/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trichloroethene	EPA-8260	**9.3**	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/11/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015 1:23:00 PM
CLIENT SAMPLE ID	MW-15I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/11/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/11/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/11/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/03/2015	RAL
Chromium	EPA-200.8	**3.9**	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**98.7**	12/11/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**97.1**	12/12/2015	DLC
Toluene-d8	EPA-8260	**98.8**	12/11/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**99.7**	12/12/2015	DLC
4-Bromofluorobenzene	EPA-8260	**105**	12/11/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**104**	12/12/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015
CLIENT SAMPLE ID	Trip Blank	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/10/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/10/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/10/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/14/2015 EV15120040 EV15120040-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/03/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/3/2015
CLIENT SAMPLE ID	Trip Blank	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/10/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/10/2015	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**97.8**	12/10/2015	DLC
Toluene-d8	EPA-8260	**97.9**	12/10/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	12/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 12/14/2015
ALS SDG#: EV15120040
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-121015W - Batch 99687 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Chloromethane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Vinyl Chloride	EPA-8260	U	UG/L	0.20	12/10/2015	DLC
Bromomethane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Chloroethane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Carbon Tetrachloride	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Trichlorofluoromethane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Carbon Disulfide	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Acetone	EPA-8260	U	UG/L	25	12/10/2015	DLC
1,1-Dichloroethene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Methylene Chloride	EPA-8260	U	UG/L	5.0	12/10/2015	DLC
Acrylonitrile	EPA-8260	U	UG/L	10	12/10/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
1,1-Dichloroethane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
2-Butanone	EPA-8260	U	UG/L	10	12/10/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
2,2-Dichloropropane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Bromochloromethane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Chloroform	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
1,1-Dichloropropene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
1,2-Dichloroethane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Benzene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Trichloroethene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
1,2-Dichloropropane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Dibromomethane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Bromodichloromethane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	UG/L	10	12/10/2015	DLC
Toluene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
2-Hexanone	EPA-8260	U	UG/L	10	12/10/2015	DLC
1,3-Dichloropropane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Tetrachloroethylene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Dibromochloromethane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
1,2-Dibromoethane	EPA-8260	U	UG/L	0.010	12/10/2015	DLC
Chlorobenzene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 12/14/2015
ALS SDG#: EV15120040
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-121015W - Batch 99687 - Water by EPA-8260

1,1,1,2-Tetrachloroethane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Ethylbenzene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
m,p-Xylene	EPA-8260	U	UG/L	4.0	12/10/2015	DLC
Styrene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
o-Xylene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Bromoform	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Isopropylbenzene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Bromobenzene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
N-Propyl Benzene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
2-Chlorotoluene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
4-Chlorotoluene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
T-Butyl Benzene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
S-Butyl Benzene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
P-Isopropyltoluene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
N-Butylbenzene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	UG/L	10	12/10/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Hexachlorobutadiene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
Naphthalene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	UG/L	2.0	12/10/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-265813 - Batch R265813 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	UG/L	10	12/03/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-120415W - Batch 99529 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	UG/L	2.0	12/08/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 12/14/2015
ALS SDG#: EV15120040
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 99687 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**105**			12/10/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**117**	**10**		12/10/2015	DLC
Benzene - BS	EPA-8260	**106**			12/10/2015	DLC
Benzene - BSD	EPA-8260	**116**	**9**		12/10/2015	DLC
Trichloroethene - BS	EPA-8260	**104**			12/10/2015	DLC
Trichloroethene - BSD	EPA-8260	**119**	**13**		12/10/2015	DLC
Toluene - BS	EPA-8260	**95.3**			12/10/2015	DLC
Toluene - BSD	EPA-8260	**108**	**12**		12/10/2015	DLC
Chlorobenzene - BS	EPA-8260	**94.1**			12/10/2015	DLC
Chlorobenzene - BSD	EPA-8260	**105**	**11**		12/10/2015	DLC

ALS Test Batch ID: R265813 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**97.0**			12/03/2015	RAL
Chromium (VI) - BSD	EPA-7196	**106**	**9**	SR1	12/03/2015	RAL

SR1 - RPD outside of control limits.

ALS Test Batch ID: 99529 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**91.4**			12/08/2015	RAL
Chromium - BSD	EPA-200.8	**94.2**	**3**		12/08/2015	RAL

APPROVED BY

Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1512004O

Date 12/3/15 Page 1 Of 2

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Busbee
ADDRESS: 1180 NW Maple St STE 310
Issaquah Wa
PHONE: 425-395-0010 FAX:
P.O. #: E-MAIL: montybd@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270 *	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Cr	OTHER (Specify): Hex Cr						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-24IR	12/3/15	808	water	1							X									X	X							5	
2. MW-24I		819		2							X									X	X							5	
3. MW-1I		846		3							X									X	X							5	
4. MW-7S		908		4							X									X	X							5	
5. MW-7I		931		5							X									X	X							5	
6. MW-7IR		956		6							X									X	X							5	
7. MW-24S		1030		7							X									X	X							5	
8. MW-18		1032		8							X									X	X							5	
9. MW-16		1157		9							X									X	X							5	
10. MW-14	↓	1202	↓	10							X									X	X							5	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 1425 12/3/15
   Received By: ALS, 12-3-15, 2:24 pm
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV15120040

Date _____ Page 2 Of 2

PROJECT ID: 64001
REPORT TO COMPANY: epi
PROJECT MANAGER: Monty Busbee
ADDRESS: 1180 NW Maple St STE 310
PHONE: 425-395-0010 FAX:
P.O. #: E-MAIL: montyb@epi-wa.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Cr	OTHER (Specify): Hex Cr					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-29S	12/3/15	1239	water	11							X									X	X						5	
2. Dup-3	"	1200	water	12							X									X	X						5	
3. MW-3	"	1320	water	13							X									X	X						5	
4. MW-15I	"	1323	water	14							X									X	X						5	
5. Trip Blank	"		water	15							X																2	
6.																												
7.																												
8.																												
9.																												
10.																												

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: _____ epi 12/3/15 1425
   Received By: _____, ALS, 12-3-15, 2:24 pm
2. Relinquished By: _____
   Received By: _____

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify: _____

*Turnaround request less than standard may incur Rush Charges

December 10, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On December 1st, 16 samples were received by our laboratory and assigned our laboratory project number EV15120009. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	12/10/2015
		ALS JOB#:	EV15120009
		ALS SAMPLE#:	EV15120009-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 9:01:00 AM
CLIENT SAMPLE ID	MW-28S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	**0.35**	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 9:01:00 AM
CLIENT SAMPLE ID	MW-28S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/01/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	12/04/2015	DLC
Toluene-d8	EPA-8260	**101**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**106**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 9:22:00 AM
CLIENT SAMPLE ID	MW-12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 9:22:00 AM
CLIENT SAMPLE ID	MW-12	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/01/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	12/04/2015	DLC
Toluene-d8	EPA-8260	**100**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 9:34:00 AM
CLIENT SAMPLE ID	SBW-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 9:34:00 AM
CLIENT SAMPLE ID	SBW-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/01/2015	RAL
Chromium	EPA-200.8	**8.6**	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	12/04/2015	DLC
Toluene-d8	EPA-8260	**99.8**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 10:01:00 AM
CLIENT SAMPLE ID	MW-11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**33**	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	**90**	20	10	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 10:01:00 AM
CLIENT SAMPLE ID	MW-11	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	**51**	10	1	UG/L	12/01/2015	RAL
Chromium	EPA-200.8	**58**	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**102**	12/04/2015	DLC
1,2-Dichloroethane-d4	EPA-8260	**103**	12/04/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**99.9**	12/04/2015	DLC
Toluene-d8	EPA-8260	**98.2**	12/04/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**103**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 10:19:00 AM
CLIENT SAMPLE ID	SBW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**22**	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	**96**	20	10	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 10:19:00 AM
CLIENT SAMPLE ID	SBW-3	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	**150**	10	1	UG/L	12/01/2015	RAL
Chromium	EPA-200.8	**140**	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**103**	12/04/2015	DLC
1,2-Dichloroethane-d4	EPA-8260	**102**	12/04/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**99.9**	12/04/2015	DLC
Toluene-d8	EPA-8260	**100**	12/04/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**101**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 10:45:00 AM
CLIENT SAMPLE ID	MW-27S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 10:45:00 AM
CLIENT SAMPLE ID	MW-27S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/01/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	12/04/2015	DLC
Toluene-d8	EPA-8260	**101**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 11:25:00 AM
CLIENT SAMPLE ID	MW-26S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**25**	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	**6.3**	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 11:25:00 AM
CLIENT SAMPLE ID	MW-26S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/01/2015	RAL
Chromium	EPA-200.8	**6.1**	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	12/04/2015	DLC
Toluene-d8	EPA-8260	**99.8**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 11:39:00 AM
CLIENT SAMPLE ID	MW-25S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	**4.8**	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 11:39:00 AM
CLIENT SAMPLE ID	MW-25S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/01/2015	RAL
Chromium	EPA-200.8	**10**	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	12/04/2015	DLC
Toluene-d8	EPA-8260	**99.0**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.9**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 11:50:00 AM
CLIENT SAMPLE ID	MW-26I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 11:50:00 AM
CLIENT SAMPLE ID	MW-26I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/01/2015	RAL
Chromium	EPA-200.8	**15**	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	12/04/2015	DLC
Toluene-d8	EPA-8260	**101**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 12:12:00 PM
CLIENT SAMPLE ID	MW-25I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 12:12:00 PM
CLIENT SAMPLE ID	MW-25I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/01/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	12/04/2015	DLC
Toluene-d8	EPA-8260	**99.4**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.9**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 12:40:00 PM
CLIENT SAMPLE ID	MW-10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	**3.6**	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**2.3**	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 12:40:00 PM
CLIENT SAMPLE ID	MW-10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/01/2015	RAL
Chromium	EPA-200.8	**8.6**	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	12/04/2015	DLC
Toluene-d8	EPA-8260	**99.7**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 1:06:00 PM
CLIENT SAMPLE ID	MW-10I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 1:06:00 PM
CLIENT SAMPLE ID	MW-10I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/01/2015	RAL
Chromium	EPA-200.8	**18**	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	12/04/2015	DLC
Toluene-d8	EPA-8260	**99.5**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 1:20:00 PM
CLIENT SAMPLE ID	MW-9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	**0.27**	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 1:20:00 PM
CLIENT SAMPLE ID	MW-9	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/01/2015	RAL
Chromium	EPA-200.8	**9.0**	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	12/04/2015	DLC
Toluene-d8	EPA-8260	**99.5**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**105**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 2:11:00 PM
CLIENT SAMPLE ID	SBW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**6.5**	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**510**	200	100	UG/L	12/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	**1900**	200	100	UG/L	12/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	**3.2**	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	**30**	20	10	UG/L	12/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 2:11:00 PM
CLIENT SAMPLE ID	SBW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	**180**	10	1	UG/L	12/01/2015	RAL
Chromium	EPA-200.8	**180**	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	12/04/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**101**	12/09/2015	DLC
1,2-Dichloroethane-d4 100X Dilution	EPA-8260	**99.6**	12/09/2015	DLC
Toluene-d8	EPA-8260	**97.7**	12/04/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**101**	12/09/2015	DLC
Toluene-d8 100X Dilution	EPA-8260	**99.0**	12/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	12/10/2015
		ALS JOB#:	EV15120009
		ALS SAMPLE#:	EV15120009-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015 2:11:00 PM
CLIENT SAMPLE ID	SBW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
4-Bromofluorobenzene 10X Dilution	EPA-8260	**102**	12/09/2015	DLC
4-Bromofluorobenzene 100X Dilution	EPA-8260	**104**	12/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015
CLIENT SAMPLE ID	DUP 1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/09/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015
CLIENT SAMPLE ID	DUP 1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/01/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**98.4**	12/09/2015	DLC
Toluene-d8	EPA-8260	**99.8**	12/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**107**	12/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015
CLIENT SAMPLE ID	Trip Blank	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120009 EV15120009-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/01/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/1/2015
CLIENT SAMPLE ID	Trip Blank	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	12/04/2015	DLC
Toluene-d8	EPA-8260	**99.2**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 12/10/2015
ALS SDG#: EV15120009
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-120315W - Batch 99515 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Chloromethane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Vinyl Chloride	EPA-8260	U	UG/L	0.20	12/03/2015	DLC
Bromomethane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Chloroethane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Carbon Tetrachloride	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Trichlorofluoromethane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Carbon Disulfide	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Acetone	EPA-8260	U	UG/L	25	12/03/2015	DLC
1,1-Dichloroethene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Methylene Chloride	EPA-8260	U	UG/L	5.0	12/03/2015	DLC
Acrylonitrile	EPA-8260	U	UG/L	10	12/03/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
1,1-Dichloroethane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
2-Butanone	EPA-8260	U	UG/L	10	12/03/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
2,2-Dichloropropane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Bromochloromethane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Chloroform	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
1,1-Dichloropropene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
1,2-Dichloroethane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Benzene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Trichloroethene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
1,2-Dichloropropane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Dibromomethane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Bromodichloromethane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	UG/L	10	12/03/2015	DLC
Toluene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
2-Hexanone	EPA-8260	U	UG/L	10	12/03/2015	DLC
1,3-Dichloropropane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Tetrachloroethylene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Dibromochloromethane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
1,2-Dibromoethane	EPA-8260	U	UG/L	0.010	12/03/2015	DLC
Chlorobenzene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 12/10/2015
ALS SDG#: EV15120009
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-120315W - Batch 99515 - Water by EPA-8260

1,1,1,2-Tetrachloroethane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Ethylbenzene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
m,p-Xylene	EPA-8260	U	UG/L	4.0	12/03/2015	DLC
Styrene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
o-Xylene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Bromoform	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Isopropylbenzene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Bromobenzene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
N-Propyl Benzene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
2-Chlorotoluene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
4-Chlorotoluene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
T-Butyl Benzene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
S-Butyl Benzene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
P-Isopropyltoluene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
N-Butylbenzene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	UG/L	10	12/03/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Hexachlorobutadiene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
Naphthalene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	UG/L	2.0	12/03/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-265814 - Batch R265814 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	UG/L	10	12/01/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-120215W - Batch 99453 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	UG/L	2.0	12/03/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 12/10/2015
ALS SDG#: EV15120009
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 99515 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**136**			12/03/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**125**	**8**		12/03/2015	DLC
Benzene - BS	EPA-8260	**125**			12/03/2015	DLC
Benzene - BSD	EPA-8260	**116**	**8**		12/03/2015	DLC
Trichloroethene - BS	EPA-8260	**120**			12/03/2015	DLC
Trichloroethene - BSD	EPA-8260	**111**	**8**		12/03/2015	DLC
Toluene - BS	EPA-8260	**119**			12/03/2015	DLC
Toluene - BSD	EPA-8260	**110**	**8**		12/03/2015	DLC
Chlorobenzene - BS	EPA-8260	**115**			12/03/2015	DLC
Chlorobenzene - BSD	EPA-8260	**109**	**6**		12/03/2015	DLC

ALS Test Batch ID: R265814 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**90.0**			12/01/2015	RAL
Chromium (VI) - BSD	EPA-7196	**90.0**	**0**		12/01/2015	RAL

ALS Test Batch ID: 99453 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**92.2**			12/03/2015	RAL
Chromium - BSD	EPA-200.8	**94.9**	**3**		12/03/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1512009

Date 12/1/15 Page 1 Of 2

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Busbee
ADDRESS: 1180 NW Maple St, Ste 310, Issaquah, WA 98027
PHONE: 425-395-0010 FAX:
P.O. #: 64001 E-MAIL: montyb@epi-nw.com
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium	OTHER (Specify): Hexavalent Chromium	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-28S	12/1/15	0901	W	1							X									X	X	3	
2. MW-12		0922		2							X									X	X	5	
3. SBW-4		0934		3							X									X	X	5	
4. MW-11		1001		4							X									X	X	5	
5. SBW-3		1019		5							X									X	X	5	
6. MW-27S		1045		6							X									X	X	5	
7. MW-26S		1125		7							X									X	X	5	
8. MW-25S		1139		8							X									X	X	5	
9. MW-26i		1150		9							X									X	X	5	
10. MW-25i	↓	1212	↓	10							X									X	X	5	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 12/1/15
   Received By: ALS, 12/1/15, 1415
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1S120009

Date 12/1/15 Page 2 Of 2

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Bushee
ADDRESS: 1180 NW Maple St, Ste 310, Issaquah, WA 98027
PHONE: 425-395-0010 FAX:
P.O. #: E-MAIL:
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify) Total Chromium	Hexavalent Chromium					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-10	12/1/15	1240	W	11							X									X	X					5	
2. MW-10i		1306		12							X									X	X					5	
3. MW-9		1320		13							X									X	X					5	
4. SBW-2		1411		14							X									X	X					5	
5. DUP 1		—		15							X									X	X					5	
6. TRIPBLANK				16							X															2	
7.																											
8.																											
9.																											
10.																											

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 12/1/15
   Received By: ALS, 12/1/15 1415
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

December 10, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On December 2nd, 20 samples were received by our laboratory and assigned our laboratory project number EV15120026. The project was identified as your 64001. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	12/10/2015
		ALS JOB#:	EV15120026
		ALS SAMPLE#:	EV15120026-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 7:19:00 AM
CLIENT SAMPLE ID	MW-8S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	**5.6**	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**2.9**	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**130**	40	20	UG/L	12/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	**490**	40	20	UG/L	12/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	**6.8**	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 7:19:00 AM
CLIENT SAMPLE ID	MW-8S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	**25**	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	12/04/2015	DLC
1,2-Dichloroethane-d4 20X Dilution	EPA-8260	**101**	12/09/2015	DLC
Toluene-d8	EPA-8260	**98.7**	12/04/2015	DLC
Toluene-d8 20X Dilution	EPA-8260	**99.0**	12/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	12/04/2015	DLC
4-Bromofluorobenzene 20X Dilution	EPA-8260	**105**	12/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	12/10/2015
		ALS JOB#:	EV15120026
		ALS SAMPLE#:	EV15120026-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 7:19:00 AM
CLIENT SAMPLE ID	MW-8S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 7:56:00 AM
CLIENT SAMPLE ID	MW-8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Vinyl Chloride	EPA-8260	**0.84**	0.20	1	UG/L	12/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/09/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 7:56:00 AM
CLIENT SAMPLE ID	MW-8	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	12/09/2015	DLC
Toluene-d8	EPA-8260	**102**	12/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	12/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 8:23:00 AM
CLIENT SAMPLE ID	MW-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	**4.9**	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 8:23:00 AM
CLIENT SAMPLE ID	MW-4	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	12/04/2015	DLC
Toluene-d8	EPA-8260	**99.9**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 8:46:00 AM
CLIENT SAMPLE ID	MW-07	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	**2.5**	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 8:46:00 AM
CLIENT SAMPLE ID	MW-07	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	12/04/2015	DLC
Toluene-d8	EPA-8260	**99.3**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**105**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 9:22:00 AM
CLIENT SAMPLE ID	MW-20S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	**3.5**	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**120**	50	25	UG/L	12/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	**860**	50	25	UG/L	12/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	**9.5**	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 9:22:00 AM
CLIENT SAMPLE ID	MW-20S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	**34**	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	12/04/2015	DLC
1,2-Dichloroethane-d4 25X Dilution	EPA-8260	**99.5**	12/09/2015	DLC
Toluene-d8	EPA-8260	**99.4**	12/04/2015	DLC
Toluene-d8 25X Dilution	EPA-8260	**99.9**	12/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	12/04/2015	DLC
4-Bromofluorobenzene 25X Dilution	EPA-8260	**99.3**	12/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 9:27:00 AM
CLIENT SAMPLE ID	MW-05I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/09/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 9:27:00 AM
CLIENT SAMPLE ID	MW-05I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	**3.5**	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	12/09/2015	DLC
Toluene-d8	EPA-8260	**101**	12/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**105**	12/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 9:50:00 AM
CLIENT SAMPLE ID	MW-20I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	**2.3**	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 9:50:00 AM
CLIENT SAMPLE ID	MW-20I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	12/04/2015	DLC
Toluene-d8	EPA-8260	**98.6**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**105**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 10:11:00 AM
CLIENT SAMPLE ID	MW-05S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**3.6**	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	**240**	20	10	UG/L	12/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	**4.2**	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 10:11:00 AM
CLIENT SAMPLE ID	MW-05S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	**38**	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	**36**	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	12/04/2015	DLC
1,2-Dichloroethane-d4 10X Dilution	EPA-8260	**101**	12/09/2015	DLC
Toluene-d8	EPA-8260	**97.9**	12/04/2015	DLC
Toluene-d8 10X Dilution	EPA-8260	**98.8**	12/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**105**	12/04/2015	DLC
4-Bromofluorobenzene 10X Dilution	EPA-8260	**99.7**	12/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 10:22:00 AM
CLIENT SAMPLE ID	MW-23I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/04/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 10:22:00 AM
CLIENT SAMPLE ID	MW-23I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/04/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/04/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	12/04/2015	DLC
Toluene-d8	EPA-8260	**100**	12/04/2015	DLC
4-Bromofluorobenzene	EPA-8260	**108**	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 10:55:00 AM
CLIENT SAMPLE ID	MW-23S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/05/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/05/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/05/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 10:55:00 AM
CLIENT SAMPLE ID	MW-23S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/05/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	12/05/2015	DLC
Toluene-d8	EPA-8260	**100**	12/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	12/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 11:05:00 AM
CLIENT SAMPLE ID	MW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/09/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 11:05:00 AM
CLIENT SAMPLE ID	MW-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	**56**	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**100**	12/09/2015	DLC
Toluene-d8	EPA-8260	**98.9**	12/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	12/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 11:42:00 AM
CLIENT SAMPLE ID	MW-5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/05/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/05/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/05/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 11:42:00 AM
CLIENT SAMPLE ID	MW-5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/05/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/03/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	12/05/2015	DLC
Toluene-d8	EPA-8260	**99.8**	12/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	12/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 11:57:00 AM
CLIENT SAMPLE ID	MW-22S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/05/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/05/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/05/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-13
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 11:57:00 AM
CLIENT SAMPLE ID	MW-22S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/05/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	12/05/2015	DLC
Toluene-d8	EPA-8260	**101**	12/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**106**	12/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 12:19:00 PM
CLIENT SAMPLE ID	MW-22I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/05/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/05/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/05/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-14
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 12:19:00 PM
CLIENT SAMPLE ID	MW-22I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/05/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	12/05/2015	DLC
Toluene-d8	EPA-8260	**100**	12/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	12/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 12:50:00 PM
CLIENT SAMPLE ID	MW-5B	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/05/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/05/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/05/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-15
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 12:50:00 PM
CLIENT SAMPLE ID	MW-5B	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/05/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	12/05/2015	DLC
Toluene-d8	EPA-8260	**98.1**	12/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	12/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 12:56:00 PM
CLIENT SAMPLE ID	MW-21S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trichloroethene	EPA-8260	**12**	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/09/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-16
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 12:56:00 PM
CLIENT SAMPLE ID	MW-21S	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**101**	12/09/2015	DLC
Toluene-d8	EPA-8260	**99.6**	12/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**107**	12/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 1:26:00 PM
CLIENT SAMPLE ID	SBW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/09/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/09/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/09/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	**10**	2.0	1	UG/L	12/09/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trichloroethene	EPA-8260	**11**	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/09/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-17
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 1:26:00 PM
CLIENT SAMPLE ID	SBW-1	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/09/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/09/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/09/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	**2.7**	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.9**	12/09/2015	DLC
Toluene-d8	EPA-8260	**99.2**	12/09/2015	DLC
4-Bromofluorobenzene	EPA-8260	**107**	12/09/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 1:26:00 PM
CLIENT SAMPLE ID	MW-21I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/05/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/05/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/05/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-18
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015 1:26:00 PM
CLIENT SAMPLE ID	MW-21I	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/05/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	12/05/2015	DLC
Toluene-d8	EPA-8260	**99.2**	12/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**107**	12/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-19
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015
CLIENT SAMPLE ID	DUP-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/05/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/05/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/05/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-19
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015
CLIENT SAMPLE ID	DUP-2	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/05/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chromium (VI)	EPA-7196	U	10	1	UG/L	12/02/2015	RAL
Chromium	EPA-200.8	U	2.0	1	UG/L	12/08/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	12/05/2015	DLC
Toluene-d8	EPA-8260	**100**	12/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**105**	12/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-20
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015
CLIENT SAMPLE ID	Trip Blank	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Vinyl Chloride	EPA-8260	U	0.20	1	UG/L	12/05/2015	DLC
Bromomethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Carbon Tetrachloride	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trichlorofluoromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Carbon Disulfide	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Acetone	EPA-8260	U	25	1	UG/L	12/05/2015	DLC
1,1-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Methylene Chloride	EPA-8260	U	5.0	1	UG/L	12/05/2015	DLC
Acrylonitrile	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Butanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromochloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Chloroform	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trichloroethene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Dibromomethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromodichloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
Toluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Hexanone	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
1,3-Dichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Tetrachloroethylene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Dibromochloromethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.010	1	UG/L	12/05/2015	DLC
Chlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15120026 EV15120026-20
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	12/02/2015
CLIENT PROJECT:	64001	COLLECTION DATE:	12/2/2015
CLIENT SAMPLE ID	Trip Blank	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1,1,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Ethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
m,p-Xylene	EPA-8260	U	4.0	1	UG/L	12/05/2015	DLC
Styrene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
o-Xylene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromoform	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Isopropylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Bromobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
N-Propyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
2-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
4-Chlorotoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
T-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
S-Butyl Benzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
P-Isopropyltoluene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
N-Butylbenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	10	1	UG/L	12/05/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Hexachlorobutadiene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
Naphthalene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	2.0	1	UG/L	12/05/2015	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	12/05/2015	DLC
Toluene-d8	EPA-8260	**98.4**	12/05/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	12/05/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 12/10/2015
ALS SDG#: EV15120026
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-120415W - Batch 99557 - Water by EPA-8260

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Chloromethane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Vinyl Chloride	EPA-8260	U	UG/L	0.20	12/04/2015	DLC
Bromomethane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Chloroethane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Carbon Tetrachloride	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Trichlorofluoromethane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Carbon Disulfide	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Acetone	EPA-8260	U	UG/L	25	12/04/2015	DLC
1,1-Dichloroethene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Methylene Chloride	EPA-8260	U	UG/L	5.0	12/04/2015	DLC
Acrylonitrile	EPA-8260	U	UG/L	10	12/04/2015	DLC
Methyl T-Butyl Ether	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
1,1-Dichloroethane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
2-Butanone	EPA-8260	U	UG/L	10	12/04/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
2,2-Dichloropropane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Bromochloromethane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Chloroform	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
1,1-Dichloropropene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
1,2-Dichloroethane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Benzene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Trichloroethene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
1,2-Dichloropropane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Dibromomethane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Bromodichloromethane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
4-Methyl-2-Pentanone	EPA-8260	U	UG/L	10	12/04/2015	DLC
Toluene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
2-Hexanone	EPA-8260	U	UG/L	10	12/04/2015	DLC
1,3-Dichloropropane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Tetrachloroethylene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Dibromochloromethane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
1,2-Dibromoethane	EPA-8260	U	UG/L	0.010	12/04/2015	DLC
Chlorobenzene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 12/10/2015
ALS SDG#: EV15120026
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-120415W - Batch 99557 - Water by EPA-8260

1,1,1,2-Tetrachloroethane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Ethylbenzene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
m,p-Xylene	EPA-8260	U	UG/L	4.0	12/04/2015	DLC
Styrene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
o-Xylene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Bromoform	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Isopropylbenzene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Bromobenzene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
N-Propyl Benzene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
2-Chlorotoluene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
4-Chlorotoluene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
T-Butyl Benzene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
S-Butyl Benzene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
P-Isopropyltoluene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
N-Butylbenzene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	UG/L	10	12/04/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Hexachlorobutadiene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
Naphthalene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	UG/L	2.0	12/04/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-265815 - Batch R265815 - Water by EPA-7196

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	UG/L	10	12/02/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-120315W - Batch 99480 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-200.8	U	UG/L	2.0	12/03/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: 64001

DATE: 12/10/2015
ALS SDG#: EV15120026
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 99557 - Water by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**134**			12/04/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**115**	**15**		12/04/2015	DLC
Benzene - BS	EPA-8260	**121**			12/04/2015	DLC
Benzene - BSD	EPA-8260	**108**	**11**		12/04/2015	DLC
Trichloroethene - BS	EPA-8260	**120**			12/04/2015	DLC
Trichloroethene - BSD	EPA-8260	**102**	**16**		12/04/2015	DLC
Toluene - BS	EPA-8260	**114**			12/04/2015	DLC
Toluene - BSD	EPA-8260	**98.5**	**15**		12/04/2015	DLC
Chlorobenzene - BS	EPA-8260	**111**			12/04/2015	DLC
Chlorobenzene - BSD	EPA-8260	**97.1**	**13**		12/04/2015	DLC

ALS Test Batch ID: R265815 - Water by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**108**			12/02/2015	RAL
Chromium (VI) - BSD	EPA-7196	**106**	**2**		12/02/2015	RAL

ALS Test Batch ID: 99480 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-200.8	**93.6**			12/03/2015	RAL
Chromium - BSD	EPA-200.8	**93.6**	**0**		12/03/2015	RAL

APPROVED BY

Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EV1512026

Date 12/2/15 Page 1 Of 3

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Busbee
ADDRESS: 1180 NW Maple St, Ste 310
Issaquah, WA 98027
PHONE: 425-395-0010 FAX:
P.O. #: E-MAIL:
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

OTHER (Specify)

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	Total chromium	Hexavalent Chromium						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-8s	12/2/15	7:19	W	1							X									X	X						5	
2. MW-8	12/2/15	7:56	W	2							X									X	X						5	
3. MW-4	12/2/15	08:23	W	3							X									X	X						5	
4. MW-07	12/2/15	08:46	W	4							X									X	X						5	
5. MW-20s	"	09:22	W	5							X									X	X						5	
6. MW-05I	"	09:27	"	6							X									X	X						5	
7. MW-20i	"	09:50	"	7							X									X	X						5	
8. MW-05s	"	10:11	"	8							X									X	X						5	
9. MW-23i	"	10:22	"	9							X									X	X						5	
10. MW-23s	↓	10:55	↓	10							X									X	X						5	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: Joe Sherrod, EPI, 12/2/15, 1400
Received By: [signature] ALS 12/2/15 1440
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis
10 (Standard) | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis
5 (Standard) | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV15120026

Date 12/2/15 Page 2 Of 3

PROJECT ID: 64oal
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Busbee
ADDRESS: 1180 NW Maple St., Ste 310
Issaquah, WA 98027
PHONE: 425-395-0010 FAX:
P.O. #: E-MAIL:
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium	OTHER (Specify): Hexavalent Chromium						NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. ~~MW-22s~~	~~12/2/15~~	~~1055~~	~~W~~								X									X	X						5	
2. MW-2	12/2/15	1105	W	11							X									X	X						5	
3. MW-5		11:42		12							X									X	X						5	
4. MW-22s		11:57		13							X									X	X						5	
5. MW-22i		1218		14							X									X	X						5	
6. MW-5B		12:50		15							X									X	X						5	
7. MW-21s		1256		16							X									X	X						5	
8. SBW-1		1326		17							X									X	X						5	
9. MW-21i		1326		18							X									X	X						5	
10. DUP2	↓	—	↓	19							X									X	X						5	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):
1. Relinquished By: Joe Shemet, EPI, 12/2/15, 1400
Received By: ALS 12/2/15 14:40
2. Relinquished By:
Received By:

TURNAROUND REQUESTED in Business Days*
Organic, Metals & Inorganic Analysis: 10 (Standard) 5 3 2 1 SAME DAY
Fuels & Hydrocarbon Analysis: 5 (Standard) 3 1 SAME DAY
OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EV1512026

Date 12/2/15 Page 3 Of 3

PROJECT ID: 64001
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Busbee
ADDRESS: 1180 NW Maple St, Ste 310
Issaquah, WA 98027
PHONE: 425-395-0010 FAX:
P.O. #: E-MAIL:
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Total Chromium	OTHER (Specify): Hexavalent Chromium					NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. Tripblank	12/2/15	—	W	20							X									X	X					2	
2.																											
3.																											
4.																											
5.																											
6.																											
7.																											
8.																											
9.																											
10.																											

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: Joe Sherrod, EPI 12/2/15, 1400
   Received By: [signature] ALS 12/2/15, 14:40
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: 10 Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: 5 Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

December 10, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On November 24th, 8 samples were received by our laboratory and assigned our laboratory project number EV15110189. The project was identified as your Washington Industries. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group



Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	12/10/2015
		ALS JOB#:	EV15110189
		ALS SAMPLE#:	EV15110189-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/24/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/23/2015 12:20:00 PM
CLIENT SAMPLE ID	MW-7ir:40	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	12/01/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	12/01/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15110189 EV15110189-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/24/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/23/2015 12:20:00 PM
CLIENT SAMPLE ID	MW-7ir:40	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	12/01/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	12/04/2015	RAL
Chromium	EPA-6020	**56**	0.50	5	MG/KG	12/09/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**107**	12/01/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	12/01/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15110189 EV15110189-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/24/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/23/2015 1:00:00 PM
CLIENT SAMPLE ID	MW-7ir:45	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	12/01/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	12/01/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15110189 EV15110189-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/24/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/23/2015 1:00:00 PM
CLIENT SAMPLE ID	MW-7ir:45	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	12/01/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**103**	12/01/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	12/01/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15110189 EV15110189-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/24/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/23/2015 1:10:00 PM
CLIENT SAMPLE ID	MW-7ir:50	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	12/01/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	12/01/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	12/10/2015
		ALS JOB#:	EV15110189
		ALS SAMPLE#:	EV15110189-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/24/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/23/2015 1:10:00 PM
CLIENT SAMPLE ID	MW-7ir:50	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	12/01/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	12/01/2015	DLC
4-Bromofluorobenzene	EPA-8260	**102**	12/01/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15110189 EV15110189-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/24/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/23/2015 1:20:00 PM
CLIENT SAMPLE ID	MW-7ir:55	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	12/01/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	12/01/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15110189 EV15110189-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/24/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/23/2015 1:20:00 PM
CLIENT SAMPLE ID	MW-7ir:55	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	12/01/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/01/2015	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	12/01/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	12/01/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15110189 EV15110189-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/24/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/23/2015 1:30:00 PM
CLIENT SAMPLE ID	MW-7ir:60	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	12/02/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	12/02/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	12/10/2015
		ALS JOB#:	EV15110189
		ALS SAMPLE#:	EV15110189-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/24/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/23/2015 1:30:00 PM
CLIENT SAMPLE ID	MW-7ir:60	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	12/02/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**108**	12/02/2015	DLC
4-Bromofluorobenzene	EPA-8260	**106**	12/02/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15110189 EV15110189-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/24/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/23/2015 1:45:00 PM
CLIENT SAMPLE ID	MW-7ir:70	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	12/02/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	12/02/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	12/10/2015
		ALS JOB#:	EV15110189
		ALS SAMPLE#:	EV15110189-06
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/24/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/23/2015 1:45:00 PM
CLIENT SAMPLE ID	MW-7ir:70	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	12/02/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**109**	12/02/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	12/02/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15110189 EV15110189-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/24/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/23/2015 2:00:00 PM
CLIENT SAMPLE ID	MW-7ir:80	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	12/02/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	12/02/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15110189 EV15110189-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/24/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/23/2015 2:00:00 PM
CLIENT SAMPLE ID	MW-7ir:80	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	12/02/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**106**	12/02/2015	DLC
4-Bromofluorobenzene	EPA-8260	**108**	12/02/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/10/2015 EV15110189 EV15110189-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/24/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/23/2015 2:30:00 PM
CLIENT SAMPLE ID	MW-7ir:90	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	12/02/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	12/02/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	12/10/2015
		ALS JOB#:	EV15110189
		ALS SAMPLE#:	EV15110189-08
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/24/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/23/2015 2:30:00 PM
CLIENT SAMPLE ID	MW-7ir:90	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	12/02/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	12/02/2015	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**102**	12/02/2015	DLC
4-Bromofluorobenzene	EPA-8260	**104**	12/02/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: Washington Industries

DATE: 12/10/2015
ALS SDG#: EV15110189
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-120115S - Batch 99446 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Chloromethane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Vinyl Chloride	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Bromomethane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Chloroethane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Carbon Tetrachloride	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Trichlorofluoromethane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
1,1-Dichloroethene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Methylene Chloride	EPA-8260	U	MG/KG	0.020	12/01/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
1,1-Dichloroethane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
2,2-Dichloropropane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Bromochloromethane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Chloroform	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
1,1-Dichloropropene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
1,2-Dichloroethane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Trichloroethene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
1,2-Dichloropropane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Dibromomethane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Bromodichloromethane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Toluene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
1,3-Dichloropropane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Tetrachloroethylene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Dibromochloromethane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
1,2-Dibromoethane	EPA-8260	U	MG/KG	0.0050	12/01/2015	DLC
Chlorobenzene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Bromoform	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Bromobenzene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
2-Chlorotoluene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
4-Chlorotoluene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027
CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: Washington Industries

DATE: 12/10/2015
ALS SDG#: EV15110189
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-120115S - Batch 99446 - Soil by EPA-8260

1,4-Dichlorobenzene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	MG/KG	0.050	12/01/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
Hexachlorobutadiene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	MG/KG	0.010	12/01/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-266002 - Batch R266002 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	MG/KG	5.0	12/04/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-120915S - Batch 99668 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	MG/KG	0.10	12/09/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS SDG#: WDOE ACCREDITATION:	12/10/2015 EV15110189 C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	Washington Industries		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 99446 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**101**			12/01/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**104**	**3**		12/01/2015	DLC
Trichloroethene - BS	EPA-8260	**112**			12/01/2015	DLC
Trichloroethene - BSD	EPA-8260	**110**	**2**		12/01/2015	DLC
Toluene - BS	EPA-8260	**109**			12/01/2015	DLC
Toluene - BSD	EPA-8260	**108**	**1**		12/01/2015	DLC
Chlorobenzene - BS	EPA-8260	**104**			12/01/2015	DLC
Chlorobenzene - BSD	EPA-8260	**104**	**1**		12/01/2015	DLC

ALS Test Batch ID: R266002 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**109**			12/04/2015	RAL
Chromium (VI) - BSD	EPA-7196	**110**	**1**		12/04/2015	RAL

ALS Test Batch ID: 99668 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**106**			12/09/2015	RAL
Chromium - BSD	EPA-6020	**109**	**3**		12/09/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV151 0189

Date 11/23/15 Page 1 Of 1

PROJECT ID: Washington Industries
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Bosben
ADDRESS: 1150 NW Maple St. Ste. 310
Issaquah, WA 98027
PHONE: FAX:
P.O. #: 64001 E-MAIL:
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#
1. MW-7r:40	11/23/15	1220	Soil	1
2. MW-7r: 45		1300		2
3. MW-7r: 50		1310		3
4. MW-7r: 55		1320		4
5. MW-7r: 60		1330		5
6. MW-7r: 70		1345		6
7. MW-7r: 80		1400		7
8. MW-7r: 90		1430		8
9.				
10.				

ANALYSIS REQUESTED

NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐
					X	~~X~~								
					X									
					X									
					X									
					X									
					X									
					X									
					X									

OTHER (Specify): Total Cr; Cr VI

NUMBER OF CONTAINERS	RECEIVED IN CONDITION?
4	
4	
4	
4	
4	
4	
4	
4	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI 11/23/15 1800
   Received By: ALS, 11/24/15, 2:06
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: ~~5~~ Standard | 3 | 1 | SAME DAY

OTHER:
Specify:

*Turnaround request less than standard may incur Rush Charges

December 8, 2015

Mr. Monty Busbee
Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

Dear Mr. Busbee,

On November 20th, 12 samples were received by our laboratory and assigned our laboratory project number EV15110158. The project was identified as your Washington Industries. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group



Rick Bagan
Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/19/2015 2:00:00 PM
CLIENT SAMPLE ID	MW-15d:40	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	11/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	11/24/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-01
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/19/2015 2:00:00 PM
CLIENT SAMPLE ID	MW-15d:40	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	11/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	12/04/2015	RAL
Chromium	EPA-6020	**53**	0.50	5	MG/KG	11/25/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**105**	11/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**103**	11/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/19/2015 2:20:00 PM
CLIENT SAMPLE ID	MW-15d:45	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	11/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	11/24/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-02
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/19/2015 2:20:00 PM
CLIENT SAMPLE ID	MW-15d:45	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	11/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	12/04/2015	RAL
Chromium	EPA-6020	**46**	0.50	5	MG/KG	11/25/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**108**	11/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.4**	11/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/19/2015 2:30:00 PM
CLIENT SAMPLE ID	MW-15d:50	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	11/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	11/24/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-03
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/19/2015 2:30:00 PM
CLIENT SAMPLE ID	MW-15d:50	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	11/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	12/04/2015	RAL
Chromium	EPA-6020	**54**	0.50	5	MG/KG	11/25/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**110**	11/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**106**	11/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/19/2015 3:15:00 PM
CLIENT SAMPLE ID	MW-15d:55	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	11/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	11/24/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-04
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/19/2015 3:15:00 PM
CLIENT SAMPLE ID	MW-15d:55	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	11/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	12/04/2015	RAL
Chromium	EPA-6020	**85**	0.50	5	MG/KG	11/25/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**110**	11/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**109**	11/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/19/2015 3:30:00 PM
CLIENT SAMPLE ID	MW-15d:60	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	11/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	11/24/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	12/8/2015
		ALS JOB#:	EV15110158
		ALS SAMPLE#:	EV15110158-05
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/19/2015 3:30:00 PM
CLIENT SAMPLE ID	MW-15d:60	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	11/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	12/04/2015	RAL
Chromium	EPA-6020	**72**	0.50	5	MG/KG	11/25/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**113**	11/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**111**	11/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/19/2015 4:30:00 PM
CLIENT SAMPLE ID	MW-15d:70	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	11/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	11/24/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-07
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/19/2015 4:30:00 PM
CLIENT SAMPLE ID	MW-15d:70	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	11/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	12/04/2015	RAL
Chromium	EPA-6020	**72**	0.50	5	MG/KG	11/25/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	11/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**108**	11/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/20/2015 9:30:00 AM
CLIENT SAMPLE ID	MW-15d:80	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	11/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	11/24/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-09
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/20/2015 9:30:00 AM
CLIENT SAMPLE ID	MW-15d:80	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	11/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	12/04/2015	RAL
Chromium	EPA-6020	**90**	0.50	5	MG/KG	11/25/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**104**	11/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**105**	11/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/20/2015 9:40:00 AM
CLIENT SAMPLE ID	MW-15d:90	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	11/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	11/24/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-10
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/20/2015 9:40:00 AM
CLIENT SAMPLE ID	MW-15d:90	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	11/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	12/04/2015	RAL
Chromium	EPA-6020	**54**	0.50	5	MG/KG	11/25/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.4**	11/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**106**	11/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/20/2015 1:00:00 PM
CLIENT SAMPLE ID	MW-4i:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	11/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	11/24/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	12/8/2015
		ALS JOB#:	EV15110158
		ALS SAMPLE#:	EV15110158-11
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/20/2015 1:00:00 PM
CLIENT SAMPLE ID	MW-4i:5	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	11/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	12/04/2015	RAL
Chromium	EPA-6020	**8.2**	0.50	5	MG/KG	11/25/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**99.6**	11/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**101**	11/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE: ALS JOB#: ALS SAMPLE#:	12/8/2015 EV15110158 EV15110158-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/20/2015 1:15:00 PM
CLIENT SAMPLE ID	MW-4i:10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Vinyl Chloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Carbon Tetrachloride	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichlorofluoromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Methylene Chloride	EPA-8260	U	0.020	1	MG/KG	11/24/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chloroform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trichloroethene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromomethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromodichloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Tetrachloroethylene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Dibromochloromethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromoethane	EPA-8260	U	0.0050	1	MG/KG	11/24/2015	DLC
Chlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromoform	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Bromobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
2-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
4-Chlorotoluene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,4-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	12/8/2015
		ALS JOB#:	EV15110158
		ALS SAMPLE#:	EV15110158-12
CLIENT CONTACT:	Monty Busbee	DATE RECEIVED:	11/20/2015
CLIENT PROJECT:	Washington Industries	COLLECTION DATE:	11/20/2015 1:15:00 PM
CLIENT SAMPLE ID	MW-4i:10	WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,2-Dichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	0.050	1	MG/KG	11/24/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Hexachlorobutadiene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	0.010	1	MG/KG	11/24/2015	DLC
Chromium (VI)	EPA-7196	U	5.0	1	MG/KG	12/04/2015	RAL
Chromium	EPA-6020	**26**	0.50	5	MG/KG	11/25/2015	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
1,2-Dichloroethane-d4	EPA-8260	**95.2**	11/24/2015	DLC
4-Bromofluorobenzene	EPA-8260	**99.3**	11/24/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027

CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: Washington Industries

DATE: 12/8/2015
ALS SDG#: EV15110158
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-112315S - Batch 99318 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Chloromethane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Vinyl Chloride	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Bromomethane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Chloroethane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Carbon Tetrachloride	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Trichlorofluoromethane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
1,1-Dichloroethene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Methylene Chloride	EPA-8260	U	MG/KG	0.020	11/23/2015	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
1,1-Dichloroethane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
2,2-Dichloropropane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Bromochloromethane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Chloroform	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
1,1,1-Trichloroethane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
1,1-Dichloropropene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
1,2-Dichloroethane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Trichloroethene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
1,2-Dichloropropane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Dibromomethane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Bromodichloromethane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Toluene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
1,1,2-Trichloroethane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
1,3-Dichloropropane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Tetrachloroethylene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Dibromochloromethane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
1,2-Dibromoethane	EPA-8260	U	MG/KG	0.0050	11/23/2015	DLC
Chlorobenzene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Bromoform	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
1,2,3-Trichloropropane	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Bromobenzene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
2-Chlorotoluene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
4-Chlorotoluene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
1,3-Dichlorobenzene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Environmental Partners, Inc.
1180 NW Maple St, Suite 310
Issaquah, WA 98027
CLIENT CONTACT: Monty Busbee
CLIENT PROJECT: Washington Industries

DATE: 12/8/2015
ALS SDG#: EV15110158
WDOE ACCREDITATION: C601

LABORATORY BLANK RESULTS

MB-112315S - Batch 99318 - Soil by EPA-8260

1,4-Dichlorobenzene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
1,2-Dichlorobenzene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	MG/KG	0.050	11/23/2015	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
Hexachlorobutadiene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	MG/KG	0.010	11/23/2015	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MBLK-266002 - Batch R266002 - Soil by EPA-7196

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium (VI)	EPA-7196	U	MG/KG	5.0	12/04/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

MB-112415S - Batch 99291 - Soil by EPA-6020

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Chromium	EPA-6020	U	MG/KG	0.10	11/25/2015	RAL

U - Analyte analyzed for but not detected at level above reporting limit.

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

CERTIFICATE OF ANALYSIS

CLIENT:	Environmental Partners, Inc. 1180 NW Maple St, Suite 310 Issaquah, WA 98027	DATE:	12/8/2015
		ALS SDG#:	EV15110158
		WDOE ACCREDITATION:	C601
CLIENT CONTACT:	Monty Busbee		
CLIENT PROJECT:	Washington Industries		

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 99318 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	**93.9**			11/23/2015	DLC
1,1-Dichloroethene - BSD	EPA-8260	**95.2**	**1**		11/23/2015	DLC
Trichloroethene - BS	EPA-8260	**99.1**			11/23/2015	DLC
Trichloroethene - BSD	EPA-8260	**99.1**	**0**		11/23/2015	DLC
Toluene - BS	EPA-8260	**92.3**			11/23/2015	DLC
Toluene - BSD	EPA-8260	**92.1**	**0**		11/23/2015	DLC
Chlorobenzene - BS	EPA-8260	**96.4**			11/23/2015	DLC
Chlorobenzene - BSD	EPA-8260	**94.8**	**2**		11/23/2015	DLC

ALS Test Batch ID: R266002 - Soil by EPA-7196

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium (VI) - BS	EPA-7196	**109**			12/04/2015	RAL
Chromium (VI) - BSD	EPA-7196	**110**	**1**		12/04/2015	RAL

ALS Test Batch ID: 99291 - Soil by EPA-6020

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Chromium - BS	EPA-6020	**95.4**			11/25/2015	RAL
Chromium - BSD	EPA-6020	**97.3**	**2**		11/25/2015	RAL

APPROVED BY



Laboratory Director

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626
ALS Group USA, Corp dba ALS Environmental

Environmental www.alsglobal.com
RIGHT SOLUTIONS RIGHT PARTNER

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1511O158

Date 11/18/15 Page 1 Of 2

PROJECT ID: Washington Industries
REPORT TO COMPANY: EPI
PROJECT MANAGER: Monty Barbee
ADDRESS: 1180 NW Maple St. Ste 310
Issaquah WA
PHONE: FAX:
P.O. #: 64001.3 E-MAIL: Mbarbee@epi-wa.com
INVOICE TO COMPANY: EPI
ATTENTION:
ADDRESS:

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐	OTHER (Specify): Cr VI	OTHER (Specify): total Cr	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-15d:40	11/19/15	1400	Soil	1						X										X	X	4	
2. MW-15d:45	11/19/15	1420		2						X										X	X	4	
3. MW-15d:50		1430		3						X										X	X	4	
4. MW-15d:55		1515		4						X										X	X	4	
5. MW-15d:60		1530		5						X										X	X	4	
6. MW-15d:65		1615		6						Archive													
7. MW-15d:70		1630		7						X										X	X	4	
8. MW-15d:75		1645		8						Archive													
9. MW-15d:80	11/20/15	0930		9						X										X	X		
10. MW-15d:90		0940		10						X										X	X		

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: EPI, 11/19/15, 1355
   Received By: Patti, ALS, 11-20-15, 1:55
2. Relinquished By:
   Received By:

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: (10) Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: (5) Standard | 3 | 1 | SAME DAY

OTHER: Specify:

*Turnaround request less than standard may incur Rush Charges

ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only): EV1511015 8

Date 11/20/15 Page 2 Of 2

PROJECT ID: Washington Industries
REPORT TO COMPANY: EPI
PROJECT MANAGER: M. Busbee
ADDRESS:
PHONE: FAX:
P.O. #: E-MAIL:
INVOICE TO COMPANY:
ATTENTION:
ADDRESS:

SAMPLE I.D.	DATE	TIME	TYPE	LAB#
1. MW-4i:5	11/20/15	1300	Soil	11
2. MW-4i:10	"	1315	"	12
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				

ANALYSIS REQUESTED

NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 ☐ EPA-8260 ☐	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM ☐	PCB ☐ Pesticides ☐ by EPA 8081/8082	Metals-MTCA-5 ☐ RCRA-8 ☐ Pri Pol ☐ TAL ☐	Metals Other (Specify)	TCLP-Metals ☐ VOA ☐ Semi-Vol ☐ Pest ☐ Herbs ☐
					X									
					X									

OTHER (Specify): total Cr; Cr VI

NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
2	
2	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: _____ EPI, 11/20/15, 1355
   Received By: Paul Zaz, ALS, 11-20-15, 1:55
2. Relinquished By: _____
   Received By: _____

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis: ~~10~~ Standard | 5 | 3 | 2 | 1 | SAME DAY

Fuels & Hydrocarbon Analysis: ~~5~~ Standard | 3 | 1 | SAME DAY

OTHER: Specify: _____

*Turnaround request less than standard may incur Rush Charges

Attachment D
Conceptual Site Model

Primary Sources	Contaminants of Potential Concern	Media of Concern	Transport Mechanisms	Exposure Media	Exposure Pathway	Current (C) and Potential Future (F) Receptors: Commercial Industrial	Construction Worker	Residential/ Recreational	TEE Receptors
Historic On-Site Plating and Degreasing Operations	HVOCS AND METALS [X] Adsorbed onto soil [X] Dissolved in water [ ] Non-aqueous phase	[X] Surface Soil (0–2 feet bgs)	[x] Direct release to soil [ ] Migration to subsurface soil [ ] Migration to groundwater [ ] Volatilization [ ] Runoff or erosion [ ] Utake by plant or animal [ ] Other (list) _____	[X] Soil	[X] Ingestion	C/F	C/F		
					[X] Dermal Exposure	C/F	C/F		
		[X] Soil (> 2 feet bgs)	[ ] Direct release to soil [ ] Migration to groundwater [ ] Volatilization [ ] Other (list) _____	[X] Groundwater	[ ] Ingestion				
					[X] Dermal Exposure		C/F		
		[X] Groundwater	[ ] Release to groundwater [ ] Volatilization [ ] Future migration to surface water [ ] Future migration to sediment [ ] Uptake by plant or animal [ ] Other (list) _____	[ ] Air	[ ] Inhalation				
		[ ] Surface Water	[ ] Release to surface water [ ] Volatilization [ ] Sedimentation [ ] Uptake by plant or animal [ ] Other (list) _____	[ ] Surface Water	[ ] Ingestion				
					[ ] Dermal Contact				
		[ ] Sediment	[ ] Release to surface water [ ] Resuspension or erosion [ ] Uptake by plant or animal [ ] Other (list) _____	[ ] Sediment	[ ] Ingestion				
					[ ] Dermal Contact				
				[X] Indoor Air	[X] Inhalation	C/F	C/F		

NOTES:
bgs = below ground surface

ATTACHMENT D
CONCEPTUAL SITE MODEL

PREPARED BY	ENVIRONMENTAL PARTNERS INC		
REPORT	REMEDIAL INVESTIGATION REPORT		
LOCATION	825 SOUTH DAKOTA STREET AND 812 AND 820 SOUTH ADAMS STREET SEATTLE, WASHINGTON		
PREPARED FOR	WASHINGTON INDUSTRIES, INC		
DATE 04/14/16	***DRAWN BY*** ***SPT***	***REVIEWED BY*** TCM	***PROJECT NUMBER*** 64001.3