



WASTE MATERIAL PROFILE SHEET

Clean Harbors Profile No. CH1323849

A. GENERAL INFORMATION

GENERATOR EPA ID #/REGISTRATION # **NONEREQUIRED** GENERATOR NAME: **Washington State Department Of Ecology**
 GENERATOR CODE (Assigned by Clean Harbors) **WA42263** CITY **Seattle** STATE/PROVINCE **WA** ZIP/POSTAL CODE **98112**
 ADDRESS **2350 24th Ave E**
 CUSTOMER CODE (Assigned by Clean Harbors) **CA59174** CUSTOMER NAME: **Cascade Drilling**
 ADDRESS **17270 Woodinville-Redmond Rd Bldg A Ste 777** CITY **Woodinville** STATE/PROVINCE **WA** ZIP/POSTAL CODE **98072**
 PHONE:

B. WASTE DESCRIPTION

WASTE DESCRIPTION: **Non Hazardous Waste Liquid**

PROCESS GENERATING WASTE: **Investigation Derived Waste from a former gas station**

IS THIS WASTE CONTAINED IN SMALL PACKAGING CONTAINED WITHIN A LARGER SHIPPING CONTAINER? **No**

C. PHYSICAL PROPERTIES (at 25C or 77F)

PHYSICAL STATE SOLID WITHOUT FREE LIQUID POWDER MONOLITHIC SOLID <input checked="" type="checkbox"/> LIQUID WITH NO SOLIDS <input type="checkbox"/> LIQUID/SOLID MIXTURE % FREE LIQUID 95.00 - 100.00 % SETTLED SOLID 0.00 - 5.00 % TOTAL SUSPENDED SOLID SLUDGE GAS/AEROSOL	NUMBER OF PHASES/LAYERS 1 <input checked="" type="checkbox"/> 2 3 TOP 95.00 % BY VOLUME (Approx.) MIDDLE 0.00 BOTTOM 5.00		VISCOSITY (If liquid present) <input checked="" type="checkbox"/> 1 - 100 (e.g. Water) 101 - 500 (e.g. Motor Oil) 501 - 10,000 (e.g. Molasses) > 10,000	COLOR Brown
	ODOR NONE <input checked="" type="checkbox"/> MILD STRONG Describe:	BOILING POINT °F (°C) <= 95 (<=35) 95 - 100 (35-38) 101 - 129 (38-54) <input checked="" type="checkbox"/> >= 130 (>54)		
FLASH POINT °F (°C) < 73 (<23) 73 - 100 (23-38) 101 - 140 (38-60) 141 - 200 (60-93) <input checked="" type="checkbox"/> > 200 (>93)	pH <= 2 2.1 - 6.9 <input checked="" type="checkbox"/> 7 (Neutral) 7.1 - 12.4 >= 12.5	SPECIFIC GRAVITY < 0.8 (e.g. Gasoline) 0.8-1.0 (e.g. Ethanol) <input checked="" type="checkbox"/> 1.0 (e.g. Water) 1.0-1.2 (e.g. Antifreeze) > 1.2 (e.g. Methylene Chloride)	ASH <input checked="" type="checkbox"/> < 0.1 > 20 0.1 - 1.0 Unknown 1.1 - 5.0 5.1 - 20.0	BTU/LB (MJ/kg) <input checked="" type="checkbox"/> < 2,000 (<4.6) 2,000-5,000 (4.6-11.6) 5,000-10,000 (11.6-23.2) > 10,000 (>23.2) Actual:

D. COMPOSITION (List the complete composition of the waste, include any inert components and/or debris. Ranges for individual components are acceptable. If a trade name is used, please supply an MSDS. Please do not use abbreviations.)

CHEMICAL	MIN	MAX	UOM
BENZENE	0.000000	1.700000	PPM
ETHYLBENZENE	0.000000	1.700000	PPM
GASOLINE RANGE HYDROCARBONS	0.000000	57.000000	PPM
SEDIMENT	0.000000	5.000000	%
TOLUENE	0.000000	3.300000	PPM
WATER	95.000000	100.000000	%
XYLENE	0.000000	6.600000	PPM

DOES THIS WASTE CONTAIN ANY HEAVY GAUGE METAL DEBRIS OR OTHER LARGE OBJECTS (EX., METAL PLATE OR PIPING >1/4" THICK OR >12" LONG, METAL REINFORCED HOSE >12" LONG, METAL WIRE >12" LONG, METAL VALVES, PIPE FITTINGS, CONCRETE REINFORCING BAR OR PIECES OF CONCRETE >3")? YES NO

If yes, describe, including dimensions:

DOES THIS WASTE CONTAIN ANY METALS IN POWDERED OR OTHER FINELY DIVIDED FORM? YES NO

DOES THIS WASTE CONTAIN OR HAS IT CONTACTED ANY OF THE FOLLOWING; ANIMAL WASTES, HUMAN BLOOD, BLOOD PRODUCTS, BODY FLUIDS, MICROBIOLOGICAL WASTE, PATHOLOGICAL WASTE, HUMAN OR ANIMAL DERIVED SERUMS OR PROTEINS OR ANY OTHER POTENTIALLY INFECTIOUS MATERIAL? YES NO

I acknowledge that this waste material is neither infectious nor does it contain any organism known to be a threat to human health. This certification is based on my knowledge of the material. Select the answer below that applies:

The waste was never exposed to potentially infectious material. YES NO

Chemical disinfection or some other form of sterilization has been applied to the waste. YES NO

I ACKNOWLEDGE THAT THIS PROFILE MEETS THE CLEAN HARBORS BATTERY PACKAGING REQUIREMENTS. YES NO

I ACKNOWLEDGE THAT MY FRIABLE ASBESTOS WASTE IS DOUBLE BAGGED AND WETTED. YES NO

SPECIFY THE SOURCE CODE ASSOCIATED WITH THE WASTE.

G45

SPECIFY THE FORM CODE ASSOCIATED WITH THE WASTE. W219



E. CONSTITUENTS

Are these values based on testing or knowledge? Knowledge Testing

If constituent concentrations are based on analytical testing, analysis must be provided. Please attach document(s) using the link on the Submit tab.

Please indicate which constituents below apply. Concentrations must be entered when applicable to assist in accurate review and expedited approval of your waste profile. Please note that the total regulated metals and other constituents sections require answers.

RCRA	REGULATED METALS	REGULATORY LEVEL (mg/l)	TCLP mg/l	TOTAL	UOM	NOT APPLICABLE	
D004	ARSENIC	5.0				<input checked="" type="checkbox"/>	
D005	BARIUM	100.0				<input checked="" type="checkbox"/>	
D006	CADMIUM	1.0				<input checked="" type="checkbox"/>	
D007	CHROMIUM	5.0				<input checked="" type="checkbox"/>	
D008	LEAD	5.0				<input checked="" type="checkbox"/>	
D009	MERCURY	0.2				<input checked="" type="checkbox"/>	
D010	SELENIUM	1.0				<input checked="" type="checkbox"/>	
D011	SILVER	5.0				<input checked="" type="checkbox"/>	
	VOLATILE COMPOUNDS			OTHER CONSTITUENTS	MAX	UOM	NOT APPLICABLE
D018	BENZENE	0.5	1.7000	BROMINE			<input checked="" type="checkbox"/>
D019	CARBON TETRACHLORIDE	0.5		CHLORINE			<input checked="" type="checkbox"/>
D021	CHLOROBENZENE	100.0		FLUORINE			<input checked="" type="checkbox"/>
D022	CHLOROFORM	6.0		IODINE			<input checked="" type="checkbox"/>
D028	1,2-DICHLOROETHANE	0.5		SULFUR			<input checked="" type="checkbox"/>
D029	1,1-DICHLOROETHYLENE	0.7		POTASSIUM			<input checked="" type="checkbox"/>
D035	METHYL ETHYL KETONE	200.0		SODIUM			<input checked="" type="checkbox"/>
D039	TETRACHLOROETHYLENE	0.7		AMMONIA			<input checked="" type="checkbox"/>
D040	TRICHLOROETHYLENE	0.5		CYANIDE AMENABLE			<input checked="" type="checkbox"/>
D043	VINYL CHLORIDE	0.2		CYANIDE REACTIVE			<input checked="" type="checkbox"/>
	SEMI-VOLATILE COMPOUNDS			CYANIDE TOTAL			<input checked="" type="checkbox"/>
D023	o-CRESOL	200.0		SULFIDE REACTIVE			<input checked="" type="checkbox"/>
D024	m-CRESOL	200.0					
D025	p-CRESOL	200.0					
D026	CRESOL (TOTAL)	200.0					
D027	1,4-DICHLOROBENZENE	7.5					
D030	2,4-DINITROTOLUENE	0.13					
D032	HEXACHLOROBENZENE	0.13					
D033	HEXACHLOROBUTADIENE	0.5					
D034	HEXACHLOROETHANE	3.0					
D036	NITROBENZENE	2.0					
D037	PENTACHLOROPHENOL	100.0					
D038	PYRIDINE	5.0					
D041	2,4,5-TRICHLOROPHENOL	400.0					
D042	2,4,6-TRICHLOROPHENOL	2.0					
	PESTICIDES AND HERBICIDES			HOCs			
D012	ENDRIN	0.02		<input checked="" type="checkbox"/> NONE			
D013	LINDANE	0.4		< 1000 PPM			
D014	METHOXYCHLOR	10.0		>= 1000 PPM			
D015	TOXAPHENE	0.5					
D016	2,4-D	10.0					
D017	2,4,5-TP (SILVEX)	1.0					
D020	CHLORDANE	0.03					
D031	HEPTACHLOR (AND ITS EPOXIDE)	0.008					
	ADDITIONAL HAZARDS			PCBs			
	DOES THIS WASTE HAVE ANY UNDISCLOSED HAZARDS OR PRIOR INCIDENTS ASSOCIATED WITH IT, WHICH COULD AFFECT THE WAY IT SHOULD BE HANDLED?			<input checked="" type="checkbox"/> NONE			
				< 50 PPM			
				>= 50 PPM			
				IF PCBs ARE PRESENT, IS THE WASTE REGULATED BY TSCA 40 CFR 761?			
				YES	<input checked="" type="checkbox"/>	NO	

DOES THIS WASTE HAVE ANY UNDISCLOSED HAZARDS OR PRIOR INCIDENTS ASSOCIATED WITH IT, WHICH COULD AFFECT THE WAY IT SHOULD BE HANDLED?

YES NO (If yes, explain) Waste would otherwise be D018, but falls under exemption 40cfr part 261.4(b)(10) for underground storage tank waste.



Clean Harbors Profile No. CH1323849

F. REGULATORY STATUS

Form with multiple questions regarding regulatory status, including USEPA hazardous waste, state codes, Canadian codes, and CERCLA regulations. Includes checkboxes for 'YES' and 'NO' and text input fields for waste codes and exemptions.

G. DOT/TDG INFORMATION

DOT/TDG PROPER SHIPPING NAME:

NON DOT REGULATED MATERIAL

H. TRANSPORTATION REQUIREMENTS

Form for transportation requirements including shipment frequency (ONE TIME, WEEKLY, MONTHLY, QUARTERLY, YEARLY, OTHER), containerization (CONTAINERIZED, BULK LIQUID, BULK SOLID), and container types (DRUM, TOTE TANK, etc.).

I. SPECIAL REQUEST

COMMENTS OR REQUESTS: Waste is exempt per 40 cfr par 261.4 (b)(10)- Underground Storage tank exemption. Please process as CBP.

GENERATOR'S CERTIFICATION

I certify that I am authorized to execute this document as an authorized agent. I hereby certify that all information submitted in this and attached documents is correct to the best of my knowledge. I also certify that any samples submitted are representative of the actual waste.

AUTHORIZED SIGNATURE: Dale Myers; NAME (PRINT): DALE MYERS; TITLE: Project Manager; DATE: 10/27/2016



WASTE MATERIAL PROFILE SHEET

Clean Harbors Profile No. CH1323713

A. GENERAL INFORMATION

GENERATOR EPA ID #/REGISTRATION # **NONREQUIRED** GENERATOR NAME: **Washington State Department Of Ecology**
 GENERATOR CODE (Assigned by Clean Harbors) **WA42263** CITY **Seattle** STATE/PROVINCE **WA** ZIP/POSTAL CODE **98112**
 ADDRESS **2350 24th Ave E** PHONE:
 CUSTOMER CODE (Assigned by Clean Harbors) **CA59174** CUSTOMER NAME: **Cascade Drilling**
 ADDRESS: **17270 Woodinville-Redmond Rd Bldg A Ste 777** CITY **Woodinville** STATE/PROVINCE **WA** ZIP/POSTAL CODE **98072**

B. WASTE DESCRIPTION

WASTE DESCRIPTION: **Non-Hazardous Waste Solid**

PROCESS GENERATING WASTE: **Investigation Derived Waste from a former gas station**

IS THIS WASTE CONTAINED IN SMALL PACKAGING CONTAINED WITHIN A LARGER SHIPPING CONTAINER? **No**

C. PHYSICAL PROPERTIES (at 25C or 77F)

PHYSICAL STATE	NUMBER OF PHASES/LAYERS	VISCOSITY (If liquid present)	COLOR
<input checked="" type="checkbox"/> SOLID WITHOUT FREE LIQUID	1 2 3 TOP 0.00	1 - 100 (e.g. Water)	Brown
POWDER	% BY VOLUME (Approx.) MIDDLE 0.00	101 - 500 (e.g. Motor Oil)	
MONOLITHIC SOLID	BOTTOM 0.00	501 - 10,000 (e.g. Molasses)	
LIQUID WITH NO SOLIDS		> 10,000	
LIQUID/SOLID MIXTURE			
% FREE LIQUID	ODOR	MELTING POINT °F (°C)	TOTAL ORGANIC CARBON
% SETTLED SOLID	NONE	< 140 (<60)	<= 1%
% TOTAL SUSPENDED SOLID	<input checked="" type="checkbox"/> MILD	140-200 (60-93)	<input checked="" type="checkbox"/> 1-9%
SLUDGE	STRONG	<input checked="" type="checkbox"/> > 200 (>93)	>= 10%
GAS/AEROSOL	Describe:		
		BOILING POINT °F (°C)	
		<= 95 (<=35)	
		95 - 100 (35-38)	
		101 - 129 (38-54)	
		>= 130 (>54)	
FLASH POINT °F (°C)	pH	SPECIFIC GRAVITY	ASH
< 73 (<23)	<= 2	< 0.8 (e.g. Gasoline)	<input checked="" type="checkbox"/> < 0.1 > 20
73 - 100 (23-38)	2.1 - 6.9	0.8-1.0 (e.g. Ethanol)	<input checked="" type="checkbox"/> 0.1 - 1.0 Unknown
101 -140 (38-60)	<input checked="" type="checkbox"/> 7 (Neutral)	<input checked="" type="checkbox"/> 1.0 (e.g. Water)	1.1 - 5.0
141 -200 (60-93)	7.1 - 12.4	1.0-1.2 (e.g. Antifreeze)	5.1 - 20.0
> 200 (>93)	>= 12.5	> 1.2 (e.g. Methylene Chloride)	
			BTU/LB (MJ/kg)
			<input checked="" type="checkbox"/> < 2,000 (<4.6)
			2,000-5,000 (4.6-11.6)
			5,000-10,000 (11.6-23.2)
			> 10,000 (>23.2)
			Actual:

D. COMPOSITION (List the complete composition of the waste, include any inert components and/or debris. Ranges for individual components are acceptable. If a trade name is used, please supply an MSDS. Please do not use abbreviations.)

CHEMICAL	MIN	MAX	UOM
BENZENE	0.000000	63.000000	PPM
ETHYLBENZENE	0.000000	120.000000	PPM
GASOLINE RANGE HYDROCARBONS	0.000000	43000.0000	PPM
SOIL	95.000000	100.000000	%
TOLUENE	0.000000	230.000000	PPM
XYLENE	0.000000	420.000000	PPM

DOES THIS WASTE CONTAIN ANY HEAVY GAUGE METAL DEBRIS OR OTHER LARGE OBJECTS (EX., METAL PLATE OR PIPING >1/4" THICK OR >12" LONG, METAL REINFORCED HOSE >12" LONG, METAL WIRE >12" LONG, METAL VALVES, PIPE FITTINGS, CONCRETE REINFORCING BAR OR PIECES OF CONCRETE >3")? YES NO

If yes, describe, including dimensions:

DOES THIS WASTE CONTAIN ANY METALS IN POWDERED OR OTHER FINELY DIVIDED FORM? YES NO

DOES THIS WASTE CONTAIN OR HAS IT CONTACTED ANY OF THE FOLLOWING; ANIMAL WASTES, HUMAN BLOOD, BLOOD PRODUCTS, BODY FLUIDS, MICROBIOLOGICAL WASTE, PATHOLOGICAL WASTE, HUMAN OR ANIMAL DERIVED SERUMS OR PROTEINS OR ANY OTHER POTENTIALLY INFECTIOUS MATERIAL? YES NO

I acknowledge that this waste material is neither infectious nor does it contain any organism known to be a threat to human health. This certification is based on my knowledge of the material. Select the answer below that applies:

The waste was never exposed to potentially infectious material. YES NO

Chemical disinfection or some other form of sterilization has been applied to the waste. YES NO

I ACKNOWLEDGE THAT THIS PROFILE MEETS THE CLEAN HARBORS BATTERY PACKAGING REQUIREMENTS. YES NO

I ACKNOWLEDGE THAT MY FRIABLE ASBESTOS WASTE IS DOUBLE BAGGED AND WETTED. YES NO

SPECIFY THE SOURCE CODE ASSOCIATED WITH THE WASTE.

G45

SPECIFY THE FORM CODE ASSOCIATED WITH THE WASTE.

W301



E. CONSTITUENTS

Are these values based on testing or knowledge? Knowledge Testing

If constituent concentrations are based on analytical testing, analysis must be provided. Please attach document(s) using the link on the Submit tab.

Please indicate which constituents below apply. Concentrations must be entered when applicable to assist in accurate review and expedited approval of your waste profile. Please note that the total regulated metals and other constituents sections require answers.

RCRA	REGULATED METALS	REGULATORY LEVEL (mg/l)	TCLP mg/l	TOTAL	UOM	NOT APPLICABLE	
D004	ARSENIC	5.0				<input checked="" type="checkbox"/>	
D005	BARIIUM	100.0				<input checked="" type="checkbox"/>	
D006	CADMIUM	1.0				<input checked="" type="checkbox"/>	
D007	CHROMIUM	5.0				<input checked="" type="checkbox"/>	
D008	LEAD	5.0				<input checked="" type="checkbox"/>	
D009	MERCURY	0.2				<input checked="" type="checkbox"/>	
D010	SELENIUM	1.0				<input checked="" type="checkbox"/>	
D011	SILVER	5.0				<input checked="" type="checkbox"/>	
VOLATILE COMPOUNDS				OTHER CONSTITUENTS	MAX	UOM	NOT APPLICABLE
D018	BENZENE	0.5	3.1500	BROMINE			<input checked="" type="checkbox"/>
D019	CARBON TETRACHLORIDE	0.5		CHLORINE			<input checked="" type="checkbox"/>
D021	CHLOROBENZENE	100.0		FLUORINE			<input checked="" type="checkbox"/>
D022	CHLOROFORM	6.0		IODINE			<input checked="" type="checkbox"/>
D028	1,2-DICHLOROETHANE	0.5		SULFUR			<input checked="" type="checkbox"/>
D029	1,1-DICHLOROETHYLENE	0.7		POTASSIUM			<input checked="" type="checkbox"/>
D035	METHYL ETHYL KETONE	200.0		SODIUM			<input checked="" type="checkbox"/>
D039	TETRACHLOROETHYLENE	0.7		AMMONIA			<input checked="" type="checkbox"/>
D040	TRICHLOROETHYLENE	0.5		CYANIDE AMENABLE			<input checked="" type="checkbox"/>
D043	VINYL CHLORIDE	0.2		CYANIDE REACTIVE			<input checked="" type="checkbox"/>
				CYANIDE TOTAL			<input checked="" type="checkbox"/>
				SULFIDE REACTIVE			<input checked="" type="checkbox"/>
SEMI-VOLATILE COMPOUNDS				HOCs	PCBs		
D023	o-CRESOL	200.0		<input checked="" type="checkbox"/> NONE	<input checked="" type="checkbox"/> NONE		
D024	m-CRESOL	200.0		< 1000 PPM	< 50 PPM		
D025	p-CRESOL	200.0		>= 1000 PPM	>= 50 PPM		
D026	CRESOL (TOTAL)	200.0			IF PCBs ARE PRESENT, IS THE WASTE REGULATED BY TSCA 40 CFR 761?		
D027	1,4-DICHLOROBENZENE	7.5			YES <input checked="" type="checkbox"/> NO		
D030	2,4-DINITROTOLUENE	0.13					
D032	HEXACHLOROBENZENE	0.13					
D033	HEXACHLOROBUTADIENE	0.5					
D034	HEXACHLOROETHANE	3.0					
D036	NITROBENZENE	2.0					
D037	PENTACHLOROPHENOL	100.0					
D038	PYRIDINE	5.0					
D041	2,4,5-TRICHLOROPHENOL	400.0					
D042	2,4,6-TRICHLOROPHENOL	2.0					
PESTICIDES AND HERBICIDES							
D012	ENDRIN	0.02					
D013	LINDANE	0.4					
D014	METHOXYCHLOR	10.0					
D015	TOXAPHENE	0.5					
D016	2,4-D	10.0					
D017	2,4,5-TP (SILVEX)	1.0					
D020	CHLORDANE	0.03					
D031	HEPTACHLOR (AND ITS EPOXIDE)	0.008					

ADDITIONAL HAZARDS
DOES THIS WASTE HAVE ANY UNDISCLOSED HAZARDS OR PRIOR INCIDENTS ASSOCIATED WITH IT, WHICH COULD AFFECT THE WAY IT SHOULD BE HANDLED?

YES NO (If yes, explain) The waste is exempt per 40CFR 261 because it is from an Underground Storage Tank cleanup.



F. REGULATORY STATUS

YES NO USEPA HAZARDOUS WASTE?

YES NO DO ANY STATE WASTE CODES APPLY?
Texas Waste Code _____

YES NO DO ANY CANADIAN PROVINCIAL WASTE CODES APPLY?

YES NO IS THIS WASTE PROHIBITED FROM LAND DISPOSAL WITHOUT FURTHER TREATMENT PER 40 CFR PART 268?
LDR CATEGORY: Subject to a variance or exemption
VARIANCE INFO: Underground Storage Tank Exemption 40CFR Part 261.4 (b)(10)

YES NO IS THIS A UNIVERSAL WASTE?

YES NO IS THE GENERATOR OF THE WASTE CLASSIFIED AS CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR (CESQG)?

YES NO IS THIS MATERIAL GOING TO BE MANAGED AS A RCRA EXEMPT COMMERCIAL PRODUCT, WHICH IS FUEL (40 CFR 261.2 (C)(2)(II))?

YES NO DOES TREATMENT OF THIS WASTE GENERATE A F006 OR F019 SLUDGE?

YES NO IS THIS WASTE STREAM SUBJECT TO THE INORGANIC METAL BEARING WASTE PROHIBITION FOUND AT 40 CFR 268.3(C)?

YES NO DOES THIS WASTE CONTAIN VOC'S IN CONCENTRATIONS >=500 PPM?

YES NO DOES THE WASTE CONTAIN GREATER THAN 20% OF ORGANIC CONSTITUENTS WITH A VAPOR PRESSURE >= .3KPA (.044 PSIA)?

YES NO DOES THIS WASTE CONTAIN AN ORGANIC CONSTITUENT WHICH IN ITS PURE FORM HAS A VAPOR PRESSURE > 77 KPA (11.2 PSIA)?

YES NO IS THIS CERCLA REGULATED (SUPERFUND) WASTE ?

YES NO IS THE WASTE SUBJECT TO ONE OF THE FOLLOWING NESHAP RULES?
Hazardous Organic NESHAP (HON) rule (subpart G) Pharmaceuticals production (subpart GGG)

YES NO IF THIS IS A US EPA HAZARDOUS WASTE, DOES THIS WASTE STREAM CONTAIN BENZENE?
YES NO Does the waste stream come from a facility with one of the SIC codes listed under benzene NESHAP or is this waste regulated under the benzene NESHAP rules because the original source of the waste is from a chemical manufacturing, coke by-product recovery, or petroleum refinery process?
YES NO Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) >10 Mg/year?
What is the TAB quantity for your facility? _____ Megagram/year (1 Mg = 2,200 lbs)
The basis for this determination is: Knowledge of the Waste Or Test Data Knowledge Testing
Describe the knowledge : _____

G. DOT/TDG INFORMATION

DOT/TDG PROPER SHIPPING NAME:

NON DOT REGULATED MATERIAL

H. TRANSPORTATION REQUIREMENTS

ESTIMATED SHIPMENT FREQUENCY ONE TIME WEEKLY MONTHLY QUARTERLY YEARLY OTHER

CONTAINERIZED BULK LIQUID BULK SOLID

8-8 CONTAINERS/SHIPMENT GALLONS/SHIPMENT: 0 Min - 0 Max GAL. SHIPMENT UOM: TON YARD

STORAGE CAPACITY: 15 TONS/YARDS/SHIPMENT: 0 Min - 0 Max

CONTAINER TYPE: PORTABLE TOTE TANK BOX/CARTON/CASE CUBIC YARD BOX DRUM OTHER: DRUM SIZE: 55

I. SPECIAL REQUEST

COMMENTS OR REQUESTS:

Waste is exempt per UST exemption 40 CFR 261.4 (b)(10). Please process as CBP.

GENERATOR'S CERTIFICATION

I certify that I am authorized to execute this document as an authorized agent. I hereby certify that all information submitted in this and attached documents is correct to the best of my knowledge. I also certify that any samples submitted are representative of the actual waste. If Clean Harbors discovers a discrepancy during the approval process, Generator grants Clean Harbors the authority to amend the profile, as Clean Harbors deems necessary, to reflect the discrepancy.

AUTHORIZED SIGNATURE	NAME (PRINT)	TITLE	DATE
<u>Dale Myers</u>	<u>DALE MYERS</u>	<u>Project Manager</u>	<u>10/27/2016</u>

