



July 10, 2013

Mr. Mark Horne  
Chevron Environmental Management Company  
6101 Bollinger Canyon Road  
San Ramon, California, 94583-5186

**Subject: First Quarter 2013 Groundwater Monitoring and Sampling Report**  
**Chevron Service Station No. 9-0129**  
4700 Brooklyn Avenue  
Seattle, Washington

Dear Mr. Horne:

SAIC Energy, Environment & Infrastructure, LLC (SAIC), on behalf of Chevron Environmental Management Company (CEMC), prepared this letter summarizing the first quarter 2013 groundwater monitoring and sampling event at Chevron Service Station No. 9-0129 (the site) in Seattle, Washington (Figure 1).

#### **FIELD ACTIVITIES**

Gettler-Ryan Inc. (Gettler-Ryan) conducted the groundwater monitoring and sampling field event on March 16, 2013. Gettler-Ryan collected depth-to-groundwater measurements and checked for the presence of separate-phase hydrocarbons (SPH) in 13 of the 16 groundwater monitoring wells on site (Figure 2). Monitoring well MW-1 was inaccessible and monitoring wells MW-2 and MW-8 were dry.

Groundwater samples were collected from 11 monitoring wells. Samples were not collected from monitoring wells MW-10 (SPH) and MW-11 (SPH). Groundwater samples were submitted to Eurofins Lancaster Laboratories, Inc. for the following analyses:

- Total petroleum hydrocarbons (TPH) as gasoline-range organics (TPH-GRO) by Washington State Department of Ecology (Ecology) Method NWTPH-Gx;
- TPH as diesel-range organics (TPH-DRO) and TPH as heavy oil-range organics (TPH-HRO) by Ecology Method NWTPH-Dx extended with silica-gel cleanup; and
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX), and methyl tertiary butyl ether (MTBE) by United States Environmental Protection Agency (USEPA) Method 8021B.

In addition, all MTBE detections were confirmed by USEPA Method 8260B. A laboratory-supplied trip blank (QA) was submitted to the laboratory and analyzed for TPH-GRO, BTEX, and MTBE to provide quality assurance. Field data sheets are provided in the Gettler-Ryan groundwater monitoring and sampling data package (Attachment A).

## FINDINGS

During this event, groundwater elevations ranged from 83.17 feet in monitoring well MW-3 to 81.30 feet in monitoring well MW-14, based on an arbitrary benchmark elevation of 100.00 feet (Figure 2). Groundwater elevations decreased an average of 0.003 feet since the previous quarterly monitoring event in December 2012. Groundwater flows toward the east at a gradient of approximately 0.02 to 0.03 feet per foot. SPH were detected in monitoring wells MW-10 and MW-11 at thicknesses of 0.15 and 0.02 feet, respectively.

The following analytes were detected at concentrations exceeding their respective Model Toxics Control Act Method A cleanup levels:

- TPH-GRO in monitoring wells MW-3, MW-4, MW-9, MW-12, MW-13, and MW-16;
- TPH-DRO in monitoring wells MW-4, MW-9, MW-12, and MW-13;
- TPH-HRO in monitoring well MW-9;
- Benzene in monitoring wells MW-3, MW-4, MW-9, MW-12, MW-13, and MW-16;
- Toluene in monitoring well MW-12;
- Ethylbenzene in monitoring well MW-12; and
- Total xylenes in monitoring well MW-12.

Historical groundwater elevation data, SPH thickness data, and laboratory analytical results are summarized in Table 1. The laboratory analysis report is provided as Attachment B.

## DISCUSSION

Groundwater elevations and flow direction are consistent with historical data reported at the site. Petroleum hydrocarbon concentrations have remained consistent with historical data. Analytes in monitoring wells MW-3, MW-4, MW-9, MW-12, MW-13, and MW-16 continue to remain above MTCA Method A cleanup levels. Dissolved-phase hydrocarbons were not detected in monitoring well MW-14 at concentrations above their respective laboratory reporting limits during the last three sampling events, which indicates that the concentrations detected during the June 2012 sampling event were likely an anomaly.

Gettler-Ryan will continue to perform groundwater monitoring and sampling on a quarterly basis.

If you have any questions or comments, please contact Ruth Otteman at (425) 482-3328  
or via email at [ottemanr@saic.com](mailto:ottemanr@saic.com).

Sincerely,

**SAIC Energy, Environment & Infrastructure, LLC**



Ruth Otteman  
Project Manager



Gabriel Cisneros, LG #2357  
Geologist

Enclosures:

Figure 1 – Vicinity Map

Figure 2 – Potentiometric Map

Table 1 – Groundwater Monitoring Data and Analytical Results

Attachment A – Groundwater Monitoring and Sampling Data Package

Attachment B – Laboratory Analysis Report

cc: Mr. Bhupinder S. Mac – Property Owner  
5960 Canoga Avenue, Woodland Hills, CA 91367  
Project File

## **REPORT LIMITATIONS**


This technical document was prepared on behalf of CEMC and is intended for its sole use and for use by the local, state or federal regulatory agency that the technical document was sent to by SAIC. Any other person or entity obtaining, using, or relying on this technical document hereby acknowledges that they do so at their own risk, and that SAIC shall have no responsibility or liability for the consequences thereof.

Site history and background information provided in this technical document are based on sources that may include interviews with environmental regulatory agencies and property management personnel and a review of acquired environmental regulatory agency documents and property information obtained from CEMC and others. SAIC has not made, nor has it been asked to make, any independent investigation concerning the accuracy, reliability, or completeness of such information beyond that described in this technical document.

Recognizing reasonable limits of time and cost, this technical document cannot wholly eliminate uncertainty regarding the vertical and lateral extent of impacted environmental media.

Opinions and recommendations presented in this technical document apply only to site conditions and features as they existed at the time of SAIC's site visits or site work and cannot be applied to conditions and features of which SAIC is unaware and has not had the opportunity to evaluate.


All sources of information on which SAIC has relied in making its conclusions (including direct field observations) are identified by reference in this technical document or in appendices attached to this technical document. Any information not listed by reference or in appendices has not been evaluated or relied upon by SAIC in the context of this technical document. The conclusions, therefore, represent our professional opinion based on the identified sources of information.



Maps Provided by Seattle.gov

Chevron Service Station No. 9-0129  
4700 Brooklyn Avenue  
Seattle, Washington

FIGURE 1  
Vicinity Map



**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-1</b>															
12/17-18/09		--			INACCESSIBLE	--	--	--	--	--	--	--	--	--	--
3/17/10		--			INACCESSIBLE	--	--	--	--	--	--	--	--	--	--
6/22-23/10		--			INACCESSIBLE	--	--	--	--	--	--	--	--	--	--
9/13/10		--			INACCESSIBLE	--	--	--	--	--	--	--	--	--	--
12/20/10		--			OBSTRUCTION IN WELL	--	--	--	--	--	--	--	--	--	--
6/16/11		--			OBSTRUCTION IN WELL	--	--	--	--	--	--	--	--	--	--
9/22/11		--			INACCESSIBLE	--	--	--	--	--	--	--	--	--	--
1/14/12		--			INACCESSIBLE	--	--	--	--	--	--	--	--	--	--
3/31/12		--			INACCESSIBLE	--	--	--	--	--	--	--	--	--	--
6/2/12		--			INACCESSIBLE	--	--	--	--	--	--	--	--	--	--
9/30/12		--			INACCESSIBLE	--	--	--	--	--	--	--	--	--	--
12/15/12		--			INACCESSIBLE	--	--	--	--	--	--	--	--	--	--
3/16/13		--			INACCESSIBLE	--	--	--	--	--	--	--	--	--	--
<b>MW-2</b>															
1/22/90		100.05	--	--	--	--	--	--	25	1,100	1,090	161	1,120	--	--
4/12/91		100.05	--	--	--	--	--	--	3,100	100	540	140	260	--	--
6/28/91		100.05	--	--	--	--	--	--	7,000	300	1,100	500	1,300	--	--
9/18/91		100.05	--	--	--	--	--	--	4,800	150	49	280	660	--	--
12/3/91		100.05	--	--	--	--	--	--	9,000	290	1,300	540	1,500	--	--
2/25/92		100.05	--	--	--	--	--	--	1,600	42	170	120	310	--	--
5/15/92		100.05	--	--	--	--	--	--	410	19	40	40	70	--	--
7/31/92		100.05	--	16.45	--	83.60	--	--	--	--	--	--	--	--	--
8/18/92		100.05	--	16.55	--	83.50	--	--	10,000	160	890	750	1,600	--	--
9/25/92		100.05	--	16.90	--	83.15	--	--	--	--	--	--	--	--	--
2/23/93		100.05	--	16.68	--	83.37	--	--	750	14	22	62	100	--	--
5/12/93		100.05	--	16.25	--	83.80	--	--	ND	ND	ND	ND	ND	--	--
8/18/93		100.05	--	15.86	--	84.19	--	--	ND	ND	1.1	6.7	3.5	--	--
11/10/93		100.05	--	16.15	--	83.90	--	--	ND	ND	ND	2.5	ND	--	--
2/3/94		100.05	--	15.79	--	84.26	--	--	ND	ND	ND	4.5	0.5	--	--
4/26/94		100.05	--	15.42	--	84.63	--	--	ND	0.6	ND	9.9	3.4	--	--
7/20/94		100.05	--	16.75	--	83.30	--	--	ND	ND	ND	0.6	ND	--	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**

4700 Brooklyn Avenue

Seattle, Washington

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-2 (cont)</b>															
10/18/94		100.05	--	18.16	--	81.89	--	--	180	4.3	4.0	24	13	--	--
2/1/95		100.05	--	18.45	--	81.60	--	--	360	<b>7.1</b>	6.7	35	39	--	--
7/12/95		100.05	--	18.22	--	81.83	--	--	ND	ND	ND	ND	ND	--	--
1/4/96		100.05	--	17.81	--	82.24	--	--	ND	0.63	ND	ND	ND	--	--
1/7/97		100.05	--	--	--	--	--	--	--	--	--	--	--	--	--
2/12/98		100.05	--	--	--	--	--	--	--	--	--	--	--	--	--
10/15/04	NP	100.05	--	17.06	--	82.99	--	--	170	<b>9.4</b>	1.4	11	6.8	<b>30/24<sup>6</sup></b>	--
NOT MONITORED/SAMPLED															
12/17-18/09		100.05	--	16.24	--	83.81	32	<68	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
3/17/10		100.05	--	15.90	--	84.15	<31	<71	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
06/22-23/10		100.05	--	15.24	--	84.81	<30	<70	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
9/13/10		100.05	--	17.34	--	82.71	<29	72	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/20/10		100.05	--	17.58	--	82.47	<30	<70	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
6/16/11		100.05	--	17.48	--	82.57	51	<70	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
9/22/11		100.05	--	18.25	--	81.80	<29	<68	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
1/14/12		100.05	--	18.60	--	81.45	<29	<68	<b>1,300</b>	1.7	20	9.5	110	<2.5	--
3/31/12		100.05	--	19.70	--	80.35	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--	--
6/2/12		100.05	--	17.80	--	82.25	<29	<68	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
9/30/12		100.05	--	19.42	--	80.63	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--	--
12/15/12		100.05	--	19.44	--	80.61	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--	--
3/16/13		100.05	--	19.78	--	80.27	DRY	--	--	--	--	--	--	--	--
<b>MW-3</b>															
1/22/90		101.25	--	--	--	--	--	--	<b>85,000</b>	<b>1,380</b>	<b>14,100</b>	<b>2,060</b>	<b>12,800</b>	--	--
4/12/91		101.25	--	--	--	--	--	--	<b>2,500</b>	3.6	39	18	69	--	--
6/28/91		101.25	--	--	--	--	--	--	<b>6,600</b>	<b>63</b>	680	210	870	--	--
9/18/91		101.25	--	--	--	--	--	--	<b>4,900</b>	ND	82	86	300	--	--
12/3/91		101.25	--	--	--	--	--	--	<b>17,000</b>	<b>170</b>	<b>2,200</b>	710	<b>2,800</b>	--	--
2/25/92		101.25	--	--	--	--	--	--	<b>7,900</b>	<b>25</b>	150	210	920	--	--
5/15/92		101.25	--	--	--	--	--	--	<b>9,800</b>	<b>90</b>	<b>1,100</b>	260	<b>1,300</b>	--	--
7/31/92		101.25	--	15.81	--	85.44	--	--	--	--	--	--	--	--	--
8/18/92		101.25	--	15.94	--	85.31	--	--	<b>24,000</b>	<b>290</b>	<b>4,200</b>	<b>7,200</b>	<b>3,800</b>	--	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-3 (cont)</b>															
9/25/92		101.25	--	16.55	--	84.70	--	--	--	--	--	--	--	--	--
2/24/93		101.25	--	16.12	--	85.13	--	--	8,400	48	440	210	1,300	--	--
5/12/93		101.25	--	15.60	--	85.65	--	--	4,700	130	840	120	600	--	--
8/18/93		101.25	--	15.60	--	85.65	--	--	7,300	130	1,000	240	1,100	--	--
11/10/93		101.25	--	16.11	--	85.14	--	--	14,000	260	1,900	470	2,400	--	--
2/3/94		101.25	--	15.66	--	85.59	--	--	8,000	78	720	220	800	--	--
4/26/94		101.25	--	14.91	--	86.34	--	--	2,900	9.6	7.9	34	160	--	--
7/20/94		101.25	--	16.92	--	84.33	--	--	17,000	360	3,500	550	2,400	--	--
10/18/94		101.25	--	18.68	--	82.57	--	--	46,000	230	6,700	1,200	6,100	--	--
2/1/95		101.25	--	18.53	--	82.72	--	--	56,000	160	6,500	1,300	7,700	--	--
7/12/95		101.25	--	18.30	--	82.95	--	--	83,000	230	12,000	2,200	14,000	--	--
1/4/96		101.25	--	17.97	--	83.28	--	--	38,000	110	1,600	1,600	7,200	--	--
1/7/97		101.25	--	17.10	--	84.15	--	--	25,000	80.8	476	1,150	3,660	--	--
2/12/98		101.25	--	16.83	--	84.42	--	--	18,200	94.3	134	966	2,810	--	--
5/31/99	NP	101.25	--	17.00	--	84.25	--	--	29,300	187	644	826	5,060	--	--
6/8/00		101.25	--	17.82	--	83.43	--	--	43,300	380	838	1,620	9,840	ND	--
1/30/01		101.25	--	18.49	--	82.76	--	--	31,300	380	306	1,380	3,240	--	--
4/11/01		101.25	--	17.91	--	83.34	--	--	12,100	59.6	37.8	524	900	--	--
7/28/01		101.25	--	17.66	--	83.59	--	--	40,900	561	1,960	1,720	10,400	--	--
10/15/01		101.25	--	17.82	--	83.43	--	--	43,200	623	1,650	1,680	10,400	--	--
1/5/02		101.25	--	16.42	--	84.83	--	--	5,060	39.6	14.1	261	362	--	--
4/2/02	NP	101.25	--	16.54	--	84.71	--	--	35,000	280	820	910	6,200	<20	--
7/11/02	NP	101.25	--	16.68	--	84.57	--	--	48,000	560	1,100	1,100	6,900	<20	--
10/10/02	NP	101.25	--	17.22	--	84.03	--	--	50,000	630	1,100	1,300	8,400	<100	--
1/10/03		101.25	INACCESSIBLE - CAR PARKED OVER WELL					--	--	--	--	--	--	--	--
4/21/03	NP	101.25	--	15.79	--	85.46	--	--	17,000	280	340	480	2,600	<20	--
6/26/03	NP	101.25	--	16.15	--	85.10	--	--	34,000	470	750	940	6,200	<50	--
10/14/03	NP	101.25	--	17.03	--	84.22	--	--	56,000	810	1,100	1,400	8,700	<50	--
1/7/04	NP	101.25	--	16.41	--	84.84	--	--	13,000	160	150	400	1,300	<10	--
4/21/04	NP	101.25	--	16.36	--	84.89	--	--	1,500	72	14	3.1	120	<10/<2 <sup>6</sup>	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-3 (cont)</b>															
7/1/04	NP	101.25	14.45	16.90	--	84.35	--	--	26,000	540	410	750	3,700	<50	--
10/15/04	NP	101.25	--	17.79	--	83.46	--	--	26,000	520	370	920	3,600	<100	--
1/5/05	NP	101.25	--	17.76	--	83.49	--	--	9,000	180	47	590	95	<10	--
8/4/05		101.25	--	17.71	--	83.54	--	--	--	--	--	--	--	--	--
7/26/06		101.25	--	16.87	--	84.38	--	--	--	--	--	--	--	--	--
7/19/07		101.25	--	17.75	--	83.50	--	--	--	--	--	--	--	--	--
7/23/08		101.25	--	17.69	--	83.56	--	--	--	--	--	--	--	--	--
7/13/09		101.25	--	16.40	--	84.85	--	--	--	--	--	--	--	--	--
12/17-18/09		101.25	--	16.82	--	84.43	170	<70	880	25	13	76	22	<2.5	--
3/17/10		101.25	--	16.38	--	84.87	33	<71	75	4.2	1.3	1.9	<1.5	6.2	--
06/22-23/10		101.25	--	15.91	--	85.34	73	<69	690	15	18	30	67	<20	--
9/13/10		101.25	--	17.79	--	83.46	40	73	2,100	26	21	110	150	<20	--
12/20/10		101.25	--	17.81	--	83.44	200	86	2,300	34	15	220	25	85	--
6/16/11		101.25	--	17.68	--	83.57	540	77	2,200	55	22	170	110	<50	--
9/23/11		101.25	--	18.70	--	82.55	170	<68	8,100	210	130	690	590	79	--
1/14/12		101.25	--	19.00	--	82.25	100	<69	5,200	180	81	630	130	120	--
3/31/12		101.25	--	18.25	--	83.00	120	<76	1,700	30	6.5	160	14	73	--
6/2/12		101.25	--	18.10	--	83.15	110	93	4,200	68	48	340	170	73	--
9/30/12		101.25	--	19.00	--	82.25	410	330	5,600	200	95	710	350	91/<5 <sup>6</sup>	--
12/15/12		101.25	--	18.30	--	82.95	160	72	2,400	46	12	240	36	62/<3 <sup>6</sup>	--
3/16/13		101.25	--	18.08	--	83.17	100	<69	4,000	76	35	420	170	<73	--
<b>MW-4</b>															
4/12/91		100.01	--	--	--	--	--	--	ND	8,300	15,000	1,900	16,000	--	--
6/28/91		100.01	--	--	--	--	--	--	85,000	9,900	18,000	2,400	16,000	--	--
6/28/91 (D)		100.01	--	--	--	--	--	--	120,000	13,000	22,000	3,100	24,000	--	--
9/18/91		100.01	--	--	--	--	--	--	130,000	14,000	22,000	2,900	22,000	--	--
9/18/91		100.01	--	--	--	--	--	--	360,000	14,000	26,000	5,400	40,000	--	--
12/3/91		100.01	--	--	--	--	--	--	86,000	8,900	12,000	2,000	18,000	--	--
2/25/92		100.01	--	--	--	--	--	--	120,000	7,500	11,000	1,800	16,000	--	--
2/25/92		100.01	--	--	--	--	--	--	86,000	8,100	11,000	1,600	15,000	--	--
5/15/92		100.01	--	--	--	--	--	--	90,000	11,000	17,000	1,800	18,000	--	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-4 (cont)</b>															
5/15/92		100.01	--	--	--	--	--	--	81,000	10,000	16,000	1,500	16,000	--	--
7/31/92		100.01	--	16.25	--	83.76	--	--	--	--	--	--	--	--	--
8/18/92		100.01	--	16.32	--	83.69	--	--	200,000	17,000	28,000	2,800	26,000	--	--
8/18/92		100.01	--	16.50	--	83.51	--	--	160,000	17,000	29,000	2,200	19,000	--	--
9/25/92		100.01	--	16.52	--	83.49	--	--	--	--	--	--	--	--	--
2/24/93		100.01	--	16.03	--	83.98	--	--	290,000	22,000	42,000	4,700	27,000	--	--
5/12/93		100.01	--	14.91	--	85.10	--	--	160,000	13,000	27,000	2,400	22,000	--	--
8/18/93		100.01	--	16.35	--	83.66	--	--	150,000	10,000	22,000	2,500	18,000	--	--
11/10/93		100.01	--	15.89	--	84.12	--	--	170,000	13,000	26,000	3,400	23,000	--	--
2/3/94		100.01	--	15.53	--	84.48	--	--	190,000	9,800	21,000	2,400	15,000	--	--
7/20/94		100.01	--	16.39	--	83.62	--	--	170,000	12,000	26,000	3,000	20,000	--	--
10/18/94		100.01	--	18.03	0.04	82.01	--	--	--	--	--	--	--	--	--
2/1/95		100.01	--	17.90	--	82.11	--	--	100,000	2,100	7,100	1,400	14,000	--	--
7/12/95		100.01	--	17.60	--	82.41	--	--	970,000	5,800	9,600	3,300	42,000	--	--
1/4/96		100.01	--	17.36	--	82.65	--	--	1,400,000	300	1,100	570	8,600	--	--
1/7/97		100.01	--	17.60	--	82.41	--	--	--	--	--	--	--	--	--
2/12/98		100.01	--	16.65	--	83.36	--	--	24,400	917	202	385	3,390	--	--
5/31/99	NP	100.01	--	16.84	0.00	83.17	--	--	32,600	1,660	217	566	4,390	--	--
6/8/00		100.01	--	17.50	<0.01	82.51	--	--	58,500	971	206	1,120	7,570	ND	--
1/30/01		100.01	--	18.10	0.00	81.91	--	--	59,800	1,800	140	901	4,450	--	--
4/11/01		100.01	--	17.91	0.00	82.10	--	--	56,800	1,450	105	984	4,560	--	--
7/28/01		100.01	--	17.88	0.00	82.13	--	--	91,600	1,480	142	1,240	5,930	--<50 <sup>6</sup>	--
10/15/01		100.01	--	18.06	0.00	81.95	--	--	65,900	1,460	116	944	3,890	--/40.4 <sup>6</sup>	--
1/5/02		100.01	--	17.04	0.00	82.97	--	--	25,600	247	52.3	483	2,030	--<50.0 <sup>6</sup>	--
4/2/02		100.01	INACCESSIBLE - CAR PARKED OVER WELL					--	--	--	--	--	--	--	--
7/11/02	NP	100.01	--	16.88	0.00	83.13	--	--	34,000	1,000	59	450	1,400	130/110 <sup>6</sup>	--
10/10/02	NP	100.01	--	17.28	0.00	82.73	--	--	31,000	1,200	49	620	1,700	170/110 <sup>6</sup>	--
1/10/03		100.01	INACCESSIBLE - CAR PARKED OVER WELL					--	--	--	--	--	--	--	--
4/21/03	NP	100.01	--	15.78	0.00	84.23	--	--	11,000	120	6.0	220	520	<20	--
6/26/03	NP	100.01	--	15.96	0.00	84.05	--	--	8,000	330	12	160	510	150/160 <sup>6</sup>	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-4 (cont)</b>															
10/14/03	NP	100.01	--	16.56	0.00	83.45	--	--	13,000	550	17	280	690	<b>150/140<sup>6</sup></b>	--
1/7/04	NP	100.01	--	16.02	0.00	83.99	--	--	12,000	370	8.9	24	650	<b>62/47<sup>6</sup></b>	--
4/21/04	NP	100.01	--	15.83	0.00	84.18	--	--	1,300	69	0.7	3.2	24	<b>78/78<sup>6</sup></b>	--
7/1/04	NP	100.01	--	16.02	0.00	83.99	--	--	980	90	0.7	3.9	15	<b>67/70<sup>6</sup></b>	--
10/15/04	NP	100.01	--	16.41	0.00	83.60	--	--	9,900	530	9.0	240	510	<b>140/110<sup>6</sup></b>	--
1/5/05	NP	100.01	--	16.14	0.00	83.87	--	--	14,000	630	9.8	330	660	<b>130/110<sup>6</sup></b>	--
8/4/05	NP	100.01	--	16.36	0.00	83.65	--	--	9,600	420	6.3	260	370	<b>99</b>	--
7/26/06	NP	100.01	--	15.98	0.00	84.03	--	--	330	21	<0.5	<0.5	2.5	12	--
7/19/07	NP	100.01	--	16.30	0.00	83.71	--	--	350	13	<0.5	<0.5	2.6	6.3	--
7/23/08	NP	100.01	--	16.36	0.00	83.65	--	--	1,700	99	1.9	7	41	8.5	--
7/13/09	NP	100.01	--	15.07	0.00	84.94	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/17-18/09		100.01	--	15.16	0.00	84.85	<b>3,300</b>	<680	<b>3,300</b>	<b>19</b>	0.9	1.9	6.2	<2.5	--
3/17/10		100.01	--	14.95	0.00	85.06	<b>20,000</b>	<b>4,600</b>	<b>930</b>	<b>10</b>	1.9	1.4	2.2	3.5	--
06/22-23/10		100.01	--	14.21	0.00	85.80	120	<68	140	3.8	<2.0	2.3	1.9	<2.5	--
9/13/10		100.01	--	7.31	0.00	92.70	<b>2,900</b>	400	<b>3,400</b>	<b>130</b>	1.3	58	34	8.1	--
12/20/10		100.01	--	17.69	0.00	82.32	<b>130,000</b>	<b>31,000</b>	<b>2,200</b>	<b>150</b>	5.6	28	18	41	--
6/16/11		100.01	--	17.60	0.00	82.41	<b>16,000</b>	<b>2,300</b>	<b>3,000</b>	<b>140</b>	5.1	21	<15	15	--
9/23/11		100.01	--	18.30	0.00	81.71	<b>2,800</b>	<330	<b>3,700</b>	<b>290</b>	<10	64	<50	16	--
1/14/12		100.01	--	18.65	0.00	81.36	<b>7,900</b>	<b>930</b>	<b>2,900</b>	<b>170</b>	4.6	69	69	19	--
3/31/12		100.01	--	18.05	0.00	81.96	<b>6,000</b>	<b>800</b>	<b>1,500</b>	<b>44</b>	3.7	25	15	15	--
6/2/12		100.01	--	17.85	0.00	82.16	<b>510</b>	160	<b>1,800</b>	<b>79</b>	3.1	30	20	14	--
9/30/12		100.01	--	18.52	0.00	81.49	<b>4,600</b>	<b>650</b>	<b>2,000</b>	<b>230</b>	<4.0	100	28	<b>13/12<sup>6</sup></b>	--
12/15/12		100.01	--	18.05	0.00	81.96	<b>2,300</b>	130	<b>800</b>	<b>39</b>	<2.0	37	<5.0	<b>13/11<sup>6</sup></b>	--
3/16/13		100.01	--	17.86	0.00	82.15	<b>4,000</b>	420	<b>2,200</b>	<b>75</b>	4.2	25	19	<b>9.6/9<sup>6</sup></b>	--
<b>MW-5</b>															
2/19/90		100.75	--	--	--	--	--	--	ND	ND	5.0	ND	22	--	--
4/12/91		100.75	--	--	--	--	--	--	ND	ND	ND	ND	ND	--	--
6/28/91		100.75	--	--	--	--	--	--	89	ND	1.9	0.96	6.1	--	--
9/18/91		100.75	--	--	--	--	--	--	68	ND	ND	1.1	ND	--	--
12/3/91		100.75	--	--	--	--	--	--	ND	ND	ND	ND	ND	--	--
2/25/92		100.75	--	--	--	--	--	--	92	ND	ND	15	ND	--	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-5 (cont)</b>															
5/15/92		100.75	--	--	--	--	--	--	ND	ND	ND	ND	ND	--	--
7/31/92		100.75	--	16.02	--	84.73	--	--	--	--	--	--	--	--	--
8/18/92		100.75	--	16.09	--	84.66	--	--	ND	ND	ND	ND	ND	--	--
9/25/92		100.75	--	16.42	--	84.33	--	--	--	--	--	--	--	--	--
2/23/93		100.75	--	--	--	--	--	--	--	--	--	--	--	--	--
5/12/93		100.75	--	--	--	--	--	--	--	--	--	--	--	--	--
8/18/93		100.75	--	--	--	--	--	--	--	--	--	--	--	--	--
11/10/93		100.75	--	--	--	--	--	--	--	--	--	--	--	--	--
2/3/94		100.75	--	--	--	--	--	--	--	--	--	--	--	--	--
4/26/94		100.75	--	--	--	--	--	--	--	--	--	--	--	--	--
7/20/94		100.75	--	--	--	--	--	--	--	--	--	--	--	--	--
10/18/94		100.75	--	--	--	--	--	--	--	--	--	--	--	--	--
2/1/95		100.75	--	--	--	--	--	--	--	--	--	--	--	--	--
7/12/95		100.75	--	--	--	--	--	--	--	--	--	--	--	--	--
1/4/96		100.75	--	--	--	--	--	--	--	--	--	--	--	--	--
1/7/97		100.75	--	--	--	--	--	--	--	--	--	--	--	--	--
2/12/98		100.75	--	--	--	--	--	--	--	--	--	--	--	--	--
NOT MONITORED/SAMPLED															
12/17-18/09		100.75	--	16.09	--	84.66	50	<68	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
3/17/10		100.75	--	15.76	--	84.99	<30	<70	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
06/22-23/10		100.75	--	15.11	--	85.64	<30	<69	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
9/13/10		100.75	--	17.63	--	83.12	<31	<71	52	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/20/10		100.75	--	17.75	--	83.00	<31	110	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
6/16/11		100.75	--	17.73	--	83.02	<30	<69	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
9/22/11		100.75	--	18.60	--	82.15	<29	<67	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
1/14/12		100.75	--	18.90	--	81.85	<29	<67	52	<0.5	1.3	0.7	7.5	<2.5	--
3/31/12		100.75	--	18.20	--	82.55	<31	<73	<50	<0.5	0.6	<0.5	1.9	<2.5	--
6/2/12		100.75	--	18.05	--	82.70	<29	<68	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
9/30/12		100.75	--	18.82	--	81.93	<29	90	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/15/12		100.75	--	18.20	--	82.55	<29	<68	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
3/16/13		100.75	--	18.04	--	82.71	<30	<70	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-6</b>															
2/19/90		100.93	--	--	--	--	--	--	<b>38,200</b>	ND	74	259	<b>2,430</b>	--	--
4/12/91		100.93	--	--	--	--	--	--	ND	ND	1.8	4.8	53	--	--
6/28/91		100.93	--	--	--	--	--	--	390	<b>1,100</b>	<b>5,300</b>	<b>860</b>	<b>47,000</b>	--	--
9/18/91		100.93	--	--	--	--	--	--	<b>1,600</b>	3.7	ND	15	130	--	--
12/3/91		100.93	--	--	--	--	--	--	<b>2,000</b>	3.7	1.8	19	130	--	--
2/25/92		100.93	--	--	--	--	--	--	<b>4,100</b>	<b>8.9</b>	2.9	44	320	--	--
5/15/92		100.93	--	--	--	--	--	--	ND	ND	ND	ND	8.0	--	--
7/31/92		100.93	--	15.86	--	85.07	--	--	--	--	--	--	--	--	--
8/18/92		100.93	--	15.95	--	84.98	--	--	<b>3,300</b>	3.7	0.84	17	110	--	--
9/25/92		100.93	--	16.26	--	84.67	--	--	--	--	--	--	--	--	--
2/23/93		100.93	--	16.17	--	84.76	--	--	<b>1,900</b>	ND	0.8	5.2	67	--	--
5/12/93		100.93	--	15.63	--	85.30	--	--	<b>1,600</b>	2.1	1.2	8.5	74	--	--
8/18/93		100.93	--	15.37	--	85.56	--	--	ND	ND	ND	ND	1.0	--	--
11/10/93		100.93	--	15.83	--	85.10	--	--	<b>1,300</b>	2.3	2.0	2.9	36	--	--
2/3/94		100.93	--	15.45	--	85.48	--	--	740	2.8	5.4	2.6	23	--	--
4/26/94		100.93	--	15.19	--	85.74	--	--	300	ND	ND	ND	2.4	--	--
7/20/94		100.93	--	16.94	--	83.99	--	--	<b>2,500</b>	ND	1.1	5.6	38	--	--
10/18/94		100.93	--	18.68	--	82.25	--	--	440	ND	1.0	1.3	2.5	--	--
2/1/95		100.93	DRY	--	--	--	--	--	--	--	--	--	--	--	--
7/12/95		100.93	DRY	--	--	--	--	--	--	--	--	--	--	--	--
1/4/96		100.93	--	17.94	--	82.99	--	--	<b>9,400</b>	<b>11</b>	90	120	770	--	--
1/7/97		100.93	--	16.90	--	84.03	--	--	<b>1,440</b>	2.85	5.05	10.4	56.7	--	--
2/12/98		100.93	--	16.93	--	84.00	--	--	308	<b>6.43</b>	1.63	ND	3.53	--	--
5/31/99	NP	100.93	--	17.17	--	83.76	--	--	<b>1,660</b>	<b>116</b>	6.98	2.21	37.5	--	--
6/8/00		100.93	--	17.90	--	83.03	--	--	<b>1,970</b>	<b>61.9</b>	6.96	23.8	122	ND/ND	--
1/30/01		100.93	--	18.51	--	82.42	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--	--
4/11/01		100.93	--	18.21	--	82.72	--	--	<b>10,800</b>	<b>190</b>	20.0	45.0	262	--	--
7/28/01		100.93	--	18.09	--	82.84	--	--	<b>4,600</b>	<b>264</b>	7.94	23.1	91.2	--	--
10/15/01		100.93	--	18.28	--	82.65	--	--	<b>6,890</b>	<b>267</b>	13.8	45.9	203	--	--
1/5/02		100.93	--	17.09	--	83.84	--	--	<b>3,500</b>	<b>213</b>	7.25	22.9	109	--	--
NOT MONITORED/SAMPLED		--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/17-18/09		100.93	--	16.03	--	84.90	99	<72	460	<0.5	<0.5	2.2	15	<2.5	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**  
Concentrations reported in  $\mu\text{g/L}$  unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-6 (cont)</b>															
3/17/10		100.93	--	15.69	--	85.24	56	<71	590	0.9	0.5	2.2	17	<2.5	--
06/22-23/10		100.93	--	14.99	--	85.94	31	<70	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
9/13/10		100.93	--	17.64	--	83.29	240	<71	<b>980</b>	1.9	1.1	2.3	23	<2.5	--
12/20/10		100.93	--	17.74	--	83.19	350	<72	<b>1,300</b>	3.5	1.8	4.8	37	2.8	--
6/16/11		100.93	--	17.75	--	83.18	260	160	600	1.5	1	2.7	20	<2.5	--
9/22/11		100.93	--	18.65	--	82.28	OBSTRUCTION IN WELL AT 19 FT				--	--	--	--	--
1/14/12		100.93	--	21.10	--	79.83	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--	--
3/31/12		100.93	--	18.30	--	82.63	<29	<68	560	1.3	1.2	1.3	9.4	<2.5	--
6/2/12		100.93	--	18.10	--	82.83	<29	<67	<b>1,300</b>	1.8	1.3	3.1	18	<2.5	--
9/30/12		100.93	--	18.92	--	82.01	OBSTRUCTION IN WELL AT 19 FT				--	--	--	--	--
12/15/12		100.93	--	18.22	--	82.71	<29	<67	560	0.6	0.7	1.7	12	<2.5	--
3/16/13		100.93	--	18.06	--	82.87	<29	<67	110	0.5	1.9	0.5	4.8	<2.5	--
<b>MW-7</b>															
2/19/90		99.07	--	--	--	--	--	--	<b>526,000</b>	<b>3,280</b>	<b>8,170</b>	<b>1,210</b>	<b>8,010</b>	--	--
6/28/91		99.07	--	--	--	--	--	--	<b>30,000</b>	<b>760</b>	<b>950</b>	<b>4,600</b>	<b>8,500</b>	--	--
9/18/91		99.07	--	--	--	--	--	--	<b>11,000</b>	<b>280</b>	<b>970</b>	<b>560</b>	<b>2,800</b>	--	--
12/3/91		99.07	--	--	--	--	--	--	<b>9,400</b>	<b>250</b>	<b>330</b>	<b>630</b>	<b>2,600</b>	--	--
2/25/92		99.07	--	--	--	--	--	--	<b>3,800</b>	<b>210</b>	<b>260</b>	<b>510</b>	<b>2,200</b>	--	--
5/15/92		99.07	--	--	--	--	--	--	<b>9,000</b>	<b>170</b>	<b>35</b>	<b>630</b>	<b>2,900</b>	--	--
8/18/92		99.07	--	16.90	--	--	--	--	<b>28,000</b>	<b>190</b>	<b>75</b>	<b>100</b>	<b>560</b>	--	--
9/25/92		99.07	--	17.05	--	82.02	--	--	--	--	--	--	--	--	--
2/23/93		99.07	--	16.81	--	82.26	--	--	<b>32,000</b>	<b>160</b>	<b>1,500</b>	<b>800</b>	<b>6,300</b>	--	--
5/12/93		99.07	--	16.32	--	82.75	--	--	<b>24,000</b>	<b>160</b>	<b>940</b>	<b>890</b>	<b>5,200</b>	--	--
8/18/93		99.07	--	16.39	--	82.68	--	--	<b>27,000</b>	<b>79</b>	<b>470</b>	<b>750</b>	<b>6,500</b>	--	--
11/10/93		99.07	--	16.94	--	82.13	--	--	<b>14,000</b>	<b>36</b>	<b>60</b>	<b>400</b>	<b>3,800</b>	--	--
2/3/94		99.07	--	16.71	--	82.36	--	--	<b>3,800</b>	<b>7.5</b>	<b>8.3</b>	<b>130</b>	<b>680</b>	--	--
4/26/94		99.07	--	15.72	--	83.35	--	--	<b>10,000</b>	<b>48</b>	<b>190</b>	<b>480</b>	<b>1,900</b>	--	--
7/20/94		99.07	--	16.03	--	83.04	--	--	<b>14,000</b>	<b>26</b>	<b>280</b>	<b>570</b>	<b>2,900</b>	--	--
10/18/94		99.07	--	17.49	--	81.58	--	--	<b>6,200</b>	<b>11</b>	<b>13</b>	<b>230</b>	<b>980</b>	--	--
2/1/95		99.07	--	17.58	--	81.49	--	--	510	<b>9.5</b>	1.3	51	22	--	--
7/12/95		99.07	--	17.24	--	81.83	--	--	<b>8,600</b>	<b>30</b>	<b>25</b>	<b>270</b>	<b>1,300</b>	--	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-7 (cont)</b>															
1/4/96		99.07	--	--	--	--	--	--	--	--	--	--	--	--	--
1/7/97		99.07	--	--	--	--	--	--	--	--	--	--	--	--	--
2/12/98		99.07	--	--	--	--	--	--	--	--	--	--	--	--	--
5/31/99		99.07	--	--	--	--	--	--	--	--	--	--	--	--	--
6/8/00		99.07	--	17.11	--	--	--	--	321	3.15	ND	63.6	5.66	ND	--
NOT MONITORED/SAMPLED															
12/17-18/09		99.07	--	13.48	--	85.59	86	<68	330	0.7	<0.5	5.5	7.6	<2.5	--
3/17/10		99.07	--	13.35	--	85.72	33	73	670	<b>29</b>	1.1	7.4	9.9	<2.5	--
06/22-23/10		99.07	--	13.11	--	85.96	<31	<72	<50	1	<0.5	0.8	<1.5	<2.5	--
9/13/10		99.07	--	16.45	--	82.62	120	97	<b>960</b>	4	<0.5	9.6	8.2	<2.5	--
12/20/10		99.07	--	17.12	--	81.95	54	<75	170	2.6	<0.5	3.5	<1.5	<2.5	--
6/16/11		99.07	--	16.77	--	82.30	160	430	180	1.5	<0.5	0.8	<1.5	<2.5	--
9/23/11		99.07	--	17.58	--	81.49	100	440	210	2.3	<0.5	4.2	<1.5	<2.5	--
1/14/12		99.07	--	17.80	--	81.27	33	130	130	1.5	<0.5	3.2	<1.5	<2.5	--
3/31/12		99.07	--	17.50	--	81.57	<29	<67	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
6/2/12		99.07	--	17.10	--	81.97	44	170	100	1.3	<0.5	1.1	<1.5	<2.5	--
9/30/12		99.07	--	17.78	--	81.29	35	86	54	0.8	<0.5	1.3	<1.5	<2.5	--
12/15/12		99.07	--	17.42	--	81.65	51	<68	300	2.4	<0.5	5.7	2.3	<2.5	--
3/16/13		99.07	--	17.27	--	81.80	<30	<70	280	2.7	<0.5	5.8	<1.5	<2.5	--
<b>MW-8</b>															
4/11/01		--	DRY	--	--	--	--	--	--	--	--	--	--	--	--
NOT MONITORED/SAMPLED															
12/17-18/09		--	DRY	--	--	--	--	--	--	--	--	--	--	--	--
3/17/10		--	DRY	--	--	--	--	--	--	--	--	--	--	--	--
06/22-23/10		--	DRY	--	--	--	--	--	--	--	--	--	--	--	--
9/13/10		--	DRY	--	--	--	--	--	--	--	--	--	--	--	--
12/20/10		--	DRY	--	--	--	--	--	--	--	--	--	--	--	--
6/16/11		--	DRY	--	--	--	--	--	--	--	--	--	--	--	--
9/22/11		--	DRY	--	--	--	--	--	--	--	--	--	--	--	--
1/14/12		--	DRY	--	--	--	--	--	--	--	--	--	--	--	--
3/31/12		--	DRY	--	--	--	--	--	--	--	--	--	--	--	--
6/2/12		--	DRY	--	--	--	--	--	--	--	--	--	--	--	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-8 (cont)</b>															
9/30/12		--	DRY	--	--	--	--	--	--	--	--	--	--	--	--
12/15/12		--	DRY	--	--	--	--	--	--	--	--	--	--	--	--
3/16/13		--	DRY	--	--	--	--	--	--	--	--	--	--	--	--
<b>MW-9</b>															
2/19/90		100.02	--	--	--	--	--	--	<b>99,600</b>	<b>181</b>	489	494	<b>4,290</b>	--	--
4/12/91		100.02	--	--	--	--	--	--	ND	ND	ND	180	930	--	--
6/28/91		100.02	--	--	--	--	--	--	<b>10,000</b>	<b>100</b>	160	570	<b>1,800</b>	--	--
9/18/91		100.02	--	--	--	--	--	--	<b>15,000</b>	<b>150</b>	260	<b>720</b>	<b>3,200</b>	--	--
12/3/91		100.02	--	--	--	--	--	--	<b>16,000</b>	<b>140</b>	290	<b>780</b>	<b>3,400</b>	--	--
2/25/92		100.02	--	--	--	--	--	--	<b>9,500</b>	<b>120</b>	220	640	<b>2,900</b>	--	--
5/15/92		100.02	--	--	--	--	--	--	<b>18,000</b>	<b>120</b>	210	660	<b>3,300</b>	--	--
7/31/92		100.02	--	15.86	--	84.16	--	--	--	--	--	--	--	--	--
8/18/92		100.02	--	15.93	--	84.09	--	--	<b>16,000</b>	<b>72</b>	120	560	<b>1,900</b>	--	--
9/25/92		100.02	--	16.14	--	83.88	--	--	--	--	--	--	--	--	--
2/23/93		100.02	--	15.87	--	84.15	--	--	<b>9,000</b>	<b>45</b>	120	390	<b>1,100</b>	--	--
5/12/93		100.02	--	15.44	--	84.58	--	--	<b>11,000</b>	<b>34</b>	58	280	910	--	--
8/18/93		100.02	--	15.21	--	84.81	--	--	<b>3,100</b>	<b>22</b>	47	94	500	--	--
11/10/93		100.02	--	15.85	--	84.17	--	--	<b>10,000</b>	<b>67</b>	150	470	<b>1,700</b>	--	--
2/3/94		100.02	--	15.63	--	84.39	--	--	<b>26,000</b>	<b>85</b>	340	<b>910</b>	<b>3,600</b>	--	--
4/26/94		100.02	--	14.98	--	85.04	--	--	<b>12,000</b>	<b>37</b>	73	200	750	--	--
7/20/94		100.02	--	15.91	--	84.11	--	--	<b>15,000</b>	<b>37</b>	110	360	<b>1,600</b>	--	--
10/18/94		100.02	--	16.91	--	83.11	--	--	<b>28,000</b>	<b>110</b>	350	<b>970</b>	<b>2,000</b>	--	--
2/1/95		100.02	--	16.86	--	83.16	--	--	<b>21,000</b>	<b>47</b>	230	570	<b>2,600</b>	--	--
7/12/95		100.02	--	16.50	--	83.52	--	--	<b>17,000</b>	<b>69</b>	130	480	<b>2,000</b>	--	--
1/4/96		100.02	--	16.00	--	84.02	--	--	<b>39,000</b>	<b>46</b>	140	420	<b>2,600</b>	--	--
1/7/97		100.02	15.12	15.12	Sheen	84.90	--	--	<b>31,600</b>	<b>47.7</b>	ND	25.2	112	--	--
2/12/98		100.02	--	15.87	--	84.15	--	--	ND	ND	ND	ND	ND	--	--
5/31/99	NP	100.02	--	16.03	0.00	83.99	--	--	ND	ND	ND	ND	ND	--	--
6/8/00		100.02	--	16.74	0.00	83.28	--	--	--	--	--	--	--	--	--
1/30/01		100.02	--	17.40	0.00	82.62	--	--	<b>307,000</b>	ND	ND	ND	ND	--	--
4/11/01		100.02	--	17.15	0.00	82.87	--	--	<b>43,000</b>	<50	289	<b>911</b>	<b>5,530</b>	--	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-9 (cont)</b>															
7/28/01		100.02	--	17.18	0.00	82.84	--	--	<b>27,800</b>	<b>35.9</b>	290	<b>1,110</b>	<b>5,490</b>	--	--
10/15/01		100.02	--	17.54	0.00	82.48	--	--	<b>84,100</b>	<25.0	99.3	262	<b>2,290</b>	--	--
1/5/02		100.02	--	16.12	0.00	83.90	--	--	<b>9,020</b>	<5.00	10.0	103	850	--	--
NOT MONITORED/SAMPLED															
12/17-18/09		100.02	--	10.88	0.00	89.14	<29	<68	<50	<b>130</b>	3.4	0.7	2.2	<2.5	--
3/17/10		100.02	--	10.96	0.00	89.06	78	170	<b>13,000</b>	<b>610</b>	1,600	280	<b>1,500</b>	<b>73</b>	--
06/22-23/10		100.02	--	12.00	0.00	88.02	310	<70	<b>12,000</b>	<b>11</b>	15	150	<b>1,100</b>	<10	--
9/13/10		100.02	--	16.27	0.00	83.75	<b>990</b>	<b>800</b>	<b>2,900</b>	<b>53</b>	23	61	110	<10	--
12/20/10		100.02	--	16.45	0.00	83.57	150	<74	<b>4,000</b>	<b>51</b>	13	79	170	8.8	--
6/16/11		100.02	--	16.35	0.00	83.67	240	190	<b>1,600</b>	<b>41</b>	4.4	53	59	<10	--
9/23/11		100.02	--	17.25	0.00	82.77	200	<70	<b>4,200</b>	<b>88</b>	12	180	290	<20	--
1/14/12		100.02	--	17.55	0.00	82.47	330	<68	<b>5,800</b>	<b>120</b>	17	180	260	<b>36</b>	--
3/31/12		100.02	--	16.85	0.00	83.17	<b>1,300</b>	91	<b>7,900</b>	<b>140</b>	14	220	320	<b>24</b>	--
6/2/12		100.02	--	16.60	0.00	83.42	<b>1,100</b>	240	<b>8,900</b>	<b>120</b>	16	210	300	<b>26</b>	--
9/30/12		100.02	--	17.61	0.00	82.41	<b>1,200</b>	190	<b>7,800</b>	<b>130</b>	22	220	300	30/<3 <sup>6</sup>	--
12/15/12		100.02	--	17.00	0.00	83.02	<b>4,000</b>	<69	<b>18,000</b>	<b>150</b>	25	420	930	34/<3 <sup>6</sup>	--
3/16/13		100.02	--	16.86	0.00	83.16	<b>9,700</b>	<b>520</b>	<b>21,000</b>	<b>120</b>	20	330	700	32/<5 <sup>6</sup>	--
<b>MW-10</b>															
2/19/90		99.18	--	--	--	--	--	--	<b>89,400</b>	<b>431</b>	136	505	<b>1,990</b>	--	--
4/12/91		99.18	--	--	--	--	--	--	<b>5,000</b>	<b>200</b>	56	350	<b>1,200</b>	--	--
6/28/91		99.18	--	--	--	--	--	--	<b>5,700</b>	<b>250</b>	48	330	910	--	--
9/18/91		99.18	--	--	--	--	--	--	<b>6,200</b>	<b>230</b>	370	300	580	--	--
12/3/91		99.18	--	--	--	--	--	--	560	<b>210</b>	59	290	870	--	--
2/25/92		99.18	--	--	--	--	--	--	<b>5,000</b>	<b>160</b>	27	200	730	--	--
5/15/92		99.18	--	--	--	--	--	--	<b>5,200</b>	<b>190</b>	37	290	710	--	--
7/31/92		99.18	--	15.30	--	83.88	--	--	--	--	--	--	--	--	--
8/18/92		99.18	--	15.81	--	83.37	--	--	<b>5,900</b>	<b>180</b>	25	180	550	--	--
9/25/92		99.18	--	15.97	--	83.21	--	--	--	--	--	--	--	--	--
2/23/93		99.18	--	--	--	--	--	--	--	--	--	--	--	--	--
5/12/93		99.18	--	--	--	--	--	--	--	--	--	--	--	--	--
8/18/93		99.18	--	--	--	--	--	--	--	--	--	--	--	--	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-10 (cont)</b>															
11/10/93		99.18	--	--	--	--	--	--	--	--	--	--	--	--	--
2/3/94		99.18	--	--	--	--	--	--	--	--	--	--	--	--	--
4/26/94		99.18	--	--	--	--	--	--	--	--	--	--	--	--	--
7/20/94		99.18	--	--	--	--	--	--	--	--	--	--	--	--	--
10/18/94		99.18	--	--	--	--	--	--	--	--	--	--	--	--	--
2/1/95		99.18	--	15.98	--	83.20	--	--	--	--	--	--	--	--	--
7/12/95		99.18	--	--	--	--	--	--	--	--	--	--	--	--	--
1/4/96		99.18	--	--	--	--	--	--	--	--	--	--	--	--	--
1/7/97		99.18	--	--	--	--	--	--	--	--	--	--	--	--	--
2/12/98		99.18	--	--	--	--	--	--	--	--	--	--	--	--	--
5/19/03		99.18	14.81	14.91	0.10	84.35	--	--	--	--	--	--	--	--	--
6/26/03		99.18	15.21	15.42	0.21	83.93	--	--	--	--	--	--	--	--	--
8/18/03		99.18	16.04	16.23	0.19	83.10	--	--	--	--	--	--	--	--	--
9/6/03		99.18	16.02	16.19	0.17	83.13	--	--	--	--	--	--	--	--	--
10/14/03		99.18	16.10	16.39	0.29	83.02	--	--	--	--	--	--	--	--	--
11/17/03		99.18	15.88	15.95	0.07	83.29	--	--	--	--	--	--	--	--	--
12/8/03		99.18	16.22	16.46	0.24	82.91	--	--	--	--	--	--	--	--	--
1/7/04		99.18	15.37	15.61	0.24	83.76	--	--	--	--	--	--	--	--	--
2/26/04		99.18	14.93	15.05	0.12	84.23	--	--	--	--	--	--	--	--	--
3/18/04		99.18	14.82	15.04	0.22	84.32	--	--	--	--	--	--	--	--	--
4/21/04		99.18	14.35	14.45	0.10	84.81	--	--	--	--	--	--	--	--	--
5/17/04		99.18	14.30	14.41	0.11	84.86	--	--	--	--	--	--	--	--	--
6/2/04		99.18	14.87	14.96	0.09	84.29	--	--	--	--	--	--	--	--	--
7/1/04		99.18	15.02	15.10	0.08	84.14	--	--	--	--	--	--	--	--	--
8/16/04		99.18	14.93	15.02	0.09	84.23	--	--	--	--	--	--	--	--	--
9/24/04		99.18	16.22	16.31	0.09	82.94	--	--	--	--	--	--	--	--	--
10/15/04		99.18	15.55	15.71	0.26	83.68	--	--	--	--	--	--	--	--	--
10/26/04		99.18	16.32	16.40	0.08	82.84	--	--	--	--	--	--	--	--	--
12/2/04		99.18	16.32	16.40	0.08	82.84	--	--	--	--	--	--	--	--	--
1/5/05		99.18	14.95	14.99	0.04	84.22	--	--	--	--	--	--	--	--	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-10 (cont)</b>															
2/1/05		99.18	14.57	14.64	0.07	84.60	--	--	--	--	--	--	--	--	--
8/4/05		99.18	14.42	14.46	0.04	84.75	--	--	--	--	--	--	--	--	--
4/5/06		99.18	--	--	--	--	--	--	--	--	--	--	--	--	--
07/26/06		99.18	--	13.42	0.00	85.76	--	--	--	--	--	--	--	--	--
7/19/07		99.18	--	12.82	0.00	86.36	--	--	--	--	--	--	--	--	--
7/23/08		99.18	--	14.54	0.00	84.64	--	--	--	--	--	--	--	--	--
7/13/09		99.18	--	12.01	0.00	87.17	--	--	--	--	--	--	--	--	--
12/17-18/09		99.18	--	11.29	0.00	87.89	310	<69	2,300	230	28	2.9	9.3	<2.5	--
3/17/10		99.18	--	11.36	0.00	87.82	2,200	200	88,000	4,900	16,000	1,200	7,600	<500	--
06/22-23/10		99.18	--	11.79	0.00	87.39	1,500	<70	56,000	17	2,000	1,300	11,000	<63	--
9/13/10		99.18	--	15.71	0.00	83.47	30,000	<1,700	37,000	490	1,400	990	5,000	<13	--
12/20/10		99.18	--	15.92	0.00	83.26	9,900	<1,400	23,000	330	650	620	2,900	<25	--
6/16/11		99.18	--	15.79	0.00	83.39	3,800	<690	11,000	230	30	370	630	<20	--
9/23/11		99.18	--	16.70	0.00	82.48	14,000	<1,300	7,700	250	25	380	460	<50	--
1/14/12		99.18	16.90	17.20	0.30	82.22	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--	--	--
3/31/12		99.18	--	16.35	0.00	82.83	9,800	<79	11,000	190	18	330	450	29	--
6/2/12		99.18	16.00	16.20	0.20	83.14	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--	--	--
9/30/12		99.18	16.95	17.02	0.07	82.22	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--	--	--
12/15/12		99.18	16.50	16.58	0.08	82.66	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--	--	--
3/16/13		99.18	16.27	16.42	0.15	82.88	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--	--	--
<b>MW-11</b>															
2/19/90		98.43	--	--	--	--	--	--	244,000	342	5,430	2,150	9,020	--	--
4/12/91		98.43	--	--	--	--	--	--	ND	ND	3,300	1,700	9,500	--	--
6/28/91		98.43	--	--	--	--	--	--	45,000	220	5,400	2,200	11,000	--	--
9/18/91		98.43	--	--	--	--	--	--	58,000	210	4,900	2,000	9,900	--	--
12/3/91		98.43	--	--	--	--	--	--	41,000	210	5,100	2,000	9,700	--	--
2/25/92		98.43	--	--	--	--	--	--	47,000	190	4,500	1,700	8,400	--	--
5/15/92		98.43	--	--	--	--	--	--	34,000	61	420	750	4,700	--	--
7/31/92		98.43	--	15.18	--	83.25	--	--	--	--	--	--	--	--	--
8/18/92		98.43	--	15.31	--	83.12	--	--	70,000	210	6,700	210	1,100	--	--
9/25/92		98.43	--	15.00	--	83.43	--	--	--	--	--	--	--	--	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**  
Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)	
<b>MW-11 (cont)</b>																
2/23/93		98.43	--	15.15	--	83.28	--	--	52,000	150	4,100	1,700	7,900	--	--	
5/12/93		98.43	--	14.76	--	83.67	--	--	57,000	200	5,200	2,000	9,400	--	--	
8/18/93		98.43	--	14.79	--	83.64	--	--	52,000	130	4,100	1,800	8,300	--	--	
11/10/93		98.43	--	15.19	--	83.24	--	--	51,000	160	3,500	1,800	6,300	--	--	
2/3/94		98.43	--	14.81	--	83.62	--	--	33,000	74	1,900	880	3,300	--	--	
4/26/94		98.43	--	14.11	--	84.32	--	--	26,000	39	270	170	2,600	--	--	
7/20/94		98.43	--	14.51	--	83.92	--	--	18,000	ND	45	85	540	--	--	
10/18/94		98.43	--	15.32	--	83.11	--	--	38,000	130	3,300	830	4,200	--	--	
2/1/95		98.43	--	15.73	--	82.70	--	--	100,000	170	3,600	2,000	11,000	--	--	
7/12/95		98.43	--	13.98	--	84.45	--	--	16,000	22	260	200	1,200	--	--	
1/4/96		98.43	--	14.75	--	83.68	--	--	52,000	170	4,700	1,500	7,800	--	--	
1/7/97		98.43	14.00	14.00	Sheen	84.43	--	--	37,200	74.9	2,390	1,100	5,760	--	--	
2/12/98		98.43	--	14.85	--	83.58	--	--	13,100	52.4	184	374	2,150	--	--	
5/31/99	NP	98.43	--	14.92	0.00	83.51	--	--	17,000	41.3	137	40.8	2,540	--	--	
6/8/00		98.43	15.56	15.56	Sheen	82.87	--	--	51,700	215	4,980	1,850	8,960	ND	--	
1/30/01		98.43	16.75	16.30	0.45	81.59	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH						--	--
4/11/01		98.43	16.88	15.87	1.01	81.35	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH						--	--
7/28/01		98.43	16.19	16.03	0.16	82.21	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH						--	--
10/15/01		98.43	16.39	15.68	0.71	81.90	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH						--	--
1/5/02		98.43	15.60	15.49	0.11	82.81	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH						--	--
4/2/02	NP	98.43	--	15.32	0.00	83.11	--	--	71,000	130	5,100	2,000	11,000	<20	--	
6/26/02		98.43	15.69	15.78	0.09	82.72	--	--	--	--	--	--	--	--	--	--
7/11/02		98.43	15.84	15.90	0.06	82.58	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH						--	--
8/29/02		98.43	16.21	16.29	0.08	82.20	--	--	--	--	--	--	--	--	--	--
9/7/02		98.43	15.91	15.96	0.05	82.51	--	--	--	--	--	--	--	--	--	--
10/10/02		98.43	16.20	16.94	0.74	82.08	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH						--	--
11/22/02		98.43	15.88	15.94	0.06	82.54	--	--	--	--	--	--	--	--	--	--
12/11/02		98.43	15.77	15.89	0.12	82.64	--	--	--	--	--	--	--	--	--	--
1/10/03		98.43	15.98	17.61	1.63	82.12	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH						--	--
2/13/03		98.43	15.89	16.93	1.04	82.33	--	--	--	--	--	--	--	--	--	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**  
Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-11 (cont)</b>															
3/5/03		98.43	15.78	16.77	0.99	82.45	--	--	--	--	--	--	--	--	--
4/21/03		98.43	14.86	14.91	0.05	83.56	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--
5/19/03		98.43	14.73	14.76	0.03	83.69	--	--	--	--	--	--	--	--	--
6/5/03		98.43	14.94	15.01	0.07	83.48	--	--	--	--	--	--	--	--	--
6/26/03		98.43	15.18	15.20	0.02	83.25	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--
8/18/03		98.43	16.01	16.05	0.04	82.41	--	--	--	--	--	--	--	--	--
9/6/03		98.43	16.01	16.04	0.03	82.41	--	--	--	--	--	--	--	--	--
10/14/03	NP	98.43	--	15.90	0.00	82.53	--	--	<b>65,000</b>	<b>72</b>	<b>3,600</b>	<b>1,700</b>	<b>8,600</b>	<100	--
11/17/03		98.43	15.82	15.98	0.16	82.58	--	--	--	--	--	--	--	--	--
12/8/03		98.43	15.95	15.97	0.02	82.48	--	--	--	--	--	--	--	--	--
1/7/04		98.43	15.46	15.49	0.03	82.96	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--
2/26/04		98.43	14.93	14.96	0.03	83.49	--	--	--	--	--	--	--	--	--
3/18/04		98.43	15.13	15.16	0.03	83.29	--	--	--	--	--	--	--	--	--
4/21/04		98.43	14.64	14.66	0.02	83.79	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--
5/17/04		98.43	14.60	14.62	0.02	83.83	--	--	--	--	--	--	--	--	--
6/2/04		98.43	15.20	15.22	0.02	83.23	--	--	--	--	--	--	--	--	--
7/1/04	NP	98.43	--	15.01	0.00	83.42	--	--	<b>59,000</b>	<b>44</b>	<b>2,200</b>	<b>980</b>	<b>9,000</b>	<25	--
8/16/04		98.43	15.31	15.33	0.02	83.12	--	--	--	--	--	--	--	--	--
9/24/04		98.43	16.03	16.05	0.02	82.40	--	--	--	--	--	--	--	--	--
10/15/04	NP	98.43	--	15.35	0.00	83.08	--	--	<b>53,000</b>	<b>72</b>	<b>2,900</b>	<b>1,400</b>	<b>8,400</b>	<200	--
10/26/04		98.43	16.00	16.02	0.02	82.43	--	--	--	--	--	--	--	--	--
12/2/04		98.43	15.86	15.89	0.03	82.56	--	--	--	--	--	--	--	--	--
1/5/05		98.43	15.11	15.14	0.03	83.31	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--
2/1/05		98.43	15.05	15.08	0.03	83.37	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--
8/4/05		98.43	15.45	15.48	0.03	82.97	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--
4/5/06		98.43	--	--	--	--	--	--	--	--	--	--	--	--	--
7/26/06	NP	98.43	--	13.42	0.00	85.01	--	--	<48	1.0	<0.5	0.6	2.0	<2.5	--
7/19/07	NP	98.43	--	12.31	0.00	86.12	--	--	<50	1.5	<0.5	<0.5	<1.5	<10	--
7/23/08	NP	98.43	--	14.45	0.00	83.98	--	--	530	<0.5	<2.0	1.5	8.0	<2.5	--
7/13/09	NP	98.43	--	11.64	0.00	86.79	--	--	<b>4,500</b>	<b>530</b>	95	170	640	<5.0	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-11 (cont)</b>															
12/17-18/09		98.43	--	11.40	0.00	87.03	230	<70	3,800	510	610	23	95	<13	--
3/17/10		98.43	--	11.31	0.00	87.12	400	430	57,000	2,900	9,700	840	6,200	<63	--
06/22-23/10		98.43	--	11.64	0.00	86.79	870	<68	41,000	64	1,600	940	6,700	<25	--
9/13/10		98.43	--	15.16	0.00	83.27	25,000	<1,700	42,000	99	1,200	760	5,300	<25	--
12/21/10		98.43	--	15.33	0.00	83.10	1,600	<350	40,000	390	2,700	720	4,900	59	--
6/16/11		98.43	--	15.08	0.00	83.35	3,800	<680	33,000	490	1,800	600	3,000	<25	--
9/23/11		98.43	--	16.00	0.00	82.43	600	<68	21,000	630	1,200	610	2,200	74	--
1/14/12		98.43	16.25	16.50	0.25	82.13	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--	--	--	--
3/31/12		98.43	--	15.60	0.00	82.83	1,800	<69	26,000	340	690	320	1,300	93	--
6/2/12		98.43	15.35	15.55	0.20	83.04	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--	--	--	--
9/30/12		98.43	--	16.18	0.00	82.25	2,900	120	18,000	260	290	490	1,400	87/<5 <sup>6</sup>	--
12/15/12		98.43	16.02	16.18	0.16	82.38	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--	--	--	--
3/16/13		98.43	15.64	15.66	0.02	82.79	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--	--	--	--
<b>MW-12</b>															
2/25/92		100.50	--	--	--	--	--	--	130,000	16,000	31,000	2,800	20,000	--	--
5/15/92		100.50	--	--	--	--	--	--	109,000	12,000	28,000	2,100	16,000	--	--
7/31/92		100.50	--	15.54	--	84.96	--	--	--	--	--	--	--	--	--
8/18/92		100.50	--	15.80	--	84.70	--	--	210,000	24,000	40,000	2,800	17,000	--	--
9/25/92		100.50	--	15.64	--	84.86	--	--	--	--	--	--	--	--	--
2/23/93		100.50	--	15.99	--	84.51	--	--	140,000	20,000	31,000	1,600	12,000	--	--
5/12/93		100.50	--	15.55	--	84.95	--	--	120,000	19,000	29,000	1,700	15,000	--	--
8/18/93		100.50	--	15.57	--	84.93	--	--	160,000	21,000	39,000	2,500	18,000	--	--
11/10/93		100.50	--	16.12	--	84.38	--	--	160,000	21,000	35,000	3,000	14,000	--	--
2/3/94		100.50	--	15.76	--	84.74	--	--	130,000	21,000	43,000	2,100	13,000	--	--
4/26/94		100.50	--	15.29	--	85.21	--	--	200,000	20,000	37,000	3,100	16,000	--	--
7/20/94		100.50	--	16.39	--	84.11	--	--	240,000	26,000	41,000	4,000	24,000	--	--
10/18/94		100.50	19.65	21.89	2.24	80.40	--	--	--	--	--	--	--	--	--
2/1/95		100.50	19.00	20.75	1.75	81.15	--	--	--	--	--	--	--	--	--
7/12/95		100.50	--	16.48	--	84.02	--	--	100,000	12,000	21,000	1,500	12,000	--	--
1/4/96		100.50	--	15.01	--	85.49	--	--	1,100,000	ND	ND	1,800	37,000	--	--
1/7/97		100.50	16.70	16.70	Sheen	83.80	--	--	471,000	9,700	21,500	3,210	34,600	--	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-12 (cont)</b>															
2/12/98		100.50	--	16.30	--	84.20	--	--	<b>176,000</b>	<b>17,200</b>	<b>27,700</b>	<b>2,270</b>	<b>21,400</b>	--	--
5/31/99	NP	100.50	--	16.33	0.00	84.17	--	--	<b>131,000</b>	<b>4,680</b>	<b>14,500</b>	<b>1,510</b>	<b>22,400</b>	--	--
6/8/00		100.50	17.19	17.19	Sheen	83.31	--	--	<b>153,000</b>	<b>12,500</b>	<b>24,300</b>	<b>2,680</b>	<b>25,800</b>	ND <sup>1</sup>	--
1/30/01		100.50	18.34	18.31	0.03	82.15	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH						--
4/11/01		100.50	--	17.11	0.00	83.39	--	--	<b>219,000</b>	<b>15,200</b>	<b>23,700</b>	<b>2,420</b>	<b>27,900</b>	--	--
7/28/01		100.50	--	16.78	0.00	83.72	--	--	<b>170,000</b>	<b>12,400</b>	<b>23,100</b>	<b>2,370</b>	<b>27,100</b>	--	--
10/15/01		100.50	--	16.96	0.00	83.54	--	--	<b>168,000</b>	<b>12,300</b>	<b>21,200</b>	<b>2,010</b>	<b>25,300</b>	--	--
1/5/02		100.50	--	15.54	0.00	84.96	--	--	<b>131,000</b>	<b>9,870</b>	<b>17,500</b>	<b>1,810</b>	<b>24,300</b>	--	--
NOT MONITORED/SAMPLED															
12/17-18/09		100.50	--	16.69	0.00	83.81	<b>9,300</b>	<b>1,700</b>	<b>200,000</b>	<b>4,100</b>	<b>4,700</b>	<b>620</b>	<b>18,000</b>	<50	--
3/17/10		100.50	--	15.98	0.00	84.52	<b>25,000</b>	<3,500	<b>200,000</b>	<b>4,300</b>	<b>7,200</b>	<b>980</b>	<b>19,000</b>	<50	--
06/22-23/10		100.50	--	15.29	0.00	85.21	<b>48,000</b>	<b>6,500</b>	<b>140,000</b>	<b>3,000</b>	<b>5,300</b>	<b>610</b>	<b>18,000</b>	<130	--
9/13/10		100.50	--	17.29	0.00	83.21	<b>7,500</b>	<730	<b>130,000</b>	<b>10,000</b>	<b>17,000</b>	<b>1,800</b>	<b>17,000</b>	<500	--
12/20/10		100.50	--	17.27	0.00	83.23	<b>3,900</b>	<360	<b>120,000</b>	<b>8,800</b>	<b>12,000</b>	<b>1,600</b>	<b>12,000</b>	<b>230</b>	--
6/16/11		100.50	--	17.11	0.00	83.39	<b>2,800</b>	<350	<b>110,000</b>	<b>7,400</b>	<b>13,000</b>	<b>1,500</b>	<b>15,000</b>	<500	--
9/23/11		100.50	--	18.17	0.00	82.33	<b>1,300</b>	460	<b>130,000</b>	<b>14,000</b>	<b>21,000</b>	<b>2,400</b>	<b>17,000</b>	<b>270</b>	--
1/14/12		100.50	18.40	18.62	0.22	82.06	NOT SAMPLED DUE TO THE PRESENCE OF SPH						--	--	--
3/31/12		100.50	--	17.75	0.00	82.75	<b>3,800</b>	<b>640</b>	<b>110,000</b>	<b>11,000</b>	<b>12,000</b>	<b>2,300</b>	<b>15,000</b>	<b>400</b>	--
6/2/12		100.50	--	20.90	0.00	79.60	INSUFFICIENT WATER TO SAMPLE						--	--	--
9/30/12		100.50	--	18.45	0.00	82.05	<b>2,200</b>	<b>660</b>	<b>130,000</b>	<b>14,000</b>	<b>20,000</b>	<b>2,700</b>	<b>18,000</b>	240/<10 <sup>6</sup>	--
12/15/12		100.50	--	17.81	0.00	82.69	<b>2,100</b>	210	<b>96,000</b>	<b>11,000</b>	<b>17,000</b>	<b>2,700</b>	<b>16,000</b>	310/<5 <sup>6</sup>	--
3/16/13		100.50	--	17.49	0.00	83.01	<b>1,900</b>	230	<b>130,000</b>	<b>9,200</b>	<b>18,000</b>	<b>2,600</b>	<b>18,000</b>	250/<5 <sup>6</sup>	--
<b>MW-13</b>															
2/19/90		99.01	--	--	--	--	--	--	ND	ND	45	78	176	--	--
4/12/91		99.01	--	--	--	--	--	--	3,100	5.9	13	79	140	--	--
6/28/91		99.01	--	--	--	--	--	--	2,300	30	6.9	100	120	--	--
9/18/91		99.01	--	--	--	--	--	--	3,700	14	6.9	50	94	--	--
12/3/91		99.01	--	--	--	--	--	--	2,500	26	5.6	110	85	--	--
2/25/92		99.01	--	--	--	--	--	--	2,400	27	ND	91	89	--	--
5/15/92		99.01	--	--	--	--	--	--	650	6.3	0.83	24	15	--	--
7/31/92		99.01	--	15.38	--	83.63	--	--	--	--	--	--	--	--	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**  
Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-13 (cont)</b>															
8/18/92		99.01	--	15.35	--	83.66	--	--	2,900	1.9	2.1	35	15	--	--
9/25/92		99.01	--	15.68	--	83.33	--	--	--	--	--	--	--	--	--
2/23/93		99.01	--	15.38	--	83.63	--	--	2,100	4.6	3.6	31	35	--	--
5/13/93		99.01	--	15.01	--	84.00	--	--	<b>2,400</b>	<b>21</b>	ND	160	140	--	--
8/18/93		99.01	--	14.92	--	84.09	--	--	<b>1,800</b>	3.5	1.9	25	20	--	--
11/10/93		99.01	--	15.45	--	83.56	--	--	<b>1,700</b>	<b>7.8</b>	2.0	14	21	--	--
2/3/94		99.01	--	15.27	--	83.74	--	--	<b>2,300</b>	4.7	4.2	47	53	--	--
4/26/94		99.01	--	14.75	--	84.26	--	--	<b>3,100</b>	<b>15</b>	5.2	73	45	--	--
7/20/94		99.01	--	15.23	--	83.78	--	--	<b>3,200</b>	<b>5.3</b>	6.4	140	88	--	--
10/18/94		99.01	--	16.17	--	82.84	--	--	<b>4,600</b>	<b>8.3</b>	8.9	160	64	--	--
2/1/95		99.01	--	15.86	--	83.15	--	--	<b>4,900</b>	<b>26</b>	17	120	120	--	--
7/12/95		99.01	--	15.45	--	83.56	--	--	<b>2,800</b>	<b>20</b>	3.6	98	23	--	--
1/4/96		99.01	--	15.01	--	84.00	--	--	<b>4,700</b>	<b>36</b>	7.9	170	82	--	--
1/7/97		99.01	--	14.25	--	84.76	--	--	474	ND	ND	ND	2.86	--	--
2/12/98		99.01	--	15.09	--	83.92	--	--	ND	ND	ND	ND	ND	--	--
5/31/99	NP	99.01	--	15.27	0.00	83.74	--	--	ND	0.518	ND	ND	ND	--	--
6/8/00		99.01	--	15.89	0.00	83.12	--	--	--	--	--	--	--	--	--
1/30/01		99.01	--	16.41	0.00	82.60	--	--	<b>4,060</b>	<b>12.2</b>	5.29	88.2	53.9	--	--
4/11/01		99.01	--	16.44	0.00	82.57	--	--	<b>4,630</b>	<b>7.09</b>	3.32	116	87.0	--	--
7/28/01		99.01	--	16.49	0.00	82.52	--	--	<b>4,580</b>	<b>8.08</b>	5.39	99.6	72.2	--	--
10/15/01		99.01	--	16.77	0.00	82.24	--	--	<b>4,120</b>	4.74	2.88	38.0	37.3	--	--
1/5/02		99.01	--	15.66	0.00	83.35	--	--	<b>4,620</b>	3.40	3.68	61.2	34.3	--	--
4/2/02	NP	99.01	--	15.33	0.00	83.68	--	--	<b>4,000</b>	<0.50	<1.0	26	7.2	<5.0	--
7/11/02	NP	99.01	--	15.91	0.00	83.10	--	--	<b>10,000</b>	1.5	6.0	31	110	<2.5	--
10/10/02	NP	99.01	--	16.48	0.00	82.53	--	--	<b>4,600</b>	2.8	9.9	15	110	<20	--
1/10/03	NP	99.01	--	16.23	0.00	82.78	--	--	<b>2,500</b>	<5.0	0.73	0.75	2.2	<20	--
4/21/03	NP	99.01	--	14.81	0.00	84.20	--	--	<b>2,200</b>	<5.0	1	1.6	<3.0	<10	--
6/26/03		99.01	15.18	15.20	0.02	83.83	--	--	NOT SAMPLED DUE TO THE PRESENCE OF SPH						--
10/14/03	NP	99.01	--	16.12	0.00	82.89	--	--	<b>2,300</b>	2.1	<1.0	9.3	4.1	<10	--
1/7/04	NP	99.01	--	15.22	0.00	83.79	--	--	<b>2,300</b>	<2.0	0.5	3.1	2.1	<5.0	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**  
Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-13 (cont)</b>															
4/21/04	NP	99.01	--	14.88	0.00	84.13	--	--	<b>2,100</b>	2.5	1.8	48	25	<50	--
7/1/04	NP	99.01	--	15.20	0.00	83.81	--	--	<b>2,600</b>	<5.0	1.4	28	14	<5.0	--
10/15/04	NP	99.01	--	15.60	0.00	83.41	--	--	<b>1,700</b>	1.8	<1.0	7.9	<9.0	<10	--
1/5/05	NP	99.01	--	15.27	0.00	83.74	--	--	<b>1,600</b>	<5.0	0.6	7.0	<3.0	<5.0	--
8/4/05	NP	99.01	--	14.72	0.00	84.29	--	--	<b>1,200</b>	1.6	<0.5	1.7	<3.0	<2.5	--
07/26/06	NP	99.01	--	13.90	0.00	85.11	--	--	<b>54</b>	1.8	<0.5	<0.5	<1.5	<2.5	--
7/19/07	NP	99.01	--	13.30	0.00	85.71	--	--	<b>93</b>	1.9	<0.5	<0.5	<1.5	<10	--
7/23/08	NP	99.01	--	14.71	0.00	84.30	--	--	<b>100</b>	<0.5	<0.5	<0.5	<1.5	<2.5	--
7/13/09	NP	99.01	--	12.67	0.00	86.34	--	--	<b>&lt;50</b>	<b>16</b>	<0.5	<0.5	<1.5	<2.5	--
12/17-18/09		99.01	--	12.22	0.00	86.79	<29	<67	<b>93</b>	<0.5	<0.5	<0.5	<1.5	<2.5	--
3/17/10		99.01	--	12.13	0.00	86.88	<b>2,200</b>	<b>630</b>	<b>4,100</b>	<b>58</b>	<10	5.7	15	4.3	--
06/22-23/10		99.01	--	12.27	0.00	86.74	<b>700</b>	<70	<b>23,000</b>	<b>70</b>	91	470	<b>4,000</b>	<25	--
9/13/10		99.01	--	15.57	0.00	83.44	<b>2,000</b>	<340	<b>4,400</b>	<b>450</b>	300	82	100	<13	--
12/21/10		99.01	--	15.77	0.00	83.24	<b>910</b>	270	<b>3,900</b>	<b>290</b>	55	69	68	<b>34</b>	--
6/16/11		99.01	--	15.43	0.00	83.58	<b>2,000</b>	<350	<b>4,900</b>	<b>210</b>	12	74	89	<50	--
9/23/11		99.01	--	16.25	0.00	82.76	<b>730</b>	<69	<b>4,500</b>	<b>190</b>	8.8	80	85	<50	--
1/14/12		99.01	--	16.55	0.00	82.46	<b>1,700</b>	140	<b>4,300</b>	<b>160</b>	8.2	78	60	<b>38</b>	--
3/31/12		99.01	--	15.90	0.00	83.11	<b>4,300</b>	89	<b>4,500</b>	<b>200</b>	8.5	100	80	<b>36</b>	--
6/2/12		99.01	--	15.60	0.00	83.41	<b>3,300</b>	240	<b>4,200</b>	<b>140</b>	7.8	110	83	<b>33</b>	--
9/30/12		99.01	--	16.54	0.00	82.47	<b>500</b>	96	<b>3,400</b>	<b>110</b>	8.3	96	84	19/<0.5 <sup>6</sup>	--
12/15/12		99.01	--	16.20	0.00	82.81	<b>17,000</b>	380	<b>14,000</b>	<b>100</b>	8.5	99	100	17/<3 <sup>6</sup>	--
3/16/13		99.01	--	16.06	0.00	82.95	<b>2,100</b>	<76	<b>9,000</b>	<b>83</b>	8.0	100	97	18/<3 <sup>6</sup>	--
<b>MW-14</b>															
2/19/90		99.53	--	--	--	--	--	--	ND	ND	ND	ND	ND	--	--
4/12/91		99.53	--	--	--	--	--	--	ND	7.2	13	75	130	--	--
6/28/91		99.53	--	--	--	--	--	--	ND	ND	ND	ND	ND	--	--
9/18/91		99.53	--	--	--	--	--	--	ND	ND	ND	ND	ND	--	--
12/3/91		99.53	--	--	--	--	--	--	ND	ND	ND	ND	ND	--	--
2/25/92		99.53	--	--	--	--	--	--	ND	ND	ND	ND	ND	--	--
5/15/92		99.53	--	--	--	--	--	--	ND	ND	ND	ND	ND	--	--
7/31/92		99.53	--	18.08	--	81.45	--	--	--	--	--	--	--	--	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-14 (cont)</b>															
8/18/92		99.53	--	18.19	--	81.34	--	--	ND	ND	ND	ND	ND	--	--
9/25/92		99.53	--	18.10	--	81.43	--	--	--	--	--	--	--	--	--
2/23/93		99.53	--	--	--	--	--	--	--	--	--	--	--	--	--
5/12/93		99.53	--	--	--	--	--	--	--	--	--	--	--	--	--
8/18/93		99.53	--	--	--	--	--	--	--	--	--	--	--	--	--
11/10/93		99.53	--	--	--	--	--	--	--	--	--	--	--	--	--
2/3/94		99.53	--	--	--	--	--	--	--	--	--	--	--	--	--
4/26/94		99.53	--	--	--	--	--	--	--	--	--	--	--	--	--
7/20/94		99.53	--	--	--	--	--	--	--	--	--	--	--	--	--
10/18/94		99.53	--	--	--	--	--	--	--	--	--	--	--	--	--
2/1/95		99.53	--	18.72	--	80.81	--	--	--	--	--	--	--	--	--
7/12/95		99.53	--	18.54	--	80.99	--	--	ND	ND	ND	ND	ND	--	--
1/4/96		99.53	--	18.28	--	81.25	--	--	ND	ND	ND	ND	ND	--	--
1/7/97		99.53	--	--	--	--	--	--	--	--	--	--	--	--	--
2/12/98		99.53	--	--	--	--	--	--	--	--	--	--	--	--	--
5/31/99		99.53	--	--	--	--	--	--	--	--	--	--	--	--	--
6/8/00		99.53	--	--	--	--	--	--	--	--	--	--	--	--	--
1/30/01		99.53	--	--	--	--	--	--	--	--	--	--	--	--	--
4/11/01		99.53	--	18.75	--	80.78	--	--	<50.0	<0.500	<0.500	0.520	2.22	--	--
7/28/01		99.53	--	19.23	--	80.30	--	--	<50.0	<0.500	<0.500	<0.500	<1.00	--	--
10/15/01		99.53	--	19.45	--	80.08	--	--	<50.0	<0.500	<0.500	<0.500	<1.00	--	--
1/5/02		99.53	--	17.21	--	82.32	--	--	<50.0	<0.500	<0.500	<0.500	<1.00	--	--
4/2/02		99.53	--	16.63	--	82.90	--	--	--	--	--	--	--	--	--
7/11/02		99.53	--	18.52	--	81.01	--	--	--	--	--	--	--	--	--
10/10/02		99.53	--	18.96	--	80.57	--	--	--	--	--	--	--	--	--
1/10/03		99.53	--	18.55	--	80.98	--	--	--	--	--	--	--	--	--
4/21/03		99.53	--	17.13	--	82.40	--	--	--	--	--	--	--	--	--
6/26/03		99.53	--	17.52	--	82.01	--	--	--	--	--	--	--	--	--
10/14/03		99.53	--	18.42	--	81.11	--	--	--	--	--	--	--	--	--
1/7/04		99.53	--	17.51	--	82.02	--	--	--	--	--	--	--	--	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-14 (cont)</b>															
4/21/04		99.53	--	17.11	--	82.42	--	--	--	--	--	--	--	--	--
7/1/04		99.53	--	17.50	--	82.03	--	--	--	--	--	--	--	--	--
10/15/04		99.53	--	17.53	--	82.00	--	--	--	--	--	--	--	--	--
1/5/05		99.53	--	17.41	--	82.12	--	--	--	--	--	--	--	--	--
8/4/05		99.53	--	17.12	--	82.41	--	--	--	--	--	--	--	--	--
07/26/06		99.53	--	17.00	--	82.53	--	--	--	--	--	--	--	--	--
7/19/07		99.53	--	16.98	--	82.55	--	--	--	--	--	--	--	--	--
7/23/08		99.53	--	16.56	--	82.97	--	--	--	--	--	--	--	--	--
7/13/09		99.53	--	15.57	--	83.96	--	--	--	--	--	--	--	--	--
12/17-18/09		99.53	--	15.56	--	83.97	<30	<70	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
3/17/10		99.53	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--
06/22-23/10		99.53	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--
9/13/10		99.53	--	17.79	--	81.74	<29	130	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/21/10		99.53	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--
6/16/11		99.53	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--
9/23/11		99.53	--	18.55	--	80.98	<29	<67	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
1/14/12		99.53	--	18.90	--	80.63	<30	<70	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
3/31/12		99.53	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--	--
6/2/12		99.53	--	18.20	--	81.33	79	<72	<b>3,700</b>	<b>500</b>	18	280	31	<b>48</b>	--
9/30/12		99.53	--	18.76	--	80.77	<30	<69	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/15/12		99.53	--	15.94	--	83.59	<28	<66	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
3/16/13		99.53	--	18.23	--	81.30	<30	<69	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
<b>MW-15</b>															
03/08/01		98.83	--	16.80	--	82.03	--	--	--	--	--	--	--	--	--
4/11/01		98.83	--	17.09	--	81.74	--	--	<50.0	0.714	<0.500	<0.500	<1.00	--	<0.00100
7/28/01		98.83	--	16.99	--	81.84	--	--	<50.0	0.655	<0.500	<0.500	<1.00	--	0.00221
10/15/01		98.83	--	17.10	--	81.73	--	--	<50.0	0.589	<0.500	<0.500	<1.00	--	<0.00100 <sup>4</sup>
1/5/02		98.83	--	16.26	--	82.57	--	--	62.3	1.24	<0.500	<0.500	<1.00	--	<0.00100
4/2/02		98.83	--	15.70	--	83.13	--	--	--	--	--	--	--	--	--
7/11/02		98.83	--	16.06	--	82.77	--	--	--	--	--	--	--	--	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**  
Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-15 (cont.)</b>															
10/10/02		98.83	--	16.46	--	82.37	--	--	--	--	--	--	--	--	--
1/10/03		98.83	--	16.14	--	82.69	--	--	--	--	--	--	--	--	--
4/21/03		98.83	--	15.63	--	83.20	--	--	--	--	--	--	--	--	--
6/26/03		98.83	--	16.07	--	82.76	--	--	--	--	--	--	--	--	--
10/14/03		98.83	--	16.11	--	82.72	--	--	--	--	--	--	--	--	--
1/7/04		98.83	--	15.23	--	83.60	--	--	--	--	--	--	--	--	--
4/21/04		98.83	--	15.60	--	83.23	--	--	--	--	--	--	--	--	--
7/1/04		98.83	--	16.04	--	82.79	--	--	--	--	--	--	--	--	--
10/15/04		98.83	--	16.09	--	82.74	--	--	--	--	--	--	--	--	--
1/5/05		98.83	--	15.92	--	82.91	--	--	--	--	--	--	--	--	--
8/4/05		98.83	--	15.59	--	83.24	--	--	--	--	--	--	--	--	--
07/26/06		98.83	--	15.46	--	83.37	--	--	--	--	--	--	--	--	--
7/19/07		98.83	--	16.30	--	82.53	--	--	--	--	--	--	--	--	--
7/23/08		98.83	--	16.38	--	82.45	--	--	--	--	--	--	--	--	--
7/13/09		98.83	--	15.35	--	83.48	--	--	--	--	--	--	--	--	--
12/17-18/09		98.83	--	15.58	--	83.25	400	320	<50	0.8	<0.5	<0.5	<1.5	5.6	--
3/17/10		98.83	--	15.25	--	83.58	48	<70	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
06/22-23/10		98.83	--	14.69	--	84.14	42	<68	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
9/13/10		98.83	--	16.54	--	82.29	<29	91	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/21/10		98.83	--	16.58	--	82.25	<30	<70	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
6/16/11		98.83	--	16.66	--	82.17	47	110	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
9/23/11		98.83	--	17.37	--	81.46	<30	<70	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
1/14/12		98.83	--	17.60	--	81.23	<29	<68	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
3/31/12		98.83	--	17.05	--	81.78	<30	<70	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
6/2/12		98.83	--	16.80	--	82.03	<30	<70	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
9/30/12		98.83	--	17.58	--	81.25	<29	<67	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/15/12		98.83	--	16.95	--	81.88	<29	<68	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
3/16/13		98.83	--	16.85	--	81.98	<29	<67	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
<b>MW-16</b>															
03/08/01		97.80	--	16.40	--	81.40	--	--	--	--	--	--	--	--	--
4/11/01		97.80	INACCESSIBLE - CAR PARKED OVER WELL					--	--	--	--	--	--	--	--
6/14/01		97.80	--	16.71	--	81.09	--	--	2,950	52.7	14.4	217	123	34.1/<5.00 <sup>6</sup>	<0.00100
7/28/01		97.80	--	16.81	--	80.99	--	--	1,620	46.5	13.5	122	112	--</5.0 <sup>6</sup>	0.00332

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>MW-16 (cont.)</b>															
10/15/01		97.80	--	17.00	--	80.80	--	--	<b>3,380</b>	<b>111</b>	28.5	257	211	--<0.500 <sup>6</sup>	<0.00100 <sup>4</sup>
1/5/02		97.80	--	16.46	--	81.34	--	--	<b>3,300</b>	<b>109</b>	18.2	247	214	--<5.00 <sup>6</sup>	<0.00100
4/2/02	NP	97.80	--	16.32	--	81.48	--	--	<b>3,900</b>	<b>97</b>	17	230	190	<2.5	--
7/11/02	NP	97.80	--	16.50	--	81.30	--	--	<b>2,900</b>	<b>54</b>	12	160	120	<6.0	--
10/10/02	NP	97.80	--	16.89	--	80.91	--	--	<b>2,500</b>	<b>55</b>	7.6	140	88	<20	--
1/10/03	NP	97.80	--	16.84	--	80.96	--	--	<b>3,000</b>	<b>61</b>	8.2	140	92	<50	--
4/21/03	NP	97.80	--	15.82	--	81.98	--	--	<b>2,500</b>	<b>57</b>	6.6	110	97	<5.0	--
6/26/03	NP	97.80	--	16.11	--	81.69	--	--	<b>3,900</b>	<b>86</b>	10	180	160	<10	--
10/14/03	NP	97.80	--	16.49	--	81.31	--	--	<b>3,800</b>	<b>60</b>	9.0	150	130	<10	--
1/7/04		97.80	INACCESSIBLE - WELL FROZEN SHUT				--	--	--	--	--	--	--	--	--
4/21/04	NP	97.80	--	15.81	--	81.99	--	--	<b>2,200</b>	<b>54</b>	9.9	110	120	<10	--
7/1/04	NP	97.80	--	16.09	--	81.71	--	--	<b>3,900</b>	<b>92</b>	16	190	180	<10	--
10/15/04	NP	97.80	--	16.11	--	81.69	--	--	<b>2,000</b>	<b>61</b>	7.1	120	100	<20	--
1/5/05	NP	97.80	--	15.98	--	81.82	--	--	<b>2,300</b>	<b>65</b>	8.4	120	110	<10	--
8/4/05	NP	97.80	--	15.81	--	81.99	--	--	<b>3,900</b>	<b>89</b>	17	220	200	<5.0	--
07/26/06	NP	97.80	--	14.95	--	82.85	--	--	<b>9,100</b>	<b>19</b>	13	290	560	<50	--
7/19/07	NP	97.80	--	14.28	--	83.52	--	--	140	2.0	0.5	1.5	3.8	<10	--
7/23/08	NP	97.80	--	15.11	--	82.69	--	--	230	1.5	0.6	15	2.1	<2.5	--
7/13/09	NP	97.80	--	13.50	--	84.30	--	--	490	1.9	0.8	2.3	10	<5.0	--
12/17-18/09		97.80	--	13.24	--	84.56	77	<71	<b>6,600</b>	<b>11</b>	8.5	200	320	<20	--
3/17/10		97.80	--	13.26	--	84.54	<140	390	<b>2,100</b>	<b>9.2</b>	5.2	41	77	13	--
06/22-23/10		97.80	--	13.15	--	84.65	91	<69	<b>3,000</b>	<b>53</b>	12	98	130	<20	--
9/13/10		97.80	--	15.50	--	82.30	380	170	<b>6,500</b>	<b>150</b>	48	260	120	<20	--
12/21/10		97.80	--	15.54	--	82.26	200	<71	<b>6,000</b>	<b>300</b>	68	350	95	<b>66</b>	--
6/16/11		97.80	--	15.34	--	82.46	230	180	<b>4,800</b>	<b>370</b>	57	350	70	<50	--
9/23/11		97.80	--	16.00	--	81.80	62	<71	<b>4,400</b>	<b>580</b>	80	390	120	<b>31</b>	--
1/14/12		97.80	--	16.25	--	81.55	32	<68	<b>4,000</b>	<b>500</b>	27	360	46	<b>53</b>	--
3/31/12		97.80	--	15.80	--	82.00	54	<70	<b>3,300</b>	<b>490</b>	21	310	33	<b>45</b>	--
6/2/12		97.80	--	16.45	--	81.35	56	<68	<b>3,600</b>	<b>530</b>	18	270	28	<b>46</b>	--
9/30/12		97.80	--	16.18	--	81.62	50	<70	<b>2,800</b>	<b>370</b>	14	310	42	39/<0.5 <sup>6</sup>	--
12/15/12		97.80	--	15.98	--	81.82	60	<69	<b>2,900</b>	<b>330</b>	12	280	34	<39	--
3/16/13		97.80	--	15.77	--	82.03	57	<71	<b>3,200</b>	<b>290</b>	11	250	28	37/<3 <sup>6</sup>	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT (ft.)	GWE <sup>3</sup> (ft.)	THP- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)
<b>TRIP BLANK</b>															
2/12/98		--	--	--	--	--	--	--	ND	ND	ND	ND	ND	--	--
5/31/99		--	--	--	--	--	--	--	ND	ND	ND	ND	ND	--	--
6/8/00		--	--	--	--	--	--	--	ND	ND	ND	ND	ND	ND	--
<b>TRIP BLANK (cont)</b>															
1/30/01		--	--	--	--	--	--	--	ND	ND	ND	ND	ND	--	--
4/11/01		--	--	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<1.00	--	--
7/28/01		--	--	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<1.00	--	--
10/15/01		--	--	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<1.00	--	--
1/5/02		--	--	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<1.00	--	--
4/2/02		--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
<b>QA</b>															
7/11/02		--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
10/10/02		--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
01/10/03 <sup>5</sup>		--	--	--	--	--	--	--	--	--	--	--	--	--	--
4/21/03		--	--	--	--	--	--	--	<50	<0.5	0.9	<0.5	<1.5	<2.5	--
6/26/03		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
10/14/03		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
1/7/04		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
4/21/04		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
7/1/04		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
10/15/04		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
1/5/05		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
8/4/05		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
07/26/06		--	--	--	--	--	--	--	<48	<0.5	<0.5	<0.5	<1.5	<2.5	--
7/19/07		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
7/23/08		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
7/13/09		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/17-18/09		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
3/17/10		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
06/22-23/10		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--

**TABLE 1**  
**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS<sup>1</sup>**  
**CHEVRON SERVICE STATION NO. 9-0129**  
**4700 Brooklyn Avenue**  
**Seattle, Washington**

Concentrations reported in µg/L unless otherwise noted

Well ID/ Date	Purge Method	TOC <sup>2</sup> (ft.)	DTP (ft.)	DTW (ft.)	SPHT	GWE <sup>3</sup> (ft.)	TPH- DRO	TPH- HRO	TPH-GRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	D. Lead (mg/L)	
<b>QA (cont)</b>																
9/13/10		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
12/21/10		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
6/16/11		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
9/23/11		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
1/14/12		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
3/31/12		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
6/2/12		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
9/30/12		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
12/15/12		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
3/16/13		--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
Standard Method Detection Limit:								--	--	50	0.5	0.5	0.5	1.5	2.5	0.00100
MTCA Method A Cleanup Levels:								500	500	800/1,000	5	1,000	700	1,000	20	--
Current Method: <sup>7</sup>								NWTOPH-Dx <sup>8</sup>	NWTOPH-Gx	USEPA 8021B					USEPA 6000/7000	

**Abbreviations:**

(D) = Duplicate  
DTW/P = Depth to Water or Product  
(ft.) = Feet  
GWE = Groundwater Elevation  
mg/L = milligrams per liter  
MTBE = Methyl tertiary butyl ether  
MTCA = Model Toxics Control Act  
ND = Not Detected

NP = No Purge  
QA = Quality Assurance/Trip Blank  
SPH = Separate-phase hydrocarbons  
SPHT = SPH Thickness  
TOC = Top of Casing  
TPH = Total Petroleum Hydrocarbons  
TPH-DRO = TPH as diesel-range organics  
TPH-GRO = TPH as gasoline-range organics

TPH-HRO = TPH as heavy oil-range organics  
USEPA = United States Environmental Protection Agency  
µg/L = Micrograms per liter  
-- = Not Measured/Not Analyzed

**Notes:**

- 1 Analytical results in bold font indicate concentrations exceed MTCA Method A cleanup levels.
- 2 TOC elevations have been surveyed as feet relative to an arbitrary site datum.
- 3 When SPH is present, GWE has been corrected using the following formula: GWE = [(TOC - DTW) + (SPHT x 0.80)].
- 4 Laboratory report indicates this sample was laboratory filtered.
- 5 Laboratory indicates they did not receive a QA sample. No results were provided.
- 6 MTBE detection confirmed by USEPA Method 8260.
- 7 Laboratory analytical methods for historical data may not be consistent with list of current analytical methods. When necessary, consult original laboratory reports to verify methods used.
- 8 Analyzed with silica-gel clean up.

**Attachment A:**  
**Groundwater Monitoring and Sampling Data Package**

---



# GETTLER - RYAN INC.



## TRANSMITTAL

April 11, 2013  
G-R #386649

TO: Ms. Ruth A. Otteman  
SAIC  
18912 North Creek Parkway, Suite 101  
Bothell, WA 98011

FROM: Deanna L. Harding  
Project Coordinator  
Gettler-Ryan Inc.  
6747 Sierra Court, Suite J  
Dublin, California 94568

RE: Chevron Service Station  
#9-0129  
4700 Brooklyn Avenue  
Seattle, Washington

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DESCRIPTION
VIA PDF	Groundwater Monitoring and Sampling Data Package <b>First Quarter Event of March 16, 2013</b>

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced data for your use.

Please provide us the updated historical data prior to the next monitoring and sampling event for our field use.

Please feel free to contact me if you have any comments/questions.

trans/9-0129



# GETTLER - RYAN INC.

## CHEVRON - SITE CHECK LIST

Facility#: Chevron #9-0129 Date: 3.16.13

Address: 4700 Brooklyn Avenue

City/St.: Seattle, WA

Status of Site: ACTIVE CHEVRON

### DRUMS:



Please list below ALL DRUMS @ site: i.e., drum description, condition, labeling, contents, location of drum:

#	Description	Condition	Labeling	Contents/Capacity	Location
	No Drums				

### WELLS:

Please check the condition of ALL WELLS @ site: i.e., well box condition, gaskets, bolts, well plug, well lock, etc.:

Well ID	Gaskets (M) Missing (R) Replaced	Bolts (M) Missing (R) Replaced	Replaced Plug Y/N	Replaced Lock Y/N	Well Box Manufacturer/Size/# of Bolts	Other
MW-1	(2000)	(0000)	0000	0000	8" MERRIS X 3	
MW-2						
MW-3	1	1	1	1		
MW-4						
MW-5						
MW-6						
MW-7						
MW-8						
MW-9						
MW-10						
MW-11						
MW-12						
MW-13						
MW-14						
MW-15						
MW-16	V	V	V	V		

Additional Comments/Observations:  
 MW-10, MW-11 SPH / MW-1 Inaccessible / MW-2 Ory / MW-8 Ory

## STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize. Purge water is treated by filtering the water through granular activated carbon and is subsequently discharged to the ground surface at the site.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0129**  
 Site Address: **4700 Brooklyn Avenue**  
 City: **Seattle, WA**

Job Number: **386649**  
 Event Date: **3.16.13** (inclusive)  
 Sampler: **J.P.**

Well ID **MW- 1**  
 Well Diameter **2**

Date Monitored: **3.16.13**

Total Depth **ft.**

Depth to Water **ft.**

Volume Factor (VF)	3/4" = 0.02 4" = 0.66	1" = 0.04 5" = 1.02	2" = 0.17 6" = 1.50	3" = 0.38 12" = 5.80
--------------------	--------------------------	------------------------	------------------------	-------------------------

Check if water column is less than 0.50 ft.

xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: \_\_\_\_\_

**Purge Equipment:**

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**

Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)

Time Completed: \_\_\_\_\_ (2400 hrs)

Depth to Product: \_\_\_\_\_ ft

Depth to Water: \_\_\_\_\_ ft

Hydrocarbon Thickness: \_\_\_\_\_ ft

Visual Confirmation/Description:

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: \_\_\_\_\_ gal

Amt Removed from Well: \_\_\_\_\_ gal

Water Removed: \_\_\_\_\_ gal

Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_

**Weather Conditions:**

Sample Time/Date: \_\_\_\_\_ / \_\_\_\_\_

Water Color: \_\_\_\_\_ Odor: Y / N \_\_\_\_\_

Approx. Flow Rate: \_\_\_\_\_ gpm.

Sediment Description: \_\_\_\_\_

Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: \_\_\_\_\_

Time  
(2400 hr.)

Volume  
(gal.)

pH

Conductivity  
( $\mu\text{mhos}/\text{cm} - \mu\text{S}$ )

Temperature  
( C / F )

D.O.  
(mg/L)

ORP  
(mV)

**LABORATORY INFORMATION**

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	NWTPH-Gx/BTEX+MTBE(8021)
	x 1 liter ambers	YES	HCL	LANCASTER	NWTPH-Dx w/sgc

COMMENTS: \_\_\_\_\_

*\* INACCESSIBLE DVL CAPPED*

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0129**  
 Site Address: **4700 Brooklyn Avenue**  
 City: **Seattle, WA**

Job Number: **386649**  
 Event Date: **3.16.13** (inclusive)  
 Sampler: **J.P.**

Well ID **MW-1**  
 Well Diameter **2**  
 Total Depth **19.78** ft.  
 Depth to Water **DRY** ft.

Date Monitored: **3.16.13**

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: \_\_\_\_\_

Purge Equipment:  
 Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Sampling Equipment:  
 Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description:
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____ gal
Product Transferred to: _____

Start Time (purge): \_\_\_\_\_  
 Sample Time/Date: **/**  
 Approx. Flow Rate: \_\_\_\_\_ gpm.  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_

Weather Conditions:  
 Water Color: \_\_\_\_\_ Odor: **Y / N**  
 Sediment Description:  
 Volume: \_\_\_\_\_ gal. DTW @ Sampling: \_\_\_\_\_

Time  
(2400 hr.)

Volume  
(gal.)

pH

Conductivity  
( $\mu\text{mhos}/\text{cm} - \mu\text{S}$ )

Temperature  
( C / F )

D.O.  
(mg/L)

ORP  
(mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	NWTPH-Gx/BTEX+MTBE(8021)
	x 1 liter ambers	YES	HCL	LANCASTER	NWTPH-Dx w/sgc

COMMENTS: **DRY @ 19.78**

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



**GETTLER-RYAN INC.**

**WELL MONITORING/SAMPLING  
FIELD DATA SHEET**

Client/Facility#: **Chevron #9-0129**  
 Site Address: **4700 Brooklyn Avenue**  
 City: **Seattle, WA**

Job Number: **386649**  
 Event Date: **3.16.13** (inclusive)  
 Sampler: **d.p.**

Well ID **MW-3**

Date Monitored: **3.16.13**

Well Diameter **2**

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Total Depth **13.12** ft.

Depth to Water **10.08** ft.

Check if water column is less than 0.50 ft.

**5.04** xVF **.17** = **.86** x3 case volume = Estimated Purge Volume: **2.5** gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **19.08**

**Purge Equipment:**

Disposable Bailer **X**  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**

Disposable Bailer **X**  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description:
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____ gal
Product Transferred to: _____

Start Time (purge): **0901**

Weather Conditions: **overcast**

Sample Time/Date: **3/16/13**

Water Color: **yellow** Odor: **Y/N**

Approx. Flow Rate: **1** gpm.

Sediment Description: \_\_\_\_\_

Did well de-water? **No**

If yes, Time: **—** Volume: **—** gal. DTW @ Sampling: **19.08**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ( $\mu\text{mhos/cm - }\mu\text{s}$ )	Temperature ( $^{\circ}\text{C} / ^{\circ}\text{F}$ )	D.O. (mg/L)	ORP (mV)
<b>0906</b>	<b>1</b>	<b>6.66</b>	<b>.498</b>	<b>13.7</b>		
<b>0911</b>						

**LABORATORY INFORMATION**

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<b>MW-3</b>	<b>1 x voa vial</b>	YES	HCL	LANCASTER	NWTPH-Gx/BTEX+MTBE(8021)
	<b>2 x 1 liter ambers</b>	YES	HCL	LANCASTER	NWTPH-Dx w/sgc

COMMENTS: **Moderate Screening**

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0129  
 Site Address: 4700 Brooklyn Avenue  
 City: Seattle, WA

Job Number: 386649  
 Event Date: 3.16.13 (inclusive)  
 Sampler: J.P.

Well ID: MW-4  
 Well Diameter: 2  
 Total Depth: 21.53 ft.  
 Depth to Water: 17.86 ft.  
3.16.7 xVF .17 = .62 x3 case volume = Estimated Purge Volume: 2 gal.

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 18.69

Purge Equipment:  
 Disposable Bailer x  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Sampling Equipment:  
 Disposable Bailer x  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description:  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 10:15 Weather Conditions: OVERCAST  
 Sample Time/Date: 10:30/3.16.13 Water Color: cloudy Odor: Y/N Moderate  
 Approx. Flow Rate: 1 gpm. Sediment Description: corey  
 Did well de-water? No If yes, Time: ~ Volume: ~ gal. DTW @ Sampling: 18.61

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ( $\mu\text{mhos/cm}$ $\mu\text{S}$ )	Temperature ( $^{\circ}\text{C}$ $^{\circ}\text{F}$ )	D.O. (mg/L)	ORP (mV)
<u>10:20</u>	<u>1</u>	<u>6.56</u>	<u>.757</u>	<u>14.0</u>		
<u>10:24</u>	<u>2</u>	<u>6.68</u>	<u>.769</u>	<u>13.6</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-4	x voa vial	YES	HCL	LANCASTER	NWTPH-Gx/BTEX+MTBE(8021)
	8 x 1 liter ambers	YES	HCL	LANCASTER	NWTPH-Dx w/sgc

COMMENTS: Moderate Sheening

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0129**

Site Address: **4700 Brooklyn Avenue**

City: **Seattle, WA**

Job Number: **386649**

Event Date: **3. 16. 13** (inclusive)

Sampler: **J.P.**

Well ID: **MW-5**

Date Monitored: **3. 16. 13**

Well Diameter: **2**

Volume Factor (VF)	3/4" = 0.02 4" = 0.66	1" = 0.04 5" = 1.02	2" = 0.17 6" = 1.50	3" = 0.38 12" = 5.80
--------------------	--------------------------	------------------------	------------------------	-------------------------

Total Depth: **21.61 ft.**

Depth to Water: **18.94 ft.**

Check if water column is less than 0.50 ft.

**3.57**

xVF **.17**

= **.60**

x3 case volume = Estimated Purge Volume: **2** gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **18.75**

**Purge Equipment:**

Disposable Bailer \_\_\_\_\_  
Stainless Steel Bailer \_\_\_\_\_  
Stack Pump \_\_\_\_\_  
Suction Pump \_\_\_\_\_  
Grundfos \_\_\_\_\_  
Peristaltic Pump \_\_\_\_\_  
QED Bladder Pump \_\_\_\_\_  
Other: \_\_\_\_\_

**Sampling Equipment:**

Disposable Bailer \_\_\_\_\_  
Pressure Bailer \_\_\_\_\_  
Metal Filters \_\_\_\_\_  
Peristaltic Pump \_\_\_\_\_  
QED Bladder Pump \_\_\_\_\_  
Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)

Time Completed: \_\_\_\_\_ (2400 hrs)

Depth to Product: \_\_\_\_\_ ft

Depth to Water: \_\_\_\_\_ ft

Hydrocarbon Thickness: \_\_\_\_\_ ft

Visual Confirmation/Description:

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: \_\_\_\_\_ gal

Amt Removed from Well: \_\_\_\_\_ gal

Water Removed: \_\_\_\_\_ gal

Product Transferred to: \_\_\_\_\_

Start Time (purge): **0926**

Weather Conditions: **Overcast**

Sample Time/Date: **04/01/13**

Approx. Flow Rate: **—** gpm.

Did well de-water? **No** If yes, Time: **—**

Water Color: **cloudy**

Odor: **(Y) / N**

**mild**

Sediment Description: **grey**

Volume: **—** gal. DTW @ Sampling: **18.72**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ( $\mu\text{mho}/\text{cm} = \mu\text{s}$ )	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<b>0930</b>	<b>1</b>	<b>6.57</b>	<b>316</b>	<b>13.7</b>		
<b>0931</b>	<b>1/2</b>	<b>10.610</b>	<b>312</b>	<b>13.5</b>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<b>MW-5</b>	<b>6 x voa vial</b>	<b>YES</b>	<b>HCL</b>	<b>LANCASTER</b>	<b>NWTEH-Gx/BTEX+MTBE(8021)</b>
	<b>2 x 1 liter ambers</b>	<b>YES</b>	<b>HCL</b>	<b>LANCASTER</b>	<b>NWTPH-Dx w/sgc</b>

COMMENTS: **Liquid**

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0129  
 Site Address: 4700 Brooklyn Avenue  
 City: Seattle, WA

Job Number: 386649  
 Event Date: 3-16-13 (inclusive)  
 Sampler: J.P

Well ID MW-6  
 Well Diameter 2  
 Total Depth 22.31 ft.  
 Depth to Water 18.01 ft.  
4.25 xVF .17 = .72

Date Monitored: 3-16-13

Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
--------------------	------------------------	----------------------	----------------------	-----------------------

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 18.91

Purge Equipment:  
 Disposable Bailer   
 Stainless Steel Bailer   
 Stack Pump   
 Suction Pump   
 Grundfos   
 Peristaltic Pump   
 QED Bladder Pump   
 Other:

Sampling Equipment:  
 Disposable Bailer   
 Pressure Bailer   
 Metal Filters   
 Peristaltic Pump   
 QED Bladder Pump   
 Other:

Time Started:	(2400 hrs)
Time Completed:	(2400 hrs)
Depth to Product:	ft
Depth to Water:	ft
Hydrocarbon Thickness:	ft
Visual Confirmation/Description:	
Skimmer / Absorbant Sock (circle one)	
Amt Removed from Skimmer:	gal
Amt Removed from Well:	gal
Water Removed:	gal
Product Transferred to:	

Start Time (purge): 0830  
 Sample Time/Date: 0834 / 3-16-13  
 Approx. Flow Rate: 1 gpm.  
 Did well de-water? No If yes, Time: — Volume: — gal. DTW @ Sampling: 18.88

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ( $\mu\text{mhos}/\text{cm} - \mu\text{S}$ )	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0834</u>	<u>1</u>	<u>6.01</u>	<u>310</u>	<u>55.2</u>		
<u>0840</u>	<u>2</u>	<u>6.01</u>	<u>310</u>	<u>55.0</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>NWTPH-Gx/BTEX+MTBE(8021)</u>
	<u>2 x 1 liter ambers</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>NWTPH-Dx w/sgc</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0129**  
 Site Address: **4700 Brooklyn Avenue**  
 City: **Seattle, WA**

Job Number: **386649**  
 Event Date: **3-16-13** (inclusive)  
 Sampler: **J.P.**

Well ID **MW- 7**

Date Monitored: **3-16-13**

Well Diameter **2**

Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
--------------------	------------------------	----------------------	----------------------	-----------------------

Total Depth **10.64** ft.

Depth to Water **17.17** ft.

Check if water column is less than 0.50 ft.

**3.37** xVF **.17** = **.57** x3 case volume = Estimated Purge Volume: **2** gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **17.94**

**Purge Equipment:**

Disposable Bailer   
 Stainless Steel Bailer   
 Stack Pump   
 Suction Pump   
 Grundfos   
 Peristaltic Pump   
 QED Bladder Pump   
 Other: \_\_\_\_\_

**Sampling Equipment:**

Disposable Bailer   
 Pressure Bailer   
 Metal Filters   
 Peristaltic Pump   
 QED Bladder Pump   
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)

Time Completed: \_\_\_\_\_ (2400 hrs)

Depth to Product: \_\_\_\_\_ ft

Depth to Water: \_\_\_\_\_ ft

Hydrocarbon Thickness: \_\_\_\_\_ ft

Visual Confirmation/Description:

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: \_\_\_\_\_ gal

Amt Removed from Well: \_\_\_\_\_ gal

Water Removed: \_\_\_\_\_ gal

Product Transferred to: \_\_\_\_\_

Start Time (purge): **0606**

Weather Conditions: **overcast**

Sample Time/Date: **07/01/3-16-13**

Water Color: **wavy** Odor: **(Y) N**

Approx. Flow Rate: **—** gpm.

Sediment Description: **loose**

Did well de-water? **No** If yes, Time: **—**

Volume: **—** gal. DTW @ Sampling: **17.89**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ( $\mu\text{mhos/cm}$ $\mu\text{S}$ )	Temperature ( $^{\circ}\text{C}$ / $^{\circ}\text{F}$ )	D.O. (mg/L)	ORP (mV)
<b>0700</b>	<b>1</b>	<b>6.43</b>	<b>.471</b>	<b>13.6</b>		
<b>0701</b>	<b>2</b>	<b>6.49</b>	<b>.476</b>	<b>13.9</b>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<b>MW- 7</b>	<b>6 x voa vial</b>	<b>YES</b>	<b>HCL</b>	<b>LANCASTER</b>	<b>NWTPH-Gx/BTEX+MTBE(8021)</b>
	<b>2x1 liter ambers</b>	<b>YES</b>	<b>HCL</b>	<b>LANCASTER</b>	<b>NWTPH-Dx w/sgc</b>

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0129**  
 Site Address: **4700 Brooklyn Avenue**  
 City: **Seattle, WA**

Job Number: **386649**  
 Event Date: **3-16-13** (inclusive)  
 Sampler: **a.P**

Well ID: **MW-8**  
 Well Diameter: **2**  
 Total Depth: **21.28** ft.  
 Depth to Water: **0.21** ft.

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: \_\_\_\_\_

Purge Equipment:  
 Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Sampling Equipment:  
 Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started:	(2400 hrs)
Time Completed:	(2400 hrs)
Depth to Product:	ft
Depth to Water:	ft
Hydrocarbon Thickness:	ft
Visual Confirmation/Description:	
Skimmer / Absorbant Sock (circle one)	
Amt Removed from Skimmer:	gal
Amt Removed from Well:	gal
Water Removed:	gal
Product Transferred to:	

Start Time (purge): \_\_\_\_\_  
 Sample Time/Date: \_\_\_\_\_ / \_\_\_\_\_  
 Approx. Flow Rate: \_\_\_\_\_ gpm.  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: \_\_\_\_\_

Weather Conditions:  
 Water Color: \_\_\_\_\_ Odor: Y / N  
 Sediment Description: \_\_\_\_\_

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ( $\mu\text{mhos}/\text{cm} - \mu\text{s}$ )	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	NWTTPH-Gx/BTEX+MTBE(8021)
	x 1 liter ambers	YES	HCL	LANCASTER	NWTTPH-Dx w/sgc

COMMENTS: DRY

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0129  
 Site Address: 4700 Brooklyn Avenue  
 City: Seattle, WA

Job Number: 386649  
 Event Date: 3-16-13 (inclusive)  
 Sampler: J.P.

Well ID: MW-9  
 Well Diameter: 2  
 Total Depth: 21.36 ft.  
 Depth to Water: 16.86 ft.  Check if water column is less than 0.50 ft.  
4.50 xVF .17 = .70 x3 case volume = Estimated Purge Volume: ✓ gal.

Date Monitored: 3-16-13  

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 17.76

Purge Equipment:  
 Disposable Bailer ✓  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Sampling Equipment:  
 Disposable Bailer ✓  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started:	(2400 hrs)
Time Completed:	(2400 hrs)
Depth to Product:	ft
Depth to Water:	ft
Hydrocarbon Thickness:	ft
Visual Confirmation/Description:	
Skimmer / Absorbant Sock (circle one)	
Amt Removed from Skimmer:	gal
Amt Removed from Well:	gal
Water Removed:	gal
Product Transferred to:	

Start Time (purge): 0806 Weather Conditions: Overcast  
 Sample Time/Date: 0820 3-16-13 Water Color: Cloudy Odor: Y/N  
 Approx. Flow Rate: — gpm. Sediment Description: Loose  
 Did well de-water? No If yes, Time: — Volume: — gal. DTW@ Sampling: 17.76

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ( $\mu\text{mhos/cm}$ - $\mu\Omega$ )	Temperature ( $^{\circ}\text{C}$ / $^{\circ}\text{F}$ )	D.O. (mg/L)	ORP (mV)
<u>0816</u>	<u>1</u>	<u>6.42</u>	<u>.463</u>	<u>13.6</u>		
<u>0824</u>	<u>2</u>	<u>6.60</u>	<u>.477</u>	<u>13.3</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-9	6 x voa vial	YES	HCL	LANCASTER	NWTPH-Gx/BTEX+MTBE(8021)
	2 x 1 liter ambers	YES	HCL	LANCASTER	NWTPH-Dx w/sgc

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0129**  
 Site Address: **4700 Brooklyn Avenue**  
 City: **Seattle, WA**

Job Number: **386649**  
 Event Date: **3.16.13** (inclusive)  
 Sampler: **J.P.**

Well ID: **MW-16**  
 Well Diameter: **2**  
 Total Depth: **21.37 ft.**  
 Depth to Water: **16.47 ft.**

Date Monitored: **3.16.13**

Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
--------------------	------------------------	----------------------	----------------------	-----------------------

Check if water column is less than 0.50 ft.

**4.95** xVF **.17** = **—** x3 case volume = Estimated Purge Volume: **—** gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **—**

Purge Equipment:  
 Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Sampling Equipment:  
 Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started:	<b>6730</b>	(2400 hrs)
Time Completed:	<b>6734</b>	(2400 hrs)
Depth to Product:	<b>16.27</b>	ft
Depth to Water:	<b>16.47</b>	ft
Hydrocarbon Thickness:	<b>4.11.162</b>	ft
Visual Confirmation/Description:	<b>Brownish Yellow</b>	
Skimmer / Absorbant Sock (circle one)	<input checked="" type="checkbox"/>	
Amt Removed from Skimmer:	<b>Φ</b>	gal
Amt Removed from Well:	<b>Φ</b>	gal
Water Removed:	<b>Φ</b>	gal
Product Transferred to:	<b>Φ</b>	

Start Time (purge): \_\_\_\_\_

Weather Conditions: \_\_\_\_\_

Sample Time/Date: **/**

Water Color: \_\_\_\_\_ Odor: Y / N \_\_\_\_\_

Approx. Flow Rate: **gpm.**

Sediment Description: \_\_\_\_\_

Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_

Volume: \_\_\_\_\_ gal. DTW @ Sampling: \_\_\_\_\_

Time  
(2400 hr.)

Volume  
(gal.)

pH

Conductivity  
( $\mu\text{mhos}/\text{cm} - \mu\text{S}$ )

Temperature  
( C / F )

D.O.  
(mg/L)

ORP  
(mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	NWTPH-Gx/BTEX+MTBE(8021)
	x 1 liter ambers	YES	HCL	LANCASTER	NWTPH-Dx w/sgc

COMMENTS: **SPH**

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0129Job Number: 386649Site Address: 4700 Brooklyn AvenueEvent Date: 3-16-13 (inclusive)City: Seattle, WASampler: J.PWell ID MW-1Well Diameter 2Total Depth 22.63 ft.Depth to Water 16.66 ft.6.97 xVF - = -Date Monitored: 3-16-13

Volume Factor (VF)	3/4" = 0.02	1" = 0.04	2" = <u>0.17</u>	3" = 0.38
	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

 Check if water column is less than 0.50 ft.Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 15.61**Purge Equipment:**

Disposable Bailer \_\_\_\_\_

Stainless Steel Bailer \_\_\_\_\_

Stack Pump \_\_\_\_\_

Suction Pump \_\_\_\_\_

Grundfos \_\_\_\_\_

Peristaltic Pump \_\_\_\_\_

QED Bladder Pump \_\_\_\_\_

Other: \_\_\_\_\_

**Sampling Equipment:**

Disposable Bailer \_\_\_\_\_

Pressure Bailer \_\_\_\_\_

Metal Filters \_\_\_\_\_

Peristaltic Pump \_\_\_\_\_

QED Bladder Pump \_\_\_\_\_

Other: \_\_\_\_\_

Time Started: 0718 (2400 hrs)Time Completed: 0724 (2400 hrs)Depth to Product: 15.61 ftDepth to Water: 16.66 ftHydrocarbon Thickness: .02 ftVisual Confirmation/Description: Brownish Yeucaw

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: 0 galAmt Removed from Well: 0 galWater Removed: 0 galProduct Transferred to: 0

Start Time (purge): \_\_\_\_\_

Weather Conditions: \_\_\_\_\_

Sample Time/Date: /

Water Color: \_\_\_\_\_ Odor: Y / N \_\_\_\_\_

Apprx. Flow Rate: gpm.

Sediment Description: \_\_\_\_\_

Did well de-water? If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: \_\_\_\_\_

Time  
(2400 hr.)Volume  
(gal.)

pH

Conductivity  
( $\mu\text{hos}/\text{cm} - \mu\text{S}$ )Temperature  
( C / F )D.O.  
(mg/L)ORP  
(mV)**LABORATORY INFORMATION**

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	NWTPH-Gx/BTEX+MTBE(8021)
	x 1 liter ambers	YES	HCL	LANCASTER	NWTPH-Dx w/sgc

COMMENTS: SPH

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0129  
 Site Address: 4700 Brooklyn Avenue  
 City: Seattle, WA

Job Number: 386649  
 Event Date: 3.16.13 (inclusive)  
 Sampler: J.P.

Well ID: MW-12  
 Well Diameter: 2  
 Total Depth: 21.34 ft.  
 Depth to Water: 17.49 ft. 3.85 xVF .17 = .65

Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
--------------------	------------------------	----------------------	----------------------	-----------------------

Check if water column is less than 0.50 ft.

Date Monitored: 3.16.13

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 18.26 gal.

Purge Equipment:  
 Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: <u>00</u> (2400 hrs)
Time Completed: <u>00</u> (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____ gal
Product Transferred to: _____

Start Time (purge): 0900 Weather Conditions: Overcast  
 Sample Time/Date: 3/16/13 Water Color: WOODY Odor: N Moderate  
 Approx. Flow Rate: gpm. Sediment Description: Grey  
 Did well de-water? No If yes, Time: — Volume: — gal. DTW @ Sampling: 18.18

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ( $\mu\text{mhos}/\text{cm} \cdot \mu\text{s}$ )	Temperature ( $^{\circ}\text{C}$ / $^{\circ}\text{F}$ )	D.O. (mg/L)	ORP (mV)
<u>dark</u>	<u>1</u>	<u>6.61</u>	<u>.050</u>	<u>13.5</u>		
<u>bott</u>	<u>2</u>	<u>6.10</u>	<u>.900</u>	<u>13.3</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-12	8 x voa vial	YES	HCL	LANCASTER	NWTPH-Gx/BTEX+MTBE(8021)
	8 x 1 liter ambers	YES	HCL	LANCASTER	NWTPH-Dx w/sgc

COMMENTS: Moderate Spill

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0129  
 Site Address: 4700 Brooklyn Avenue  
 City: Seattle, WA

Job Number: 386649  
 Event Date: 3.16.13 (inclusive)  
 Sampler: J.P.

Well ID MW-13  
 Well Diameter 2  
 Total Depth 19.39 ft.  
 Depth to Water 16.46 ft.

Date Monitored: 3.16.13

Volume Factor (VF)	3/4" = 0.02 4" = 0.66	1" = 0.04 5" = 1.02	2" = 0.17 6" = 1.50	3" = 0.38 12" = 5.80
--------------------	--------------------------	------------------------	------------------------	-------------------------

Check if water column is less than 0.50 ft.

3.33 xVF .17 = .56 x3 case volume = Estimated Purge Volume: ✓ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 16.72

Purge Equipment:  
 Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Sampling Equipment:  
 Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description:  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 0745  
 Sample Time/Date: 03/16/13  
 Approx. Flow Rate: 1 gpm.  
 Did well de-water? NO If yes, Time: — Volume: — gal. DTW @ Sampling: 16.60

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ( $\mu\text{mhos/cm}$ - $\mu\text{S}$ )	Temperature ( $^{\circ}\text{C}$ / $^{\circ}\text{F}$ )	D.O. (mg/L)	ORP (mV)
<u>0745</u>	<u>1</u>	<u>6.53</u>	<u>.576</u>	<u>13.5</u>		
<u>0749</u>	<u>1</u>	<u>6.60</u>	<u>.577</u>	<u>13.7</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-13	10 x voa vial	YES	HCL	LANCASTER	NWTPH-Gx/BTEX+MTBE(8021)
	2 x 1 liter ambers	YES	HCL	LANCASTER	NWTPH-Dx w/sgc

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0129**  
 Site Address: **4700 Brooklyn Avenue**  
 City: **Seattle, WA**

Job Number: **386649**  
 Event Date: **3-16-13** (inclusive)  
 Sampler: **J.P.**

Well ID **MW-14**

Date Monitored: **3-16-13**

Well Diameter **2**

Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
--------------------	------------------------	----------------------	----------------------	-----------------------

Total Depth **23.27 ft.**

Depth to Water **10.13 ft.**

Check if water column is less than 0.50 ft.

**5.04** xVF **.17** = **.905** x3 case volume = Estimated Purge Volume: **2.5 gal.**

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **10.27**

**Purge Equipment:**

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**

Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)

Time Completed: \_\_\_\_\_ (2400 hrs)

Depth to Product: \_\_\_\_\_ ft

Depth to Water: \_\_\_\_\_ ft

Hydrocarbon Thickness: \_\_\_\_\_ ft

Visual Confirmation/Description:

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: \_\_\_\_\_ gal

Amt Removed from Well: \_\_\_\_\_ gal

Water Removed: \_\_\_\_\_ gal

Product Transferred to: \_\_\_\_\_

Start Time (purge): **10:00**

Weather Conditions: **Overcast**

Sample Time/Date: **0620 1-3-13**

Water Color: **CLEAR**

Approx. Flow Rate: **1** gpm.

Sediment Description: **None**

Did well de-water? **NC** If yes, Time: **—** Volume: **—** gal. DTW @ Sampling: **10.17**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm - $\mu$ s)	Temperature ( $^{\circ}$ C / $^{\circ}$ F)	D.O. (mg/L)	ORP (mV)
<b>10:11</b>	<b>1.25</b>	<b>6.64</b>	<b>125</b>	<b>13.9</b>		
<b>10:15</b>	<b>2.6</b>	<b>6.77</b>	<b>300</b>	<b>13.6</b>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<b>MW-14</b>	<b>10</b> x voa vial	YES	HCL	LANCASTER	NWTPH-Gx/BTEX+MTBE(8021)
	<b>2x1 liter ambers</b>	YES	HCL	LANCASTER	NWTPH-Dx w/sgc

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0129**  
 Site Address: **4700 Brooklyn Avenue**  
 City: **Seattle, WA**

Job Number: **386649**  
 Event Date: **3.16.13** (inclusive)  
 Sampler: **J.P.**

Well ID **MW- 16**

Well Diameter **2**

Total Depth **24.40** ft

Depth to Water **16.95** ft.

Date Monitored: **3.16.13**

Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
--------------------	------------------------	----------------------	----------------------	-----------------------

Check if water column is less than 0.50 ft.

**7.63** xVF **.17** = **.60** x3 case volume = Estimated Purge Volume: **2** gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **18.37**

**Purge Equipment:**

Disposable Bailer   
 Stainless Steel Bailer   
 Stack Pump   
 Suction Pump   
 Grundfos   
 Peristaltic Pump   
 QED Bladder Pump   
 Other: \_\_\_\_\_

**Sampling Equipment:**

Disposable Bailer   
 Pressure Bailer   
 Metal Filters   
 Peristaltic Pump   
 QED Bladder Pump   
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description:  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): **0546**

Weather Conditions: **overcast**

Sample Time/Date: **0546 / 3.16.13**

Approx. Flow Rate: **1** gpm.

Did well de-water? **No** If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: **18.23**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ( $\mu\text{mhos}/\text{cm} \cdot \mu\text{s}$ )	Temperature ( $^{\circ}\text{C}$ $^{\circ}\text{F}$ )	D.O. (mg/L)	ORP (mV)
<b>0551</b>	<b>1</b>	<b>8.98</b>	<b>322</b>	<b>11.8</b>		
<b>0556</b>	<b>2</b>	<b>10.92</b>	<b>330</b>	<b>11.3</b>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW- 16	6 x voa vial	YES	HCL	LANCASTER	NWTPH-Gx/BTEX+MTBE(8021)
	2 x 1 liter ambers	YES	HCL	LANCASTER	NWTPH-Dx w/sgc

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0129**

Site Address: **4700 Brooklyn Avenue**

City: **Seattle, WA**

Job Number: **386649**

Event Date: **3. 16. 13** (inclusive)

Sampler: **J.P.**

Well ID: **MW-16**

Well Diameter: **2**

Total Depth: **24.66 ft.**

Depth to Water: **16.17 ft.**

Date Monitored: **3. 16. 13**

Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
--------------------	------------------------	----------------------	----------------------	-----------------------

Check if water column is less than 0.50 ft.

**8.79** xVF **.17** = **1.4** x3 case volume = Estimated Purge Volume: **5** gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **17.62**

Purge Equipment:

- Disposable Bailer
- Stainless Steel Bailer
- Stack Pump
- Suction Pump
- Grundfos
- Peristaltic Pump
- QED Bladder Pump
- Other: \_\_\_\_\_

Sampling Equipment:

- Disposable Bailer
- Pressure Bailer
- Metal Filters
- Peristaltic Pump
- QED Bladder Pump
- Other: \_\_\_\_\_

Time Started: _____	(2400 hrs)
Time Completed: _____	(2400 hrs)
Depth to Product: _____	ft
Depth to Water: _____	ft
Hydrocarbon Thickness: _____	ft
Visual Confirmation/Description:	
Skimmer / Absorbant Sock (circle one)	
Amt Removed from Skimmer: _____	gal
Amt Removed from Well: _____	gal
Water Removed: _____	gal
Product Transferred to:	

Start Time (purge): **0027**

Weather Conditions: **OVERCAST**

Sample Time/Date: **0050 3.16.13**

Water Color: **CLEAR** Odor: **Y/N**

Approx. Flow Rate: **1** gpm.

Sediment Description: **NONE**

Did well de-water? **NO** If yes, Time: **—** Volume: **—** gal. DTW @ Sampling: **17.47**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ( $\mu\text{hos/cm} \cdot \text{pS}$ )	Temperature ( $^{\circ}\text{C} / ^{\circ}\text{F}$ )	D.O. (mg/L)	ORP (mV)
<u><b>0033</b></u>	<u><b>1</b></u>	<u><b>6.61</b></u>	<u><b>.384</b></u>	<u><b>13.6</b></u>		
<u><b>0038</b></u>	<u><b>1</b></u>	<u><b>6.60</b></u>	<u><b>.392</b></u>	<u><b>13.4</b></u>		
<u><b>0643</b></u>	<u><b>6</b></u>	<u><b>6.72</b></u>	<u><b>.396</b></u>	<u><b>13.2</b></u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u><b>MW-16</b></u>	<u><b>1 x voa vial</b></u>	<u><b>YES</b></u>	<u><b>HCL</b></u>	<u><b>LANCASTER</b></u>	<u><b>NWTPH-Gx/BTEX+MTBE(8021)</b></u>
	<u><b>2 x 1 liter ambers</b></u>	<u><b>YES</b></u>	<u><b>HCL</b></u>	<u><b>LANCASTER</b></u>	<u><b>NWTPH-Dx w/sgc</b></u>

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_

# Chevron Northwest Region Analysis Request/Chain of Custody



SS#9 0129 OML G R#386649

Facility #: 4700 Brooklyn Avenue WBS: SEATTLE, WA  
 Site Address: MHO SAICRO Otteman  
 Chevron PM: Lead Consultant: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568  
 Consultant/Office: Deanna L. Harding (deanna@grinc.com)  
 Consultant Prj. Mgr.: 925-551-7555 925-551-7899  
 Consultant Phone #: \_\_\_\_\_ Fax #: \_\_\_\_\_  
 Sampler: *J. Payne*

For Lancaster Laboratories use only  
 Acct. #: \_\_\_\_\_ Group #: \_\_\_\_\_ Sample #: \_\_\_\_\_  
 SCR #: \_\_\_\_\_

Analyses Requested		Preservation Codes	
<input type="checkbox"/> BTEX + MTBE	<input checked="" type="checkbox"/> 8021	<input type="checkbox"/> 8260	<input type="checkbox"/> Naphth
<input type="checkbox"/> 8260 full scan			
<input type="checkbox"/> Oil	<input type="checkbox"/> Air	<input type="checkbox"/> Oxigenates	<input type="checkbox"/> NWTPH GX
<input type="checkbox"/> Total	<input type="checkbox"/> Diss.	<input type="checkbox"/> Lead	<input type="checkbox"/> Silica Gel Cleanup
<input type="checkbox"/> Diss.	<input type="checkbox"/> Method	<input type="checkbox"/> WAEPH	<input type="checkbox"/> Method
<input type="checkbox"/> HCID	<input type="checkbox"/> quantification	<input type="checkbox"/> NWTPH	<input type="checkbox"/> WAEPH

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE	8021	8260	Naphth	8260 full scan	Oxigenates	NWTPH GX	NWTPH DX	Silica Gel Cleanup	Lead	Total	Diss.	Method	WAEPH	quantification	NWTPH	WAEPH
04	3-16-13		X		X	X			2	X					X											
MW.3			X		X	X			8	X					X	X										
MW.11			X		X	X			8	X					X	X										
MW.5			X		X	X			8	X					X	X										
MW.6			X		X	X			8	X					X	X										
MW.7			X		X	X			8	X					X	X										
MW.9			X		X	X			8	X					X	X										
MW.17			X		X	X			8	X					X	X										
MW.13			X		X	X			8	X					X	X										
MW.14			X		X	X			8	X					X	X										
MW.15			X		X	X			8	X					X	X										
MW.16			X		X	X			8	X					X	X										

Turnaround Time Requested (TAT) (please circle)			Relinquished by:		Date	Time	Received by:		Date	Time
STD. TAT	72 hour	48 hour			3-18-13	17:00				
24 hour	4 day	5 day								
Data Package Options (please circle if required)			Relinquished by:		Date	Time	Received by:		Date	Time
QC Summary Type I – Full										
Type VI (Raw Data)			Relinquished by Commercial Carrier:				Received by:		Date	Time
			UPS FedEx Other _____							
			Temperature Upon Receipt _____ C°				Custody Seals Intact?		Yes	No

**Attachment B:**  
**Laboratory Analysis Report**

---

## ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories  
2425 New Holland Pike  
Lancaster, PA 17605-2425

Prepared for:

Chevron  
6001 Bollinger Canyon Road  
L4310  
San Ramon CA 94583

March 30, 2013

Project: 90129

Submittal Date: 03/19/2013  
Group Number: 1376262  
PO Number: 0015119898  
Release Number: HORNE  
State of Sample Origin: WA

<u>Client Sample Description</u>	<u>Lancaster Labs (LLI) #</u>
QA NA Water	6987110
MW-3 Grab Water	6987111
MW-4 Grab Water	6987112
MW-5 Grab Water	6987113
MW-6 Grab Water	6987114
MW-7 Grab Water	6987115
MW-9 Grab Water	6987116
MW-12 Grab Water	6987117
MW-13 Grab Water	6987118
MW-14 Grab Water	6987119
MW-15 Grab Water	6987120
MW-16 Grab Water	6987121

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	SAIC c/o Gettler-Ryan	Attn: Rachelle Munoz
ELECTRONIC COPY TO	SAIC	Attn: Jamalyn Green
ELECTRONIC COPY TO	SAIC	Attn: Ruth Otteman

## ***Analysis Report***

Respectfully Submitted,



Jill M. Parker  
Senior Specialist

(717) 556-7262

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

**Sample Description:** QA NA Water  
**Facility#** 90129    **Job#** 386649  
**4700 Brooklyn Ave - Seattle, WA**

**LLI Sample #** WW 6987110  
**LLI Group #** 1376262  
**Account #** 11260

**Project Name:** 90129

Collected: 03/16/2013

Chevron

Submitted: 03/19/2013 09:15

6001 Bollinger Canyon Road  
L4310

Reported: 03/30/2013 09:39

San Ramon CA 94583

BASQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC Volatiles	ECY 97-602 NWTPH-Gx	ug/l		ug/l	
08274	NWTPH-Gx water C7-C12	n.a.	N.D.	50	1
GC Volatiles	SW-846 8021B	ug/l		ug/l	
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1

#### General Sample Comments

State of Washington Lab Certification No. C259

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	13079A53A	03/20/2013 20:09	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	13079A53A	03/20/2013 20:09	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	13079A53A	03/20/2013 20:09	Marie D John	1

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

**Sample Description:** MW-3 Grab Water  
**Facility#** 90129    **Job#** 386649  
**4700 Brooklyn Ave - Seattle, WA**

**LLI Sample #** WW 6987111  
**LLI Group #** 1376262  
**Account #** 11260

**Project Name:** 90129

Collected: 03/16/2013 09:18 by JP

Chevron

6001 Bollinger Canyon Road

L4310

San Ramon CA 94583

Submitted: 03/19/2013 09:15

Reported: 03/30/2013 09:39

BASM3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC Volatiles</b> 08274	<b>ECY 97-602 NWTPH-Gx</b> NWTPH-Gx water C7-C12	n.a.	ug/l 4,000	ug/l 250	5
<b>GC Volatiles</b> 02102	<b>SW-846 8021B</b> Benzene	71-43-2	ug/l 76	ug/l 2.5	5
02102	Ethylbenzene	100-41-4	420	2.5	5
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	73	5
02102	Toluene	108-88-3	35	2.5	5
02102	Total Xylenes	1330-20-7	170	7.5	5
Reporting limits were raised due to interference from the sample matrix.					
<b>GC Petroleum Hydrocarbons w/Si</b> 12005	<b>ECY 97-602 NWTPH-Dx</b> modified	n.a.	ug/l 100	ug/l 30	1
12005	DRO C12-C24 w/Si Gel	n.a.	N.D.	69	1
The reverse surrogate, capric acid, is present at <1%.					

#### General Sample Comments

State of Washington Lab Certification No. C259

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	13079A53A	03/21/2013 02:24	Marie D John	5
02102	Method 8021 Water Master	SW-846 8021B	1	13079A53A	03/21/2013 02:24	Marie D John	5
01146	GC VOA Water Prep	SW-846 5030B	1	13079A53A	03/21/2013 02:24	Marie D John	5
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	130810013A	03/28/2013 17:34	Lisa A Reinert	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	130810013A	03/22/2013 11:30	Olivia Arosemena	1

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

**Sample Description:** MW-4 Grab Water  
**Facility#** 90129    **Job#** 386649  
**4700 Brooklyn Ave - Seattle, WA**

**LLI Sample #** WW 6987112  
**LLI Group #** 1376262  
**Account #** 11260

**Project Name:** 90129

Collected: 03/16/2013 10:30 by JP

Chevron

6001 Bollinger Canyon Road

L4310

San Ramon CA 94583

Submitted: 03/19/2013 09:15

Reported: 03/30/2013 09:39

BASM4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10943	Methyl Tertiary Butyl Ether	1634-04-4	9	3	5
GC Volatiles	ECY 97-602 NWTPH-Gx	n.a.	ug/l	ug/l	
08274	NWTPH-Gx water C7-C12		2,200	50	1
GC Volatiles	SW-846 8021B		ug/l	ug/l	
02102	Benzene	71-43-2	75	0.5	1
02102	Ethylbenzene	100-41-4	25	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	9.6	2.5	1
02102	Toluene	108-88-3	4.2	0.5	1
02102	Total Xylenes	1330-20-7	19	1.5	1
GC Petroleum Hydrocarbons w/Si	ECY 97-602 NWTPH-Dx modified		ug/l	ug/l	
12005	DRO C12-C24 w/Si Gel	n.a.	4,000	29	1
12005	HRO C24-C40 w/Si Gel	n.a.	420	67	1
Due to the presence of fuel in the sample extract, capric acid recovery can not be determined.					

#### General Sample Comments

State of Washington Lab Certification No. C259

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	MTBE 8260 Water	SW-846 8260B	1	Z130872AA	03/28/2013 14:02	Daniel H Heller	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z130872AA	03/28/2013 14:02	Daniel H Heller	5
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	13079A53A	03/21/2013 12:28	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	13079A53A	03/21/2013 12:28	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	13079A53A	03/21/2013 12:28	Marie D John	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	130810013A	03/28/2013 18:41	Lisa A Reinert	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	130810013A	03/22/2013 11:30	Olivia Arosemena	1

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

**Sample Description:** MW-5 Grab Water  
**Facility#** 90129    **Job#** 386649  
**4700 Brooklyn Ave - Seattle, WA**

**LLI Sample #** WW 6987113  
**LLI Group #** 1376262  
**Account #** 11260

**Project Name:** 90129

Collected: 03/16/2013 09:40 by JP

Chevron

6001 Bollinger Canyon Road

L4310

San Ramon CA 94583

Submitted: 03/19/2013 09:15

Reported: 03/30/2013 09:39

BASM5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC Volatiles</b> 08274	<b>ECY 97-602 NWTPH-Gx</b> NWTPH-Gx water C7-C12	n.a.	ug/l N.D.	ug/l 50	1
<b>GC Volatiles</b> 02102	<b>SW-846 8021B</b> Benzene	71-43-2	ug/l N.D.	ug/l 0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
<b>GC Petroleum Hydrocarbons w/Si</b> 12005	<b>ECY 97-602 NWTPH-Dx</b> modified	n.a.	ug/l N.D.	ug/l 30	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	70	1
The reverse surrogate, capric acid, is present at <1%.					

#### General Sample Comments

State of Washington Lab Certification No. C259

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	13079A53A	03/20/2013 22:49	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	13079A53A	03/20/2013 22:49	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	13079A53A	03/20/2013 22:49	Marie D John	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	130810013A	03/28/2013 17:57	Lisa A Reinert	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	130810013A	03/22/2013 11:30	Olivia Arosemena	1

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

**Sample Description:** MW-6 Grab Water  
**Facility#** 90129    **Job#** 386649  
**4700 Brooklyn Ave - Seattle, WA**

**LLI Sample #** WW 6987114  
**LLI Group #** 1376262  
**Account #** 11260

**Project Name:** 90129

Collected: 03/16/2013 08:44    by JP

Chevron

6001 Bollinger Canyon Road

L4310

San Ramon CA 94583

Submitted: 03/19/2013 09:15

Reported: 03/30/2013 09:39

BASM6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC Volatiles</b> 08274	<b>ECY 97-602 NWTPH-Gx</b> NWTPH-Gx water C7-C12	n.a.	ug/l 110	ug/l 50	1
<b>GC Volatiles</b> 02102	<b>SW-846 8021B</b> Benzene	71-43-2	ug/l 0.5	ug/l 0.5	1
02102	Ethylbenzene	100-41-4	0.5	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	1.9	0.5	1
02102	Total Xylenes	1330-20-7	4.8	1.5	1
<b>GC Petroleum Hydrocarbons w/Si</b> 12005	<b>ECY 97-602 NWTPH-Dx</b> modified	n.a.	ug/l N.D.	ug/l 29	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	67	1
The reverse surrogate, capric acid, is present at <1%.					

#### General Sample Comments

State of Washington Lab Certification No. C259

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	13079A53A	03/20/2013 23:16	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	13079A53A	03/20/2013 23:16	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	13079A53A	03/20/2013 23:16	Marie D John	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	130810013A	03/28/2013 18:19	Lisa A Reinert	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	130810013A	03/22/2013 11:30	Olivia Arosemena	1

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

**Sample Description:** MW-7 Grab Water  
**Facility#** 90129    **Job#** 386649  
**4700 Brooklyn Ave - Seattle, WA**

**LLI Sample #** WW 6987115  
**LLI Group #** 1376262  
**Account #** 11260

**Project Name:** 90129

Collected: 03/16/2013 07:10 by JP

Chevron

6001 Bollinger Canyon Road

L4310

San Ramon CA 94583

Submitted: 03/19/2013 09:15

Reported: 03/30/2013 09:39

BASM7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC Volatiles</b> 08274	<b>ECY 97-602 NWTPH-Gx</b> NWTPH-Gx water C7-C12	n.a.	ug/l 280	ug/l 50	1
<b>GC Volatiles</b> 02102	<b>SW-846 8021B</b> Benzene	71-43-2	ug/l 2.7	ug/l 0.5	1
02102	Ethylbenzene	100-41-4	5.8	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
<b>GC Petroleum Hydrocarbons w/Si</b> 12005	<b>ECY 97-602 NWTPH-Dx</b> modified	n.a.	ug/l N.D.	ug/l 30	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	70	1
The reverse surrogate, capric acid, is present at <1%.					

#### General Sample Comments

State of Washington Lab Certification No. C259

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	13079A53A	03/21/2013 00:37	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	13079A53A	03/21/2013 00:37	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	13079A53A	03/21/2013 00:37	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	2	13079A53A	03/21/2013 00:37	Marie D John	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	130840008A	03/28/2013 20:34	Christine E Dolman	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	130840008A	03/25/2013 17:00	JoElla L Rice	1

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

**Sample Description:** MW-9 Grab Water  
**Facility#** 90129    **Job#** 386649  
**4700 Brooklyn Ave - Seattle, WA**

**LLI Sample #** WW 6987116  
**LLI Group #** 1376262  
**Account #** 11260

**Project Name:** 90129

Collected: 03/16/2013 08:20 by JP

Chevron

6001 Bollinger Canyon Road

L4310

San Ramon CA 94583

Submitted: 03/19/2013 09:15

Reported: 03/30/2013 09:39

BASM9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10943 Methyl Tertiary Butyl Ether		1634-04-4	N.D.	5	10
GC Volatiles	ECY 97-602 NWTPH-Gx		ug/l	ug/l	
08274 NWTPH-Gx water C7-C12		n.a.	21,000	250	5
GC Volatiles	SW-846 8021B		ug/l	ug/l	
02102 Benzene		71-43-2	120	2.5	5
02102 Ethylbenzene		100-41-4	330	2.5	5
02102 Methyl tert-Butyl Ether		1634-04-4	32	13	5
02102 Toluene		108-88-3	20	2.5	5
02102 Total Xylenes		1330-20-7	700	7.5	5
Reporting limits were raised due to interference from the sample matrix.					
GC Petroleum Hydrocarbons w/Si	ECY 97-602 NWTPH-Dx modified		ug/l	ug/l	
12005 DRO C12-C24 w/Si Gel		n.a.	9,700	140	5
12005 HRO C24-C40 w/Si Gel		n.a.	520	340	5
Due to the dilution of the sample extract, capric acid recovery can not be determined.					

#### General Sample Comments

State of Washington Lab Certification No. C259

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943 MTBE 8260 Water	SW-846 8260B	1	Z130872AA		03/28/2013 15:13	Daniel H Heller	10
01163 GC/MS VOA Water Prep	SW-846 5030B	1	Z130872AA		03/28/2013 15:13	Daniel H Heller	10
08274 NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	13079A53A		03/21/2013 03:45	Marie D John	5
02102 Method 8021 Water Master	SW-846 8021B	1	13079A53A		03/21/2013 03:45	Marie D John	5
01146 GC VOA Water Prep	SW-846 5030B	1	13079A53A		03/21/2013 03:45	Marie D John	5
12005 NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	130840008A		03/29/2013 15:21	Lisa A Reinert	5
12007 NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	130840008A		03/25/2013 17:00	JoElla L Rice	1

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

**Sample Description:** MW-12 Grab Water  
**Facility#** 90129    **Job#** 386649  
**4700 Brooklyn Ave - Seattle, WA**

**LLI Sample #** WW 6987117  
**LLI Group #** 1376262  
**Account #** 11260

**Project Name:** 90129

Collected: 03/16/2013 10:06 by JP

Chevron

6001 Bollinger Canyon Road

L4310

San Ramon CA 94583

Submitted: 03/19/2013 09:15

Reported: 03/30/2013 09:39

BAS12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10943 Methyl Tertiary Butyl Ether		1634-04-4	N.D.	5	10
GC Volatiles	ECY 97-602 NWTPH-Gx		ug/l	ug/l	
08274 NWTPH-Gx water C7-C12		n.a.	130,000	1,300	25
GC Volatiles	SW-846 8021B		ug/l	ug/l	
02102 Benzene		71-43-2	9,200	13	25
02102 Ethylbenzene		100-41-4	2,600	13	25
02102 Methyl tert-Butyl Ether		1634-04-4	250	63	25
02102 Toluene		108-88-3	18,000	25	50
02102 Total Xylenes		1330-20-7	18,000	38	25
GC Petroleum Hydrocarbons w/Si	ECY 97-602 NWTPH-Dx modified		ug/l	ug/l	
12005 DRO C12-C24 w/Si Gel		n.a.	1,900	28	1
12005 HRO C24-C40 w/Si Gel		n.a.	230	66	1
Due to the presence of fuel in the sample extract, capric acid recovery can not be determined.					

#### General Sample Comments

State of Washington Lab Certification No. C259

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943 MTBE 8260 Water	SW-846 8260B	1	Z130872AA	03/28/2013 15:37	Daniel H Heller	10	
01163 GC/MS VOA Water Prep	SW-846 5030B	1	Z130872AA	03/28/2013 15:37	Daniel H Heller	10	
08274 NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	13079A53A	03/21/2013 13:48	Marie D John	25	
02102 Method 8021 Water Master	SW-846 8021B	1	13079A53A	03/21/2013 04:12	Marie D John	50	
02102 Method 8021 Water Master	SW-846 8021B	1	13079A53A	03/21/2013 13:48	Marie D John	25	
01146 GC VOA Water Prep	SW-846 5030B	1	13079A53A	03/21/2013 04:12	Marie D John	50	
01146 GC VOA Water Prep	SW-846 5030B	2	13079A53A	03/21/2013 13:48	Marie D John	25	
12005 NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	130840008A	03/28/2013 21:19	Christine E Dolman	1	
12007 NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	130840008A	03/25/2013 17:00	JoElla L Rice	1	

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

**Sample Description:** MW-13 Grab Water  
**Facility#** 90129    **Job#** 386649  
**4700 Brooklyn Ave - Seattle, WA**

**LLI Sample #** WW 6987118  
**LLI Group #** 1376262  
**Account #** 11260

**Project Name:** 90129

Collected: 03/16/2013 08:00 by JP

Chevron

6001 Bollinger Canyon Road

L4310

San Ramon CA 94583

Submitted: 03/19/2013 09:15

Reported: 03/30/2013 09:39

BAS13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10943 Methyl Tertiary Butyl Ether		1634-04-4	N.D.	3	5
GC Volatiles	ECY 97-602 NWTPH-Gx		ug/l	ug/l	
08274 NWTPH-Gx water C7-C12		n.a.	9,000	250	5
GC Volatiles	SW-846 8021B		ug/l	ug/l	
02102 Benzene		71-43-2	83	2.5	5
02102 Ethylbenzene		100-41-4	100	2.5	5
02102 Methyl tert-Butyl Ether		1634-04-4	18	13	5
02102 Toluene		108-88-3	8.0	2.5	5
02102 Total Xylenes		1330-20-7	97	7.5	5
GC Petroleum Hydrocarbons w/Si	ECY 97-602 NWTPH-Dx modified		ug/l	ug/l	
12005 DRO C12-C24 w/Si Gel		n.a.	2,100	33	1
12005 HRO C24-C40 w/Si Gel		n.a.	N.D.	76	1
The reverse surrogate, capric acid, is present at <1%.					

#### General Sample Comments

State of Washington Lab Certification No. C259

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943 MTBE 8260 Water	SW-846 8260B	1	Z130872AA	03/28/2013 16:44	Daniel H Heller	5	
01163 GC/MS VOA Water Prep	SW-846 5030B	1	Z130872AA	03/28/2013 16:44	Daniel H Heller	5	
08274 NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	13079A53A	03/21/2013 13:21	Marie D John	5	
02102 Method 8021 Water Master	SW-846 8021B	1	13079A53A	03/21/2013 13:21	Marie D John	5	
01146 GC VOA Water Prep	SW-846 5030B	1	13079A53A	03/21/2013 13:21	Marie D John	5	
12005 NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	130840008A	03/28/2013 21:41	Christine E Dolman	1	
12007 NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	130840008A	03/25/2013 17:00	JoElla L Rice	1	

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

**Sample Description:** MW-14 Grab Water  
**Facility#** 90129    **Job#** 386649  
**4700 Brooklyn Ave - Seattle, WA**

**LLI Sample #** WW 6987119  
**LLI Group #** 1376262  
**Account #** 11260

**Project Name:** 90129

Collected: 03/16/2013 06:20 by JP

Chevron

6001 Bollinger Canyon Road

L4310

San Ramon CA 94583

Submitted: 03/19/2013 09:15

Reported: 03/30/2013 09:39

BAS14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC Volatiles</b> 08274	<b>ECY 97-602 NWTPH-Gx</b> NWTPH-Gx water C7-C12	n.a.	ug/l N.D.	ug/l 50	1
<b>GC Volatiles</b> 02102	<b>SW-846 8021B</b> Benzene	71-43-2	ug/l N.D.	ug/l 0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
<b>GC Petroleum Hydrocarbons w/Si</b> 12005	<b>ECY 97-602 NWTPH-Dx</b> modified	n.a.	ug/l N.D.	ug/l 30	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	69	1
The reverse surrogate, capric acid, is present at <1%.					

#### General Sample Comments

State of Washington Lab Certification No. C259

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	13079A53A	03/21/2013 01:30	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	13079A53A	03/21/2013 01:30	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	13079A53A	03/21/2013 01:30	Marie D John	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	130840008A	03/28/2013 22:03	Christine E Dolman	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	130840008A	03/25/2013 17:00	JoElla L Rice	1

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

**Sample Description:** MW-15 Grab Water  
**Facility#** 90129    **Job#** 386649  
**4700 Brooklyn Ave - Seattle, WA**

**LLI Sample #** WW 6987120  
**LLI Group #** 1376262  
**Account #** 11260

**Project Name:** 90129

Collected: 03/16/2013 06:00 by JP

Chevron

6001 Bollinger Canyon Road

L4310

San Ramon CA 94583

Submitted: 03/19/2013 09:15

Reported: 03/30/2013 09:39

BAS15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC Volatiles</b> 08274	<b>ECY 97-602 NWTPH-Gx</b> NWTPH-Gx water C7-C12	n.a.	ug/l N.D.	ug/l 50	1
<b>GC Volatiles</b> 02102	<b>SW-846 8021B</b> Benzene	71-43-2	ug/l N.D.	ug/l 0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
<b>GC Petroleum Hydrocarbons w/Si</b> 12005	<b>ECY 97-602 NWTPH-Dx</b> modified	n.a.	ug/l N.D.	ug/l 29	1
12005	HRO C24-C40 w/Si Gel	n.a.	N.D.	67	1
The reverse surrogate, capric acid, is present at <1%.					

### General Sample Comments

State of Washington Lab Certification No. C259

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08274	NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	13079A53A	03/21/2013 01:57	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	13079A53A	03/21/2013 01:57	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	13079A53A	03/21/2013 01:57	Marie D John	1
12005	NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	130840008A	03/28/2013 22:26	Christine E Dolman	1
12007	NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	130840008A	03/25/2013 17:00	JoElla L Rice	1

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

**Sample Description:** MW-16 Grab Water  
**Facility#** 90129    **Job#** 386649  
**4700 Brooklyn Ave - Seattle, WA**

**LLI Sample #** WW 6987121  
**LLI Group #** 1376262  
**Account #** 11260

**Project Name:** 90129

Collected: 03/16/2013 06:50 by JP

Chevron

6001 Bollinger Canyon Road

L4310

San Ramon CA 94583

Submitted: 03/19/2013 09:15

Reported: 03/30/2013 09:39

BAS16

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10943 Methyl Tertiary Butyl Ether		1634-04-4	N.D.	3	5
GC Volatiles	ECY 97-602 NWTPH-Gx		ug/l	ug/l	
08274 NWTPH-Gx water C7-C12		n.a.	3,200	50	1
GC Volatiles	SW-846 8021B		ug/l	ug/l	
02102 Benzene		71-43-2	290	0.5	1
02102 Ethylbenzene		100-41-4	250	0.5	1
02102 Methyl tert-Butyl Ether		1634-04-4	37	2.5	1
02102 Toluene		108-88-3	11	0.5	1
02102 Total Xylenes		1330-20-7	28	1.5	1
GC Petroleum Hydrocarbons w/Si	ECY 97-602 NWTPH-Dx modified		ug/l	ug/l	
12005 DRO C12-C24 w/Si Gel		n.a.	57	30	1
12005 HRO C24-C40 w/Si Gel		n.a.	N.D.	71	1
The reverse surrogate, capric acid, is present at <1%.					

#### General Sample Comments

State of Washington Lab Certification No. C259

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943 MTBE 8260 Water	SW-846 8260B	1	Z130872AA	03/28/2013 17:08	Daniel H Heller	5	
01163 GC/MS VOA Water Prep	SW-846 5030B	1	Z130872AA	03/28/2013 17:08	Daniel H Heller	5	
08274 NWTPH-Gx water C7-C12	ECY 97-602 NWTPH-Gx	1	13079A53A	03/21/2013 12:55	Catherine J Schwarz	1	
02102 Method 8021 Water Master	SW-846 8021B	1	13079A53A	03/21/2013 12:55	Marie D John	1	
01146 GC VOA Water Prep	SW-846 5030B	1	13079A53A	03/21/2013 12:55	Catherine J Schwarz	1	
01146 GC VOA Water Prep	SW-846 5030B	2	13079A53A	03/21/2013 12:55	Marie D John	1	
12005 NWTPH-Dx water w/ 10g Si Gel	ECY 97-602 NWTPH-Dx modified	1	130840029A	03/29/2013 11:22	Lisa A Reinert	1	
12007 NW Dx water w/ 10g column	ECY 97-602 NWTPH-Dx 06/97	1	130840029A	03/26/2013 09:00	Joseph S Feister	1	

## Quality Control Summary

Client Name: Chevron  
Reported: 03/30/13 at 09:39 AM

Group Number: 1376262

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: Z130872AA Methyl Tertiary Butyl Ether	Sample number(s): 6987112, 6987116-6987118, 6987121 N.D. 0.5 ug/l 99					68-121		
Batch number: 13079A53A Benzene Ethylbenzene Methyl tert-Butyl Ether NWTPH-Gx water C7-C12 Toluene Total Xylenes	Sample number(s): 6987110-6987121 N.D. 0.5 ug/l 101 N.D. 0.5 ug/l 103 N.D. 2.5 ug/l 98 N.D. 50. ug/l 103 N.D. 0.5 ug/l 100 N.D. 1.5 ug/l 105			98 100 97 99 97 102	80-120 80-120 59-136 75-135 80-120 80-120	3 3 1 4 3 3	30 30 30 30 30 30	
Batch number: 130810013A DRO C12-C24 w/Si Gel HRO C24-C40 w/Si Gel	Sample number(s): 6987111-6987114 N.D. 30. ug/l 66 N.D. 70. ug/l			65	32-117	2	20	
Batch number: 130840008A DRO C12-C24 w/Si Gel HRO C24-C40 w/Si Gel	Sample number(s): 6987115-6987120 N.D. 30. ug/l 60 N.D. 70. ug/l			63	32-117	5	20	
Batch number: 130840029A DRO C12-C24 w/Si Gel HRO C24-C40 w/Si Gel	Sample number(s): 6987121 N.D. 30. ug/l 62 N.D. 70. ug/l			57	32-117	7	20	

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: Z130872AA Methyl Tertiary Butyl Ether	Sample number(s): 6987112, 6987116-6987118, 6987121 UNSPK: 6987112 86 100 72-126 13 30							

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: Chevron  
Reported: 03/30/13 at 09:39 AM

Group Number: 1376262

### Surrogate Quality Control

Analysis Name: UST VOCs by 8260B - Water  
Batch number: Z130872AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6987112	90	95	102	98
6987116	90	94	101	103
6987117	87	93	100	102
6987118	89	94	102	102
6987121	89	95	102	101
Blank	93	97	101	98
LCS	90	99	101	101
MS	91	98	102	101
MSD	89	97	102	100

Limits: 80-116                  77-113                  80-113                  78-113

Analysis Name: Method 8021 Water Master  
Batch number: 13079A53A

	Trifluorotoluene-P	Trifluorotoluene-F
6987110	80	79
6987111	91	94
6987112	77	99
6987113	80	80
6987114	82	79
6987115	81	80
6987116	83	133
6987117	92	99
6987118	64	86
6987119	79	84
6987120	79	79
6987121	137*	182*
Blank	80	80
LCS	81	86
LCSD	80	86

Limits: 51-120                  63-135

Analysis Name: NWTPH-Dx water w/ 10g Si Gel  
Batch number: 130810013A

Orthoterphenyl

6987111	88
6987112	67
6987113	90
6987114	87
Blank	92
LCS	86
LCSD	89

Limits: 50-150

Analysis Name: NWTPH-Dx water w/ 10g Si Gel  
Batch number: 130840008A

Orthoterphenyl

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

**Quality Control Summary**

Client Name: Chevron  
Reported: 03/30/13 at 09:39 AM

Group Number: 1376262

**Surrogate Quality Control**

6987115	81
6987116	74
6987117	95
6987118	83
6987119	84
6987120	78
Blank	84
LCS	85
LCSD	80

---

Limits: 50-150

Analysis Name: NWTPH-Dx water w/ 10g Si Gel  
Batch number: 130840029A  
Orthoterphenyl

---

6987121	86
Blank	85
LCS	76
LCSD	74

---

Limits: 50-150

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

# Chevron Northwest Region Analysis Request/Chain of Custody



SS#9-0129-OML G-R#386649

WBS:

Facility #: 4700 Brooklyn Avenue, SEATTLE, WA

Site Address: MHO SAICRO Otteman

Chevron PM: Lead Consultant: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568

Consultant/Office: Deanna L. Harding (deanna@grinc.com)

Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com)

Consultant Phone #: 925-551-7555 Fax #: 925-551-7899

Sampler: *J. P.*

For Lancaster Laboratories use only

Group # 1376262 Sample #:

6987110-21

SCR #:

## Analyses Requested

### Preservation Codes

- Results in Dry Weight
- J value reporting needed
- Must meet lowest detection limits possible for 8260 compounds
- 8021 MTBE Confirmation
- Confirm MTBE + Naphthalene
- Confirm highest hit by 8260
- Confirm all hits by 8260
- Run \_\_\_\_ oxy's on highest hit
- Run \_\_\_\_ oxy's on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Air	Total Number of Containers
-----------------------	----------------	----------------	------	-----------	------	-------	-----	----------------------------

Q.A	3-16-13	X	X		2	X		X K K
MW.3	4/1/13	X	X		8	X		X X
MW.4	4/3/13	X	X		8	X		X X
MW.5	4/4/13	X	X		8	X		X X
MW.6	4/4/13	X	X		8	X		X X
MW.7	4/7/13	X	X		8	X		X X
MW.9	4/22/13	+	X		8	X		X X
MW.12	4/26/13	X	X		8	X		X X
MW.13	4/26/13	X	X		8	X		X X
MW.14	4/27/13	+	X		8	X		X X
MW.15	4/29/13	X	X		8	X		X X
MW.16	4/30/13	X	X		8	X		X X

### Comments /Remarks

Confirm all MTBE hits using EPA method 8260.

Please forward the lab results directly to the Lead Consultant and cc: G-R.

### Turnaround Time Requested (TAT) (please circle)

STD. TAT      72 hour      48 hour  
24 hour      4 day      5 day

**EDF/EDD**

### Data Package Options (please circle if required)

QC Summary      Type I – Full  
Type VI (Raw Data)

Relinquished by:

Date

Time

Received by:

Date

Time

Relinquished by:

Date

Time

Received by:

Date

Time

Relinquished by:

Date

Time

Received by:

Date

Time

Relinquished by Commercial Carrier:

UPS      FedEx      Other \_\_\_\_\_

Received by:

*Pat*

Date

Time

Temperature Upon Receipt 0.5-3.7 C°

Custody Seals Intact?

Yes       No

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>RL</b>	Reporting Limit	<b>BMQL</b>	Below Minimum Quantitation Level
<b>N.D.</b>	none detected	<b>MPN</b>	Most Probable Number
<b>TNTC</b>	Too Numerous To Count	<b>CP Units</b>	cobalt-chloroplatinate units
<b>IU</b>	International Units	<b>NTU</b>	nephelometric turbidity units
<b>umhos/cm</b>	micromhos/cm	<b>ng</b>	nanogram(s)
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>µg</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>mL</b>	milliliter(s)	<b>L</b>	liter(s)
<b>m³</b>	cubic meter(s)	<b>µL</b>	microliter(s)
		<b>pg/L</b>	picogram/liter
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
<b>J</b>	estimated value – The result is $\geq$ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

## U.S. EPA CLP Data Qualifiers:

### Organic Qualifiers

- A** TIC is a possible aldol-condensation product
- B** Analyte was also detected in the blank
- C** Pesticide result confirmed by GC/MS
- D** Compound quantitated on a diluted sample
- E** Concentration exceeds the calibration range of the instrument
- N** Presumptive evidence of a compound (TICs only)
- P** Concentration difference between primary and confirmation columns  $>25\%$
- U** Compound was not detected
- X,Y,Z** Defined in case narrative

### Inorganic Qualifiers

- B** Value is <CRDL, but  $\geq$ IDL
- E** Estimated due to interference
- M** Duplicate injection precision not met
- N** Spike sample not within control limits
- S** Method of standard additions (MSA) used for calculation
- U** Compound was not detected
- W** Post digestion spike out of control limits
- \* Duplicate analysis not within control limits
- + Correlation coefficient for MSA  $<0.995$

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as "analyze immediately" are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.