



**FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
926 FREMONT STREET
MONROE, WASHINGTON**

**Submitted by
Farallon Consulting, L.L.C.
320 3rd Avenue NE, Suite 200
Issaquah, WA 98027
Farallon PN: 601-003**

**For
Ms. Reta Jensen**

November 9, 2000

Reviewed by:

Peter Jewett for:
Peter Jewett
Principal



TABLE OF CONTENTS

EXECUTIVE SUMMARY	iv
1.0 INTRODUCTION.....	1
1.1 OBJECTIVE.....	1
1.2 SITE DESCRIPTION	1
2.0 TECHNICAL ELEMENTS	2
2.1 BACKGROUND.....	2
2.2 APPLICABLE CLEANUP LEVELS	2
2.3 CONSTITUENTS OF CONCERN	3
2.4 MEDIA OF CONCERN	3
2.5 SELECTED CLEANUP ACTION	3
2.6 AREAS OF CONCERN.....	4
2.7 REGULATORY REQUIREMENTS	4
2.7.1 MTCA	4
2.7.2 Local Permits	5
2.7.2.1 Grading Permit.....	5
2.7.2.2 Shoreline Management Act.....	6
3.0 CLEANUP ACTION	7
3.1 EXCAVATION AREAS.....	7
3.1.1 Excavation Area #1 (EX1).....	7
3.1.2 Excavation Area #2 (EX2).....	8
3.1.3 Excavation Area #3 (EX3).....	8
3.1.4 Excavation Area #4 (EX4).....	8
3.1.5 Excavation Areas #5, #6, #7 (EX5, EX6, and EX7).....	9
3.1.6 Warehouse Excavation (EX-WH).....	10
3.2 EXCAVATED SOIL TRANSPORT AND DISPOSAL.....	10
3.3 PERFORMANCE MONITORING SOIL SAMPLING.....	10
3.3.1 Soil Sample Collection	11
3.3.2 Soil Sample Collection and Handling Procedures.....	11
3.3.3 Soil Sample Location Survey.....	11
3.3.4 Laboratory Analyses	12
3.4 CONFIRMATION SOIL SAMPLING	12
3.4.1 Confirmation Soil Sampling	12
3.4.2 Sample Collection and Handling Procedures	12
3.4.3 Analytical Testing.....	12
3.4.4 Statistical Analysis of Confirmation Data	13
4.0 CONCLUSIONS AND REQUEST FOR NO FURTHER ACTION DESIGNATION	14
5.0 LIMITATIONS	16
6.0 REFERENCES CITED	17



LIST OF FIGURES

- FIGURE 1 Site Location Map
- FIGURE 2 Site Plan and Excavation Areas
- FIGURE 3 Confirmation Sample Locations, Excavation Area EX1
- FIGURE 4 Confirmation Sample Locations, Excavation Area EX2
- FIGURE 5 Confirmation Sample Locations, Excavation Area EX3
- FIGURE 6 Confirmation Sample Locations, Excavation Area EX4
- FIGURE 7 Confirmation Sample Locations, Excavation Area EX5, EX6, and EX7
- FIGURE 8 Confirmation Sample Locations, Warehouse Excavation Area EX-WH

LIST OF TABLES

- TABLE 1 Summary of Historical Soil Sample Analytical Results from Others
- TABLE 2 Summary of Soil Sample Analytical Results from the RI/FS
- TABLE 3 Performance Monitoring Soil Sample Analytical Results - Excavation Area EX1
- TABLE 4 Performance Monitoring Soil Sample Analytical Results - Excavation Area EX2
- TABLE 5 Performance Monitoring Soil Sample Analytical Results - Excavation Area EX3
- TABLE 6 Performance Monitoring Soil Sample Analytical Results - Excavation Area EX4
- TABLE 7 Performance Monitoring Soil Sample Analytical Results - Excavation Area EX5, EX6, and EX7
- TABLE 8 Performance Monitoring Soil Sample Analytical Results - Excavation Area EX-WH
- TABLE 9 Confirmation Soil Sample Analytical Results - Excavation Area EX1
- TABLE 10 Confirmation Soil Sample Analytical Results - Excavation Area EX2
- TABLE 11 Confirmation Soil Sample Analytical Results -Excavation Area EX3
- TABLE 12 Confirmation Soil Sample Analytical Results - Excavation Area EX4
- TABLE 13 Confirmation Soil Sample Analytical Results - Excavation Area EX5, EX6, and EX7
- TABLE 14 Confirmation Soil Sample Analytical Results - Excavation Area EX-WH

LIST OF APPENDICES

- APPENDIX A Laboratory Analytical Results
- APPENDIX B Disposal Manifests



EXECUTIVE SUMMARY

This Cleanup Action Summary Report has been prepared by Farallon Consulting, L.L.C. (Farallon) on behalf of Ms. Reta Jensen, dba Monroe Auto Salvage, to document the final cleanup action conducted at the Monroe Auto Salvage site, located at 426 Fremont Street in Monroe, Washington (herein referred to as the site). The Monroe Auto Salvage site consists of the Former Salvage Yard and Former Lumber Mill, which are addressed in this report, and the Former Bulk Fuel Storage Area, also referred to as Parcel 6. A Remedial Investigation, Feasibility Study is currently under way at the Former Bulk Fuel Storage Area, which will be summarized in a separate report.

The final cleanup action was conducted in accordance with the requirements of the State of Washington Department of Ecology (Ecology) Model Toxics Control Act (MTCA) to cleanup soil with concentrations of cadmium, lead, and total petroleum hydrocarbons (TPH) as diesel (TPH-d) and oil (TPH-o). The final cleanup action was conducted in July 2000 as an independent cleanup action substantially equivalent to an Ecology conducted or supervised cleanup in accordance with RCW 70.15D.080 under the Voluntary Cleanup Program (VCP) with Ecology. The cleanup is complete and meets the requirements for a No Further Action (NFA) designation by Ecology.

The results of previous investigations conducted by others and the results of the Remedial Investigation/Feasibility Study (RI/FS) (Farallon, February 2, 2000) identified concentrations of cadmium and lead in soil above MTCA Method A residential soil cleanup levels and TPH in soil above MTCA Method B residential cleanup levels calculated for the site using the Interim TPH Guidelines (Ecology, January 1997). The calculated MTCA Method B cleanup levels for residential use applicable to the site for TPH is 2,050 milligrams per kilogram (mg/kg). The MTCA Method A residential soil cleanup levels applicable to the site for cadmium is 2.0 mg/kg and for lead is 250 mg/kg.

The RI/FS defined the constituents of concern as cadmium, lead, TPH-d, and TPH-o and the medium of concern as shallow soils. Ecology concurred, that removal of the shallow soil with concentrations of the constituents of concern was appropriate to prevent degradation of groundwater and avoid impacts to the surface water and sediments of Woods Creek stormwater runoff. The selected cleanup action presented in the RI/FS was defined as excavation and off-site disposal of contaminated soils. The lateral and vertical extent of soil contamination was defined as discrete limited areas a shallow depth. Additional areas of potential contamination were identified during a site reconnaissance completed after the RI/FS and before the site cleanup. A total of eight excavation areas were defined for cleanup at the site.

Approximately 2,140 tons of soil were excavated and transported from the site to CSR Associated in Everett, Washington for treatment by thermal desorption. The analytical results of confirmation soil samples collected at the base and side-walls of the completed excavations confirm that the soil with concentrations of TPH-d, TPH-o, cadmium, and lead above the selected cleanup levels has been excavated and removed from the site.



Less than 10 percent of the confirmation soil sample analyses detected concentrations of one or more of the constituents of concern above the selected cleanup levels. None of the confirmation soil sample analyses detected concentrations of the constituents of concern greater than two times the selected cleanup levels. Based on a statistical analysis of the analytical results of the confirmation soil samples using a confidence interval approach as allowed by WAC 173-340-740(3) and as defined in the *Statistical Guidance for Ecology Site Managers*, the confirmation monitoring data confirms that the contaminated soil has been removed from the site.

Based on the analytical results from confirmation soil samples collected from each excavation area, additional remediation at the site is not necessary. The site conditions currently meet the requirements for a NFA designation from Ecology. Farallon requests that Ecology applies a NFA designation to the site.



1.0 INTRODUCTION

This Cleanup Action Summary Report has been prepared by Farallon Consulting, L.L.C. (Farallon) on behalf of Ms. Reta Jensen, dba Monroe Auto Salvage, to document the results of the final cleanup action conducted at the Monroe Auto Salvage site, located at 426 Fremont Street in Monroe, Washington (herein referred to as the site, Figure 1). The Monroe Auto Salvage site consists of the Former Salvage Yard and the Former Lumber Mill Areas, which are addressed in this report, and the Former Bulk Fuel Storage Area, also referred to as Parcel 6. Remedial Investigation/Feasibility Study is currently under way at the Former Bulk Fuel Storage Area, which will be summarized in a separate report.

The final cleanup action was conducted in accordance with the requirements of the State of Washington Department of Ecology (Ecology) Model Toxics Control Act (MTCA) Chapter 173-340 WAC to remediate soil with concentrations of total petroleum hydrocarbons (TPH) as diesel (TPH-d), oil (TPH-o), cadmium, and lead associated with releases from historic uses of the site. The remediation has been completed and meets the requirements for a No Further Action (NFA) designation by Ecology.

1.1 OBJECTIVE

The objective of the final cleanup action conducted by Farallon at the site was to remove soil that contained concentrations of lead, cadmium and/or TPH that exceeded the MTCA Methods A and/or B cleanup levels identified in the *Remedial Investigation/Feasibility Study* (RI/FS). The RI/FS was reviewed and approved by Ecology prior to the site cleanup. The selected cleanup action presented in the RI/FS consisted of excavation and off-site disposal (Farallon, February 2, 2000). Farallon prepared a Sampling and Analysis Plan (SAP) in accordance with WAC 173-340-810 to guide the collection and analysis of performance and confirmational soil samples. The SAP was prepared as an internal document and not submitted to Ecology for review. The protocols and analytical requirements in the SAP were discussed with Ms. Judy Atkins of Ecology prior to proceeding with the cleanup. The final cleanup action performed by Farallon was conducted as an independent remedial action substantially equivalent to an Ecology conducted or supervised remedial action in accordance with RCW 70.15D.080. This report is submitted to Ecology for review under an existing Voluntary Cleanup Program (VCP) application. The Former Bulk Fuel Storage Area is included with the VCP application.

1.2 SITE DESCRIPTION

The site consists of approximately six acres of unpaved flat property located south and east of Fremont Street, east of Ann Street, and South of Simon Road (Figure 2). The site is adjacent to a steep slope above Woods Creek located to the south and east. The existing buildings at the site consist of wood-frame sheds and a wood-frame office with concrete and dirt floors (Figure 2). The site had been used as a lumber mill and for auto salvaging. The auto salvage and lumber mill operations had been discontinued prior to the site cleanup and the materials formerly stored on-site had been removed.

A detailed description of the site, site history, and the subsurface geologic and hydrologic conditions is included in the RI/FS.



2.0 TECHNICAL ELEMENTS

This section summarizes the technical elements presented in the RI/FS. The technical elements summarized in this section were used to guide the cleanup action at the site.

2.1 BACKGROUND

The RI/FS report summarized the results of the previous investigations and interim remedial actions conducted at the site by others and provided the results of soil and groundwater sampling and analysis conducted by Farallon. The RI/FS report defined the media of concern, the constituents of concern, and the distribution of the identified constituents of concern at the site and presented the cleanup action selected for the site. The RI/FS was conducted under the VCP, with the approval and oversight from Ecology. The RI/FS report was prepared in accordance with the requirements of MTCA and the regulations promulgated thereunder, including WAC 173-340-350 and WAC 173-340-840.

Farallon conducted a site reconnaissance after the RI/FS and prior to the final cleanup action to observe the site after previously stored materials had been removed. Additional areas that required cleanup were identified during the site reconnaissance. These observations were used to define the specific areas of concern and to augment the final cleanup action.

Local permits and regulatory requirements were met for implementation of the final cleanup action. These included a Grading Permit and SEPA Checklist with the City of Monroe and resolution of Shoreline Management Act (SMA) issues with Ecology.

The RI/FS confirmed that soil is the only medium of concern and that the constituents of concern at the site were lead, cadmium, and TPH in the diesel and heavy oil ranges. Ecology concurred, that removal of soil with concentrations of the constituents of concern above the applicable cleanup levels was appropriate to prevent degradation of the groundwater or impact the sediments and/or surface water of Woods Creek. Concentrations of the constituents of concern were found above applicable cleanup levels only in the top one to three feet of soil in discrete, discontinuous, and limited areas of the site. None of the constituents of concern were detected in concentrations above the laboratory reporting limits in any of the groundwater samples collected at the site. The analytical results of soil samples collected by others prior to the RI/FS are summarized on Table 1. The analytical results of soil samples collected for the RI/FS are summarized on Table 2. The locations of the soil samples collected by others and for the RI/FS by Farallon are shown on Figure 2.

2.2 APPLICABLE CLEANUP LEVELS

The MTCA Method A residential soil cleanup levels were selected as the applicable cleanup levels for lead and cadmium in soil for the site. These cleanup levels were selected based on the current zoning and residential land uses of properties adjacent to and in the vicinity of the site, the proximity of Woods Creek to the site, and the projected future zoning and land uses of the site.



The MTCA Method B soil cleanup level based on a residential use was selected for TPH in soil using the Interim TPH Guidelines. Application of the Interim TPH Guidelines resulted in a cleanup level of 2,050 mg/kg for TPH. This cleanup level is deemed protective of human health and the environment due to the lack of risk associated with the specific nature and distribution of the TPH on-site. The calculations utilized the aliphatic/aromatic concentrations from soil samples with the highest concentrations of TPH-d and TPH-o found on-site. The calculations assumed potable groundwater and residential zoning.

In summary, the selected cleanup levels for the constituents of concern identified in the soil at the site defined in the RI/FS are:

COMPOUND	CLEANUP LEVEL
TPH	2,050 mg/kg (MTCA Method B)
Lead	250 mg/kg (MTCA Method A)
Cadmium	2.0 mg/kg (MTCA Method A)

2.3 CONSTITUENTS OF CONCERN

The constituents of concern defined in the RI/FS for the site include:

- Cadmium;
- Lead; and
- TPH in the diesel and heavy oil ranges.

2.4 MEDIA OF CONCERN

The RI/FS identified soil as the only medium of concern at the site. Removal of the soil with concentrations of the constituents of concern above the applicable cleanup levels will prevent degradation of the groundwater and potential impacts to the surface water and sediment of Woods Creek. The results of the RI/FS confirmed that groundwater underlying the site and surface water and the sediments in Woods Creek had not been impacted by any of the constituents of concern identified at the site.

2.5 SELECTED CLEANUP ACTION

The RI/FS evaluated a broad range of technically feasible cleanup action alternatives for cleanup of the site. These technologies were evaluated and compared based on the criteria set forth in WAC 173-340-360. Protection of human health and the environment was the most important criterion used to evaluate and compare the various technically feasible alternatives. This evaluation process resulted in the selection of a preferred cleanup alternative. All other cleanup alternatives were eliminated because they were either technically impractical, inconsistent with current or planned future uses of the site, or unreasonably expensive. The selected final cleanup alternative for the site was the excavation and off-site disposal of soil that contained concentrations of the constituents of concern above MTCA Method A and B cleanup levels. It was estimated in the RI/FS that a total of approximately 1,500 tons of soil would be removed from the site.



2.6 AREAS OF CONCERN

The RI/FS identified four discrete areas on-site where shallow soil with concentrations of one or more of the constituents of concern were detected in soil above the selected cleanup level. These areas were defined based on the analytical results of soil samples collected by others and Farallon, as summarized in the RI/FS. The analytical results of the soil samples used to define the areas of excavation are listed on Tables 1 and 2 and shown on Figure 2. The four areas of concern that were defined in the RI/FS include Excavation Areas #1 (EX1), #2 (EX2), #3 (EX3) and #4 (EX4). Additional areas of concern were defined prior to and during the final cleanup action as Excavation Areas #5 (EX5), #6 (EX6), #7 (EX7), and Warehouse (EXWH). The areas of excavation completed for the final cleanup are shown on Figure 2.

Excavation Areas #5 and #6 were defined by visual staining observed after removal of the materials stored on-site. Each of these areas were limited in size.

During a site reconnaissance conducted subsequent to the completion of the RI/FS and immediately prior to the final cleanup action, additional excavation areas were identified. Excavation Area #7 (EX7), consisted of a 55-gallon drum of roofing material that had been accidentally overturned and the contents spilled onto the ground surface when materials were being removed from the site (Figure 2). The material appeared to be roofing tar that had solidified on the ground surface.

An area of concern defined in the site reconnaissance conducted immediately prior to the final cleanup action was a portion of the main warehouse (Figure 3), that was inaccessible during the RI/FS. The warehouse had a dirt floor that was heavily stained with TPH. This area is defined as Warehouse Excavation (EXWH), and is shown on Figure 2.

2.7 REGULATORY REQUIREMENTS

The cleanup was conducted as an independent action under a VCP application in accordance with MTCA. Local permits, including a Grading Permit and SEPA Checklist, were required to conduct the site cleanup. This section summarizes the local permits obtained for the site cleanup.

2.7.1 MTCA

The final cleanup action was conducted as an independent cleanup action under the VCP as defined in WAC 173-340-400, and was substantially equivalent to an Ecology conducted or supervised remedial action in accordance with RCW 70.105D.080. The requirements of MTCA, Chapter 173-340 WAC have been met for the site cleanup and reporting.



2.7.2 Local Permits

2.7.2.1 Grading Permit

The City of Monroe required a Grading Permit for the excavation at the site. Since the excavations were greater than 500 cubic yards, a SEPA Checklist and a Determination of Non-significance (DNS) was required. The City of Monroe issued a DNS upon favorable review of the Grading Permit application and the SEPA Checklist. The City of Monroe specified that all on-site mitigation must include provisions for the following:

- All disturbed areas were to be hydro-seeded to mitigate erosion and sedimentation impacts as per Ecology's Stormwater Manual for the Puget Sound;
- Temporary erosion and sediment control was to be installed prior to construction and/or grading;
- All vehicles leaving the site were to be cleaned to prevent tracking of mud, dirt, gravel and other debris onto the public right-of-way;
- An approved traffic control system was to be used at the interface of the site and any public roadways;
- Erosion and sedimentation controls were to be inspected and upgraded on a regular basis. Sedimentation was to be prevented from entering a two hundred-foot radius from the "Ordinary High Water Mark" of Woods Creek during excavation/grading on the site; and
- Groundwater seepage was to be monitored and controlled from the excavation walls.

The final cleanup action was conducted in accordance with the Grading Permit requirements. These included installation of a silt fence along the southern border of the property along the top of slope of Woods Creek that was inspected on a daily basis to insure that sediment was not leaving the site. All vehicles were inspected for the presence of mud, dirt, and/or other debris prior to leaving the site and entering the public right-of way. Signage was also placed along Ann and Fremont Streets to alert the public of the presence of trucks leaving the site and entering the public right-of-way. Groundwater seepage was not observed from the excavation walls during excavation. The silt fence will be removed from the site upon successful introduction of the hydro-seed.

2.7.2.2 Shoreline Management Act

The City of Monroe determined that the final cleanup action conducted at the site did not require a Shoreline Development Permit, as the final cleanup action did not



meet the definition or intent of development as defined in WAC 173-27-030 and also fell under an independent remedial action involving minor excavation and off-site disposal of contaminated soil.

Ecology determined that the portions of the excavation areas that could extend into a small area of the 200-foot native vegetation set-back area bordering Woods Creek were overlain with gravel and non-native vegetation. The final cleanup action conducted at the site was therefore not subject to the restoration requirement under the City of Monroe's Sensitive Areas Ordinance (SAO). Ecology required that any excavations extending into the 200-foot set-back be hydro-seeded upon completion of excavation and grading activities conducted at the site. Ecology also specified, upon future redevelopment of the site, that restoration of the 200-foot set-back buffer zone would be addressed in accordance with the City of Monroe's SAO.



3.0 CLEANUP ACTION

Based on the results of the site characterizations completed by others, the RI/FS, and additional observations made by Farallon subsequent to completion of the RI/S, a total of eight discrete areas were excavated by Glacier Environmental Services under contract to Farallon. The areas of excavation included the areas defined in the RI/FS and areas defined after removal of the materials previously stored on-site (Section 2.6). The areas of excavation are shown on Figure 2.

The expected areas of excavation were initially defined by the analytical results of soil samples collected by others and Farallon during the RI/FS. The lateral and vertical extent of the excavations were defined by the distribution of concentrations of one or more of the constituents of concern above the selected cleanup levels. The final extent of the excavations were based on the analytical results of the soil samples collected for performance monitoring in accordance with WAC 173-340-410(1)(b). Once the analytical results of the performance monitoring indicated that the cleanup levels had been met, soil samples were collected for laboratory analysis to meet the requirements of confirmational monitoring in accordance with WAC 173-340 410 (1)(c).

3.1 EXCAVATION AREAS

The analytical results and locations of the soil samples presented in the RI/FS and used to define the expected area of each excavation are listed on Tables 1 and 2, and shown on Figure 2. The analytical results of the performance monitoring samples are summarized on Tables 3 through 8 and laboratory analytical reports are attached in Appendix A. The analytical results of the confirmational monitoring samples are summarized on Tables 9 through 14. The final extent of each excavation is shown on Figure 2. The following section summarizes the extent of the final excavations completed for the cleanup of the site.

3.1.1 Excavation Area #1 (EX1)

Analytical results of soil samples MAS-13-GRID, MAS-14-GRID, SS-2, M-1, M-2 and MAS-19-GRID summarized in the RI/FS were used to define the preliminary extent of EX1 (Table 1, Figure 2). The final excavation limits of EX1 were defined by the analytical results of confirmation soil samples (Table 9, Figure 3). The majority of EX1 was excavated to a final depth of 1 foot below ground surface (bgs) with the exception of the southeast quadrant (B1-SEQ, Figure 3), which was excavated to a depth of 2 feet bgs (Figure 3).

The concentrations of the constituents of concern were below the selected cleanup levels in all of the confirmation soil samples collected from EX1 (Table 9), with the exception of two side-wall samples located on the southeast side of the excavation that detected concentrations of cadmium at 2.04 to 2.65 mg/kg, which is above the MTCA Method A Cleanup Level of 2.0 mg/kg (Table 9, Figure 3).



3.1.2 Excavation Area #2 (EX2)

Analytical results of soil samples MAS-15-GRID, FSY-TP3, and M-2 summarized in the RI/FS were used to define the preliminary extent of EX2 (Tables 1 and 2, Figure 2). The final excavation limits of EX2 were defined by the analytical results of confirmation soil samples (Table 10, Figure 4). The majority of EX2 was excavated to a final depth of 2 feet bgs with the exception of the southeast quadrant, which was excavated to a depth of 4 feet bgs (A2-SEQ", Figure 4).

This excavation included the decommissioning and removal from the site, of monitoring well MW-2. The extent of EX2 to the south was impeded by the proximity of the top of slope and native easement set-back. There appeared to be a thin layer of contaminated soil approximately 6-inches bgs at the southern wall as indicated by soil sample analytical results shown on Table 10 and Figure 4. The excavation was not extended further south to avoid damage to large trees and vegetation.

The concentrations of the constituents of concern were below the selected cleanup levels in the confirmation soil samples collected from EX2, with the exception of an east side-wall sample, and the south side-wall where concentrations of TPH exceeded the MTCA Method B cleanup level calculated for the site; four samples with concentrations of cadmium slightly exceeded the MTCA Method A cleanup level (maximum of 3.9 mg/kg); and three samples with concentrations of lead slightly above the MTCA Method A cleanup level (maximum of 370 mg/kg) as shown on Table 10 and Figure 4.

3.1.3 Excavation Area #3 (EX3)

Analytical results of soil samples MAS-CCS and FSYTP5 summarized in the RI/FS were used to define the preliminary extent of EX3 (Tables 1 and 2, Figure 2). The final excavation limits of EX3 were defined by the analytical results of confirmation soil samples (Table 11, Figure 5). Most of EX3 was excavated to a final depth of 2 feet bgs, with the northeastern portion excavated to a final depth of 1 foot bgs.

The concentrations of the constituents of concern were below the selected cleanup levels in the confirmation soil samples collected from EX3 (Table 11, Figure 5).

3.1.4 Excavation Area #4 (EX4)

Analytical results of soil sample MAS-07-GRID and FSYTP6 summarized in the RI/FS were used to define the preliminary extent of EX4 (Tables 1 and 2, Figure 2). The final excavation limits of EX4 were defined by the analytical results of confirmation soil samples (Table 12, Figure 6). Most of EX4 was excavated to a final depth of 1 foot bgs, with the northwestern portion excavated to a final depth of 2 feet bgs.

The concentrations of the constituents of concern were below the selected cleanup levels in the confirmation soil samples collected from EX4 (Table 12, Figure 6).

The west side-wall confirmation soil sample of cell BI (sample BI-NEQ-NSW, Table 6) contained concentrations of TPH above the selected cleanup level and concentrations of



cadmium and lead below the selected cleanup levels. Therefore, TPH appeared to be the only constituent of concern in this area west of this cell. The confirmation soil samples collected from sampling cells B0-SEQ' and B0-SEQ' located west of cell B-1 (Figure 6), were only analyzed for TPH. The analytical results confirm that the TPH contaminated soil has been removed.

3.1.5 Excavation Areas #5, #6, #7 (EX5, EX6, and EX7)

Excavation Area #5 (EX5)

Analytical results of soil sample MAS-04-GRID summarized in the RI/FS and visible staining observed on-site were used to define the preliminary extent of EX5 (Table 1, Figure 2). The final excavation limits of EX5 were defined by the analytical results of confirmation soil samples (Table 13, Figure 7). Excavation Area EX5 was excavated to a final depth of 1 foot bgs.

The analytical results of the soil sample summarized in the RI/FS indicated that TPH was the only constituent of concern within EX5; therefore, performance monitoring and confirmation soil samples were only analyzed for TPH-d and TPH-o.

The concentrations of TPH were below the selected cleanup levels in all of the confirmation soil samples collected from EX5 (Table 13, Figure 7).

Excavation Area #6 (EX6)

Analytical results of soil sample MAS-05-GRID summarized in the RI/FS and visible staining observed on-site were used to define the preliminary extent of EX6 (Table 1, Figure 2). The final excavation limits of EX6 were defined by the analytical results of confirmation soil samples (Table 13, Figure 7). Excavation Area EX6 was excavated to a final depth of 1 foot bgs.

The analytical results of the soil sample summarized in the RI/FS indicated that TPH was the only constituent of concern within EX6; therefore, performance monitoring and confirmation soil samples were only analyzed for TPH-d and TPH-o. The concentrations of TPH were below the selected cleanup levels in all of the confirmation soil samples collected from EX6 (Table 13, Figure 4).

Excavation Area #7 (EX7)

Based upon visual observations made during a site reconnaissance conducted at the site prior to the final cleanup action, Farallon determined that the soil immediately adjacent to an overturned drum of roofing tar should be excavated to meet the cleanup requirements of the cleanup action. The spilled material and soil immediately adjacent and below the spilled material was excavated to a depth of 6-inches bgs in a 10 feet by 10 feet area (Figure 7).



Performance monitoring and confirmation soil samples were only analyzed for TPH-d and TPH-o. Due to the shallow extent of the excavation, the confirmation sample was only collected from the bottom of the excavation.

The concentrations of TPH were below the selected cleanup level in the confirmation sample collected from EX7 (Table 13, Figure 7).

3.1.6 Warehouse Excavation (EX-WH)

Based upon visual observations of heavy soil staining noted during a site reconnaissance conducted at the site prior to the final cleanup action, Farallon determined that the soil floor within the main warehouse should be excavated to meet the cleanup requirements of the cleanup action. The extent of EXWH was defined by the analytical results of performance monitoring soil samples and measured approximately 59 feet in length and 13 feet in width (Figure 8). Prior to excavation, access and ventilation holes were cut into the side of the building to allow for the safe operation of excavation equipment within the warehouse.

The excavation extended to the edge of the east exterior wall, within one foot of the south interior building wall, and within one foot of the concrete slab to the west and north (Figure 8). The excavation extended to a depth of 1 foot bgs on the southern portion and 2 feet bgs on the northern portion.

The concentrations of the constituents of concern were below the selected cleanup levels in the confirmation soil samples collected from EXWH (Table 14, Figure 8).

3.2 EXCAVATED SOIL TRANSPORT AND DISPOSAL

A total of 2,139.48 tons of soil was excavated by Glacier Environmental Services from Excavation Areas #1 through #7, and the Warehouse Excavation (EXWH). The excavated soil was transported by Riverside Sand and Gravel to CSR Associated (CSR) in Everett, Washington for thermal desorption. The disposal manifests for the soil transported to CSR are included in Appendix B.

A total of 1,465.15 tons of backfill material was imported to the site for completion of the final cleanup action. Each of the excavation areas at the site were backfilled and re-graded with clean sand using a track-mounted bulldozer. The site was left undeveloped and the silt fence was left in-place along the southern border immediately adjacent to the top of slope of Woods Creek. The silt fence will be removed from the site upon successful introduction of hydro-seed to each of the excavation areas.

3.3 PERFORMANCE MONITORING SOIL SAMPLING

The lateral and vertical extent of each of the excavations was defined during the excavation based on the analytical results of performance monitoring soil samples collected from the bottom and side-walls of the excavation. Soil samples were analyzed on a 24-hour rush at North Creek



Analytical to guide the excavation in the field. The procedures used during collection, handling, and analysis are discussed in this section.

3.3.1 Soil Sample Collection

Performance monitoring soil samples were collected from the base and side-walls of the excavation areas to guide the excavation and to serve as confirmation soil samples where the analytical results of the performance monitoring soil samples indicated that the cleanup levels had been met. The protocols for the performance soil sampling and analysis were defined in a site-specific Sampling and Analysis Plan (SAP) prepared in accordance with WAC 173-340-820. The SAP was prepared as an internal document and discussed with Ecology on-site prior to the cleanup.

In situ soil samples were collected from the bottom and side-walls of each excavation area using a grid system. The grid system was based on 50 feet (ft) by 50 ft sampling cells (2,500 square feet [ft²]) which were divided into four equal quadrants (25 ft by 25 ft [625 ft²]) as shown in each of the figures defining each of the excavation areas (Figures 3 through 8). Each sampling cell was identified by the excavation area number (EX1), alphabetically and numerically (A) and the quadrants within each cell (NW, NE, SW, or SE) corresponding with the respective position in the quadrant. A total of five discrete soil samples were analyzed from each cell; one soil sample from the bottom and one soil sample from each side-wall.

3.3.2 Soil Sample Collection and Handling Procedures

Soil samples were collected directly from undisturbed soil using a stainless steel spoon or similar hand-sampling tool in all of the excavation areas. Each soil sample was transferred directly from the stainless steel spoon into a laboratory prepared glass sample jar. The sample jars were completely filled, immediately sealed with Teflon lined screw caps, and placed in a field cooler on blue-ice pending delivery and/or pick up by the analytical laboratory. The sample containers were clearly labeled using a unique sample number. Chain-of-custody procedures were followed for all sampling events.

The soil sampling numbers were defined based on the location of the soil sample within each excavation area, as defined below. Example: Sample No. (EX1, A2-SWQ, SSW @ 2.0).

EX1	=	Excavation Area #1
A2	=	Quadrant A2
SWQ	=	Southwest Quarter
SSW	=	South Side-Wall
@ 2.0	=	2.0 feet bgs

3.3.3 Soil Sample Location Survey

Prior to excavation, Farallon set-up several survey benchmarks at the site to monitor excavation and sampling elevations as the excavations progressed. The benchmarks were established on the foundations of the existing buildings and monitoring wells on-site that



had been surveyed during the RI/FS. Periodic measurements of the excavation depths were made to monitor the depth of each excavation area.

3.3.4 Laboratory Analyses

Performance monitoring soil samples were analyzed for lead and cadmium using USEPA SW-846 Method 6020 and TPH-d and TPH-o using Ecology Method NWTPH-Dx. The analytical results of performance monitoring soil samples collected from each of the excavation areas are summarized in Tables 3 through 8. The laboratory analytical reports are attached in Appendix A.

3.4 CONFIRMATION SOIL SAMPLING

Once the analytical results of the performance monitoring soil samples indicated that the cleanup levels had been met at the bottom and side-walls of each of the excavation areas, confirmation soil samples were collected for laboratory analysis. The confirmation soil samples were collected from the base and side-walls of completed excavation areas to confirm that soil with concentrations of the constituents of concern above the selected cleanup levels had been removed.

This section presents the specific protocols that were used for the collection and analyses of confirmation soil samples as required by a Compliance Monitoring Plan, prepared for the site in accordance with WAC 173-340-410.

3.4.1 Confirmation Soil Sampling

Confirmation soil samples were collected to confirm the long-term effectiveness of the final cleanup. Performance soil sampling locations were used as confirmation soil sample points when the analytical results of performance monitoring soil samples indicated that cleanup levels had been attained.

Confirmation soil samples were collected from individual excavations using the same sampling methodology as described in Section 3.3.1 of this report.

3.4.2 Sample Collection and Handling Procedures

Soil samples were collected from each excavation area at the site, directly from undisturbed soil using a stainless steel spoon. Each soil sample was transferred directly from the stainless steel spoon into a laboratory prepared glass sample jar. The sample jars were completely filled, immediately sealed with Teflon lined screw caps, and placed in a field cooler on blue-ice pending delivery and/or pick up by the analytical laboratory. The sample containers were clearly labeled using a unique sample number and chain-of-custody procedures were followed during all sampling events.

3.4.3 Analytical Testing

Confirmation soil samples were analyzed for lead and cadmium using USEPA SW-846 Method 6020 and TPH-d and TPH-o using Ecology Method NWTPH-Dx. In areas where a high organic content of the soil was observed or suspected, a silica gel cleanup was



conducted for the samples analyzed for TPH. The silica gel cleanup was conducted to remove potential interference from organic materials that could affect the results of the analysis. Analytical results for all confirmation soil samples collected at the site are summarized in Tables 9 through 14.

3.4.4 Statistical Analysis of Confirmation Data

Based on a statistical analysis of the analytical results of the confirmation soil samples using a confidence interval approach, as allowed by WAC 173-340-740(3) and as defined in the *Statistical Guidance for Ecology Site Managers*, the contaminated soils have been removed from the site.

A total of 151 performance monitoring soil samples were collected from excavation areas EX1 through EX7 and the Warehouse Excavation EXWH (Tables 3 through 8). A total of 115 of the performance monitoring soil samples were evaluated as confirmation samples (Tables 9 through 14). Of the 115 confirmation samples a total of 8 exceeded the selected cleanup levels for cadmium, lead, and/or TPH (Tables 9 and 10). All 8 of these samples exceeded the cleanup level for cadmium; 3 of the 8 exceeded the cleanup level for lead and cadmium; and 2 of the 8 exceeded the cleanup level for lead, cadmium, and TPH.

None of the eight samples with concentrations of cadmium, lead, and/or TPH above the respective cleanup level had a concentration that was in excess of two times the cleanup level. The eight soil samples with concentrations above the selected cleanup levels are less than 10 percent of the total confirmation samples collected for the final cleanup action. The analytical results of the confirmation soil samples confirm that soil at the site has been cleaned up and meets the requirements for a NFA designation from Ecology.



4.0 CONCLUSIONS AND REQUEST FOR NO FURTHER ACTION DESIGNATION

This Final Cleanup Action Summary report documents the final cleanup of soil with concentrations of cadmium, lead, and TPH above the MTCA Method A and B residential soil cleanup levels at the Monroe Auto Salvage site in Monroe, Washington. The final cleanup action site was conducted as an independent action in accordance with MTCA under a VCP application with Ecology and was substantially equivalent to an Ecology conducted or supervised cleanup in accordance with RCW 70.15D.080.

The results of previous investigations conducted by others and the results of the RI/FS completed by Farallon identified concentrations of cadmium and lead in soil above the MTCA Method A residential soil cleanup levels and TPH in soil above MTCA Method B cleanup levels calculated for the site using the Interim TPH Guidelines based on residential use. The calculated MTCA Method B residential use cleanup levels applicable to the site for TPH is 2,050 mg/kg. The MTCA Method A residential soil cleanup levels applicable to the site for cadmium is 2.0 mg/kg and for lead is 250 mg/kg.

The distribution of concentrations of the constituents of concern in soil above the selected cleanup levels was found in limited, discrete areas within the shallow subsurface soils at the site. There is no evidence to suggest that groundwater has been affected by a release at the site as discussed in the RI/FS.

The RI/FS completed by Farallon defined the constituents of concern as cadmium, lead, and TPH-d and TPH-o and the medium of concern as shallow soils. The selected cleanup action was defined in the RI/FS as excavation and off-site disposal of contaminated soils. The expected lateral and vertical extent of soil contamination was defined in the RI/FS and expanded during a site reconnaissance completed prior to the site cleanup. A total of eight excavation areas were identified for cleanup at the site.

Excavation and off-site disposal of soil was completed by Glacier Environmental Services under the direction of Farallon in July 2000. The vertical and lateral extent of each of the excavations were defined during the site cleanup based on the analytical results of performance monitoring soil samples collected from the open excavations. The final vertical and lateral limits of the excavation were defined by the analytical results of confirmation soil samples.

Less than 10 percent of the confirmation soil sample analyses detected concentrations of one or more of the constituents of concern above the selected cleanup levels. None of the confirmation soil samples analytical results detected concentrations of the constituents of concern greater than two times the selected cleanup levels. The analytical results of the confirmation soil samples and statistical analysis confirm that the site meets the criteria for a NFA.

A total of 2,139.48 tons of soil was excavated from the site and transported to CSR in Everett, Washington, for thermal desorption. The excavations were extended to depths ranging from 6-inches to 4 feet bgs. The analytical results of confirmational soil samples confirm that additional remediation is not necessary.



Based on the analytical results from confirmation soil samples collected from each excavation area, additional remediation at the site is not necessary. The site conditions meet the requirements for a NFA designation from Ecology. Farallon requests that Ecology apply a NFA designation to the site.



5.0 LIMITATIONS

The conclusions and recommendations contained in this Remedial Action Summary Report are based on professional opinions with regard to the subject matter. These opinions have been arrived at in accordance with currently accepted hydrogeologic and engineering standards and practices applicable to this location and are subject to the following inherent limitations;

- Accuracy of Information. Certain information utilized by Farallon in this report has been obtained, reviewed, and evaluated from various sources believed to be reliable. Although Farallon's conclusion, opinions, and recommendations are based in part on such information, Farallon's services did not include the verification of its accuracy or authenticity. Should such information prove to be inaccurate or unreliable, Farallon reserves the right to amend or revise its conclusions, opinions, and/or recommendations.
- Limitations. Because Farallon's report is based upon information, the accuracy of which has not been determined, and because Farallon's observations made during site reconnaissance are limited, Farallon cannot and does not guarantee that the site is free of hazardous or potentially hazardous materials or conditions, or that latent or undiscovered conditions will not become evident in the future. Since site activities beyond our control could change at any time after the completion of this report, our observations, findings, and opinions can only be considered valid as of the date of the report hereof. This report is prepared in accordance with the client contract and currently accepted industry standards, and no other warranties, representations, or certifications are made. Unless stated otherwise herein, this report is intended for and restricted to the sole use of Ms. Reta Jensen and her legal counsel. No other person is authorized to use, interpret, or rely upon this report without written consent by Farallon. Farallon shall have no liability for such unauthorized use, interpretation, or reliance.




6.0 REFERENCES CITED

Farallon Consulting, L.L.P. Remedial Investigation/Feasibility Study. Monroe Auto Salvage Site. February 2000.

Washington State Department of Ecology. Interim Interpretive and Policy Statement, Cleanup of Total Petroleum Hydrocarbons (TPH). Ecology Publication Number ECY97-600.

FIGURES





From: USGS Quadrangle: 7.5 x 15 Minute
 MONROE, WASHINGTON
 (Photo revised 1993)



QUADRANGLE LOCATION

FIGURE 1
 SITE LOCATION MAP
 FINAL CLEANUP ACTION SUMMARY REPORT
 MONROE AUTO SALVAGE
 426 FREMONT STREET
 MONROE, WASHINGTON
 PN#:601-001





LEGEND


- SITE BOUNDARY
- - - - - EXISTING AND FORMER RAILROAD LINES
- ▲ STEEP SLOPE
- EX1 EXCAVATION AREAS

- ▭ BUILDING OR SHED
- FLMTP4 ■ TEST PIT LOCATION, FARALLON (RI/FS 1999)
- FLMSB2 ● SOIL BORING LOCATION, FARALLON (RI/FS 1999)
- MAS-17-GRID ○ SOIL SAMPLE LOCATION, EMCON (1996)
- SS-2 □ SOIL SAMPLE LOCATION, HART CROWSER (1990)
- M-1 ✕ SOIL SAMPLE LOCATION, SCH (1994)
- G-MAS-01 ◆ SOIL SAMPLE LOCATION, GLACIER ENVIR. (1997)

FARALLON CONSULTING
 320 3rd Avenue NE, Suite 200
 Issaquah, WA 98027

FIGURE 2
 SITE PLAN AND EXCAVATION AREAS
 FINAL CLEANUP ACTION SUMMARY REPORT
 MONROE AUTO SALVAGE SITE
 426 FREMONT
 MONROE, WASHINGTON
 FARALLON PN: 601-003

Drawn By: QDD | Checked By: PJ | Date: 10/26/00 | Disk Reference: 60100901B



EX1-C0-SWQ(5.0N)-WSW@1.0'		
0.815	15.0	101.4

EX1-B1-NEQ-NSW@1.0'		
1.75	52.2	94.7

STORAGE BUILDING

EX1-C0-SWQ(5.0N)-NSW@1.0'		
ND	36.2	163.2

EX1-C0-SWQ(5.0N)-ESW@1.0'		
0.84	29.4	399

EX1-B1-NEQ-WSW@1.0'		
ND	45.8	303.3

B1-NEQ

EX1-C0-SWQ(5.0N)-BOTT@1.0'		
ND	6.15	13.7

C1-NWQ

CONCRETE/ASPHALT DRIVEWAY

EX1-B1-SWQ-NSW@1.0'		
ND	45.8	117.7

EX1-B1-NEQ-BOTT@1.0'		
1.81	42.2	48.5

EX1-C1-NWQ-BOTT@1.0'		
ND	24.7	ND

EX1-C1-NWQ-ESW@1.0'		
ND	16.5	74.5

EX1-C1-SEQ-NSW@1.0'		
ND	11.2	11.3

B1-SWQ

B1-SEQ

C1-SWQ

C1-SEQ

EX1-B1-SWQ-WSW@1.0'		
ND	78.6	460

EX1-B1-SWQ-BOTT@1.0'		
ND	5.18	11.1

EX1-B1-SEQ-BOTT@2.0'		
ND	13.4	166.2

EX1-C1-SWQ-BOTT@1.0'		
ND	54.6	71.9

EX1-C1-SEQ-BOTT@1.0'		
ND	12.2	96

EX1-B1-SWQ-SSW@1.0'		
ND	18.5	44.1

B2-NEQ

EX1-B2-NEQ-BOTT@1.0'		
ND	13.0	115.6

EX1-C1-SWQ-SSW@1.0'		
2.0	176	742

EX1-C1-SEQ-SSW@1.0'		
ND	5.22	81.2

EX1-D1-SWQ(1.0E)-ESW@1.0'		
1.81	18.5	52.8

EX1-B2-NEQ-WSW@1.0'		
ND	52.3	255.8


EX1-B2-NEQ-SSW@1.0'		
ND	7.38	14.1


EX1-B2-NEQ-ESW@1.0'		
ND	15.4	330.8

EX1-D1-SWQ(1.0E)-BOTT@1.0'		
2.65	151	1019

OFFICE/STORAGE BUILDING

D1-SWQ









STORAGE SHED

GRAVEL DRIVEWAY

OFFICE/STORAGE BUILDING





EX4-A1-NEQ-ESW@1.0'		
ND	5.76	ND

EX4-A1-SEQ-ESW@1.0'		
ND	44.4	53.3

EX4-A2-NEQ-ESW@1.0'		
ND	11.6	41.7

A1-NEQ

A1-SEQ

A2-NEQ

EX4-A1-NEQ-NSW@1.0'		
ND	5.41	ND

EX4-A1-NEQ-BOTT@2.0'		
ND	4.51	73.8

EX4-A1-SEQ-BOTT@1.0'		
ND	17.6	ND

EX4-A2-NEQ-BOTT@1.0'		
ND	7.18	158.6

EX4-A2-NEQ-SSW@1.0'		
ND	7.05	10.9

A1-NWQ

A1-SWQ

A2-NWQ

EX4-A1-NWQ-NSW@1.0'		
ND	14.4	18.2

EX4-A1-NWQ-BOTT@2.0'		
ND	5.54	1152

EX4-A2-NWQ-BOTT@1.0'		
ND	6.14	10.2

EX4-A1-SWQ-BOTT@1.0'		
0.969	24.7	298.7

EX4-B0-SEQ-ESW@1.0'		
-	-	96.6

EX4-B0-SEQ'-ESW@1.0'		
-	-	10.6

EX4-B1-NEQ-BOTT@1.0'		
ND	29.3	1186

EX4-A2-NWQ-SSW@1.0'		
ND	10.1	57.6

EX4-A2-NWQ-WSW@1.0'		
ND	22.1	73.1

EX4-B0-SEQ'-BOTT@1.0'		
-	-	ND

EX4-B0-SEQ'-NSW@1.0'		
-	-	ND

EX4-A1-SWQ-WSW@1.0'		
0.866	38.5	994


EX4-B1-NEQ-SSW@1.0'		
ND	15.5	109.3



EX4-B0-SEQ'-WSW@1.0'		
-	-	13.1

EX4-B0-SEQ-BOTT@1.0'		
-	-	259.5

EX4-B1-NEQ-WSW@1.0'		
ND	6.61	71.8

EX4-B0-SEQ-WSW@1.0'		
-	-	112.5





LEGEND

————— EXISTING BUILDING LOCATION

- - - - - LIMITS OF EXCAVATION

- - - - - DELINEATION OF SAMPLING QUADRANTS

A1 = SAMPLING CELL NOMENCLATURE

SEQ = DIRECTIONAL NOMENCLATURE FOR SAMPLING QUADRANT

1.0' BGS = DEPTH OF QUADRANT EXCAVATION IN FEET BELOW GROUND SURFACE (BGS)

ND = NON DETECT ABOVE LABORATORY LIMIT



BOLD = CONCENTRATION ABOVE MTCA METHOD A OR B CLEAN UP LEVEL

- = SAMPLE NOT ANALYZED FOR THIS CONSTITUENT


EX3-A1-SEQ-BOTT@2.0'		
0.188	16.1	87.5


SAMPLE NAME (SEE TEXT FOR NOMENCLATURE PROTOCOL)

TOTAL CADMIUM (mg/kg) TOTAL LEAD (mg/kg) TOTAL PETROLEUM HYDROCARBONS (TPH) (mg/kg)



NOTE: EXCAVATION AREAS TO SCALE, RELATIVE DISTANCES BETWEEN AREAS NOT TO SCALE

 FARALLON CONSULTING 320 3rd Avenue NE, Suite 200 Issaquah, WA 98027	FIGURE 7 CONFIRMATION SAMPLE LOCATIONS EXCAVATION AREAS EX5, EX6 & EX7 FINAL CLEANUP ACTION SUMMARY REPORT MONROE AUTO SALVAGE MONROE, WASHINGTON FARALLON PN: 601-003
	Drawn By: QDD Checked By: PJ Date: 8/25/00 Disk Reference: 601003003



LEGEND

————— EXISTING BUILDING LOCATION

- - - - - LIMITS OF EXCAVATION

- - - - - DELINEATION OF SAMPLING QUADRANTS

WH-NQ = SAMPLING CELL NOMENCLATURE

(1.0' BGS) = DEPTH OF QUADRANT EXCAVATION IN FEET BELOW GROUND SURFACE (BGS)

ND = NON DETECT ABOVE LABORATORY LIMIT


BOLD = CONCENTRATION ABOVE MTCA METHOD A OR B CLEAN UP LEVEL

EX3-A1-SEQ-BOTT@2.0'

0.188	16.1	87.5
-------	------	------

← SAMPLE NAME (SEE TEXT FOR NOMENCLATURE PROTOCOL)

TOTAL CADMIUM (mg/kg) TOTAL LEAD (mg/kg) TOTAL PETROLEUM HYDROCARBONS (TPH) (mg/kg)



<p>FARALLON CONSULTING 320 3rd Avenue NE, Suite 200 Issaquah, WA 98027</p>	<p>FIGURE 8</p> <p>CONFIRMATION SAMPLE LOCATIONS WAREHOUSE EXCAVATION AREA EXWH FINAL CLEANUP ACTION SUMMARY REPORT MONROE AUTO SALVAGE MONROE, WASHINGTON</p> <p>FARALLON PN: 601-003</p>	
	<p>Drawn By: QDD</p>	<p>Checked By: PJ</p>

TABLES

TABLE 1
SUMMARY OF HISTORICAL SOIL SAMPLE ANALYTICAL RESULTS FROM OTHERS
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE SITE
MONROE, WASHINGTON
FARALLON PN: 601-003

Boring Identification	Depth (feet) ²	Date Sampled	Analytical Results ¹									Source
			TPH as Gasoline	TPH as Diesel	TPH as Oil	TPH HCID	Total Cadmium	Total Chromium	Total Lead	TCLP Lead	PCBs	
M1	0-0.5	5/17/94	5			7300	8.2	42	920		<0.2	SHD ⁶
M2	0-0.5	5/17/94				8800	7.5	52	990		<0.2	SHD
M3 ³	0-0.5	5/17/94				1100	1.3	240	7700		1800	SHD
M-4	0-0.5	5/17/94									<0.58	SHD
M-12	0-0.5	7/14/94					<0.16	68	12		<0.53	SHD
M-11	0-0.5	7/14/94									<0.18	SHD
G-MAS-01-N	0-0.5	4/8/97									<0.05	Glacier ⁷
G-MAS-01-S	0-0.5	4/8/97									<0.05	Glacier
G-MAS-01-W	0-0.5	4/8/97									<0.05	Glacier
G-MAS-01-BT-01	0-0.5	4/8/97									<0.05	Glacier
G-MAS-01-BT-02	0-0.5	4/8/97									0.1	Glacier
G-MAS-01-E	0-0.5	4/8/97									0.1	Glacier
G-MAS-02-BT-01	0-0.5	4/8/97									<0.05	Glacier
G-MAS-02-SW-S	0-0.5	4/8/97									<0.05	Glacier
G-MAS-02-SW-N	0-0.5	4/8/97									<0.05	Glacier
G-MAS-02-SW-E	0-0.5	4/8/97									<0.05	Glacier
G-MAS-02-SW-W	0-0.5	4/8/97									<0.05	Glacier
MAS-05	0-0.5	7/26/96									1	EMCON ⁸
MAS-06	0-0.5	4/12/96									1	EMCON
MAS-07	0-0.5	4/12/96									<1	EMCON
MAS-SAS ³	0-0.5	4/12/96									260	EMCON
MAS-01-Grid	0-0.5	4/12/96	<5	39	129		<1	33	31		<1	EMCON
MAS-04-Grid	0-0.5	4/12/96	<5	1670 ⁴	9,100		<1	16	24		<1	EMCON
MAS-05-Grid	0-0.5	4/12/96	<5	790	4,400		<1	28	49		5	EMCON
MAS-07-Grid	0-0.5	4/12/96	9	2,500	7,000		6	37	567	0.27	1	EMCON
MAS-08-Grid	0-0.5	4/12/96	<5	36	130		<1	30	44		<1	EMCON
MAS-09-Grid	0-0.5	4/12/96	<5	55	190		<1	19	21		<1	EMCON
MAS-13-Grid	0-0.5	4/12/96	385	654	2,240		4	35	232	0.27	<1	EMCON
MAS-14-Grid	0-0.5	4/12/96	29	7,600	22,000		6	46	566	0.84	<1	EMCON
MAS-15-Grid	0-0.5	4/12/96	<5	2,800	12,000		12	52	964	1.01	<1	EMCON

TABLE 1
SUMMARY OF HISTORICAL SOIL SAMPLE ANALYTICAL RESULTS FROM OTHERS
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE SITE
MONROE, WASHINGTON
FARALLON PN: 601-003

Boring Identification	Depth (feet) ²	Date Sampled	Analytical Results ¹									Source
			TPH as Gasoline	TPH as Diesel	TPH as Oil	TPH HCID	Total Cadmium	Total Chromium	Total Lead	TCLP Lead	PCBs	
MAS-17-Grid	0-0.5	4/12/96	<5	27	<100		<1	48	<20		<1	EMCON
MAS-19-Grid	0-0.5	4/12/96	<5	4,700	14,000		10	52	867	2.95	<1	EMCON
MAS-20-Grid	0-0.5	4/12/96	<5	42	160		<1	32	51		<1	EMCON
MAS-21-Grid	0-0.5	4/12/96	<5	<25	<100		<1	45	<20		<1	EMCON
MAS-07	0-0.5	4/12/96	<5	53	171		<1	46	<20		<1	EMCON
MAS-CCS	0-0.5	4/2/96	<5	5,500	24,000		17	44	554		<5	EMCON
MW-1-5	5	5/1/96	<5	68	290		<1	38	37			EMCON
MW-1-15	15	5/1/96	<5	<25	<100		<1	42	<20			EMCON
MW-2-5	5	5/1/96	23	2,060	4,120		1	37	64			EMCON
MW-2-20	20	5/1/96	<5	<25	<100		<1	120	<20			EMCON
MW-3-5	5	5/1/96	<5	<25	<100		<1	42	<20			EMCON
MW-3-20	20	5/1/96	<5	<25	<100		<1	25	<20			EMCON
MW-4-5	5	5/1/96	<5	<25	<100		<1	49	<20			EMCON
MW-4-20	20	5/1/96	<5	<25	<100		<1	40	<20			EMCON
HC-4 S-1	0-5	6/11/90	<5	<5		20	<1	33	13			Hart Crowser ⁹
HC-5 S-1	0-2	6/6/90				20	<1	92	14			Hart Crowser
HC-5 S-2	2.5-4	6/6/90				20	<1	56	<10			Hart Crowser
SS-1	0-0.5	6/11/90				17	1	24	36			Hart Crowser
SS-2	0-0.5	6/11/90	<50	5,100		44,000	7	35	880			Hart Crowser
MTCA Method A Residential Soil Cleanup Level			100	200	200		2	100	250		1	

¹ Analytical results in milligrams per kilogram except TCLP which is milligrams per liter

² Depth below ground surface in feet

³ M3 and MAS-SAS samples collected from area prior to excavation for interim action in 1997

⁴ BOLD = Concentrations above MTCA Method A Residential Cleanup Levels.

⁵ Blank cell = Sample not analyzed for this analyte

⁶ SHD = Snohomish Health Department

⁷ Glacier - Glacier Environmental Services

⁸ Emcon = Emcon International

⁹ Hart Crowser = Hart Crowser and Associates

TABLE 2
SUMMARY OF SOIL ANALYTICAL RESULTS FROM THE RI/FS
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE SITE
MONROE, WASHINGTON
FARALLON PN: 601-003

Sample Location	Depth (feet) ¹	Sample Number	Date Sampled	Analytical Results (Milligrams per Kilogram)									
				TPH-g ²	TPH-d ²	TPH-o ²	Benzene	Toluene	Ethyl Benzene	Xylenes	Lead	Cadmium	Chromium
TP1	0.5	FSY-TP1-0.5	7/20/99		33	95.2							
TP1	10	FLM-TP1-10	7/22/99		1,430 ³	---							
TP1	12.5	FLM-TP1-12.5	7/22/99		49.3	42.4					3.66		
SB-2	16	FLM-SB2-16	8/6/99		19.6	46.2							
SB-2	21	FLM-SB2-21	8/6/99		---	---							
TP 2	5	FLM-TP2-5	7/22/99								2.95		
TP2	1	FSY-TP2-1	7/20/99	---	78	303	---	---	---	---	230		
TP2	3	FSY-TP2-3	7/20/99	---	---	---	---	---	---	---			
TP3	1	FSY-TP3-1	7/20/99	---	51.3	132	---	---	---	---	11.1		
TP3	1	FLM-TP3-1	7/22/99								5.36		
TP3	3	FSY-TP3-3	7/20/99	---	20.7	---	---	---	---	---	3.65		
TP3	10	FSY-TP3-10	7/20/99		171	332							
TP4	1	FSY-TP4-1	7/22/99	---	19.8	38.4	---	---	---	---	36.2		
TP4	1	FLM-TP4-1	7/21/99								4.87		
TP4	3	FSY-TP4-3	7/22/99	---	---	---	---	---	---	---	5.08		
TP5	1	FSY-TP5-1	7/20/99	10.8	88.8	198	---	0.059	0.098	0.587	131		
TP5	3	FLM-TP5-3	7/22/99	---	---	---	---	---	---	---	2.9		
TP5	3	FSY-TP5-3	7/20/00	---	---	---	---	---	---	---	5.08		
TP6	1	FSY-TP6-1	7/21/99	---	11.3	42.8	---	---	---	0.304			
TP6	1	FSY-TP5-1	7/21/99								146		
TP7	0.5	FLM-TP7-0.5	7/22/99								37.8		
TP8	1	FLM-TP8-1	7/22/99		36	148					27.6		
TP8	1	FSY-TP8-1	7/21/99								5.97		
TP8	15	FLM-TP8-15	7/22/99		420	2,050 ⁴							

TABLE 2
SUMMARY OF SOIL ANALYTICAL RESULTS FROM THE RI/FS
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE SITE
MONROE, WASHINGTON
FARALLON PN: 601-003

Sample Location	Depth (feet) ¹	Sample Number	Date Sampled	Analytical Results (Milligrams per Kilogram)									
				TPH-g ²	TPH-d ²	TPH-o ²	Benzene	Toluene	Ethyl Benzene	Xylenes	Lead	Cadmium	Chromium
TP9	1	FSY-TP9-1	7/21/99	---	115	456	---	---	---	---	89	0.56	28.0
TP9	3	FSY-TP9-3	7/21/99	---	12.3	49	---	0.092	---	0.283	5.27		
TP10	1	FSY-TP10-1	7/20/99	---	93	181	---	---	---	---	93.3		
TP10	3	FSY-TP10-3	7/20/99	---	---	---	---	---	---	---	2.79		
TP11	1	FSY-TP11-1	7/20/99	---	12.9	---	---	---	---	---	34.1	---	28.9
TP11	3	FSY-TP11-3	7/20/99	---	---	---	---	---	---	---	3.71		
TP11	5	FSY-TP11-5	7/20/99		30.5	131							
TP13	1	FSY-TP13-1	7/21/99								16.7		
TP14	1	FSY-TP14-1	7/21/99		136	489							
Soil Cleanup Levels ⁵						2,050	0.5	40	20	20	250	2.0	100.0

Notes

¹ Depth below ground surface in feet

² TPH-g = Total petroleum hydrocarbons as gasoline

TPH-d = Total petroleum hydrocarbons as diesel

TPH-o = Total petroleum hydrocarbons as oil

³ --- = Not detected above the laboratory reporting limits

⁴ **Bold** = Concentrations above applicable soil cleanup levels as established in Farallon's RI/FS.

⁵ Cleanup levels established in Farallon's RI/FS.

Blank cell = Sample not analyzed

TABLE 3
PERFORMANCE MONITORING SOIL SAMPLE ANALYTICAL RESULTS
EXCAVATION AREA EX1
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON PN: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)			
						Total Cadmium ³	Total Lead ⁴	Total TPH ⁵	
EX1	B1	NEQ	BOTT	@ 1.0	7/25/00	1.81	42.2	48.5	
		NEQ	NSW	@ 1.0	7/25/00	1.75	52.2	94.7	
		NEQ	WSW	@ 1.0	7/25/00	---	45.8	303.3	
		SEQ	BOTT	@ 1.0	7/25/00	2.45 ⁷	133	⁸	
		SEQ	BOTT	@ 2.0	7/27/00		13.4	166.2	
		SEQ	SSW	@ 1.0	7/25/00	2.36	43.9		
		SEQ	WSW	@ 1.0	7/25/00	2.45	15.6		
		SWQ	BOTT	@ 1.0	7/27/00	---	5.18	11.1	
		SWQ	NSW	@ 1.0	7/27/00	---	45.8	117.7	
		SWQ	SSW	@ 1.0	7/27/00	---	18.5	44.1	
	SWQ	WSW	@ 1.0	7/27/00	---	78.6	460		
	B2	NEQ	BOTT	@ 1.0	7/27/00	---	13	115.6	
		NEQ	ESW	@ 1.0	7/27/00	---	15.4	330.8	
		NEQ	SSW	@ 1.0	7/27/00	---	7.38	14.1	
		NEQ	WSW	@ 1.0	7/27/00	---	52.3	255.8	
	C0	SWQ(5.0N)	BOTT	@ 1.0	7/26/00	---	6.15	13.7	
		SWQ(5.0N)	ESW	@ 1.0	7/26/00	0.837	29.4	399	
		SWQ(5.0N)	NSW	@ 1.0	7/26/00	---	36.2	163.2	
		SWQ(5.0N)	WSW	@ 1.0	7/26/00	0.815	15	101.4	
	C1	NWQ	ESW	@ 1.0	7/25/00	---	16.5	74.5	
		NWQ	NSW	@ 1.0	7/25/00	4.29	372		
		NWQ	BOTT	@ 1.0	7/25/00	---	24.7	0	
		SEQ	ESW	@ 1.0	7/25/00	3.97	230		
		SEQ	NSW	@ 1.0	7/25/00	---	11.2	11.3	
		SEQ	BOTT	@ 1.0	7/25/00	---	12.2	96	
		SEQ	SSW	@ 1.0	7/25/00	---	5.22	81.2	
		SWQ	BOTT	@ 1.0	7/25/00	---	54.6	71.9	
	D1	SWQ(1.0E)	BOTT	@ 1.0	7/26/00	2.65	151	1019	
		SWQ(1.0E)	ESW	@ 1.0	7/26/00	1.81	18.5	52.8	
	MTCA Cleanup Levels for Soil⁹						2.0¹⁰	250.0¹⁰	2,050¹¹

Notes:

¹ Samples collected by Farallon, BOTT-bottom sample, NSW-north sidewall, SSW - south side wall, ESW - east sidewall, WSW - west sidewall

² Depth in feet below existing surface grade

³ Total Cadmium = Total Cadmium by EPA SW-846 Method 6020

⁴ Total Lead = Total Lead by EPA SW-846 Method 6020

⁵ TPH = Total petroleum hydrocarbons by Ecology Method NWTPH-Dx

⁶ (- - -) = Non Detect above laboratory reporting limit

⁷ **BOLD** = Results above selected cleanup levels

⁸ Blank Cell = Not Analyzed

⁹ MTCA = Washington State Department of Ecology Model Toxics Control Act

¹⁰ MTCA Method A cleanup level

¹¹ MTCA Method B cleanup level

TABLE 4
PERFORMANCE MONITORING SOIL SAMPLE ANALYTICAL RESULTS
EXCAVATION AREA EX2
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)		
						Total Cadmium ³	Total Lead ⁴	Total TPH ⁵
EX2	A1	SWQ	SSW	@ 2.0	7/27/00	---	441	---
		SWQ	WSW	@ 2.0	7/27/00	---	7.52	73.3
		SWQ	BOTT	@ 2.0	7/27/00	---	127	160.1
		NWQ	WSW	@ 2.0	7/27/00	---	6.71	63.2
		NWQ	NSW	@ 2.0	7/27/00	---	138	185.6
		NWQ	BOTT	@ 2.0	7/27/00	---	151	364
		NEQ	NSW	@ 2.0	7/27/00	---	26.4	153.7
		NEQ	ESW	@ 2.0	7/27/00	---	31.5	176.5
		NEQ	BOTT	@ 2.0	7/27/00	---	60.8	247.9
		SEQ	ESW	@ 2.0	7/27/00	---	58.1	713
		SEQ	SSW	@ 2.0	7/27/00	2.71	130	---
	SEQ	BOTT	@ 2.0	7/27/00	---	26.4	332	
	A2	NEQ	ESW	@ 2.0	7/28/00	---	9.11	116.1
		NEQ	SSW	@ 2.0	7/28/00	1.52	307	---
		NEQ	BOTT	@ 2.0	7/28/00	---	90.8	666
		NWQ'	ESW	@ 2.0	7/31/00	---	326	---
		NWQ	WSW	@ 2.0	7/28/00	0.964	80.8	387
		NWQ	WSW	@ 2.0	7/31/00	---	18.1	---
		NWQ	SSW	@ 2.0	7/28/00	1.47	283	---
		NW'Q	SSW	@ 2.0	7/31/00	3.3	264	---
		NWQ	BOTT	@ 1.0	7/28/00	---	52.4	120.7
		NWQ'	BOTT	@ 2.0	7/31/00	---	66.1	546
SWQ		SSW	@ 1.0	8/1/00	4.49	365	---	
SWQ	WSW	@ 1.0	8/1/00	---	522	---		
SWQ	BOTT	@ 1.0	8/1/00	---	147	613		
SEQ	BOTT	@ 1.0	8/1/00	---	191	670		
SEQ	SSW	@ 1.0	8/1/00	3.46	527	---		
SEQ'	ESW	@ 2.0	8/2/00	2.47	233	3,076		

TABLE 4
PERFORMANCE MONITORING SOIL SAMPLE ANALYTICAL RESULTS
EXCAVATION AREA EX2
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)		
						Total Cadmium ³	Total Lead ⁴	Total TPH ⁵
EX-2	A2	SEQ'	SSW	@ 2.0	8/2/00	9.1	810	---
		SEQ'	BOTT	@ 2.0	8/3/00	2.06	370	1,533
		SEQ'	SSW	@ 2.0	8/2/00	-	57.1	800
		SEQ'	BOTT	@ 2.0	8/3/00	2.38	125	983
		SEQ"	SSW	@ 2.0	8/3/00	1.96	71.8	961
		SEQ"	BOTT	@ 2.0	8/3/00	2.07	2770	---
		SEQ"	BOTT	@ 4.0	8/4/00	3.9	352	421
	SEQ	ESW	@ 1.0	8/2/00	---	9.21	27.9	
	A'2	SEQ	NSW	@ 2.0	8/2/00	---	65.9	265.3
		SEQ	BOTT	@ 2.0	8/2/00	2.72	348	1,351
		SEQ	SSW	@ 2.0	8/2/00	3.17	236	2,359
		SEQ	WSW	@ 2.0	8/2/00	2.25	202	448
	MTCA Cleanup Levels for Soil⁸						2.0⁹	250

Notes:

¹ Samples collected by Farallon, BOTT-bottom sample, NSW-north sidewall, SSW - south side wall, ESW - east sidewall, WSW - west sidewall

² Depth in feet below existing surface grade

³ Total Cadmium = Total Cadmium by EPA SW-846 Method 6020

⁴ Total Lead = Total Lead by EPA SW-846 Method 6020

⁵ TPH = Total petroleum hydrocarbons by Ecology Method NWTPH-Dx

⁶ (- - -) = Non Detect above laboratory reporting limit

⁷ **BOLD** = Results above selected cleanup levels

⁸ MTCA = Washington State Department of Ecology Model Toxics Control Act

⁹ MTCA Method A cleanup level

¹⁰ MTCA Method B cleanup level

TABLE 5
PERFORMANCE MONITORING SOIL SAMPLE ANALYTICAL RESULTS
EXCAVATION AREA EX3
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON PN: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)		
						Total Cadmium ³	Total Lead ⁴	Total TPH ⁵
EX3	A1	NEQ	BOTT	@ 1.0	7/27/00	---	13	236.3
		NEQ	ESW	@ 1.0	7/27/00	---	6.8	115.8
		NEQ	NSW	@ 1.0	7/27/00	---	26.9	34.6
		NWQ	BOTT	@ 2.0	7/28/00	---	62.6	572
		NWQ	NSW	@ 2.0	7/28/00	---	28.4	236.4
		NWQ	WSW	@ 2.0	7/28/00	---	10.4	50.7
		SEQ	BOTT	@ 2.0	7/28/00	0.188	10.1	87.5
		SEQ	ESW	@ 2.0	7/28/00	---	5.82	21.2
		SEQ	SSW	@ 2.0	7/28/00	---	12.9	142.5
		SWQ	BOTT	@ 2.0	7/28/00	---	23.7	170
		SWQ	SSW	@ 2.0	7/28/00	---	34.8	57.5
		SWQ	WSW	@ 2.0	7/28/00	---	24.7	279.4
MTCA Cleanup Levels for Soil⁷						2.0⁸	250	2,050⁹

Notes:

¹ Samples collected by Farallon, BOTT-bottom sample, NSW-north sidewall, SSW - south side wall, ESW - east sidewall, WSW - west sidewall

² Depth in feet below existing surface grade

⁴ Total Cadmium = Total Cadmium by EPA SW-846 Method 6020

³ Total Lead = Total Lead by EPA SW-846 Method 6020

⁵ TPH = Total petroleum hydrocarbons by Ecology Method NWTPH-Dx

⁶ (- - -) = Non Detect above laboratory reporting limit

⁷ MTCA = Washington State Department of Ecology Model Toxics Control Act

⁸ MTCA Method A cleanup level

⁹ MTCA Method B cleanup level

TABLE 6
PERFORMANCE MONITORING SOIL SAMPLE ANALYTICAL RESULTS
EXCAVATION AREA EX4
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON PN: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)		
						Total Cadmium ³	Total Lead ⁴	Total TPH ⁵
EX4	A1	NEQ	BOTT	@ 1.0	7/25/00	2.8 ⁶	24.8	7
		NEQ	BOTT	@ 2.0	7/26/00	---	4.51	73.2
		NEQ	ESW	@ 1.0	7/25/00	---	5.76	---
		NEQ	NSW	@ 1.0	7/25/00	---	5.41	---
		NWQ	BOTT	@ 1.0	7/25/00	2.41	15	---
		NWQ	BOTT	@ 2.0	7/26/00	---	5.54	1152
		NWQ	ESW	@ 1.0	7/26/00	---	8.77	45.4
		NWQ	NSW	@ 1.0	7/25/00	---	14.4	18.2
		NWQ	SSW	@ 1.0	7/26/00	---	10.1	57.6
		NWQ	WSW	@ 1.0	7/25/00	2.79	7.21	---
		NWQ	WSW	@ 1.0	7/26/00	---	22.1	73.1
		SEQ	BOTT	@ 1.0	7/25/00	---	17.6	---
		SEQ	ESW	@ 1.0	7/25/00	---	44.4	53.3
		SEQ	SSW	@ 1.0	7/25/00	3.44	90.2	---
		SEQ	BOTT	@ 1.0	7/26/00	0.969	24.7	298.7
	SEQ	SSW	@ 1.0	7/26/00	-	6.85	---	
	SWQ	WSW	@ 1.0	7/26/00	0.866	38.5	994	
	A2	NEQ	BOTT	@ 1.0	7/27/00	---	7.18	158.6
		NEQ	ESW	@ 1.0	7/27/00	---	11.6	41.7
		NEQ	SSW	@ 1.0	7/27/00	---	7.05	10.9
		NWQ	ESW	@ 1.0	7/26/00	---	8.77	45.4
		NWQ	WSW	@ 1.0	7/26/00	---	22.1	73.1
		NWQ	SSW	@ 1.0	7/26/00	---	10.1	57.6
		NWQ	BOTT	@ 1.0	7/26/00	---	6.14	10.2
	B1	NEQ	BOTT	@ 1.0	7/26/00	---	29.3	1,186
		NEQ	NSW	@ 1.0	7/26/00	---	5.63	11,940
		NEQ	SSW	@ 1.0	7/26/00	---	15.5	109.3
		NEQ	WSW	@ 1.0	7/26/00	---	6.61	71.8

TABLE 6
PERFORMANCE MONITORING SOIL SAMPLE ANALYTICAL RESULTS
EXCAVATION AREA EX4
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON PN: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)		
						Total Cadmium ³	Total Lead ⁴	Total TPH ⁵
EX4	B0	SE'Q	BOTT	@ 1.0	8/2/00			---
		SEQ	BOTT	@ 1.0	7/31/00			259.5
		SE'Q	ESW	@ 1.0	8/1/00			10.6
		SEQ	ESW	@ 1.0	7/31/00			96.6
		SE'Q	NSW	@ 1.0	8/1/00			---
		SEQ	NSW	@ 1.0	7/31/00			10,410
		SE'Q	WSW	@ 1.0	8/1/00			13.1
		SEQ	WSW	@ 1.0	7/31/00			112.5
MTCA Cleanup Levels for Soil⁹						2.0¹⁰	250.0¹⁰	2,050¹¹

Notes:

¹ Samples collected by Farallon, BOTT-bottom sample, NSW-north sidewall, SSW - south side wall, ESW - east sidewall, WSW - west sidewall

² Depth in feet below existing surface grade

³ Total Cadmium = Total Cadmium by EPA SW-846 Method 6020

⁴ Total Lead = Total Lead by EPA SW-846 Method 6020

⁵ TPH = Total petroleum hydrocarbons by Ecology Method NWTPH-Dx

⁶ **BOLD** = Results above selected cleanup levels

⁷ Blank Cell = Not analyzed

⁸ (- -) = Non Detect above laboratory reporting limit

⁹ MTCA = Washington State Department of Ecology Model Toxics Control Act

¹⁰ MTCA Method A cleanup level

¹¹ MTCA Method B cleanup level

TABLE 7
PERFORMANCE MONITORING SOIL SAMPLE ANALYTICAL RESULTS
EXCAVATION AREAS EX5, EX6, AND EX7
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON PN: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)		
						Total Cadmium ³	Total Lead ⁴	Total TPH ⁵
EX5	A1	NEQ	BOTT	@ 1.0	7/31/00	⁶	⁶	102.3
		NEQ	ESW	@ 1.0	7/31/00			13.5
		NEQ	NSW	@ 1.0	7/31/00			196.5
		NEQ	SSW	@ 1.0	7/31/00			233.4
		NEQ	WSW	@ 1.0	7/31/00			58.9
EX6	A1	NEQ	BOTT	@ 1.0	7/31/00			220.7
		NEQ	ESW	@ 1.0	7/31/00			38.1
		NEQ	NSW	@ 1.0	7/31/00			1259
		NEQ	SSW	@ 1.0	7/31/00			2,250⁷
		NEQ	WSW	@ 1.0	7/31/00			2,065
		NWQ	BOTT	@ 1.0	8/2/00			187.3
		NWQ	NSW	@ 1.0	8/2/00			301
		NWQ	SSW	@ 1.0	8/2/00			--- ⁸

TABLE 7
PERFORMANCE MONITORING SOIL SAMPLE ANALYTICAL RESULTS
EXCAVATION AREAS EX5, EX6, AND EX7
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON PN: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)		
						Total Cadmium ³	Total Lead ⁴	Total TPH ⁵
EX6	A1	NWQ	WSW	@ 1.0	8/2/00			78.6
		SEQ	BOTT	@ 1.0	8/2/00			---
		SEQ	ESW	@ 1.0	8/2/00			42.1
		SEQ	SSW	@ 1.0	8/2/00			---
		SEQ	WSW	@ 1.0	8/2/00			66.2
EX7	A1	NEQ	BOTT	@ 0.5	7/31/00	NA	NA	1181
MTCA Cleanup Levels for Soil⁹						2.0¹⁰	250.0¹⁰	2,050¹¹

Notes:

¹Samples collected by Farallon, BOTT-bottom sample, NSW-north sidewall, SSW - south side wall, ESW - east sidewall, WSW - west sidewall

²Depth in feet below existing surface grade

³Total Cadmium = Total Cadmium by EPA SW-846 Method 6020

⁴Total Lead = Total Lead by EPA SW-846 Method 6020

⁵TPH = Total petroleum hydrocarbons by Ecology Method NWTPH-Dx

⁶Blank Cell = Not analyzed

⁷**BOLD** = Results above MTCA cleanup levels

⁸(- - -) = Non Detect above laboratory reporting limit

⁹MTCA = Washington State Department of Ecology Model Toxics Control Act

¹⁰MTCA Method A Cleanup level

¹¹MTCA Method B Cleanup level

TABLE 8
PERFORMANCE MONITORING SOIL SAMPLE ANALYTICAL RESULTS
EXCAVATION AREA EX-WH
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON PN: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)		
						Total Cadmium ³	Total Lead ⁴	Total TPH ⁵
EX-WH	WH'	NQ	BOTT	@ 1.0	8/1/00	3.01 ⁶	300	⁷
		NQ	BOTT	@ 2.0	8/3/00	--- ⁸	13.1	71.5
		NQ	ESW	@ 1.0	8/1/00	---	168	1746
		NQ	NSW	@ 1.0	8/1/00	2.65	318	NA
		NQ	NSW	@ 2.0	8/3/00	1.08	169	416
		NQ	WSW	@ 1.0	8/1/00	2.01	402	NA
		NQ	WSW	@ 2.0	8/3/00	0.902	118	1021
	WH	SQ	BOTT	@ 1.0	8/1/00	---	68.6	153.3
		SQ	ESW	@ 1.0	8/1/00	---	96.3	918
		SQ	SSW	@ 1.0	8/1/00	3.87	1,120	NA
		SQ	SSW	@ 1.0	8/3/00	---	64.2	1017
		SQ	WSW	@ 1.0	8/1/00	2.23	680	NA
		SQ	WSW	@ 1.0	8/3/00	---	58.3	255
	MTCA Cleanup Levels for Soil⁹						2.0 ¹⁰	250.0 ¹⁰

Notes:

¹ Samples collected by Farallon, BOTT-bottom sample, NSW-north sidewall, SSW - south side wall, ESW - east sidewall, WSW - west sidewall

² Depth in feet below existing surface grade

³ Total Cadmium = Total Cadmium by EPA SW-846 Method 6020

⁴ Total Lead = Total Lead by EPA SW-846 Method 6020

⁵ TPH = Total petroleum hydrocarbons by Ecology Method NWTPH-Dx

⁶ **BOLD** = Results above MTCA cleanup levels

⁷ Blank Cell = Not analyzed

⁸ (- - -) = Non Detect above laboratory reporting limit

⁹ MTCA = Washington State Department of Ecology Model Toxics Control Act

¹⁰ MTCA Method A Cleanup level

¹¹ MTCA Method B Cleanup level

TABLE 9
CONFIRMATION SOIL SAMPLE ANALYTICAL RESULTS
EXCAVATION AREA EX1
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON PN: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)		
						Total Cadmium ³	Total Lead ⁴	Total TPH ⁵
EX1	B1	NEQ	BOTT	@ 1.0	7/25/00	1.81	42.2	48.5
		NEQ	NSW	@ 1.0	7/25/00	1.75	52.2	94.7
		NEQ	WSW	@ 1.0	7/25/00	--- ⁶	45.8	303.3
		SEQ	BOTT	@ 2.0	7/27/00	---	13.4	166.2
		SWQ	BOTT	@ 1.0	7/27/00	---	5.18	11.1
		SWQ	NSW	@ 1.0	7/27/00	---	45.8	117.7
		SWQ	SSW	@ 1.0	7/27/00	---	18.5	44.1
		SWQ	WSW	@ 1.0	7/27/00	---	78.6	460
	B2	NEQ	BOTT	@ 1.0	7/27/00	---	13	115.6
		NEQ	ESW	@ 1.0	7/27/00	---	15.4	330.8
		NEQ	SSW	@ 1.0	7/27/00	---	7.38	14.1
		NEQ	WSW	@ 1.0	7/27/00	---	52.3	255.8
	C0	SWQ(5.ON)	BOTT	@ 1.0	7/26/00	---	6.15	13.7
		SWQ(5.ON)	ESW	@ 1.0	7/26/00	0.84	29.4	399
		SWQ(5.ON)	NSW	@ 1.0	7/26/00	---	36.2	163.2
		SWQ(5.ON)	WSW	@ 1.0	7/26/00	0.815	15	101.4
	C1	NWQ	ESW	@ 1.0	7/25/00	---	16.5	74.5
		NWQ	BOTT	@ 1.0	7/25/00	---	24.7	---
		SEQ	NSW	@ 1.0	7/25/00	---	11.2	11.3
		SEQ	BOTT	@ 1.0	7/25/00	---	12.2	96

TABLE 9
CONFIRMATION SOIL SAMPLE ANALYTICAL RESULTS
EXCAVATION AREA EX1
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON PN: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)		
						Total Cadmium ³	Total Lead ⁴	Total TPH ⁵
EX1	C1	SEQ	SSW	@ 1.0	7/25/00	---	5.22	81.2
		SWQ	BOTT	@ 1.0	7/25/00	---	54.6	71.9
		SWQ	SSW	@ 1.0	7/25/00	2.00 ⁷	176	742
	D1	SWQ(1.OE)	BOTT	@ 1.0	7/26/00	2.65 ⁷	151	1,019
		SWQ(1.OE)	ESW	@ 1.0	7/26/00	1.81	18.5	52.8
MTCA Cleanup Levels for Soil ⁸						2.0 ⁹	250.0 ⁹	2,050 ¹⁰

Notes:

¹ Samples collected by Farallon, BOTT-bottom sample, NSW-north sidewall, SSW - south side wall, ESW - east sidewall, WSW - west sidewall

² Depth in feet below existing surface grade

³ Total Cadmium = Total Cadmium by EPA SW-846 Method 6020

⁴ Total Lead = Total Lead by EPA SW-846 Method 6020

⁵ TPH = Total petroleum hydrocarbons by Ecology Method NWTPH-Dx

⁶ (- -) = Non Detect above laboratory reporting limit

⁷ **BOLD** = Results above selected on cleanup levels

⁸ Washington State Department of Ecology Model Toxics Control Act

⁹ MTCA Method A Cleanup level

¹⁰ MTCA Method B Cleanup level

TABLE 10
CONFIRMATION SOIL SAMPLE ANALYTICAL RESULTS
EXCAVATION AREA EX2
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON PN: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)		
						Total Cadmium ⁴	Total Lead ³	TPH ⁵
EX2	A1	SWQ	WSW	@ 2.0	7/27/00	---	7.52	73.3
		SWQ	BOTT	@ 2.0	7/27/00	---	127	160.1
		NWQ	WSW	@ 2.0	7/27/00	---	6.71	63.2
		NWQ	NSW	@ 2.0	7/27/00	---	138	185.6
		NWQ	BOTT	@ 2.0	7/27/00	---	151	364
		NEQ	NSW	@ 2.0	7/27/00	---	26.4	153.7
		NEQ	ESW	@ 2.0	7/27/00	---	31.5	176.5
		NEQ	BOTT	@ 2.0	7/27/00	---	60.8	247.9
		SEQ	ESW	@ 2.0	7/27/00	---	58.1	713
	SEQ	BOTT	@ 2.0	7/27/00	---	26.4	332	
	A2	NEQ	ESW	@ 2.0	7/28/00	---	9.11	116.1
		NEQ	BOTT	@ 2.0	7/28/00	---	90.8	666
		NWQ	WSW	@ 2.0	7/28/00	0.964	80.8	387
		NWQ	BOTT	@ 1.0	7/28/00	---	52.4	120.7
		NW'Q	BOTT	@ 2.0	7/31/00	---	66.1	546
		SEQ	ESW	@ 1.0	8/1/00	---	9.21	27.9
		SEQ'	BOTT	@ 2.0	8/3/00	2.06	370	1,533
		SWQ'	SSW	@ 2.0	8/2/00	---	57.1	800
		SWQ'	BOTT	@ 2.0	8/3/00	2.38	125	983
		SEQ'	ESW	@ 2.0	8/2/00	2.47	233	3,076
SEQ"		BOTT	@ 4.0	8/4/00	3.9	352	421	
SEQ"	SSW	@ 2.0	8/3/00	1.92	71.8	961		
SWQ	BOTT	@ 1.0	8/1/00	---	147	613		

TABLE 10
CONFIRMATION SOIL SAMPLE ANALYTICAL RESULTS
EXCAVATION AREA EX2
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON PN: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)		
						Total Cadmium ⁴	Total Lead ³	TPH ⁵
EX2	A'2	SEQ	NSW	@ 2.0	8/2/00	---	65.9	265.3
		SEQ	SSW	@ 2.0	8/2/00	3.17	236	2,359 ⁷
		SEQ	WSW	@ 2.0	8/2/00	2.25	202	448
		SEQ	BOTT	@ 2.0	8/3/00	2.72	348	1,351
MTCA Cleanup Levels for Soil ⁸						2.0 ⁹	250.0 ⁹	2,050 ¹⁰

Notes:

¹ Samples collected by Farallon, BOTT-bottom sample, NSW-north sidewall, SSW - south side wall, ESW - east sidewall, WSW - west sidewall

² Depth in feet below existing surface grade

³ Total Cadmium = Total Cadmium by EPA SW-846 Method 6020

⁴ Total Lead = Total Lead by EPA SW-846 Method 6020

⁵ TPH = Total petroleum hydrocarbons by Ecology Method NWTPH-Dx

⁶ (- - -) = Non Detect above laboratory reporting limit

⁷ **BOLD** = Results above MTCA cleanup level

⁸ Washington State Department of Ecology Model Toxics Control Act

⁹ MTCA Method A cleanup level

¹⁰ MTCA Method B cleanup level

TABLE 11
CONFIRMATION SOIL SAMPLING ANALYTICAL RESULTS
EXCAVATION AREA EX3
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON PN: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)				
						Total Cadmium ³	Total Lead ⁴	Total TPH ⁵	TPH Diesel ⁵	TPH Oil ⁶
EX3	A1	NEQ	BOTT	@ 1.0	7/27/00	--- ⁶	13	236.3	155	81.3
		NEQ	ESW	@ 1.0	7/27/00	---	6.8	115.8	80.1	35.7
		NEQ	NSW	@ 1.0	7/27/00	---	26.9	34.6	34.6	---
		NWQ	BOTT	@ 2.0	7/28/00	---	62.6	572	169	403
		NWQ	NSW	@ 2.0	7/28/00	---	28.4	236.4	88.4	148
		NWQ	WSW	@ 2.0	7/28/00	---	10.4	50.7	17	33.7
		SEQ	BOTT	@ 2.0	7/28/00	0.188	10.1	87.5	30.4	57.1
		SEQ	ESW	@ 2.0	7/28/00	---	5.82	21.2	21.2	---
		SEQ	SSW	@ 2.0	7/28/00	---	12.9	142.5	39.5	103
		SWQ	BOTT	@ 2.0	7/28/00	---	23.7	170	68	102
		SWQ	SSW	@ 2.0	7/28/00	---	34.8	57.5	21.2	36.3
		SWQ	WSW	@ 2.0	7/28/00	---	24.7	279.4	94.4	185
MTCA Cleanup Levels for Soil⁷						2.0⁸	250.0⁸	2,050⁹	2,050	2,050

- Notes:
- ¹ Samples collected by Farallon, BOTT-bottom sample, NSW-north sidewall, SSW - south side wall, ESW - east sidewall, WSW - west sidewall
 - ² Depth in feet below existing surface grade
 - ³ Total Cadmium = Total Cadmium by EPA SW-846 Method 6020
 - ⁴ Total Lead = Total Lead by EPA SW-846 Method 6020
 - ⁵ TPH = Total petroleum hydrocarbons by Ecology Method NWTPH-Dx
 - ⁶ (---) = Non Detect above laboratory reporting limit
 - ⁷ MTCA = Washington State Department of Ecology Model Toxics Control Act
 - ⁸ MTCA Method A cleanup level
 - ⁹ MTCA Method B cleanup level

TABLE 12
CONFIRMATION SOIL SAMPLING ANALYTICAL RESULTS
EXCAVATION AREA EX4
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON PN: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)		
						Cadmium ³	Lead ⁴	TPH ⁵
EX4	A1	NEQ	BOTT	@ 2.0	7/26/00	---	4.51	73.2
		NEQ	ESW	@ 1.0	7/25/00	---	5.76	---
		NEQ	NSW	@ 1.0	7/25/00	---	5.41	---
		NWQ	BOTT	@ 2.0	7/26/00	---	5.54	1,152
		NWQ	NSW	@ 1.0	7/25/00	---	14.4	18.2
		SEQ	BOTT	@ 1.0	7/25/00	---	17.6	---
		SEQ	ESW	@ 1.0	7/25/00	---	44.4	53.3
		SWQ	BOTT	@ 1.0	7/26/00	0.969	24.7	298.7
		SWQ	WSW	@ 1.0	7/26/00	0.866	38.5	994
	A2	NEQ	BOTT	@ 1.0	7/27/00	---	7.18	158.6
		NEQ	ESW	@ 1.0	7/27/00	---	11.6	41.7
		NEQ	SSW	@ 1.0	7/27/00	---	7.05	10.9
		NWQ	WSW	@ 1.0	7/26/00	---	22.1	79.1
		NWQ	SSW	@ 1.0	7/26/00	---	10.1	57.6
		NWQ	BOTT	@ 1.0	7/26/00	---	6.14	10.2
	B1	NEQ	BOTT	@ 1.0	7/26/00	---	29.3	1,186
		NEQ	SSW	@ 1.0	7/26/00	---	15.5	109.3
		NEQ	WSW	@ 1.0	7/26/00	---	6.61	71.8

TABLE 12
CONFIRMATION SOIL SAMPLING ANALYTICAL RESULTS
EXCAVATION AREA EX4
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON PN: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)		
						Cadmium ³	Lead ⁴	TPH ⁵
EX4	B0	SEQ'	BOTT	@ 1.0	8/2/00	⁷		---
		SEQ'	ESW	@ 1.0	8/1/00			10.6
		SEQ	BOTT	@ 1.0	7/31/00			259.5
		SEQ'	NSW	@ 1.0	8/1/00			---
		SEQ'	WSW	@ 1.0	8/1/00			13.1
		SEQ	ESW	@ 1.0	7/31/00			96.6
		SEQ	WSW	@ 1.0	7/31/00			112.5
MTCA Cleanup Levels for Soil⁸						2.0⁹	250.0⁹	2,050¹⁰

Notes:

¹ Samples collected by Farallon, BOTT-bottom sample, NSW-north sidewall, SSW - south side wall, ESW - east sidewall, WSW - west sidewall

² Depth in feet below existing surface grade

³ Total Cadmium = Total Cadmium by EPA SW-846 Method 6020

⁴ Total Lead = Total Lead by EPA SW-846 Method 6020

⁵ TPH = Total petroleum hydrocarbons by Ecology Method NWTPH-Dx

⁶ (---) = Non Detect above laboratory reporting limit

⁷ Blank Cell = Not analyzed

⁸ Washington State Department of Ecology Model Toxics Control Act

⁹ MTCA Method A cleanup level

¹⁰ MTCA Method B cleanup level

TABLE 13
CONFIRMATION SOIL SAMPLING ANALYTICAL RESULTS
EXCAVATION AREAS EX5, EX6, AND EX7
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON PN: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)		
						Total Cadmium ³	Total Lead ⁴	Total TPH ⁵
EX5	A1	NEQ	BOTT	@ 1.0	7/31/00	⁶		102.3
		NEQ	ESW	@ 1.0	7/31/00			13.5
		NEQ	NSW	@ 1.0	7/31/00			196.5
		NEQ	SSW	@ 1.0	7/31/00			233.4
		NEQ	WSW	@ 1.0	7/31/00			58.9
EX6	A1	NEQ	BOTT	@ 1.0	7/31/00			220.7
		NEQ	ESW	@ 1.0	7/31/00			38.1
		NEQ	NSW	@ 1.0	7/31/00			1,259
		NEQ	NSW	@ 1.0	7/31/00			301
		NEQ	SSW	@ 1.0	8/2/00			--- ⁸
		NEQ	WSW	@ 1.0	8/2/00			78.6
		NWQ	SSW	@ 1.0	8/2/00			---
		SEQ	BOTT	@ 1.0	8/2/00			---
		SEQ	ESW	@ 1.0	8/2/00			42.1
		SEQ	SSW	@ 1.0	8/2/00			---
		SEQ	WSW	@ 1.0	8/2/00			66.2
EX7	A1	NEQ	BOTT	0.5	7/31/00			1,181
MTCA Cleanup Levels for Soil⁹						2.0¹⁰	250.0¹⁰	2,050¹¹

Notes:

¹ Samples collected by Farallon, BOTT-bottom sample, NSW-north sidewall, SSW - south side wall, ESW - east sidewall, WSW - west sidewall

² Depth in feet below existing surface grade

³ Total Cadmium = Total Cadmium by EPA SW-846 Method 6020

⁴ Total Lead = Total Lead by EPA SW-846 Method 6020

⁵ TPH = Total petroleum hydrocarbons by Ecology Method NWTPH-Dx

⁶ Blank Cell = Not analyzed

⁷ **BOLD** = Results above MTCA cleanup levels

⁸ (- -) = Non Detect above laboratory reporting limit

⁹ MTCA = Washington State Department of Ecology Model Toxics Control Act

¹⁰ MTCA Method A Cleanup level

¹¹ MTCA Method B Cleanup level

TABLE 14
CONFIRMATION SOIL SAMPLING ANALYTICAL RESULTS
EXCAVATION AREA - EX-WH
FINAL CLEANUP ACTION SUMMARY REPORT
MONROE AUTO SALVAGE
MONROE, WASHINGTON
FARALLON PN: 601-003

Excavation Area	Cell	Quadrant	Location ¹	Depth (ft) ²	Date Sampled	Analytical Results (Milligrams per Kilogram)		
						Total Cadmium ³	Total Lead ⁴	Total TPH ⁵
EX-WH	WH	NQ	BOTT'	@ 2.0	8/3/00	---	13.1	71.5
		NQ	ESW	@ 1.0	8/1/00	---	168	1,746
		NQ	NSW'	@ 2.0	8/3/00	1.08	169	416
		NQ	WSW'	@ 2.0	8/3/00	0.902	118	1,021
		SQ	BOTT	@ 1.0	8/1/00	---	68.6	153.3
		SQ	ESW	@ 1.0	8/1/00	---	96.3	918
		SQ	SSW'	@ 1.0	8/3/00	---	64.2	1,017
		SQ	WSW'	@ 1.0	8/3/00	---	58.3	255
MTCA Cleanup Levels for Soil⁷						2.0⁸	250.0⁸	2,050⁹

Notes:

¹ Samples collected by Farallon, BOTT-bottom sample, NSW-north sidewall, SSW - south side wall, ESW - east sidewall, WSW - west sidewall

² Depth in feet below existing surface grade

³ Total Cadmium = Total Cadmium by EPA SW-846 Method 6020

⁴ Total Lead = Total Lead by EPA SW-846 Method 6020

⁵ TPH = Total petroleum hydrocarbons by Ecology Method NWTPH-Dx

⁶ (- -) = Non Detect above laboratory reporting limit

⁷ Washington State Department of Ecology Model Toxics Control Act

⁸ MTCA Method A cleanup level

⁹ MTCA Method B cleanup level

APPENDIX A
LABORATORY ANALYTICAL RESULTS

Final Cleanup Action Summary Report
Monroe Auto Salvage
926 Fremont Street
Monroe, Washington
Farallon PN: 601-003
November 9, 2000



RECEIVED
AUG 23 2000
BY:

Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
425.420.9200 fax 425.420.9210
Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
509.924.9200 fax 509.924.9290
Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
503.906.9200 fax 503.906.9210
Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
541.383.9310 fax 541.382.7588

Farallon Consulting LLC
320 Third Avenue NE, Suite 200
Issaquah WA, 98027
Project: Monroe Auto Salvage
Project Number: 601-003-002
Project Manager: Matthew Essig
Reported:
08/14/00 16:02

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
EX2-A'2-SEQ-SSW COMP e2.0'	B0H0049-04	Soil	08/02/00 15:32	08/02/00 16:25
EX2-A'2-SEQ-WSW COMP e2.0'	B0H0049-05	Soil	08/02/00 15:34	08/02/00 16:25

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/14/00 16:02

Semivolatile Petroleum Products by NWTPH-Dx with Acid/Silica Gel Clean-up
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A'2-SEQ-SSW COMP e2.0' (B0H0049-04) Soil Sampled: 08/02/00 15:32 Received: 08/02/00 16:25									
Diesel Range (SGCU)	829	110	mg/kg dry	11	0H11016	08/08/00	08/11/00	NWTPH-Dx	
Lube Oil Range (SGCU)	1530	275	"	"	"	"	"	"	
Surrogate: Octacosane (SGCU)	84.0 %	50-150			"	"	08/11/00	"	S9
EX2-A'2-SEQ-WSW COMP e2.0' (B0H0049-05) Soil Sampled: 08/02/00 15:34 Received: 08/02/00 16:25									
Diesel Range (SGCU)	77.7	10.0	mg/kg dry	1	0H11016	08/08/00	08/12/00	NWTPH-Dx	D-09
Lube Oil Range (SGCU)	372	125.0	"	"	"	"	"	"	
Surrogate: 2-FBP (SGCU)	53.5 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/14/00 16:02

Semivolatile Petroleum Products by NWTPH-Dx with Acid/Silica Gel Clean-up - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0H11016: Prepared 08/09/00 Using EPA 3550B

Blank (0H11016-BLK1)

Diesel Range (SGCU)	ND	10.0	mg/kg wet							
Lube Oil Range (SGCU)	ND	25.0	"							
Surrogate: 2-FBP (SGCU)	7.31		"	12.2		59.9	50-150			

LCS (0H11016-BS1)

Diesel Range (SGCU)	46.2	10.0	mg/kg wet	66.7		69.3	50-150			
Surrogate: 2-FBP (SGCU)	8.50		"	12.2		69.7	50-150			

Duplicate (0H11016-DUP1)

Source: B0H0049-05

Diesel Range (SGCU)	76.7	10.0	mg/kg dry		77.7			1.30	50	
Lube Oil Range (SGCU)	358	25.0	"		372			3.84	50	
Surrogate: 2-FBP (SGCU)	8.47		"	13.6		62.3	50-150			

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 3 of 4



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/14/00 16:02

Notes and Definitions

- D-09 Results in the diesel organics range are primarily due to overlap from a heavy oil range product.
- S9 The secondary surrogate has been used to control the analysis, due to the reduction of the primary surrogate by sample dilution.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

CHAIN OF CUSTODY REPORT

Work Order #: **BOH0049**

CLIENT: **FARALLON CONSULTING**
 REPORT TO: **MAT EGGIS**
 ADDRESS: **320 3rd Avenue NE, Suite 200**
ISSAQUAH, WA 98027
 PHONE: **425-427-0061** FAX: **425-427-0067**

INVOICE TO:
 P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses
 10 7 5 4 3 2 1 <1

STD. Petroleum Hydrocarbon Analyses
 5 4 3 2 1 <1

STD. OTHER Please Specify

*Turnaround Requests less than standard may incur Rush Charges.

PROJECT NAME: Henroc Auto Salvage		REQUESTED ANALYSES									
PROJECT NUMBER: 601-003-002											
SAMPLED BY: MAT EGGIS											
CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	SP-6020	TR-9/1674	NWTH-04							
1. EX2-A2-SEQ^o - 22.0' ^{ESW/COMP}	8/2/00 1526	X									
2. EX2-A2-SEQ^o - 22.0' ^{SSW/COMP}	1528	X									
3. EX2-A2-SEQ^o - 22.0' ^{SSW/COMP}	1530	X									
4. EX2-A2-SEQ^o - 22.0' ^{SSW/COMP}	1532	X									
5. EX2-A2-SEQ^o - 22.0' ^{WSW/COMP}	1534	X									
6. EX2-A2-SEQ^o - 22.0' ^{WSW/COMP}	8/2/00 1536	X									
7.											
8.											
9.											
10.											
11.											
12.											
13.											
14.											
15.											

MATRIX (W, S, O)	# OF CONT.	COMMENTS	NCA WO ID
SOIL	2	BOH0049 - 01	01
	2		02
	3		03
	2		04
	3		05
SOIL	2		06

RELINQUISHED BY: **MAT EGGIS** DATE: **8/2/00** TIME: **1625** FIRM: **FARALLON**
 RECEIVED BY: **Karla Kaczorowski** DATE: **8/2/00** TIME: **16:25** FIRM: **NGA**

RELINQUISHED BY: FIRM: DATE: TIME: FIRM: DATE: TIME: FIRM: DATE: TIME:

ADDITIONAL REMARKS: **⊗ Please make composite sample taken from equal parts (by weight) from each container. Hold NWTH-04 analysis pending PCB Cd results.**

TEMP: **22.2** PAGE 1 OF 1



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 11:05

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
EX1-B1-SEQ-BOTT COMP e2.0'	B0G0536-01	Soil	07/27/00 11:25	07/27/00 12:30
EX1-B2-NEQ-ESW COMP e1.0'	B0G0536-02	Soil	07/27/00 11:27	07/27/00 12:30
EX1-B2-NEQ-SSW COMP e1.0'	B0G0536-03	Soil	07/27/00 11:29	07/27/00 12:30
EX1-B2-NEQ-WSW COMP e1.0'	B0G0536-04	Soil	07/27/00 11:31	07/27/00 12:30
EX1-B2-NEQ-BOTT COMP e1.0'	B0G0536-05	Soil	07/27/00 11:33	07/27/00 12:30
EX1-B1-SWQ-SSW COMP e1.0'	B0G0536-06	Soil	07/27/00 11:35	07/27/00 12:30
EX1-B1-SWQ-WSW COMP e1.0'	B0G0536-07	Soil	07/27/00 11:37	07/27/00 12:30
EX1-B1-SWQ-NSW COMP e1.0'	B0G0536-08	Soil	07/27/00 11:39	07/27/00 12:30
EX1-B1-SWQ-BOTT COMP e1.0'	B0G0536-09	Soil	07/27/00 11:41	07/27/00 12:30

RECEIVED
 AUG 02 2000
 BY: _____

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 1 of 10



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7598

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 11:05

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX1-B1-SEQ-BOTT COMP e2.0' (B0G0536-01) Soil Sampled: 07/27/00 11:25 Received: 07/27/00 12:30									
Diesel Range Hydrocarbons	65.2	10.0	mg/kg dry	1	0G28009	07/28/00	07/29/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	101	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	86.0 %	50-150			"	"	"	"	
EX1-B2-NEQ-ESW COMP e1.0' (B0G0536-02) Soil Sampled: 07/27/00 11:27 Received: 07/27/00 12:30									
Diesel Range Hydrocarbons	80.8	10.0	mg/kg dry	1	0G28009	07/28/00	07/29/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	250	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	79.3 %	50-150			"	"	"	"	
EX1-B2-NEQ-SSW COMP e1.0' (B0G0536-03) Soil Sampled: 07/27/00 11:29 Received: 07/27/00 12:30									
Diesel Range Hydrocarbons	14.1	10.0	mg/kg dry	1	0G28009	07/28/00	07/29/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	76.3 %	50-150			"	"	"	"	
EX1-B2-NEQ-WSW COMP e1.0' (B0G0536-04) Soil Sampled: 07/27/00 11:31 Received: 07/27/00 12:30									
Diesel Range Hydrocarbons	64.8	10.0	mg/kg dry	1	0G28009	07/28/00	07/29/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	191	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	83.8 %	50-150			"	"	"	"	
EX1-B2-NEQ-BOTT COMP e1.0' (B0G0536-05) Soil Sampled: 07/27/00 11:33 Received: 07/27/00 12:30									
Diesel Range Hydrocarbons	40.2	10.0	mg/kg dry	1	0G28009	07/28/00	07/29/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	75.4	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	86.3 %	50-150			"	"	"	"	
EX1-B1-SWQ-SSW COMP e1.0' (B0G0536-06) Soil Sampled: 07/27/00 11:35 Received: 07/27/00 12:30									
Diesel Range Hydrocarbons	14.0	10.0	mg/kg dry	1	0G28009	07/28/00	07/29/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	30.1	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	77.8 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 2 of 10



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/31/00 11:05
---	---	-----------------------------

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX1-B1-SWQ-WSW COMP e1.0' (B0G0536-07) Soil Sampled: 07/27/00 11:37 Received: 07/27/00 12:30									
Diesel Range Hydrocarbons	123	10.0	mg/kg dry	1	0G28009	07/28/00	07/29/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	337	25.0	"	"	"	"	"	"	"
Surrogate: 2-FBP	91.3 %	50-150							
EX1-B1-SWQ-NSW COMP e1.0' (B0G0536-08) Soil Sampled: 07/27/00 11:39 Received: 07/27/00 12:30									
Diesel Range Hydrocarbons	30.4	10.0	mg/kg dry	1	0G28009	07/28/00	07/29/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	87.3	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	82.4 %	50-150							
EX1-B1-SWQ-B0TT COMP e1.0' (B0G0536-09) Soil Sampled: 07/27/00 11:41 Received: 07/27/00 12:30									
Diesel Range Hydrocarbons	11.1	10.0	mg/kg dry	1	0G28009	07/28/00	07/29/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	86.2 %	50-150							

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 3 of 10



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588


Parallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/31/00 11:05
---	---	-----------------------------

**Total Metals by EPA 6000/7000 Series Methods
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX1-B1-SEQ-BOTT COMP e2.0' (B0G0536-01) Soil Sampled: 07/27/00 11:25 Received: 07/27/00 12:30									
Cadmium	ND	1.72	mg/kg dry	5	0G27031	07/27/00	07/27/00	EPA 6020	
Lead	13.4	1.72	"	"	"	"	"	"	
EX1-B2-NEQ-ESW COMP e1.0' (B0G0536-02) Soil Sampled: 07/27/00 11:27 Received: 07/27/00 12:30									
Cadmium	ND	1.72	mg/kg dry	5	0G27031	07/27/00	07/27/00	EPA 6020	
Lead	15.4	1.72	"	"	"	"	"	"	
EX1-B2-NEQ-SSW COMP e1.0' (B0G0536-03) Soil Sampled: 07/27/00 11:29 Received: 07/27/00 12:30									
Cadmium	ND	1.81	mg/kg dry	5	0G27031	07/27/00	07/27/00	EPA 6020	
Lead	7.38	1.81	"	"	"	"	"	"	
EX1-B2-NEQ-WSW COMP e1.0' (B0G0536-04) Soil Sampled: 07/27/00 11:31 Received: 07/27/00 12:30									
Cadmium	ND	1.62	mg/kg dry	5	0G27031	07/27/00	07/27/00	EPA 6020	
Lead	52.3	1.62	"	"	"	"	"	"	
EX1-B2-NEQ-BOTT COMP e1.0' (B0G0536-05) Soil Sampled: 07/27/00 11:33 Received: 07/27/00 12:30									
Cadmium	ND	2.08	mg/kg dry	5	0G27031	07/27/00	07/27/00	EPA 6020	
Lead	13.0	2.08	"	"	"	"	"	"	
EX1-B1-SWQ-SSW COMP e1.0' (B0G0536-06) Soil Sampled: 07/27/00 11:35 Received: 07/27/00 12:30									
Cadmium	ND	1.71	mg/kg dry	5	0G27031	07/27/00	07/27/00	EPA 6020	
Lead	18.5	1.71	"	"	"	"	"	"	
EX1-B1-SWQ-WSW COMP e1.0' (B0G0536-07) Soil Sampled: 07/27/00 11:37 Received: 07/27/00 12:30									
Cadmium	ND	1.76	mg/kg dry	5	0G27031	07/27/00	07/27/00	EPA 6020	
Lead	78.6	1.76	"	"	"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588


Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/31/00 11:05
---	---	-----------------------------

**Total Metals by EPA 6000/7000 Series Methods
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX1-B1-SWQ-NSW COMP e1.0' (B0G0536-08) Soil Sampled: 07/27/00 11:39 Received: 07/27/00 12:30									
Cadmium	ND	1.62	mg/kg dry	5	0G27031	07/27/00	07/27/00	EPA 6020	
Lead	45.8	1.62	"	"	"	"	"	"	
EX1-B1-SWQ-B0TT COMP e1.0' (B0G0536-09) Soil Sampled: 07/27/00 11:41 Received: 07/27/00 12:30									
Cadmium	ND	1.53	mg/kg dry	5	0G27031	07/27/00	07/27/00	EPA 6020	
Lead	5.18	1.53	"	"	"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 11:05

Physical Parameters by APHA/ASTM/EPA Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX1-B1-SEQ-BOTT COMP e2.0' (B0G0536-01) Soil Sampled: 07/27/00 11:25 Received: 07/27/00 12:30									
Dry Weight	95.1	1.00	%	1	0G27033	07/27/00	07/28/00	BSOPSPL003R07	
EX1-B2-NEQ-ESW COMP e1.0' (B0G0536-02) Soil Sampled: 07/27/00 11:27 Received: 07/27/00 12:30									
Dry Weight	87.4	1.00	%	1	0G27033	07/27/00	07/28/00	BSOPSPL003R07	
EX1-B2-NEQ-SSW COMP e1.0' (B0G0536-03) Soil Sampled: 07/27/00 11:29 Received: 07/27/00 12:30									
Dry Weight	87.8	1.00	%	1	0G27033	07/27/00	07/28/00	BSOPSPL003R07	
EX1-B2-NEQ-WSW COMP e1.0' (B0G0536-04) Soil Sampled: 07/27/00 11:31 Received: 07/27/00 12:30									
Dry Weight	90.2	1.00	%	1	0G27033	07/27/00	07/28/00	BSOPSPL003R07	
EX1-B2-NEQ-BOTT COMP e1.0' (B0G0536-05) Soil Sampled: 07/27/00 11:33 Received: 07/27/00 12:30									
Dry Weight	93.7	1.00	%	1	0G27033	07/27/00	07/28/00	BSOPSPL003R07	
EX1-B1-SWQ-SSW COMP e1.0' (B0G0536-06) Soil Sampled: 07/27/00 11:35 Received: 07/27/00 12:30									
Dry Weight	90.8	1.00	%	1	0G27033	07/27/00	07/28/00	BSOPSPL003R07	
EX1-B1-SWQ-WSW COMP e1.0' (B0G0536-07) Soil Sampled: 07/27/00 11:37 Received: 07/27/00 12:30									
Dry Weight	88.4	1.00	%	1	0G27033	07/27/00	07/28/00	BSOPSPL003R07	
EX1-B1-SWQ-NSW COMP e1.0' (B0G0536-08) Soil Sampled: 07/27/00 11:39 Received: 07/27/00 12:30									
Dry Weight	89.9	1.00	%	1	0G27033	07/27/00	07/28/00	BSOPSPL003R07	
EX1-B1-SWQ-BOTT COMP e1.0' (B0G0536-09) Soil Sampled: 07/27/00 11:41 Received: 07/27/00 12:30									
Dry Weight	93.8	1.00	%	1	0G27033	07/27/00	07/28/00	BSOPSPL003R07	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99205-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/31/00 11:05
---	---	-----------------------------

Semivolatle Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0G28009: Prepared 07/28/00 Using EPA 3550B

Blank (0G28009-BLK1)

Diesel Range Hydrocarbons	ND	10.0	mg/kg wet							
Lube Oil Range Hydrocarbons	ND	25.0	"							

Surrogate: 2-FBP	9.04		"	12.2		74.1	50-150			
------------------	------	--	---	------	--	------	--------	--	--	--

LCS (0G28009-BS1)

Diesel Range Hydrocarbons	68.7	10.0	mg/kg wet	66.7		103	60-140			
Surrogate: 2-FBP	11.9		"	12.2		97.5	50-150			


Duplicate (0G28009-DUP1)

Source: B0G0536-05

Diesel Range Hydrocarbons	29.4	10.0	mg/kg dry		40.2			31.0	50	
Lube Oil Range Hydrocarbons	59.8	25.0	"		75.4			23.1	50	
Surrogate: 2-FBP	11.0		"	13.1		84.0	50-150			

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Steve Davis, Project Manager



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/31/00 11:05
---	---	-----------------------------

Physical Parameters by APHA/ASTM/EPA Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------


Batch 0G27033: Prepared 07/27/00 Using Dry Weight

Blank (0G27033-BLK1)

Dry Weight	100	1.00	%							
------------	-----	------	---	--	--	--	--	--	--	--

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Farallon Consulting LLC
320 Third Avenue NE, Suite 200
Issaquah WA, 98027

Project: Monroe Auto Salvage
Project Number: 601-003-002
Project Manager: Matthew Essig

Reported:
07/31/00 11:05

Notes and Definitions

D-09 Results in the diesel organics range are primarily due to overlap from a heavy oil range product.

DET Analyte DETECTED


ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

North Creek Analytical - Bothell



Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CHAIN OF CUSTODY REPORT

Work Order #: **BOG0530**

CLIENT: **FARALLON CONSULTING**
 REPORT TO: **MATT ESSIG**
 ADDRESS: **320 3rd Avenue NE, Suite 200**
ISSAQUAH, WA 98027
 PHONE: **425-427-0061** FAX: **425-427-0067**

INVOICE TO:
 P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses
 10 7 5 4 3 2 1 <1

Petroleum Hydrocarbon Analyses
 5 4 3 2 1 <1

OTHER: _____ Please Specify

*Turnaround Requests less than standard may incur Rush Charges

PROJECT NAME: **Monroe Auto Salvage**
 PROJECT NUMBER: **601-003-002**
 SAMPLED BY: **MATT ESSIG**

REQUESTED ANALYSES

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	EPA-Co20 Tot. Pb+Cu NUTPH-Dx	REQUESTED ANALYSES										MATRIX (W, S, O)	# OF CONT.	COMMENTS	NCA W ID	
1. EX1-B1-SEA - ^{BOTTOM} e1.0'	7/27/00 1125	X												SOIL	4	BOG0530-01	01
2. EX1-B2-NEQ - ^{SSWCOMP} e1.0'	1127	X											}	2	02		
3. EX1-B2-NEQ - ^{SSWCOMP} e1.0'	1129	X										3		03			
4. EX1-B2-NEQ - ^{WSWCOMP} e1.0'	1131	X										2		04			
5. EX1-B2-NEQ - ^{BOTTOM} e1.0'	1133	X										4		05			
6. EX1-B1-SWQ - ^{SSWCOMP} e1.0'	1135	X										2		06			
7. EX1-B1-SWQ - ^{WSWCOMP} e1.0'	1137	X										3		07			
8. EX1-B1-SWQ - ^{WSWCOMP} e1.0'	1139	X										}			08		
9. EX1-B1-SWQ - ^{BOTTOM} e1.0'	7/27/00 1141	X												SOIL			09
10.																	
11.																	
12.																	
13.																	
14.																	
15.																	

SAMPLES WERE NOT @ 2-6C UPON RECEIPT

RELINQUISHED BY: **Matt Essig** DATE: **7/27/00**
 PRINT NAME: **MATT ESSIG** FIRM: **FARALLON** TIME: **1152**
 RELINQUISHED BY: **Ellen Tennis** DATE: **7-27-00**
 PRINT NAME: **Ellen Tennis** FIRM: **NCA** TIME: **1230**

RECEIVED BY: **Ellen Tennis** DATE: **7-27-00**
 PRINT NAME: **Ellen Tennis** FIRM: **NCA** TIME: **1200**
 RECEIVED BY: **Karla Kaczorowski** DATE: **7/27/00**
 PRINT NAME: **Karla Kaczorowski** FIRM: **NCA** TIME: **12:30**

ADDITIONAL REMARKS: **⊗ Place make composite sample taken from equal parts (by weight) from each container. Held TPT-Dx analysis until further notice.**

TEMP: **10.10** **11/0**



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-001
 Project Manager: Matthew Essig

Reported:
 07/27/00 11:44

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
EX1-C1-NWQ-ESW COMP e1.0'	B0G0466-01	Soil	07/25/00 11:55	07/25/00 13:20
EX1-C1-NWQ-NSW COMP e1.0'	B0G0466-02	Soil	07/25/00 11:58	07/25/00 13:20
EX1-C1-NWQ-BOTT COMP e1.0'	B0G0466-03	Soil	07/25/00 12:00	07/25/00 13:20
EX1-C1-SEQ-NSW COMP e1.0'	B0G0466-04	Soil	07/25/00 12:03	07/25/00 13:20
EX1-C1-SEQ-ESW COMP e1.0'	B0G0466-05	Soil	07/25/00 12:06	07/25/00 13:20
EX1-C1-SEQ-SSW COMP e1.0'	B0G0466-06	Soil	07/25/00 12:09	07/25/00 13:20
EX1-C1-SEQ-BOTT COMP e1.0'	B0G0466-07	Soil	07/25/00 12:11	07/25/00 13:20
EX1-C1-SWQ-SSW COMP e1.0'	B0G0466-08	Soil	07/25/00 12:19	07/25/00 13:20
EX1-C1-SWQ-BOTT COMP e1.0'	B0G0466-09	Soil	07/25/00 12:23	07/25/00 13:20

RECEIVED
 JUL 30 2000
 BY: _____

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588


Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-001 Project Manager: Matthew Essig	Reported: 07/27/00 11:44
---	---	-----------------------------

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX1-C1-NWQ-ESW COMP e1.0' (B0G0466-01) Soil Sampled: 07/25/00 11:55 Received: 07/25/00 13:20									
Diesel Range Hydrocarbons	24.8	10.0	mg/kg dry	1	0G26009	07/26/00	07/26/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	49.7	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	96.9 %	50-150			"	"	"	"	
EX1-C1-NWQ-BOTT COMP e1.0' (B0G0466-03) Soil Sampled: 07/25/00 12:00 Received: 07/25/00 13:20									
Diesel Range Hydrocarbons	ND	10.0	mg/kg dry	1	0G26009	07/26/00	07/26/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	77.6 %	50-150			"	"	"	"	
EX1-C1-SEQ-NSW COMP e1.0' (B0G0466-04) Soil Sampled: 07/25/00 12:03 Received: 07/25/00 13:20									
Diesel Range Hydrocarbons	11.3	10.0	mg/kg dry	1	0G26009	07/26/00	07/26/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	99.2 %	50-150			"	"	"	"	
EX1-C1-SEQ-SSW COMP e1.0' (B0G0466-06) Soil Sampled: 07/25/00 12:09 Received: 07/25/00 13:20									
Diesel Range Hydrocarbons	30.5	10.0	mg/kg dry	1	0G26009	07/26/00	07/26/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	50.7	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	89.1 %	50-150			"	"	"	"	
EX1-C1-SEQ-BOTT COMP e1.0' (B0G0466-07) Soil Sampled: 07/25/00 12:11 Received: 07/25/00 13:20									
Diesel Range Hydrocarbons	26.9	10.0	mg/kg dry	1	0G26009	07/26/00	07/26/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	69.1	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	103 %	50-150			"	"	"	"	
EX1-C1-SWQ-SSW COMP e1.0' (B0G0466-08) Soil Sampled: 07/25/00 12:19 Received: 07/25/00 13:20									
Diesel Range Hydrocarbons	266	10.0	mg/kg dry	1	0G26009	07/26/00	07/26/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	476	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	87.0 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-001 Project Manager: Matthew Essig	Reported: 07/27/00 11:44
---	---	-----------------------------

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX1-C1-SWQ-BOTT COMP e1.0' (B0G0466-09) Soil Sampled: 07/25/00 12:23 Received: 07/25/00 13:20									
Diesel Range Hydrocarbons	21.8	10.0	mg/kg dry	1	0G26009	07/26/00	07/26/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	50.1	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	96.5 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-001 Project Manager: Matthew Essig	Reported: 07/27/00 11:44
---	---	-----------------------------

**Total Metals by EPA 6000/7000 Series Methods
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX1-C1-NWQ-ESW COMP e1.0' (B0G0466-01) Soil Sampled: 07/25/00 11:55 Received: 07/25/00 13:20									
Cadmium	ND	1.55	mg/kg dry	10	0G25030	07/25/00	07/25/00	EPA 6020	
Lead	16.5	1.55	"	"	"	"	"	"	
EX1-C1-NWQ-NSW COMP e1.0' (B0G0466-02) Soil Sampled: 07/25/00 11:58 Received: 07/25/00 13:20									
Cadmium	4.29	1.55	mg/kg dry	10	0G25030	07/25/00	07/25/00	EPA 6020	
Lead	372	1.55	"	"	"	"	"	"	
EX1-C1-NWQ-BOTT COMP e1.0' (B0G0466-03) Soil Sampled: 07/25/00 12:00 Received: 07/25/00 13:20									
Cadmium	ND	1.55	mg/kg dry	10	0G25030	07/25/00	07/25/00	EPA 6020	
Lead	24.7	1.55	"	"	"	"	"	"	
EX1-C1-SEQ-NSW COMP e1.0' (B0G0466-04) Soil Sampled: 07/25/00 12:03 Received: 07/25/00 13:20									
Cadmium	ND	1.53	mg/kg dry	10	0G25030	07/25/00	07/25/00	EPA 6020	
Lead	11.2	1.53	"	"	"	"	"	"	
EX1-C1-SEQ-ESW COMP e1.0' (B0G0466-05) Soil Sampled: 07/25/00 12:06 Received: 07/25/00 13:20									
Cadmium	3.97	1.55	mg/kg dry	10	0G25030	07/25/00	07/25/00	EPA 6020	
Lead	230	1.55	"	"	"	"	"	"	
EX1-C1-SEQ-SSW COMP e1.0' (B0G0466-06) Soil Sampled: 07/25/00 12:09 Received: 07/25/00 13:20									
Cadmium	ND	1.54	mg/kg dry	10	0G25030	07/25/00	07/25/00	EPA 6020	
Lead	5.22	1.54	"	"	"	"	"	"	
EX1-C1-SEQ-BOTT COMP e1.0' (B0G0466-07) Soil Sampled: 07/25/00 12:11 Received: 07/25/00 13:20									
Cadmium	ND	1.50	mg/kg dry	10	0G25030	07/25/00	07/25/00	EPA 6020	
Lead	12.2	1.50	"	"	"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-001 Project Manager: Matthew Essig	Reported: 07/27/00 11:44
---	---	-----------------------------

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX1-C1-SWQ-SSW COMP e1.0' (B0G0466-08) Soil Sampled: 07/25/00 12:19 Received: 07/25/00 13:20									
Cadmium	2.04	1.52	mg/kg dry	10	0G25030	07/25/00	07/25/00	EPA 6020	
Lead	176	1.52	"	"	"	"	"	"	
EX1-C1-SWQ-BOTT COMP e1.0' (B0G0466-09) Soil Sampled: 07/25/00 12:23 Received: 07/25/00 13:20									
Cadmium	ND	1.54	mg/kg dry	10	0G25030	07/25/00	07/25/00	EPA 6020	
Lead	54.6	1.54	"	"	"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-001
 Project Manager: Matthew Essig

Reported:
 07/27/00 11:44

Physical Parameters by APHA/ASTM/EPA Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX1-C1-NWQ-ESW COMP e1.0' (B0G0466-01) Soil Sampled: 07/25/00 11:55 Received: 07/25/00 13:20									
Dry Weight	81.7	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX1-C1-NWQ-NSW COMP e1.0' (B0G0466-02) Soil Sampled: 07/25/00 11:58 Received: 07/25/00 13:20									
Dry Weight	85.9	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX1-C1-NWQ-BOTT COMP e1.0' (B0G0466-03) Soil Sampled: 07/25/00 12:00 Received: 07/25/00 13:20									
Dry Weight	95.0	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX1-C1-SEQ-NSW COMP e1.0' (B0G0466-04) Soil Sampled: 07/25/00 12:03 Received: 07/25/00 13:20									
Dry Weight	82.9	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX1-C1-SEQ-ESW COMP e1.0' (B0G0466-05) Soil Sampled: 07/25/00 12:06 Received: 07/25/00 13:20									
Dry Weight	74.5	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX1-C1-SEQ-SSW COMP e1.0' (B0G0466-06) Soil Sampled: 07/25/00 12:09 Received: 07/25/00 13:20									
Dry Weight	89.5	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX1-C1-SEQ-BOTT COMP e1.0' (B0G0466-07) Soil Sampled: 07/25/00 12:11 Received: 07/25/00 13:20									
Dry Weight	90.2	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX1-C1-SWQ-SSW COMP e1.0' (B0G0466-08) Soil Sampled: 07/25/00 12:19 Received: 07/25/00 13:20									
Dry Weight	92.8	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX1-C1-SWQ-BOTT COMP e1.0' (B0G0466-09) Soil Sampled: 07/25/00 12:23 Received: 07/25/00 13:20									
Dry Weight	94.2	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-001
 Project Manager: Matthew Essig

Reported:
 07/27/00 11:44

**Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0G26009: Prepared 07/26/00 Using EPA 3550B

Blank (0G26009-BLK1)

Diesel Range Hydrocarbons	ND	10.0	mg/kg wet							
Lube Oil Range Hydrocarbons	ND	25.0	"							
Surrogate: 2-FBP	10.0		"	10.7		93.5	50-150			

LCS (0G26009-BS1)

Diesel Range Hydrocarbons	62.9	10.0	mg/kg wet	66.7		94.3	60-140			
Surrogate: 2-FBP	9.64		"	10.7		90.1	50-150			

Duplicate (0G26009-DUP1)

Source: B0G0441-02

Diesel Range Hydrocarbons	27.7	10.0	mg/kg dry		109			119	50	Q-05
Lube Oil Range Hydrocarbons	62.5	25.0	"		95.2			41.5	50	
Surrogate: 2-FBP	12.0		"	12.7		94.5	50-150			

Duplicate (0G26009-DUP2)

Source: B0G0481-01

Diesel Range Hydrocarbons	93.8	10.0	mg/kg dry		83.3			11.9	50	
Lube Oil Range Hydrocarbons	260	25.0	"		220			16.7	50	
Surrogate: 2-FBP	11.6		"	13.0		89.2	50-150			

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7586

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-001
 Project Manager: Matthew Essig

Reported:
 07/27/00 11:44

Total Metals by EPA 6000/7000 Series Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Notes
Batch 0G25030: Prepared 07/25/00 Using EPA 3050B										
Blank (0G25030-BLK1)										
Cadmium	ND	2.50	mg/kg wet							
Lead	ND	2.50	"							
LCS (0G25030-BS1)										
Cadmium	24.9	0.250	mg/kg wet	25.0		99.6	70-130			
Lead	26.2	0.250	"	25.0		105	80-120			
Matrix Spike (0G25030-MS1) Source: B0G0466-01										
Cadmium	18.3	1.54	mg/kg dry	18.9	ND	94.3	70-130			
Lead	80.9	1.54	"	18.9	16.5	341	70-130			Q-14
Matrix Spike Dup (0G25030-MSD1) Source: B0G0466-01										
Cadmium	17.8	1.56	mg/kg dry	19.1	ND	90.7	70-130	2.77	20	
Lead	27.7	1.56	"	19.1	16.5	58.6	70-130	98.0	20	Q-14

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 8 of 10



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-001
 Project Manager: Matthew Essig

Reported:
 07/27/00 11:44

**Physical Parameters by APHA/ASTM/EPA Methods - Quality Control
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD	RPD Limit	Notes
Batch 0G25013: Prepared 07/25/00 Using Dry Weight										
Blank (0G25013-BLK1)										
Dry Weight	100	1.00	%							
Blank (0G25013-BLK2)										
Dry Weight	100	1.00	%							
Blank (0G25013-BLK3)										
Dry Weight	100	1.00	%							
Blank (0G25013-BLK4)										
Dry Weight	100	1.00	%							
Blank (0G25013-BLK5)										
Dry Weight	100	1.00	%							
Blank (0G25013-BLK6)										
Dry Weight	100	1.00	%							

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

**North Creek Analytical, Inc.
 Environmental Laboratory Network**

Farallon Consulting LLC
320 Third Avenue NE, Suite 200
Issaquah WA, 98027


Project: Monroe Auto Salvage
Project Number: 601-001
Project Manager: Matthew Essig

Reported:
07/27/00 11:44

Notes and Definitions

- Q-05 Analyses are not controlled on RPD values from sample concentrations less than 10 times the reporting limit.
- Q-14 Visual examination indicates the RPD and/or matrix spike recovery is outside the control limit due to a non-homogeneous sample matrix.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

North Creek Analytical - Bothell



Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CHAIN OF CUSTODY REPORT

Work Order #: **BOG0460**

CLIENT: **FARALLON CONSULTING**
REPORT TO: **MATT ESSIG**
ADDRESS: **320 3rd Avenue NE, Suite 200**
Issaquah, WA 98027
PHONE: **425-427-0001** FAX: **425-427-0007**

INVOICE TO:
P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses
 10 7 5 4 3 2 1 <1

STD. Petroleum Hydrocarbon Analyses
 5 4 3 2 1 <1

STD. OTHER Please Specify

*Turnaround Requests less than standard may incur Rush Charges.

PROJECT NAME: Monroe Auto Salvage		REQUESTED ANALYSES																				
PROJECT NUMBER: 601-003-002		T-1	Pb	Cd	EPA 6020	NIW TPA-Dx	W/S. Ions (no)															
SAMPLED BY: MATT ESSIG																						
CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME																					
1. EX1-C1-NWR ^{ESW} COMP 1.0'	7/25/00 1155	X																				
2. EX1-C1-NWR ^{NSW} COMP 1.0'	1158	X																				
3. EX2-C1-NWR ^{BOT COMP} 1.0'	1200	X																				
4. EX2-C1-SER ^{NSW Comp} 1.0'	1203	X																				
5. EX2-C1-SER ^{ESW Comp} 1.0'	1206	X																				
6. EX1-C1-SER ^{SSW COMP} 1.0'	1209	X																				
7. EX1-C1-SER ^{BOT COMP} 1.0'	1211	X																				
8. EX2-C1-SER ^{SSW Comp} 1.0'	1219	X																				
9. EX2-C1-SER ^{BOT COMP} 1.0'	7/25/00 1223	X																				
10.																						
11.																						
12.																						
13.																						
14.																						
15.																						

MATRIX (W, S, O)	# OF CONT.	COMMENTS	NCA WO ID
SOLL	3	BOG0460 -	01
	3		02
	4		03
	3		04
	3		05
	3		06
	4		07
	3		08
SOLL	4		09

RELINQUISHED BY: **Matthew Essig** DATE: **7/25/00**
PRINT NAME: **MATTHEW ESSIG** FIRM: **FARALLON** TIME: **1250**

RELINQUISHED BY: **Ellen Tennis** DATE: **7/25/00**
PRINT NAME: **Ellen Tennis** FIRM: **NCA** TIME: **1320**

RECEIVED BY: **Ellen Tennis** DATE: **7/25/00**
PRINT NAME: **Ellen Tennis** FIRM: **NCA** TIME: **1250**

RECEIVED BY: **Captha Nichols** DATE: **7/25/00**
PRINT NAME: **Captha Nichols** FIRM: **NCA** TIME: **1320**

ADDITIONAL REMARKS: **⊗ Please make composite sample taken equal portions (by weight) from each container.**
Hold TPA-Dx analysis until further notice

TEMP: **22.6°** w/o

CCIC REV 1399 PAGE 1 OF 1



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/27/00 11:38

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
EX1-B1-NEQ-WSW COMP e1.0'	B0G0481-01	Soil	07/25/00 13:55	07/25/00 17:20
EX1-B1-NEQ-NSW COMP e1.0'	B0G0481-02	Soil	07/25/00 13:59	07/25/00 17:20
EX1-B1-NEQ-BOTT COMP e1.0'	B0G0481-03	Soil	07/25/00 14:02	07/25/00 17:20
EX1-B1-SEQ-WSW COMP e1.0'	B0G0481-04	Soil	07/25/00 14:05	07/25/00 17:20
EX1-B1-SEQ-SSW COMP e1.0'	B0G0481-05	Soil	07/25/00 14:07	07/25/00 17:20
EX1-B1-SEQ-BOTT COMP e1.0'	B0G0481-06	Soil	07/25/00 14:10	07/25/00 17:20
EX4-A1-SEQ-ESW COMP e1.0'	B0G0481-07	Soil	07/25/00 16:05	07/25/00 17:20
EX4-A1-SEQ-SSW COMP e1.0'	B0G0481-08	Soil	07/25/00 16:08	07/25/00 17:20
EX4-A1-SEQ-BOTT COMP e1.0'	B0G0481-09	Soil	07/25/00 16:11	07/25/00 17:20
EX4-A1-NEQ-ESW COMP e1.0'	B0G0481-10	Soil	07/25/00 16:14	07/25/00 17:20
EX4-A1-NEQ-NSW COMP e1.0'	B0G0481-11	Soil	07/25/00 16:17	07/25/00 17:20
EX4-A1-NEQ-BOTT COMP e1.0'	B0G0481-12	Soil	07/25/00 16:20	07/25/00 17:20
EX4-A1-NWQ-NSW COMP e1.0'	B0G0481-13	Soil	07/25/00 16:23	07/25/00 17:20
EX4-A1-NWQ-WSW COMP e1.0'	B0G0481-14	Soil	07/25/00 16:26	07/25/00 17:20
EX4-A1-NWQ-BOTT COMP e1.0'	B0G0481-15	Soil	07/25/00 16:30	07/25/00 17:20

RECEIVED
 JUL 30 2000
 BY: _____

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 1 of 12



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig


Reported:
 07/27/00 11:38

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX1-B1-NEQ-WSW COMP e1.0' (B0G0481-01) Soil Sampled: 07/25/00 13:55 Received: 07/25/00 17:20									
Diesel Range Hydrocarbons	83.3	10.0	mg/kg dry	1	0G26009	07/26/00	07/26/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	220	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	82.3 %	50-150			"	"	"	"	
EX1-B1-NEQ-NSW COMP e1.0' (B0G0481-02) Soil Sampled: 07/25/00 13:59 Received: 07/25/00 17:20									
Diesel Range Hydrocarbons	35.0	10.0	mg/kg dry	1	0G26009	07/26/00	07/26/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	59.7	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	91.2 %	50-150			"	"	"	"	
EX1-B1-NEQ-BOTT COMP e1.0' (B0G0481-03) Soil Sampled: 07/25/00 14:02 Received: 07/25/00 17:20									
Diesel Range Hydrocarbons	23.1	10.0	mg/kg dry	1	0G26009	07/26/00	07/26/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	25.4	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	94.1 %	50-150			"	"	"	"	
EX4-A1-SEQ-ESW COMP e1.0' (B0G0481-07) Soil Sampled: 07/25/00 16:05 Received: 07/25/00 17:20									
Diesel Range Hydrocarbons	12.1	10.0	mg/kg dry	1	0G26009	07/26/00	07/26/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	41.2	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	96.8 %	50-150			"	"	"	"	
EX4-A1-SEQ-BOTT COMP e1.0' (B0G0481-09) Soil Sampled: 07/25/00 16:11 Received: 07/25/00 17:20									
Diesel Range Hydrocarbons	ND	10.0	mg/kg dry	1	0G26009	07/26/00	07/26/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	92.1 %	50-150			"	"	"	"	
EX4-A1-NEQ-ESW COMP e1.0' (B0G0481-10) Soil Sampled: 07/25/00 16:14 Received: 07/25/00 17:20									
Diesel Range Hydrocarbons	ND	10.0	mg/kg dry	1	0G26009	07/26/00	07/26/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	107 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/27/00 11:38

Semivolatle Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX4-A1-NEQ-NSW COMP e1.0' (B0G0481-11) Soil Sampled: 07/25/00 16:17 Received: 07/25/00 17:20									
Diesel Range Hydrocarbons	ND	10.0	mg/kg dry	1	0G26009	07/26/00	07/26/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
<i>Surrogate: 2-FBP</i>	<i>82.9 %</i>	<i>50-150</i>			"	"	"	"	
EX4-A1-NWQ-NSW COMP e1.0' (B0G0481-13) Soil Sampled: 07/25/00 16:23 Received: 07/25/00 17:20									
Diesel Range Hydrocarbons	18.2	10.0	mg/kg dry	1	0G26009	07/26/00	07/26/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
<i>Surrogate: 2-FBP</i>	<i>98.4 %</i>	<i>50-150</i>			"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 3 of 12



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig


Reported:
 07/27/00 11:38

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX1-B1-NEQ-WSW COMP e1.0' (B0G0481-01) Soil Sampled: 07/25/00 13:55 Received: 07/25/00 17:20									
Cadmium	ND	1.53	mg/kg dry	10	0G25041	07/25/00	07/26/00	EPA 6020	
Lead	45.8	1.53	"	"	"	"	"	"	"
EX1-B1-NEQ-NSW COMP e1.0' (B0G0481-02) Soil Sampled: 07/25/00 13:59 Received: 07/25/00 17:20									
Cadmium	1.75	1.58	mg/kg dry	10	0G25041	07/25/00	07/26/00	EPA 6020	
Lead	52.2	1.58	"	"	"	"	"	"	"
EX1-B1-NEQ-BOTT COMP e1.0' (B0G0481-03) Soil Sampled: 07/25/00 14:02 Received: 07/25/00 17:20									
Cadmium	1.81	1.56	mg/kg dry	10	0G25041	07/25/00	07/26/00	EPA 6020	
Lead	42.2	1.56	"	"	"	"	"	"	"
EX1-B1-SEQ-WSW COMP e1.0' (B0G0481-04) Soil Sampled: 07/25/00 14:05 Received: 07/25/00 17:20									
Cadmium	2.45	1.59	mg/kg dry	10	0G25041	07/25/00	07/26/00	EPA 6020	
Lead	15.6	1.59	"	"	"	"	"	"	"
EX1-B1-SEQ-SSW COMP e1.0' (B0G0481-05) Soil Sampled: 07/25/00 14:07 Received: 07/25/00 17:20									
Cadmium	2.36	1.64	mg/kg dry	10	0G25041	07/25/00	07/26/00	EPA 6020	
Lead	43.9	1.64	"	"	"	"	"	"	"
EX1-B1-SEQ-BOTT COMP e1.0' (B0G0481-06) Soil Sampled: 07/25/00 14:10 Received: 07/25/00 17:20									
Cadmium	2.45	1.62	mg/kg dry	10	0G25041	07/25/00	07/26/00	EPA 6020	
Lead	133	1.62	"	"	"	"	"	"	"
EX4-A1-SEQ-ESW COMP e1.0' (B0G0481-07) Soil Sampled: 07/25/00 16:05 Received: 07/25/00 17:20									
Cadmium	ND	1.61	mg/kg dry	10	0G25041	07/25/00	07/26/00	EPA 6020	
Lead	44.4	1.61	"	"	"	"	"	"	"

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Steve Davis, Project Manager



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588


Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/27/00 11:38
---	---	-----------------------------

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX4-A1-SEQ-SSW COMP e1.0' (B0G0481-08) Soil Sampled: 07/25/00 16:08 Received: 07/25/00 17:20									
Cadmium	3.44	1.66	mg/kg dry	10	0G25041	07/25/00	07/26/00	EPA 6020	
Lead	90.2	1.66	"	"	"	"	"	"	
EX4-A1-SEQ-BOTT COMP e1.0' (B0G0481-09) Soil Sampled: 07/25/00 16:11 Received: 07/25/00 17:20									
Cadmium	ND	1.67	mg/kg dry	10	0G25041	07/25/00	07/26/00	EPA 6020	
Lead	17.6	1.67	"	"	"	"	"	"	
EX4-A1-NEQ-ESW COMP e1.0' (B0G0481-10) Soil Sampled: 07/25/00 16:14 Received: 07/25/00 17:20									
Cadmium	ND	1.63	mg/kg dry	10	0G25041	07/25/00	07/26/00	EPA 6020	
Lead	5.76	1.63	"	"	"	"	"	"	
EX4-A1-NEQ-NSW COMP e1.0' (B0G0481-11) Soil Sampled: 07/25/00 16:17 Received: 07/25/00 17:20									
Cadmium	ND	1.58	mg/kg dry	10	0G25041	07/25/00	07/26/00	EPA 6020	
Lead	5.41	1.58	"	"	"	"	"	"	
EX4-A1-NEQ-BOTT COMP e1.0' (B0G0481-12) Soil Sampled: 07/25/00 16:20 Received: 07/25/00 17:20									
Cadmium	2.80	1.63	mg/kg dry	10	0G25041	07/25/00	07/26/00	EPA 6020	
Lead	24.8	1.63	"	"	"	"	"	"	
EX4-A1-NWQ-NSW COMP e1.0' (B0G0481-13) Soil Sampled: 07/25/00 16:23 Received: 07/25/00 17:20									
Cadmium	ND	1.63	mg/kg dry	10	0G25041	07/25/00	07/26/00	EPA 6020	
Lead	14.4	1.63	"	"	"	"	"	"	
EX4-A1-NWQ-WSW COMP e1.0' (B0G0481-14) Soil Sampled: 07/25/00 16:26 Received: 07/25/00 17:20									
Cadmium	2.79	1.62	mg/kg dry	10	0G25041	07/25/00	07/26/00	EPA 6020	
Lead	7.21	1.62	"	"	"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Steve Davis, Project Manager



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/27/00 11:38

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX4-A1-NWQ-BOTT COMP e1.0' (B0G0481-15) Soil Sampled: 07/25/00 16:30 Received: 07/25/00 17:20									
Cadmium	2.41	1.56	mg/kg dry	10	0G25041	07/25/00	07/26/00	EPA 6020	
Lead	15.0	1.56	"	"	"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/27/00 11:38

Physical Parameters by APHA/ASTM/EPA Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX1-B1-NEQ-WSW COMP e1.0' (B0G0481-01) Soil Sampled: 07/25/00 13:55 Received: 07/25/00 17:20									
Dry Weight	82.1	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX1-B1-NEQ-NSW COMP e1.0' (B0G0481-02) Soil Sampled: 07/25/00 13:59 Received: 07/25/00 17:20									
Dry Weight	85.1	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX1-B1-NEQ-BOTT COMP e1.0' (B0G0481-03) Soil Sampled: 07/25/00 14:02 Received: 07/25/00 17:20									
Dry Weight	90.4	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX1-B1-SEQ-WSW COMP e1.0' (B0G0481-04) Soil Sampled: 07/25/00 14:05 Received: 07/25/00 17:20									
Dry Weight	84.6	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX1-B1-SEQ-SSW COMP e1.0' (B0G0481-05) Soil Sampled: 07/25/00 14:07 Received: 07/25/00 17:20									
Dry Weight	84.0	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX1-B1-SEQ-BOTT COMP e1.0' (B0G0481-06) Soil Sampled: 07/25/00 14:10 Received: 07/25/00 17:20									
Dry Weight	87.4	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX4-A1-SEQ-ESW COMP e1.0' (B0G0481-07) Soil Sampled: 07/25/00 16:05 Received: 07/25/00 17:20									
Dry Weight	85.2	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX4-A1-SEQ-SSW COMP e1.0' (B0G0481-08) Soil Sampled: 07/25/00 16:08 Received: 07/25/00 17:20									
Dry Weight	79.9	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX4-A1-SEQ-BOTT COMP e1.0' (B0G0481-09) Soil Sampled: 07/25/00 16:11 Received: 07/25/00 17:20									
Dry Weight	84.4	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 7 of 12



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/27/00 11:38

**Physical Parameters by APHA/ASTM/EPA Methods
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX4-A1-NEQ-ESW COMP e1.0' (B0G0481-10) Soil	Sampled: 07/25/00 16:14 Received: 07/25/00 17:20								
Dry Weight	84.2	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX4-A1-NEQ-NSW COMP e1.0' (B0G0481-11) Soil	Sampled: 07/25/00 16:17 Received: 07/25/00 17:20								
Dry Weight	89.0	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX4-A1-NEQ-BOTT COMP e1.0' (B0G0481-12) Soil	Sampled: 07/25/00 16:20 Received: 07/25/00 17:20								
Dry Weight	87.1	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX4-A1-NWQ-NSW COMP e1.0' (B0G0481-13) Soil	Sampled: 07/25/00 16:23 Received: 07/25/00 17:20								
Dry Weight	86.4	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX4-A1-NWQ-WSW COMP e1.0' (B0G0481-14) Soil	Sampled: 07/25/00 16:26 Received: 07/25/00 17:20								
Dry Weight	85.7	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	
EX4-A1-NWQ-BOTT COMP e1.0' (B0G0481-15) Soil	Sampled: 07/25/00 16:30 Received: 07/25/00 17:20								
Dry Weight	86.6	1.00	%	1	0G25013	07/25/00	07/26/00	BSOPSPL003R07	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

**North Creek Analytical, Inc.
 Environmental Laboratory Network**



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/27/00 11:38

Semivolatle Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	RPD	RPD Limit	Notes
Batch 0G26009: Prepared 07/26/00 Using EPA 3550B									
Blank (0G26009-BLK1)									
Diesel Range Hydrocarbons	ND	10.0	mg/kg wet						
Lube Oil Range Hydrocarbons	ND	25.0	"						
Surrogate: 2-FBP	10.0		"	10.7		93.5		50-150	
LCS (0G26009-BS1)									
Diesel Range Hydrocarbons	62.9	10.0	mg/kg wet	66.7		94.3		60-140	
Surrogate: 2-FBP	9.64		"	10.7		90.1		50-150	
Duplicate (0G26009-DUP1) Source: B0G0441-02									
Diesel Range Hydrocarbons	27.7	10.0	mg/kg dry		109		119	50	Q-05
Lube Oil Range Hydrocarbons	62.5	25.0	"		95.2		41.5	50	
Surrogate: 2-FBP	12.0		"	12.7		94.5		50-150	
Duplicate (0G26009-DUP2) Source: B0G0481-01									
Diesel Range Hydrocarbons	93.8	10.0	mg/kg dry		83.3		11.9	50	
Lube Oil Range Hydrocarbons	260	25.0	"		220		16.7	50	
Surrogate: 2-FBP	11.6		"	13.0		89.2		50-150	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 9 of 12



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/27/00 11:38

Total Metals by EPA 6000/7000 Series Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0G25041: Prepared 07/25/00 Using EPA 3050B

Blank (0G25041-BLK1)

Cadmium	ND	2.50	mg/kg wet							
Lead	ND	2.50	"							

LCS (0G25041-BS1)

Cadmium	25.5	0.250	mg/kg wet	25.0		102	70-130			
Lead	25.2	0.250	"	25.0		101	80-120			

Matrix Spike (0G25041-MS1)

Source: B0G0481-01

Cadmium	19.7	1.58	mg/kg dry	19.3	ND	95.8	70-130			
Lead	70.2	1.58	"	19.3	45.8	126	70-130			

Matrix Spike Dup (0G25041-MSD1)

Source: B0G0481-01

Cadmium	18.6	1.60	mg/kg dry	19.5	ND	89.1	70-130	5.74	20	
Lead	65.0	1.60	"	19.5	45.8	98.5	70-130	7.69	20	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 10 of 12



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/27/00 11:38

**Physical Parameters by APHA/ASTM/EPA Methods - Quality Control
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 0G25013: Prepared 07/25/00 Using Dry Weight										
Blank (0G25013-BLK1)										
Dry Weight	100	1.00	%							
Blank (0G25013-BLK2)										
Dry Weight	100	1.00	%							
Blank (0G25013-BLK3)										
Dry Weight	100	1.00	%							
Blank (0G25013-BLK4)										
Dry Weight	100	1.00	%							
Blank (0G25013-BLK5)										
Dry Weight	100	1.00	%							
Blank (0G25013-BLK6)										
Dry Weight	100	1.00	%							

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

**North Creek Analytical, Inc.
 Environmental Laboratory Network**

Page 11 of 12



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/27/00 11:38

Notes and Definitions

- Q-05 Analyses are not controlled on RPD values from sample concentrations less than 10 times the reporting limit.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/31/00 11:46
---	---	-----------------------------

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
EX4-B1-NEQ-NSW COMP e1.0'	B0G0514-01	Soil	07/26/00 14:52	07/26/00 17:17
EX4-B1-NEQ-WSW COMP e1.0'	B0G0514-02	Soil	07/26/00 14:55	07/26/00 17:17
EX4-B1-NEQ-SSW COMP e1.0'	B0G0514-03	Soil	07/26/00 14:57	07/26/00 17:17
EX4-B1-NEQ-BOTT COMP e1.0'	B0G0514-04	Soil	07/26/00 15:00	07/26/00 17:17
EX4-A1-NWQ-BOTT COMP e2.0'	B0G0514-05	Soil	07/26/00 15:03	07/26/00 17:17
EX4-A1-NEQ-BOTT COMP e2.0'	B0G0514-06	Soil	07/26/00 15:05	07/26/00 17:17
EX4-A1-NWQ-ESW COMP e1.0'	B0G0514-07	Soil	07/26/00 15:55	07/26/00 17:17
EX4-A1-NWQ-WSW COMP e1.0'	B0G0514-08	Soil	07/26/00 15:58	07/26/00 17:17
EX4-A1-NWQ-SSW COMP e1.0'	B0G0514-09	Soil	07/26/00 16:00	07/26/00 17:17
EX4-A1-NWQ-BOTT COMP e1.0'	B0G0514-10	Soil	07/26/00 16:05	07/26/00 17:17

RECEIVED
 AUG 02 2000
 BY: _____

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 11:46

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX4-B1-NEQ-NSW COMP e1.0' (B0G0514-01) Soil Sampled: 07/26/00 14:52 Received: 07/26/00 17:17									
Diesel Range Hydrocarbons	2470	110	mg/kg dry	11	0G27013	07/27/00	07/28/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	9470	275	"	"	"	"	"	"	"
Surrogate: 2-FBP	69.4 %	50-150			"	"	"	"	"
EX4-B1-NEQ-WSW COMP e1.0' (B0G0514-02) Soil Sampled: 07/26/00 14:55 Received: 07/26/00 17:17									
Diesel Range Hydrocarbons	32.0	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	39.8	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	84.1 %	50-150			"	"	"	"	
EX4-B1-NEQ-SSW COMP e1.0' (B0G0514-03) Soil Sampled: 07/26/00 14:57 Received: 07/26/00 17:17									
Diesel Range Hydrocarbons	27.4	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	81.9	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	81.8 %	50-150			"	"	"	"	
EX4-B1-NEQ-BOTT COMP e1.0' (B0G0514-04) Soil Sampled: 07/26/00 15:00 Received: 07/26/00 17:17									
Diesel Range Hydrocarbons	518	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	668	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	74.6 %	50-150			"	"	"	"	
EX4-A1-NWQ-BOTT COMP e2.0' (B0G0514-05) Soil Sampled: 07/26/00 15:03 Received: 07/26/00 17:17									
Diesel Range Hydrocarbons	289	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	863	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	97.7 %	50-150			"	"	"	"	
EX4-A1-NEQ-BOTT COMP e2.0' (B0G0514-06) Soil Sampled: 07/26/00 15:05 Received: 07/26/00 17:17									
Diesel Range Hydrocarbons	45.8	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	27.4	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	88.6 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 11:46

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX4-A1-NWQ-ESW COMP e1.0' (B0G0514-07) Soil Sampled: 07/26/00 15:55 Received: 07/26/00 17:17									
Diesel Range Hydrocarbons	12.1	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	33.3	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	73.7 %	50-150			"	"	"	"	
EX4-A1-NWQ-WSW COMP e1.0' (B0G0514-08) Soil Sampled: 07/26/00 15:58 Received: 07/26/00 17:17									
Diesel Range Hydrocarbons	28.2	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	44.9	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	75.5 %	50-150			"	"	"	"	
EX4-A1-NWQ-SSW COMP e1.0' (B0G0514-09) Soil Sampled: 07/26/00 16:00 Received: 07/26/00 17:17									
Diesel Range Hydrocarbons	17.3	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	40.3	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	75.6 %	50-150			"	"	"	"	
EX4-A1-NWQ-BOTT COMP e1.0' (B0G0514-10) Soil Sampled: 07/26/00 16:05 Received: 07/26/00 17:17									
Diesel Range Hydrocarbons	10.2	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	66.6 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 11:46

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Difution	Batch	Prepared	Analyzed	Method	Notes
EX4-B1-NEQ-NSW COMP e1.0' (B0G0514-01) Soil Sampled: 07/26/00 14:52 Received: 07/26/00 17:17									
Cadmium	ND	1.89	mg/kg dry	5	0G26055	07/26/00	07/27/00	EPA 6020	
Lead	5.63	1.89	"	"	"	"	"	"	
EX4-B1-NEQ-WSW COMP e1.0' (B0G0514-02) Soil Sampled: 07/26/00 14:55 Received: 07/26/00 17:17									
Cadmium	ND	1.89	mg/kg dry	5	0G26055	07/26/00	07/27/00	EPA 6020	
Lead	6.61	1.89	"	"	"	"	"	"	
EX4-B1-NEQ-SSW COMP e1.0' (B0G0514-03) Soil Sampled: 07/26/00 14:57 Received: 07/26/00 17:17									
Cadmium	ND	2.27	mg/kg dry	5	0G26055	07/26/00	07/27/00	EPA 6020	
Lead	15.5	2.27	"	"	"	"	"	"	
EX4-B1-NEQ-BOTT COMP e1.0' (B0G0514-04) Soil Sampled: 07/26/00 15:00 Received: 07/26/00 17:17									
Cadmium	ND	2.05	mg/kg dry	5	0G26055	07/26/00	07/27/00	EPA 6020	
Lead	29.3	2.05	"	"	"	"	"	"	
EX4-A1-NWQ-BOTT COMP e2.0' (B0G0514-05) Soil Sampled: 07/26/00 15:03 Received: 07/26/00 17:17									
Cadmium	ND	2.12	mg/kg dry	5	0G26055	07/26/00	07/27/00	EPA 6020	
Lead	5.54	2.12	"	"	"	"	"	"	
EX4-A1-NEQ-BOTT COMP e2.0' (B0G0514-06) Soil Sampled: 07/26/00 15:05 Received: 07/26/00 17:17									
Cadmium	ND	1.45	mg/kg dry	5	0G26055	07/26/00	07/27/00	EPA 6020	
Lead	4.51	1.45	"	"	"	"	"	"	
EX4-A1-NWQ-ESW COMP e1.0' (B0G0514-07) Soil Sampled: 07/26/00 15:55 Received: 07/26/00 17:17									
Cadmium	ND	1.75	mg/kg dry	5	0G26055	07/26/00	07/27/00	EPA 6020	
Lead	8.77	1.75	"	"	"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 4 of 11



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/31/00 11:46
---	---	-----------------------------

**Total Metals by EPA 6000/7000 Series Methods
 North Creek Analytical - Bothell**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
EX4-A1-NWQ-WSW COMP e1.0' (B0G0514-08) Soil Sampled: 07/26/00 15:58 Received: 07/26/00 17:17										
Cadmium	ND	1.97		mg/kg dry	5	0G26055	07/26/00	07/27/00	EPA 6020	
Lead	22.1	1.97		"	"	"	"	"	"	
EX4-A1-NWQ-SSW COMP e1.0' (B0G0514-09) Soil Sampled: 07/26/00 16:00 Received: 07/26/00 17:17										
Cadmium	ND	2.12		mg/kg dry	5	0G26055	07/26/00	07/27/00	EPA 6020	
Lead	10.1	2.12		"	"	"	"	"	"	
EX4-A1-NWQ-BOTT COMP e1.0' (B0G0514-10) Soil Sampled: 07/26/00 16:05 Received: 07/26/00 17:17										
Cadmium	ND	1.85		mg/kg dry	5	0G26055	07/26/00	07/27/00	EPA 6020	
Lead	6.14	1.85		"	"	"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

**North Creek Analytical, Inc.
 Environmental Laboratory Network**



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 11:46

Physical Parameters by APHA/ASTM/EPA Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

EX4-A1-NWQ-BOTT COMP e1.0' (B0G0514-10) Soil Sampled: 07/26/00 16:05 Received: 07/26/00 17:17

Dry Weight	83.2	1.00	%	1	0G26047	07/26/00	07/27/00	BSOPSPL003R07	
------------	------	------	---	---	---------	----------	----------	---------------	--

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Parallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 11:46

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------------------	-----	-----------	-------

Batch 0G27013: Prepared 07/27/00 Using EPA 3550B

Blank (0G27013-BLK1)

Diesel Range Hydrocarbons	ND	10.0	mg/kg wet						
Lube Oil Range Hydrocarbons	ND	25.0	"						
Surrogate: 2-FBP	8.91		"	12.2		73.0	50-150		

LCS (0G27013-BS1)

Diesel Range Hydrocarbons	57.1	10.0	mg/kg wet	66.7		85.6	60-140		
Surrogate: 2-FBP	8.71		"	12.2		71.4	50-150		

Duplicate (0G27013-DUP1)

Source: B0G0501-03

Diesel Range Hydrocarbons	117	10.0	mg/kg dry		86.7		29.7	50	
Lube Oil Range Hydrocarbons	286	25.0	"		212		29.7	50	
Surrogate: 2-FBP	10.8		"	14.0		77.1	50-150		

Duplicate (0G27013-DUP2)

Source: B0G0514-02

Diesel Range Hydrocarbons	20.2	10.0	mg/kg dry		32.0		45.2	50	
Lube Oil Range Hydrocarbons	27.4	25.0	"		39.8		36.9	50	
Surrogate: 2-FBP	10.5		"	15.1		69.5	50-150		

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 8 of 11

CHAIN OF CUSTODY REPORT

Work Order #: **BOG0514**

CLIENT: **FARALLON CONSULTING**
REPORT TO: **MATT ESSIG**
ADDRESS: **320 3rd Avenue NE, Suite 200
Issaquah, WA 98027**
PHONE: **425-427-0061** FAX: **425-427-0067**

INVOICE TO:
P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses
 10 7 5 4 3 2 1 <1

Petroleum Hydrocarbon Analyses
 5 4 3 2 1 <1

OTHER: _____
Please Specify

PROJECT NAME: **Monroe Lake Storage**
PROJECT NUMBER: **601-003-002**
SAMPLED BY: **MAT ESSIG**

REQUESTED ANALYSES

Total Pb & Cr
EPA-6020
NMTM-04
M/S (As of)

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	Total Pb & Cr	EPA-6020	NMTM-04	M/S (As of)	REQUESTED ANALYSES
1. EX4-B1-NQR - NSWCAMP el.0'	7/26/00 1452	X				
2. EX4-B1-NQR - NSWCAMP el.0'	1453	X				
3. EX4-B1-NQR - SSWCAMP el.0'	1457	X				
4. EX4-B1-NQR - BOTTLAMP el.0'	1500	X				
5. EX4-A2-NQR - NSWCAMP el.0'	1503	X				
6. EX4-A2-NQR - BOTTLAMP el.0'	1505	X				
7. EX4-A2-NQR - SSWCAMP el.0'	1555	X				
8. EX4-A2-NQR - NSWCAMP el.0'	1558	X				
9. EX4-A2-NQR - SSWCAMP el.0'	1600	X				
10. EX4-A2-NQR - BOTTLAMP el.0'	SOIL 1605	X				
11.						
12.						
13.						
14.						
15.						

MATRIX (W. S. O)	# OF CONT.	COMMENTS	NCA WO ID.
SOIL	3	BOG0514 -	01.
	3		02.
	3		03.
	4		04.
	4		05.
	4		06.
	3		07.
	3		08.
	3		09.
SOIL	4		10.

*Turnaround Requests less than standard may incur Rush Charges.

RELINQUISHED BY: **[Signature]** DATE: **7/26/00**
PRINT NAME: **MATT ESSIG** FIRM: **FARALLON** TIME: **17:17**

RECEIVED BY: **[Signature]** DATE: **7/26/00**
PRINT NAME: **Karla Kaczorowska** FIRM: **NCA** TIME: **17:17**

ADDITIONAL REMARKS: **Ⓢ Please make composite sample taken from equal parts (by weight) from each container. Held for 24 hrs analysis until further instructions.**

TEMP: **9.1°** W/O PAGE 1 OF 1



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 11:42

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
EX4-A1-SWQ-SSW COMP e 1.0'	B0G0501-01	Soil	07/26/00 09:43	07/26/00 12:35
EX4-A1-SWQ-WSW COMP e 1.0'	B0G0501-02	Soil	07/26/00 09:46	07/26/00 12:35
EX4-A1-SWQ-BOTT COMP e 1.0'	B0G0501-03	Soil	07/26/00 09:50	07/26/00 12:35
EX1-D1-SWQ(1.0E)-ESW COMP e 1.0'	B0G0501-04	Soil	07/26/00 11:54	07/26/00 12:35
EX1-D1-SWQ(1.0E)-BOTT COMP e 1.0'	B0G0501-05	Soil	07/26/00 11:52	07/26/00 12:35
EX1-C0-SWQ(5.0N)-WSW COMP e 1.0'	B0G0501-06	Soil	07/26/00 11:57	07/26/00 12:35
EX1-C0-SWQ(5.0N)-NSW COMP e 1.0'	B0G0501-07	Soil	07/26/00 11:59	07/26/00 12:35
EX1-C0-SWQ(5.0N)-ESW COMP e 1.0'	B0G0501-08	Soil	07/26/00 12:01	07/26/00 12:35
EX1-C0-SWQ(5.0N)-BOTT COMP e 1.0'	B0G0501-09	Soil	07/26/00 12:03	07/26/00 12:35

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 11:42

Semivolatle Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX4-A1-SWQ-SSW COMP e 1.0' (B0G0501-01) Soil Sampled: 07/26/00 09:43 Received: 07/26/00 12:35									
Diesel Range Hydrocarbons	ND	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	67.8 %	50-150			"	"	"	"	
EX4-A1-SWQ-WSW COMP e 1.0' (B0G0501-02) Soil Sampled: 07/26/00 09:46 Received: 07/26/00 12:35									
Diesel Range Hydrocarbons	256	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	738	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	87.9 %	50-150			"	"	"	"	
EX4-A1-SWQ-BOTT COMP e 1.0' (B0G0501-03) Soil Sampled: 07/26/00 09:50 Received: 07/26/00 12:35									
Diesel Range Hydrocarbons	86.7	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	212	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	67.6 %	50-150			"	"	"	"	
EX1-D1-SWQ(1.0E)-ESW COMP e 1.0' (B0G0501-04) Soil Sampled: 07/26/00 11:54 Received: 07/26/00 12:35									
Diesel Range Hydrocarbons	18.9	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	33.9	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	71.0 %	50-150			"	"	"	"	
EX1-D1-SWQ(1.0E)-BOTT COMP e 1.0' (B0G0501-05) Soil Sampled: 07/26/00 11:52 Received: 07/26/00 12:35									
Diesel Range Hydrocarbons	217	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	802	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	90.8 %	50-150			"	"	"	"	
EX1-C0-SWQ(5.0N)-WSW COMP e 1.0' (B0G0501-06) Soil Sampled: 07/26/00 11:57 Received: 07/26/00 12:35									
Diesel Range Hydrocarbons	24.5	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	76.9	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	75.9 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588


Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/31/00 11:42
---	---	-----------------------------

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX1-C0-SWQ(5.0N)-NSW COMP e 1.0' (B0G0501-07) Soil Sampled: 07/26/00 11:59 Received: 07/26/00 12:35									
Diesel Range Hydrocarbons	45.2	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	118	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	82.9 %	50-150			"	"	"	"	
EX1-C0-SWQ(5.0N)-ESW COMP e 1.0' (B0G0501-08) Soil Sampled: 07/26/00 12:01 Received: 07/26/00 12:35									
Diesel Range Hydrocarbons	100	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	299	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	76.3 %	50-150			"	"	"	"	
EX1-C0-SWQ(5.0N)-BOTT COMP e 1.0' (B0G0501-09) Soil Sampled: 07/26/00 12:03 Received: 07/26/00 12:35									
Diesel Range Hydrocarbons	13.7	10.0	mg/kg dry	1	0G27013	07/27/00	07/28/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	78.4 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Steve Davis, Project Manager



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99208-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.908.9200 fax 503.908.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 11:42

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX4-A1-SWQ-SSW COMP e 1.0' (B0G0501-01) Soil Sampled: 07/26/00 09:43 Received: 07/26/00 12:35									
Cadmium	ND	0.817	mg/kg dry	5	0G26034	07/26/00	07/26/00	EPA 6020	
Lead	6.85	1.63	"	"	"	"	07/27/00	"	
EX4-A1-SWQ-WSW COMP e 1.0' (B0G0501-02) Soil Sampled: 07/26/00 09:46 Received: 07/26/00 12:35									
Cadmium	0.866	0.817	mg/kg dry	5	0G26034	07/26/00	07/26/00	EPA 6020	
Lead	38.5	1.63	"	"	"	"	"	"	
EX4-A1-SWQ-BOTT COMP e 1.0' (B0G0501-03) Soil Sampled: 07/26/00 09:50 Received: 07/26/00 12:35									
Cadmium	0.969	0.791	mg/kg dry	5	0G26034	07/26/00	07/26/00	EPA 6020	
Lead	24.7	1.58	"	"	"	"	"	"	
EX1-D1-SWQ(1.0E)-ESW COMP e 1.0' (B0G0501-04) Soil Sampled: 07/26/00 11:54 Received: 07/26/00 12:35									
Cadmium	1.81	0.776	mg/kg dry	5	0G26034	07/26/00	07/26/00	EPA 6020	
Lead	18.5	1.55	"	"	"	"	"	"	
EX1-D1-SWQ(1.0E)-BOTT COMP e 1.0' (B0G0501-05) Soil Sampled: 07/26/00 11:52 Received: 07/26/00 12:35									
Cadmium	2.65	0.828	mg/kg dry	5	0G26034	07/26/00	07/26/00	EPA 6020	
Lead	151	1.66	"	"	"	"	"	"	
EX1-C0-SWQ(5.0N)-WSW COMP e 1.0' (B0G0501-06) Soil Sampled: 07/26/00 11:57 Received: 07/26/00 12:35									
Cadmium	0.815	0.786	mg/kg dry	5	0G26034	07/26/00	07/26/00	EPA 6020	
Lead	15.0	1.57	"	"	"	"	"	"	
EX1-C0-SWQ(5.0N)-NSW COMP e 1.0' (B0G0501-07) Soil Sampled: 07/26/00 11:59 Received: 07/26/00 12:35									
Cadmium	ND	0.786	mg/kg dry	5	0G26034	07/26/00	07/26/00	EPA 6020	
Lead	36.2	1.57	"	"	"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 4 of 10



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 11:42

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX1-C0-SWQ(5.0N)-ESW COMP e 1.0' (B0G0501-08) Soil Sampled: 07/26/00 12:01 Received: 07/26/00 12:35									
Cadmium	0.837	0.806	mg/kg dry	5	0G26034	07/26/00	07/26/00	EPA 6020	
Lead	29.4	1.61	"	"	"	"	"	"	
EX1-C0-SWQ(5.0N)-BOTT COMP e 1.0' (B0G0501-09) Soil Sampled: 07/26/00 12:03 Received: 07/26/00 12:35									
Cadmium	ND	0.796	mg/kg dry	5	0G26034	07/26/00	07/26/00	EPA 6020	
Lead	6.15	1.59	"	"	"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 5 of 10



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/31/00 11:42
---	---	-----------------------------

Physical Parameters by APHA/ASTM/EPA Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX4-A1-SWQ-SSW COMP e 1.0' (B0G0501-01) Soil Sampled: 07/26/00 09:43 Received: 07/26/00 12:35									
Dry Weight	82.1	1.00	%	1	0G26031	07/26/00	07/27/00	BSOPSPL003R07	
EX4-A1-SWQ-WSW COMP e 1.0' (B0G0501-02) Soil Sampled: 07/26/00 09:46 Received: 07/26/00 12:35									
Dry Weight	82.1	1.00	%	1	0G26031	07/26/00	07/27/00	BSOPSPL003R07	
EX4-A1-SWQ-BOTT COMP e 1.0' (B0G0501-03) Soil Sampled: 07/26/00 09:50 Received: 07/26/00 12:35									
Dry Weight	87.2	1.00	%	1	0G26031	07/26/00	07/27/00	BSOPSPL003R07	
EX1-D1-SWQ(1.0E)-ESW COMP e 1.0' (B0G0501-04) Soil Sampled: 07/26/00 11:54 Received: 07/26/00 12:35									
Dry Weight	72.5	1.00	%	1	0G26031	07/26/00	07/27/00	BSOPSPL003R07	
EX1-D1-SWQ(1.0E)-BOTT COMP e 1.0' (B0G0501-05) Soil Sampled: 07/26/00 11:52 Received: 07/26/00 12:35									
Dry Weight	75.1	1.00	%	1	0G26031	07/26/00	07/27/00	BSOPSPL003R07	
EX1-C0-SWQ(5.0N)-WSW COMP e 1.0' (B0G0501-06) Soil Sampled: 07/26/00 11:57 Received: 07/26/00 12:35									
Dry Weight	86.8	1.00	%	1	0G26031	07/26/00	07/27/00	BSOPSPL003R07	
EX1-C0-SWQ(5.0N)-NSW COMP e 1.0' (B0G0501-07) Soil Sampled: 07/26/00 11:59 Received: 07/26/00 12:35									
Dry Weight	87.6	1.00	%	1	0G26031	07/26/00	07/27/00	BSOPSPL003R07	
EX1-C0-SWQ(5.0N)-ESW COMP e 1.0' (B0G0501-08) Soil Sampled: 07/26/00 12:01 Received: 07/26/00 12:35									
Dry Weight	80.3	1.00	%	1	0G26031	07/26/00	07/27/00	BSOPSPL003R07	
EX1-C0-SWQ(5.0N)-BOTT COMP e 1.0' (B0G0501-09) Soil Sampled: 07/26/00 12:03 Received: 07/26/00 12:35									
Dry Weight	88.0	1.00	%	1	0G26031	07/26/00	07/27/00	BSOPSPL003R07	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/31/00 11:42
---	---	-----------------------------

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0G27013: Prepared 07/27/00 Using EPA 3550B

Blank (0G27013-BLK1)

Diesel Range Hydrocarbons	ND	10.0	mg/kg wet							
Lube Oil Range Hydrocarbons	ND	25.0	"							
Surrogate: 2-FBP	8.91		"	12.2		73.0	50-150			

LCS (0G27013-BS1)

Diesel Range Hydrocarbons	57.1	10.0	mg/kg wet	66.7		85.6	60-140			
Surrogate: 2-FBP	8.71		"	12.2		71.4	50-150			

Duplicate (0G27013-DUP1)

Source: B0G0501-03

Diesel Range Hydrocarbons	117	10.0	mg/kg dry		86.7			29.7	50	
Lube Oil Range Hydrocarbons	286	25.0	"		212			29.7	50	
Surrogate: 2-FBP	10.8		"	14.0		77.1	50-150			

Duplicate (0G27013-DUP2)

Source: B0G0514-02

Diesel Range Hydrocarbons	20.2	10.0	mg/kg dry		32.0			45.2	50	
Lube Oil Range Hydrocarbons	27.4	25.0	"		39.8			36.9	50	
Surrogate: 2-FBP	10.5		"	15.1		69.5	50-150			

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.908.9200 fax 503.908.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/31/00 11:42
---	---	-----------------------------

Total Metals by EPA 6000/7000 Series Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0G26034: Prepared 07/26/00 Using EPA 3050B

Blank (0G26034-BLK1)

Cadmium	ND	1.25	mg/kg wet							
Lead	ND	2.50	"							

LCS (0G26034-BS1)

Cadmium	25.3	0.250	mg/kg wet	25.0		101	70-130			
Lead	26.9	0.500	"	25.0		108	80-120			

Matrix Spike (0G26034-MS1)

Source: B0G0501-01

Cadmium	15.4	0.822	mg/kg dry	20.0	ND	73.2	70-130			
Lead	25.5	1.64	"	20.0	6.85	93.3	70-130			

Matrix Spike Dup (0G26034-MSD1)

Source: B0G0501-01

Cadmium	15.0	0.822	mg/kg dry	20.0	ND	71.2	70-130	2.63	20	
Lead	21.2	1.64	"	20.0	6.85	71.8	70-130	18.4	20	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 11:42

Physical Parameters by APHA/ASTM/EPA Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0G26031: Prepared 07/26/00 Using Dry Weight

Blank (0G26031-BLK1)

Dry Weight	100	1.00	%							
------------	-----	------	---	--	--	--	--	--	--	--

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 9 of 10



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 11:42

Notes and Definitions

- D-09 Results in the diesel organics range are primarily due to overlap from a heavy oil range product.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 10 of 10

CHAIN OF CUSTODY REPORT

Work Order #: **BOG0501**

CLIENT: **FARALLON CONSULTING**
 REPORT TO: **MATT ESSIG**
 ADDRESS: **320 3rd Avenue NE, Suite 200**
Issaquah, WA 98027
 PHONE: **425-427-0001** FAX: **425-427-0007**

INVOICE TO:
 P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses
 10 7 5 4 3 2 1 <1

STD. Petroleum Hydrocarbon Analyses
 5 4 3 2 1 <1

STD. Please Specify
 OTHER

*Turnaround Requests less than standard may incur Rush Charges.

PROJECT NAME: **Marroc Auto Salvage**
 PROJECT NUMBER: **601-003-002**
 SAMPLED BY: **MATT ESSIG**

REQUESTED ANALYSES

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	TOTAL Pb/Pt/Cd	EPH-GOZO	UNIDENTIFIED	As/Silica Cont.
1. EX4-A2-SWQ-SSWCOMP <1.0'	7/26/00 0943	X	X	X	
2. EX4-A2-SWQ-WSWCOMP <1.0'	0946	X	X	X	
3. EX4-A2-SWQ-BOTTOMCOMP <1.0'	0950	X	X	X	
4. EX1-D1-SWQ (1.0E) -SSWCOMP <1.0'	1154	X	X	X	
5. EX1-D1-SWQ (1.0E) -BOTTOMCOMP <1.0'	1152	X	X	X	
6. EX1-CO-SWQ(S.O.N) -SSWCOMP <1.0'	1157	X	X	X	
7. EX1-CO-SWQ(S.O.N) -WSWCOMP <1.0'	1159	X	X	X	
8. EX1-CO-SWQ(S.O.N) -SSWCOMP <1.0'	1201	X	X	X	
9. EX1-CO-SWQ(S.O.N) -BOTTOMCOMP <1.0'	1203	X	X	X	
10.					
11.					
12.					
13.					
14.					
15.					

MATRIX (W, S, O)	# OF CONT.	COMMENTS	NCA WO ID
SOIL	3	BOG0501	01
	3		02
	4		03
	3		04
	3		05
	2		06
	3		07
	2		08
SOIL	3		09

Reloc
 to per client
 7/27 on
 24 hr TAT

SAMPLES WERE NOT @
 2-6C UPON RECEIPT

RELINQUISHED BY: **MATT ESSIG** DATE: **7/26/00**
 PRINT NAME: **MATT ESSIG** FIRM: **FARALLON** TIME: **1205**
 RELINQUISHED BY: **Ellen Tennis** DATE: **7-26-00**
 PRINT NAME: **Ellen Tennis** FIRM: **NCA** TIME: **1235**

RECEIVED BY: **Ellen Tennis** DATE: **7-26-00**
 PRINT NAME: **Ellen Tennis** FIRM: **NCA** TIME: **1205**
 RECEIVED BY: **Karla Kazdrowski** DATE: **7/26/00**
 PRINT NAME: **Karla Kazdrowski** FIRM: **NCA** TIME: **12:35**

ADDITIONAL REMARKS: **(X) Please make composite sample taken from equal parts (by weight) from each container. Hold TAT for analysis until further instructions.**

CHAIN OF CUSTODY REPORT

Work Order #: **BOGO481**

CLIENT: **FARALLON CONSULTING**
 REPORT TO: **MAT ESSI**
 ADDRESS: **320 3rd Avenue NE, Suite 200**
Issaquah, WA 98027
 PHONE: **425-427-0001** FAX: **425-427-0067**

INVOICE TO:
 P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses
 10 7 5 4 3 2 1 <1

STD. Petroleum Hydrocarbon Analyses
 5 4 3 2 1 <1

STD. Please Specify
 OTHER

*Turnaround Requests less than standard may incur Rush Charges.

PROJECT NAME: **Monroe Auto Salvage**
 PROJECT NUMBER: **601-003-002**
 SAMPLED BY: **MAT ESSI**

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	REQUESTED ANALYSES																		
		Total Pb & Cd	EPA-6030	NW TPA-Q																
1. EX2-B1-NEQ - C1.0' ^{WSWCOMP}	7/25/00 1355	X																		
2. EX2-B2-NEQ - e1.0' ^{NSWCOMP}	1359	X																		
3. EX2-B2-NEQ - e1.0' ^{BOTCOMP}	1402	X																		
4. EX2-B2-SEQ - e1.0' ^{WSWCOMP}	1405	X																		
5. EX2-B2-SEQ - e1.0' ^{SSWCOMP}	1407	X																		
6. EX2-B2-SEQ - e1.0' ^{BOTCOMP}	1410	✓																		
7. EX4-A1-SEQ - e1.0' ^{ESWCOMP}	1605	X																		
8. EX4-A1-SEQ - e1.0' ^{SSWCOMP}	1608	X																		
9. EX4-A1-SEQ - e1.0' ^{BOTCOMP}	1611	X																		
10. EX4-A1-NEQ - e1.0' ^{ESWCOMP}	1614	✓																		
11. EX4-A1-NEQ - e1.0' ^{NSWCOMP}	1617	X																		
12. EX4-A1-NEQ - e1.0' ^{BOTCOMP}	1620	X																		
13. EX4-A1-NWQ - e1.0' ^{NSWCOMP}	1623	X																		
14. EX4-A1-NWQ - e1.0' ^{WSWCOMP}	1626	X																		
15. EX4-A1-NWQ - e1.0' ^{BOTCOMP}	7/25/00 1630	X																		

MATRIX (W, S, O)	# OF CONT.	BOGO481 COMMENTS	NCA WO ID
SOIL	3	First Priority	01
}	3		02
	4		03
	3		04
	3		05
	4		06
	3	Second Priority	07
	3		08
	4		09
	3		10
	3		11
4		12	
3		13	
3		14	
SOIL	4	✓	15

RELINQUISHED BY: *[Signature]* DATE: **7/25/00**
 PRINT NAME: **MAT ESSI** FIRM: **FARALLON** TIME: **1720**

RELINQUISHED BY: DATE: TIME:
 PRINT NAME: FIRM: TIME:

RECEIVED BY: *[Signature]* DATE: **7/25/00**
 PRINT NAME: **KAREN KACOROWSKI** FIRM: **NCA** TIME: **17:20**

RECEIVED BY: DATE: TIME:
 PRINT NAME: FIRM: TIME:

ADDITIONAL REMARKS: **⊗ Please make composite sample from equal portions (by weight) from each canister. Hold TPH-Q analysis until further notice.**

COC REV 3/99 TEMP. 0
1.6 PAGE 1 OF

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/04/00 08:41
---	---	-----------------------------

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
EX4-BO-SEQ-BOTT COMP e1.0'	B0H0035-01	Soil	08/02/00 10:45	08/02/00 13:30
EX6-A1-SEQ-ESW COMP e1.0'	B0H0035-02	Soil	08/02/00 11:05	08/02/00 13:30
EX6-A1-SEQ-SSW COMP e1.0'	B0H0035-03	Soil	08/02/00 11:07	08/02/00 13:30
EX6-A1-SEQ-WSW COMP e1.0'	B0H0035-04	Soil	08/02/00 11:09	08/02/00 13:30
EX6-A1-SEQ-BOTT COMP e1.0'	B0H0035-05	Soil	08/02/00 11:11	08/02/00 13:30
EX6-A1-NWQ-WSW COMP e1.0'	B0H0035-06	Soil	08/02/00 11:13	08/02/00 13:30
EX6-A1-NWQ-SSW COMP e1.0'	B0H0035-07	Soil	08/02/00 11:15	08/02/00 13:30
EX6-A1-NWQ-NSW COMP e1.0'	B0H0035-08	Soil	08/02/00 11:17	08/02/00 13:30
EX6-A1-NWQ-BOTT COMP e1.0'	B0H0035-09	Soil	08/02/00 11:20	08/02/00 13:30

RECEIVED
AUG 08 2000
BY: _____

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Steve Davis, Project Manager



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 08:41

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX4-BO-SEQ-BOTT COMP e1.0' (B0H0035-01) Soil Sampled: 08/02/00 10:45 Received: 08/02/00 13:30									
Diesel Range Hydrocarbons	ND	10.0	mg/kg dry	1	0H02042	08/02/00	08/03/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	83.5 %	50-150			"	"	"	"	
EX6-A1-SEQ-ESW COMP e1.0' (B0H0035-02) Soil Sampled: 08/02/00 11:05 Received: 08/02/00 13:30									
Diesel Range Hydrocarbons	12.1	10.0	mg/kg dry	1	0H02042	08/02/00	08/03/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	30.0	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	70.1 %	50-150			"	"	"	"	
EX6-A1-SEQ-SSW COMP e1.0' (B0H0035-03) Soil Sampled: 08/02/00 11:07 Received: 08/02/00 13:30									
Diesel Range Hydrocarbons	ND	10.0	mg/kg dry	1	0H02042	08/02/00	08/03/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	74.7 %	50-150			"	"	"	"	
EX6-A1-SEQ-WSW COMP e1.0' (B0H0035-04) Soil Sampled: 08/02/00 11:09 Received: 08/02/00 13:30									
Diesel Range Hydrocarbons	15.7	10.0	mg/kg dry	1	0H02042	08/02/00	08/03/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	50.5	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	73.8 %	50-150			"	"	"	"	
EX6-A1-SEQ-BOTT COMP e1.0' (B0H0035-05) Soil Sampled: 08/02/00 11:11 Received: 08/02/00 13:30									
Diesel Range Hydrocarbons	ND	10.0	mg/kg dry	1	0H02042	08/02/00	08/03/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	72.2 %	50-150			"	"	"	"	
EX6-A1-NWQ-WSW COMP e1.0' (B0H0035-06) Soil Sampled: 08/02/00 11:13 Received: 08/02/00 13:30									
Diesel Range Hydrocarbons	16.3	10.0	mg/kg dry	1	0H02042	08/02/00	08/03/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	62.3	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	68.9 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 08:41

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX6-A1-NWQ-SSW COMP e1.0' (B0H0035-07) Soil Sampled: 08/02/00 11:15 Received: 08/02/00 13:30									
Diesel Range Hydrocarbons	ND	10.0	mg/kg dry	1	0H02042	08/02/00	08/03/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	86.4 %	50-150			"	"	"	"	
EX6-A1-NWQ-NSW COMP e1.0' (B0H0035-08) Soil Sampled: 08/02/00 11:17 Received: 08/02/00 13:30									
Diesel Range Hydrocarbons	125	10.0	mg/kg dry	1	0H02042	08/02/00	08/03/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	176	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	81.7 %	50-150			"	"	"	"	
EX6-A1-NWQ-BOTT COMP e1.0' (B0H0035-09) Soil Sampled: 08/02/00 11:20 Received: 08/02/00 13:30									
Diesel Range Hydrocarbons	36.3	10.0	mg/kg dry	1	0H02042	08/02/00	08/03/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	151	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	85.6 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 3 of 7



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 08:41

Physical Parameters by APHA/ASTM/EPA Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX4-BO-SEQ-BOTT COMP e1.0' (B0H0035-01) Soil Sampled: 08/02/00 10:45 Received: 08/02/00 13:30									
Dry Weight	92.2	1.00	%	1	0H02032	08/02/00	08/03/00	BSOPSPL003R07	
EX6-A1-SEQ-ESW COMP e1.0' (B0H0035-02) Soil Sampled: 08/02/00 11:05 Received: 08/02/00 13:30									
Dry Weight	83.9	1.00	%	1	0H02032	08/02/00	08/03/00	BSOPSPL003R07	
EX6-A1-SEQ-SSW COMP e1.0' (B0H0035-03) Soil Sampled: 08/02/00 11:07 Received: 08/02/00 13:30									
Dry Weight	84.4	1.00	%	1	0H02032	08/02/00	08/03/00	BSOPSPL003R07	
EX6-A1-SEQ-WSW COMP e1.0' (B0H0035-04) Soil Sampled: 08/02/00 11:09 Received: 08/02/00 13:30									
Dry Weight	84.0	1.00	%	1	0H02032	08/02/00	08/03/00	BSOPSPL003R07	
EX6-A1-SEQ-BOTT COMP e1.0' (B0H0035-05) Soil Sampled: 08/02/00 11:11 Received: 08/02/00 13:30									
Dry Weight	85.1	1.00	%	1	0H02032	08/02/00	08/03/00	BSOPSPL003R07	
EX6-A1-NWQ-WSW COMP e1.0' (B0H0035-06) Soil Sampled: 08/02/00 11:13 Received: 08/02/00 13:30									
Dry Weight	81.6	1.00	%	1	0H02032	08/02/00	08/03/00	BSOPSPL003R07	
EX6-A1-NWQ-SSW COMP e1.0' (B0H0035-07) Soil Sampled: 08/02/00 11:15 Received: 08/02/00 13:30									
Dry Weight	86.3	1.00	%	1	0H02032	08/02/00	08/03/00	BSOPSPL003R07	
EX6-A1-NWQ-NSW COMP e1.0' (B0H0035-08) Soil Sampled: 08/02/00 11:17 Received: 08/02/00 13:30									
Dry Weight	79.7	1.00	%	1	0H02032	08/02/00	08/03/00	BSOPSPL003R07	
EX6-A1-NWQ-BOTT COMP e1.0' (B0H0035-09) Soil Sampled: 08/02/00 11:20 Received: 08/02/00 13:30									
Dry Weight	88.2	1.00	%	1	0H02032	08/02/00	08/03/00	BSOPSPL003R07	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/04/00 08:41
---	---	-----------------------------

Semivolatle Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0H02042: Prepared 08/02/00 Using EPA 3550B

Blank (0H02042-BLK1)

Diesel Range Hydrocarbons	ND	10.0	mg/kg wet							
Lube Oil Range Hydrocarbons	ND	25.0	"							
Surrogate: 2-FBP	9.38		"	12.2		76.9	50-150			

LCS (0H02042-BS1)

Diesel Range Hydrocarbons	59.7	10.0	mg/kg wet	66.2		90.2	60-140			
Surrogate: 2-FBP	9.06		"	12.2		74.3	50-150			

Duplicate (0H02042-DUP1)

Source: B0H0018-02

Diesel Range Hydrocarbons	160	10.0	mg/kg dry		173			7.81	50	
Lube Oil Range Hydrocarbons	634	25.0	"		745			16.1	50	
Surrogate: 2-FBP	11.1		"	14.1		78.7	50-150			

Duplicate (0H02042-DUP2)

Source: B0H0035-01

Diesel Range Hydrocarbons	ND	10.0	mg/kg dry		ND			12.0	50	
Lube Oil Range Hydrocarbons	ND	25.0	"		ND			19.1	50	
Surrogate: 2-FBP	10.6		"	13.1		80.9	50-150			

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/04/00 08:41
---	---	------------------------------------

Physical Parameters by APHA/ASTM/EPA Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0H02032: Prepared 08/02/00 Using Dry Weight

Blank (0H02032-BLK1)

Dry Weight	100	1.00	%							
------------	-----	------	---	--	--	--	--	--	--	--

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 6 of 7



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Parallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 08:41

Notes and Definitions

- D-09 Results in the diesel organics range are primarily due to overlap from a heavy oil range product.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



18900 1st Ave, Suite 100, Bothell, WA 98011-3233 (206) 425-4270 FAX 210
 East 1115 Montgomery, Suite B, Spokane, WA 98206-4776 (509) 924-9200 FAX 924-9290
 9405 S.W. Nimbus Avenue, Beaverton, OR 97008-7132 (503) 906-9200 FAX 906-9210
 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711 (541) 383-9310 FAX 382-7588

CHAIN OF CUSTODY REPORT

Work Order #: **BO110035**

CLIENT: **FARALLON CONSULTING**
 REPORT TO: **MATT ESSIG**
 ADDRESS: **320 8th Avenue NE, Suite 200**
ISSAQUAH, WA 98027
 PHONE: **425-427-0061** FAX: **425-427-0067**

INVOICE TO:
 P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses
 10 7 5 4 3 2 1 <1

STD. Petroleum Hydrocarbon Analysis
 5 4 3 2 1 <1

STD. OTHER Please Specify

*Turnaround Requests less than standard may incur Rush Charges.

PROJECT NAME: **HONDE AUTO SALVAGE**
 PROJECT NUMBER: **601-003-002**
 SAMPLED BY: **MATT ESSIG**

REQUESTED ANALYSES

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	TOP SOIL 0-1cm	SWAMP 1-2cm	NWTPH-0x													
1. EXG-80-SEQ - BOTTCAMP 0-1.0'	8/2/00 1045			X													
2. EXG-A1-SEQ - SWAMP 0-1.0'	1105			X													
3. EXG-A1-SEQ - SWAMP 0-1.0'				X													
4. EXG-A1-SEQ - SWAMP 0-1.0'				X													
5. EXG-A1-SEQ - BOTTCAMP 0-1.0'				X													
6. EXG-A1-NWR - SWAMP 0-1.0'				X													
7. EXG-A1-NWR - SWAMP 0-1.0'				X													
8. EXG-A1-NWR - SWAMP 0-1.0'				X													
9. EXG-A1-NWR - BOTTCAMP 0-1.0'		8/2/00 1120			X												
10.																	
11.																	
12.																	
13.																	
14.																	
15.																	

MATRIX (W, S, O)	# OF CONT.	COMMENTS	NCA WO ID
SOIL	4	BO110035	01
}	2		02
	2		03
	2		04
	4		05
	2		06
	2		07
	2		08
SOIL	4		09

RELINQUISHED BY: **MATT ESSIG** DATE: **8/2/00**
 PRINT NAME: **MATT ESSIG** FIRM: **FARALLON** TIME: **1245**

RELINQUISHED BY: **Brian K. Rolfe** DATE: **8/2/00**
 PRINT NAME: **Brian K. Rolfe** FIRM: **North Creek Analytical** TIME: **1:30**

RECEIVED BY: **Brian K. Rolfe** DATE: **8/2/00**
 PRINT NAME: **Brian K. Rolfe** FIRM: **North Creek Analytical** TIME: **12:45**

RECEIVED BY: **Karla Kuczkowski** DATE: **8/2/00**
 PRINT NAME: **Karla Kuczkowski** FIRM: **NCA** TIME: **13:30**

ADDITIONAL REMARKS: **Ⓢ Make composite sample from equal portions (by weight) from each container**



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/16/00 11:36

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
EX-WH'-SQ-SSW COMP e1.0'	B0H0076-01	Soil	08/03/00 10:10	08/03/00 17:00
EX-WH'-SQ-WSW COMP e1.0'	B0H0076-02	Soil	08/03/00 10:12	08/03/00 17:00
EX-WH'-NQ-NSW COMP e2.0'	B0H0076-03	Soil	08/03/00 10:14	08/03/00 17:00
EX-WH'-NQ-WSW COMP e2.0'	B0H0076-04	Soil	08/03/00 10:16	08/03/00 17:00
EX-WH'-NQ-BOTT COMP e2.0'	B0H0076-05	Soil	08/03/00 10:18	08/03/00 17:00
EX2-A2-SEQ''-SSW COMP e2.0'	B0H0076-06	Soil	08/03/00 11:32	08/03/00 17:00
EX2-A2-SEQ-BOTT COMP e2.0'	B0H0076-07	Soil	08/03/00 11:35	08/03/00 17:00
EX2-A2-SEQ'-BOTT COMP e2.0'	B0H0076-08	Soil	08/03/00 16:15	08/03/00 17:00
EX2-A2-SWQ'-BOTT COMP e2.0'	B0H0076-09	Soil	08/03/00 15:13	08/03/00 17:00
EX2-A2-SEQ''-BOTT COMP e2.0'	B0H0076-10	Soil	08/03/00 15:16	08/03/00 17:00

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 1 of 14



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/16/00 11:36
---	---	-----------------------------

**Total Metals by EPA 6000/7000 Series Methods
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX-WH'-SQ-SSW COMP e1.0' (B0H0076-01) Soil Sampled: 08/03/00 10:10 Received: 08/03/00 17:00									
Cadmium	ND	0.806	mg/kg dry	5	0H03038	08/03/00	08/04/00	EPA 6020	
Lead	64.2	1.61	"	"	"	"	"	"	
EX-WH'-SQ-WSW COMP e1.0' (B0H0076-02) Soil Sampled: 08/03/00 10:12 Received: 08/03/00 17:00									
Cadmium	ND	0.806	mg/kg dry	5	0H03038	08/03/00	08/04/00	EPA 6020	
Lead	58.3	1.61	"	"	"	"	"	"	
EX-WH'-NQ-NSW COMP e2.0' (B0H0076-03) Soil Sampled: 08/03/00 10:14 Received: 08/03/00 17:00									
Cadmium	1.08	0.806	mg/kg dry	5	0H03038	08/03/00	08/04/00	EPA 6020	
Lead	169	1.61	"	"	"	"	"	"	
EX-WH'-NQ-WSW COMP e2.0' (B0H0076-04) Soil Sampled: 08/03/00 10:16 Received: 08/03/00 17:00									
Cadmium	0.902	0.806	mg/kg dry	5	0H03038	08/03/00	08/04/00	EPA 6020	
Lead	118	1.61	"	"	"	"	"	"	
EX-WH'-NQ-BOTT COMP e2.0' (B0H0076-05) Soil Sampled: 08/03/00 10:18 Received: 08/03/00 17:00									
Cadmium	ND	0.806	mg/kg dry	5	0H03038	08/03/00	08/04/00	EPA 6020	
Lead	13.1	1.61	"	"	"	"	"	"	
EX2-A2-SEQ''-SSW COMP e2.0' (B0H0076-06) Soil Sampled: 08/03/00 11:32 Received: 08/03/00 17:00									
Cadmium	1.96	0.806	mg/kg dry	5	0H03038	08/03/00	08/04/00	EPA 6020	
Lead	71.8	1.61	"	"	"	"	"	"	
EX2-A'2-SEQ-BOTT COMP e2.0' (B0H0076-07) Soil Sampled: 08/03/00 11:35 Received: 08/03/00 17:00									
Cadmium	2.72	0.806	mg/kg dry	5	0H03038	08/03/00	08/04/00	EPA 6020	
Lead	348	1.61	"	"	"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99208-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/16/00 11:36

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A2-SEQ'-BOTT COMP e2.0' (B0H0076-08) Soil Sampled: 08/03/00 16:15 Received: 08/03/00 17:00									
Cadmium	2.06	0.806	mg/kg dry	5	0H03038	08/03/00	08/04/00	EPA 6020	
Lead	370	1.61	"	"	"	"	"	"	
EX2-A2-SWQ'-BOTT COMP e2.0' (B0H0076-09) Soil Sampled: 08/03/00 15:13 Received: 08/03/00 17:00									
Cadmium	2.38	0.806	mg/kg dry	5	0H03038	08/03/00	08/04/00	EPA 6020	
Lead	125	1.61	"	"	"	"	"	"	
EX2-A2-SEQ''-BOTT COMP e2.0' (B0H0076-10) Soil Sampled: 08/03/00 15:16 Received: 08/03/00 17:00									
Cadmium	2.07	0.806	mg/kg dry	5	0H03038	08/03/00	08/04/00	EPA 6020	
Lead	2770	16.1	"	50	"	"	08/04/00	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/16/00 11:36
---	---	------------------------------------

Physical Parameters by APHA/ASTM/EPA Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								

EX2-A2-SEQ''-BOTT COMP e2.0' (B0H0076-10) Soil Sampled: 08/03/00 15:16 Received: 08/03/00 17:00										
Dry Weight	92.2	1.00	%		1	0H03037	08/03/00	08/04/00	BSOPSPL003R07	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/16/00 11:36

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0H04025: Prepared 08/04/00 Using EPA 3550B

Blank (0H04025-BLK1)

Diesel Range Hydrocarbons	ND	10.0	mg/kg wet							
Lube Oil Range Hydrocarbons	ND	25.0	"							
Surrogate: 2-FBP	8.06		"	12.2		66.1	50-150			

LCS (0H04025-BS1)

Diesel Range Hydrocarbons	55.4	10.0	mg/kg wet	66.4		83.4	60-140			
Surrogate: 2-FBP	9.29		"	12.2		76.1	50-150			

Duplicate (0H04025-DUP1)

Source: BOH0076-06

Diesel Range Hydrocarbons	266	30.0	mg/kg dry		301			12.3	50	
Lube Oil Range Hydrocarbons	767	75.0	"		660			15.0	50	
Surrogate: 2-FBP	8.87		"	14.5		61.2	50-150			

Duplicate (0H04025-DUP2)

Source: BOH0081-03

Diesel Range Hydrocarbons	ND	10.0	mg/kg dry		ND				50	
Lube Oil Range Hydrocarbons	ND	25.0	"		ND			47.7	50	
Surrogate: 2-FBP	8.16		"	14.7		55.5	50-150			

Batch 0H08019: Prepared 08/08/00 Using EPA 3550B

Blank (0H08019-BLK1)


Diesel Range Hydrocarbons	ND	10.0	mg/kg wet							
Lube Oil Range Hydrocarbons	ND	25.0	"							
Surrogate: 2-FBP	6.97		"	12.2		57.1	50-150			

LCS (0H08019-BS1)

Diesel Range Hydrocarbons	58.2	10.0	mg/kg wet	66.7		87.3	60-140			
Surrogate: 2-FBP	9.98		"	12.2		81.8	50-150			

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 9 of 14



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/16/00 11:36
---	---	-----------------------------

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0H08019: Prepared 08/08/00 Using EPA 3550B

Duplicate (0H08019-DUP1)				Source: BOH0049-05						
Diesel Range Hydrocarbons	120	50.0	mg/kg dry		124			3.28	50	
Lube Oil Range Hydrocarbons	547	125	"		548			0.183	50	
Surrogate: 2-FBP	7.10		"	13.6		52.2	50-150			

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/16/00 11:36

Semivolatile Petroleum Products by NWTPH-Dx with Acid/Silica Gel Clean-up - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	--------	-----	-----------	-------

Batch 0H14049: Prepared 08/14/00 Using EPA 3550B

Blank (0H14049-BLK1)

Diesel Range Hydrocarbons ND 10.0 mg/kg wet

Lube Oil Range Hydrocarbons ND 25.0 "

Surrogate: 2-FBP 8.78 " 10.7 82.1 50-150

LCS (0H14049-BS1)

Diesel Range Hydrocarbons 58.1 10.0 mg/kg wet 66.7 87.1 50-150

Surrogate: 2-FBP 8.94 " 10.7 83.6 50-150

Duplicate (0H14049-DUP1)

Source: B0H0076-09

Diesel Range Hydrocarbons 262 10.0 mg/kg dry 323 20.9 50

Lube Oil Range Hydrocarbons 585 25.0 " 660 12.0 50

Surrogate: 2-FBP 9.98 " 11.6 86.0 50-150

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/16/00 11:36

Total Metals by EPA 6000/7000 Series Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	Limits	RPD	RPD Limit	Notes
Batch 0H03038: Prepared 08/03/00 Using EPA 3050B										
Blank (0H03038-BLK1)										
Cadmium	ND	1.25	mg/kg wet							
Lead	ND	2.50	"							
LCS (0H03038-BS1)										
Cadmium	25.5	0.250	mg/kg wet	25.0		102	70-130			
Lead	25.7	0.500	"	25.0		103	80-120			
Matrix Spike (0H03038-MS1) Source: B0H0076-05										
Cadmium	15.9	0.806	mg/kg dry	18.4	ND	85.3	70-130			
Lead	30.4	1.61	"	18.4	13.1	94.0	70-130			
Matrix Spike Dup (0H03038-MSD1) Source: B0H0076-05										
Cadmium	18.2	0.806	mg/kg dry	18.4	ND	97.8	70-130	13.5	20	
Lead	78.4	1.61	"	18.4	13.1	355	70-130	88.2	20	Q-15

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/16/00 11:36

Physical Parameters by APHA/ASTM/EPA Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0H03037: Prepared 08/03/00 Using Dry Weight

Blank (0H03037-BLK1)

Dry Weight	100	1.00	%							
------------	-----	------	---	--	--	--	--	--	--	--

North Creek Analytical - Bothell

The results in this report apply to the samples analysed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Farallon Consulting LLC
320 Third Avenue NE, Suite 200
Issaquah WA, 98027


Project: Monroe Auto Salvage
Project Number: 601-003-002
Project Manager: Matthew Essig

Reported:
08/16/00 11:36

Notes and Definitions

- D-09 Results in the diesel organics range are primarily due to overlap from a heavy oil range product.
- Q-15 Analyses are not controlled on matrix spike RPD and/or percent recoveries when the sample concentration is significantly higher than the spike level.
- S9 The secondary surrogate has been used to control the analysis, due to the reduction of the primary surrogate by sample dilution.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

North Creek Analytical - Bothell



Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CHAIN OF CUSTODY REPORT

Work Order #: **BOH0076**

CLIENT: **FARALLON CONSULTING**
REPORT TO: **MATTHEW**
ADDRESS: **320 3rd AVENUE NE, SUITE 200**
ISSAQUAH, WA 98027
PHONE: **425-427-0001** FAX: **425-427-0007**

INVOICE TO:

P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses
 10 7 5 4 3 2 1 <1

STD. Petroleum Hydrocarbon Analyses
 5 4 3 2 1 <1

STD. OTHER Please Specify

OTHER

*Turnaround Requests less than standard may incur Rush Charges.

PROJECT NAME: **MOORHEAD AND SALVAGE**
PROJECT NUMBER: **601-003-002**
SAMPLED BY: **MATTHEW**

REQUESTED ANALYSES

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	EMT Contd Test Pb & Cd																	
1. EX-WH ¹ -SQ-SSWCOMF 1.0'	8/3/00 1010	X																	
2. EX-WH ¹ -SQ-WSWCOMF 1.0'	1012	X																	
3. EX-WH ¹ -BQ-NSWCOMF 2.0'		1014	X																
4. EX-WH ¹ -NQ-WSWCOMF 2.0'		1016	X																
5. EX-WH ¹ -NQ-BOTCOMF 2.0'		1018	X																
6. EXZ-AZ-SEQ ¹ -SSWCOMF 2.0'		1132	X																
7. EXZ-AZ-SEQ ¹ -BOTCOMF 2.0'		1135	X																
8. EXZ-AZ-SEQ ¹ -BOTCOMF 2.0'		1615	X																
9. EXZ-AZ-SWQ ¹ -BOTCOMF 2.0'		1513	X																
10. EXZ-AZ-SEQ ¹ -BOTCOMF 2.0'		8/3/00 1516	X																
11.																			
12.																			
13.																			
14.																			
15.																			

MATRIX (W, S, O)	# OF CONT.	COMMENTS	NCA WORK ID
SOIL	2	BOH0076	01
}	3		02
	2		03
	3		04
	4		05
	3		06
	4		07
	4		08
	4		09
SOIL	4		10

RELINQUISHED BY: **[Signature]** DATE: **8/3/00**
PRINT NAME: **MATTHEW** FIRM: **FARALLON** TIME: **1700**

RECEIVED BY: **[Signature]** DATE: **8/3/00**
PRINT NAME: **Karla Kaczorowski** FIRM: **NCA** TIME: **17:00**

ADDITIONAL REMARKS: **⊗ Make composite sample from equal parts (by weight) taken from each container. HCCD TPH-Px analysis pending Pb & Cd Results.**



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97006-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/16/00 11:08

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
EX2-A2-SEQ'-ESW COMP e2.0'	B0H0049-01	Soil	08/02/00 15:26	08/02/00 16:25
EX2-A2-SEQ'-SSW COMP e2.0'	B0H0049-02	Soil	08/02/00 15:28	08/02/00 16:25
EX2-A2-SWQ'-SSW COMP e2.0'	B0H0049-03	Soil	08/02/00 15:30	08/02/00 16:25
EX2-A'2-SEQ-SSW COMP e2.0'	B0H0049-04	Soil	08/02/00 15:32	08/02/00 16:25
EX2-A'2-SEQ-WSW COMP e2.0'	B0H0049-05	Soil	08/02/00 15:34	08/02/00 16:25
EX2-A'2-SEQ-NSW COMP e2.0'	B0H0049-06	Soil	08/02/00 15:36	08/02/00 16:25

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig


Reported:
 08/16/00 11:08

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A2-SWQ'-SSW COMP e2.0' (B0H0049-03) Soil Sampled: 08/02/00 15:30 Received: 08/02/00 16:25									
Diesel Range Hydrocarbons	318	10.0	mg/kg dry	1	0H03025	08/03/00	08/04/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	482	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	98.6 %	50-150			"	"	"	"	
EX2-A'2-SEQ-SSW COMP e2.0' (B0H0049-04) Soil Sampled: 08/02/00 15:32 Received: 08/02/00 16:25									
Diesel Range Hydrocarbons	1230	410	mg/kg dry	41	0H08019	08/08/00	08/09/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	2880	1030	"	"	"	"	"	"	
Surrogate: 2-FBP	%	50-150			"	"	"	"	S-01
EX2-A'2-SEQ-WSW COMP e2.0' (B0H0049-05) Soil Sampled: 08/02/00 15:34 Received: 08/02/00 16:25									
Diesel Range Hydrocarbons	124	50.0	mg/kg dry	5	0H08019	08/08/00	08/09/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	548	125	"	"	"	"	"	"	
Surrogate: 2-FBP	45.4 %	50-150			"	"	"	"	S9
Surrogate: Octacosane	54.1 %	50-150			"	"	"	"	
EX2-A'2-SEQ-NSW COMP e2.0' (B0H0049-06) Soil Sampled: 08/02/00 15:36 Received: 08/02/00 16:25									
Diesel Range Hydrocarbons	69.3	10.0	mg/kg dry	1	0H03025	08/03/00	08/04/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	196	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	87.2 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Steve Davis, Project Manager



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/16/00 11:08

Semivolatile Petroleum Products by NWTPH-Dx with Acid/Silica Gel Clean-up
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A2-SEQ'-ESW COMP e2.0' (B0H0049-01) Soil Sampled: 08/02/00 15:26 Received: 08/02/00 16:25									
Diesel Range Hydrocarbons	796	50.0	mg/kg dry	5	0H14049	08/14/00	08/15/00	NWTPH-Dx SG	D-09
Lube Oil Range Hydrocarbons	2280	125	"	"	"	"	"	"	"
Surrogate: 2-FBP	52.1 %	50-150			"	"	"	"	
EX2-A'2-SEQ-SSW COMP e2.0' (B0H0049-04) Soil Sampled: 08/02/00 15:32 Received: 08/02/00 16:25									
Diesel Range (SGCU)	829	110	mg/kg dry	11	0H11016	08/08/00	08/11/00	NWTPH-Dx	
Lube Oil Range (SGCU)	1530	275	"	"	"	"	"	"	
Surrogate: Octacosane (SGCU)	84.0 %	50-150			"	"	08/11/00	"	S9
EX2-A'2-SEQ-WSW COMP e2.0' (B0H0049-05) Soil Sampled: 08/02/00 15:34 Received: 08/02/00 16:25									
Diesel Range (SGCU)	77.7	10.0	mg/kg dry	1	0H11016	08/08/00	08/12/00	NWTPH-Dx	D-09
Lube Oil Range (SGCU)	372	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP (SGCU)	53.5 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/16/00 11:08

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A2-SEQ'-ESW COMP e2.0' (B0H0049-01) Soil Sampled: 08/02/00 15:26 Received: 08/02/00 16:25									
Cadmium	2.47	1.67	mg/kg dry	5	0H02045	08/02/00	08/02/00	EPA 6020	
Lead	233	1.67	"	"	"	"	"	"	
EX2-A2-SEQ'-SSW COMP e2.0' (B0H0049-02) Soil Sampled: 08/02/00 15:28 Received: 08/02/00 16:25									
Cadmium	9.10	1.67	mg/kg dry	5	0H02045	08/02/00	08/02/00	EPA 6020	
Lead	810	3.33	"	10	"	"	08/03/00	"	
EX2-A2-SWQ'-SSW COMP e2.0' (B0H0049-03) Soil Sampled: 08/02/00 15:30 Received: 08/02/00 16:25									
Cadmium	ND	1.67	mg/kg dry	5	0H02045	08/02/00	08/02/00	EPA 6020	
Lead	57.1	1.67	"	"	"	"	"	"	
EX2-A'2-SEQ-SSW COMP e2.0' (B0H0049-04) Soil Sampled: 08/02/00 15:32 Received: 08/02/00 16:25									
Cadmium	3.17	1.67	mg/kg dry	5	0H02045	08/02/00	08/03/00	EPA 6020	
Lead	236	1.67	"	"	"	"	"	"	
EX2-A'2-SEQ-WSW COMP e2.0' (B0H0049-05) Soil Sampled: 08/02/00 15:34 Received: 08/02/00 16:25									
Cadmium	2.25	1.67	mg/kg dry	5	0H02045	08/02/00	08/03/00	EPA 6020	
Lead	202	1.67	"	"	"	"	"	"	
EX2-A'2-SEQ-NSW COMP e2.0' (B0H0049-06) Soil Sampled: 08/02/00 15:36 Received: 08/02/00 16:25									
Cadmium	ND	1.67	mg/kg dry	5	0H02045	08/02/00	08/03/00	EPA 6020	
Lead	65.9	1.67	"	"	"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 4 of 11



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/16/00 11:08

Physical Parameters by APHA/ASTM/EPA Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A2-SEQ'-ESW COMP e2.0' (B0H0049-01) Soil Sampled: 08/02/00 15:26 Received: 08/02/00 16:25									
Dry Weight	92.6	1.00	%	1	0H02044	08/02/00	08/03/00	BSOPSPL003R07	
EX2-A2-SEQ'-SSW COMP e2.0' (B0H0049-02) Soil Sampled: 08/02/00 15:28 Received: 08/02/00 16:25									
Dry Weight	87.9	1.00	%	1	0H02044	08/02/00	08/03/00	BSOPSPL003R07	
EX2-A2-SWQ'-SSW COMP e2.0' (B0H0049-03) Soil Sampled: 08/02/00 15:30 Received: 08/02/00 16:25									
Dry Weight	86.4	1.00	%	1	0H02044	08/02/00	08/03/00	BSOPSPL003R07	
EX2-A'2-SEQ-SSW COMP e2.0' (B0H0049-04) Soil Sampled: 08/02/00 15:32 Received: 08/02/00 16:25									
Dry Weight	91.7	1.00	%	1	0H02044	08/02/00	08/03/00	BSOPSPL003R07	
EX2-A'2-SEQ-WSW COMP e2.0' (B0H0049-05) Soil Sampled: 08/02/00 15:34 Received: 08/02/00 16:25									
Dry Weight	89.9	1.00	%	1	0H02044	08/02/00	08/03/00	BSOPSPL003R07	
EX2-A'2-SEQ-NSW COMP e2.0' (B0H0049-06) Soil Sampled: 08/02/00 15:36 Received: 08/02/00 16:25									
Dry Weight	82.5	1.00	%	1	0H02044	08/02/00	08/03/00	BSOPSPL003R07	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/16/00 11:08

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0H03025: Prepared 08/03/00 Using EPA 3550B

Blank (0H03025-BLK1)

Diesel Range Hydrocarbons	ND	10.0	mg/kg wet							
Lube Oil Range Hydrocarbons	ND	25.0	"							

Surrogate: 2-FBP	9.81		"	12.2		80.4	50-150			
------------------	------	--	---	------	--	------	--------	--	--	--

LCS (0H03025-BS1)

Diesel Range Hydrocarbons	61.9	10.0	mg/kg wet	66.7		92.8	60-140			
---------------------------	------	------	-----------	------	--	------	--------	--	--	--

Surrogate: 2-FBP	11.1		"	12.2		91.0	50-150			
------------------	------	--	---	------	--	------	--------	--	--	--

LCS Dup (0H03025-BSD1)

Diesel Range Hydrocarbons	59.3	10.0	mg/kg wet	66.7		88.9	60-140	4.29	40	
---------------------------	------	------	-----------	------	--	------	--------	------	----	--

Surrogate: 2-FBP	11.9		"	12.2		97.5	50-150			
------------------	------	--	---	------	--	------	--------	--	--	--

Duplicate (0H03025-DUP1)

Source: B0H0049-06

Diesel Range Hydrocarbons	56.6	10.0	mg/kg dry		69.3			20.2	50	
Lube Oil Range Hydrocarbons	147	25.0	"		196			28.6	50	

Surrogate: 2-FBP	11.8		"	14.8		79.7	50-150			
------------------	------	--	---	------	--	------	--------	--	--	--

Batch 0H08019: Prepared 08/08/00 Using EPA 3550B

Blank (0H08019-BLK1)

Diesel Range Hydrocarbons	ND	10.0	mg/kg wet							
Lube Oil Range Hydrocarbons	ND	25.0	"							

Surrogate: 2-FBP	6.97		"	12.2		57.1	50-150			
------------------	------	--	---	------	--	------	--------	--	--	--

LCS (0H08019-BS1)

Diesel Range Hydrocarbons	58.2	10.0	mg/kg wet	66.7		87.3	60-140			
---------------------------	------	------	-----------	------	--	------	--------	--	--	--

Surrogate: 2-FBP	9.98		"	12.2		81.8	50-150			
------------------	------	--	---	------	--	------	--------	--	--	--

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 6 of 11



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/16/00 11:08

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0H08019: Prepared 08/08/00 Using EPA 3550B

Duplicate (0H08019-DUP1)

Source: B0H0049-05

Diesel Range Hydrocarbons	120	50.0	mg/kg dry		124			3.28	50	
Lube Oil Range Hydrocarbons	547	125	"		548			0.183	50	
Surrogate: 2-FBP	7.10		"	13.6		52.2	50-150			

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 7 of 11



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/16/00 11:08
---	---	-----------------------------

**Semivolatile Petroleum Products by NWTPH-Dx with Acid/Silica Gel Clean-up - Quality Control
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	--------	-----	-----------	-------

Batch 0H11016: Prepared 08/09/00 Using EPA 3550B

Blank (0H11016-BLK1)

Diesel Range (SGCU)	ND	10.0	mg/kg wet							
Lube Oil Range (SGCU)	ND	25.0	"							
Surrogate: 2-FBP (SGCU)	7.31		"	12.2		59.9	50-150			

LCS (0H11016-BS1)

Diesel Range (SGCU)	46.2	10.0	mg/kg wet	66.7		69.3	50-150			
Surrogate: 2-FBP (SGCU)	8.50		"	12.2		69.7	50-150			

Duplicate (0H11016-DUP1)

Source: B0H0049-05

Diesel Range (SGCU)	76.7	10.0	mg/kg dry		77.7			1.30	50	
Lube Oil Range (SGCU)	358	25.0	"		372			3.84	50	
Surrogate: 2-FBP (SGCU)	8.47		"	13.6		62.3	50-150			

Batch 0H14049: Prepared 08/14/00 Using EPA 3550B

Blank (0H14049-BLK1)

Diesel Range Hydrocarbons	ND	10.0	mg/kg wet							
Lube Oil Range Hydrocarbons	ND	25.0	"							
Surrogate: 2-FBP	8.78		"	10.7		82.1	50-150			

LCS (0H14049-BS1)

Diesel Range Hydrocarbons	58.1	10.0	mg/kg wet	66.7		87.1	50-150			
Surrogate: 2-FBP	8.94		"	10.7		83.6	50-150			

Duplicate (0H14049-DUP1)

Source: B0H0076-09

Diesel Range Hydrocarbons	262	10.0	mg/kg dry		323			20.9	50	
Lube Oil Range Hydrocarbons	585	25.0	"		660			12.0	50	
Surrogate: 2-FBP	9.98		"	11.6		86.0	50-150			

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/16/00 11:08

Total Metals by EPA 6000/7000 Series Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 0H02045: Prepared 08/02/00 Using EPA 3050B										
Blank (0H02045-BLK1)										
Cadmium	ND	2.50	mg/kg wet							
Lead	ND	2.50	"							
LCS (0H02045-BS1)										
Cadmium	26.3	0.500	mg/kg wet	25.0		105	70-130			
Lead	26.4	0.500	"	25.0		106	80-120			
Matrix Spike (0H02045-MS1) Source: BOH0049-06										
Cadmium	20.0	1.66	mg/kg dry	20.1	ND	94.5	70-130			
Lead	138	1.66	"	20.1	65.9	359	70-130			Q-15
Matrix Spike Dup (0H02045-MSD1) Source: BOH0049-06										
Cadmium	19.9	1.63	mg/kg dry	19.8	ND	95.5	70-130	0.501	20	
Lead	103	1.63	"	19.8	65.9	187	70-130	29.0	20	Q-15

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/16/00 11:08

Physical Parameters by APHA/ASTM/EPA Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 0H02044: Prepared 08/02/00 Using Dry Weight										
Blank (0H02044-BLK1)										
Dry Weight	100	1.00	%							

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Farallon Consulting LLC
320 Third Avenue NE, Suite 200
Issaquah WA, 98027

Project: Monroe Auto Salvage
Project Number: 601-003-002
Project Manager: Matthew Essig

Reported:
08/16/00 11:08

Notes and Definitions

- D-09 Results in the diesel organics range are primarily due to overlap from a heavy oil range product.
- Q-15 Analyses are not controlled on matrix spike RPD and/or percent recoveries when the sample concentration is significantly higher than the spike level.
- S-01 The surrogate recovery for this sample is not available due to sample dilution required from high analyte concentration and/or matrix interferences.
- S9 The secondary surrogate has been used to control the analysis, due to the reduction of the primary surrogate by sample dilution.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported *
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 11 of 11

CHAIN OF CUSTODY REPORT

Work Order #: **BOH0049**

CLIENT: **FARALLON CONSULTING**
REPORT TO: **MATT ESSIG**
ADDRESS: **320 3rd Avenue NE, Suite 200
ISSAQUAH, WA 98027**
PHONE: **425-427-0061** FAX: **425-427-0067**

INVOICE TO:

P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses
 10 7 5 4 3 2 1 <1

STD. Petroleum Hydrocarbon Analyses
 5 4 3 2 1 <1

STD. Please Specify
 OTHER _____

PROJECT NAME: **Henroc Auto Salvage**
PROJECT NUMBER: **601-003-002**
SAMPLED BY: **MATT ESSIG**

REQUESTED ANALYSES

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	EST-6020 7/26/16 r/c	NWTH-H-Dx	REQUESTED ANALYSES
1. EXZ-A2-SEQ ¹ - 2.0' ^{ESW/CHP}	8/2/00 1526	X		
2. EXZ-A2-SEQ ¹ - 2.0' ^{SSW/CHP}	1528	X		
3. EXZ-A2-SEQ ¹ - 2.0' ^{SSW/CHP}	1530	X		
4. EXZ-A2-SEQ ¹ - 2.0' ^{SSW/CHP}	1532	X		
5. EXZ-A2-SEQ ¹ - 2.0' ^{WSW/CHP}	1534	X		
6. EXZ-A2-SEQ ¹ - 2.0' ^{WSW/CHP}	8/2/00 1536	X		
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				

MATRIX (W, S, O)	# OF CONT.	COMMENTS	NCA WORK ID
SOIL	2	BOH0049 -	01
	2		02
	3		03
	2		04
	3		05
SOIL	2		06

RELINQUISHED BY: **THOMAS LEIJ** DATE: **8/2/00** RECEIVED BY: **Karla Koczorowski** DATE: **8/2/00**
 PRINT NAME: **MATT ESSIG** FIRM: **FARALLON** TIME: **1625** PRINT NAME: **Karla Koczorowski** FIRM: **NCA** TIME: **16:25**
 RELINQUISHED BY: DATE: RECEIVED BY: DATE:
 PRINT NAME: FIRM: TIME: PRINT NAME: FIRM: TIME:

ADDITIONAL REMARKS: **⊗ Please make composite sample taken from equal parts (by weight) from each container. Hold NWTH-H-Dx analyses pending PCB Cd results.**

TEMP: **22.2** PAGE 1 OF 1



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Fa Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/04/00 15:13
---	---	-----------------------------

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
EX2-A2-SEQ'-ESW COMP e2.0'	B0H0049-01	Soil	08/02/00 15:26	08/02/00 16:25
EX2-A2-SEQ'-SSW COMP e2.0'	B0H0049-02	Soil	08/02/00 15:28	08/02/00 16:25
EX2-A2-SWQ'-SSW COMP e2.0'	B0H0049-03	Soil	08/02/00 15:30	08/02/00 16:25
EX2-A'2-SEQ-SSW COMP e2.0'	B0H0049-04	Soil	08/02/00 15:32	08/02/00 16:25
EX2-A'2-SEQ-WSW COMP e2.0'	B0H0049-05	Soil	08/02/00 15:34	08/02/00 16:25
EX2-A'2-SEQ-NSW COMP e2.0'	B0H0049-06	Soil	08/02/00 15:36	08/02/00 16:25

RECEIVED

AUG 08 2000

BY: _____

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99208-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 15:13

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A2-SEQ'-ESW COMP e2.0' (B0H0049-01) Soil Sampled: 08/02/00 15:26 Received: 08/02/00 16:25									
Cadmium	2.47	1.67	mg/kg dry	5	0H02045	08/02/00	08/02/00	EPA 6020	
Lead	233	1.67	"	"	"	"	"	"	
EX2-A2-SEQ'-SSW COMP e2.0' (B0H0049-02) Soil Sampled: 08/02/00 15:28 Received: 08/02/00 16:25									
Cadmium	9.10	1.67	mg/kg dry	5	0H02045	08/02/00	08/02/00	EPA 6020	
Lead	810	3.33	"	10	"	"	08/03/00	"	
EX2-A2-SWQ'-SSW COMP e2.0' (B0H0049-03) Soil Sampled: 08/02/00 15:30 Received: 08/02/00 16:25									
Cadmium	ND	1.67	mg/kg dry	5	0H02045	08/02/00	08/02/00	EPA 6020	
Lead	57.1	1.67	"	"	"	"	"	"	
EX2-A'2-SEQ-SSW COMP e2.0' (B0H0049-04) Soil Sampled: 08/02/00 15:32 Received: 08/02/00 16:25									
Cadmium	3.17	1.67	mg/kg dry	5	0H02045	08/02/00	08/03/00	EPA 6020	
Lead	236	1.67	"	"	"	"	"	"	
EX2-A'2-SEQ-WSW COMP e2.0' (B0H0049-05) Soil Sampled: 08/02/00 15:34 Received: 08/02/00 16:25									
Cadmium	2.25	1.67	mg/kg dry	5	0H02045	08/02/00	08/03/00	EPA 6020	
Lead	202	1.67	"	"	"	"	"	"	
EX2-A'2-SEQ-NSW COMP e2.0' (B0H0049-06) Soil Sampled: 08/02/00 15:36 Received: 08/02/00 16:25									
Cadmium	ND	1.67	mg/kg dry	5	0H02045	08/02/00	08/03/00	EPA 6020	
Lead	65.9	1.67	"	"	"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/04/00 15:13
---	---	-----------------------------

**Physical Parameters by APHA/ASTM/EPA Methods
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A2-SEQ'-ESW COMP e2.0' (B0H0049-01) Soil Sampled: 08/02/00 15:26 Received: 08/02/00 16:25									
Dry Weight	92.6	1.00	%	1	0H02044	08/02/00	08/03/00	BSOPSPL003R07	
EX2-A2-SEQ'-SSW COMP e2.0' (B0H0049-02) Soil Sampled: 08/02/00 15:28 Received: 08/02/00 16:25									
Dry Weight	87.9	1.00	%	1	0H02044	08/02/00	08/03/00	BSOPSPL003R07	
EX2-A2-SWQ'-SSW COMP e2.0' (B0H0049-03) Soil Sampled: 08/02/00 15:30 Received: 08/02/00 16:25									
Dry Weight	86.4	1.00	%	1	0H02044	08/02/00	08/03/00	BSOPSPL003R07	
EX2-A'2-SEQ'-SSW COMP e2.0' (B0H0049-04) Soil Sampled: 08/02/00 15:32 Received: 08/02/00 16:25									
Dry Weight	91.7	1.00	%	1	0H02044	08/02/00	08/03/00	BSOPSPL003R07	
EX2-A'2-SEQ'-WSW COMP e2.0' (B0H0049-05) Soil Sampled: 08/02/00 15:34 Received: 08/02/00 16:25									
Dry Weight	89.9	1.00	%	1	0H02044	08/02/00	08/03/00	BSOPSPL003R07	
EX2-A'2-SEQ'-NSW COMP e2.0' (B0H0049-06) Soil Sampled: 08/02/00 15:36 Received: 08/02/00 16:25									
Dry Weight	82.5	1.00	%	1	0H02044	08/02/00	08/03/00	BSOPSPL003R07	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 15:13

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 0H03025: Prepared 08/03/00 Using EPA 3550B										
Blank (0H03025-BLK1)										
Diesel Range Hydrocarbons	ND	10.0	mg/kg wet							
Lube Oil Range Hydrocarbons	ND	25.0	"							
Surrogate: 2-FBP	9.81		"	12.2		80.4	50-150			
LCS (0H03025-BS1)										
Diesel Range Hydrocarbons "	61.9	10.0	mg/kg wet	66.7		92.8	60-140			
Surrogate: 2-FBP	11.1		"	12.2		91.0	50-150			
LCS Dup (0H03025-BSD1)										
Diesel Range Hydrocarbons	59.3	10.0	mg/kg wet	66.7		88.9	60-140	4.29	40	
Surrogate: 2-FBP	11.9		"	12.2		97.5	50-150			
Duplicate (0H03025-DUP1) Source: B0H0049-06										
Diesel Range Hydrocarbons	56.6	10.0	mg/kg dry		69.3			20.2	50	
Lube Oil Range Hydrocarbons	147	25.0	"		196			28.6	50	
Surrogate: 2-FBP	11.8		"	14.8		79.7	50-150			

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 15:13

Total Metals by EPA 6000/7000 Series Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0H02045: Prepared 08/02/00 Using EPA 3050B

Blank (0H02045-BLK1)

Cadmium	ND	2.50	mg/kg wet							
Lead	ND	2.50	"							

LCS (0H02045-BS1)

Cadmium	26.3	0.500	mg/kg wet	25.0		105	70-130			
Lead	26.4	0.500	"	25.0		106	80-120			

Matrix Spike (0H02045-MS1)

Source: BOH0049-06

Cadmium	20.0	1.66	mg/kg dry	20.1	ND	94.5	70-130			
Lead	138	1.66	"	20.1	65.9	359	70-130			Q-15


Matrix Spike Dup (0H02045-MSD1)

Source: BOH0049-06

Cadmium	19.9	1.63	mg/kg dry	19.8	ND	95.5	70-130	0.501	20	
Lead	103	1.63	"	19.8	65.9	187	70-130	29.0	20	Q-15

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 6 of 8



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 15:13

**Physical Parameters by APHA/ASTM/EPA Methods - Quality Control
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	Limit	RPD	RPD Limit	Notes
Batch 0H02044: Prepared 08/02/00 Using Dry Weight										
Blank (0H02044-BLK1)										
Dry Weight	100	1.00	%							

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
425.420.9200 fax 425.420.9210
Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
509.924.9200 fax 509.924.9290
Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
503.906.9200 fax 503.906.9210
Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
541.383.9310 fax 541.382.7588

Farallon Consulting LLC
320 Third Avenue NE, Suite 200
Issaquah WA, 98027

Project: Monroe Auto Salvage
Project Number: 601-003-002
Project Manager: Matthew Essig

Reported:
08/04/00 15:13

Notes and Definitions

- D-09 Results in the diesel organics range are primarily due to overlap from a heavy oil range product.
- Q-15 Analyses are not controlled on matrix spike RPD and/or percent recoveries when the sample concentration is significantly higher than the spike level.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 8 of 8

CHAIN OF CUSTODY REPORT

Work Order #: **BOH0049**

CLIENT: **FARALLON CONSULTING**
 REPORT TO: **MAT ESSIE**
 ADDRESS: **320 3rd Avenue NE, Suite 200**
ISSAQUAH, WA 98027
 PHONE: **425-427-0061** FAX: **425-427-0067**

INVOICE TO:
 P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses
 10 7 5 4 3 2 1 <1

STD. Petroleum Hydrocarbon Analyses
 5 4 3 2 1 <1

STD. OTHER Please Specify

*Turnaround Requests less than standard may incur Rush Charges.

PROJECT NAME: **Harbor Auto Salvage**
 PROJECT NUMBER: **601-003-002**
 SAMPLED BY: **MAT ESSIE**

REQUESTED ANALYSES

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	6020 Test. 16 rld	NWTPH-Dp														
1. EX2-A2-SEA^o - 22.0'	8/2/00 1526	X															
2. EX2-A2-SEA^o - 27.0'	1528	X															
3. EX2-A2-SEA^o - 32.0'	1530	X															
4. EX2-A2-SEA^o - 37.0'	1532	X															
5. EX2-A2-SEA^o - 42.0'	1534	X															
6. EX2-A2-SEA^o - 47.0'	8/2/00 1536	X															
7.																	
8.																	
9.																	
10.																	
11.																	
12.																	
13.																	
14.																	
15.																	

MATRIX (W, S, O)	# OF CONT.	COMMENTS	NCA WO ID
SOIL	2	BOH0049 -	01
	2		02
	3		03
	2		04
	3		05
SOIL	2		06

RELINQUISHED BY: **[Signature]** DATE: **8/2/00** RECEIVED BY: **[Signature]** DATE: **8/2/00**
 PRINT NAME: **MAT ESSIE** FIRM: **FARALLON** TIME: **1625** PRINT NAME: **Karla Kaczorowski** FIRM: **NCA** TIME: **16:25**
 RELINQUISHED BY: DATE: RECEIVED BY: DATE:
 PRINT NAME: FIRM: TIME: PRINT NAME: FIRM: TIME:

ADDITIONAL REMARKS: **⊗ Please make composite sample taken from equal parts (by weight) from each container**
Hold NWTPH-Dp analysis pending PCB Cd results

CCX REV 3/99 TEMP: **22.2** PAGE 1 OF 1



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
425.420.9200 fax 425.420.9210
Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
509.924.9200 fax 509.924.9290
Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
503.906.9200 fax 503.906.9210
Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/07/00 12:50
---	---	-----------------------------


ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
EX2-A2-SEQ"-BOTTCOMP@4,0'	B0H0099-01	Soil	08/04/00 10:30	08/04/00 12:06

RECEIVED
AUG 10 2000
BY: _____

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Steve Davis, Project Manager



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7568

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/07/00 12:50
---	---	-----------------------------

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A2-SEQ"-BOTTCOMP@4.0' (B0H0099-01) Soil Sampled: 08/04/00 10:30 Received: 08/04/00 12:06									
Diesel Range Hydrocarbons	125	10.0	mg/kg dry	1	0H04025	08/04/00	08/06/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	296	25.0	"	"	"	"	"	"	"
Surrogate: 2-FBP	79.4 %	50-150			"	"	"	"	"

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/07/00 12:50

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A2-SEQ'-BOTTCOMP@4.0' (B0H0099-01) Soil Sampled: 08/04/00 10:30 Received: 08/04/00 12:06									
Cadmium	3.90	0.839	mg/kg dry	5	0H04027	08/04/00	08/04/00	EPA 6020	
Lead	352	1.68	"	"	"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig


Reported:
 08/07/00 12:50

Physical Parameters by APHA/ASTM/EPA Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A2-SEQ''-BOTTCOMP@4.0' (B0H0099-01) Soil Sampled: 08/04/00 10:30 Received: 08/04/00 12:06									
Dry Weight	88.8	1.00	%	1	0H04026	08/04/00	08/05/00	BSOPSPL003R07	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/07/00 12:50
---	---	-----------------------------

Total Metals by EPA 6000/7000 Series Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0H04027: Prepared 08/04/00 Using EPA 3050B

Blank (0H04027-BLK1)

Cadmium	ND	1.25	mg/kg wet							
Lead	ND	2.50	"							

LCS (0H04027-BS1)

Cadmium	26.0	0.250	mg/kg wet	25.0		104	70-130			
Lead	26.2	0.500	"	25.0		105	80-120			

Matrix Spike (0H04027-MS1)

Source: B0H0099-01

Cadmium	23.3	0.833	mg/kg dry	18.8	3.90	103	70-130			
Lead	400	1.67	"	18.8	352	255	70-130			Q-15

Matrix Spike Dup (0H04027-MSD1)

Source: B0H0099-01

Cadmium	23.7	0.822	mg/kg dry	18.5	3.90	107	70-130	1.70	20	
Lead	382	1.64	"	18.5	352	162	70-130	4.60	20	Q-15

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/07/00 12:50
---	---	-----------------------------

Physical Parameters by APHA/ASTM/EPA Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	--------	-----	-----------	-------

Batch 0H04026: Prepared 08/04/00 Using Dry Weight

Blank (0H04026-BLK1)

Dry Weight	100	1.00	%							
------------	-----	------	---	--	--	--	--	--	--	--

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/07/00 12:50

Notes and Definitions

- D-09 Results in the diesel organics range are primarily due to overlap from a heavy oil range product.
- Q-15 Analyses are not controlled on matrix spike RPD and/or percent recoveries when the sample concentration is significantly higher than the spike level.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

CHAIN OF CUSTODY REPORT

Work Order #: **BOH0099**

CLIENT: **FARALLON CONSULTING**
 REPORT TO: **MAT ESSIG**
 ADDRESS: **320 3rd AVENUE, SUITE 200**
BEAVERVALE, WA, 98027
 PHONE: **425-427-0081** FAX: **425-427-0067**

INVOICE TO:
 P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses
 10 7 5 4 3 2 1 <1

STD. Petroleum Hydrocarbon Analyses
 5 4 3 2 1 <1

STD. OTHER Please Specify _____

*Turnaround Requests less than standard may incur Rush Charges.

PROJECT NAME: **MONROE ROAD SALVAGE**
 PROJECT NUMBER: **603-003-002**
 SAMPLED BY: **MAT ESSIG**

REQUESTED ANALYSES

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	TOXIC METALS	ASPHALT	PAHs	PCBs	DDTs	PCP	CHLORINATED	INORGANICS	OTHER
1. ELZ-A2-SER¹ - 6/4/01	8/4/00 1030			X	X					
2.										
3.										
4.										
5.										
6.										
7.										
8.										
9.										
10.										
11.										
12.										
13.										
14.										
15.										

MATRIX (W, S, O)	# OF CONT.	COMMENTS	NCA WO ID
		BOH0099	01

RELINQUISHED BY: **[Signature]**
 PRINT NAME: **MAT ESSIG** FIRM: **FARALLON** DATE: **8/4/00** TIME: **1200**

RELINQUISHED BY: **Ellen Tennis**
 PRINT NAME: **Ellen Tennis** FIRM: **NCA** DATE: **8-4-00** TIME: **800**

RECEIVED BY: **Ellen Tennis** DATE: **8-4-00**
 PRINT NAME: **Ellen Tennis** FIRM: **NCA** TIME: **1200**

RECEIVED BY: **Cathy [Signature]** DATE: **8/4/00**
 PRINT NAME: **Cathy [Signature]** FIRM: **NCA** TIME: **13:00**



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 08:34


ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
EX-WH-SQ-SSW Comp @1.0'	B0H0018-01	Soil	08/01/00 13:53	08/01/00 17:55
EX-WH-SQ-ESW Comp @1.0'	B0H0018-02	Soil	08/01/00 13:55	08/01/00 17:55
EX-WH-SQ-WSW Comp @1.0'	B0H0018-03	Soil	08/01/00 13:57	08/01/00 17:55
EX-WH-SQ-Bott Comp @1.0'	B0H0018-04	Soil	08/01/00 14:00	08/01/00 17:55
EX-WH-NQ-NSW Comp @1.0'	B0H0018-05	Soil	08/01/00 14:03	08/01/00 17:55
EX-WH-NQ-WSW Comp @1.0'	B0H0018-06	Soil	08/01/00 14:05	08/01/00 17:55
EX-WH-NQ-ESW Comp @1.0'	B0H0018-07	Soil	08/01/00 14:07	08/01/00 17:55
EX-WH-NQ-Bott Comp @1.0'	B0H0018-08	Soil	08/01/00 14:10	08/01/00 17:55
EX2-A2-SWQ-SSW Comp @1.0'	B0H0018-09	Soil	08/01/00 16:09	08/01/00 17:55
EX2-A2-SWQ-WSW Comp @1.0'	B0H0018-10	Soil	08/01/00 16:11	08/01/00 17:55
EX2-A2-SWQ-Bott Comp @1.0'	B0H0018-11	Soil	08/01/00 16:14	08/01/00 17:55
EX2-A2-SEQ-ESW Comp @1.0'	B0H0018-12	Soil	08/01/00 16:16	08/01/00 17:55
EX2-A2-SEQ-SSW Comp @1.0'	B0H0018-13	Soil	08/01/00 16:17	08/01/00 17:55
EX2-A2-SEQ-Bott Comp @1.0'	B0H0018-14	Soil	08/01/00 16:20	08/01/00 17:55
EX4-BO-SEQ-NSW Comp @1.0'	B0H0018-15	Soil	08/01/00 16:48	08/01/00 17:55
EX4-BO-SEQ-ESW Comp @1.0'	B0H0018-16	Soil	08/01/00 16:50	08/01/00 17:55
EX4-BO-SEQ-WSW Comp @1.0'	B0H0018-17	Soil	08/01/00 16:52	08/01/00 17:55

RECEIVED
 AUG 08 2000
 BY: _____

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 08:34

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX-WH-SQ-ESW Comp @1.0' (B0H0018-02) Soil Sampled: 08/01/00 13:55 Received: 08/01/00 17:55									
Diesel Range Hydrocarbons	173	10.0	mg/kg dry	1	0H02042	08/02/00	08/03/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	745	25.0	"	"	"	"	"	"	"
Surrogate: 2-FBP	82.1 %	50-150			"	"	"	"	"
EX-WH-SQ-Bott Comp @1.0' (B0H0018-04) Soil Sampled: 08/01/00 14:00 Received: 08/01/00 17:55									
Diesel Range Hydrocarbons	33.3	10.0	mg/kg dry	1	0H02042	08/02/00	08/03/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	120	25.0	"	"	"	"	"	"	"
Surrogate: 2-FBP	63.2 %	50-150			"	"	"	"	"
EX-WH-NQ-ESW Comp @1.0' (B0H0018-07) Soil Sampled: 08/01/00 14:07 Received: 08/01/00 17:55									
Diesel Range Hydrocarbons	356	50.0	mg/kg dry	5	0H02042	08/02/00	08/03/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	1390	125	"	"	"	"	"	"	"
Surrogate: 2-FBP	71.3 %	50-150			"	"	"	"	"
EX2-A2-SWQ-Bott Comp @1.0' (B0H0018-11) Soil Sampled: 08/01/00 16:14 Received: 08/01/00 17:55									
Diesel Range Hydrocarbons	180	30.0	mg/kg dry	3	0H02042	08/02/00	08/03/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	433	75.0	"	"	"	"	"	"	"
Surrogate: 2-FBP	64.6 %	50-150			"	"	"	"	"
EX2-A2-SEQ-ESW Comp @1.0' (B0H0018-12) Soil Sampled: 08/01/00 16:16 Received: 08/01/00 17:55									
Diesel Range Hydrocarbons	ND	10.0	mg/kg dry	1	0H02042	08/02/00	08/03/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	27.9	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	77.0 %	50-150			"	"	"	"	
EX2-A2-SEQ-Bott Comp @1.0' (B0H0018-14) Soil Sampled: 08/01/00 16:20 Received: 08/01/00 17:55									
Diesel Range Hydrocarbons	199	10.0	mg/kg dry	1	0H02042	08/02/00	08/03/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	471	25.0	"	"	"	"	"	"	"
Surrogate: 2-FBP	75.0 %	50-150			"	"	"	"	"

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 2 of 12



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 08:34

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX4-BO-SEQ'-NSW Comp @1.0' (B0H0018-15) Soil Sampled: 08/01/00 16:48 Received: 08/01/00 17:55									
Diesel Range Hydrocarbons	ND	10.0	mg/kg dry	1	0H01027	08/01/00	08/02/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	96.4 %	50-150			"	"	"	"	
EX4-BO-SEQ'-ESW Comp @1.0' (B0H0018-16) Soil Sampled: 08/01/00 16:50 Received: 08/01/00 17:55									
Diesel Range Hydrocarbons	10.6	10.0	mg/kg dry	1	0H01027	08/01/00	08/02/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	103 %	50-150			"	"	"	"	
EX4-BO-SEQ'-WSW Comp @1.0' (B0H0018-17) Soil Sampled: 08/01/00 16:52 Received: 08/01/00 17:55									
Diesel Range Hydrocarbons	13.1	10.0	mg/kg dry	1	0H01027	08/01/00	08/02/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	79.4 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig


Reported:
 08/04/00 08:34

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX-WH-SQ-SSW Comp @1.0' (B0H0018-01) Soil Sampled: 08/01/00 13:53 Received: 08/01/00 17:55									
Cadmium	3.87	1.57	mg/kg dry	5	0H01048	08/01/00	08/02/00	EPA 6020	
Lead	1120	3.14	"	10	"	"	08/02/00	"	
EX-WH-SQ-ESW Comp @1.0' (B0H0018-02) Soil Sampled: 08/01/00 13:55 Received: 08/01/00 17:55									
Cadmium	ND	1.57	mg/kg dry	5	0H01048	08/01/00	08/02/00	EPA 6020	
Lead	96.3	1.57	"	"	"	"	"	"	
EX-WH-SQ-WSW Comp @1.0' (B0H0018-03) Soil Sampled: 08/01/00 13:57 Received: 08/01/00 17:55									
Cadmium	2.23	1.57	mg/kg dry	5	0H01048	08/01/00	08/02/00	EPA 6020	
Lead	680	1.57	"	"	"	"	"	"	
EX-WH-SQ-Bott Comp @1.0' (B0H0018-04) Soil Sampled: 08/01/00 14:00 Received: 08/01/00 17:55									
Cadmium	ND	1.57	mg/kg dry	5	0H01048	08/01/00	08/02/00	EPA 6020	
Lead	68.6	1.57	"	"	"	"	"	"	
EX-WH-NQ-NSW Comp @1.0' (B0H0018-05) Soil Sampled: 08/01/00 14:03 Received: 08/01/00 17:55									
Cadmium	2.65	1.57	mg/kg dry	5	0H01048	08/01/00	08/02/00	EPA 6020	
Lead	318	1.57	"	"	"	"	"	"	
EX-WH-NQ-WSW Comp @1.0' (B0H0018-06) Soil Sampled: 08/01/00 14:05 Received: 08/01/00 17:55									
Cadmium	2.01	1.57	mg/kg dry	5	0H01048	08/01/00	08/02/00	EPA 6020	
Lead	402	1.57	"	"	"	"	"	"	
EX-WH-NQ-ESW Comp @1.0' (B0H0018-07) Soil Sampled: 08/01/00 14:07 Received: 08/01/00 17:55									
Cadmium	ND	1.57	mg/kg dry	5	0H01048	08/01/00	08/02/00	EPA 6020	
Lead	168	1.57	"	"	"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 08:34

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX-WH-NQ-Bott Comp @1.0' (B0H0018-08) Soil Sampled: 08/01/00 14:10 Received: 08/01/00 17:55									
Cadmium	3.01	1.57	mg/kg dry	5	0H01048	08/01/00	08/02/00	EPA 6020	
Lead	300	1.57	"	"	"	"	"	"	
EX2-A2-SWQ-SSW Comp @1.0' (B0H0018-09) Soil Sampled: 08/01/00 16:09 Received: 08/01/00 17:55									
Cadmium	4.49	1.57	mg/kg dry	5	0H01048	08/01/00	08/02/00	EPA 6020	
Lead	365	1.57	"	"	"	"	"	"	
EX2-A2-SWQ-WSW Comp @1.0' (B0H0018-10) Soil Sampled: 08/01/00 16:11 Received: 08/01/00 17:55									
Cadmium	ND	1.57	mg/kg dry	5	0H01048	08/01/00	08/02/00	EPA 6020	
Lead	522	1.57	"	"	"	"	"	"	
EX2-A2-SWQ-Bott Comp @1.0' (B0H0018-11) Soil Sampled: 08/01/00 16:14 Received: 08/01/00 17:55									
Cadmium	ND	1.57	mg/kg dry	5	0H01048	08/01/00	08/02/00	EPA 6020	
Lead	147	1.57	"	"	"	"	"	"	
EX2-A2-SEQ-ESW Comp @1.0' (B0H0018-12) Soil Sampled: 08/01/00 16:16 Received: 08/01/00 17:55									
Cadmium	ND	1.57	mg/kg dry	5	0H01048	08/01/00	08/02/00	EPA 6020	
Lead	9.21	1.57	"	"	"	"	"	"	
EX2-A2-SEQ-SSW Comp @1.0' (B0H0018-13) Soil Sampled: 08/01/00 16:17 Received: 08/01/00 17:55									
Cadmium	3.46	1.57	mg/kg dry	5	0H01048	08/01/00	08/02/00	EPA 6020	
Lead	527	1.57	"	"	"	"	"	"	
EX2-A2-SEQ-Bott Comp @1.0' (B0H0018-14) Soil Sampled: 08/01/00 16:20 Received: 08/01/00 17:55									
Cadmium	ND	1.57	mg/kg dry	5	0H01048	08/01/00	08/02/00	EPA 6020	
Lead	191	1.57	"	"	"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 08:34

Physical Parameters by APHA/ASTM/EPA Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX-WH-SQ-SSW Comp @1.0' (B0H0018-01) Soil Sampled: 08/01/00 13:53 Received: 08/01/00 17:55									
Dry Weight	83.5	1.00	%	1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	
EX-WH-SQ-ESW Comp @1.0' (B0H0018-02) Soil Sampled: 08/01/00 13:55 Received: 08/01/00 17:55									
Dry Weight	86.6	1.00	%	1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	
EX-WH-SQ-WSW Comp @1.0' (B0H0018-03) Soil Sampled: 08/01/00 13:57 Received: 08/01/00 17:55									
Dry Weight	80.2	1.00	%	1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	
EX-WH-SQ-Bott Comp @1.0' (B0H0018-04) Soil Sampled: 08/01/00 14:00 Received: 08/01/00 17:55									
Dry Weight	84.9	1.00	%	1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	
EX-WH-NQ-NSW Comp @1.0' (B0H0018-05) Soil Sampled: 08/01/00 14:03 Received: 08/01/00 17:55									
Dry Weight	92.6	1.00	%	1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	
EX-WH-NQ-WSW Comp @1.0' (B0H0018-06) Soil Sampled: 08/01/00 14:05 Received: 08/01/00 17:55									
Dry Weight	85.8	1.00	%	1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	
EX-WH-NQ-ESW Comp @1.0' (B0H0018-07) Soil Sampled: 08/01/00 14:07 Received: 08/01/00 17:55									
Dry Weight	84.3	1.00	%	1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	
EX-WH-NQ-Bott Comp @1.0' (B0H0018-08) Soil Sampled: 08/01/00 14:10 Received: 08/01/00 17:55									
Dry Weight	86.7	1.00	%	1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	
EX2-A2-SWQ-SSW Comp @1.0' (B0H0018-09) Soil Sampled: 08/01/00 16:09 Received: 08/01/00 17:55									
Dry Weight	94.1	1.00	%	1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 6 of 12



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 08:34

Physical Parameters by APHA/ASTM/EPA Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
EX2-A2-SWQ-WSW Comp @1.0' (B0H0018-10) Soil Sampled: 08/01/00 16:11 Received: 08/01/00 17:55										
Dry Weight	90.6	1.00	%		1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	
EX2-A2-SWQ-Bott Comp @1.0' (B0H0018-11) Soil Sampled: 08/01/00 16:14 Received: 08/01/00 17:55										
Dry Weight	85.5	1.00	%		1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	
EX2-A2-SEQ-ESW Comp @1.0' (B0H0018-12) Soil Sampled: 08/01/00 16:16 Received: 08/01/00 17:55										
Dry Weight	90.9	1.00	%		1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	
EX2-A2-SEQ-SSW Comp @1.0' (B0H0018-13) Soil Sampled: 08/01/00 16:17 Received: 08/01/00 17:55										
Dry Weight	80.0	1.00	%		1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	
EX2-A2-SEQ-Bott Comp @1.0' (B0H0018-14) Soil Sampled: 08/01/00 16:20 Received: 08/01/00 17:55										
Dry Weight	87.6	1.00	%		1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	
EX4-BO-SEQ'-NSW Comp @1.0' (B0H0018-15) Soil Sampled: 08/01/00 16:48 Received: 08/01/00 17:55										
Dry Weight	87.2	1.00	%		1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	
EX4-BO-SEQ'-ESW Comp @1.0' (B0H0018-16) Soil Sampled: 08/01/00 16:50 Received: 08/01/00 17:55										
Dry Weight	84.4	1.00	%		1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	
EX4-BO-SEQ'-WSW Comp @1.0' (B0H0018-17) Soil Sampled: 08/01/00 16:52 Received: 08/01/00 17:55										
Dry Weight	86.5	1.00	%		1	0H01047	08/01/00	08/02/00	BSOPSPL003R07	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 7 of 12



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite 8, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 08:34

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	-----------	--------	-----	-----------	-------

Batch 0H01027: Prepared 08/01/00 Using EPA 3550B

Blank (0H01027-BLK1)

Diesel Range Hydrocarbons	ND	10.0	mg/kg wet							
Lube Oil Range Hydrocarbons	ND	25.0	"							
Surrogate: 2-FBP	8.52		"	12.2		69.8	50-150			

LCS (0H01027-BS1)

Diesel Range Hydrocarbons	52.5	10.0	mg/kg wet	66.7		78.7	60-140			
Surrogate: 2-FBP	9.53		"	12.2		78.1	50-150			

LCS Dup (0H01027-BSD1)

Diesel Range Hydrocarbons	54.3	10.0	mg/kg wet	66.7		81.4	60-140	3.37	40	
Surrogate: 2-FBP	10.5		"	12.2		86.1	50-150			

Duplicate (0H01027-DUP1)

Source: B0G0623-01

Diesel Range Hydrocarbons	20.4	10.0	mg/kg dry		18.6			9.23	50	
Lube Oil Range Hydrocarbons	80.0	25.0	"		58.8			30.5	50	
Surrogate: 2-FBP	12.2		"	12.9		94.6	50-150			

Duplicate (0H01027-DUP2)

Source: B0G0623-04

Diesel Range Hydrocarbons	20.0	10.0	mg/kg dry		68.2			109	50	Q-05
Lube Oil Range Hydrocarbons	63.6	25.0	"		269			124	50	Q-05
Surrogate: 2-FBP	11.3		"	12.9		87.6	50-150			

Batch 0H02042: Prepared 08/02/00 Using EPA 3550B

Blank (0H02042-BLK1)

Diesel Range Hydrocarbons	ND	10.0	mg/kg wet							
Lube Oil Range Hydrocarbons	ND	25.0	"							
Surrogate: 2-FBP	9.38		"	12.2		76.9	50-150			

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 8 of 12



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 08:34

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------------------	-----	-----------	-------

Batch 0H02042: Prepared 08/02/00 Using EPA 3550B

LCS (0H02042-BS1)

Diesel Range Hydrocarbons	59.7	10.0	mg/kg wet	66.2		90.2	60-140		
Surrogate: 2-FBP	9.06		"	12.2		74.3	50-150		

Duplicate (0H02042-DUP1)

Source: B0H0018-02

Diesel Range Hydrocarbons	160	10.0	mg/kg dry		173			7.81	50
Lube Oil Range Hydrocarbons _p	634	25.0	"		745			16.1	50
Surrogate: 2-FBP	11.1		"	14.1		78.7	50-150		

Duplicate (0H02042-DUP2)

Source: B0H0035-01

Diesel Range Hydrocarbons	ND	10.0	mg/kg dry		ND			12.0	50
Lube Oil Range Hydrocarbons	ND	25.0	"		ND			19.1	50
Surrogate: 2-FBP	10.6		"	13.1		80.9	50-150		

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 9 of 12



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/04/00 08:34
---	---	-----------------------------

Total Metals by EPA 6000/7000 Series Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Batch 0H01048: Prepared 08/01/00 Using EPA 3050B									
Blank (0H01048-BLK1)									
Cadmium	ND	2.50	mg/kg wet						
Lead	ND	2.50	"						
LCS (0H01048-BS1)									
Cadmium	24.7	0.500	mg/kg wet	25.0		98.8 70-130			
Lead	25.5	0.500	"	25.0		102 80-120			
Matrix Spike (0H01048-MS1) Source: B0H0018-01									
Cadmium	19.2	1.64	mg/kg dry	19.7	3.87	77.8 70-130			
Lead	591	1.64	"	19.7	1120	-2690 70-130			Q-15
Matrix Spike Dup (0H01048-MSD1) Source: B0H0018-01									
Cadmium	20.9	1.67	mg/kg dry	19.9	3.87	85.6 70-130	8.48	20	
Lead	918	3.33	"	19.9	1120	-1020 70-130	43.3	20	Q-15

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 08:34

**Physical Parameters by APHA/ASTM/EPA Methods - Quality Control
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0H01047: Prepared 08/01/00 Using Dry Weight

Blank (0H01047-BLK1)

Dry Weight	100	1.00	%							
------------	-----	------	---	--	--	--	--	--	--	--

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Parallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/04/00 08:34

Notes and Definitions

- D-09 Results in the diesel organics range are primarily due to overlap from a heavy oil range product.
- Q-05 Analyses are not controlled on RPD values from sample concentrations less than 10 times the reporting limit.
- Q-15 Analyses are not controlled on matrix spike RPD and/or percent recoveries when the sample concentration is significantly higher than the spike level.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CHAIN OF CUSTODY REPORT

Work Order #: **BOH0018**

CLIENT: **FARALLON CONSULTING**
 REPORT TO: **MATT ESBY**
 ADDRESS: **320 3rd Avenue NE, Suite 200**
Issaquah, WA 98027
 PHONE: **425-427-0061** FAX: **425-427-0067**

INVOICE TO:
 P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses

10	7	5	4	3	2	1	<1
----	---	---	---	---	---	---	----

STD. Petroleum Hydrocarbon Analyses

5	4	3	2	1	<1
---	---	---	---	---	----

STD. Please Specify

OTHER _____

*Turnaround Requests less than standard may incur Rush Charges.

PROJECT NAME: **Monroe Auto Salvage**
 PROJECT NUMBER: **601-003-002**
 SAMPLED BY: **MATT ESBY**

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	EPA-6020 Tot. Pb-Cd	NWTPH-Pb	REQUESTED ANALYSES																
1. EX-WH-SQ - ^{SSWCOMP} CI.01	8/1/00 1353	X																		
2. EX-WH-SQ - ^{ESWCOMP} CI.01	1355	X																		
3. EX-WH-SQ - ^{WSWCOMP} CI.01	1357	X																		
4. EX-WH-SQ - ^{BOTCOMP} CI.01	1400	X																		
5. EX-WH-NR - ^{NSWCOMP} CI.01	1403	X																		
6. EX-WH-NR - ^{WSWCOMP} CI.01	1405	X																		
7. EX-WH-NR - ^{ESWCOMP} CI.01	1407	X																		
8. EX-WH-NR - ^{BOTCOMP} CI.01	1410	X																		
9. EX2-A2-SUR - ^{SSWCOMP} CI.01	1609	X																		
10. EX2-A2-SUR - ^{WSWCOMP} CI.01	1611	X																		
11. EX2-A2-SUR - ^{BOTCOMP} CI.01	1614	X																		
12. EX2-A2-SER - ^{ESWCOMP} CI.01	1616	X																		
13. EX2-A2-SER - ^{SSWCOMP} CI.01	1617	X																		
14. EX2-A2-SER - ^{BOTCOMP} CI.01	1620	X																		
15. EX4-BO-SER - ^{WSWCOMP} CI.01	8/1/00 1640		X																	

MATRIX (W, S, O)	# OF CONT.	COMMENTS	NCA WC ID
SOIL	2		01
	3		02
	3		03
	4		04
	2		05
	3		06
	3		07
	4		08
	3		09
	2		10
	4		11
	2		12
	2		13
	4		14
SOIL	3		15

RELINQUISHED BY: **MATT ESBY** DATE: **8/1/00**
 PRINT NAME: **MATT ESBY** FIRM: **FARALLON** TIME: **1755**

RELINQUISHED BY: DATE: TIME:
 PRINT NAME: FIRM: TIME:

RECEIVED BY: **Karla Kaczorowski** DATE: **8/1/00**
 PRINT NAME: **Karla Kaczorowski** FIRM: **NCA** TIME: **1755**

RECEIVED BY: DATE: TIME:
 PRINT NAME: FIRM: TIME:

ADDITIONAL REMARKS: **Please make composite (200-gram equal portion (dry weight)) from each container. Hold TPH to analyst until further notice on sample 1-14.**

CHAIN OF CUSTODY REPORT

Work Order #: **BOH 0018**

CLIENT: **FARALLON CONSULTING**
 REPORT TO: **MATT EBBEL**
 ADDRESS: **320 Bth Avenue NE, Suite 200**
Issaquah, WA 98027
 PHONE: **425-427-0001** FAX: **425-427-1007**

INVOICE TO:
 P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses
 10 7 5 4 3 2 1 **1**

STD. Petroleum Hydrocarbon Analyses
 5 4 3 2 **1** <1

STD. **OTHER** Please Specify _____

*Turnaround Requests less than standard may incur Rush Charges.

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	REQUESTED ANALYSES													
		TOX PCBs	EMC	NEWTRAL-DR											
1. EM-00-201-EMC	8/1/00 1650			X											
2. EM-00-201-EMC	8/1/00 1652			X											
3.															
4.															
5.															
6.															
7.															
8.															
9.															
10.															
11.															
12.															
13.															
14.															
15.															

MATRIX (W, S, O)	# OF CONT.	COMMENTS	NCA WO ID
SOIL	2		16
SOIL	2		17

RELINQUISHED BY: MATT EBBEL	FIRM: FARALLON	DATE: 8/1/00	TIME: 1755	RECEIVED BY: Karla Kaczorowski	FIRM: NCA	DATE: 8/1/00	TIME: 1755
RELINQUISHED BY:	FIRM:	DATE:	TIME:	RECEIVED BY:	FIRM:	DATE:	TIME:
ADDITIONAL REMARKS: See pg. 1						TEMP: 16.5	PAGE 2 OF 2

Farallon Consulting LLC
320 Third Avenue NE, Suite 200
Issaquah WA, 98027

Project: Monroe Auto Salvage
Project Number: 601-003-002
Project Manager: Matthew Essig

Reported:
08/14/00 15:09


ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
EX4-BO-SEQ-Bott comp@1.0	B0G0630-01	Soil	07/31/00 13:08	07/31/00 17:07
EX4-BO-SEQ-NSW comp@1.0	B0G0630-02	Soil	07/31/00 13:11	07/31/00 17:07
EX4-BO-SEQ-WSW comp@1.0	B0G0630-03	Soil	07/31/00 13:14	07/31/00 17:07
EX4-BO-SEQ-ESW comp@1.0	B0G0630-04	Soil	07/31/00 13:16	07/31/00 17:07
EX2-A2-NWQ-Bott comp@2.0	B0G0630-05	Soil	07/31/00 14:24	07/31/00 17:07
EX2-A2-NWQ-SSW comp@2.0	B0G0630-06	Soil	07/31/00 14:27	07/31/00 17:07
EX2-A2-NWQ-ESW comp@2.0	B0G0630-07	Soil	07/31/00 14:29	07/31/00 17:07
EX2-A2-NWQ-WSW comp@2.0	B0G0630-08	Soil	07/31/00 14:32	07/31/00 17:07
EX7-A1-NEQ-Bott comp@0.5	B0G0630-09	Soil	07/31/00 15:35	07/31/00 17:07
EX6-A1-NEQ-NSW comp@1.0	B0G0630-10	Soil	07/31/00 15:40	07/31/00 17:07
EX6-A1-NEQ-SSW comp@1.0	B0G0630-11	Soil	07/31/00 15:41	07/31/00 17:07
EX6-A1-NEQ-ESW comp@1.0	B0G0630-12	Soil	07/31/00 15:42	07/31/00 17:07
EX6-A1-NEQ-WSW comp@1.0	B0G0630-13	Soil	07/31/00 15:44	07/31/00 17:07
EX6-A1-NEQ-Bott comp@1.0	B0G0630-14	Soil	07/31/00 15:46	07/31/00 17:07
EX5-A1-NEQ-NSW comp@1.0	B0G0630-15	Soil	07/31/00 15:47	07/31/00 17:07
EX5-A1-NEQ-SSW comp@1.0	B0G0630-16	Soil	07/31/00 15:48	07/31/00 17:07
EX5-A1-NEQ-ESW comp@1.0	B0G0630-17	Soil	07/31/00 15:50	07/31/00 17:07
EX5-A1-NEQ-WSW comp@1.0	B0G0630-18	Soil	07/31/00 15:49	07/31/00 17:07
EX5-A1-NEQ-Bott comp@1.0	B0G0630-19	Soil	07/31/00 15:52	07/31/00 17:07

RECEIVED
AUG 18 2000
BY: _____

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 1 of 13



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/14/00 15:09

Semivolatle Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX4-BO-SEQ-Bott comp@1.0 (B0G0630-01) Soil Sampled: 07/31/00 13:08 Received: 07/31/00 17:07									
Diesel Range Hydrocarbons	60.5	10.0	mg/kg dry	1	0G31039	07/31/00	08/01/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	199	25.0	"	"	"	"	"	"	"
Surrogate: 2-FBP	70.8 %	50-150			"	"	"	"	"
EX4-BO-SEQ-NSW comp@1.0 (B0G0630-02) Soil Sampled: 07/31/00 13:11 Received: 07/31/00 17:07									
Diesel Range Hydrocarbons	2100	110	mg/kg dry	11	0G31039	07/31/00	08/01/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	8310	275	"	"	"	"	"	"	"
Surrogate: 2-FBP	65.8 %	50-150			"	"	"	"	"
EX4-BO-SEQ-WSW comp@1.0 (B0G0630-03) Soil Sampled: 07/31/00 13:14 Received: 07/31/00 17:07									
Diesel Range Hydrocarbons	27.2	10.0	mg/kg dry	1	0G31039	07/31/00	08/01/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	85.3	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	82.8 %	50-150			"	"	"	"	
EX4-BO-SEQ-ESW comp@1.0 (B0G0630-04) Soil Sampled: 07/31/00 13:16 Received: 07/31/00 17:07									
Diesel Range Hydrocarbons	25.5	10.0	mg/kg dry	1	0G31039	07/31/00	08/01/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	71.1	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	79.5 %	50-150			"	"	"	"	
EX2-A2-NWQ-Bott comp@2.0 (B0G0630-05) Soil Sampled: 07/31/00 14:24 Received: 07/31/00 17:07									
Diesel Range Hydrocarbons	153	10.0	mg/kg dry	1	0H10021	08/10/00	08/11/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	393	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	84.1 %	50-150			"	"	"	"	
EX7-A1-NEQ-Bott comp@0.5 (B0G0630-09) Soil Sampled: 07/31/00 15:35 Received: 07/31/00 17:07									
Diesel Range Hydrocarbons	341	30.0	mg/kg dry	3	0G31039	07/31/00	08/01/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	840	75.0	"	"	"	"	"	"	
Surrogate: 2-FBP	80.0 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC Project: Monroe Auto Salvage
 320 Third Avenue NE, Suite 200 Project Number: 601-003-002
 Issaquah WA, 98027 Project Manager: Matthew Essig Reported:
 08/14/00 15:09

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX6-A1-NEQ-NSW comp@1.0 (B0G0630-10) Soil Sampled: 07/31/00 15:40 Received: 07/31/00 17:07									
Diesel Range Hydrocarbons	730	50.0	mg/kg dry	5	0G31039	07/31/00	08/01/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	529	125	"	"	"	"	"	"	
Surrogate: 2-FBP	78.4 %	50-150			"	"	"	"	
EX6-A1-NEQ-SSW comp@1.0 (B0G0630-11) Soil Sampled: 07/31/00 15:41 Received: 07/31/00 17:07									
Diesel Range Hydrocarbons	770	30.0	mg/kg dry	3	0G31039	07/31/00	08/01/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	1480	75.0	"	"	"	"	"	"	
Surrogate: 2-FBP	62.3 %	50-150			"	"	"	"	
EX6-A1-NEQ-ESW comp@1.0 (B0G0630-12) Soil Sampled: 07/31/00 15:42 Received: 07/31/00 17:07									
Diesel Range Hydrocarbons	11.4	10.0	mg/kg dry	1	0G31039	07/31/00	08/01/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	26.7	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	78.3 %	50-150			"	"	"	"	
EX6-A1-NEQ-WSW comp@1.0 (B0G0630-13) Soil Sampled: 07/31/00 15:44 Received: 07/31/00 17:07									
Diesel Range Hydrocarbons	535	110	mg/kg dry	11	0G31039	07/31/00	08/01/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	1530	275	"	"	"	"	"	"	
Surrogate: 2-FBP	50.5 %	50-150			"	"	"	"	
EX6-A1-NEQ-Bott comp@1.0 (B0G0630-14) Soil Sampled: 07/31/00 15:46 Received: 07/31/00 17:07									
Diesel Range Hydrocarbons	43.7	10.0	mg/kg dry	1	0G31039	07/31/00	08/01/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	177	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	77.0 %	50-150			"	"	"	"	
EX5-A1-NEQ-NSW comp@1.0 (B0G0630-15) Soil Sampled: 07/31/00 15:47 Received: 07/31/00 17:07									
Diesel Range Hydrocarbons	61.5	10.0	mg/kg dry	1	0G31039	07/31/00	08/01/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	135	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	78.9 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 3 of 13



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/14/00 15:09

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX5-A1-NEQ-SSW comp@1.0 (B0G0630-16) Soil Sampled: 07/31/00 15:48 Received: 07/31/00 17:07									
Diesel Range Hydrocarbons	81.4	10.0	mg/kg dry	1	0G31039	07/31/00	08/01/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	152	25.0	"	"	"	"	"	"	"
Surrogate: 2-FBP	66.6 %	50-150			"	"	"	"	"
EX5-A1-NEQ-ESW comp@1.0 (B0G0630-17) Soil Sampled: 07/31/00 15:50 Received: 07/31/00 17:07									
Diesel Range Hydrocarbons	13.5	10.0	mg/kg dry	1	0G31039	07/31/00	08/01/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	75.3 %	50-150			"	"	"	"	
EX5-A1-NEQ-WSW comp@1.0 (B0G0630-18) Soil Sampled: 07/31/00 15:49 Received: 07/31/00 17:07									
Diesel Range Hydrocarbons	22.3	10.0	mg/kg dry	1	0G31039	07/31/00	08/01/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	36.6	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	70.7 %	50-150			"	"	"	"	
EX5-A1-NEQ-Bott comp@1.0 (B0G0630-19) Soil Sampled: 07/31/00 15:52 Received: 07/31/00 17:07									
Diesel Range Hydrocarbons	35.2	10.0	mg/kg dry	1	0G31039	07/31/00	08/01/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	67.1	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	77.9 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 4 of 13



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/14/00 15:09

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A2-NWQ-Bott comp@2.0 (B0G0630-05) Soil Sampled: 07/31/00 14:24 Received: 07/31/00 17:07									
Cadmium	ND	0.781	mg/kg dry	5	0G31037	07/31/00	07/31/00	EPA 6020	
Lead	66.1	1.56	"	"	"	"	"	"	
EX2-A2-NWQ-SSW comp@2.0 (B0G0630-06) Soil Sampled: 07/31/00 14:27 Received: 07/31/00 17:07									
Cadmium	3.30	0.781	mg/kg dry	5	0G31037	07/31/00	07/31/00	EPA 6020	
Lead	264	1.56	"	"	"	"	"	"	
EX2-A2-NWQ-ESW comp@2.0 (B0G0630-07) Soil Sampled: 07/31/00 14:29 Received: 07/31/00 17:07									
Cadmium	ND	0.781	mg/kg dry	5	0G31037	07/31/00	07/31/00	EPA 6020	
Lead	326	1.56	"	"	"	"	"	"	
EX2-A2-NWQ-WSW comp@2.0 (B0G0630-08) Soil Sampled: 07/31/00 14:32 Received: 07/31/00 17:07									
Cadmium	ND	0.781	mg/kg dry	5	0G31037	07/31/00	07/31/00	EPA 6020	
Lead	18.1	1.56	"	"	"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/14/00 15:09
---	---	-----------------------------

**Physical Parameters by APHA/ASTM/EPA Methods
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX4-BO-SEQ-Bott comp@1.0 (B0G0630-01) Soil Sampled: 07/31/00 13:08 Received: 07/31/00 17:07									
Dry Weight	86.5	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	
EX4-BO-SEQ-NSW comp@1.0 (B0G0630-02) Soil Sampled: 07/31/00 13:11 Received: 07/31/00 17:07									
Dry Weight	88.7	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	
EX4-BO-SEQ-WSW comp@1.0 (B0G0630-03) Soil Sampled: 07/31/00 13:14 Received: 07/31/00 17:07									
Dry Weight	82.1	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	
EX4-BO-SEQ-ESW comp@1.0 (B0G0630-04) Soil Sampled: 07/31/00 13:16 Received: 07/31/00 17:07									
Dry Weight	83.2	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	
EX2-A2-NWQ-Bott comp@2.0 (B0G0630-05) Soil Sampled: 07/31/00 14:24 Received: 07/31/00 17:07									
Dry Weight	92.6	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	
EX2-A2-NWQ-SSW comp@2.0 (B0G0630-06) Soil Sampled: 07/31/00 14:27 Received: 07/31/00 17:07									
Dry Weight	88.3	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	
EX2-A2-NWQ-ESW comp@2.0 (B0G0630-07) Soil Sampled: 07/31/00 14:29 Received: 07/31/00 17:07									
Dry Weight	84.9	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	
EX2-A2-NWQ-WSW comp@2.0 (B0G0630-08) Soil Sampled: 07/31/00 14:32 Received: 07/31/00 17:07									
Dry Weight	83.7	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	
EX7-A1-NEQ-Bott comp@0.5 (B0G0630-09) Soil Sampled: 07/31/00 15:35 Received: 07/31/00 17:07									
Dry Weight	94.5	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

**North Creek Analytical, Inc.
 Environmental Laboratory Network**



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/14/00 15:09

Physical Parameters by APHA/ASTM/EPA Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX6-A1-NEQ-NSW comp@1.0 (B0G0630-10) Soil Sampled: 07/31/00 15:40 Received: 07/31/00 17:07									
Dry Weight	82.8	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	
EX6-A1-NEQ-SSW comp@1.0 (B0G0630-11) Soil Sampled: 07/31/00 15:41 Received: 07/31/00 17:07									
Dry Weight	86.6	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	
EX6-A1-NEQ-ESW comp@1.0 (B0G0630-12) Soil Sampled: 07/31/00 15:42 Received: 07/31/00 17:07									
Dry Weight	88.4	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	
EX6-A1-NEQ-WSW comp@1.0 (B0G0630-13) Soil Sampled: 07/31/00 15:44 Received: 07/31/00 17:07									
Dry Weight	80.4	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	
EX6-A1-NEQ-Bott comp@1.0 (B0G0630-14) Soil Sampled: 07/31/00 15:46 Received: 07/31/00 17:07									
Dry Weight	87.4	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	
EX5-A1-NEQ-NSW comp@1.0 (B0G0630-15) Soil Sampled: 07/31/00 15:47 Received: 07/31/00 17:07									
Dry Weight	80.9	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	
EX5-A1-NEQ-SSW comp@1.0 (B0G0630-16) Soil Sampled: 07/31/00 15:48 Received: 07/31/00 17:07									
Dry Weight	83.1	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	
EX5-A1-NEQ-ESW comp@1.0 (B0G0630-17) Soil Sampled: 07/31/00 15:50 Received: 07/31/00 17:07									
Dry Weight	79.8	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	
EX5-A1-NEQ-WSW comp@1.0 (B0G0630-18) Soil Sampled: 07/31/00 15:49 Received: 07/31/00 17:07									
Dry Weight	81.3	1.00	%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 7 of 13



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/14/00 15:09
---	---	-----------------------------

Physical Parameters by APHA/ASTM/EPA Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
EX5-A1-NEQ-Bott comp@1.0 (B0G0630-19) Soil Sampled: 07/31/00 15:52 Received: 07/31/00 17:07										
Dry Weight	82.3	1.00		%	1	0G31038	07/31/00	08/01/00	BSOPSPL003R07	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/14/00 15:09
---	---	-----------------------------

Semivolatle Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0G31039: Prepared 07/31/00 Using EPA 3550B

Blank (0G31039-BLK1)

Diesel Range Hydrocarbons	ND	10.0	mg/kg wet							
Lube Oil Range Hydrocarbons	ND	25.0	"							
Surrogate: 2-FBP	9.86		"	12.1		81.5	50-150			

LCS (0G31039-BS1)

Diesel Range Hydrocarbons	53.9	10.0	mg/kg wet	66.7		80.8	60-140			
Surrogate: 2-FBP	10.9		"	12.2		89.3	50-150			

Duplicate (0G31039-DUP1)

Source: B0G0630-01

Diesel Range Hydrocarbons	32.2	10.0	mg/kg dry		60.5			61.1	50	Q-05
Lube Oil Range Hydrocarbons	71.4	25.0	"		199			94.4	50	Q-05
Surrogate: 2-FBP	10.7		"	14.1		75.9	50-150			

Duplicate (0G31039-DUP2)

Source: B0G0630-02

Diesel Range Hydrocarbons	2730	110	mg/kg dry		2100			26.1	50	
Lube Oil Range Hydrocarbons	9060	275	"		8310			8.64	50	
Surrogate: 2-FBP	8.35		"	13.7		60.9	50-150			

Batch 0H10021: Prepared 08/10/00 Using EPA 3550B

Blank (0H10021-BLK1)

Diesel Range Hydrocarbons	ND	10.0	mg/kg wet							
Lube Oil Range Hydrocarbons	ND	25.0	"							
Surrogate: 2-FBP	8.25		"	12.2		67.6	50-150			

LCS (0H10021-bs1)

Diesel Range Hydrocarbons	54.4	10.0	mg/kg wet	66.7		81.6	50-150			
Surrogate: 2-FBP	8.27		"	12.2		67.8	50-150			

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 9 of 13



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/14/00 15:09

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0H10021: Prepared 08/10/00 Using EPA 3550B

Duplicate (0H10021-DUP1)

Source: B0H0058-02

Diesel Range Hydrocarbons	27.7	10.0	mg/kg dry		24.8			11.0	50	
Lube Oil Range Hydrocarbons	67.7	25.0	"		146			73.3	50	Q-05
Surrogate: 2-FBP	10.6		"	13.7		77.4	50-150			

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 10 of 13



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/14/00 15:09

Total Metals by EPA 6000/7000 Series Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0G31037: Prepared 07/31/00 Using EPA 3050B

Blank (0G31037-BLK1)

Cadmium	ND	1.25	mg/kg wet							
Lead	ND	2.50	"							

LCS (0G31037-BS1)

Cadmium	25.5	0.250	mg/kg wet	25.0		102	70-130			
Lead	25.8	0.500	"	25.0		103	80-120			

Matrix Spike (0G31037-MS1)

Source: B0G0630-05

Cadmium	13.9	0.753	mg/kg dry	16.3	ND	83.2	70-130			
Lead	68.7	1.51	"	16.3	66.1	16.0	70-130			Q-15

Matrix Spike Dup (0G31037-MSD1)

Source: B0G0630-05

Cadmium	14.1	0.744	mg/kg dry	16.1	ND	85.5	70-130	1.43	20	
Lead	85.2	1.49	"	16.1	66.1	119	70-130	21.4	20	Q-15

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 11 of 13



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Parallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/14/00 15:09
---	---	------------------------------------

Physical Parameters by APHA/ASTM/EPA Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0G31038: Prepared 07/31/00 Using Dry Weight

Blank (0G31038-BLK1)

Dry Weight	100	1.00	%							
------------	-----	------	---	--	--	--	--	--	--	--

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/14/00 15:09

Notes and Definitions

- D-09 Results in the diesel organics range are primarily due to overlap from a heavy oil range product.
- Q-05 Analyses are not controlled on RPD values from sample concentrations less than 10 times the reporting limit.
- Q-15 Analyses are not controlled on matrix spike RPD and/or percent recoveries when the sample concentration is significantly higher than the spike level.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



189 1st Ave E., Ste 101, Bend, OR 97701-5711 (509) 924-9200 FAX 924-9290
 East 11115 Montgomery, Suite B, Spokane, WA 98206-4776 (503) 906-9200 FAX 906-9210
 9405 S.W. Nimbus Avenue, Beaverton, OR 97008-7132 (541) 383-9310 FAX 382-7588
 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711

CHAIN OF CUSTODY REPORT

Work Order #: **BO60630**

CLIENT: **FARALLON CONSULTING**
 REPORT TO: **MATT EBBEL**
 ADDRESS: **320 3rd Avenue NE, Suite 200**
ISBROUETH, WA 98027
 PHONE: **425-427-0061** FAX: **425-427-0067**

INVOICE TO:
 P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses
 10 7 5 4 3 2 1 <1

STD. Petroleum Hydrocarbon Analyses
 5 4 3 2 1 <1

STD. OTHER Please Specify

*Turnaround Requests less than standard may incur Rush Charges

PROJECT NAME: **Marion Auto Salvage**
 PROJECT NUMBER: **601-003-002**
 SAMPLED BY: **MATT EBBEL**

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	EPA-600-2-91-010	Total Phos	Nutrient D _x	REQUESTED ANALYSES															
					1	2	3	4	5	6	7	8	9	10						
1. EX5-A1-NEE - ^{Soil} c1.0'	2/31/00 1548			X																
2. EX5-A1-NEE - ^{EPA 600-2-91-010} c1.0'	1550			X																
3. EX5-A1-NEE - ^{NSW 600-2-91-010} c1.0'	1549			X																
4. EX5-A1-NEE - ^{Bottom} c1.0'	2/31/00 1552			X																
5.																				
6.																				
7.																				
8.																				
9.																				
10.																				
11.																				
12.																				
13.																				
14.																				
15.																				

MATRIX (W, S, O)	# OF CONT.	COMMENTS	NCA WO ID
SOIL	2		-16
SOIL	2		-17
SOIL	2		-18
SOIL	4		-19

SAMPLES WERE NOT @ 2-60 UPON RECEIPT

RELINQUISHED BY: **[Signature]** DATE: **2/31/00** RECEIVED BY: **[Signature]** DATE: **2/31/00**
 PRINT NAME: **MATT EBBEL** FIRM: **FARALLON** TIME: **1707** PRINT NAME: **[Signature]** FIRM: **NCA** TIME: **1705**
 RELINQUISHED BY: DATE: RECEIVED BY: DATE:
 PRINT NAME: FIRM: TIME: PRINT NAME: FIRM: TIME:

ADDITIONAL REMARKS: **w/o** TEMP: **18.0** PAGE **2** OF **2**

CHAIN OF CUSTODY REPORT

Work Order #: **BO60630**

CLIENT: **FARALLON CONSULTING**
REPORT TO: **MATT ESSIG**
ADDRESS: **320 3rd Avenue NE, Suite 200
Issaquah, WA 98027**
PHONE: **425-427-0061** FAX: **425-427-0067**

INVOICE TO:
P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses
 10 7 5 4 3 2 1 <1

STD. Petroleum Hydrocarbon Analysis
 5 4 3 2 1 <1

STD. OTHER Please Specify

*Turnaround Requests less than standard may incur Rush Charges.

PROJECT NAME: **Monroe Hub Salvage**
PROJECT NUMBER: **60005-002**
SAMPLED BY: **MATT ESSIG**

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	REQUESTED ANALYSES		MATRIX (W, S, O)	# OF CONT.	COMMENTS	NCA WO ID
		EXP CO20 Ref: Pp/10	NW/PA/2X				
1. EX4-BO-SEQ - BUTTAMP CI.01	7/31/00 1309		X	SOIL	4		-01
2. EX4-BO-SEQ - NW/PA/2X CI.01	1311		X		3		-02
3. EX4-BO-SEQ - NW/PA/2X CI.01	1314		X		2		-03
4. EX4-BO-SEQ - BUTTAMP CI.01	1316		X		2		-04
5. EX2-A2-NWQ - BUTTAMP CI.01	1424	X			4		-05
6. EX2-A2-NWQ - SW/PA/2X CI.01	1427	X			3		-06
7. EX2-A2-NWQ - BUTTAMP CI.01	1429	X			2		-07
8. EX2-A2-NWQ - SW/PA/2X CI.01	1432	X			2		-08
9. EX6-A1-NER - BUTTAMP CI.01	1535		X		4		-09
10. EX6-A1-NER - SW/PA/2X CI.01	1540		X		2		-10
11. EX6-A1-NER - SW/PA/2X CI.01	1541		X		2		-11
12. EX6-A1-NER - BUTTAMP CI.01	1542		X		2	SAMPLES WERE NOT @ 2-6C UPON RECEIPT	-12
13. EX6-A1-NER - SW/PA/2X CI.01	1544		X		2		-13
14. EX6-A1-NER - BUTTAMP CI.01	1546		X		4		-14
15. EX5-A1-NER - SW/PA/2X CI.01	7/31/00 1547		X		SOIL		-15

RELINQUISHED BY: **MATT ESSIG** DATE: **7/31/00**
PRINT NAME: **MATT ESSIG** FIRM: **FARALLON** TIME: **1707**

RELINQUISHED BY: DATE: TIME:
PRINT NAME: FIRM: TIME:

RECEIVED BY: **JOHN PRANBY** DATE: **7/31/00**
PRINT NAME: **JOHN PRANBY** FIRM: **NCA** TIME: **1707**

RECEIVED BY: DATE: TIME:
PRINT NAME: FIRM: TIME:



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97006-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/01/00 08:27

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
EX2-A2-NEQ-ESW Comp @2.0'	B0G0601-01	Soil	07/28/00 13:15	07/28/00 16:55
EX2-A2-NEQ-SSW Comp @2.0'	B0G0601-02	Soil	07/28/00 13:23	07/28/00 16:55
EX2-A2-NEQ Bott comp.@2.0'	B0G0601-03	Soil	07/28/00 13:30	07/28/00 16:55
EX2-A2-NWQ-WSW Comp @2.0'	B0G0601-04	Soil	07/28/00 13:27	07/28/00 16:55
EX2-A2-NWQ-SSW Comp @2.0'	B0G0601-05	Soil	07/28/00 13:25	07/28/00 16:55
EX2-A2-NWQ-Bott Comp @1.0'	B0G0601-06	Soil	07/28/00 13:34	07/28/00 16:55
EX3-A1-NWQ-WSW Comp @2.0'	B0G0601-07	Soil	07/28/00 15:37	07/28/00 16:55
EX3-A1-NWQ-NSW Comp @2.0'	B0G0601-08	Soil	07/28/00 15:40	07/28/00 16:55
EX3-A1-NWQ-Bott Comp @2.0'	B0G0601-09	Soil	07/28/00 15:42	07/28/00 16:55
EX3-A1-SWQ-SSW Comp @2.0'	B0G0601-10	Soil	07/28/00 15:47	07/28/00 16:55
EX3-A1-SWQ-WSW Comp @2.0'	B0G0601-11	Soil	07/28/00 15:49	07/28/00 16:55
EX3-A1-SWQ-Bott comp @2.0'	B0G0601-12	Soil	07/28/00 15:51	07/28/00 16:55
EX3-A1-SEQ-SSW Comp @2.0'	B0G0601-13	Soil	07/28/00 15:55	07/28/00 16:55
EX3-A1-SEQ-ESW Comp @2.0'	B0G0601-14	Soil	07/28/00 15:57	07/28/00 16:55
EX3-A1-SEQ-Bott Comp @2.0'	B0G0601-15	Soil	07/28/00 16:00	07/28/00 16:55

RECEIVED
 AUG 03 2000
 BY: _____

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/01/00 08:27

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX3-A1-NWQ-Bott Comp @2.0' (B0G0601-09) Soil Sampled: 07/28/00 15:42 Received: 07/28/00 16:55									
Diesel Range Hydrocarbons	169	10.0	mg/kg dry	1	0G31010	07/31/00	07/31/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	403	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	105 %	50-150			"	"	"	"	
EX3-A1-SWQ-SSW Comp @2.0' (B0G0601-10) Soil Sampled: 07/28/00 15:47 Received: 07/28/00 16:55									
Diesel Range Hydrocarbons	21.2	10.0	mg/kg dry	1	0G31010	07/31/00	07/31/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	36.3	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	85.6 %	50-150			"	"	"	"	
EX3-A1-SWQ-WSW Comp @2.0' (B0G0601-11) Soil Sampled: 07/28/00 15:49 Received: 07/28/00 16:55									
Diesel Range Hydrocarbons	94.4	10.0	mg/kg dry	1	0G31010	07/31/00	07/31/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	185	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	91.7 %	50-150			"	"	"	"	
EX3-A1-SWQ-Bott comp @2.0' (B0G0601-12) Soil Sampled: 07/28/00 15:51 Received: 07/28/00 16:55									
Diesel Range Hydrocarbons	68.0	10.0	mg/kg dry	1	0G31010	07/31/00	07/31/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	102	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	96.1 %	50-150			"	"	"	"	
EX3-A1-SEQ-SSW Comp @2.0' (B0G0601-13) Soil Sampled: 07/28/00 15:55 Received: 07/28/00 16:55									
Diesel Range Hydrocarbons	39.5	10.0	mg/kg dry	1	0G31010	07/31/00	07/31/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	103	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	92.1 %	50-150			"	"	"	"	
EX3-A1-SEQ-ESW Comp @2.0' (B0G0601-14) Soil Sampled: 07/28/00 15:57 Received: 07/28/00 16:55									
Diesel Range Hydrocarbons	21.2	10.0	mg/kg dry	1	0G31010	07/31/00	07/31/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	91.4 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/01/00 08:27
---	---	-----------------------------

Semivolatle Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX3-A1-SEQ-Bott Comp @2.0' (B0G0601-15) Soil Sampled: 07/28/00 16:00 Received: 07/28/00 16:55									
Diesel Range Hydrocarbons	30.4	10.0	mg/kg dry	1	0G31010	07/31/00	07/31/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	57.1	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	97.7 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/01/00 08:27

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A2-NEQ-ESW Comp @2.0' (B0G0601-01) Soil Sampled: 07/28/00 13:15 Received: 07/28/00 16:55									
Cadmium	ND	0.801	mg/kg dry	5	0G28042	07/28/00	07/30/00	EPA 6020	
Lead	9.11	1.60	"	"	"	"	"	"	
EX2-A2-NEQ-SSW Comp @2.0' (B0G0601-02) Soil Sampled: 07/28/00 13:23 Received: 07/28/00 16:55									
Cadmium	1.52	0.812	mg/kg dry	5	0G28042	07/28/00	07/30/00	EPA 6020	
Lead	307	1.62	"	"	"	"	"	"	
EX2-A2-NEQ Bott comp.@2.0' (B0G0601-03) Soil Sampled: 07/28/00 13:30 Received: 07/28/00 16:55									
Cadmium	ND	0.833	mg/kg dry	5	0G28042	07/28/00	07/30/00	EPA 6020	
Lead	90.8	1.67	"	"	"	"	"	"	
EX2-A2-NWQ-WSW Comp @2.0' (B0G0601-04) Soil Sampled: 07/28/00 13:27 Received: 07/28/00 16:55									
Cadmium	0.964	0.833	mg/kg dry	5	0G28042	07/28/00	07/30/00	EPA 6020	
Lead	80.8	1.67	"	"	"	"	"	"	
EX2-A2-NWQ-SSW Comp @2.0' (B0G0601-05) Soil Sampled: 07/28/00 13:25 Received: 07/28/00 16:55									
Cadmium	1.47	0.791	mg/kg dry	5	0G28042	07/28/00	07/30/00	EPA 6020	
Lead	283	1.58	"	"	"	"	"	"	
EX2-A2-NWQ-Bott Comp @1.0' (B0G0601-06) Soil Sampled: 07/28/00 13:34 Received: 07/28/00 16:55									
Cadmium	ND	0.776	mg/kg dry	5	0G28042	07/28/00	07/30/00	EPA 6020	
Lead	52.4	1.55	"	"	"	"	"	"	
EX3-A1-NWQ-WSW Comp @2.0' (B0G0601-07) Soil Sampled: 07/28/00 15:37 Received: 07/28/00 16:55									
Cadmium	ND	0.850	mg/kg dry	5	0G28042	07/28/00	07/30/00	EPA 6020	
Lead	10.4	1.70	"	"	"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/01/00 08:27
---	---	-----------------------------

**Total Metals by EPA 6000/7000 Series Methods
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX3-A1-NWQ-NSW Comp @2.0' (B0G0601-08) Soil Sampled: 07/28/00 15:40 Received: 07/28/00 16:55									
Cadmium	ND	0.850	mg/kg dry	5	0G28042	07/28/00	07/30/00	EPA 6020	
Lead	28.4	1.70	"	"	"	"	"	"	
EX3-A1-NWQ-Bott Comp @2.0' (B0G0601-09) Soil Sampled: 07/28/00 15:42 Received: 07/28/00 16:55									
Cadmium	ND	0.817	mg/kg dry	5	0G28042	07/28/00	07/30/00	EPA 6020	
Lead	62.6	1.63	"	"	"	"	"	"	
EX3-A1-SWQ-SSW Comp @2.0' (B0G0601-10) Soil Sampled: 07/28/00 15:47 Received: 07/28/00 16:55									
Cadmium	ND	0.822	mg/kg dry	5	0G28042	07/28/00	07/30/00	EPA 6020	
Lead	34.8	1.64	"	"	"	"	"	"	
EX3-A1-SWQ-WSW Comp @2.0' (B0G0601-11) Soil Sampled: 07/28/00 15:49 Received: 07/28/00 16:55									
Cadmium	ND	0.839	mg/kg dry	5	0G28042	07/28/00	07/30/00	EPA 6020	
Lead	24.7	1.68	"	"	"	"	"	"	
EX3-A1-SWQ-Bott comp @2.0' (B0G0601-12) Soil Sampled: 07/28/00 15:51 Received: 07/28/00 16:55									
Cadmium	ND	0.822	mg/kg dry	5	0G28042	07/28/00	07/30/00	EPA 6020	
Lead	23.7	1.64	"	"	"	"	"	"	
EX3-A1-SEQ-SSW Comp @2.0' (B0G0601-13) Soil Sampled: 07/28/00 15:55 Received: 07/28/00 16:55									
Cadmium	ND	0.822	mg/kg dry	5	0G28042	07/28/00	07/30/00	EPA 6020	
Lead	12.9	1.64	"	"	"	"	"	"	
EX3-A1-SEQ-ESW Comp @2.0' (B0G0601-14) Soil Sampled: 07/28/00 15:57 Received: 07/28/00 16:55									
Cadmium	ND	0.839	mg/kg dry	5	0G28042	07/28/00	07/30/00	EPA 6020	
Lead	5.82	1.68	"	"	"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.3310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/01/00 08:27
---	---	------------------------------------

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX3-A1-SEQ-Bott Comp @2.0' (B0G0601-15) Soil Sampled: 07/28/00 16:00 Received: 07/28/00 16:55									
Cadmium	0.188	0.163	mg/kg dry	1	0G28042	07/28/00	07/30/00	EPA 6020	
Lead	10.1	0.327	"	"	"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/01/00 08:27
---	---	-----------------------------

**Physical Parameters by APHA/ASTM/EPA Methods
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A2-NEQ-ESW Comp @2.0' (B0G0601-01) Soil Sampled: 07/28/00 13:15 Received: 07/28/00 16:55									
Dry Weight	90.6	1.00	%	1	0G28040	07/28/00	07/29/00	BSOPSPL003R07	
EX2-A2-NEQ-SSW Comp @2.0' (B0G0601-02) Soil Sampled: 07/28/00 13:23 Received: 07/28/00 16:55									
Dry Weight	82.5	1.00	%	1	0G28040	07/28/00	07/29/00	BSOPSPL003R07	
EX2-A2-NEQ Bott comp.@2.0' (B0G0601-03) Soil Sampled: 07/28/00 13:30 Received: 07/28/00 16:55									
Dry Weight	86.7	1.00	%	1	0G28040	07/28/00	07/29/00	BSOPSPL003R07	
EX2-A2-NWQ-WSW Comp @2.0' (B0G0601-04) Soil Sampled: 07/28/00 13:27 Received: 07/28/00 16:55									
Dry Weight	86.5	1.00	%	1	0G28040	07/28/00	07/29/00	BSOPSPL003R07	
EX2-A2-NWQ-SSW Comp @2.0' (B0G0601-05) Soil Sampled: 07/28/00 13:25 Received: 07/28/00 16:55									
Dry Weight	87.4	1.00	%	1	0G28040	07/28/00	07/29/00	BSOPSPL003R07	
EX2-A2-NWQ-Bott Comp @1.0' (B0G0601-06) Soil Sampled: 07/28/00 13:34 Received: 07/28/00 16:55									
Dry Weight	87.6	1.00	%	1	0G28040	07/28/00	07/29/00	BSOPSPL003R07	
EX3-A1-NWQ-WSW Comp @2.0' (B0G0601-07) Soil Sampled: 07/28/00 15:37 Received: 07/28/00 16:55									
Dry Weight	83.4	1.00	%	1	0G28040	07/28/00	07/29/00	BSOPSPL003R07	
EX3-A1-NWQ-NSW Comp @2.0' (B0G0601-08) Soil Sampled: 07/28/00 15:40 Received: 07/28/00 16:55									
Dry Weight	80.3	1.00	%	1	0G28040	07/28/00	07/29/00	BSOPSPL003R07	
EX3-A1-NWQ-Bott Comp @2.0' (B0G0601-09) Soil Sampled: 07/28/00 15:42 Received: 07/28/00 16:55									
Dry Weight	87.6	1.00	%	1	0G28040	07/28/00	07/29/00	BSOPSPL003R07	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

**North Creek Analytical, Inc.
 Environmental Laboratory Network**



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/01/00 08:27
---	---	-----------------------------

**Physical Parameters by APHA/ASTM/EPA Methods
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX3-A1-SWQ-SSW Comp @2.0' (B0G0601-10) Soil Sampled: 07/28/00 15:47 Received: 07/28/00 16:55									
Dry Weight	80.7	1.00	%	1	0G28040	07/28/00	07/29/00	BSOPSPL003R07	
EX3-A1-SWQ-WSW Comp @2.0' (B0G0601-11) Soil Sampled: 07/28/00 15:49 Received: 07/28/00 16:55									
Dry Weight	80.6	1.00	%	1	0G28040	07/28/00	07/29/00	BSOPSPL003R07	
EX3-A1-SWQ-Bott comp @2.0' (B0G0601-12) Soil Sampled: 07/28/00 15:51 Received: 07/28/00 16:55									
Dry Weight	82.5	1.00	%	1	0G28040	07/28/00	07/29/00	BSOPSPL003R07	
EX3-A1-SEQ-SSW Comp @2.0' (B0G0601-13) Soil Sampled: 07/28/00 15:55 Received: 07/28/00 16:55									
Dry Weight	84.0	1.00	%	1	0G28040	07/28/00	07/29/00	BSOPSPL003R07	
EX3-A1-SEQ-ESW Comp @2.0' (B0G0601-14) Soil Sampled: 07/28/00 15:57 Received: 07/28/00 16:55									
Dry Weight	83.3	1.00	%	1	0G28040	07/28/00	07/29/00	BSOPSPL003R07	
EX3-A1-SEQ-Bott Comp @2.0' (B0G0601-15) Soil Sampled: 07/28/00 16:00 Received: 07/28/00 16:55									
Dry Weight	82.5	1.00	%	1	0G28040	07/28/00	07/29/00	BSOPSPL003R07	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

**North Creek Analytical, Inc.
 Environmental Laboratory Network**



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 08/01/00 08:27

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0G31010: Prepared 07/31/00 Using EPA 3550B

Blank (0G31010-BLK1)

Diesel Range Hydrocarbons	ND	10.0	mg/kg wet							
Lube Oil Range Hydrocarbons	ND	25.0	"							
Surrogate: 2-FBP	9.44		"	10.7		88.2	50-150			

LCS (0G31010-BS1)

Diesel Range Hydrocarbons *	57.9	10.0	mg/kg wet	66.7		86.8	60-140			
Surrogate: 2-FBP	11.1		"	10.7		104	50-150			

Duplicate (0G31010-DUP1)

Source: B0G0601-09

Diesel Range Hydrocarbons	162	10.0	mg/kg dry		169			4.23	50	
Lube Oil Range Hydrocarbons	298	25.0	"		403			30.0	50	
Surrogate: 2-FBP	12.4		"	12.2		102	50-150			

Duplicate (0G31010-DUP2)

Source: B0G0601-06

Diesel Range Hydrocarbons	55.3	10.0	mg/kg dry		51.1			7.89	50	
Lube Oil Range Hydrocarbons	104	25.0	"		69.6			39.6	50	
Surrogate: 2-FBP	12.5		"	12.2		102	50-150			

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 10 of 13



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/01/00 08:27
---	---	-----------------------------

Total Metals by EPA 6000/7000 Series Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	RPD	Notes
Batch 0G28042: Prepared 07/28/00 Using EPA 3050B								
Blank (0G28042-BLK1)								
Cadmium	ND	1.25	mg/kg wet					
Lead	ND	2.50	"					
LCS (0G28042-BS1)								
Cadmium	26.7	0.250	mg/kg wet	25.0		107	70-130	
Lead	27.4	0.500	"	25.0		110	80-120	
Matrix Spike (0G28042-MS1) Source: B0G0601-01								
Cadmium	16.0	0.791	mg/kg dry	17.5	ND	88.9	70-130	
Lead	22.9	1.58	"	17.5	9.11	78.8	70-130	
Matrix Spike Dup (0G28042-MSD1) Source: B0G0601-01								
Cadmium	15.2	0.791	mg/kg dry	17.5	ND	84.4	70-130	5.13 20
Lead	22.2	1.58	"	17.5	9.11	74.8	70-130	3.10 20

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA.99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 08/01/00 08:27
---	---	-----------------------------

Physical Parameters by APHA/ASTM/EPA Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0G28040: Prepared 07/28/00 Using Dry Weight

Blank (0G28040-BLK1)

Dry Weight	100	1.00	%							
------------	-----	------	---	--	--	--	--	--	--	--

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Farallon Consulting LLC
320 Third Avenue NE, Suite 200
Issaquah WA, 98027

Project: Monroe Auto Salvage
Project Number: 601-003-002
Project Manager: Matthew Essig


Reported:
08/01/00 08:27

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 13 of 13

CHAIN OF CUSTODY REPORT

Work Order #: **BD60601**

CLIENT: FARALLON CONSULTING		INVOICE TO:		TURNAROUND REQUEST in Business Days* Organic & Inorganic Analyses <input type="checkbox"/> 10 <input type="checkbox"/> 7 <input type="checkbox"/> 5 <input type="checkbox"/> 4 <input type="checkbox"/> 3 <input type="checkbox"/> 2 <input type="checkbox"/> 1 <input checked="" type="checkbox"/> <1 STD. Petroleum Hydrocarbon Analyses <input type="checkbox"/> 5 <input type="checkbox"/> 4 <input type="checkbox"/> 3 <input type="checkbox"/> 2 <input type="checkbox"/> 1 <input type="checkbox"/> <1 STD. Please Specify <input type="checkbox"/> OTHER _____ <small>*Turnaround Requests less than standard may incur Rush Charges.</small>							
REPORT TO: MATT ESEIZ		P.O. NUMBER:									
ADDRESS: 320 3rd Avenue NE, Suite 200 Issaquah, WA 98027											
PHONE: 425-427-0061 FAX: 425-427-0067											
PROJECT NAME: Maxx Auto Salvage		REQUESTED ANALYSES									
PROJECT NUMBER: 601-003-002											
SAMPLED BY: MATT ESEIZ											
CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	EPH-6020 - 2x, B, C, D	NUMPH-Dx					MATRIX (W, S, O)	# OF CONT.	COMMENTS	NCA WO ID
1. EX2-A2-NER - ^{ESWCOMP} cz.0'	7/20/00 1315	X						SOIL	3		01
2. EX2-A2-NER - ^{SSWCOMP} cz.0'	}	1323	X					}	3		02
3. EX2-A2-NER - ^{BOTTOM} cz.0'		1330	X						4		03
4. EX2-A2-NWA - ^{WSWCOMP} cz.0'	1327	X					3			04	
5. EX2-A2-NWA - ^{SSWCOMP} cz.0'	1325	X					3			05	
6. EX2-A2-NWA - ^{BOTTOM} cz.0'	7/20/00 1334	X					4			06	
7. EX3-A1-NWA - ^{WSWCOMP} cz.0'	7/20/00 1537	X					3			07	
8. EX3-A1-NWA - ^{SSWCOMP} cz.0'	}	1540	X						3		08
9. EX3-A1-NWA - ^{BOTTOM} cz.0'		1542	X						4		09
10. EX3-A1-SWQ - ^{SSWCOMP} cz.0'	1547	X					3			10	
11. EX3-A1-SWQ - ^{WSWCOMP} cz.0'	1549	X					3			11	
12. EX3-A1-SWQ - ^{BOTTOM} cz.0'	1551	X					4			12	
13. EX3-A1-SER - ^{SSWCOMP} cz.0'	1555	X					3			13	
14. EX3-A1-SER - ^{ESWCOMP} cz.0'	1557	X					3			14	
15. EX3-A1-SER - ^{BOTTOM} cz.0'	7/28/00 1600	X					SOIL		4		15
RELINQUISHED BY: Matt E	DATE: 7/20/00	RECEIVED BY: Ellen Jenn	DATE: 7/28/00								
PRINT NAME: MATT ESEIZ	FIRM: FARALLON	TIME: 1655	PRINT NAME: Ellen Jenn	FIRM: NCA	DATE: 7/28/00	TIME: 1655					
RELINQUISHED BY:	DATE:	RECEIVED BY:	DATE:								
PRINT NAME:	FIRM:	TIME:	PRINT NAME:	FIRM:	DATE:	TIME:					
ADDITIONAL REMARKS: (X) Make composite sample from equal parts (by weight) from each container. HOLD TPH-ly analysis until further notice.										TEMP: 3.3°	PAGE 1 OF 1

Farallon Consulting LLC
320 Third Avenue NE, Suite 200
Issaquah WA, 98027

Project: Monroe Auto Salvage
Project Number: 601-003-002
Project Manager: Matthew Essig

Reported:
07/31/00 15:47

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
EX2-A1-SWQ-SSW COMP e2.0'	B0G0549-01	Soil	07/27/00 13:33	07/27/00 16:55
EX2-A1-SWQ-WSW COMP e2.0'	B0G0549-02	Soil	07/27/00 13:36	07/27/00 16:55
EX2-A1-SWQ-BOTT COMP e2.0'	B0G0549-03	Soil	07/27/00 13:38	07/27/00 16:55
EX2-A1-NWQ-WSW COMP e2.0'	B0G0549-04	Soil	07/27/00 13:41	07/27/00 16:55
EX2-A1-NWQ-NSW COMP e2.0'	B0G0549-05	Soil	07/27/00 13:44	07/27/00 16:55
EX2-A1-NWQ-BOTT COMP e2.0'	B0G0549-06	Soil	07/27/00 13:46	07/27/00 16:55
EX2-A1-NEQ-NSW COMP e2.0'	B0G0549-07	Soil	07/27/00 13:49	07/27/00 16:55
EX2-A1-NEQ-ESW COMP e2.0'	B0G0549-08	Soil	07/27/00 13:51	07/27/00 16:55
EX2-A1-NEQ-BOTT COMP e2.0'	B0G0549-09	Soil	07/27/00 14:02	07/27/00 16:55
EX2-A1-SEQ-ESW COMP e2.0'	B0G0549-10	Soil	07/27/00 14:05	07/27/00 16:55
EX2-A1-SEQ-SSW COMP e2.0'	B0G0549-11	Soil	07/27/00 14:07	07/27/00 16:55
EX2-A1-SEQ-BOTT COMP e2.0'	B0G0549-12	Soil	07/27/00 14:10	07/27/00 16:55
EX4-A2-NEQ-SSW COMP e1.0'	B0G0549-13	Soil	07/27/00 14:58	07/27/00 16:55
EX4-A2-NEQ-ESW COMP e1.0'	B0G0549-14	Soil	07/27/00 15:00	07/27/00 16:55
EX4-A2-NEQ-BOTT COMP e1.0'	B0G0549-15	Soil	07/27/00 15:00	07/27/00 16:55
EX3-A1-NEQ-ESW COMP e1.0'	B0G0549-16	Soil	07/27/00 15:56	07/27/00 16:55
EX3-A1-NEQ-NSW COMP e1.0'	B0G0549-17	Soil	07/27/00 15:53	07/27/00 16:55
EX3-A1-NEQ-BOTT COMP e1.0'	B0G0549-18	Soil	07/27/00 16:00	07/27/00 16:55

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

Page 1 of 13



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 15:47

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A1-SWQ-WSW COMP e2.0' (B0G0549-02) Soil Sampled: 07/27/00 13:36 Received: 07/27/00 16:55									
Diesel Range Hydrocarbons	24.3	10.0	mg/kg dry	1	0G28013	07/28/00	07/31/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	49.0	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	85.2 %	50-150			"	"	"	"	
EX2-A1-SWQ-BOTT COMP e2.0' (B0G0549-03) Soil Sampled: 07/27/00 13:38 Received: 07/27/00 16:55									
Diesel Range Hydrocarbons	61.4	10.0	mg/kg dry	1	0G28013	07/28/00	07/29/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	98.7	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	86.3 %	50-150			"	"	"	"	
EX2-A1-NWQ-WSW COMP e2.0' (B0G0549-04) Soil Sampled: 07/27/00 13:41 Received: 07/27/00 16:55									
Diesel Range Hydrocarbons	28.6	10.0	mg/kg dry	1	0G28013	07/28/00	07/31/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	34.6	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	95.1 %	50-150			"	"	"	"	
EX2-A1-NWQ-NSW COMP e2.0' (B0G0549-05) Soil Sampled: 07/27/00 13:44 Received: 07/27/00 16:55									
Diesel Range Hydrocarbons	46.6	10.0	mg/kg dry	1	0G28013	07/28/00	07/29/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	139	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	86.1 %	50-150			"	"	"	"	
EX2-A1-NWQ-BOTT COMP e2.0' (B0G0549-06) Soil Sampled: 07/27/00 13:46 Received: 07/27/00 16:55									
Diesel Range Hydrocarbons	114	10.0	mg/kg dry	1	0G28013	07/28/00	07/31/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	250	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	86.1 %	50-150			"	"	"	"	
EX2-A1-NEQ-NSW COMP e2.0' (B0G0549-07) Soil Sampled: 07/27/00 13:49 Received: 07/27/00 16:55									
Diesel Range Hydrocarbons	33.7	10.0	mg/kg dry	1	0G28013	07/28/00	07/29/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	120	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	86.5 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 2 of 13



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 15:47

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A1-NEQ-ESW COMP e2.0' (B0G0549-08) Soil Sampled: 07/27/00 13:51 Received: 07/27/00 16:55									
Diesel Range Hydrocarbons	58.5	10.0	mg/kg dry	1	0G28013	07/28/00	07/31/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	118	25.0	"	"	"	"	"	"	"
Surrogate: 2-FBP	94.9 %	50-150			"	"	"	"	"
EX2-A1-NEQ-BOTT COMP e2.0' (B0G0549-09) Soil Sampled: 07/27/00 14:02 Received: 07/27/00 16:55									
Diesel Range Hydrocarbons	84.9	10.0	mg/kg dry	1	0G28013	07/28/00	07/29/00	NWTPH-Dx	D-09
Lube Oil Range Hydrocarbons	163	25.0	"	"	"	"	"	"	"
Surrogate: 2-FBP	88.2 %	50-150			"	"	"	"	"
EX2-A1-SEQ-ESW COMP e2.0' (B0G0549-10) Soil Sampled: 07/27/00 14:05 Received: 07/27/00 16:55									
Diesel Range Hydrocarbons	302	10.0	mg/kg dry	1	0G28013	07/28/00	07/31/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	411	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	113 %	50-150			"	"	"	"	
EX2-A1-SEQ-BOTT COMP e2.0' (B0G0549-12) Soil Sampled: 07/27/00 14:10 Received: 07/27/00 16:55									
Diesel Range Hydrocarbons	107	10.0	mg/kg dry	1	0G28013	07/28/00	07/30/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	225	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	87.1 %	50-150			"	"	"	"	
EX4-A2-NEQ-SSW COMP e1.0' (B0G0549-13) Soil Sampled: 07/27/00 14:58 Received: 07/27/00 16:55									
Diesel Range Hydrocarbons	10.9	10.0	mg/kg dry	1	0G28013	07/28/00	07/31/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	77.8 %	50-150			"	"	"	"	
EX4-A2-NEQ-ESW COMP e1.0' (B0G0549-14) Soil Sampled: 07/27/00 15:00 Received: 07/27/00 16:55									
Diesel Range Hydrocarbons	ND	10.0	mg/kg dry	1	0G28013	07/28/00	07/30/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	41.7	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	89.3 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 15:47

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up)
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX4-A2-NEQ-BOTT COMP e1.0' (B0G0549-15) Soil Sampled: 07/27/00 15:00 Received: 07/27/00 16:55									
Diesel Range Hydrocarbons	128	10.0	mg/kg dry	1	0G28013	07/28/00	07/31/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	30.6	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	97.3 %	50-150			"	"	"	"	
EX3-A1-NEQ-ESW COMP e1.0' (B0G0549-16) Soil Sampled: 07/27/00 15:56 Received: 07/27/00 16:55									
Diesel Range Hydrocarbons	80.1	10.0	mg/kg dry	1	0G28013	07/28/00	07/30/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	35.7	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	87.8 %	50-150			"	"	"	"	
EX3-A1-NEQ-NSW COMP e1.0' (B0G0549-17) Soil Sampled: 07/27/00 15:53 Received: 07/27/00 16:55									
Diesel Range Hydrocarbons	34.6	10.0	mg/kg dry	1	0G28013	07/28/00	07/31/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	ND	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	83.0 %	50-150			"	"	"	"	
EX3-A1-NEQ-BOTT COMP e1.0' (B0G0549-18) Soil Sampled: 07/27/00 16:00 Received: 07/27/00 16:55									
Diesel Range Hydrocarbons	155	10.0	mg/kg dry	1	0G28013	07/28/00	07/31/00	NWTPH-Dx	
Lube Oil Range Hydrocarbons	81.3	25.0	"	"	"	"	"	"	
Surrogate: 2-FBP	114 %	50-150			"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588


Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/31/00 15:47
---	---	-----------------------------

**Total Metals by EPA 6000/7000 Series Methods
 North Creek Analytical - Bothell**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A1-SWQ-SSW COMP e2.0' (B0G0549-01) Soil Sampled: 07/27/00 13:33 Received: 07/27/00 16:55									
Cadmium	ND	1.56	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	441	1.56	"	"	"	"	"	"	
EX2-A1-SWQ-WSW COMP e2.0' (B0G0549-02) Soil Sampled: 07/27/00 13:36 Received: 07/27/00 16:55									
Cadmium	ND	1.52	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	7.52	1.52	"	"	"	"	"	"	
EX2-A1-SWQ-BOTT COMP e2.0' (B0G0549-03) Soil Sampled: 07/27/00 13:38 Received: 07/27/00 16:55									
Cadmium	ND	1.56	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	127	1.56	"	"	"	"	"	"	
EX2-A1-NWQ-WSW COMP e2.0' (B0G0549-04) Soil Sampled: 07/27/00 13:41 Received: 07/27/00 16:55									
Cadmium	ND	1.52	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	6.71	1.52	"	"	"	"	"	"	
EX2-A1-NWQ-NSW COMP e2.0' (B0G0549-05) Soil Sampled: 07/27/00 13:44 Received: 07/27/00 16:55									
Cadmium	ND	1.54	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	138	1.54	"	"	"	"	"	"	
EX2-A1-NWQ-BOTT COMP e2.0' (B0G0549-06) Soil Sampled: 07/27/00 13:46 Received: 07/27/00 16:55									
Cadmium	ND	1.52	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	151	1.52	"	"	"	"	"	"	
EX2-A1-NEQ-NSW COMP e2.0' (B0G0549-07) Soil Sampled: 07/27/00 13:49 Received: 07/27/00 16:55									
Cadmium	ND	1.50	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	26.4	1.50	"	"	"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 15:47

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A1-NEQ-ESW COMP e2.0' (B0G0549-08) Soil Sampled: 07/27/00 13:51 Received: 07/27/00 16:55									
Cadmium	ND	1.56	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	31.5	1.56	"	"	"	"	"	"	
EX2-A1-NEQ-BOTT COMP e2.0' (B0G0549-09) Soil Sampled: 07/27/00 14:02 Received: 07/27/00 16:55									
Cadmium	ND	1.52	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	60.8	1.52	"	"	"	"	"	"	
EX2-A1-SEQ-ESW COMP e2.0' (B0G0549-10) Soil Sampled: 07/27/00 14:05 Received: 07/27/00 16:55									
Cadmium	ND	1.55	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	58.1	1.55	"	"	"	"	"	"	
EX2-A1-SEQ-SSW COMP e2.0' (B0G0549-11) Soil Sampled: 07/27/00 14:07 Received: 07/27/00 16:55									
Cadmium	2.71	1.52	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	130	1.52	"	"	"	"	"	"	
EX2-A1-SEQ-BOTT COMP e2.0' (B0G0549-12) Soil Sampled: 07/27/00 14:10 Received: 07/27/00 16:55									
Cadmium	ND	1.50	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	26.4	1.50	"	"	"	"	"	"	
EX4-A2-NEQ-SSW COMP e1.0' (B0G0549-13) Soil Sampled: 07/27/00 14:58 Received: 07/27/00 16:55									
Cadmium	ND	1.52	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	7.05	1.52	"	"	"	"	"	"	
EX4-A2-NEQ-ESW COMP e1.0' (B0G0549-14) Soil Sampled: 07/27/00 15:00 Received: 07/27/00 16:55									
Cadmium	ND	1.52	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	11.6	1.52	"	"	"	"	"	"	

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 15:47

Total Metals by EPA 6000/7000 Series Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX4-A2-NEQ-BOTT COMP e1.0' (B0G0549-15) Soil Sampled: 07/27/00 15:00 Received: 07/27/00 16:55									
Cadmium	ND	1.56	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	7.18	1.56	"	"	"	"	"	"	
EX3-A1-NEQ-ESW COMP e1.0' (B0G0549-16) Soil Sampled: 07/27/00 15:56 Received: 07/27/00 16:55									
Cadmium	ND	1.51	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	6.80	1.51	"	"	"	"	"	"	
EX3-A1-NEQ-NSW COMP e1.0' (B0G0549-17) Soil Sampled: 07/27/00 15:53 Received: 07/27/00 16:55									
Cadmium	ND	1.50	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	26.9	1.50	"	"	"	"	"	"	
EX3-A1-NEQ-BOTT COMP e1.0' (B0G0549-18) Soil Sampled: 07/27/00 16:00 Received: 07/27/00 16:55									
Cadmium	ND	1.54	mg/kg dry	5	0G27052	07/27/00	07/28/00	EPA 6020	
Lead	13.0	1.54	"	"	"	"	"	"	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig


Reported:
 07/31/00 15:47

Physical Parameters by APHA/ASTM/EPA Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A1-SWQ-SSW COMP e2.0' (B0G0549-01) Soil	Sampled: 07/27/00 13:33 Received: 07/27/00 16:55								
Dry Weight	78.9	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	
EX2-A1-SWQ-WSW COMP e2.0' (B0G0549-02) Soil	Sampled: 07/27/00 13:36 Received: 07/27/00 16:55								
Dry Weight	78.8	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	
EX2-A1-SWQ-BOTT COMP e2.0' (B0G0549-03) Soil	Sampled: 07/27/00 13:38 Received: 07/27/00 16:55								
Dry Weight	83.9	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	
EX2-A1-NWQ-WSW COMP e2.0' (B0G0549-04) Soil	Sampled: 07/27/00 13:41 Received: 07/27/00 16:55								
Dry Weight	85.6	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	
EX2-A1-NWQ-NSW COMP e2.0' (B0G0549-05) Soil	Sampled: 07/27/00 13:44 Received: 07/27/00 16:55								
Dry Weight	77.6	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	
EX2-A1-NWQ-BOTT COMP e2.0' (B0G0549-06) Soil	Sampled: 07/27/00 13:46 Received: 07/27/00 16:55								
Dry Weight	84.7	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	
EX2-A1-NEQ-NSW COMP e2.0' (B0G0549-07) Soil	Sampled: 07/27/00 13:49 Received: 07/27/00 16:55								
Dry Weight	87.0	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	
EX2-A1-NEQ-ESW COMP e2.0' (B0G0549-08) Soil	Sampled: 07/27/00 13:51 Received: 07/27/00 16:55								
Dry Weight	77.7	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	
EX2-A1-NEQ-BOTT COMP e2.0' (B0G0549-09) Soil	Sampled: 07/27/00 14:02 Received: 07/27/00 16:55								
Dry Weight	90.2	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC
 320 Third Avenue NE, Suite 200
 Issaquah WA, 98027

Project: Monroe Auto Salvage
 Project Number: 601-003-002
 Project Manager: Matthew Essig

Reported:
 07/31/00 15:47

Physical Parameters by APHA/ASTM/EPA Methods
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
EX2-A1-SEQ-ESW COMP e2.0' (B0G0549-10) Soil Sampled: 07/27/00 14:05 Received: 07/27/00 16:55									
Dry Weight	87.7	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	
EX2-A1-SEQ-SSW COMP e2.0' (B0G0549-11) Soil Sampled: 07/27/00 14:07 Received: 07/27/00 16:55									
Dry Weight	86.6	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	
EX2-A1-SEQ-BOTT COMP e2.0' (B0G0549-12) Soil Sampled: 07/27/00 14:10 Received: 07/27/00 16:55									
Dry Weight	83.1	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	
EX4-A2-NEQ-SSW COMP e1.0' (B0G0549-13) Soil Sampled: 07/27/00 14:58 Received: 07/27/00 16:55									
Dry Weight	79.8	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	
EX4-A2-NEQ-ESW COMP e1.0' (B0G0549-14) Soil Sampled: 07/27/00 15:00 Received: 07/27/00 16:55									
Dry Weight	81.6	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	
EX4-A2-NEQ-BOTT COMP e1.0' (B0G0549-15) Soil Sampled: 07/27/00 15:00 Received: 07/27/00 16:55									
Dry Weight	81.8	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	
EX3-A1-NEQ-ESW COMP e1.0' (B0G0549-16) Soil Sampled: 07/27/00 15:56 Received: 07/27/00 16:55									
Dry Weight	83.3	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	
EX3-A1-NEQ-NSW COMP e1.0' (B0G0549-17) Soil Sampled: 07/27/00 15:53 Received: 07/27/00 16:55									
Dry Weight	83.0	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	
EX3-A1-NEQ-BOTT COMP e1.0' (B0G0549-18) Soil Sampled: 07/27/00 16:00 Received: 07/27/00 16:55									
Dry Weight	85.0	1.00	%	1	0G27048	07/27/00	07/28/00	BSOPSPL003R07	

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
 Environmental Laboratory Network

Page 9 of 13



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/31/00 15:47
---	---	-----------------------------

Semivolatile Petroleum Products by NWTPH-Dx (w/o Acid/Silica Gel Clean-up) - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 0G28013: Prepared 07/28/00 Using EPA 3550B										
Blank (0G28013-BLK1)										
Diesel Range Hydrocarbons	ND	10.0	mg/kg wet							
Lube Oil Range Hydrocarbons	ND	25.0	"							
Surrogate: 2-FBP	9.99		"	12.2		81.9	50-150			
LCS (0G28013-BS1)										
Diesel Range Hydrocarbons *	68.3	10.0	mg/kg wet	66.7		102	60-140			
Surrogate: 2-FBP	12.2		"	12.2		100	50-150			
Duplicate (0G28013-DUP1) Source: B0G0549-06										
Diesel Range Hydrocarbons	74.5	10.0	mg/kg dry		114			41.9	50	
Lube Oil Range Hydrocarbons	94.8	25.0	"		250			90.0	50	Q-05
Surrogate: 2-FBP	13.6		"	14.4		94.4	50-150			
Duplicate (0G28013-DUP2) Source: B0G0549-09										
Diesel Range Hydrocarbons	81.2	10.0	mg/kg dry		84.9			4.46	50	
Lube Oil Range Hydrocarbons	142	25.0	"		163			13.8	50	
Surrogate: 2-FBP	12.0		"	13.6		88.2	50-150			

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/31/00 15:47
---	---	-----------------------------

Total Metals by EPA 6000/7000 Series Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0G27052: Prepared 07/27/00 Using EPA 3050B

Blank (0G27052-BLK1)

Cadmium	ND	1.25	mg/kg wet							
Lead	ND	1.25	"							

LCS (0G27052-BS1)

Cadmium	25.2	0.500	mg/kg wet	25.0		101	70-130			
Lead	26.3	0.500	"	25.0		105	80-120			

Matrix Spike (0G27052-MS1)

Source: B0G0549-01

Cadmium	19.2	1.55	mg/kg dry	19.7	ND	93.4	70-130			
Lead	397	1.55	"	19.7	441	-223	70-130			Q-15

Matrix Spike Dup (0G27052-MSD1)

Source: B0G0549-01

Cadmium	17.6	1.52	mg/kg dry	19.2	ND	87.5	70-130	8.70	20	
Lead	656	1.52	"	19.2	441	1120	70-130	49.2	20	Q-15

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/31/00 15:47
---	---	------------------------------------

Physical Parameters by APHA/ASTM/EPA Methods - Quality Control
North Creek Analytical - Bothell

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0G27048: Prepared 07/27/00 Using Dry Weight

Blank (0G27048-BLK1)

Dry Weight	100	1.00	%							
------------	-----	------	---	--	--	--	--	--	--	--

North Creek Analytical - Bothell

Steve Davis, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Seattle 11720 North Creek Pkwy N, Suite 400, Bothell, WA 98011-8223
 425.420.9200 fax 425.420.9210
 Spokane East 11115 Montgomery, Suite B, Spokane, WA 99206-4776
 509.924.9200 fax 509.924.9290
 Portland 9405 SW Nimbus Avenue, Beaverton, OR 97008-7132
 503.906.9200 fax 503.906.9210
 Bend 20332 Empire Avenue, Suite F-1, Bend, OR 97701-5711
 541.383.9310 fax 541.382.7588

Farallon Consulting LLC 320 Third Avenue NE, Suite 200 Issaquah WA, 98027	Project: Monroe Auto Salvage Project Number: 601-003-002 Project Manager: Matthew Essig	Reported: 07/31/00 15:47
---	---	-----------------------------

Notes and Definitions

- D-09 Results in the diesel organics range are primarily due to overlap from a heavy oil range product.
- Q-05 Analyses are not controlled on RPD values from sample concentrations less than 10 times the reporting limit.
- Q-15 Analyses are not controlled on matrix spike RPD and/or percent recoveries when the sample concentration is significantly higher than the spike level.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

North Creek Analytical - Bothell

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Steve Davis, Project Manager

North Creek Analytical, Inc.
Environmental Laboratory Network

CHAIN OF CUSTODY REPORT

Work Order #: **BOG0549**

CLIENT: **FARALLON CONSULTING**
 REPORT TO: **MATT ESSIG**
 ADDRESS: **320 3rd Avenue NE, Suite 200**
ISSAQUAH, WA 98027
 PHONE: **425-427-0061** FAX: **425-427-0067**

INVOICE TO:
 P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses
 10 7 5 4 3 2 1 <1

STD. Petroleum Hydrocarbon Analyses
 5 4 3 2 1 <1

STD. Please Specify

OTHER

*Turnaround Requests less than standard may incur Rush Charges.

PROJECT NAME: **MONROE AUTO SALVAGE**
 PROJECT NUMBER: **601-003-002**
 SAMPLED BY: **MATT ESSIG**

REQUESTED ANALYSES

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	EPAC020	TOT. PCBs	NUMPH-04														
1. EX3-A1-NEQ- ^{ESWCOMP} @1.0'	7/27/00 1556	X																
2. EX3-A1-NEQ- ^{NSWCOMP} @1.0'	7/27/00 1553	X																
3. EX3-A1-NEQ- ^{BOTTLECOMP} @1.0'	7/27/00 1600	X																
4.																		
5.																		
6.																		
7.																		
8.																		
9.																		
10.																		
11.																		
12.																		
13.																		
14.																		
15.																		

MATRIX (W, S, O)	# OF CONT.	COMMENTS	NCA WO ID
SOIL	3	First Priority	16
SOIL	3	↓	17
SOIL	4	↓	18

RELINQUISHED BY: **[Signature]** DATE: **7/27/00**
 PRINT NAME: **MATT ESSIG** FIRM: **FARALLON** TIME: **1655**

RECEIVED BY: **[Signature]** DATE: **7/27/00**
 PRINT NAME: **Karla Kaczorowski** FIRM: **NCA** TIME: **16:55**

SAMPLES WERE NOT @
 2-66 UPON RECEIPT

ADDITIONAL REMARKS:
 (CC REV 3/99)

CHAIN OF CUSTODY REPORT

Work Order #: **B060549**

CLIENT: **FARALLON CONSULTING**
REPORT TO: **MATT ESSIG**
ADDRESS: **320 3rd Avenue NE, Suite 200
ISSAQUAH, WA 98027**
PHONE: **425-427-0061** FAX: **425-427-0067**

INVOICE TO:

P.O. NUMBER:

TURNAROUND REQUEST in Business Days*

Organic & Inorganic Analyses
 10 7 5 4 3 2 1 <1

Petroleum Hydrocarbon Analyses
 STD: 5 4 3 2 1 <1

OTHER: Please Specify _____

*Turnaround Requests less than standard may incur Rush Charges.

PROJECT NAME: **HOUSE AUTO SALVAGE**
PROJECT NUMBER: **601-003-002**
SAMPLED BY: **MATT ESSIG**

REQUESTED ANALYSES

FAH-G020	TOG/1/15/14	NADTPH-06																		
----------	-------------	-----------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	FAH-G020	TOG/1/15/14	NADTPH-06																	
1. EX2-A1-SWQ- ^{SSWCOMP} 22.0'	1333	X																			
2. EX2-A1-SWQ- ^{WSWCOMP} 22.0'	1336	X																			
3. EX2-A1-SWQ- ^{BOTCOMP} 22.0'	1338	X																			
4. EX2-A1-NWQ- ^{WSWCOMP} 22.0'	1341	X																			
5. EX2-A1-NWQ- ^{NSWCOMP} 22.0'	1344	X																			
6. EX2-A1-NWQ- ^{BOTCOMP} 22.0'	1346	X																			
7. EX2-A1-NWQ- ^{NSWCOMP} 22.0'	1349	X																			
8. EX2-A1-NWQ- ^{ESWCOMP} 22.0'	1351	X																			
9. EX2-A1-NWQ- ^{BOTCOMP} 22.0'	1402	X																			
10. EX2-A1-NWQ- ^{ESWCOMP} 22.0'	1405	X																			
11. EX2-A1-NWQ- ^{SSWCOMP} 22.0'	1407	X																			
12. EX2-A1-NWQ- ^{BOTCOMP} 22.0'	1410	X																			
13. EX4-A2-NWQ- ^{SSWCOMP} 21.0'	1458	X																			
14. EX4-A2-NWQ- ^{ESWCOMP} 21.0'	1500	X																			
15. EX4-A2-NWQ- ^{BOTCOMP} 21.0'	1503	X																			

MATRIX (W, S, O)	# OF CONT.	COMMENTS	NCA WO ID
SOIL	3	Second Priority	01
}	3		02
	4		03
	3		04
	3		05
	4		06
	3		07
	3		08
	4		09
	3		10
	3		11
	4		12
	3	First Priority	13
	2		14
	SOIL	4	

RELINQUISHED BY: **MATT ESSIG** DATE: **7/29/00**
PRINT NAME: **MATT ESSIG** FIRM: **FARALLON** TIME: **1625**

RECEIVED BY: **Karla Kaczorowski** DATE: **7/29/00**
PRINT NAME: **Karla Kaczorowski** FIRM: **NCA** TIME: **16:55**


SAMPLES WERE NOT @ 2-6C UPON RECEIPT

ADDITIONAL REMARKS: **(X) Please make composite sample taken from equal parts (by weight) from each container. HOLD TPH-Dx analysis until further notice.**

W/O TEMP: **A. 2+** PAGE 1 OF 2

APPENDIX B
DISPOSAL MANIFESTS

Final Cleanup Action Summary Report
Monroe Auto Salvage
926 Fremont Street
Monroe, Washington
Farallon PN: 601-003
November 9, 2000

MONROE AUTO	426 FREMONT, MONROE	EVERETT, VA 22603	4016579E	
P. O. #	Instructions			Due Time
VERBAL	TO EVERETT SOIL REMEDIATION			
Zone			Leave Plant	Arrive Job
			12:03:37 PM	

Order # 8760311	Truck # 03049	Driver/Hauler	R27T, RIVERSIDE SAND & GRA	Leave Job	Arrive Plant
-----------------	---------------	---------------	----------------------------	-----------	--------------

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
34.21 Ton	5 172.55	5 Loads Ton	1192508	CLASS 3 SOIL PUMPED BY TD		
		INITIAL	Gross	106,220 LB 48,181 Kg		
			Tare	37,800 LB 17,145 Kg		
			Net	68,420 LB 31,035 Kg		

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in his load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

MONROE AUTO	426 FREMONT, MONROE	EVERETT, WA 98203	48165792
P. O. #	Instructions		Due Time
VERBAL	TO EVERETT SOIL REMEDIATION		
Zone		Leave Plant	Arrive Job
		9:47:39 AM	

Order # 876031	Truck # 03039	Driver/Hauler	RETT, RIVERSTONE SAND & GRA	Leave Job	Arrive Plant
----------------	---------------	---------------	-----------------------------	-----------	--------------

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
77.78 Ton	2 70.09	MANUAL Loads Ton	Gross Tare Net 1192508	113,360 Lb 51,420 Kg 37,800 Lb 17,146 Kg 75,560 Lb 34,274 Kg CLASS 3 SOIL DUMPED BY TO		

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

MUNROE AUTO	426 FRENCH, MUNROE	EVERETT, WA 98203	#0155792	
P. O. #	Instructions			Due Time
VERBAL	TO EVERETT SOIL REMEDIATION			
Zone			Leave Plant	Arrive Job
			9:22:00 AM	

Order # 0760311	Truck # 02015	Driver/Hauler	R2BT, RIVERSIDE SAND		Leave Job	Arrive Plant
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
32.31 Ton	1 32.31	HANDAL Lead Ton	Gross Tare Net 1192508	101,640 Lb 37,020 Lb 64,620 Lb CLASS 3 SOIL DUMPED BY TD	36,104 Kg 16,792 Kg 29,311 Kg	
SUB-TOTAL		TAX	TICKET TOTAL		ORDER TOTAL	

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

MONROE AUTO	426 FREMONT, MONROE	EVERETT, WA 98203	40165792	
P.O.#	Instructions			Due Time
VERBAL	TO EVERETT SOIL REMEDIATION			
Zone			Leave Plant	Arrive Job
			1:51:02 AM	

Order #18760311	Truck #123015	Driver/Hauler	R29T, RIVERSIDE SAND		Leave Job	Arrive Plant
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
36.96 Ton	4 138.34	MANUAL	Gross	110,940 Lb 50,322 Kg		
			Tare	37,020 Lb 16,792 Kg		
			Net	73,920 Lb 33,530 Kg		
		4 Loads Ton	1192508	CLASS 3 SOIL DUMPED BY TO		
SUB-TOTAL		TAX	TICKET TOTAL		ORDER TOTAL	

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

MONROE AUTO	426 FREMONT, MONROE	EVERETT, WA 98203	Project #	40165792	Time Billed
P. O. #	Instructions			Due Time	
VERBAL	TO EVERETT SOIL REMEDIATION			Leave Plant	Arrive Job
Zone				1:50:55 PM	

Order # 2760311	Truck # 43015	Driver/Hauler	REST, RIVERSIDE SAND			Leave Job	Arrive Plant
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION		Unit Price	AMOUNT
31.83 Ton	7 238.98	MANUAL Leads Ton	Gross Tare Net 1192508	100,680 Lb 37,020 Lb 63,660 Lb	45,668 Kg 16,792 Kg 28,876 Kg		
				CLASS 3 SOIL DUMPED BY TO			
SUB-TOTAL		TAX	TICKET TOTAL		ORDER TOTAL		

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

MONROE AUTO	428 FREMONT, MONROE	EVERETT, WA 98203	40165792	
P. O. #	Instructions			Due Time
VERBAL	TO EVERETT SOIL REMEDIATION			
Zone		Leave Plant	Arrive Job	
		3:48:58 PM		

Order # 8750311	Truck # 03015	Driver/Hauler	REST, RIVERSIDE SAND	Leave Job	Arrive Plant
-----------------	---------------	---------------	----------------------	-----------	--------------

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
36.45 Ton	10 337.16	MANUAL Loads Ton	Gross Tare Net 1192508	109,920 Lb 49,859 Kg 37,020 Lb 16,792 Kg 72,900 Lb 33,067 Kg CLASS 3 SOIL DUMPED BY TO		

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED BY THE DELIVERY OF THIS SUPPLY

MONROE AUTO	426 FREMONT, MONROE	EVERETT, WA 98203	Project #	40165792	Time Batched
P.O. #	Instructions				Due Time
VERBAL	TO EVERETT SOIL REMEDIATION				
Zone			Leave Plant	Arrive Job	
			2:10:19 PM		

Order # 18760311	Truck # 1030396	Driver/Hauler	RETT, RIVERSIDE SAND & GRA	Leave Job	Arrive Plant
------------------	-----------------	---------------	----------------------------	-----------	--------------

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
28.23 Ton	267.27	MANUAL Loads Ton	Gross Tare Net 1192508	94,380 Lb 42,810 Kg 37,800 Lb 17,146 Kg 56,580 Lb 25,665 Kg CLASS 3 SOIL DUMPED BY TO		

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

MONROE AUTO	426 FREMONT, MONROE	EVERETT, WA 98203	40185792
P. O. #	Instructions		Due Time
VERBAL	TO EVERETT SOIL REMEDIATION		
Zone		Leave Plant	Arrive Job
		4:13:38 PM	

Order # 13760311	Truck # 1030398	Driver/Hauler	RETT, RIVERSIDE SAND & GRA	Leave Job	Arrive Plant
------------------	-----------------	---------------	----------------------------	-----------	--------------

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
35.78 Ton	11 372.94	MANUAL Loads Ton	Gross Tare Net 1192508	109,360 Lb 49,605 Kg 37,800 Lb 17,146 Kg 71,560 Lb 32,459 Kg CLASS 3 SOIL DUMPED BY 10		

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

Company Address MORRIS GUY P. O. #	406 FREMONT, MONROE INSTRUCTIONS TO EVERETT SOIL REMEDIATION	EVERETT, WA 98203	Project # 4616792	Time Batched
Zone			Leave Plant	Arrive Job

Order # 18760311	Truck # 203015	Driver/Hauler R22T, RIVERSIDE SAND	Leave Job	Arrive Plant		
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
34.72 Ton	7 232.61	MANUAL Loads Ton	Gross Tare Net 1192508	106,460 Lb 37,020 Lb 69,440 Lb CLASS 3 SOIL DUMPED BY TG	48,290 Kg 16,792 Kg 31,498 Kg	
SUB-TOTAL		TAX	TICKET TOTAL	ORDER TOTAL		

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

MINOR AUTO	425 EDENHILL, MONROE	SURREY, WA	98203	401-857-0000	
P. O. #	Instructions				Due Time
WEEDAL Zone	TO SURREY SOIL REMEDIATION				Arrive Job
				Leave Plant	1:15:32 AM

Order #	Truck #	Driver/Hauler	R29T, RIVERSIDE SAND		Leave Job	Arrive Plant
18760311	203015					
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
35.43 Ton	4 136.22	MANUAL Loads Ton	Gross Tare Net 1192508	107,880 Lb 37,020 Lb 70,860 Lb CLASS 3 SOIL DUMPED BY TO	48,934 Kg 16,792 Kg 32,142 Kg	
SUB-TOTAL		TAX	TICKET TOTAL		ORDER TOTAL	

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

Delivery Address	Project #	Time Batched
HENRIE AVENUE P.O. #	EVERETT, WA 98203	
Instructions		Due Time
ZONAL	TO EVERETT SOIL REMEDIATION	Arrive Job
		9:12:12 AM

Order #	Truck #	Driver/Hauler	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
187E0311	2030137			R29T RIVERSIDE SAND		
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
33.30 Ton	1 33.30	MANUAL Load Ton	1198508	Gross 103,620 Lb 47,002 Kg Tare 37,020 Lb 16,798 Kg Net 66,600 Lb 30,210 Kg CLASS 3 SOIL DUMPED BY TO		
SUB-TOTAL		TAX	TICKET TOTAL	ORDER TOTAL		

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and his supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER'S

MONROE AUTO P. O. #	425 FREMONT, MONROE INSTRUCTIONS	EVERETT, WA 98201	Project # 40163792	Time Taken
VERBAL Zone	TO EVERETT SOIL REMEDIATION		Leave Plant 10:23 AM CDT	Arrive Job

Order # 18760311	Truck # 2003033	Driver/Hauler	R2BT, RIVERSIDE SAND & GRA		Leave Job	Arrive Plant
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
33.94 Ton	100.79	MANUAL 3 Loads 1 ton	Gross Tare Net 1192500	104,060 Lb 36,180 Lb 67,880 Lb CLASS 3 SOIL DUMPED BY TD	47,201 kg 16,411 kg 30,790 kg	
SUB-TOTAL		TAX	TICKET TOTAL		ORDER TOTAL	

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

Job	Delivery Address	Project #	Time Batched
MONROE AUTO P.O. #	426 FREMONT, MONROE Instructions	EVERETT, WA 98203	40165732
Zone	TO EVERETT SOIL REMEDIATION	Leave Plant	Arrive Job
			7/25/2010 4:01:21 PM

Order #	Truck #	Driver/Hauler	Leave Job	Arrive Plant
18760311	2030157			

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
29.96 Ton	10 323.86	MANUAL Loads Ton	Gross Tare Net 1192508	96,340 Lb 37,020 Lb 59,320 Lb CLASS 3 SOIL DUMPED BY TO	43,972 Kg 16,792 Kg 27,180 Kg	

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Not Responsible for Receiving Aggregate as Color Quality. Ms

Job	DELIVER ENVIRONMENTAL SOIL	Project #	5-11-2006
P.O. #	INSTRUCTIONS	EVERETT, WA	Due Time
Zone	TO EVERETT SOIL REGENERATION	Leave Plant	Arrive Job

Order #	Truck #	Driver/Hauler	Leave Job	Arrive Plant
18760311	203415			

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
29.98 Ton	2 63.56	MANUAL Loads Ton	Gross Tare net 1192508	96,360 Lb 36,562 Lb 59,800 Lb CLASS 3 SOIL DUMPED BY TO	43,709 Kg 16,584 Kg 27,125 Kg	

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

Job	Delivery Address	Project #	Time Batched
18760311	10 EURETT SOIL REMEDIATION		
P. O. #	Instructions		Due Time
Zone		Leave Plant -	Arrive Job

18760311 20308397 820T, RIVERSIDE SAND & GRAVEL

Order #	Truck #	Driver/Hauler	Leave Job	Arrive Plant
---------	---------	---------------	-----------	--------------

Load Quantity	Cumulative Quantity	Ordered Mobility	Product Gr Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
				103,000 Lb 46,757 Kg		
			Tare	36,100 Lb 16,411 Kg		
			Net	66,900 Lb 30,346 Kg		
33.45 Ton	1 33.45	Load Ton	1192508	CLASS 3 SOIL DUMPED BY 10		

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Not Responsible for Negative Assessments or Color Quality. No

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)

Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED _____

Job	Delivery Address	Project #	Time Batched
P. O. #	Instructions		Due Time
Zone		Leave Plant	Arrive Job

18750311 2030397 R28T, RIVERSIDE SAND & GRA

Order #	Truck #	Driver/Hauler	Leave Job	Arrive Plant		
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Gr Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
34.42 Ton	67.87	2 Loads Ton	1192508	CLASS 3 SOIL DUMPED BY 10		
				Tare 36,180 Lb 16,411 Kg Net 68,840 Lb 31,226 Kg		

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

Job	Delivery Address	Project #	Time Batched
WEDDOL P.O.#	TO EVERETT SOIL REMEDIATION Instructions		Due Time
Zone		Leave Plant	Arrive Job

18760311 8029503 R215, RIVERSIDE SAND & GF

Load Quantity	Cumulative Quantity	Ordered Material	Product Grade	PRODUCT DESCRIPTION	Unit Price	AMOUNT
30.20 Ton	1 30.20	Lead Ton	1192508	CLASS 3 SOIL DUMPED BY TO		
				101,380 Lb 45,076 Kg		
				Gross 41,180 Lb 18,679 Kg		
				Net 60,400 Lb 27,397 Kg		

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Not Responsible for Damages, Accidents or Other Claims

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature (s) of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

Job	Delivery Address	Project #	Time Batched
MATERIAL P. O. #	INSTRUCTIONS		Due Time
Zone		Leave Plant	Arrive Job

18760311 2035183 R12T, RIVERSIDE SAND & GRA

Order #	Truck #	Driver/Hauler	Leave Job	Arrive Plant
---------	---------	---------------	-----------	--------------

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Gr Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
				86,960 Lb 39,445 Kg		
			Tare	32,000 Lb 14,515 Kg		
			Net	54,960 Lb 24,930 Kg		
27.48 Ton	3 85.36	3 Loads Ton	1192508	CLASS 3 SOIL DUMPED BY TO		

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)

Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED

Job	Delivery Address	Project #	Time Batched
GENERAL P. O. #	TO EMERGENCY SOIL REMEDIATION		Due Time
Zone		Leave Plant	Arrive Job

18760311 2023497 R15T, RIVERSIDE SAND & GR

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Grade	PRODUCT DESCRIPTION	Unit Price	AMOUNT
27.68 Ton	2 57.88	2 Loads Ton	1192508	CLASS 3 SOIL DUMPED BY TO		

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)

Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED _____

Job	MONROE AUTO	Delivery Address	REAR, MONROE EVERETT, WA 98203	Project #	40183752	Time Batched		
P.O.#	VERBAL	Instructions	TO EVERETT SOIL REMEDIATION				Due Time	
Zone				Leave Plant	10:43:35 AM	Arrive Job		

Order #	18760311	Truck #	2930397	Driver/Hauler	REAR, RIVERSIDE SAND & GRA	Leave Job		Arrive Plant	
---------	----------	---------	---------	---------------	----------------------------	-----------	--	--------------	--

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
		MATERIAL	GROSS	1000, 2440 Lb	47, 646 Kg	
			Tare	36, 180 Lb	16, 411 Kg	
			Net	68, 860 Lb	31, 235 Kg	
34.43 Ton	2 66.27	2 Loads Ton	1192508	CLASS 3 SOIL DUMPED BY TO		

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED _____

Job #	MONROE AUTO	Delivery Address	UNION, MONROE	EVERETT, WA 98203	Project #	5792	Time Batched
Order #	18760311	Instructions	EVERETT SOIL REMEDIATION				Due Time
Zone					Leave Plant	11:05:43 PM	Arrive Job

Order #	18760311	Truck #	2030397	Driver/Hauler	R20T, RIVERSIDE SAND & GRA	Leave Job	Arrive Plant
---------	----------	---------	---------	---------------	----------------------------	-----------	--------------

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
35.32 Ton	3 101.59	3 Loads Ton	1192500	CLASS 3 SOIL DUMPED BY TO		

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Job	Delivery Address	Project #	Time Batch
MONROE AUTO	426 FREEDOM, MONROE EVERETT, WA 98203	40159/52	
P. O. #	Instructions		Due Time
VERBA	TO EVERETT SOIL REMEDIATION		
Zone		Leave Plant	Arrive Job
		11:22 AM Cth	

Order #	Truck #	Driver/Hauler		Leave Job	Arrive Plant
18760311	2030396		R271, FIVERSIDE SAND & GRA		

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
34.34 Ton	171.16	5 Loads Ton	1192508	CLASS 3 SOIL DUMPED BY TO		
			Gross	107,680 Lb 48,843 Kg		
			Tare	37,800 Lb 17,146 Kg		
			Net	69,880 Lb 31,697 Kg		

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)

Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Job	Delivery Address	Project #	Time Batched
MONROE AUTO	425 FERRONT, MONROE EVERETT, WA 98203	40165798	
P. O. #	Instructions		Due Time
	TO EVERETT SOIL REMEDIATION		
Zone		Leave Plant	Arrive Job
		0:27:13 QM	

Order # 18760311	Truck # 2030395	Driver/Hauler	R27T, RIVERSIDE SAND & GRA	Leave Job	Arrive Plant
------------------	-----------------	---------------	----------------------------	-----------	--------------

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
33.55 Ton	2 of 85	MANUAL Loads Ton	Gross Tare Net 1192508	104,900 Lb 47,562 Kg 37,800 Lb 17,146 Kg 67,100 Lb 30,436 Kg CLASS 3 SOIL DUMPED BY TO		

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

Job	Delivery Address	Project #	Time Batched
MINORIE (1117)	125 FLEMING, MINORIE	44145702	
P. O. #	Instructions		Due Time
100000	TO EVERETT SOIL REMEDIATION		
Zone		Leave Plant	Arrive Job
		3:40 PM	

Order #	Truck #	Driver/Hauler		Leave Job	Arrive Plant	
18760311	2030396	RETT, RIVERSIDE SAND & GRA				
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
35.42 Ton	10 344.77	MANUAL Loads Ton	Gross Tare Net 1192500	106,640 Lb 37,800 Lb 70,840 Lb CLASS 3 SOIL DAMAGED BY TO	49,279 Kg 17,146 Kg 32,133 Kg	
SUB-TOTAL		TAX	TICKET TOTAL		ORDER TOTAL	

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

Job	Delivery Address	Project #	Time Batched
MUNROE BLVD	426 FREMONT, MUNROE	EVERETT WA 98203	00105792
P. O. #	Instructions		Due Time
VERNAL Zone	TO EVERETT SOIL REMEDIATION		Arrive Job
		Leave Plant	02:57:37 PM

Order #	Truck #	Driver/Hauler		Leave Job	Arrive Plant	
18760311	203039		R201, RIVERSIDE SAND & GRA			
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
26.73 Ton	6 197.89	6 Loads Ton	Gross Tare Net 1192508	89,640 Lb 36,180 LB 53,460 Lb CLASS 3 SOIL DUMPED BY TO	40,660 Kg 16,411 Kg 24,249 Kg	

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

Job	Delivery Address	Project #	Time Batched
MONROE AREA	426 FREMONT, MONROE	40185792	
P. O. #	Instructions		Due Time
HERBOL	TO SUBMIT SOIL REMEDIATION		
Zone		Leave Plant	Arrive Job
		2:45:37 PM	

Order #	Truck #	Driver/Hauler	Leave Job	Arrive Plant
18760311	203039	RHBT, RIVERSIDE WIND & GRH		

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
40.20 Ton	872.91	MANUAL Loads Ton	Gross Tare Net 1192500	116,580 Lb 36,180 Lb 80,400 Lb CLASS 3 SOIL DUMPED BY TU	52,880 Kg 16,411 Kg 36,469 Kg	

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

Job	Delivery Address	Project #	Time Batched
MONROE ALTO	425 PRUDENCE BRIDGE	02021, MA 01203	5.016.779
P. O. #	Instructions		Due Time
HEALTH Zone	TO EMERGENCY SOIL REMEDIATION		Leave Plant
			Arrive Job

Order #	Truck #	Driver/Hauler	Leave Job	Arrive Plant
19780311	203015	R29T, RIVERSIDE SAND		

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
36.54 Ton	9 349.35	MANUAL 9 Loads Ton	Gross Tare Net 1192508	110,100 Lb 37,020 Lb 73,080 Lb CLASS 3 SOIL DUMPED BY TD	45,941 Kg 16,792 Kg 33,149 Kg	

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

Job	Delivery Address	Project #	Time Batched
WEGHRE ALIID P. O. #	456 FREMONT, MINNEAPOLIS, MN 55405	001-5793	
Zone	Instructions	Leave Plant	Arrive Job
HERBWL	TO EVERETT SOIL REMEDIATION	10:05:32 AM	

Order #	Truck #	Driver/Hauler	Leave Job	Arrive Plant
18760311	203015	R29T, RIVERSIDE SAND		

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
37.99 Ton	1 37.99	MANUAL Load Ton	Gross Tare Net 1192508	113,000 Lb 37,020 Lb 75,980 Lb CLASS 3 SOIL DUMPED BY 10	51,256 Kg 16,792 Kg 34,464 Kg	

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

Job	Delivery Address	Project #	Time Batched
MONROE AUTO P.O. #	125 FLEMING, MONROE INSTRUCTIONS	EVERETT, WA 98201	40165792
Zone	TO EVERETT SOIL REMEDIATION	Leave Plant	Arrive Job
		12:34:03 PM	

Order #	Truck #	Driver/Hauler	R27T, RIVERSIDE SAND & GRA		Leave Job	Arrive Plant
18760311	2030396					
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
31.19 Ton	B 267.07	MANUAL Loads Ton	Gross Tare Net 1192508	100,180 Lb 37,800 Lb 62,380 Lb CLASS 3 SOIL DUMPED BY TO	45,441 Kg 17,146 Kg 28,295 Kg	

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

Job	Delivery Address	Project #	Time Batched
MONROE AUTO P.O. #	26 ELEMONT, MONROE Instructions	EVERETT, WA 98202	40155700
Zone	TO EVERETT SOIL REMEDIATION	Leave Plant	Arrive Job
		11:54:12 AM	

Order #	Truck #	Driver/Hauler	PRODUCT DESCRIPTION		Leave Job	Arrive Plant
18760311	2030157		R29T, RIVERSIDE SAND			
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
34.95 Ton	4 143.35	MANUAL Loads Ton	Gross Tare Net 1192508	106,920 Lb 46,499 Kg 37,020 Lb 16,792 Kg 69,900 Lb 31,706 Kg CLASS 3 SOIL DUMPED BY TO		
SUB-TOTAL		TAX	TICKET TOTAL		ORDER TOTAL	

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

Job # RUBBER HUTS	Delivery Address 1224 FRENCH, MONROE	Everett, WA 98000	Project # 170	Time Batched
P. O. # VERBAL	Instructions TO EVERETT SOIL REMEDIATION			Due Time
Zone			Leave Plant 0:07:13 AM	Arrive Job

Order # 8760311	Truck # 03W336	Driver/Hauler	R27T, RIVERSIDE SAND & GRA	Leave Job	Arrive Plant
-----------------	----------------	---------------	----------------------------	-----------	--------------

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
35.66 Ton	2 73.65	MANUAL Loads Ton	Gross Tare Net 1192508	169,120 Lb 49,497 Kg 37,500 Lb 17,146 Kg 71,320 Lb 32,351 Kg CLASS 3 SOIL DUMPED BY TO		

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

Job	Delivery Address	Project #	Time Batched
MONROE AUTO P. O. #	436 FREMONT, MONROE INSTRUCTIONS	EVERETT, WA 98203	40165792
REPAIR Zone	TO EVERETT SOIL REMEDIATION	Leave Plant	Arrive Job
		12:16:21 PM	

Order #	Truck #	Driver/Hauler	R277, RIVERSIDE SAND & GRA		Leave Job	Arrive Plant
18760311	2030396					
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
31.40 Ton	5 174.81	MANUAL Loads Ton	Gross Tare Net 1192500	100,720 Lb 37,800 Lb 62,920 Lb CLASS 3 SOIL DUMPED BY TO	45,685 Kg 17,146 Kg 28,540 Kg	
SUB-TOTAL		TAX	TICKET TOTAL	ORDER TOTAL		

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

Job	Delivery Address	Project #	Time Batched
RIVERSIDE AUTO	405 FRENCH, MONROE	10115792	
Site #	Instructions	EVERETT, WA 98205	Due Time
Zone	TO EVERETT SOIL REMEDIATION	Leave Plant	Arrive Job
		11:35 PM	

Order #	Truck #	Driver/Hauler	R29T, RIVERSIDE SAND		Leave Job	Arrive Plant
18760311	2037157					
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
		MANUAL	Gross	57,100 Lb	44,044 Kg	
			Tare	37,020 Lb	16,792 Kg	
			Net	60,080 Lb	27,252 Kg	
30.04 Ton	7 235.88	Loads Ton	1192508	CLASS 3 SOIL DUMPED BY TO		
SUB-TOTAL		TAX	TICKET TOTAL	ORDER TOTAL		

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

000	Delivery Address	Project #	Time Batched
RIVERSIDE (111)	126 S. RICHMOND, MEMPHIS	60125792	
P.O. #	Instructions		Due Time
HEALTH	TO EVERETT SOIL REMEDIATION	Leave Plant	Arrive Job
Zone		10:30:42 AM	

Order #	Truck #	Driver/Hauler	6281, RIVERSIDE SAND & GRA		Leave Job	Arrive Plant
18760311	2030397					
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
34.75 Ton	3 108.40	MANUAL Loads Ton	Gross Tare Net 1192508	105,680 Lb 36,180 Lb 69,500 Lb CLASS 3 SOIL DUMPED BY TO	47,936 Kg 16,411 Kg 31,525 Kg	
SUB-TOTAL		TAX	TICKET TOTAL		ORDER TOTAL	

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

Order #	Delivery Address	Project #	Time Batched
18760311	4300 FREMONT, MENARDIS INSTRUCTIONS EVERETT, WA 98201	40105700	
Zone	TO EVERETT SOIL REMEDIATION	Leave Plant	Arrive Job
		2:36:00 PM	

Order #	Truck #	Driver/Hauler	PRODUCT DESCRIPTION	Leave Job	Arrive Plant
18760311	203039		R201, RIVERSIDE SAND & GRA		
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	Unit Price	AMOUNT
31.03 Ton	6 205.84	MANUAL Loads Ton	Gross Tare Net 1192508	98,240 Lb 36,180 Lb 62,060 Lb 44,561 Kg 16,411 Kg 28,150 Kg	CLASS 3 SOIL DUMPED BY TO
SUB-TOTAL		TAX	TICKET TOTAL	ORDER TOTAL	

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

Job	Delivery Address	Project #	Time Batched
51.0.#	INSTRUCTIONS	EVERETT, WA 98203	WALCOSTA
Zone	TO EVERETT SOIL REMEDIATION	Leave Plant	Arrive Job
		3:03:05 PM	

Order #	Truck #	Driver/Hauler	Leave Job	Arrive Plant
18750311	203033	REBT, RIVERSIDE SAND & GR4		

Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
26.83 Ton	9 294.90	MANUAL 9 Ton	Gross Tare Net 1192500	89,840 Lb 40,751 Kg 36,180 Lb 16,411 Kg 53,660 Lb 24,340 Kg CLASS 3 SOIL DUMPED BY TO		

SUB-TOTAL	TAX	TICKET TOTAL	ORDER TOTAL
-----------	-----	--------------	-------------

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER

Job	Delivery Address	Project #	Time Batched
WASH DE AUTO	200 WASHINGTON, WAIRDE	40165702	
S. C. #	Instructions		Due Time
MANUAL	TO EVERETT SOIL REMEDIATION	Leave Plant	Arrive Job
		4:35:27 PM	

Order #	Truck #	Driver/Hauler	R271, RIVERSIDE SAND & GRH	Leave Job	Arrive Plant	
18760311	2030396					
Load Quantity	Cumulative Quantity	Ordered Quantity	Product Code	PRODUCT DESCRIPTION	Unit Price	AMOUNT
32.82 Ton	11 355.68	MANUAL Loads Ton	Gross Tare Net 1192508	103,440 Lb 37,800 Lb 65,640 Lb CLASS 3 SOIL DUMPED BY TO	46,920 Kg 17,146 Kg 29,774 Kg	
SUB-TOTAL		TAX	TICKET TOTAL	ORDER TOTAL		

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY IS TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck is presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if he places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drive-ways, curbs, etc. by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
 SIGNED

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 18% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER