



Proudly serving the Inland Northwest since 1976

1101 North Fancher Road  
Spokane Valley, WA 99212  
Tel: 509.535.8841  
Fax: 509.535.9589

Gary Geshke  
1827 1<sup>st</sup> Street  
Cheney, WA 99004

October 17, 2017

Project Number X14463

PROJECT: Groundwater Sampling at 1<sup>st</sup> and K Street  
Cheney, WA

SUBJECT: September 2017 Monitoring Results

Dear Geshke,

Per your request, we sampled the East Excavation and MW-53 on the lot on the corner of 1<sup>st</sup> Street and K Street in Cheney, Washington. Petroleum-based hydrocarbon contamination was identified due to Underground Storage Tank leakage from a previous maintenance facility on the property. We understand that you intend to construct a parking lot on the site for an apartment complex proposed for the property to the west.

Following discussions with the Washington State Department of Ecology (Ted Uecker, VCP Coordinator), we obtained samples from these two wells for chemical analysis. The results are intended for submittal to WSDOE under the Voluntary Cleanup Program.

We sampled the two locations on September 7, 2017. We purged the well of at least three times its volume and monitored field parameters until stabilized. The water samples were placed in containers provided by the laboratory and transported under a chain of custody. We requested that Antatek Labs in Spokane, WA analyze the samples for diesel and heavy oil range petroleum hydrocarbons, along with Volatile Organic Compounds (VOC), and heavy metals (filtered and unfiltered) and discussed with Mr. Uecker.

- Diesel and heavy oil range petroleum hydrocarbons were not detected.
- Arsenic was detected in the East Excavation at a low concentration of 3.32 ppb total, and 2.77 ppb dissolved. This concentration is slightly lower than previous sampling events and is below the MTCA Method A Cleanup Levels. Other metals were also detected at low concentrations that did not exceed MTCA Method A Cleanup Levels. Trace concentrations of two VOC's were detected: sec-Butylbenzene was detected at 0.66 ppb and acetone was detected a 2.96 ppb. There are not designated cleanup levels for these two VOC's.
- Total Mercury was not detected above detection limits in the MW-53 sample. Dissolved mercury was detected at 0.00237 ppb; well below the 2.0 ppb regulatory limit for

mercury. The VOC chloromethane was detected at a trace concentration of 0.68 ppb. There is not a designated cleanup level for this VOC.

Based on these test results, and the results of previous chemical analysis, we conclude that the water table at the site is no longer significantly contaminated. We recommend capping the site with a parking lot as planned and properly sealing and decommissioning the monitoring wells. We conclude that additional remediation and further monitoring are no longer warranted.

We also located MW 45 in the visitor center parking lot to the south. The casing was offset and partially filled with soil. It was not sampled due to being filled. We recommend that the well be properly sealed and decommissioned.

A site plan, laboratory summary, laboratory reports, QA/QC data and chain of custody are provided as attachments to this report.

Please do not hesitate to call should you have any questions or would like further assistance.

Respectfully Submitted:  
BUDINGER & ASSOCIATES, INC.



Derry Callender  
Staff Geologist




Stephen D. Burchett, PE  
Principal


Addressees – via email

Attachments:

1. Site Plan
2. Laboratory Summary
3. Laboratory Report, QA/QC data, CoC



10/18/17



**Laboratory Summary - Groundwater**

SAMPLE LOCATION	East Excavation	Method A Cleanup Levels for GW				
<b>DATE:</b>	4/9/2015	7/7/2015	9/10/2015	12/15/2015	9/7/2017	
<b>DEPTH TO WATER:</b>	5.97	6.16	6.10	5.74	6.02	
<b>HEAVY METALS</b>						
Arsenic	2.97	3.39	3.65	3.72	3.32	2.77
Barium	169	246	250	163	259	248
Cadmium	<1	<1	<1	<1	<1	<1
Chromium	<1	<1	<1	<1	<1	<1
Lead	<1	<1	<1	<1	<1	<1
Mercury-ICPMS	NT	<0.01	<0.01	<0.01	<0.01	<0.00301
Selenium	<1	<1	<1	<1	1.8	1.81
Silver	<1	<1	1.37	<1	<1	<1
<b>PETROLEUM HYDROCARBONS</b>						
Gasoline	<100	<100	ND	<100	<100	800/1000
Diesel	<b>719</b>	<100	<100	<100	<100	500
Lube Oil	<500	<500	<500	<500	<500	500
<b>VOLATILE ORGANIC COMPOUNDS (VOC's)*</b>	*ND	*ND	*ND			
1,2,4-Trimethylbenzene						
1,3,5-Trimethylbenzene						
Benzene						
sec-Butylbenzene						
Toluene						
m+p-Xylene						1000 (total)
o-Xylene						1000 (total)
Naphthalene						160
n-Propylbenzene						
Ethylbenzene						700
Isopropylbenzene						
Acetone						7200
0.66						
2.96						
<b>PCB's</b>	*ND	*ND				0.1
<b>POLYCYCLIC AROMATIC HYDROCARBONS (PAH's)</b>	*ND	*ND				

Results are presented in parts per billion (micrograms/Liter)

\*ND - Not Detected with exception to listed compounds. For detection limits refer to analytical reports

\*\*Model Toxics Control Act Method A cleanup levels for Groundwater

**Laboratory Summary - Groundwater**

SAMPLE LOCATION	MW-53	MW-53	MW-53	MW-53	MW-53	MW-53	MW-53	MW-53	Method A Cleanup Levels for GW
DATE:	9/30/2014	10/22/2014	4/9/2015	7/7/2015	9/10/2015	12/15/2015	9/7/2017		
DEPTH TO WATER:			8.18	8.26	8.14	8.01		8.46	
HEAVY METALS		(Filtered)						Filtered	
Arsenic	2.44	<1	4.54	<1	<1	<1	<1	<1	5
Barium	372	76.2	636	91.2	90.8	116	89	82.6	-
Cadmium	<1	<1	1.97	<1	<1	<1	<1	<1	5
Chromium	8.51	<1	15	<1	<1	2.06	<1	<1	50 (total)
Lead	<b>23.5</b>	<1	5.63	<1	<b>16.1</b>	2.39	<1	<1	15
Mercury-ICPMS	<0.01	<0.01	NT	<0.01	<0.01	<0.01	<0.01	0.00237	2
Selenium	1.43	<1	<1	<1	NT	<1	<1	<1	-
Silver	<1	<1	1.15	<1	<1	<1	<1	<1	-
PETROLEUM HYDROCARBONS									
Gasoline	<100		<100	<100		<100	<100		800/1000
Diesel	<100		<100	<100		<100	<100		500
Lube Oil	<500		<500	<500		<500	<500		500
VOLATILE ORGANIC COMPOUNDS (VOC's)*			*ND	*ND	*ND				
1,2,4-Trimethylbenzene									
1,3,5-Trimethylbenzene									
Benzene	<1								5
Toluene	<1								
m+p-Xylene	<2								1000 (total)
o-Xylene	<1								1000 (total)
Naphthalene									160
n-Propylbenzene									
Ethylbenzene									700
Isopropylbenzene									
Acetone				3.55					7200
Chloromethane									
PCB's			*ND	*ND					0.1
POLYCYCLIC AROMATIC HYDROCARBONS (PAH's)			*ND	*ND					

Results are presented in parts per billion (micrograms/Liter)

\*ND - Not Detected with exception to listed compounds. For detection limits refer to analytical reports

\*\*Model Toxics Control Act Method A cleanup levels for Groundwater

**Laboratory Summary - Groundwater**

SAMPLE LOCATION	MW-48	MW-48	MW-48	MW-48	Method A Cleanup Levels for GW
<b>DATE:</b>	4/9/2015	7/7/2015	9/10/2015	12/15/2015	
<b>DEPTH TO WATER (FT):</b>	5.90	6.19	5.94	5.72	
<b>HEAVY METALS</b>					
Arsenic	<1	<1	<1	<1	5
Barium	90.5	98.9	112	105	-
Cadmium	<1	<1	<1	<1	5
Chromium	<1	<1	1.47	<1	50 (total)
Lead	<1	<1	1.61	<1	15
Mercury-ICPMS	NT	<0.01	0.01	<0.01	2
Selenium	<1	<1	<1	<1	-
Silver	<1	<1	<1	<1	-
<b>PETROLEUM HYDROCARBONS</b>					
Gasoline	188	<100	<100	<100	800/1000
Diesel	<100	<100		<100	500
Lube Oil	<500	<500		<500	500
<b>VOLATILE ORGANIC COMPOUNDS (VOC's)*</b>					
1,2,4-Trimethylbenzene	7.29	*ND	*ND		
1,3,5-Trimethylbenzene	1.99				
Benzene	0.88				5
Toluene					
m+p-Xylene	2.68				1000 (total)
o-Xylene	0.58				1000 (total)
Naphthalene	0.62				160
n-Propylbenzene	0.99				
Ethylbenzene	1.71				700
Isopropylbenzene	0.52				
Acetone					7200
PCB's	*ND	*ND			0.1
<b>POLYCYCLIC AROMATIC HYDROCARBONS (PAH's)</b>					
bis(2-Ethylhexyl)phthalate	0.76		<0.5		320

Results are presented in parts per billion (micrograms/Liter)

\*ND - Not Detected with exception to listed compounds. For detection limits refer to analytical reports

\*\*Model Toxics Control Act Method A cleanup levels for Groundwater

**Laboratory Summary - Groundwater**

SAMPLE LOCATION	MW-44	MW-44	MW-44	MW-44	MW-44	MW-44	Method A Cleanup Levels for GW
DATE:	9/30/2014	10/22/2014	4/9/2015	7/7/2015	9/10/2015	12/15/2015	
DEPTH TO WATER:			7.35	7.58	7.40	7.25	
<b>HEAVY METALS</b>		(Filtered)					
Arsenic	<b>67.9</b>	2.39	<1	<1	<1	<1	5
Barium	5650	37.7	80.8	97.5	80.5	93.9	-
Cadmium	4.05	<1	<1	<1	<1	<1	5
Chromium	35.6	<1	<1	<1	<1	<1	50 (total)
Lead	<b>20.4</b>	<1	<1	4.66	2.2	<1	15
Mercury-ICPMS	0.0157	<0.01	NT	<0.01	<0.01	<0.01	2
Selenium	1.48	<1	<1	<1	<1	<1	-
Silver	<1	<1	<1	<1	<1	<1	-
<b>PETROLEUM HYDROCARBONS</b>							
Gasoline	<100		<100	<100		<100	800/1000
Diesel	<100		<200	<100		<100	500
Lube Oil	<500		<1000	<500		<500	500
<b>VOLATILE ORGANIC COMPOUNDS (VOC's)*</b>				*ND			
1,2,4-Trimethylbenzene							
1,3,5-Trimethylbenzene							
Benzene	<1						5
Toluene	<1						
m+p-Xylene	<2						1000 (total)
o-Xylene	<1						1000 (total)
Naphthalene							160
n-Propylbenzene							
Ethylbenzene	<1						700
Isopropylbenzene							
Acetone							7200
PCB's			*ND	*ND			0.1
<b>POLYCYCLIC AROMATIC HYDROCARBONS (PAH's)</b>			*ND	*ND			
bis(2-Ethylhexyl)phthalate			0.87		<0.5		320

Results are presented in parts per billion (micrograms/Liter)

\*ND - Not Detected with exception to listed compounds. For detection limits refer to analytical reports

\*\*Model Toxics Control Act Method A cleanup levels for Groundwater

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 170907045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	170907045-001	<b>Sampling Date</b>	9/7/2017	<b>Date/Time Received</b>	9/7/2017	12:20 PM
<b>Client Sample ID</b>	E EXCAV	<b>Sampling Time</b>	11:15 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Gasoline	<0.1	mg/L	0.1	9/11/2017 7:11:00 PM	ACS	NWTPHG	
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,1,1-Trichloroethane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,1,2-Trichloroethane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,1-Dichloroethane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,1-Dichloroethene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,1-dichloropropene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,2,3-Trichloropropane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,2-Dibromoethane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,2-Dichlorobenzene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,2-Dichloroethane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,2-Dichloropropane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,3-Dichlorobenzene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,3-Dichloropropane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
1,4-Dichlorobenzene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
2,2-Dichloropropane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
2-Chlorotoluene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
2-hexanone	<2.5	µg/L	2.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
4-Chlorotoluene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Acetone	2.96	µg/L	2.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Acrylonitrile	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Benzene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Bromobenzene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Bromochloromethane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Bromodichloromethane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Bromoform	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Bromomethane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Carbon disulfide	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; NV:ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 170907045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	170907045-001	<b>Sampling Date</b>	9/7/2017	<b>Date/Time Received</b>	9/7/2017 12:20 PM
<b>Client Sample ID</b>	E EXCAV	<b>Sampling Time</b>	11:15 AM	<b>Extraction Date</b>	
<b>Matrix</b>	Water	<b>Sample Location</b>			
<b>Comments</b>					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Carbon Tetrachloride	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Chlorobenzene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Chloroethane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Chloromethane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Ethylbenzene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Isopropylbenzene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
m+p-Xylene	<1.0	µg/L	1	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Naphthalene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
n-Propylbenzene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
o-Xylene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
sec-Butylbenzene	0.66	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Styrene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Toluene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	9/14/2017 2:39:00 PM	ACS	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; NV:ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 170907045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	170907045-001	<b>Sampling Date</b>	9/7/2017	<b>Date/Time Received</b>	9/7/2017 12:20 PM
<b>Client Sample ID</b>	E EXCAV	<b>Sampling Time</b>	11:15 AM	<b>Extraction Date</b>	
<b>Matrix</b>	Water	<b>Sample Location</b>			
<b>Comments</b>					

<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>	<b>Qualifier</b>
------------------	---------------	--------------	------------	----------------------	----------------	---------------	------------------

### Surrogate Data

<b>Sample Number</b>	170907045-001	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
<b>Surrogate Standard</b>				
1,2-Dichlorobenzene-d4	EPA 8260C	103.8	70-130	
4-Bromofluorobenzene	EPA 8260C	101.0	70-130	
Toluene-d8	EPA 8260C	105.0	70-130	
hexacosane	NWTPHDX		50-150	
4-Bromofluorobenzene	NWTPHG	103.0	70-130	

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 170907045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	170907045-002	<b>Sampling Date</b>	9/7/2017	<b>Date/Time Received</b>	9/7/2017	12:20 PM
<b>Client Sample ID</b>	MW-53	<b>Sampling Time</b>	11:57 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Gasoline	<0.1	mg/L	0.1	9/11/2017 7:49:00 PM	ACS	NWTPHG	
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,1,1-Trichloroethane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,1,2-Trichloroethane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,1-Dichloroethane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,1-Dichloroethene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,1-dichloropropene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,2,3-Trichloropropane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,2-Dibromoethane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,2-Dichlorobenzene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,2-Dichloroethane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,2-Dichloropropane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,3-Dichlorobenzene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,3-Dichloropropane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
1,4-Dichlorobenzene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
2,2-Dichloropropane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
2-Chlorotoluene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
2-hexanone	<2.5	µg/L	2.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
4-Chlorotoluene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Acetone	<2.5	µg/L	2.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Acrylonitrile	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Benzene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Bromobenzene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Bromochloromethane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Bromodichloromethane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Bromoform	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Bromomethane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Carbon disulfide	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Carbon Tetrachloride	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; NV:ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 170907045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	170907045-002	<b>Sampling Date</b>	9/7/2017	<b>Date/Time Received</b>	9/7/2017 12:20 PM
<b>Client Sample ID</b>	MW-53	<b>Sampling Time</b>	11:57 AM	<b>Extraction Date</b>	
<b>Matrix</b>	Water	<b>Sample Location</b>			
<b>Comments</b>					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Chlorobenzene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Chloroethane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Chloromethane	0.68	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Ethylbenzene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Isopropylbenzene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
m+p-Xylene	<1.0	µg/L	1	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Naphthalene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
n-Propylbenzene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
o-Xylene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
sec-Butylbenzene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Styrene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Toluene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	9/14/2017 3:09:00 PM	ACS	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; NV:ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 170907045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	170907045-002	<b>Sampling Date</b>	9/7/2017	<b>Date/Time Received</b>	9/7/2017 12:20 PM
<b>Client Sample ID</b>	MW-53	<b>Sampling Time</b>	11:57 AM	<b>Extraction Date</b>	
<b>Matrix</b>	Water	<b>Sample Location</b>			
<b>Comments</b>					

<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>	<b>Qualifier</b>
------------------	---------------	--------------	------------	----------------------	----------------	---------------	------------------

### Surrogate Data

<b>Sample Number</b>	170907045-002	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		1,2-Dichlorobenzene-d4	EPA 8260C	103.2	70-130
		4-Bromofluorobenzene	EPA 8260C	96.6	70-130
		Toluene-d8	EPA 8260C	101.2	70-130
		hexacosane	NWTPHDX		50-150
		4-Bromofluorobenzene	NWTPHG	102.0	70-130

Authorized Signature

Kathleen A. Sattler, Lab Manager

MCL      EPA's Maximum Contaminant Level  
ND      Not Detected  
PQL      Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 170907045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	170907045-001	<b>Sampling Date</b>	9/7/2017	<b>Date/Time Received</b>	9/7/2017 12:20 PM
<b>Client Sample ID</b>	E EXCAV	<b>Sampling Time</b>	11:15 AM	<b>Extraction Date</b>	09/19/2017
<b>Matrix</b>	Water	<b>Sample Location</b>			
<b>Comments</b>					
Parameter	Result	Units	PQL	Analysis Date	Analyst
Diesel	ND	mg/L	0.1	9/19/2017	RPR
Lube Oil	ND	mg/L	0.5	9/19/2017	RPR

## Surrogate Data

<b>Sample Number</b>	170907045-001	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
Surrogate Standard	hexacosane	NWTPHDX	89.4	50-150

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 170907045  
**Project Name:** X14466


## Analytical Results Report

<b>Sample Number</b>	170907045-002	<b>Sampling Date</b>	9/7/2017	<b>Date/Time Received</b>	9/7/2017 12:20 PM
<b>Client Sample ID</b>	MW-53	<b>Sampling Time</b>	11:57 AM	<b>Extraction Date</b>	09/19/2017
<b>Matrix</b>	Water	<b>Sample Location</b>			
<b>Comments</b>					
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>
Diesel	ND	mg/L	0.1	9/19/2017	RPR
Lube Oil	ND	mg/L	0.5	9/19/2017	RPR

## Surrogate Data

<b>Sample Number</b>	170907045-002	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
<b>Surrogate Standard</b>	hexacosane	NWTPHDX	91.8	50-150

Authorized Signature



Kathleen A. Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.

The results reported relate only to the samples indicated.

Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 170907045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	170907045-001	<b>Sampling Date</b>	9/7/2017	<b>Date/Time Received</b>	9/7/2017	12:20 PM
<b>Client Sample ID</b>	E EXCAV	<b>Sampling Time</b>	11:15 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Arsenic	0.00332	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Barium	0.259	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Cadmium	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Chromium	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Dissolved Arsenic	0.00277	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Dissolved Barium	0.248	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Dissolved Cadmium	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Dissolved Chromium	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Dissolved Lead	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Dissolved Mercury CVAFS	0.00301	ug/L	0.01	9/19/2017	SDR	EPA 245.7	J
Dissolved Selenium	0.00181	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Dissolved Silver	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Lead	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Mercury-CVAFS	ND	ug/L	0.01	9/19/2017	SDR	EPA 245.7	
Selenium	0.00180	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Silver	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 170907045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	170907045-002	<b>Sampling Date</b>	9/7/2017	<b>Date/Time Received</b>	9/7/2017	12:20 PM
<b>Client Sample ID</b>	MW-53	<b>Sampling Time</b>	11:57 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Arsenic	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Barium	0.0890	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Cadmium	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Chromium	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Dissolved Arsenic	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Dissolved Barium	0.0826	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Dissolved Cadmium	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Dissolved Chromium	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Dissolved Lead	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Dissolved Mercury CVAFS	0.00237	ug/L	0.01	9/19/2017	SDR	EPA 245.7	J
Dissolved Selenium	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Dissolved Silver	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Lead	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Mercury-CVAFS	ND	ug/L	0.01	9/19/2017	SDR	EPA 245.7	
Selenium	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	
Silver	ND	mg/L	0.001	9/20/2017	ETL	EPA 200.8	

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com


---

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 170907045  
**Project Name:** X14466

## Analytical Results Report

Authorized Signature



Kathleen A. Sattler, Lab Manager

J The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.  
MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 151215043  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	151215043-001	<b>Sampling Date</b>	12/15/2015	<b>Date/Time Received</b>	12/15/2015 1:50 PM
<b>Client Sample ID</b>	MW-48	<b>Sampling Time</b>	10:25 AM	<b>Extraction Date</b>	
<b>Matrix</b>	Water	<b>Sample Location</b>			
<b>Comments</b>					
Parameter	Result	Units	PQL	Analysis Date	Analyst
Arsenic	ND	mg/L	0.001	12/23/2015 4:46:00 PM	KEB
Barium	0.105	mg/L	0.001	12/23/2015 4:46:00 PM	KEB
Cadmium	ND	mg/L	0.001	12/23/2015 4:46:00 PM	KEB
Chromium	ND	mg/L	0.001	12/23/2015 4:46:00 PM	KEB
Lead	ND	mg/L	0.001	12/23/2015 4:46:00 PM	KEB
Mercury-CVAFS	ND	ug/L	0.01	12/21/2015	ETL
Selenium	ND	mg/L	0.001	12/23/2015 4:46:00 PM	KEB
Silver	ND	mg/L	0.001	12/23/2015 4:46:00 PM	KEB
Diesel	ND	mg/L	0.1	12/18/2015 1:30:00 AM	APM
Lube Oil	ND	mg/L	0.5	12/18/2015 1:30:00 AM	APM
Gasoline	<0.1	mg/L	0.1	2/17/2015 12:40:00 PM	RAW
					NWTPHDX
					NWTPHGX

## Surrogate Data

<b>Sample Number</b>	151215043-001	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
<b>Surrogate Standard</b>				
hexacosane	NWTPHDX	82.2	50-150	
4-Bromofluorobenzene	NWTPHGX	100.0	70-130	

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 151215043  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	151215043-002	<b>Sampling Date</b>	12/15/2015	<b>Date/Time Received</b>	12/15/2015 1:50 PM
<b>Client Sample ID</b>	MW-44	<b>Sampling Time</b>	10:59 AM	<b>Extraction Date</b>	
<b>Matrix</b>	Water	<b>Sample Location</b>			
<b>Comments</b>					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Arsenic	ND	mg/L	0.001	12/23/2015 5:41:00 PM	KEB	EPA 200.8	
Barium	0.0939	mg/L	0.001	12/23/2015 5:41:00 PM	KEB	EPA 200.8	
Cadmium	ND	mg/L	0.001	12/23/2015 5:41:00 PM	KEB	EPA 200.8	
Chromium	ND	mg/L	0.001	12/23/2015 5:41:00 PM	KEB	EPA 200.8	
Lead	ND	mg/L	0.001	12/23/2015 5:41:00 PM	KEB	EPA 200.8	
Mercury-CVAFS	ND	ug/L	0.01	12/21/2015	ETL	EPA 245.7	
Selenium	ND	mg/L	0.001	12/23/2015 5:41:00 PM	KEB	EPA 200.8	
Silver	ND	mg/L	0.001	12/23/2015 5:41:00 PM	KEB	EPA 200.8	
Diesel	ND	mg/L	0.1	12/18/2015 2:25:00 AM	APM	NWTPHDX	
Lube Oil	ND	mg/L	0.5	12/18/2015 2:25:00 AM	APM	NWTPHDX	
Gasoline	<0.1	mg/L	0.1	12/17/2015 1:18:00 PM	RAW	NWTPHGX	

## Surrogate Data

<b>Sample Number</b>	151215043-002	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		hexacosane	NWTPHDX	80.2	50-150
		4-Bromofluorobenzene	NWTPHGX	102.0	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 151215043  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	151215043-003	<b>Sampling Date</b>	12/15/2015	<b>Date/Time Received</b>	12/15/2015 1:50 PM
<b>Client Sample ID</b>	MW-53	<b>Sampling Time</b>	11:55 AM	<b>Extraction Date</b>	
<b>Matrix</b>	Water	<b>Sample Location</b>			
<b>Comments</b>					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Arsenic	ND	mg/L	0.001	12/23/2015 5:48:00 PM	KEB	EPA 200.8	
Barium	0.116	mg/L	0.001	12/23/2015 5:48:00 PM	KEB	EPA 200.8	
Cadmium	ND	mg/L	0.001	12/23/2015 5:48:00 PM	KEB	EPA 200.8	
Chromium	0.00206	mg/L	0.001	12/23/2015 5:48:00 PM	KEB	EPA 200.8	
Lead	0.00239	mg/L	0.001	12/23/2015 5:48:00 PM	KEB	EPA 200.8	
Mercury-CVAFS	ND	ug/L	0.01	12/21/2015	ETL	EPA 245.7	
Selenium	ND	mg/L	0.001	12/23/2015 5:48:00 PM	KEB	EPA 200.8	
Silver	ND	mg/L	0.001	12/23/2015 5:48:00 PM	KEB	EPA 200.8	
Diesel	ND	mg/L	0.1	12/18/2015 3:20:00 AM	APM	NWTPHDX	
Lube Oil	ND	mg/L	0.5	12/18/2015 3:20:00 AM	APM	NWTPHDX	
Gasoline	<0.1	mg/L	0.1	12/17/2015 1:55:00 PM	RAW	NWTPHG	

## Surrogate Data

<b>Sample Number</b>	151215043-003	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		hexacosane	NWTPHDX	87.2	50-150
		4-Bromofluorobenzene	NWTPHG	101.0	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 151215043  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	151215043-004	<b>Sampling Date</b>	12/15/2015	<b>Date/Time Received</b>	12/15/2015 1:50 PM
<b>Client Sample ID</b>	EAST EXCAV	<b>Sampling Time</b>	12:32 PM	<b>Extraction Date</b>	
<b>Matrix</b>	Water	<b>Sample Location</b>			
<b>Comments</b>					
Parameter	Result	Units	PQL	Analysis Date	Analyst
Arsenic	0.00372	mg/L	0.001	12/23/2015 5:55:00 PM	KEB
Barium	0.163	mg/L	0.001	12/23/2015 5:55:00 PM	KEB
Cadmium	ND	mg/L	0.001	12/23/2015 5:55:00 PM	KEB
Chromium	ND	mg/L	0.001	12/23/2015 5:55:00 PM	KEB
Lead	ND	mg/L	0.001	12/23/2015 5:55:00 PM	KEB
Mercury-CVAFS	ND	ug/L	0.01	12/21/2015	ETL
Selenium	ND	mg/L	0.001	12/23/2015 5:55:00 PM	KEB
Silver	ND	mg/L	0.001	12/23/2015 5:55:00 PM	KEB
Diesel	ND	mg/L	0.1	12/18/2015 4:15:00 AM	APM
Lube Oil	ND	mg/L	0.5	12/18/2015 4:15:00 AM	APM
Gasoline	<0.1	mg/L	0.1	12/17/2015 2:32:00 PM	RAW
					NWTPHDX
					NWTPHGX

## Surrogate Data

<b>Sample Number</b>	151215043-004	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		hexacosane	NWTPHDX	82.8	50-150
		4-Bromofluorobenzene	NWTPHGX	103.0	70-130

Authorized Signature

Kathy Sattler, Lab Manager

MCL      EPA's Maximum Contaminant Level  
 ND      Not Detected  
 PQL      Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
 The results reported relate only to the samples indicated.  
 Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# *Anatek Labs, Inc.*

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email [moscow@anateklabs.com](mailto:moscow@anateklabs.com)  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email [spokane@anateklabs.com](mailto:spokane@anateklabs.com)

# Login Report

**Customer Name:** BUDINGER AND ASSOCIATES      **Order ID:** 151215043  
1101 N FANCHER RD      **Order Date:** 12/15/2015  
SPOKANE VALLEY WA 99212

**Contact Name:** STEVE BURCHETT      **Project Name:** X14466

### **Comment:**

**Sample #:** 151215043-001    **Customer Sample #:** MW-48

**Recv'd:**  **Matrix:** Water      **Collector:** DERRY CALLENDER      **Date Collected:** 12/15/2015  
**Quantity:** 5      **Date Received:** 12/15/2015 1:50:43 PM      **Time Collected:** 10:25 AM

**Comment:**

Test	Lab	Method	Due Date	Priority
TPHDX-NW	S	NWTPHDX	12/22/2015	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	12/22/2015	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Barium	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Chromium	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Lead	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
MERCURY-CVAFS	M	EPA 245.7	12/25/2015	<u>Normal (~10 Days)</u>
Selenium	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Silver	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
TOTAL 8		N/A	12/25/2015	<u>Normal (~10 Days)</u>

**Sample #:** 151215043-002    **Customer Sample #:** MW-44

**Recv'd:**  **Matrix:** Water      **Collector:** DERRY CALLENDER      **Date Collected:** 12/15/2015  
**Quantity:** 5      **Date Received:** 12/15/2015 1:50:43 PM      **Time Collected:** 10:59 AM

### **Comment:**

Test	Lab	Method	Due Date	Priority
TPHDX-NW	S	NWTPHDX	12/22/2015	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	12/22/2015	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Barium	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>

**Customer Name:** BUDINGER AND ASSOCIATES  
 1101 N FANCHER RD  
 SPOKANE VALLEY WA 99212

**Order ID:** 151215043  
**Order Date:** 12/15/2015

**Contact Name:** STEVE BURCHETT      **Project Name:** X14466

**Comment:**

Chromium	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Lead	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
MERCURY-CVAFS	M	EPA 245.7	12/25/2015	<u>Normal (~10 Days)</u>
Selenium	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Silver	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
TOTAL 8	S	N/A	12/25/2015	<u>Normal (~10 Days)</u>

**Sample #:** 151215043-003    **Customer Sample #:** MW-53

**Recv'd:**  **Matrix:** Water      **Collector:** DERRY CALLENDER      **Date Collected:** 12/15/2015  
**Quantity:** 5      **Date Received:** 12/15/2015 1:50:43 PM      **Time Collected:** 11:55 AM

**Comment:**

Test	Lab	Method	Due Date	Priority
TPHDX-NW	S	NWTPHDX	12/22/2015	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	12/22/2015	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Barium	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Chromium	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Lead	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
MERCURY-CVAFS	M	EPA 245.7	12/25/2015	<u>Normal (~10 Days)</u>
Selenium	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Silver	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
TOTAL 8	S	N/A	12/25/2015	<u>Normal (~10 Days)</u>

**Sample #:** 151215043-004    **Customer Sample #:** EAST EXCAV

**Recv'd:**  **Matrix:** Water      **Collector:** DERRY CALLENDER      **Date Collected:** 12/15/2015  
**Quantity:** 5      **Date Received:** 12/15/2015 1:50:43 PM      **Time Collected:** 12:32 PM

**Comment:**

Test	Lab	Method	Due Date	Priority
TPHDX-NW	S	NWTPHDX	12/22/2015	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	12/22/2015	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Barium	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Chromium	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>

**Customer Name:** BUDINGER AND ASSOCIATES  
1101 N FANCHER RD  
SPOKANE VALLEY WA 99212

**Order ID:** 151215043  
**Order Date:** 12/15/2015

**Contact Name:** STEVE BURCHETT

**Project Name:** X14466

**Comment:**

Lead	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
MERCURY-CVAFS	M	EPA 245.7	12/25/2015	<u>Normal (~10 Days)</u>
Selenium	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
Silver	S	EPA 200.8	12/25/2015	<u>Normal (~10 Days)</u>
TOTAL 8	S	N/A	12/25/2015	<u>Normal (~10 Days)</u>

---

Sample #: 151215043-005 Customer Sample #: MW-73

Recv'd:  Matrix: Water Collector: DERRY CALLENDER Date Collected: 12/15/2015  
Quantity: 5 Date Received: 12/15/2015 1:50:43 PM Time Collected: 11:07 AM

**Comment:**

Test	Lab	Method	Due Date	Priority
HOLD	S	hold	12/15/2015	<u>Normal (~10 Days)</u>

---

### SAMPLE CONDITION RECORD

---

Samples received in a cooler?	Yes
Samples received intact?	Yes
What is the temperature of the sample(s)? (°C)	9.8
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	Yes
Are VOC samples free of headspace?	N/A
Is there a trip blank to accompany VOC samples?	N/A
Labels and chain agree?	Yes

**Anatek  
Labs,  
Inc.**

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246  
504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

**Chain of Custody Record**

**51215 043 BUDI** Last 12/25/2015  
st SAMP 12/15/2001 1st RCVD  
**14466** Due 12/15/2015

Company Name: **BUDINGER & ASSOCIATE**  
Address: **1101 N Fletcher**  
City: **SPOKANE** State: **WA** Zip: **99202**

Phone: **509 - 535 - 8841**  
Fax: **509 - 535 - 8841**  
Purchase Order #: **CITY OF CHESTER**  
Sampler Name & phone: **D. C. WILSON 509 - 535 - 8841**

Project Manager: **Steve Burket**  
Project Name & #: **K14466**  
Email Address: **SBurket@Chesterwa.com**

Normal  
Next Day\*  
2nd Day\*  
Other\*  
\* All rush order requests must be prior approved.  
— Phone  
— Mail  
— Fax  
— Email

**List Analyses Requested**

Note Special Instructions/Comments  
\* Hold metals for possible dissolved analysis

Lab ID	Sample Identification	Sampling Date/Time	Matrix	# of Containers	Sample Volume
MW-48	15 Dec 15 / 1025	WATER	X X X		TPH-G
MW-44	15 Dec 15 / 1059		X X X		TPH-D
MW-53	15 Dec 15 / 1155		X X X		Hg/TOT
Faster Excav	15 Dec 15 / 1232		X X X		Metals
MW-73	15 Dec 15 / 1107		X		

**Inspection Checklist**

Received intact? **Y** ✓  
Labels & Chains Agree? **Y** ✓  
Containers Sealed? **Y** N  
VOC Head Space? **Y** N  
Hold/Label **Hold/Label**

Temperature (°C) **9.8°C** Tether  
Preservative **HCl 1235-3.05377-12**  
Date & Time **12/15/15 1240**  
Inspected By **TS**

Relinquished by	<b>Derek Calender</b>	Printed Name	<b>Derek Calender</b>
Received by	<b>Bonnie Thompson</b>	Signature	<b>T. Thompson</b>
Relinquished by		Company	
Received by		Date	
Relinquished by		Time	

Received by

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150910045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150910045-001	<b>Sampling Date</b>	9/10/2015	<b>Date/Time Received</b>	9/10/2015	1:53 PM
<b>Client Sample ID</b>	MW44	<b>Sampling Time</b>	10:47 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Barium	0.0805	mg/L	0.001	9/21/2015 1:53:00 PM	KEB	EPA 200.8
Lead	0.00220	mg/L	0.001	9/21/2015 1:53:00 PM	KEB	EPA 200.8
Mercury-CVAFS	ND	ug/L	0.01	9/15/2015	ETL	EPA 245.7

<b>Sample Number</b>	150910045-002	<b>Sampling Date</b>	9/10/2015	<b>Date/Time Received</b>	9/10/2015	1:53 PM
<b>Client Sample ID</b>	MW48	<b>Sampling Time</b>	11:37 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Barium	0.112	mg/L	0.001	9/23/2015 11:33:00 AM	KEB	EPA 200.8
Mercury-CVAFS	ND	ug/L	0.01	9/15/2015	ETL	EPA 245.7

<b>Sample Number</b>	150910045-003	<b>Sampling Date</b>	9/10/2015	<b>Date/Time Received</b>	9/10/2015	1:53 PM
<b>Client Sample ID</b>	EAST EXCAV	<b>Sampling Time</b>	12:03 PM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Arsenic	0.00365	mg/L	0.001	9/23/2015 11:55:00 AM	KEB	EPA 200.8
Barium	0.250	mg/L	0.001	9/23/2015 11:55:00 AM	KEB	EPA 200.8
Mercury-CVAFS	ND	ug/L	0.01	9/15/2015	ETL	EPA 245.7

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150910045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150910045-004	<b>Sampling Date</b>	9/10/2015	<b>Date/Time Received</b>	9/10/2015	1:53 PM
<b>Client Sample ID</b>	MW53	<b>Sampling Time</b>	12:23 PM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Arsenic	ND	mg/L	0.001	9/23/2015 12:03:00 PM	KEB	EPA 200.8	
Barium	0.0908	mg/L	0.001	9/23/2015 12:03:00 PM	KEB	EPA 200.8	
Cadmium	ND	mg/L	0.001	9/23/2015 12:03:00 PM	KEB	EPA 200.8	
Chromium	ND	mg/L	0.001	9/23/2015 12:03:00 PM	KEB	EPA 200.8	
Lead	0.0161	mg/L	0.001	9/23/2015 12:03:00 PM	KEB	EPA 200.8	
Mercury-CVAFS	ND	ug/L	0.01	9/15/2015	ETL	EPA 245.7	
Silver	ND	mg/L	0.001	9/23/2015 12:03:00 PM	KEB	EPA 200.8	

Authorized Signature

Kathleen A. Sattler  
Kathy Sattler, Lab Manager

MCL      EPA's Maximum Contaminant Level  
ND      Not Detected  
PQL      Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150910045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150910045-002	<b>Sampling Date</b>	9/10/2015	<b>Date/Time Received</b>	9/10/2015	1:53 PM
<b>Client Sample ID</b>	MW48	<b>Sampling Time</b>	11:37 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,1,1-Trichloroethane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,1,2-Trichloroethane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,1-dichloropropene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,2,3-Trichloropropane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,2-Dibromoethane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,2-Dichlorobenzene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,2-Dichloroethane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,2-Dichloropropane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,3-Dichlorobenzene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,3-Dichloropropane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
1,4-Dichlorobenzene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
2,2-Dichloropropane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
2-Chlorotoluene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
2-hexanone	<2.5	µg/L	2.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
4-Chlorotoluene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Acetone	<2.5	µg/L	2.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Acrylonitrile	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Benzene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Bromobenzene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Bromochloromethane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Bromodichloromethane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Bromoform	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Bromomethane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Carbon disulfide	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Carbon Tetrachloride	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150910045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150910045-002	<b>Sampling Date</b>	9/10/2015	<b>Date/Time Received</b>	9/10/2015	1:53 PM
<b>Client Sample ID</b>	MW48	<b>Sampling Time</b>	11:37 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Chlorobenzene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Chloroethane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Chloromethane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Ethylbenzene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Isopropylbenzene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
m+p-Xylene	<1.0	µg/L	1	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Naphthalene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
n-Propylbenzene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
o-Xylene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
sec-Butylbenzene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Styrene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Toluene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	9/10/2015 4:33:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150910045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150910045-002	<b>Sampling Date</b>	9/10/2015	<b>Date/Time Received</b>	9/10/2015	1:53 PM
<b>Client Sample ID</b>	MW48	<b>Sampling Time</b>	11:37 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
<b>Surrogate Data</b>							

<b>Sample Number</b>	150910045-002	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
<b>Surrogate Standard</b>		EPA 8260C	101.2	70-130
1,2-Dichlorobenzene-d4		EPA 8260C	96.6	70-130
4-Bromofluorobenzene		EPA 8260C	96.8	70-130
Toluene-d8				

<b>Sample Number</b>	150910045-004	<b>Sampling Date</b>	9/10/2015	<b>Date/Time Received</b>	9/10/2015	1:53 PM	
<b>Client Sample ID</b>	MW53	<b>Sampling Time</b>	12:23 PM	<b>Extraction Date</b>			
<b>Matrix</b>	Water	<b>Sample Location</b>					
<b>Comments</b>							
<b>Surrogate Data</b>							
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>	<b>Qualifier</b>
Acetone	<2.5	µg/L	2.5	9/10/2015 5:02:00 PM	WOZ	EPA 8260C	

<b>Sample Number</b>	150910045-004	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
<b>Surrogate Standard</b>		EPA 8260C	104.0	70-130
1,2-Dichlorobenzene-d4		EPA 8260C	94.6	70-130
4-Bromofluorobenzene		EPA 8260C	101.2	70-130
Toluene-d8				

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

---

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150910045  
**Project Name:** X14466

## Analytical Results Report

Authorized Signature



Kathy Sattler, Lab Manager

MCL      EPA's Maximum Contaminant Level  
ND      Not Detected  
PQL      Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150910045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150910045-001	<b>Sampling Date</b>	9/10/2015	<b>Date/Time Received</b>	9/10/2015	1:53 PM
<b>Client Sample ID</b>	MW44	<b>Sampling Time</b>	10:47 AM	<b>Extraction Date</b>	9/16/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
bis(2-Ethylhexyl)phthalate	ND	ug/L	0.5	9/21/2015	HSW	EPA 8270D

## Surrogate Data

<b>Sample Number</b>	150910045-001	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
2,4,6-Tribromophenol		EPA 8270D		90.4	53-122
2-Fluorobiphenyl		EPA 8270D		90.8	22-120
2-Fluorophenol		EPA 8270D		83.8	20-139
Nitrobenzene-d5		EPA 8270D		81.2	55-118
Phenol-d5		EPA 8270D		74.8	28-154
Terphenyl-d14		EPA 8270D		79.6	20-137

<b>Sample Number</b>	150910045-002	<b>Sampling Date</b>	9/10/2015	<b>Date/Time Received</b>	9/10/2015	1:53 PM
<b>Client Sample ID</b>	MW48	<b>Sampling Time</b>	11:37 AM	<b>Extraction Date</b>	9/16/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
bis(2-Ethylhexyl)phthalate	ND	ug/L	0.5	9/21/2015	HSW	EPA 8270D

## Surrogate Data

<b>Sample Number</b>	150910045-002	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
2,4,6-Tribromophenol		EPA 8270D		78.2	53-122
2-Fluorobiphenyl		EPA 8270D		87.6	22-120
2-Fluorophenol		EPA 8270D		70.0	20-139
Nitrobenzene-d5		EPA 8270D		70.8	55-118
Phenol-d5		EPA 8270D		66.4	28-154
Terphenyl-d14		EPA 8270D		70.4	20-137

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

---

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150910045  
**Project Name:** X14466

## Analytical Results Report

Authorized Signature



Kathy Sattler, Lab Manager

MCL      EPA's Maximum Contaminant Level  
ND      Not Detected  
PQL      Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150910045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150910045-002	<b>Sampling Date</b>	9/10/2015	<b>Date/Time Received</b>	9/10/2015	1:53 PM
<b>Client Sample ID</b>	MW48	<b>Sampling Time</b>	11:37 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Gasoline	<0.1	mg/L	0.1	9/14/2015 12:39:00 PM	RAW	NWTPHG

## Surrogate Data

<b>Sample Number</b>	150910045-002	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>	
		4-Bromofluorobenzene	NWTPHG	105.0	70-130	
<b>Sample Number</b>	150910045-003	<b>Sampling Date</b>	9/10/2015	<b>Date/Time Received</b>	9/10/2015	
<b>Client Sample ID</b>	EAST EXCAV	<b>Sampling Time</b>	12:03 PM	<b>Extraction Date</b>	1:53 PM	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Diesel	ND	mg/L	0.1	9/12/2015 12:39:00 AM	APM	NWTPHDX
Lube Oil	ND	mg/L	0.5	9/12/2015 12:39:00 AM	APM	NWTPHDX

## Surrogate Data

<b>Sample Number</b>	150910045-003	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		hexacosane	NWTPHDX	87.8	50-150

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

---

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150910045  
**Project Name:** X14466

## Analytical Results Report

Authorized Signature



Kathy Sattler, Lab Manager

MCL      EPA's Maximum Contaminant Level  
ND      Not Detected  
PQL      Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# *Anatek Labs, Inc.*

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email [moscow@anateklabs.com](mailto:moscow@anateklabs.com)  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email [spokane@anateklabs.com](mailto:spokane@anateklabs.com)

# Login Report

**Customer Name:** BUDINGER AND ASSOCIATES      **Order ID:** 150910045  
1101 N FANCHER RD      **Order Date:** 9/10/2015  
SPOKANE VALLEY WA 99212

**Contact Name:** STEVE BURCHETT      **Project Name:** X14466

### **Comment:**

**Sample #:** 150910045-001    **Customer Sample #:** MW44

**Recv'd:**  **Matrix:** Water **Collector:** DERRY CALLENDER **Date Collected:** 9/10/2015  
**Quantity:** 2 **Date Received:** 9/10/2015 1:53:09 PM **Time Collected:** 10:47 AM

**Comment:**

Test	Lab	Method	Due Date	Priority
BARIUM	S	EPA 200.8	9/22/2015	<u>Normal (~10 Days)</u>
LEAD	S	EPA 200.8	9/22/2015	<u>Normal (~10 Days)</u>
MERCURY-CV	M	EPA 245.2	9/22/2015	<u>Normal (~10 Days)</u>
SVOC 8270D MOSC	M	EPA 8270D	9/17/2015	<u>Normal (~10 Days)</u>

**Sample #:** 150910045-002    **Customer Sample #:** MW48

**Recv'd:**  **Matrix:** Water **Collector:** DERRY CALLENDER **Date Collected:** 9/10/2015  
**Quantity:** 6 **Date Received:** 9/10/2015 1:53:09 PM **Time Collected:** 11:37 AM

### **Comment:**

Test	Lab	Method	Due Date	Priority
BARIUM	S	EPA 200.8	9/22/2015	<u>Normal (~10 Days)</u>
MERCURY-CV	M	EPA 245.2	9/22/2015	<u>Normal (~10 Days)</u>
SVOC 8270D MOSC	M	EPA 8270D	9/17/2015	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	9/17/2015	<u>Normal (~10 Days)</u>
VOC 8260 SPO	S	EPA 8260C	9/22/2015	<u>Normal (~10 Days)</u>

**Sample #:** 150910045-003    **Customer Sample #:** EAST EXCAV

**Recv'd:**  **Matrix:** Water **Collector:** DERRY CALLENDER **Date Collected:** 9/10/2015  
**Quantity:** 2 **Date Received:** 9/10/2015 1:53:09 PM **Time Collected:** 12:03 PM

### **Comment:**

Test	Lab	Method	Due Date	Priority
ARSENIC	S	EPA 200.8	9/22/2015	<b>Normal (~10 Days)</b>

**Customer Name:** BUDINGER AND ASSOCIATES  
1101 N FANCHER RD  
SPOKANE VALLEY WA 99212

**Order ID:** 150910045  
**Order Date:** 9/10/2015

**Contact Name:** STEVE BURCHETT      **Project Name:** X14466

**Comment:**

BARIUM	S	EPA 200.8	9/22/2015	<u>Normal (~10 Days)</u>
MERCURY-CV	M	EPA 245.2	9/22/2015	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	9/17/2015	<u>Normal (~10 Days)</u>

---

**Sample #:** 150910045-004    **Customer Sample #:** MW53

**Recv'd:**  **Matrix:** Water      **Collector:** DERRY CALLENDER      **Date Collected:** 9/10/2015  
**Quantity:** 3      **Date Received:** 9/10/2015 1:53:09 PM      **Time Collected:** 12:23 PM

**Comment:**

<b>Test</b>	<b>Lab</b>	<b>Method</b>	<b>Due Date</b>	<b>Priority</b>
ARSENIC	S	EPA 200.8	9/22/2015	<u>Normal (~10 Days)</u>
BARIUM	S	EPA 200.8	9/22/2015	<u>Normal (~10 Days)</u>
CADMIUM	S	EPA 200.8	9/22/2015	<u>Normal (~10 Days)</u>
CHROMIUM	S	EPA 200.8	9/22/2015	<u>Normal (~10 Days)</u>
LEAD	S	EPA 200.8	9/22/2015	<u>Normal (~10 Days)</u>
MERCURY-CV	M	EPA 245.2	9/22/2015	<u>Normal (~10 Days)</u>
SILVER	S	EPA 200.8	9/22/2015	<u>Normal (~10 Days)</u>
VOC 8260 SPO	S	EPA 8260C	9/22/2015	<u>Normal (~10 Days)</u>

---

### SAMPLE CONDITION RECORD

---

Samples received in a cooler?	Yes
Samples received intact?	Yes
What is the temperature of the sample(s)? (°C)	12.2
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	Yes
Are VOC samples free of headspace?	Yes
Is there a trip blank to accompany VOC samples?	N/A
Labels and chain agree?	Yes

**Anatek  
Labs,  
Inc.**

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246  
504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

**Chain of Custody Record**

**50910 045 BUDI** Last Due 9/22/2015  
st SAMP 9/10/2015 1st RCVD 9/10/2015  
14466

Company Name:

**BUDENGER & ASSOCIATES INC.**

Address:

1101 N FANCER

City:

SPOKANE

State:

WA

Zip:

99212

Phone:

509-535-8841

Fax:

509-535-9589

Project Manager:

**Steve Buechner**

Project Name & #:

X 14466

Email Address:

Steve@BudEngers.com

Purchase Order #:

City of Cheney

Sample Name & phone:

Danny Callander

Turn Around Time & Reporting

Please refer to our normal turn around times at:

<http://www.anateklabs.com/services/guidelines/reporting.asp>

Normal

Next Day\*

2nd Day\*

Other\*

\*All rush order requests must be prior approved.

Phone

Fax

Email

**Provide Sample Description**

Preservative:

None

List Analyses Requested

Note Special Instructions/Comments

Lab ID	Sample Identification	Sampling Date/Time	Matrix	# of Containers	Sample Volume	ARSENIC	BARIUM	LEAD	MERCURY	PAH (bis(2-ethylhexyl))	VOC (All)	TPH-G	TPH-Dx
MWS44	10 Sep 15 / 10:47	Water	1	X									
MWS48	10 Sep 15 / 11:37	water	1	X									
EAST EXCAV	10 Sep 15 / 12:03	water	2	X	X								

**Inspection Checklist**

Received intact?  Y  N

Labels & Chains Agree?  Y  N

Containers Sealed?  Y  N

VOC Head Space?  Y  N

Cooler  Yes  Has delivered

Temperature (°C)  12.2 °C  FR #

Preservative: HCl R26-3

pH 4.2 DS 6.5-3E

Date & Time: 9-10-15 13:37

Inspected By: KBS

Relinquished by	<i>Derry Callander</i>	<i>Derry Callander</i>
Received by	<i>Kathy Sattler</i>	<i>Kathy Sattler</i>
Relinquished by		
Received by		
Relinquished by		



Anatek

*Chain of Custody Record*

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246  
504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150910045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150910045-001	<b>Sampling Date</b>	9/10/2015	<b>Date/Time Received</b>	9/10/2015	1:53 PM
<b>Client Sample ID</b>	MW44	<b>Sampling Time</b>	10:47 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Arsenic	ND	mg/L	0.001	9/21/2015 1:53:00 PM	KEB	EPA 200.8	
Barium	0.0805	mg/L	0.001	9/21/2015 1:53:00 PM	KEB	EPA 200.8	
Cadmium	ND	mg/L	0.001	9/21/2015 1:53:00 PM	KEB	EPA 200.8	
Chromium	ND	mg/L	0.001	9/21/2015 1:53:00 PM	KEB	EPA 200.8	
Lead	0.00220	mg/L	0.001	9/21/2015 1:53:00 PM	KEB	EPA 200.8	
Mercury-CVAFS	ND	ug/L	0.01	9/15/2015	ETL	EPA 245.7	
Selenium	ND	mg/L	0.001	9/21/2015 1:53:00 PM	KEB	EPA 200.8	
Silver	ND	mg/L	0.001	9/21/2015 1:53:00 PM	KEB	EPA 200.8	

<b>Sample Number</b>	150910045-002	<b>Sampling Date</b>	9/10/2015	<b>Date/Time Received</b>	9/10/2015	1:53 PM
<b>Client Sample ID</b>	MW48	<b>Sampling Time</b>	11:37 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Arsenic	ND	mg/L	0.001	12/23/2015 11:33:00 AM	KEB	EPA 200.8	
Barium	0.112	mg/L	0.001	9/23/2015 11:33:00 AM	KEB	EPA 200.8	
Cadmium	ND	mg/L	0.001	12/23/2015 11:33:00 AM	KEB	EPA 200.8	
Chromium	0.00147	mg/L	0.001	12/23/2015 11:33:00 AM	KEB	EPA 200.8	
Lead	0.00161	mg/L	0.001	12/23/2015 11:33:00 AM	KEB	EPA 200.8	
Mercury-CVAFS	ND	ug/L	0.01	9/15/2015	ETL	EPA 245.7	
Selenium	ND	mg/L	0.001	12/23/2015 11:33:00 AM	KEB	EPA 200.8	
Silver	ND	mg/L	0.001	12/23/2015 11:33:00 AM	KEB	EPA 200.8	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT


**Batch #:** 150910045  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150910045-003	<b>Sampling Date</b>	9/10/2015	<b>Date/Time Received</b>	9/10/2015	1:53 PM
<b>Client Sample ID</b>	EAST EXCAV	<b>Sampling Time</b>	12:03 PM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Arsenic	0.00365	mg/L	0.001	9/23/2015 11:55:00 AM	KEB	EPA 200.8	
Barium	0.250	mg/L	0.001	9/23/2015 11:55:00 AM	KEB	EPA 200.8	
Cadmium	ND	mg/L	0.001	12/23/2015 11:55:00 AM	KEB	EPA 200.8	
Chromium	ND	mg/L	0.001	12/23/2015 11:55:00 AM	KEB	EPA 200.8	
Lead	ND	mg/L	0.001	12/23/2015 11:55:00 AM	KEB	EPA 200.8	
Mercury-CVAFS	ND	ug/L	0.01	9/15/2015	ETL	EPA 245.7	
Selenium	ND	mg/L	0.001	12/23/2015 11:55:00 AM	KEB	EPA 200.8	
Silver	0.00137	mg/L	0.001	12/23/2015 11:55:00 AM	KEB	EPA 200.8	

Authorized Signature

  
\_\_\_\_\_  
Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.

The results reported relate only to the samples indicated.

Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-001	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	MW 48	<b>Sampling Time</b>	9:10 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>	<b>Qualifier</b>
Arsenic	ND	mg/L	0.001	7/10/2015 12:21:00 PM	KEB	EPA 200.8	
Barium	0.0989	mg/L	0.001	7/10/2015 12:21:00 PM	KEB	EPA 200.8	
Cadmium	ND	mg/L	0.001	7/10/2015 12:21:00 PM	KEB	EPA 200.8	
Chromium	ND	mg/L	0.001	7/10/2015 12:21:00 PM	KEB	EPA 200.8	
Lead	ND	mg/L	0.001	7/10/2015 12:21:00 PM	KEB	EPA 200.8	
Mercury-CVAFS	ND	ug/L	0.01	7/15/2015	ETL	EPA 245.7	
Selenium	ND	mg/L	0.001	7/10/2015 12:21:00 PM	KEB	EPA 200.8	
Silver	ND	mg/L	0.001	7/10/2015 12:21:00 PM	KEB	EPA 200.8	

<b>Sample Number</b>	150707057-002	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	MW 44	<b>Sampling Time</b>	10:05 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>	<b>Qualifier</b>
Arsenic	ND	mg/L	0.001	7/10/2015 1:33:00 PM	KEB	EPA 200.8	
Barium	0.0975	mg/L	0.001	7/10/2015 1:33:00 PM	KEB	EPA 200.8	
Cadmium	ND	mg/L	0.001	7/10/2015 1:33:00 PM	KEB	EPA 200.8	
Chromium	ND	mg/L	0.001	7/10/2015 1:33:00 PM	KEB	EPA 200.8	
Lead	0.00466	mg/L	0.001	7/10/2015 1:33:00 PM	KEB	EPA 200.8	
Mercury-CVAFS	ND	ug/L	0.01	7/15/2015	ETL	EPA 245.7	
Selenium	ND	mg/L	0.001	7/10/2015 1:33:00 PM	KEB	EPA 200.8	
Silver	ND	mg/L	0.001	7/10/2015 1:33:00 PM	KEB	EPA 200.8	

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-003	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	MW 53	<b>Sampling Time</b>	10:30 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Arsenic	ND	mg/L	0.001	7/10/2015 1:40:00 PM	KEB	EPA 200.8
Barium	0.0912	mg/L	0.001	7/10/2015 1:40:00 PM	KEB	EPA 200.8
Cadmium	ND	mg/L	0.001	7/10/2015 1:40:00 PM	KEB	EPA 200.8
Chromium	ND	mg/L	0.001	7/10/2015 1:40:00 PM	KEB	EPA 200.8
Lead	ND	mg/L	0.001	7/10/2015 1:40:00 PM	KEB	EPA 200.8
Mercury-CVAFS	ND	ug/L	0.01	7/15/2015	ETL	EPA 245.7
Selenium	ND	mg/L	0.001	7/10/2015 1:40:00 PM	KEB	EPA 200.8
Silver	ND	mg/L	0.001	7/10/2015 1:40:00 PM	KEB	EPA 200.8
<b>Sample Number</b>	150707057-004	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	EAST EXCAV	<b>Sampling Time</b>	12:01 PM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Arsenic	0.00339	mg/L	0.001	7/10/2015 1:47:00 PM	KEB	EPA 200.8
Barium	0.246	mg/L	0.001	7/10/2015 1:47:00 PM	KEB	EPA 200.8
Cadmium	ND	mg/L	0.001	7/10/2015 1:47:00 PM	KEB	EPA 200.8
Chromium	ND	mg/L	0.001	7/10/2015 1:47:00 PM	KEB	EPA 200.8
Lead	ND	mg/L	0.001	7/10/2015 1:47:00 PM	KEB	EPA 200.8
Mercury-CVAFS	ND	ug/L	0.01	7/15/2015	ETL	EPA 245.7
Selenium	ND	mg/L	0.001	7/10/2015 1:47:00 PM	KEB	EPA 200.8
Silver	ND	mg/L	0.001	7/10/2015 1:47:00 PM	KEB	EPA 200.8

Authorized Signature

Kathy Sattler, Lab Manager

MCL      EPA's Maximum Contaminant Level  
 ND      Not Detected  
 PQL      Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
 The results reported relate only to the samples indicated.  
 Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-001	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	MW 48	<b>Sampling Time</b>	9:10 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Diesel	ND	mg/L	0.1	7/9/2015 11:24:00 PM APM		NWTPHDX
Lube Oil	ND	mg/L	0.5	7/9/2015 11:24:00 PM APM		NWTPHDX
Gasoline	<0.1	mg/L	0.1	7/8/2015 2:25:00 PM RAW		NWTPHG

## Surrogate Data

<b>Sample Number</b>	150707057-001	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		hexacosane	NWTPHDX	88.6	50-150
		4-Bromofluorobenzene	NWTPHG	107.0	70-130

<b>Sample Number</b>	150707057-002	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	MW 44	<b>Sampling Time</b>	10:05 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Diesel	ND	mg/L	0.1	7/10/2015 12:21:00 AM APM		NWTPHDX
Lube Oil	ND	mg/L	0.5	7/10/2015 12:21:00 AM APM		NWTPHDX
Gasoline	<0.1	mg/L	0.1	7/8/2015 3:03:00 PM RAW		NWTPHG

## Surrogate Data

<b>Sample Number</b>	150707057-002	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		hexacosane	NWTPHDX	88.2	50-150
		4-Bromofluorobenzene	NWTPHG	106.0	70-130

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-003	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	MW 53	<b>Sampling Time</b>	10:30 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Diesel	ND	mg/L	0.1	7/10/2015 1:18:00 AM	APM	NWTPHDX
Lube Oil	ND	mg/L	0.5	7/10/2015 1:18:00 AM	APM	NWTPHDX
Gasoline	<0.1	mg/L	0.1	7/8/2015 3:42:00 PM	RAW	NWTPHG

## Surrogate Data

<b>Sample Number</b>	150707057-003	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
<b>Surrogate Standard</b>		NWTPHDX	88.6	50-150
hexacosane		NWTPHG	107.0	70-130
4-Bromofluorobenzene				

<b>Sample Number</b>	150707057-004	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	EAST EXCAV	<b>Sampling Time</b>	12:01 PM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Diesel	ND	mg/L	0.1	7/10/2015 2:14:00 AM	APM	NWTPHDX
Lube Oil	ND	mg/L	0.5	7/10/2015 2:14:00 AM	APM	NWTPHDX
Gasoline	<0.1	mg/L	0.1	7/8/2015 4:20:00 PM	RAW	NWTPHG

## Surrogate Data

<b>Sample Number</b>	150707057-004	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
<b>Surrogate Standard</b>		NWTPHDX	90.8	50-150
hexacosane		NWTPHG	107.0	70-130
4-Bromofluorobenzene				

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com


---

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

Authorized Signature



Kathy Sattler, Lab Manager

MCL      EPA's Maximum Contaminant Level  
ND      Not Detected  
PQL      Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-001	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	MW 48	<b>Sampling Time</b>	9:10 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

Sample Number	150707057-001 <th>Sampling Date</th> <td>7/7/2015<th>Date/Time Received</th><td>7/7/2015</td><th>1:27 PM</th></td>	Sampling Date	7/7/2015 <th>Date/Time Received</th> <td>7/7/2015</td> <th>1:27 PM</th>	Date/Time Received	7/7/2015	1:27 PM
Client Sample ID	MW 48	Sampling Time	9:10 AM <th>Extraction Date</th> <td></td> <td></td>	Extraction Date		
Matrix	Water	Sample Location				
Comments						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
Chlorobenzene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Chloroethane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Chloroform	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Chloromethane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Dibromomethane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Ethylbenzene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Isopropylbenzene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
m+p-Xylene	<1.0	µg/L	1	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Methylene chloride	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Naphthalene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
n-Butylbenzene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
n-Propylbenzene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
o-Xylene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Styrene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Toluene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Trichloroethene	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<0.5	µg/L	0.5	7/9/2015 8:52:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-001	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	MW 48	<b>Sampling Time</b>	9:10 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>	<b>Qualifier</b>
------------------	---------------	--------------	------------	----------------------	----------------	---------------	------------------

### Surrogate Data

<b>Sample Number</b>	150707057-001	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		1,2-Dichlorobenzene-d4	EPA 8260C	102.4	70-130
		4-Bromofluorobenzene	EPA 8260C	86.2	70-130
		Toluene-d8	EPA 8260C	95.0	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-002	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	MW 44	<b>Sampling Time</b>	10:05 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Chlorobenzene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

Sample Number	150707057-002 <th>Sampling Date</th> <td>7/7/2015</td> <th>Date/Time Received</th> <td>7/7/2015</td> <th>1:27 PM</th>	Sampling Date	7/7/2015	Date/Time Received	7/7/2015	1:27 PM
Client Sample ID	MW 44	Sampling Time	10:05 AM	Extraction Date		
Matrix	Water	Sample Location			<th></th>	
Comments						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
Chloroethane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Chloroform	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Chloromethane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Dibromomethane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Ethylbenzene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Isopropylbenzene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
m+p-Xylene	<1.0	µg/L	1	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Methylene chloride	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Naphthalene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
n-Butylbenzene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
n-Propylbenzene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
o-Xylene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Styrene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Toluene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Trichloroethene	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<0.5	µg/L	0.5	7/9/2015 9:24:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-002	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	MW 44	<b>Sampling Time</b>	10:05 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>	<b>Qualifier</b>
------------------	---------------	--------------	------------	----------------------	----------------	---------------	------------------

### Surrogate Data

<b>Sample Number</b>	150707057-002	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		1,2-Dichlorobenzene-d4	EPA 8260C	98.8	70-130
		4-Bromofluorobenzene	EPA 8260C	87.4	70-130
		Toluene-d8	EPA 8260C	98.0	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

Sample Number	150707057-003 <th>Sampling Date</th> <td>7/7/2015</td> <th>Date/Time Received</th> <td>7/7/2015</td> <th>1:27 PM</th>	Sampling Date	7/7/2015	Date/Time Received	7/7/2015	1:27 PM
Client Sample ID	MW 53	Sampling Time	10:30 AM	Extraction Date		
Matrix	Water	Sample Location			<th></th>	
Comments						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Acetone	3.55	µg/L	2.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Chlorobenzene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

Sample Number	150707057-003 <th>Sampling Date</th> <td>7/7/2015</td> <th>Date/Time Received</th> <td>7/7/2015</td> <th>1:27 PM</th>	Sampling Date	7/7/2015	Date/Time Received	7/7/2015	1:27 PM
Client Sample ID	MW 53	Sampling Time	10:30 AM	Extraction Date		
Matrix	Water	Sample Location			<th></th>	
Comments						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
Chloroethane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Chloroform	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Chloromethane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Dibromomethane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Ethylbenzene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Isopropylbenzene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
m+p-Xylene	<1.0	µg/L	1	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Methylene chloride	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Naphthalene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
n-Butylbenzene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
n-Propylbenzene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
o-Xylene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Styrene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Toluene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Trichloroethene	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<0.5	µg/L	0.5	7/9/2015 9:57:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-003	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	MW 53	<b>Sampling Time</b>	10:30 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>	<b>Qualifier</b>
------------------	---------------	--------------	------------	----------------------	----------------	---------------	------------------

### Surrogate Data

<b>Sample Number</b>	150707057-003	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		1,2-Dichlorobenzene-d4	EPA 8260C	104.8	70-130
		4-Bromofluorobenzene	EPA 8260C	86.6	70-130
		Toluene-d8	EPA 8260C	93.8	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-004	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	<b>1:27 PM</b>
<b>Client Sample ID</b>	EAST EXCAV	<b>Sampling Time</b>	12:01 PM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C
Chlorobenzene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-004	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	EAST EXCAV	<b>Sampling Time</b>	12:01 PM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Chloroethane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Chloromethane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Ethylbenzene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Isopropylbenzene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
m+p-Xylene	<1.0	µg/L	1	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Naphthalene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
n-Propylbenzene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
o-Xylene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
sec-Butylbenzene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Styrene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Toluene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	7/9/2015 10:29:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-004	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	EAST EXCAV	<b>Sampling Time</b>	12:01 PM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>	<b>Qualifier</b>
------------------	---------------	--------------	------------	----------------------	----------------	---------------	------------------

### Surrogate Data

<b>Sample Number</b>	150707057-004	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		1,2-Dichlorobenzene-d4	EPA 8260C	98.6	70-130
		4-Bromofluorobenzene	EPA 8260C	84.2	70-130
		Toluene-d8	EPA 8260C	99.6	70-130

Authorized Signature



Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.

The results reported relate only to the samples indicated.

Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-001	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	MW 48	<b>Sampling Time</b>	9:10 AM	<b>Extraction Date</b>	7/13/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,2,4-Trichlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1,2-Dichlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1,2-Diphenyl hydrazine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1,3-Dichlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1,4-Dichlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1-Methylnaphthalene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,3,4,6-Tetrachlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,3,5,6-Tetrachlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4,5-Trichlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4,6-Trichlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4-Dichlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4-Dimethylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4-Dinitrophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4-Dinitrotoluene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,6-Dinitrotoluene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Chloronaphthalene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Chlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Methylnaphthalene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Methylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Nitroaniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Nitrophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
3,3'-Dichlorobenzidine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
3+4-Methylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
3-Nitroaniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4,6-Dinitro-2-methylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Bromophenyl-phenylether	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Chloro-3-methylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Chloroaniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Chlorophenyl-phenylether	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Nitroaniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Nitrophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Acenaphthene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Acenaphthylene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Aniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

Sample Number	150707057-001 <th>Sampling Date</th> <td>7/7/2015</td> <th>Date/Time Received</th> <td>7/7/2015</td> <th>1:27 PM</th>	Sampling Date	7/7/2015	Date/Time Received	7/7/2015	1:27 PM
Client Sample ID	MW 48	Sampling Time	9:10 AM	Extraction Date	7/13/15	
Matrix	Water	Sample Location				
Comments						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
Anthracene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Benzidine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Benzo(ghi)perylene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Benzo[a]anthracene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Benzo[a]pyrene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Benzo[b]fluoranthene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Benzo[k]fluoranthene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Benzyl alcohol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
bis(2-Chloroethoxy)methane	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
bis(2-Chloroethyl)ether	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
bis(2-chloroisopropyl)ether	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
bis(2-Ethylhexyl)phthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Butylbenzylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Carbazole	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Chrysene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Dibenz[a,h]anthracene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Dibenzofuran	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Diethylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Dimethylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Di-n-butylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Di-n-octylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Fluoranthene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Fluorene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Hexachlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Hexachlorobutadiene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Hexachlorocyclopentadiene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Hexachloroethane	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Indeno[1,2,3-cd]pyrene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Isophorone	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Naphthalene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Nitrobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Nitrosodimethylamine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
n-Nitroso-di-n-propylamine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
n-Nitrosodiphenylamine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Pentachlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-001	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	MW 48	<b>Sampling Time</b>	9:10 AM	<b>Extraction Date</b>	7/13/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Phenanthrene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Phenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Pyrene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Pyridine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	

## Surrogate Data

<b>Sample Number</b>	150707057-001	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		2,4,6-Tribromophenol	EPA 8270D	84.8	53-122
		2-Fluorobiphenyl	EPA 8270D	74.4	22-120
		2-Fluorophenol	EPA 8270D	78.4	20-139
		Nitrobenzene-d5	EPA 8270D	70.4	55-118
		Phenol-d5	EPA 8270D	84.6	28-154
		Terphenyl-d14	EPA 8270D	52.0	20-137

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-002	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	
<b>Client Sample ID</b>	MW 44	<b>Sampling Time</b>	10:05 AM	<b>Extraction Date</b>	7/13/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,2,4-Trichlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1,2-Dichlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1,2-Diphenyl hydrazine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1,3-Dichlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1,4-Dichlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1-Methylnaphthalene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,3,4,6-Tetrachlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,3,5,6-Tetrachlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4,5-Trichlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4,6-Trichlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4-Dichlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4-Dimethylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4-Dinitrophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4-Dinitrotoluene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,6-Dinitrotoluene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Chloronaphthalene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Chlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Methylnaphthalene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Methylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Nitroaniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Nitrophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
3,3'-Dichlorobenzidine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
3+4-Methylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
3-Nitroaniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4,6-Dinitro-2-methylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Bromophenyl-phenylether	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Chloro-3-methylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Chloroaniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Chlorophenyl-phenylether	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Nitroaniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Nitrophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Acenaphthene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Acenaphthylene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Aniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Anthracene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-002	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	
<b>Client Sample ID</b>	MW 44	<b>Sampling Time</b>	10:05 AM	<b>Extraction Date</b>	7/13/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Benzidine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzo(ghi)perylene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzo[a]anthracene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzo[a]pyrene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzo[b]fluoranthene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzo[k]fluoranthene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzyl alcohol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
bis(2-Chloroethoxy)methane	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
bis(2-Chloroethyl)ether	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
bis(2-chloroisopropyl)ether	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
bis(2-Ethylhexyl)phthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Butylbenzylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Carbazole	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Chrysene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Dibenz[a,h]anthracene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Dibenzofuran	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Diethylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Dimethylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Di-n-butylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Di-n-octylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Fluoranthene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Fluorene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Hexachlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Hexachlorobutadiene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Hexachlorocyclopentadiene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Hexachloroethane	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Indeno[1,2,3-cd]pyrene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Isophorone	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Naphthalene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Nitrobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Nitrosodimethylamine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
n-Nitroso-di-n-propylamine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
n-Nitrosodiphenylamine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Pentachlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Phenanthrene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-002	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	MW 44	<b>Sampling Time</b>	10:05 AM	<b>Extraction Date</b>	7/13/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Phenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Pyrene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Pyridine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D

## Surrogate Data

<b>Sample Number</b>	150707057-002	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		2,4,6-Tribromophenol	EPA 8270D	86.8	53-122
		2-Fluorobiphenyl	EPA 8270D	80.8	22-120
		2-Fluorophenol	EPA 8270D	76.0	20-139
		Nitrobenzene-d5	EPA 8270D	77.6	55-118
		Phenol-d5	EPA 8270D	83.0	28-154
		Terphenyl-d14	EPA 8270D	72.8	20-137

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-003	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	
<b>Client Sample ID</b>	MW 53	<b>Sampling Time</b>	10:30 AM	<b>Extraction Date</b>	7/13/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,2,4-Trichlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1,2-Dichlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1,2-Diphenyl hydrazine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1,3-Dichlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1,4-Dichlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1-Methylnaphthalene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,3,4,6-Tetrachlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,3,5,6-Tetrachlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4,5-Trichlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4,6-Trichlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4-Dichlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4-Dimethylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4-Dinitrophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4-Dinitrotoluene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,6-Dinitrotoluene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Chloronaphthalene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Chlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Methylnaphthalene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Methylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Nitroaniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Nitrophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
3,3'-Dichlorobenzidine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
3+4-Methylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
3-Nitroaniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4,6-Dinitro-2-methylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Bromophenyl-phenylether	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Chloro-3-methylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Chloroaniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Chlorophenyl-phenylether	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Nitroaniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Nitrophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Acenaphthene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Acenaphthylene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Aniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Anthracene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-003	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	
<b>Client Sample ID</b>	MW 53	<b>Sampling Time</b>	10:30 AM	<b>Extraction Date</b>	7/13/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Benzidine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzo(ghi)perylene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzo[a]anthracene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzo[a]pyrene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzo[b]fluoranthene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzo[k]fluoranthene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzyl alcohol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
bis(2-Chloroethoxy)methane	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
bis(2-Chloroethyl)ether	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
bis(2-chloroisopropyl)ether	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
bis(2-Ethylhexyl)phthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Butylbenzylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Carbazole	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Chrysene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Dibenz[a,h]anthracene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Dibenzofuran	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Diethylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Dimethylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Di-n-butylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Di-n-octylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Fluoranthene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Fluorene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Hexachlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Hexachlorobutadiene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Hexachlorocyclopentadiene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Hexachloroethane	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Indeno[1,2,3-cd]pyrene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Isophorone	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Naphthalene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Nitrobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Nitrosodimethylamine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
n-Nitroso-di-n-propylamine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
n-Nitrosodiphenylamine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Pentachlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Phenanthrene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-003	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	MW 53	<b>Sampling Time</b>	10:30 AM	<b>Extraction Date</b>	7/13/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Phenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Pyrene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Pyridine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D

## Surrogate Data

<b>Sample Number</b>	150707057-003	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		2,4,6-Tribromophenol	EPA 8270D	87.4	53-122
		2-Fluorobiphenyl	EPA 8270D	77.6	22-120
		2-Fluorophenol	EPA 8270D	81.6	20-139
		Nitrobenzene-d5	EPA 8270D	75.2	55-118
		Phenol-d5	EPA 8270D	87.2	28-154
		Terphenyl-d14	EPA 8270D	76.8	20-137

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-004	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	
<b>Client Sample ID</b>	EAST EXCAV	<b>Sampling Time</b>	12:01 PM	<b>Extraction Date</b>	7/13/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,2,4-Trichlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1,2-Dichlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1,2-Diphenyl hydrazine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1,3-Dichlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1,4-Dichlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
1-Methylnaphthalene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,3,4,6-Tetrachlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,3,5,6-Tetrachlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4,5-Trichlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4,6-Trichlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4-Dichlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4-Dimethylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4-Dinitrophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,4-Dinitrotoluene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2,6-Dinitrotoluene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Chloronaphthalene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Chlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Methylnaphthalene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Methylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Nitroaniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
2-Nitrophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
3,3'-Dichlorobenzidine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
3+4-Methylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
3-Nitroaniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4,6-Dinitro-2-methylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Bromophenyl-phenylether	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Chloro-3-methylphenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Chloroaniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Chlorophenyl-phenylether	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Nitroaniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
4-Nitrophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Acenaphthene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Acenaphthylene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Aniline	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Anthracene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-004	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	
<b>Client Sample ID</b>	EAST EXCAV	<b>Sampling Time</b>	12:01 PM	<b>Extraction Date</b>	7/13/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Benzidine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzo(ghi)perylene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzo[a]anthracene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzo[a]pyrene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzo[b]fluoranthene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzo[k]fluoranthene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Benzyl alcohol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
bis(2-Chloroethoxy)methane	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
bis(2-Chloroethyl)ether	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
bis(2-chloroisopropyl)ether	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
bis(2-Ethylhexyl)phthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Butylbenzylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Carbazole	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Chrysene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Dibenz[a,h]anthracene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Dibenzofuran	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Diethylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Dimethylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Di-n-butylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Di-n-octylphthalate	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Fluoranthene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Fluorene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Hexachlorobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Hexachlorobutadiene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Hexachlorocyclopentadiene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Hexachloroethane	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Indeno[1,2,3-cd]pyrene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Isophorone	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Naphthalene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Nitrobenzene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Nitrosodimethylamine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
n-Nitroso-di-n-propylamine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
n-Nitrosodiphenylamine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Pentachlorophenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	
Phenanthrene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150707057  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150707057-004	<b>Sampling Date</b>	7/7/2015	<b>Date/Time Received</b>	7/7/2015	1:27 PM
<b>Client Sample ID</b>	EAST EXCAV	<b>Sampling Time</b>	12:01 PM	<b>Extraction Date</b>	7/13/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Phenol	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Pyrene	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D
Pyridine	ND	ug/L	0.5	7/16/2015	HSW	EPA 8270D

## Surrogate Data

<b>Sample Number</b>	150707057-004	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		2,4,6-Tribromophenol	EPA 8270D	89.6	53-122
		2-Fluorobiphenyl	EPA 8270D	83.2	22-120
		2-Fluorophenol	EPA 8270D	77.0	20-139
		Nitrobenzene-d5	EPA 8270D	78.4	55-118
		Phenol-d5	EPA 8270D	88.0	28-154
		Terphenyl-d14	EPA 8270D	65.2	20-137

Authorized Signature

Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# *Anatek Labs, Inc.*

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email [moscow@anateklabs.com](mailto:moscow@anateklabs.com)  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email [spokane@anateklabs.com](mailto:spokane@anateklabs.com)

# Login Report

**Customer Name:** BUDINGER AND ASSOCIATES      **Order ID:** 150707057  
1101 N FANCHER RD      **Order Date:** 7/7/2015  
SPOKANE VALLEY WA 99212  
**Contact Name:** STEVE BURCHETT      **Project Name:** X14466  
**Comment:**

Sample #: 150707057-001 Customer Sample #: MW 48

**Recv'd:**  **Matrix:** Water **Collector:** DERRY CALLENDER **Date Collected:** 7/7/2015  
**Quantity:** 1 **Date Received:** 7/7/2015 1:27:00 PM **Time Collected:** 9:10 AM

### **Comment:**

Test	Lab	Method	Due Date	Priority
SVOC 8270D MOSC	M	EPA 8270D	7/14/2015	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	7/14/2015	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	7/14/2015	<u>Normal (~10 Days)</u>
VOC 8260 SPO	S	EPA 8260C	7/17/2015	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Barium	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Chromium	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Lead	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
MERCURY-CVAFS	M	EPA 245.7	7/17/2015	<u>Normal (~10 Days)</u>
Selenium	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Silver	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
TOTAL 8	S	N/A	7/17/2015	<u>Normal (~10 Days)</u>

**Sample #:** 150707057-002    **Customer Sample #:** MW 44

**Recv'd:**  **Matrix:** Water **Collector:** DERRY CALLENDER **Date Collected:** 7/7/2015  
**Quantity:** 1 **Date Received:** 7/7/2015 1:27:00 PM **Time Collected:** 10:05 AM

## **Comment:**

Test	Lab	Method	Due Date	Priority
SVOC 8270D MOSC	M	EPA 8270D	7/14/2015	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	7/14/2015	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	7/14/2015	<u>Normal (~10 Days)</u>

**Customer Name:** BUDINGER AND ASSOCIATES  
 1101 N FANCHER RD  
 SPOKANE VALLEY WA 99212

**Order ID:** 150707057  
**Order Date:** 7/7/2015

**Contact Name:** STEVE BURCHETT      **Project Name:** X14466

**Comment:**

VOC 8260 SPO	S	EPA 8260C	7/17/2015	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Barium	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Chromium	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Lead	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
MERCURY-CVAFS	M	EPA 245.7	7/17/2015	<u>Normal (~10 Days)</u>
Selenium	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Silver	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
TOTAL 8	S	N/A	7/17/2015	<u>Normal (~10 Days)</u>

---

Sample #: 150707057-003 Customer Sample #: MW 53

Recv'd:  Matrix: Water Collector: DERRY CALLENDER Date Collected: 7/7/2015  
 Quantity: 1 Date Received: 7/7/2015 1:27:00 PM Time Collected: 10:30 AM

**Comment:**

Test	Lab	Method	Due Date	Priority
SVOC 8270D MOSC	M	EPA 8270D	7/14/2015	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	7/14/2015	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	7/14/2015	<u>Normal (~10 Days)</u>
VOC 8260 SPO	S	EPA 8260C	7/17/2015	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Barium	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Chromium	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Lead	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
MERCURY-CVAFS	M	EPA 245.7	7/17/2015	<u>Normal (~10 Days)</u>
Selenium	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Silver	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
TOTAL 8	S	N/A	7/17/2015	<u>Normal (~10 Days)</u>

**Customer Name:** BUDINGER AND ASSOCIATES  
1101 N FANCHER RD  
SPOKANE VALLEY WA 99212

**Order ID:** 150707057  
**Order Date:** 7/7/2015

**Contact Name:** STEVE BURCHETT

**Project Name:** X14466

**Comment:**

---

Sample #: 150707057-004 Customer Sample #: EAST EXCAV

Recv'd:  Matrix: Water Collector: DERRY CALLENDER Date Collected: 7/7/2015  
Quantity: 1 Date Received: 7/7/2015 1:27:00 PM Time Collected: 12:01 PM

Comment:

Test	Lab	Method	Due Date	Priority
SVOC 8270D MOSC	M	EPA 8270D	7/14/2015	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	7/14/2015	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	7/14/2015	<u>Normal (~10 Days)</u>
VOC 8260 SPO	S	EPA 8260C	7/17/2015	<u>Normal (~10 Days)</u>
Arsenic	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Barium	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Cadmium	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Chromium	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Lead	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
MERCURY-CVAFS	M	EPA 245.7	7/17/2015	<u>Normal (~10 Days)</u>
Selenium	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
Silver	S	EPA 200.8	7/17/2015	<u>Normal (~10 Days)</u>
TOTAL 8	S	N/A	7/17/2015	<u>Normal (~10 Days)</u>

---

### SAMPLE CONDITION RECORD

---

Samples received in a cooler?	Yes
Samples received intact?	Yes
What is the temperature of the sample(s)? (°C)	15.3
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	Yes
Are VOC samples free of headspace?	Yes
Labels and chain agree?	Yes
Total number of containers?	24



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150708064  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150708064-001	<b>Sampling Date</b>	7/8/2015	<b>Date/Time Received</b>	7/8/2015	1:38 PM
<b>Client Sample ID</b>	MW 48	<b>Sampling Time</b>	12:38 PM	<b>Extraction Date</b>	7/13/2015	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
Aroclor 1016 (PCB-1016)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1221 (PCB-1221)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1232 (PCB-1232)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1242 (PCB-1242)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1248 (PCB-1248)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1254 (PCB-1254)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1260 (PCB-1260)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
PCB (total)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082

## Surrogate Data

<b>Sample Number</b>	150708064-001	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		DCB	EPA 8082	81.2	30-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150708064  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150708064-002	<b>Sampling Date</b>	7/8/2015	<b>Date/Time Received</b>	7/8/2015	1:38 PM
<b>Client Sample ID</b>	MW 44	<b>Sampling Time</b>	12:46 PM	<b>Extraction Date</b>	7/13/2015	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
Aroclor 1016 (PCB-1016)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1221 (PCB-1221)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1232 (PCB-1232)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1242 (PCB-1242)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1248 (PCB-1248)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1254 (PCB-1254)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1260 (PCB-1260)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
PCB (total)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082

## Surrogate Data

<b>Sample Number</b>	150708064-002	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		DCB	EPA 8082	83.6	30-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150708064  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150708064-003	<b>Sampling Date</b>	7/8/2015	<b>Date/Time Received</b>	7/8/2015	1:38 PM
<b>Client Sample ID</b>	MW 53	<b>Sampling Time</b>	12:54 PM	<b>Extraction Date</b>	7/13/2015	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
Aroclor 1016 (PCB-1016)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1221 (PCB-1221)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1232 (PCB-1232)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1242 (PCB-1242)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1248 (PCB-1248)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1254 (PCB-1254)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
Aroclor 1260 (PCB-1260)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082
PCB (total)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082

## Surrogate Data

<b>Sample Number</b>	150708064-003	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		DCB	EPA 8082	95.6	30-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150708064  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150708064-004	<b>Sampling Date</b>	7/8/2015	<b>Date/Time Received</b>	7/8/2015	1:38 PM
<b>Client Sample ID</b>	EAST EXCAV	<b>Sampling Time</b>	12:27 PM	<b>Extraction Date</b>	7/13/2015	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Aroclor 1016 (PCB-1016)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082	
Aroclor 1221 (PCB-1221)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082	
Aroclor 1232 (PCB-1232)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082	
Aroclor 1242 (PCB-1242)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082	
Aroclor 1248 (PCB-1248)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082	
Aroclor 1254 (PCB-1254)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082	
Aroclor 1260 (PCB-1260)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082	
PCB (total)	ND	ug/L	0.2	7/14/2015	MAH	EPA 8082	

## Surrogate Data

<b>Sample Number</b>	150708064-004	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		DCB	EPA 8082	73.4	30-130

Authorized Signature

Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.

The results reported relate only to the samples indicated.

Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# *Anatek Labs, Inc.*

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email [moscow@anateklabs.com](mailto:moscow@anateklabs.com)  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email [spokane@anateklabs.com](mailto:spokane@anateklabs.com)

# Login Report

**Customer Name:** BUDINGER AND ASSOCIATES      **Order ID:** 150708064  
1101 N FANCHER RD      **Order Date:** 7/8/2015  
SPOKANE VALLEY WA 99212  
**Contact Name:** STEVE BURCHETT      **Project Name:** X14466  
**Comment:**

**Sample #:** 150708064-001    **Customer Sample #:** MW 48

**Recv'd:**  **Matrix:** Water **Collector:** DERRY CALLENDER **Date Collected:** 7/8/2015  
**Quantity:** 1 **Date Received:** 7/8/2015 1:38:00 PM **Time Collected:** 12:38 PM

## **Comment:**

Test	Lab	Method	Due Date	Priority
PCB 8082	M	EPA 8082	7/20/2015	<u>Normal (~10 Days)</u>

**Sample #:** 150708064-002    **Customer Sample #:** MW 44

**Recv'd:**  **Matrix:** Water **Collector:** DERRY CALLENDER **Date Collected:** 7/8/2015  
**Quantity:** 1 **Date Received:** 7/8/2015 1:38:00 PM **Time Collected:** 12:46 PM

## **Comment:**

Test	Lab	Method	Due Date	Priority
PCB 8082	M	EPA 8082	7/20/2015	<u>Normal (~10 Days)</u>

**Sample #:** 150708064-003    **Customer Sample #:** MW 53

Recv'd:  Matrix: Water Collector: DERRY CALLENDER Date Collected: 7/8/2015  
Quantity: 1 Date Received: 7/8/2015 1:38:00 PM Time Collected: 12:54 PM

### **Comment:**

Test	Lab	Method	Due Date	Priority
PCB 8082	M	EPA 8082	7/20/2015	<u>Normal (~10 Days)</u>

**Customer Name:** BUDINGER AND ASSOCIATES  
1101 N FANCHER RD  
SPOKANE VALLEY WA 99212

**Order ID:** 150708064  
**Order Date:** 7/8/2015

**Contact Name:** STEVE BURCHETT

**Project Name:** X14466

**Comment:**

---

Sample #: 150708064-004 Customer Sample #: EAST EXCAV

Recv'd:  Matrix: Water Collector: DERRY CALLENDER Date Collected: 7/8/2015  
Quantity: 1 Date Received: 7/8/2015 1:38:00 PM Time Collected: 12:27 PM

Comment:

Test	Lab	Method	Due Date	Priority
PCB 8082	M	EPA 8082	7/20/2015	<u>Normal (~10 Days)</u>

---

### SAMPLE CONDITION RECORD

---

Samples received in a cooler?	Yes
Samples received intact?	Yes
What is the temperature of the sample(s)? (°C)	17.5
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	Yes
Are VOC samples free of headspace?	N/A
Is there a trip blank to accompany VOC samples?	N/A
Labels and chain agree?	Yes



Anatek  
Labs,  
Inc.

*Chain of Custody Record*

**1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9446  
504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433**

**X14466** 150708 064 BUDI Last Due 7/20/2011  
1st SAMP 7/8/2015 1st RCV/D 7/8/2015

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-001	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-53	<b>Sampling Time</b>	10:46 AM	<b>Extraction Date</b>	4/21/2015	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Aroclor 1016 (PCB-1016)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1221 (PCB-1221)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1232 (PCB-1232)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1242 (PCB-1242)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1248 (PCB-1248)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1254 (PCB-1254)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1260 (PCB-1260)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
PCB (total)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Diesel	ND	mg/L	0.1	4/15/2015 7:28:00 PM	APM	NWTPHDX	
Lube Oil	ND	mg/L	0.5	4/15/2015 7:28:00 PM	APM	NWTPHDX	
Gasoline	<0.1	mg/L	0.1	4/21/2015 12:53:00 PM	RAW	NWTPHG	

## Surrogate Data

<b>Sample Number</b>	150409059-001	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
DCB			EPA 8082	89.6	30-130
hexacosane			NWTPHDX	82.2	50-150
4-Bromofluorobenzene			NWTPHG	103.7	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-002	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-44	<b>Sampling Time</b>	11:42 AM	<b>Extraction Date</b>	4/21/2015	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Aroclor 1016 (PCB-1016)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1221 (PCB-1221)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1232 (PCB-1232)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1242 (PCB-1242)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1248 (PCB-1248)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1254 (PCB-1254)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1260 (PCB-1260)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
PCB (total)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Diesel	ND	mg/L	0.2	4/15/2015 8:23:00 PM	APM	NWTPHDX	
Lube Oil	ND	mg/L	1	4/15/2015 8:23:00 PM	APM	NWTPHDX	
Gasoline	<0.1	mg/L	0.1	4/21/2015 1:31:00 PM	RAW	NWTPHG	

## Surrogate Data

<b>Sample Number</b>	150409059-002	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
DCB			EPA 8082	86.0	30-130
hexacosane			NWTPHDX	77.4	50-150
4-Bromofluorobenzene			NWTPHG	103.2	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-003	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-48	<b>Sampling Time</b>	12:33 PM	<b>Extraction Date</b>	4/21/2015	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Aroclor 1016 (PCB-1016)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1221 (PCB-1221)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1232 (PCB-1232)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1242 (PCB-1242)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1248 (PCB-1248)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1254 (PCB-1254)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1260 (PCB-1260)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
PCB (total)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Diesel	ND	mg/L	0.1	4/15/2015 9:18:00 PM	APM	NWTPHDX	
Lube Oil	ND	mg/L	0.5	4/15/2015 9:18:00 PM	APM	NWTPHDX	
Gasoline	0.188	mg/L	0.1	4/21/2015 2:09:00 PM	RAW	NWTPHG	

## Surrogate Data

<b>Sample Number</b>	150409059-003	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
DCB			EPA 8082	80.4	30-130
hexacosane			NWTPHDX	78.0	50-150
4-Bromofluorobenzene			NWTPHG	104.6	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-004	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	EAST EXCAVAT	<b>Sampling Time</b>	12:51 PM	<b>Extraction Date</b>	4/21/2015	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Aroclor 1016 (PCB-1016)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1221 (PCB-1221)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1232 (PCB-1232)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1242 (PCB-1242)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1248 (PCB-1248)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1254 (PCB-1254)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Aroclor 1260 (PCB-1260)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
PCB (total)	ND	ug/L	0.2	4/21/2015	MAH	EPA 8082	
Diesel	0.719	mg/L	0.1	4/15/2015 10:13:00 PM APM		NWTPHDX	
Lube Oil	ND	mg/L	0.5	4/15/2015 10:13:00 PM APM		NWTPHDX	
Gasoline	<0.1	mg/L	0.1	4/21/2015 2:48:00 PM RAW		NWTPHG	

## Surrogate Data

<b>Sample Number</b>	150409059-004	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
DCB			EPA 8082	93.2	30-130
hexacosane			NWTPHDX	78.6	50-150
4-Bromofluorobenzene			NWTPHG	105.1	70-130

Authorized Signature

Kathleen A. Sattler  
 Kathy Sattler, Lab Manager

MCL      EPA's Maximum Contaminant Level  
 ND      Not Detected  
 PQL      Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
 The results reported relate only to the samples indicated.  
 Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-001	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-53	<b>Sampling Time</b>	10:46 AM	<b>Extraction Date</b>	4/14/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,2,4-Trichlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
1,2-Dichlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
1,2-Diphenyl hydrazine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
1,3-Dichlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
1,4-Dichlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
1-Methylnaphthalene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,3,4,6-Tetrachlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,3,5,6-Tetrachlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4,5-Trichlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4,6-Trichlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4-Dichlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4-Dimethylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4-Dinitrophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4-Dinitrotoluene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,6-Dinitrotoluene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Chloronaphthalene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Chlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Methylnaphthalene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Methylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Nitroaniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Nitrophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
3,3'-Dichlorobenzidine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
3+4-Methylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
3-Nitroaniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4,6-Dinitro-2-methylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Bromophenyl-phenylether	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Chloro-3-methylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Chloroaniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Chlorophenyl-phenylether	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Nitroaniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Nitrophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Acenaphthene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Acenaphthylene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Aniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-001	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-53	<b>Sampling Time</b>	10:46 AM	<b>Extraction Date</b>	4/14/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Anthracene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzidine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzo(ghi)perylene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzo[a]anthracene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzo[a]pyrene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzo[b]fluoranthene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzo[k]fluoranthene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzyl alcohol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
bis(2-Chloroethoxy)methane	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
bis(2-Chloroethyl)ether	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
bis(2-chloroisopropyl)ether	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
bis(2-Ethylhexyl)phthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Butylbenzylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Carbazole	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Chrysene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Dibenz[a,h]anthracene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Dibenzofuran	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Diethylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Dimethylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Di-n-butylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Di-n-octylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Fluoranthene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Fluorene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Hexachlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Hexachlorobutadiene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Hexachlorocyclopentadiene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Hexachloroethane	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Indeno[1,2,3-cd]pyrene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Isophorone	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Naphthalene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Nitrobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Nitrosodimethylamine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
n-Nitroso-di-n-propylamine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
n-Nitrosodiphenylamine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Pentachlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-001	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-53	<b>Sampling Time</b>	10:46 AM	<b>Extraction Date</b>	4/14/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Phenanthrene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Phenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Pyrene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Pyridine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	

## Surrogate Data

<b>Sample Number</b>	150409059-001	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		2,4,6-Tribromophenol	EPA 8270D	84.2	53-122
		2-Fluorobiphenyl	EPA 8270D	93.6	12-120
		2-Fluorophenol	EPA 8270D	83.4	10-139
		Nitrobenzene-d5	EPA 8270D	81.6	55-118
		Phenol-d5	EPA 8270D	88.2	28-154
		Terphenyl-d14	EPA 8270D	55.2	20-137

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-002	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-44	<b>Sampling Time</b>	11:42 AM	<b>Extraction Date</b>	4/14/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,2,4-Trichlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
1,2-Dichlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
1,2-Diphenyl hydrazine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
1,3-Dichlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
1,4-Dichlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
1-Methylnaphthalene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,3,4,6-Tetrachlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,3,5,6-Tetrachlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4,5-Trichlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4,6-Trichlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4-Dichlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4-Dimethylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4-Dinitrophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4-Dinitrotoluene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,6-Dinitrotoluene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Chloronaphthalene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Chlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Methylnaphthalene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Methylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Nitroaniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Nitrophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
3,3'-Dichlorobenzidine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
3+4-Methylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
3-Nitroaniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4,6-Dinitro-2-methylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Bromophenyl-phenylether	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Chloro-3-methylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Chloroaniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Chlorophenyl-phenylether	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Nitroaniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Nitrophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Acenaphthene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Acenaphthylene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Aniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Anthracene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

Sample Number	150409059-002 <th>Sampling Date</th> <td>4/9/2015</td> <th>Date/Time Received</th> <td>4/9/2015</td> <th>1:44 PM</th>	Sampling Date	4/9/2015	Date/Time Received	4/9/2015	1:44 PM
Client Sample ID	MW-44	Sampling Time	11:42 AM	Extraction Date	4/14/15	
Matrix	Water	Sample Location				
Comments						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
Benzidine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Benzo(ghi)perylene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Benzo[a]anthracene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Benzo[a]pyrene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Benzo[b]fluoranthene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Benzo[k]fluoranthene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Benzyl alcohol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
bis(2-Chloroethoxy)methane	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
bis(2-Chloroethyl)ether	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
bis(2-chloroisopropyl)ether	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
bis(2-Ethylhexyl)phthalate	0.87	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Butylbenzylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Carbazole	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Chrysene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Dibenz[a,h]anthracene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Dibenzofuran	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Diethylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Dimethylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Di-n-butylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Di-n-octylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Fluoranthene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Fluorene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Hexachlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Hexachlorobutadiene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Hexachlorocyclopentadiene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Hexachloroethane	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Indeno[1,2,3-cd]pyrene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Isophorone	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Naphthalene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Nitrobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Nitrosodimethylamine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
n-Nitroso-di-n-propylamine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
n-Nitrosodiphenylamine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Pentachlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Phenanthrene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-002	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-44	<b>Sampling Time</b>	11:42 AM	<b>Extraction Date</b>	4/14/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Phenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Pyrene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Pyridine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D

## Surrogate Data

<b>Sample Number</b>	150409059-002	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		2,4,6-Tribromophenol	EPA 8270D	87.6	53-122
		2-Fluorobiphenyl	EPA 8270D	84.4	12-120
		2-Fluorophenol	EPA 8270D	71.2	10-139
		Nitrobenzene-d5	EPA 8270D	80.0	55-118
		Phenol-d5	EPA 8270D	75.0	28-154
		Terphenyl-d14	EPA 8270D	90.0	20-137

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-003	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	<b>1:44 PM</b>
<b>Client Sample ID</b>	MW-48	<b>Sampling Time</b>	12:33 PM	<b>Extraction Date</b>	4/14/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
1,2,4-Trichlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
1,2-Dichlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
1,2-Diphenyl hydrazine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
1,3-Dichlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
1,4-Dichlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
1-Methylnaphthalene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
2,3,4,6-Tetrachlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
2,3,5,6-Tetrachlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
2,4,5-Trichlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
2,4,6-Trichlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
2,4-Dichlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
2,4-Dimethylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
2,4-Dinitrophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
2,4-Dinitrotoluene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
2,6-Dinitrotoluene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
2-Chloronaphthalene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
2-Chlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
2-Methylnaphthalene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
2-Methylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
2-Nitroaniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
2-Nitrophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
3,3'-Dichlorobenzidine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
3+4-Methylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
3-Nitroaniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
4,6-Dinitro-2-methylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
4-Bromophenyl-phenylether	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
4-Chloro-3-methylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
4-Chloroaniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
4-Chlorophenyl-phenylether	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
4-Nitroaniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
4-Nitrophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Acenaphthene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Acenaphthylene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Aniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Anthracene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-003	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-48	<b>Sampling Time</b>	12:33 PM	<b>Extraction Date</b>	4/14/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Benzidine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzo(ghi)perylene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzo[a]anthracene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzo[a]pyrene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzo[b]fluoranthene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzo[k]fluoranthene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzyl alcohol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
bis(2-Chloroethoxy)methane	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
bis(2-Chloroethyl)ether	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
bis(2-chloroisopropyl)ether	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
bis(2-Ethylhexyl)phthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Butylbenzylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Carbazole	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Chrysene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Dibenz[a,h]anthracene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Dibenzofuran	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Diethylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Dimethylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Di-n-butylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Di-n-octylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Fluoranthene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Fluorene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Hexachlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Hexachlorobutadiene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Hexachlorocyclopentadiene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Hexachloroethane	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Indeno[1,2,3-cd]pyrene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Isophorone	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Naphthalene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Nitrobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Nitrosodimethylamine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
n-Nitroso-di-n-propylamine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
n-Nitrosodiphenylamine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Pentachlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Phenanthrene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-003	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-48	<b>Sampling Time</b>	12:33 PM	<b>Extraction Date</b>	4/14/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Phenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Pyrene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Pyridine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D

## Surrogate Data

<b>Sample Number</b>	150409059-003	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		2,4,6-Tribromophenol	EPA 8270D	84.4	53-122
		2-Fluorobiphenyl	EPA 8270D	87.2	12-120
		2-Fluorophenol	EPA 8270D	75.2	10-139
		Nitrobenzene-d5	EPA 8270D	74.4	55-118
		Phenol-d5	EPA 8270D	79.6	28-154
		Terphenyl-d14	EPA 8270D	75.6	20-137

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-004	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	EAST EXCAVAT	<b>Sampling Time</b>	12:51 PM	<b>Extraction Date</b>	4/14/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,2,4-Trichlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
1,2-Dichlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
1,2-Diphenyl hydrazine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
1,3-Dichlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
1,4-Dichlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
1-Methylnaphthalene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,3,4,6-Tetrachlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,3,5,6-Tetrachlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4,5-Trichlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4,6-Trichlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4-Dichlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4-Dimethylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4-Dinitrophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,4-Dinitrotoluene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2,6-Dinitrotoluene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Chloronaphthalene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Chlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Methylnaphthalene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Methylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Nitroaniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
2-Nitrophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
3,3'-Dichlorobenzidine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
3+4-Methylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
3-Nitroaniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4,6-Dinitro-2-methylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Bromophenyl-phenylether	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Chloro-3-methylphenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Chloroaniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Chlorophenyl-phenylether	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Nitroaniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
4-Nitrophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Acenaphthene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Acenaphthylene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Aniline	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Anthracene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-004	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	EAST EXCAVAT	<b>Sampling Time</b>	12:51 PM	<b>Extraction Date</b>	4/14/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Benzidine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzo(ghi)perylene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzo[a]anthracene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzo[a]pyrene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzo[b]fluoranthene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzo[k]fluoranthene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Benzyl alcohol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
bis(2-Chloroethoxy)methane	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
bis(2-Chloroethyl)ether	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
bis(2-chloroisopropyl)ether	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
bis(2-Ethylhexyl)phthalate	0.76	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Butylbenzylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Carbazole	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Chrysene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Dibenz[a,h]anthracene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Dibenzofuran	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Diethylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Dimethylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Di-n-butylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Di-n-octylphthalate	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Fluoranthene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Fluorene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Hexachlorobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Hexachlorobutadiene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Hexachlorocyclopentadiene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Hexachloroethane	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Indeno[1,2,3-cd]pyrene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Isophorone	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Naphthalene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Nitrobenzene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Nitrosodimethylamine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
n-Nitroso-di-n-propylamine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
n-Nitrosodiphenylamine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Pentachlorophenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	
Phenanthrene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466


## Analytical Results Report

<b>Sample Number</b>	150409059-004	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	EAST EXCAVAT	<b>Sampling Time</b>	12:51 PM	<b>Extraction Date</b>	4/14/15	
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>
Phenol	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Pyrene	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D
Pyridine	ND	ug/L	0.5	4/21/2015	HSW	EPA 8270D

## Surrogate Data

<b>Sample Number</b>	150409059-004	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		2,4,6-Tribromophenol	EPA 8270D	96.4	53-122
		2-Fluorobiphenyl	EPA 8270D	97.6	12-120
		2-Fluorophenol	EPA 8270D	81.2	10-139
		Nitrobenzene-d5	EPA 8270D	85.2	55-118
		Phenol-d5	EPA 8270D	85.8	28-154
		Terphenyl-d14	EPA 8270D	57.6	20-137

Authorized Signature

  
\_\_\_\_\_  
Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-001	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-53	<b>Sampling Time</b>	10:46 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,1,1-Trichloroethane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,1,2-Trichloroethane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,1-Dichloroethane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,1-Dichloroethene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,1-dichloropropene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,2,3-Trichloropropane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,2-Dibromoethane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,2-Dichlorobenzene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,2-Dichloroethane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,2-Dichloropropane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,3-Dichlorobenzene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,3-Dichloropropane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
1,4-Dichlorobenzene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
2,2-Dichloropropane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
2-Chlorotoluene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
2-hexanone	<2.5	µg/L	2.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
4-Chlorotoluene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Acetone	<2.5	µg/L	2.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Acrylonitrile	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Benzene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Bromobenzene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Bromochloromethane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Bromodichloromethane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Bromoform	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Bromomethane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Carbon disulfide	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Carbon Tetrachloride	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-001	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-53	<b>Sampling Time</b>	10:46 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Chlorobenzene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Chloroethane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Chloromethane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Ethylbenzene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Isopropylbenzene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
m+p-Xylene	<1.0	µg/L	1	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Naphthalene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
n-Propylbenzene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
o-Xylene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
sec-Butylbenzene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Styrene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Toluene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	4/21/2015 12:20:00 AM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-001	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-53	<b>Sampling Time</b>	10:46 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>	<b>Qualifier</b>
------------------	---------------	--------------	------------	----------------------	----------------	---------------	------------------

### Surrogate Data

<b>Sample Number</b>	150409059-001	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		1,2-Dichlorobenzene-d4	EPA 8260C	104.6	70-130
		4-Bromofluorobenzene	EPA 8260C	96.8	70-130
		Toluene-d8	EPA 8260C	101.4	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

Sample Number	150409059-002 <th>Sampling Date</th> <td>4/9/2015</td> <th>Date/Time Received</th> <td>4/9/2015</td> <th>1:44 PM</th>	Sampling Date	4/9/2015	Date/Time Received	4/9/2015	1:44 PM
Client Sample ID	MW-44	Sampling Time	11:42 AM	Extraction Date		
Matrix	Water	Sample Location				
Comments						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
Bromo(chloromethane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C
Chlorobenzene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-002	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-44	<b>Sampling Time</b>	11:42 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Chloroethane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Chloromethane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Ethylbenzene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Isopropylbenzene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
m+p-Xylene	<1.0	µg/L	1	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Naphthalene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
n-Propylbenzene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
o-Xylene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
sec-Butylbenzene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Styrene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Toluene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	4/21/2015 12:47:00 AM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-002	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-44	<b>Sampling Time</b>	11:42 AM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>	<b>Qualifier</b>
------------------	---------------	--------------	------------	----------------------	----------------	---------------	------------------

### Surrogate Data

<b>Sample Number</b>	150409059-002	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		1,2-Dichlorobenzene-d4	EPA 8260C	99.6	70-130
		4-Bromofluorobenzene	EPA 8260C	90.8	70-130
		Toluene-d8	EPA 8260C	98.4	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-003	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	<b>1:44 PM</b>
<b>Client Sample ID</b>	MW-48	<b>Sampling Time</b>	12:33 PM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	7.29	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	1.99	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
Benzene	0.88	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
Bromo(chloromethane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C
Chlorobenzene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-003	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-48	<b>Sampling Time</b>	12:33 PM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Chloroethane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Chloromethane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Ethylbenzene	1.71	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Isopropylbenzene	0.52	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
m+p-Xylene	2.68	µg/L	1	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Naphthalene	0.62	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
n-Propylbenzene	0.99	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
o-Xylene	0.58	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
sec-Butylbenzene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Styrene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Toluene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	4/21/2015 1:14:00 AM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-003	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	MW-48	<b>Sampling Time</b>	12:33 PM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>	<b>Qualifier</b>
------------------	---------------	--------------	------------	----------------------	----------------	---------------	------------------

### Surrogate Data

<b>Sample Number</b>	150409059-003	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
<b>Surrogate Standard</b>				
1,2-Dichlorobenzene-d4	EPA 8260C	97.2	70-130	
4-Bromofluorobenzene	EPA 8260C	102.4	70-130	
Toluene-d8	EPA 8260C	95.6	70-130	

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-004	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	<b>1:44 PM</b>
<b>Client Sample ID</b>	EAST EXCAVAT	<b>Sampling Time</b>	12:51 PM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
Bromo(chloromethane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C
Chlorobenzene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report

<b>Sample Number</b>	150409059-004	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	EAST EXCAVAT	<b>Sampling Time</b>	12:51 PM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Chloroethane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Chloromethane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Ethylbenzene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Isopropylbenzene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
m+p-Xylene	<1.0	µg/L	1	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Naphthalene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
n-Propylbenzene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
o-Xylene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
sec-Butylbenzene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Styrene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Toluene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	4/21/2015 1:41:00 AM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 150409059  
**Project Name:** X14466

## Analytical Results Report


<b>Sample Number</b>	150409059-004	<b>Sampling Date</b>	4/9/2015	<b>Date/Time Received</b>	4/9/2015	1:44 PM
<b>Client Sample ID</b>	EAST EXCAVAT	<b>Sampling Time</b>	12:51 PM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

<b>Parameter</b>	<b>Result</b>	<b>Units</b>	<b>PQL</b>	<b>Analysis Date</b>	<b>Analyst</b>	<b>Method</b>	<b>Qualifier</b>
------------------	---------------	--------------	------------	----------------------	----------------	---------------	------------------

### Surrogate Data

<b>Sample Number</b>	150409059-004	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		1,2-Dichlorobenzene-d4	EPA 8260C	95.6	70-130
		4-Bromofluorobenzene	EPA 8260C	96.4	70-130
		Toluene-d8	EPA 8260C	105.6	70-130

Authorized Signature



Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# *Anatek Labs, Inc.*

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email [moscow@anateklabs.com](mailto:moscow@anateklabs.com)  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email [spokane@anateklabs.com](mailto:spokane@anateklabs.com)

# Login Report

**Customer Name:** BUDINGER AND ASSOCIATES      **Order ID:** 150409059  
**Address:** 1101 N FANCHER RD      **Order Date:** 4/9/2015  
**City/State:** SPOKANE VALLEY WA 99212

**Contact Name:** STEVE BURCHETT      **Project Name:** X14466

### **Comment:**

**Sample #:** 150409059-001    **Customer Sample #:** MW-53

**Recv'd:**  **Matrix:** Water **Collector:** DERRY CALLENDER **Date Collected:** 4/9/2015  
**Quantity:** 1 **Date Received:** 4/9/2015 1:44:00 PM **Time Collected:** 10:46 AM

### **Comment:**

Test	Lab	Method	Due Date	Priority
PCB 8082	M	EPA 8082	4/21/2015	<u>Normal (~10 Days)</u>
SVOC 8270D MOSC	M	EPA 8270D	4/21/2015	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	4/21/2015	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	4/21/2015	<u>Normal (~10 Days)</u>
VOC 8260 SPO	S	EPA 8260C	4/21/2015	<u>Normal (~10 Days)</u>

**Sample #:** 150409059-002    **Customer Sample #:** MW-44

**Recv'd:**  **Matrix:** Water      **Collector:** DERRY CALLENDER      **Date Collected:** 4/9/2015  
**Quantity:** 1      **Date Received:** 4/9/2015 1:44:00 PM      **Time Collected:** 11:42 AM

### **Comment:**

Test	Lab	Method	Due Date	Priority
PCB 8082	M	EPA 8082	4/21/2015	<u>Normal (~10 Days)</u>
SVOC 8270D MOSC	M	EPA 8270D	4/21/2015	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	4/21/2015	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	4/21/2015	<u>Normal (~10 Days)</u>
VOC 8260 SPO	S	EPA 8260C	4/21/2015	<u>Normal (~10 Days)</u>

**Customer Name:** BUDINGER AND ASSOCIATES  
1101 N FANCHER RD  
SPOKANE VALLEY WA 99212

**Order ID:** 150409059  
**Order Date:** 4/9/2015

**Contact Name:** STEVE BURCHETT      **Project Name:** X14466

**Comment:**

---

Sample #: 150409059-003 Customer Sample #: MW-48

Recv'd:  Matrix: Water Collector: DERRY CALLENDER Date Collected: 4/9/2015  
Quantity: 1 Date Received: 4/9/2015 1:44:00 PM Time Collected: 12:33 PM

Comment:

Test	Lab	Method	Due Date	Priority
PCB 8082	M	EPA 8082	4/21/2015	<u>Normal (~10 Days)</u>
SVOC 8270D MOSC	M	EPA 8270D	4/21/2015	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	4/21/2015	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	4/21/2015	<u>Normal (~10 Days)</u>
VOC 8260 SPO	S	EPA 8260C	4/21/2015	<u>Normal (~10 Days)</u>

---

Sample #: 150409059-004 Customer Sample #: EAST EXCAVAT

Recv'd:  Matrix: Water Collector: DERRY CALLENDER Date Collected: 4/9/2015  
Quantity: 1 Date Received: 4/9/2015 1:44:00 PM Time Collected: 12:51 PM

Comment:

Test	Lab	Method	Due Date	Priority
PCB 8082	M	EPA 8082	4/21/2015	<u>Normal (~10 Days)</u>
SVOC 8270D MOSC	M	EPA 8270D	4/21/2015	<u>Normal (~10 Days)</u>
TPHDX-NW	S	NWTPHDX	4/21/2015	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	4/21/2015	<u>Normal (~10 Days)</u>
VOC 8260 SPO	S	EPA 8260C	4/21/2015	<u>Normal (~10 Days)</u>

## SAMPLE CONDITION RECORD

---

Samples received in a cooler?	Yes
Samples received intact?	Yes
What is the temperature of the sample(s)? (°C)	7.3
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	Yes
Are VOC samples free of headspace?	Yes
Is there a trip blank to accompany VOC samples?	Yes
Labels and chain agree?	Yes



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 140930052  
**Project Name:** CHENEY X14463

## Analytical Results Report

<b>Sample Number</b>	140930052-001	<b>Sampling Date</b>	9/30/2014	<b>Date/Time Received</b>	9/30/2014	2:35 PM
<b>Client Sample ID</b>	MW 44	<b>Sampling Time</b>	1:26 PM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Arsenic	0.0679	mg/L	0.001	0/14/2014 10:52:00 AM	KEB	EPA 200.8	
Barium	5.65	mg/L	0.01	0/14/2014 11:13:00 AM	KEB	EPA 200.8	
Benzene	<0.001	mg/L	0.001	9/30/2014 8:03:00 PM	WOZ	EPA 8021	
Ethylbenzene	<0.001	mg/L	0.001	9/30/2014 8:03:00 PM	WOZ	EPA 8021	
m+p-Xylene	<0.002	mg/L	0.002	9/30/2014 8:03:00 PM	WOZ	EPA 8021	
methyl-t-butyl ether (MTBE)	<0.001	mg/L	0.001	9/30/2014 8:03:00 PM	WOZ	EPA 8021	
o-Xylene	<0.001	mg/L	0.001	9/30/2014 8:03:00 PM	WOZ	EPA 8021	
Toluene	<0.001	mg/L	0.001	9/30/2014 8:03:00 PM	WOZ	EPA 8021	
Total BTEX	<0.001	mg/L	0.001	9/30/2014 8:03:00 PM	WOZ	EPA 8021	
Cadmium	0.00405	mg/L	0.001	0/14/2014 10:52:00 AM	KEB	EPA 200.8	
Chromium	0.0356	mg/L	0.001	0/14/2014 10:52:00 AM	KEB	EPA 200.8	
Lead	0.0204	mg/L	0.001	0/14/2014 10:52:00 AM	KEB	EPA 200.8	
Mercury-CVAFS	0.0000157	mg/L	0.00001	10/3/2014	AMC	EPA 245.7	
Selenium	0.00148	mg/L	0.001	0/14/2014 10:52:00 AM	KEB	EPA 200.8	
Silver	ND	mg/L	0.001	0/14/2014 10:52:00 AM	KEB	EPA 200.8	
Diesel	ND	mg/L	0.1	10/6/2014 5:40:00 PM	APM	NWTPHDX	
Lube Oil	ND	mg/L	0.5	10/6/2014 5:40:00 PM	APM	NWTPHDX	
Gasoline	<0.1	mg/L	0.1	9/30/2014 8:03:00 PM	WOZ	NWTPHG	

## Surrogate Data

<b>Sample Number</b>	140930052-001	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
<b>Surrogate Standard</b>				
4-Bromofluorobenzene	EPA 8021		102.2	70-130
hexacosane	NWTPHDX		88.4	50-150
4-Bromofluorobenzene	NWTPHG		106.4	70-130

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

---

<b>Client:</b>	BUDINGER AND ASSOCIATES	<b>Batch #:</b>	140930052
<b>Address:</b>	1101 N FANCHER RD	<b>Project Name:</b>	CHENEY X14463
	SPOKANE VALLEY, WA 99212		
<b>Attn:</b>	STEVE BURCHETT		

---

## Analytical Results Report

<b>Sample Number</b>	140930052-002	<b>Sampling Date</b>	9/30/2014	<b>Date/Time Received</b>	9/30/2014	2:35 PM
<b>Client Sample ID</b>	MW 53	<b>Sampling Time</b>	1:49 PM	<b>Extraction Date</b>		
<b>Matrix</b>	Water	<b>Sample Location</b>				
<b>Comments</b>						
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method
Arsenic	0.00244	mg/L	0.001	10/16/2014 9:54:00 AM	KEB	EPA 200.8
Barium	0.372	mg/L	0.001	0/14/2014 11:17:00 AM	KEB	EPA 200.8
Benzene	<0.001	mg/L	0.001	9/30/2014 8:41:00 PM	WOZ	EPA 8021
Ethylbenzene	<0.001	mg/L	0.001	9/30/2014 8:41:00 PM	WOZ	EPA 8021
m+p-Xylene	<0.002	mg/L	0.002	9/30/2014 8:41:00 PM	WOZ	EPA 8021
methyl-t-butyl ether (MTBE)	<0.001	mg/L	0.001	9/30/2014 8:41:00 PM	WOZ	EPA 8021
o-Xylene	<0.001	mg/L	0.001	9/30/2014 8:41:00 PM	WOZ	EPA 8021
Toluene	<0.001	mg/L	0.001	9/30/2014 8:41:00 PM	WOZ	EPA 8021
Total BTEX	<0.001	mg/L	0.001	9/30/2014 8:41:00 PM	WOZ	EPA 8021
Cadmium	ND	mg/L	0.001	0/14/2014 11:17:00 AM	KEB	EPA 200.8
Chromium	0.00851	mg/L	0.001	0/14/2014 11:17:00 AM	KEB	EPA 200.8
Lead	0.0235	mg/L	0.001	0/14/2014 11:17:00 AM	KEB	EPA 200.8
Mercury-CVAFS	ND	mg/L	0.00001	10/3/2014	AMC	EPA 245.7
Selenium	0.00143	mg/L	0.001	0/14/2014 11:17:00 AM	KEB	EPA 200.8
Silver	ND	mg/L	0.001	0/14/2014 11:17:00 AM	KEB	EPA 200.8
Diesel	ND	mg/L	0.1	10/6/2014 6:35:00 PM	APM	NWTPHDX
Lube Oil	ND	mg/L	0.5	10/6/2014 6:35:00 PM	APM	NWTPHDX
Gasoline	<0.1	mg/L	0.1	9/30/2014 8:41:00 PM	WOZ	NWTPHG

---

## Surrogate Data

<b>Sample Number</b>	140930052-002	<b>Surrogate Standard</b>	<b>Method</b>	<b>Percent Recovery</b>	<b>Control Limits</b>
		4-Bromofluorobenzene	EPA 8021	100.9	70-130
		hexacosane	NWTPHDX	89.8	50-150
		4-Bromofluorobenzene	NWTPHG	104.6	70-130

---

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com


---

**Client:** BUDINGER AND ASSOCIATES  
**Address:** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Attn:** STEVE BURCHETT

**Batch #:** 140930052  
**Project Name:** CHENEY X14463

## Analytical Results Report

Authorized Signature

  
\_\_\_\_\_  
Kathy Sattler, Lab Manager

MCL      EPA's Maximum Contaminant Level  
ND      Not Detected  
PQL      Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.