

CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
 228 E. Champion St., Suite 101
 Bellingham, WA 98225
CLIENT CONTACT: Thom Davis
CLIENT PROJECT: Kris' Mini Mart

DATE: 5/20/2013
ALS SDG#: EV13050059
WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 3729 - Soil by NWTPH-GX

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range - BS	NWTPH-GX	75.7			05/10/2013	DLC
TPH-Volatile Range - BSD	NWTPH-GX	73.6	3		05/10/2013	DLC

ALS Test Batch ID: 3729 - Soil by EPA-8021

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Methyl T-Butyl Ether - BS	EPA-8021	85.5			05/10/2013	DLC
Methyl T-Butyl Ether - BSD	EPA-8021	88.2	3		05/10/2013	DLC
Benzene - BS	EPA-8021	85.5			05/10/2013	DLC
Benzene - BSD	EPA-8021	89.3	4		05/10/2013	DLC
Toluene - BS	EPA-8021	88.7			05/10/2013	DLC
Toluene - BSD	EPA-8021	91.7	3		05/10/2013	DLC
Ethylbenzene - BS	EPA-8021	85.8			05/10/2013	DLC
Ethylbenzene - BSD	EPA-8021	88.6	3		05/10/2013	DLC
Xylenes - BS	EPA-8021	87.8			05/10/2013	DLC
Xylenes - BSD	EPA-8021	90.7	3		05/10/2013	DLC

ALS Test Batch ID: 3728 - Soil by NWTPH-DX

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
TPH-Diesel Range - BS	NWTPH-DX	81.5			05/10/2013	LAP
TPH-Diesel Range - BSD	NWTPH-DX	90.6	11		05/10/2013	LAP

ALS Test Batch ID: 3739 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	108			05/14/2013	GAP
1,1-Dichloroethene - BSD	EPA-8260	111	2		05/14/2013	GAP
Benzene - BS	EPA-8260	108			05/14/2013	GAP
Benzene - BSD	EPA-8260	106	2		05/14/2013	GAP
Toluene - BS	EPA-8260	102			05/14/2013	GAP
Toluene - BSD	EPA-8260	96.4	6		05/14/2013	GAP

ALS Test Batch ID: 3750 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260	107			05/17/2013	GAP
1,1-Dichloroethene - BSD	EPA-8260	108	1		05/17/2013	GAP



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
228 E. Champion St., Suite 101
Bellingham, WA 98225

DATE: 5/20/2013
ALS SDG#: EV13050059
WDOE ACCREDITATION: C601

CLIENT CONTACT: Thom Davis
CLIENT PROJECT: Kris' Mini Mart

LABORATORY CONTROL SAMPLE RESULTS

Table with 7 columns: SPIKED COMPOUND, METHOD, %REC, RPD, QUAL, ANALYSIS DATE, ANALYSIS BY. Rows include Benzene - BS, Benzene - BSD, Toluene - BS, Toluene - BSD.

ALS Test Batch ID: 3726 - Soil by EPA-6020

Table with 7 columns: SPIKED COMPOUND, METHOD, %REC, RPD, QUAL, ANALYSIS DATE, ANALYSIS BY. Rows include Lead - BS, Lead - BSD.

APPROVED BY

Handwritten signature of Paul Bayan

Laboratory Director



ALS Environmental
 8620 Holly Drive, Suite 100
 Everett, WA 98208
 Phone (425) 356-2600
 (425) 356-2626 Fax
 http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EV13050059

Date 5/9/13 Page 1 Of 2

PROJECT ID: Kirrs' Mini Mart
 REPORT TO COMPANY: Whatum Env. Svcs
 PROJECT MANAGER: Thom
 ADDRESS: 228 E. Champion #601
B'ham, WA 98225
 PHONE: _____ FAX: 752-9571
 PO. NUMBER: _____ E-MAIL: tlavis@whatum
 INVOICE TO COMPANY: Colony Insurance
 ATTENTION: % Carol Lybeer
 ADDRESS: Claim # 194567

ANALYSIS REQUESTED

NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 <input type="checkbox"/> EPA-8260 <input type="checkbox"/>	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM <input type="checkbox"/>	PCB <input type="checkbox"/> Pesticides <input type="checkbox"/> by EPA 8081/8082	Metals-MTCA-5 <input type="checkbox"/> RCRA-8 <input type="checkbox"/> P/Po <input type="checkbox"/> TAL <input type="checkbox"/>	Metals Other (Specify) Lead (Pb)	TCLP-Metals <input type="checkbox"/> VOA <input type="checkbox"/> Semi-Vol <input type="checkbox"/> Pest <input type="checkbox"/> Herbs <input type="checkbox"/>	OTHER (Specify)	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
------------	----------	----------	------------------	---	-----------------------------------	--	-----------------------------------	------------------------------	--	---	---	---	---	--	-----------------	----------------------	-----------------------------

LABORATORY COPY

	SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 <input type="checkbox"/> EPA-8260 <input type="checkbox"/>	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM <input type="checkbox"/>	PCB <input type="checkbox"/> Pesticides <input type="checkbox"/> by EPA 8081/8082	Metals-MTCA-5 <input type="checkbox"/> RCRA-8 <input type="checkbox"/> P/Po <input type="checkbox"/> TAL <input type="checkbox"/>	Metals Other (Specify) Lead (Pb)	TCLP-Metals <input type="checkbox"/> VOA <input type="checkbox"/> Semi-Vol <input type="checkbox"/> Pest <input type="checkbox"/> Herbs <input type="checkbox"/>	OTHER (Specify)	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?	
1.	B-8 8.5ft	5/7/13	930	Soil	1	X	X	X	X					X									4	
2.	B-9 6ft	}	1130		2	X	X	X	X					X						X			4	
3.	B-9 9ft		1145		3	X	X	X	X														4	
4.	B-9 14ft		1156		4	X	X	X	X														4	
5.	B-14 2ft		1345		5	X	X	X	X														4	
6.	B-14 6ft		1355		6	X	X	X	X														4	
7.	B-14 9ft		1410		7	X	X	X	X					X						X			4	
8.	B-13 6.5ft		1605		8	X	X	X	X														4	
9.	B-13 14ft		1620		9		X	X	X														4	
10.																								

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):
 1. Relinquished By: [Signature] WES 5/9/13 @ 1430
 Received By: [Signature] ALS 5/10/13 9:50AM
 2. Relinquished By: _____
 Received By: _____

TURNAROUND REQUESTED in Business Days*
 Organic, Metals & Inorganic Analysis
 OTHER:
 Specify: _____
 Fuel & Hydrocarbon Analysis

5 3 2 1 SAME DAY
 3 1 SAME DAY

* Turnaround request less than standard may incur Rush Charges

APPENDIX G

Groundwater Laboratory Analytical Data Reports



June 3, 2013

Mr. Thom Davis
Whatcom Environmental Svcs., Inc.
228 E. Champion St., Suite 101
Bellingham, WA 98225

Dear Mr. Davis,

On May 24th, 18 samples were received by our laboratory and assigned our laboratory project number EV13050149. The project was identified as your Kris' Mini Mart. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

Page 1


ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626

ALS Laboratory Group A Campbell Brothers Limited Company

Environmental

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
 228 E. Champion St., Suite 101
 Bellingham, WA 98225

CLIENT CONTACT: Thom Davis
 CLIENT PROJECT: Kris' Mini Mart
 CLIENT SAMPLE ID: MW-8

DATE: 6/3/2013
 ALS JOB#: EV13050149
 ALS SAMPLE#: -01
 DATE RECEIVED: 5/24/2013
 COLLECTION DATE: 5/22/2013 11:00:00 AM
 WDOE ACCREDITATION: C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS	ANALYSIS
						DATE	BY
TPH-Volatile Range	NWTPH-GX	6100	250	5	UG/L	05/29/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	05/28/2013	DLC
Benzene	EPA-8021	43	1.0	1	UG/L	05/28/2013	DLC
Toluene	EPA-8021	6.4	1.0	1	UG/L	05/28/2013	DLC
Ethylbenzene	EPA-8021	5.9	1.0	1	UG/L	05/28/2013	DLC
Xylenes	EPA-8021	16	3.0	1	UG/L	05/28/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	250	1	UG/L	05/28/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	05/28/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	06/01/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	06/01/2013	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	05/29/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS	ANALYSIS
			DATE	BY
TFT 5X Dilution	NWTPH-GX	113	05/29/2013	DLC
TFT	EPA-8021	189 GS3	05/28/2013	DLC
C25	NWTPH-DX	87.4	05/28/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	97.4	06/01/2013	GAP

GS3 - Surrogate outside of control limits due to coeluting compounds.
 U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains highly weathered gasoline.
 Diesel range product reporting limits raised due to volatile range product overlap.



CERTIFICATE OF ANALYSIS


CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	6/3/2013
CLIENT CONTACT:	Thom Davis	ALS JOB#:	EV13050149
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-02
CLIENT SAMPLE ID	MW-9	DATE RECEIVED:	5/24/2013
		COLLECTION DATE:	5/22/2013 12:00:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS	ANALYSIS
						DATE	BY
TPH-Volatile Range	NWTPH-GX	4000	250	5	UG/L	05/29/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	05/29/2013	DLC
Benzene	EPA-8021	40	1.0	1	UG/L	05/29/2013	DLC
Toluene	EPA-8021	5.9	1.0	1	UG/L	05/29/2013	DLC
Ethylbenzene	EPA-8021	9.7	1.0	1	UG/L	05/29/2013	DLC
Xylenes	EPA-8021	49	3.0	1	UG/L	05/29/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	250	1	UG/L	05/28/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	05/28/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	06/01/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	06/01/2013	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	05/29/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS	ANALYSIS
			DATE	BY
TFT 5X Dilution	NWTPH-GX	110	05/29/2013	DLC
TFT	EPA-8021	169 GS3	05/29/2013	DLC
C25	NWTPH-DX	89.3	05/28/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	97.6	06/01/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 GS3 - Surrogate outside of control limits due to coeluting compounds.
 Chromatogram indicates that it is likely that sample contains highly weathered gasoline.
 Diesel range product reporting limits raised due to volatile range product overlap.



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
228 E. Champion St., Suite 101
Bellingham, WA 98225

DATE: 6/3/2013
ALS JOB#: EV13050149
ALS SAMPLE#: -03
DATE RECEIVED: 5/24/2013
COLLECTION DATE: 5/22/2013 1:00:00 PM
WDOE ACCREDITATION: C601

CLIENT CONTACT: Thom Davis
CLIENT PROJECT: Kris' Mini Mart
CLIENT SAMPLE ID: MW-10

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS	ANALYSIS
						DATE	BY
TPH-Volatile Range	NWTPH-GX	12000	500	10	UG/L	05/29/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	05/29/2013	DLC
Benzene	EPA-8021	3.9	1.0	1	UG/L	05/29/2013	DLC
Toluene	EPA-8021	1200	10	10	UG/L	05/29/2013	DLC
Ethylbenzene	EPA-8021	180	10	10	UG/L	05/29/2013	DLC
Xylenes	EPA-8021	1600	30	10	UG/L	05/29/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	250	1	UG/L	05/28/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	05/28/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	06/01/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	06/01/2013	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	05/29/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS	ANALYSIS
			DATE	BY
TFT 10X Dilution	NWTPH-GX	98.5	05/29/2013	DLC
TFT	EPA-8021	131	05/29/2013	DLC
TFT 10X Dilution	EPA-8021	106	05/29/2013	DLC
C25	NWTPH-DX	89.7	05/28/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	97.6	06/01/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains lightly weathered gasoline.
Diesel range product reporting limits raised due to volatile range product overlap.

CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	6/3/2013
CLIENT CONTACT:	Thom Davis	ALS JOB#:	EV13050149
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-04
CLIENT SAMPLE ID	MW-11	DATE RECEIVED:	5/24/2013
		COLLECTION DATE:	5/22/2013 2:00:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS	
						DATE	BY
TPH-Volatile Range	NWTPH-GX	41000	1200	25	UG/L	05/29/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	30	10	UG/L	05/29/2013	DLC
Benzene	EPA-8021	18	10	10	UG/L	05/29/2013	DLC
Toluene	EPA-8021	2400	25	25	UG/L	05/29/2013	DLC
Ethylbenzene	EPA-8021	740	10	10	UG/L	05/29/2013	DLC
Xylenes	EPA-8021	7300	75	25	UG/L	05/29/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	2500	1	UG/L	05/28/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	05/28/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	06/01/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	06/01/2013	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	05/29/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS	
			DATE	BY
TFT 25X Dilution	NWTPH-GX	92.1	05/29/2013	DLC
TFT 10X Dilution	EPA-8021	112	05/29/2013	DLC
TFT 25X Dilution	EPA-8021	109	05/29/2013	DLC
C25	NWTPH-DX	91.8	05/28/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	98.0	06/01/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains lightly weathered gasoline.
 Diesel range product reporting limits raised due to volatile range product overlap.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	6/3/2013
CLIENT CONTACT:	Thom Davis	ALS JOB#:	EV13050149
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-05
CLIENT SAMPLE ID:	MW-12	DATE RECEIVED:	5/24/2013
		COLLECTION DATE:	5/22/2013 3:00:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	31000	1200	25	UG/L	05/29/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	75	25	UG/L	05/29/2013	DLC
Benzene	EPA-8021	120	25	25	UG/L	05/29/2013	DLC
Toluene	EPA-8021	880	25	25	UG/L	05/29/2013	DLC
Ethylbenzene	EPA-8021	290	25	25	UG/L	05/29/2013	DLC
Xylenes	EPA-8021	5900	75	25	UG/L	05/29/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	2500	1	UG/L	05/28/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	05/28/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	06/01/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	06/01/2013	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	05/30/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT 25X Dilution	NWTPH-GX	95.4	05/29/2013	DLC
TFT 25X Dilution	EPA-8021	104	05/29/2013	DLC
C25	NWTPH-DX	88.4	05/28/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	94.7	06/01/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains lightly weathered gasoline.
 Diesel range product reporting limits raised due to volatile range product overlap.

CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	6/3/2013
CLIENT CONTACT:	Thom Davis	ALS JOB#:	EV13050149
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-06
CLIENT SAMPLE ID	MW-13	DATE RECEIVED:	5/24/2013
		COLLECTION DATE:	5/22/2013 4:00:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS	
						DATE	BY
TPH-Volatile Range	NWTPH-GX	2000	50	1	UG/L	05/29/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	05/29/2013	DLC
Benzene	EPA-8021	8.3	1.0	1	UG/L	05/29/2013	DLC
Toluene	EPA-8021	6.8	1.0	1	UG/L	05/29/2013	DLC
Ethylbenzene	EPA-8021	38	1.0	1	UG/L	05/29/2013	DLC
Xylenes	EPA-8021	200	3.0	1	UG/L	05/29/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	250	1	UG/L	05/28/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	05/28/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	06/01/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	06/01/2013	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	05/29/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS	
			DATE	BY
TFT	NWTPH-GX	87.6	05/29/2013	DLC
TFT	EPA-8021	103	05/29/2013	DLC
C25	NWTPH-DX	89.1	05/28/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	95.9	06/01/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains weathered gasoline.
 Diesel range product reporting limits raised due to volatile range product overlap.



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
228 E. Champion St., Suite 101
Bellingham, WA 98225

DATE: 6/3/2013
ALS JOB#: EV13050149
ALS SAMPLE#: -07
DATE RECEIVED: 5/24/2013
COLLECTION DATE: 5/22/2013 5:00:00 PM
WDOE ACCREDITATION: C601

CLIENT CONTACT: Thom Davis
CLIENT PROJECT: Kris' Mini Mart
CLIENT SAMPLE ID: MW-14

DATA RESULTS

Table with 8 columns: ANALYTE, METHOD, RESULTS, REPORTING LIMITS, DILUTION FACTOR, UNITS, ANALYSIS DATE, ANALYSIS BY. Rows include TPH-Volatile Range, Methyl T-Butyl Ether, Benzene, Toluene, Ethylbenzene, Xylenes, TPH-Diesel Range, TPH-Oil Range, 1,2-Dichloroethane, 1,2-Dibromoethane, Lead (Dissolved).

Table with 5 columns: SURROGATE, METHOD, %REC, ANALYSIS DATE, ANALYSIS BY. Rows include TFT, C25, 1,2-Dichloroethane-d4.

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains highly weathered gasoline and weathered diesel 1.



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
228 E. Champion St., Suite 101
Bellingham, WA 98225

DATE: 6/3/2013
ALS JOB#: EV13050149
ALS SAMPLE#: -08
DATE RECEIVED: 5/24/2013
COLLECTION DATE: 5/22/2013 6:00:00 PM
WDOE ACCREDITATION: C601

CLIENT CONTACT: Thom Davis
CLIENT PROJECT: Kris' Mini Mart
CLIENT SAMPLE ID: MW-15

DATA RESULTS

Table with 8 columns: ANALYTE, METHOD, RESULTS, REPORTING LIMITS, DILUTION FACTOR, UNITS, ANALYSIS DATE, ANALYSIS BY. Rows include TPH-Volatile Range, Methyl T-Butyl Ether, Benzene, Toluene, Ethylbenzene, Xylenes, TPH-Diesel Range, TPH-Oil Range, 1,2-Dichloroethane, 1,2-Dibromoethane, Lead (Dissolved).

Table with 5 columns: SURROGATE, METHOD, %REC, ANALYSIS DATE, ANALYSIS BY. Rows include TFT, C25, 1,2-Dichloroethane-d4.

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains highly weathered gasoline and weathered diesel 1.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	6/3/2013
CLIENT CONTACT:	Thom Davis	ALS JOB#:	EV13050149
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-09
CLIENT SAMPLE ID	MW-16	DATE RECEIVED:	5/24/2013
		COLLECTION DATE:	5/22/2013 5:30:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	05/29/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	05/29/2013	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	05/29/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	05/29/2013	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	05/29/2013	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	05/29/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	05/28/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	05/28/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	06/01/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	06/01/2013	GAP

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	91.0	05/29/2013	DLC
TFT	EPA-8021	102	05/29/2013	DLC
C25	NWTPH-DX	88.0	05/28/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	98.6	06/01/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.



CERTIFICATE OF ANALYSIS


CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	6/3/2013
CLIENT CONTACT:	Thom Davis	ALS JOB#:	EV13050149
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-10
CLIENT SAMPLE ID	MW-1	DATE RECEIVED:	5/24/2013
		COLLECTION DATE:	5/23/2013 1:10:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	05/29/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	05/29/2013	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	05/29/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	05/29/2013	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	05/29/2013	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	05/29/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	05/28/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	05/28/2013	EBS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	71.9	05/29/2013	DLC
TFT	EPA-8021	84.5	05/29/2013	DLC
C25	NWTPH-DX	87.1	05/28/2013	EBS

U - Analyte analyzed for but not detected at level above reporting limit.



CERTIFICATE OF ANALYSIS


CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	6/3/2013
CLIENT CONTACT:	Thom Davis	ALS JOB#:	EV13050149
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-11
CLIENT SAMPLE ID	MW-2	DATE RECEIVED:	5/24/2013
		COLLECTION DATE:	5/23/2013 1:30:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	05/29/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	05/29/2013	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	05/29/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	05/29/2013	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	05/29/2013	DLC
Xylénes	EPA-8021	U	3.0	1	UG/L	05/29/2013	DLC
TPH-Diesel Range	NWTPH-DX	320	130	1	UG/L	05/28/2013	EBS
TPH-Oil Range	NWTPH-DX	320	250	1	UG/L	05/28/2013	EBS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	84.6	05/29/2013	DLC
TFT	EPA-8021	98.3	05/29/2013	DLC
C25	NWTPH-DX	91.2	05/28/2013	EBS

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains an unidentified diesel range product and lube oil.



CERTIFICATE OF ANALYSIS


CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	6/3/2013
CLIENT CONTACT:	Thom Davis	ALS JOB#:	EV13050149
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-12
CLIENT SAMPLE ID	MW-3	DATE RECEIVED:	5/24/2013
		COLLECTION DATE:	5/23/2013 11:15:00 AM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	05/29/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	05/29/2013	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	05/29/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	05/29/2013	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	05/29/2013	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	05/29/2013	DLC
TPH-Diesel Range	NWTPH-DX	1000	130	1	UG/L	05/28/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	05/28/2013	EBS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	85.3	05/29/2013	DLC
TFT	EPA-8021	97.7	05/29/2013	DLC
C25	NWTPH-DX	92.7	05/28/2013	EBS

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains an unidentified diesel range product.



CERTIFICATE OF ANALYSIS


CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	6/3/2013
CLIENT CONTACT:	Thom Davis	ALS JOB#:	EV13050149
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-13
CLIENT SAMPLE ID:	MW-4	DATE RECEIVED:	5/24/2013
		COLLECTION DATE:	5/23/2013 10:15:00 AM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	05/30/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	05/30/2013	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	05/30/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	05/30/2013	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	05/30/2013	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	05/30/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	05/29/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	05/29/2013	EBS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	99.1	05/30/2013	DLC
TFT	EPA-8021	102	05/30/2013	DLC
C25	NWTPH-DX	90.5	05/29/2013	EBS

U - Analyte analyzed for but not detected at level above reporting limit.





CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	6/3/2013
CLIENT CONTACT:	Thom Davis	ALS JOB#:	EV13050149
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-14
CLIENT SAMPLE ID	MW-5	DATE RECEIVED:	5/24/2013
		COLLECTION DATE:	5/23/2013 9:15:00 AM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	05/30/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	05/30/2013	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	05/30/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	05/30/2013	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	05/30/2013	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	05/30/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	05/29/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	05/29/2013	EBS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	82.7	05/30/2013	DLC
TFT	EPA-8021	94.5	05/30/2013	DLC
C25	NWTPH-DX	93.7	05/29/2013	EBS

U - Analyte analyzed for but not detected at level above reporting limit.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	6/3/2013
		ALS JOB#:	EV13050149
CLIENT CONTACT:	Thom Davis	ALS SAMPLE#:	-15
CLIENT PROJECT:	Kris' Mini Mart	DATE RECEIVED:	5/24/2013
CLIENT SAMPLE ID	MW-6	COLLECTION DATE:	5/23/2013 12:30:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	05/30/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	05/30/2013	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	05/30/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	05/30/2013	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	05/30/2013	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	05/30/2013	DLC
TPH-Diesel Range	NWTPH-DX	7800	130	1	UG/L	05/29/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	05/29/2013	EBS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	87.6	05/30/2013	DLC
TFT	EPA-8021	101	05/30/2013	DLC
C25	NWTPH-DX	87.9	05/29/2013	EBS

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains an unidentified diesel range product.



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
 228 E. Champion St., Suite 101
 Bellingham, WA 98225

DATE: 6/3/2013
 ALS JOB#: EV13050149
 ALS SAMPLE#: -16
 DATE RECEIVED: 5/24/2013
 COLLECTION DATE: 5/23/2013 12:00:00 PM
 WDOE ACCREDITATION: C601


CLIENT CONTACT: Thom Davis
 CLIENT PROJECT: Kris' Mini Mart
 CLIENT SAMPLE ID: MW-7

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	460	50	1	UG/L	05/30/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	05/30/2013	DLC
Benzene	EPA-8021	3.3	1.0	1	UG/L	05/30/2013	DLC
Toluene	EPA-8021	69	1.0	1	UG/L	05/30/2013	DLC
Ethylbenzene	EPA-8021	1.7	1.0	1	UG/L	05/30/2013	DLC
Xylenes	EPA-8021	60	3.0	1	UG/L	05/30/2013	DLC
TPH-Diesel Range	NWTPH-DX	510	130	1	UG/L	05/29/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	05/29/2013	EBS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	94.2	05/30/2013	DLC
TFT	EPA-8021	101	05/30/2013	DLC
C25	NWTPH-DX	87.8	05/29/2013	EBS

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains lightly weathered gasoline and weathered diesel.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	6/3/2013
CLIENT CONTACT:	Thom Davis	ALS JOB#:	EV13050149
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-17
CLIENT SAMPLE ID	MW-17	DATE RECEIVED:	5/24/2013
		COLLECTION DATE:	5/23/2013 12:15:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	530	50	1	UG/L	05/30/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	05/30/2013	DLC
Benzene	EPA-8021	3.8	1.0	1	UG/L	05/30/2013	DLC
Toluene	EPA-8021	79	1.0	1	UG/L	05/30/2013	DLC
Ethylbenzene	EPA-8021	1.9	1.0	1	UG/L	05/30/2013	DLC
Xylenes	EPA-8021	72	3.0	1	UG/L	05/30/2013	DLC
TPH-Diesel Range	NWTPH-DX	490	130	1	UG/L	05/29/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	05/29/2013	EBS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	82.9	05/30/2013	DLC
TFT	EPA-8021	97.3	05/30/2013	DLC
C25	NWTPH-DX	92.4	05/29/2013	EBS

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains lightly weathered gasoline and weathered diesel.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	6/3/2013
CLIENT CONTACT:	Thom Davis	ALS JOB#:	EV13050149
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-18
CLIENT SAMPLE ID	MW-18	DATE RECEIVED:	5/24/2013
		COLLECTION DATE:	5/23/2013 2:00:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	05/30/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	05/30/2013	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	05/30/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	05/30/2013	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	05/30/2013	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	05/30/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	05/29/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	05/29/2013	EBS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	79.5	05/30/2013	DLC
TFT	EPA-8021	93.5	05/30/2013	DLC
C25	NWTPH-DX	89.4	05/29/2013	EBS

U - Analyte analyzed for but not detected at level above reporting limit.



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc. **DATE:** 6/3/2013
 228 E. Champion St., Suite 101 **ALS SDG#:** EV13050149
 Bellingham, WA 98225 **WDOE ACCREDITATION:** C601
CLIENT CONTACT: Thom Davis
CLIENT PROJECT: Kris' Mini Mart

LABORATORY BLANK RESULTS

MBG-052813W2 - Batch 3777 - Water by NWTPH-GX

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	05/28/2013	DLC

MB-052813W2 - Batch 3777 - Water by EPA-8021

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	05/28/2013	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	05/28/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	05/28/2013	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	05/28/2013	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	05/28/2013	DLC

MB-052813W2 - Batch 3778 - Water by NWTPH-DX

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	05/29/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	05/29/2013	EBS

MB-060113W - Batch 3783 - Water by EPA-8260 SIM

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene	EPA-8260 SIM	U	0.020	1	UG/L	05/31/2013	GAP
1,2-Dichloroethane	EPA-8260 SIM	U	0.10	1	UG/L	05/31/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	05/31/2013	GAP

MB-052813W - Batch 3772 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	05/29/2013	RAL



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
228 E. Champion St., Suite 101
Bellingham, WA 98225

DATE: 6/3/2013
ALS SDG#: EV13050149
WDOE ACCREDITATION: C601

CLIENT CONTACT: Thom Davis
CLIENT-PROJECT: Kris' Mini Mart

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 3777 - Water by NWTPH-GX

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range - BS	NWTPH-GX	71.9			05/28/2013	DLC
TPH-Volatile Range - BSD	NWTPH-GX	70.2	2		05/28/2013	DLC

ALS Test Batch ID: 3777 - Water by EPA-8021

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Methyl T-Butyl Ether - BS	EPA-8021	102			05/28/2013	DLC
Methyl T-Butyl Ether - BSD	EPA-8021	106	4		05/28/2013	DLC
Benzene - BS	EPA-8021	99.6			05/28/2013	DLC
Benzene - BSD	EPA-8021	106	6		05/28/2013	DLC
Toluene - BS	EPA-8021	97.6			05/28/2013	DLC
Toluene - BSD	EPA-8021	104	7		05/28/2013	DLC
Ethylbenzene - BS	EPA-8021	95.5			05/28/2013	DLC
Ethylbenzene - BSD	EPA-8021	101	6		05/28/2013	DLC
Xylenes - BS	EPA-8021	98.1			05/28/2013	DLC
Xylenes - BSD	EPA-8021	104	5		05/28/2013	DLC

ALS Test Batch ID: 3778 - Water by NWTPH-DX

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
TPH-Diesel Range - BS	NWTPH-DX	89.3			05/29/2013	EBS
TPH-Diesel Range - BSD	NWTPH-DX	90.5	1		05/29/2013	EBS

ALS Test Batch ID: 3783 - Water by EPA-8260 SIM

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260 SIM	106			05/31/2013	GAP
1,1-Dichloroethene - BSD	EPA-8260 SIM	87.0	19		05/31/2013	GAP

ALS Test Batch ID: 3772 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Lead (Dissolved) - BS	EPA-200.8	92.0			05/29/2013	RAL
Lead (Dissolved) - BSD	EPA-200.8	93.7	2		05/29/2013	RAL

CERTIFICATE OF ANALYSIS

APPROVED BY



Laboratory Director



ALS Environmental
 8620 Holly Drive, Suite 100
 Everett, WA 98208
 Phone (425) 356-2600
 (425) 356-2626 Fax
 http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EV13050149

Date 5/23/13 Page 1 Of 2

PROJECT ID: <u>Kris Mini Mart</u>					ANALYSIS REQUESTED										OTHER (Specify)			
REPORT TO COMPANY: <u>Whatcom Env. Svc.</u>					NWTPH-HCID NWTPH-DX NWTPH-GX BTEX by EPA-8021 MTBE by EPA-8021 <input checked="" type="checkbox"/> EPA-8260 <input type="checkbox"/> Halogenated Volatiles by EPA 8260 Volatile Organic Compounds by EPA 8260 EDB / EDC by EPA 8260 SIM (water) EDB / EDC by EPA 8260 (soil) Semivolatile Organic Compounds by EPA 8270 Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM <input type="checkbox"/> PCB <input type="checkbox"/> Pesticides <input type="checkbox"/> by EPA 8081/8082 Metals-MTCA-5 <input type="checkbox"/> RCRA-8 <input type="checkbox"/> Pri Pol <input type="checkbox"/> TAL <input type="checkbox"/> Metals Other (Specify) <u>Lead (Pb) Drss.</u> TCLP-Metals <input type="checkbox"/> VOA <input type="checkbox"/> Semi-Vol <input type="checkbox"/> Pest <input type="checkbox"/> Herbs <input type="checkbox"/>	NUMBER OF CONTAINERS RECEIVED IN GOOD CONDITION?												
PROJECT MANAGER: <u>Tom</u>																		
ADDRESS: <u>228 E Champion #101</u> <u>B'ham, WA 98225</u>																		
PHONE: _____ FAX: <u>752-9573</u>																		
PO. NUMBER: _____ E-MAIL: <u>tlavis@what---</u>																		
INVOICE TO COMPANY: <u>Colony Insurance</u>																		
ATTENTION: <u>% Matt Miller @ Antea</u>																		
ADDRESS: <u>Claim #: 194567</u>																		
SAMPLE I.D.	DATE	TIME	TYPE	LAB#														
1. MW-8	5/22/13	1100	water	1			X	X	X	X								
2. MW-9		1200	}	2	X	X	X	X									6	
3. MW-10		1300		3	X	X	X	X										6
4. MW-11		1400		4	X	X	X	X										6
5. MW-12		1500		5	X	X	X	X										6
6. MW-13		1600		6	X	X	X	X										6
7. MW-14		1700		7	X	X	X	X										6
8. MW-15		1800		8	X	X	X	X										6
9. MW-16		1730		9	X	X	X	X										5
10.																		

LABORATORY COPY

SPECIAL INSTRUCTIONS Metals Samples Field Filtered into preserved Bottles → Do Not Analyze for Pb

SIGNATURES (Name, Company, Date, Time):
 1. Relinquished By: [Signature] WES 5/23/13 @ 1530
 Received By: _____
 2. Relinquished By: _____
 Received By: Shawn Robinson ALS 5/24/13 4:45

TURNAROUND REQUESTED in Business Days*
 Organic, Metals & Inorganic Analysis
 10 Standard 5 3 2 1 SAME DAY
 Fuels & Hydrocarbon Analysis
 5 Standard 3 1 SAME DAY
 OTHER: _____
 Specify: _____

* Turnaround request less than standard may incur Rush Charges



ALS Environmental
 8620 Holly Drive, Suite 100
 Everett, WA 98208
 Phone (425) 356-2600
 (425) 356-2626 Fax
 http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EV13050149

Date 5/23/13 Page 2 Of 2

PROJECT ID: <u>Kris' Mini Mart</u>					ANALYSIS REQUESTED										OTHER (Specify)							
REPORT TO COMPANY: <u>Whatom Env. Sues.</u>					<input type="checkbox"/> NWTPH-KCID <input type="checkbox"/> NWTPH-DX <input type="checkbox"/> NWTPH-GX <input type="checkbox"/> BTEX by EPA-8021 <input type="checkbox"/> MTBE by EPA-8021 <input checked="" type="checkbox"/> EPA-8260 <input type="checkbox"/> Halogenated Volatiles by EPA 8260 <input type="checkbox"/> Volatile Organic Compounds by EPA 8260 <input type="checkbox"/> EDB / EDC by EPA 8260 SIM (water) <input type="checkbox"/> EDB / EDC by EPA 8260 (soil) <input type="checkbox"/> Semivolatile Organic Compounds by EPA 8270 <input type="checkbox"/> Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM <input type="checkbox"/> PCB <input type="checkbox"/> Pesticides <input type="checkbox"/> by EPA 8081/8082 <input type="checkbox"/> Metals-MTCA-5 <input type="checkbox"/> RCRA-8 <input type="checkbox"/> Pb/Po <input type="checkbox"/> TAL <input type="checkbox"/> Metals Other (Specify) <input type="checkbox"/> TCLP-Metals <input type="checkbox"/> VOA <input type="checkbox"/> Semi-Vol <input type="checkbox"/> Pest <input type="checkbox"/> Herbis	ADDRESS: <u>228 E. Champion #101</u>				NUMBER OF CONTAINERS RECEIVED IN GOOD CONDITION?												
PROJECT MANAGER: <u>Tom</u>																						
ADDRESS: <u>B'ham WA 98225</u>																						
PHONE: <u>752-9571</u> FAX: _____																						
PO. NUMBER: _____ E-MAIL: <u>tlavis@---</u>																						
INVOICE TO COMPANY: <u>Colony Insurance</u>																						
ATTENTION: _____																						
ADDRESS: <u>Claim #: 194567</u>																						
ADDRESS: _____																						
ADDRESS: _____																						
SAMPLE I.D.	DATE	TIME	TYPE	LAB#																		
1. MW-1	5/23/13	1:10p	water	10	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>											4			
2. MW-2	}	1330		11	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>											5			
3. MW-3		1115		12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>											4			
4. MW-4		1015		13	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>											4			
5. MW-5		915		14	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>											5			
6. MW-6		1230		15	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>											4			
7. MW-7		1200		16	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>											4			
8. MW-17		1215		17	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>											4			
9. MW-18		1400		18	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>											4			
10.																						

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: [Signature] WES 5/23/13 @ 1530

Received By: _____

2. Relinquished By: _____

Received By: Shawn Robins ALS 5/24/13 4:45

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis

OTHER: _____

Specify: _____

Standard: 10 5 3 2 1 SAME DAY

Fuels & Hydrocarbon Analysis

5 3 1 SAME DAY

* Turnaround request less than standard may incur Rush Charges



August 30, 2013

Mr. Harold Cashman
Whatcom Environmental Svcs., Inc.
228 E. Champion St., Suite 101
Bellingham, WA 98225

Dear Mr. Cashman,

On August 14th, 9 samples were received by our laboratory and assigned our laboratory project number EV13080077. The project was identified as your Kris' Mini Mart. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
 228 E. Champion St., Suite 101
 Bellingham, WA 98225

CLIENT CONTACT: Harold Cashman
 CLIENT PROJECT: Kris' Mini Mart
 CLIENT SAMPLE ID: MW-8

DATE: 8/30/2013
 ALS JOB#: EV13080077
 ALS SAMPLE#: -01
 DATE RECEIVED: 8/14/2013
 COLLECTION DATE: 8/12/2013 1:25:00 PM
 WDOE ACCREDITATION: C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	990	50	1	UG/L	08/16/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	08/16/2013	DLC
Benzene	EPA-8021	2.5	1.0	1	UG/L	08/16/2013	DLC
Toluene	EPA-8021	2.6	1.0	1	UG/L	08/16/2013	DLC
Ethylbenzene	EPA-8021	2.3	1.0	1	UG/L	08/16/2013	DLC
Xylenes	EPA-8021	3.7	3.0	1	UG/L	08/16/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	250	1	UG/L	08/15/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	08/15/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	08/16/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	08/16/2013	GAP
Lead	EPA-200.8	U	1.0	1	UG/L	08/19/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	107	08/16/2013	DLC
TFT	EPA-8021	106	08/16/2013	DLC
C25	NWTPH-DX	96.1	08/15/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	99.1	08/16/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains highly weathered gasoline.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	8/30/2013
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV13080077
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-02
CLIENT SAMPLE ID	MW-9	DATE RECEIVED:	8/14/2013
		COLLECTION DATE:	8/12/2013 2:15:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	3500	100	2	UG/L	08/16/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	08/16/2013	DLC
Benzene	EPA-8021	22	1.0	1	UG/L	08/16/2013	DLC
Toluene	EPA-8021	2.4	1.0	1	UG/L	08/16/2013	DLC
Ethylbenzene	EPA-8021	8.7	1.0	1	UG/L	08/16/2013	DLC
Xylenes	EPA-8021	57	3.0	1	UG/L	08/16/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	250	1	UG/L	08/15/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	08/15/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	08/16/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	08/16/2013	GAP
Lead	EPA-200.8	U	1.0	1	UG/L	08/19/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT 2X Dilution	NWTPH-GX	128	08/16/2013	DLC
TFT	EPA-8021	116	08/16/2013	DLC
C25	NWTPH-DX	98.0	08/15/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	99.7	08/16/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains weathered gasoline.
 Diesel range product reporting limits raised due to volatile range product overlap.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	8/30/2013
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV13080077
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-03
CLIENT SAMPLE ID	MW-10	DATE RECEIVED:	8/14/2013
		COLLECTION DATE:	8/12/2013 3:10:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	2400	100	2	UG/L	08/16/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	6.0	2	UG/L	08/16/2013	DLC
Benzene	EPA-8021	6.9	2.0	2	UG/L	08/16/2013	DLC
Toluene	EPA-8021	130	2.0	2	UG/L	08/16/2013	DLC
Ethylbenzene	EPA-8021	38	2.0	2	UG/L	08/16/2013	DLC
Xylenes	EPA-8021	290	6.0	2	UG/L	08/16/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	08/15/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	08/15/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	08/16/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	08/16/2013	GAP
Lead	EPA-200.8	U	1.0	1	UG/L	08/19/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT 2X Dilution	NWTPH-GX	113	08/16/2013	DLC
TFT 2X Dilution	EPA-8021	111	08/16/2013	DLC
C25	NWTPH-DX	98.0	08/15/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	100	08/16/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains lightly weathered gasoline.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	8/30/2013
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV13080077
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-04
CLIENT SAMPLE ID	MW-11	DATE RECEIVED:	8/14/2013
		COLLECTION DATE:	8/12/2013 3:50:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	39000	1200	25	UG/L	08/16/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	75	25	UG/L	08/16/2013	DLC
Benzene	EPA-8021	66	25	25	UG/L	08/16/2013	DLC
Toluene	EPA-8021	2100	25	25	UG/L	08/16/2013	DLC
Ethylbenzene	EPA-8021	910	25	25	UG/L	08/16/2013	DLC
Xylenes	EPA-8021	7200	75	25	UG/L	08/16/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	630	1	UG/L	08/15/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	08/15/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	08/16/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	08/16/2013	GAP
Lead	EPA-200.8	U	1.0	1	UG/L	08/19/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT 25X Dilution	NWTPH-GX	121	08/16/2013	DLC
TFT 25X Dilution	EPA-8021	106	08/16/2013	DLC
C25	NWTPH-DX	98.3	08/15/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	101	08/16/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains lightly weathered gasoline.
 Diesel range product reporting limits raised due to volatile range product overlap.



CERTIFICATE OF ANALYSIS


CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	8/30/2013
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV13080077
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-05
CLIENT SAMPLE ID	MW-12	DATE RECEIVED:	8/14/2013
		COLLECTION DATE:	8/13/2013 10:10:00 AM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	41000	2500	50	UG/L	08/16/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	150	50	UG/L	08/16/2013	DLC
Benzene	EPA-8021	U	50	50	UG/L	08/16/2013	DLC
Toluene	EPA-8021	1000	50	50	UG/L	08/16/2013	DLC
Ethylbenzene	EPA-8021	400	50	50	UG/L	08/16/2013	DLC
Xylenes	EPA-8021	8400	150	50	UG/L	08/16/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	1300	1	UG/L	08/19/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	08/19/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	08/16/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	08/16/2013	GAP
Lead	EPA-200.8	U	1.0	1	UG/L	08/19/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT 50X Dilution	NWTPH-GX	104	08/16/2013	DLC
TFT 50X Dilution	EPA-8021	102	08/16/2013	DLC
C25	NWTPH-DX	92.8	08/19/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	101	08/16/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains lightly weathered gasoline.
 Diesel range product reporting limits raised due to volatile range product overlap.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	8/30/2013
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV13080077
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-06
CLIENT SAMPLE ID	MW-13	DATE RECEIVED:	8/14/2013
		COLLECTION DATE:	8/13/2013 12:50:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	65	50	1	UG/L	08/16/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	08/16/2013	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	08/16/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	08/16/2013	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	08/16/2013	DLC
Xylenes	EPA-8021	8.8	3.0	1	UG/L	08/16/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	08/19/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	08/19/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	08/16/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	08/16/2013	GAP
Lead	EPA-200.8	U	1.0	1	UG/L	08/19/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	109	08/16/2013	DLC
TFT	EPA-8021	113	08/16/2013	DLC
C25	NWTPH-DX	91.0	08/19/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	102	08/16/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains highly weathered gasoline.



CERTIFICATE OF ANALYSIS


CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	8/30/2013
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV13080077
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-07
CLIENT SAMPLE ID	MW-14	DATE RECEIVED:	8/14/2013
		COLLECTION DATE:	8/13/2013 1:45:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	08/16/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	08/16/2013	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	08/16/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	08/16/2013	DLC
Ethylbenzene	EPA-8021	2.0	1.0	1	UG/L	08/16/2013	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	08/16/2013	DLC
TPH-Diesel Range	NWTPH-DX	280	130	1	UG/L	08/19/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	08/19/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	08/16/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	08/16/2013	GAP
Lead	EPA-200.8	U	1.0	1	UG/L	08/19/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	113	08/16/2013	DLC
TFT	EPA-8021	116	08/16/2013	DLC
C25	NWTPH-DX	90.3	08/19/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	103	08/16/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains weathered diesel.



CERTIFICATE OF ANALYSIS


CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	8/30/2013
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV13080077
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-08
CLIENT SAMPLE ID	MW-15	DATE RECEIVED:	8/14/2013
		COLLECTION DATE:	8/13/2013 10:30:00 AM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	37000	1200	25	UG/L	08/16/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	75	25	UG/L	08/16/2013	DLC
Benzene	EPA-8021	U	25	25	UG/L	08/16/2013	DLC
Toluene	EPA-8021	880	25	25	UG/L	08/16/2013	DLC
Ethylbenzene	EPA-8021	340	25	25	UG/L	08/16/2013	DLC
Xylenes	EPA-8021	7500	75	25	UG/L	08/16/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	630	1	UG/L	08/15/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	08/15/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	08/16/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	08/16/2013	GAP
Lead	EPA-200.8	U	1.0	1	UG/L	08/19/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT 25X Dilution	NWTPH-GX	102	08/16/2013	DLC
TFT 25X Dilution	EPA-8021	100	08/16/2013	DLC
C25	NWTPH-DX	104	08/15/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	101	08/16/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains lightly weathered gasoline.
 Diesel range product reporting limits raised due to volatile range product overlap.



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
 228 E. Champion St., Suite 101
 Bellingham, WA 98225

DATE: 8/30/2013
 ALS JOB#: EV13080077
 ALS SAMPLE#: -09
 DATE RECEIVED: 8/14/2013
 COLLECTION DATE: 8/13/2013 11:30:00 AM
 WDOE ACCREDITATION: C601

CLIENT CONTACT: Harold Cashman
 CLIENT PROJECT: Kris' Mini Mart
 CLIENT SAMPLE ID: MW-16

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	08/16/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	08/16/2013	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	08/16/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	08/16/2013	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	08/16/2013	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	08/16/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	08/15/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	08/15/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	08/16/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	08/16/2013	GAP

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	114	08/16/2013	DLC
TFT	EPA-8021	114	08/16/2013	DLC
C25	NWTPH-DX	98.7	08/15/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	101	08/16/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
228 E. Champion St., Suite 101
Bellingham, WA 98225

DATE: 8/30/2013
ALS SDG#: EV13080077
WDOE ACCREDITATION: C601

CLIENT CONTACT: Harold Cashman
CLIENT PROJECT: Kris' Mini Mart

LABORATORY BLANK RESULTS

MBG-081513W2 - Batch 6716 - Water by NWTPH-GX

Table with 9 columns: ANALYTE, METHOD, RESULTS, REPORTING LIMITS, DILUTION FACTOR, UNITS, ANALYSIS DATE, ANALYSIS BY. Row 1: TPH-Volatile Range, NWTPH-GX, U, 50, 1, UG/L, 08/16/2013, DLC

MB-081513W2 - Batch 6716 - Water by EPA-8021

Table with 9 columns: ANALYTE, METHOD, RESULTS, REPORTING LIMITS, DILUTION FACTOR, UNITS, ANALYSIS DATE, ANALYSIS BY. Rows: Methyl T-Butyl Ether, Benzene, Toluene, Ethylbenzene, Xylenes

MB-081513W - Batch 6751 - Water by NWTPH-DX

Table with 9 columns: ANALYTE, METHOD, RESULTS, REPORTING LIMITS, DILUTION FACTOR, UNITS, ANALYSIS DATE, ANALYSIS BY. Rows: TPH-Diesel Range, TPH-Oil Range

MB-081513W2 - Batch 6700 - Water by EPA-8260 SIM

Table with 9 columns: ANALYTE, METHOD, RESULTS, REPORTING LIMITS, DILUTION FACTOR, UNITS, ANALYSIS DATE, ANALYSIS BY. Rows: 1,1-Dichloroethene, 1,2-Dichloroethane, 1,2-Dibromoethane

MB-081613W - Batch 6757 - Water by EPA-200.8

Table with 9 columns: ANALYTE, METHOD, RESULTS, REPORTING LIMITS, DILUTION FACTOR, UNITS, ANALYSIS DATE, ANALYSIS BY. Row: Lead



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
 228 E. Champion St., Suite 101
 Bellingham, WA 98225

CLIENT CONTACT: Harold Cashman
 CLIENT PROJECT: Kris' Mini Mart

DATE: 8/30/2013
 ALS SDG#: EV13080077
 WDOE ACCREDITATION: C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 6716 - Water by NWTPH-GX

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range - BS	NWTPH-GX	59.6			08/16/2013	DLC
TPH-Volatile Range - BSD	NWTPH-GX	60.2	1		08/16/2013	DLC

ALS Test Batch ID: 6716 - Water by EPA-8021

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Methyl T-Butyl Ether - BS	EPA-8021	95.6			08/16/2013	DLC
Methyl T-Butyl Ether - BSD	EPA-8021	96.7	1		08/16/2013	DLC
Benzene - BS	EPA-8021	97.0			08/16/2013	DLC
Benzene - BSD	EPA-8021	99.3	2		08/16/2013	DLC
Toluene - BS	EPA-8021	96.7			08/16/2013	DLC
Toluene - BSD	EPA-8021	98.6	2		08/16/2013	DLC
Ethylbenzene - BS	EPA-8021	95.4			08/16/2013	DLC
Ethylbenzene - BSD	EPA-8021	98.5	3		08/16/2013	DLC
Xylenes - BS	EPA-8021	99.5			08/16/2013	DLC
Xylenes - BSD	EPA-8021	102	3		08/16/2013	DLC

ALS Test Batch ID: 6751 - Water by NWTPH-DX

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
TPH-Diesel Range - BS	NWTPH-DX	78.4			08/19/2013	EBS
TPH-Diesel Range - BSD	NWTPH-DX	78.1	0		08/19/2013	EBS

ALS Test Batch ID: 6700 - Water by EPA-8260 SIM

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260 SIM	103			08/16/2013	GAP
1,1-Dichloroethene - BSD	EPA-8260 SIM	109	6		08/16/2013	GAP

ALS Test Batch ID: 6757 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Lead - BS	EPA-200.8	94.1			08/19/2013	RAL
Lead - BSD	EPA-200.8	98.5	5		08/19/2013	RAL

CERTIFICATE OF ANALYSIS

APPROVED BY



Laboratory Director



ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EV13080077

Date 8-13-13 Page 1 of 1

PROJECT ID: KRIS' MINI MART					ANALYSIS REQUESTED												OTHER (Specify)					
REPORT TO COMPANY: WHATCOM ENVIRONMENTAL SERVICES					<input type="checkbox"/> NWTPH-HCID <input type="checkbox"/> NWTPH-DX <input type="checkbox"/> NWTPH-GX <input type="checkbox"/> BTEX by EPA-8021 <input type="checkbox"/> MTBE by EPA-8021 <input type="checkbox"/> EPA-8260 <input type="checkbox"/> Halogenated Volatiles by EPA 8260 <input type="checkbox"/> Volatile Organic Compounds by EPA 8260 <input type="checkbox"/> EDB / EDC by EPA 8260 SIM (water) <input type="checkbox"/> EDB / EDC by EPA 8260 (soil) <input type="checkbox"/> Semivolatile Organic Compounds by EPA 8270 <input type="checkbox"/> Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM <input type="checkbox"/> PCB <input type="checkbox"/> Pesticides <input type="checkbox"/> by EPA 8081/8082 <input type="checkbox"/> Metals-MTCA-5 <input type="checkbox"/> RCRA-8 <input type="checkbox"/> PFI Pol <input type="checkbox"/> TAL <input type="checkbox"/> <input type="checkbox"/> Metals Other (Specify) LEAD (Pb) <input type="checkbox"/> TCLP-Metals <input type="checkbox"/> VOA <input type="checkbox"/> Semi-Vol <input type="checkbox"/> Pest <input type="checkbox"/> Herbs																	
PROJECT MANAGER: HAROLD CASHMAN																						
ADDRESS: 228 E. CHAMPION ST #101 BELLEVUE, WA 98225																						
PHONE: (360) 752-9571 FAX:																						
PO. #: E-MAIL: HCASHMAN@WHATCOMENVIR...																						
INVOICE TO COMPANY: COUNTY INSURANCE																						
ATTENTION: MATT MILLER (AUTSA)																						
ADDRESS: CLAIM # 194567																						
SAMPLE I.D.	DATE	TIME	TYPE	LAB#		NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 <input type="checkbox"/> EPA-8260	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM	PCB <input type="checkbox"/> Pesticides <input type="checkbox"/> by EPA 8081/8082	Metals-MTCA-5 <input type="checkbox"/> RCRA-8 <input type="checkbox"/> PFI Pol <input type="checkbox"/> TAL <input type="checkbox"/>	Metals Other (Specify) LEAD (Pb)	TCLP-Metals <input type="checkbox"/> VOA <input type="checkbox"/> Semi-Vol <input type="checkbox"/> Pest <input type="checkbox"/> Herbs <input type="checkbox"/>	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. MW-8	8-12-13	1:25	WATER	1			X	X	X	X		X							X		6	
2. MW-9	8-12-13	2:15	}	2		X	X	X	X		X							X		6		
3. MW-10	8-12-13	3:10		3		X	X	X	X		X								X		6	
4. MW-11	8-12-13	3:50		4		X	X	X	X		X								X		6	
5. MW-12	8-13-13	10:10		5		X	X	X	X		X								X		6	
6. MW-13	8-13-13	12:50 12:15		6		X	X	X	X		X								X		6	
7. MW-14	8-13-13	1:45		7		X	X	X	X		X								X		6	
8. MW-15	8-13-13	10:30		8		X	X	X	X		X								X		6	
9. MW-16	8-13-13	11:30		9		X	X	X	X		X										5	
10.																						

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: Shawn Robinson, VES, 8/14/13, 9:30 2:05

Received By: Shawn Robinson, ALS 8/14/13

2. Relinquished By: _____

Received By: _____

TURNAROUND REQUESTED in Business Days*
 Organic, Metals & Inorganic Analysis: Standard 5 3 2 1 SAME DAY
 Fuels & Hydrocarbon Analysis: Standard 3 1 SAME DAY

OTHER: _____
 Specify: _____

* Turnaround request less than standard may incur Rush Charges



November 27, 2013

Mr. Harold Cashman
Whatcom Environmental Svcs., Inc.
228 E. Champion St., Suite 101
Bellingham, WA 98225

Dear Mr. Cashman,

On November 15th, 9 samples were received by our laboratory and assigned our laboratory project number EV13110099. The project was identified as your Kris' Mini Mart. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director

Page 1

ADDRESS 8620 Holly Drive, Suite 100, Everett, WA 98208 | PHONE 425-356-2600 | FAX 425-356-2626

ALS Laboratory Group A Campbell Brothers Limited Company

Environmental

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
 228 E. Champion St., Suite 101
 Bellingham, WA 98225

CLIENT CONTACT: Harold Cashman
 CLIENT PROJECT: Kris' Mini Mart
 CLIENT SAMPLE ID: MW-8

DATE: 11/27/2013
 ALS JOB#: EV13110099
 ALS SAMPLE#: -01
 DATE RECEIVED: 11/15/2013
 COLLECTION DATE: 11/14/2013 11:55:00 AM
 WDOE ACCREDITATION: C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	960	50	1	UG/L	11/18/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	11/18/2013	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	11/18/2013	DLC
Toluene	EPA-8021	2.2	1.0	1	UG/L	11/18/2013	DLC
Ethylbenzene	EPA-8021	1.6	1.0	1	UG/L	11/18/2013	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	11/18/2013	DLC
TPH-Diesel Range	NWTPH-DX	250	130	1	UG/L	11/20/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	11/20/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	11/18/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	11/18/2013	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	11/20/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	106	11/18/2013	DLC
TFT	EPA-8021	119	11/18/2013	DLC
C25	NWTPH-DX	103	11/20/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	105	11/18/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains highly weathered gasoline and weathered diesel.
 Diesel range product results biased high due to gasoline range product overlap.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	11/27/2013
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV13110099
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-02
CLIENT SAMPLE ID	MW-9	DATE RECEIVED:	11/15/2013
		COLLECTION DATE:	11/14/2013 12:00:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	1000	50	1	UG/L	11/18/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	11/18/2013	DLC
Benzene	EPA-8021	6.3 F3	1.0	1	UG/L	11/18/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	11/18/2013	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	11/18/2013	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	11/18/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	11/20/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	11/20/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	11/18/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	11/18/2013	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	11/20/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	140	11/18/2013	DLC
TFT	EPA-8021	158 GS3	11/18/2013	DLC
C25	NWTPH-DX	100	11/20/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	105	11/18/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 GS3 - Surrogate outside of control limits due to coeluting compounds.
 F3 - Analyte results biased high due to coeluting compound.
 Chromatogram indicates that it is likely that sample contains highly weathered gasoline.



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
228 E. Champion St., Suite 101
Bellingham, WA 98225

DATE: 11/27/2013

ALS JOB#: EV13110099

ALS SAMPLE#: -03

CLIENT CONTACT: Harold Cashman
CLIENT PROJECT: Kris' Mini Mart
CLIENT SAMPLE ID: MW-10

DATE RECEIVED: 11/15/2013

COLLECTION DATE: 11/14/2013 11:50:00 AM

WDOE ACCREDITATION: C601

DATA RESULTS

Table with 8 columns: ANALYTE, METHOD, RESULTS, REPORTING LIMITS, DILUTION FACTOR, UNITS, ANALYSIS DATE, ANALYSIS BY. Rows include TPH-Volatile Range, Methyl T-Butyl Ether, Benzene, Toluene, Ethylbenzene, Xylenes, TPH-Diesel Range, TPH-Oil Range, 1,2-Dichloroethane, 1,2-Dibromoethane, Lead (Dissolved).

Table with 5 columns: SURROGATE, METHOD, %REC, ANALYSIS DATE, ANALYSIS BY. Rows include TFT, C25, 1,2-Dichloroethane-d4.

U - Analyte analyzed for but not detected at level above reporting limit. Chromatogram indicates that it is likely that sample contains lightly weathered gasoline.



CERTIFICATE OF ANALYSIS


CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	11/27/2013
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV13110099
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-04
CLIENT SAMPLE ID	MW-11	DATE RECEIVED:	11/15/2013
		COLLECTION DATE:	11/14/2013 12:45:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	20000	1000	20	UG/L	11/19/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	60	20	UG/L	11/19/2013	DLC
Benzene	EPA-8021	U	20	20	UG/L	11/19/2013	DLC
Toluene	EPA-8021	1300	20	20	UG/L	11/19/2013	DLC
Ethylbenzene	EPA-8021	430	20	20	UG/L	11/19/2013	DLC
Xylenes	EPA-8021	4200	60	20	UG/L	11/19/2013	DLC
TPH-Diesel Range	NWTPH-DX	1500	130	1	UG/L	11/19/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	11/19/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	11/18/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	11/18/2013	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	11/20/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT 20X Dilution	NWTPH-GX	106	11/19/2013	DLC
TFT 20X Dilution	EPA-8021	114	11/19/2013	DLC
C25	NWTPH-DX	96.7	11/19/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	108	11/18/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains highly weathered gasoline and an unidentified diesel range product.
 Diesel range product results biased high due to gasoline range product overlap.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	11/27/2013
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV13110099
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-05
CLIENT SAMPLE ID	MW-12	DATE RECEIVED:	11/15/2013
		COLLECTION DATE:	11/14/2013 1:45:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	14000	500	10	UG/L	11/19/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	30	10	UG/L	11/19/2013	DLC
Benzene	EPA-8021	U	10	10	UG/L	11/19/2013	DLC
Toluene	EPA-8021	220	10	10	UG/L	11/19/2013	DLC
Ethylbenzene	EPA-8021	110	10	10	UG/L	11/19/2013	DLC
Xylenes	EPA-8021	2800	30	10	UG/L	11/19/2013	DLC
TPH-Diesel Range	NWTPH-DX	2500	130	1	UG/L	11/19/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	11/19/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	11/18/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	11/18/2013	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	11/20/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT 10X Dilution	NWTPH-GX	100	11/19/2013	DLC
TFT 10X Dilution	EPA-8021	106	11/19/2013	DLC
C25	NWTPH-DX	100	11/19/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	106	11/18/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains highly weathered gasoline and an unidentified diesel range product.
 Diesel range product results biased high due to gasoline range product overlap.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	11/27/2013
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV13110099
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-06
CLIENT SAMPLE ID	MW-13	DATE RECEIVED:	11/15/2013
		COLLECTION DATE:	11/14/2013 1:25:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	3100	250	5	UG/L	11/19/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	15	5	UG/L	11/19/2013	DLC
Benzene	EPA-8021	U	5.0	5	UG/L	11/19/2013	DLC
Toluene	EPA-8021	57	5.0	5	UG/L	11/19/2013	DLC
Ethylbenzene	EPA-8021	48	5.0	5	UG/L	11/19/2013	DLC
Xylenes	EPA-8021	700	15	5	UG/L	11/19/2013	DLC
TPH-Diesel Range	NWTPH-DX	320	130	1	UG/L	11/19/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	11/19/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	11/18/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	11/18/2013	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	11/20/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT 5X Dilution	NWTPH-GX	109	11/19/2013	DLC
TFT 5X Dilution	EPA-8021	112	11/19/2013	DLC
C25	NWTPH-DX	103	11/19/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	105	11/18/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains highly weathered gasoline and weathered diesel.
 Diesel range product results biased high due to gasoline range product overlap.





CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
 228 E. Champion St., Suite 101
 Bellingham, WA 98225

CLIENT CONTACT: Harold Cashman
 CLIENT PROJECT: Kris' Mini Mart
 CLIENT SAMPLE ID: MW-14


DATE: 11/27/2013
 ALS JOB#: EV13110099
 ALS SAMPLE#: -07
 DATE RECEIVED: 11/15/2013
 COLLECTION DATE: 11/14/2013 2:15:00 PM
 WDOE ACCREDITATION: C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	11/19/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	11/19/2013	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	11/19/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	11/19/2013	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	11/19/2013	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	11/19/2013	DLC
TPH-Diesel Range	NWTPH-DX	480	130	1	UG/L	11/19/2013	EBS
TPH-Oil Range	NWTPH-DX	380	250	1	UG/L	11/19/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	11/18/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	11/18/2013	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	11/20/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	99.5	11/19/2013	DLC
TFT	EPA-8021	112	11/19/2013	DLC
C25	NWTPH-DX	99.8	11/19/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	106	11/18/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains weathered diesel and light oil/lube oil.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	11/27/2013
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV13110099
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-08
CLIENT SAMPLE ID	MW-15	DATE RECEIVED:	11/15/2013
		COLLECTION DATE:	11/14/2013 12:00:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	970	50	1	UG/L	11/18/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	11/18/2013	DLC
Benzene	EPA-8021	5.2 F3	1.0	1	UG/L	11/18/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	11/18/2013	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	11/18/2013	DLC
Xylenes	EPA-8021	3.5	3.0	1	UG/L	11/18/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	11/20/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	11/20/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	11/18/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	11/18/2013	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	11/20/2013	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	125	11/18/2013	DLC
TFT	EPA-8021	130	11/18/2013	DLC
C25	NWTPH-DX	99.0	11/20/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	106	11/18/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 F3 - Analyte results biased high due to coeluting compound.
 Chromatogram indicates that it is likely that sample contains highly weathered gasoline.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	11/27/2013
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV13110099
CLIENT PROJECT:	Kris' Mini Mart	ALS SAMPLE#:	-09
CLIENT, SAMPLE ID	MW-16	DATE RECEIVED:	11/15/2013
		COLLECTION DATE:	11/14/2013 1:05:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	11/18/2013	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	11/18/2013	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	11/18/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	11/18/2013	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	11/18/2013	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	11/18/2013	DLC
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	11/20/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	11/20/2013	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	11/18/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	11/18/2013	GAP

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	95.7	11/18/2013	DLC
TFT	EPA-8021	99.5	11/18/2013	DLC
C25	NWTPH-DX	102	11/20/2013	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	107	11/18/2013	GAP

U - Analyte analyzed for but not detected at level above reporting limit.



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
 228 E. Champion St., Suite 101
 Bellingham, WA 98225

DATE: 11/27/2013
 ALS SDG#: EV13110099
 WDOE ACCREDITATION: C601

CLIENT CONTACT: Harold Cashman
 CLIENT PROJECT: Kris' Mini Mart

LABORATORY BLANK RESULTS

MBG-111813W - Batch 7402 - Water by NWTPH-GX

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	11/18/2013	DLC

MB-111813W - Batch 7402 - Water by EPA-8021

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	11/18/2013	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	11/18/2013	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	11/18/2013	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	11/18/2013	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	11/18/2013	DLC

MB-111913W - Batch 7400 - Water by NWTPH-DX

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	11/20/2013	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	11/20/2013	EBS

MB-111413W - Batch 7390 - Water by EPA-8260 SIM

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene	EPA-8260 SIM	U	0.020	1	UG/L	11/14/2013	GAP
1,2-Dichloroethane	EPA-8260 SIM	U	0.10	1	UG/L	11/14/2013	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	11/14/2013	GAP

MB-111813W - Batch 7388 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	11/18/2013	RAL



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
228 E. Champion St., Suite 101
Bellingham, WA 98225

DATE: 11/27/2013
ALS SDG#: EV13110099
WDOE ACCREDITATION: C601

CLIENT CONTACT: Harold Cashman
CLIENT PROJECT: Kris' Mini Mart

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 7402 - Water by NWTPH-GX

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range - BS	NWTPH-GX	74.6			11/18/2013	DLC
TPH-Volatile Range - BSD	NWTPH-GX	76.2	2		11/18/2013	DLC

ALS Test Batch ID: 7402 - Water by EPA-8021

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Methyl T-Butyl Ether - BS	EPA-8021	90.1			11/18/2013	DLC
Methyl T-Butyl Ether - BSD	EPA-8021	91.5	2		11/18/2013	DLC
Benzene - BS	EPA-8021	87.7			11/18/2013	DLC
Benzene - BSD	EPA-8021	93.8	7		11/18/2013	DLC
Toluene - BS	EPA-8021	88.7			11/18/2013	DLC
Toluene - BSD	EPA-8021	94.4	6		11/18/2013	DLC
Ethylbenzene - BS	EPA-8021	88.5			11/18/2013	DLC
Ethylbenzene - BSD	EPA-8021	94.5	7		11/18/2013	DLC
Xylenes - BS	EPA-8021	90.5			11/18/2013	DLC
Xylenes - BSD	EPA-8021	96.0	6		11/18/2013	DLC

ALS Test Batch ID: 7400 - Water by NWTPH-DX

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
TPH-Diesel Range - BS	NWTPH-DX	85.0			11/20/2013	EBS
TPH-Diesel Range - BSD	NWTPH-DX	90.7	6		11/20/2013	EBS

ALS Test Batch ID: 7390 - Water by EPA-8260 SIM

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene - BS	EPA-8260 SIM	109			11/14/2013	GAP
1,1-Dichloroethene - BSD	EPA-8260 SIM	106	3		11/14/2013	GAP

ALS Test Batch ID: 7388 - Water by EPA-200.8

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Lead (Dissolved) - BS	EPA-200.8	95.7			11/18/2013	RAL
Lead (Dissolved) - BSD	EPA-200.8	95.2	0		11/18/2013	RAL

CERTIFICATE OF ANALYSIS

APPROVED BY



Laboratory Director



ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EV13110099

Date 11/14/13 Page 1 of 1

PROJECT ID: KRIS' MINI MART					ANALYSIS REQUESTED										OTHER (Specify)							
REPORT TO COMPANY: WHATCOM ENVIRONMENTAL SERVICES					<input type="checkbox"/> NWTPH-HCID <input type="checkbox"/> NWTPH-DX <input type="checkbox"/> NWTPH-GX <input type="checkbox"/> BTEX by EPA-8021 <input type="checkbox"/> MTBE by EPA-8021 <input type="checkbox"/> EPA-8260 <input type="checkbox"/> Halogenated Volatiles by EPA 8260 <input type="checkbox"/> Volatile Organic Compounds by EPA 8260 <input type="checkbox"/> EOB / EDC by EPA 8260 SIM (water) <input type="checkbox"/> EDB / EDC by EPA 8260 (soil) <input type="checkbox"/> Semivolatile Organic Compounds by EPA 8270 <input type="checkbox"/> Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM <input type="checkbox"/> PCB <input type="checkbox"/> Pesticides <input type="checkbox"/> by EPA 8081/8082 <input type="checkbox"/> Metals-MTCA-5 <input type="checkbox"/> RCRA-8 <input type="checkbox"/> Pri Pol <input type="checkbox"/> TAL <input type="checkbox"/> Metals Other (Specify) LEAD (Pb), Dissolved <input type="checkbox"/> TCLP-Metals <input type="checkbox"/> VOAI <input type="checkbox"/> Semi-Vol <input type="checkbox"/> Pest <input type="checkbox"/> Herbs																	
PROJECT MANAGER: HAROLD CASHMAN																						
ADDRESS: 228 E. CHAMPION ST #101																						
BELLINGHAM, WA 98225																						
PHONE: (360) 752-9571 FAX:																						
P.O. #: E-MAIL:																						
INVOICE TO COMPANY: COLONY INSURANCE																						
ATTENTION: MATT MILLER (ANTEX)																						
ADDRESS: CLAIM # 194567																						
SAMPLE I.D.	DATE	TIME	TYPE	LAB#	NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 <input type="checkbox"/> EPA-8260	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EOB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM	PCB <input type="checkbox"/> Pesticides <input type="checkbox"/> by EPA 8081/8082	Metals-MTCA-5 <input type="checkbox"/> RCRA-8 <input type="checkbox"/> Pri Pol <input type="checkbox"/> TAL	Metals Other (Specify) LEAD (Pb), Dissolved	TCLP-Metals <input type="checkbox"/> VOAI <input type="checkbox"/> Semi-Vol <input type="checkbox"/> Pest <input type="checkbox"/> Herbs <input type="checkbox"/>	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?	
1. MW-8	11/14/13	11:55	WATER	1	X	X	X	X			X							X		6		
2. MW-9	11/14/13	12:00	WATER	2	X	X	X	X			X							X		6		
3. MW-10	11/14/13	11:50		3	X	X	X	X			X								X		6	
4. MW-11	11/14/13	12:45		4	X	X	X	X			X								X		6	
5. MW-12	11/14/13	1:45		5	X	X	X	X			X								X		6	
6. MW-13	11/14/13	1:25		6	X	X	X	X			X								X		6	
7. MW-14	11/14/13	2:15		7	X	X	X	X			X								X		6	
8. MW-15	11/14/13	12:00		8	X	X	X	X			X								X		6	
9. MW-16	11/14/13	1:05		9	X	X	X	X			X								X		5	
10.	11/14/13																					

LABORATORY COPY

SPECIAL INSTRUCTIONS: ALL METALS SAMPLE BOTTLES WERE FILTERED IN THE FIELD.

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: Don [Signature], WES, 11/14/13, 3:00

Received By: _____

2. Relinquished By: _____

Received By: Shawn [Signature] ALS 11/15/13 2:20

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis

Standard 5 3 2 1 SAME DAY

OTHER: _____

Specify: _____

Fuels & Hydrocarbon Analysis

Standard 3 1 SAME DAY

* Turnaround request less than standard may incur Rush Charges



February 19, 2014

Mr. Harold Cashman
Whatcom Environmental Svcs., Inc.
228 E. Champion St., Suite 101
Bellingham, WA 98225

Dear Mr. Cashman,

On February 11th, 9 samples were received by our laboratory and assigned our laboratory project number EV14020039. The project was identified as your Kris Mini Mart. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
 228 E. Champion St., Suite 101
 Bellingham, WA 98225

CLIENT CONTACT: Harold Cashman
 CLIENT PROJECT: Kris Mini Mart
 CLIENT SAMPLE ID: MW-8


DATE: 2/19/2014
 ALS JOB#: EV14020039
 ALS SAMPLE#: -01
 DATE RECEIVED: 2/11/2014
 COLLECTION DATE: 2/6/2014 11:10:00 AM
 WDOE ACCREDITATION: C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	1700	250	5	UG/L	02/13/2014	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	02/13/2014	DLC
Benzene	EPA-8021	46	1.0	1	UG/L	02/13/2014	DLC
Toluene	EPA-8021	24	1.0	1	UG/L	02/13/2014	DLC
Ethylbenzene	EPA-8021	3.4	1.0	1	UG/L	02/13/2014	DLC
Xylenes	EPA-8021	12	3.0	1	UG/L	02/13/2014	DLC
TPH-Diesel Range	NWTPH-DX	160	130	1	UG/L	02/12/2014	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	02/12/2014	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	02/14/2014	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	02/14/2014	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	02/17/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT 5X Dilution	NWTPH-GX	125	02/13/2014	DLC
TFT	EPA-8021	147 GS3	02/13/2014	DLC
C25	NWTPH-DX	109	02/12/2014	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	97.8	02/14/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 GS3 - Surrogate outside of control limits due to coeluting compounds.
 Chromatogram indicates that it is likely that sample contains weathered gasoline and an unidentified diesel range product.
 Diesel range product results biased high due to gasoline range product overlap.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	2/19/2014
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV14020039
CLIENT PROJECT:	Kris Mini Mart	ALS SAMPLE#:	-02
CLIENT SAMPLE ID	MW-9	DATE RECEIVED:	2/11/2014
		COLLECTION DATE:	2/6/2014 12:10:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	800	50	1	UG/L	02/13/2014	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	02/13/2014	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	02/13/2014	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	02/13/2014	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	02/13/2014	DLC
Xylenes	EPA-8021	7.8	3.0	1	UG/L	02/13/2014	DLC
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	02/12/2014	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	02/12/2014	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	02/14/2014	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	02/14/2014	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	02/17/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	123	02/13/2014	DLC
TFT	EPA-8021	120	02/13/2014	DLC
C25	NWTPH-DX	119	02/12/2014	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	99.2	02/14/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains highly weathered gasoline.



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
 228 E. Champion St., Suite 101
 Bellingham, WA 98225

CLIENT CONTACT: Harold Cashman
 CLIENT PROJECT: Kris Mini Mart
 CLIENT SAMPLE ID: MW-11

DATE: 2/19/2014
 ALS JOB#: EV14020039
 ALS SAMPLE#: -03
 DATE RECEIVED: 2/11/2014
 COLLECTION DATE: 2/6/2014 2:15:00 PM
 WDOE ACCREDITATION: C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	34000	1200	25	UG/L	02/13/2014	DLC
Methyl T-Butyl Ether	EPA-8021	U	75	25	UG/L	02/13/2014	DLC
Benzene	EPA-8021	U	25	25	UG/L	02/13/2014	DLC
Toluene	EPA-8021	1600	25	25	UG/L	02/13/2014	DLC
Ethylbenzene	EPA-8021	660	25	25	UG/L	02/13/2014	DLC
Xylenes	EPA-8021	6800	75	25	UG/L	02/13/2014	DLC
TPH-Diesel Range	NWTPH-DX	2500	130	1	UG/L	02/12/2014	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	02/12/2014	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	02/14/2014	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	02/14/2014	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	02/17/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT 25X Dilution	NWTPH-GX	118	02/13/2014	DLC
TFT 25X Dilution	EPA-8021	117	02/13/2014	DLC
C25	NWTPH-DX	120	02/12/2014	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	97.1	02/14/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains weathered gasoline and an unidentified diesel range product.
 Diesel range product results biased high due to gasoline range product overlap.



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
 228 E. Champion St., Suite 101
 Bellingham, WA 98225

CLIENT CONTACT: Harold Cashman
 CLIENT PROJECT: Kris Mini Mart
 CLIENT SAMPLE ID: MW-12

DATE: 2/19/2014
 ALS JOB#: EV14020039
 ALS SAMPLE#: -04
 DATE RECEIVED: 2/11/2014
 COLLECTION DATE: 2/6/2014 1:15:00 PM
 WDOE ACCREDITATION: C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	14000	500	10	UG/L	02/13/2014	DLC
Methyl T-Butyl Ether	EPA-8021	U	30	10	UG/L	02/13/2014	DLC
Benzene	EPA-8021	U	10	10	UG/L	02/13/2014	DLC
Toluene	EPA-8021	310	10	10	UG/L	02/13/2014	DLC
Ethylbenzene	EPA-8021	130	10	10	UG/L	02/13/2014	DLC
Xylenes	EPA-8021	2800	30	10	UG/L	02/13/2014	DLC
TPH-Diesel Range	NWTPH-DX	2800	130	1	UG/L	02/12/2014	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	02/12/2014	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	02/14/2014	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	02/14/2014	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	02/17/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT 10X Dilution	NWTPH-GX	107	02/13/2014	DLC
TFT 10X Dilution	EPA-8021	102	02/13/2014	DLC
C25	NWTPH-DX	123	02/12/2014	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	97.7	02/14/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains weathered gasoline and an unidentified diesel range product.
 Diesel range product results biased high due to gasoline range product overlap.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	2/19/2014
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV14020039
CLIENT PROJECT:	Kris Mini Mart	ALS SAMPLE#:	-05
CLIENT SAMPLE ID	MW-10	DATE RECEIVED:	2/11/2014
		COLLECTION DATE:	2/6/2014 3:20:00 PM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	6300	250	5	UG/L	02/13/2014	DLC
Methyl T-Butyl Ether	EPA-8021	U	15	5	UG/L	02/13/2014	DLC
Benzene	EPA-8021	U	5.0	5	UG/L	02/13/2014	DLC
Toluene	EPA-8021	510	5.0	5	UG/L	02/13/2014	DLC
Ethylbenzene	EPA-8021	60	5.0	5	UG/L	02/13/2014	DLC
Xylenes	EPA-8021	1000	15	5	UG/L	02/13/2014	DLC
TPH-Diesel Range	NWTPH-DX	270	130	1	UG/L	02/12/2014	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	02/12/2014	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	02/14/2014	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	02/14/2014	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	02/17/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT 5X Dilution	NWTPH-GX	99.7	02/13/2014	DLC
TFT 5X Dilution	EPA-8021	97.1	02/13/2014	DLC
C25	NWTPH-DX	104	02/12/2014	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	98.3	02/14/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains weathered gasoline and an unidentified diesel range product.
 Diesel range product results biased high due to gasoline range product overlap.



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
 228 E. Champion St., Suite 101
 Bellingham, WA 98225

CLIENT CONTACT: Harold Cashman
 CLIENT PROJECT: Kris Mini Mart
 CLIENT SAMPLE ID: MW-15


DATE: 2/19/2014
 ALS JOB#: EV14020039
 ALS SAMPLE#: -06
 DATE RECEIVED: 2/11/2014
 COLLECTION DATE: 2/6/2014 12:40:00 PM
 WDOE ACCREDITATION: C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	12000	500	10	UG/L	02/13/2014	DLC
Methyl T-Butyl Ether	EPA-8021	U	30	10	UG/L	02/13/2014	DLC
Benzene	EPA-8021	U	10	10	UG/L	02/13/2014	DLC
Toluene	EPA-8021	250	10	10	UG/L	02/13/2014	DLC
Ethylbenzene	EPA-8021	110	10	10	UG/L	02/13/2014	DLC
Xylenes	EPA-8021	2400	30	10	UG/L	02/13/2014	DLC
TPH-Diesel Range	NWTPH-DX	2200	130	1	UG/L	02/12/2014	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	02/12/2014	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	02/14/2014	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	02/14/2014	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	02/17/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT 10X Dilution	NWTPH-GX	122	02/13/2014	DLC
TFT 10X Dilution	EPA-8021	113	02/13/2014	DLC
C25	NWTPH-DX	103	02/12/2014	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	97.2	02/14/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains weathered gasoline and an unidentified diesel range product.
 Diesel range product results biased high due to gasoline range product overlap.



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
 228 E. Champion St., Suite 101
 Bellingham, WA 98225

CLIENT CONTACT: Harold Cashman
 CLIENT PROJECT: Kris Mini Mart
 CLIENT SAMPLE ID: MW-16


DATE: 2/19/2014
 ALS JOB#: EV14020039
 ALS SAMPLE#: -07
 DATE RECEIVED: 2/11/2014
 COLLECTION DATE: 2/6/2014 2:45:00 PM
 WDOE ACCREDITATION: C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	02/13/2014	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	02/13/2014	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	02/13/2014	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	02/13/2014	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	02/13/2014	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	02/13/2014	DLC
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	02/12/2014	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	02/12/2014	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	02/14/2014	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	02/14/2014	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	02/17/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	99.3	02/13/2014	DLC
TFT	EPA-8021	96.9	02/13/2014	DLC
C25	NWTPH-DX	103	02/12/2014	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	97.2	02/14/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	2/19/2014
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV14020039
CLIENT PROJECT:	Kris Mini Mart	ALS SAMPLE#:	-08
CLIENT SAMPLE ID	MW-13	DATE RECEIVED:	2/11/2014
		COLLECTION DATE:	2/7/2014 10:15:00 AM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	81	50	1	UG/L	02/13/2014	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	02/13/2014	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	02/13/2014	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	02/13/2014	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	02/13/2014	DLC
Xylenes	EPA-8021	10	3.0	1	UG/L	02/13/2014	DLC
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	02/12/2014	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	02/12/2014	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	02/14/2014	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	02/14/2014	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	02/17/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	80.9	02/13/2014	DLC
TFT	EPA-8021	77.1	02/13/2014	DLC
C25	NWTPH-DX	84.1	02/12/2014	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	101	02/14/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains highly weathered gasoline.



CERTIFICATE OF ANALYSIS

CLIENT:	Whatcom Environmental Svcs., Inc. 228 E. Champion St., Suite 101 Bellingham, WA 98225	DATE:	2/19/2014
CLIENT CONTACT:	Harold Cashman	ALS JOB#:	EV14020039
CLIENT PROJECT:	Kris Mini Mart	ALS SAMPLE#:	-09
CLIENT SAMPLE ID	MW-14	DATE RECEIVED:	2/11/2014
		COLLECTION DATE:	2/7/2014 11:10:00 AM
		WDOE ACCREDITATION:	C601

DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	02/13/2014	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	02/13/2014	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	02/13/2014	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	02/13/2014	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	02/13/2014	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	02/13/2014	DLC
TPH-Diesel Range	NWTPH-DX	470	130	1	UG/L	02/13/2014	EBS
TPH-Oil Range	NWTPH-DX	550	250	1	UG/L	02/13/2014	EBS
1,2-Dichloroethane	EPA-8260 SIM	U	0.020	1	UG/L	02/14/2014	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	02/14/2014	GAP
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	02/17/2014	RAL

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	83.6	02/13/2014	DLC
TFT	EPA-8021	79.0	02/13/2014	DLC
C25	NWTPH-DX	85.1	02/13/2014	EBS
1,2-Dichloroethane-d4	EPA-8260 SIM	101	02/14/2014	GAP

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains light oil/lube oil.



CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc. **DATE:** 2/19/2014
 228 E. Champion St., Suite 101 **ALS SDG#:** EV14020039
 Bellingham, WA 98225 **WDOE ACCREDITATION:** C601
CLIENT CONTACT: Harold Cashman
CLIENT PROJECT: Kris Mini Mart

LABORATORY BLANK RESULTS

MB-020714W - Batch 7612 - Water by NWTPH-GX

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	UG/L	02/07/2014	DLC

MB-020714W - Batch 7612 - Water by EPA-8021

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	UG/L	02/07/2014	DLC
Benzene	EPA-8021	U	1.0	1	UG/L	02/07/2014	DLC
Toluene	EPA-8021	U	1.0	1	UG/L	02/07/2014	DLC
Ethylbenzene	EPA-8021	U	1.0	1	UG/L	02/07/2014	DLC
Xylenes	EPA-8021	U	3.0	1	UG/L	02/07/2014	DLC

MB-021214W - Batch 7621 - Water by NWTPH-DX

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Diesel Range	NWTPH-DX	U	130	1	UG/L	02/12/2014	EBS
TPH-Oil Range	NWTPH-DX	U	250	1	UG/L	02/12/2014	EBS

MB-021414W - Batch 7627 - Water by EPA-8260 SIM

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
1,1-Dichloroethene	EPA-8260 SIM	U	0.020	1	UG/L	02/14/2014	GAP
1,2-Dichloroethane	EPA-8260 SIM	U	0.10	1	UG/L	02/14/2014	GAP
1,2-Dibromoethane	EPA-8260 SIM	U	0.010	1	UG/L	02/14/2014	GAP

MB-021314W - Batch 7623 - Water by EPA-200.8

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Lead (Dissolved)	EPA-200.8	U	1.0	1	UG/L	02/17/2014	RAL



ALS Environmental

CERTIFICATE OF ANALYSIS

CLIENT: Whatcom Environmental Svcs., Inc.
228 E. Champion St., Suite 101
Bellingham, WA 98225

DATE: 2/19/2014
ALS SDG#: EV14020039
WDOE ACCREDITATION: C601

CLIENT CONTACT: Harold Cashman
CLIENT PROJECT: Kris Mini Mart

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 7612 - Water by NWTPH-GX

Table with 7 columns: SPIKED COMPOUND, METHOD, %REC, RPD, QUAL, ANALYSIS DATE, ANALYSIS BY. Rows include TPH-Volatile Range - BS and TPH-Volatile Range - BSD.

ALS Test Batch ID: 7612 - Water by EPA-8021

Table with 7 columns: SPIKED COMPOUND, METHOD, %REC, RPD, QUAL, ANALYSIS DATE, ANALYSIS BY. Rows include Methyl T-Butyl Ether - BS, Benzene - BS, Toluene - BS, Ethylbenzene - BS, and Xylenes - BS.

ALS Test Batch ID: 7621 - Water by NWTPH-DX

Table with 7 columns: SPIKED COMPOUND, METHOD, %REC, RPD, QUAL, ANALYSIS DATE, ANALYSIS BY. Rows include TPH-Diesel Range - BS and TPH-Diesel Range - BSD.

ALS Test Batch ID: 7627 - Water by EPA-8260 SIM

Table with 7 columns: SPIKED COMPOUND, METHOD, %REC, RPD, QUAL, ANALYSIS DATE, ANALYSIS BY. Rows include 1,1-Dichloroethene - BS and 1,1-Dichloroethene - BSD.

ALS Test Batch ID: 7623 - Water by EPA-200.8

Table with 7 columns: SPIKED COMPOUND, METHOD, %REC, RPD, QUAL, ANALYSIS DATE, ANALYSIS BY. Rows include Lead (Dissolved) - BS and Lead (Dissolved) - BSD.

CERTIFICATE OF ANALYSIS

APPROVED BY



Laboratory Director



ALS Environmental
 8620 Holly Drive, Suite 100
 Everett, WA 98208
 Phone (425) 356-2600
 Fax (425) 356-2626
 http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EV14020039

Date 2/10/14 Page 1 Of 1

PROJECT ID: <u>Kris Mini Mart</u>					ANALYSIS REQUESTED												OTHER (Specify)					
REPORT TO COMPANY: <u>Whitcom Environmental Services</u>					<input type="checkbox"/> NWTPH-HCID <input type="checkbox"/> NWTPH-DX <input type="checkbox"/> NWTPH-GX <input type="checkbox"/> BTEX by EPA-8021 <input type="checkbox"/> MTBE by EPA-8021 <input type="checkbox"/> EPA-8260 <input type="checkbox"/> Halogenated Volatiles by EPA 8260 <input type="checkbox"/> Volatile Organic Compounds by EPA 8260 <input type="checkbox"/> EDB / EDC by EPA 8260 SIM (water) <input type="checkbox"/> EDB / EDC by EPA 8260 (soil) <input type="checkbox"/> Semivolatile Organic Compounds by EPA 8270 <input type="checkbox"/> Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM <input type="checkbox"/> PCB <input type="checkbox"/> Pesticides <input type="checkbox"/> by EPA 8081/8082 <input type="checkbox"/> Metals-MTCA-5 <input type="checkbox"/> RCRA-8 <input type="checkbox"/> Pri Pol <input type="checkbox"/> TAL <input type="checkbox"/> Metals Other (Specify) <u>Pb</u> <input type="checkbox"/> TCLP-Metals <input type="checkbox"/> VOA <input type="checkbox"/> Semi-Vol <input type="checkbox"/> Pest <input type="checkbox"/> Herbs																	
PROJECT MANAGER: <u>Harold Cashman</u>																						
ADDRESS: <u>229 E. Champion St. #101 Bellingham, WA 98225</u>																						
PHONE: <u>360-752-9571</u> FAX: <u>360-752-9573</u>																						
R.O. #: _____ E-MAIL: <u>hycashman@whitcom...</u>																						
INVOICE TO COMPANY: <u>Colony Insurance</u>																						
ATTENTION: <u>40 Carol Lyber</u>																						
ADDRESS: <u>Claim# 194567</u>																						
SAMPLE I.D.	DATE	TIME	TYPE	LAB#		NWTPH-HCID	NWTPH-DX	NWTPH-GX	BTEX by EPA-8021	MTBE by EPA-8021 <input type="checkbox"/> EPA-8260	Halogenated Volatiles by EPA 8260	Volatile Organic Compounds by EPA 8260	EDB / EDC by EPA 8260 SIM (water)	EDB / EDC by EPA 8260 (soil)	Semivolatile Organic Compounds by EPA 8270	Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM	PCB <input type="checkbox"/> Pesticides <input type="checkbox"/> by EPA 8081/8082	Metals-MTCA-5 <input type="checkbox"/> RCRA-8 <input type="checkbox"/> Pri Pol <input type="checkbox"/> TAL	Metals Other (Specify) <u>Pb</u>	TCLP-Metals <input type="checkbox"/> VOA <input type="checkbox"/> Semi-Vol <input type="checkbox"/> Pest <input type="checkbox"/> Herbs <input type="checkbox"/>	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?
1. <u>MW-8</u>	<u>2/6/14</u>	<u>11:10</u>	<u>water</u>	<u>1</u>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>		<u>6</u>	
2. <u>MW-9</u>	}	<u>12:10</u>	}	<u>2</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>		<u>6</u>		
3. <u>MW-11</u>		<u>2:15</u>		<u>3</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>		<u>6</u>	
4. <u>MW-12</u>		<u>1:15</u>		<u>4</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>		<u>6</u>	
5. <u>MW-10</u>		<u>3:20</u>		<u>5</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>		<u>6</u>	
6. <u>MW-15</u>		<u>12:40</u>		<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>		<u>6</u>	
7. <u>MW-16</u>	}	<u>2:45</u>	}	<u>7</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>		<u>6</u>		
8. <u>MW-13</u>		<u>2/7/14</u>		<u>10:15</u>	<u>8</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>		<u>6</u>	
9. <u>MW-14</u>		<u>11:10</u>		<u>9</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>		<u>6</u>	
10.																						

SPECIAL INSTRUCTIONS Lead samples were field filtered.

SIGNATURES (Name, Company, Date, Time):
 1. Relinquished By: John Lyber, WES, 2/10/14, 9AM
 Received By: [Signature] ALS 2/11/14 2:25
 2. Relinquished By: _____
 Received By: _____

TURNAROUND REQUESTED in Business Days*
 Organic, Metals & Inorganic Analysis
 10 Standard 5 3 2 1 SAME DAY
 Fuels & Hydrocarbon Analysis
 5 Standard 3 1 SAME DAY

OTHER: _____
 Specify: _____

* Turnaround request less than standard may incur Rush Charges

APPENDIX H

Terrestrial Ecological Evaluation



Voluntary Cleanup Program

Washington State Department of Ecology
Toxics Cleanup Program

TERRESTRIAL ECOLOGICAL EVALUATION FORM

Under the Model Toxics Control Act (MTCA), a terrestrial ecological evaluation is necessary if hazardous substances are released into the soils at a Site. In the event of such a release, you must take one of the following three actions as part of your investigation and cleanup of the Site:

1. Document an exclusion from further evaluation using the criteria in WAC 173-340-7491.
2. Conduct a simplified evaluation as set forth in WAC 173-340-7492.
3. Conduct a site-specific evaluation as set forth in WAC 173-340-7493.

When requesting a written opinion under the Voluntary Cleanup Program (VCP), you must complete this form and submit it to the Department of Ecology (Ecology). The form documents the type and results of your evaluation.

Completion of this form is not sufficient to document your evaluation. You still need to document your analysis and the basis for your conclusion in your cleanup plan or report.

If you have questions about how to conduct a terrestrial ecological evaluation, please contact the Ecology site manager assigned to your Site. For additional guidance, please refer to www.ecy.wa.gov/programs/tcp/policies/terrestrial/TEEHome.htm.

Step 1: IDENTIFY HAZARDOUS WASTE SITE	
Please identify below the hazardous waste site for which you are documenting an evaluation.	
Facility/Site Name: Kris's Mini Mart	
Facility/Site Address: 6000 Portal Way, Ferndale, WA	
Facility/Site No: 96443724	VCP Project No.:

Step 2: IDENTIFY EVALUATOR		
Please identify below the person who conducted the evaluation and their contact information.		
Name: Aimee Schimelfenig	Title: Environmental Scientist	
Organization: Whatcom Environmental Services		
Mailing address: 228 E Champion St		
City: Bellingham	State: WA	Zip code: 98225
Phone: 360-752-9571	Fax: 360-752-9571	E-mail: aschimelfenig@whatcomenvironmental.com

Step 3: DOCUMENT EVALUATION TYPE AND RESULTS

A. Exclusion from further evaluation.

1. Does the Site qualify for an exclusion from further evaluation?

- Yes *If you answered "YES," then answer Question 2.*
- No or Unknown *If you answered "NO" or "UNKNOWN," then skip to Step 3B of this form.*

2. What is the basis for the exclusion? Check all that apply. Then skip to Step 4 of this form.

Point of Compliance: WAC 173-340-7491(1)(a)

- All soil contamination is, or will be,* at least 15 feet below the surface.
- All soil contamination is, or will be,* at least 6 feet below the surface (or alternative depth if approved by Ecology), and institutional controls are used to manage remaining contamination.

Barriers to Exposure: WAC 173-340-7491(1)(b)

- All contaminated soil, is or will be,* covered by physical barriers (such as buildings or paved roads) that prevent exposure to plants and wildlife, and institutional controls are used to manage remaining contamination.

Undeveloped Land: WAC 173-340-7491(1)(c)

- There is less than 0.25 acres of contiguous# undeveloped‡ land on or within 500 feet of any area of the Site and any of the following chemicals is present: chlorinated dioxins or furans, PCB mixtures, DDT, DDE, DDD, aldrin, chlordane, dieldrin, endosulfan, endrin, heptachlor, heptachlor epoxide, benzene hexachloride, toxaphene, hexachlorobenzene, pentachlorophenol, or pentachlorobenzene.
- For sites not containing any of the chemicals mentioned above, there is less than 1.5 acres of contiguous# undeveloped‡ land on or within 500 feet of any area of the Site.

Background Concentrations: WAC 173-340-7491(1)(d)

- Concentrations of hazardous substances in soil do not exceed natural background levels as described in WAC 173-340-200 and 173-340-709.

* An exclusion based on future land use must have a completion date for future development that is acceptable to Ecology.

‡ "Undeveloped land" is land that is not covered by building, roads, paved areas, or other barriers that would prevent wildlife from feeding on plants, earthworms, insects, or other food in or on the soil.

"Contiguous" undeveloped land is an area of undeveloped land that is not divided into smaller areas of highways, extensive paving, or similar structures that are likely to reduce the potential use of the overall area by wildlife.

B. Simplified evaluation.

1. Does the Site qualify for a simplified evaluation?

- Yes *If you answered "YES," then answer **Question 2** below.*
- No or Unknown *If you answered "NO" or "UNKNOWN," then skip to **Step 3C** of this form.*

2. Did you conduct a simplified evaluation?

- Yes *If you answered "YES," then answer **Question 3** below.*
- No *If you answered "NO," then skip to **Step 3C** of this form.*

3. Was further evaluation necessary?

- Yes *If you answered "YES," then answer **Question 4** below.*
- No *If you answered "NO," then answer **Question 5** below.*

4. If further evaluation was necessary, what did you do?

- Used the concentrations listed in Table 749-2 as cleanup levels. *If so, then skip to **Step 4** of this form.*
- Conducted a site-specific evaluation. *If so, then skip to **Step 3C** of this form.*

5. If no further evaluation was necessary, what was the reason? Check all that apply. Then skip to **Step 4 of this form.**

Exposure Analysis: WAC 173-340-7492(2)(a)

- Area of soil contamination at the Site is not more than 350 square feet.
- Current or planned land use makes wildlife exposure unlikely. Used Table 749-1.

Pathway Analysis: WAC 173-340-7492(2)(b)

- No potential exposure pathways from soil contamination to ecological receptors.

Contaminant Analysis: WAC 173-340-7492(2)(c)

- No contaminant listed in Table 749-2 is, or will be, present in the upper 15 feet at concentrations that exceed the values listed in Table 749-2.
- No contaminant listed in Table 749-2 is, or will be, present in the upper 6 feet (or alternative depth if approved by Ecology) at concentrations that exceed the values listed in Table 749-2, and institutional controls are used to manage remaining contamination.
- No contaminant listed in Table 749-2 is, or will be, present in the upper 15 feet at concentrations likely to be toxic or have the potential to bioaccumulate as determined using Ecology-approved bioassays.
- No contaminant listed in Table 749-2 is, or will be, present in the upper 6 feet (or alternative depth if approved by Ecology) at concentrations likely to be toxic or have the potential to bioaccumulate as determined using Ecology-approved bioassays, and institutional controls are used to manage remaining contamination.

C. Site-specific evaluation. A site-specific evaluation process consists of two parts: (1) formulating the problem, and (2) selecting the methods for addressing the identified problem. Both steps require consultation with and approval by Ecology. See WAC 173-340-7493(1)(c).

1. Was there a problem? See WAC 173-340-7493(2).

- Yes *If you answered "YES," then answer **Question 2** below.*
- No *If you answered "NO," then identify the reason here and then skip to **Question 5** below:*
- No issues were identified during the problem formulation step.
 - While issues were identified, those issues were addressed by the cleanup actions for protecting human health.

2. What did you do to resolve the problem? See WAC 173-340-7493(3).

- Used the concentrations listed in Table 749-3 as cleanup levels. *If so, then skip to **Question 5** below.*
- Used one or more of the methods listed in WAC 173-340-7493(3) to evaluate and address the identified problem. *If so, then answer **Questions 3 and 4** below.*

3. If you conducted further site-specific evaluations, what methods did you use?
Check all that apply. See WAC 173-340-7493(3).

- Literature surveys.
- Soil bioassays.
- Wildlife exposure model.
- Biomarkers.
- Site-specific field studies.
- Weight of evidence.
- Other methods approved by Ecology. *If so, please specify:*

4. What was the result of those evaluations?

- Confirmed there was no problem.
- Confirmed there was a problem and established site-specific cleanup levels.

5. Have you already obtained Ecology's approval of both your problem formulation and problem resolution steps?

- Yes *If so, please identify the Ecology staff who approved those steps:*
- No

Step 4: SUBMITTAL

Please mail your completed form to the Ecology site manager assigned to your Site. If a site manager has not yet been assigned, please mail your completed form to the Ecology regional office for the County in which your Site is located.



Northwest Region: Attn: VCP Coordinator 3190 160 th Ave. SE Bellevue, WA 98008-5452	Central Region: Attn: VCP Coordinator 15 W. Yakima Ave., Suite 200 Yakima, WA 98902
Southwest Region: Attn: VCP Coordinator P.O. Box 47775 Olympia, WA 98504-7775	Eastern Region: Attn: VCP Coordinator N. 4601 Monroe Spokane WA 99205-1295

If you need this publication in an alternate format, please call the Toxics Cleanup Program at 360-407-7170. Persons with hearing loss can call 711 for Washington Relay Service. Persons with a speech disability can call 877-833-6341.

Terrestrial Ecological Evaluation Process- Simplified or Site-Specific Evaluation?

Documentation Form

	Terrestrial Concern	Response (Circle One)
*1	Is the site is located on or directly adjacent to an area where management or land use plans will maintain or restore <u>native or semi-native vegetation</u> ?	Yes / <input type="radio"/> No
*2a	Is the site used by a <u>threatened or endangered species</u> ?	Yes / <input type="radio"/> No
*2b	Is the site used by a <u>wildlife species classified by the state department of fish and wildlife as a "priority species" or "species of concern" under Title 77 RCW?</u>	Yes / <input type="radio"/> No
*2c	Is the site used by a <u>plant species classified by the Washington state department of Natural Resources natural heritage program as "endangered," "threatened," or "sensitive" under Title 79 RCW.</u>	Yes / <input type="radio"/> No
*3	Is the site (area where the contamination is located) located on a property that contains at least ten acres of <u>native vegetation</u> within 500 feet of the area where the contamination is located?	Yes / <input type="radio"/> No
4	Has the department determined that the site may present a risk to significant wildlife populations?	Yes / <input type="radio"/> No

*1 This includes for example, green-belts, protected wetlands, forestlands, locally designated environmentally sensitive areas, open space areas managed for wildlife, and some parks or outdoor recreation areas. This does not include park areas used for intensive sport activities such as baseball or football.

*2a What are the threatened or endangered species in Washington state?

*2b Which plant species are classified as threatened, endangered, or sensitive? Where can I find out more information about this topic?

*2c For plants, "used" means that a plant species grows at the site or has been found growing at the site. For animals, "used" means that individuals of a species have been observed to live, feed or breed at the site.

*3 For this analysis, do not include native vegetation beyond the property boundary.

The following sources shall be used in making this determination: Natural Vegetation of Oregon and Washington, J.F. Franklin and C.T. Dyrness, Oregon State University Press, 1988, and L.C. Hitchcock, C.L. Hitchcock, J.W. Thompson and A. Cronquist, 1955-1969, Vascular Plants of the Pacific Northwest(5 volumes). Areas planted with native species for ornamental or landscaping purposes shall not be considered to be native vegetation. [WAC 173-340-7491(2)(c)(i)]

(Here's a link to the Seattle Public Library and the Washington State Library to borrow a copy of Natural Vegetation of Oregon and Washington, J.F. Franklin and C.T. Dyrness, Oregon State University Press, 1988, or you may purchase it through your favorite bookseller. Here's an additional link to a useful online Field Guide to Selected Rare Plants of Washington developed by the Washington State Department of Natural Resources' Natural Heritage Program (WNHP) and the Spokane District of the U.S.D.I. Bureau of Land Management (BLM) which contains fact sheets for 139 vascular plant species and one lichen species.

Here is an aid to calculating area and an aerial photo depicting a site, its 500 foot boundary and several labeled circles identifying various areas for reference in judging the area of native vegetation within the 500 foot radius.

5

[Exclusions Main] [TEE Definitions] [Simplified or Site-Specific?] [Simplified Ecological Evaluation] [Site-Specific Ecological Evaluation] [WAC 173-340-7493]
[Index of Tables]
[TEE Home]

Table 749-1

Simplified Terrestrial Ecological Evaluation-Exposure Analysis Procedure

Estimate the area of contiguous (connected) undeveloped land on the site or within 500 feet of any area of the site to the nearest 1/2 acre (1/4 acre if the area is less than 0.5 acre).																						
1) From the table below, find the number of points corresponding to the area and enter this number in the field to the right.																						
	<table border="1"> <thead> <tr> <th>Area (acres)</th> <th>Points</th> </tr> </thead> <tbody> <tr><td>0.25 or less</td><td>4</td></tr> <tr><td>0.5</td><td>5</td></tr> <tr><td>1.0</td><td>6</td></tr> <tr><td>1.5</td><td>7</td></tr> <tr><td>2.0</td><td>8</td></tr> <tr><td>2.5</td><td>9</td></tr> <tr><td>3.0</td><td>10</td></tr> <tr><td>3.5</td><td>11</td></tr> <tr><td>4.0 or more</td><td>12</td></tr> </tbody> </table>	Area (acres)	Points	0.25 or less	4	0.5	5	1.0	6	1.5	7	2.0	8	2.5	9	3.0	10	3.5	11	4.0 or more	12	12
Area (acres)	Points																					
0.25 or less	4																					
0.5	5																					
1.0	6																					
1.5	7																					
2.0	8																					
2.5	9																					
3.0	10																					
3.5	11																					
4.0 or more	12																					
2) Is this an <u>industrial</u> or <u>commercial</u> property? If yes, enter a score of 3. If no, enter a score of 1		3																				
3) ^a Enter a score in the box to the right for the habitat quality of the site, using the following rating system ^b . High=1, Intermediate=2, Low=3		3																				
4) Is the undeveloped land likely to attract wildlife? If yes, enter a score of 1 in the box to the right. If no, enter a score of 2. ^e		1																				
5) Are there any of the following soil contaminants present: Chlorinated dioxins/furans, PCB mixtures, DDT, DDE, DDD, aldrin, chlordane, dieldrin, endosulfan, endrin, heptachlor, benzene hexachloride, toxaphene, hexachlorobenzene, pentachlorophenol, pentachlorobenzene? If yes, enter a score of 1 in the box to the right. If no, enter a score of 4.		4																				
6) Add the numbers in the boxes on lines 2-5 and enter this number in the box to the right. If this number is larger than the number in the box on line 1, the simplified evaluation may be ended.		11																				

Notes for Table 749-1

^a It is expected that this habitat evaluation will be undertaken by an experienced field biologist. If this is not the case, enter a conservative score of (1) for questions 3 and 4.

^b **Habitat rating system.** Rate the quality of the habitat as high, intermediate or low based on your professional judgment as a field biologist. The following are suggested factors to consider in making this evaluation:

Low: Early successional vegetative stands; vegetation predominantly noxious, nonnative, exotic plant species or weeds. Areas severely disturbed by human activity, including intensively cultivated croplands. Areas isolated from other habitat used by wildlife.

High: Area is ecologically significant for one or more of the following reasons: Late-successional native plant communities present; relatively high species diversity; used by an uncommon or rare species; priority habitat (as defined by the Washington Department of fish and Wildlife); part of a larger area of habitat where size or fragmentation may be important for the retention of some species.


Intermediate: Area does not rate as either high or low.

° Indicate "yes" if the area attracts wildlife or is likely to do so. Examples: Birds frequently visit the area to feed; evidence of high use b mammals (tracks, scat, etc.); habitat "island" in an industrial area; unusual features of an area that make it important for feeding animals; heavy use during seasonal migrations.


[\[Area Calculation Aid\]](#) [\[Aerial Photo with Area Designations\]](#) [\[TEE Table 749-1\]](#) [\[Index of Tables\]](#)

[\[Exclusions Main\]](#) [\[TEE Definitions\]](#) [\[Simplified or Site-Specific?\]](#) [\[Simplified Ecological Evaluation\]](#) [\[Site-Specific Ecological Evaluation\]](#) [\[WAC 173-340-7493\]](#)

[\[TEE Home\]](#)



All data are approximate and should be used for relative location reference only. 2011 Aerial Photograph (GoogleEarth).



- Subject Property
- 500 ft Buffer Zone
- TEE Contiguous Undeveloped Land

Prepared for:
Kris' Mini-Mart

Prepared by:
whatcom
ENVIRONMENTAL

Terrestrial Ecological Evaluation
Contiguous Undeveloped Land

Kris' Mini Mart
Name
12/17/13

Figure H-1