



QUARTERLY GROUNDWATER MONITORING REPORT

Second Quarter of 2015

Miller's Market

*Antea Group Project No. STCG-047-2
June 22, 2015*

RECEIVED

NOV 2 0 2015

TOXICS CLEANUP PROGRAM HQ
ADMINISTRATIVE

Prepared for:
Miller's Market
3152 Washington Way
Longview, WA 98632

Prepared by:
Antea Group
4006 148th Avenue NE
Redmond, WA 98052
800 477 7411



June 22, 2015

Mr. Mike Bauman
Miller's Market
3152 Washington Way
Longview, WA 98632

Subject: Quarterly Groundwater Monitoring Report- Second Quarter of 2015
Miller's Market
3152 Washington Way
Longview, Washington
Antea Project No. STCG-047-2
Colony Claim No. 21164

Dear Mr. Bauman:

Antea Group (Antea Group) has prepared this report to summarize groundwater monitoring performed at the above referenced site on May 13, 2015. A site location map is included on Figure 1.

GROUNDWATER SAMPLING AND ANALYSES

Before the May sampling event, Antea Group measured depth to water in monitoring wells MW-1, MW-3 through MW-8, and RW-1 using an electronic water level meter. Groundwater elevations (GWE) were recorded on waterproof field sheets and measured to an accuracy of 0.01 feet. Samples were withdrawn from wells MW-3 and MW-6 through MW-8 using a low-flow/ low-purge technique with a peristaltic pump. Field parameters of temperature, conductivity, dissolved oxygen, oxygen reduction potential (ORP), and pH were collected during low-flow/low-purge procedures. The samples were placed in the appropriate laboratory-provided containers. Samples were labeled, placed into ice filled coolers, logged onto chain-of-custody forms and transported to the laboratory. No separate-phase hydrocarbons were observed in any of the monitoring wells.

During the May groundwater sampling event, the groundwater flow direction was generally to the southeast at an approximate gradient of 0.010 feet/linear foot. A summary of current and historical groundwater elevations with natural attenuation parameters is included in Table 1. A site map showing well locations and groundwater elevations is included on Figure 2.

All Groundwater samples were submitted to ALS Laboratory Group in Everett, Washington. During the May event, samples from MW-3 and MW-6 through MW-8 were analyzed for total petroleum hydrocarbons in the gasoline



range (TPH-G) using Northwest Method NWTPH-Gx; and benzene, toluene, ethylbenzene, total xylenes (BTEX), and methyl-tert-butyl ether (MTBE) using USEPA Method 8021.

GROUNDWATER ANALYTICAL RESULTS

Analytical results indicate that concentrations of TPH-G were detected in the groundwater samples collected from wells MW-3 and MW-7 at 130 micrograms per liter (ug/L) and 62 ug/L, respectively. Neither of the detected concentrations exceeded the Washington State Department of Ecology's Model Toxics Control Act (MTCA) Method A cleanup levels. All other analytical results were below the laboratory reporting limits and MTCA Method A cleanup levels. A summary of current and historical groundwater analytical results are presented in Table 2. A site map, showing TPH-G, BTEX, and MTBE concentrations, is included on Figure 3. The analytical report and chain-of-custody documentation are presented as Appendix A.

SULFATE INJECTION

Sulfate injection was proposed as a remediation strategy to address the TPH-G and benzene impacts remaining at the site and commenced during the third quarter of 2012. During initial events, 150 gallons of 2% magnesium sulfate solution was injected into the injection trench (IT-1) after completion of groundwater sampling. Following repeated attempts of injecting sulfate into IT-1, it became apparent that sulfate was not migrating to well MW-3. Antea Group therefore began injecting a portion of the sulfate solution into well MW-3, in addition to the injection trench. Sulfate injections had been temporarily suspended following the May 2013 injection event. Though sulfate was not detected in the down gradient compliance well, it remained high in well MW-3. Antea Group received approval on the request to renew the UIC injection permit (#31710) and since sulfate concentrations in well MW-3 decreased, injections resumed during the third and into the fourth quarters of 2013. No injections have occurred since 2013.

REMARKS

The recommendations contained in this report represent Antea USA, Inc.'s professional opinions based upon the currently available information and are arrived at in accordance with currently accepted professional standards. This report is based upon a specific scope of work requested by the client. The contract between Antea USA, Inc. and its client outlines the scope of work, and only those tasks specifically authorized by that contract or outlined in this report were performed. This report is intended only for the use of Antea USA, Inc.'s client and anyone else specifically identified in writing by Antea USA, Inc. as a user of this report. Antea USA, Inc. will not and cannot be liable for unauthorized reliance by any other third party. Other than as contained in this paragraph, Antea USA, Inc. makes no express or implied warranty as to the contents of this report.

Quarterly Groundwater Monitoring Report - Second Quarter 2015
Miller's Market
3152 Washington Way, Longview, WA
June 22, 2015



Antea Group appreciates the opportunity to provide environmental services to you. Please call Matthew Miller, Senior Project Manager, at 425-498-7722 if you have any questions regarding the contents of this letter.

Prepared by:

A handwritten signature in cursive script, reading "Lauren Hamilton", written over a horizontal line.

Lauren Hamilton
Staff Professional

Date: June 22, 2015

Reviewed by:


A handwritten signature in cursive script, reading "Jaime KC", written over a horizontal line.

Jaime KC
Project Professional

Date: June 22, 2015

A handwritten signature in cursive script, reading "Matthew R. Miller", written over a horizontal line.

Matthew R. Miller, LG
Senior Project Manager



Matthew Miller

Date: June 22, 2015

cc: Mr. Paul Turner, Washington State Department of Ecology, Southwest Regional Office
Ms. Heather Knowlton, The Vertex Companies, Inc., Seattle, Washington (Electronic Copy)
Argo Pro /Colony Insurance, San Antonio, Texas (Electronic copy issued by Vertex)
File, Antea Group



Enclosures

Tables

Table 1	Groundwater Elevation Measurements – Natural Attenuation Parameters
Table 2	Groundwater Analytical Results

Figures

Figure 1	Site Location Map
Figure 2	Well Locations and Groundwater Elevation Contour Map
Figure 3	Analytical Concentration Map

Appendices

Appendix A	Analytical Lab Report and Chain-of-Custody Documentation
------------	--



Tables

Table 1	Groundwater Elevation Measurements - Natural Attenuation Parameters
Table 2	Groundwater Analytical Results

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-1	11/17/03	49.37	5.36	44.01	--	--	--	--	--
MW-1	03/15/04	49.37	5.49	43.88	--	--	--	--	--
MW-1	06/17/04	49.37	5.15	44.22	--	--	--	--	--
MW-1	09/15/04	49.37	5.31	44.06	--	--	--	--	--
MW-1	12/16/04	49.37	4.99	44.38	--	--	--	--	--
MW-1	03/18/05	49.37	5.48	43.89	--	--	--	--	--
MW-1	06/14/05	49.37	5.33	44.04	--	--	--	--	--
MW-1	09/26/05	49.37	6.12	43.25	--	--	--	--	--
MW-1	11/28/05	49.37	4.80	44.57	--	--	--	--	--
MW-1	03/22/06	49.37	4.96	44.41	--	--	--	--	--
MW-1	06/27/06	49.37	4.90	44.47	--	--	--	--	--
MW-1	09/22/06	49.37	4.64	44.73	--	--	--	--	--
MW-1	12/05/06	49.37	4.87	44.50	--	--	--	--	--
MW-1	03/13/07	49.37	5.00	44.37	--	--	--	--	--
MW-1	06/04/07	49.37	5.23	44.14	--	--	--	--	--
MW-1	09/10/07	49.37	5.95	43.42	--	--	--	--	--
MW-1	01/07/08	49.37	4.27	45.10	--	--	--	--	--
MW-1	03/20/08	49.37	4.80	44.57	--	--	--	--	--
MW-1	06/16/08	49.37	4.45	44.92	--	--	--	--	--
MW-1	09/08/08	49.37	5.89	43.48	--	--	--	--	--
MW-1	12/08/08	49.37	5.04	44.33	--	--	--	--	--
MW-1	03/05/09	49.37	4.78	44.59	--	--	--	--	--
MW-1	06/19/09	49.37	4.87	44.50	--	--	--	--	--
MW-1	09/28/09	49.37	6.30	43.07	--	--	--	--	--
MW-1	12/29/09	49.37	5.08	44.29	--	--	--	--	--
MW-1	03/26/10	49.37	5.10	44.27	--	--	--	--	--
MW-1	06/09/10	49.37	4.13	45.24	--	--	--	--	--
MW-1	09/22/10	49.37	5.66	43.71	--	--	--	--	--
MW-1	12/17/10	49.37	4.14	45.23	--	--	--	--	--
MW-1	03/25/11	49.37	4.41	44.96	--	--	--	--	--
MW-1	06/21/11	49.37	4.39	44.98	--	--	--	--	--
MW-1	09/13/11	49.37	5.75	43.62	--	--	--	--	--
MW-1	12/28/11	49.37	4.80	44.57	--	--	--	--	--
MW-1	03/19/12	49.37	3.91	45.46	--	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-1	06/06/12	49.37	4.37	45.00	--	--	--	--	--
MW-1	09/17/12	49.37	5.73	43.64	--	--	--	--	--
MW-1*	11/29/12	49.38	4.73	44.65	--	--	--	--	--
MW-1	12/21/12	49.38	4.05	45.33	--	--	--	--	--
MW-1	03/27/13	49.38	5.22	44.16	--	--	--	--	--
MW-1	06/24/13	49.38	4.65	44.73	--	--	--	--	--
MW-1	10/30/13	49.38	5.61	43.77	--	--	--	--	--
MW-1	12/20/13	49.38	6.50	42.88	0.91	6.05	306	--	14.38
MW-1	03/12/14	49.38	4.50	44.88	--	--	--	--	--
MW-1	06/16/14	49.38	4.86	44.52	--	--	--	--	--
MW-1	09/11/14	49.38	6.11	43.27	--	--	--	--	--
MW-1	12/17/14	49.38	4.80	44.58	--	--	--	--	--
MW-1	03/16/15	49.38	4.60	44.78	--	--	--	--	--
MW-1	05/13/15	49.38	5.32	44.06	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-2	11/17/03	48.36	4.45	43.91	--	--	--	--	--
MW-2	03/15/04	48.36	4.47	43.89	--	--	--	--	--
MW-2	06/17/04	48.36	4.20	44.16	--	--	--	--	--
MW-2	09/15/04	48.36	4.31	44.05	--	--	--	--	--
MW-2	12/16/04	48.36	4.02	44.34	--	--	--	--	--
MW-2	03/18/05	48.36	4.47	43.89	--	--	--	--	--
MW-2	06/14/05	48.36	4.36	44.00	--	--	--	--	--
MW-2	09/26/05	48.36	5.15	43.21	--	--	--	--	--
MW-2	11/28/05	48.36	3.84	44.52	--	--	--	--	--
MW-2	03/22/06	48.36	4.01	44.35	--	--	--	--	--
MW-2	06/27/06	48.36	3.85	44.51	--	--	--	--	--
MW-2	09/22/06	48.36	4.59	43.77	--	--	--	--	--
MW-2	12/05/06	48.36	3.91	44.45	--	--	--	--	--
MW-2	03/13/07	48.36	NG	48.36	--	--	--	--	--
MW-2	06/04/07	48.36	4.21	44.15	--	--	--	--	--
MW-2	09/10/07	48.36	4.98	43.38	--	--	--	--	--
MW-2	01/07/08	48.36	3.25	45.11	--	--	--	--	--
MW-2	03/20/08	48.36	3.80	44.56	--	--	--	--	--
MW-2	06/16/08	48.36	3.56	44.80	--	--	--	--	--
MW-2	09/08/08	48.36	4.41	43.95	--	--	--	--	--
MW-2	12/08/08	48.36	4.08	44.28	--	--	--	--	--
MW-2	03/05/09	48.36	3.79	44.57	--	--	--	--	--
MW-2	06/19/09	48.36	3.96	44.40	--	--	--	--	--
MW-2	09/28/09	48.36	5.11	43.25	--	--	--	--	--
MW-2	12/29/09	48.36	4.15	44.21	--	--	--	--	--
MW-2	03/26/10	48.36	4.21	44.15	--	--	--	--	--
MW-2	06/09/10	48.36	3.17	45.19	--	--	--	--	--
MW-2	09/22/10	48.36	4.64	43.72	--	--	--	--	--
MW-2	12/17/10	48.36	3.25	45.11	--	--	--	--	--
MW-2	03/25/11	48.36	3.37	44.99	--	--	--	--	--
MW-2	06/21/11	48.36	3.42	44.94	--	--	--	--	--
MW-2	09/13/11	48.36	4.78	43.58	--	--	--	--	--
MW-2	12/28/11	48.36	3.62	44.74	--	--	--	--	--
MW-2	03/19/12	48.36	2.93	45.43	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-2	06/08/12	48.36	3.44	44.92	--	--	--	--	--
MW-2	09/17/12	48.36	--	--	--	--	--	--	--
MW-2	12/21/12	48.36	3.13	45.23	--	--	--	--	--
MW-2	03/27/13	48.36	4.20	44.16	--	--	--	--	--
MW-2	06/24/13	48.36	3.77	44.59	--	--	--	--	--
MW-2	10/30/13	48.36	--	--	--	--	--	--	--
MW-2	12/20/13	48.36	5.63	42.73	0.46	6.28	155	--	12.47

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-3	11/17/03	49.20	5.34	43.86	--	--	--	--	--
MW-3	03/15/04	49.20	5.24	43.96	--	--	--	--	--
MW-3	06/17/04	49.20	5.48	43.72	--	--	--	--	--
MW-3	09/15/04	49.20	5.55	43.65	--	--	--	--	--
MW-3	12/16/04	49.20	5.12	44.08	--	--	--	--	--
MW-3	03/18/05	49.20	5.61	43.59	--	--	--	--	--
MW-3	06/14/05	49.20	5.26	43.94	--	--	--	--	--
MW-3	09/26/05	49.20	6.02	43.18	--	--	--	--	--
MW-3	11/28/05	49.20	5.01	44.19	--	--	--	--	--
MW-3	03/22/06	49.20	4.85	44.35	--	--	--	--	--
MW-3	06/27/06	49.20	4.86	44.34	--	--	--	--	--
MW-3	09/22/06	49.20	5.50	43.70	--	--	--	--	--
MW-3	12/05/06	49.20	4.90	44.30	--	--	--	--	--
MW-3	03/13/07	49.20	5.06	44.14	--	--	--	--	--
MW-3	06/04/07	49.20	5.36	43.84	--	--	--	--	--
MW-3	09/10/07	49.20	5.90	43.30	--	--	--	--	--
MW-3	01/07/08	49.20	4.42	44.78	--	--	--	--	--
MW-3	03/20/08	49.20	4.90	44.30	--	--	--	--	--
MW-3	06/16/08	49.20	4.47	44.73	--	--	--	--	--
MW-3	09/08/08	49.20	5.72	43.48	--	--	--	--	--
MW-3	12/08/08	49.20	5.10	44.10	--	--	--	--	--
MW-3	03/05/09	49.20	4.16	45.04	--	--	--	--	--
MW-3	06/19/09	49.20	5.74	43.46	--	--	--	--	--
MW-3	09/28/09	49.20	6.13	43.07	--	--	--	--	--
MW-3	12/29/09	49.20	5.27	43.93	--	--	--	--	--
MW-3	03/26/10	49.20	5.03	44.17	--	--	--	--	--
MW-3	06/09/10	49.20	4.12	45.08	--	--	--	--	--
MW-3	09/22/10	49.20	5.67	43.53	--	--	--	--	--
MW-3	12/17/10	49.20	4.10	45.10	--	--	--	--	--
MW-3	03/25/11	49.20	4.30	44.90	--	--	--	--	--
MW-3	06/21/11	49.20	5.07	44.13	--	--	--	--	--
MW-3	09/13/11	49.20	5.71	43.49	--	--	--	--	--
MW-3	12/28/11	49.20	4.90	44.30	--	--	--	--	--
MW-3	03/19/12	49.20	3.92	45.28	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-3	04/12/12	49.20	4.19	45.01	--	--	--	--	--
MW-3	06/08/12	49.20	4.43	44.77	--	--	--	--	--
MW-3	09/17/12	49.20	5.63	43.57	--	--	--	--	--
MW-3	10/01/12	49.20	5.87	43.33	--	--	--	--	--
MW-3	10/25/12	49.20	5.58	43.62	--	--	--	--	--
MW-3	11/29/12	49.20	4.68	44.52	--	--	--	--	--
MW-3	12/21/12	49.20	3.13	46.07	--	--	--	--	--
MW-3	02/19/13	49.20	5.33	43.87	--	--	--	--	--
MW-3	03/27/13	49.20	5.19	44.01	--	--	--	--	--
MW-3	04/24/13	49.20	4.95	44.25	--	--	--	--	--
MW-3	05/30/13	49.20	4.46	44.74	--	--	--	--	--
MW-3	06/24/13	49.20	4.79	44.41	--	--	--	--	--
MW-3	07/31/13	49.20	5.75	43.45	--	--	--	--	--
MW-3	08/28/13	49.20	5.76	43.44	--	--	--	--	--
MW-3	09/20/13	49.20	5.20	44.00	--	--	--	--	--
MW-3	10/30/13	49.20	5.40	43.80	--	--	--	--	--
MW-3	11/26/13	49.20	7.51	41.69	--	6.56	646	--	16.5
MW-3	12/20/13	49.20	6.56	42.64	0.34	5.09	1392	--	12.96
MW-3	03/12/14	49.20	4.49	44.71	1.81	6.52	151.7	--	13.9
MW-3	06/16/14	49.20	4.85	44.35	2.84	6.24	814	-66.5	15.97
MW-3	09/11/14	49.20	6.04	43.16	0.39	6.17	572	-106.1	17.05
MW-3	12/17/14	49.20	4.70	44.50	0.80	6.94	457	-168.1	14.20
MW-3	03/16/15	49.20	4.62	44.58	0.50	6.50	334	-72.0	13.30
MW-3	05/13/15	49.20	5.27	43.93	--	6.36	102.1	--	15.9

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-4	11/28/05	48.38	4.52	43.86	--	--	--	--	--
MW-4	03/22/06	48.38	4.44	43.94	--	--	--	--	--
MW-4	06/27/06	48.38	4.30	44.08	--	--	--	--	--
MW-4	09/22/06	48.38	4.64	43.74	--	--	--	--	--
MW-4	12/05/06	48.38	4.01	44.37	--	--	--	--	--
MW-4	03/13/07	48.38	4.23	44.15	--	--	--	--	--
MW-4	06/04/07	48.38	4.41	43.97	--	--	--	--	--
MW-4	09/10/07	48.38	5.06	43.32	--	--	--	--	--
MW-4	01/07/08	48.38	3.23	45.15	--	--	--	--	--
MW-4	03/20/08	48.38	3.78	44.60	--	--	--	--	--
MW-4	06/16/08	48.38	3.79	44.59	--	--	--	--	--
MW-4	09/08/08	48.38	4.93	43.45	--	--	--	--	--
MW-4	12/08/08	48.38	4.40	43.98	--	--	--	--	--
MW-4	03/05/09	48.38	4.35	44.03	--	--	--	--	--
MW-4	06/19/09	48.38	4.29	44.09	--	--	--	--	--
MW-4	09/28/09	48.38	5.26	43.12	--	--	--	--	--
MW-4	12/29/09	48.38	4.56	43.82	--	--	--	--	--
MW-4	03/26/10	48.38	4.59	43.79	--	--	--	--	--
MW-4	06/09/10	48.38	3.49	44.89	--	--	--	--	--
MW-4	09/22/10	48.38	4.71	43.67	--	--	--	--	--
MW-4	12/17/10	48.38	3.38	45.00	--	--	--	--	--
MW-4	03/25/11	48.38	3.78	44.60	--	--	--	--	--
MW-4	06/21/11	48.38	3.66	44.72	--	--	--	--	--
MW-4	09/13/11	48.38	4.95	43.43	--	--	--	--	--
MW-4	12/28/11	48.38	3.75	44.63	--	--	--	--	--
MW-4	03/19/12	48.38	3.46	44.92	--	--	--	--	--
MW-4	06/06/12	48.38	3.90	44.48	--	--	--	--	--
MW-4	09/17/12	48.38	4.89	43.49	--	--	--	--	--
MW-4*	11/29/12	48.40	4.06	44.34	--	--	--	--	--
MW-4	12/21/12	48.40	3.41	44.99	--	--	--	--	--
MW-4	03/27/13	48.40	4.76	43.64	--	--	--	--	--
MW-4	06/24/13	48.40	4.22	44.18	--	--	--	--	--
MW-4	10/30/13	48.40	4.75	43.65	--	--	--	--	--
MW-4	12/20/13	48.40	5.82	42.58	0.91	5.99	386	--	14.04

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-4	03/12/14	48.40	4.47	43.93	--	--	--	--	--
MW-4	06/16/14	48.40	4.55	43.85	--	--	--	--	--
MW-4	09/11/14	48.40	5.45	42.95	--	--	--	--	--
MW-4	12/17/14	48.40	4.22	44.18	--	--	--	--	--
MW-4	03/16/15	48.40	4.31	44.09	--	--	--	--	--
MW-4	05/13/15	48.40	4.86	43.54	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-5	11/28/05	48.62	4.30	44.32	--	--	--	--	--
MW-5	03/22/06	48.62	4.42	44.20	--	--	--	--	--
MW-5	06/27/06	48.62	4.32	44.30	--	--	--	--	--
MW-5	09/22/06	48.62	4.94	43.68	--	--	--	--	--
MW-5	12/05/06	48.62	4.20	44.42	--	--	--	--	--
MW-5	03/13/07	48.62	4.42	44.20	--	--	--	--	--
MW-5	06/04/07	48.62	4.67	43.95	--	--	--	--	--
MW-5	09/10/07	48.62	5.23	43.39	--	--	--	--	--
MW-5	01/07/08	48.62	3.52	45.10	--	--	--	--	--
MW-5	03/20/08	48.62	4.06	44.56	--	--	--	--	--
MW-5	06/16/08	48.62	3.80	44.82	--	--	--	--	--
MW-5	09/08/08	48.62	5.08	43.54	--	--	--	--	--
MW-5	12/08/08	48.62	4.63	43.99	--	--	--	--	--
MW-5	03/05/09	48.62	4.39	44.23	--	--	--	--	--
MW-5	06/19/09	48.62	4.43	44.19	--	--	--	--	--
MW-5	09/28/09	48.62	5.14	43.48	--	--	--	--	--
MW-5	12/29/09	48.62	4.61	44.01	--	--	--	--	--
MW-5	03/26/10	48.62	4.77	43.85	--	--	--	--	--
MW-5	06/09/10	48.62	3.61	45.01	--	--	--	--	--
MW-5	09/22/10	48.62	4.94	43.68	--	--	--	--	--
MW-5	12/17/10	48.62	3.61	45.01	--	--	--	--	--
MW-5	03/25/11	48.62	3.85	44.77	--	--	--	--	--
MW-5	06/21/11	48.62	3.82	44.80	--	--	--	--	--
MW-5	09/13/11	48.62	5.23	43.39	--	--	--	--	--
MW-5	12/28/11	48.62	4.43	44.19	--	--	--	--	--
MW-5	03/19/12	48.62	3.31	45.31	--	--	--	--	--
MW-5	04/12/12	48.62	3.50	45.12	--	--	--	--	--
MW-5	06/06/12	48.62	4.00	44.62	--	--	--	--	--
MW-5	09/17/12	48.62	5.19	43.43	--	--	--	--	--
MW-5*	10/01/12	48.63	5.28	43.35	--	--	--	--	--
MW-5	10/25/12	48.63	4.83	43.80	--	--	--	--	--
MW-5	11/29/12	48.63	4.04	44.59	--	--	--	--	--
MW-5	12/21/12	48.63	4.05	44.58	--	--	--	--	--
MW-5	02/19/13	48.63	4.86	43.77	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-5	03/27/13	48.63	4.65	43.98	--	--	--	--	--
MW-5	04/24/13	48.63	4.42	44.21	--	--	--	--	--
MW-5	05/30/13	48.63	3.97	44.66	--	--	--	--	--
MW-5	06/24/13	48.63	4.55	44.08	--	--	--	--	--
MW-5	07/31/13	48.63	5.16	43.47	--	--	--	--	--
MW-5	08/28/13	48.63	5.18	43.45	--	--	--	--	--
MW-5	09/20/13	48.63	4.92	43.71	--	--	--	--	--
MW-5	10/30/13	48.63	4.95	43.68	--	--	--	--	--
MW-5	11/26/13	48.63	6.54	42.09	--	6.67	107.1	--	18.1
MW-5	12/20/13	48.63	5.93	42.70	0.34	6.20	104	--	13.67
MW-5	06/16/14	48.63	4.34	44.29	--	--	--	--	--
MW-5	03/12/14	48.63	3.83	44.80	--	--	--	--	--
MW-5	09/11/14	48.63	6.06	42.57	--	--	--	--	--
MW-5	12/17/14	48.63	4.13	44.50	--	--	--	--	--
MW-5	03/16/15	48.63	4.33	44.30	--	--	--	--	--
MW-5	05/13/15	48.63	4.85	43.78	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-6	11/28/05 ^c	48.99	4.86	44.13	--	--	--	--	--
MW-6	03/22/06	48.99	4.69	44.30	--	--	--	--	--
MW-6	06/27/06	48.99	5.36	43.63	--	--	--	--	--
MW-6	09/22/06	48.99	5.16	43.83	--	--	--	--	--
MW-6	12/05/06	48.99	4.79	44.20	--	--	--	--	--
MW-6	03/13/07	48.99	4.75	44.24	--	--	--	--	--
MW-6	06/04/07	48.99	5.19	43.80	--	--	--	--	--
MW-6	09/10/07	48.99	5.47	43.52	--	--	--	--	--
MW-6	01/07/08	48.99	4.93	44.06	--	--	--	--	--
MW-6	03/20/08	48.99	4.86	44.13	--	--	--	--	--
MW-6	06/16/08	48.99	4.38	44.61	--	--	--	--	--
MW-6	09/08/08	48.99	5.17	43.82	--	--	--	--	--
MW-6	12/08/08	48.99	5.12	43.87	--	--	--	--	--
MW-6	03/05/09	48.99	4.75	44.24	--	--	--	--	--
MW-6	06/19/09	48.99	5.80	43.19	--	--	--	--	--
MW-6	09/28/09	48.99	5.28	43.71	--	--	--	--	--
MW-6	12/29/09	48.99	5.26	43.73	--	--	--	--	--
MW-6	03/26/10	48.99	4.84	44.15	--	--	--	--	--
MW-6	06/09/10	48.99	3.94	45.05	--	--	--	--	--
MW-6	09/22/10	48.99	5.07	43.92	--	--	--	--	--
MW-6	12/17/10	48.99	3.97	45.02	--	--	--	--	--
MW-6	03/25/11	48.99	4.45	44.54	--	--	--	--	--
MW-6	06/21/11	48.99	4.23	44.76	--	--	--	--	--
MW-6	09/13/11	48.99	5.51	43.48	--	--	--	--	--
MW-6	12/28/11	48.99	5.30	43.69	--	--	--	--	--
MW-6	03/19/12	48.99	3.91	45.08	--	--	--	--	--
MW-6	04/12/12	48.99	4.65	44.34	--	--	--	--	--
MW-6	06/06/12	48.99	5.04	43.95	--	--	--	--	--
MW-6	09/17/12	48.99	5.50	43.49	--	--	--	--	--
MW-6*	10/01/12	49.00	5.75	43.25	--	--	--	--	--
MW-6	10/25/12	49.00	5.76	43.24	--	--	--	--	--
MW-6	11/29/12	49.00	4.87	44.13	--	--	--	--	--
MW-6	12/21/12	49.00	2.14	46.86	--	--	--	--	--
MW-6	02/19/13	49.00	5.60	43.40	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-6	03/27/13	49.00	5.21	43.79	--	--	--	--	--
MW-6	04/24/13	49.00	5.83	43.17	--	--	--	--	--
MW-6	05/30/13	49.00	4.55	44.45	--	--	--	--	--
MW-6	06/24/13	49.00	4.90	44.10	--	--	--	--	--
MW-6	07/31/13	49.00	5.82	43.18	--	--	--	--	--
MW-6	08/28/13	49.00	6.10	42.90	--	--	--	--	--
MW-6	09/20/13	49.00	6.15	42.85	--	--	--	--	--
MW-6	10/30/13	49.00	5.65	43.35	--	--	--	--	--
MW-6	11/26/13	49.00	7.50	41.50	--	6.67	110.1	--	16.2
MW-6	12/20/13	49.00	6.70	42.30	0.12	6.31	182	--	12.84
MW-6	03/12/14	49.00	5.78	43.22	0.85	6.55	100.1	--	14.0
MW-6	06/16/14	49.00	5.75	43.25	6.99	5.26	285	-27.9	15.07
MW-6	09/11/14	49.00	6.14	42.86	0.77	5.97	241	-60.4	17.42
MW-6	12/17/14	49.00	5.77	43.23	2.13	6.94	213	-118.7	13.79
MW-6	03/16/15	49.00	4.79	44.21	1.14	6.55	214	-70.9	11.83
MW-6	05/13/15	49.00	5.15	43.85	--	6.23	82.1	--	15.6

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-7	11/28/05	49.07	4.16	44.91	--	--	--	--	--
MW-7	03/22/06	49.07	3.59	45.48	--	--	--	--	--
MW-7	06/27/06	49.07	3.77	45.30	--	--	--	--	--
MW-7	09/22/06	49.07	4.84	44.23	--	--	--	--	--
MW-7	12/05/06	49.07	3.35	45.72	--	--	--	--	--
MW-7	03/13/07	49.07	3.54	45.53	--	--	--	--	--
MW-7	06/04/07	49.07	4.23	44.84	--	--	--	--	--
MW-7	09/10/07	49.07	4.90	44.17	--	--	--	--	--
MW-7	01/07/08	49.07	3.39	45.68	--	--	--	--	--
MW-7	03/20/08	49.07	3.83	45.24	--	--	--	--	--
MW-7	06/16/08	49.07	3.66	45.41	--	--	--	--	--
MW-7	09/08/08	49.07	4.10	44.97	--	--	--	--	--
MW-7	12/08/08	49.07	4.21	44.86	--	--	--	--	--
MW-7	03/05/09	49.07	3.80	45.27	--	--	--	--	--
MW-7	06/19/09	49.07	3.84	45.23	--	--	--	--	--
MW-7	09/28/09	49.07	4.95	44.12	--	--	--	--	--
MW-7	12/29/09	49.07	4.02	45.05	--	--	--	--	--
MW-7	03/26/10	49.07	3.89	45.18	--	--	--	--	--
MW-7	06/09/10	49.07	3.19	45.88	--	--	--	--	--
MW-7	09/22/10	49.07	4.45	44.62	--	--	--	--	--
MW-7	12/17/10	49.07	3.41	45.66	--	--	--	--	--
MW-7	03/25/11	49.07	2.92	46.15	--	--	--	--	--
MW-7	06/21/11	49.07	3.10	45.97	--	--	--	--	--
MW-7	09/13/11	49.07	4.46	44.61	--	--	--	--	--
MW-7	12/28/11	49.07	4.18	44.89	--	--	--	--	--
MW-7	03/19/12	49.07	2.84	46.23	--	--	--	--	--
MW-7	04/12/12	49.07	2.47	46.60	--	--	--	--	--
MW-7	06/06/12	49.07	2.71	46.36	--	--	--	--	--
MW-7	09/17/12	49.07	4.35	44.72	--	--	--	--	--
MW-7*	10/01/12	49.04	4.61	44.43	--	--	--	--	--
MW-7	10/25/12	49.04	4.35	44.69	--	--	--	--	--
MW-7	11/29/12	49.04	3.22	45.82	--	--	--	--	--
MW-7	12/21/12	49.04	2.45	46.59	--	--	--	--	--
MW-7	02/19/13	49.04	3.40	45.64	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-7	03/27/13	49.04	3.46	45.58	--	--	--	--	--
MW-7	04/24/13	49.04	3.20	45.84	--	--	--	--	--
MW-7	05/30/13	49.04	3.26	45.78	--	--	--	--	--
MW-7	06/24/13	49.04	3.57	45.47	--	--	--	--	--
MW-7	07/31/13	49.04	4.19	44.85	--	--	--	--	--
MW-7	08/28/13	49.04	4.60	44.44	--	--	--	--	--
MW-7	09/20/13	49.04	4.52	44.52	--	--	--	--	--
MW-7	10/30/13	49.04	4.12	44.92	--	--	--	--	--
MW-7	11/26/13	49.04	4.46	44.58	--	7.16	615	--	16.8
MW-7	12/20/13	49.04	4.80	44.24	0.72	6.61	763	--	12.10
MW-7	03/12/14	49.04	4.25	44.79	1.13	7.21	174.2	--	14.2
MW-7	06/16/14	49.04	4.33	44.71	1.17	6.34	707	-56.9	15.73
MW-7	09/11/14	49.04	5.97	43.07	0.49	6.82	400	-147.9	19.04
MW-7	12/17/14	49.04	4.03	45.01	0.56	7.23	675	-173.7	15.02
MW-7	03/16/15	49.04	3.59	45.45	0.41	6.95	382	-31.1	11.96
MW-7	05/13/15	49.04	4.05	44.99	--	6.90	132.3	--	16.1

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-8	11/28/05	48.55	3.62	44.93	--	--	--	--	--
MW-8	03/22/06	48.55	3.11	45.44	--	--	--	--	--
MW-8	06/27/06	48.55	3.25	45.30	--	--	--	--	--
MW-8	09/22/06	48.55	4.30	44.25	--	--	--	--	--
MW-8	12/05/06	48.55	2.80	45.75	--	--	--	--	--
MW-8	03/13/07	48.55	3.01	45.54	--	--	--	--	--
MW-8	06/04/07	48.55	3.71	44.84	--	--	--	--	--
MW-8	09/10/07	48.55	4.38	44.17	--	--	--	--	--
MW-8	01/07/08	48.55	3.76	44.79	--	--	--	--	--
MW-8	03/20/08	48.55	3.29	45.26	--	--	--	--	--
MW-8	06/16/08	48.55	3.13	45.42	--	--	--	--	--
MW-8	09/08/08	48.55	3.80	44.75	--	--	--	--	--
MW-8	12/08/08	48.55	3.68	44.87	--	--	--	--	--
MW-8	03/05/09	48.55	3.37	45.18	--	--	--	--	--
MW-8	06/19/09	48.55	3.39	45.16	--	--	--	--	--
MW-8	09/28/09	48.55	4.42	44.13	--	--	--	--	--
MW-8	12/29/09	48.55	3.46	45.09	--	--	--	--	--
MW-8	03/26/10	48.55	3.35	45.20	--	--	--	--	--
MW-8	06/09/10	48.55	2.63	45.92	--	--	--	--	--
MW-8	09/22/10	48.55	3.90	44.65	--	--	--	--	--
MW-8	12/17/10	48.55	2.91	45.64	--	--	--	--	--
MW-8	03/25/11	48.55	2.40	46.15	--	--	--	--	--
MW-8	06/21/11	48.55	2.60	45.95	--	--	--	--	--
MW-8	09/13/11	48.55	3.95	44.60	--	--	--	--	--
MW-8	12/28/11	48.55	3.67	44.88	--	--	--	--	--
MW-8	03/19/12	48.55	2.32	46.23	--	--	--	--	--
MW-8	06/06/12	48.55	2.12	46.43	--	--	--	--	--
MW-8	09/17/12	48.55	3.85	44.70	--	--	--	--	--
MW-8*	11/29/12	48.53	2.73	45.80	--	--	--	--	--
MW-8	12/21/12	48.53	1.93	46.60	--	--	--	--	--
MW-8	03/27/13	48.53	2.93	45.60	--	--	--	--	--
MW-8	06/24/13	48.53	3.07	45.46	--	--	--	--	--
MW-8	10/30/13	48.53	3.62	44.91	--	--	--	--	--
MW-8	12/20/13	48.53	4.29	44.24	0.57	6.99	158	--	12.31

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-8	03/12/14	48.53	3.73	44.80	0.69	7.27	116.3	--	13.7
MW-8	06/16/14	48.53	3.83	44.70	2.36	6.86	340	-99.1	17.08
MW-8	09/11/14	48.53	5.45	43.08	0.33	6.60	283	-136.1	18.70
MW-8	12/17/14	48.53	3.54	44.99	0.46	7.32	422	-100.2	14.51
MW-8	03/16/15	48.53	3.09	45.44	1.02	7.09	352	36.7	12.04
MW-8	05/13/15	48.53	3.54	44.99	--	7.02	108.2	--	16.1

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
RW-1	11/17/03	48.35	4.58	43.77	--	--	--	--	--
RW-1	03/15/04	48.35	4.50	43.85	--	--	--	--	--
RW-1	06/17/04	48.35	4.34	44.01	--	--	--	--	--
RW-1	09/15/04	48.35	4.47	43.88	--	--	--	--	--
RW-1	12/16/04	48.35	3.88	44.47	--	--	--	--	--
RW-1	03/18/05	48.35	4.70	43.65	--	--	--	--	--
RW-1	06/14/05	48.35	4.41	43.94	--	--	--	--	--
RW-1	09/26/05	48.35	5.06	43.29	--	--	--	--	--
RW-1	11/28/05	48.35	4.03	44.32	--	--	--	--	--
RW-1	03/22/06	48.35	4.15	44.20	--	--	--	--	--
RW-1	06/27/06	48.35	4.02	44.33	--	--	--	--	--
RW-1	09/22/06	48.35	4.64	43.71	--	--	--	--	--
RW-1	12/05/06	48.35	3.91	44.44	--	--	--	--	--
RW-1	03/13/07	48.35	4.13	44.22	--	--	--	--	--
RW-1	06/04/07	48.35	4.43	43.92	--	--	--	--	--
RW-1	09/10/07	48.35	4.94	43.41	--	--	--	--	--
RW-1	01/07/08	48.35	3.51	44.84	--	--	--	--	--
RW-1	03/20/08	48.35	3.74	44.61	--	--	--	--	--
RW-1	06/16/08	48.35	3.51	44.84	--	--	--	--	--
RW-1	09/08/08	48.35	4.71	43.64	--	--	--	--	--
RW-1	12/08/08	48.35	4.37	43.98	--	--	--	--	--
RW-1	03/05/09	48.35	4.07	44.28	--	--	--	--	--
RW-1	06/19/09	48.35	4.13	44.22	--	--	--	--	--
RW-1	09/28/09	48.35	4.96	43.39	--	--	--	--	--
RW-1	12/29/09	48.35	4.35	44.00	--	--	--	--	--
RW-1	03/26/10	48.35	4.55	43.80	--	--	--	--	--
RW-1	06/09/10	48.35	3.40	44.95	--	--	--	--	--
RW-1	09/22/10	48.35	4.65	43.70	--	--	--	--	--
RW-1	12/17/10	48.35	3.30	45.05	--	--	--	--	--
RW-1	03/25/11	48.35	3.50	44.85	--	--	--	--	--
RW-1	06/21/11	48.35	3.50	44.85	--	--	--	--	--
RW-1	09/13/11	48.35	4.96	43.39	--	--	--	--	--
RW-1	12/28/11	48.35	4.02	44.33	--	--	--	--	--
RW-1	03/19/12	48.35	2.93	45.42	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
RW-1	06/06/12	48.35	3.69	44.66	--	--	--	--	--
RW-1	09/17/12	48.35	4.93	43.42	--	--	--	--	--
RW-1*	11/29/12	48.35	3.72	44.63	--	--	--	--	--
RW-1	12/21/12	48.32	3.15	45.17	--	--	--	--	--
RW-1	03/27/13	48.32	4.40	43.92	--	--	--	--	--
RW-1	06/24/13	48.32	4.29	44.03	--	--	--	--	--
RW-1	10/30/13	48.32	4.73	43.59	--	--	--	--	--
RW-1	12/20/13	48.32	5.45	42.87	0.62	6.06	767	--	10.66
RW-1	03/12/14	48.32	3.52	44.80	--	--	--	--	--
RW-1	06/16/14	48.32	4.03	44.29	--	--	--	--	--
RW-1	09/11/14	48.32	6.23	42.09	--	--	--	--	--
RW-1	12/17/14	48.32	3.81	44.51	--	--	--	--	--
RW-1	03/16/15	48.32	4.03	44.29	--	--	--	--	--
RW-1	05/13/15	48.32	4.55	43.77	--	--	--	--	--

Notes:

(TOC) = top of casing elevation

*TOC re-surveyed relative to MW-3' elevation on 11/29/12

Dissolved Oxygen, pH, Conductivity and Temperature measurements taken with a Y-SI 556 water quality field instrument

TABLE 2
GROUNDWATER ANALYTICAL RESULTS

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-1	11/17/03	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	-	-	-	-	-	-
MW-1	03/15/04	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	06/17/04	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	09/15/04	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	12/16/04	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	03/18/05	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	06/14/05	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	09/26/05	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	11/28/05	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	03/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<2)	-	-	-	-	-
MW-1	06/27/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	09/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	12/05/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	03/13/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	06/04/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	09/10/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	01/07/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	03/20/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	06/16/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	09/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	12/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	03/05/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	06/19/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	09/28/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	12/29/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<1.0)	-	-	-	-	-
MW-1	03/26/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	06/09/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	09/22/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	12/17/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	03/25/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	06/21/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	09/13/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<2.0)	-	-	-	-	-
MW-1	12/28/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	03/19/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	06/06/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-1	09/17/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-1	12/21/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-1	03/27/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	ND(<1.0)	-	-
MW-1	06/24/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	10/30/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	12/20/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-2	11/17/03	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	-	-	-	-	-	-
MW-2	03/15/04	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	06/17/04	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	09/15/04	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	12/16/04	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	03/18/05	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	06/14/05	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	09/26/05	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	11/28/05	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	03/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<2)	-	-	-	-	-
MW-2	06/27/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	09/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	12/05/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	03/13/07	NA	-	-	NA	NA	NA	NA	NA	-	-	-	-	-
MW-2	06/04/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	09/10/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	01/07/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	03/20/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	06/16/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	09/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	12/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	03/05/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	06/19/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	09/28/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	12/29/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<1.0)	-	-	-	-	-
MW-2	03/26/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	06/09/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	09/22/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	12/17/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	03/25/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	06/21/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	09/13/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	12/28/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	03/19/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	06/08/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS
 Miller's Market
 3152 Washington Way
 Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-2	09/17/12	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/21/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-2	03/27/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	ND(<1.0)	-	-
MW-2	06/24/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	10/30/13	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/20/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-3	11/17/03	4,900	-	-	100	12	170	250	-	-	-	-	-	-
MW-3	03/15/04	5,000	-	-	92	16	150	130	66	-	-	-	-	-
MW-3	06/17/04	5,900	-	-	78	16	190	120	41	-	-	-	-	-
MW-3	09/15/04	4,400	-	-	15	12	100	71	ND<8	-	-	-	-	-
MW-3	12/16/04	5,500	-	-	96	16	240	170	ND(<15)	-	-	-	-	-
MW-3	03/18/05	5,600	-	-	93	15	220	172	ND(<15)	-	-	-	-	-
MW-3	06/14/05	5,200	-	-	43	15	170	130	ND(<15)	-	-	-	-	-
MW-3	09/26/05	6,000	-	-	41	16	200	120	ND(<30)	-	-	-	-	-
MW-3	11/28/05	5,300	ND(<130)	ND(<250)	81	13	200	160	ND(<30)	-	-	-	-	-
MW-3	03/22/06	1,900	ND(<250)	ND(<250)	45	7	42	29	ND(<2)	-	-	-	-	-
MW-3	06/27/06	1,900	ND(<130)	ND(<250)	53	ND(<10)	57	30	ND(<30)	-	-	-	-	-
MW-3	09/22/06	1,800	ND(<250)	ND(<250)	45	7	42	29	ND(<6)	-	-	-	-	-
MW-3	12/05/06	2,300	ND(<250)	ND(<250)	52	9	64	29	8	-	-	-	-	-
MW-3	03/13/07	1,700	-	-	62	8	30	28	4	-	-	-	-	-
MW-3	06/04/07	1,900	-	-	54	5	23	24	ND(<3)	-	-	-	-	-
MW-3	09/10/07	2,800	-	-	63	10	67	28	40	-	-	-	-	-
MW-3	01/07/08	2,000	-	-	63	9	58	34	39	-	-	-	-	-
MW-3	03/20/08	2,800	-	-	80	14	86	42	43	-	-	-	-	-
MW-3	06/16/08	1,800	-	-	64	9	26	27	37	-	-	-	-	-
MW-3	09/08/08	2,400	-	-	ND(<5)	14	64	19	40	-	-	-	-	-
MW-3	12/08/08	2,400	-	-	21	10	28	21	ND(<2)	-	-	-	-	-
MW-3	03/05/09	1,700	-	-	48	8	43	23	29	-	-	-	-	-
MW-3	06/19/09	1,000	-	-	39	5	8	13	24	-	-	-	-	-
MW-3	09/28/09	1,200	-	-	19	5.1	34	19	13	-	-	-	-	-
MW-3	12/29/09	1700 ^a	-	-	51	9.3	65	36	ND(<8.0)	-	-	-	-	-
MW-3	03/26/10	3000 ^a	-	-	ND(<5.0)	13	100	48	ND(<15)	-	-	-	-	-
MW-3	06/09/10	2000 ^a	-	-	45	6.6	40	27	ND(<3.0)	-	-	-	-	-
MW-3	09/22/10	2800 ^b	-	-	69	13.0	80	42	ND(<3.0)	-	-	-	-	-
MW-3	12/17/10	2300 ^a	-	-	ND(<5.0)	7.5	40	28	ND(<15)	-	-	-	-	-
MW-3	03/25/11	1,300	-	-	44	4.3	20	22	ND(<3.0)	-	-	-	-	-
MW-3	06/21/11	1,400	-	-	8.1	2.8	19	17	ND(<3.0)	-	-	-	-	-
MW-3	09/13/11	2,900	-	-	14	10	58	30	ND(<3.0)	-	-	-	-	-
MW-3	12/28/11	2,800	-	-	55	10	61	33	7.0	-	-	-	-	-
MW-3	03/19/12	2,000	-	-	7.3	5.1	37	22	ND(<3.0)	-	-	-	-	-
MW-3	04/12/12	-	-	-	-	-	-	-	-	-	-	-	ND(<0.15)	ND(<0.26)

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-3	06/08/12	1,300	-	-	5.4	3.3	29	12	ND(<3.0)	ND(<0.020)	ND(<0.010)	12	0.19	ND(<0.52)
MW-3	09/17/12	1,600	-	-	31 ^c	5.3	28	19	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	0.37
MW-3	10/01/12	1,700	-	-	35 ^c	6.2	32	19	-	-	-	-	-	ND(<0.26)
MW-3	10/25/12	1,900	-	-	12	5.9	27	19	-	-	-	-	-	ND(<0.26)
MW-3	11/29/12	2,000	-	-	ND(<5.0)	8.1	38	26	-	-	-	-	-	ND(<0.26)
MW-3	12/21/12	1,700	-	-	41 ^c	7.5	57	24	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	1,100
MW-3	02/19/13	3,300	-	-	<10	<10	120	120	-	-	-	-	-	2,700
MW-3	03/27/13	2,500	-	-	ND(<5.0)	7.8	110	93	ND(<15)	-	-	ND(<1.0)	--	2,300
MW-3	04/24/13	2,800	-	-	16	5.1	77	69	-	-	-	-	-	1,700
MW-3	05/30/13	1,500	-	-	26 ^c	4.5	39	20	-	-	-	-	-	4,000
MW-3	06/24/13	1,200	-	-	22	4.0	31	23	ND(<3.0)	-	-	-	-	7,700
MW-3	07/31/13	1,200	-	-	10	2.1	19	8.9	-	-	-	-	-	3,300
MW-3	08/30/13	1,600	-	-	23	4.8	52	11	-	-	-	-	-	2,200
MW-3	09/20/13	1,300	-	-	ND(<1.0)	3.4	23	6.3	-	-	-	-	-	1,700
MW-3	10/30/13	1,500	-	-	18	5.3	82	14	ND(<3.0)	-	-	-	-	840
MW-3	11/26/13	1,800	-	-	13	3.2	57	9.3	-	-	-	-	-	750
MW-3	12/20/13	2,600	-	-	16	4.5	130	23	ND(<3.0)	-	-	-	-	1,100
MW-3	03/12/14	800	-	-	3.1	ND(<1.0)	15	4.8	ND(<3.0)	-	-	-	-	-
MW-3	06/16/14	300	-	-	1.4	ND(<1.0)	1.3	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-3	09/11/14	690	-	-	16	ND(<1.0)	14	7.3	ND(<3.0)	-	-	-	-	-
MW-3 ¹	09/11/14	630	-	-	16	ND(<1.0)	13	4.3	ND(<3.0)	-	-	-	-	-
MW-3	12/17/14	490	-	-	ND(<1.0)	1.6	6.4	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-3	03/16/15	200	-	-	1.7	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
DUP	03/16/15	180	-	-	1.6	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-3	05/13/15	130	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
DUP	05/13/15	120	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-4	11/28/05	ND	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	03/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<2)	-	-	-	-	-
MW-4	06/27/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	09/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	12/05/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	03/13/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	06/04/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	09/10/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	01/07/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	03/20/08	100	-	-	4	6	1	6	ND(<3)	-	-	-	-	-
MW-4	06/16/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	09/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	12/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	03/05/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	06/19/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	09/28/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	12/29/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<1.0)	-	-	-	-	-
MW-4	03/26/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	06/09/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	09/22/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	12/17/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	03/25/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	06/21/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	09/13/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	12/28/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	03/19/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	06/06/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	1.8	-	-
MW-4	09/17/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-4	12/21/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-4	03/27/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	ND(<1.0)	-	-
MW-4	06/24/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	10/30/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	12/20/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-5	11/28/05	ND	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	03/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<2)	-	-	-	-	-
MW-5	06/27/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	09/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	12/05/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	03/13/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	06/04/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	09/10/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	01/07/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	03/20/08	ND(<50)	-	-	11	2	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	06/16/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	09/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	12/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	03/05/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	06/19/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	09/28/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	12/29/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<1.0)	-	-	-	-	-
MW-5	03/26/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	06/09/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	09/22/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	12/17/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	03/25/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	06/21/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	09/13/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	12/28/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	03/19/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	04/12/12	-	-	-	-	-	-	-	-	-	-	-	ND(<0.15)	3.1
MW-5	06/06/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	ND(<0.15)	ND(<0.26)
MW-5	09/17/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	ND(<0.26)
MW-5	10/01/12	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-5	10/25/12	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-5	11/29/12	-	-	-	-	-	-	-	-	-	-	-	-	1.8
MW-5	12/21/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	0.49
MW-5	02/19/13	-	-	-	-	-	-	-	-	-	-	-	-	0.64
MW-5	03/27/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	ND(<1.0)	-	ND(<0.26)

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-5	04/24/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-5	05/30/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-5	06/24/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	ND(<0.26)
MW-5	07/31/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-5	08/28/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-5	09/20/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-5	10/30/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	ND(<0.26)
MW-5	11/26/13	-	-	-	-	-	-	-	-	-	-	-	-	1.6
MW-5	12/20/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	8.7

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-6	11/28/05 ^c	480	ND(<130)	ND(<250)	1	ND(<1)	2	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	03/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<2)	-	-	-	-	-
MW-6	06/27/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	09/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	12/05/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	03/13/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	06/04/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	09/10/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	01/07/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	03/20/08	240	-	-	7	2	5	ND(<3)	4	-	-	-	-	-
MW-6	06/16/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	09/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	12/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	03/05/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	06/19/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	09/28/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	12/29/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<1.0)	-	-	-	-	-
MW-6	03/26/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	06/09/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	09/22/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	12/17/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	03/25/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	06/21/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	09/13/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	12/28/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	03/19/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	04/12/12	-	-	-	-	-	-	-	-	-	-	-	ND(<0.15)	ND(<0.26)
MW-6	06/06/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	ND(<0.15)	ND(<0.26)
MW-6	09/17/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	ND(<0.26)
MW-6	10/01/12	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	10/25/12	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	11/29/12	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	12/21/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	6.5
MW-6	02/19/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	03/27/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	ND(<1.0)	-	ND(<0.26)

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-6	04/24/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	05/30/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	06/24/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	ND(<0.26)
MW-6	07/31/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	08/28/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	09/20/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	10/30/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	ND(<0.26)
MW-6	11/26/13	-	-	-	-	-	-	-	-	-	-	-	-	0.41
MW-6	12/20/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	0.47
MW-6	03/12/14	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	06/16/14	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	09/11/14	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	12/17/14	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	03/16/15	56	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	05/13/15	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-7	11/28/05	390	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	03/22/06	700	ND(<130)	ND(<250)	ND(<1)	ND(<1)	6	18	ND(<2)	-	-	-	-	-
MW-7	06/27/06	710	ND(<130)	ND(<250)	ND(<1)	ND(<1)	7	14	ND(<3)	-	-	-	-	-
MW-7	09/22/06	380	ND(<130)	ND(<250)	ND(<1)	ND(<1)	7	14	ND(<3)	-	-	-	-	-
MW-7	12/05/06	570	ND(<130)	ND(<250)	1	ND(<1)	7	14	ND(<3)	-	-	-	-	-
MW-7	03/13/07	750	-	-	1	ND(<1)	4	4	ND(<3)	-	-	-	-	-
MW-7	06/04/07	ND(<50)	-	-	1	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	09/10/07	530	-	-	1	ND(<1)	1	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	01/07/08	580	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	03/20/08	320	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	06/16/08	310	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	09/08/08	370	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	12/08/08	530	-	-	1	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	03/05/09	680	-	-	2	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	06/19/09	130	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	09/28/09	53	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	12/29/09	73 ^a	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<1.0)	-	-	-	-	-
MW-7	03/26/10	140 ^a	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	06/09/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	09/22/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	12/17/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	03/25/11	280	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	06/21/11	130	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	09/13/11	58	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<2.0)	-	-	-	-	-
MW-7	12/28/11	260	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	03/19/12	1,500	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	04/12/12	-	-	-	-	-	-	-	-	-	-	-	1.1	8.9
MW-7	06/06/12	330	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	4.1	14
MW-7	09/17/12	190	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	190
MW-7	10/01/12	210	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	81
MW-7	10/25/12	120	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	990
MW-7	11/29/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	1,000
MW-7	12/21/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	1,100
MW-7	02/19/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	720
MW-7	03/27/13	70	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	ND(<1.0)	-	400

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-7	04/26/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	760
MW-7	05/30/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	310
MW-7	06/24/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	790
MW-7	07/31/13	83	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	160
MW-7	08/28/13	120	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	74
MW-7	09/20/13	190	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	180
MW-7	10/30/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	870
MW-7	11/26/13	280	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	440
MW-7	12/20/13	84	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	460
MW-7	03/12/14	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	06/16/14	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	09/11/14	130	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	12/17/14	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	03/16/15	100	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	05/13/15	62	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-8	11/28/05	820	ND(<130)	ND(<250)	3	ND(<1)	1	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	03/22/06	69	ND(<130)	ND(<250)	ND(<1)	ND(<1)	2	ND(<3)	ND(<2)	-	-	-	-	-
MW-8	06/27/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	09/22/06	2,400	ND(<250)	ND(<250)	12	1	60	4	ND(<3)	-	-	-	-	-
MW-8	12/05/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	03/13/07	1,000	-	-	4	ND(<1)	37	13	ND(<3)	-	-	-	-	-
MW-8	06/04/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	09/10/07	3,300	-	-	13	ND(<5)	55	ND(<15)	ND(<15)	-	-	-	-	-
MW-8	01/07/08	79	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	03/20/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	06/16/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	09/08/08	300	-	-	1	ND(<1)	3	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	12/08/08	80	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	03/05/09	70	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	06/19/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	09/28/09	260	-	-	1.2	ND(<1.0)	1.5	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	12/29/09	62 ^a	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<1.0)	-	-	-	-	-
MW-8	03/26/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	06/09/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	09/22/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	12/17/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	03/25/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	06/21/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	09/13/11	410	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	12/28/11	130	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	03/19/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	06/06/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-8	09/17/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-8	12/21/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-8	03/27/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	ND(<1.0)	-	-
MW-8	06/24/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	10/30/13	200	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	12/20/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	03/12/14	660	-	-	2.0	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	06/16/14	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-8	09/11/14	360	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	12/17/14	160	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	03/16/15	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	05/13/15	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
RW-1	11/17/03	23,000	-	-	970	1,200	460	3,400	-	-	-	-	-	-
RW-1	03/15/04	5,100	-	-	91	82	60	190	ND(<15)	-	-	-	-	-
RW-1	06/17/04	1,100	-	-	21	ND(<1)	16	17	ND(<3)	-	-	-	-	-
RW-1	09/15/04	3,000	-	-	50	ND(<5)	47	94	ND(<15)	-	-	-	-	-
RW-1	12/16/04	200	-	-	3	ND(<1)	2	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	03/18/05	310	-	-	2	ND(<1)	2	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	06/14/05	3,900	-	-	4	1,900	1	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	09/26/05	280	-	-	4	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	11/28/05	ND	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	03/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<2)	-	-	-	-	-
RW-1	06/27/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	09/22/06	ND(<50)	ND(<130)	250	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	12/05/06	ND(<50)	ND(<130)	250	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	03/13/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	06/04/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	09/10/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	01/07/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	03/20/08	56	-	-	6	1	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	06/16/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	09/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	12/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	03/05/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	06/19/09	ND(<50)	-	-	ND(<1)	1	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	09/28/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	12/29/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<1.0)	-	-	-	-	-
RW-1	03/26/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	06/09/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	09/22/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	12/17/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	03/25/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	06/21/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	09/13/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	12/28/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	03/19/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	06/06/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	3.2	-	-

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
RW-1	09/17/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	4.5	-	-
RW-1	12/21/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	3.8	-	-
RW-1	03/27/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	1.4	-	-
RW-1	06/24/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	10/30/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	12/20/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MTCA Method A Cleanup Levels:		800*	500	500	5	1000	700	1000	20	5	0.01	15	-	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS
 Miller's Market
 3152 Washington Way
 Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
--------------------	----------------	----------------------------	--------------------------	-----------------------	-------------------	-------------------	-----------------------------	-------------------	----------------	---------------	---------------	----------------	-------------------	-------------------

Notes:

µg/L = micrograms per liter

mg/L = milligrams per liter

ND = Not detected at or above the laboratory reporting limits. Reporting limit in parentheses.

-- = Not sampled, not measured, or not analyzed

TPH - Gasoline - Analysis by Northwest Method NWTPH-G

TPH - Diesel - Analysis by Northwest Method NWTPH-Dx with Silica Gel Cleanup

TPH - Oil - Analysis by Northwest Method NWTPH-Dx with Silica Gel Cleanup

BTEX Compounds - Analysis by EPA Method 8021B

Methyl-tert-Butyl Ether Analysis by EPA Method 8021B or 8260B

EDC (1,2 Dichloroethane) and EDB (1,2 Ethylene dibromide) - Analysis by EPA Method 8260 SIM

Lead - Analysis by EPA 6020

Nitrate and Sulfate - analysis by EPA Method 300.0

*MTCA Method A Cleanup Level for TPH-Gasoline is 1000 µg/L if benzene is not detectable in groundwater.

^a Chromatogram indicates that it is likely that sample contains weathered gasoline.

^b Chromatogram indicates that it is likely that sample contains weathered gasoline. TPH Benzene results bias high due to coeluting compound.

^c Benzene results bias high due to coeluting compound.

¹ Duplicate sample, noted as MW-13 on the COC.



Figures

- Figure 1 Site Location Map
- Figure 2 Well Locations and Groundwater Elevation Contour Map
- Figure 3 Analytical Concentration Map




FIGURE 1
SITE LOCATION MAP

MILLER'S MARKET
3152 WASHINGTON WAY
LONGVIEW, WASHINGTON

PROJECT NO. STCG-047-2	DRAWN BY JK 5-12-12
FILE NO. STCG-047-2	PREPARED BY JK
REVISION NO.	REVIEWED BY MM








FIGURE 3
ANALYTICAL CONCENTRATION MAP
 (05/13/2015)

Miller's Market
 3152 Washington Way
 Longview, Washington

PROJECT NO. STCG-047-2	DRAWN BY N.H. 9/31/03
FILE NO. STCG-047-2	PREPARED BY LH 05/27/15
REVISION NO.	REVIEWED BY MM







LEGEND

- MW-2 ● Groundwater Monitoring Well Location and Designation (MW-1 to MW-3 November 2003) (MW-4 to MW-8 November 2005)
- RW-1 ● Recovery Well Location and Designation (November 2003)
- Existing Groundwater Monitoring Well
- 43.77 Groundwater Elevation, feet
- - - 44.70 Inferred Groundwater Elevation Contour, feet
- (43.54)* Groundwater Elevation not used in contours
- ➔ Approximate Groundwater Gradient Direction at 0.010 ft/ft
- NG Not Gauged

FIGURE 2
WELL LOCATIONS AND GROUNDWATER ELEVATION CONTOUR MAP (05/13/15)

Miller's Market
 3152 Washington Way
 Longview, Washington

PROJECT NO. STCG-047-2	DRAWN BY N.H. 9/31/03
FILE NO. STCG-047-2	PREPARED BY LH 05/27/15
REVISION NO. 1	REVIEWED BY JK



Left Turn Lane

Left Turn Lane

Washington Way

Greenway Area

Drainage Ditch

Quarterly Groundwater Monitoring Report - Second Quarter 2015
Miller's Market
3152 Washington Way, Longview, WA



Appendix A

Analytical Lab Report and Chain-of-Custody Documentation



May 19, 2015

Mr. Matt Miller
Antea Group
4006 - 148th Ave NE
Redmond, WA 98052

Dear Mr. Miller,

On May 15th, 6 samples were received by our laboratory and assigned our laboratory project number EV15050064. The project was identified as your STCG 0472 Claim# 21164 Millers Market. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director



CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group 4006 - 148th Ave NE Redmond, WA 98052	DATE:	5/19/2015
CLIENT CONTACT:	Matt Miller	ALS JOB#:	EV15050064
CLIENT PROJECT:	STCG 0472 Claim# 21164 Millers Market	ALS SAMPLE#:	EV15050064-01
CLIENT SAMPLE ID	MW-3	DATE RECEIVED:	05/15/2015
		COLLECTION DATE:	5/13/2015 1:35:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	130	50	1	ug/L	05/15/2015	PAB
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	ug/L	05/15/2015	PAB
Benzene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Toluene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Ethylbenzene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Xylenes	EPA-8021	U	3.0	1	ug/L	05/15/2015	PAB

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	106	05/15/2015	PAB
TFT	EPA-8021	113	05/15/2015	PAB

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains highly weathered gasoline.





CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group 4006 - 148th Ave NE Redmond, WA 98052	DATE:	5/19/2015
CLIENT CONTACT:	Matt Miller	ALS JOB#:	EV15050064
CLIENT PROJECT:	STCG 0472 Claim# 21164 Millers Market	ALS SAMPLE#:	EV15050064-02
CLIENT SAMPLE ID	MW-6	DATE RECEIVED:	05/15/2015
		COLLECTION DATE:	5/13/2015 12:30:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	ug/L	05/15/2015	PAB
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	ug/L	05/15/2015	PAB
Benzene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Toluene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Ethylbenzene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Xylenes	EPA-8021	U	3.0	1	ug/L	05/15/2015	PAB

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	97.7	05/15/2015	PAB
TFT	EPA-8021	101	05/15/2015	PAB

U - Analyte analyzed for but not detected at level above reporting limit.





CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group 4006 - 148th Ave NE Redmond, WA 98052	DATE:	5/19/2015
CLIENT CONTACT:	Matt Miller	ALS JOB#:	EV15050064
CLIENT PROJECT:	STCG 0472 Claim# 21164 Millers Market	ALS SAMPLE#:	EV15050064-03
CLIENT SAMPLE ID	MW-7	DATE RECEIVED:	05/15/2015
		COLLECTION DATE:	5/13/2015 1:05:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	62	50	1	ug/L	05/15/2015	PAB
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	ug/L	05/15/2015	PAB
Benzene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Toluene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Ethylbenzene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Xylenes	EPA-8021	U	3.0	1	ug/L	05/15/2015	PAB

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	97.9	05/15/2015	PAB
TFT	EPA-8021	103	05/15/2015	PAB

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains highly weathered gasoline.



CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group 4006 - 148th Ave NE Redmond, WA 98052	DATE:	5/19/2015
CLIENT CONTACT:	Matt Miller	ALS JOB#:	EV15050064
CLIENT PROJECT:	STCG 0472 Claim# 21164 Millers Market	ALS SAMPLE#:	EV15050064-04
CLIENT SAMPLE ID	MW-8	DATE RECEIVED:	05/15/2015
		COLLECTION DATE:	5/13/2015 12:45:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	ug/L	05/15/2015	PAB
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	ug/L	05/15/2015	PAB
Benzene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Toluene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Ethylbenzene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Xylenes	EPA-8021	U	3.0	1	ug/L	05/15/2015	PAB

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	97.9	05/15/2015	PAB
TFT	EPA-8021	101	05/15/2015	PAB

U - Analyte analyzed for but not detected at level above reporting limit.



CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group 4006 - 148th Ave NE Redmond, WA 98052	DATE:	5/19/2015
CLIENT CONTACT:	Matt Miller	ALS JOB#:	EV15050064
CLIENT PROJECT:	STCG 0472 Claim# 21164 Millers Market	ALS SAMPLE#:	EV15050064-05
CLIENT SAMPLE ID:	Duplicate	DATE RECEIVED:	05/15/2015
		COLLECTION DATE:	5/13/2015
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	120	50	1	ug/L	05/15/2015	PAB
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	ug/L	05/15/2015	PAB
Benzene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Toluene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Ethylbenzene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Xylenes	EPA-8021	U	3.0	1	ug/L	05/15/2015	PAB

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	100	05/15/2015	PAB
TFT	EPA-8021	109	05/15/2015	PAB

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains highly weathered gasoline.



CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group 4006 - 148th Ave NE Redmond, WA 98052	DATE:	5/19/2015
CLIENT CONTACT:	Matt Miller	ALS JOB#:	EV15050064
CLIENT PROJECT:	STCG 0472 Claim# 21164 Millers Market	ALS SAMPLE#:	EV15050064-06
CLIENT SAMPLE ID	TB	DATE RECEIVED:	05/15/2015
		COLLECTION DATE:	5/13/2015
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	ug/L	05/15/2015	PAB
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	ug/L	05/15/2015	PAB
Benzene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Toluene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Ethylbenzene	EPA-8021	U	1.0	1	ug/L	05/15/2015	PAB
Xylenes	EPA-8021	U	3.0	1	ug/L	05/15/2015	PAB

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	94.4	05/15/2015	PAB
TFT	EPA-8021	98.2	05/15/2015	PAB

U - Analyte analyzed for but not detected at level above reporting limit.



CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group 4006 - 148th Ave NE Redmond, WA 98052	DATE: 5/19/2015 ALS SDG#: EV15050064 WDOE ACCREDITATION: C601
CLIENT CONTACT:	Matt Miller	
CLIENT PROJECT:	STCG 0472 Claim# 21164 Millers Market	

LABORATORY BLANK RESULTS

MB-050815W3 - Batch 93254 - Water by NWTPH-GX

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	ug/L	05/08/2015	PAB

U - Analyte analyzed for but not detected at level above reporting limit.

MB-050815W3 - Batch 93254 - Water by EPA-8021

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	ug/L	05/08/2015	PAB
Benzene	EPA-8021	U	1.0	1	ug/L	05/08/2015	PAB
Toluene	EPA-8021	U	1.0	1	ug/L	05/08/2015	PAB
Ethylbenzene	EPA-8021	U	1.0	1	ug/L	05/08/2015	PAB
Xylenes	EPA-8021	U	3.0	1	ug/L	05/08/2015	PAB

U - Analyte analyzed for but not detected at level above reporting limit.





CERTIFICATE OF ANALYSIS

CLIENT: Antea Group
 4006 - 148th Ave NE
 Redmond, WA 98052
DATE: 5/19/2015
ALS SDG#: EV15050064
WDOE ACCREDITATION: C601
CLIENT CONTACT: Matt Miller
CLIENT PROJECT: STCG 0472 Claim# 21164 Millers Market

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 93254 - Water by NWTPH-GX

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range - BS	NWTPH-GX	82.6			05/08/2015	PAB
TPH-Volatile Range - BSD	NWTPH-GX	86.2	4		05/08/2015	PAB

ALS Test Batch ID: 93254 - Water by EPA-8021

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	ANALYSIS DATE	ANALYSIS BY
Methyl T-Butyl Ether - BS	EPA-8021	85.0			05/08/2015	PAB
Methyl T-Butyl Ether - BSD	EPA-8021	82.3	3		05/08/2015	PAB
Benzene - BS	EPA-8021	94.4			05/08/2015	PAB
Benzene - BSD	EPA-8021	95.8	1		05/08/2015	PAB
Toluene - BS	EPA-8021	94.4			05/08/2015	PAB
Toluene - BSD	EPA-8021	96.2	2		05/08/2015	PAB
Ethylbenzene - BS	EPA-8021	92.5			05/08/2015	PAB
Ethylbenzene - BSD	EPA-8021	93.4	1		05/08/2015	PAB
Xylenes - BS	EPA-8021	91.0			05/08/2015	PAB
Xylenes - BSD	EPA-8021	91.5	1		05/08/2015	PAB

APPROVED BY

Laboratory Director



ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EV15050064

Date: 5/13/15 Page: 1 of 1

PROJECT ID: STCG 0472 Claim # 21164 Millris Market					ANALYSIS REQUESTED:										OTHER (Specify):						
REPORT TO COMPANY: Antea Group					<input type="checkbox"/> NITPH-HClD <input type="checkbox"/> NITPH-DX <input type="checkbox"/> NITPH-OX <input type="checkbox"/> BTEX by EPA-821 <input type="checkbox"/> MTBE by EPA-821 <input type="checkbox"/> EPA-8260 <input type="checkbox"/> <input type="checkbox"/> Halogenated Volatiles by EPA 8260 <input type="checkbox"/> Volatile Organic Compounds by EPA 8260 <input type="checkbox"/> EDB / EDC by EPA 8260 SIM (water) <input type="checkbox"/> EDB / EDC by EPA 8260 (soil) <input type="checkbox"/> Semivolatile Organic Compounds by EPA 8270 <input type="checkbox"/> Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM <input type="checkbox"/> <input type="checkbox"/> PCB <input type="checkbox"/> Pesticides <input type="checkbox"/> by EPA 803/8082 <input type="checkbox"/> Metals-MTCA-5 <input type="checkbox"/> RCRA-8 <input type="checkbox"/> P/Pol <input type="checkbox"/> TAL <input type="checkbox"/> <input type="checkbox"/> Metals Other (Specify) <input type="checkbox"/> TCLP-Metals <input type="checkbox"/> VOC <input type="checkbox"/> Semi-Vol <input type="checkbox"/> Pest <input type="checkbox"/> Herbs <input type="checkbox"/>	ADDRESS: 4008 148th Ave NE Richmond, WA 98052		PHONE: 425 269 7178 FAX:		RO.#:		E-MAIL: matt.miller@antegrp.com		INVOICE TO COMPANY: Carol Lybeer / Colony Insurance		ATTENTION: Carol Lybeer		ADDRESS:			
SAMPLE I.D.	DATE	TIME	TYPE	LAB#												NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?				
1. MW-3	5/13/15	1335	AQ	1															X	4	
2. MW-6		1230		2																1	
3. MW-7		1305		3																1	
4. MW-8		1245		4																1	
5. Duplicate	5/13/15			5															4		
6. TB			AQ	6															X	2	
7.																					
8.																					
9.																					
10.																					

SPECIAL INSTRUCTIONS:

SIGNATURES (Name, Company, Date, Time):
 1. Relinquished By: Missy Tracy, Antea Group, 5/14/15 09:00
 Received By: [Signature] ALS 5/15/15 2:20
 2. Relinquished By: _____
 Received By: _____

TURNAROUND REQUESTED in Business Days*
 Organic, Metals & Inorganic Analysis
 5 6 3 2 1 SAME DAY
 Fuels & Hydrocarbon Analysis:
 5 3 1 SAME DAY

OTHER:
 Specify: _____

*Turnaround request less than standard may incur Rush Charges