



QUARTERLY GROUNDWATER MONITORING/SULFATE INJECTION REPORT

Second Quarter of 2014

Millers Market

*Antea Group Project No. STCG-047-2
September 5, 2014*

RECEIVED

NOV 20 2015

**TOXICS CLEANUP PROGRAM HQ
ADMINISTRATIVE**

Prepared for:
Miller's Market
3152 Washington Way
Longview, WA 98632

Prepared by:
Antea Group
4006 148th Avenue NE
Redmond, WA 98052
800 477 7411



September 5, 2014

Mr. Mike Bauman
Miller's Market
3152 Washington Way
Longview, WA 98632

Subject: Quarterly Groundwater Monitoring/ Sulfate Injection Report- Second Quarter of 2014
Miller's Market
3152 Washington Way
Longview, Washington
Antea Project STCG-047-2
Colony Claim No. 21164

Dear Mr. Bauman:

Antea Group (Antea Group) has prepared this report to summarize groundwater monitoring performed at the above referenced site on June 16, 2014. A site location map is included on Figure 1.

GROUNDWATER SAMPLING AND ANALYSES

Before the June sampling event, Antea Group measured depth to water in monitoring wells MW-1, MW-3 through MW-8, and RW-1 using an electronic water level meter. Groundwater elevations (GWE) were recorded on waterproof field sheets and measured to an accuracy of 0.01 feet. Samples were withdrawn from wells MW-3 and MW-6 through MW-8 using a low-flow/ low-purge technique with a peristaltic pump. Field parameters of dissolved oxygen (DO), temperature, conductivity, oxygen reduction potential (ORP), and pH were collected during low-flow/low-purge procedures. The samples were placed in the appropriate laboratory-provided containers. Samples were labeled, placed into ice filled coolers, logged onto chain-of-custody forms and transported to the laboratory. No separate-phase hydrocarbons were observed in any of the monitoring wells.

During the June groundwater sampling event, the groundwater flow direction was generally to the south at an approximate gradient of 0.039 feet/linear foot. A summary of current and historical groundwater elevations with natural attenuation parameters is included in Table 1. A site map showing well locations and groundwater elevations is included on Figure 2.



All Groundwater samples were submitted to ALS Laboratory Group in Everett, Washington. During the July event, samples from MW-3 and MW-6 through MW-8 were analyzed for total petroleum hydrocarbons in the gasoline range (TPH-G) using Northwest Method NWTPH-Gx; and benzene, toluene, ethylbenzene, total xylenes (BTEX), and methyl-tert-butyl ether (MTBE) using USEPA Method 8021B.

GROUNDWATER ANALYTICAL RESULTS

Analytical results indicate that all of the samples collected during the second quarter contained concentrations of analyzed compounds that were either below the laboratory reporting limit or were detected at concentrations below the Washington State Department of Ecology's Model Toxics Control Act (MTCA) Method A cleanup levels. A summary of current and historical groundwater analytical results are presented in Table 2. A site map, showing TPH-G, BTEX, and MTBE concentrations, is included on Figure 3. The analytical report and chain-of-custody documentation are presented as Appendix A and field data sheets are presented as Appendix B.

SULFATE INJECTION

Sulfate injection was proposed as a remediation strategy to address the TPH-G and benzene impacts remaining at the site and commenced during the third quarter of 2012. During initial events, 150 gallons of 2% magnesium sulfate solution was injected into the injection trench (IT-1) after completion of groundwater sampling. Following repeated attempts of injecting sulfate into IT-1, it became apparent that sulfate was not migrating to well MW-3. Antea Group therefore began injecting a portion of the sulfate solution into well MW-3, in addition to the injection trench. Sulfate injections had been temporarily suspended following the May 2013 injection event. Though sulfate was not detected in the down gradient compliance well, it remained high in well MW-3. Antea Group received approval on the request to renew the UIC injection permit (#31710) and since sulfate concentrations in well MW-3 decreased, injections resumed during the third and into the fourth quarters of 2013. No injections occurred during the first or second quarter of 2014.



REMARKS

The recommendations contained in this report represent Antea USA, Inc.'s professional opinions based upon the currently available information and are arrived at in accordance with currently accepted professional standards. This report is based upon a specific scope of work requested by the client. The contract between Antea USA, Inc. and its client outlines the scope of work, and only those tasks specifically authorized by that contract or outlined in this report were performed. This report is intended only for the use of Antea USA, Inc.'s client and anyone else specifically identified in writing by Antea USA, Inc. as a user of this report. Antea USA, Inc. will not and cannot be liable for unauthorized reliance by any other third party. Other than as contained in this paragraph, Antea USA, Inc. makes no express or implied warranty as to the contents of this report.



Antea Group appreciates the opportunity to provide environmental services to you. Please call Matthew Miller, Senior Project Manager, at 425-498-7722 if you have any questions regarding the contents of this letter.

Prepared by:

A handwritten signature in black ink, appearing to read "Lauren Hamilton".

Lauren Hamilton
Staff Professional

Date: September 5, 2014

Reviewed by:


A handwritten signature in black ink, appearing to read "Jaime KC".

Jaime KC
Project Professional

Date: September 5, 2014

A handwritten signature in black ink, appearing to read "Matthew R. Miller".

Matthew R. Miller, LG
Senior Project Manager



Matthew Miller

Date: September 5, 2014

cc: Mr. Paul Turner, Washington State Department of Ecology, Southwest Regional Office
Argo Pro / Colony Insurance, San Antonio, Texas
File, Antea Group



Enclosures

Tables

| | |
|---------|---|
| Table 1 | Groundwater Elevation Measurements – Natural Attenuation Parameters |
| Table 2 | Groundwater Analytical Results |

Figures

| | |
|----------|--|
| Figure 1 | Site Location Map |
| Figure 2 | Well Locations and Groundwater Elevation Contour Map |
| Figure 3 | Analytical Concentration Map |

Appendices

| | |
|------------|---|
| Appendix A | Analytical Lab Reports and Chain-of-Custody Documentation |
| Appendix B | Field Data Sheets |



Tables

| | |
|---------|---|
| Table 1 | Groundwater Elevation Measurements - Natural Attenuation Parameters |
| Table 2 | Groundwater Analytical Results |

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TOC (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet) | Dissolved Oxygen (mg/L) | pH (0 to 14 units) | Conductivity (uS) | ORP (mV) | Temp. (Celsius) |
|--------------------|----------------|---------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------|----------------------|-------------|--------------------|
| MW-1 | 11/17/03 | 49.37 | 5.36 | 44.01 | -- | -- | -- | -- | -- |
| MW-1 | 03/15/04 | 49.37 | 5.49 | 43.88 | -- | -- | -- | -- | -- |
| MW-1 | 06/17/04 | 49.37 | 5.15 | 44.22 | -- | -- | -- | -- | -- |
| MW-1 | 09/15/04 | 49.37 | 5.31 | 44.06 | -- | -- | -- | -- | -- |
| MW-1 | 12/16/04 | 49.37 | 4.99 | 44.38 | -- | -- | -- | -- | -- |
| MW-1 | 03/18/05 | 49.37 | 5.48 | 43.89 | -- | -- | -- | -- | -- |
| MW-1 | 06/14/05 | 49.37 | 5.33 | 44.04 | -- | -- | -- | -- | -- |
| MW-1 | 09/26/05 | 49.37 | 6.12 | 43.25 | -- | -- | -- | -- | -- |
| MW-1 | 11/28/05 | 49.37 | 4.80 | 44.57 | -- | -- | -- | -- | -- |
| MW-1 | 03/22/06 | 49.37 | 4.96 | 44.41 | -- | -- | -- | -- | -- |
| MW-1 | 06/27/06 | 49.37 | 4.90 | 44.47 | -- | -- | -- | -- | -- |
| MW-1 | 09/22/06 | 49.37 | 4.64 | 44.73 | -- | -- | -- | -- | -- |
| MW-1 | 12/05/06 | 49.37 | 4.87 | 44.50 | -- | -- | -- | -- | -- |
| MW-1 | 03/13/07 | 49.37 | 5.00 | 44.37 | -- | -- | -- | -- | -- |
| MW-1 | 06/04/07 | 49.37 | 5.23 | 44.14 | -- | -- | -- | -- | -- |
| MW-1 | 09/10/07 | 49.37 | 5.95 | 43.42 | -- | -- | -- | -- | -- |
| MW-1 | 01/07/08 | 49.37 | 4.27 | 45.10 | -- | -- | -- | -- | -- |
| MW-1 | 03/20/08 | 49.37 | 4.80 | 44.57 | -- | -- | -- | -- | -- |
| MW-1 | 06/16/08 | 49.37 | 4.45 | 44.92 | -- | -- | -- | -- | -- |
| MW-1 | 09/08/08 | 49.37 | 5.89 | 43.48 | -- | -- | -- | -- | -- |
| MW-1 | 12/08/08 | 49.37 | 5.04 | 44.33 | -- | -- | -- | -- | -- |
| MW-1 | 03/05/09 | 49.37 | 4.78 | 44.59 | -- | -- | -- | -- | -- |
| MW-1 | 06/19/09 | 49.37 | 4.87 | 44.50 | -- | -- | -- | -- | -- |
| MW-1 | 09/28/09 | 49.37 | 6.30 | 43.07 | -- | -- | -- | -- | -- |
| MW-1 | 12/29/09 | 49.37 | 5.08 | 44.29 | -- | -- | -- | -- | -- |
| MW-1 | 03/26/10 | 49.37 | 5.10 | 44.27 | -- | -- | -- | -- | -- |
| MW-1 | 06/09/10 | 49.37 | 4.13 | 45.24 | -- | -- | -- | -- | -- |
| MW-1 | 09/22/10 | 49.37 | 5.66 | 43.71 | -- | -- | -- | -- | -- |
| MW-1 | 12/17/10 | 49.37 | 4.14 | 45.23 | -- | -- | -- | -- | -- |
| MW-1 | 03/25/11 | 49.37 | 4.41 | 44.96 | -- | -- | -- | -- | -- |
| MW-1 | 06/21/11 | 49.37 | 4.39 | 44.98 | -- | -- | -- | -- | -- |
| MW-1 | 09/13/11 | 49.37 | 5.75 | 43.62 | -- | -- | -- | -- | -- |
| MW-1 | 12/28/11 | 49.37 | 4.80 | 44.57 | -- | -- | -- | -- | -- |

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TOC (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet) | Dissolved Oxygen (mg/L) | pH (0 to 14 units) | Conductivity (uS) | ORP (mV) | Temp. (Celsius) |
|--------------------|----------------|---------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------|----------------------|-------------|--------------------|
| MW-1 | 03/19/12 | 49.37 | 3.91 | 45.46 | -- | -- | -- | -- | -- |
| MW-1 | 06/06/12 | 49.37 | 4.37 | 45.00 | -- | -- | -- | -- | -- |
| MW-1 | 09/17/12 | 49.37 | 5.73 | 43.64 | -- | -- | -- | -- | -- |
| MW-1* | 11/29/12 | 49.38 | 4.73 | 44.65 | -- | -- | -- | -- | -- |
| MW-1 | 12/21/12 | 49.38 | 4.05 | 45.33 | -- | -- | -- | -- | -- |
| MW-1 | 03/27/13 | 49.38 | 5.22 | 44.16 | -- | -- | -- | -- | -- |
| MW-1 | 06/24/13 | 49.38 | 4.65 | 44.73 | -- | -- | -- | -- | -- |
| MW-1 | 10/30/13 | 49.38 | 5.61 | 43.77 | -- | -- | -- | -- | -- |
| MW-1 | 12/20/13 | 49.38 | 6.50 | 42.88 | 0.91 | 6.05 | 306 | -- | 14.38 |
| MW-1 | 03/12/14 | 49.38 | 4.50 | 44.88 | -- | -- | -- | -- | -- |
| MW-1 | 06/16/14 | 49.38 | 4.86 | 44.52 | -- | -- | -- | -- | -- |

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TOC (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet) | Dissolved Oxygen (mg/L) | pH (0 to 14 units) | Conductivity (uS) | ORP (mV) | Temp. (Celsius) |
|--------------------|----------------|---------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------|----------------------|-------------|--------------------|
| MW-2 | 11/17/03 | 48.36 | 4.45 | 43.91 | -- | -- | -- | -- | -- |
| MW-2 | 03/15/04 | 48.36 | 4.47 | 43.89 | -- | -- | -- | -- | -- |
| MW-2 | 06/17/04 | 48.36 | 4.20 | 44.16 | -- | -- | -- | -- | -- |
| MW-2 | 09/15/04 | 48.36 | 4.31 | 44.05 | -- | -- | -- | -- | -- |
| MW-2 | 12/16/04 | 48.36 | 4.02 | 44.34 | -- | -- | -- | -- | -- |
| MW-2 | 03/18/05 | 48.36 | 4.47 | 43.89 | -- | -- | -- | -- | -- |
| MW-2 | 06/14/05 | 48.36 | 4.36 | 44.00 | -- | -- | -- | -- | -- |
| MW-2 | 09/26/05 | 48.36 | 5.15 | 43.21 | -- | -- | -- | -- | -- |
| MW-2 | 11/28/05 | 48.36 | 3.84 | 44.52 | -- | -- | -- | -- | -- |
| MW-2 | 03/22/06 | 48.36 | 4.01 | 44.35 | -- | -- | -- | -- | -- |
| MW-2 | 06/27/06 | 48.36 | 3.85 | 44.51 | -- | -- | -- | -- | -- |
| MW-2 | 09/22/06 | 48.36 | 4.59 | 43.77 | -- | -- | -- | -- | -- |
| MW-2 | 12/05/06 | 48.36 | 3.91 | 44.45 | -- | -- | -- | -- | -- |
| MW-2 | 03/13/07 | 48.36 | NG | 48.36 | -- | -- | -- | -- | -- |
| MW-2 | 06/04/07 | 48.36 | 4.21 | 44.15 | -- | -- | -- | -- | -- |
| MW-2 | 09/10/07 | 48.36 | 4.98 | 43.38 | -- | -- | -- | -- | -- |
| MW-2 | 01/07/08 | 48.36 | 3.25 | 45.11 | -- | -- | -- | -- | -- |
| MW-2 | 03/20/08 | 48.36 | 3.80 | 44.56 | -- | -- | -- | -- | -- |
| MW-2 | 06/16/08 | 48.36 | 3.56 | 44.80 | -- | -- | -- | -- | -- |
| MW-2 | 09/08/08 | 48.36 | 4.41 | 43.95 | -- | -- | -- | -- | -- |
| MW-2 | 12/08/08 | 48.36 | 4.08 | 44.28 | -- | -- | -- | -- | -- |
| MW-2 | 03/05/09 | 48.36 | 3.79 | 44.57 | -- | -- | -- | -- | -- |
| MW-2 | 06/19/09 | 48.36 | 3.96 | 44.40 | -- | -- | -- | -- | -- |
| MW-2 | 09/28/09 | 48.36 | 5.11 | 43.25 | -- | -- | -- | -- | -- |
| MW-2 | 12/29/09 | 48.36 | 4.15 | 44.21 | -- | -- | -- | -- | -- |
| MW-2 | 03/26/10 | 48.36 | 4.21 | 44.15 | -- | -- | -- | -- | -- |
| MW-2 | 06/09/10 | 48.36 | 3.17 | 45.19 | -- | -- | -- | -- | -- |
| MW-2 | 09/22/10 | 48.36 | 4.64 | 43.72 | -- | -- | -- | -- | -- |
| MW-2 | 12/17/10 | 48.36 | 3.25 | 45.11 | -- | -- | -- | -- | -- |
| MW-2 | 03/25/11 | 48.36 | 3.37 | 44.99 | -- | -- | -- | -- | -- |
| MW-2 | 06/21/11 | 48.36 | 3.42 | 44.94 | -- | -- | -- | -- | -- |
| MW-2 | 09/13/11 | 48.36 | 4.78 | 43.58 | -- | -- | -- | -- | -- |
| MW-2 | 12/28/11 | 48.36 | 3.62 | 44.74 | -- | -- | -- | -- | -- |

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TOC (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet) | Dissolved Oxygen (mg/L) | pH (0 to 14 units) | Conductivity (uS) | ORP (mV) | Temp. (Celsius) |
|--------------------|----------------|---------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------|----------------------|-------------|--------------------|
| MW-2 | 03/19/12 | 48.36 | 2.93 | 45.43 | -- | -- | -- | -- | -- |
| MW-2 | 06/08/12 | 48.36 | 3.44 | 44.92 | -- | -- | -- | -- | -- |
| MW-2 | 09/17/12 | 48.36 | -- | -- | -- | -- | -- | -- | -- |
| MW-2 | 12/21/12 | 48.36 | 3.13 | 45.23 | -- | -- | -- | -- | -- |
| MW-2 | 03/27/13 | 48.36 | 4.20 | 44.16 | -- | -- | -- | -- | -- |
| MW-2 | 06/24/13 | 48.36 | 3.77 | 44.59 | -- | -- | -- | -- | -- |
| MW-2 | 10/30/13 | 48.36 | -- | -- | -- | -- | -- | -- | -- |
| MW-2 | 12/20/13 | 48.36 | 5.63 | 42.73 | 0.46 | 6.28 | 155 | -- | 12.47 |
| MW-2 | 03/12/14 | 48.36 | -- | -- | -- | -- | -- | -- | -- |
| MW-2 | 06/16/14 | 48.36 | -- | -- | -- | -- | -- | -- | -- |

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TOC (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet) | Dissolved Oxygen (mg/L) | pH (0 to 14 units) | Conductivity (uS) | ORP (mV) | Temp. (Celsius) |
|--------------------|----------------|---------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------|----------------------|-------------|--------------------|
| MW-3 | 11/17/03 | 49.20 | 5.34 | 43.86 | -- | -- | -- | -- | -- |
| MW-3 | 03/15/04 | 49.20 | 5.24 | 43.96 | -- | -- | -- | -- | -- |
| MW-3 | 06/17/04 | 49.20 | 5.48 | 43.72 | -- | -- | -- | -- | -- |
| MW-3 | 09/15/04 | 49.20 | 5.55 | 43.65 | -- | -- | -- | -- | -- |
| MW-3 | 12/16/04 | 49.20 | 5.12 | 44.08 | -- | -- | -- | -- | -- |
| MW-3 | 03/18/05 | 49.20 | 5.61 | 43.59 | -- | -- | -- | -- | -- |
| MW-3 | 06/14/05 | 49.20 | 5.26 | 43.94 | -- | -- | -- | -- | -- |
| MW-3 | 09/26/05 | 49.20 | 6.02 | 43.18 | -- | -- | -- | -- | -- |
| MW-3 | 11/28/05 | 49.20 | 5.01 | 44.19 | -- | -- | -- | -- | -- |
| MW-3 | 03/22/06 | 49.20 | 4.85 | 44.35 | -- | -- | -- | -- | -- |
| MW-3 | 06/27/06 | 49.20 | 4.86 | 44.34 | -- | -- | -- | -- | -- |
| MW-3 | 09/22/06 | 49.20 | 5.50 | 43.70 | -- | -- | -- | -- | -- |
| MW-3 | 12/05/06 | 49.20 | 4.90 | 44.30 | -- | -- | -- | -- | -- |
| MW-3 | 03/13/07 | 49.20 | 5.06 | 44.14 | -- | -- | -- | -- | -- |
| MW-3 | 06/04/07 | 49.20 | 5.36 | 43.84 | -- | -- | -- | -- | -- |
| MW-3 | 09/10/07 | 49.20 | 5.90 | 43.30 | -- | -- | -- | -- | -- |
| MW-3 | 01/07/08 | 49.20 | 4.42 | 44.78 | -- | -- | -- | -- | -- |
| MW-3 | 03/20/08 | 49.20 | 4.90 | 44.30 | -- | -- | -- | -- | -- |
| MW-3 | 06/16/08 | 49.20 | 4.47 | 44.73 | -- | -- | -- | -- | -- |
| MW-3 | 09/08/08 | 49.20 | 5.72 | 43.48 | -- | -- | -- | -- | -- |
| MW-3 | 12/08/08 | 49.20 | 5.10 | 44.10 | -- | -- | -- | -- | -- |
| MW-3 | 03/05/09 | 49.20 | 4.16 | 45.04 | -- | -- | -- | -- | -- |
| MW-3 | 06/19/09 | 49.20 | 5.74 | 43.46 | -- | -- | -- | -- | -- |
| MW-3 | 09/28/09 | 49.20 | 6.13 | 43.07 | -- | -- | -- | -- | -- |
| MW-3 | 12/29/09 | 49.20 | 5.27 | 43.93 | -- | -- | -- | -- | -- |
| MW-3 | 03/26/10 | 49.20 | 5.03 | 44.17 | -- | -- | -- | -- | -- |
| MW-3 | 06/09/10 | 49.20 | 4.12 | 45.08 | -- | -- | -- | -- | -- |
| MW-3 | 09/22/10 | 49.20 | 5.67 | 43.53 | -- | -- | -- | -- | -- |
| MW-3 | 12/17/10 | 49.20 | 4.10 | 45.10 | -- | -- | -- | -- | -- |
| MW-3 | 03/25/11 | 49.20 | 4.30 | 44.90 | -- | -- | -- | -- | -- |
| MW-3 | 06/21/11 | 49.20 | 5.07 | 44.13 | -- | -- | -- | -- | -- |
| MW-3 | 09/13/11 | 49.20 | 5.71 | 43.49 | -- | -- | -- | -- | -- |
| MW-3 | 12/28/11 | 49.20 | 4.90 | 44.30 | -- | -- | -- | -- | -- |

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TOC (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet) | Dissolved Oxygen (mg/L) | pH (0 to 14 units) | Conductivity (uS) | ORP (mV) | Temp. (Celsius) |
|--------------------|----------------|---------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------|----------------------|-------------|--------------------|
| MW-3 | 03/19/12 | 49.20 | 3.92 | 45.28 | -- | -- | -- | -- | -- |
| MW-3 | 04/12/12 | 49.20 | 4.19 | 45.01 | -- | -- | -- | -- | -- |
| MW-3 | 06/08/12 | 49.20 | 4.43 | 44.77 | -- | -- | -- | -- | -- |
| MW-3 | 09/17/12 | 49.20 | 5.63 | 43.57 | -- | -- | -- | -- | -- |
| MW-3 | 10/01/12 | 49.20 | 5.87 | 43.33 | -- | -- | -- | -- | -- |
| MW-3 | 10/25/12 | 49.20 | 5.58 | 43.62 | -- | -- | -- | -- | -- |
| MW-3 | 11/29/12 | 49.20 | 4.68 | 44.52 | -- | -- | -- | -- | -- |
| MW-3 | 12/21/12 | 49.20 | 3.13 | 46.07 | -- | -- | -- | -- | -- |
| MW-3 | 02/19/13 | 49.20 | 5.33 | 43.87 | -- | -- | -- | -- | -- |
| MW-3 | 03/27/13 | 49.20 | 5.19 | 44.01 | -- | -- | -- | -- | -- |
| MW-3 | 04/24/13 | 49.20 | 4.95 | 44.25 | -- | -- | -- | -- | -- |
| MW-3 | 05/30/13 | 49.20 | 4.46 | 44.74 | -- | -- | -- | -- | -- |
| MW-3 | 06/24/13 | 49.20 | 4.79 | 44.41 | -- | -- | -- | -- | -- |
| MW-3 | 07/31/13 | 49.20 | 5.75 | 43.45 | -- | -- | -- | -- | -- |
| MW-3 | 08/28/13 | 49.20 | 5.76 | 43.44 | -- | -- | -- | -- | -- |
| MW-3 | 09/20/13 | 49.20 | 5.20 | 44.00 | -- | -- | -- | -- | -- |
| MW-3 | 10/30/13 | 49.20 | 5.40 | 43.80 | -- | -- | -- | -- | -- |
| MW-3 | 11/26/13 | 49.20 | 7.51 | 41.69 | -- | 6.56 | 646 | -- | 16.5 |
| MW-3 | 12/20/13 | 49.20 | 6.56 | 42.64 | 0.34 | 5.09 | 1392 | -- | 12.96 |
| MW-3 | 03/12/14 | 49.20 | 4.49 | 44.71 | 1.81 | 6.52 | 151.7 | -- | 13.9 |
| MW-3 | 03/12/14 | 49.20 | 4.85 | 44.35 | 2.84 | 6.24 | 814 | -66.5 | 15.97 |

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TOC (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet) | Dissolved Oxygen (mg/L) | pH (0 to 14 units) | Conductivity (uS) | ORP (mV) | Temp. (Celsius) |
|--------------------|----------------|---------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------|----------------------|-------------|--------------------|
| MW-4 | 11/28/05 | 48.38 | 4.52 | 43.86 | -- | -- | -- | -- | -- |
| MW-4 | 03/22/06 | 48.38 | 4.44 | 43.94 | -- | -- | -- | -- | -- |
| MW-4 | 06/27/06 | 48.38 | 4.30 | 44.08 | -- | -- | -- | -- | -- |
| MW-4 | 09/22/06 | 48.38 | 4.64 | 43.74 | -- | -- | -- | -- | -- |
| MW-4 | 12/05/06 | 48.38 | 4.01 | 44.37 | -- | -- | -- | -- | -- |
| MW-4 | 03/13/07 | 48.38 | 4.23 | 44.15 | -- | -- | -- | -- | -- |
| MW-4 | 06/04/07 | 48.38 | 4.41 | 43.97 | -- | -- | -- | -- | -- |
| MW-4 | 09/10/07 | 48.38 | 5.06 | 43.32 | -- | -- | -- | -- | -- |
| MW-4 | 01/07/08 | 48.38 | 3.23 | 45.15 | -- | -- | -- | -- | -- |
| MW-4 | 03/20/08 | 48.38 | 3.78 | 44.60 | -- | -- | -- | -- | -- |
| MW-4 | 06/16/08 | 48.38 | 3.79 | 44.59 | -- | -- | -- | -- | -- |
| MW-4 | 09/08/08 | 48.38 | 4.93 | 43.45 | -- | -- | -- | -- | -- |
| MW-4 | 12/08/08 | 48.38 | 4.40 | 43.98 | -- | -- | -- | -- | -- |
| MW-4 | 03/05/09 | 48.38 | 4.35 | 44.03 | -- | -- | -- | -- | -- |
| MW-4 | 06/19/09 | 48.38 | 4.29 | 44.09 | -- | -- | -- | -- | -- |
| MW-4 | 09/28/09 | 48.38 | 5.26 | 43.12 | -- | -- | -- | -- | -- |
| MW-4 | 12/29/09 | 48.38 | 4.56 | 43.82 | -- | -- | -- | -- | -- |
| MW-4 | 03/26/10 | 48.38 | 4.59 | 43.79 | -- | -- | -- | -- | -- |
| MW-4 | 06/09/10 | 48.38 | 3.49 | 44.89 | -- | -- | -- | -- | -- |
| MW-4 | 09/22/10 | 48.38 | 4.71 | 43.67 | -- | -- | -- | -- | -- |
| MW-4 | 12/17/10 | 48.38 | 3.38 | 45.00 | -- | -- | -- | -- | -- |
| MW-4 | 03/25/11 | 48.38 | 3.78 | 44.60 | -- | -- | -- | -- | -- |
| MW-4 | 06/21/11 | 48.38 | 3.66 | 44.72 | -- | -- | -- | -- | -- |
| MW-4 | 09/13/11 | 48.38 | 4.95 | 43.43 | -- | -- | -- | -- | -- |
| MW-4 | 12/28/11 | 48.38 | 3.75 | 44.63 | -- | -- | -- | -- | -- |
| MW-4 | 03/19/12 | 48.38 | 3.46 | 44.92 | -- | -- | -- | -- | -- |
| MW-4 | 06/06/12 | 48.38 | 3.90 | 44.48 | -- | -- | -- | -- | -- |
| MW-4 | 09/17/12 | 48.38 | 4.89 | 43.49 | -- | -- | -- | -- | -- |
| MW-4* | 11/29/12 | 48.40 | 4.06 | 44.34 | -- | -- | -- | -- | -- |
| MW-4 | 12/21/12 | 48.40 | 3.41 | 44.99 | -- | -- | -- | -- | -- |
| MW-4 | 03/27/13 | 48.40 | 4.76 | 43.64 | -- | -- | -- | -- | -- |
| MW-4 | 06/24/13 | 48.40 | 4.22 | 44.18 | -- | -- | -- | -- | -- |
| MW-4 | 10/30/13 | 48.40 | 4.75 | 43.65 | -- | -- | -- | -- | -- |
| MW-4 | 12/20/13 | 48.40 | 5.82 | 42.58 | 0.91 | 5.99 | 386 | -- | 14.04 |
| MW-4 | 03/12/14 | 48.40 | 4.47 | 43.93 | -- | -- | -- | -- | -- |
| MW-4 | 06/16/14 | 48.40 | 4.55 | 43.85 | -- | -- | -- | -- | -- |

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TOC (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet) | Dissolved Oxygen (mg/L) | pH (0 to 14 units) | Conductivity (uS) | ORP (mV) | Temp. (Celsius) |
|--------------------|----------------|---------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------|----------------------|-------------|--------------------|
| MW-5 | 11/28/05 | 48.62 | 4.30 | 44.32 | -- | -- | -- | -- | -- |
| MW-5 | 03/22/06 | 48.62 | 4.42 | 44.20 | -- | -- | -- | -- | -- |
| MW-5 | 06/27/06 | 48.62 | 4.32 | 44.30 | -- | -- | -- | -- | -- |
| MW-5 | 09/22/06 | 48.62 | 4.94 | 43.68 | -- | -- | -- | -- | -- |
| MW-5 | 12/05/06 | 48.62 | 4.20 | 44.42 | -- | -- | -- | -- | -- |
| MW-5 | 03/13/07 | 48.62 | 4.42 | 44.20 | -- | -- | -- | -- | -- |
| MW-5 | 06/04/07 | 48.62 | 4.67 | 43.95 | -- | -- | -- | -- | -- |
| MW-5 | 09/10/07 | 48.62 | 5.23 | 43.39 | -- | -- | -- | -- | -- |
| MW-5 | 01/07/08 | 48.62 | 3.52 | 45.10 | -- | -- | -- | -- | -- |
| MW-5 | 03/20/08 | 48.62 | 4.06 | 44.56 | -- | -- | -- | -- | -- |
| MW-5 | 06/16/08 | 48.62 | 3.80 | 44.82 | -- | -- | -- | -- | -- |
| MW-5 | 09/08/08 | 48.62 | 5.08 | 43.54 | -- | -- | -- | -- | -- |
| MW-5 | 12/08/08 | 48.62 | 4.63 | 43.99 | -- | -- | -- | -- | -- |
| MW-5 | 03/05/09 | 48.62 | 4.39 | 44.23 | -- | -- | -- | -- | -- |
| MW-5 | 06/19/09 | 48.62 | 4.43 | 44.19 | -- | -- | -- | -- | -- |
| MW-5 | 09/28/09 | 48.62 | 5.14 | 43.48 | -- | -- | -- | -- | -- |
| MW-5 | 12/29/09 | 48.62 | 4.61 | 44.01 | -- | -- | -- | -- | -- |
| MW-5 | 03/26/10 | 48.62 | 4.77 | 43.85 | -- | -- | -- | -- | -- |
| MW-5 | 06/09/10 | 48.62 | 3.61 | 45.01 | -- | -- | -- | -- | -- |
| MW-5 | 09/22/10 | 48.62 | 4.94 | 43.68 | -- | -- | -- | -- | -- |
| MW-5 | 12/17/10 | 48.62 | 3.61 | 45.01 | -- | -- | -- | -- | -- |
| MW-5 | 03/25/11 | 48.62 | 3.85 | 44.77 | -- | -- | -- | -- | -- |
| MW-5 | 06/21/11 | 48.62 | 3.82 | 44.80 | -- | -- | -- | -- | -- |
| MW-5 | 09/13/11 | 48.62 | 5.23 | 43.39 | -- | -- | -- | -- | -- |
| MW-5 | 12/28/11 | 48.62 | 4.43 | 44.19 | -- | -- | -- | -- | -- |
| MW-5 | 03/19/12 | 48.62 | 3.31 | 45.31 | -- | -- | -- | -- | -- |
| MW-5 | 04/12/12 | 48.62 | 3.50 | 45.12 | -- | -- | -- | -- | -- |
| MW-5 | 06/06/12 | 48.62 | 4.00 | 44.62 | -- | -- | -- | -- | -- |
| MW-5 | 09/17/12 | 48.62 | 5.19 | 43.43 | -- | -- | -- | -- | -- |
| MW-5* | 10/01/12 | 48.63 | 5.28 | 43.35 | -- | -- | -- | -- | -- |
| MW-5 | 10/25/12 | 48.63 | 4.83 | 43.80 | -- | -- | -- | -- | -- |
| MW-5 | 11/29/12 | 48.63 | 4.04 | 44.59 | -- | -- | -- | -- | -- |
| MW-5 | 12/21/12 | 48.63 | 4.05 | 44.58 | -- | -- | -- | -- | -- |

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TOC (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet) | Dissolved Oxygen (mg/L) | pH (0 to 14 units) | Conductivity (uS) | ORP (mV) | Temp. (Celsius) |
|--------------------|----------------|---------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------|----------------------|-------------|--------------------|
| MW-5 | 02/19/13 | 48.63 | 4.86 | 43.77 | -- | -- | -- | -- | -- |
| MW-5 | 03/27/13 | 48.63 | 4.65 | 43.98 | -- | -- | -- | -- | -- |
| MW-5 | 04/24/13 | 48.63 | 4.42 | 44.21 | -- | -- | -- | -- | -- |
| MW-5 | 05/30/13 | 48.63 | 3.97 | 44.66 | -- | -- | -- | -- | -- |
| MW-5 | 06/24/13 | 48.63 | 4.55 | 44.08 | -- | -- | -- | -- | -- |
| MW-5 | 07/31/13 | 48.63 | 5.16 | 43.47 | -- | -- | -- | -- | -- |
| MW-5 | 08/28/13 | 48.63 | 5.18 | 43.45 | -- | -- | -- | -- | -- |
| MW-5 | 09/20/13 | 48.63 | 4.92 | 43.71 | -- | -- | -- | -- | -- |
| MW-5 | 10/30/13 | 48.63 | 4.95 | 43.68 | -- | -- | -- | -- | -- |
| MW-5 | 11/26/13 | 48.63 | 6.54 | 42.09 | -- | 6.67 | 107.1 | -- | 18.1 |
| MW-5 | 12/20/13 | 48.63 | 5.93 | 42.70 | 0.34 | 6.20 | 104 | -- | 13.67 |
| MW-5 | 03/12/14 | 48.63 | 3.83 | 44.80 | -- | -- | -- | -- | -- |
| MW-5 | 06/16/14 | 48.63 | 4.34 | 44.29 | -- | -- | -- | -- | -- |

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TOC (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet) | Dissolved Oxygen (mg/L) | pH (0 to 14 units) | Conductivity (uS) | ORP (mV) | Temp. (Celsius) |
|--------------------|----------------|---------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------|----------------------|-------------|--------------------|
| MW-6 | 11/28/05 | 48.99 | 4.86 | 44.13 | -- | -- | -- | -- | -- |
| MW-6 | 03/22/06 | 48.99 | 4.69 | 44.30 | -- | -- | -- | -- | -- |
| MW-6 | 06/27/06 | 48.99 | 5.36 | 43.63 | -- | -- | -- | -- | -- |
| MW-6 | 09/22/06 | 48.99 | 5.16 | 43.83 | -- | -- | -- | -- | -- |
| MW-6 | 12/05/06 | 48.99 | 4.79 | 44.20 | -- | -- | -- | -- | -- |
| MW-6 | 03/13/07 | 48.99 | 4.75 | 44.24 | -- | -- | -- | -- | -- |
| MW-6 | 06/04/07 | 48.99 | 5.19 | 43.80 | -- | -- | -- | -- | -- |
| MW-6 | 09/10/07 | 48.99 | 5.47 | 43.52 | -- | -- | -- | -- | -- |
| MW-6 | 01/07/08 | 48.99 | 4.93 | 44.06 | -- | -- | -- | -- | -- |
| MW-6 | 03/20/08 | 48.99 | 4.86 | 44.13 | -- | -- | -- | -- | -- |
| MW-6 | 06/16/08 | 48.99 | 4.38 | 44.61 | -- | -- | -- | -- | -- |
| MW-6 | 09/08/08 | 48.99 | 5.17 | 43.82 | -- | -- | -- | -- | -- |
| MW-6 | 12/08/08 | 48.99 | 5.12 | 43.87 | -- | -- | -- | -- | -- |
| MW-6 | 03/05/09 | 48.99 | 4.75 | 44.24 | -- | -- | -- | -- | -- |
| MW-6 | 06/19/09 | 48.99 | 5.80 | 43.19 | -- | -- | -- | -- | -- |
| MW-6 | 09/28/09 | 48.99 | 5.28 | 43.71 | -- | -- | -- | -- | -- |
| MW-6 | 12/29/09 | 48.99 | 5.26 | 43.73 | -- | -- | -- | -- | -- |
| MW-6 | 03/26/10 | 48.99 | 4.84 | 44.15 | -- | -- | -- | -- | -- |
| MW-6 | 06/09/10 | 48.99 | 3.94 | 45.05 | -- | -- | -- | -- | -- |
| MW-6 | 09/22/10 | 48.99 | 5.07 | 43.92 | -- | -- | -- | -- | -- |
| MW-6 | 12/17/10 | 48.99 | 3.97 | 45.02 | -- | -- | -- | -- | -- |
| MW-6 | 03/25/11 | 48.99 | 4.45 | 44.54 | -- | -- | -- | -- | -- |
| MW-6 | 06/21/11 | 48.99 | 4.23 | 44.76 | -- | -- | -- | -- | -- |
| MW-6 | 09/13/11 | 48.99 | 5.51 | 43.48 | -- | -- | -- | -- | -- |
| MW-6 | 12/28/11 | 48.99 | 5.30 | 43.69 | -- | -- | -- | -- | -- |
| MW-6 | 03/19/12 | 48.99 | 3.91 | 45.08 | -- | -- | -- | -- | -- |
| MW-6 | 04/12/12 | 48.99 | 4.65 | 44.34 | -- | -- | -- | -- | -- |
| MW-6 | 06/06/12 | 48.99 | 5.04 | 43.95 | -- | -- | -- | -- | -- |
| MW-6 | 09/17/12 | 48.99 | 5.50 | 43.49 | -- | -- | -- | -- | -- |
| MW-6* | 10/01/12 | 49.00 | 5.75 | 43.25 | -- | -- | -- | -- | -- |
| MW-6 | 10/25/12 | 49.00 | 5.76 | 43.24 | -- | -- | -- | -- | -- |
| MW-6 | 11/29/12 | 49.00 | 4.87 | 44.13 | -- | -- | -- | -- | -- |
| MW-6 | 12/21/12 | 49.00 | 2.14 | 46.86 | -- | -- | -- | -- | -- |

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS
 Miller's Market
 3152 Washington Way
 Longview, Washington

| Well I.D. (TOC) | Sample Date | TOC (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet) | Dissolved Oxygen (mg/L) | pH (0 to 14 units) | Conductivity (uS) | ORP (mV) | Temp. (Celsius) |
|--------------------|----------------|---------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------|----------------------|-------------|--------------------|
| MW-6 | 02/19/13 | 49.00 | 5.60 | 43.40 | -- | -- | -- | -- | -- |
| MW-6 | 03/27/13 | 49.00 | 5.21 | 43.79 | -- | -- | -- | -- | -- |
| MW-6 | 04/24/13 | 49.00 | 5.83 | 43.17 | -- | -- | -- | -- | -- |
| MW-6 | 05/30/13 | 49.00 | 4.55 | 44.45 | -- | -- | -- | -- | -- |
| MW-6 | 06/24/13 | 49.00 | 4.90 | 44.10 | -- | -- | -- | -- | -- |
| MW-6 | 07/31/13 | 49.00 | 5.82 | 43.18 | -- | -- | -- | -- | -- |
| MW-6 | 08/28/13 | 49.00 | 6.10 | 42.90 | -- | -- | -- | -- | -- |
| MW-6 | 09/20/13 | 49.00 | 6.15 | 42.85 | -- | -- | -- | -- | -- |
| MW-6 | 10/30/13 | 49.00 | 5.65 | 43.35 | -- | -- | -- | -- | -- |
| MW-6 | 11/26/13 | 49.00 | 7.50 | 41.50 | -- | 6.67 | 110.1 | -- | 16.2 |
| MW-6 | 12/20/13 | 49.00 | 6.70 | 42.30 | 0.12 | 6.31 | 182 | -- | 12.84 |
| MW-6 | 03/12/14 | 49.00 | 5.78 | 43.22 | 0.85 | 6.55 | 100.1 | -- | 14.0 |
| MW-6 | 06/16/14 | 49.00 | 5.75 | 43.25 | 6.99 | 5.26 | 285 | -27.9 | 15.07 |

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TOC (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet) | Dissolved Oxygen (mg/L) | pH (0 to 14 units) | Conductivity (uS) | ORP (mV) | Temp. (Celsius) |
|--------------------|----------------|---------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------|----------------------|-------------|--------------------|
| MW-7 | 11/28/05 | 49.07 | 4.16 | 44.91 | -- | -- | -- | -- | -- |
| MW-7 | 03/22/06 | 49.07 | 3.59 | 45.48 | -- | -- | -- | -- | -- |
| MW-7 | 06/27/06 | 49.07 | 3.77 | 45.30 | -- | -- | -- | -- | -- |
| MW-7 | 09/22/06 | 49.07 | 4.84 | 44.23 | -- | -- | -- | -- | -- |
| MW-7 | 12/05/06 | 49.07 | 3.35 | 45.72 | -- | -- | -- | -- | -- |
| MW-7 | 03/13/07 | 49.07 | 3.54 | 45.53 | -- | -- | -- | -- | -- |
| MW-7 | 06/04/07 | 49.07 | 4.23 | 44.84 | -- | -- | -- | -- | -- |
| MW-7 | 09/10/07 | 49.07 | 4.90 | 44.17 | -- | -- | -- | -- | -- |
| MW-7 | 01/07/08 | 49.07 | 3.39 | 45.68 | -- | -- | -- | -- | -- |
| MW-7 | 03/20/08 | 49.07 | 3.83 | 45.24 | -- | -- | -- | -- | -- |
| MW-7 | 06/16/08 | 49.07 | 3.66 | 45.41 | -- | -- | -- | -- | -- |
| MW-7 | 09/08/08 | 49.07 | 4.10 | 44.97 | -- | -- | -- | -- | -- |
| MW-7 | 12/08/08 | 49.07 | 4.21 | 44.86 | -- | -- | -- | -- | -- |
| MW-7 | 03/05/09 | 49.07 | 3.80 | 45.27 | -- | -- | -- | -- | -- |
| MW-7 | 06/19/09 | 49.07 | 3.84 | 45.23 | -- | -- | -- | -- | -- |
| MW-7 | 09/28/09 | 49.07 | 4.95 | 44.12 | -- | -- | -- | -- | -- |
| MW-7 | 12/29/09 | 49.07 | 4.02 | 45.05 | -- | -- | -- | -- | -- |
| MW-7 | 03/26/10 | 49.07 | 3.89 | 45.18 | -- | -- | -- | -- | -- |
| MW-7 | 06/09/10 | 49.07 | 3.19 | 45.88 | -- | -- | -- | -- | -- |
| MW-7 | 09/22/10 | 49.07 | 4.45 | 44.62 | -- | -- | -- | -- | -- |
| MW-7 | 12/17/10 | 49.07 | 3.41 | 45.66 | -- | -- | -- | -- | -- |
| MW-7 | 03/25/11 | 49.07 | 2.92 | 46.15 | -- | -- | -- | -- | -- |
| MW-7 | 06/21/11 | 49.07 | 3.10 | 45.97 | -- | -- | -- | -- | -- |
| MW-7 | 09/13/11 | 49.07 | 4.46 | 44.61 | -- | -- | -- | -- | -- |
| MW-7 | 12/28/11 | 49.07 | 4.18 | 44.89 | -- | -- | -- | -- | -- |
| MW-7 | 03/19/12 | 49.07 | 2.84 | 46.23 | -- | -- | -- | -- | -- |
| MW-7 | 04/12/12 | 49.07 | 2.47 | 46.60 | -- | -- | -- | -- | -- |
| MW-7 | 06/06/12 | 49.07 | 2.71 | 46.36 | -- | -- | -- | -- | -- |
| MW-7 | 09/17/12 | 49.07 | 4.35 | 44.72 | -- | -- | -- | -- | -- |
| MW-7* | 10/01/12 | 49.04 | 4.61 | 44.43 | -- | -- | -- | -- | -- |
| MW-7 | 10/25/12 | 49.04 | 4.35 | 44.69 | -- | -- | -- | -- | -- |
| MW-7 | 11/29/12 | 49.04 | 3.22 | 45.82 | -- | -- | -- | -- | -- |
| MW-7 | 12/21/12 | 49.04 | 2.45 | 46.59 | -- | -- | -- | -- | -- |

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TOC (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet) | Dissolved Oxygen (mg/L) | pH (0 to 14 units) | Conductivity (uS) | ORP (mV) | Temp. (Celsius) |
|--------------------|----------------|---------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------|----------------------|-------------|--------------------|
| MW-7 | 02/19/13 | 49.04 | 3.40 | 45.64 | -- | -- | -- | -- | -- |
| MW-7 | 03/27/13 | 49.04 | 3.46 | 45.58 | -- | -- | -- | -- | -- |
| MW-7 | 04/24/13 | 49.04 | 3.20 | 45.84 | -- | -- | -- | -- | -- |
| MW-7 | 05/30/13 | 49.04 | 3.26 | 45.78 | -- | -- | -- | -- | -- |
| MW-7 | 06/24/13 | 49.04 | 3.57 | 45.47 | -- | -- | -- | -- | -- |
| MW-7 | 07/31/13 | 49.04 | 4.19 | 44.85 | -- | -- | -- | -- | -- |
| MW-7 | 08/28/13 | 49.04 | 4.60 | 44.44 | -- | -- | -- | -- | -- |
| MW-7 | 09/20/13 | 49.04 | 4.52 | 44.52 | -- | -- | -- | -- | -- |
| MW-7 | 10/30/13 | 49.04 | 4.12 | 44.92 | -- | -- | -- | -- | -- |
| MW-7 | 11/26/13 | 49.04 | 4.46 | 44.58 | -- | 7.16 | 615 | -- | 16.8 |
| MW-7 | 12/20/13 | 49.04 | 4.80 | 44.24 | 0.72 | 6.61 | 763 | -- | 12.10 |
| MW-7 | 03/12/14 | 49.04 | 4.25 | 44.79 | 1.13 | 7.21 | 174.2 | -- | 14.2 |
| MW-7 | 06/16/14 | 49.04 | 4.33 | 44.71 | 1.17 | 6.34 | 707 | -56.9 | 15.73 |

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TOC (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet) | Dissolved Oxygen (mg/L) | pH (0 to 14 units) | Conductivity (uS) | ORP (mV) | Temp. (Celsius) |
|--------------------|----------------|---------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------|----------------------|-------------|--------------------|
| MW-8 | 11/28/05 | 48.55 | 3.62 | 44.93 | -- | -- | -- | -- | -- |
| MW-8 | 03/22/06 | 48.55 | 3.11 | 45.44 | -- | -- | -- | -- | -- |
| MW-8 | 06/27/06 | 48.55 | 3.25 | 45.30 | -- | -- | -- | -- | -- |
| MW-8 | 09/22/06 | 48.55 | 4.30 | 44.25 | -- | -- | -- | -- | -- |
| MW-8 | 12/05/06 | 48.55 | 2.80 | 45.75 | -- | -- | -- | -- | -- |
| MW-8 | 03/13/07 | 48.55 | 3.01 | 45.54 | -- | -- | -- | -- | -- |
| MW-8 | 06/04/07 | 48.55 | 3.71 | 44.84 | -- | -- | -- | -- | -- |
| MW-8 | 09/10/07 | 48.55 | 4.38 | 44.17 | -- | -- | -- | -- | -- |
| MW-8 | 01/07/08 | 48.55 | 3.76 | 44.79 | -- | -- | -- | -- | -- |
| MW-8 | 03/20/08 | 48.55 | 3.29 | 45.26 | -- | -- | -- | -- | -- |
| MW-8 | 06/16/08 | 48.55 | 3.13 | 45.42 | -- | -- | -- | -- | -- |
| MW-8 | 09/08/08 | 48.55 | 3.80 | 44.75 | -- | -- | -- | -- | -- |
| MW-8 | 12/08/08 | 48.55 | 3.68 | 44.87 | -- | -- | -- | -- | -- |
| MW-8 | 03/05/09 | 48.55 | 3.37 | 45.18 | -- | -- | -- | -- | -- |
| MW-8 | 06/19/09 | 48.55 | 3.39 | 45.16 | -- | -- | -- | -- | -- |
| MW-8 | 09/28/09 | 48.55 | 4.42 | 44.13 | -- | -- | -- | -- | -- |
| MW-8 | 12/29/09 | 48.55 | 3.46 | 45.09 | -- | -- | -- | -- | -- |
| MW-8 | 03/26/10 | 48.55 | 3.35 | 45.20 | -- | -- | -- | -- | -- |
| MW-8 | 06/09/10 | 48.55 | 2.63 | 45.92 | -- | -- | -- | -- | -- |
| MW-8 | 09/22/10 | 48.55 | 3.90 | 44.65 | -- | -- | -- | -- | -- |
| MW-8 | 12/17/10 | 48.55 | 2.91 | 45.64 | -- | -- | -- | -- | -- |
| MW-8 | 03/25/11 | 48.55 | 2.40 | 46.15 | -- | -- | -- | -- | -- |
| MW-8 | 06/21/11 | 48.55 | 2.60 | 45.95 | -- | -- | -- | -- | -- |
| MW-8 | 09/13/11 | 48.55 | 3.95 | 44.60 | -- | -- | -- | -- | -- |
| MW-8 | 12/28/11 | 48.55 | 3.67 | 44.88 | -- | -- | -- | -- | -- |
| MW-8 | 03/19/12 | 48.55 | 2.32 | 46.23 | -- | -- | -- | -- | -- |
| MW-8 | 06/06/12 | 48.55 | 2.12 | 46.43 | -- | -- | -- | -- | -- |
| MW-8 | 09/17/12 | 48.55 | 3.85 | 44.70 | -- | -- | -- | -- | -- |
| MW-8* | 11/29/12 | 48.53 | 2.73 | 45.80 | -- | -- | -- | -- | -- |
| MW-8 | 12/21/12 | 48.53 | 1.93 | 46.60 | -- | -- | -- | -- | -- |
| MW-8 | 03/27/13 | 48.53 | 2.93 | 45.60 | -- | -- | -- | -- | -- |
| MW-8 | 06/24/13 | 48.53 | 3.07 | 45.46 | -- | -- | -- | -- | -- |
| MW-8 | 10/30/13 | 48.53 | 3.62 | 44.91 | -- | -- | -- | -- | -- |
| MW-8 | 12/20/13 | 48.53 | 4.29 | 44.24 | 0.57 | 6.99 | 158 | -- | 12.31 |
| MW-8 | 03/12/14 | 48.53 | 3.73 | 44.80 | 0.69 | 7.27 | 116.3 | -- | 13.7 |
| MW-8 | 06/16/14 | 48.53 | 3.83 | 44.70 | 2.36 | 6.86 | 340 | -99.1 | 17.08 |

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TOC (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet) | Dissolved Oxygen (mg/L) | pH (0 to 14 units) | Conductivity (uS) | ORP (mV) | Temp. (Celsius) |
|--------------------|----------------|---------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------|----------------------|-------------|--------------------|
| RW-1 | 11/17/03 | 48.35 | 4.58 | 43.77 | -- | -- | -- | -- | -- |
| RW-1 | 03/15/04 | 48.35 | 4.50 | 43.85 | -- | -- | -- | -- | -- |
| RW-1 | 06/17/04 | 48.35 | 4.34 | 44.01 | -- | -- | -- | -- | -- |
| RW-1 | 09/15/04 | 48.35 | 4.47 | 43.88 | -- | -- | -- | -- | -- |
| RW-1 | 12/16/04 | 48.35 | 3.88 | 44.47 | -- | -- | -- | -- | -- |
| RW-1 | 03/18/05 | 48.35 | 4.70 | 43.65 | -- | -- | -- | -- | -- |
| RW-1 | 06/14/05 | 48.35 | 4.41 | 43.94 | -- | -- | -- | -- | -- |
| RW-1 | 09/26/05 | 48.35 | 5.06 | 43.29 | -- | -- | -- | -- | -- |
| RW-1 | 11/28/05 | 48.35 | 4.03 | 44.32 | -- | -- | -- | -- | -- |
| RW-1 | 03/22/06 | 48.35 | 4.15 | 44.20 | -- | -- | -- | -- | -- |
| RW-1 | 06/27/06 | 48.35 | 4.02 | 44.33 | -- | -- | -- | -- | -- |
| RW-1 | 09/22/06 | 48.35 | 4.64 | 43.71 | -- | -- | -- | -- | -- |
| RW-1 | 12/05/06 | 48.35 | 3.91 | 44.44 | -- | -- | -- | -- | -- |
| RW-1 | 03/13/07 | 48.35 | 4.13 | 44.22 | -- | -- | -- | -- | -- |
| RW-1 | 06/04/07 | 48.35 | 4.43 | 43.92 | -- | -- | -- | -- | -- |
| RW-1 | 09/10/07 | 48.35 | 4.94 | 43.41 | -- | -- | -- | -- | -- |
| RW-1 | 01/07/08 | 48.35 | 3.51 | 44.84 | -- | -- | -- | -- | -- |
| RW-1 | 03/20/08 | 48.35 | 3.74 | 44.61 | -- | -- | -- | -- | -- |
| RW-1 | 06/16/08 | 48.35 | 3.51 | 44.84 | -- | -- | -- | -- | -- |
| RW-1 | 09/08/08 | 48.35 | 4.71 | 43.64 | -- | -- | -- | -- | -- |
| RW-1 | 12/08/08 | 48.35 | 4.37 | 43.98 | -- | -- | -- | -- | -- |
| RW-1 | 03/05/09 | 48.35 | 4.07 | 44.28 | -- | -- | -- | -- | -- |
| RW-1 | 06/19/09 | 48.35 | 4.13 | 44.22 | -- | -- | -- | -- | -- |
| RW-1 | 09/28/09 | 48.35 | 4.96 | 43.39 | -- | -- | -- | -- | -- |
| RW-1 | 12/29/09 | 48.35 | 4.35 | 44.00 | -- | -- | -- | -- | -- |
| RW-1 | 03/26/10 | 48.35 | 4.55 | 43.80 | -- | -- | -- | -- | -- |
| RW-1 | 06/09/10 | 48.35 | 3.40 | 44.95 | -- | -- | -- | -- | -- |
| RW-1 | 09/22/10 | 48.35 | 4.65 | 43.70 | -- | -- | -- | -- | -- |
| RW-1 | 12/17/10 | 48.35 | 3.30 | 45.05 | -- | -- | -- | -- | -- |
| RW-1 | 03/25/11 | 48.35 | 3.50 | 44.85 | -- | -- | -- | -- | -- |
| RW-1 | 06/21/11 | 48.35 | 3.50 | 44.85 | -- | -- | -- | -- | -- |
| RW-1 | 09/13/11 | 48.35 | 4.96 | 43.39 | -- | -- | -- | -- | -- |
| RW-1 | 12/28/11 | 48.35 | 4.02 | 44.33 | -- | -- | -- | -- | -- |

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS

Miller's Market
 3152 Washington Way
 Longview, Washington

| Well I.D. (TOC) | Sample Date | TOC (feet) | Depth to Groundwater (feet) | Groundwater Elevation (feet) | Dissolved Oxygen (mg/L) | pH (0 to 14 units) | Conductivity (uS) | ORP (mV) | Temp. (Celsius) |
|--------------------|----------------|---------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------|----------------------|-------------|--------------------|
| RW-1 | 03/19/12 | 48.35 | 2.93 | 45.42 | -- | -- | -- | -- | -- |
| RW-1 | 06/06/12 | 48.35 | 3.69 | 44.66 | -- | -- | -- | -- | -- |
| RW-1 | 09/17/12 | 48.35 | 4.93 | 43.42 | -- | -- | -- | -- | -- |
| RW-1* | 11/29/12 | 48.35 | 3.72 | 44.63 | -- | -- | -- | -- | -- |
| RW-1 | 12/21/12 | 48.32 | 3.15 | 45.17 | -- | -- | -- | -- | -- |
| RW-1 | 03/27/13 | 48.32 | 4.40 | 43.92 | -- | -- | -- | -- | -- |
| RW-1 | 06/24/13 | 48.32 | 4.29 | 44.03 | -- | -- | -- | -- | -- |
| RW-1 | 10/30/13 | 48.32 | 4.73 | 43.59 | -- | -- | -- | -- | -- |
| RW-1 | 12/20/13 | 48.32 | 5.45 | 42.87 | 0.62 | 6.06 | 767 | -- | 10.66 |
| RW-1 | 03/12/14 | 48.32 | 3.52 | 44.80 | -- | -- | -- | -- | -- |
| RW-1 | 06/16/14 | 48.32 | 4.03 | 44.29 | -- | -- | -- | -- | -- |

Notes:

(TOC) = top of casing elevation

*TOC re-surveyed relative to MW-3' elevation on 11/29/12

Dissolved Oxygen, pH, Conductivity and Temperature measurements taken with a Y-SI 556 water quality field instrument

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TPH- Gasoline (µg/L) | TPH- Diesel (µg/L) | TPH- Oil (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl- benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | EDC (µg/L) | EDB (µg/L) | Lead (µg/L) | Nitrate (mg/L) | Sulfate (mg/L) |
|--------------------|----------------|----------------------------|--------------------------|-----------------------|-------------------|-------------------|-----------------------------|-------------------|----------------|---------------|---------------|----------------|-------------------|-------------------|
| MW-1 | 11/17/03 | ND | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | - | - | - | - | - | - |
| MW-1 | 03/15/04 | ND | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 06/17/04 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 09/15/04 | ND | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 12/16/04 | ND | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 03/18/05 | ND | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 06/14/05 | ND | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 09/26/05 | ND | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 11/28/05 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 03/22/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<2) | - | - | - | - | - |
| MW-1 | 06/27/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 09/22/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 12/05/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 03/13/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 06/04/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 09/10/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 01/07/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 03/20/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 06/16/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 09/08/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 12/08/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 03/05/09 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 06/19/09 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-1 | 09/28/09 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-1 | 12/29/09 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<1.0) | - | - | - | - | - |
| MW-1 | 03/26/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-1 | 06/09/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-1 | 09/22/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-1 | 12/17/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-1 | 03/25/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-1 | 06/21/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-1 | 09/13/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<2.0) | - | - | - | - | - |
| MW-1 | 12/28/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-1 | 03/19/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-1 | 06/06/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | - |

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TPH- Gasoline (µg/L) | TPH- Diesel (µg/L) | TPH- Oil (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl- benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | EDC (µg/L) | EDB (µg/L) | Lead (µg/L) | Nitrate (mg/L) | Sulfate (mg/L) |
|--------------------|----------------|----------------------------|--------------------------|-----------------------|-------------------|-------------------|-----------------------------|-------------------|----------------|---------------|---------------|----------------|-------------------|-------------------|
| MW-1 | 09/17/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | - |
| MW-1 | 12/21/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | - |
| MW-1 | 03/27/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | ND(<1.0) | - | - |
| MW-1 | 06/24/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-1 | 10/30/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-1 | 12/20/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TPH- Gasoline (µg/L) | TPH- Diesel (µg/L) | TPH- Oil (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl- benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | EDC (µg/L) | EDB (µg/L) | Lead (µg/L) | Nitrate (mg/L) | Sulfate (mg/L) |
|--------------------|----------------|----------------------------|--------------------------|-----------------------|-------------------|-------------------|-----------------------------|-------------------|----------------|---------------|---------------|----------------|-------------------|-------------------|
| MW-2 | 11/17/03 | ND | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | - | - | - | - | - | - |
| MW-2 | 03/15/04 | ND | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 06/17/04 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 09/15/04 | ND | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 12/16/04 | ND | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 03/18/05 | ND | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 06/14/05 | ND | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 09/26/05 | ND | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 11/28/05 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 03/22/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<2) | - | - | - | - | - |
| MW-2 | 06/27/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 09/22/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 12/05/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 03/13/07 | NA | - | - | NA | NA | NA | NA | NA | - | - | - | - | - |
| MW-2 | 06/04/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 09/10/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 01/07/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 03/20/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 06/16/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 09/08/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 12/08/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 03/05/09 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 06/19/09 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-2 | 09/28/09 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-2 | 12/29/09 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<1.0) | - | - | - | - | - |
| MW-2 | 03/26/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-2 | 06/09/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-2 | 09/22/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-2 | 12/17/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-2 | 03/25/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-2 | 06/21/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-2 | 09/13/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-2 | 12/28/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-2 | 03/19/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-2 | 06/08/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | - |

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TPH- Gasoline (µg/L) | TPH- Diesel (µg/L) | TPH- Oil (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl- benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | EDC (µg/L) | EDB (µg/L) | Lead (µg/L) | Nitrate (mg/L) | Sulfate (mg/L) |
|--------------------|----------------|----------------------------|--------------------------|-----------------------|-------------------|-------------------|-----------------------------|-------------------|----------------|---------------|---------------|----------------|-------------------|-------------------|
| MW-2 | 09/17/12 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 12/21/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | - |
| MW-2 | 03/27/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | ND(<1.0) | - | - |
| MW-2 | 06/24/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-2 | 10/30/13 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| MW-2 | 12/20/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |

TABLE 2
GROUNDWATER ANALYTICAL RESULTS
 Miller's Market
 3152 Washington Way
 Longview, Washington

| Well I.D. (TOC) | Sample Date | TPH- Gasoline (µg/L) | TPH- Diesel (µg/L) | TPH- Oil (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl- benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | EDC (µg/L) | EDB (µg/L) | Lead (µg/L) | Nitrate (mg/L) | Sulfate (mg/L) |
|--------------------|----------------|----------------------------|--------------------------|-----------------------|-------------------|-------------------|-----------------------------|-------------------|----------------|---------------|---------------|----------------|-------------------|-------------------|
| MW-3 | 11/17/03 | 4,900 | - | - | 100 | 12 | 170 | 250 | - | - | - | - | - | - |
| MW-3 | 03/15/04 | 5,000 | - | - | 92 | 16 | 150 | 130 | 66 | - | - | - | - | - |
| MW-3 | 06/17/04 | 5,900 | - | - | 78 | 16 | 190 | 120 | 41 | - | - | - | - | - |
| MW-3 | 09/15/04 | 4,400 | - | - | 15 | 12 | 100 | 71 | ND<8 | - | - | - | - | - |
| MW-3 | 12/16/04 | 5,500 | - | - | 96 | 16 | 240 | 170 | ND(<15) | - | - | - | - | - |
| MW-3 | 03/18/05 | 5,600 | - | - | 93 | 15 | 220 | 172 | ND(<15) | - | - | - | - | - |
| MW-3 | 06/14/05 | 5,200 | - | - | 43 | 15 | 170 | 130 | ND(<15) | - | - | - | - | - |
| MW-3 | 09/26/05 | 6,000 | - | - | 41 | 16 | 200 | 120 | ND(<30) | - | - | - | - | - |
| MW-3 | 11/28/05 | 5,300 | ND(<130) | ND(<250) | 81 | 13 | 200 | 160 | ND(<30) | - | - | - | - | - |
| MW-3 | 03/22/06 | 1,900 | ND(<250) | ND(<250) | 45 | 7 | 42 | 29 | ND(<2) | - | - | - | - | - |
| MW-3 | 06/27/06 | 1,900 | ND(<130) | ND(<250) | 53 | ND(<10) | 57 | 30 | ND(<30) | - | - | - | - | - |
| MW-3 | 09/22/06 | 1,800 | ND(<250) | ND(<250) | 45 | 7 | 42 | 29 | ND(<6) | - | - | - | - | - |
| MW-3 | 12/05/06 | 2,300 | ND(<250) | ND(<250) | 52 | 9 | 64 | 29 | 8 | - | - | - | - | - |
| MW-3 | 03/13/07 | 1,700 | - | - | 62 | 8 | 30 | 28 | 4 | - | - | - | - | - |
| MW-3 | 06/04/07 | 1,900 | - | - | 54 | 5 | 23 | 24 | ND(<3) | - | - | - | - | - |
| MW-3 | 09/10/07 | 2,800 | - | - | 63 | 10 | 67 | 28 | 40 | - | - | - | - | - |
| MW-3 | 01/07/08 | 2,000 | - | - | 63 | 9 | 58 | 34 | 39 | - | - | - | - | - |
| MW-3 | 03/20/08 | 2,800 | - | - | 80 | 14 | 86 | 42 | 43 | - | - | - | - | - |
| MW-3 | 06/16/08 | 1,800 | - | - | 64 | 9 | 26 | 27 | 37 | - | - | - | - | - |
| MW-3 | 09/08/08 | 2,400 | - | - | ND(<5) | 14 | 64 | 19 | 40 | - | - | - | - | - |
| MW-3 | 12/08/08 | 2,400 | - | - | 21 | 10 | 28 | 21 | ND(<2) | - | - | - | - | - |
| MW-3 | 03/05/09 | 1,700 | - | - | 48 | 8 | 43 | 23 | 29 | - | - | - | - | - |
| MW-3 | 06/19/09 | 1,000 | - | - | 39 | 5 | 8 | 13 | 24 | - | - | - | - | - |
| MW-3 | 09/28/09 | 1,200 | - | - | 19 | 5.1 | 34 | 19 | 13 | - | - | - | - | - |
| MW-3 | 12/29/09 | 1700 ^a | - | - | 51 | 9.3 | 65 | 36 | ND(<8.0) | - | - | - | - | - |
| MW-3 | 03/26/10 | 3000 ^a | - | - | ND(<5.0) | 13 | 100 | 48 | ND(<15) | - | - | - | - | - |
| MW-3 | 06/09/10 | 2000 ^a | - | - | 45 | 6.6 | 40 | 27 | ND(<3.0) | - | - | - | - | - |
| MW-3 | 09/22/10 | 2800 ^b | - | - | 69 | 13.0 | 80 | 42 | ND(<3.0) | - | - | - | - | - |
| MW-3 | 12/17/10 | 2300 ^a | - | - | ND(<5.0) | 7.5 | 40 | 28 | ND(<15) | - | - | - | - | - |
| MW-3 | 03/25/11 | 1,300 | - | - | 44 | 4.3 | 20 | 22 | ND(<3.0) | - | - | - | - | - |
| MW-3 | 06/21/11 | 1,400 | - | - | 8.1 | 2.8 | 19 | 17 | ND(<3.0) | - | - | - | - | - |
| MW-3 | 09/13/11 | 2,900 | - | - | 14 | 10 | 58 | 30 | ND(<3.0) | - | - | - | - | - |
| MW-3 | 12/28/11 | 2,800 | - | - | 55 | 10 | 61 | 33 | 7.0 | - | - | - | - | - |
| MW-3 | 03/19/12 | 2,000 | - | - | 7.3 | 5.1 | 37 | 22 | ND(<3.0) | - | - | - | - | - |
| MW-3 | 04/12/12 | - | - | - | - | - | - | - | - | - | - | - | ND(<0.15) | ND(<0.26) |
| MW-3 | 06/08/12 | 1,300 | - | - | 5.4 | 3.3 | 29 | 12 | ND(<3.0) | ND(<0.020) | ND(<0.010) | 12 | 0.19 | ND(<0.52) |
| MW-3 | 09/17/12 | 1,600 | - | - | 31 ^c | 5.3 | 28 | 19 | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | 0.37 |
| MW-3 | 10/01/12 | 1,700 | - | - | 35 ^c | 6.2 | 32 | 19 | - | - | - | - | - | ND(<0.26) |
| MW-3 | 10/25/12 | 1,900 | - | - | 12 | 5.9 | 27 | 19 | - | - | - | - | - | ND(<0.26) |

TABLE 2
GROUNDWATER ANALYTICAL RESULTS
 Miller's Market
 3152 Washington Way
 Longview, Washington

| Well I.D. (TOC) | Sample Date | TPH- Gasoline (µg/L) | TPH- Diesel (µg/L) | TPH- Oil (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl- benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | EDC (µg/L) | EDB (µg/L) | Lead (µg/L) | Nitrate (mg/L) | Sulfate (mg/L) |
|--------------------|----------------|----------------------------|--------------------------|-----------------------|-------------------|-------------------|-----------------------------|-------------------|----------------|---------------|---------------|----------------|-------------------|-------------------|
| MW-3 | 11/29/12 | 2,000 | - | - | ND(<5.0) | 8.1 | 38 | 26 | - | - | - | - | - | ND(<0.26) |
| MW-3 | 12/21/12 | 1,700 | - | - | 41 ^c | 7.5 | 57 | 24 | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | 1,100 |
| MW-3 | 02/19/13 | 3,300 | - | - | <10 | <10 | 120 | 120 | - | - | - | - | - | 2,700 |
| MW-3 | 03/27/13 | 2,500 | - | - | ND(<5.0) | 7.8 | 110 | 93 | ND(<15) | - | - | ND(<1.0) | - | 2,300 |
| MW-3 | 04/24/13 | 2,800 | - | - | 16 | 5.1 | 77 | 69 | - | - | - | - | - | 1,700 |
| MW-3 | 05/30/13 | 1,500 | - | - | 26 ^c | 4.5 | 39 | 20 | - | - | - | - | - | 4,000 |
| MW-3 | 06/24/13 | 1,200 | - | - | 22 | 4.0 | 31 | 23 | ND(<3.0) | - | - | - | - | 7,700 |
| MW-3 | 07/31/13 | 1,200 | - | - | 10 | 2.1 | 19 | 8.9 | - | - | - | - | - | 3,300 |
| MW-3 | 08/30/13 | 1,600 | - | - | 23 | 4.8 | 52 | 11 | - | - | - | - | - | 2,200 |
| MW-3 | 09/20/13 | 1,300 | - | - | ND(<1.0) | 3.4 | 23 | 6.3 | - | - | - | - | - | 1,700 |
| MW-3 | 10/30/13 | 1,500 | - | - | 18 | 5.3 | 82 | 14 | ND(<3.0) | - | - | - | - | 840 |
| MW-3 | 11/26/13 | 1,800 | - | - | 13 | 3.2 | 57 | 9.3 | - | - | - | - | - | 750 |
| MW-3 | 12/20/13 | 2,600 | - | - | 16 | 4.5 | 130 | 23 | ND(<3.0) | - | - | - | - | 1,100 |
| MW-3 | 03/12/14 | 800 | - | - | 3.1 | ND(<1.0) | 15 | 4.8 | ND(<3.0) | - | - | - | - | - |
| MW-3 | 06/16/14 | 300 | - | - | 1.4 | ND(<1.0) | 1.3 | ND(<3.0) | ND(<3.0) | - | - | - | - | - |

TABLE 2
GROUNDWATER ANALYTICAL RESULTS

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TPH- Gasoline (µg/L) | TPH- Diesel (µg/L) | TPH- Oil (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl- benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | EDC (µg/L) | EDB (µg/L) | Lead (µg/L) | Nitrate (mg/L) | Sulfate (mg/L) |
|--------------------|----------------|----------------------------|--------------------------|-----------------------|-------------------|-------------------|-----------------------------|-------------------|----------------|---------------|---------------|----------------|-------------------|-------------------|
| MW-4 | 11/28/05 | ND | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-4 | 03/22/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<2) | - | - | - | - | - |
| MW-4 | 06/27/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-4 | 09/22/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-4 | 12/05/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-4 | 03/13/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-4 | 06/04/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-4 | 09/10/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-4 | 01/07/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-4 | 03/20/08 | 100 | - | - | 4 | 6 | 1 | 6 | ND(<3) | - | - | - | - | - |
| MW-4 | 06/16/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-4 | 09/08/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-4 | 12/08/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-4 | 03/05/09 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-4 | 06/19/09 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-4 | 09/28/09 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-4 | 12/29/09 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<1.0) | - | - | - | - | - |
| MW-4 | 03/26/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-4 | 06/09/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-4 | 09/22/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-4 | 12/17/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-4 | 03/25/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-4 | 06/21/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-4 | 09/13/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-4 | 12/28/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-4 | 03/19/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-4 | 06/06/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | 1.8 | - | - |
| MW-4 | 09/17/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | - |
| MW-4 | 12/21/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | - |
| MW-4 | 03/27/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | ND(<1.0) | - | - |
| MW-4 | 06/24/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-4 | 10/30/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-4 | 12/20/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |

TABLE 2
GROUNDWATER ANALYTICAL RESULTS
 Miller's Market
 3152 Washington Way
 Longview, Washington

| Well I.D. (TOC) | Sample Date | TPH- Gasoline (µg/L) | TPH- Diesel (µg/L) | TPH- Oil (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl- benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | EDC (µg/L) | EDB (µg/L) | Lead (µg/L) | Nitrate (mg/L) | Sulfate (mg/L) |
|--------------------|----------------|----------------------------|--------------------------|-----------------------|-------------------|-------------------|-----------------------------|-------------------|----------------|---------------|---------------|----------------|-------------------|-------------------|
| MW-5 | 11/28/05 | ND | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-5 | 03/22/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<2) | - | - | - | - | - |
| MW-5 | 06/27/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-5 | 09/22/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-5 | 12/05/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-5 | 03/13/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-5 | 06/04/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-5 | 09/10/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-5 | 01/07/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-5 | 03/20/08 | ND(<50) | - | - | 11 | 2 | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-5 | 06/16/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-5 | 09/08/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-5 | 12/08/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-5 | 03/05/09 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-5 | 06/19/09 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-5 | 09/28/09 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-5 | 12/29/09 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<1.0) | - | - | - | - | - |
| MW-5 | 03/26/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-5 | 06/09/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-5 | 09/22/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-5 | 12/17/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-5 | 03/25/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-5 | 06/21/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-5 | 09/13/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-5 | 12/28/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-5 | 03/19/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-5 | 04/12/12 | - | - | - | - | - | - | - | - | - | - | - | ND(<0.15) | 3.1 |
| MW-5 | 06/06/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | ND(<0.15) | ND(<0.26) |
| MW-5 | 09/17/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | ND(<0.26) |
| MW-5 | 10/01/12 | - | - | - | - | - | - | - | - | - | - | - | - | ND(<0.26) |
| MW-5 | 10/25/12 | - | - | - | - | - | - | - | - | - | - | - | - | ND(<0.26) |
| MW-5 | 11/29/12 | - | - | - | - | - | - | - | - | - | - | - | - | 1.8 |
| MW-5 | 12/21/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | 0.49 |
| MW-5 | 02/19/13 | - | - | - | - | - | - | - | - | - | - | - | - | 0.64 |
| MW-5 | 03/27/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | ND(<1.0) | - | ND(<0.26) |

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TPH- Gasoline (µg/L) | TPH- Diesel (µg/L) | TPH- Oil (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl- benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | EDC (µg/L) | EDB (µg/L) | Lead (µg/L) | Nitrate (mg/L) | Sulfate (mg/L) |
|--------------------|----------------|----------------------------|--------------------------|-----------------------|-------------------|-------------------|-----------------------------|-------------------|----------------|---------------|---------------|----------------|-------------------|-------------------|
| MW-5 | 04/24/13 | - | - | - | - | - | - | - | - | - | - | - | - | ND(<0.26) |
| MW-5 | 05/30/13 | - | - | - | - | - | - | - | - | - | - | - | - | ND(<0.26) |
| MW-5 | 06/24/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | ND(<0.26) |
| MW-5 | 07/31/13 | - | - | - | - | - | - | - | - | - | - | - | - | ND(<0.26) |
| MW-5 | 08/28/13 | - | - | - | - | - | - | - | - | - | - | - | - | ND(<0.26) |
| MW-5 | 09/20/13 | - | - | - | - | - | - | - | - | - | - | - | - | ND(<0.26) |
| MW-5 | 10/30/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | ND(<0.26) |
| MW-5 | 11/26/13 | - | - | - | - | - | - | - | - | - | - | - | - | 1.6 |
| MW-5 | 12/20/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | 8.7 |

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TPH- Gasoline (µg/L) | TPH- Diesel (µg/L) | TPH- Oil (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl- benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | EDC (µg/L) | EDB (µg/L) | Lead (µg/L) | Nitrate (mg/L) | Sulfate (mg/L) |
|--------------------|----------------|----------------------------|--------------------------|-----------------------|-------------------|-------------------|-----------------------------|-------------------|----------------|---------------|---------------|----------------|-------------------|-------------------|
| MW-6 | 11/28/05 | 480 | ND(<130) | ND(<250) | 1 | ND(<1) | 2 | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-6 | 03/22/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<2) | - | - | - | - | - |
| MW-6 | 06/27/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-6 | 09/22/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-6 | 12/05/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-6 | 03/13/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-6 | 06/04/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-6 | 09/10/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-6 | 01/07/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-6 | 03/20/08 | 240 | - | - | 7 | 2 | 5 | ND(<3) | 4 | - | - | - | - | - |
| MW-6 | 06/16/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-6 | 09/08/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-6 | 12/08/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-6 | 03/05/09 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-6 | 06/19/09 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-6 | 09/28/09 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-6 | 12/29/09 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<1.0) | - | - | - | - | - |
| MW-6 | 03/26/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-6 | 06/09/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-6 | 09/22/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-6 | 12/17/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-6 | 03/25/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-6 | 06/21/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-6 | 09/13/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-6 | 12/28/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-6 | 03/19/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-6 | 04/12/12 | - | - | - | - | - | - | - | - | - | - | - | ND(<0.15) | ND(<0.26) |
| MW-6 | 06/06/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | ND(<0.15) | ND(<0.26) |
| MW-6 | 09/17/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | ND(<0.26) |
| MW-6 | 10/01/12 | - | - | - | - | - | - | - | - | - | - | - | - | ND(<0.26) |
| MW-6 | 10/25/12 | - | - | - | - | - | - | - | - | - | - | - | - | ND(<0.26) |
| MW-6 | 11/29/12 | - | - | - | - | - | - | - | - | - | - | - | - | ND(<0.26) |
| MW-6 | 12/21/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | 6.5 |
| MW-6 | 02/19/13 | - | - | - | - | - | - | - | - | - | - | - | - | ND(<0.26) |
| MW-6 | 03/27/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | ND(<1.0) | - | ND(<0.26) |

TABLE 2
GROUNDWATER ANALYTICAL RESULTS
 Miller's Market
 3152 Washington Way
 Longview, Washington

| Well I.D. (TOC) | Sample Date | TPH- Gasoline (µg/L) | TPH- Diesel (µg/L) | TPH- Oil (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl- benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | EDC (µg/L) | EDB (µg/L) | Lead (µg/L) | Nitrate (mg/L) | Sulfate (mg/L) |
|--------------------|----------------|----------------------------|--------------------------|-----------------------|-------------------|-------------------|-----------------------------|-------------------|----------------|---------------|---------------|----------------|-------------------|-------------------|
| MW-6 | 04/24/13 | - | - | - | - | - | - | - | - | - | - | - | - | ND(<0.26) |
| MW-6 | 05/30/13 | - | - | - | - | - | - | - | - | - | - | - | - | ND(<0.26) |
| MW-6 | 06/24/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | ND(<0.26) |
| MW-6 | 07/31/13 | - | - | - | - | - | - | - | - | - | - | - | - | ND(<0.26) |
| MW-6 | 08/28/13 | - | - | - | - | - | - | - | - | - | - | - | - | ND(<0.26) |
| MW-6 | 09/20/13 | - | - | - | - | - | - | - | - | - | - | - | - | ND(<0.26) |
| MW-6 | 10/30/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | ND(<0.26) |
| MW-6 | 11/26/13 | - | - | - | - | - | - | - | - | - | - | - | - | 0.41 |
| MW-6 | 12/20/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | 0.47 |
| MW-6 | 03/12/14 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-6 | 06/16/14 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TPH- Gasoline (µg/L) | TPH- Diesel (µg/L) | TPH- Oil (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl- benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | EDC (µg/L) | EDB (µg/L) | Lead (µg/L) | Nitrate (mg/L) | Sulfate (mg/L) |
|--------------------|----------------|----------------------------|--------------------------|-----------------------|-------------------|-------------------|-----------------------------|-------------------|----------------|---------------|---------------|----------------|-------------------|-------------------|
| MW-7 | 11/28/05 | 390 | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-7 | 03/22/06 | 700 | ND(<130) | ND(<250) | ND(<1) | ND(<1) | 6 | 18 | ND(<2) | - | - | - | - | - |
| MW-7 | 06/27/06 | 710 | ND(<130) | ND(<250) | ND(<1) | ND(<1) | 7 | 14 | ND(<3) | - | - | - | - | - |
| MW-7 | 09/22/06 | 380 | ND(<130) | ND(<250) | ND(<1) | ND(<1) | 7 | 14 | ND(<3) | - | - | - | - | - |
| MW-7 | 12/05/06 | 570 | ND(<130) | ND(<250) | 1 | ND(<1) | 7 | 14 | ND(<3) | - | - | - | - | - |
| MW-7 | 03/13/07 | 750 | - | - | 1 | ND(<1) | 4 | 4 | ND(<3) | - | - | - | - | - |
| MW-7 | 06/04/07 | ND(<50) | - | - | 1 | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-7 | 09/10/07 | 530 | - | - | 1 | ND(<1) | 1 | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-7 | 01/07/08 | 580 | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-7 | 03/20/08 | 320 | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-7 | 06/16/08 | 310 | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-7 | 09/08/08 | 370 | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-7 | 12/08/08 | 530 | - | - | 1 | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-7 | 03/05/09 | 680 | - | - | 2 | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-7 | 06/19/09 | 130 | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-7 | 09/28/09 | 53 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-7 | 12/29/09 | 73 ^a | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<1.0) | - | - | - | - | - |
| MW-7 | 03/26/10 | 140 ^a | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-7 | 06/09/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-7 | 09/22/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-7 | 12/17/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-7 | 03/25/11 | 280 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-7 | 06/21/11 | 130 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-7 | 09/13/11 | 58 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<2.0) | - | - | - | - | - |
| MW-7 | 12/28/11 | 260 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-7 | 03/19/12 | 1,500 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-7 | 04/12/12 | - | - | - | - | - | - | - | - | - | - | - | 1.1 | 8.9 |
| MW-7 | 06/06/12 | 330 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | 4.1 | 14 |
| MW-7 | 09/17/12 | 190 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | 190 |
| MW-7 | 10/01/12 | 210 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | - | - | - | - | - | 81 |
| MW-7 | 10/25/12 | 120 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | - | - | - | - | - | 990 |
| MW-7 | 11/29/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | - | - | - | - | - | 1,000 |
| MW-7 | 12/21/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | 1,100 |
| MW-7 | 02/19/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | - | - | - | - | - | 720 |
| MW-7 | 03/27/13 | 70 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | ND(<1.0) | - | 400 |

TABLE 2
GROUNDWATER ANALYTICAL RESULTS
 Miller's Market
 3152 Washington Way
 Longview, Washington

| Well I.D. (TOC) | Sample Date | TPH- Gasoline (µg/L) | TPH- Diesel (µg/L) | TPH- Oil (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl- benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | EDC (µg/L) | EDB (µg/L) | Lead (µg/L) | Nitrate (mg/L) | Sulfate (mg/L) |
|--------------------|----------------|----------------------------|--------------------------|-----------------------|-------------------|-------------------|-----------------------------|-------------------|----------------|---------------|---------------|----------------|-------------------|-------------------|
| MW-7 | 04/26/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | - | - | - | - | - | 760 |
| MW-7 | 05/30/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | - | - | - | - | - | 310 |
| MW-7 | 06/24/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | 790 |
| MW-7 | 07/31/13 | 83 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | - | - | - | - | - | 160 |
| MW-7 | 08/28/13 | 120 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | - | - | - | - | - | 74 |
| MW-7 | 09/20/13 | 190 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | - | - | - | - | - | 180 |
| MW-7 | 10/30/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | 870 |
| MW-7 | 11/26/13 | 280 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | - | - | - | - | - | 440 |
| MW-7 | 12/20/13 | 84 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | 460 |
| MW-7 | 03/12/14 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-7 | 06/16/14 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |

TABLE 2
GROUNDWATER ANALYTICAL RESULTS

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TPH- Gasoline (µg/L) | TPH- Diesel (µg/L) | TPH- Oil (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl- benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | EDC (µg/L) | EDB (µg/L) | Lead (µg/L) | Nitrate (mg/L) | Sulfate (mg/L) |
|--------------------|----------------|----------------------------|--------------------------|-----------------------|-------------------|-------------------|-----------------------------|-------------------|----------------|---------------|---------------|----------------|-------------------|-------------------|
| MW-8 | 11/28/05 | 820 | ND(<130) | ND(<250) | 3 | ND(<1) | 1 | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-8 | 03/22/06 | 69 | ND(<130) | ND(<250) | ND(<1) | ND(<1) | 2 | ND(<3) | ND(<2) | - | - | - | - | - |
| MW-8 | 06/27/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-8 | 09/22/06 | 2,400 | ND(<250) | ND(<250) | 12 | 1 | 60 | 4 | ND(<3) | - | - | - | - | - |
| MW-8 | 12/05/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-8 | 03/13/07 | 1,000 | - | - | 4 | ND(<1) | 37 | 13 | ND(<3) | - | - | - | - | - |
| MW-8 | 06/04/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-8 | 09/10/07 | 3,300 | - | - | 13 | ND(<5) | 55 | ND(<15) | ND(<15) | - | - | - | - | - |
| MW-8 | 01/07/08 | 79 | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-8 | 03/20/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-8 | 06/16/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-8 | 09/08/08 | 300 | - | - | 1 | ND(<1) | 3 | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-8 | 12/08/08 | 80 | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-8 | 03/05/09 | 70 | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-8 | 06/19/09 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| MW-8 | 09/28/09 | 260 | - | - | 1.2 | ND(<1.0) | 1.5 | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-8 | 12/29/09 | 62 ^a | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<1.0) | - | - | - | - | - |
| MW-8 | 03/26/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-8 | 06/09/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-8 | 09/22/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-8 | 12/17/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-8 | 03/25/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-8 | 06/21/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-8 | 09/13/11 | 410 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-8 | 12/28/11 | 130 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-8 | 03/19/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-8 | 06/06/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | - |
| MW-8 | 09/17/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | - |
| MW-8 | 12/21/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | ND(<1.0) | - | - |
| MW-8 | 03/27/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | ND(<1.0) | - | - |
| MW-8 | 06/24/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-8 | 10/30/13 | 200 | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-8 | 12/20/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-8 | 03/12/14 | 660 | - | - | 2.0 | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MW-8 | 06/16/14 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |

TABLE 2
GROUNDWATER ANALYTICAL RESULTS
 Miller's Market
 3152 Washington Way
 Longview, Washington

| Well I.D. (TOC) | Sample Date | TPH- Gasoline (µg/L) | TPH- Diesel (µg/L) | TPH- Oil (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl- benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | EDC (µg/L) | EDB (µg/L) | Lead (µg/L) | Nitrate (mg/L) | Sulfate (mg/L) |
|--------------------|----------------|----------------------------|--------------------------|-----------------------|-------------------|-------------------|-----------------------------|-------------------|----------------|---------------|---------------|----------------|-------------------|-------------------|
| RW-1 | 11/17/03 | 23,000 | - | - | 970 | 1,200 | 460 | 3,400 | - | - | - | - | - | - |
| RW-1 | 03/15/04 | 5,100 | - | - | 91 | 82 | 60 | 190 | ND(<15) | - | - | - | - | - |
| RW-1 | 06/17/04 | 1,100 | - | - | 21 | ND(<1) | 16 | 17 | ND(<3) | - | - | - | - | - |
| RW-1 | 09/15/04 | 3,000 | - | - | 50 | ND(<5) | 47 | 94 | ND(<15) | - | - | - | - | - |
| RW-1 | 12/16/04 | 200 | - | - | 3 | ND(<1) | 2 | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 03/18/05 | 310 | - | - | 2 | ND(<1) | 2 | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 06/14/05 | 3,900 | - | - | 4 | 1,900 | 1 | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 09/26/05 | 280 | - | - | 4 | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 11/28/05 | ND | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 03/22/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<2) | - | - | - | - | - |
| RW-1 | 06/27/06 | ND(<50) | ND(<130) | ND(<250) | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 09/22/06 | ND(<50) | ND(<130) | 250 | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 12/05/06 | ND(<50) | ND(<130) | 250 | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 03/13/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 06/04/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 09/10/07 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 01/07/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 03/20/08 | 56 | - | - | 6 | 1 | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 06/16/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 09/08/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 12/08/08 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 03/05/09 | ND(<50) | - | - | ND(<1) | ND(<1) | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 06/19/09 | ND(<50) | - | - | ND(<1) | 1 | ND(<1) | ND(<3) | ND(<3) | - | - | - | - | - |
| RW-1 | 09/28/09 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| RW-1 | 12/29/09 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<1.0) | - | - | - | - | - |
| RW-1 | 03/26/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| RW-1 | 06/09/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| RW-1 | 09/22/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| RW-1 | 12/17/10 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| RW-1 | 03/25/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| RW-1 | 06/21/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| RW-1 | 09/13/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| RW-1 | 12/28/11 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| RW-1 | 03/19/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| RW-1 | 06/06/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | 3.2 | - | - |

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

| Well I.D. (TOC) | Sample Date | TPH- Gasoline (µg/L) | TPH- Diesel (µg/L) | TPH- Oil (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl- benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | EDC (µg/L) | EDB (µg/L) | Lead (µg/L) | Nitrate (mg/L) | Sulfate (mg/L) |
|---|----------------|----------------------------|--------------------------|-----------------------|-------------------|-------------------|-----------------------------|-------------------|----------------|---------------|---------------|----------------|-------------------|-------------------|
| RW-1 | 09/17/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | 4.5 | - | - |
| RW-1 | 12/21/12 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | ND(<0.020) | ND(<0.010) | 3.8 | - | - |
| RW-1 | 03/27/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | 1.4 | - | - |
| RW-1 | 06/24/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| RW-1 | 10/30/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| RW-1 | 12/20/13 | ND(<50) | - | - | ND(<1.0) | ND(<1.0) | ND(<1.0) | ND(<3.0) | ND(<3.0) | - | - | - | - | - |
| MTCA Method A Cleanup Levels: | | 800* | 500 | 500 | 5 | 1000 | 700 | 1000 | 20 | 5 | 0.01 | 15 | - | - |
| <p>Notes: µg/L = micrograms per liter mg/L = milligrams per liter ND = Not detected at or above the laboratory reporting limits. Reporting limit in parentheses. - = Not sampled, not measured, or not analyzed TPH - Gasoline - Analysis by Northwest Method NWTPH-G TPH - Diesel - Analysis by Northwest Method NWTPH-Dx with Silica Gel Cleanup TPH - Oil - Analysis by Northwest Method NWTPH-Dx with Silica Gel Cleanup BTEX Compounds - Analysis by EPA Method 8021B Methyl-tert-Butyl Ether Analysis by EPA Method 8021B or 8260B EDC (1,2 Dichloroethane) and EDB (1,2 Ethylene dibromide) - Analysis by EPA Method 8260 SIM Lead - Analysis by EPA 6020 Nitrate and Sulfate - analysis by EPA Method 300.0 *MTCA Method A Cleanup Level for TPH-Gasoline is 1000 µg/L if benzene is not detectable in groundwater. ^a Chromatogram indicates that it is likely that sample contains weathered gasoline. ^b Chromatogram indicates that it is likely that sample contains weathered gasoline. TPH Benzene results bias high due to coeluting compound. ^c Benzene results bias high due to coeluting compound.</p> | | | | | | | | | | | | | | |



Figures

- Figure 1 Site Location Map
- Figure 2 Well Locations and Groundwater Elevation Contour Map
- Figure 3 Analytical Concentration Map




FIGURE 1
SITE LOCATION MAP

MILLER'S MARKET
3152 WASHINGTON WAY
LONGVIEW, WASHINGTON

| | |
|---------------------------|------------------------|
| PROJECT NO. STCG-047-2 | DRAWN BY JK 5-12-12 |
| FILE NO. STCG-047-2 | PREPARED BY JK |
| REVISION NO. | REVIEWED BY MM |






LEGEND


- MW-2 ● Groundwater Monitoring Well Location and Designation (MW-1 to MW-3 November 2003) (MW-4 to MW-8 November 2005)
- RW-1 ● Recovery Well Location and Designation (November 2003)
- Existing Groundwater Monitoring Well
- 44.52 Groundwater Elevation, feet
- - - 45.00 Inferred Groundwater Elevation Contour, feet
- (43.85)* Groundwater Elevation not used in contours
- NG Not Gauged

FIGURE 2
WELL LOCATIONS AND GROUNDWATER ELEVATION CONTOUR MAP (06/16/14)

Miller's Market
 3152 Washington Way
 Longview, Washington

| | |
|---------------------------|--------------------------|
| PROJECT NO. STCG-047-2 | DRAWN BY N.H. 9/31/03 |
| FILE NO. STCG-047-2 | PREPARED BY LH 7/7/14 |
| REVISION NO. 1 | REVIEWED BY JK |





MW-7

| G | B | T | E | X | MTBE |
|-----|------|------|------|------|------|
| <50 | <1.0 | <1.0 | <1.0 | <3.0 | <3.0 |

MW-3

| G | B | T | E | X | MTBE |
|-----|-----|------|-----|------|------|
| 300 | 1.4 | <1.0 | 1.3 | <3.0 | <3.0 |

MW-6

| G | B | T | E | X | MTBE |
|-----|------|------|------|------|------|
| <50 | <1.0 | <1.0 | <1.0 | <3.0 | <3.0 |

MW-8

| G | B | T | E | X | MTBE |
|-----|------|------|------|------|------|
| <50 | <1.0 | <1.0 | <1.0 | <3.0 | <3.0 |

- LEGEND**
- MW-2 ● Groundwater Monitoring Well Location and Designation (MW-1 to MW-3 November 2003) (MW-4 to MW-8 November 2005)
 - RW-1 ● Recovery Well Location and Designation (November 2003)
 - Existing Groundwater Monitoring Well
 - G Gasoline
 - B Benzene
 - T Toluene
 - E Ethylbenzene
 - X Xylenes
 - MTBE Methyl T-Butyl Ether
 - <N Non Detect

FIGURE 3
ANALYTICAL CONCENTRATION MAP
 (06/16/14)

Miller's Market
 3152 Washington Way
 Longview, Washington



| | |
|---------------------------|--------------------------|
| PROJECT NO. STCG-047-2 | DRAWN BY N.H. 9/31/03 |
| FILE NO. STCG-047-2 | PREPARED BY LH 7/7/14 |
| REVISION NO. | REVIEWED BY MM |



Quarterly Groundwater Monitoring/Sulfate Injection Report - Second Quarter 2014
Miller's Market
3152 Washington Way, Longview, WA



Appendix A

Analytical Lab Report and Chain-of-Custody Documentation



June 30, 2014

Mr. Matt Miller
Antea Group
4006 - 148th Ave NE
Redmond, WA 98052

Dear Mr. Miller,

On June 20th, 4 samples were received by our laboratory and assigned our laboratory project number EV14060137. The project was identified as your STCG 0472 Claim #21164. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Carl Nott
Operations Manager



CERTIFICATE OF ANALYSIS


| | | | |
|-------------------------|---|----------------------------|----------------------|
| CLIENT: | Antea Group 4006 - 148th Ave NE Redmond, WA 98052 | DATE: | 6/30/2014 |
| CLIENT CONTACT: | Matt Miller | ALS JOB#: | EV14060137 |
| CLIENT PROJECT: | STCG 0472 Claim #21164 | ALS SAMPLE#: | EV14060137-01 |
| CLIENT SAMPLE ID | MW-3 | DATE RECEIVED: | 06/20/2014 |
| | | COLLECTION DATE: | 6/16/2014 1:25:00 PM |
| | | WDOE ACCREDITATION: | C601 |

SAMPLE DATA RESULTS

| ANALYTE | METHOD | RESULTS | REPORTING LIMITS | DILUTION FACTOR | UNITS | ANALYSIS DATE | ANALYSIS BY |
|----------------------|----------|---------|------------------|-----------------|-------|---------------|-------------|
| TPH-Volatile Range | NWTPH-GX | 300 | 50 | 1 | ug/L | 06/27/2014 | DLC |
| Methyl T-Butyl Ether | EPA-8021 | U | 3.0 | 1 | ug/L | 06/27/2014 | DLC |
| Benzene | EPA-8021 | 1.4 | 1.0 | 1 | ug/L | 06/27/2014 | DLC |
| Toluene | EPA-8021 | U | 1.0 | 1 | ug/L | 06/27/2014 | DLC |
| Ethylbenzene | EPA-8021 | 1.3 | 1.0 | 1 | ug/L | 06/27/2014 | DLC |
| Xylenes | EPA-8021 | U | 3.0 | 1 | ug/L | 06/27/2014 | DLC |

| SURROGATE | METHOD | %REC | ANALYSIS DATE | ANALYSIS BY |
|-----------|----------|------|---------------|-------------|
| TFT | NWTPH-GX | 119 | 06/27/2014 | DLC |
| TFT | EPA-8021 | 107 | 06/27/2014 | DLC |

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains highly weathered gasoline.





CERTIFICATE OF ANALYSIS

| | | | |
|-------------------------|---|----------------------------|-----------------------|
| CLIENT: | Antea Group 4006 - 148th Ave NE Redmond, WA 98052 | DATE: | 6/30/2014 |
| CLIENT CONTACT: | Matt Miller | ALS JOB#: | EV14060137 |
| CLIENT PROJECT: | STCG 0472 Claim #21164 | ALS SAMPLE#: | EV14060137-02 |
| CLIENT SAMPLE ID | MW-6 | DATE RECEIVED: | 06/20/2014 |
| | | COLLECTION DATE: | 6/16/2014 11:25:00 AM |
| | | WDOE ACCREDITATION: | C601 |

SAMPLE DATA RESULTS

| ANALYTE | METHOD | RESULTS | REPORTING LIMITS | DILUTION FACTOR | UNITS | ANALYSIS DATE | ANALYSIS BY |
|----------------------|----------|---------|------------------|-----------------|-------|---------------|-------------|
| TPH-Volatile Range | NWTPH-GX | U | 50 | 1 | ug/L | 06/27/2014 | DLC |
| Methyl T-Butyl Ether | EPA-8021 | U | 3.0 | 1 | ug/L | 06/27/2014 | DLC |
| Benzene | EPA-8021 | U | 1.0 | 1 | ug/L | 06/27/2014 | DLC |
| Toluene | EPA-8021 | U | 1.0 | 1 | ug/L | 06/27/2014 | DLC |
| Ethylbenzene | EPA-8021 | U | 1.0 | 1 | ug/L | 06/27/2014 | DLC |
| Xylenes | EPA-8021 | U | 3.0 | 1 | ug/L | 06/27/2014 | DLC |

| SURROGATE | METHOD | %REC | ANALYSIS DATE | ANALYSIS BY |
|-----------|----------|------|---------------|-------------|
| TFT | NWTPH-GX | 104 | 06/27/2014 | DLC |
| TFT | EPA-8021 | 95.8 | 06/27/2014 | DLC |

U - Analyte analyzed for but not detected at level above reporting limit.





CERTIFICATE OF ANALYSIS

| | | | |
|------------------|---|---------------------|-----------------------|
| CLIENT: | Antea Group 4006 - 148th Ave NE Redmond, WA 98052 | DATE: | 6/30/2014 |
| CLIENT CONTACT: | Matt Miller | ALS JOB#: | EV14060137 |
| CLIENT PROJECT: | STCG 0472 Claim #21164 | ALS SAMPLE#: | EV14060137-03 |
| CLIENT SAMPLE ID | MW-7 | DATE RECEIVED: | 06/20/2014 |
| | | COLLECTION DATE: | 6/16/2014 12:40:00 PM |
| | | WDOE ACCREDITATION: | C601 |

SAMPLE DATA RESULTS

| ANALYTE | METHOD | RESULTS | REPORTING LIMITS | DILUTION FACTOR | UNITS | ANALYSIS DATE | ANALYSIS BY |
|----------------------|----------|---------|------------------|-----------------|-------|---------------|-------------|
| TPH-Volatile Range | NWTPH-GX | U | 50 | 1 | ug/L | 06/27/2014 | DLC |
| Methyl T-Butyl Ether | EPA-8021 | U | 3.0 | 1 | ug/L | 06/27/2014 | DLC |
| Benzene | EPA-8021 | U | 1.0 | 1 | ug/L | 06/27/2014 | DLC |
| Toluene | EPA-8021 | U | 1.0 | 1 | ug/L | 06/27/2014 | DLC |
| Ethylbenzene | EPA-8021 | U | 1.0 | 1 | ug/L | 06/27/2014 | DLC |
| Xylenes | EPA-8021 | U | 3.0 | 1 | ug/L | 06/27/2014 | DLC |

| SURROGATE | METHOD | %REC | ANALYSIS DATE | ANALYSIS BY |
|-----------|----------|------|---------------|-------------|
| TFT | NWTPH-GX | 108 | 06/27/2014 | DLC |
| TFT | EPA-8021 | 98.2 | 06/27/2014 | DLC |

U - Analyte analyzed for but not detected at level above reporting limit.



CERTIFICATE OF ANALYSIS

| | | | |
|------------------|---|---------------------|-----------------------|
| CLIENT: | Antea Group 4006 - 148th Ave NE Redmond, WA 98052 | DATE: | 6/30/2014 |
| CLIENT CONTACT: | Matt Miller | ALS JOB#: | EV14060137 |
| CLIENT PROJECT: | STCG 0472 Claim #21164 | ALS SAMPLE#: | EV14060137-04 |
| CLIENT SAMPLE ID | MW-8 | DATE RECEIVED: | 06/20/2014 |
| | | COLLECTION DATE: | 6/16/2014 12:05:00 PM |
| | | WDOE ACCREDITATION: | C601 |

SAMPLE DATA RESULTS

| ANALYTE | METHOD | RESULTS | REPORTING LIMITS | DILUTION FACTOR | UNITS | ANALYSIS DATE | ANALYSIS BY |
|----------------------|----------|---------|------------------|-----------------|-------|---------------|-------------|
| TPH-Volatile Range | NWTPH-GX | U | 50 | 1 | ug/L | 06/27/2014 | DLC |
| Methyl T-Butyl Ether | EPA-8021 | U | 3.0 | 1 | ug/L | 06/27/2014 | DLC |
| Benzene | EPA-8021 | U | 1.0 | 1 | ug/L | 06/27/2014 | DLC |
| Toluene | EPA-8021 | U | 1.0 | 1 | ug/L | 06/27/2014 | DLC |
| Ethylbenzene | EPA-8021 | U | 1.0 | 1 | ug/L | 06/27/2014 | DLC |
| Xylenes | EPA-8021 | U | 3.0 | 1 | ug/L | 06/27/2014 | DLC |

| SURROGATE | METHOD | %REC | ANALYSIS DATE | ANALYSIS BY |
|-----------|----------|------|---------------|-------------|
| TFT | NWTPH-GX | 109 | 06/27/2014 | DLC |
| TFT | EPA-8021 | 98.6 | 06/27/2014 | DLC |

U - Analyte analyzed for but not detected at level above reporting limit.



CERTIFICATE OF ANALYSIS

CLIENT: Antea Group DATE: 6/30/2014
 4006 - 148th Ave NE ALS SDG#: EV14060137
 Redmond, WA 98052 WDOE ACCREDITATION: C601
 CLIENT CONTACT: Matt Miller
 CLIENT PROJECT: STCG 0472 Claim #21164

LABORATORY BLANK RESULTS

MB-062714W - Batch 83608 - Water by NWTPH-GX

| ANALYTE | METHOD | RESULTS | REPORTING LIMITS | DILUTION FACTOR | UNITS | ANALYSIS DATE | ANALYSIS BY |
|--------------------|----------|---------|------------------|-----------------|-------|---------------|-------------|
| TPH-Volatile Range | NWTPH-GX | U | 50 | 1 | ug/L | 06/27/2014 | DLC |

U - Analyte analyzed for but not detected at level above reporting limit.

MB-062714W - Batch 83608 - Water by EPA-8021

| ANALYTE | METHOD | RESULTS | REPORTING LIMITS | DILUTION FACTOR | UNITS | ANALYSIS DATE | ANALYSIS BY |
|----------------------|----------|---------|------------------|-----------------|-------|---------------|-------------|
| Methyl T-Butyl Ether | EPA-8021 | U | 3.0 | 1 | ug/L | 06/27/2014 | DLC |
| Benzene | EPA-8021 | U | 1.0 | 1 | ug/L | 06/27/2014 | DLC |
| Toluene | EPA-8021 | U | 1.0 | 1 | ug/L | 06/27/2014 | DLC |
| Ethylbenzene | EPA-8021 | U | 1.0 | 1 | ug/L | 06/27/2014 | DLC |
| Xylenes | EPA-8021 | U | 3.0 | 1 | ug/L | 06/27/2014 | DLC |

U - Analyte analyzed for but not detected at level above reporting limit.



CERTIFICATE OF ANALYSIS

CLIENT: Antea Group
 4006 - 148th Ave NE
 Redmond, WA 98052

DATE: 6/30/2014
 ALS SDG#: EV14060137
 WDOE ACCREDITATION: C601

CLIENT CONTACT: Matt Miller
 CLIENT PROJECT: STCG 0472 Claim #21164

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 83608 - Water by NWTPH-GX

| SPIKED COMPOUND | METHOD | %REC | RPD | QUAL | ANALYSIS DATE | ANALYSIS BY |
|--------------------------|----------|------|-----|------|---------------|-------------|
| TPH-Volatile Range - BS | NWTPH-GX | 95.0 | | | 06/27/2014 | DLC |
| TPH-Volatile Range - BSD | NWTPH-GX | 98.0 | 3 | | 06/27/2014 | DLC |

ALS Test Batch ID: 83608 - Water by EPA-8021

| SPIKED COMPOUND | METHOD | %REC | RPD | QUAL | ANALYSIS DATE | ANALYSIS BY |
|----------------------------|----------|------|-----|------|---------------|-------------|
| Methyl T-Butyl Ether - BS | EPA-8021 | 95.4 | | | 06/27/2014 | DLC |
| Methyl T-Butyl Ether - BSD | EPA-8021 | 95.3 | 0 | | 06/27/2014 | DLC |
| Benzene - BS | EPA-8021 | 94.8 | | | 06/27/2014 | DLC |
| Benzene - BSD | EPA-8021 | 95.8 | 1 | | 06/27/2014 | DLC |
| Toluene - BS | EPA-8021 | 99.9 | | | 06/27/2014 | DLC |
| Toluene - BSD | EPA-8021 | 101 | 1 | | 06/27/2014 | DLC |
| Ethylbenzene - BS | EPA-8021 | 101 | | | 06/27/2014 | DLC |
| Ethylbenzene - BSD | EPA-8021 | 102 | 1 | | 06/27/2014 | DLC |
| Xylenes - BS | EPA-8021 | 101 | | | 06/27/2014 | DLC |
| Xylenes - BSD | EPA-8021 | 102 | 1 | | 06/27/2014 | DLC |

APPROVED BY

Operations Manager



ALS Environmental
 8620 Holly Drive, Suite 100
 Everett, WA 98208
 Phone (425) 356-2600
 Fax (425) 356-2626
 http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EY14060137

Date 6/16/14 Page 1 Of 1

| PROJECT ID: <u>STCG 0472 claim # 21164</u> | | | | | ANALYSIS REQUESTED | | | | | | | | | | | | OTHER (Specify) | | | | |
|--|----------------|-------------|-----------|----------|--|--|--|--|--|--|--|--|--|--|--|--|-----------------|--|----------|----------------------|-----------------------------|
| REPORT TO COMPANY: <u>Antea Group</u> | | | | | NWTPH-HCID. NWTPH-DX NWTPH-GX BTEX by EPA-8021 MTBE by EPA-8021 <input checked="" type="checkbox"/> EPA-8260 <input type="checkbox"/> Halogenated Volatiles by EPA 8260 Volatile Organic Compounds by EPA 8260 EDB / EDC by EPA 8260 SIM (water) EDB / EDC by EPA 8260 (soil) Semivolatile Organic Compounds by EPA 8270 Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM <input type="checkbox"/> PCB <input type="checkbox"/> Pesticides <input type="checkbox"/> by EPA 8081/8082 Metals-MTCA-5 <input type="checkbox"/> RCRA-8 <input type="checkbox"/> Pb Pol <input type="checkbox"/> TAL <input type="checkbox"/> Metals Other (Specify) TCLP-Metals <input type="checkbox"/> VOA <input type="checkbox"/> Semi-Vol <input type="checkbox"/> Pest <input type="checkbox"/> Herbs <input type="checkbox"/> <u>MTBE (8260) If detected w/ 8021</u> | | | | | | | | | | | | | | | | |
| PROJECT MANAGER: <u>Matt Miller</u> | | | | | | | | | | | | | | | | | | | | | |
| ADDRESS: <u>4008 148th Ave NE</u> | | | | | | | | | | | | | | | | | | | | | |
| <u>Redmond WA</u> | | | | | | | | | | | | | | | | | | | | | |
| PHONE: <u>425-269-7178</u> FAX: | | | | | | | | | | | | | | | | | | | | | |
| PO. #: E-MAIL: <u>matt.miller@anteagroup.com</u> | | | | | | | | | | | | | | | | | | | | | |
| INVOICE TO COMPANY: | | | | | | | | | | | | | | | | | | | | | |
| ATTENTION: | | | | | | | | | | | | | | | | | | | | | |
| ADDRESS: | | | | | | | | | | | | | | | | | | | | | |
| SAMPLE I.D. | DATE | TIME | TYPE | LAB# | | | | | | | | | | | | | | | | NUMBER OF CONTAINERS | RECEIVED IN GOOD CONDITION? |
| 1. <u>MW-3</u> | <u>6/16/14</u> | <u>1325</u> | <u>AG</u> | <u>1</u> | | | | | | | | | | | | | | | <u>4</u> | | |
| 2. <u>MW-6</u> | <u>1</u> | <u>1125</u> | <u>1</u> | <u>2</u> | | | | | | | | | | | | | | | <u>1</u> | | |
| 3. <u>MW-7</u> | <u>1</u> | <u>1240</u> | <u>1</u> | <u>3</u> | | | | | | | | | | | | | | | <u>1</u> | | |
| 4. <u>MW-8</u> | <u>6/16/14</u> | <u>1205</u> | <u>AG</u> | <u>4</u> | | | | | | | | | | | | | | | <u>4</u> | | |
| 5. | | | | | | | | | | | | | | | | | | | | | |
| 6. | | | | | | | | | | | | | | | | | | | | | |
| 7. | | | | | | | | | | | | | | | | | | | | | |
| 8. | | | | | | | | | | | | | | | | | | | | | |
| 9. | | | | | | | | | | | | | | | | | | | | | |
| 10. | | | | | | | | | | | | | | | | | | | | | |

LABORATORY COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: [Signature], Antea Group, 6/19/14 1500
 Received By: [Signature]

2. Relinquished By: _____
 Received By: [Signature] ALS 6/20/14 1:40pm

TURNAROUND REQUESTED in Business Days*

Organic, Metals & Inorganic Analysis

5 3 2 1 SAME DAY

Fuels & Hydrocarbon Analysis

5 3 1 SAME DAY

OTHER: _____
 Specify: _____

* Turnaround request less than standard may incur Rush Charges



Appendix B

Field Data Sheets

WELL GAUGING AND GROUNDWATER EVENT FORM

3152 Washington Way, Longview, Washington

Client: Colony. Antea Group Project Number: STCG-0472.

| Date: 6/16/14 | | | | Field Technician: BDJ | | |
|---------------|-----------------------|--------------------|-----------------|-----------------------|-------------|-----------------|
| Well ID | Depth to Water (feet) | Total Depth (feet) | Casing Diameter | To be sampled? | Sample Time | Comments: |
| MW-1 | 4.86 | 15.1 | 2" | No | Gauge Only | |
| MW-2 | — | 20.00 | 2" | No | Not Gauged | Traffic Control |
| MW-3 | 4.85 | 17.00 | 2" | Yes | 1325 | |
| MW-4 | 4.55 | 16.45 | 2" | No | Gauge Only | |
| MW-5 | 4.34 | 19.50 | 2' | No | Gauge Only | |
| MW-6 | 5.75 | 19.95 | 2" | Yes | 1125 | |
| MW-7 | 4.33 | 18.47 | 2" | Yes | 1240 | |
| MW-8 | 3.83 | 18.00 | 2" | Yes | 1205 | |
| RW-1 | 4.03 | 7.95 | 4" | No | Gauge Only | |

Notes: Quarterly sampling program -MW-3, 6, 7, 8 sampled for NWT PH-Gx, BTEX/MTBE (8021). Instruct lab to confirm MTBE hits with 8260B.



MICROPURGING AND SAMPLING FORM
 3152 Washington Way, Longview, Washington
 Client: Colony. Antea Group Project Number: STCG-0472.

| | |
|--|------------------------------------|
| Date: 6/16/14 | Well ID: MW-6 |
| Field Technician: BDJ | Sample Time: 1125 |
| Initial Depth to Water (DTW): 5.75 | Pumping Rate: ≈ 250 ml/min |
| Total Depth of Well (TD): 19.95 | Pumping Depth: 10' |
| Feet of Water in Well Casing (TD-DTW): 14.20 | Total Volume Purged: 1.0 gal |

FIELD PARAMETERS

| Time | Depth To Water (feet) | pH (SU) | Specific Conductivity (μ S) | Temp (C) | DO (mg/L) | ORP (mV) | Visual Turbidity and Comments: |
|------|-----------------------|---------|----------------------------------|----------|-----------|----------|--------------------------------|
| 1100 | INITIAL | 6.12 | 355 | 15.95 | 9.76 | -28.7 | Clear |
| 1103 | 6.00 | 5.21 | 306 | 15.14 | 7.07 | -16.1 | " |
| 1106 | 6.02 | 5.22 | 299 | 15.12 | 6.80 | -21.1 | " |
| 1109 | 6.04 | 5.24 | 289 | 15.10 | 6.71 | -26.2 | " |
| 1112 | 6.05 | 5.26 | 287 | 15.09 | 6.70 | -27.4 | " |
| 1115 | 6.05 | 5.26 | 285 | 15.07 | 6.99 | -27.9 | " |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Notes:



MICROPURGING AND SAMPLING FORM
 3152 Washington Way, Longview, Washington
 Client: Colony. Antea Group Project Number: STCG-0472.

| | |
|--|------------------------------------|
| Date: 6/16/14 | Well ID: MW-7 |
| Field Technician: BDJ | Sample Time: 1240 |
| Initial Depth to Water (DTW): 4.33 | Pumping Rate: \approx 250 ml/min |
| Total Depth of Well (TD): 18.47 | Pumping Depth: 10' |
| Feet of Water in Well Casing (TD-DTW): 14.14 | Total Volume Purged: 1.0 gal |

FIELD PARAMETERS

| Time | Depth To Water (feet) | pH (SU) | Specific Conductivity (μ S) | Temp (C) | DO (mg/L) | ORP (mV) | Visual Turbidity and Comments: |
|------|-----------------------|---------|----------------------------------|----------|-----------|----------|--------------------------------|
| 1220 | INITIAL | 6.85 | 841 | 16.73 | 8.00 | -83.6 | clear |
| 1223 | 4.40 | 6.79 | 806 | 16.34 | 2.10 | -89.0 | orange |
| 1226 | 4.40 | 6.56 | 769 | 16.00 | 1.14 | -72.2 | " |
| 1229 | 4.41 | 6.42 | 713 | 15.67 | 1.30 | -61.5 | " |
| 1232 | 4.41 | 6.39 | 710 | 15.69 | 1.24 | -58.9 | " |
| 1235 | 4.41 | 6.37 | 710 | 15.70 | 1.20 | -57.7 | " |
| 1238 | 4.41 | 6.34 | 707 | 15.73 | 1.17 | -56.9 | " |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Notes:



anteagroup

MICROPURGING AND SAMPLING FORM
 3152 Washington Way, Longview, Washington
 Client: Colony. Antea Group Project Number: STCG-0472.

| | |
|--|------------------------------|
| Date: 6/16/14 | Well ID: MW-8 |
| Field Technician: BJS | Sample Time: 1205 |
| Initial Depth to Water (DTW): 3.23 | Pumping Rate: ~250 ml/min |
| Total Depth of Well (TD): 18.00 | Pumping Depth: 10' |
| Feet of Water in Well Casing (TD-DTW): 14.17 | Total Volume Purged: 1.0 gal |

FIELD PARAMETERS

| Time | Depth To Water (feet) | pH (SU) | Specific Conductivity (µS) | Temp (C) | DO (mg/L) | ORP (mV) | Visual Turbidity and Comments: |
|------|-----------------------|---------|----------------------------|----------|-----------|----------|--------------------------------|
| 1140 | INITIAL | 6.55 | 358 | 15.70 | 2.24 | -106.9 | Clear |
| 1143 | 3.87 | 6.22 | 361 | 15.51 | 6.74 | -93.5 | " |
| 1146 | 3.95 | 6.80 | 344 | 16.36 | 2.62 | -107.8 | " |
| 1149 | 3.98 | 6.85 | 342 | 16.97 | 2.43 | -101.4 | " |
| 1152 | 3.99 | 6.86 | 342 | 17.05 | 2.41 | -100.1 | " |
| 1155 | 4.02 | 6.86 | 341 | 17.06 | 2.38 | -99.8 | " |
| 1158 | 4.04 | 6.86 | 340 | 17.08 | 2.36 | -99.1 | " |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Notes:





ALS Environmental
 8620 Holly Drive, Suite 100
 Everett, WA 98208
 Phone (425) 356-2600
 Fax (425) 356-2626
 http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# _____ (Laboratory Use Only)

Date 6/16/14 Page 1 Of 1

| PROJECT ID: <u>STCG 0472 claim # 21164</u> | | | | | ANALYSIS REQUESTED | | | | | | | | | | OTHER (Specify) | | | | | | | |
|---|----------------|-------------|-----------|------|--|--|----------|----------------------|----------|-----------------------------|--|--|--|--|-----------------|--|--|--|----------|----------|----------|--|
| REPORT TO COMPANY: <u>Antea Group</u> | | | | | NWTPH-HCID NWTPH-DX NWTPH-GX BTEX by EPA-8021 MTBE by EPA-8021 <input checked="" type="checkbox"/> EPA-8260 <input type="checkbox"/> Halogenated Volatiles by EPA 8260 Volatile Organic Compounds by EPA 8260 EDB / EDC by EPA 8260 SIM (water) EDB / EDC by EPA 8260 (soil) Semivolatile Organic Compounds by EPA 8270 Polycyclic-Aromatic Hydrocarbons (PAH) by EPA-8270 SIM <input type="checkbox"/> PCB <input type="checkbox"/> Pesticides <input type="checkbox"/> by EPA 8081/8082 Metals-MTCA-5 <input type="checkbox"/> RCRA-8 <input type="checkbox"/> PFI Pol <input type="checkbox"/> TAL <input type="checkbox"/> Metals Other (Specify) TCLP-Metals <input type="checkbox"/> VOA <input type="checkbox"/> Semi-Vol <input type="checkbox"/> Pest <input type="checkbox"/> Herbs <input type="checkbox"/> <u>MTBE (8260) JT detected w/ 8021</u> | ADDRESS: <u>4002 148th Ave NE</u> | | NUMBER OF CONTAINERS | | RECEIVED IN GOOD CONDITION? | | | | | | | | | | | | |
| PROJECT MANAGER: <u>Matt Miller</u> | | | | | | ADDRESS: <u>Redmond WA</u> | | | | | | | | | | | | | | | | |
| PHONE: <u>425-269-7178</u> FAX: _____ | | | | | | | | | | | | | | | | | | | | | | |
| PO #: _____ E-MAIL: <u>matt.miller@anteagroup.com</u> | | | | | | | | | | | | | | | | | | | | | | |
| INVOICE TO COMPANY: _____ | | | | | | | | | | | | | | | | | | | | | | |
| ATTENTION: _____ | | | | | | | | | | | | | | | | | | | | | | |
| ADDRESS: _____ | | | | | | | | | | | | | | | | | | | | | | |
| SAMPLE I.D. | DATE | TIME | TYPE | LAB# | | | | | | | | | | | | | | | | | | |
| 1. <u>MW-3</u> | <u>6/16/14</u> | <u>1325</u> | <u>AG</u> | | | | | <u>X</u> | <u>X</u> | <u>X</u> | | | | | | | | | | <u>X</u> | <u>4</u> | |
| 2. <u>MW-6</u> | <u>1</u> | <u>1125</u> | <u>1</u> | | | | | <u>1</u> | <u>1</u> | <u>1</u> | | | | | | | | | | <u>1</u> | <u>1</u> | |
| 3. <u>MW-7</u> | <u>1</u> | <u>1240</u> | <u>1</u> | | | | <u>1</u> | <u>1</u> | <u>1</u> | | | | | | | | | | <u>1</u> | <u>1</u> | | |
| 4. <u>MW-8</u> | <u>6/16/14</u> | <u>1205</u> | <u>AG</u> | | | | <u>X</u> | <u>X</u> | <u>X</u> | | | | | | | | | | <u>X</u> | <u>4</u> | | |
| 5. | | | | | | | | | | | | | | | | | | | | | | |
| 6. | | | | | | | | | | | | | | | | | | | | | | |
| 7. | | | | | | | | | | | | | | | | | | | | | | |
| 8. | | | | | | | | | | | | | | | | | | | | | | |
| 9. | | | | | | | | | | | | | | | | | | | | | | |
| 10. | | | | | | | | | | | | | | | | | | | | | | |

REPORT COPY

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):
 1. Relinquished By: [Signature], Antea Group, 6/19/14 1500
 Received By: [Signature]
 2. Relinquished By: _____
 Received By: _____

TURNAROUND REQUESTED in Business Days*
 Organic, Metals & Inorganic Analysis
 10 5 3 2 1 SAME DAY
 Fuels & Hydrocarbon Analysis
 5 3 1 SAME DAY

OTHER: _____
 Specify: _____

* Turnaround request less than standard may incur Rush Charges