



QUARTERLY GROUNDWATER MONITORING REPORT

Third Quarter of 2014

Millers Market

*Antea Group Project No. STCG-047-2
December 3, 2014*

RECEIVED

NOV 20 2015

TOXICS CLEANUP PROGRAM HQ
ADMINISTRATIVE

Prepared for:
Miller's Market
3152 Washington Way
Longview, WA 98632

Prepared by:
Antea Group
4006 148th Avenue NE
Redmond, WA 98052
800 477 7411





December 3, 2014

Mr. Mike Bauman
Miller's Market
3152 Washington Way
Longview, WA 98632

Subject: Quarterly Groundwater Monitoring Report- Third Quarter of 2014
Miller's Market
3152 Washington Way
Longview, Washington
Antea Project STCG-047-2
Colony Claim No. 21164

Dear Mr. Bauman:

Antea Group (Antea Group) has prepared this report to summarize groundwater monitoring performed at the above referenced site on September 11, 2014. A site location map is included on Figure 1.

GROUNDWATER SAMPLING AND ANALYSES

Before the September sampling event, Antea Group measured depth to water in monitoring wells MW-1, MW-3 through MW-8, and RW-1 using an electronic water level meter. Groundwater elevations (GWE) were recorded on waterproof field sheets and measured to an accuracy of 0.01 feet. Samples were withdrawn from wells MW-3 and MW-6 through MW-8 using a low-flow/ low-purge technique with a peristaltic pump. Field parameters of dissolved oxygen (DO), temperature, conductivity, oxygen reduction potential (ORP), and pH were collected during low-flow/low-purge procedures. The samples were placed in the appropriate laboratory-provided containers. Samples were labeled, placed into ice filled coolers, logged onto chain-of-custody forms and transported to the laboratory. No separate-phase hydrocarbons were observed in any of the monitoring wells.

During the September groundwater sampling event, the groundwater flow direction was generally to the southeast at an approximate gradient of 0.008 feet/linear foot. A summary of current and historical groundwater elevations with natural attenuation parameters is included in Table 1. A site map showing well locations and groundwater elevations is included on Figure 2.



All Groundwater samples were submitted to ALS Laboratory Group in Everett, Washington. During the September event, samples from MW-3 and MW-6 through MW-8 were analyzed for total petroleum hydrocarbons in the gasoline range (TPH-G) using Northwest Method NWTPH-Gx; and benzene, toluene, ethylbenzene, total xylenes (BTEX), and methyl-tert-butyl ether (MTBE) using USEPA Method 8021. One duplicate sample was collected from MW-3, was labeled as MW-13, and was submitted for the same analyses.

GROUNDWATER ANALYTICAL RESULTS

Analytical results indicate that the samples collected from monitoring wells MW-6 through MW-8 during the third quarter contained concentrations of analyzed compounds that were either below the laboratory reporting limit or were detected at concentrations below the Washington State Department of Ecology's Model Toxics Control Act (MTCA) Method A cleanup levels. A concentration of benzene from well MW-3 was above the MCTA Method A cleanup level. A summary of current and historical groundwater analytical results are presented in Table 2. A site map, showing TPH-G, BTEX, and MTBE concentrations, is included on Figure 3. The analytical report and chain-of-custody documentation are presented as Appendix A and field data sheets are presented as Appendix B.

SULFATE INJECTION

Sulfate injection was proposed as a remediation strategy to address the TPH-G and benzene impacts remaining at the site and commenced during the third quarter of 2012. During initial events, 150 gallons of 2% magnesium sulfate solution was injected into the injection trench (IT-1) after completion of groundwater sampling. Following repeated attempts of injecting sulfate into IT-1, it became apparent that sulfate was not migrating to well MW-3. Antea Group therefore began injecting a portion of the sulfate solution into well MW-3, in addition to the injection trench. Sulfate injections had been temporarily suspended following the May 2013 injection event. Though sulfate was not detected in the down gradient compliance well, it remained high in well MW-3. Antea Group received approval on the request to renew the UIC injection permit (#31710) and since sulfate concentrations in well MW-3 decreased, injections resumed during the third and into the fourth quarters of 2013. No injections have occurred during 2014.



REMARKS

The recommendations contained in this report represent Antea USA, Inc.'s professional opinions based upon the currently available information and are arrived at in accordance with currently accepted professional standards. This report is based upon a specific scope of work requested by the client. The contract between Antea USA, Inc. and its client outlines the scope of work, and only those tasks specifically authorized by that contract or outlined in this report were performed. This report is intended only for the use of Antea USA, Inc.'s client and anyone else specifically identified in writing by Antea USA, Inc. as a user of this report. Antea USA, Inc. will not and cannot be liable for unauthorized reliance by any other third party. Other than as contained in this paragraph, Antea USA, Inc. makes no express or implied warranty as to the contents of this report.



Antea Group appreciates the opportunity to provide environmental services to you. Please call Matthew Miller, Senior Project Manager, at 425-498-7722 if you have any questions regarding the contents of this letter.

Prepared by:

A handwritten signature in black ink, appearing to read "Lauren Hamilton", written over a horizontal line.

Lauren Hamilton
Staff Professional

Date: December 3, 2014

Reviewed by:


A handwritten signature in black ink, appearing to read "Jaime KC", written over a horizontal line.

Jaime KC
Project Professional

Date: December 3, 2014

A handwritten signature in black ink, appearing to read "Matthew R. Miller", written over a horizontal line.

Matthew R. Miller, LG
Senior Project Manager



Matthew Miller

Date: December 3, 2014

cc: Mr. Paul Turner, Washington State Department of Ecology, Southwest Regional Office
Argo Pro / Colony Insurance, San Antonio, Texas
File, Antea Group



Enclosures

Tables

Table 1	Groundwater Elevation Measurements – Natural Attenuation Parameters
Table 2	Groundwater Analytical Results

Figures

Figure 1	Site Location Map
Figure 2	Well Locations and Groundwater Elevation Contour Map
Figure 3	Analytical Concentration Map

Appendices

Appendix A	Analytical Lab Reports and Chain-of-Custody Documentation
Appendix B	Field Data Sheets



Tables

Table 1	Groundwater Elevation Measurements - Natural Attenuation Parameters
Table 2	Groundwater Analytical Results

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (μ S)	ORP (mV)	Temp. (Celsius)
MW-1	11/17/03	49.37	5.36	44.01	--	--	--	--	--
MW-1	03/15/04	49.37	5.49	43.88	--	--	--	--	--
MW-1	06/17/04	49.37	5.15	44.22	--	--	--	--	--
MW-1	09/15/04	49.37	5.31	44.06	--	--	--	--	--
MW-1	12/16/04	49.37	4.99	44.38	--	--	--	--	--
MW-1	03/18/05	49.37	5.48	43.89	--	--	--	--	--
MW-1	06/14/05	49.37	5.33	44.04	--	--	--	--	--
MW-1	09/26/05	49.37	6.12	43.25	--	--	--	--	--
MW-1	11/28/05	49.37	4.80	44.57	--	--	--	--	--
MW-1	03/22/06	49.37	4.96	44.41	--	--	--	--	--
MW-1	06/27/06	49.37	4.90	44.47	--	--	--	--	--
MW-1	09/22/06	49.37	4.64	44.73	--	--	--	--	--
MW-1	12/05/06	49.37	4.87	44.50	--	--	--	--	--
MW-1	03/13/07	49.37	5.00	44.37	--	--	--	--	--
MW-1	06/04/07	49.37	5.23	44.14	--	--	--	--	--
MW-1	09/10/07	49.37	5.95	43.42	--	--	--	--	--
MW-1	01/07/08	49.37	4.27	45.10	--	--	--	--	--
MW-1	03/20/08	49.37	4.80	44.57	--	--	--	--	--
MW-1	06/16/08	49.37	4.45	44.92	--	--	--	--	--
MW-1	09/08/08	49.37	5.89	43.48	--	--	--	--	--
MW-1	12/08/08	49.37	5.04	44.33	--	--	--	--	--
MW-1	03/05/09	49.37	4.78	44.59	--	--	--	--	--
MW-1	06/19/09	49.37	4.87	44.50	--	--	--	--	--
MW-1	09/28/09	49.37	6.30	43.07	--	--	--	--	--
MW-1	12/29/09	49.37	5.08	44.29	--	--	--	--	--
MW-1	03/26/10	49.37	5.10	44.27	--	--	--	--	--
MW-1	06/09/10	49.37	4.13	45.24	--	--	--	--	--
MW-1	09/22/10	49.37	5.66	43.71	--	--	--	--	--
MW-1	12/17/10	49.37	4.14	45.23	--	--	--	--	--
MW-1	03/25/11	49.37	4.41	44.96	--	--	--	--	--
MW-1	06/21/11	49.37	4.39	44.98	--	--	--	--	--
MW-1	09/13/11	49.37	5.75	43.62	--	--	--	--	--
MW-1	12/28/11	49.37	4.80	44.57	--	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS

Miller's Market
 3152 Washington Way
 Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-1	03/19/12	49.37	3.91	45.46	--	--	--	--	--
MW-1	06/06/12	49.37	4.37	45.00	--	--	--	--	--
MW-1	09/17/12	49.37	5.73	43.64	--	--	--	--	--
MW-1*	11/29/12	49.38	4.73	44.65	--	--	--	--	--
MW-1	12/21/12	49.38	4.05	45.33	--	--	--	--	--
MW-1	03/27/13	49.38	5.22	44.16	--	--	--	--	--
MW-1	06/24/13	49.38	4.65	44.73	--	--	--	--	--
MW-1	10/30/13	49.38	5.61	43.77	--	--	--	--	--
MW-1	12/20/13	49.38	6.50	42.88	0.91	6.05	306	--	14.38
MW-1	03/12/14	49.38	4.50	44.88	--	--	--	--	--
MW-1	06/16/14	49.38	4.86	44.52	--	--	--	--	--
MW-1	09/11/14	49.38	6.11	43.27	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-2	11/17/03	48.36	4.45	43.91	--	--	--	--	--
MW-2	03/15/04	48.36	4.47	43.89	--	--	--	--	--
MW-2	06/17/04	48.36	4.20	44.16	--	--	--	--	--
MW-2	09/15/04	48.36	4.31	44.05	--	--	--	--	--
MW-2	12/16/04	48.36	4.02	44.34	--	--	--	--	--
MW-2	03/18/05	48.36	4.47	43.89	--	--	--	--	--
MW-2	06/14/05	48.36	4.36	44.00	--	--	--	--	--
MW-2	09/26/05	48.36	5.15	43.21	--	--	--	--	--
MW-2	11/28/05	48.36	3.84	44.52	--	--	--	--	--
MW-2	03/22/06	48.36	4.01	44.35	--	--	--	--	--
MW-2	06/27/06	48.36	3.85	44.51	--	--	--	--	--
MW-2	09/22/06	48.36	4.59	43.77	--	--	--	--	--
MW-2	12/05/06	48.36	3.91	44.45	--	--	--	--	--
MW-2	03/13/07	48.36	NG	48.36	--	--	--	--	--
MW-2	06/04/07	48.36	4.21	44.15	--	--	--	--	--
MW-2	09/10/07	48.36	4.98	43.38	--	--	--	--	--
MW-2	01/07/08	48.36	3.25	45.11	--	--	--	--	--
MW-2	03/20/08	48.36	3.80	44.56	--	--	--	--	--
MW-2	06/16/08	48.36	3.56	44.80	--	--	--	--	--
MW-2	09/08/08	48.36	4.41	43.95	--	--	--	--	--
MW-2	12/08/08	48.36	4.08	44.28	--	--	--	--	--
MW-2	03/05/09	48.36	3.79	44.57	--	--	--	--	--
MW-2	06/19/09	48.36	3.96	44.40	--	--	--	--	--
MW-2	09/28/09	48.36	5.11	43.25	--	--	--	--	--
MW-2	12/29/09	48.36	4.15	44.21	--	--	--	--	--
MW-2	03/26/10	48.36	4.21	44.15	--	--	--	--	--
MW-2	06/09/10	48.36	3.17	45.19	--	--	--	--	--
MW-2	09/22/10	48.36	4.64	43.72	--	--	--	--	--
MW-2	12/17/10	48.36	3.25	45.11	--	--	--	--	--
MW-2	03/25/11	48.36	3.37	44.99	--	--	--	--	--
MW-2	06/21/11	48.36	3.42	44.94	--	--	--	--	--
MW-2	09/13/11	48.36	4.78	43.58	--	--	--	--	--
MW-2	12/28/11	48.36	3.62	44.74	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-2	03/19/12	48.36	2.93	45.43	--	--	--	--	--
MW-2	06/08/12	48.36	3.44	44.92	--	--	--	--	--
MW-2	09/17/12	48.36	--	--	--	--	--	--	--
MW-2	12/21/12	48.36	3.13	45.23	--	--	--	--	--
MW-2	03/27/13	48.36	4.20	44.16	--	--	--	--	--
MW-2	06/24/13	48.36	3.77	44.59	--	--	--	--	--
MW-2	10/30/13	48.36	--	--	--	--	--	--	--
MW-2	12/20/13	48.36	5.63	42.73	0.46	6.28	155	--	12.47
MW-2	03/12/14	48.36	--	--	--	--	--	--	--
MW-2	06/16/14	48.36	--	--	--	--	--	--	--
MW-2	09/11/14	48.36	--	--	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-3	11/17/03	49.20	5.34	43.86	--	--	--	--	--
MW-3	03/15/04	49.20	5.24	43.96	--	--	--	--	--
MW-3	06/17/04	49.20	5.48	43.72	--	--	--	--	--
MW-3	09/15/04	49.20	5.55	43.65	--	--	--	--	--
MW-3	12/16/04	49.20	5.12	44.08	--	--	--	--	--
MW-3	03/18/05	49.20	5.61	43.59	--	--	--	--	--
MW-3	06/14/05	49.20	5.26	43.94	--	--	--	--	--
MW-3	09/26/05	49.20	6.02	43.18	--	--	--	--	--
MW-3	11/28/05	49.20	5.01	44.19	--	--	--	--	--
MW-3	03/22/06	49.20	4.85	44.35	--	--	--	--	--
MW-3	06/27/06	49.20	4.86	44.34	--	--	--	--	--
MW-3	09/22/06	49.20	5.50	43.70	--	--	--	--	--
MW-3	12/05/06	49.20	4.90	44.30	--	--	--	--	--
MW-3	03/13/07	49.20	5.06	44.14	--	--	--	--	--
MW-3	06/04/07	49.20	5.36	43.84	--	--	--	--	--
MW-3	09/10/07	49.20	5.90	43.30	--	--	--	--	--
MW-3	01/07/08	49.20	4.42	44.78	--	--	--	--	--
MW-3	03/20/08	49.20	4.90	44.30	--	--	--	--	--
MW-3	06/16/08	49.20	4.47	44.73	--	--	--	--	--
MW-3	09/08/08	49.20	5.72	43.48	--	--	--	--	--
MW-3	12/08/08	49.20	5.10	44.10	--	--	--	--	--
MW-3	03/05/09	49.20	4.16	45.04	--	--	--	--	--
MW-3	06/19/09	49.20	5.74	43.46	--	--	--	--	--
MW-3	09/28/09	49.20	6.13	43.07	--	--	--	--	--
MW-3	12/29/09	49.20	5.27	43.93	--	--	--	--	--
MW-3	03/26/10	49.20	5.03	44.17	--	--	--	--	--
MW-3	06/09/10	49.20	4.12	45.08	--	--	--	--	--
MW-3	09/22/10	49.20	5.67	43.53	--	--	--	--	--
MW-3	12/17/10	49.20	4.10	45.10	--	--	--	--	--
MW-3	03/25/11	49.20	4.30	44.90	--	--	--	--	--
MW-3	06/21/11	49.20	5.07	44.13	--	--	--	--	--
MW-3	09/13/11	49.20	5.71	43.49	--	--	--	--	--
MW-3	12/28/11	49.20	4.90	44.30	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-3	03/19/12	49.20	3.92	45.28	--	--	--	--	--
MW-3	04/12/12	49.20	4.19	45.01	--	--	--	--	--
MW-3	06/08/12	49.20	4.43	44.77	--	--	--	--	--
MW-3	09/17/12	49.20	5.63	43.57	--	--	--	--	--
MW-3	10/01/12	49.20	5.87	43.33	--	--	--	--	--
MW-3	10/25/12	49.20	5.58	43.62	--	--	--	--	--
MW-3	11/29/12	49.20	4.68	44.52	--	--	--	--	--
MW-3	12/21/12	49.20	3.13	46.07	--	--	--	--	--
MW-3	02/19/13	49.20	5.33	43.87	--	--	--	--	--
MW-3	03/27/13	49.20	5.19	44.01	--	--	--	--	--
MW-3	04/24/13	49.20	4.95	44.25	--	--	--	--	--
MW-3	05/30/13	49.20	4.46	44.74	--	--	--	--	--
MW-3	06/24/13	49.20	4.79	44.41	--	--	--	--	--
MW-3	07/31/13	49.20	5.75	43.45	--	--	--	--	--
MW-3	08/28/13	49.20	5.76	43.44	--	--	--	--	--
MW-3	09/20/13	49.20	5.20	44.00	--	--	--	--	--
MW-3	10/30/13	49.20	5.40	43.80	--	--	--	--	--
MW-3	11/26/13	49.20	7.51	41.69	--	6.56	646	--	16.5
MW-3	12/20/13	49.20	6.56	42.64	0.34	5.09	1392	--	12.96
MW-3	03/12/14	49.20	4.49	44.71	1.81	6.52	151.7	--	13.9
MW-3	06/16/14	49.20	4.85	44.35	2.84	6.24	814	-66.5	15.97
MW-3	09/11/14	49.20	6.04	43.16	0.39	6.17	572	-106.1	17.05

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (μ S)	ORP (mV)	Temp. (Celsius)
MW-4	11/28/05	48.38	4.52	43.86	--	--	--	--	--
MW-4	03/22/06	48.38	4.44	43.94	--	--	--	--	--
MW-4	06/27/06	48.38	4.30	44.08	--	--	--	--	--
MW-4	09/22/06	48.38	4.64	43.74	--	--	--	--	--
MW-4	12/05/06	48.38	4.01	44.37	--	--	--	--	--
MW-4	03/13/07	48.38	4.23	44.15	--	--	--	--	--
MW-4	06/04/07	48.38	4.41	43.97	--	--	--	--	--
MW-4	09/10/07	48.38	5.06	43.32	--	--	--	--	--
MW-4	01/07/08	48.38	3.23	45.15	--	--	--	--	--
MW-4	03/20/08	48.38	3.78	44.60	--	--	--	--	--
MW-4	06/16/08	48.38	3.79	44.59	--	--	--	--	--
MW-4	09/08/08	48.38	4.93	43.45	--	--	--	--	--
MW-4	12/08/08	48.38	4.40	43.98	--	--	--	--	--
MW-4	03/05/09	48.38	4.35	44.03	--	--	--	--	--
MW-4	06/19/09	48.38	4.29	44.09	--	--	--	--	--
MW-4	09/28/09	48.38	5.26	43.12	--	--	--	--	--
MW-4	12/29/09	48.38	4.56	43.82	--	--	--	--	--
MW-4	03/26/10	48.38	4.59	43.79	--	--	--	--	--
MW-4	06/09/10	48.38	3.49	44.89	--	--	--	--	--
MW-4	09/22/10	48.38	4.71	43.67	--	--	--	--	--
MW-4	12/17/10	48.38	3.38	45.00	--	--	--	--	--
MW-4	03/25/11	48.38	3.78	44.60	--	--	--	--	--
MW-4	06/21/11	48.38	3.66	44.72	--	--	--	--	--
MW-4	09/13/11	48.38	4.95	43.43	--	--	--	--	--
MW-4	12/28/11	48.38	3.75	44.63	--	--	--	--	--
MW-4	03/19/12	48.38	3.46	44.92	--	--	--	--	--
MW-4	06/06/12	48.38	3.90	44.48	--	--	--	--	--
MW-4	09/17/12	48.38	4.89	43.49	--	--	--	--	--
MW-4*	11/29/12	48.40	4.06	44.34	--	--	--	--	--
MW-4	12/21/12	48.40	3.41	44.99	--	--	--	--	--
MW-4	03/27/13	48.40	4.76	43.64	--	--	--	--	--
MW-4	06/24/13	48.40	4.22	44.18	--	--	--	--	--
MW-4	10/30/13	48.40	4.75	43.65	--	--	--	--	--
MW-4	12/20/13	48.40	5.82	42.58	0.91	5.99	386	--	14.04
MW-4	03/12/14	48.40	4.47	43.93	--	--	--	--	--
MW-4	06/16/14	48.40	4.55	43.85	--	--	--	--	--
MW-4	09/11/14	48.40	5.45	42.95	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-5	11/28/05	48.62	4.30	44.32	--	--	--	--	--
MW-5	03/22/06	48.62	4.42	44.20	--	--	--	--	--
MW-5	06/27/06	48.62	4.32	44.30	--	--	--	--	--
MW-5	09/22/06	48.62	4.94	43.68	--	--	--	--	--
MW-5	12/05/06	48.62	4.20	44.42	--	--	--	--	--
MW-5	03/13/07	48.62	4.42	44.20	--	--	--	--	--
MW-5	06/04/07	48.62	4.67	43.95	--	--	--	--	--
MW-5	09/10/07	48.62	5.23	43.39	--	--	--	--	--
MW-5	01/07/08	48.62	3.52	45.10	--	--	--	--	--
MW-5	03/20/08	48.62	4.06	44.56	--	--	--	--	--
MW-5	06/16/08	48.62	3.80	44.82	--	--	--	--	--
MW-5	09/08/08	48.62	5.08	43.54	--	--	--	--	--
MW-5	12/08/08	48.62	4.63	43.99	--	--	--	--	--
MW-5	03/05/09	48.62	4.39	44.23	--	--	--	--	--
MW-5	06/19/09	48.62	4.43	44.19	--	--	--	--	--
MW-5	09/28/09	48.62	5.14	43.48	--	--	--	--	--
MW-5	12/29/09	48.62	4.61	44.01	--	--	--	--	--
MW-5	03/26/10	48.62	4.77	43.85	--	--	--	--	--
MW-5	06/09/10	48.62	3.61	45.01	--	--	--	--	--
MW-5	09/22/10	48.62	4.94	43.68	--	--	--	--	--
MW-5	12/17/10	48.62	3.61	45.01	--	--	--	--	--
MW-5	03/25/11	48.62	3.85	44.77	--	--	--	--	--
MW-5	06/21/11	48.62	3.82	44.80	--	--	--	--	--
MW-5	09/13/11	48.62	5.23	43.39	--	--	--	--	--
MW-5	12/28/11	48.62	4.43	44.19	--	--	--	--	--
MW-5	03/19/12	48.62	3.31	45.31	--	--	--	--	--
MW-5	04/12/12	48.62	3.50	45.12	--	--	--	--	--
MW-5	06/06/12	48.62	4.00	44.62	--	--	--	--	--
MW-5	09/17/12	48.62	5.19	43.43	--	--	--	--	--
MW-5*	10/01/12	48.63	5.28	43.35	--	--	--	--	--
MW-5	10/25/12	48.63	4.83	43.80	--	--	--	--	--
MW-5	11/29/12	48.63	4.04	44.59	--	--	--	--	--
MW-5	12/21/12	48.63	4.05	44.58	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-5	02/19/13	48.63	4.86	43.77	--	--	--	--	--
MW-5	03/27/13	48.63	4.65	43.98	--	--	--	--	--
MW-5	04/24/13	48.63	4.42	44.21	--	--	--	--	--
MW-5	05/30/13	48.63	3.97	44.66	--	--	--	--	--
MW-5	06/24/13	48.63	4.55	44.08	--	--	--	--	--
MW-5	07/31/13	48.63	5.16	43.47	--	--	--	--	--
MW-5	08/28/13	48.63	5.18	43.45	--	--	--	--	--
MW-5	09/20/13	48.63	4.92	43.71	--	--	--	--	--
MW-5	10/30/13	48.63	4.95	43.68	--	--	--	--	--
MW-5	11/26/13	48.63	6.54	42.09	--	6.67	107.1	--	18.1
MW-5	12/20/13	48.63	5.93	42.70	0.34	6.20	104	--	13.67
MW-5	06/16/14	48.63	4.34	44.29	--	--	--	--	--
MW-5	03/12/14	48.63	3.83	44.80	--	--	--	--	--
MW-5	09/11/14	48.63	6.06	42.57	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-6	11/28/05 ^d	48.99	4.86	44.13	--	--	--	--	--
MW-6	03/22/06	48.99	4.69	44.30	--	--	--	--	--
MW-6	06/27/06	48.99	5.36	43.63	--	--	--	--	--
MW-6	09/22/06	48.99	5.16	43.83	--	--	--	--	--
MW-6	12/05/06	48.99	4.79	44.20	--	--	--	--	--
MW-6	03/13/07	48.99	4.75	44.24	--	--	--	--	--
MW-6	06/04/07	48.99	5.19	43.80	--	--	--	--	--
MW-6	09/10/07	48.99	5.47	43.52	--	--	--	--	--
MW-6	01/07/08	48.99	4.93	44.06	--	--	--	--	--
MW-6	03/20/08	48.99	4.86	44.13	--	--	--	--	--
MW-6	06/16/08	48.99	4.38	44.61	--	--	--	--	--
MW-6	09/08/08	48.99	5.17	43.82	--	--	--	--	--
MW-6	12/08/08	48.99	5.12	43.87	--	--	--	--	--
MW-6	03/05/09	48.99	4.75	44.24	--	--	--	--	--
MW-6	06/19/09	48.99	5.80	43.19	--	--	--	--	--
MW-6	09/28/09	48.99	5.28	43.71	--	--	--	--	--
MW-6	12/29/09	48.99	5.26	43.73	--	--	--	--	--
MW-6	03/26/10	48.99	4.84	44.15	--	--	--	--	--
MW-6	06/09/10	48.99	3.94	45.05	--	--	--	--	--
MW-6	09/22/10	48.99	5.07	43.92	--	--	--	--	--
MW-6	12/17/10	48.99	3.97	45.02	--	--	--	--	--
MW-6	03/25/11	48.99	4.45	44.54	--	--	--	--	--
MW-6	06/21/11	48.99	4.23	44.76	--	--	--	--	--
MW-6	09/13/11	48.99	5.51	43.48	--	--	--	--	--
MW-6	12/28/11	48.99	5.30	43.69	--	--	--	--	--
MW-6	03/19/12	48.99	3.91	45.08	--	--	--	--	--
MW-6	04/12/12	48.99	4.65	44.34	--	--	--	--	--
MW-6	06/06/12	48.99	5.04	43.95	--	--	--	--	--
MW-6	09/17/12	48.99	5.50	43.49	--	--	--	--	--
MW-6*	10/01/12	49.00	5.75	43.25	--	--	--	--	--
MW-6	10/25/12	49.00	5.76	43.24	--	--	--	--	--
MW-6	11/29/12	49.00	4.87	44.13	--	--	--	--	--
MW-6	12/21/12	49.00	2.14	46.86	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (μ S)	ORP (mV)	Temp. (Celsius)
MW-6	02/19/13	49.00	5.60	43.40	--	--	--	--	--
MW-6	03/27/13	49.00	5.21	43.79	--	--	--	--	--
MW-6	04/24/13	49.00	5.83	43.17	--	--	--	--	--
MW-6	05/30/13	49.00	4.55	44.45	--	--	--	--	--
MW-6	06/24/13	49.00	4.90	44.10	--	--	--	--	--
MW-6	07/31/13	49.00	5.82	43.18	--	--	--	--	--
MW-6	08/28/13	49.00	6.10	42.90	--	--	--	--	--
MW-6	09/20/13	49.00	6.15	42.85	--	--	--	--	--
MW-6	10/30/13	49.00	5.65	43.35	--	--	--	--	--
MW-6	11/26/13	49.00	7.50	41.50	--	6.67	110.1	--	16.2
MW-6	12/20/13	49.00	6.70	42.30	0.12	6.31	182	--	12.84
MW-6	03/12/14	49.00	5.78	43.22	0.85	6.55	100.1	--	14.0
MW-6	06/16/14	49.00	5.75	43.25	6.99	5.26	285	-27.9	15.07
MW-6	09/11/14	49.00	6.14	42.86	0.77	5.97	241	-60.4	17.42

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-7	11/28/05	49.07	4.16	44.91	--	--	--	--	--
MW-7	03/22/06	49.07	3.59	45.48	--	--	--	--	--
MW-7	06/27/06	49.07	3.77	45.30	--	--	--	--	--
MW-7	09/22/06	49.07	4.84	44.23	--	--	--	--	--
MW-7	12/05/06	49.07	3.35	45.72	--	--	--	--	--
MW-7	03/13/07	49.07	3.54	45.53	--	--	--	--	--
MW-7	06/04/07	49.07	4.23	44.84	--	--	--	--	--
MW-7	09/10/07	49.07	4.90	44.17	--	--	--	--	--
MW-7	01/07/08	49.07	3.39	45.68	--	--	--	--	--
MW-7	03/20/08	49.07	3.83	45.24	--	--	--	--	--
MW-7	06/16/08	49.07	3.66	45.41	--	--	--	--	--
MW-7	09/08/08	49.07	4.10	44.97	--	--	--	--	--
MW-7	12/08/08	49.07	4.21	44.86	--	--	--	--	--
MW-7	03/05/09	49.07	3.80	45.27	--	--	--	--	--
MW-7	06/19/09	49.07	3.84	45.23	--	--	--	--	--
MW-7	09/28/09	49.07	4.95	44.12	--	--	--	--	--
MW-7	12/29/09	49.07	4.02	45.05	--	--	--	--	--
MW-7	03/26/10	49.07	3.89	45.18	--	--	--	--	--
MW-7	06/09/10	49.07	3.19	45.88	--	--	--	--	--
MW-7	09/22/10	49.07	4.45	44.62	--	--	--	--	--
MW-7	12/17/10	49.07	3.41	45.66	--	--	--	--	--
MW-7	03/25/11	49.07	2.92	46.15	--	--	--	--	--
MW-7	06/21/11	49.07	3.10	45.97	--	--	--	--	--
MW-7	09/13/11	49.07	4.46	44.61	--	--	--	--	--
MW-7	12/28/11	49.07	4.18	44.89	--	--	--	--	--
MW-7	03/19/12	49.07	2.84	46.23	--	--	--	--	--
MW-7	04/12/12	49.07	2.47	46.60	--	--	--	--	--
MW-7	06/06/12	49.07	2.71	46.36	--	--	--	--	--
MW-7	09/17/12	49.07	4.35	44.72	--	--	--	--	--
MW-7*	10/01/12	49.04	4.61	44.43	--	--	--	--	--
MW-7	10/25/12	49.04	4.35	44.69	--	--	--	--	--
MW-7	11/29/12	49.04	3.22	45.82	--	--	--	--	--
MW-7	12/21/12	49.04	2.45	46.59	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-7	02/19/13	49.04	3.40	45.64	--	--	--	--	--
MW-7	03/27/13	49.04	3.46	45.58	--	--	--	--	--
MW-7	04/24/13	49.04	3.20	45.84	--	--	--	--	--
MW-7	05/30/13	49.04	3.26	45.78	--	--	--	--	--
MW-7	06/24/13	49.04	3.57	45.47	--	--	--	--	--
MW-7	07/31/13	49.04	4.19	44.85	--	--	--	--	--
MW-7	08/28/13	49.04	4.60	44.44	--	--	--	--	--
MW-7	09/20/13	49.04	4.52	44.52	--	--	--	--	--
MW-7	10/30/13	49.04	4.12	44.92	--	--	--	--	--
MW-7	11/26/13	49.04	4.46	44.58	--	7.16	615	--	16.8
MW-7	12/20/13	49.04	4.80	44.24	0.72	6.61	763	--	12.10
MW-7	03/12/14	49.04	4.25	44.79	1.13	7.21	174.2	--	14.2
MW-7	06/16/14	49.04	4.33	44.71	1.17	6.34	707	-56.9	15.73
MW-7	09/11/14	49.04	5.97	43.07	0.49	6.82	400	-147.9	19.04

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
MW-8	11/28/05	48.55	3.62	44.93	--	--	--	--	--
MW-8	03/22/06	48.55	3.11	45.44	--	--	--	--	--
MW-8	06/27/06	48.55	3.25	45.30	--	--	--	--	--
MW-8	09/22/06	48.55	4.30	44.25	--	--	--	--	--
MW-8	12/05/06	48.55	2.80	45.75	--	--	--	--	--
MW-8	03/13/07	48.55	3.01	45.54	--	--	--	--	--
MW-8	06/04/07	48.55	3.71	44.84	--	--	--	--	--
MW-8	09/10/07	48.55	4.38	44.17	--	--	--	--	--
MW-8	01/07/08	48.55	3.76	44.79	--	--	--	--	--
MW-8	03/20/08	48.55	3.29	45.26	--	--	--	--	--
MW-8	06/16/08	48.55	3.13	45.42	--	--	--	--	--
MW-8	09/08/08	48.55	3.80	44.75	--	--	--	--	--
MW-8	12/08/08	48.55	3.68	44.87	--	--	--	--	--
MW-8	03/05/09	48.55	3.37	45.18	--	--	--	--	--
MW-8	06/19/09	48.55	3.39	45.16	--	--	--	--	--
MW-8	09/28/09	48.55	4.42	44.13	--	--	--	--	--
MW-8	12/29/09	48.55	3.46	45.09	--	--	--	--	--
MW-8	03/26/10	48.55	3.35	45.20	--	--	--	--	--
MW-8	06/09/10	48.55	2.63	45.92	--	--	--	--	--
MW-8	09/22/10	48.55	3.90	44.65	--	--	--	--	--
MW-8	12/17/10	48.55	2.91	45.64	--	--	--	--	--
MW-8	03/25/11	48.55	2.40	46.15	--	--	--	--	--
MW-8	06/21/11	48.55	2.60	45.95	--	--	--	--	--
MW-8	09/13/11	48.55	3.95	44.60	--	--	--	--	--
MW-8	12/28/11	48.55	3.67	44.88	--	--	--	--	--
MW-8	03/19/12	48.55	2.32	46.23	--	--	--	--	--
MW-8	06/06/12	48.55	2.12	46.43	--	--	--	--	--
MW-8	09/17/12	48.55	3.85	44.70	--	--	--	--	--
MW-8*	11/29/12	48.53	2.73	45.80	--	--	--	--	--
MW-8	12/21/12	48.53	1.93	46.60	--	--	--	--	--
MW-8	03/27/13	48.53	2.93	45.60	--	--	--	--	--
MW-8	06/24/13	48.53	3.07	45.46	--	--	--	--	--
MW-8	10/30/13	48.53	3.62	44.91	--	--	--	--	--
MW-8	12/20/13	48.53	4.29	44.24	0.57	6.99	158	--	12.31
MW-8	03/12/14	48.53	3.73	44.80	0.69	7.27	116.3	--	13.7
MW-8	06/16/14	48.53	3.83	44.70	2.36	6.86	340	-99.1	17.08
MW-8	09/11/14	48.53	5.45	43.08	0.33	6.60	283	-136.1	18.70

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
RW-1	11/17/03	48.35	4.58	43.77	--	--	--	--	--
RW-1	03/15/04	48.35	4.50	43.85	--	--	--	--	--
RW-1	06/17/04	48.35	4.34	44.01	--	--	--	--	--
RW-1	09/15/04	48.35	4.47	43.88	--	--	--	--	--
RW-1	12/16/04	48.35	3.88	44.47	--	--	--	--	--
RW-1	03/18/05	48.35	4.70	43.65	--	--	--	--	--
RW-1	06/14/05	48.35	4.41	43.94	--	--	--	--	--
RW-1	09/26/05	48.35	5.06	43.29	--	--	--	--	--
RW-1	11/28/05	48.35	4.03	44.32	--	--	--	--	--
RW-1	03/22/06	48.35	4.15	44.20	--	--	--	--	--
RW-1	06/27/06	48.35	4.02	44.33	--	--	--	--	--
RW-1	09/22/06	48.35	4.64	43.71	--	--	--	--	--
RW-1	12/05/06	48.35	3.91	44.44	--	--	--	--	--
RW-1	03/13/07	48.35	4.13	44.22	--	--	--	--	--
RW-1	06/04/07	48.35	4.43	43.92	--	--	--	--	--
RW-1	09/10/07	48.35	4.94	43.41	--	--	--	--	--
RW-1	01/07/08	48.35	3.51	44.84	--	--	--	--	--
RW-1	03/20/08	48.35	3.74	44.61	--	--	--	--	--
RW-1	06/16/08	48.35	3.51	44.84	--	--	--	--	--
RW-1	09/08/08	48.35	4.71	43.64	--	--	--	--	--
RW-1	12/08/08	48.35	4.37	43.98	--	--	--	--	--
RW-1	03/05/09	48.35	4.07	44.28	--	--	--	--	--
RW-1	06/19/09	48.35	4.13	44.22	--	--	--	--	--
RW-1	09/28/09	48.35	4.96	43.39	--	--	--	--	--
RW-1	12/29/09	48.35	4.35	44.00	--	--	--	--	--
RW-1	03/26/10	48.35	4.55	43.80	--	--	--	--	--
RW-1	06/09/10	48.35	3.40	44.95	--	--	--	--	--
RW-1	09/22/10	48.35	4.65	43.70	--	--	--	--	--
RW-1	12/17/10	48.35	3.30	45.05	--	--	--	--	--
RW-1	03/25/11	48.35	3.50	44.85	--	--	--	--	--
RW-1	06/21/11	48.35	3.50	44.85	--	--	--	--	--
RW-1	09/13/11	48.35	4.96	43.39	--	--	--	--	--
RW-1	12/28/11	48.35	4.02	44.33	--	--	--	--	--

**TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
NATURAL ATTENUATION PARAMETERS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TOC (feet)	Depth to Groundwater (feet)	Groundwater Elevation (feet)	Dissolved Oxygen (mg/L)	pH (0 to 14 units)	Conductivity (uS)	ORP (mV)	Temp. (Celsius)
RW-1	03/19/12	48.35	2.93	45.42	--	--	--	--	--
RW-1	06/06/12	48.35	3.69	44.66	--	--	--	--	--
RW-1	09/17/12	48.35	4.93	43.42	--	--	--	--	--
RW-1*	11/29/12	48.35	3.72	44.63	--	--	--	--	--
RW-1	12/21/12	48.32	3.15	45.17	--	--	--	--	--
RW-1	03/27/13	48.32	4.40	43.92	--	--	--	--	--
RW-1	06/24/13	48.32	4.29	44.03	--	--	--	--	--
RW-1	10/30/13	48.32	4.73	43.59	--	--	--	--	--
RW-1	12/20/13	48.32	5.45	42.87	0.62	6.06	767	--	10.66
RW-1	03/12/14	48.32	3.52	44.80	--	--	--	--	--
RW-1	06/16/14	48.32	4.03	44.29	--	--	--	--	--
RW-1	09/11/14	48.32	6.23	42.09	--	--	--	--	--

Notes:

(TOC) = top of casing elevation

*TOC re-surveyed relative to MW-3' elevation on 11/29/12

Dissolved Oxygen, pH, Conductivity and Temperature measurements taken with a Y-SI 556 water quality field instrument

TABLE 2
GROUNDWATER ANALYTICAL RESULTS
 Miller's Market
 3152 Washington Way
 Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-1	11/17/03	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	-	-	-	-	-	-
MW-1	03/15/04	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	06/17/04	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	09/15/04	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	12/16/04	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	03/18/05	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	06/14/05	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	09/26/05	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	11/28/05	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	03/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<2)	-	-	-	-	-
MW-1	06/27/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	09/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	12/05/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	03/13/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	06/04/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	09/10/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	01/07/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	03/20/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	06/16/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	09/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	12/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	03/05/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	06/19/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-1	09/28/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	12/29/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<1.0)	-	-	-	-	-
MW-1	03/26/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	06/09/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	09/22/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	12/17/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	03/25/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	06/21/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	09/13/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<2.0)	-	-	-	-	-
MW-1	12/28/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	03/19/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-1	06/06/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-1	09/17/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-1	12/21/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-1	03/27/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	ND(<1.0)	-	-
MW-1	06/24/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	10/30/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-1	12/20/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-2	11/17/03	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	-	-	-	-	-	-
MW-2	03/15/04	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	06/17/04	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	09/15/04	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	12/16/04	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	03/18/05	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	06/14/05	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	09/26/05	ND	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	11/28/05	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	03/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<2)	-	-	-	-	-
MW-2	06/27/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	09/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	12/05/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	03/13/07	NA	-	-	NA	NA	NA	NA	NA	-	-	-	-	-
MW-2	06/04/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	09/10/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	01/07/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	03/20/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	06/16/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	09/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	12/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	03/05/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	06/19/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-2	09/28/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	12/29/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<1.0)	-	-	-	-	-
MW-2	03/26/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	06/09/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	09/22/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	12/17/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	03/25/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	06/21/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	09/13/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	12/28/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	03/19/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	06/08/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS
 Miller's Market
 3152 Washington Way
 Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-2	09/17/12	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/21/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-2	03/27/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	ND(<1.0)	-	-
MW-2	06/24/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-2	10/30/13	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/20/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS
 Miller's Market
 3152 Washington Way
 Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-3	11/17/03	4,900	-	-	100	12	170	250	-	-	-	-	-	-
MW-3	03/15/04	5,000	-	-	92	16	150	130	66	-	-	-	-	-
MW-3	06/17/04	5,900	-	-	78	16	190	120	41	-	-	-	-	-
MW-3	09/15/04	4,400	-	-	15	12	100	71	ND<8	-	-	-	-	-
MW-3	12/16/04	5,500	-	-	96	16	240	170	ND(<15)	-	-	-	-	-
MW-3	03/18/05	5,600	-	-	93	15	220	172	ND(<15)	-	-	-	-	-
MW-3	06/14/05	5,200	-	-	43	15	170	130	ND(<15)	-	-	-	-	-
MW-3	09/26/05	6,000	-	-	41	16	200	120	ND(<30)	-	-	-	-	-
MW-3	11/28/05	5,300	ND(<130)	ND(<250)	81	13	200	160	ND(<30)	-	-	-	-	-
MW-3	03/22/06	1,900	ND(<250)	ND(<250)	45	7	42	29	ND(<2)	-	-	-	-	-
MW-3	06/27/06	1,900	ND(<130)	ND(<250)	53	ND(<10)	57	30	ND(<30)	-	-	-	-	-
MW-3	09/22/06	1,800	ND(<250)	ND(<250)	45	7	42	29	ND(<6)	-	-	-	-	-
MW-3	12/05/06	2,300	ND(<250)	ND(<250)	52	9	64	29	8	-	-	-	-	-
MW-3	03/13/07	1,700	-	-	62	8	30	28	4	-	-	-	-	-
MW-3	06/04/07	1,900	-	-	54	5	23	24	ND(<3)	-	-	-	-	-
MW-3	09/10/07	2,800	-	-	63	10	67	28	40	-	-	-	-	-
MW-3	01/07/08	2,000	-	-	63	9	58	34	39	-	-	-	-	-
MW-3	03/20/08	2,800	-	-	80	14	86	42	43	-	-	-	-	-
MW-3	06/16/08	1,800	-	-	64	9	26	27	37	-	-	-	-	-
MW-3	09/08/08	2,400	-	-	ND(<5)	14	64	19	40	-	-	-	-	-
MW-3	12/08/08	2,400	-	-	21	10	28	21	ND(<2)	-	-	-	-	-
MW-3	03/05/09	1,700	-	-	48	8	43	23	29	-	-	-	-	-
MW-3	06/19/09	1,000	-	-	39	5	8	13	24	-	-	-	-	-
MW-3	09/28/09	1,200	-	-	19	5.1	34	19	13	-	-	-	-	-
MW-3	12/29/09	1700 ^a	-	-	51	9.3	65	36	ND(<8.0)	-	-	-	-	-
MW-3	03/26/10	3000 ^a	-	-	ND(<5.0)	13	100	48	ND(<15)	-	-	-	-	-
MW-3	06/09/10	2000 ^a	-	-	45	6.6	40	27	ND(<3.0)	-	-	-	-	-
MW-3	09/22/10	2800 ^b	-	-	69	13.0	80	42	ND(<3.0)	-	-	-	-	-
MW-3	12/17/10	2300 ^a	-	-	ND(<5.0)	7.5	40	28	ND(<15)	-	-	-	-	-
MW-3	03/25/11	1,300	-	-	44	4.3	20	22	ND(<3.0)	-	-	-	-	-
MW-3	06/21/11	1,400	-	-	8.1	2.8	19	17	ND(<3.0)	-	-	-	-	-
MW-3	09/13/11	2,900	-	-	14	10	58	30	ND(<3.0)	-	-	-	-	-
MW-3	12/28/11	2,800	-	-	55	10	61	33	7.0	-	-	-	-	-
MW-3	03/19/12	2,000	-	-	7.3	5.1	37	22	ND(<3.0)	-	-	-	-	-
MW-3	04/12/12	-	-	-	-	-	-	-	-	-	-	-	ND(<0.15)	ND(<0.26)
MW-3	06/08/12	1,300	-	-	5.4	3.3	29	12	ND(<3.0)	ND(<0.020)	ND(<0.010)	12	0.19	ND(<0.52)
MW-3	09/17/12	1,600	-	-	31 ^c	5.3	28	19	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	0.37
MW-3	10/01/12	1,700	-	-	35 ^c	6.2	32	19	-	-	-	-	-	ND(<0.26)
MW-3	10/25/12	1,900	-	-	12	5.9	27	19	-	-	-	-	-	ND(<0.26)

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-3	11/29/12	2,000	-	-	ND(<5.0)	8.1	38	26	-	-	-	-	-	ND(<0.26)
MW-3	12/21/12	1,700	-	-	41 ^c	7.5	57	24	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	1,100
MW-3	02/19/13	3,300	-	-	<10	<10	120	120	-	-	-	-	-	2,700
MW-3	03/27/13	2,500	-	-	ND(<5.0)	7.8	110	93	ND(<15)	-	-	ND(<1.0)	--	2,300
MW-3	04/24/13	2,800	-	-	16	5.1	77	69	-	-	-	-	-	1,700
MW-3	05/30/13	1,500	-	-	26 ^c	4.5	39	20	-	-	-	-	-	4,000
MW-3	06/24/13	1,200	-	-	22	4.0	31	23	ND(<3.0)	-	-	-	-	7,700
MW-3	07/31/13	1,200	-	-	10	2.1	19	8.9	-	-	-	-	-	3,300
MW-3	08/30/13	1,600	-	-	23	4.8	52	11	-	-	-	-	-	2,200
MW-3	09/20/13	1,300	-	-	ND(<1.0)	3.4	23	6.3	-	-	-	-	-	1,700
MW-3	10/30/13	1,500	-	-	18	5.3	82	14	ND(<3.0)	-	-	-	-	840
MW-3	11/26/13	1,800	-	-	13	3.2	57	9.3	-	-	-	-	-	750
MW-3	12/20/13	2,600	-	-	16	4.5	130	23	ND(<3.0)	-	-	-	-	1,100
MW-3	03/12/14	800	-	-	3.1	ND(<1.0)	15	4.8	ND(<3.0)	-	-	-	-	-
MW-3	06/16/14	300	-	-	1.4	ND(<1.0)	1.3	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-3	09/11/14	690	-	-	16	ND(<1.0)	14	7.3	ND(<3.0)	-	-	-	-	-
MW-3'	09/11/14	630	-	-	16	ND(<1.0)	13	4.3	ND(<3.0)	-	-	-	-	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS
 Miller's Market
 3152 Washington Way
 Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-4	11/28/05	ND	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	03/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<2)	-	-	-	-	-
MW-4	06/27/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	09/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	12/05/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	03/13/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	06/04/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	09/10/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	01/07/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	03/20/08	100	-	-	4	6	1	6	ND(<3)	-	-	-	-	-
MW-4	06/16/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	09/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	12/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	03/05/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	06/19/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-4	09/28/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	12/29/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<1.0)	-	-	-	-	-
MW-4	03/26/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	06/09/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	09/22/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	12/17/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	03/25/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	06/21/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	09/13/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	12/28/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	03/19/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	06/06/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	1.8	-	-
MW-4	09/17/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-4	12/21/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-4	03/27/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	ND(<1.0)	-	-
MW-4	06/24/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	10/30/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-4	12/20/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-5	11/28/05'	ND	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	03/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<2)	-	-	-	-	-
MW-5	06/27/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	09/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	12/05/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	03/13/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	06/04/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	09/10/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	01/07/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	03/20/08	ND(<50)	-	-	11	2	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	06/16/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	09/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	12/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	03/05/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	06/19/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-5	09/28/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	12/29/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<1.0)	-	-	-	-	-
MW-5	03/26/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	06/09/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	09/22/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	12/17/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	03/25/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	06/21/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	09/13/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	12/28/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	03/19/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-5	04/12/12	-	-	-	-	-	-	-	-	-	-	-	ND(<0.15)	3.1
MW-5	06/06/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	ND(<0.15)	ND(<0.26)
MW-5	09/17/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	ND(<0.26)
MW-5	10/01/12	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-5	10/25/12	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-5	11/29/12	-	-	-	-	-	-	-	-	-	-	-	-	1.8
MW-5	12/21/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	0.49
MW-5	02/19/13	-	-	-	-	-	-	-	-	-	-	-	-	0.64
MW-5	03/27/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	ND(<1.0)	-	ND(<0.26)

TABLE 2
GROUNDWATER ANALYTICAL RESULTS
 Miller's Market
 3152 Washington Way
 Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-5	04/24/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-5	05/30/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-5	06/24/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	ND(<0.26)
MW-5	07/31/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-5	08/28/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-5	09/20/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-5	10/30/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	ND(<0.26)
MW-5	11/26/13	-	-	-	-	-	-	-	-	-	-	-	-	1.6
MW-5	12/20/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	8.7

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-6	11/28/05 ^c	480	ND(<130)	ND(<250)	1	ND(<1)	2	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	03/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<2)	-	-	-	-	-
MW-6	06/27/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	09/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	12/05/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	03/13/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	06/04/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	09/10/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	01/07/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	03/20/08	240	-	-	7	2	5	ND(<3)	4	-	-	-	-	-
MW-6	06/16/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	09/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	12/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	03/05/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	06/19/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-6	09/28/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	12/29/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<1.0)	-	-	-	-	-
MW-6	03/26/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	06/09/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	09/22/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	12/17/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	03/25/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	06/21/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	09/13/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	12/28/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	03/19/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	04/12/12	-	-	-	-	-	-	-	-	-	-	-	ND(<0.15)	ND(<0.26)
MW-6	06/06/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	ND(<0.15)	ND(<0.26)
MW-6	09/17/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	ND(<0.26)
MW-6	10/01/12	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	10/25/12	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	11/29/12	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	12/21/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	6.5
MW-6	02/19/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	03/27/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	ND(<1.0)	-	ND(<0.26)

TABLE 2
GROUNDWATER ANALYTICAL RESULTS
 Miller's Market
 3152 Washington Way
 Longview, Washington.

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-6	04/24/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	05/30/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	06/24/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	ND(<0.26)
MW-6	07/31/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	08/28/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	09/20/13	-	-	-	-	-	-	-	-	-	-	-	-	ND(<0.26)
MW-6	10/30/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	ND(<0.26)
MW-6	11/26/13	-	-	-	-	-	-	-	-	-	-	-	-	0.41
MW-6	12/20/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	0.47
MW-6	03/12/14	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	06/16/14	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-6	09/11/14	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS
 Miller's Market
 3152 Washington Way
 Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-7	11/28/05	390	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	03/22/06	700	ND(<130)	ND(<250)	ND(<1)	ND(<1)	6	18	ND(<2)	-	-	-	-	-
MW-7	06/27/06	710	ND(<130)	ND(<250)	ND(<1)	ND(<1)	7	14	ND(<3)	-	-	-	-	-
MW-7	09/22/06	380	ND(<130)	ND(<250)	ND(<1)	ND(<1)	7	14	ND(<3)	-	-	-	-	-
MW-7	12/05/06	570	ND(<130)	ND(<250)	1	ND(<1)	7	14	ND(<3)	-	-	-	-	-
MW-7	03/13/07	750	-	-	1	ND(<1)	4	4	ND(<3)	-	-	-	-	-
MW-7	06/04/07	ND(<50)	-	-	1	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	09/10/07	530	-	-	1	ND(<1)	1	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	01/07/08	580	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	03/20/08	320	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	06/16/08	310	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	09/08/08	370	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	12/08/08	530	-	-	1	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	03/05/09	680	-	-	2	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	06/19/09	130	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-7	09/28/09	53	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	12/29/09	73 ^a	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<1.0)	-	-	-	-	-
MW-7	03/26/10	140 ^a	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	06/09/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	09/22/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	12/17/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	03/25/11	280	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	06/21/11	130	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	09/13/11	58	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<2.0)	-	-	-	-	-
MW-7	12/28/11	260	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	03/19/12	1,500	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	04/12/12	-	-	-	-	-	-	-	-	-	-	-	1.1	8.9
MW-7	06/06/12	330	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	4.1	14
MW-7	09/17/12	190	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	190
MW-7	10/01/12	210	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	81
MW-7	10/25/12	120	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	990
MW-7	11/29/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	1,000
MW-7	12/21/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	1,100
MW-7	02/19/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	720
MW-7	03/27/13	70	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	ND(<1.0)	-	400

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-7	04/26/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	760
MW-7	05/30/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	310
MW-7	06/24/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	790
MW-7	07/31/13	83	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	160
MW-7	08/28/13	120	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	74
MW-7	09/20/13	190	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	180
MW-7	10/30/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	870
MW-7	11/26/13	280	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	-	-	-	-	-	440
MW-7	12/20/13	84	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	460
MW-7	03/12/14	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	06/16/14	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-7	09/11/14	130	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
MW-8	11/28/05	820	ND(<130)	ND(<250)	3	ND(<1)	1	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	03/22/06	69	ND(<130)	ND(<250)	ND(<1)	ND(<1)	2	ND(<3)	ND(<2)	-	-	-	-	-
MW-8	06/27/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	09/22/06	2,400	ND(<250)	ND(<250)	12	1	60	4	ND(<3)	-	-	-	-	-
MW-8	12/05/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	03/13/07	1,000	-	-	4	ND(<1)	37	13	ND(<3)	-	-	-	-	-
MW-8	06/04/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	09/10/07	3,300	-	-	13	ND(<5)	55	ND(<15)	ND(<15)	-	-	-	-	-
MW-8	01/07/08	79	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	03/20/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	06/16/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	09/08/08	300	-	-	1	ND(<1)	3	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	12/08/08	80	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	03/05/09	70	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	06/19/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
MW-8	09/28/09	260	-	-	1.2	ND(<1.0)	1.5	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	12/29/09	62 ^a	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<1.0)	-	-	-	-	-
MW-8	03/26/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	06/09/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	09/22/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	12/17/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	03/25/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	06/21/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	09/13/11	410	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	12/28/11	130	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	03/19/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	06/06/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-8	09/17/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-8	12/21/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	ND(<1.0)	-	-
MW-8	03/27/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	ND(<1.0)	-	-
MW-8	06/24/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	10/30/13	200	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	12/20/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	03/12/14	660	-	-	2.0	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	06/16/14	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MW-8	09/11/14	360	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
RW-1	11/17/03	23,000	-	-	970	1,200	460	3,400	-	-	-	-	-	-
RW-1	03/15/04	5,100	-	-	91	82	60	190	ND(<15)	-	-	-	-	-
RW-1	06/17/04	1,100	-	-	21	ND(<1)	16	17	ND(<3)	-	-	-	-	-
RW-1	09/15/04	3,000	-	-	50	ND(<5)	47	94	ND(<15)	-	-	-	-	-
RW-1	12/16/04	200	-	-	3	ND(<1)	2	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	03/18/05	310	-	-	2	ND(<1)	2	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	06/14/05	3,900	-	-	4	1,900	1	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	09/26/05	280	-	-	4	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	11/28/05	ND	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	03/22/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<2)	-	-	-	-	-
RW-1	06/27/06	ND(<50)	ND(<130)	ND(<250)	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	09/22/06	ND(<50)	ND(<130)	250	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	12/05/06	ND(<50)	ND(<130)	250	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	03/13/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	06/04/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	09/10/07	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	01/07/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	03/20/08	56	-	-	6	1	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	06/16/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	09/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	12/08/08	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	03/05/09	ND(<50)	-	-	ND(<1)	ND(<1)	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	06/19/09	ND(<50)	-	-	ND(<1)	1	ND(<1)	ND(<3)	ND(<3)	-	-	-	-	-
RW-1	09/28/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	12/29/09	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<1.0)	-	-	-	-	-
RW-1	03/26/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	06/09/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	09/22/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	12/17/10	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	03/25/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	06/21/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	09/13/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	12/28/11	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	03/19/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	06/06/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	3.2	-	-

**TABLE 2
GROUNDWATER ANALYTICAL RESULTS**

Miller's Market
3152 Washington Way
Longview, Washington

Well I.D. (TOC)	Sample Date	TPH- Gasoline (µg/L)	TPH- Diesel (µg/L)	TPH- Oil (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	EDC (µg/L)	EDB (µg/L)	Lead (µg/L)	Nitrate (mg/L)	Sulfate (mg/L)
RW-1	09/17/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	4.5	-	-
RW-1	12/21/12	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	ND(<0.020)	ND(<0.010)	3.8	-	-
RW-1	03/27/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	1.4	-	-
RW-1	06/24/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	10/30/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
RW-1	12/20/13	ND(<50)	-	-	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND(<3.0)	ND(<3.0)	-	-	-	-	-
MTCA Method A Cleanup Levels:		800*	500	500	5	1000	700	1000	20	5	0.01	15	-	-

Notes:

µg/L = micrograms per liter

mg/L = milligrams per liter

ND = Not detected at or above the laboratory reporting limits. Reporting limit in parentheses.

- = Not sampled, not measured, or not analyzed

TPH - Gasoline - Analysis by Northwest Method NWTPH-G

TPH - Diesel - Analysis by Northwest Method NWTPH-Dx with Silica Gel Cleanup

TPH - Oil - Analysis by Northwest Method NWTPH-Dx with Silica Gel Cleanup

BTEX Compounds - Analysis by EPA Method 8021B

Methyl-tert-Butyl Ether Analysis by EPA Method 8021B or 8260B

EDC (1,2 Dichloroethane) and EDB (1,2 Ethylene dibromide) - Analysis by EPA Method 8260 SIM

Lead - Analysis by EPA 6020

Nitrate and Sulfate - analysis by EPA Method 300.0

*MTCA Method A Cleanup Level for TPH-Gasoline is 1000 µg/L if benzene is not detectable in groundwater.

^a Chromatogram indicates that it is likely that sample contains weathered gasoline.

^b Chromatogram indicates that it is likely that sample contains weathered gasoline. TPH Benzene results bias high due to coeluting compound.

^c Benzene results bias high due to coeluting compound.

¹ Duplicate sample, noted as MW-13 on the COC.



Figures

- Figure 1 Site Location Map
- Figure 2 Well Locations and Groundwater Elevation Contour Map
- Figure 3 Analytical Concentration Map




**FIGURE 1
SITE LOCATION MAP**

MILLER'S MARKET
3152 WASHINGTON WAY
LONGVIEW, WASHINGTON

PROJECT NO. STCG-047-2	DRAWN BY JK 5-12-12
FILE NO. STCG-047-2	PREPARED BY JK
REVISION NO.	REVIEWED BY MM





LEGEND

- MW-2 ● Groundwater Monitoring Well Location and Designation (MW-1 to MW-3 November 2003) (MW-4 to MW-8 November 2005)
- RW-1 ● Recovery Well Location and Designation (November 2003)
- Existing Groundwater Monitoring Well
- 43.27 Groundwater Elevation, feet
- - - 43.00 Inferred Groundwater Elevation Contour, feet
- (42.95)* Groundwater Elevation not used in contours
- NG Not Gauged


FIGURE 2
WELL LOCATIONS AND GROUNDWATER ELEVATION CONTOUR MAP (09/11/14)

Miller's Market
 3152 Washington Way
 Longview, Washington



PROJECT NO. STCG-047-2	DRAWN BY N.H. 9/31/03
FILE NO. STCG-047-2	PREPARED BY LH 9/24/14
REVISION NO. 1	REVIEWED BY JK





MW-8

G	B	T	E	X	MTBE
360	<1.0	<1.0	<1.0	<3.0	<3.0

MW-7

G	B	T	E	X	MTBE
130	<1.0	<1.0	<1.0	<3.0	<3.0

MW-3

G	B	T	E	X	MTBE
690	16	<1.0	14	7.3	<3.0

MW-6

G	B	T	E	X	MTBE
<50	<1.0	<1.0	<1.0	<3.0	<3.0

LEGEND

- MW-2 ● Groundwater Monitoring Well Location and Designation (MW-1 to MW-3 November 2003) (MW-4 to MW-8 November 2005)
- RW-1 ● Recovery Well Location and Designation (November 2003)
- Existing Groundwater Monitoring Well
- G Gasoline
- B Benzene
- T Toluene
- E Ethylbenzene
- X Xylenes
- MTBE Methyl T-Butyl Ether
- <N Non Detect

FIGURE 3
ANALYTICAL CONCENTRATION MAP
 (09/11/14)

Miller's Market
 3152 Washington Way
 Longview, Washington



PROJECT NO. STCG-047-2	DRAWN BY N.H. 9/31/03
FILE NO. STCG-047-2	PREPARED BY LH 9/30/14
REVISION NO.	REVIEWED BY MM





Appendix A

Analytical Lab Report and Chain-of-Custody Documentation



September 19, 2014

Mr. Matt Miller
Antea Group
4006 - 148th Ave NE
Redmond, WA 98052

Dear Mr. Miller,

On September 12th, 6 samples were received by our laboratory and assigned our laboratory project number EV14090070. The project was identified as your STCG 0472 Millers Market #21164. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Rick Bagan
Laboratory Director



CERTIFICATE OF ANALYSIS


CLIENT:	Antea Group 4006 - 148th Ave NE Redmond, WA 98052	DATE:	9/19/2014
CLIENT CONTACT:	Matt Miller	ALS JOB#:	EV14090070
CLIENT PROJECT:	STCG 0472 Millers Market #21164	ALS SAMPLE#:	EV14090070-01
CLIENT SAMPLE ID:	MW-3	DATE RECEIVED:	09/12/2014
		COLLECTION DATE:	9/11/2014 10:40:00 AM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	690	50	1	ug/L	09/17/2014	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	ug/L	09/17/2014	DLC
Benzene	EPA-8021	16	1.0	1	ug/L	09/17/2014	DLC
Toluene	EPA-8021	U	1.0	1	ug/L	09/17/2014	DLC
Ethylbenzene	EPA-8021	14	1.0	1	ug/L	09/17/2014	DLC
Xylenes	EPA-8021	7.3	3.0	1	ug/L	09/17/2014	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	141 GS3	09/17/2014	DLC
TFT	EPA-8021	153 GS3	09/17/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.
 GS3 - Surrogate outside of control limits due to coeluting compounds.
 Chromatogram indicates that it is likely that sample contains highly weathered gasoline.



CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group 4006 - 148th Ave NE Redmond, WA 98052	DATE:	9/19/2014
CLIENT CONTACT:	Matt Miller	ALS JOB#:	EV14090070
CLIENT PROJECT:	STCG 0472 Millers Market #21164	ALS SAMPLE#:	EV14090070-02
CLIENT SAMPLE ID	MW-6	DATE RECEIVED:	09/12/2014
		COLLECTION DATE:	9/11/2014 10:10:00 AM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	ug/L	09/17/2014	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	ug/L	09/17/2014	DLC
Benzene	EPA-8021	U	1.0	1	ug/L	09/17/2014	DLC
Toluene	EPA-8021	U	1.0	1	ug/L	09/17/2014	DLC
Ethylbenzene	EPA-8021	U	1.0	1	ug/L	09/17/2014	DLC
Xylenes	EPA-8021	U	3.0	1	ug/L	09/17/2014	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	82.1	09/17/2014	DLC
TFT	EPA-8021	102	09/17/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.





CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group 4006 - 148th Ave NE Redmond, WA 98052	DATE:	9/19/2014
CLIENT CONTACT:	Matt Miller	ALS JOB#:	EV14090070
CLIENT PROJECT:	STCG 0472 Millers Market #21164	ALS SAMPLE#:	EV14090070-03
CLIENT SAMPLE ID	MW-7	DATE RECEIVED:	09/12/2014
		COLLECTION DATE:	9/11/2014 11:20:00 AM
		WDOE ACCREDITATION:	C601


SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	130	50	1	ug/L	09/17/2014	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	ug/L	09/17/2014	DLC
Benzene	EPA-8021	U	1.0	1	ug/L	09/17/2014	DLC
Toluene	EPA-8021	U	1.0	1	ug/L	09/17/2014	DLC
Ethylbenzene	EPA-8021	U	1.0	1	ug/L	09/17/2014	DLC
Xylenes	EPA-8021	U	3.0	1	ug/L	09/17/2014	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	84.8	09/17/2014	DLC
TFT	EPA-8021	108	09/17/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains highly weathered gasoline.





CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group 4006 - 148th Ave NE Redmond, WA 98052	DATE:	9/19/2014
CLIENT CONTACT:	Matt Miller	ALS JOB#:	EV14090070
CLIENT PROJECT:	STCG 0472 Millers Market #21164	ALS SAMPLE#:	EV14090070-04
CLIENT SAMPLE ID	MW-8	DATE RECEIVED:	09/12/2014
		COLLECTION DATE:	9/11/2014 12:00:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	360	50	1	ug/L	09/17/2014	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	ug/L	09/17/2014	DLC
Benzene	EPA-8021	U	1.0	1	ug/L	09/17/2014	DLC
Toluene	EPA-8021	U	1.0	1	ug/L	09/17/2014	DLC
Ethylbenzene	EPA-8021	U	1.0	1	ug/L	09/17/2014	DLC
Xylenes	EPA-8021	U	3.0	1	ug/L	09/17/2014	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	87.9	09/17/2014	DLC
TFT	EPA-8021	96.1	09/17/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains highly weathered gasoline.





CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group 4006 - 148th Ave NE Redmond, WA 98052	DATE:	9/19/2014
CLIENT CONTACT:	Matt Miller	ALS JOB#:	EV14090070
CLIENT PROJECT:	STCG 0472 Millers Market #21164	ALS SAMPLE#:	EV14090070-05
CLIENT SAMPLE ID	MW-13	DATE RECEIVED:	09/12/2014
		COLLECTION DATE:	9/11/2014 1:00:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	630	50	1	ug/L	09/17/2014	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	ug/L	09/17/2014	DLC
Benzene	EPA-8021	16	1.0	1	ug/L	09/17/2014	DLC
Toluene	EPA-8021	U	1.0	1	ug/L	09/17/2014	DLC
Ethylbenzene	EPA-8021	13	1.0	1	ug/L	09/17/2014	DLC
Xylenes	EPA-8021	4.3	3.0	1	ug/L	09/17/2014	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	116	09/17/2014	DLC
TFT	EPA-8021	124	09/17/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains highly weathered gasoline.





CERTIFICATE OF ANALYSIS

CLIENT:	Antea Group 4006 - 148th Ave NE Redmond, WA 98052	DATE:	9/19/2014
CLIENT CONTACT:	Matt Miller	ALS JOB#:	EV14090070
CLIENT PROJECT:	STCG 0472 Millers Market #21164	ALS SAMPLE#:	EV14090070-06
CLIENT SAMPLE ID	TB	DATE RECEIVED:	09/12/2014
		COLLECTION DATE:	9/11/2014
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	ug/L	09/17/2014	DLC
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	ug/L	09/17/2014	DLC
Benzene	EPA-8021	U	1.0	1	ug/L	09/17/2014	DLC
Toluene	EPA-8021	U	1.0	1	ug/L	09/17/2014	DLC
Ethylbenzene	EPA-8021	U	1.0	1	ug/L	09/17/2014	DLC
Xylenes	EPA-8021	U	3.0	1	ug/L	09/17/2014	DLC

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
TFT	NWTPH-GX	84.8	09/17/2014	DLC
TFT	EPA-8021	96.0	09/17/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.



CERTIFICATE OF ANALYSIS

CLIENT: Antea Group **DATE:** 9/19/2014
 4006 - 148th Ave NE **ALS SDG#:** EV14090070
 Redmond, WA 98052 **WDOE ACCREDITATION:** C601
CLIENT CONTACT: Matt Miller
CLIENT PROJECT: STCG 0472 Millers Market #21164

LABORATORY BLANK RESULTS

MBG-091714W - Batch 86197 - Water by NWTPH-GX


ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	50	1	ug/L	09/19/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

MB-091714W - Batch 86197 - Water by EPA-8021

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
Methyl T-Butyl Ether	EPA-8021	U	3.0	1	ug/L	09/19/2014	DLC
Benzene	EPA-8021	U	1.0	1	ug/L	09/19/2014	DLC
Toluene	EPA-8021	U	1.0	1	ug/L	09/19/2014	DLC
Ethylbenzene	EPA-8021	U	1.0	1	ug/L	09/19/2014	DLC
Xylenes	EPA-8021	U	3.0	1	ug/L	09/19/2014	DLC

U - Analyte analyzed for but not detected at level above reporting limit.





ALS Environmental
8620 Holly Drive, Suite 100
Everett, WA 98208
Phone (425) 356-2600
Fax (425) 356-2626
http://www.alsglobal.com

Chain Of Custody/ Laboratory Analysis Request

ALS Job# (Laboratory Use Only)

EV14090070

Date 9/11/14 Page 1 of 1

PROJECT ID: STCG 0472 Millers Market #21164					ANALYSIS REQUESTED										OTHER (Specify):		
REPORT TO COMPANY: Andea Group					<input type="checkbox"/> NWTPH-HCID <input type="checkbox"/> NWTPH-DX <input type="checkbox"/> NWTPH-GX <input type="checkbox"/> BYEX by EPA-8021 <input checked="" type="checkbox"/> MTBE by EPA-8021 <input type="checkbox"/> EPA-8260 <input type="checkbox"/> Halogenated Volatiles by EPA 8260 <input type="checkbox"/> Volatile Organic Compounds by EPA 8260 <input type="checkbox"/> EDB / EDC by EPA 8260 SIM (water) <input type="checkbox"/> EDB / EDC by EPA 8260 (soil) <input type="checkbox"/> Semivolatile Organic Compounds by EPA 8270 <input type="checkbox"/> Polycyclic Aromatic Hydrocarbons (PAH) by EPA-8270 SIM <input type="checkbox"/> PCB <input type="checkbox"/> Pesticides <input type="checkbox"/> by EPA 8081/8082 <input type="checkbox"/> Metals-MTCA-5 <input type="checkbox"/> RCRA-8 <input type="checkbox"/> Pfl <input type="checkbox"/> TAL <input type="checkbox"/> Metals Other (Specify) <input type="checkbox"/> TCLP-Metals <input type="checkbox"/> VOA <input type="checkbox"/> Semi-Vol <input type="checkbox"/> Pest <input type="checkbox"/> Herbs <input checked="" type="checkbox"/> MTBE (EPA) If detected in 8021	NUMBER OF CONTAINERS	RECEIVED IN GOOD CONDITION?										
PROJECT MANAGER: Matt Miller																	
ADDRESS: 4008 148th Ave NE Redmond WA																	
PHONE: 425-269-7178 FAX:																	
P.O. #: E-MAIL: matt.miller@andea.com																	
INVOICE TO COMPANY: Andea Group																	
ATTENTION: See above																	
ADDRESS:																	
SAMPLE I.D.	DATE	TIME	TYPE	LAB#													
1. MW-3	9/11/14	1040	AQ	1			X	X	X							X	4
2. MW-6		1010		2													1
3. MW-7		1120		3													1
4. MW-8		1200		4													1
5. MW-13	9/11/14	1300		5													4
6. TB			AQ	6			X	X	X							X	21
7.																	
8.																	
9.																	
10.																	

SPECIAL INSTRUCTIONS

SIGNATURES (Name, Company, Date, Time):

1. Relinquished By: Shawn / Andea Group / 9/11/14 / 1500
 Received By: _____
 2. Relinquished By: _____
 Received By: Shawn Robson Andea 9/12/14 9:45am

TURNAROUND REQUESTED in Business Days*
 Organic, Metals & Inorganic Analysis
 10 5 3 2 1 SAME DAY
 Specify: _____
 Fuels & Hydrocarbon Analysis
 3 1 SAME DAY
 Specify: _____

*Turnaround request less than standard may incur Rush Charges



Appendix B

Field Data Sheets

WELL GAUGING AND GROUNDWATER EVENT FORM

3152 Washington Way, Longview, Washington

Client: Colony. Antea Group Project Number: STCG-0472.

Date: 9/11/14				Field Technician: BJ		
Well ID	Depth to Water (feet)	Total Depth (feet)	Casing Diameter	To be sampled?	Sample Time	Comments:
MW-1	6.11	15.1	2"	No	Gauge Only	
MW-2	—	20.00	2"	No	Not Gauged	Traffic Control
MW-3	6.04	17.00	2"	Yes	1040	
MW-4	5.45	16.45	2"	No	Gauge Only	
MW-5	6.06	19.50	2"	No	Gauge Only	
MW-6	6.14	19.95	2"	Yes	1010	
MW-7	5.97	18.47	2"	Yes	1120	
MW-8	5.45	18.00	2"	Yes	1200	
RW-1	6.23	7.95	4"	No	Gauge Only	

Notes: Quarterly sampling program -MW-3, 6, 7, 8 sampled for NWTPH-Gx, BTEX/MTBE (8021). Instruct lab to confirm MTBE hits with 8260B.

- All wells allowed > 30 min to equilibrate before gauging.

- MW-3 duplicate sample, = MW-13 @ 1300 on COC

MICROPURGING AND SAMPLING FORM
 3152 Washington Way, Longview, Washington
 Client: Colony. Antea Group Project Number: STCG-0472.

Date: 9/11/14	Well ID: MW-3
Field Technician: BOJ	Sample Time: 1040
Initial Depth to Water (DTW): 6.04	Pumping Rate: ≈ 250 ml/min
Total Depth of Well (TD): 17.00	Pumping Depth: 10'
Feet of Water in Well Casing (TD-DTW): 10.96	Total Volume Purged: ≈ 1.0 gal

FIELD PARAMETERS

Time	Depth To Water (feet)	pH (SU)	Specific Conductivity (μ S)	Temp (C)	DO (mg/L)	ORP (mV)	Visual Turbidity and Comments:
1017	INITIAL	6.00	478	17.95	3.70	-83.7	clear
1020	6.11	6.12	574	17.50	0.58	-96.3	"
1023	6.29	6.16	569	17.20	0.43	-105.1	"
1026	6.33	6.16	570	17.10	0.40	-105.5	"
1029	6.35	6.17	571	17.08	0.40	-105.9	"
1032	6.36	6.17	571	17.06	0.39	-106.1	"
1035	6.36	6.17	572	17.05	0.39	-106.1	"

Notes:
 Duplicate Sample Collected.
 MW-13 Collected at 1300 on COC



MICROPURGING AND SAMPLING FORM
 3152 Washington Way, Longview, Washington
 Client: Colony. Antea Group Project Number: STCG-0472.

Date: 4/11/14	Well ID: MW-6
Field Technician: BJS	Sample Time: 1010
Initial Depth to Water (DTW): 6.14	Pumping Rate: \approx 250 ml/min
Total Depth of Well (TD): 19.95	Pumping Depth: 10'
Feet of Water in Well Casing (TD-DTW): 13.81	Total Volume Purged: \approx 1.0 gal

FIELD PARAMETERS

Time	Depth To Water (feet)	pH (SU)	Specific Conductivity (μ S)	Temp (C)	DO (mg/L)	ORP (mV)	Visual Turbidity and Comments:
0950	INITIAL	6.38	255	17.35	4.08	101.8	clear
0953	6.16	6.09	243	17.14	1.56	27.0	"
0956	6.24	5.96	242	17.34	1.00	-31.5	"
0959	6.27	5.96	242	17.47	0.76	-58.8	"
1002	6.29	5.97	242	17.44	0.75	-60.1	"
1005	6.31	5.97	241	17.43	0.76	-60.2	"
1008	6.33	5.97	241	17.42	0.77	-60.4	"

Notes:



MICROPURGING AND SAMPLING FORM
 3152 Washington Way, Longview, Washington
 Client: Colony. Antea Group Project Number: STCG-0472.

Date: 9/11/14	Well ID: MW-2
Field Technician: BDD	Sample Time: 1200
Initial Depth to Water (DTW): 5.45	Pumping Rate: ≈ 250 ml/min
Total Depth of Well (TD): 18.00	Pumping Depth: 10'
Feet of Water in Well Casing (TD-DTW): 12.55	Total Volume Purged: ≈ 1.0 gal

FIELD PARAMETERS

Time	Depth To Water (feet)	pH (SU)	Specific Conductivity (μ S)	Temp (C)	DO (mg/L)	ORP (mV)	Visual Turbidity and Comments:
1135	INITIAL	6.76	305	18.75	1.14	-140.7	Clear
1138	5.52	6.66	292	18.22	0.71	-132.4	"
1141	5.54	6.61	291	18.19	0.47	-129.0	"
1144	5.54	6.60	283	18.66	0.36	-136.6	"
1147	5.54	6.60	284	18.69	0.34	-136.0	"
1150	5.54	6.60	283	18.70	0.33	-136.1	"

Notes:



