



THE RILEY GROUP INC.

March 29, 2007

Mr. Romeo Gonyea
Russell Road Industrial Park, LLC
17600 147th Street SE
PMB 22
Monroe, Washington 98272

RE: Groundwater Sampling Event – First Quarter 2007
Russell Road Industrial Park (aka Hers Industrial Park)
4403 Russell Road
Mukilteo, Washington 98275
RGI Project #2005-087d
Ecology VCP #NW1554

Dear Mr. Gonyea:

This letter report documents The Riley Group Inc.'s (RGI's) field protocols and findings associated with the sampling of 14 chemical injection and/or groundwater monitoring wells located at the Hers Industrial Park located at 4403 Russell Road, Mukilteo, Washington (referred to herein as the Site); Figure 1 and 2.

Mr. Romeo Gonyea (property owner) authorized Riley to prepare and implement the scope of work outlined in this report.

SITE LOCATION & DESCRIPTION

The Hers Industrial Park is a 10.7-acre, irregular-shaped lot that contains six (6) one-story light industrial buildings. The addresses for the Site buildings are: 4403, 4433 and 4463 Russell Road and 4440, 4470 and 4480 Chennault Beach Road. The halogenated volatile organic compound (HVOC) groundwater contaminant plume is located northeast and east of 4403-warehouse building, Figure 2 and Figure 3.

The Site's stormwater run-off system is an infiltration-type system with perforated drain lines and unlined cement block catch basins. Catch basin and perforated drain line locations are shown on the attached Figure 3.

Serving the Pacific Northwest

Main Office: 17522 Bothell Way NE, Suite A, Bothell, WA 98011
Tel (206) 417-0551 • (425) 415-0551 • Fax (425) 415-0311

1ST QUARTER 2007 SAMPLING EVENT

This 1st quarter 2007 groundwater sampling event was performed approximately two months after the most recent Fenton's chemical injection event. The most recent Fenton's chemical injection event was performed in October 2006.

Static Water Levels and Groundwater Flow Direction

On January 9, 2007 and January 10, 2007, RGI measured depth to water in 14 of the 15 existing groundwater-monitoring wells (MW9 was not measured due to a parked vehicle over the well). Water level elevations recorded at each well location are summarized below and in Table 1 and Figure 3.

Depth to groundwater ranged from 2 feet to 5.9 feet below top of well casing (TOC). Depth to water measurements were recorded using an electronic water level meter. Based on water level measurements, the groundwater flow direction is to the north with a gradient of approximately 0.03 foot per foot. However, it should be noted that groundwater flow direction and gradient may vary spatially or seasonally.

Groundwater Well Development and Sample Collection

RGI sampled wells MW3, MW5, MW6, MW8, and MW11 through MW15 on January 9, 2007. RGI sampled wells MW1, MW2, MW7, and MW10 on January 10, 2007. Well MW4 was not sampled due to a parked vehicle over the well. Well MW9 was inadvertently not sampled. Well purging and sampling protocols for this project are discussed below.

Prior to purging and sampling wells, the headspace of each well casing was screened for volatile organic compounds (VOCs) using a portable gas analyzer equipped with a photoionization detector (PID). The highest well casing headspace VOC concentration was detected in well MW7. Purge and sampling equipment was decontamination between each well. In addition, well gauging, purging, and sampling activities were performed in order, from least VOC concentration in well headspace result to greatest VOC concentration, to reduce the potential for any cross-contamination during sampling.

RGI used a clear disposable bailer to examine water in each well for the potential presence of LNAPL (light non-aqueous phase liquids - petroleum products floating on top of the water surface) and DNAPL (dense non-aqueous phase liquids-chlorinated solvents ponded at the bottom of the screened portion of the well). RGI's examinations did not detect a film, sheen, discoloration (due to contaminants), LNAPL or DNAPL, sludge, or emulsion.

Prior to groundwater sample collection, monitoring wells were developed using an electric submersible pump and/or disposable hand bailer. The pump/bailer was raised and lowered through the length of the screened interval to help clear fines from the filter pack and surrounding formation. Purge water was monitored for pH, conductivity, temperature, etc.) using a multi-function instrument. Each well was developed until water was relatively free of suspended silt and water quality parameters (pH,

conductivity, temperature) stabilized (did not change significantly with further well purging). Approximately 5 to 10 gallons of water (at least three well casing volumes) were removed from each well. Purge water was contained in labeled 55-gallon drums and left on-Site pending profiling and off-Site disposal. Groundwater recovery, startup time, and duration of the purging operations were recorded on field data sheets. These field documents are maintained in a permanent project file.

Following purging activities, each well was left to recharge to at least 80% of its original water level prior to sampling. All wells were sampled using either an electric submersible pump; or a peristaltic pump with downwell disposable polyvinyl tubing, both under low flow conditions.

Groundwater samples were collected in laboratory-supplied 40-ml vials with Teflon caps (no headspace). Sample containers were kept in a cooler at approximately 4 degrees Celsius and transported to the analytical laboratory for analysis under proper chain-of-custody documentation.

Laboratory Analysis

Groundwater samples were submitted to OnSite Environmental, Inc. of Redmond, Washington. Samples were analyzed for the following:

- Halogenated volatile organic compounds (HVOCs) using EPA Test Method 8260B.

Findings

Analytical results are given in Table 1 and are summarized below. Table 1 also includes previous groundwater sampling results. In addition, Table 1 includes for reference the Washington State Department of Ecology (Ecology) Model Toxics Control Act (MTCA) Method A and B Groundwater Cleanup Levels (WAC 173-340-720 and the CLARC On-Line Interactive Database). A copy of the laboratory report and sample chain of custody is attached to this letter report (Appendix A). Contaminant trends for the Site wells are illustrated in line chart graphs included in Appendix B.

In general, the highest TCE/PCE concentrations detected in groundwater in 2005 have decreased 67% to 99%; or from one to three orders of magnitude. This decrease in TCE/PCE concentrations in groundwater is likely the result of chemical oxidation during the past two Fenton's Reagent (hydrogen peroxide and ferrous sulfate) injection events (performed in March 2006 and October 2006). Examples for TCE/PCE decreases for select wells are given below:

- TCE/PCE concentrations from well MW7 have decreased from 7,000 µg/L TCE and 460 µg/L PCE in December 2005 to 0.22 µg/L TCE and non-detect for PCE in January 2007 (a 99% decrease). Well MW7 had the highest TCE/PCE concentrations in groundwater and was located closest to the suspect source area (storm drain).

- TCE concentrations from well MW12 have decreased from 1,700 µg/L in April 2006 to 480 µg/L in January 2007 (a 72% decrease). PCE concentrations have remained relatively the same (140 µg/L to 180 µg/L).
- TCE concentrations from well MW13 have decreased from 270 µg/L in April 2006 to 44 µg/L in January 2007 (a 84% decrease). PCE and vinyl chloride concentrations have remained relatively the same, 9 µg/L to 11 µg/L and 1.4 µg/L to 1.9 µg/L, respectively.
- TCE concentrations from well MW14 have decreased from 17 µg/L in April 2006 to 2.6 µg/L in January 2007 (a 85% decrease).

In general, the lower TCE/PCE concentrations in groundwater near the fringe of the contaminant plume have increased at some locations (176% to 3,854%). The increases have generally been within one of magnitude, up to two orders of magnitude. The increase however does not appear to have actually increased the lateral extent of the contaminant plume. The reason for this TCE/PCE increase in groundwater concentrations is unknown, but may be related to lateral spreading during chemical injection events; or the redistribution of contaminants in vadose zone soil to groundwater. Examples for PCE/TCE increases for select wells are given below:

- TCE/PCE concentrations from well MW15 increased between April 2006 to January 2007 from 26 µg/L to 1,000 µg/L TCE and non-detect to 28 µg/L PCE (an increase of approximately 3,854%). Well MW15 is located approximately 30 feet east of MW7.
- TCE/vinyl chloride concentrations from well MW1 increased between December 2005 and January 2007 from 1.3 µg/L to 3 µg/L TCE and non-detect to 0.59 µg/L vinyl chloride (an increase of 176%). Well MW1 is located 15 feet east of MW15 and approximately 45 feet east of MW7.
- TCE/PCE concentrations from well MW11 increased between April 2006 and January 2007 from 270 µg/L to 700 µg/L TCE and 58 µg/L to 150 µg/L PCE (an increase of 159%). Well MW11 is located just north of the 4403-warehouse building.

Conclusions

The Fenton's in-situ chemical oxidation remedial effort appears to be successful in reducing relatively high HVOC concentrations within the core of the groundwater contaminant plume. In the core area, PCE and TCE contaminant levels have decreased 67% to over 99%. Relatively low concentrations of cis-1,2 DCE and vinyl chloride (common degradation products of TCE/PCE) for these corresponding wells have remained relatively unchanged.

At select locations along the fringe of the groundwater contaminant plume, HVOC concentrations have increase (176% to 3,854%). However, the increase in concentrations does not appear to have actually increased the lateral extent of the contaminant plume at this time. The reason for the increase in concentrations is

unknown, but may be related to lateral spreading during chemical injection events; or the redistribution of contaminants in vadose zone soil to groundwater.

Future injection events are recommended. Additional injection and/or monitoring wells may be needed to better control or monitor the groundwater contaminant plume during subsequent injection events.


Any questions regarding our work or this report, the presentation of information, or interpretation of data are welcome and should be referred to the undersigned.

Sincerely yours,

THE RILEY GROUP, INC.




Paul D. Riley, LG, LHG
Principal



*Attachments: Figures 1 through 3
Table 1
Appendices A & B*

Report Distribution

*Mr. Romeo Gonyea – Site Owner (two copies)
Mr. Robert Varnum @ Sterling Savings Bank (one copy)
Ms. Jing Lui @ Washington State Department of Ecology (one copy)*



Scale
0' 300' 600' 1200'

USGS, 1990, Richland, Washington,
7.5x15-Minute Quadrangle



The Riley Group, Inc.

17522 BOTHELL WAY NE
BOTHELL, WASHINGTON 98011

Hers Industrial Park

Project #2007-087d

Site Vicinity Map

Figure 1

Site Address: 4403 Russell Road, Mukilteo, Washington



The Riley Group, Inc.
17522 BOTHELL WAY NE
BOTHELL, WASHINGTON 98011


Hers Industrial Park

Figure 2

Project # 2005-087d

Site and Surrounding Area

Site Address: 4403 Russell Road, Mukilteo, Washington



The Riley Group, Inc.

17522 BOTHELL WAY NE
BOTHELL, WASHINGTON 98011

Hers Industrial Park

Figure 3

Project # 2005-087d

Site Plan

Date Drawn: 3/28/07

Site Address: 4403 Russell Road, Mukilteo, Washington

Table 1 - Summary of Groundwater Monitoring Well Sampling & Analytical Results - 1st Quarter 2007

Hers Industrial Park, 4403 Russell Road, Mukilteo, Washington.

The Riley Group, Inc. Project #2005-087d.

Sample ID	TOC Elevation	Depth to Water (ft)	Water Elevation	HVOCs							
				cis-1,2 DCE	1,1-DCA	1,1,1-TCA	PCE	TCE	Trans-1,2-DCE	1,1-DCE	Vinyl Chloride
1st Quarter 2007 (January 2007)											
MW1-H2O	100	2	98	2.5	ND < 0.2	ND < 0.2	ND < 0.2	3	ND < 0.2	0.56	0.59
MW2-H2O	100.59	5.9	94.69	0.75	ND < 0.2	0.33	ND < 0.2	6.8	ND < 0.2	ND < 0.2	ND < 0.2
MW3-H2O	102.56	5.8	96.76	2.9	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2
MW4-H2O	105.33	4.5	100.83	---	---	---	---	---	---	---	---
MW5-H2O	103.69	4.5	99.19	0.61	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2
MW6-H2O	99.46	2	97.46	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2
MW7-H2O	99.76	3.5	96.26	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	0.22	ND < 0.2	ND < 0.2	ND < 0.2
MW8-H2O	99.97	3.8	96.17	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2
MW9-H2O	101.22	---	---	---	---	---	---	---	---	---	---
MW10-H2O	101.99	4.5	97.49	ND < 0.2	ND < 0.2	ND < 0.2	11	0.54	ND < 0.2	ND < 0.2	ND < 0.2
MW11-H2O	102.89	5.9	96.99	140	8.5	10	150	700	ND < 4	12	ND < 4
MW12-H2O	102.13	3.8	98.33	240	2.6	3	140	480	2.7	2.1	8.9
MW13-H2O	101.42	3.3	98.12	9.1	1.2	1.1	11	44	0.3	1.3	1.9
MW14-H2O	101.73	5.8	95.93	4.3	ND < 0.2	ND < 0.2	ND < 0.2	2.6	ND < 0.2	ND < 0.2	ND < 0.2
MW15-H2O	101.28	3.8	97.48	ND < 10	ND < 10	11	28	1,000	ND < 10	ND < 10	ND < 10
2nd Injection Event (October, 2006)											
2nd Quarter 2006 (April & May 2006)											
MW1-H2O	100	5.9	94.1	2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	0.4
MW2-H2O	100.59	5.55	95.04	5	ND < 2	ND < 2	ND < 2	11	ND < 2	ND < 2	ND < 0.2
MW6-H2O	99.46	2.22	97.24	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 0.2
MW7-H2O	99.76	3.3	96.46	ND < 2	ND < 2	ND < 2	10	21	ND < 2	ND < 2	0.7
MW8-H2O	99.97	3.31	96.66	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 2	ND < 0.2
MW10-H2O	101.99	4.45	97.54	ND < 2	ND < 2	ND < 2	23	ND < 2	ND < 2	ND < 2	ND < 0.2
MW11-H2O	102.89	5.5	97.39	42	6	11	58	270	ND < 2	5	1.4
MW12-H2O	102.13	4.35	97.78	290	4	9	180	1,700	4	8	23
MW13-H2O	101.42	3.95	97.47	12	ND < 2	5	9	270	ND < 2	ND < 2	1.4
MW14-H2O	101.73	5.3	96.43	ND < 2	ND < 2	ND < 2	ND < 2	17	ND < 2	ND < 2	ND < 0.2
MW15-H2O	101.28	3.9	97.38	3	ND < 2	ND < 2	ND < 2	26	ND < 2	ND < 2	0.9
1st Injection Event (March, 2006)											
4th Quarter 2005 (September and October 2005)											
MW1-H2O	100	4.91	95.09	0.25	ND < 0.2	ND < 0.2	ND < 0.2	1.3	ND	ND	ND
MW2-H2O	100.59	6.81	93.78	0.91	ND < 0.2	0.36	ND < 0.2	4.1	ND	ND	ND
MW3-H2O	102.56	6.37	96.19	0.96	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND	ND	ND
MW4-H2O	105.33	5.62	99.71	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND	ND	ND
MW5-H2O	103.69	4.62	99.07	0.43	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND	ND	ND
MW6-H2O	99.46	4.16	95.3	0.33	0.36	ND < 0.2	3.9	0.26	ND	ND	ND
MW7-H2O	99.76	4.8	94.96	140	ND < 50	ND < 50	460	7,000	ND	ND	ND
MW8-H2O	99.97	5.41	94.56	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND < 0.2	ND	ND	ND
MTCA Method A and B ¹ Groundwater Cleanup Level				80 ¹	800 ¹	200	5	5	160 ¹	800 ¹	0.2

Notes:

TOC: top of casing elevation based on arbitrary reference datum of 100 feet above mean sea level.

Depth to water, measured in feet from well TOC to static water table using electronic water level meter.

HVOCs: Halogenated Volatile Organic Compounds determined using EPA Test Method 8260. Only select compounds are shown in table.

DCE: Dichloroethene; DCA, Dichloroethane.

PCE: Tetrachloroethene.

TCA: Trichloroethane; TCE, Trichloroethene.

Unless noted otherwise all results and detection limits given in ppb, parts per billion (ug/L).

ND: contaminant not detected at noted analytical detection limit.

---: not analyzed or not applicable.

Bold and shaded concentrations, if any, are at or above the applicable MTCA Method A or B¹ Groundwater Cleanup Level (WAC 173-340-900, Table 720-1) and CLARC Interactive Database (March 2007).



January 19, 2007

Paul Riley
The Riley Group, Inc.
17522 Bothell Way NE, Suite A
Bothell, WA 98011

Re: Analytical Data for Project 2005-087d
Laboratory Reference No. 0701-091


Dear Paul:

Enclosed are the analytical results and associated quality control data for samples submitted on January 11, 2007.

The standard policy of OnSite Environmental Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,



David Baumeister
Project Manager

Enclosures

Date of Report: January 19, 2007
Samples Submitted: January 11, 2007
Laboratory Reference: 0701-091
Project: 2005-087d

Case Narrative

Samples were collected on January 10, 2007 and received by the laboratory on January 11, 2007. They were maintained at the laboratory at a temperature of 2°C to 6°C except as noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.

Date of Report: January 19, 2007
 Samples Submitted: January 11, 2007
 Laboratory Reference: 0701-091
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 1 of 2

Date Extracted: 1-12-07
 Date Analyzed: 1-12-07

Matrix: Water
 Units: ug/L (ppb)

Lab ID: 01-091-01
 Client ID: MW-1

Compound	Results	Flags	PQL
Dichlorodifluoromethane	ND		0.20
Chloromethane	ND		0.20
Vinyl Chloride	0.59		0.20
Bromomethane	ND		1.0
Chloroethane	ND		0.20
Trichlorofluoromethane	ND		0.20
1,1-Dichloroethene	0.56		0.20
Iodomethane	ND		1.0
Methylene Chloride	ND		1.0
(trans) 1,2-Dichloroethene	ND		0.20
1,1-Dichloroethane	ND		0.20
2,2-Dichloropropane	ND		0.20
(cis) 1,2-Dichloroethene	2.5		0.20
Bromochloromethane	ND		0.20
Chloroform	ND		0.20
1,1,1-Trichloroethane	ND		0.20
Carbon Tetrachloride	ND		0.20
1,1-Dichloropropene	ND		0.20
1,2-Dichloroethane	ND		0.20
Trichloroethene	3.0		0.20
1,2-Dichloropropane	ND		0.20
Dibromomethane	ND		0.20
Bromodichloromethane	ND		0.20
2-Chloroethyl Vinyl Ether	ND		1.0
(cis) 1,3-Dichloropropene	ND		0.20
(trans) 1,3-Dichloropropene	ND		0.20

Date of Report: January 19, 2007
 Samples Submitted: January 11, 2007
 Laboratory Reference: 0701-091
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 2 of 2

Lab ID: 01-091-01
 Client ID: MW-1

Compound	Results	Flags	PQL
1,1,2-Trichloroethane	ND		0.20
Tetrachloroethene	ND		0.20
1,3-Dichloropropane	ND		0.20
Dibromochloromethane	ND		0.20
1,2-Dibromoethane	ND		0.20
Chlorobenzene	ND		0.20
1,1,1,2-Tetrachloroethane	ND		0.20
Bromoform	ND		1.0
Bromobenzene	ND		0.20
1,1,2,2-Tetrachloroethane	ND		0.20
1,2,3-Trichloropropane	ND		0.20
2-Chlorotoluene	ND		0.20
4-Chlorotoluene	ND		0.20
1,3-Dichlorobenzene	ND		0.20
1,4-Dichlorobenzene	ND		0.20
1,2-Dichlorobenzene	ND		0.20
1,2-Dibromo-3-chloropropane	ND		1.0
1,2,4-Trichlorobenzene	ND		0.20
Hexachlorobutadiene	ND		0.20
1,2,3-Trichlorobenzene	ND		0.20

Surrogate	Percent Recovery	Control Limits
Dibromofluoromethane	106	70-123
Toluene, d8	100	70-119
4-Bromofluorobenzene	91	70-119

Date of Report: January 19, 2007
 Samples Submitted: January 11, 2007
 Laboratory Reference: 0701-091
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 1 of 2

Date Extracted: 1-12-07
 Date Analyzed: 1-12-07

Matrix: Water
 Units: ug/L (ppb)

Lab ID: 01-091-02
 Client ID: MW-2

Compound	Results	Flags	PQL
Dichlorodifluoromethane	ND		0.20
Chloromethane	ND		0.20
Vinyl Chloride	ND		0.20
Bromomethane	ND		1.0
Chloroethane	ND		0.20
Trichlorofluoromethane	ND		0.20
1,1-Dichloroethene	ND		0.20
Iodomethane	ND		1.0
Methylene Chloride	ND		1.0
(trans) 1,2-Dichloroethene	ND		0.20
1,1-Dichloroethane	ND		0.20
2,2-Dichloropropane	ND		0.20
(cis) 1,2-Dichloroethene	0.75		0.20
Bromochloromethane	ND		0.20
Chloroform	ND		0.20
1,1,1-Trichloroethane	0.33		0.20
Carbon Tetrachloride	ND		0.20
1,1-Dichloropropene	ND		0.20
1,2-Dichloroethane	ND		0.20
Trichloroethene	6.8		0.20
1,2-Dichloropropane	ND		0.20
Dibromomethane	ND		0.20
Bromodichloromethane	ND		0.20
2-Chloroethyl Vinyl Ether	ND		1.0
(cis) 1,3-Dichloropropene	ND		0.20
(trans) 1,3-Dichloropropene	ND		0.20

Date of Report: January 19, 2007
 Samples Submitted: January 11, 2007
 Laboratory Reference: 0701-091
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 2 of 2

Lab ID: 01-091-02
 Client ID: MW-2

Compound	Results	Flags	PQL
1,1,2-Trichloroethane	ND		0.20
Tetrachloroethene	ND		0.20
1,3-Dichloropropane	ND		0.20
Dibromochloromethane	ND		0.20
1,2-Dibromoethane	ND		0.20
Chlorobenzene	ND		0.20
1,1,1,2-Tetrachloroethane	ND		0.20
Bromoform	ND		1.0
Bromobenzene	ND		0.20
1,1,2,2-Tetrachloroethane	ND		0.20
1,2,3-Trichloropropane	ND		0.20
2-Chlorotoluene	ND		0.20
4-Chlorotoluene	ND		0.20
1,3-Dichlorobenzene	ND		0.20
1,4-Dichlorobenzene	ND		0.20
1,2-Dichlorobenzene	ND		0.20
1,2-Dibromo-3-chloropropane	ND		1.0
1,2,4-Trichlorobenzene	ND		0.20
Hexachlorobutadiene	ND		0.20
1,2,3-Trichlorobenzene	ND		0.20

Surrogate	Percent Recovery	Control Limits
Dibromofluoromethane	105	70-123
Toluene, d8	102	70-119
4-Bromofluorobenzene	89	70-119

Date of Report: January 19, 2007
 Samples Submitted: January 11, 2007
 Laboratory Reference: 0701-091
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 1 of 2

Date Extracted: 1-12-07
 Date Analyzed: 1-12-07
 Matrix: Water
 Units: ug/L (ppb)
 Lab ID: 01-091-03
 Client ID: MW-3

Compound	Results	Flags	PQL
Dichlorodifluoromethane	ND		0.20
Chloromethane	ND		0.20
Vinyl Chloride	ND		0.20
Bromomethane	ND		1.0
Chloroethane	ND		0.20
Trichlorofluoromethane	ND		0.20
1,1-Dichloroethene	ND		0.20
Iodomethane	ND		1.0
Methylene Chloride	ND		1.0
(trans) 1,2-Dichloroethene	ND		0.20
1,1-Dichloroethane	ND		0.20
2,2-Dichloropropane	ND		0.20
(cis) 1,2-Dichloroethene	2.9		0.20
Bromochloromethane	ND		0.20
Chloroform	ND		0.20
1,1,1-Trichloroethane	ND		0.20
Carbon Tetrachloride	ND		0.20
1,1-Dichloropropene	ND		0.20
1,2-Dichloroethane	ND		0.20
Trichloroethene	ND		0.20
1,2-Dichloropropane	ND		0.20
Dibromomethane	ND		0.20
Bromodichloromethane	ND		0.20
2-Chloroethyl Vinyl Ether	ND		1.0
(cis) 1,3-Dichloropropene	ND		0.20
(trans) 1,3-Dichloropropene	ND		0.20

Date of Report: January 19, 2007
 Samples Submitted: January 11, 2007
 Laboratory Reference: 0701-091
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 2 of 2

Lab ID: 01-091-03
 Client ID: MW-3

Compound	Results	Flags	PQL
1,1,2-Trichloroethane	ND		0.20
Tetrachloroethene	ND		0.20
1,3-Dichloropropane	ND		0.20
Dibromochloromethane	ND		0.20
1,2-Dibromoethane	ND		0.20
Chlorobenzene	ND		0.20
1,1,1,2-Tetrachloroethane	ND		0.20
Bromoform	ND		1.0
Bromobenzene	ND		0.20
1,1,2,2-Tetrachloroethane	ND		0.20
1,2,3-Trichloropropane	ND		0.20
2-Chlorotoluene	ND		0.20
4-Chlorotoluene	ND		0.20
1,3-Dichlorobenzene	ND		0.20
1,4-Dichlorobenzene	ND		0.20
1,2-Dichlorobenzene	ND		0.20
1,2-Dibromo-3-chloropropane	ND		1.0
1,2,4-Trichlorobenzene	ND		0.20
Hexachlorobutadiene	ND		0.20
1,2,3-Trichlorobenzene	ND		0.20

Surrogate	Percent Recovery	Control Limits
Dibromofluoromethane	110	70-123
Toluene, d8	101	70-119
4-Bromofluorobenzene	92	70-119

Date of Report: January 19, 2007
 Samples Submitted: January 11, 2007
 Laboratory Reference: 0701-091
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 1 of 2

Date Extracted: 1-12-07
 Date Analyzed: 1-12-07

Matrix: Water
 Units: ug/L (ppb)

Lab ID: 01-091-04
 Client ID: MW-5

Compound	Results	Flags	PQL
Dichlorodifluoromethane	ND		0.20
Chloromethane	ND		0.20
Vinyl Chloride	ND		0.20
Bromomethane	ND		1.0
Chloroethane	ND		0.20
Trichlorofluoromethane	ND		0.20
1,1-Dichloroethene	ND		0.20
Iodomethane	ND		1.0
Methylene Chloride	ND		1.0
(trans) 1,2-Dichloroethene	ND		0.20
1,1-Dichloroethane	ND		0.20
2,2-Dichloropropane	ND		0.20
(cis) 1,2-Dichloroethene	0.61		0.20
Bromochloromethane	ND		0.20
Chloroform	ND		0.20
1,1,1-Trichloroethane	ND		0.20
Carbon Tetrachloride	ND		0.20
1,1-Dichloropropene	ND		0.20
1,2-Dichloroethane	ND		0.20
Trichloroethene	ND		0.20
1,2-Dichloropropane	ND		0.20
Dibromomethane	ND		0.20
Bromodichloromethane	ND		0.20
2-Chloroethyl Vinyl Ether	ND		1.0
(cis) 1,3-Dichloropropene	ND		0.20
(trans) 1,3-Dichloropropene	ND		0.20

Date of Report: January 19, 2007
 Samples Submitted: January 11, 2007
 Laboratory Reference: 0701-091
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 2 of 2

Lab ID: 01-091-04
 Client ID: MW-5

Compound	Results	Flags	PQL
1,1,2-Trichloroethane	ND		0.20
Tetrachloroethene	ND		0.20
1,3-Dichloropropane	ND		0.20
Dibromochloromethane	ND		0.20
1,2-Dibromoethane	ND		0.20
Chlorobenzene	ND		0.20
1,1,1,2-Tetrachloroethane	ND		0.20
Bromoform	ND		1.0
Bromobenzene	ND		0.20
1,1,2,2-Tetrachloroethane	ND		0.20
1,2,3-Trichloropropane	ND		0.20
2-Chlorotoluene	ND		0.20
4-Chlorotoluene	ND		0.20
1,3-Dichlorobenzene	ND		0.20
1,4-Dichlorobenzene	ND		0.20
1,2-Dichlorobenzene	ND		0.20
1,2-Dibromo-3-chloropropane	ND		1.0
1,2,4-Trichlorobenzene	ND		0.20
Hexachlorobutadiene	ND		0.20
1,2,3-Trichlorobenzene	ND		0.20

Surrogate	Percent Recovery	Control Limits
Dibromofluoromethane	107	70-123
Toluene, d8	101	70-119
4-Bromofluorobenzene	90	70-119

Date of Report: January 19, 2007
 Samples Submitted: January 11, 2007
 Laboratory Reference: 0701-091
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 1 of 2

Date Extracted: 1-12-07
 Date Analyzed: 1-12-07
 Matrix: Water
 Units: ug/L (ppb)
 Lab ID: 01-091-05
 Client ID: MW 7

Compound	Results	Flags	PQL
Dichlorodifluoromethane	ND		0.20
Chloromethane	ND		0.20
Vinyl Chloride	ND		0.20
Bromomethane	ND		1.0
Chloroethane	ND		0.20
Trichlorofluoromethane	ND		0.20
1,1-Dichloroethene	ND		0.20
Iodomethane	ND		1.0
Methylene Chloride	ND		1.0
(trans) 1,2-Dichloroethene	ND		0.20
1,1-Dichloroethane	ND		0.20
2,2-Dichloropropane	ND		0.20
(cis) 1,2-Dichloroethene	ND		0.20
Bromochloromethane	ND		0.20
Chloroform	0.25		0.20
1,1,1-Trichloroethane	ND		0.20
Carbon Tetrachloride	ND		0.20
1,1-Dichloropropene	ND		0.20
1,2-Dichloroethane	ND		0.20
Trichloroethene	0.22		0.20
1,2-Dichloropropane	ND		0.20
Dibromomethane	ND		0.20
Bromodichloromethane	ND		0.20
2-Chloroethyl Vinyl Ether	ND		1.0
(cis) 1,3-Dichloropropene	ND		0.20
(trans) 1,3-Dichloropropene	ND		0.20

Date of Report: January 19, 2007
 Samples Submitted: January 11, 2007
 Laboratory Reference: 0701-091
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 2 of 2

Lab ID: 01-091-05
 Client ID: MW 7

Compound	Results	Flags	PQL
1,1,2-Trichloroethane	ND		0.20
Tetrachloroethene	ND		0.20
1,3-Dichloropropane	ND		0.20
Dibromochloromethane	ND		0.20
1,2-Dibromoethane	ND		0.20
Chlorobenzene	ND		0.20
1,1,1,2-Tetrachloroethane	ND		0.20
Bromoform	ND		1.0
Bromobenzene	ND		0.20
1,1,2,2-Tetrachloroethane	ND		0.20
1,2,3-Trichloropropane	ND		0.20
2-Chlorotoluene	ND		0.20
4-Chlorotoluene	ND		0.20
1,3-Dichlorobenzene	ND		0.20
1,4-Dichlorobenzene	ND		0.20
1,2-Dichlorobenzene	ND		0.20
1,2-Dibromo-3-chloropropane	ND		1.0
1,2,4-Trichlorobenzene	ND		0.20
Hexachlorobutadiene	ND		0.20
1,2,3-Trichlorobenzene	ND		0.20

Surrogate	Percent Recovery	Control Limits
Dibromofluoromethane	104	70-123
Toluene, d8	101	70-119
4-Bromofluorobenzene	89	70-119

Date of Report: January 19, 2007
 Samples Submitted: January 11, 2007
 Laboratory Reference: 0701-091
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 1 of 2

Date Extracted: 1-12-07
 Date Analyzed: 1-12-07

Matrix: Water
 Units: ug/L (ppb)

Lab ID: 01-091-06
 Client ID: MW 10

Compound	Results	Flags	PQL
Dichlorodifluoromethane	ND		0.20
Chloromethane	3.3		0.20
Vinyl Chloride	ND		0.20
Bromomethane	ND		1.0
Chloroethane	ND		0.20
Trichlorofluoromethane	ND		0.20
1,1-Dichloroethene	ND		0.20
Iodomethane	ND		1.0
Methylene Chloride	ND		1.0
(trans) 1,2-Dichloroethene	ND		0.20
1,1-Dichloroethane	ND		0.20
2,2-Dichloropropane	ND		0.20
(cis) 1,2-Dichloroethene	ND		0.20
Bromochloromethane	ND		0.20
Chloroform	4.7		0.20
1,1,1-Trichloroethane	ND		0.20
Carbon Tetrachloride	ND		0.20
1,1-Dichloropropene	ND		0.20
1,2-Dichloroethane	ND		0.20
Trichloroethene	0.54		0.20
1,2-Dichloropropane	ND		0.20
Dibromomethane	ND		0.20
Bromodichloromethane	1.0		0.20
2-Chloroethyl Vinyl Ether	ND		1.0
(cis) 1,3-Dichloropropene	ND		0.20
(trans) 1,3-Dichloropropene	ND		0.20

Date of Report: January 19, 2007
 Samples Submitted: January 11, 2007
 Laboratory Reference: 0701-091
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 2 of 2

Lab ID: 01-091-06
 Client ID: MW 10

Compound	Results	Flags	PQL
1,1,2-Trichloroethane	ND		0.20
Tetrachloroethene	11		0.20
1,3-Dichloropropane	ND		0.20
Dibromochloromethane	0.92		0.20
1,2-Dibromoethane	ND		0.20
Chlorobenzene	ND		0.20
1,1,1,2-Tetrachloroethane	ND		0.20
Bromoform	2.1		1.0
Bromobenzene	ND		0.20
1,1,2,2-Tetrachloroethane	ND		0.20
1,2,3-Trichloropropane	ND		0.20
2-Chlorotoluene	ND		0.20
4-Chlorotoluene	ND		0.20
1,3-Dichlorobenzene	ND		0.20
1,4-Dichlorobenzene	ND		0.20
1,2-Dichlorobenzene	ND		0.20
1,2-Dibromo-3-chloropropane	ND		1.0
1,2,4-Trichlorobenzene	ND		0.20
Hexachlorobutadiene	ND		0.20
1,2,3-Trichlorobenzene	ND		0.20

Surrogate	Percent Recovery	Control Limits
Dibromofluoromethane	107	70-123
Toluene, d8	100	70-119
4-Bromofluorobenzene	90	70-119

Date of Report: January 19, 2007
Samples Submitted: January 11, 2007
Laboratory Reference: 0701-091
Project: 2005-087d

**HALOGENATED VOLATILES by EPA 8260B
METHOD BLANK QUALITY CONTROL**

Page 1 of 2

Date Extracted: 1-12-07
Date Analyzed: 1-12-07

Matrix: Water
Units: ug/L (ppb)

Lab ID: MB0112W1

Compound	Results	Flags	PQL
Dichlorodifluoromethane	ND		0.20
Chloromethane	ND		0.20
Vinyl Chloride	ND		0.20
Bromomethane	ND		1.0
Chloroethane	ND		0.20
Trichlorofluoromethane	ND		0.20
1,1-Dichloroethene	ND		0.20
Iodomethane	ND		1.0
Methylene Chloride	ND		1.0
(trans) 1,2-Dichloroethene	ND		0.20
1,1-Dichloroethane	ND		0.20
2,2-Dichloropropane	ND		0.20
(cis) 1,2-Dichloroethene	ND		0.20
Bromochloromethane	ND		0.20
Chloroform	ND		0.20
1,1,1-Trichloroethane	ND		0.20
Carbon Tetrachloride	ND		0.20
1,1-Dichloropropene	ND		0.20
1,2-Dichloroethane	ND		0.20
Trichloroethene	ND		0.20
1,2-Dichloropropane	ND		0.20
Dibromomethane	ND		0.20
Bromodichloromethane	ND		0.20
2-Chloroethyl Vinyl Ether	ND		1.0
(cis) 1,3-Dichloropropene	ND		0.20
(trans) 1,3-Dichloropropene	ND		0.20

Date of Report: January 19, 2007
 Samples Submitted: January 11, 2007
 Laboratory Reference: 0701-091
 Project: 2005-087d

**HALOGENATED VOLATILES by EPA 8260B
 METHOD BLANK QUALITY CONTROL**

Page 2 of 2

Lab ID: MB0112W1

Compound	Results	Flags	PQL
1,1,2-Trichloroethane	ND		0.20
Tetrachloroethene	ND		0.20
1,3-Dichloropropane	ND		0.20
Dibromochloromethane	ND		0.20
1,2-Dibromoethane	ND		0.20
Chlorobenzene	ND		0.20
1,1,1,2-Tetrachloroethane	ND		0.20
Bromoform	ND		1.0
Bromobenzene	ND		0.20
1,1,2,2-Tetrachloroethane	ND		0.20
1,2,3-Trichloropropane	ND		0.20
2-Chlorotoluene	ND		0.20
4-Chlorotoluene	ND		0.20
1,3-Dichlorobenzene	ND		0.20
1,4-Dichlorobenzene	ND		0.20
1,2-Dichlorobenzene	ND		0.20
1,2-Dibromo-3-chloropropane	ND		1.0
1,2,4-Trichlorobenzene	ND		0.20
Hexachlorobutadiene	ND		0.20
1,2,3-Trichlorobenzene	ND		0.20
Surrogate	Percent Recovery	Control Limits	
Dibromofluoromethane	105	70-123	
Toluene, d8	99	70-119	
4-Bromofluorobenzene	89	70-119	

Date of Report: January 19, 2007
 Samples Submitted: January 11, 2007
 Laboratory Reference: 0701-091
 Project: 2005-087d

**HALOGENATED VOLATILES by EPA 8260B
 SB/SBD QUALITY CONTROL**

Date Extracted: 1-12-07
 Date Analyzed: 1-12-07
 Matrix: Water
 Units: ug/L (ppb)

Lab ID: SB0112W1

Compound	Spike Amount	SB	Percent Recovery	SBD	Percent Recovery	Recovery Limits	Flags
1,1-Dichloroethene	10.0	8.00	80	7.82	78	70-130	
Benzene	10.0	10.6	106	10.6	106	70-130	
Trichloroethene	10.0	9.09	91	9.22	92	70-130	
Toluene	10.0	9.88	99	9.98	100	70-130	
Chlorobenzene	10.0	8.28	83	8.41	84	70-130	

	RPD	RPD Limit	Flags
1,1-Dichloroethene	2	17	
Benzene	0	13	
Trichloroethene	1	12	
Toluene	1	14	
Chlorobenzene	2	9	



Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
- B - The analyte indicated was also found in the blank sample.
- C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
- E - The value reported exceeds the quantitation range and is an estimate.
- F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
- G - Insufficient sample quantity for duplicate analysis.
- H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
- I - Compound recovery is outside of the control limits.
- J - The value reported was below the practical quantitation limit. The value is an estimate.
- K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
- L - The RPD is outside of the control limits.
- M - Hydrocarbons in the gasoline range (toluene-napthalene) are present in the sample.
- O - Hydrocarbons indicative of diesel fuel are present in the sample and are impacting the gasoline result.
- P - The RPD of the detected concentrations between the two columns is greater than 40.
- Q - Surrogate recovery is outside of the control limits.
- S - Surrogate recovery data is not available due to the necessary dilution of the sample.
- T - The sample chromatogram is not similar to a typical _____.
- U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
- W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
- X - Sample extract treated with a silica gel cleanup procedure.
- Y - Sample extract treated with an acid/silica gel cleanup procedure.
- Z -
- ND - Not Detected at PQL
- PQL - Practical Quantitation Limit
- RPD - Relative Percent Difference

SAMPLE CHAIN OF CUSTODY 01-091

Send Report To Paul Riley
 Company The Riley Group
 Address 17522 Bothell Way NE
 City, State, ZIP Bothell, WA 98011
 Phone # (425) 415-0551 Fax # (425) 415-0311

SAMPLERS (signature) <i>[Signature]</i>	
PROJECT NAME/NO. <u>2005-087d</u>	PO #
REMARKS	

Page # 1 of 1

TURNAROUND TIME
☒ Standard (2 Weeks)
☐ RUSH
 Rush charges authorized by: _____

SAMPLE DISPOSAL
☒ Dispose after 30 days
☐ Return samples
☐ Will call with instructions

Sample ID	Lab ID	Date	Time	Sample Type	# of containers	ANALYSES REQUESTED										Notes
						TPH-Diesel	TPH-Gasoline	BTEX by 8021B	HVOCs by 8260	SVOCs by 8270	HFS					
MW-1	1	1-10-07	12:20	H ₂ O	2				☒							
MW-2	2		14:30		2				☒							
MW-3	3		10:45		2				☒							
MW-5	4		11:30		2				☒							
MW-7	5		14:10		2				☒							
MW-10	6		13:05		2				☒							

ON SITE

SIGNATURE <i>[Signature]</i>		PRINT NAME <u>Mum Voun</u>		COMPANY <u>OSIS</u>		DATE <u>1/11/07</u>		TIME <u>1508</u>	
Relinquished by: <u>Robert Tinker</u>		Robert Tinker		Riley		1-11-07		10:00 AM	
Received by: <u>Paul Riley</u>				11		11		10:00 AM	
Relinquished by:									
Received by: <i>[Signature]</i>		<u>J. W. Ekalant</u>		<u>Speedy Mwangi</u>		<u>1/11/07</u>		<u>12:50</u>	



January 11, 2007

Paul Riley
The Riley Group, Inc.
17522 Bothell Way NE, Suite A
Bothell, WA 98011

Re: Analytical Data for Project 2005-087d
Laboratory Reference No. 0701-068


Dear Paul:

Enclosed are the analytical results and associated quality control data for samples submitted on January 9, 2007.

The standard policy of OnSite Environmental Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,



David Baumeister
Project Manager

Enclosures

Date of Report: January 11, 2007
Samples Submitted: January 9, 2007
Laboratory Reference: 0701-068
Project: 2005-087d

Case Narrative

Samples were collected on January 9, 2007 and received by the laboratory on January 9, 2007. They were maintained at the laboratory at a temperature of 2°C to 6°C except as noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.

Halogenated Volatiles EPA 8260B Analysis

Due to the levels of sediment present in the VOAs provided for sample MW-14, the aqueous layers from two VOAs were combined to perform the requested analysis. Some loss of volatiles may have occurred, and Methylene Chloride may have been introduced into the sample.

Any other QA/QC issues associated with this extraction and analysis will be indicated with a footnote reference and discussed in detail on the Data Qualifier page.

Date of Report: January 11, 2007
 Samples Submitted: January 9, 2007
 Laboratory Reference: 0701-068
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 1 of 2

Date Extracted: 1-10-07
 Date Analyzed: 1-10-07

Matrix: Water
 Units: ug/L (ppb)

Lab ID: 01-068-01
 Client ID: MW-6

Compound	Results	Flags	PQL
Dichlorodifluoromethane	ND		0.20
Chloromethane	ND		0.20
Vinyl Chloride	ND		0.20
Bromomethane	ND		1.0
Chloroethane	ND		0.20
Trichlorofluoromethane	ND		0.20
1,1-Dichloroethene	ND		0.20
Iodomethane	ND		1.0
Methylene Chloride	ND		1.0
(trans) 1,2-Dichloroethene	ND		0.20
1,1-Dichloroethane	ND		0.20
2,2-Dichloropropane	ND		0.20
(cis) 1,2-Dichloroethene	ND		0.20
Bromochloromethane	ND		0.20
Chloroform	ND		0.20
1,1,1-Trichloroethane	ND		0.20
Carbon Tetrachloride	ND		0.20
1,1-Dichloropropene	ND		0.20
1,2-Dichloroethane	ND		0.20
Trichloroethene	ND		0.20
1,2-Dichloropropane	ND		0.20
Dibromomethane	ND		0.20
Bromodichloromethane	ND		0.20
2-Chloroethyl Vinyl Ether	ND		1.0
(cis) 1,3-Dichloropropene	ND		0.20
(trans) 1,3-Dichloropropene	ND		0.20

Date of Report: January 11, 2007
 Samples Submitted: January 9, 2007
 Laboratory Reference: 0701-068
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 2 of 2

Lab ID: 01-068-01
 Client ID: MW-6

Compound	Results	Flags	PQL
1,1,2-Trichloroethane	ND		0.20
Tetrachloroethene	ND		0.20
1,3-Dichloropropane	ND		0.20
Dibromochloromethane	ND		0.20
1,2-Dibromoethane	ND		0.20
Chlorobenzene	ND		0.20
1,1,1,2-Tetrachloroethane	ND		0.20
Bromoform	ND		1.0
Bromobenzene	ND		0.20
1,1,2,2-Tetrachloroethane	ND		0.20
1,2,3-Trichloropropane	ND		0.20
2-Chlorotoluene	ND		0.20
4-Chlorotoluene	ND		0.20
1,3-Dichlorobenzene	ND		0.20
1,4-Dichlorobenzene	ND		0.20
1,2-Dichlorobenzene	ND		0.20
1,2-Dibromo-3-chloropropane	ND		1.0
1,2,4-Trichlorobenzene	ND		0.20
Hexachlorobutadiene	ND		0.20
1,2,3-Trichlorobenzene	ND		0.20

Surrogate	Percent Recovery	Control Limits
Dibromofluoromethane	99	70-123
Toluene, d8	98	70-119
4-Bromofluorobenzene	90	70-119

Date of Report: January 11, 2007
Samples Submitted: January 9, 2007
Laboratory Reference: 0701-068
Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 1 of 2

Date Extracted: 1-10-07
Date Analyzed: 1-10-07

Matrix: Water
Units: ug/L (ppb)

Lab ID: 01-068-02
Client ID: MW-8

Compound	Results	Flags	PQL
Dichlorodifluoromethane	ND		0.20
Chloromethane	ND		0.20
Vinyl Chloride	ND		0.20
Bromomethane	ND		1.0
Chloroethane	ND		0.20
Trichlorofluoromethane	ND		0.20
1,1-Dichloroethene	ND		0.20
Iodomethane	ND		1.0
Methylene Chloride	ND		1.0
(trans) 1,2-Dichloroethene	ND		0.20
1,1-Dichloroethane	ND		0.20
2,2-Dichloropropane	ND		0.20
(cis) 1,2-Dichloroethene	ND		0.20
Bromochloromethane	ND		0.20
Chloroform	ND		0.20
1,1,1-Trichloroethane	ND		0.20
Carbon Tetrachloride	ND		0.20
1,1-Dichloropropene	ND		0.20
1,2-Dichloroethane	ND		0.20
Trichloroethene	ND		0.20
1,2-Dichloropropane	ND		0.20
Dibromomethane	ND		0.20
Bromodichloromethane	ND		0.20
2-Chloroethyl Vinyl Ether	ND		1.0
(cis) 1,3-Dichloropropene	ND		0.20
(trans) 1,3-Dichloropropene	ND		0.20

Date of Report: January 11, 2007
 Samples Submitted: January 9, 2007
 Laboratory Reference: 0701-068
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 2 of 2

Lab ID: 01-068-02
 Client ID: MW-8

Compound	Results	Flags	PQL
1,1,2-Trichloroethane	ND		0.20
Tetrachloroethene	ND		0.20
1,3-Dichloropropane	ND		0.20
Dibromochloromethane	ND		0.20
1,2-Dibromoethane	ND		0.20
Chlorobenzene	ND		0.20
1,1,1,2-Tetrachloroethane	ND		0.20
Bromoform	ND		1.0
Bromobenzene	ND		0.20
1,1,2,2-Tetrachloroethane	ND		0.20
1,2,3-Trichloropropane	ND		0.20
2-Chlorotoluene	ND		0.20
4-Chlorotoluene	ND		0.20
1,3-Dichlorobenzene	ND		0.20
1,4-Dichlorobenzene	ND		0.20
1,2-Dichlorobenzene	ND		0.20
1,2-Dibromo-3-chloropropane	ND		1.0
1,2,4-Trichlorobenzene	ND		0.20
Hexachlorobutadiene	ND		0.20
1,2,3-Trichlorobenzene	ND		0.20

Surrogate	Percent Recovery	Control Limits
Dibromofluoromethane	98	70-123
Toluene, d8	98	70-119
4-Bromofluorobenzene	88	70-119

Date of Report: January 11, 2007
 Samples Submitted: January 9, 2007
 Laboratory Reference: 0701-068
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 1 of 2

Date Extracted: 1-10-07
 Date Analyzed: 1-10-07
 Matrix: Water
 Units: ug/L (ppb)
 Lab ID: 01-068-03
 Client ID: MW-11

Compound	Results	Flags	PQL
Dichlorodifluoromethane	ND		4.0
Chloromethane	ND		4.0
Vinyl Chloride	ND		4.0
Bromomethane	ND		20
Chloroethane	ND		4.0
Trichlorofluoromethane	ND		4.0
1,1-Dichloroethene	12		4.0
Iodomethane	ND		20
Methylene Chloride	ND		20
(trans) 1,2-Dichloroethene	ND		4.0
1,1-Dichloroethane	8.5		4.0
2,2-Dichloropropane	ND		4.0
(cis) 1,2-Dichloroethene	140		4.0
Bromochloromethane	ND		4.0
Chloroform	ND		4.0
1,1,1-Trichloroethane	10		4.0
Carbon Tetrachloride	ND		4.0
1,1-Dichloropropene	ND		4.0
1,2-Dichloroethane	ND		4.0
Trichloroethene	700		4.0
1,2-Dichloropropane	ND		4.0
Dibromomethane	ND		4.0
Bromodichloromethane	ND		4.0
2-Chloroethyl Vinyl Ether	ND		20
(cis) 1,3-Dichloropropene	ND		4.0
(trans) 1,3-Dichloropropene	ND		4.0

Date of Report: January 11, 2007
 Samples Submitted: January 9, 2007
 Laboratory Reference: 0701-068
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 2 of 2

Lab ID: 01-068-03
 Client ID: MW-11

Compound	Results	Flags	PQL
1,1,2-Trichloroethane	ND		4.0
Tetrachloroethene	150		4.0
1,3-Dichloropropane	ND		4.0
Dibromochloromethane	ND		4.0
1,2-Dibromoethane	ND		4.0
Chlorobenzene	ND		4.0
1,1,1,2-Tetrachloroethane	ND		4.0
Bromoform	ND		20
Bromobenzene	ND		4.0
1,1,2,2-Tetrachloroethane	ND		4.0
1,2,3-Trichloropropane	ND		4.0
2-Chlorotoluene	ND		4.0
4-Chlorotoluene	ND		4.0
1,3-Dichlorobenzene	ND		4.0
1,4-Dichlorobenzene	ND		4.0
1,2-Dichlorobenzene	ND		4.0
1,2-Dibromo-3-chloropropane	ND		20
1,2,4-Trichlorobenzene	ND		4.0
Hexachlorobutadiene	ND		4.0
1,2,3-Trichlorobenzene	ND		4.0

Surrogate	Percent Recovery	Control Limits
Dibromofluoromethane	95	70-123
Toluene, d8	98	70-119
4-Bromofluorobenzene	89	70-119

Date of Report: January 11, 2007
 Samples Submitted: January 9, 2007
 Laboratory Reference: 0701-068
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 1 of 2

Date Extracted: 1-10-07
 Date Analyzed: 1-10-07

Matrix: Water
 Units: ug/L (ppb)

Lab ID: 01-068-04
 Client ID: MW-12

Compound	Results	Flags	PQL
Dichlorodifluoromethane	ND		2.0
Chloromethane	ND		2.0
Vinyl Chloride	8.9		2.0
Bromomethane	ND		10
Chloroethane	ND		2.0
Trichlorofluoromethane	ND		2.0
1,1-Dichloroethene	2.1		2.0
Iodomethane	ND		10
Methylene Chloride	ND		10
(trans) 1,2-Dichloroethene	2.7		2.0
1,1-Dichloroethane	2.6		2.0
2,2-Dichloropropane	ND		2.0
(cis) 1,2-Dichloroethene	240		2.0
Bromochloromethane	ND		2.0
Chloroform	ND		2.0
1,1,1-Trichloroethane	3.0		2.0
Carbon Tetrachloride	ND		2.0
1,1-Dichloropropene	ND		2.0
1,2-Dichloroethane	ND		2.0
Trichloroethene	480		2.0
1,2-Dichloropropane	ND		2.0
Dibromomethane	ND		2.0
Bromodichloromethane	ND		2.0
2-Chloroethyl Vinyl Ether	ND		10
(cis) 1,3-Dichloropropene	ND		2.0
(trans) 1,3-Dichloropropene	ND		2.0

Date of Report: January 11, 2007
 Samples Submitted: January 9, 2007
 Laboratory Reference: 0701-068
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 2 of 2

Lab ID: 01-068-04
 Client ID: MW-12

Compound	Results	Flags	PQL
1,1,2-Trichloroethane	ND		2.0
Tetrachloroethene	140		2.0
1,3-Dichloropropane	ND		2.0
Dibromochloromethane	ND		2.0
1,2-Dibromoethane	ND		2.0
Chlorobenzene	ND		2.0
1,1,1,2-Tetrachloroethane	ND		2.0
Bromoform	ND		10
Bromobenzene	ND		2.0
1,1,2,2-Tetrachloroethane	ND		2.0
1,2,3-Trichloropropane	ND		2.0
2-Chlorotoluene	ND		2.0
4-Chlorotoluene	ND		2.0
1,3-Dichlorobenzene	ND		2.0
1,4-Dichlorobenzene	ND		2.0
1,2-Dichlorobenzene	ND		2.0
1,2-Dibromo-3-chloropropane	ND		10
1,2,4-Trichlorobenzene	ND		2.0
Hexachlorobutadiene	ND		2.0
1,2,3-Trichlorobenzene	ND		2.0

Surrogate	Percent Recovery	Control Limits
Dibromofluoromethane	93	70-123
Toluene, d8	98	70-119
4-Bromofluorobenzene	87	70-119

Date of Report: January 11, 2007
 Samples Submitted: January 9, 2007
 Laboratory Reference: 0701-068
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 1 of 2

Date Extracted: 1-10-07
 Date Analyzed: 1-10-07

Matrix: Water
 Units: ug/L (ppb)

Lab ID: 01-068-05
 Client ID: MW-13

Compound	Results	Flags	PQL
Dichlorodifluoromethane	ND		0.20
Chloromethane	2.1		0.20
Vinyl Chloride	1.9		0.20
Bromomethane	ND		1.0
Chloroethane	0.21		0.20
Trichlorofluoromethane	ND		0.20
1,1-Dichloroethene	1.3		0.20
Iodomethane	ND		1.0
Methylene Chloride	ND		1.0
(trans) 1,2-Dichloroethene	0.30		0.20
1,1-Dichloroethane	1.2		0.20
2,2-Dichloropropane	ND		0.20
(cis) 1,2-Dichloroethene	9.1		0.20
Bromochloromethane	ND		0.20
Chloroform	0.50		0.20
1,1,1-Trichloroethane	1.1		0.20
Carbon Tetrachloride	ND		0.20
1,1-Dichloropropene	ND		0.20
1,2-Dichloroethane	ND		0.20
Trichloroethene	44		0.20
1,2-Dichloropropane	ND		0.20
Dibromomethane	ND		0.20
Bromodichloromethane	ND		0.20
2-Chloroethyl Vinyl Ether	ND		1.0
(cis) 1,3-Dichloropropene	ND		0.20
(trans) 1,3-Dichloropropene	ND		0.20

Date of Report: January 11, 2007
 Samples Submitted: January 9, 2007
 Laboratory Reference: 0701-068
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 2 of 2

Lab ID: 01-068-05
 Client ID: MW-13

Compound	Results	Flags	PQL
1,1,2-Trichloroethane	ND		0.20
Tetrachloroethene	11		0.20
1,3-Dichloropropane	ND		0.20
Dibromochloromethane	ND		0.20
1,2-Dibromoethane	ND		0.20
Chlorobenzene	ND		0.20
1,1,1,2-Tetrachloroethane	ND		0.20
Bromoform	ND		1.0
Bromobenzene	ND		0.20
1,1,2,2-Tetrachloroethane	ND		0.20
1,2,3-Trichloropropane	ND		0.20
2-Chlorotoluene	ND		0.20
4-Chlorotoluene	ND		0.20
1,3-Dichlorobenzene	ND		0.20
1,4-Dichlorobenzene	ND		0.20
1,2-Dichlorobenzene	ND		0.20
1,2-Dibromo-3-chloropropane	ND		1.0
1,2,4-Trichlorobenzene	ND		0.20
Hexachlorobutadiene	ND		0.20
1,2,3-Trichlorobenzene	ND		0.20

Surrogate	Percent Recovery	Control Limits
Dibromofluoromethane	100	70-123
Toluene, d8	99	70-119
4-Bromofluorobenzene	89	70-119

Date of Report: January 11, 2007
 Samples Submitted: January 9, 2007
 Laboratory Reference: 0701-068
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 1 of 2

Date Extracted: 1-10-07
 Date Analyzed: 1-10-07

Matrix: Water
 Units: ug/L (ppb)

Lab ID: 01-068-06
 Client ID: MW-14

Compound	Results	Flags	PQL
Dichlorodifluoromethane	ND		0.20
Chloromethane	1.3		0.20
Vinyl Chloride	ND		0.20
Bromomethane	ND		1.0
Chloroethane	ND		0.20
Trichlorofluoromethane	ND		0.20
1,1-Dichloroethene	ND		0.20
Iodomethane	ND		1.0
Methylene Chloride	3.2	H	1.0
(trans) 1,2-Dichloroethene	ND		0.20
1,1-Dichloroethane	ND		0.20
2,2-Dichloropropane	ND		0.20
(cis) 1,2-Dichloroethene	4.3		0.20
Bromochloromethane	ND		0.20
Chloroform	1.4		0.20
1,1,1-Trichloroethane	ND		0.20
Carbon Tetrachloride	ND		0.20
1,1-Dichloropropene	ND		0.20
1,2-Dichloroethane	ND		0.20
Trichloroethene	2.6		0.20
1,2-Dichloropropane	ND		0.20
Dibromomethane	ND		0.20
Bromodichloromethane	ND		0.20
2-Chloroethyl Vinyl Ether	ND		1.0
(cis) 1,3-Dichloropropene	ND		0.20
(trans) 1,3-Dichloropropene	ND		0.20

Date of Report: January 11, 2007
 Samples Submitted: January 9, 2007
 Laboratory Reference: 0701-068
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 2 of 2

Lab ID: 01-068-06

Client ID: MW-14

Compound	Results	Flags	PQL
1,1,2-Trichloroethane	ND		0.20
Tetrachloroethene	ND		0.20
1,3-Dichloropropane	ND		0.20
Dibromochloromethane	ND		0.20
1,2-Dibromoethane	ND		0.20
Chlorobenzene	ND		0.20
1,1,1,2-Tetrachloroethane	ND		0.20
Bromoform	ND		1.0
Bromobenzene	ND		0.20
1,1,2,2-Tetrachloroethane	ND		0.20
1,2,3-Trichloropropane	ND		0.20
2-Chlorotoluene	ND		0.20
4-Chlorotoluene	ND		0.20
1,3-Dichlorobenzene	ND		0.20
1,4-Dichlorobenzene	ND		0.20
1,2-Dichlorobenzene	ND		0.20
1,2-Dibromo-3-chloropropane	ND		1.0
1,2,4-Trichlorobenzene	ND		0.20
Hexachlorobutadiene	ND		0.20
1,2,3-Trichlorobenzene	ND		0.20

Surrogate	Percent Recovery	Control Limits
Dibromofluoromethane	91	70-123
Toluene, d8	99	70-119
4-Bromofluorobenzene	89	70-119

Date of Report: January 11, 2007
 Samples Submitted: January 9, 2007
 Laboratory Reference: 0701-068
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 1 of 2

Date Extracted: 1-10-07
 Date Analyzed: 1-10-07

Matrix: Water
 Units: ug/L (ppb)

Lab ID: 01-068-07
 Client ID: MW-15

Compound	Results	Flags	PQL
Dichlorodifluoromethane	ND		10
Chloromethane	ND		10
Vinyl Chloride	ND		10
Bromomethane	ND		50
Chloroethane	ND		10
Trichlorofluoromethane	ND		10
1,1-Dichloroethene	ND		10
Iodomethane	ND		50
Methylene Chloride	ND		50
(trans) 1,2-Dichloroethene	ND		10
1,1-Dichloroethane	ND		10
2,2-Dichloropropane	ND		10
(cis) 1,2-Dichloroethene	ND		10
Bromochloromethane	ND		10
Chloroform	ND		10
1,1,1-Trichloroethane	11		10
Carbon Tetrachloride	ND		10
1,1-Dichloropropene	ND		10
1,2-Dichloroethane	ND		10
Trichloroethene	1000		10
1,2-Dichloropropane	ND		10
Dibromomethane	ND		10
Bromodichloromethane	ND		10
2-Chloroethyl Vinyl Ether	ND		50
(cis) 1,3-Dichloropropene	ND		10
(trans) 1,3-Dichloropropene	ND		10

Date of Report: January 11, 2007
 Samples Submitted: January 9, 2007
 Laboratory Reference: 0701-068
 Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B

Page 2 of 2

Lab ID: 01-068-07
 Client ID: MW-15

Compound	Results	Flags	PQL
1,1,2-Trichloroethane	ND		10
Tetrachloroethene	28		10
1,3-Dichloropropane	ND		10
Dibromochloromethane	ND		10
1,2-Dibromoethane	ND		10
Chlorobenzene	ND		10
1,1,1,2-Tetrachloroethane	ND		10
Bromoform	ND		50
Bromobenzene	ND		10
1,1,2,2-Tetrachloroethane	ND		10
1,2,3-Trichloropropane	ND		10
2-Chlorotoluene	ND		10
4-Chlorotoluene	ND		10
1,3-Dichlorobenzene	ND		10
1,4-Dichlorobenzene	ND		10
1,2-Dichlorobenzene	ND		10
1,2-Dibromo-3-chloropropane	ND		50
1,2,4-Trichlorobenzene	ND		10
Hexachlorobutadiene	ND		10
1,2,3-Trichlorobenzene	ND		10
Surrogate	Percent Recovery		Control Limits
Dibromofluoromethane	97		70-123
Toluene, d8	99		70-119
4-Bromofluorobenzene	87		70-119

Date of Report: January 11, 2007
Samples Submitted: January 9, 2007
Laboratory Reference: 0701-068
Project: 2005-087d

HALOGENATED VOLATILES by EPA 8260B
METHOD BLANK QUALITY CONTROL

Page 1 of 2

Date Extracted: 1-10-07
Date Analyzed: 1-10-07

Matrix: Water
Units: ug/L (ppb)

Lab ID: MB0110W1

Compound	Results	Flags	PQL
Dichlorodifluoromethane	ND		0.20
Chloromethane	ND		0.20
Vinyl Chloride	ND		0.20
Bromomethane	ND		1.0
Chloroethane	ND		0.20
Trichlorofluoromethane	ND		0.20
1,1-Dichloroethene	ND		0.20
Iodomethane	ND		1.0
Methylene Chloride	ND		1.0
(trans) 1,2-Dichloroethene	ND		0.20
1,1-Dichloroethane	ND		0.20
2,2-Dichloropropane	ND		0.20
(cis) 1,2-Dichloroethene	ND		0.20
Bromochloromethane	ND		0.20
Chloroform	ND		0.20
1,1,1-Trichloroethane	ND		0.20
Carbon Tetrachloride	ND		0.20
1,1-Dichloropropene	ND		0.20
1,2-Dichloroethane	ND		0.20
Trichloroethene	ND		0.20
1,2-Dichloropropane	ND		0.20
Dibromomethane	ND		0.20
Bromodichloromethane	ND		0.20
2-Chloroethyl Vinyl Ether	ND		1.0
(cis) 1,3-Dichloropropene	ND		0.20
(trans) 1,3-Dichloropropene	ND		0.20

Date of Report: January 11, 2007
 Samples Submitted: January 9, 2007
 Laboratory Reference: 0701-068
 Project: 2005-087d

**HALOGENATED VOLATILES by EPA 8260B
 METHOD BLANK QUALITY CONTROL**

Page 2 of 2

Lab ID: MB0110W1

Compound	Results	Flags	PQL
1,1,2-Trichloroethane	ND		0.20
Tetrachloroethene	ND		0.20
1,3-Dichloropropane	ND		0.20
Dibromochloromethane	ND		0.20
1,2-Dibromoethane	ND		0.20
Chlorobenzene	ND		0.20
1,1,1,2-Tetrachloroethane	ND		0.20
Bromoform	ND		1.0
Bromobenzene	ND		0.20
1,1,2,2-Tetrachloroethane	ND		0.20
1,2,3-Trichloropropane	ND		0.20
2-Chlorotoluene	ND		0.20
4-Chlorotoluene	ND		0.20
1,3-Dichlorobenzene	ND		0.20
1,4-Dichlorobenzene	ND		0.20
1,2-Dichlorobenzene	ND		0.20
1,2-Dibromo-3-chloropropane	ND		1.0
1,2,4-Trichlorobenzene	ND		0.20
Hexachlorobutadiene	ND		0.20
1,2,3-Trichlorobenzene	ND		0.20

Surrogate	Percent Recovery	Control Limits
Dibromofluoromethane	96	70-123
Toluene, d8	97	70-119
4-Bromofluorobenzene	88	70-119

Date of Report: January 11, 2007
 Samples Submitted: January 9, 2007
 Laboratory Reference: 0701-068
 Project: 2005-087d

**HALOGENATED VOLATILES by EPA 8260B
 SB/SBD QUALITY CONTROL**

Date Extracted: 1-10-07
 Date Analyzed: 1-10-07
 Matrix: Water
 Units: ug/L (ppb)

Lab ID: SB0110W1

Compound	Spike Amount	SB	Percent Recovery	SBD	Percent Recovery	Recovery Limits	Flags
1,1-Dichloroethene	10.0	8.47	85	8.59	86	70-130	
Benzene	10.0	9.92	99	10.2	102	70-130	
Trichloroethene	10.0	9.33	93	9.50	95	70-130	
Toluene	10.0	9.92	99	10.4	104	70-130	
Chlorobenzene	10.0	8.69	87	8.90	89	70-130	

	RPD	RPD Limit	Flags
1,1-Dichloroethene	1	17	
Benzene	3	13	
Trichloroethene	2	12	
Toluene	4	14	
Chlorobenzene	2	9	



Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
- B - The analyte indicated was also found in the blank sample.
- C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
- E - The value reported exceeds the quantitation range and is an estimate.
- F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
- G - Insufficient sample quantity for duplicate analysis.
- H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
- I - Compound recovery is outside of the control limits.
- J - The value reported was below the practical quantitation limit. The value is an estimate.
- K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
- L - The RPD is outside of the control limits.
- M - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
- O - Hydrocarbons indicative of diesel fuel are present in the sample and are impacting the gasoline result.
- P - The RPD of the detected concentrations between the two columns is greater than 40.
- Q - Surrogate recovery is outside of the control limits.
- S - Surrogate recovery data is not available due to the necessary dilution of the sample.
- T - The sample chromatogram is not similar to a typical _____.
- U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
- W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
- X - Sample extract treated with a silica gel cleanup procedure.
- Y - Sample extract treated with an acid/silica gel cleanup procedure.
- Z -
- ND - Not Detected at PQL
- PQL - Practical Quantitation Limit
- RPD - Relative Percent Difference

Chain of Custody Record & Laboratory Analysis Request

01-068

Onsite Environmental, Inc.
14648 NE 5th Street
Redmond, WA
(425) 883-3881
Analytical Resources, Incorporated
Analytical Chemists and Consultants
4611 South 134th Place, Suite 100
Tukwila, WA 98168
206-695-6200-206-695-6201 (fax)




ARI Assigned Number:		Turn-around Requested: STANDARD		Page: 1 of	
ARI Client Company: Riley Group		Phone: 425-415-0551		Date: 1-9-07	Ice Present?
Client Contact: Paul Riley				No. of Coolers:	Cooler Temps:
Client Project Name: Hos Industrial Park		Analysis Requested			
Client Project #: 2005-087d		Samplers: Robert Tinker			
Sample ID	Date	Time	Matrix	No. Containers	
MW-6	1-9-07	10:00	H2O	2	(X)
MW-8		10:50		2	(X)
MW-11		13:40		2	(X)
MW-12		13:10		2	(X)
MW-13		11:25		2	(X)
MW-14		12:50		2	(X)
MW-15	✓	12:25	✓	2	(X)
Comments/Special Instructions		Relinquished by: (Signature) Robert Tinker		Received by: (Signature) Paul Riley	
		Printed Name: Robert Tinker		Printed Name: Paul Riley	
		Company: Riley Group		Company: The Riley Group, Inc	
		Date & Time: 1-9-07 15:30		Date & Time: 1/9/07 3:45	
		Relinquished by: (Signature) Charles Colson		Received by: (Signature) William F Ketch	
		Printed Name: Charles Colson		Printed Name: William F Ketch	
		Company: Fleetfoot		Company: Onsite	
		Date & Time: 1/9/07 3:57		Date & Time: 1-9-07 1557	


Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the Invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.


Well MW 1




Well MW 2




Well MW 3




Well MW 3




Well MW 5




Well MW 6




Well MW 7




Well MW 8




Well MW 10




Well MW 11




Well MW 12



Well MW 13



Well MW 14



Well MW 15

