

Dave Nagara
MHAR LLC
PO Box 665
Veradale, WA 99037

April 12, 2018

Project Number X03390
Report #33

PROJECT: Corner Express Exxon Groundwater Monitoring
Davenport, WA

SUBJECT: Results of Groundwater Sampling and Chemical Analysis

Dear Mr. Nagara,


As you requested, we performed sampling and chemical analysis of 5 monitoring wells and the remediation system at the Corner Express Texaco facility in Davenport, Washington on March 13, 2017.

The wells were purged using a peristaltic pump until field parameters stabilized. Water quality parameters were measured using a calibrated in-line YSI multi-meter. The samples were transferred to appropriate containers provided by the analytical laboratory and transported on ice in a cooler under chain of custody. Groundwater samples were analyzed for WTPH-G, BTEX and MTBE as required by the WSDOE Enforcement Order.

The test results are presented on the attached Laboratory Summary, along with previous test results. Laboratory reports, chain of custody form, and laboratory QA/QC data are attached.

If you have any questions regarding these results or need further assistance, please do not hesitate to contact us.

Respectfully Submitted:
BUDINGER & ASSOCIATES, INC.


Jason Pritzl
Staff Geologist




Stephen D. Burchett, PE
Principal


Addressee – 3
Washington State Department of Ecology

Attachments:

- Site Plan
- Field Parameters Summary
- Laboratory Summaries
- Laboratory Report , Chain of Custody & QA/QC data

*Budinger & Associates, Inc.
Geotechnical & Environmental Engineers
Construction Materials Testing & Special Inspection*

4/23/18



Corner Express Exxon, Davenport, WA - Field Parameters Summary

Well ID	Date Sampled	Depth of Well (ft)	Ground-water Depth (feet below Top of Case)	Dissolved Oxygen (mg/l)	Dissolved Oxygen %	Oxidation Reduction Potential (RE-DOX) (mV)	Specific Conductivity (mS/cm)	pH (pH unit)	Temperature (degrees F)
MW-2	3/13/2018	22.77	5.63	0.36	3.4	21.3	985	6.83	51.2
MW-13	3/13/2018	25.98	6.13	2.23	20.9	160.9	730	6.54	53.1
West Sump	3/13/2018	12.66	3.64	0.43	3.4	-138.5	1267	7.18	45.8
MW-8	3/13/2018	24.74	6.71	1.64	15.0	-153.9	634	6.88	54.0
MW-30 (dup)	3/13/2018	19.79	5.25	0.62	5.5	171.5	1961	6.39	51.8
MW-5	3/13/2018	11.26	1.79	0.10	0.8	-169.7	898	7.20	44.5

FIGURE 2

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 180313059
Project Name: X03390

Analytical Results Report

Sample Number	180313059-001	Sampling Date	3/13/2018	Date/Time Received	3/13/2018 3:13 PM
Client Sample ID	MW-30	Sampling Time	10:00 AM	Extraction Date	
Matrix	Water	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Benzene	<1.0	µg/L	1	3/15/2018 4:15:00 PM	ARY	EPA 8021	
Ethylbenzene	<1.0	µg/L	1	3/15/2018 4:15:00 PM	ARY	EPA 8021	
m+p-Xylene	<2.0	µg/L	2	3/15/2018 4:15:00 PM	ARY	EPA 8021	
methyl-t-butyl ether (MTBE)	<1.0	µg/L	1	3/15/2018 4:15:00 PM	ARY	EPA 8021	
o-Xylene	<1.0	µg/L	1	3/15/2018 4:15:00 PM	ARY	EPA 8021	
Toluene	<1.0	µg/L	1	3/15/2018 4:15:00 PM	ARY	EPA 8021	
Total BTEX	<1.0	µg/L	1	3/15/2018 4:15:00 PM	ARY	EPA 8021	
Gasoline	<0.1	mg/L	0.1	3/27/2018 7:14:00 PM	ARY	NWTPHG	C9

Surrogate Data

Sample Number	180313059-001		
Surrogate Standard	Method	Percent Recovery	Control Limits
4-Bromofluorobenzene	EPA 8021	98.4	70-130
4-Bromofluorobenzene	NWTPHG	102.0	50-150

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 180313059
Project Name: X03390

Analytical Results Report

Sample Number	180313059-002	Sampling Date	3/13/2018	Date/Time Received	3/13/2018 3:13 PM		
Client Sample ID	MW-8	Sampling Time	10:55 AM	Extraction Date			
Matrix	Water	Sample Location					
Comments							
Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Benzene	4.47	µg/L	1	3/15/2018 6:09:00 PM	ARY	EPA 8021	
Ethylbenzene	<1.0	µg/L	1	3/15/2018 6:09:00 PM	ARY	EPA 8021	
m+p-Xylene	<2.0	µg/L	2	3/15/2018 6:09:00 PM	ARY	EPA 8021	
methyl-t-butyl ether (MTBE)	1.41	µg/L	1	3/15/2018 6:09:00 PM	ARY	EPA 8021	
o-Xylene	<1.0	µg/L	1	3/15/2018 6:09:00 PM	ARY	EPA 8021	
Toluene	<1.0	µg/L	1	3/15/2018 6:09:00 PM	ARY	EPA 8021	
Total BTEX	5.87	µg/L	1	3/15/2018 6:09:00 PM	ARY	EPA 8021	
Gasoline	0.372	mg/L	0.1	3/27/2018 7:52:00 PM	ARY	NWTPHG	C9

Surrogate Data

Sample Number	180313059-002			
Surrogate Standard	Method	Percent Recovery	Control Limits	
4-Bromofluorobenzene	EPA 8021	98.1	70-130	
4-Bromofluorobenzene	NWTPHG	103.0	50-150	

Certifications held by Anatek Labs ID: EPA-ID00013; AZ-0701; FL(NELAP):E87893; ID-ID00013; MT-CERT0028; NM: ID00013; NV-ID00013; OR-ID200001-002; WA:C595
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

Monday, April 09, 2018

Page 2 of 8

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 180313059
Project Name: X03390

Analytical Results Report

Sample Number	180313059-006	Sampling Date	3/13/2018	Date/Time Received	3/13/2018 3:13 PM
Client Sample ID	MW-5	Sampling Time	1:10 PM	Extraction Date	
Matrix	Water	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Benzene	77.7	µg/L	1	3/29/2018 6:40:00 PM	ARY	EPA 8021	C9
Ethylbenzene	377	µg/L	1	3/29/2018 6:40:00 PM	ARY	EPA 8021	C9
m+p-Xylene	175	µg/L	2	3/29/2018 6:40:00 PM	ARY	EPA 8021	C9
methyl-t-butyl ether (MTBE)	21.9	µg/L	1	3/29/2018 6:40:00 PM	ARY	EPA 8021	C9
o-Xylene	43.5	µg/L	1	3/29/2018 6:40:00 PM	ARY	EPA 8021	C9
Toluene	29.2	µg/L	1	3/29/2018 6:40:00 PM	ARY	EPA 8021	C9
Total BTEX	724	µg/L	1	3/29/2018 6:40:00 PM	ARY	EPA 8021	C9
Gasoline	14.6	mg/L	10	3/27/2018 5:20:00 PM	ARY	NWTPHG	C9

Surrogate Data

Sample Number	180313059-006		
Surrogate Standard	Method	Percent Recovery	Control Limits
4-Bromofluorobenzene	EPA 8021	102.0	70-130
4-Bromofluorobenzene	NWTPHG	103.0	50-150

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 180313059
Project Name: X03390

Analytical Results Report

Sample Number	180313059-005	Sampling Date	3/13/2018	Date/Time Received	3/13/2018 3:13 PM
Client Sample ID	WEST SUMP	Sampling Time	12:45 PM	Extraction Date	
Matrix	Water	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Benzene	<1.0	µg/L	1	3/15/2018 8:02:00 PM	ARY	EPA 8021	
Ethylbenzene	<1.0	µg/L	1	3/15/2018 8:02:00 PM	ARY	EPA 8021	
m+p-Xylene	<2.0	µg/L	2	3/15/2018 8:02:00 PM	ARY	EPA 8021	
methyl-t-butyl ether (MTBE)	<1.0	µg/L	1	3/15/2018 8:02:00 PM	ARY	EPA 8021	
o-Xylene	<1.0	µg/L	1	3/15/2018 8:02:00 PM	ARY	EPA 8021	
Toluene	<1.0	µg/L	1	3/15/2018 8:02:00 PM	ARY	EPA 8021	
Total BTEX	<1.0	µg/L	1	3/15/2018 8:02:00 PM	ARY	EPA 8021	
Gasoline	<0.1	mg/L	0.1	3/28/2018 9:46:00 PM	ARY	NWTPHG	C9

Surrogate Data

Sample Number	180313059-005	Method	Percent Recovery	Control Limits
Surrogate Standard				
4-Bromofluorobenzene	EPA 8021	99.5	70-130	
4-Bromofluorobenzene	NWTPHG	104.0	50-150	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 180313059
Project Name: X03390

Analytical Results Report

Sample Number	180313059-004	Sampling Date	3/13/2018	Date/Time Received	3/13/2018 3:13 PM
Client Sample ID	MW-2	Sampling Time	12:00 PM	Extraction Date	
Matrix	Water	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Benzene	2.29	µg/L	1	3/15/2018 7:24:00 PM	ARY	EPA 8021	
Ethylbenzene	12.4	µg/L	1	3/15/2018 7:24:00 PM	ARY	EPA 8021	
m+p-Xylene	8.13	µg/L	2	3/15/2018 7:24:00 PM	ARY	EPA 8021	
methyl-t-butyl ether (MTBE)	<1.0	µg/L	1	3/15/2018 7:24:00 PM	ARY	EPA 8021	
o-Xylene	1.53	µg/L	1	3/15/2018 7:24:00 PM	ARY	EPA 8021	
Toluene	<1.0	µg/L	1	3/15/2018 7:24:00 PM	ARY	EPA 8021	
Total BTEX	24.4	µg/L	1	3/15/2018 7:24:00 PM	ARY	EPA 8021	
Gasoline	0.776	mg/L	0.1	3/28/2018 9:08:00 PM	ARY	NWTPHG	C9

Surrogate Data

Sample Number	180313059-004		
Surrogate Standard		Method	Percent Recovery
4-Bromofluorobenzene		EPA 8021	98.1
4-Bromofluorobenzene		NWTPHG	109.0
			Control Limits
			70-130
			50-150

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 180313059
Project Name: X03390

Analytical Results Report

Sample Number	180313059-003	Sampling Date	3/13/2018	Date/Time Received	3/13/2018 3:13 PM
Client Sample ID	MW-13	Sampling Time	11:25 AM	Extraction Date	
Matrix	Water	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Benzene	6.66	µg/L	1	3/15/2018 6:46:00 PM	ARY	EPA 8021	
Ethylbenzene	23.8	µg/L	1	3/15/2018 6:46:00 PM	ARY	EPA 8021	
m+p-Xylene	49.7	µg/L	2	3/15/2018 6:46:00 PM	ARY	EPA 8021	
methyl-t-butyl ether (MTBE)	<1.0	µg/L	1	3/15/2018 6:46:00 PM	ARY	EPA 8021	
o-Xylene	7.04	µg/L	1	3/15/2018 6:46:00 PM	ARY	EPA 8021	
Toluene	2.91	µg/L	1	3/15/2018 6:46:00 PM	ARY	EPA 8021	
Total BTEX	83.1	µg/L	1	3/15/2018 6:46:00 PM	ARY	EPA 8021	
Gasoline	1.66	mg/L	0.1	3/28/2018 8:30:00 PM	ARY	NWTPHG	C9

Surrogate Data

Sample Number	180313059-003	Method	Percent Recovery	Control Limits
Surrogate Standard				
4-Bromofluorobenzene	EPA 8021	93.5	70-130	
4-Bromofluorobenzene	NWTPHG	103.0	50-150	

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 180313059
Project Name: X03390

Analytical Results Report


Sample Number	180313059-008	Sampling Date	3/13/2018	Date/Time Received	3/13/2018 3:13 PM
Client Sample ID	TRIP BLANK	Sampling Time		Extraction Date	
Matrix	Water	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Benzene	<1.0	µg/L	1	3/27/2018 6:36:00 PM	ARY	EPA 8021	C9
Ethylbenzene	<1.0	µg/L	1	3/27/2018 6:36:00 PM	ARY	EPA 8021	C9
m+p-Xylene	<2.0	µg/L	2	3/27/2018 6:36:00 PM	ARY	EPA 8021	C9
methyl-t-butyl ether (MTBE)	<1.0	µg/L	1	3/27/2018 6:36:00 PM	ARY	EPA 8021	C9
o-Xylene	<1.0	µg/L	1	3/27/2018 6:36:00 PM	ARY	EPA 8021	C9
Toluene	<1.0	µg/L	1	3/27/2018 6:36:00 PM	ARY	EPA 8021	C9
Total BTEX	<1.0	µg/L	1	3/27/2018 6:36:00 PM	ARY	EPA 8021	C9
Gasoline	<0.1	mg/L	0.1	3/27/2018 6:36:00 PM	ARY	NWTPHG	C9

Surrogate Data

Sample Number	180313059-008			
Surrogate Standard		Method	Percent Recovery	Control Limits
4-Bromofluorobenzene		EPA 8021	99.5	70-130
4-Bromofluorobenzene		NWTPHG	102.0	50-150

Authorized Signature


Kathleen A. Sattler, Lab Manager

C9 Confirmatory analysis was past holding time. Original result confirmed
MCL EPA's Maximum Contaminant Level
ND Not Detected
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.
The results reported relate only to the samples indicated.
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; NV:ID00013; OR:ID200001-002; WA:C595
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

Monday, April 09, 2018

Page 8 of 8

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Client: BUDINGER AND ASSOCIATES
Address: 1101 N FANCHER RD
SPOKANE VALLEY, WA 99212
Attn: STEVE BURCHETT

Batch #: 180313059
Project Name: X03390

Analytical Results Report

Sample Number	180313059-007	Sampling Date	3/13/2018	Date/Time Received	3/13/2018 3:13 PM
Client Sample ID	DUPLICATE	Sampling Time		Extraction Date	
Matrix	Water	Sample Location			
Comments					

Parameter	Result	Units	PQL	Analysis Date	Analyst	Method	Qualifier
Benzene	<1.0	µg/L	1	3/27/2018 5:58:00 PM	ARY	EPA 8021	C9
Ethylbenzene	<1.0	µg/L	1	3/27/2018 5:58:00 PM	ARY	EPA 8021	C9
m+p-Xylene	<2.0	µg/L	2	3/27/2018 5:58:00 PM	ARY	EPA 8021	C9
methyl-t-butyl ether (MTBE)	<1.0	µg/L	1	3/27/2018 5:58:00 PM	ARY	EPA 8021	C9
o-Xylene	<1.0	µg/L	1	3/27/2018 5:58:00 PM	ARY	EPA 8021	C9
Toluene	<1.0	µg/L	1	3/27/2018 5:58:00 PM	ARY	EPA 8021	C9
Total BTEX	<1.0	µg/L	1	3/27/2018 5:58:00 PM	ARY	EPA 8021	C9
Gasoline	<0.1	mg/L	0.1	3/27/2018 5:58:00 PM	ARY	NWTPHG	C9

Surrogate Data

Sample Number	180313059-007			
Surrogate Standard		Method	Percent Recovery	Control Limits
4-Bromofluorobenzene		EPA 8021	99.9	70-130
4-Bromofluorobenzene		NWTPHG	102.0	50-150

Customer Name: BUDINGER AND ASSOCIATES

1101 N FANCHER RD

SPOKANE VALLEY

WA

99212

Order ID: 180313059

Order Date: 3/13/2018

Contact Name: STEVE BURCHETT

Project Name: X03390

Comment: RUN DUP AND TRIP BLANK PER JASON ON 3/15/18

Sample #: 180313059-004 **Customer Sample #:** MW-2

Recv'd: ☒ **Matrix:** Water **Collector:** JASON PRITZL

Date Collected: 3/13/2018

Quantity: 3 **Date Received:** 3/13/2018 3:13:56 PM

Time Collected: 12:00 PM

Comment:

Test	Lab	Method	Due Date	Priority
BTEX 8021	S	EPA 8021	3/23/2018	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	3/23/2018	<u>Normal (~10 Days)</u>

Sample #: 180313059-005 **Customer Sample #:** WEST SUMP

Recv'd: ☒ **Matrix:** Water **Collector:** JASON PRITZL

Date Collected: 3/13/2018

Quantity: 3 **Date Received:** 3/13/2018 3:13:56 PM

Time Collected: 12:45 PM

Comment:

Test	Lab	Method	Due Date	Priority
BTEX 8021	S	EPA 8021	3/23/2018	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	3/23/2018	<u>Normal (~10 Days)</u>

Sample #: 180313059-006 **Customer Sample #:** MW-5

Recv'd: ☒ **Matrix:** Water **Collector:** JASON PRITZL

Date Collected: 3/13/2018

Quantity: 3 **Date Received:** 3/13/2018 3:13:56 PM

Time Collected: 1:10 PM

Comment:

Test	Lab	Method	Due Date	Priority
BTEX 8021	S	EPA 8021	3/23/2018	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	3/23/2018	<u>Normal (~10 Days)</u>

Sample #: 180313059-007 **Customer Sample #:** DUPLICATE

Recv'd: ☒ **Matrix:** Water **Collector:** JASON PRITZL

Date Collected: 3/13/2018

Quantity: 3 **Date Received:** 3/13/2018 3:13:56 PM

Time Collected:

Comment:

Test	Lab	Method	Due Date	Priority
BTEX 8021	S	EPA 8021	3/23/2018	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	3/23/2018	<u>Normal (~10 Days)</u>

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Login Report

Customer Name: BUDINGER AND ASSOCIATES

Order ID: 180313059

1101 N FANCHER RD
SPOKANE VALLEY WA 99212

Order Date: 3/13/2018

Contact Name: STEVE BURCHETT

Project Name: X03390

Comment: RUN DUP AND TRIP BLANK PER JASON ON 3/15/18

Sample #: 180313059-001 **Customer Sample #:** MW-30

Recv'd: ☒ **Matrix:** Water **Collector:** JASON PRITZL

Date Collected: 3/13/2018

Quantity: 3 **Date Received:** 3/13/2018 3:13:55 PM

Time Collected: 10:00 AM

Comment:

Test	Lab	Method	Due Date	Priority
BTEX 8021	S	EPA 8021	3/23/2018	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	3/23/2018	<u>Normal (~10 Days)</u>

Sample #: 180313059-002 **Customer Sample #:** MW-8

Recv'd: ☒ **Matrix:** Water **Collector:** JASON PRITZL

Date Collected: 3/13/2018

Quantity: 3 **Date Received:** 3/13/2018 3:13:56 PM

Time Collected: 10:55 AM

Comment:

Test	Lab	Method	Due Date	Priority
BTEX 8021	S	EPA 8021	3/23/2018	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	3/23/2018	<u>Normal (~10 Days)</u>

Sample #: 180313059-003 **Customer Sample #:** MW-13

Recv'd: ☒ **Matrix:** Water **Collector:** JASON PRITZL

Date Collected: 3/13/2018

Quantity: 3 **Date Received:** 3/13/2018 3:13:56 PM

Time Collected: 11:25 AM

Comment:

Test	Lab	Method	Due Date	Priority
BTEX 8021	S	EPA 8021	3/23/2018	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	3/23/2018	<u>Normal (~10 Days)</u>

Anatek
Labs,
Inc.

Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

80313 059 BUDI Last Due 3/23/2018
1st SAMP 3/13/2018 1st RCVD 3/13/2018
X03390

Company Name: Budinger & Associates, Inc.
Address: 1101 N. Fowler
City: Spokane Valley State: WA Zip: 99212
Phone: 509-535-8841
Fax: _____
Project Manager: Steve Burchett
Project Name & #: X03390
Email Address: sburchett@budingerinc.com
Purchase Order #: _____
Sampler Name & phone: Jason Pitzl 509-951-2401

Turn Around Time & Reporting

Please refer to our normal turn around times at:
<http://www.anateklabs.com/services/guidelines/reporting.asp>

☒ Normal
☐ Next Day*
☐ 2nd Day*
☐ Other*
*All rush order requests must be prior approved.
Phone _____
Mail _____
Fax _____
Email _____

Provide Sample Description

List Analyses Requested

Note Special Instructions/Comments

Lab ID	Sample Identification	Sampling Date/Time	Matrix	# of Containers	Sample Volume	TH	gas	BTEX	MTBE
	MW-30	3-13-18 10:00	GW	3					
	MW-4	1035							
	MW-13	1125							
	MW-2	1200							
	West Samp	1245							
	MW-5	1310							
	* Duplicate								
	Trip Blanks			2					

per-bloom run dup & trip 3/13/18
* Do not analyze dup or trip blank unless instructed by Steve B.

Inspection Checklist

Received Intact? ☒ Y ☐ N
Labels & Chains Agree? ☒ Y ☐ N
Containers Sealed? ☐ Y ☒ N
VOC Head Space? ☐ Y ☒ N

Hand/Coat/ice

Temperature (°C) 5.9/6.0/1Kth
Preservative H2O 10156293

Date & Time: 3-13-18

Inspected By: KIB

Refiniquished by	Printed Name	Signature	Company	Date	Time
Received by	Jason Pitzl	[Signature]	Budinger	3-13-18	1420
Refiniquished by	[Signature]	[Signature]	Anatek	3-13-18	1420
Received by					
Refiniquished by					
Received by					

Customer Name: BUDINGER AND ASSOCIATES

1101 N FANCHER RD

SPOKANE VALLEY

WA

99212

Order ID: 180313059

Order Date: 3/13/2018

Contact Name: STEVE BURCHETT

Project Name: X03390

Comment: RUN DUP AND TRIP BLANK PER JASON ON 3/15/18

Sample #: 180313059-008 **Customer Sample #:** TRIP BLANK

Recv'd: ☒ **Matrix:** Water

Collector: JASON PRITZL

Date Collected: 3/13/2018

Quantity: 1

Date Received: 3/13/2018 3:13:56 PM

Time Collected:

Comment:

Test	Lab	Method	Due Date	Priority
BTEX 8021	S	EPA 8021	3/23/2018	<u>Normal (~10 Days)</u>
TPHG-NW-SPO	S	NWTPHG	3/23/2018	<u>Normal (~10 Days)</u>

SAMPLE CONDITION RECORD

Samples received in a cooler?	Yes
Samples received intact?	Yes
What is the temperature of the sample(s)? (°C)	5.9 6.0
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	Yes
Are VOC samples free of headspace?	Yes
Is there a trip blank to accompany VOC samples?	Yes
Labels and chain agree?	Yes
Total number of containers?	23