

Whitten Oil Groundwater Monitoring June 2018 Sampling Report

Whitty's Chevron 370 West 5th Avenue Colville, Washington 99114

Project Number: 172206.00


Date: September 11, 2018

Prepared for:

Jeff Whitten 1118 27th Avenue Seattle, Washington 98122

Prepared by:

Fulcrum Environmental Consulting, Inc. 207 West Boone Avenue Spokane, Washington 99201



spokane, washington 509.459.9220

yakima, washington 509.574.0839



Report Title:	Whitten Oil Groundwater Monitoring June 2018 Sampling Report
Project Number:	172206.00
Date:	September 11, 2018
Site:	Whitty's Chevron 370 West 5 th Avenue Colville, Washington 99114
Prepared for:	Jeff Whitten 1118 27 th Avenue Seattle, Washington 98122
Prepared by:	Fulcrum Environmental Consulting, Inc. 207 West Boone Avenue Spokane, Washington 99201 509.459.9220

The professionals who completed site services and prepared and reviewed this report include, but are not limited to:

Authored by:

Date: 09/11/2018 all

Scott Groat, GIT Environmental Geologist


Reviewed by: <u>(Imand</u> Date: 09/11/2018

Amanda S. Johnson, GIT Environmental Geologist

Reviewed by:

1100 Date: 09/11/2018

Travis Trent, PG, CIH Principal





Report Integrity

Fulcrum Environmental Consulting, Inc.'s scope of service for this project was limited to those services as established in the proposal, contract, verbal direction, and/or agreement. This report is subject to applicable federal, state, and local regulations governing project-specific conditions and was performed using recognized procedures and standards of the industry. Scientific data collected in situ may document conditions that may be specific to the time and day of service, and subject to change as a result of conditions beyond Fulcrum's control or knowledge. Fulcrum makes no warranties, expressed or implied, as to the accuracy or completeness of other's work included herein. Fulcrum has performed these services in accordance with generally accepted environmental science standards of care at the time of the inspection. No warranty, expressed or implied, is made.



Table of Contents

SECTION	ON	PAGE
1.0	INTRO 1.1	DUCTION
	1.2	Site Description
	1.3	Site Hydrogeology
	1.4	Background
2.0	DISCU 2.1	SSION OF PERTINENT REGULATIONS AND GUIDANCE
	2.2	MTCA Cleanup Standards
3.0	FIELD 3.1	ACTIVITIES
4.0	RESUL 4.1	TS
		4.1.1Hydraulic Results
5.0 6.0		SSION

TABLES

FIGURES

Figure 1	Site Location Map
Figure 2	Historic Site Diagram Map
Figure 3	Site Diagram Map
Figure 4	Groundwater Elevation Map

APPENDICES

Appendix A	Professional Certifications	

- Appendix B Summary of Historical Data
- Appendix C 2005 Soil Sampling Results
- Appendix D Laboratory Analytical Results



1.0 INTRODUCTION

On June 27, 2018, Fulcrum Environmental Inc. (Fulcrum) completed a quarterly Groundwater Monitoring Event at Whitty's Chevron which is located at 370 West 5th Avenue in Colville, Washington. Monitoring was conducted to evaluate potential petroleum hydrocarbon impacts to site groundwater associated with a historic gasoline release identified in September 1989. Figure 1 presents a general Site Location Map.

Site services were completed by Amanda S. Johnson and Scott Groat, both Washington State-recognized Geologists-In-Training with Fulcrum. Work was completed under the direction of Travis Trent, a Washington State Licensed Geologist and Principal with Fulcrum. Relevant professional certifications are presented in Appendix A.

1.1 Scope of Services

In September 2017, Fulcrum was retained by Whitten Oil (Whitten) to complete groundwater sampling services of existing onsite groundwater monitoring wells at Whitty's Chevron which is located at 370 West 5th Avenue in Colville, Washington. Fulcrum's scope of work consisted of review of provided historic documentation; site reconnaissance to determine the presence and condition of historic onsite groundwater monitoring wells; and sampling of up to five (5) existing and functional groundwater monitoring wells for gasoline and benzene, toluene, ethyl benzene, and xylene (BTEX). Results of the investigation and testing are presented in this summary report.

1.2 Site Description

The site is located on the northeast corner of West Fifth Avenue (U.S. Highway 395) and North Lincoln Street in Colville, Washington. The subject facility functions as an active gasoline service station and car wash. One (1) refueling area containing one (1) dispenser island were observed to be located south of the office building, while another gasoline/diesel refueling area containing two (2) dispenser islands was observed to be located north of the office building. A new dispensing island located southeast of the office building was observed to have been constructed since Fulcrum's previous groundwater sampling event. Four (4) operational underground storage tanks (UST) were reported to be located west of the office building within the southern portion of the property: two (2) 10,000-gallon diesel tanks; one (1) 6,000-gallon premium gasoline tank; and one (1) 10,000-gallon unleaded gasoline tank. A six-bay carwash station is located northwest of the office building.

The entire surface of the property was observed to be covered by concrete or asphalt, with the exception of a small area immediately east of the office building. Beneath the paved surface are 3 to 8 feet (ft) of sandy fill material underlain by fine-grained alluvium. Bedrock was not reported to have been encountered down to 14.5 feet below ground surface (ft bgs) during historic drilling activities.

1.3 Site Hydrogeology

The site sits approximately 1,586 feet (ft) above mean sea level (MSL). The inferred groundwater flow direction is to the northwest, generally following surface topography of the area, with a hydraulic gradient of 0.023.

During Fulcrum's investigation, recorded site groundwater levels ranged from 5.24 to 5.53 ft bgs.



1.4 Background

The following information is summarized in part from prior project reporting provided by the owner. Fulcrum has made no independent investigation to verify accuracy of provided historic site information. A copy of select representative historic documentation is provided in Appendix B.

The subject facility has been in operation as a service station or bulk plant since the 1950s. Whitten Oil began operation around 1973, and the carwash was constructed around 1988. In September 1989, Petroleum Equipment Sales, Inc. (PES) was reportedly retained to decommission and replace onsite USTs during the construction of a new tank basin. Sunrise Environmental Services (SES) was reportedly retained by PES to observe the removal of the USTs and provide recommendations for corrective action. PES reportedly removed a total of six (6) USTs from the site with one (1) UST abandoned in place due to its location beneath the onsite office building. Three (3) of the USTs were reported to have been suspect for leakage. Approximately 1,200 cubic yards of petroleum-contaminated soil was removed along with the USTs.

Following removal of the USTs and associated contaminated soils, additional site investigation was conducted to evaluate the potential for residual soil and/or groundwater impact. In January 1990, Delta Environmental Consultants (Delta) supervised drilling activities performed by Budinger & Associates. Six (6) soil borings were drilled in suspected areas of petroleum hydrocarbon contamination to investigate for potential petroleum hydrocarbon impact to site soils/groundwater. The depth of soil borings ranged from 10 to 14.5 ft bgs. Soil samples were collected at five-foot intervals during the advancement of soil borings. Soil samples that exhibited a petroleum hydrocarbon odor were submitted to Technology Laboratory, Inc. of Fort Collins, Colorado for benzene, toluene, ethylbenzene, xylenes (BTEX) and total hydrocarbon analyses. Laboratory analysis identified petroleum hydrocarbons in only one of the collected samples (SB-5). Concentrations were reportedly below Washington State Department of Ecology's specified guidelines at the time.

All soil borings, with the exception of SB-5, were completed as groundwater monitoring wells, and groundwater samples were collected and submitted to Technology Laboratory, Inc. of Fort Collins, Colorado for BTEX and total hydrocarbon analyses. Laboratory analyses for BTEX and total hydrocarbons indicated that the groundwater had been impacted at the subject site. The highest hydrocarbon concentrations were detected in groundwater samples from monitoring wells MW-2 and MW-4, which were located in close proximity to the former UST basin. Detectable hydrocarbon concentrations were also found in downgradient monitoring well MW-6. It was Delta's professional opinion that site conditions posed little threat to humans or the environment due to tight soil conditions, thus preventing contamination from migrating off site. Therefore, no significant remedial action was recommended. Locations of the historic soil borings, monitoring wells, and approximate areas of excavation are presented as Figure 2. Historic soil boring and groundwater monitoring data is presented as Appendix B.

In December 2005, additional soil sampling was conducted by Northwest Environmental Solutions, Inc. to facilitate the change in ownership for the subject site. The investigation consisted of five (5) soil borings drilled in areas proximal to regions of historic soil work or current UST presence. The depth of the soil borings ranged from 5 to 15 ft bgs. One soil sample was collected at the bottom of each soil boring. All five soil samples were submitted to Spectra Laboratories of Tacoma, Washington for lead, methyl tert-butyl ether (MTBE), BTEX, and for concentrations of diesel-range hydrocarbons by Northwest Total Petroleum Hydrocarbons as diesel (NWTPH-Dx), as oil (NWTPH-Oil), and as gasoline (NWTPH-Gx). Detectable analytes (gasoline range petroleum hydrocarbons, ethyl benzene, toluene, xylene, and lead) were reported in soil boring 2-A and (toluene and xylene) were detected in soil borings 2-C and 2-D all below MTCA Method A cleanup levels for soil. The 2005 historic soil boring results and locations are presented as Appendix C.



2.0 DISCUSSION OF PERTINENT REGULATIONS AND GUIDANCE

2.1 MTCA Regulations

In Washington State, MTCA Cleanup Regulations became effective in March of 1989, with amended MTCA Cleanup Regulations effective in February of 2001. The MTCA Cleanup Regulations set standards to ensure quality of cleanup and protection of human health and the environment.

A major portion of the MTCA regulations are the development of numerical cleanup standards and requirements for cleanup actions. MTCA establishes three options for site-specific cleanup levels: Method A, B, and C. Method A defines cleanup levels for 25 to 30 of the most common hazardous substances found in soil and groundwater. Method B cleanup levels are established using applicable state and federal laws, risk assessment equations, and other requirements specified for each medium. Method C is similar to Method B, but cleanup levels are based on less stringent exposure assumptions, and the lifetime cancer risk is set at 1 in 100,000 rather than 1 in 1,000,000.

2.2 MTCA Cleanup Standards

Contaminants of concern at the subject site are gasoline-range hydrocarbons and BTEX, for which regulatory cleanup limits are provided under MTCA Method A. Based on the contaminants released at the subject site, the Method A Cleanup Levels are the most appropriate and conservative for determining site cleanup.

3.0 FIELD ACTIVITIES

3.1 Groundwater Sampling

On June 27, 2018, Fulcrum completed groundwater sampling of the following five (5) monitoring wells; CW-01, CW-02, MW-03, MW-04, and MW-06. Two of the historic monitoring wells, MW-01 and MW-02, were not located during Fulcrum's investigation and have likely been either decommissioned or paved over. Five (5) groundwater samples (WOS-062718-CW01, -CW02, -MW03, -MW04, -MW06) and one (1) field duplicate sample (WOS-062718-MW7) were collected for a total of six (6) groundwater samples. Prior to sample collection, Fulcrum measured the depth to groundwater (DTW) and depth to bottom (DTB) utilizing an electronic water level indicator accurate to \pm 0.01 foot. Elevation corrections were made using wellhead elevation data from the subject site. Sampling activities were completed using a peristaltic pump or submersible pump and Hanna brand water quality instruments.

Samples were placed in a pre-cooled ice chest and shipped under standard chain-of-custody for analysis to Fremont Analytical Inc. (Fremont), a Washington State certified laboratory located in Seattle, Washington. Personnel conducting analysis are trained in accordance with the laboratory's internal quality assurance/quality control (QA/QC) policy. A site diagram map is presented as Figure 3.

4.0 RESULTS

4.1 Laboratory Analytical Results

All groundwater samples were analyzed for concentrations of gasoline-range hydrocarbons by Northwest Total Petroleum Hydrocarbons as Gasoline (NWTPH-Gx), and benzene, toluene, ethylbenzene, and



xylenes (BTEX) by EPA Method 8260c. Table 1 summarizes sample identification, locations, and analyte concentrations, which are reported in micrograms per liter (μ g/L). Copies of current laboratory analytical results are presented in Appendix D.

Results	(µg/L)											
Location	Sample #	Groundwater Elevation ¹	Gasoline	Benzene	Toluene	Ethyl- benzene	Xylene					
CW-01	WOS-062718- CW1	93.97	ND	ND	ND	ND	ND					
CW-02	WOS-062718- CW2	93.77	ND	ND	ND	ND	ND					
MW-03	WOS-062718- MW3	93.30	ND	ND	ND	ND	ND					
	WOS-062718- MW7	93.30	ND	ND	ND	ND	ND					
MW-04	WOS-062718- MW4	93.47	284	5.84	1.32	16.6	ND					
MW-06	MW-06 WOS-062718- MW6		101	ND	ND	ND	ND					
Ν	ATCA Cleanup Le	vels ²	800*	5	1,000	700	1,000					

 Table 1: Whitty's Chevron Groundwater Analytical Results for June 27, 2018

Bold – MTCA Method A exceedance

ND - Nondetect

 $\mu g/L$ – Micrograms per liter ($\mu g/L$), equivalent to parts per billion (ppb)

1 – Elevations are based on an arbitrary datum of 100.00 feet

2 – Model Toxic Cleanup Act Method A Cleanup Levels for groundwater in $\mu g/L$, as established by the Washington State Department of Ecology

*Established cleanup level when benzene is present in groundwater

Laboratory analytical results report detectable concentrations of benzene for monitoring well MW-04 at 5.84 μ g/L, which is above the MTCA Method A cleanup level of 5 μ g/L.

Analytical results report detectable concentrations of gasoline-range hydrocarbons for monitoring wells MW-04 and MW-06 at 284 μ g/L and 101 μ g/L, respectively, which are below the MTCA Method A cleanup level of 800 μ g/L.

Analytical results identified the presence of toluene and ethylbenzene in monitoring well MW-04 at 1.32 μ g/L and 16.6 μ g/L, which are both below the respective MTCA Method A Cleanup Levels of 1,000 μ g/L and 700 μ g/L. Laboratory results report nondetect concentrations for benzene, toluene, ethyl-benzene, and xylene in MW-06 and nondetect concentrations for all analytes in CW-01 CW-02, and MW-03.

4.1.1 Hydraulic Results

The groundwater flow direction, as determined by this sampling and monitoring event, is north-northwest with a hydraulic gradient of 0.023 (2.01-ft change in groundwater depth over 87-feet), which is consistent with site geomorphology. A groundwater elevation map is presented as Figure 4.



4.1.2 Data Quality

Samples were shown as received by the laboratory at an acceptable temperature. Results for Fulcrum's field duplicate were within an acceptable range of variance. Qualifiers were not present in the laboratory quality control (QC) sample results report. Based on reported analytical results, identified cleanup standards, and the absence of lab data qualifiers, it is Fulcrum's opinion that field and laboratory data quality results confirm acceptable accuracy of analytical data.

5.0 DISCUSSION

Review of current groundwater analytical data indicates the following:

- **CW-01 and CW-02:** Analytical results for groundwater samples collected from CW-01 and CW-02 reported nondetectable concentrations for gasoline-range hydrocarbons, benzene, toluene, ethyl benzene, and xylene at the laboratory method detection limit.
- **MW-03:** Analytical results for groundwater samples collected from MW-03 reported nondetectable concentrations for gasoline-range hydrocarbons, benzene, toluene, ethyl benzene, and xylene at the laboratory method detection limit.
- **MW-04:** Analytical results for the groundwater sample collected from MW-04 reported concentrations of benzene detected above MTCA Method A cleanup levels. Analytical results for groundwater samples collected from MW-04 reported detectable concentrations of gasoline-range hydrocarbons, ethyl benzene, and toluene below MTCA Method A cleanup levels, and nondetectable concentrations for xylene at the laboratory method detection limit.
- **MW-06:** Analytical results for groundwater samples collected from MW-06 reported detectable concentrations of gasoline-range hydrocarbons below MTCA Method A cleanup levels, and nondetectable concentrations for benzene, toluene, ethyl benzene, and xylene at the laboratory method detection limit.

The June 2018 groundwater analytical data indicates contaminant concentrations in all wells to be below MTCA method A cleanup levels with the exception benzene in MW-04.


6.0 RECOMMENDATIONS

Based on the results of this investigation, Fulcrum recommends continued monitoring of existing groundwater monitoring wells to further characterize site groundwater.



FIGURES


Whitten Oil Groundwater Monitoring June 2018 Sampling Report



LEGEND

Map Location






Second Quarter June 2018 Groundwater Sampling Event Whitty's Chevron 370 West 5th Avenue Colville, Washington




FULCRUM ENVIRONMENTAL CONSULTING, INC. 207 W. BOONE AVENUE SPOKANE, WASHINGTON 99201 (509) 459-9220 www.efulcrum.net


MAP BY: S. Groat DATE: August 15, 2018	
DATE: August 15, 2018	

PROJECT NUMBER: 172206.00 REVIEWED BY: T. Trent 6TH Avenue



6TH Avenue







APPENDIX A

Professional Certifications

Whitten Oil Groundwater Monitoring June 2018 Sampling Report

STATE OF WASHINGTON DEPARTMENT OF LICENSING – BUSINESS AND PROFESSIONS DIVISION THIS CERTIFIES THAT THE PERSON OR BUSINESS NAMED BELOW IS AUTHORIZED AS A

GEOLOGIST HYDROGEOLOGIST

TRAVIS LYLE TRENT FULCRUM ENVIRONMENTAL CONSULT. 207 WEST BOONE AVENUE SPOKANE WA 99201

> **364** License Number

Same Same

01/08/2002 Issued Date **06/06/2019** Expiration Date

LOCACO M

PL-630-159 (R/3/16)



APPENDIX B

Historic Data

Whitten Oil Groundwater Monitoring June 2018 Sampling Report

HISTORIC GROUNDWATER ELEVATION AND ANALYTICAL DATA

Whitty's Chervon

370 West Fifth Avenue Colville, Washington

Boring	Sampling	ERP	DS	TD	TPH	NWTPH-Gx	В	Т	Е	Х
ID	Date	(feet)	(feet)	(feet)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
SB-1	1/8/1990	100.20		15.00						
SB-2	1/8/1990	99.39	10.00	15.00	ND	ND	ND	ND	ND	ND
SB-3	1/9/1990	99.30		15.00						
SB-4	1/9/1990	98.96	5.00	15.00	ND	ND	ND	ND	ND	ND
SB-5	1/9/1990	99.29	5.00	15.00	1,220		0.476	1.38	5.62	50.2
SB-6	1/9/1990	97.87		15.00						
Well	Sampling	ERP	DTW	GWE	TPH	NWTPH-Gx	В	Т	Е	Х
ID	Date	(feet)	(feet)	(feet)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
CW-1	1/10/1990	99.50	5.82	93.68						
C W-1	9/13/2017	99.50 99.50	5.82 5.91	93.08 93.59		 ND	 ND	 ND	 ND	 ND
	12/11/2017	99.50 99.50	4.96	93.59 94.54		ND	ND	ND	ND	ND
	3/26/2018	99.50	4.71	94.79		ND	ND	ND	ND	ND
	3/26/2018	99.50	4.71	94.79		ND	ND	ND	ND	ND
	6/27/2018	99.50	5.53	93.97		ND	ND	ND	ND	ND
	0/2//2010	<i>)).30</i>	5.55)).))		ND	ND	ND	ND	ND
CW-2	1/10/1990	99.01	5.33	93.68						
	9/13/2017	99.01	5.64	93.36		ND	ND	ND	ND	ND
	12/11/2017	99.01	4.65	94.36		ND	ND	ND	ND	ND
	3/26/2018	99.01	4.39	94.62		ND	ND	ND	ND	ND
	6/27/2018	99.01	5.24	93.77		ND	ND	ND	ND	ND
MW-1	1/10/1990 Decommissioned	100.00	5.59	94.41	ND		ND	ND	ND	ND
MW-2	1/10/1990	98.92	4.51	94.41	2,460		1,643.0	409.00	ND	2955.00
	Decommissioned	<i>J</i> 0. <i>J</i> 2	7.51	77.71	2,400		1,045.0	407.00	ND	2755.00
MW-3	1/10/1990	98.56	5.77	92.79	ND		ND	ND	ND	ND
	9/13/2017	98.56	5.55	93.02		131.00	ND	ND	ND	ND
	12/11/2017	98.56	5.05	93.51		ND	1.65	ND	ND	ND
	12/11/2017	98.56	5.05	93.51		ND	1.60	ND	ND	ND
	3/26/2018	98.56	4.44	94.12		ND	ND	ND	ND	ND
	6/27/2018	98.56	5.26	93.30		ND	ND	ND	ND	ND
									ND	284.00
MW-4	1/10/1990	98.27	4.06	94.21	3,050		118	23.00	ND	
MW-4	1/10/1990 9/13/2017	98.27 98.27	4.06 5.32	<i>94.21</i> 92.96	3,050 	558.00	<i>118</i> 4.03	23.00 ND	1.51	1.46
MW-4										
MW-4	9/13/2017	98.27	5.32	92.96		558.00	4.03	ND	1.51	1.46
MW-4	9/13/2017 9/13/2017	98.27 98.27 98.27 98.27	5.32 5.32	92.96 92.96		558.00 547.00	4.03 ND	ND ND	1.51 ND	1.46 ND
MW-4	9/13/2017 9/13/2017 12/11/2017	98.27 98.27 98.27	5.32 5.32 4.13	92.96 92.96 94.17	 	558.00 547.00 702.00	4.03 ND 6.81	ND ND 1.07	1.51 ND 9.07	1.46 ND ND
MW-4 MW-6	9/13/2017 9/13/2017 12/11/2017 3/26/2018	98.27 98.27 98.27 98.27	5.32 5.32 4.13 3.75	92.96 92.96 94.17 94.52	 	558.00 547.00 702.00 302.00	4.03 ND 6.81 4.63	ND ND 1.07 1.34	1.51 ND 9.07 15.70	1.46 ND ND ND
	9/13/2017 9/13/2017 12/11/2017 3/26/2018 6/27/2018	98.27 98.27 98.27 98.27 98.27 98.27	5.32 5.32 4.13 3.75 4.80	92.96 92.96 94.17 94.52 93.47	 	558.00 547.00 702.00 302.00 284.00	4.03 ND 6.81 4.63 5.84 9.00	ND ND 1.07 1.34 1.32 5.00	1.51 ND 9.07 15.70 16.60	1.46 ND ND ND ND
	9/13/2017 9/13/2017 12/11/2017 3/26/2018 6/27/2018 1/10/1990	98.27 98.27 98.27 98.27 98.27 98.27	5.32 5.32 4.13 3.75 4.80 9.01	92.96 92.96 94.17 94.52 93.47 88.26	 ND	558.00 547.00 702.00 302.00 284.00	4.03 ND 6.81 4.63 5.84	ND ND 1.07 1.34 1.32	1.51 ND 9.07 15.70 16.60	1.46 ND ND ND
	9/13/2017 9/13/2017 12/11/2017 3/26/2018 6/27/2018 1/10/1990 9/13/2017	98.27 98.27 98.27 98.27 98.27 97.27 97.27	5.32 5.32 4.13 3.75 4.80 9.01	92.96 92.96 94.17 94.52 93.47 88.26	 ND 	558.00 547.00 702.00 302.00 284.00	4.03 ND 6.81 4.63 5.84 9.00 ND	ND ND 1.07 1.34 1.32 5.00 ND	1.51 ND 9.07 15.70 16.60 <i>15.00</i> ND	1.46 ND ND ND 80.00 ND
	9/13/2017 9/13/2017 12/11/2017 3/26/2018 6/27/2018 1/10/1990 9/13/2017 12/11/2017	98.27 98.27 98.27 98.27 98.27 97.27 97.27 97.27	5.32 5.32 4.13 3.75 4.80 9.01 	92.96 92.96 94.17 94.52 93.47 88.26 	 ND 	558.00 547.00 702.00 302.00 284.00	4.03 ND 6.81 4.63 5.84 9.00 ND	ND ND 1.07 1.34 1.32 5.00 ND	1.51 ND 9.07 15.70 16.60 <i>15.00</i> ND	1.46 ND ND ND 80.00 ND

Notes :

MTCA Method A exceedences shown in bold

Historic Data not collected by Fulcrum shown in italics

NE	Not Established. Indvidual analyte thresholds for Total Petroleum Hydrocarbons (TPH) have not been establish are referenced as the appropriate regulatory values above
TPH	Total Petroleum Hydrocarbons
TD	Total Boring Depth
Notes :	
DS	Depth Sampled
ERP	Elevation of riser pipe based on an arbitrary datum of 100.00 feet
DTW	Depth to water
GWE	Groundwater elevation based on an arbitrary datum of 100.00 feet
NWTPHGx	Northwest total petroleum hydrocarbons as gasoline;
BTEX	Benzene, toluene, ethylbenzene and total xylenes
μg/L	micrograms per liter or parts per billion
ND	Not detected in concentrations exceeding laboratory method detection limit
	Not available, not tested, not measured



APPENDIX C

2005 Soil Sampling Results

Whitten Oil Groundwater Monitoring June 2018 Sampling Report




TABLE 1 SOIL SAMPLE RESULTS CHEVRON NORTH COLVILLE

DEPTH OF SAMPLE	15'	14	5	5'	5
ANALYSES NWTPH-OIL	2-A <100	2-B <100 <10	2-C <100 <10	2-D <100 <10	2-E <100 <10
NWTPH-DIESEL NWTPH-GAS	<u><10</u> 8	<5.0	<5.0	<5.0	<5.0
BENZENE	<0.025	Antoine and an an an and an	Contraction , surgering and the cal	Contraction of the second second	Contraction of the second second
ETHYLBENZENE MTBE	0.12	<0.025 <0.025	<0.025 <0.025	<0.025 <0.025	<0.025 <0.025
TOLUENE	0.229	<0.05 <0.05	0.111	0.066	<0.05 <0.05
TOTAL LEAD	13	N/A	N/A	N/A	N/A

N/A = NOT ANALYZED (verifys analyte is below cleanup standards for highest NWTPH-G concentration reported)

BOLDED RESULTS - ABOVE CLEANUP STANDARDS

ITALICIZED RESULTS = ESTIMATED CONCENTRATION. RESULT IS ABOVE NORMAL CALIBRATION RANGE. FINAL RESULT IS MOST LIKELY HIGHER <1.25 ?= SAMPLE METHOD DETECTION LIMIT WAS DILUTED ABOVE CLEANUP STANDARD DUE TO HIGH CONCENTRATION OF OTHER ANALYTE DETECTED Glendon

SPECTRA Laboratories 2221 Ross Way • Taconia, WA 98421 • (253) 272-4850 • Fax (253) 572-9838 • www.spectra-lab.com

1

.

.

Rush

12/16/2005	P.O.#: Project: Client 1D:	Pd Ck #7160319036 Whitton Oil 2-A
incompany Solutions Inc	Sample Matrix:	Soil
Northwest Environmental Solutions, Inc.	Date Sampled:	12/08/2005
PO Box 1583	Date Received.	12/12/2005
Gunner, WA 98390	Spectra Project:	2005120100
Attn: rete vanderveide	Spectra Number:	

An	alyte	Kesult	Units	Method
Ules		~IÚ	mg/Kg	NWITH-D
Oil		<100	mg/Kg	NM IAH-N
Gas	oline	8	mg/K.g	NWIPH-G
Ben	zene	<0.025	mg/Kg	2M240 2200B
Ethy	ylbenzene	0.12	mg/Kg	5 w 840 8200M
Met	thyl-ten-Butyl Ether	~0.025	mg/Kg	SW 840 82000
Tol	nene	0.229	mg/Kg	5W840 52005
Ìot	ai Xylenca	0.69	mg/Kg	5 W 840 820VD

Sunnapar	Recovery	Norther Me
Tabayar 20	3.5.2	a when it. A
d. Harmen Annanaharman	213	NWTPH.C
p /%/prenys	- ue	فللافة والافتحاج

SPELINA LABUKARINIPS

LIVE THE FORMARD VINISIANS

F308 1 01 0

 $\mathbf{x}_{i} \in \mathbf{x}$

a service a service servic

SPECTRA Laboratories 2221 Ross Way * Tacoma, WA 98421 * (253) 272-4850 * Fax (253) 572-9838 * www.specira-lab.com

. .

12/16/2005 Northwest Environmental Solutions, Inc PO Box 1583	Project: Client ID: Sample Matrix: Date Sampled:	Pd Ck #7160319036 Whirton Oil 2-B Soil 12/08/2005
Sumner, WA 98390 Attn: Pete Vandervelde	Date Received: Spectra Project: Spectra Number:	

Analyte	Result	Units	Method
Diesel	<10	mg/Kg	NWTPH-D
Oil	<100	mg/Kg	NWTPH-D
20-01 (KUR3	<5	mg/Kg	NWTPH-G
Gasoline	<0.025	mg/Kg	SW846 8260B
Benzene	<0.025	mg/Kg	SW846 8260B
Ethylbenzcne		mg/Kg	SW846 8260B
Methyl-tert-Butyl Ether	<0.025		SW846 8260B
Toluenc	<0.05	mg/Kg	
Total Xylenes	<0.05	mg/Kg	SW846 8260B

Surrogenic	Kabovery	Method
and a state of the	118	NWIPH-G
Tobane-15 4-Basserfluorobenzeue	111	NWIPH-U
p-Terphynyl	60	HWIPH-D

SPECTRA LABORATORIES

Steve Hibbs, Laboratory Manager e6/ith

Page 2 of 5

ROM

TRA Laboratories SPE 2221 Ross Way • Tacoma, WA 98421 • (253) 272-485() • Fax (253) 572-9838 • www.spectra-lab.com

.....

Pd Ck #7160319036 P.O.#: Whitton Oil Project: 12/16/2005 2-C Client ID: Sample Matrix: Soil Northwest Environmental Solutions, Inc 12/08/2005 Date Sampled: PO Box 1583 Date Received: 12/12/2005 Summer, WA 98390 Spectra Project: 2005120166 Attn: Pete Vandervelde Spectra Number: 3 Rush

....

Analyte	Result	Units	Method
Diesel	<10	mg/K.g	NWTPH-D
Oil	<100	mg/Kg	NWTPH-D
Gasoline	<5	mg/Kg	NWTPH-G
Benzene	<0.025	mg/Kg	SW846 8260B
Ethylbenzene	<0.025	mg/Kg	SW846 8260B
Methyl-tert-Butyl Ether	<0.025	mg/Kg	SW846 8260B
Tolucne	0.111	mg/Kg	SW846 8260B
Total Xylenes	0.099	mg/Kg	SW846 8260B

SUTOBAR	Accovery	Method
Construction and a second se	111	NWTPH-G
1'elastic+db		
& Brumalluorobeaseac	119	NWTPK-C
p-Tanhany!	62	NWTPH-D

SPECTRA LABORATORIES

Steve Hibbs, Laboratory Manager naijjh 12411020 10 5000 11-10/01/11 10/01 01 0201141 Page 3 of 5

SPECTRA Laboratories

2221 Ross Way * Tacoma, WA 98421 * (253) 272-4850 * Fax (253) 572-9838 * www.spectra-lab.com

12/16/2005 Northwest Environmental Solutions, Inc PO Box 1583 Summer, WA 98390	Project: Client ID: Sample Matrix:	Pd Ck #7160319036 Whitton Oil 2-D Soil 12/08/2005 12/12/2005 2005120166
Attn: Pete Vandervelde	Spectra Number:	

Analyte	Result	Units	Method
Diesel	<10	ing/Kg	NWTPH-D
Oil	<100	mg/Kg	NWTPH-D
	<\$	mg/Kg	NWTPH-G
Gasoline	<0.025	mg/Kg	SW846 8260B
Benzene	<0.025	mg/Kg	SW846 8260B
Ethylbenzene		mg/Kg	SW846 8260B
Methyl-tert-Butyl Ether	<0.025		SW846 8260B
Toluene	0.066	mg/Kg	SW846 8260B
Total Xylenes	0.081	mg/Kg	3 W 540 820VD

Recovery	Method
115	NWTHH-G
112	NWTH-G
76	NWTPH-D
	115

SPECTRA LABORATORIES

Steve Hibbs, Laboratory Manager adigh Page 4 of 5

1 . .

والمعالم والمعالية و

RA Laboratories 2221 Ross Way • Tacoma, WA 98421 • (253) 272-4850 • Fax (253) 572-9838 • www.spectra-lab.com

......

12/16/2005

Pd Ck #7160319036 P.O.#: Whitton Oil Project: 2-E Client ID: Sample Matrix: Soil Northwest Environmental Solutions, Inc 12/08/2005 Date Sampled: PO Box 1583 Date Received: 12/12/2005 Summer, WA 98390 Spectra Project: 2005120166 Attn: Pete Vandervelde Spectra Number: 5 Rush

.. ..

Analyte	Result	Units	Method
Diesel	<10	mg/Kg	NWTPH-D
Oil	<100	mg/Kg	NWTPH-D
Gasoline	<5	mg/Kg	NWTPH-G
Benzenc	<0.025	mg/Kg	SW846 8260B
Ethylbenzene	<0.025	mg/Kg	SW846 8260B
Methyl-tert-Butyl Ether	<0.025	mg/Kg	SW846 8260B
Toluene	<0.05	mg/Kg	SW846 8260B
Total Xylenes	<0.05	mg/Kg	SW846 8260B

Surveysie	Reservery	Melhod
and guines and the side of the second statements	112	NWITH
Icineus-q ₂	113	NWITH-O
4-目和Internormation	14.7.5.0	NW341433
p-Terphenyl	62	MAN I MISSIN

SPECTRA LABORATORIES

Steve Hibbs, Laboratory Manager

Page 5 of 5



APPENDIX D

Laboratory Analytical Results



3600 Fremont Ave. N. Seattle, WA 98103 T: (206) 352-3790 F: (206) 352-7178 info@fremontanalytical.com

Fulcrum Environmental Amanda Johnson 207 W Boone Ave. Spokane, WA 99201

RE: Whitten Oil Soil Work Order Number: 1806382

July 09, 2018

Attention Amanda Johnson:

Fremont Analytical, Inc. received 6 sample(s) on 6/29/2018 for the analyses presented in the following report.

Gasoline by NWTPH-Gx

Volatile Organic Compounds by EPA Method 8260C

This report consists of the following:

- Case Narrative
- Analytical Results
- Applicable Quality Control Summary Reports
- Chain of Custody

All analyses were performed consistent with the Quality Assurance program of Fremont Analytical, Inc. Please contact the laboratory if you should have any questions about the results.

Thank you for using Fremont Analytical.

Sincerely,

Chelsea Ward Project Manager

CC: Scott Groat Travis Trent

DoD/ELAP Certification #L17-135, ISO/IEC 17025:2005 ORELAP Certification: WA 100009-007 (NELAP Recognized)



CLIENT:Fulcrum EnvironmentalProject:Whitten Oil SoilWork Order:1806382		Work Order Sample Summa			
Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received		
1806382-001	WOS-062718-MW3	06/27/2018 3:05 PM	06/29/2018 9:50 AM		
1806382-002	WOS-062718-MW4	06/27/2018 12:48 PM	06/29/2018 9:50 AM		
1806382-003	WOS-062718-MW6	06/27/2018 3:43 PM	06/29/2018 9:50 AM		
1806382-004	WOS-062718-MW7	06/27/2018 4:00 PM	06/29/2018 9:50 AM		
1806382-005	WOS-062718-CW1	06/27/2018 2:20 PM	06/29/2018 9:50 AM		
1806382-006	WOS-062718-CW2	06/27/2018 1:00 PM	06/29/2018 9:50 AM		



Case Narrative

WO#: **1806382** Date: **7/9/2018**

CLIENT:Fulcrum EnvironmentalProject:Whitten Oil Soil

WorkOrder Narrative:

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

Qualifiers & Acronyms



WO#: **1806382** Date Reported: **7/9/2018**

Qualifiers:

- * Flagged value is not within established control limits
- B Analyte detected in the associated Method Blank
- D Dilution was required
- E Value above quantitation range
- H Holding times for preparation or analysis exceeded
- I Analyte with an internal standard that does not meet established acceptance criteria
- J Analyte detected below Reporting Limit
- N Tentatively Identified Compound (TIC)
- Q Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- (<20%RSD, <20% Drift or minimum RRF)
- S Spike recovery outside accepted recovery limits
- ND Not detected at the Reporting Limit
- R High relative percent difference observed

Acronyms:

%Rec - Percent Recovery **CCB** - Continued Calibration Blank CCV - Continued Calibration Verification **DF** - Dilution Factor HEM - Hexane Extractable Material **ICV** - Initial Calibration Verification LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate MB or MBLANK - Method Blank MDL - Method Detection Limit MS/MSD - Matrix Spike / Matrix Spike Duplicate PDS - Post Digestion Spike Ref Val - Reference Value **RL** - Reporting Limit **RPD** - Relative Percent Difference SD - Serial Dilution SGT - Silica Gel Treatment SPK - Spike Surr - Surrogate



Client: Fulcrum Environmental Project: Whitten Oil Soil	Collection Date: 6/27/2018 3:05:00 PM					
Lab ID: 1806382-001	Matrix: Groundwater					dwater
Client Sample ID: WOS-062718-MW	3					
Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Gasoline by NWTPH-Gx				Batcl	h ID:	21146 Analyst: MW
Gasoline	ND	50.0		µg/L	1	7/4/2018 2:23:49 PM
Surr: Toluene-d8	98.2	65 - 135		%Rec	1	7/4/2018 2:23:49 PM
Surr: 4-Bromofluorobenzene	96.9	65 - 135		%Rec	1	7/4/2018 2:23:49 PM
Volatile Organic Compounds by E	PA Method	8260C		Batcl	h ID:	21146 Analyst: MW
Benzene	ND	1.00		µg/L	1	7/4/2018 2:23:49 PM
Toluene	ND	1.00		µg/L	1	7/4/2018 2:23:49 PM
Ethylbenzene	ND	1.00		µg/L	1	7/4/2018 2:23:49 PM
m,p-Xylene	ND	1.00		µg/L	1	7/4/2018 2:23:49 PM
o-Xylene	ND	1.00		µg/L	1	7/4/2018 2:23:49 PM
Surr: Dibromofluoromethane	95.5	45.4 - 152		%Rec	1	7/4/2018 2:23:49 PM
Surr: Toluene-d8	101	40.1 - 139		%Rec	1	7/4/2018 2:23:49 PM
Surr: 1-Bromo-4-fluorobenzene	96.1	64.2 - 128		%Rec	1	7/4/2018 2:23:49 PM



Client: Fulcrum Environmental			(Collectior	n Date	e: 6/27/20	18 12:48:00 PM
Project: Whitten Oil Soil							
Lab ID: 1806382-002				Matrix: G	iround	dwater	
Client Sample ID: WOS-062718-M	/W4						
Analyses	Result	RL	Qual	Units	DF	Da	te Analyzed
Gasoline by NWTPH-Gx				Batc	h ID:	21146	Analyst: MW
Gasoline	284	50.0		µg/L	1	7/4/2	2018 3:24:07 PM
Surr: Toluene-d8	98.1	65 - 135		%Rec	1	7/4/2	2018 3:24:07 PM
Surr: 4-Bromofluorobenzene	99.4	65 - 135		%Rec	1	7/4/2	2018 3:24:07 PM
Volatile Organic Compounds by	y EPA Method	8260C		Batc	h ID:	21146	Analyst: MW
Benzene	5.84	1.00		µg/L	1	7/4/2	2018 3:24:07 PM
Toluene	1.32	1.00		µg/L	1	7/4/2	2018 3:24:07 PM
Ethylbenzene	16.6	1.00		µg/L	1	7/4/2	2018 3:24:07 PM
m,p-Xylene	ND	1.00		µg/L	1	7/4/2	2018 3:24:07 PM
o-Xylene	ND	1.00		µg/L	1	7/4/2	2018 3:24:07 PM
Surr: Dibromofluoromethane	98.8	45.4 - 152		%Rec	1	7/4/2	2018 3:24:07 PM
Surr: Toluene-d8	101	40.1 - 139		%Rec	1	7/4/2	2018 3:24:07 PM
Surr: 1-Bromo-4-fluorobenzene	97.5	64.2 - 128		%Rec	1	7/4/2	2018 3:24:07 PM



Client: Fulcrum Environmental			(Collection	n Date	e: 6/27/2018 3:43:00 PM
Project: Whitten Oil Soil						
Lab ID: 1806382-003				Matrix: G	iround	dwater
Client Sample ID: WOS-062718-M	/W6					
Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Gasoline by NWTPH-Gx				Batc	h ID:	21146 Analyst: MW
Gasoline	101	50.0		µg/L	1	7/4/2018 10:52:39 AM
Surr: Toluene-d8	97.2	65 - 135		%Rec	1	7/4/2018 10:52:39 AM
Surr: 4-Bromofluorobenzene	99.1	65 - 135		%Rec	1	7/4/2018 10:52:39 AM
Volatile Organic Compounds by	y EPA Method	8260C		Batc	h ID:	21146 Analyst: MW
Benzene	ND	1.00		µg/L	1	7/4/2018 10:52:39 AM
Toluene	ND	1.00		µg/L	1	7/4/2018 10:52:39 AM
Ethylbenzene	ND	1.00		µg/L	1	7/4/2018 10:52:39 AM
m,p-Xylene	ND	1.00		µg/L	1	7/4/2018 10:52:39 AM
o-Xylene	ND	1.00		µg/L	1	7/4/2018 10:52:39 AM
Surr: Dibromofluoromethane	95.7	45.4 - 152		%Rec	1	7/4/2018 10:52:39 AM
Surr: Toluene-d8	101	40.1 - 139		%Rec	1	7/4/2018 10:52:39 AM
Surr: 1-Bromo-4-fluorobenzene	98.6	64.2 - 128		%Rec	1	7/4/2018 10:52:39 AM



Client: Fulcrum Environmental Project: Whitten Oil Soil			1	Collectior	n Dat	e: 6/27/2018 4:00:00 PM
Lab ID: 1806382-004				Matrix: G	roun	dwater
Client Sample ID: WOS-062718-MW	7					
Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Gasoline by NWTPH-Gx				Batcl	h ID:	21146 Analyst: MW
Gasoline	ND	50.0		μg/L	1	7/4/2018 2:54:00 PM
Surr: Toluene-d8	98.1	65 - 135		%Rec	1	7/4/2018 2:54:00 PM
Surr: 4-Bromofluorobenzene	98.5	65 - 135		%Rec	1	7/4/2018 2:54:00 PM
Volatile Organic Compounds by E	PA Method	8260C		Batcl	h ID:	21146 Analyst: MW
Benzene	ND	1.00		μg/L	1	7/4/2018 2:54:00 PM
Toluene	ND	1.00		µg/L	1	7/4/2018 2:54:00 PM
Ethylbenzene	ND	1.00		µg/L	1	7/4/2018 2:54:00 PM
m,p-Xylene	ND	1.00		µg/L	1	7/4/2018 2:54:00 PM
o-Xylene	ND	1.00		µg/L	1	7/4/2018 2:54:00 PM
Surr: Dibromofluoromethane	95.6	45.4 - 152		%Rec	1	7/4/2018 2:54:00 PM
Surr: Toluene-d8	101	40.1 - 139		%Rec	1	7/4/2018 2:54:00 PM
Surr: 1-Bromo-4-fluorobenzene	96.5	64.2 - 128		%Rec	1	7/4/2018 2:54:00 PM



Work Order: 1806382 Date Reported: 7/9/2018

Client: Fulcrum Environmental Project: Whitten Oil Soil				Collectior	Dat	e: 6/27/2018 2:20:00 PM
Lab ID: 1806382-005				Matrix: G	roun	dwater
Client Sample ID: WOS-062718-CW1						
Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Gasoline by NWTPH-Gx				Batcl	n ID:	21146 Analyst: MW
Gasoline	ND	50.0		µg/L	1	7/4/2018 1:23:25 PM
Surr: Toluene-d8	99.4	65 - 135		%Rec	1	7/4/2018 1:23:25 PM
Surr: 4-Bromofluorobenzene	96.7	65 - 135		%Rec	1	7/4/2018 1:23:25 PM
Volatile Organic Compounds by EF	PA Method	8260C		Batcl	n ID:	21146 Analyst: MW
Benzene	ND	1.00		µg/L	1	7/4/2018 1:23:25 PM
Toluene	ND	1.00		µg/L	1	7/4/2018 1:23:25 PM
Ethylbenzene	ND	1.00		µg/L	1	7/4/2018 1:23:25 PM
m,p-Xylene	ND	1.00		µg/L	1	7/4/2018 1:23:25 PM
o-Xylene	ND	1.00		µg/L	1	7/4/2018 1:23:25 PM
Surr: Dibromofluoromethane	95.5	45.4 - 152		%Rec	1	7/4/2018 1:23:25 PM
Surr: Toluene-d8	101	40.1 - 139		%Rec	1	7/4/2018 1:23:25 PM
Surr: 1-Bromo-4-fluorobenzene	96.2	64.2 - 128		%Rec	1	7/4/2018 1:23:25 PM



Client: Fulcrum Environmental			(Collectior	n Date	e: 6/27/2018 1:00:00 PM
Project: Whitten Oil Soil Lab ID: 1806382-006	2002			Matrix: G	iround	dwater
Client Sample ID: WOS-062718-0 Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Gasoline by NWTPH-Gx				Batc	h ID:	21146 Analyst: MW
Gasoline	ND	50.0		µg/L	1	7/4/2018 1:53:37 PM
Surr: Toluene-d8	99.3	65 - 135		%Rec	1	7/4/2018 1:53:37 PM
Surr: 4-Bromofluorobenzene	96.9	65 - 135		%Rec	1	7/4/2018 1:53:37 PM
Volatile Organic Compounds by	y EPA Method	8260C		Batc	h ID:	21146 Analyst: MW
Benzene	ND	1.00		µg/L	1	7/4/2018 1:53:37 PM
Toluene	ND	1.00		µg/L	1	7/4/2018 1:53:37 PM
Ethylbenzene	ND	1.00		µg/L	1	7/4/2018 1:53:37 PM
m,p-Xylene	ND	1.00		µg/L	1	7/4/2018 1:53:37 PM
o-Xylene	ND	1.00		µg/L	1	7/4/2018 1:53:37 PM
Surr: Dibromofluoromethane	96.0	45.4 - 152		%Rec	1	7/4/2018 1:53:37 PM
Surr: Toluene-d8	101	40.1 - 139		%Rec	1	7/4/2018 1:53:37 PM
Surr: 1-Bromo-4-fluorobenzene	96.7	64.2 - 128		%Rec	1	7/4/2018 1:53:37 PM

CLIENT: Ful	06382 crum Environmental itten Oil Soil							QC S	SUMMAI Gasolin	RY REF e by NW [*]	-
,		<u></u>		Linito:		Bron Do	to: 7/2/20 4	0	RunNo: 444		
Sample ID LCS-21146	SampType: L			Units: µg/L			te: 7/3/201				
Client ID: LCSW	Batch ID: 2	21146				Analysis Dat			SeqNo: 860	0977	
Analyte	Res	sult RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Gasoline	4	31 50.0	500.0	0	86.2	65	135				
Surr: Toluene-d8	24	4.6	25.00		98.5	65	135				
Surr: 4-Bromofluorobe	enzene 27	7.0	25.00		108	65	135				
Sample ID LCSD-2114	6 SampType: L	CSD		Units: µg/L		Prep Dat	te: 7/3/201	8	RunNo: 444	493	
Client ID: LCSW02	Batch ID: 2	1146				Analysis Dat	te: 7/4/201	8	SeqNo: 860	0978	
Analyte	Res	ult RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Gasoline	4	21 50.0	500.0	0	84.2	65	135	430.8	2.36	20	
Surr: Toluene-d8	24	4.6	25.00		98.2	65	135		0		
Surr: 4-Bromofluorobe	enzene 28	5.4	25.00		102	65	135		0		
Sample ID MB-21146	SampType: N	IBLK		Units: µg/L		Prep Dat	te: 7/3/201	8	RunNo: 444	493	
Client ID: MBLKW	Batch ID: 2	1146				Analysis Dat	te: 7/4/201	8	SeqNo: 860	0979	
Analyte	Res	ult RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Gasoline	1	ND 50.0									
Surr: Toluene-d8	25	5.0	25.00		99.9	65	135				
Surr: 4-Bromofluorobe	enzene 26	6.1	25.00		104	65	135				
Sample ID 1806373-00	1ADUP SampType: D	UP		Units: µg/L		Prep Dat	te: 7/3/201	8	RunNo: 444	493	
Client ID: BATCH	Batch ID: 2	1146				Analysis Dat	te: 7/4/201	8	SeqNo: 860	0964	
Analyte	Res	ult RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Gasoline	1	ND 50.0						0		30	
Surr: Toluene-d8	24	4.7	25.00		98.6	65	135		0		
Surr: 4-Bromofluorobe	enzene 25	5.8	25.00		103	65	135		0		





Work Order: CLIENT: Project:	1806382 Fulcrum En Whitten Oil				QC SUMMARY Gasoline by								-
Sample ID 18070 Client ID: BATC		SampType: Batch ID:	DUP			Units: µg/L		Prep Dat Analysis Dat	e: 7/3/201		RunNo: 44 SegNo: 86		
Analyte			Result	RL	SPK value	SPK Ref Val	%REC			RPD Ref Val	%RPD	RPDLimit	Qual
Gasoline			ND	50.0						0		30	
Surr: Toluene-d	8		24.3		25.00		97.1	65	135		0		
Surr: 4-Bromofle	uorobenzene		24.8		25.00		99.3	65	135		0		



Work Order: 1806382

CLIENT: Fulcrum Environmental

QC SUMMARY REPORT

Project: Whitten Oil Soil

Volatile Organic Compounds by EPA Method 8260C

Sample ID LCS-21146	SampType: LCS	Units: µg/L			•	te: 7/3/2018	RunNo: 44				
Client ID: LCSW	Batch ID: 21146					Analysis Date: 7/4/2018			SeqNo: 860946		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit RPD Ref Va	I %RPD	RPDLimit	Qual	
Benzene	20.2	1.00	20.00	0	101	69.3	132				
Toluene	19.5	1.00	20.00	0	97.4	61.3	145				
Ethylbenzene	20.6	1.00	20.00	0	103	72	130				
m,p-Xylene	41.6	1.00	40.00	0	104	70.3	134				
o-Xylene	21.2	1.00	20.00	0	106	72.1	131				
Surr: Dibromofluoromethane	26.7		25.00		107	45.4	152				
Surr: Toluene-d8	24.1		25.00		96.4	40.1	139				
Surr: 1-Bromo-4-fluorobenzene	27.1		25.00		108	64.2	128				

Sample ID LCSD-21146	SampType: LCSD			Units: µg/L		Prep Date:	7/3/201	8	RunNo: 444	490	
Client ID: LCSW02	Batch ID: 21146					Analysis Date:	7/4/201	8	SeqNo: 860	0947	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit H	lighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	19.5	1.00	20.00	0	97.3	69.3	132	20.18	3.67	20	
Toluene	19.8	1.00	20.00	0	98.8	61.3	145	19.47	1.49	20	
Ethylbenzene	19.8	1.00	20.00	0	99.2	72	130	20.65	3.98	20	
m,p-Xylene	39.8	1.00	40.00	0	99.6	70.3	134	41.64	4.41	20	
o-Xylene	20.2	1.00	20.00	0	101	72.1	131	21.20	4.87	20	
Surr: Dibromofluoromethane	25.8		25.00		103	45.4	152		0		
Surr: Toluene-d8	25.0		25.00		99.8	40.1	139		0		
Surr: 1-Bromo-4-fluorobenzene	25.1		25.00		100	64.2	128		0		
Sample ID MB-21146	SampType: MBLK			Units: µg/L		Prep Date:	7/3/201	8	RunNo: 444	490	
Client ID: MBLKW	Batch ID: 21146					Analysis Date:	7/4/201	8	SeqNo: 860	0948	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit H	lighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	ND	1.00									
Toluene	ND	1.00									
Ethylbenzene	ND	1.00									
m,p-Xylene	ND	1.00									

Fremont
Analytical

Work Order:1806382CLIENT:Fulcrum EnvProject:Whitten Oil 3						Volatile	Organio	QC S Compour	SUMMAI		
Sample ID MB-21146	SampType: MBLK			Units: µg/L		Prep Date:	7/3/201	8	RunNo: 44	490	
Client ID: MBLKW	Batch ID: 21146					Analysis Date:	7/4/201	8	SeqNo: 86	0948	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit H	lighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
o-Xylene	ND	1.00									
Surr: Dibromofluoromethane	26.1		25.00		104	45.4	152				
Surr: Toluene-d8	24.0		25.00		95.8	40.1	139				
Surr: 1-Bromo-4-fluorobenzene	25.6		25.00		102	64.2	128				
Sample ID 1806373-001ADUP	SampType: DUP			Units: µg/L		Prep Date:	7/3/201	8	RunNo: 44	490	
Client ID: BATCH	Batch ID: 21146					Analysis Date:	7/4/201	8	SeqNo: 86	0927	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit H	lighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	ND	1.00						0		30	
Toluene	ND	1.00						0		30	
Ethylbenzene	ND	1.00						0		30	
m,p-Xylene	ND	1.00						0		30	
o-Xylene	ND	1.00						0		30	
Surr: Dibromofluoromethane	26.1		25.00		105	45.4	152		0		
Surr: Toluene-d8	23.6		25.00		94.6	40.1	139		0		
Surr: 1-Bromo-4-fluorobenzene	25.8		25.00		103	64.2	128		0		
Sample ID 1807011-001ADUP	SampType: DUP			Units: µg/L		Prep Date:	7/3/201	8	RunNo: 44	490	
Client ID: BATCH	Batch ID: 21146					Analysis Date:	7/4/201	8	SeqNo: 86	0941	

Cilentid. BAICH					Analysis Dai	.e. 1/4/201	0	Seque. 60	0941	
Analyte	Result	RL	SPK value SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	ND	1.00					0		30	
Toluene	ND	1.00					0		30	
Ethylbenzene	ND	1.00					0		30	
m,p-Xylene	ND	1.00					0		30	
o-Xylene	ND	1.00					0		30	
Surr: Dibromofluoromethane	24.1		25.00	96.3	45.4	152		0		
Surr: Toluene-d8	25.1		25.00	101	40.1	139		0		
Surr: 1-Bromo-4-fluorobenzene	24.6		25.00	98.5	64.2	128		0		
Sun: 1-Biomo-4-molobenzene	24.0		25.00	90.5	04.2	120		0		



Work Order:	1806382						00.5	SUMMARY REPORT
CLIENT: Project:	Fulcrum Env						Volatile Organic Compour	
Sample ID 18070	11-001ADUP	SampType: DUP			Units: µg/L		Prep Date: 7/3/2018	RunNo: 44490
Client ID: BATC	н	Batch ID: 21146					Analysis Date: 7/4/2018	SeqNo: 860941
Analyte		Result	RL	SPK value	SPK Ref Val	%REC	CowLimit HighLimit RPD Ref Val	%RPD RPDLimit Qual



Sample Log-In Check List

Clie	ent Name: FES	Work Order Numb	ber: 1806382		
Log	gged by: Brianna Barnes	Date Received:	6/29/2018	8 9:50:00 AM	
Chai	in of Custody				
1. 1	Is Chain of Custody complete?	Yes 🖌	No 🗌	Not Present	
2. ⊦	How was the sample delivered?	FedEx			
<u>Log l</u>	In				
-	 Coolers are present?	Yes 🗹	No 🗌		
0.					
4. 5	Shipping container/cooler in good condition?	Yes 🖌	No 🗌		
	Custody Seals present on shipping container/cooler? (Refer to comments for Custody Seals not intact)	Yes	No 🗹	Not Required	
6. \	Was an attempt made to cool the samples?	Yes 🖌	No 🗌		
7. \	Were all items received at a temperature of >0°C to 10.0°C*	Yes 🔽	No 🗌		
8. 5	Sample(s) in proper container(s)?	Yes 🖌	No 🗌		
9. 8	Sufficient sample volume for indicated test(s)?	Yes 🖌	No 🗌		
10. ⁴	Are samples properly preserved?	Yes 🖌	No 🗌		
11. \	Was preservative added to bottles?	Yes	No 🗹	NA 🗌	
12.	Is there headspace in the VOA vials?	Yes	No 🖌		
13. [[]	Did all samples containers arrive in good condition(unbroken)?	Yes 🖌	No 🗌		
14. [[]	Does paperwork match bottle labels?	Yes 🖌	No 🗌		
15. ⁴	Are matrices correctly identified on Chain of Custody?	Yes 🖌	No 🗌		
	Is it clear what analyses were requested?	Yes 🖌	No 🗌		
17. V	Were all holding times able to be met?	Yes 🖌	No 🗌		
Spec	cial Handling (if applicable)				
	Was client notified of all discrepancies with this order?	Yes	No 🗌	NA 🔽	
	Person Notified: Da	te			
	By Whom: Via		one 🗌 Fax	In Person	
	Regarding:				
	Client Instructions:				

Item Information

Item #	Temp ⁰C
Cooler	2.3
Sample	2.0
Temp Blank	7.4

^{*} Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C

a
00
e
P
0
-
2

-
2
5
<
-
~
<
-
_
2
Ð
-
0
•
_
-
-
0)
D
-
-
0
01
-
-
0
Ô
•
-
_

0
õ
2
0
-
: .
2
N
2
2
-
1

36	Chain of Custody Record & Labc	Laboratory Services Agreement
	l of:	Laboratory Project No (internal): 10001 1200
	Hen Oil Soil	Special Remarks:
client: Fulcrum Env. Cons.	Project No: 172206.00	04
Address: 207 W. BOOME Ave	collected by: A Johnson	then the shill min net
city, state, ZIP: Spokane, WA 99201	location: Colville / WA	
Telephone: (519) 459-9220		Sample Disposal: Return to client Disposal by lab (after 30 days)
Fax:	PMEmail: ajohnson@ ehulcrum.net	and the second second second and second s
10년 - 11년 11년 11년 11년 11년 11년 11년 11년 11년		
	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
1 WOS-062718-MW3 6/27/18 1575 GW		Comments
an star (tage da ann stàr lan star	*	
3 WOS-042718-MWA 1543 GW	*	
4 W02-062718-MWJ 1600 GW	*	12 November 2011 November 2012 November 2012 November 2012 November 2012 November 2012 November 2012 November 2
5 WOS-042718-CWI 1420 GW	*	
= WUS-062718-CW2 V 1300 GW	*	
7		
		না জিল্পা যে ও প্ৰথম প্ৰথম প্ৰথম সম্পদ্ধ প্ৰথম নাজন প্ৰথম বিষয়
9		A DOLLAR AND AND A REPORT OF A DOLLAR AND A AND A DOLLAR AND
ous, B = Bulk,	U = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water	rm Water, WW = Waste Water Turn-around Time:
	Be	ie Sr Sn Ti TI U V Zn
I represent that I am authorized to enter into this Agreement with F	remon nativities on babate of the Client second shows at 41.411	
each of the terms on the front and backside of this Agreement.	each of the terms on the front and backside of this Agreement.	
Relinquished × Almanla - Johnan 6/28/18 1700	Received Stand ConterTime	Next Day
Relinquished Date/Time	Received Date/Time	Same Dav
	-	(specify)