

INTERTIDAL SAMPLING AND ANALYSIS REPORT

BLAKELY HARBOR PARK

Prepared for

City of Bainbridge Island, Washington

Prepared by

Anchor Environmental, L.L.C.

1423 Third Avenue, Suite 300

Seattle, Washington 98101

January 2009



INTERTIDAL SAMPLING AND ANALYSIS REPORT

BLAKELY HARBOR PARK

Prepared for

City of Bainbridge Island, Washington

Prepared by

Anchor Environmental, L.L.C.

1423 Third Avenue, Suite 300

Seattle, Washington 98101

January 2009

Table of Contents

1	INTRODUCTION.....	1
1.1	Study Objectives.....	2
1.2	Previous Sampling Conducted for Port Blakely Tree Farms Company.....	2
2	INTERTIDAL WOODY DEBRIS ASSESSMENT	3
2.1	Intertidal Area Explorations.....	3
2.2	Mill Pond Explorations	6
2.3	Sediment Chemistry Results.....	7
2.4	Relationship to Prior Sampling.....	10
2.5	Usability of the Data	10
3	SUBTIDAL DIVER SURVEYS.....	12
3.1	Diver Survey Observations.....	13
4	GROUNDWATER SEEPS	15
5	REFERENCES	17

List of Tables

Table 1	Blakely Harbor Sample Location Coordinates
Table 2	Sample Comparisons with Sediment Management Standards Chemical Criteria
Table 3	Sample Comparisons with Beneficial Reuse and Disposal Criteria
Table 4	Blakely Harbor Seepage Results Summary
Table 5	Blakely Harbor Seepage Field Parameters Summary

List of Figures

Figure 1	Vicinity Map
Figure 2	Site Plan
Figure 3	Approximate Depth and Extent of Surface Wood Debris
Figure 4	Dissolved Oxygen, Sulfide, and Ammonia Concentrations in Intertidal Seep Samples

List of Appendices

Appendix A	Site Photographs
Appendix B	Diver Observation Logs
Appendix C	Laboratory Data and Data Validation Reports
Appendix D	Summary of Shannon and Wilson (1992) Sampling Data

1 INTRODUCTION

The City of Bainbridge Island (the City) is evaluating a range of potential shoreline restoration options at Blakely Harbor, Kitsap County, Washington (Figures 1 and 2). The project area is located in Blakely Harbor Park at the head of Blakely Harbor on Bainbridge Island. In the late 1800s, the park site was home to one of the largest sawmills on the Pacific Coast, which by the turn of the century was producing more than 100 million board feet of lumber per year. While the harbor has undergone a nearly 90-year period of limited development and natural recovery since closure of the Port Blakely mill in 1922, remnants of the former mill still remain within the intertidal area of the park. Remnant shoreline modifications and woody debris accumulations within the project area currently impact nearshore and estuarine processes and habitats.

The project site is owned by the Bainbridge Island Metropolitan Parks and Recreation District (the Park District), which acquired the park site in 2000 for passive recreation such as picnicking, kayaking, and wildlife viewing. Ongoing feasibility studies by the City and Park District are evaluating the opportunities, benefits, and risks of performing shoreline restoration actions at Blakely Harbor Park as called for in the Blakely Harbor Park Conceptual Plan. The feasibility studies are intended to be used by the community, the Park District, the City, and other stakeholders to inform upcoming decisions on the appropriate scope of habitat restoration actions at the park.

The intertidal sampling and analysis activities summarized in this report are more specifically described in the Sampling and Analysis Plan (SAP) dated July 2008 (Anchor 2008), which outlined plans for field reconnaissance to delineate the approximate extent of woody debris accumulations within the project area, followed by focused intertidal sediment and seep sampling to support feasibility study evaluations of potential shoreline restoration options. The SAP was prepared consistent with current Puget Sound Estuary Program (PSEP) and U.S. Environmental Protection Agency (EPA) protocols for sampling and analysis (EPA 1986, PSEP 1986; PSEP 1997a, b, and c). The contents and structure of the SAP were also in line with guidance provided in the Washington State Department of Ecology's (Ecology's) *Sediment Source Control Standards User Manual, Appendix B: Sediment Sampling and Analysis Plan Appendix* (Ecology 2008).

Intertidal reconnaissance and sampling in the project area occurred over the period from July 31 to September 12, 2008. This sampling and analysis report describes each activity and presents the site characterization data.

1.1 Study Objectives

As discussed in the SAP, the primary sampling and analysis objectives of this work included:

- Preliminary delineation of the horizontal and vertical extent of woody debris within intertidal and shallow subtidal zones of the study area based on site reconnaissance conducted during low tide conditions, supplemented with focused test pit observations and offshore diver surveys
- Characterization of surface and subsurface chemical concentrations within and below the accumulated woody debris materials to support feasibility study evaluations of potential restoration options
- Characterization of target woody debris degradation products in groundwater, as expressed in surficial seeps within the intertidal zone
- General description of biological conditions in the study area

1.2 Previous Sampling Conducted for Port Blakely Tree Farms Company

Previous soil and sediment sampling was performed for the Port Blakely Tree Farms Company in 1992 as part of an initial characterization of hazardous substance concentrations in the Blakely Harbor Park area (Shannon and Wilson 1992). These prior investigations included collection of surface and near-surface soil and sediment samples from various locations within the former mill area, and analysis of these samples for a range of metals and petroleum hydrocarbons. The Shannon and Wilson (1992) sampling locations are depicted in Figure 3, and sampling results are summarized in Appendix D. As discussed in the Shannon and Wilson (1992) report, none of the 1992 surface samples exceeded risk-based screening criteria for metals or petroleum hydrocarbons. However, the 1992 sampling did not characterize the nature and extent of wood debris or the quality of subsurface materials present in the park area. Pertinent conclusions of the Shannon and Wilson (1992) report are referenced herein as appropriate.

2 INTERTIDAL WOODY DEBRIS ASSESSMENT

The SAP describes the use of piston cores, geoprobes, and/or hollow-stem auger explorations to determine the thickness of woody debris in the mid- to lower intertidal areas of the study area and concurrently collect samples for chemical analysis of sediments (Anchor 2008). However, because of access constraints and the nature of the woody debris in the study area, sample collection techniques were necessarily modified from those described in the SAP. For example, during initial site reconnaissance, it was determined that the density of the woody debris in the study area (e.g., bark and dimensional lumber) was such that piston cores or geoprobes could not fully penetrate these materials. Hollow-stem auger drilling was also initially considered for the intertidal explorations, but access from land was determined to be too difficult, and deployment of a drill rig from a boat was also not cost-effective for this initial assessment.

To address these site conditions, a combination of hand-driven piston cores, steel probe soundings (using rebar), and test pits were used to collect wood debris and sediment samples, and to estimate the thickness of woody debris at the sampling locations. Sampling station coordinates are listed in Table 1. Sampling and analysis activities are described in the sections below.

2.1 Intertidal Area Explorations

Hand-driven piston cores were advanced in the study area on July 31, 2008, during low tide conditions, initially targeting the presumed boundaries of the woody debris deposits. Within the former mill pond at the western end of Blakely Harbor (Figure 2), hand-driven piston cores were advanced from a boat as the tide rose. Three cores (BH-01, BH-03, and BH-04) were advanced at mid- and upper intertidal locations depicted on Figure 3, but dense coarse sand present on the sediment surface resulted in poor penetration and recovery at these locations. However, no wood debris was observed at the sediment surface at these stations, and subsequent steel probe soundings confirmed the absence of substantial near-surface woody debris accumulations in this area.

Piston core BH-02 was collected in the lower intertidal zone (at an elevation of approximately +2 feet mean lower low water [MLLW]), near the eastern boundary of the park property (Figure 3). Surface sediments at BH-02 consisted of black sandy silt with a slight oily sheen. Near-surface sediments in this area consisted of gravel/sand material with

abundant glass, wood, and other debris. The steel probe penetrated to 6 feet below mudline at this station, indicating a debris thickness at BH-02 of approximately 6 feet. However, the presence of relatively large near-surface wood material prevented the recovery of material lower than 0.7 foot below mudline in the core. To support evaluations of potential restoration and reuse or disposal options, a composite sample of sediment and debris material collected from 0 to 0.7 feet below mudline at BH-02 was submitted for analysis of Dredged Material Management Program (DMMP) physical and chemical parameters including grain size, total solids, total volatile solids (TVS), total organic carbon (TOC), total ammonia and sulfide, metals, semivolatile organic compounds (SVOCs), volatile organic compounds (VOCs), total petroleum hydrocarbons (TPH), polychlorinated biphenyls (PCBs), pesticides, porewater tributyltin (TBT), and chlorinated dibenzo-p-dioxins and dibenzofurans (dioxins/furans), in accordance with the SAP.

Intertidal and shallow subtidal sediments in the former Port Blakely mill wharf area are characterized by considerable amounts of inorganic debris (e.g., bricks) and woody debris including logs, dimensional lumber, piles bark, and mill ends, as shown in Photographs 1 through 4 in Appendix A. Three representative cores (BH-09, BH-10, and BH-11) were advanced in this area, and all three core locations contained approximately 100 percent surface wood material (Figure 3). The depth of woody material at these locations was estimated using steel probe soundings. The 10-foot-long probe was driven into the deposits multiple times by hand at each station to penetrate through small spaces in the wood and make contact with underlying native sand/silt sediments. Sampling results are discussed below.

At station BH-09, consistent drives with the steel probe were met with hard refusal at 5 to 6 feet below mudline. Hard refusal at approximately 4 feet below mudline occurred at locations BH-10 and BH-11. These measurements, along with the BH-02 observations summarized above, indicate that woody debris accumulations throughout the former Port Blakely mill intertidal wharf area extend approximately 4 to 6 feet below mudline. Abundant piling stubs from the former wharf are also present in the upper intertidal areas, and the flat tops of cut off piles were frequently observed in the lower intertidal area.

To support evaluations of potential restoration and reuse or disposal options, samples of near-surface sediment and associated debris (excluding wood material greater than 1 inch) at BH-09, BH-10, and BH-11 were collected from 0 to 2 feet below mudline using a long-handled decontaminated spoon. The collected material consisted of olive to brown wood pulp and silt with dark olive decayed wood material with silt. There was little shell material present, and few benthic organisms were observed at any of the three sample locations. The composite sample was submitted for analysis of DMMP physical and chemical parameters in accordance with the SAP, excluding VOCs. Discrete samples from BH-09, BH-10, and BH-11 were analyzed for VOCs.

Similar to sediment conditions in the mid- and lower intertidal zone of the study area as discussed above, surface sediments in the upper intertidal zone of the former Port Blakely mill consist primarily of coarse sand and gravel/cobble with abundant large brick debris and remnants of piles (see Photographs 5 through 7 of Appendix A). Based on test pits advanced in this area as discussed below, surface sediments throughout the upper intertidal area are underlain with large woody material. Near the mean higher high water (MHHW) elevation, sawdust mats and similar materials are also evident within the sand substrate.

Three upper intertidal test pits were advanced in the study area on September 12, 2008, at an elevation of approximately +7 feet MLLW. Test pits were advanced using a 6-foot-wide track-mounted excavator with a hydraulic bucket capable of digging a 9-foot-deep hole (Photograph 8 of Appendix A). The test pits were advanced by High Meadows Excavating of Poulsbo, Washington. Test pit locations are depicted on Figure 3.

Subsurface sediment materials observed in test pits BH-P01 and BH-P02 (Figure 3) were comprised of black large woody material and dense orange sawdust layers to a depth of approximately 8 feet below mudline (see Photograph 9 of Appendix A). At each test pit, the excavator piled up material from the hole off to the side in a stockpile (see Photograph 10 of Appendix A). Sample material from each test pit was obtained by compositing randomly selected portions of the stockpile to represent material from the entire 0-to 8-foot depth. The composite sample was submitted for analysis of DMMP physical and chemical parameters in accordance with the SAP, excluding VOCs. Discrete samples from BH-P01 and BH-P02 were analyzed for VOCs.

Beginning approximately 8 feet below mudline, dense gray sand and gravel with no woody debris was encountered, and was provisionally interpreted as native material.

Groundwater was also encountered at the woody debris/native sediment contact. Discrete samples of native sand materials were collected at depths of approximately 8 to 9 feet below mudline at both BH-P01 and BH-P02, and samples from both locations were submitted for analysis of Sediment Management Standards (SMS) physical and chemical parameters in accordance with the SAP.

While a third test pit (BH-P03) was initiated (Figure 3), extensive large wood material at this location prevented the excavator from advancing below 3 to 4 feet below mudline (see Photograph 11 of Appendix A). Thus, this sampling location was abandoned and backfilled without collecting a sample.

2.2 Mill Pond Explorations

As discussed above, the former mill pond area was accessed by boat during a rising tide on July 31, 2008. Hand-driven piston cores were advanced at four locations (BH-05, BH-06, BH-07, and BH-08), as shown on Figure 3. Core recovery of approximately 2 to 3 feet below mudline was achieved at cores BH-05, BH-06, and BH-07. The upper 2 to 3 feet of these cores consisted of organic silt and sand with little or no woody debris. Material at the bottom of each of these three cores revealed that refusal was due to the presence of surface woody debris beginning approximately 2 to 3 feet below mudline. Sediments at core BH-08, located at the southern end of the former mill pond, were comprised of dense coarse sand material with little or no woody debris. Core penetration at BH-08 was limited to 0.5 to 1 foot below mudline.

Native contact was not achieved in any of the four cores advanced within the former mill pond area. Material from the upper 2 feet of cores BH-05, BH-06, and BH-07 were composited at the laboratory into one sample and analyzed for DMMP physical and chemical parameters in accordance with the SAP, excluding VOCs. Discrete samples from BH-05, BH-06, and BH-07 were analyzed for VOCs.

To further characterize the thickness and depth of woody debris material below the near-surface silt and sand layer, further sampling of the former mill pond occurred on September

24, 2008, during high tide conditions. Several locations were selected at random, and a steel probe was advanced through the recent near-surface silt/sand and through at least a portion of the underlying woody debris. The probe data indicated that at least 2 feet of large woody debris (likely including logs) underlies the more recently deposited surface silt and sand (i.e., woody debris is present from approximately 2 to 4 or more feet below mudline in the former mill pond area). However, the depth of the native sediment layer could not be conclusively determined with the steel probe measurements.

2.3 Sediment Chemistry Results

As discussed in the SAP and outlined above, the goals of the sediment characterization were twofold:

1. Characterize chemical concentrations in native sediments that underlie woody debris to assess prospective sediment surface quality conditions for restoration options that include wood debris removal. The appropriate criteria for this comparison are Sediment Quality Standard (SQS) chemical criteria under the Sediment Management Standards (SMS).
2. Characterize chemical concentrations in woody debris sediment to determine potential beneficial reuse and/or disposal opportunities for these materials. The appropriate criteria for these evaluations include Washington State Model Toxics Control Act (MTCA) Method A soil cleanup standards for upland beneficial reuse, and DMMP sediment quality criteria for in-water beneficial reuse or unconfined open-water disposal at the nearby Elliott Bay non-dispersive site.

Chemical analysis results for sand sediments present below the woody debris layer (i.e., 8 to 9 feet below mudline in upper intertidal test pits BH-P01 and BH-P02; Figure 3) are compared to SQS chemical criteria in Table 2. While SMS criteria for wood debris are developed by Ecology on a case-by-case basis, potential impacts to benthos are often indicated by sediments with surface TVS levels above 25 percent (Kendall and Michelsen 1997), and this value was used as an initial SMS screening criterion. For non-polar organic chemicals such as PCBs and certain SVOCs, the SQS chemical criteria are expressed on an organic carbon-normalized basis. All chemical concentrations in subsurface samples collected 8 to 9 feet below mudline were well below SQS chemical criteria, consistent with interpretations of these materials as the native sediment layer.

Near-surface sediment chemical concentrations were analyzed in discrete and composite samples collected within 2 feet of mudline within the study area. While the point of compliance for SMS comparisons is the biologically active zone, which is typically defined in Puget Sound as surface sediments collected within 0.3 feet of mudline, the following near-surface sediment samples were collected sufficiently close to the surface to support a preliminary screening comparison (Table 2):

- Within the former mill pond (BH-05, BH-06 and BH-07 composite; 0 to 2 feet below mudline)
- In front of the former Blakely Mill wharf (BH-09, BH-10 and BH-11 composite; 0 to 2 feet below mudline)
- In front of the former Blakely Mill wharf near the eastern boundary of the project area (sample BH-02; 0 to 0.7 feet below mudline)

While the 0 to 2-foot surface composite sample from the former mill pond contained chemical concentrations below SQS chemical criteria, the two near-surface samples collected in front of the former Blakely Mill wharf (discrete sample BH-02 and composite sample BH-09/10/11) exceeded SQS criteria for the following chemicals or chemical groups:

- Woody debris indicators (TVS and phenol)
- Metals (copper, lead, and zinc)

Because wood debris cleanup standards are developed under the SMS on a case-by-case basis (i.e., there is no default cleanup level for wood debris in Puget Sound), further surface sediment sampling and/or confirmatory biological testing would be needed to verify whether or not SMS cleanup standards are exceeded in the project area. Where necessary, such verification sampling can be performed by conducting confirmatory sediment bioassays and/or benthic enumeration at selected stations within the project area, and comparing these biological measurements with data from suitable reference locations to characterize the benthic response to woody debris present at the site. This type of biological testing would need to be performed under an amended SAP requiring additional sample collection, along with specialized laboratory protocols to evaluate specific benthic organisms and their reaction to exposure from site sediments. However, depending on the

restoration option to be selected by the City and Park District, the need for sediment cleanup may be obviated by prospective shoreline restoration actions.

Chemical analysis results for the four discrete and composite (plus one field duplicate) near-surface sediment samples collected in the project area are compared to DMMP criteria in Table 3. For locations outside of the log pond area, chemicals exceeding DMMP sediment quality criteria for in-water beneficial reuse or unconfined open-water disposal at the Elliott Bay non-dispersive site included:

- Woody debris indicators (TVS and phenol)
- Metals (copper, lead, mercury, and zinc)
- Polynuclear aromatic hydrocarbons (PAH; potential combustion and/or creosote sources)

Compared to sediment samples collected adjacent to the former Blakely Mill wharf area, relatively low chemical concentrations were detected in near-surface (0 to 2 feet below mudline) silt/sand sediment collected within the former mill pond (BH-05, BH-06, and BH-07; see Table 3 and Figure 3). While the 0 to 2-foot surface composite sample from the former mill pond contained chemical concentrations below SQS chemical criteria (based on TOC-normalized concentrations for hydrocarbons), this same composite sample nevertheless exceeded DMMP beneficial reuse or open-water disposal criteria for a single hydrocarbon chemical (benzo[a]pyrene; dry weight basis). Based on these testing data, woody debris and associated sediments as may be excavated or dredged from the project area would not be suitable for in-water beneficial reuse or unconfined open-water disposal at the Elliott Bay non-dispersive site without additional, more detailed bioassay testing.

Chemical analysis results for the four discrete and composite (plus one field duplicate) near-surface sediment samples collected in the project area are also compared to MTCA unrestricted use soil criteria in Table 3. Chemicals exceeding MTCA Method A soil standards included:

- Metals (arsenic, cadmium, and lead) in the former wharf area
- Benzo(a)pyrene (potential combustion and/or creosote sources) in both the log pond and the former wharf area

Based on these testing data, woody debris and associated sediments as may be excavated or dredged from the project area would not be suitable for unrestricted upland beneficial reuse. However, other potential beneficial reuse and management options for these materials may still be appropriate for consideration in the feasibility study, including incorporation of excavated sediments in on-site subsurface fills, along with associated environmental covenants. These and other options (e.g., off-site landfill disposal) will be considered in more detail as part of the upcoming feasibility study.

2.4 Relationship to Prior Sampling

As discussed in Section 1.2, previous surface soil and sediment sampling was performed for the Port Blakely Tree Farms Company in 1992 as part of an initial characterization of hazardous substance concentrations in the Blakely Harbor Park area (Shannon and Wilson 1992). None of the 1992 surface samples exceeded SQS chemical criteria or MTCA Method A screening criteria for metals or petroleum hydrocarbons. These data suggest that a relatively clean surface layer of soil and sediments currently overlies more contaminated subsurface materials, minimizing current exposures of these hazardous substances to humans (e.g., park users) and protecting terrestrial and aquatic life. However, the 1992 sampling did not characterize the nature and extent of wood debris or the quality of subsurface materials present in the park area.

2.5 Usability of the Data

All of the 1992 and 2008 sampling data were analyzed by Ecology-accredited laboratories using Ecology- approved analytical methods. The analytical data were reviewed by the analytical laboratory to ensure the accuracy and usability of the data. An independent environmental chemist also validated the 2008 sampling data; data validation reports are presented in Appendix C. All of the data presented in this report were determined to be usable for site characterization, consistent with MTCA and SMS requirements, with specific qualifications as discussed below.

Because of the relatively large small-scale variability characteristic of soil and sediment sampling data at contaminated sediment sites, composite sampling strategies were employed as practicable to provide a more representative sample of part of the project area. While discrete samples provide data for a single location or unique site feature, composite

samples provide a more representative sample of sediment conditions at the site, and thus provide a more accurate measure of “true” sediment characteristics throughout the project area.

The composite sample from the former wharf area had an elevated detection limit that was greater than the DMMP screening level for total PCBs. PCBs were manufactured and used in the United States beginning in 1930. However, since the Port Blakely mill closed in 1922, there is little likelihood that PCBs were ever used at the former mill. Moreover, the relatively elevated detection limit reported for total PCBs was due solely to elevated detection limits for a single type of PCB mixture – Aroclor 1221 – a relatively rare form of PCB that is also among the most biodegradable due to its relatively low chlorine content. All information considered, there is no reason to believe that PCBs are present at the site at concentrations of potential concern.

As described in the data validation report, specific analytes in certain samples were tested up to several days after their holding times expired. However, during the holding period, the samples were stored in a refrigerator at 4° C to minimize any potential changes to the sample characteristics that would have occurred during the holding period. Thus, no significant bias in analytical results was identified during the data review, and all of the data presented in this report were determined to be usable for site characterization, consistent with MTCA and SMS requirements, and to support forthcoming feasibility-level evaluations of restoration options for the site.

3 SUBTIDAL DIVER SURVEYS

Diver transects were performed on September 24, 2008. Dive surveys were performed to further characterize the horizontal and vertical extent of woody debris along three transects in the shallow subtidal areas offshore of the former Port Blakely mill and to qualitatively assess biological conditions in the study area. Diver transects were initiated at three locations beginning at approximately 0 feet MLLW, extending approximately 300 feet offshore as shown on Figure 3. Transects started within intertidal areas with relatively high surface woody debris accumulations, and continued offshore until surface woody debris was no longer apparent.

Prior to the beginning of each dive survey, a buoy was placed (using differential global positioning system [DGPS]) at the predetermined locations at approximately the 0 feet MLLW elevation. At the initiation of the survey, the diver attached a 300-foot-long tape to the buoy anchor and extended the tape offshore for 300 feet. The diver swam out from the buoy at each location following a compass course of 120 degrees magnetic using a wrist-worn diver's compass. All three transects were set parallel along the same compass direction. At the offshore end of the transect line, the end point position was recorded using the DGPS held over the bubbles of the diver.

The diver swam the transect line, stopping at 25-foot intervals to record observations along the line. Information was relayed verbally to the data recorder on the vessel using underwater communications equipment. At each data stop, the diver relayed information that included:

- Water depth and time
- General substrate characterization
- Visually observed percent cover of wood debris on the substrate surface
- Visually estimated percent by volume of wood debris below surface sediments
- Visually estimated percent cover and general identification of algal species
- Presence of easily recognized macroinvertebrate species

Recorded data logs are attached to this report in Appendix B. Water depth recorded on the data forms represents depth related to MLLW as calculated using Tides and Currents[®] software.

3.1 Diver Survey Observations

Data logs recorded during each dive are attached to this report in Appendix B. Water depth recorded on all the data forms and all depths reported in this report represent depth related to MLLW.

Transect 1 was initiated at a depth of +0.7 feet MLLW and ended at a water depth of -25.1 feet MLLW. The predominant surface sediment material consisted of silty sand with crushed rock and shells out 100 feet from the start to a depth of -7.8 feet MLLW.

Approximately 300 feet offshore, at the end of the Transect 1, the sediment was predominantly comprised of silt materials. Surface wood debris in excess of 50 percent by volume was present out to 250 feet at a depth of -25.1 feet MLLW. The diver was able to probe below the sediment surface manually to determine that wood debris was approximately 100 percent by volume at 0.7 to 1.0 feet below mudline out to 225 feet along the transect. Wood volume at depth declined to between 40 and 50 percent by volume approximately 1.0 to 1.5 feet below mudline in the last 50 feet of the transect (Figure 3).

Transect 2 was initiated at a depth of +0.2 feet MLLW near the center of the lower intertidal wood debris area offshore of the former powerhouse (Figure 3). The predominant substrate was sandy silt with scattered rocks to 125 feet offshore at a depth of -4.1 feet MLLW. The substrate was silty sand and silt out to 300 feet at a depth of -16 feet MLLW. Surface wood debris ranging from 75 to 100 percent by volume was present to approximately 150 feet and a depth of -4.1 feet MLLW, and declined to between 10 and 50 percent out to 300 feet and a depth of -16 feet MLLW. From approximately 150 feet out to the end of the transect, subsurface wood with a volume of 100 percent was present below approximately 1.0 feet below mudline.

Transect 3 started at -0.1 feet MLLW and, rather than crossing perpendicular to the bottom contours, generally followed the MLLW contour (Figure 3). At this transect, the predominant surface substrate was silty sand to approximately 200 feet out with silty sand with sawdust observed at the 75- and 100-foot stations. Surface wood was not present between 125 feet and the end of the transect at 300 feet; however, the diver was able to determine that subsurface wood material at approximately 100 percent by volume was present out to 150 feet. At that location, the wood was covered with approximately 1.5 to

2.0 feet of silty sand material. The diver was unable to probe deeper in the outer stations of the transect.

Biological observations were limited to algal species and easily recognized invertebrate species along the diver transects. The green alga, *Ulva* sp. was the predominant algal species encountered along the transects. *Ulva* was present in the lower intertidal areas attached to woody debris starting at approximately the +2 feet MLLW mark and was observed along each transect generally out to 300 feet. The brown alga, *Laminaria* sp. was generally present in the lower intertidal area at approximately -4 feet MLLW along the shore of much of the site. Eelgrass was not observed at any of the transect locations. The brown alga, *Fucus* sp. was present attached to pile remnants and large debris in the upper portions of the intertidal areas.

Observed invertebrate species were limited to predominantly barnacles in the upper and lower portions of the intertidal areas in those areas where large rocks and brick debris were present. Few biota were observed on the woody material; however, some starfish were observed in the intertidal areas with wood material. Few fish or invertebrates were observed along the diver transects; however, a few sea anemones (*Metridium* sp.), starfish, and few unidentified crabs were observed in the deeper portions of Transect 1. A few flatfish, sculpins, and one ling cod were also observed along Transect 1.

4 GROUNDWATER SEEPS

Initial site reconnaissance indicated that groundwater discharged as seeps at various locations within the study area was generally well oxygenated. To verify this observation, measurements of seepage dissolved oxygen (DO) levels were performed during a low tide on July 31, 2008. Seeps were selected for monitoring based on evidence of upwelling water through the surface sediments. Three predominant groundwater seeps were identified and their locations were recorded using DGPS (Figure 4; Table 1). At each location, a stainless steel well point was inserted so that the top of a 1-foot-long screened interval was inserted to approximately 1 foot below the sediment surface.

Seep BH-21 was located in an area with abundant woody debris, shell, rocks, bricks, and cement pieces (see Photographs 12 and 13 in Appendix A). Groundwater from this location appeared to be seeping through the upper layers of woody debris. No odor or water discoloration was observed.

Seep BH-22 was located lower in the intertidal area at an elevation of approximately -3 to -4 feet MLLW. This area also had abundant woody debris with very little silt or sand material. Groundwater from this location was noticeably upwelling from below the woody debris and the area surrounding the seep had apparent *Beggiatoa* sp. accumulations, observable as white filamentous bacteria attached to the wood surfaces (see Photograph 13 of Appendix A). There was also a noticeable sulfide odor coming from the water at this location. Additional seeps (depicted in Figure 4) were also observed and located in the lower intertidal area near BH-22. These additional seeps were observed upwelling from below the wood debris along the water line at low tide and each had noticeable *Beggiatoa* sp. mats along with a strong sulfide odor.

Seep BH-23 was located at the southern side of the former mill site in approximately the mid-intertidal area. This seep exhibited a higher water flow than the other two seeps and the water appeared to be coming through the upper layers of debris.

Water from each seep was pumped out of the well point using a peristaltic pump and thin Teflon-coated tubing as shown in Photograph 13 of Appendix A. Water was pumped through a flow cell attached to a Hydrolab MS5 multiprobe at low velocities to measure field parameters prior to collecting water samples. Tables 4 and 5 present analytical chemistry and field

parameter results for each seep. Groundwater flow through the flow cell was maintained at a low velocity and water samples for sulfides and ammonia were collected when the turbidity was below 5 nephelometric turbidity units (NTU).

Water quality data summarized in Tables 4 and 5 indicate that water discharging as seeps during low tide conditions is saline (with salinity ranging from 23 to 25 parts per thousand) and neutral (with pH ranging from 6.5 to 7.0), and predominantly originated from tidal recharge from Blakely Harbor during rising (flood) tide conditions.

Based on DO and oxidation reduction potential (ORP) data, Seeps BH-21 and BH-23, which were located at relatively high intertidal elevations, were oxygenated, consistent with the low concentrations of porewater ammonia and sulfide observed at these locations (see Tables 4 and 5). However, relatively reducing conditions (low DO and ORP) and high porewater ammonia and (especially) sulfide concentrations (24.7 milligrams per liter [mg/L]) were detected at shallow subtidal seep BH-22 (Figure 4). Elevated porewater sulfide concentrations, which are attributable to degradation of woody debris in the absence of DO, can adversely affect habitat suitability (Caldwell 2005). Seepage discharges with similar reducing conditions were observed in the larger subtidal area near BH-22, suggesting that elevated sulfide concentrations may be prevalent in this part of the study area. Addressing such sulfide seepage discharges may be one focus of prospective restoration actions addressed in the upcoming feasibility study.

5 REFERENCES

- Anchor 2008. Sampling and Analysis Plan. Sediment Evaluation Work Plan. Blakely Harbor Park. Prepared for the City of Bainbridge Island, Washington. Prepared by Anchor Environmental L.L.C. July.
- Caldwell, R.S. 2005. Sulfide as a Marine Sediment Toxicant. Presentation to SMARM 2005 by Northwestern Aquatic Sciences, Newport, OR. May.
<http://www.nws.usace.army.mil/PublicMenu/>.
- Ecology. 2008. Sediment Sampling and Analysis Plan Appendix. Guidance on the Development of Sediment Sampling and Analysis Plans Meeting the Requirements of the Sediment Management Standards (Chapter 173-204 WAC). Ecology Publication No. 03-09-043. Sediment Source Control Standards User Manual, Washington Department of Ecology Sediment Management Unit. Revised February 2008.
- Kendall, D. and T. Michelsen. 1997. Management of Wood Waste under Dredged Material Management Programs (DMMP) and the Sediment Management Standards (SMS) Cleanup Program – DMMP Issue Paper, SMS Draft Technical Information Memorandum.
- PSEP. 1986. Recommended protocols for measuring conventional sediment variables in Puget Sound. Prepared for the U.S. Environmental Protection Agency, Region 10, Seattle, Washington.
- PSEP. 1997a. Puget Sound Estuary Program: Recommended Guidelines for Sampling Marine Sediment, Water Column, and Tissue in Puget Sound. Prepared for the U.S. Environmental Protection Agency Region 10, and the Puget Sound Water Quality Authority. Puget Sound Water Quality Authority, Olympia, Washington.
- PSEP. 1997b. Puget Sound Estuary Program: Recommended Guidelines for Measuring Organic Compounds in Puget Sound Sediment and Tissue Samples. Prepared for the U.S. Environmental Protection Agency Region 10, and the Puget Sound Water Quality Authority. Puget Sound Water Quality Authority, Olympia, Washington.

PSEP. 1997c. Puget Sound Estuary Program: Recommended Protocols for Measuring Metals in Puget Sound Sediment and Tissue Samples. Prepared for the U.S. Environmental Protection Agency Region 10, and the Puget Sound Water Quality Authority. Puget Sound Water Quality Authority, Olympia, Washington.

Shannon and Wilson. 1992. Project Status Report II. Environmental Site Assessment Old Port Blakely Mill, Bainbridge Island, Washington. Prepared for Port Blakely Tree Farms. Report T-1198-02

U.S. Environmental Protection Agency (EPA). 1986. Test Methods for the Evaluation of Solid Waste: Physical/Chemical Methods, 3rd Edition. EPA SW-846, 1986.

TABLES

Table 1
Blakely Harbor Sample Location Coordinates

Sample Type	Station Identification	Northing	Easting
Core 01	BH-01	221969	1225315
Core 02	BH-02	222176	1225881
Core 03	BH-03	221831	1225201
Core 04	BH-04	221736	1225219
Core 05	BH-05	222054	1225072
Core 06	BH-06	222107	1224967
Core 07	BH-07	222026	1224943
Core 08	BH-08	221904	1224919
Core 09	BH-09	222133	1225652
Core 10	BH-10	222037	1225585
Core 11	BH-11	222034	1225481
Seep 1	BH-21	222123	1225604
Seep 2	BH-22	222015	1225582
Seep 3	BH-23	222037	1225423
Seep A	observed only	222087	1225684
Seep B	observed only	222044	1225669
Seep C	observed only	222013	1225582
Test Pit 1	BH-P01	222202	1225592
Test Pit 2	BH-P02	222191	1225498
Test Pit 3	BH-P03	222171	1225461
Dive Transect 1 Start	N/A	222120	1225752
Dive Transect 1 End	N/A	221919	1225976
Dive Transect 2 Start	N/A	222114	1225645
Dive Transect 2 End	N/A	221890	1225854
Dive Transect 3 Start	N/A	222031	1225558
Dive Transect 3 End	N/A	221801	1225734

Note:

NAD83 State Plane, Washington North, U.S. Survey feet

Table 2
Sample Comparisons with Sediment Management Standards Chemical Criteria

Location ID:			BH-P01	BH-P02	Composite1	Composite2	Composite2	BH-02
Sample ID:			BH-P01-SSB	BH-P02-SSB	BH-05,06,07-SSA COMP	BH-09,10,11-SSA COMP	BH-09,10,11-SSA COMP DUP	BH-02-SSA
Sample Date:			9/12/2008	9/12/2008	7/31/2008	7/31/2008	7/31/2008	7/31/2008
Depth:			8 - 9 ft	8 - 9 ft	0 - 2 ft	0 - 2 ft	0 - 2 ft	0 - 0.7 ft
Sample Type:	SMS SQS	SMS CSL	N	N	N	N	Field Duplicate	N
Conventional Parameters (pct)								
Total organic carbon			2.9	0.44	10 J	15.5 J	15.5 J	9.59 J
Total solids			71.6	77.5	50 J	34.7 J	31.9 J	42.9 J
Total volatile solids	25		4.3	3.7	18.6 J	27.5 J	32.5 J	19.8 J
Conventional Parameters (mg/kg)								
Ammonia			0.80	0.48 J	15.70	--	--	17.30
Sulfide			1.4 U	1.3 U	--	--	--	555 J
Grain Size (percent)								
Gravel			85.1	79.4 J	7.3	41.0	42.9	25.8
Sand			17.7	19.5	61.2	40.8	44.1	53.3
Silt			3.9	0.0	21.4	12.4	8.6	16.8
Clay			2.1	0.0	9.1	8.2	8.4	7.0
Fines (Silt + Clay)			5.9	0.0	30.5	20.6	17.0	23.8
Metals (mg/kg)								
Antimony			1.89 J	0.14 J	0.48 J	21.9 J	104 J	13.9 J
Arsenic	57	93	5.4	4.0	8.1	10.8	9.3	24.6
Cadmium	5.1	6.7	0.17	0.13	0.52	0.60	0.59	2.49
Chromium	260	270	21	21	20	18	34	31
Copper	390	390	36	35	33.7 J	94.4 J	202 J	508 J
Lead	450	530	36	2	57	242	605	626
Mercury	0.41	0.59	0.014 J	0.02 U	0.14	0.09	0.09	0.39
Nickel			21	26	14	17	26	23
Selenium			0.9 U	1.1 U	0.8 J	1.80	1.4 J	1.8 J
Silver	6.1	6.1	0.03	0.02 U	0.219 J	0.181 J	0.36 J	0.515 J
Zinc	410	960	33	29	61	97	121	566
Organometallic Compounds (µg/L)								
Tributyltin (ion)			--	--	0.05 U	0.05 U	0.05 U	0.074 U
Aromatic Hydrocarbons (mg/kg-OC)								
Total LPAH	370	780	0.67	2.3 U	12	14	19	88
Naphthalene	99	170	0.35 U	2.3 U	5.9	0.65	0.63	5.74
Acenaphthylene	66	66	0.35 U	2.3 U	0.63 J	0.65 J	1.3 J	3.0 J
Acenaphthene	16	57	0.35 U	2.3 U	0.31 J	0.65	0.71	5.0
Fluorene	23	79	0.059 J	2.3 U	0.45	0.71	1.1	5.3
Phenanthrene	100	480	0.49	2.3 U	4.1	9.0	12	55
Anthracene	220	1,200	0.12 J	2.3 U	0.95	2.06	3.4	14
2-Methylnaphthalene	38	64	0.35 U	2.3 U	0.46	0.32	0.30	2.2
Total HPAH	960	5,300	3.50	0.82	25	54	79	310
Fluoranthene	160	1,200	0.66	0.41 J	5.7	11	17	79
Pyrene	1,000	1,400	0.66	0.41 J	5.9 J	12	17	82
Benzo(a)anthracene	110	270	0.38	2.3 U	2.0	5.0	7.1	24
Chrysene	110	460	0.42	2.3 U	2.4	5.8	8.4	28
Benzo(b)fluoranthene			0.38	2.3 U	2.3	5.9	7.7	26
Benzo(k)fluoranthene			0.13 J	2.3 U	0.82	1.6	2.5	9
Total Benzofluoranthenes (b, j, k)	230	450	0.51	2.3 U	3.1	7.5	10.2	35
Benzo(a)pyrene	99	210	0.35	2.3 U	2.2	5.4	7.7	25
Indeno(1,2,3-c,d)pyrene	34	88	0.22 J	2.3 U	1.7	3.8	5.0	17
Dibenzo(a,h)anthracene	12	33	0.056 J	2.3 U	0.26	0.71	1.2	3.1
Benzo(g,h,i)perylene	31	78	0.24 J	2.3 U	1.8	3.7	5.0	17
Chlorinated Benzenes (mg/kg-OC)								
1,2-Dichlorobenzene	2.3	2.3	0.35 U	2.3 U	0.10 U	0.10 U	0.10 U	0.60 U
1,4-Dichlorobenzene	3.1	9	0.35 U	2.3 U	0.10 UJ	0.10 U	0.10 U	0.60 U
1,2,4-Trichlorobenzene	0.81	1.8	0.35 U	2.3 U	0.10 UJ	0.10 U	0.10 U	0.60 U
Hexachlorobenzene	0.38	2.3	0.35 U	2.3 U	0.10 U	0.10 U	0.10 U	0.60 U

Table 2
Sample Comparisons with Sediment Management Standards Chemical Criteria

Location ID: Sample ID: Sample Date: Depth: Sample Type:	SMS SQS	SMS CSL	BH-P01 BH-P01-SSB 9/12/2008 8 - 9 ft N	BH-P02 BH-P02-SSB 9/12/2008 8 - 9 ft N	Composite1 BH-05,06,07-SSA COMP 7/31/2008 0 - 2 ft N	Composite2 BH-09,10,11-SSA COMP 7/31/2008 0 - 2 ft N	Composite2 BH-09,10,11-SSA COMP DUP 7/31/2008 0 - 2 ft Field Duplicate	BH-02 BH-02-SSA 7/31/2008 0 - 0.7 ft N
Phthalate Esters (mg/kg-OC)								
Dimethyl phthalate	53	53	0.35 U	2.3 U	0.10 U	0.10 U	0.10 U	0.17 J
Diethyl phthalate	61	110	0.063 J	0.39 J	0.04 J	0.03 J	4.5 J	0.60 U
Di-n-butyl phthalate	220	1700	0.35 J	2.2 J	0.11 J	0.14 J	0.13 J	1.2 U
Butylbenzyl phthalate	4.9	64	0.13 J	0.77 J	0.10 U	0.10 U	0.10 U	0.60 U
Bis(2-ethylhexyl) phthalate	47	78	3.5 U	11 J	0.25 J	0.09 J	0.14 J	6.0 U
Di-n-octyl phthalate	58	4500	0.35 U	2.3 U	0.10 U	0.10 U	0.10 U	0.60 U
Miscellaneous (mg/kg-OC)								
Dibenzofuran	15	58	0.35 U	2.3 U	0.44	0.29	0.37	2.1
Hexachlorobutadiene	3.9	6.2	0.35 U	2.3 U	0.10 U	0.10 U	0.10 U	0.60 U
N-Nitrosodiphenylamine	11	11	0.35 U	2.3 U	0.10 U	0.10 U	0.10 U	0.60 U
PCB Aroclors (mg/kg-OC)								
Total PCB	12	65	0.49 U	3 U	0.26 U	1.1 U	0.84 U	1.2 U
Pesticides (µg/kg)								
Total DDT			0.69 U	0.65 U	1.5 UJ	2.31	2.56	1.2 UJ
4,4'-DDD (p,p'-DDD)			0.69 U	0.65 U	1.5 UJ	1.5 UJ	1.6 UJ	1.2 UJ
4,4'-DDE (p,p'-DDE)			0.69 U	0.65 U	1 UJ	2.3 UJ	2.6 UJ	1.2 UJ
4,4'-DDT (p,p'-DDT)			0.69 U	0.65 U	1 UJ	0.41 J	0.46 J	1.2 UJ
Aldrin			0.69 U	0.65 U	0.39 J	0.58 J	0.65 J	1.2 UJ
alpha-Chlordane (cis-Chlordane)			0.69 U	0.65 U	1 UJ	1.5 UJ	1.6 UJ	1.2 UJ
cis-Nonachlor			0.69 U	0.65 U	1 UJ	1.5 UJ	1.6 UJ	1.2 UJ
Dieldrin			0.69 U	0.65 U	1 UJ	1.5 UJ	0.21 J	1.2 UJ
gamma-Chlordane			0.69 U	0.65 U	0.95 J	1.5 UJ	1.6 UJ	22 UJ
gamma-BHC (Lindane)			0.69 U	0.65 U	5.9 UJ	1.5 UJ	1.6 UJ	1.2 UJ
Heptachlor			0.69 U	0.65 U	0.4 J	1.5 UJ	0.92 J	1.2 UJ
trans-Nonachlor			0.69 U	0.65 U	1 UJ	1.5 UJ	1.6 UJ	1.2 UJ
Ionizable Organic Compounds (µg/kg)								
Phenol	420	1,200	30 U	30 U	180 J	850	1,100	140 J
2-Methylphenol (o-Cresol)	63	63	10 UJ	10 UJ	10 UJ	15 UJ	16 UJ	58 UJ
4-Methylphenol (p-Cresol)	670	670	10 UJ	10 UJ	36 J	15 J	30 J	46 J
2,4-Dimethylphenol	29	29	50 UJ	50 UJ	50 UJ	72 UJ	78 UJ	290 UJ
Pentachlorophenol	360	690	100 U	100 U	100 UJ	150 U	160 U	580 U
Benzyl alcohol	57	73	20 U	20 U	18 J	29 U	32 U	120 U
Benzoic acid	650	650	200 UJ	200 UJ	200 UJ	290 UJ	320 UJ	1200 UJ

Notes:

 Detected concentration is greater than lowest Sediment Management Standards (SMS) Sediment Quality Standards (SQS)

 Detected concentration is greater than lowest SMS Cleanup Screening Level (CSL)

J = The result is an estimated concentration that is less than the MRL but greater than or equal to the MDL

U = Compound analyzed, but not detected above detection limit

UJ = Compound analyzed, but not detected above estimated detection limit

Total LPAH (Low PAH) is the total of Naphthalene, Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene and Anthracene. 2-Methylnaphthalene is not included in the sum of LPAHs

Total HPAH (High PAH) is the total of Fluoranthene, Pyrene, Benzo(a)anthracene, Chrysene, Benzofluoranthenes, Benzo(a)pyrene, Indeno(1,2,3-c,d)pyrene, Dibenzo(a,h)anthracene, and Benzo(g,h,i)perylene.

Benzo(j)fluoranthene is included in the total of benzo(b&k)fluoranthenes

Total PCB does not include Aroclor 1262 and 1268.

Total DDT consists of the sum of 4,4'-DDD, 4,4'-DDE, and 4,4'-DDT.

Totals are calculated as the sum of all detected results. If all are undetected results, the highest reporting limit value is reported as the sum.

-- Results not reported or not applicable

µg/kg = micrograms per kilogram

mg/kg = milligrams per kilogram

mg/kg-OC = milligrams per kilogram organic carbon-normalized

Table 3
Sample Comparisons with Beneficial Reuse and Disposal Criteria

Location ID: Sample ID: Sample Date: Depth: Sample Type:	MTCA Method A Cleanup Level	DMMP Screening Level	Composite1 BH-05,06,07-SSA COMP 7/31/2008 0 - 2 ft N	Composite2 BH-09,10,11-SSA COMP 7/31/2008 0 - 2 ft N	Composite2 BH-09,10,11-SSA COMP DUP 7/31/2008 0 - 2 ft Field Duplicate	Composite3 BH-SSA COMP 9/12/2008 0 - 8 ft N	BH-02 BH-02-SSA 7/31/2008 0 - 0.7 ft N
Conventional Parameters (pct)							
Total organic carbon			10 J	15.5 J	15.5 J	5.38	9.59 J
Total solids			50 J	34.7 J	31.9 J	32	42.9 J
Total volatile solids		25	18.6 J	27.5 J	32.5 J	32.3	19.8 J
Conventional Parameters (mg/kg)							
Ammonia			15.7	--	--	1.12 J	17.3
Sulfide			--	--	--	5.2	555 J
Grain Size (pct)							
Gravel			7.33	41	42.9	78.3	25.79
Sand			61.17	40.81	44.07	32.75	53.26
Silt			21.4	12.4	8.6	12 J	16.8
Clay			9.12	8.16	8.42	8.54 J	6.98
Fines (Silt + Clay)			30.52	20.56	17.02	20.54 J	23.78
Metals (mg/kg)							
Antimony		150	0.48 J	21.9 J	104 J	86.4 J	13.9 J
Arsenic	20	57	8.08	10.8	9.28	13.4	24.6
Cadmium	2	5.1	0.517	0.604	0.588	0.34	2.49
Chromium			20.1	18.3	34	16.9	31.1
Copper		390	33.7 J	94.4 J	202 J	432	508 J
Lead	250	450	56.6	242	605	1,460	626
Mercury	2	0.41	0.136	0.085	0.094	0.55	0.386
Nickel		140	13.6	17	25.9	20	23.2
Selenium			0.8 J	1.8	1.4 J	2 J	1.8 J
Silver		6.1	0.219 J	0.181 J	0.36 J	0.21	0.515 J
Zinc		410	60.9	96.7	121	205	566
Organometallic Compounds (µg/L)							
Tributyltin (ion)		0.15	0.05 U	0.05 U	0.05 U	0.072 U	0.074 U
Aromatic Hydrocarbons (µg/kg)							
Total LPAH		5,200	1,234	2,130	2,998	350	8,430
Naphthalene		2,100	590	100	98	22	550
Acenaphthylene		560	63 J	100 J	200 J	16 J	290 J
Acenaphthene		500	31 J	100	110	12 J	480
Fluorene		540	45	110	170	16 J	510
Phenanthrene		1,500	410	1,400	1,900	240	5,300
Anthracene		960	95	320	520	44	1,300
2-Methylnaphthalene		670	46	49	46	17	210
Total HPAH		12,000	2,508	8,440	12,310	1,424	29,770
Fluoranthene		1,700	570	1,700	2,700	260	7,600
Pyrene		2,600	590 J	1,800	2,700	270	7,900
Benzo(a)anthracene		1,300	200	780	1,100	120	2,300
Chrysene		1,400	240	900	1,300	140	2,700
Benzo(b)fluoranthene			230	910	1,200	150	2,500
Benzo(k)fluoranthene			82	250	380	53	870
Total Benzofluoranthenes (b, j, k)		3,200	312	1,160	1,580	203	3,370
Benzo(a)pyrene	100	1,600	220	830	1,200	130	2,400
Indeno(1,2,3-c,d)pyrene		600	170	590	780	130	1,600
Dibenzo(a,h)anthracene		230	26	110	180	21	300
Benzo(g,h,i)perylene		670	180	570	770	150	1,600
Naphthalene & 2-Methylnaphthalene ^(a)	5,000		790	880	1,198	142	--
Chlorinated Hydrocarbons (µg/kg)							
1,3-Dichlorobenzene		170	10 U	15 U	16 U	16 U	58 U
1,2-Dichlorobenzene		35	10 U	15 U	16 U	16 U	58 U
1,4-Dichlorobenzene		110	10 UJ	15 U	16 U	16 U	58 U
1,2,4-Trichlorobenzene		31	10 UJ	15 U	16 U	16 U	58 U

Table 3
Sample Comparisons with Beneficial Reuse and Disposal Criteria

Location ID: Sample ID: Sample Date: Depth: Sample Type:	MTCA Method A Cleanup Level	DMMP Screening Level	Composite1 BH-05,06,07-SSA COMP 7/31/2008 0 - 2 ft N	Composite2 BH-09,10,11-SSA COMP 7/31/2008 0 - 2 ft N	Composite2 BH-09,10,11-SSA COMP DUP 7/31/2008 0 - 2 ft Field Duplicate	Composite3 BH-SSA COMP 9/12/2008 0 - 8 ft N	BH-02 BH-02-SSA 7/31/2008 0 - 0.7 ft N
Hexachlorobenzene		22	10 U	15 U	16 U	16 U	58 U
Phthalates (µg/kg)							
Dimethyl phthalate		71	10 U	15 U	16 U	16 U	16 J
Diethyl phthalate		200	3.7 J	4.2 J	4.5 J	2.8 J	58 U
Di-n-butyl phthalate		1,400	11 J	21 J	20 J	16 J	120 U
Butylbenzyl phthalate		63	10 U	15 U	16 U	16 U	58 U
Bis(2-ethylhexyl) phthalate		1,300	25 J	14 J	21 J	160 U	580 U
Di-n-octyl phthalate		6,200	10 U	15 U	16 U	16 U	58 U
Phenols (µg/kg)							
Phenol		420	180 J	850	1,100	4.8 J	140 J
2-Methylphenol (o-Cresol)		63	10 UJ	15 UJ	16 UJ	16 UJ	58 UJ
4-Methylphenol (p-Cresol)		670	36 J	15 J	30 J	16 UJ	46 J
2,4-Dimethylphenol		29	50 UJ	72 UJ	78 UJ	79 UJ	290 UJ
Pentachlorophenol		400	100 UJ	150 U	160 U	160 U	580 U
Miscellaneous Extractables (µg/kg)							
Benzyl alcohol		57	18 J	29 U	32 U	8.4 J	120 U
Benzoic acid		650	200 UJ	290 UJ	320 UJ	320 UJ	1200 UJ
Dibenzofuran		540	44	45	58	8.7 J	200
Hexachloroethane		1,400	10 U	15 U	16 U	16 U	58 U
Hexachlorobutadiene		29	10 U	15 U	16 U	16 U	58 U
N-Nitrosodiphenylamine		28	10 U	15 U	16 U	16 U	58 U
Volatile Organics (µg/kg)							
Ethylbenzene	6,000	10	--	--	--	--	2.3 U
Tetrachloroethene	50	57	--	--	--	--	2.3 U
Trichloroethene	30	160	--	--	--	--	2.3 U
m,p-Xylene			--	--	--	--	4.6 U
o-Xylene			--	--	--	--	2.3 U
Total Xylene	9,000	40	--	--	--	--	4.6 U
Pesticides (µg/kg)							
4,4'-DDD (p,p'-DDD)			1.5 UJ	1.5 UJ	1.6 UJ	1.6 U	1.2 UJ
4,4'-DDE (p,p'-DDE)			1 UJ	2.3 UJ	2.6 UJ	1.6 U	1.2 UJ
4,4'-DDT (p,p'-DDT)			1 UJ	0.41 J	0.46 J	1.6 U	1.2 UJ
Total DDT	3,000	6.9	1.5 UJ	2.31	2.56	1.6 U	1.2 UJ
Aldrin		10	0.39 J	0.58 J	0.65 J	1.6 U	1.2 UJ
alpha-Chlordane (cis-Chlordane)			1 UJ	1.5 UJ	1.6 UJ	1.6 U	1.2 UJ
beta-Chlordane (trans-Chlordane)			1 UJ	1.5 UJ	1.6 UJ	1.6 U	1.2 UJ
cis-Nonachlor			1 UJ	1.5 UJ	0.21 J	1.6 U	1.2 UJ
Dieldrin		10	0.95 J	1.5 UJ	1.6 UJ	1.6 U	22 UJ
gamma-BHC (Lindane)	10	10	5.9 UJ	1.5 UJ	1.6 UJ	1.6 U	1.2 UJ
Heptachlor		10	0.4 J	1.5 UJ	0.92 J	1.6 U	1.2 UJ
trans-Nonachlor			1 UJ	1.5 UJ	1.6 UJ	1.6 U	1.2 UJ
Total Chlordane		10	1 UJ	1.5 UJ	1.81	1.6 U	1.2 UJ
PCB Aroclors (µg/kg)							
Aroclor 1016			10 U	15 U	16 U	16 U	43 U
Aroclor 1221			26 U	170 U	130 U	32 U	120 U
Aroclor 1232			10 U	48 U	37 U	16 U	37 U
Aroclor 1242			10 U	25 U	79 U	16 U	26 U
Aroclor 1248			10 U	15 U	16 U	16 U	13 U
Aroclor 1254			10 U	15 U	21 U	16 U	12 U
Aroclor 1260			10 U	15 U	16 U	16 U	12 U
Total PCB	1,000	130	26 U	170 U	130 U	32 U	120 U
PCB Aroclors (mg/kg-OC)							
Total PCB			0.26 U	1.097 U	0.84 U	0.595 U	1.25 U

Table 3
Sample Comparisons with Beneficial Reuse and Disposal Criteria

Location ID: Sample ID: Sample Date: Depth: Sample Type:	MTCA Method A Cleanup Level	DMMP Screening Level	Composite1 BH-05,06,07-SSA COMP 7/31/2008 0 - 2 ft N	Composite2 BH-09,10,11-SSA COMP 7/31/2008 0 - 2 ft N	Composite2 BH-09,10,11-SSA COMP DUP 7/31/2008 0 - 2 ft Field Duplicate	Composite3 BH-SSA COMP 9/12/2008 0 - 8 ft N	BH-02 BH-02-SSA 7/31/2008 0 - 0.7 ft N
Dioxin Furans (ng/kg)							
2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD)			0.3 J	2.8 U	3.08 U	3.01 U	--
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (PeCDD)			0.684 J	7.01 U	7.7 U	7.53 U	--
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (HxCDD)			0.439 J	7.01 U	7.7 U	7.53 U	--
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (HxCDD)			1.69 J	7.01 U	7.7 U	7.53 U	--
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (HxCDD)			1.75 J	0.768 J	7.7 U	7.53 UJ	--
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (HpCDD)			28.5	10.4	9.43	3.85 J	--
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)			230	39.1	23.2	32.9 J	--
2,3,7,8-Tetrachlorodibenzofuran (TCDF)			1.88 U	2.8 U	3.08 U	3.01 U	--
1,2,3,7,8-Pentachlorodibenzofuran (PeCDF)			0.719 J	7.01 U	7.7 U	0.469 J	--
2,3,4,7,8-Pentachlorodibenzofuran (PeCDF)			0.819 J	7.01 U	7.7 U	0.599 J	--
1,2,3,4,7,8-Hexachlorodibenzofuran (HxCDF)			4.7 U	7.01 U	7.7 U	1.34 J	--
1,2,3,6,7,8-Hexachlorodibenzofuran (HxCDF)			0.498 J	7.01 U	7.7 U	7.53 U	--
1,2,3,7,8,9-Hexachlorodibenzofuran (HxCDF)			4.7 U	7.01 U	7.7 U	7.53 U	--
2,3,4,6,7,8-Hexachlorodibenzofuran (HxCDF)			0.622 J	7.01 U	7.7 U	7.53 UJ	--
1,2,3,4,6,7,8-Heptachlorodibenzofuran (HpCDF)			4.55 J	7.01 U	7.7 U	7.12 J	--
1,2,3,4,7,8,9-Heptachlorodibenzofuran (HpCDF)			4.7 U	7.01 U	7.7 U	2.26 J	--
1,2,3,4,5,6,7,8-Octachlorodibenzofuran (OCDF)			10.9	3.57 J	2.82 J	111 J	--
Total Tetrachlorodibenzo-p-dioxin (TCDD)			26.7	2.8 U	3.08 U	6.25	--
Total Pentachlorodibenzo-p-dioxin (PeCDD)			10.1	7.01 U	7.7 U	4.35 J	--
Total Hexachlorodibenzo-p-dioxin (HxCDD)			26.9	3.16 J	2.48 J	3.04 J	--
Total Heptachlorodibenzo-p-dioxin (HpCDD)			76.8	21	16.9	7.5 J	--
Total Tetrachlorodibenzofuran (TCDF)			10.9	2.8 U	3.08 U	10.6	--
Total Pentachlorodibenzofuran (PeCDF)			7.86	0.448 J	7.7 U	2.12 J	--
Total Hexachlorodibenzofuran (HxCDF)			6.99	0.937 J	1.36 J	1.34 J	--
Total Heptachlorodibenzofuran (HpCDF)			11.5	5.61 J	3.93 J	14.4	--
Total Dioxin/Furan TEQ (Mammal) ND=0		8.7	2.15	0.19	0.10	0.50	--
Total Petroleum Hydrocarbons (mg/kg)							
Gasoline Range	100		--	--	--	21 U	15 U
Diesel Range	2,000		33 J	45 J	88 J	15 J	220 J
Residual Range ^(b)			140 J	100 J	200 J	59 J	530 J

Notes:

(a) MTCA Method A "Naphthalenes" consists of Naphthalene, 1-Methylnaphthalene, and 2-Methylnaphthalene. Only Naphthalene & 2-Methylnaphthalene was measured and screened.

(b) MTCA method A level for "All other gasoline mixtures" was applied to Residual Range

 Detected concentration is greater than DMMP screening level

 Detected concentration is greater than MTCA Method A screening level

Bold = Detected result

J = The result is an estimated concentration that is less than the MRL but greater than or equal to the MDL

U = Compound analyzed, but not detected above detection limit

mg/kg = milligrams per kilogram

UJ = Compound analyzed, but not detected above estimated detection limit

mg/L = milligrams per liter

2-Methylnaphthalene is not included in the sum of LPAHs

TEQ values as of 2005, World Health Organization.

Benzo(j)fluoranthene is included in the total of benzo(b&k)fluoranthenes

MTCA Method A cleanup levels are for Unrestricted Land Uses, October 12, 2007.

Total PCB does not include Aroclor 1262 and 1268

µg/L = micrograms per liter

Total DDT consists of the sum of 4,4'-DDD, 4,4'-DDE, and 4,4'-DDT

µg/kg = micrograms per kilogram

Total Chlordane includes alpha-chlordane (cis-chlordane), beta-chlordane (trans-chlordane), cis-nonaclor, trans-nonaclor, and oxychlordane.

Total xylene is the sum of o-, m-, p- isomers.

Totals are calculated as the sum of all detected results. If all are undetected results, the highest reporting limit value is reported as the sum.

-- Results not reported or not applicable

**Table 4
Blakely Harbor Seepage Results Summary**

Location ID:	BH-021	BH-022	BH-023
Sample ID:	BH-021-080731	BH-022-080731	BH-023-080731
Sample Date:	7/31/2008	7/31/2008	7/31/2008
Sample Type:	N	N	N
Conventional Parameters (mg/L)			
Ammonia	0.05 U	0.45	0.05 U
Sulfide	0.09	24.7	0.05 U

Notes:

Bold = Detected result

U = Compound analyzed, but not detected above detection limit


Sample Type N = Normal field sample

Table 5
Blakely Harbor Seepage Field Parameters Summary

Time	pH (Units)	Temp (° C)	DO (mg/L)	Turbidity (NTU)	Sp. Cond. (µS)	Salinity (ppt)	ORP (mV)
BH-21 Seep 1							
1030	6.75	15.85	1.73	2.4	40008	25.55	136
1036	6.69	14.85	1.51	3.7	39453	25.16	95
1042	6.7	14.86	1.46	3.2	39612	25.3	88
BH-22 Seep 2							
1108	6.51	14.48	0.37	1.6	40964	26.26	-12
1110	6.52	14.37	0.36	0.9	41023	26.3	-13
1113	6.51	14.31	0.36	2.1	41055	26.32	-9
BH-23 Seep 3							
1140	7.01	23.84	6.67	1.7	36657	23.23	116
1142	6.94	23.59	6.73	1.5	36592	23.14	133
1145	6.87	23.21	6.67	1.6	36590	23.15	145

FIGURES

Jan 21, 2009 11:37am ghowell K:\Jobs\080510-City of Bainbridge\080510-03-BLKY-HARBR\08051001-002.dwg FIG 1



Property Line ———

Note: Base map prepared from Terrain Navigator Pro USGS 7.5 minute quadrangle maps of Bremerton East, Seattle North, Seattle South, and Suquamish, Washington





Figure 1
Vicinity Map
Blakely Harbor
Sediment Characterization



Legend	
	Limit of Study
	Mean Higher High Water (MHHW)
	Mean Lower Low Water (MLLW)
	Property Line
	Visible Wood Surface

Notes:
 Horizontal Datum: Washington State Plane North, NAD83.
 Vertical Datum: (MLLW)
 MLLW = 0.0 FT
 MHW = 10.5 FT
 MHHW = 11.4 FT

- Sources:**
1. Aerial photo from Kitsap County dias dated 2001.
 2. OHW line, MHW inside project area, and select wetlands from upland survey by Bainbridge Metro Parks, May 15, 2007.
 3. Additional wetland from Kitsap County GIS.
 4. MHW and MHHW Elevations from Seattle NOAA Station 9447130.
 5. MHHW line outside project area and MLLW line from GIS.
 6. Conversion from NAVD88 to MLLW based on WSDOT Monument 5139 at Eagle Harbor using MLLW = NAVD88 -2.5 ft.





Figure 2
 Site Plan
 Blakely Harbor
 Sediment Characterization

Jan 21, 2009 11:06am cdavidson K:\Jobs\080510-City of Bainbridge\080510-03-BLKLY-HARBOR\08051001-014.dwg FIG 3



Sources:

1. Aerial photo from Kitsap County dias dated 2001.
2. OHW line, MHW inside project area, and select wetlands from upland survey by Bainbridge Metro Parks, May 15, 2007.
3. Additional wetland from Kitsap County GIS.
4. MHW and MHHW elevations from Seattle NOAA Station 9447130.
5. MHHW line outside project area and MLLW line from GIS.
6. Conversion from NAVD88 to MLLW based on WSDOT Monument 5139 at Eagle Harbor using MLLW = NAVD88 -2.5 ft.

Notes:

Horizontal Datum: Washington State Plane North, NAD83.
 Vertical Datum: MLLW
 MLLW = 0.0 FT
 MHW = 10.5 FT
 MHHW = 11.4 FT

Legend

- Limit of Study
- Mean Higher High Water (MHHW)
- Mean Lower Low Water (MLLW)
- Property Line
- Visible Wood Surface
- BH-08 Sample Location - Wood Depth (Anchor 2008)
- BH-P02 Sample Location - Test Pit (Anchor 2008)

- 2 Diver Transect Location (Anchor 2008)
- <10% Wood
- 10-50% Wood
- >50% Wood
- 100% Wood

Sample Location (Approximate) - Shannon & Wilson (1992) Sampling Data

- ⊕ Log Pond/Sediment
- Groundwater
- ⊠ Test Pit




Figure 3
 Approximate Depth and Extent of Surface Wood Debris
 Blakely Harbor
 Sediment Characterization



Legend

	Limit of Study
	Mean Higher High Water (MHHW)
	Mean Lower Low Water (MLLW)
	Property Line
	Visible Wood Surface
	BH-23 Seep Sample
	Visible Seep With Bacteria at Surface

Notes:
 Horizontal Datum: Washington State Plane North, NAD83.
 Vertical Datum: MLLW

MLLW = 0.0 FT
 MHW = 10.5 FT
 MHHW = 11.4 FT

- Sources:**
1. Aerial photo from Kitsap County dias dated 2001.
 2. OHW line, MHW inside project area, and select wetlands from upland survey by Bainbridge Metro Parks, May 15, 2007.
 3. Additional wetland from Kitsap County GIS.
 4. MHW and MHHW Elevations from Seattle NOAA Station 9447130.
 5. MHHW line outside project area and MLLW line from GIS.
 6. Conversion from NAVD88 to MLLW based on WSDOT Monument 5139 at Eagle Harbor using MLLW = NAVD88 -2.5 ft.




Figure 4
 Dissolved Oxygen, Sulfide and Ammonia Concentrations (mg/L) in Intertidal Seep Samples
 Blakely Harbor
 Sediment Characterization

APPENDIX A

PHOTOGRAPHS



Photograph1 – Looking offshore into Blakely Harbor at low tide



Photograph 2 – Looking towards shore at low tide



Photograph 3 – View towards north at low tide from lower intertidal area



Photograph 4 – View to south from lower intertidal area at low tide. Log pond channel just beyond person on beach



Photograph 5 – Upper intertidal area just south of old Power House building



Photograph 6 – Upper intertidal area offshore of old Power House building



Photograph 7 – Upper intertidal area at Test Pit 3 location



Photograph 8 – Test pit excavator at Test Pit 2



Photograph 9 – View into 8-foot-deep excavation at Test Pit 2



Photograph 10 – Stockpile material piled up alongside Test Pit 1



Photograph 11 – Large wood material in Test Pit 3



Photograph 12 – Water sampling at Seep 1 (BH-021)



Photograph 13 – Water sampling equipment at Seep 1 (BH-021)



Photograph 14 – Water bubbling up from Seep 2 (BH-022) and white filamentous material

APPENDIX B

DIVER OBSERVATION LOGS

Blakely Harbor Mill Site Diver Observation Log

Transect: #1

Date: 9/24/2008

Crew: Research Support Survices, Eric Parker

Coordintes:	Start:	222120 N 1225752 E				End:	221919 N 1225976 E						
Distance (ft)	0	25	50	75	100	125	150	175	200	225	250	275	300
Time	1635	1637	1640	1641	1643	1645	1646	1647	1647	1648	1649	1650	1652
Depth (ft)	11	12	13	15	18	21	25	27	30	33	35	35	35
Tide	10.3	10.3	10.2	10.2	10.2	10.1	10	10	10	9.9	9.9	9.9	9.9
Depth (MLLW)	-0.7	-1.7	-2.8	-4.8	-7.8	-10.9	-15	-17	-20	-23.1	-25.1	-25.1	-25.1
Predominant Substrate	Shelly silt and crushed rock	Shelly silt and crushed rock	Silty sand and crushed rock	Shelly sandy silt/crushed rock	Sandy silt/woody	Silt	Silt	Silt	Silt	Silt	Silt	Silt	Silt
Surface WW%	90	75	15	10	15	90	90	90	80	70	50	5	<5
Depth to 100% Wood	0	Not able to probe	Not able to probe	Not able to probe	Pilings	12"	12"	12"	8"	8"	8"	12-18"	12-18"
%Wood by Volume	100	0	0	0	50	100	100	100	100	100	40	50	50
Algae Present	Ulva	Ulva	Ulva Lam	Ulva Lam		Lam	Lam	Lam	Lam			Ulva	
% Algal Cover	90	100	100	100		5	<5	<5	5			<5	
Animals Present	Barnacles, Crab					Starfish		Metridium	Crab, Starfish, Lincod	Metridium			Sand dab

Lam = Laminaria sp.

MLLW = mean lower low water

WW = wood waste

Blakely Harbor Mill Site Diver Observation Log

Transect: #2

Date: 9/24/2008

Crew: Research Support Survices, Eric Parker

Coordintes:	Start:	222114 N 1225645 E					End:	221890 N 1225854 E						
Distance (ft)	0	25	50	75	100	125	150	175	200	225	250	275	300	
Time	1557	1556	1555	1555	1555	1555	1553	1552	1551	1550	1550	1548	1547	
Depth (ft)	11	12	12	13	14	15	15	17	20	21	24	25	27	
Tide	10.8	10.8	10.8	10.9	10.9	10.9	10.9	10.9	10.9	10.9	11	11	11	
Depth (MLLW)	0.2	-1.2	-1.2	-2.1	-3.1	-4.1	-4.1	-6.1	-9.1	-10.1	-13	-14	-16	
Predominant Substrate	Sandy Silt	Sandy Silt	Silty Sand, scattered rock	Silty Sand, scattered rock	Silty Sand, scattered rock	Silty Sand, scattered rock	Silty Sand	Silty Sand	Silty Sand	Silt	Silt	Silt	Sandy Silt	
Surface WW%	100	100	100	100	100	80	75	40	30	15	50	15	10	
Depth to 100% Wood	0	0	0	0	0	0	3"	8"	12"	12"	12"	12"	6"	
% Wood by Volume	100	100	100	100	100	100	100	50	100	100	100	100	100	
Algae Present	Ulva	Ulva	Ulva	Ulva	Ulva	Ulva, Laminaria	Ulva, Laminaria	Ulva	Ulva	Gracilaria	Gracilaria		Gracilaria	
% Algal Cover	90	100	90	100	100	100	100	100	100	20	10		<5	
Animals Present											Metridium		Sculpin	

Lam = Laminaria sp.

MLLW = mean lower low water

WW = wood waste

Blakely Harbor Mill Site Diver Observation Log

Transect: #3

Date: 9/24/2008

Crew: Research Support Services, Eric Parker

Coordinates:	Start:	221031 N 1225558 E				End:	221800 N 1225734 E						
Distance (ft)	0	25	50	75	100	125	150	175	200	225	250	275	300
Time	1430	1451	1450	1448	1447	1446	1446	1445	1445	1444	1443	1440	1440
Depth (ft)	11	12	13	14	14	14	14	14	15	14	13	13	12
Tide	11.1	11.2	11.2	11.2	11.2	11.2	11.2	11.2	11.2	11.2	11.2	11.2	11.2
Depth (MLLW)	-0.1	-0.8	-1.8	-2.8	-2.8	-2.8	-2.8	-2.8	-3.8	-2.8	-1.8	-1.8	-0.8
Predominant Substrate	Crushed rock and gravel	Silt	Shelly Silt	Silty sand and sawdust	Silt and Sawdust	Silty Sand	Silty Sand	Silty Sand	Silty Sand	Sand	Sand	Sand	Sand
Surface WW%	40	100	75	80	15	0	0	0	0	0	0	0	0
Depth to 100% Wood	0	0	3"	6"	6"	12"	18-24"	--	--	--	--	--	--
% Wood by Volume	100	100	100	100	100	100	100	--	--	--	--	--	--
Algae Present	Ulva	Ulva	Ulva	Ulva, Gracilaria	Ulva	Ulva, Gracilaria	Ulva	Ulva, Gracilaria	Ulva	Ulva	Ulva, Gracilaria	Ulva	Ulva
% Algal Cover	70	80	50	80		15	90	60	50	<5	<5	<5	<5
Animals Present	Barnacles on rocks												

Lam = Laminaria sp.

MLLW = mean lower low water

WW = wood waste

APPENDIX C

LABORATORY DATA AND DATA VALIDATION REPORTS



Anchor Environmental, L.L.C.
1423 3rd Avenue, Suite 300
Seattle, Washington 98101
Phone 206.287.9130
Fax 206.287.9131

Data Validation Review Report – EPA Level 2

Project: Blakely Harbor

Project Number: 080510-03

Date: October 2, 2008

This report summarizes the review of analytical results for 13 sediment samples and three water samples collected on July 31 and August 1, 2008. Samples were collected by Anchor Environmental, L.L.C. (Anchor) and submitted to Columbia Analytical Services, Inc. (CAS), in Kelso, Washington. One set of three samples and one set of four samples were composited for analyses. The second composite was split for duplicate analyses. Samples were analyzed for the following:

- Semivolatile organic compounds (SVOCs) by U.S. Environmental Protection Agency (USEPA) method 8270C
- Volatile organic compounds (VOCs) by USEPA method 8260B
- Organochlorine pesticides by USEPA method 8081A
- Aroclor polychlorinated biphenyls (PCBs) by USEPA method 8082
- Total metals by USEPA methods 6010B, 6020, and 7471A
- Porewater organotins by Krone
- Gasoline range organics (GRO) by NWTPH-GX
- Diesel range organics (DRO) and residual range organics (RRO) by NWTPH-DX
- Ammonia by USEPA method 350.1M
- Sulfides by Puget Sound Estuary Program (PSEP)
- Total organic carbon (TOC) by PSEP
- Total solids (TS) by USEPA method 160.3M
- Total volatile solids (TVS) by USEPA method 160.4M
- Grain size by ASTM D422M
- Polychlorinated dibenzodioxins (PCDD) and polychlorinated dibenzofurans (PCDF) by USEPA method 1613B

CAS sample data group (SDG) number K0807136 was reviewed in this report. The samples reviewed in this report are presented in Table 1.

Table 1
Samples Reviewed

Sample ID	Lab ID	Matrix	Analyses Requested
BH-021-080731	K0807136-001	Water	Ammonia, sulfides
BH-022-080731	K0807136-002	Water	Ammonia, sulfides
BH-023-080731	K0807136-003	Water	Ammonia, sulfides
BH-001-SSA	K0807136-004	Sediment	Archive
BH-001-SSB	K0807136-005	Sediment	Archive
BH-002-SSA	K0807136-006	Sediment	SVOCs, VOCs, pesticides, PCBs, metals, organotins, GRO, DRO, RRO, ammonia, sulfides, TOC, TS, TVS, grainsize
BH-009-SSA	K0807136-007	Sediment	VOCs, GRO, sulfides, TS
BH-059-SSA	K0807136-008	Sediment	VOCs, GRO, sulfides, TS
BH-010-SSA	K0807136-009	Sediment	VOCs, GRO, sulfides, TS
BH-011-SSA	K0807136-010	Sediment	VOCs, GRO, sulfides, TS
BH-006-SSA	K0807136-011	Sediment	VOCs, GRO, sulfides, TS
BH-008-SSA	K0807136-012	Sediment	Archive
BH-007-SSA	K0807136-013	Sediment	VOCs, GRO, sulfides, TS
BH-003-SSA	K0807136-014	Sediment	Archive
BH-005-SSA	K0807136-015	Sediment	VOCs, GRO, sulfides, TS
BH-004-SSA	K0807136-016	Sediment	Archive
BH-005,6,7-SSA Comp	K0807136-017	Sediment	SVOCs, VOCs, pesticides, PCBs, metals, organotins, GRO, DRO, RRO, ammonia, TOC, TS, TVS, grainsize, PCDD/PCDF
BH-009,59,10,11-SSA Comp	K0807136-018	Sediment	SVOCs, VOCs, pesticides, PCBs, metals, organotins, GRO, DRO, RRO, TOC, TS, TVS, grainsize, PCDD/PCDF
BH-009,59,10,11-SSA CompDup	K0807136-019	Sediment	SVOCs, VOCs, pesticides, PCBs, metals, organotins, GRO, DRO, RRO, TOC, TS, TVS, grainsize, PCDD/PCDF

Data Validation and Qualifications

The following comments refer to the laboratory's performance in meeting the quality assurance/quality control (QA/QC) guidelines outlined in the analytical procedures and data quality objective section of the Sampling and Analysis Plan (SAP). Laboratory results were reviewed following USEPA guidelines using *USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review* (USEPA 2004), *USEPA Contract Laboratory National Functional Guidelines for Organic Data Review* (USEPA 1999), and *USEPA Contract Laboratory National Functional Guidelines for Chlorinated Dibenzo-p-Dioxins (CDDs) and Chlorinated Dibenzofurans (CDFs) Data Review* (USEPA 2005) as guidelines, and applying laboratory and method QC criteria as stated in SW 846, Third Edition, Test Methods for Evaluating Solid Waste, update 1, July 1992; update IIA, August 1993; update II, September 1994; update IIB,

January 1995; update III, December 1996; update IIIA, April 1998. Unless noted in this report, laboratory results for the samples listed above were within QC criteria.

Field Documentation

Field documentation was checked for completeness and accuracy. The chain-of-custody was signed by CAS at the time of sample receipt; the samples were received cold and in good condition. A revised chain of custody was submitted after samples were received.

Holding Times and Sample Preservation

Samples were appropriately preserved and analyzed within holding times with the following exceptions:

- TS analyses were performed 5, 6, and 7 days past the 7-day holding time. All results have been qualified "J" to indicate that they are estimated.
- TVS analyses were performed 3 and 4 days past the 14-day holding time. All results have been qualified "J" to indicate that they are estimated.
- TOC analyses were performed 6 and 7 days past the 14-day holding time. All results have been qualified "J" to indicate that they are estimated.
- Pesticides analyses were performed 6 and 7 days past the 40-day hold time after extractions. All results have been qualified "J" or "UJ" to indicate that they are estimated.

Laboratory Method Blanks

Laboratory method blanks were analyzed at the required frequencies. All method blanks were free of target analytes with the following exceptions:

- NWTPH-DX: DRO and RRO were detected in the method blank at levels between the method detection limit (MDL) and the method reporting limit (MRL). All sample results were significantly higher (>5x) than those detected in the blank, so no data were qualified.
- PCDD/PCDF: 1,2,3,6,7,8-HxCDD, 1,2,3,4,6,7,8-HpCDD, OCDD, 2,3,4,7,8-PeCDF, 1,2,3,4,7,8-HxCDF, 1,2,3,4,6,7,8-HpCDF, and OCDF were all detected in the method blank at levels above the estimated detection limit (EDL) but below the reporting limit (RL). Sample concentrations were compared to concentrations in the method blank. The

sample concentrations were either not detected or were significantly greater than (>5x) the blank concentrations with the exceptions of 1,2,3,4,7,8-HxCDF in sample BH-005,6,7-SSA-Comp and 1,2,3,6,7,8-HxCDD and 1,2,3,4,6,7,8-HpCDF in samples BH-009,59,10,11-SSA Comp and BH-009,59,10,11-SSA Comp. These results have been qualified as non-detects. See Table 3 for qualified data.

Field Quality Control

Field Blanks

No field blanks were collected in association with this data package.

Field Duplicates

One set of field duplicates was collected in association with this data package: BH-009-SSA and BH-059-SSA. In addition, one duplicate was created in the laboratory when compositing: BH-009,59,10,11-SSA Comp and BH-009,59,10,11-SSA Comp Dup. Results are summarized in Table 2.

**Table 2
 Duplicate Sample Summary**

Analyte	BH-009-SSA	BH-059-SSA	RPD
TS	41.8%	39%	7%
Sulfide	36 mg/kg	63 mg/kg	55%

Analyte	BH-009,59,10,11-SSA Comp	BH-009,59,10,11-SSA Comp Dup	RPD
TVS	18.6%	27.5%	39%
TOC	15.5%	15.5%	0%
Medium Gravel	24.4%	24.5%	0%
Fine Gravel	16.6%	18.4%	10%
Very Coarse Sand	12.5%	13.3%	6%
Coarse Sand	8.44%	7.59%	11%
Medium Sand	8.12%	10.7%	27%
Fine Sand	9.23%	9.49%	3%
Very Fine Sand	2.52%	2.99%	17%
Silt	12.4%	8.6%	36%
Clay	8.16%	8.42%	3%

Analyte	BH-009,59,10,11-SSA Comp	BH-009,59,10,11-SSA Comp Dup	RPD
Antimony	21.9 mg/kg	104 mg/kg	130%
Arsenic	10.8 mg/kg	9.28 mg/kg	15%
Cadmium	0.604 mg/kg	0.588 mg/kg	3%
Chromium	18.3 mg/kg	34 mg/kg	60%
Copper	94.4 mg/kg	2020 mg/kg	182%
Lead	242 mg/kg	605 mg/kg	86%
Mercury	0.085 mg/kg	0.094 mg/kg	10%
Nickel	17 mg/kg	25.9 mg/kg	41%
Selenium	1.8 mg/kg	1.4 mg/kg	25%
Silver	0.181 mg/kg	0.36 mg/kg	66%
Zinc	96.7 mg/kg	121 mg/kg	22%
DRO	45 mg/kg	88 mg/kg	65%
RRO	100 mg/kg	200 mg/kg	67%
Heptachlor	1.5U µg/kg	0.92 µg/kg	200%
Aldrin	0.58 µg/kg	0.65 µg/kg	11%
cis-Nonachlor	1.5U µg/kg	0.21 µg/kg	200%
4,4'-DDT	0.41 µg/kg	0.46 µg/kg	11%
Phenol	850 µg/kg	1100 µg/kg	26%
4-Methylphenol	15 µg/kg	30 µg/kg	67%
Naphthalene	100 µg/kg	98 µg/kg	2%
2-Methylnaphthalene	49 µg/kg	46 µg/kg	6%
Acenaphthylene	100 µg/kg	200 µg/kg	67%
Acenaphthene	100 µg/kg	110 µg/kg	10%
Dibenzofuran	45 µg/kg	58 µg/kg	25%
Fluorene	110 µg/kg	170 µg/kg	43%
Diethyl Phthalate	4.2 µg/kg	4.5 µg/kg	7%
Phenanthrene	1400 µg/kg	1900 µg/kg	30%
Anthracene	320 µg/kg	520 µg/kg	48%
Di-n-butyl Phthalate	21 µg/kg	20 µg/kg	5%
Fluoranthene	1700 µg/kg	2700 µg/kg	45%
Pyrene	1800 µg/kg	2700 µg/kg	40%
Benz(a)anthracene	780 µg/kg	1100 µg/kg	34%
Chrysene	900 µg/kg	1300 µg/kg	36%
Bis(2-ethylhexyl) Phthalate	14 µg/kg	21 µg/kg	40%
Benzo(b)fluoranthene	910 µg/kg	1200 µg/kg	27%
Benzo(k)fluoranthene	250 µg/kg	380 µg/kg	41%
Benzo(a)pyrene	830 µg/kg	1200 µg/kg	36%
Indeno(1,2,3-cd)pyrene	590 µg/kg	780 µg/kg	28%
Dibenz(a,h)anthracene	110 µg/kg	180 µg/kg	48%

Analyte	BH-009,59,10,11-SSA Comp	BH-009,59,10,11-SSA Comp Dup	RPD
Benzo(g,h,i)perylene	570 µg/kg	770 µg/kg	30%
1,2,3,7,8,9-HxCDD	0.768 ng/kg	7.70U ng/kg	200%
1,2,3,4,6,7,8-HpCDD	10.4 ng/kg	9.43 ng/kg	10%
OCDD	39.1 ng/kg	23.2 ng/kg	51%

Internal Standard/Surrogate Recoveries

Internal standard recoveries were within method control limits for all internal standards with the exception of the low recovery of chlorobenzene-d5 in sample BH-005-SSA in the volatiles analysis. Associated analytes have been qualified "UJ" to indicate a potentially low bias. See Table 3 for qualified data. Surrogate recoveries were within laboratory control limits for all surrogates.

Compound Identification

The chromatographic pattern for DRO and RRO in NWTPH-DX analyses did not match the calibration standards for sample BH-002-SSA. The chromatographic pattern for DRO in sample BH-009,59,10,11-SSA Comp Dup did not resemble a petroleum product. These results have been qualified "J" to indicate that they are estimated. See Table 3 for qualified data.

Compound Quantitation

Compound confirmation results for detected pesticide and PCB analytes were within 40 percent relative percent difference (RPD) of the primary analyses with the exception of some pesticide results. One or more pesticide analytes in the samples where pesticides were detected were outside of control limits. See Table 3 for qualified data.

Matrix Spike (MS) and Matrix Spike Duplicate (MSD)

MS and MSD samples were analyzed at the required frequencies for all analyses. All MS/MSD analyses yielded percent recoveries (%R) and/or RPD values within the project data quality objectives with the following exceptions:

- Conventionals – Sulfides recovered below data quality objectives in the MS and the MS/MSD analyses resulted in a RPD outside of data quality objectives. All sediment sulfides results have been qualified "J" to indicate that results are estimated.

-
- Metals – Antimony recovered below data quality objectives in the MS. All results for antimony have been qualified “J” to indicate a potentially low bias. Copper, lead, and zinc also recovered outside of control limits in the MS. However, the spiking concentrations for these elements were all significantly higher (>4x) than concentrations in the native sample so no data were qualified. Post-spike recoveries for these elements were within project-required control limits.
 - SVOCs – MS and MSD analyses resulted in %Rs and/or RPD values outside of the project required control limits for the following analytes: phenol, 1,4-dichlorobenzene, 1,2,4-trichlorobenzene, acenaphthene, and pentachlorophenol (MSD, RPD); and pyrene (MS/MSD, RPD). Results for these analytes have been qualified “J” or “UJ” in the parent sample to indicate that they are estimated.

Laboratory Control Sample (LCS) and LCS Duplicate (LCSD)

An LCS and LCSD were analyzed at the required frequencies and resulted in recoveries within project-required control limits with the exception of the SVOC LCS/LCSD. Analytes that recovered low in the SVOC LCSD and/or LCS were 2-methylphenol, 4-methylphenol, and acenaphthylene (LCS), and 2,4-dimethylphenol and benzoic acid (LCS/LCSD). All sample results for these analytes have been qualified “J” or “UJ” to indicate a potentially low bias.

Laboratory Duplicates/Triplicates

Laboratory duplicates/triplicates were analyzed at the required frequencies. All RPD/relative standard deviation (RSD) values were within the project-required control limits with the following exceptions:

- Grain size – The duplicate analysis of medium gravel and medium sand resulted in high RPD values. These parameters have been qualified “J” in the parent sample to indicate that they are estimated.
- Metals – The duplicate analysis of copper and silver resulted in RPD values outside of data quality objectives. Copper and silver results for all samples have been qualified “J” to indicate that they are estimated.

Method Reporting Limits

Reporting limits were deemed acceptable as reported. All values were reported using the laboratory's reporting limits. Values were reported as undiluted, or when diluted, the reporting limit accurately reflects the dilution factor. Some of the reporting limits for pesticide and PCB analytes were elevated due to matrix interference. However, all reporting limits were at or below screening levels with the exceptions of gamma-BHC (Lindane) in sample BH-002-SSA and Aroclor 1221 in sample BH-009,59,10,11-SSA Comp. Several reporting limits for SVOC analytes in sample BH-002-SSA were elevated due to high levels of non-target analytes, which required the sample to be diluted prior to analysis. This resulted in several reporting limits above screening levels. Some SVOC reporting limits in the remaining samples were also above screening levels due to limitations of the method.

Overall Assessment

As was determined by this evaluation, the laboratory followed the specified analytical methods and all requested sample analyses were completed. Accuracy was acceptable, as demonstrated by the surrogate, LCS/LCSD, and MS/MSD %R values, with the exceptions noted above. Precision was also acceptable as demonstrated by the laboratory duplicates, MS/MSD and LCS/LCSD RPD values, with the exceptions noted above. TVS, TOC, and pesticide data were qualified due to holding time exceedances. PCDD/PCDF data were qualified due to method blank contamination. Most data were deemed acceptable as reported; all other data are judged to be acceptable as qualified. Table 3 summarizes the qualifiers applied to samples reviewed in this report.

Table 3
Data Qualification Summary

Sample ID	Parameter	Analyte	Reported Result	Qualified Result	Reason
BH-002-SSA	Conventionals	TS	42.9%	42.9J%	Analysis performed outside of hold time
		TVS	19.8%	19.8J%	
		TOC	9.59%	9.59J%	
		Sulfides	555 mg/kg	555J mg/kg	MS %R, MS/MSD RPD outside of control limits
	Grain size	Medium gravel	19.3%	19.3J%	Duplicate RPD outside of control limits
		Medium sand	9.98%	9.98J%	

Sample ID	Parameter	Analyte	Reported Result	Qualified Result	Reason
	Metals	Antimony	13.9 mg/kg	13.9J mg/kg	MS %R below control limits
		Copper	508 mg/kg	508J mg/kg	Duplicate RPD outside of control limits
		Silver	0.515 mg/kg	0.515J mg/kg	
	NWTPH-DX	DRO	220H mg/kg	220J mg/kg	Chromatographic pattern does not match calibration
		RRO	530O mg/kg	530J mg/kg	
	Pesticides	gamma-BHC (Lindane)	22Ui µg/kg	22UJ µg/kg	Analysis performed outside of hold time
		Heptachlor	1.2Ui µg/kg	1.2UJ µg/kg	
		Aldrin	1.2Ui µg/kg	1.2UJ µg/kg	
		alpha-Chlordane	1.2Ui µg/kg	1.2UJ µg/kg	
		gamma-Chlordane	1.2Ui µg/kg	1.2UJ µg/kg	
		cis-Nonachlor	1.2Ui µg/kg	1.2UJ µg/kg	
		trans-Nonachlor	1.2Ui µg/kg	1.2UJ µg/kg	
		Dieldrin	1.2Ui µg/kg	1.2UJ µg/kg	
		4,4'-DDE	1.2Ui µg/kg	1.2UJ µg/kg	
		4,4'-DDD	1.2Ui µg/kg	1.2UJ µg/kg	
	SVOCs	4,4'-DDT	1.2Ui µg/kg	1.2UJ µg/kg	LCS and/or LCSD %R outside of control limits
		2-Methylphenol	58U µg/kg	58UJ µg/kg	
4-Methylphenol		46JD µg/kg	46J µg/kg		
2,4-Dimethylphenol		290U µg/kg	290UJ µg/kg		
Benzoic Acid		1200U µg/kg	1200UJ µg/kg		
		Acenaphthylene	290D µg/kg	290J µg/kg	
BH-009-SSA	Conventionals	TS	41.8%	41.8J%	Analysis performed outside of hold time
		Sulfides	36 mg/kg	36 J mg/kg	MS %R, MS/MSD RPD outside of control limits
BH-059-SSA	Conventionals	TS	39.0%	39.0J%	Analysis performed outside of hold time
		Sulfides	63 mg/kg	63 J mg/kg	MS %R, MS/MSD RPD outside of control limits
BH-010-SSA	Conventionals	TS	28.7%	28.7J%	Analysis performed outside of hold time
		Sulfides	1630 mg/kg	1630 J mg/kg	MS %R, MS/MSD RPD outside of control limits
BH-011-SSA	Conventionals	TS	32.6%	32.6J%	Analysis performed outside of hold time

Sample ID	Parameter	Analyte	Reported Result	Qualified Result	Reason
		Sulfides	1820 mg/kg	1820 J mg/kg	MS %R, MS/MSD RPD outside of control limits
BH-006-SSA	Conventionals	TS	39.3%	39.3J%	Analysis performed outside of hold time
		Sulfides	558 mg/kg	558 J mg/kg	MS %R, MS/MSD RPD outside of control limits
BH-007-SSA	Conventionals	TS	63.3%	63.3J%	Analysis performed outside of hold time
		Sulfides	104 mg/kg	104 J mg/kg	MS %R, MS/MSD RPD outside of control limits
BH-005-SSA	Conventionals	TS	37.4%	37.4J%	Analysis performed outside of hold time
		Sulfides	632 mg/kg	632 J mg/kg	MS %R, MS/MSD RPD outside of control limits
	VOCs	Tetrachloroethene	2.7U µg/kg	2.7UJ µg/kg	Internal standard %R below control limits
		Ethylbenzene	2.7U µg/kg	2.7UJ µg/kg	
		mp-Xyenes	5.3U µg/kg	5.3UJ µg/kg	
o-Xylene		2.7U µg/kg	2.7UJ µg/kg		
BH-005,6,7-SSA Comp	Conventionals	TS	50.0%	50.0J%	Analysis performed outside of hold time
		TVS	18.6%	18.6J%	Analysis performed outside of hold time
		TOC	10.0%	10.0J%	
	Metals	Antimony	0.48 mg/kg	0.48J mg/kg	MS %R below control limits
		Copper	33.7 mg/kg	33.7J mg/kg	Duplicate RPD outside of control limits
		Silver	0.219 mg/kg	0.219J mg/kg	
	Pesticides	gamma-BHC (Lindane)	5.9Ui µg/kg	5.9UJ µg/kg	Analysis performed outside of hold time
		Heptachlor	0.40JP µg/kg	0.40J µg/kg	
		Aldrin	0.39J µg/kg	0.39J µg/kg	
		alpha-Chlordane	1.0Ui µg/kg	1.0UJ µg/kg	
		gamma-Chlordane	1.0Ui µg/kg	1.0UJ µg/kg	
		cis-Nonachlor	1.0Ui µg/kg	1.0UJ µg/kg	
		trans-Nonachlor	1.0U µg/kg	1.0UJ µg/kg	
		Dieldrin	0.95J µg/kg	0.95J µg/kg	
4,4'-DDE	1.0Ui µg/kg	1.0UJ µg/kg			

Sample ID	Parameter	Analyte	Reported Result	Qualified Result	Reason	
		4,4'-DDD	1.5Ui µg/kg	1.5UJ µg/kg		
		4,4'-DDT	1.0Ui µg/kg	1.0UJ µg/kg		
		Heptachlor	0.40JP µg/kg	0.40J µg/kg		Confirmation result outside of control limits
	SVOCs		Phenol	180 µg/kg	180J µg/kg	MS and/or MSD %R and MS/MSD RPD outside of control limits
			1,4-Dichlorobenzene	10U µg/kg	10UJ µg/kg	
			1,2,4-Trichlorobenzene	10U µg/kg	10UJ µg/kg	
			Acenaphthene	31 µg/kg	31J µg/kg	
			Pentachlorophenol	100U µg/kg	100UJ µg/kg	
			Pyrene	590 µg/kg	590J µg/kg	
			2-Methylphenol	10U µg/kg	10UJ µg/kg	LCS and/or LCSD %R outside of control limits
			4-Methylphenol	36J µg/kg	36J µg/kg	
			2,4-Dimethylphenol	50U µg/kg	50UJ µg/kg	
			Benzoic Acid	200U µg/kg	200UJ µg/kg	
	Acenaphthylene	63 µg/kg	63J µg/kg			
	PCDD/PCDF	1,2,3,4,7,8-HxCDF	1.29BJ ng/kg	4.70U ng/kg	Method blank contamination	
BH-009, 59, 10, 11-SSA Comp	Conventionals	TS	34.7%	34.7J%	Analysis performed outside of hold time	
		TVS	27.5%	27.5J%	Analysis performed outside of hold time	
		TOC	15.5%	15.5J%	Analysis performed outside of hold time	
	Metals	Antimony	21.9 mg/kg	21.9J mg/kg	MS %R below control limits	
		Copper	94.4 mg/kg	94.4J mg/kg	Duplicate RPD outside of control limits	
		Silver	0.181 mg/kg	0.181J mg/kg		
	Pesticides		gamma-BHC (Lindane)	1.5U µg/kg	1.5UJ µg/kg	Analysis performed outside of hold time
			Heptachlor	1.5Ui µg/kg	1.5UJ µg/kg	
			Aldrin	0.58JP µg/kg	0.58J µg/kg	
			alpha-Chlordane	1.5U µg/kg	1.5UJ µg/kg	
			gamma-Chlordane	1.5Ui µg/kg	1.5UJ µg/kg	
			cis-Nonachlor	1.5Ui µg/kg	1.5UJ µg/kg	
			trans-Nonachlor	1.5Ui µg/kg	1.5UJ µg/kg	
			Dieldrin	1.5Ui µg/kg	1.5UJ µg/kg	
			4,4'-DDE	2.3Ui µg/kg	2.3UJ µg/kg	
			4,4'-DDD	1.5Ui µg/kg	1.5UJ µg/kg	
			4,4'-DDT	0.41J µg/kg	0.41J µg/kg	
	Aldrin	0.58JP µg/kg	0.58J µg/kg	Confirmation result outside of control limits		
	SVOCs		2-Methylphenol	15U µg/kg	15UJ µg/kg	LCS and/or LCSD %R outside of control limits
			4-Methylphenol	15 µg/kg	15J µg/kg	
			2,4-Dimethylphenol	72U µg/kg	72UJ µg/kg	
			Benzoic Acid	290U µg/kg	290UJ µg/kg	
			Acenaphthylene	100 µg/kg	100J µg/kg	

Sample ID	Parameter	Analyte	Reported Result	Qualified Result	Reason
	PCDD/PCDF	1,2,3,6,7,8-HxCDD	0.753BJ ng/kg	7.01U ng/kg	Method blank contamination
		1,2,3,4,6,7,8-HpCDF	1.40BJ ng/kg	7.01U ng/kg	
BH-009, 59, 10, 11-SSA Comp Dup	Conventionals	TS	31.9%	31.9J%	Analysis performed outside of hold time
		TVS	32.5%	32.5J%	Analysis performed outside of hold time
		TOC	15.5%	15.5J%	Analysis performed outside of hold time
	Metals	Antimony	104 mg/kg	104J mg/kg	MS %R below control limits
		Copper	202 mg/kg	202J mg/kg	Duplicate RPD outside of control limits
		Silver	0.360 mg/kg	0.360J mg/kg	Duplicate RPD outside of control limits
	NWTPH-DX	DRO	88Z mg/kg	88J mg/kg	Chromatographic pattern does not resemble petroleum product
	Pesticides	gamma-BHC (Lindane)	1.6U µg/kg	1.6UJ µg/kg	Analysis performed outside of hold time
		Heptachlor	0.92JP µg/kg	0.92J µg/kg	
		Aldrin	0.65JP µg/kg	0.65J µg/kg	
		alpha-Chlordane	1.6U µg/kg	1.6UJ µg/kg	
		gamma-Chlordane	1.6Ui µg/kg	1.6UJ µg/kg	
		cis-Nonachlor	0.21JP µg/kg	0.21J µg/kg	
		trans-Nonachlor	1.6Ui µg/kg	1.6UJ µg/kg	
		Dieldrin	1.6Ui µg/kg	1.6UJ µg/kg	
		4,4'-DDE	1.6Ui µg/kg	1.6UJ µg/kg	
		4,4'-DDD	1.6Ui µg/kg	1.6UJ µg/kg	
		4,4'-DDT	1.6Ui µg/kg	1.6UJ µg/kg	
	Pesticides	Heptachlor	0.92 JP µg/kg	0.92 J µg/kg	Confirmation result outside of control limits
		Aldrin	0.65 JP µg/kg	0.65 J µg/kg	
		cis-Nonachlor	0.21 JP µg/kg	0.21 J µg/kg	
		4,4'-DDT	0.46 JP µg/kg	0.46 J µg/kg	
	SVOCs	2-Methylphenol	16U µg/kg	16UJ µg/kg	LCS and/or LCSD %R outside of control limits
4-Methylphenol		30 µg/kg	30J µg/kg		
2,4-Dimethylphenol		78U µg/kg	78UJ µg/kg		
Benzoic Acid		320U µg/kg	320UJ µg/kg		
Acenaphthylene		200 µg/kg	200J µg/kg		
PCDD/PCDF	1,2,3,6,7,8-HxCDD	0.513BJ ng/kg	7.70U ng/kg	Method blank contamination	
	1,2,3,4,6,7,8-HpCDF	0.992BJ ng/kg	7.70U ng/kg		

REFERENCES

- USEPA. 1983. Methods for Chemical Analysis of Water and Wastes. U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio. EPA-600/4-79-020.
- USEPA. 1986. Test methods for Evaluating Solid Waste: Physical/Chemical Methods. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response. EPA-530/SW-846.
- USEPA. 1999. USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review. U.S. Environmental Protection Agency, Office of Emergency Response. EPA 540/R-99/008. October.
- USEPA. 2004. USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review. U.S. Environmental Protection Agency, Office of Superfund Remediation and Technology Innovation (OSRTI). EPA 540-R-04-004. October 2004.
- USEPA. 2005. USEPA Contract Laboratory Program National Functional Guidelines for Chlorinated Dibenzo-p-Dioxins (CDDs) and Chlorinated Dibenzofurans (CDFs) Data Review. U.S. Environmental Protection Agency, Office of Superfund Remediation and Technology Innovation (OSRTI). EPA 540-R-05-001. September 2005.



Anchor Environmental, L.L.C.
1423 3rd Avenue, Suite 300
Seattle, Washington 98101
Phone 206.287.9130
Fax 206.287.9131

Data Validation Review Report – EPA Level 2

Project: Blakely Harbor

Project Number: 080510-03

Date: November 13, 2008

This report summarizes the review of analytical results for four sediment samples collected on September 12, 2008, and one composite sample created in the laboratory. Samples were collected by Anchor Environmental, L.L.C., and submitted to Columbia Analytical Services, Inc. (CAS), in Kelso, Washington. Samples were analyzed for the following:

- Semivolatile organic compounds (SVOCs) by U.S. Environmental Protection Agency (USEPA) Method 8270C
- Volatile organic compounds (VOCs) by USEPA Method 8260B
- Organochlorine pesticides by USEPA Method 8081A
- Aroclor polychlorinated biphenyls (PCBs) by USEPA Method 8082
- Gasoline range petroleum hydrocarbons by Method NWTPHGX
- Diesel and residual range petroleum hydrocarbons by Method NWTPHDX
- Total metals by USEPA Methods 6020 and 7471A
- Organotins (TBT) by Krone
- Ammonia by USEPA method 350.1
- Sulfides by USEPA method 9030
- Total organic carbon (TOC) by ASTM D4129-82
- Total solids (TS) by USEPA method 160.3
- Total volatile solids (TVS) by USEPA method 160.4
- Grainsize by ASTM D422
- Polychlorinated dibenzodioxins (PCDD) and polychlorinated dibenzofurans (PCDF) by USEPA method 1613B

CAS sample data group (SDG) number K0808882 was reviewed in this report. The samples reviewed in this report are presented in Table 1.

Table 1
Samples Reviewed

Sample ID	Lab ID	Matrix	Analyses Requested
BH-P01-SSA	K0808882-001	Sediment	TS, VOCs
BH-P02-SSA	K0808882-002	Sediment	TS, VOCs
BH-SSA Comp	K0808882-003	Sediment	TS, SVOCs, TPHGX, TPHDX, PCBs, pesticides, metals, ammonia, sulfides, TBT, PCDD/PCDF, grainsize
BH-P01-SSB	K0808882-004	Sediment	TS, SVOCs, PCBs, pesticides, metals, ammonia, sulfides, grainsize
BH-P02-SSB	K0808882-005	Sediment	TS, SVOCs, PCBs, pesticides, metals, ammonia, sulfides, grainsize

Data Validation and Qualifications

The following comments refer to the laboratory's performance in meeting the quality assurance/quality control (QA/QC) guidelines outlined in the analytical procedures and data quality objective section of the Sampling and Analysis Plan (SAP). Laboratory results were reviewed following USEPA guidelines using *USEPA Contract Laboratory Program National Functional Guidelines for Inorganics Data Review* (USEPA 2004) and *USEPA Contract Laboratory National Functional Guidelines for Organics Data Review* (USEPA 1999) as guidelines, and applying laboratory and method QC criteria as stated in SW 846, Third Edition, Test Methods for Evaluating Solid Waste, update 1, July 1992; update IIA, August 1993; update II, September 1994; update IIB, January 1995; update III, December 1996; update IIIA, April 1998. Unless noted in this report, laboratory results for the samples listed above were within QC criteria.

Field Documentation

Field documentation was checked for completeness and accuracy. The chain-of-custody was signed by CAS at the time of sample receipt; the samples were received cold and in good condition.

Holding Times and Sample Preservation

Samples were appropriately preserved and analyzed within holding times with the exception of the TS analysis of sample BH-P01-SSA, which was analyzed 9 days past the 14-day hold time. This result has been qualified "J" to indicate that it is estimated.

Laboratory Method Blanks

Laboratory method blanks were analyzed at the required frequencies. All method blanks were free of target analytes with the following exceptions:

- Metals – Chromium and mercury were detected at levels between the method detection limit (MDL) and the method reporting limit (MRL). All sample results were significantly greater than (>5x) the levels found in the blank with the exception of mercury in sample BH-P02-SSB. This result has been qualified with a “U” to indicate that it is not detected at the reporting limit.
- TPHGX – Gasoline range organics were detected at a level between the MDL and the MRL. The associated sample result was below detection so no data were qualified.
- PCDD/PCDF – 1,2,3,4,6,7,8-HpCDD, OCDD, and OCDF were all detected between the estimated detection limit (EDL) and MRL. Sample results were all significantly greater than (>5x) the levels found in the blank, so no data were qualified.

Field Quality Control

Field Blanks

No field blanks were collected in association with this data package.

Field Duplicates

No field duplicates were collected in association with this data package.

Internal Standard/Surrogate Recoveries

Internal standard recoveries were within method control limits for all internal standards. Surrogate recoveries were within laboratory control limits for all surrogates with one exception. The labeled compound 13C-OCDD in sample BH-SSA Comp and the associated method blank in the PCDD/PCDF analysis recovered below laboratory control limits. The associated result has been qualified “J” to indicate that it may be estimated.

Matrix Spike (MS) and Matrix Spike Duplicate (MSD)

MS and MSD samples were analyzed at the required frequencies for all analyses. Some analyses batched project samples with non-project samples and reported batched MS/MSD analyses on non-project samples. The results of the batched QC were not used to evaluate these

data. All MS/MSD analyses yielded percent recoveries (%R) and/or relative percent difference (RPD) values within the project data quality objectives with the following exception:

- Metals – Antimony recovered low in the MS. All results for this element have been qualified “J” to indicate that they may be biased low.

Laboratory Control Sample (LCS) and LCS Duplicate (LCSD)

An LCS and LCSD were analyzed at the required frequencies and resulted in recoveries within project required control limits with the following exceptions:

- Metals – Selenium recovered high in the LCS. Positive results for this element have been qualified “J” to indicate that they are estimated.
- SVOCs – Analytes that recovered low in the SVOC LCS/LCSD were 2-methylphenol, 2,4-dimethylphenol, and benzoic acid. 4-methylphenol recovered low in the LCS only and the LCS/LCSD RPD value for 2,4-dimethylphenol was high. All sample results for these analytes have been qualified “UJ” to indicate a potentially low bias and/or estimated results.
- PCDD/PCDF – 1,2,3,7,8,9-HxCDD recovered low in the LCS and OCDF recovered high in the LCSD. LCS/LCSD RPD values were high for 1,2,3,7,8,9-HxCDD and 2,3,4,6,7,8-HxCDF. Results for these analytes have been qualified “J” or “UJ” to indicate that they are estimated.

Laboratory Duplicates

Laboratory duplicates/triplicates were analyzed at the required frequencies. All RPD values were within the project required control limits with the following exception:

- Grain size – The duplicate analysis of fine and medium gravel and coarse sand resulted in high RPD values. These parameters have been qualified “J” in the parent sample to indicate that they are estimated.

Sample Analysis

The grain size analysis of sample BH-SSA Comp resulted in a total recovery of 132 percent. This is attributed to the large amount of organic matter contained in the sample. It passed through the sieve and was used in the pipette determination for silt and clay. Because this portion of the test relies on settling rates to determine the fraction and the organic material does

not settle out, the results for silt and clay are biased high in this sample. These results have been qualified "J" to indicate that they are estimated.

Method Reporting Limits

Reporting limits were deemed acceptable as reported. All values were reported using the laboratory's reporting limits. Values were reported as undiluted, or when diluted, the reporting limit accurately reflects the dilution factor. The reporting limits for all PCB results in sample BH-SSA Comp were above data quality objectives due to matrix interference. Some SVOC analyte MRLs were above project requirements.

Overall Assessment

As was determined by this evaluation, the laboratory followed the specified analytical methods and all requested sample analyses were completed. Accuracy was acceptable, as demonstrated by the surrogate, LCS/LCSD, and MS/MSD %R values, with the exceptions noted above. Precision was also acceptable as demonstrated by the laboratory duplicates, MS/MSD, and LCS/LCSD RPD values, with the exceptions noted above. Most data were deemed acceptable as reported; all other data are judged to be acceptable as qualified. No data were rejected in this review. Table 2 summarizes the qualifiers applied to samples reviewed in this report.

**Table 2
Data Qualification Summary**

Sample ID	Parameter	Analyte	Reported Result	Qualified Result	Reason
BH-P01-SSA	Conventionals	Total solids	35.4%	35.4J%	Analyzed outside of hold time.
BH-SSA Comp	Grain size	Silt	12.0%	12.0J%	Biased high due to organic content.
		Clay	8.54%	8.54J%	
	Metals	Antimony	86.4 mg/kg	86.4J mg/kg	MS recovery outside of control limits.
		Selenium	2.0B mg/kg	2.0J mg/kg	LCS recovery outside of control limits.
	SVOCs	2-Methylphenol	16U µg/kg	16UJ µg/kg	LCS, LCSD %R and/or RPD value outside of control limits
		4-Methylphenol	16U µg/kg	16UJ µg/kg	
		2,4-Dimethylphenol	79U µg/kg	79UJ µg/kg	
		Benzoic acid	320U µg/kg	320UJ µg/kg	
	PCDD/PCDF	2,3,7,8-TCDF	2.18CJ ng/kg	R	Report from reanalysis.
		OCDD	32.9 ng/kg	32.9J ng/kg	Associated labeled compound %R outside of control limits.
		1,2,3,7,8,9-HxCDD	0.269U ng/kg	0.269UJ ng/kg	LCS, LCSD %R and/or RPD value outside of control limits.
		2,3,4,6,7,8-HxCDF	0.508U ng/kg	0.508UJ ng/kg	
OCDF		111 ng/kg	111J ng/kg		
BH-P01-SSB	Metals	Antimony	1.890 mg/kg	1.890J mg/kg	MS recovery outside of control limits.
	SVOCs	2-Methylphenol	10U µg/kg	10UJ µg/kg	LCS, LCSD %R and/or RPD value outside of control limits
4-Methylphenol		10U µg/kg	10UJ µg/kg		
2,4-Dimethylphenol		50U µg/kg	50UJ µg/kg		
Benzoic acid		200U µg/kg	200UJ µg/kg		
BH-P02-SSB	Grain Size	Medium gravel	47.0%	47.0J%	Duplicate RPD outside of control limits.
		Fine gravel	32.4%	32.4J%	
		Coarse sand	2.68%	2.68J%	
	Metals	Mercury	0.007B mg/kg	0.020U mg/kg	Method blank contamination.
		Antimony	0.14 mg/kg	0.14J mg/kg	MS recovery outside of control limits.
	SVOCs	2-Methylphenol	10U µg/kg	10UJ µg/kg	LCS, LCSD %R and/or RPD value outside of control limits
		4-Methylphenol	10U µg/kg	10UJ µg/kg	
		2,4-Dimethylphenol	50U µg/kg	50UJ µg/kg	
Benzoic acid		200U µg/kg	200UJ µg/kg		

REFERENCES

- USEPA. 1983. Methods for Chemical Analysis of Water and Wastes. U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio. EPA-600/4-79-020.
- USEPA. 1986. Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response. EPA-530/SW-846.
- USEPA. 1999. USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review. U.S. Environmental Protection Agency, Office of Emergency Response. EPA 540/R-99/008. October.
- USEPA. 2004. USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review. U.S. Environmental Protection Agency, Office of Superfund Remediation and Technology Innovation (OSRTI). EPA 540-R-04-004. October 2004.
- USEPA. 2005. USEPA Contract Laboratory Program National Functional Guidelines for Chlorinated Dibenzo-p-Dioxins (CDDs) and Chlorinated Dibenzofurans (CDFs) Data Review. U.S. Environmental Protection Agency, Office of Superfund Remediation and Technology Innovation (OSRTI). EPA 540-R-05-001. September 2005.

September 26, 2008

Analytical Report for Service Request No: K0807136

Delaney Peterson
Anchor Environmental
1423 3rd Ave., Suite 300
Seattle, WA 98101

RE: Blakely Harbor/080007-01

Dear Delaney:


Enclosed are the results of the samples submitted to our laboratory on August 02, 2008. For your reference, these analyses have been assigned our service request number K0807136.

All analyses were performed according to our laboratory's quality assurance program. Where applicable, the methods cited conform to the Methods Update Rule (effective 4/11/2007), which relates to the use of analytical methods for the drinking water and waste water programs. The test results meet requirements of the NELAC standards. Exceptions are noted in the case narrative report where applicable. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 3358. You may also contact me via Email at LHuckestein@caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.



Lynda Huckestein
Client Services Manager

LH/lb

Page 1 of 3825

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Inorganic Data Qualifiers

- * The result is an outlier. See case narrative.
- # The control limit criteria is not applicable. See case narrative.
- B The analyte was found in the associated method blank at a level that is significant relative to the sample result.
- E The result is an estimate amount because the value exceeded the instrument calibration range.
- J The result is an estimated concentration that is less than the MRL but greater than or equal to the MDL.
- U The compound was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.
 - i The MRL/MDL has been elevated due to a matrix interference.
- X See case narrative.

Metals Data Qualifiers

- # The control limit criteria is not applicable. See case narrative.
- B The result is an estimated concentration that is less than the MRL but greater than or equal to the MDL.
- E The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
- M The duplicate injection precision was not met.
- N The Matrix Spike sample recovery is not within control limits. See case narrative.
- S The reported value was determined by the Method of Standard Additions (MSA).
- U The compound was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.
- W The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
 - i The MRL/MDL has been elevated due to a matrix interference.
- X See case narrative.
- * The duplicate analysis not within control limits. See case narrative.
- + The correlation coefficient for the MSA is less than 0.995.

Organic Data Qualifiers

- * The result is an outlier. See case narrative.
- # The control limit criteria is not applicable. See case narrative.
- A A tentatively identified compound, a suspected aldol-condensation product.
- B The analyte was found in the associated method blank at a level that is significant relative to the sample result.
- C The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
- D The reported result is from a dilution.
- E The result is an estimate amount because the value exceeded the instrument calibration range.
- J The result is an estimated concentration that is less than the MRL but greater than or equal to the MDL.
- N The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
- P The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results (25% for CLP Pesticides).
- U The compound was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.
 - i The MRL/MDL has been elevated due to a chromatographic interference.
- X See case narrative.

Additional Petroleum Hydrocarbon Specific Qualifiers

- F The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
- L The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
- H The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
- O The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
- Y The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
- Z The chromatographic fingerprint does not resemble a petroleum product.

Columbia Analytical Services, Inc.
Kelso, WA
State Certifications, Accreditations, and Licenses

Program	Number
Alaska DEC UST	UST-040
Arizona DHS	AZ0339
Arkansas - DEQ	88-0637
California DHS	2286
Colorado DPHE	-
Florida DOH	E87412
Hawaii DOH	-
Idaho DHW	-
Indiana DOH	C-WA-01
Louisiana DEQ	3016
Louisiana DHH	LA050010
Maine DHS	WA0035
Michigan DEQ	9949
Minnesota DOH	053-999-368
Montana DPHHS	CERT0047
Nevada DEP	WA35
New Jersey DEP	WA005
New Mexico ED	-
North Carolina DWQ	605
Oklahoma DEQ	9801
Oregon - DHS	WA200001
South Carolina DHEC	61002
Utah DOH	COLU
Washington DOE	C1203
Wisconsin DNR	998386840
Wyoming (EPA Region 8)	-



Case Narrative

COLUMBIA ANALYTICAL SERVICES, INC.

Client: Anchor Environmental
Project: Blakely Harbor
Sample Matrix: Water, Sediment

Service Request No.: K0807136
Date Received: 8/2/2008

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS). This report contains analytical results for samples designated for Tier III validation deliverables including summary forms and all of the associated raw data for each of the analyses. When appropriate to the method, method blank results have been reported with each analytical test.

Sample Receipt

Three water and thirteen sediment samples were received for analysis at Columbia Analytical Services on 8/2/2008. The samples were received in good condition and consistent with the accompanying chain of custody form except as noted on the cooler receipt and preservation form. The samples were stored in a refrigerator at 4°C upon receipt at the laboratory.

Sample Preparation

As requested, two composite samples were created. Sediment samples BH-005-SSA, BH-006-SSA and BH-007-SSA were composited and samples BH-009-SSA, BH-059-SSA, BH-101-SSA and BH-011-SSA were composited to create a composite sample and a duplicate composite sample. The composite samples were analyzed for Particle Size, Total Organic Carbon, Volatile Solids, Total Metals, Diesel, and Semivolatiles. Additionally, the pore water generated from each of the discrete samples was composited for the analysis of the organotin compounds.

The discrete samples that were analyzed for the volatiles and sulfide. Additionally, attempts were made to generate pore water from each of the discrete sediment samples.

General Chemistry Parameters

Total Sulfide by PSEP

The matrix spike recovery of sulfide for sample BH-002-SSA was outside control criteria because of suspected matrix interference. A Matrix Spike Duplicate (MSD) was also analyzed, but produced similar results. The Laboratory Control Sample for this data was within acceptance limits showing that the batch was in control. The results of the original analysis are reported. No further corrective action was appropriate.

Total Metals

Matrix Spike Recovery Exceptions:

The control criteria for matrix spike recoveries of Copper, Lead, and Zinc for sample BH-002-SSA are not applicable. The analyte concentration in the sample was significantly higher than the added spike concentration, preventing accurate evaluation of the spike recovery.

Relative Percent Difference Exceptions:

The Relative Percent Difference (RPD) for the replicate analysis of Copper and Silver in sample BH-002-SSA was outside the normal CAS control limits. The variability in the results is attributed to the heterogeneous character of the sample. Standard mixing techniques were used, but were not sufficient for complete homogenization of this sample.

Approved by _____ *LAH* _____ Date *9/22/08* _____

Diesel Range Organics

Relative Percent Difference Exceptions:

The Relative Percent Difference (RPD) criterion for the replicate analysis of Diesel and Residual Range Organics in sample BH-005,6,7-SSA Comp is not applicable because the analyte concentration was less than the Method Reporting Limit (MRL). Analytical values derived from measurements close to the detection limit are not subject to the same accuracy and precision criteria as results derived from measurements higher on the calibration range for the method.

Gasoline Range Organics

No anomalies associated with the analysis of these samples were observed.

Organochlorine Pesticides by EPA Method 8081A

Holding Time Exceptions:

The analysis of field samples and associated matrix spikes was initially performed within the recommended holding time. The samples required multiple cleanups due to high levels of sulfur contamination. The reanalysis was performed past the recommended analytical holding time. Recoveries of surrogate and target analytes were within control criteria and comparable to the Method Blank and Laboratory Control Sample, which were analyzed within the recommended holding time. The impact on data quality is minimal, if any. The report includes results from the reanalysis, and results are flagged accordingly.

Continuing Calibration Verification Exceptions:

The primary evaluation criterion was exceeded for the following analytes in Continuing Calibration Verification (CCV) 0912F005: Tetrachloro-m-xylene. In accordance with CAS standard operating procedures, the alternative evaluation specified in the EPA method was performed using the average percent recovery of all analytes in the verification standard. The standard meets the alternative evaluation criteria.

Elevated Method Reporting Limits:

The reporting and/or detection limit is elevated for a few analytes in all samples. The chromatogram indicated the presence of non-target background components. The matrix interference prevented adequate resolution of the target compounds at the reporting limit. The results are flagged to indicate the matrix interference.

PCB Aroclors by EPA Method 8082

Continuing Calibration Verification Exceptions:

The analysis of PCB Aroclors by EPA 8082 requires the use of dual column confirmation. When the Continuing Calibration Verification (CCV) criteria are met for both columns, the higher of the two sample results is generally reported. The primary evaluation criterion was exceeded for the following analytes in Continuing Calibration Verifications (CCV) 0902F004: Decachlorobiphenyl; 0902F016 and 0902F029: Aroclor 1260 and Decachlorobiphenyl. In accordance with CAS standard operating procedures, the alternative evaluation specified in the EPA method was performed using the average percent recovery of all analytes in the verification standard. The standard meets the alternative evaluation criteria. The results for all target Aroclors and Decachlorobiphenyl are reported from the column with an acceptable CCV. The data quality is not affected. No further corrective action was necessary.

Elevated Method Reporting Limits:

The reporting limit is elevated for several target Aroclors in all reported field samples. The chromatogram indicated the presence of non-target background components. The matrix interference prevented adequate resolution of the target compounds at the reporting limit. The results are flagged to indicate the matrix interference.

Approved by _____ *lost* Date 9/20/08

Organotin Compounds in Pore Water

No anomalies associated with the analysis of these samples were observed.

Volatile Organic Compounds by EPA Method 8260B

Internal Standard Exceptions:

The internal standard recovery of Chlorobenzene-d5 in sample BH-005-SSA was outside control criteria because of suspected matrix interference. The sample was reanalyzed and produced similar results. Since no analytes were detected and quantitated from the sample, the effect on the data is minimal. The analytes associated with the affected internal standard are flagged to indicate the problem.

Semivolatile Organic Compounds by EPA Method 8270C

Matrix Spike Recovery Exceptions:

The matrix spike recovery of Pyrene for sample BH-005,6,7-SSA CompDMS was outside the CAS control criteria as a result of the heterogeneous character of the sample. The Relative Percent Difference (RPD) for the replicate analysis supports this. Since the unspiked samples contain high analyte concentrations relative to the amount spiked, the variability between replicates was sufficient to bias the percent recoveries outside normal CAS control criteria. The associated QA/QC results (e.g. control sample, calibration standards, etc.) indicate the analysis was in control. No further corrective action was appropriate.

Relative Percent Difference Exceptions:

The Relative Percent Difference (RPD) for the following analytes in the replicate matrix spike analyses of sample BH-005,6,7-SSA Comp was outside control criteria: Phenol, Pentachlorophenol. In general, the RPD was relatively high for all spiked compounds, which indicates a low bias in the Matrix Spike Duplicate (MSD). All spike recoveries in the MS, DMS, and associated Laboratory Control Sample (LCS) were within acceptance limits, indicating the analytical batch was in control. No further corrective action was appropriate.

Elevated Method Reporting Limits:

The reporting limits are elevated for sample BH-002-SSA. The sample extract was diluted prior to instrumental analysis due to relatively high levels of non-target background components. Clean-up of the extract was performed within the scope of the method, but did not eliminate enough of the background components to prevent dilution. A semi-quantitative screen was performed prior to final analysis. The results of the screening indicated the need to perform a dilution.

Dioxins and Furans by EPA Method 8290

The analysis for dioxins and furans was performed at CAS in Houston Texas. The analytical report is included in its entirety herein.

Approved by _____

lmt

Date _____

9/26/02

**Chain of Custody
Documentation**

revised LCC

CHAIN OF CUSTODY

SR#:

PROJECT NAME <i>Blakely</i>		PROJECT NUMBER <i>080516-03</i>		PROJECT MANAGER <i>David Gillingham</i>		COMPANY ADDRESS <i>Ancor</i>		CITY/STATE/ZIP		EMAIL ADDRESS		PHONE #		FAX #	
SAMPLE'S SIGNATURE <i>David Gillingham</i>		DATE <i>8/1</i>		TIME <i>sed</i>		LAB I.D.		MATRIX		NUMBER OF CONTAINERS		Semivolatile Organics by GC/MS 625 <input type="checkbox"/> 8270 <input checked="" type="checkbox"/> 8270LL <input type="checkbox"/>		Volatile Organics 624 <input type="checkbox"/> 8260 <input checked="" type="checkbox"/> 8021 <input type="checkbox"/> BTEX <input type="checkbox"/>	
BH-009-SSA		8/1		sed								Hydrocarbons (*see below) Gas <input checked="" type="checkbox"/> Diesel <input checked="" type="checkbox"/> Oil <input checked="" type="checkbox"/>		Fuel Fingerprint (FIQ) <input type="checkbox"/> NW-HCID Screen	
BH-010-SSA		8/1		sed								Oil & Grease/TRPH 1664 HEM <input type="checkbox"/> 1664 SGT <input type="checkbox"/>		PCB's Aroclors <input checked="" type="checkbox"/> Congeners <input type="checkbox"/>	
BH-011-SSA		8/1		sed								Pesticides/Herbicides 608 <input type="checkbox"/> 8081A <input checked="" type="checkbox"/> 8141A <input type="checkbox"/> 8151A <input type="checkbox"/>		Chlorophenolics - 8151M Tri <input type="checkbox"/> Tetra <input type="checkbox"/> PCP <input type="checkbox"/>	
BH-059-SSA		8/1		sed								PAHS 8310 <input type="checkbox"/> SIM <input type="checkbox"/>		Metals (Total) or Dissolved (See list below)	
												Cyanide <input type="checkbox"/> Hex-Chrom <input type="checkbox"/>		pH, Cond., Cl, SO ₄ , PO ₄ , F, NO ₂ , NO ₃ , BOD, TSS, TDS (circle)	
												NH ₃ -N, COD, Total-P, TKN, TOC DOC (circle) NO ₂ +NO ₃		TOX 9020 <input type="checkbox"/> AOX 1650 <input type="checkbox"/> 506 <input type="checkbox"/>	
												TBT Porewater		Dioxin/Furans	
												Sulfide		TS TUS	
												Grain Size			
												REMARKS <i>Composite</i>			

REPORT REQUIREMENTS

I. Routine Report: Method Blank, Surrogate, as required

II. Report Dup., MS, MSD as required

III. Data Validation Report (Includes all raw data)

IV. CLP Deliverable Report

V. EDD

INVOICE INFORMATION

P.O. # _____

Bill To: _____

TURNAROUND REQUIREMENTS

24 hr. _____ 48 hr. _____

5 Day _____

Standard (10-15 working days)

Provide FAX Results _____

Requested Report Date _____

RELINQUISHED BY:

Signature _____ Date/Time _____

Printed Name _____ Firm _____

RECEIVED BY:

Signature _____ Date/Time _____

Printed Name _____ Firm _____

RELINQUISHED BY:

Signature _____ Date/Time _____

Printed Name _____ Firm _____

RECEIVED BY:

Signature _____ Date/Time _____

Printed Name _____ Firm _____

NOTE: 8260 + S⁻ to be performed on duplicate samples per composite

BH-009 BH-010 and BH-011 together as one sample and a split duplicate.



Columbia Analytical Services
An Employee-Owned Company

K Revised

CHAIN OF CUSTODY

1317 South 13th Ave. • Kelso, WA 98626 • (360) 577-7222 • (800) 695-7222x07 • FAX (360) 636-1068

PAGE 1 OF 2 SR#: _____ COC # _____

PROJECT NAME: Blakely Harbor
 PROJECT NUMBER: 080510-03
 PROJECT MANAGER: David Gillingham
 COMPANY/ADDRESS: Anchor Environmental

CITY/STATE/ZIP: _____
 E-MAIL ADDRESS: _____
 PHONE #: _____
 FAX#: _____

SAMPLER'S SIGNATURE: David Gillingham
 SAMPLE ID: _____ DATE: _____
 TIME: _____ LAB I.D.: _____ MATRIX: _____

SAMPLE ID	DATE	TIME	LAB I.D.	MATRIX	NUMBER OF CONTAINERS
BH-001-SSA	7/31			Sed	7
BH-001-SSB	7/31				3
BH-002-SSA	7/31				7
BH-003-SSA	7/31				7
BH-004-SSA	7/31				7
BH-005-SSA	7/31				7
BH-006-SSA	7/31				7
BH-007-SSA	7/31				7
BH-008-SSA	7/31				7

NUMBER OF CONTAINERS	
Semivolatile Organics by GC/MS 625 <input type="checkbox"/> 8270 <input checked="" type="checkbox"/> 8270LL <input type="checkbox"/>	
Volatile Organics 624 <input type="checkbox"/> 8260 <input checked="" type="checkbox"/>	
Hydrocarbons (*see below) Gas <input checked="" type="checkbox"/> Diesel <input checked="" type="checkbox"/> Oil <input checked="" type="checkbox"/>	
<input type="checkbox"/> Fuel Fingerprint (FIQ) <input type="checkbox"/> NW-HCID Screen	
Oil & Grease/TRPH 1664 HEM <input type="checkbox"/> 1664 SGT <input type="checkbox"/>	
PCB's Aroclors <input checked="" type="checkbox"/> Congeners <input type="checkbox"/>	
Pesticides/Herbicides 608 <input type="checkbox"/> 8081A <input checked="" type="checkbox"/> 8141A <input type="checkbox"/> 8151A <input type="checkbox"/>	
Chlorophenolics - 8151M Tri <input type="checkbox"/> Tetra <input type="checkbox"/> PCP <input type="checkbox"/>	
PAHS 8310 <input type="checkbox"/> SIM <input type="checkbox"/>	
Metals, (Total) or Dissolved (See list below)	
Cyanide <input type="checkbox"/> Hex-Chrom <input type="checkbox"/>	
pH, Cond., Cl, SO ₄ , PO ₄ , F, NO ₂ , NO ₃ , BOD, TSS, TDS (circle)	
(NH ₃ -N) COD, Total-P, TKN, (TOC) DOC (circle) NO ₂ +NO ₃	
TOX 9020 <input type="checkbox"/> AOX 1650 <input type="checkbox"/> 506 <input type="checkbox"/>	
TBT Pore water	
Dioxin/Furans	
Salts TS TVS	
Grain Size	
REMARKS	

REPORT REQUIREMENTS

I. Routine Report: Method Blank, Surrogate, as required _____

II. Report Dup., MS, MSD as required _____

III. Data Validation Report (includes all raw data)

IV. CLP Deliverable Report _____

V. EDD _____

INVOICE INFORMATION

P.O. # _____

Bill To: _____

TURNAROUND REQUIREMENTS

24 hr. _____ 48 hr. _____

5 Day _____

Standard (10-15 working days)
 Provide FAX Results _____

Requested Report Date _____

SPECIAL INSTRUCTIONS/COMMENTS:
 run BH-002 as discrete sample
 Composite BH-005 BH-006 and BH007 together
 as one sample

RELINQUISHED BY: _____

Signature _____ Date/Time _____

Printed Name _____ Firm _____

RECEIVED BY: _____

Signature _____ Date/Time _____

Printed Name _____ Firm _____

RELINQUISHED BY: _____

Signature _____ Date/Time _____

Printed Name _____ Firm _____

RECEIVED BY: _____

Signature _____ Date/Time _____

Printed Name _____ Firm _____



An Employee-Owned Company

CHAIN OF CUSTODY

1317 South 13th Ave. • Kelso, WA 98626 • (360) 577-7222 • (800) 695-7222x07 • FAX (360) 636-1068

PAGE 1 OF 1

SR# 10807136

PROJECT NAME: Blakely Harbor
PROJECT NUMBER: 080007-01
PROJECT MANAGER: David Gillingsham
COMPANY ADDRESS: Anchor Environmental

CITY/STATE/ZIP:
E-MAIL ADDRESS:
PHONE #: 206-287-9130
FAX#:
SAMPLELERS SIGNATURE: Calvin Douglas

SAMPLE I.D.	DATE	TIME	LAB I.D.	MATRIX	NUMBER OF CONTAINERS
BH-021-080731	7/31/08	1045	1	wat	3
BH-022-080731		1115	2	wat	3
BH-023-080731		1145	3	wat	3
BH-001-55A		1000	4	sed	9
BH-001-55B		1015	5	sed	3
BH-002-55A		1030	6	sed	7

SAMPLE I.D.	DATE	TIME	LAB I.D.	MATRIX	NUMBER OF CONTAINERS	Semivolatile Organics by GC/MS 625 <input type="checkbox"/> 8270 <input type="checkbox"/> 8270LL <input type="checkbox"/>	Volatile Organics 624 <input type="checkbox"/> 8260 <input type="checkbox"/>	Hydrocarbons (*see below) Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Oil <input type="checkbox"/>	BTEX <input type="checkbox"/>	Fuel Fingerprint (FIQ) <input type="checkbox"/>	NW-HCID Screen <input type="checkbox"/>	Oil & Grease/TRPH 1664 HEM <input type="checkbox"/> 1664 SGT <input type="checkbox"/>	PCB's Aroclors <input type="checkbox"/>	Congeners <input type="checkbox"/>	Pesticides/Herbicides 608 <input type="checkbox"/> 8081A <input type="checkbox"/> 8141A <input type="checkbox"/> 8151A <input type="checkbox"/>	Chlorophenolics - 8151M Tri <input type="checkbox"/> Tetra <input type="checkbox"/> PCP <input type="checkbox"/>	PAHS 8310 <input type="checkbox"/> SIM <input type="checkbox"/>	Metals, Total or Dissolved (See list below)	Cyanide <input type="checkbox"/> Hex-Chrom <input type="checkbox"/>	pH, Cond., Cl, SO4, PO4, F, NO2, NO3, BOD, TSS, TDS (circle)	NH3-N, COD, Total-P, TKN, TOC, DOC (circle) NO2+NO3	TOX 9020 <input type="checkbox"/> AOX 1650 <input type="checkbox"/> 506 <input type="checkbox"/>	REMARKS		
BH-021-080731	7/31/08	1045	1	wat	3																				
BH-022-080731		1115	2	wat	3																				
BH-023-080731		1145	3	wat	3																				
BH-001-55A		1000	4	sed	9	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>											<input checked="" type="checkbox"/>							
BH-001-55B		1015	5	sed	3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>											<input checked="" type="checkbox"/>							
BH-002-55A		1030	6	sed	7	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>											<input checked="" type="checkbox"/>							

REPORT REQUIREMENTS
 I. Routine Report: Method Blank, Surrogate, as required
 II. Report Dup., MS, MSD as required
 III. Data Validation Report (includes all raw data)
 IV. CLP Deliverable Report
 V. EDD

INVOICE INFORMATION
 P.O. # _____
 Bill To: _____

TURNAROUND REQUIREMENTS
 24 hr. _____ 48 hr. _____
 5 Day _____
 Standard (10-15 working days)
 Provide FAX Results _____

Requested Report Date _____

RELINQUISHED BY:
 Signature: [Signature]
 Date/Time: 8.2.08
 Firm: ANCHOR

RECEIVED BY:
 Signature: [Signature]
 Date/Time: 8/2/08 0930
 Firm: GTS

RELINQUISHED BY:
 Signature: _____
 Date/Time: _____
 Firm: _____

RECEIVED BY:
 Signature: _____
 Date/Time: _____
 Firm: _____



CHAIN OF CUSTODY

PROJECT NAME: Blakely
 PROJECT NUMBER: David Gilligan
 COMPANY ADDRESS: Anchor
 CITY/STATE/ZIP: _____
 E-MAIL ADDRESS: _____
 PHONE # 287-9130 FAX# _____
 SAMPLER'S SIGNATURE: David Gilligan

SAMPLE I.D.	DATE	TIME	LAB I.D.	MATRIX
BH-009-SSA	2/1/03	1000	7 Sed	7
BH-009-SSA	2/1/03	1000	7 Sed	7
BH-059-SSA			8 Sed	7
BH-010-SSA			9 Sed	7
BH-011-SSA			10 Sed	7

NUMBER OF CONTAINERS	Circle which metals are to be analyzed:															
	INDICATE STATE HYDROCARBON PROCEDURE: AK CA WI NORTHWEST OTHER: (CIRCLE ONE)															
Semivolatile Organics by GC/MS 625 <input type="checkbox"/> 8270 <input type="checkbox"/> 8270LL <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Volatile Organics 624 <input type="checkbox"/> 8260 <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Hydrocarbons (*see below) Gas <input type="checkbox"/> Diesel <input checked="" type="checkbox"/> Oil <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
BTEX <input type="checkbox"/> Fuel Fingerprint (FIQ) <input type="checkbox"/> NW-HCID Screen <input type="checkbox"/> Oil & Grease/TRPH <input type="checkbox"/> 1664 HEM <input type="checkbox"/> 1664 SGT <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
PCB's Aroclors <input checked="" type="checkbox"/> Congeners <input type="checkbox"/> Pesticides/Herbicides 608 <input type="checkbox"/> 8031A <input checked="" type="checkbox"/> 8141A <input type="checkbox"/> 8151A <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Chlorophenolics - 8151M Tri <input type="checkbox"/> Tetra <input type="checkbox"/> PCP <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
PAHS 8310 <input type="checkbox"/> SIM <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Metals, Total or Dissolved (See list below)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Cyanide <input type="checkbox"/> Hex-Chrom <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
pH, Cond., Cl, SO4, PO4, F, NO2, NO3, BOD, TSS, TDS (circle) NH3-N, COD, Total-P, TKN, (TOC, DOC (circle) NO2+NO3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TOX 9020 <input type="checkbox"/> AOX 1650 <input type="checkbox"/> 506 <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Sulfide/ammonia Grain size TS / TVS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
REMARKS																

REPORT REQUIREMENTS
 I. Routine Report: Method Blank, Surrogate, as required
 II. Report Dup., MS, MSD as required
 III. Data Validation Report (includes all raw data)
 IV. CLP Deliverable Report
 V. EDD

INVOICE INFORMATION
 P.O. # _____
 Bill To: _____

TURNAROUND REQUIREMENTS
 24 hr. _____ 48 hr. _____
 5 Day _____
 Standard (10-15 working days)
 Provide FAX Results _____

RELINQUISHED BY:
 Signature: Steve Shaver Date/Time: 5/2/03
 Printed Name: Steve Shaver Firm: Anchor

RECEIVED BY:
 Signature: David Gilligan Date/Time: 5/16/03 09:50
 Printed Name: David Gilligan Firm: Anchor

RELINQUISHED BY:
 Signature: _____ Date/Time: _____
 Printed Name: _____ Firm: _____

RECEIVED BY:
 Signature: _____ Date/Time: _____
 Printed Name: _____ Firm: _____

CHAIN OF CUSTODY

PROJECT NAME <u>Blakeley Harbor</u>		PROJECT NUMBER <u>080007-01</u>		PROJECT MANAGER <u>David Gillingham</u>		COMPANY ADDRESS <u>Anchor</u>		CITY/STATE/ZIP <u> </u>		E-MAIL ADDRESS <u> </u>		PHONE # <u>206-385-9130</u> FAX# <u> </u>		SAMPLELER'S SIGNATURE <u>David Gillingham</u>	
SAMPLE I.D.	DATE	TIME	LAB I.D.	MATRIX	NUMBER OF CONTAINERS							REMARKS			
BH-006-SSA	7/31	1530	17	sed	Semivolatile Organics by GC/MS 625 <input type="checkbox"/> 8270 <input type="checkbox"/> 8270LL <input type="checkbox"/> Volatile Organics 624 <input type="checkbox"/> 8260 <input type="checkbox"/> 8021 <input type="checkbox"/> BTEX <input type="checkbox"/> Hydrocarbons (*see below) Gas <input type="checkbox"/> Diesel <input checked="" type="checkbox"/> Oil <input type="checkbox"/> <input type="checkbox"/> Fuel Fingerprint (FIQ) <input type="checkbox"/> NW-HCID Screen Oil & Grease/TRPH 1664 HEM <input type="checkbox"/> 1664 SGT <input type="checkbox"/> PCB's Aroclors <input checked="" type="checkbox"/> Congeners <input type="checkbox"/> Pesticides/Herbicides 608 <input type="checkbox"/> 8081A <input checked="" type="checkbox"/> 8141A <input type="checkbox"/> 8151A <input type="checkbox"/> Chlorophenolics - 8151M Tri <input type="checkbox"/> Tetra <input type="checkbox"/> PCP <input type="checkbox"/> PAHS 8310 <input type="checkbox"/> SIM <input type="checkbox"/> Metals, Total or Dissolved (See list below) Cyanide <input type="checkbox"/> Hex-Chrom <input type="checkbox"/> pH, Cond., Cl, SO ₄ , PO ₄ , F, NO ₂ , NO ₃ , BOD, TSS, TDS (circle) NH ₃ -N, COD, Total-P, TKN, TOC, DOC (circle) NO ₂ +NO ₃ TOX 9020 <input type="checkbox"/> AOX 1650 <input type="checkbox"/> 506 <input type="checkbox"/> TBT Pore water Sulfide / Ammonia TOC TS TUS / GS										
BH-008-SSA		1615	12	sed	X	X	X	X	X	X	X	X	X	X	
BH-007-SSA		1558	13	sed	X	X	X	X	X	X	X	X	X	X	
BH-003-SSA		1400	14	sed	X	X	X	X	X	X	X	X	X	X	
BH-005-SSA		1430	15	sed	X	X	X	X	X	X	X	X	X	X	

REPORT REQUIREMENTS
 I. Routine Report: Method Blank, Surrogate, as required
 II. Report Dup., MS, MSD as required
 III. Data Validation Report (includes all raw data)
 IV. CLP Deliverable Report
 V. EDD

INVOICE INFORMATION
 P.O. # _____
 Bill To: _____

TURNAROUND REQUIREMENTS
 24 hr. _____ 48 hr. _____
 5 Day _____
 Standard (10-15 working days)
 Provide FAX Results _____

Requested Report Date _____

RELINQUISHED BY:
 Signature: [Signature] Date/Time: 8.2.01
 Printed Name: David Gillingham Firm: Anchor

RECEIVED BY:
 Signature: [Signature] Date/Time: 8/2/08 09:30
 Printed Name: David Gillingham Firm: CHS

RELINQUISHED BY:
 Signature: _____ Date/Time: _____
 Printed Name: _____ Firm: _____

RECEIVED BY:
 Signature: _____ Date/Time: _____
 Printed Name: _____ Firm: _____

**Columbia Analytical Services, Inc.
Cooler Receipt and Preservation Form**

PC 14

Client / Project: ANCMAX Service Request K08 07136
 Received: 8/2/08 Opened: 8/2/08 By: [Signature]

1. Samples were received via? US Mail Fed Ex UPS DHL GH GS PDX Courier Hand Delivered
2. Samples were received in: (circle) Cooler Box Envelope Other _____
3. Were custody seals on coolers? NA Y N If yes, how many and where? _____
 If present, were custody seals intact? Y N If present, were they signed and dated? Y N
4. Is shipper's air-bill filed? If not, record air-bill number: _____ NA Y N
5. Temperature of cooler(s) upon receipt (°C):

	<u>2.8</u>	<u>3.8</u>	<u>4.8</u>	<u>5.6</u>	<u>0.1</u>
Temperature Blank (°C):	<u>5.8</u>	<u>4.4</u>	<u>3.7</u>	<u>5.7</u>	<u>4.1</u>
6. If applicable, list Chain of Custody Numbers: _____
7. Were custody papers properly filled out (ink, signed, etc.)? NA Y N
8. Packing material used. Inserts Baggies Bubble Wrap Gel Packs Net Ice Sleeves Other _____
9. Did all bottles arrive in good condition (unbroken)? Indicate in the table below. NA Y N
10. Were all sample labels complete (i.e analysis, preservation, etc.)? NA Y N
11. Did all sample labels and tags agree with custody papers? Indicate in the table below. NA Y N
12. Were appropriate bottles/containers and volumes received for the tests indicated? NA Y N
13. Were the pH-preserved bottles tested* received at the appropriate pH? Indicate in the table below. NA Y N
14. Were VOA vials and 1631 Mercury bottles received without headspace? Indicate in the table below. NA Y N
15. Are CWA Microbiology samples received with >1/2 the 24hr. hold time remaining from collection? NA Y N
6. Was C12/Res negative? NA Y N

Sample ID on Bottle	Sample ID on COC	Sample ID on Bottle	Sample ID on COC

Sample ID	Bottle Count	Bottle Type	Out of Temp	Head-space	Broken	pH	Reagent	Volume added	Reagent Lot Number	Initials

Does not include all pH preserved sample aliquots received. See sample receiving SOP (SMO-GEN).
 Additional Notes, Discrepancies, & Resolutions: ① RECEIVED SAMPLE NOT ON COC: BH-004-SSA did not rec UOA on Zinc Acetate Bts for BH-008-SSA. 7/31/08 1415. requested on COC -

Total Solids

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136

Total Solids

Prep Method: NONE
Analysis Method: 160.3M
Test Notes:

Units: PERCENT
Basis: Wet

Sample Name	Lab Code	Date Collected	Date Received	Date Analyzed	Result	Result Notes
BH-009-SSA	K0807136-007	08/01/2008	08/02/2008	08/14/2008	41.8	
BH-059-SSA	K0807136-008	08/01/2008	08/02/2008	08/14/2008	39.0	
BH-010-SSA	K0807136-009	08/01/2008	08/02/2008	08/14/2008	28.7	
BH-011-SSA	K0807136-010	08/01/2008	08/02/2008	08/14/2008	32.6	
BH-006-SSA	K0807136-011	07/31/2008	08/02/2008	08/14/2008	39.3	
BH-007-SSA	K0807136-013	07/31/2008	08/02/2008	08/14/2008	63.3	
BH-005-SSA	K0807136-015	07/31/2008	08/02/2008	08/14/2008	37.4	

QA/QC Report

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment

Service Request: K0807136
 Date Collected: 08/01/2008
 Date Received: 08/02/2008
 Date Analyzed: 08/14/2008

Duplicate Sample Summary
 Total Solids

Prep Method: NONE
 Analysis Method: 160.3M
 Test Notes:

Units: PERCENT
 Basis: Wet

Sample Name	Lab Code	Sample Result	Duplicate Sample Result	Average	Relative Percent Difference	Result Notes
BH-009-SSA	K0807136-007	41.8	43.2	42.5	3	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 7/31/2008
Date Received: 8/2/2008

Total Volatile Solids

Prep Method: NONE
Analysis Method: 160.4M
Test Notes:

Units: PERCENT
Basis: Dry

Sample Name	Lab Code	Date Analyzed	Result	Result Notes
BH-002-SSA	K0807136-006	8/18/2008	19.8	
BH-005,6,7-SSA Comp	K0807136-017	8/18/2008	18.6	
BH-009,59,10,11-SSA Comp	K0807136-018	8/18/2008	27.5	
BH-009,59,10,11-SSA Comp Dup	K0807136-019	8/18/2008	32.5	
Method Blank	K0807136-MB	8/18/2008	<0.01	

M Modified for analysis of soil.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 7/31/2008
Date Received: 8/2/2008
Date Extracted: NA
Date Analyzed: 8/18/2008

Duplicate Summary
Inorganic Parameters

Sample Name: BH-009,59,10,11-SSA Comp Dup
Lab Code: K0807136-019DUP
Test Notes:

Units: PERCENT
Basis: Dry

Analyte	Prep Method	Analysis Method	Sample Result	Duplicate Sample Result	Average	Relative Percent Difference	Result Notes
Total Volatile Solids	NONE	160.4M	32.5	28.8	30.7	12	

M Modified for analysis of soil.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136

Total Solids

Prep Method: NONE
Analysis Method: 160.3M
Test Notes:

Units: PERCENT
Basis: Wet

Sample Name	Lab Code	Date Collected	Date Received	Date Analyzed	Result	Result Notes
BH-002-SSA	K0807136-006	07/31/2008	08/02/2008	08/12/2008	42.9	
BH-005,6,7-SSA Comp	K0807136-017	07/31/2008	08/02/2008	08/12/2008	50.0	
BH-009,59,10,11-SSA Comp	K0807136-018	07/31/2008	08/02/2008	08/12/2008	34.7	
BH-009,59,10,11-SSA Comp Dup	K0807136-019	07/31/2008	08/02/2008	08/12/2008	31.9	

QA/QC Report

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment

Service Request: K0807136
 Date Collected: 07/31/2008
 Date Received: 08/02/2008
 Date Analyzed: 08/12/2008

Duplicate Sample Summary
 Total Solids

Prep Method: NONE
 Analysis Method: 160.3M
 Test Notes:

Units: PERCENT
 Basis: Wet

Sample Name	Lab Code	Sample Result	Duplicate Sample Result	Average	Relative Percent Difference	Result Notes
BH-002-SSA	K0807136-006	42.9	42.0	42.5	2	

General Chemistry Parameters

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : WATER

Service Request : K0807136
Date Collected : 07/31/08
Date Received : 08/02/08

Ammonia as Nitrogen

Analysis Method : 350.1
Test Notes :

Units : mg/L
Basis : NA

Sample Name	Lab Code	MRL	Dilution Factor	Date Analyzed	Result	Result Notes
BH-021-080731	K0807136-001	0.05	1	08/04/08	ND	
BH-022-080731	K0807136-002	0.05	1	08/04/08	0.45	
BH-023-080731	K0807136-003	0.05	1	08/04/08	ND	
Method Blank	K0807136-MB	0.05	1	08/04/08	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : WATER

Service Request : K0807136
Date Collected : 7/31/2008
Date Received : 8/2/2008
Date Prepared : NA
Date Analyzed : 08/04/08

Duplicate Summary
Inorganic Parameters

Sample Name : BH-021-080731
Lab Code : K0807136-001DUP
Test Notes :

Units : mg/L
Basis : NA

Analyte	Analysis Method	MRL	Sample Result	Duplicate Sample Result	Average	Relative Percent Difference	Result Notes
Ammonia as Nitrogen	350.1	0.05	ND	ND	ND	-	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : WATER

Service Request : K0807136
Date Collected : 7/31/2008
Date Received : 8/2/2008
Date Prepared : NA
Date Analyzed : 08/04/08

Matrix Spike Summary
Inorganic Parameters

Sample Name : BH-021-080731
Lab Code : K0807136-001MS
Test Notes :

Units : mg/L
Basis : NA

Analyte	Analysis Method	MRL	Spike Level	Sample Result	Spiked Sample Result	Percent Recovery	CAS Percent Recovery Acceptance Limits	Result Notes
Ammonia as Nitrogen	350.1	0.05	2.00	ND	2.11	106	90-110	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : WATER

Service Request : K0807136
Date Collected : NA
Date Received : NA
Date Prepared : NA
Date Analyzed : 08/04/08

Laboratory Control Sample Summary
Inorganic Parameters

Sample Name : Lab Control Sample
Lab Code : K0807136-LCS
Test Notes :

Units : mg/L
Basis : NA

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	CAS Percent Recovery Acceptance Limits	Result Notes
Ammonia as Nitrogen	NONE	350.1	8.38	8.32	99	90-110	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : SEDIMENT

Service Request : K0807136
Date Collected : 07/31/08
Date Received : 08/02/08

Ammonia as Nitrogen

Prep Method : EPA Plumb 5-1981 KCl
Analysis Method : 350.1M
Test Notes :

Units : mg/Kg
Basis : Dry

Sample Name	Lab Code	MRL	Dilution Factor	Date Prepared	Date Analyzed	Result	Result Notes
BH-002-SSA	K0807136-006	1.2	1	8/6/2008	08/07/08	17.3	
BH-005,6,7-SSA Comp	K0807136-017	1.0	1	8/6/2008	08/07/08	15.7	
Method Blank	K0807136-MB	1.0	1	8/6/2008	08/07/08	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : SEDIMENT

Service Request : K0807136
Date Collected : 7/31/2008
Date Received : 8/2/2008
Date Prepared : 08/06/08
Date Analyzed : 08/07/08

Duplicate Summary
Inorganic Parameters

Sample Name : BH-002-SSA
Lab Code : K0807136-006DUP
Test Notes :

Units : mg/Kg
Basis : Dry

Analyte	Prep Method	Analysis Method	MRL	Sample Result	Duplicate Sample Result	Average	Relative Percent Difference	Result Notes
Ammonia as Nitrogen	EPA Plumb 5-1981 KCl	350.1M	1.2	17.3	17.0	17.2	2	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : SEDIMENT

Service Request : K0807136
Date Collected : 7/31/2008
Date Received : 8/2/2008
Date Prepared : 08/06/08
Date Analyzed : 08/07/08

Matrix Spike Summary
Inorganic Parameters

Sample Name : BH-002-SSA
Lab Code : K0807136-006MS
Test Notes :

Units : mg/Kg
Basis : Dry

Analyte	Prep Method	Analysis Method	MRL	Spike Level	Sample Result	Spiked Sample Result	Percent Recovery	CAS	Result Notes
								Percent Recovery	
Ammonia as Nitrogen	EPA Plumb 5-1981 KCl	350.1M	1.2	1150	17.3	1120	96	66-127	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : WATER

Service Request : K0807136
Date Collected : NA
Date Received : NA
Date Prepared : 08/06/08
Date Analyzed : 08/07/08

Laboratory Control Sample Summary
Inorganic Parameters

Sample Name : Lab Control Sample
Lab Code : K0807136-LCS
Test Notes :

Units : mg/L
Basis : NA

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	CAS Percent Recovery Acceptance Limits	Result Notes
Ammonia as Nitrogen	NONE	350.1M	8.38	8.53	102	90-110	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : SEDIMENT

Service Request : K0807136
Date Collected : 07/31,08/01/08
Date Received : 08/02/08

Sulfide, Total

Prep Method : Method
Analysis Method : PSEP Sulfide
Test Notes :

Units : mg/Kg
Basis : Dry

Sample Name	Lab Code	MRL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Result	Result Notes
BH-002-SSA	K0807136-006	240	140	100	8/6/2008	08/06/08	555	
BH-009-SSA	K0807136-007	12	1.3	5	8/6/2008	08/06/08	36	
BH-059-SSA	K0807136-008	13	7.7	5	8/6/2008	08/06/08	63	
BH-010-SSA	K0807136-009	880	530	250	8/6/2008	08/06/08	1630	
BH-011-SSA	K0807136-010	310	190	100	8/6/2008	08/06/08	1820	
BH-006-SSA	K0807136-011	260	160	100	8/6/2008	08/06/08	558	
BH-007-SSA	K0807136-013	40	9.5	25	8/6/2008	08/06/08	104	
BH-005-SSA	K0807136-015	270	170	100	8/6/2008	08/06/08	632	
Method Blank	K0807136-MB	3.5	2.1	1	8/6/2008	08/06/08	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : SEDIMENT

Service Request : K0807136
Date Collected : 7/31/2008
Date Received : 8/2/2008
Date Prepared : 08/06/08
Date Analyzed : 08/06/08

Triplicate Summary
Inorganic Parameters

Sample Name : BH-002-SSA
Lab Code : K0807136-006TPL
Test Notes :

Units : mg/Kg
Basis : Dry

Analyte	Prep Method	Analysis Method	MRL	Sample Result	Duplicate Sample Result	Triplicate Sample Result	Average	Relative Standard Deviation	Result Notes
Sulfide, Total	Method	PSEP Sulfide	240	555	376	453	462	<1	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : SEDIMENT

Service Request : K0807136
Date Collected : 7/31/2008
Date Received : 8/2/2008
Date Prepared : 08/06/08
Date Analyzed : 08/06/08

Matrix Spike/Duplicate Matrix Spike Summary

Sample Name : BH-002-SSA
Lab Code : K0807136-006MS
Test Notes :

K0807136-006DMS

Units : mg/Kg
Basis : Dry

Analyte	Prep Method	Analysis Method	MRL	Spike Level		Sample Result	Spike Result		Spike Recovery		CAS Acceptance Limits	Relative Percent Difference	Result Notes
				MS	DMS		MS	DMS	MS	DMS			
Sulfide, Total	Method	PSEP Sulfide	240	1590	1720	555	1130	1430	36	51	60-130	34	*

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : SEDIMENT

Service Request : K0807136
Date Collected : NA
Date Received : NA
Date Prepared : 08/06/08
Date Analyzed : 08/06/08

Laboratory Control Sample Summary
Inorganic Parameters

Sample Name : Lab Control Sample
Lab Code : K0807136-LCS
Test Notes :

Units : mg/Kg
Basis : Dry

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	CAS	Result Notes
						Percent Recovery Acceptance Limits	
Sulfide, Total	Method	PSEP Sulfide	383	348	91	60-130	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : WATER

Service Request : K0807136
Date Collected : 07/31/08
Date Received : 08/02/08

Total Sulfide

Analysis Method : SM 4500-S2- D
Test Notes :

Units : mg/L
Basis : NA

Sample Name	Lab Code	MRL	Dilution Factor	Date Analyzed	Result	Result Notes
BH-021-080731	K0807136-001	0.05	1	08/04/08	0.09	
BH-022-080731	K0807136-002	2.0	40	08/04/08	24.7	
BH-023-080731	K0807136-003	0.05	1	08/04/08	ND	
Method Blank	K0807136-MB	0.05	1	08/04/08	ND	

SM Standard Methods for the Examination of Water and Wastewater, 20th Ed., 1998.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : WATER

Service Request : K0807136
Date Collected : NA
Date Received : NA
Date Prepared : 08/04/08
Date Analyzed : 08/04/08

Duplicate Summary
Inorganic Parameters

Sample Name : Batch QC
Lab Code : K0807112-001DUP
Test Notes :

Units : mg/L
Basis : NA

Analyte	Analysis Method	MRL	Sample Result	Duplicate Sample Result	Average	Relative Percent Difference	Result Notes
Total Sulfide	SM 4500-S2- D	0.05	ND	ND	ND	-	

SM Standard Methods for the Examination of Water and Wastewater, 20th Ed., 1998.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : WATER

Service Request : K0807136
Date Collected : NA
Date Received : NA
Date Prepared : 08/04/08
Date Analyzed : 08/04/08

Matrix Spike Summary
Inorganic Parameters

Sample Name : Batch QC
Lab Code : K0807112-001MS
Test Notes :

Units : mg/L
Basis : NA

Analyte	Analysis Method	MRL	Spike Level	Sample Result	Spiked Sample Result	Percent Recovery	CAS Percent Recovery Acceptance Limits	Result Notes
Total Sulfide	SM 4500-S2- D	0.05	1.96	ND	2.00	102	75-125	

SM Standard Methods for the Examination of Water and Wastewater, 20th Ed., 1998.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : WATER

Service Request : K0807136
Date Collected : NA
Date Received : NA
Date Prepared : 08/04/08
Date Analyzed : 08/04/08

Laboratory Control Sample Summary
 Inorganic Parameters

Sample Name : Lab Control Sample
Lab Code : K0807136-LCS
Test Notes :

Units : mg/L
Basis : NA

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	CAS	Result Notes
						Percent Recovery Acceptance Limits	
Total Sulfide	NONE	SM 4500-S2- D	1.96	1.88	96	85-115	

SM Standard Methods for the Examination of Water and Wastewater, 20th Ed., 1998.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : SEDIMENT

Service Request : K0807136
Date Collected : 07/31/08
Date Received : 08/02/08

Carbon, Total Organic (TOC)

Prep Method : SOP
Analysis Method : PSEP TOC
Test Notes :

Units : Percent
Basis : Dry

Sample Name	Lab Code	MRL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Result	Result Notes
BH-002-SSA	K0807136-006	0.05	0.04	1	8/6/2008	08/21/08	9.59	
BH-005,6,7-SSA Comp	K0807136-017	0.05	0.04	1	8/6/2008	08/21/08	10.0	
BH-009,59,10,11-SSA Comp	K0807136-018	0.05	0.04	1	8/6/2008	08/21/08	15.5	
BH-009,59,10,11-SSA Comp Dup	K0807136-019	0.05	0.04	1	8/6/2008	08/21/08	15.5	
Method Blank	K0807136-MB	0.05	0.04	1	8/6/2008	08/21/08	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : SEDIMENT

Service Request : K0807136
Date Collected : 7/31/2008
Date Received : 8/2/2008
Date Prepared : 08/06/08
Date Analyzed : 08/21/08

Duplicate Summary
Inorganic Parameters

Sample Name : BH-005,6,7-SSA Comp
Lab Code : K0807136-017DUP
Test Notes :

Units : Percent
Basis : Dry

Analyte	Prep Method	Analysis Method	MRL	Sample Result	Duplicate Sample Result	Average	Relative Percent Difference	Result Notes
Carbon, Total Organic (TOC)	SOP	PSEP TOC	0.05	10.0	10.8	10.4	8	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : SEDIMENT

Service Request : K0807136
Date Collected : NA
Date Received : NA
Date Prepared : NA
Date Analyzed : 08/21/08

Duplicate Summary
Inorganic Parameters

Sample Name : Batch QC
Lab Code : K0807249-001DUP
Test Notes :

Units : Percent
Basis : Dry

Analyte	Prep Method	Analysis Method	MRL	Sample Result	Duplicate Sample Result	Average	Relative Percent Difference	Result Notes
Carbon, Total Organic (TOC)	NONE	PSEP TOC	0.05	0.40	0.45	0.43	12	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : SEDIMENT

Service Request : K0807136
Date Collected : 7/31/2008
Date Received : 8/2/2008
Date Prepared : 08/06/08
Date Analyzed : 08/21/08

Triplicate Summary
Inorganic Parameters

Sample Name : BH-005,6,7-SSA Comp
Lab Code : K0807136-017TPL
Test Notes :

Units : Percent
Basis : Dry

Analyte	Prep Method	Analysis Method	MRL	Sample Result	Duplicate Sample Result	Triplicate Sample Result	Average	Relative Standard Deviation	Result Notes
Carbon, Total Organic (TOC)	SOP	PSEP TOC	0.05	10.0	10.8	11.0	10.6	5	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : SEDIMENT

Service Request : K0807136
Date Collected : 7/31/2008
Date Received : 8/2/2008
Date Prepared : 08/06/08
Date Analyzed : 08/21/08

Matrix Spike Summary
Inorganic Parameters

Sample Name : BH-005,6,7-SSA Comp
Lab Code : K0807136-017MS
Test Notes :

Units : Percent
Basis : Dry

Analyte	Prep Method	Analysis Method	MRL	Spike Level	Sample Result	Spiked Sample Result	Percent Recovery	CAS Percent Recovery Acceptance Limits	Result Notes
Carbon, Total Organic (TOC)	SOP	PSEP TOC	0.05	12.5	10.0	22.3	98	75-114	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : SEDIMENT

Service Request : K0807136
Date Collected : NA
Date Received : NA
Date Prepared : NA
Date Analyzed : 08/21/08

Matrix Spike Summary
Inorganic Parameters

Sample Name : Batch QC
Lab Code : K0807249-001MS
Test Notes :

Units : Percent
Basis : Dry

Analyte	Prep Method	Analysis Method	MRL	Spike Level	Sample Result	Spiked Sample Result	Percent Recovery	CAS Percent Recovery Acceptance Limits	Result Notes
Carbon, Total Organic (TOC)	NONE	PSEP TOC	0.05		0.40	2.22	NC	75-114	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client : Anchor Environmental
Project Name : Blakely Harbor
Project Number : 080007-01
Sample Matrix : SEDIMENT

Service Request : K0807136
Date Collected : NA
Date Received : NA
Date Prepared : 08/06/08
Date Analyzed : 08/21/08

Laboratory Control Sample Summary
Inorganic Parameters

Sample Name : Lab Control Sample
Lab Code : K0807136-LCS
Test Notes :

Units : Percent
Basis : Dry

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	CAS	Result Notes
						Percent Recovery Acceptance Limits	
Carbon, Total Organic (TOC)	SOP	PSEP TOC	0.36	0.40	111	74-123	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 7/31/2008
Date Received: 8/2/2008
Date Analyzed: 8/8/2008

Particle Size Determination
 ASTM Method D422 Modified

Sample Name: BH-002-SSA
 Lab Code: K0807136-006

Sand Fraction: Weight (Grams) 17.6601
 Sand Fraction: Weight Recovered (Grams) 17.7547
 Sand Fraction: Percent Recovery 101

Weight as received (Grams)	50.2717
Percent Solids	42.9
Weight Oven-Dried (Grams)	21.5666

Description	Sieve Size	Sieve Number	Dry Weight (Grams)	Percent of Total Weight Recovered
Gravel, Medium	4.75 mm	4	4.1524	19.3
Gravel, Fine	2.00 mm	10	1.4007	6.49
Sand, Very Coarse	0.850 mm	20	1.1391	5.28
Sand, Coarse	0.425 mm	40	1.1866	5.50
Sand, Medium	0.250 mm	60	2.1531	9.98
Sand, Fine	0.106 mm	140	5.4693	25.4
Sand, Very Fine	0.075 mm	200	1.5308	7.10
Silt			3.6150	16.8
Clay			1.5050	6.98
Total			22.1520	103

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 7/31/2008
Date Received: 8/2/2008
Date Analyzed: 8/8/2008

Particle Size Determination
 ASTM Method D422 Modified

Sample Name: BH-005,6,7-SSA Comp
 Lab Code: K0807136-017

Sand Fraction: Weight (Grams) 18.2883
 Sand Fraction: Weight Recovered (Grams) 18.3169
 Sand Fraction: Percent Recovery 100

Weight as received (Grams)	51.212
Percent Solids	50.0
Weight Oven-Dried (Grams)	25.6060

Description	Sieve Size	Sieve Number	Dry Weight (Grams)	Percent of Total Weight Recovered
Gravel, Medium	4.75 mm	4	1.0557	4.12
Gravel, Fine	2.00 mm	10	0.8221	3.21
Sand, Very Coarse	0.850 mm	20	1.4352	5.60
Sand, Coarse	0.425 mm	40	1.7550	6.85
Sand, Medium	0.250 mm	60	4.5854	17.9
Sand, Fine	0.106 mm	140	5.9000	23.0
Sand, Very Fine	0.075 mm	200	2.0014	7.82
Silt			5.4850	21.4
Clay			2.3350	9.12
Total			25.3748	99.1

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 7/31/2008
Date Received: 8/2/2008
Date Analyzed: 8/8/2008

Particle Size Determination
 ASTM Method D422 Modified

Sample Name: BH-009,59,10,11-SSA Comp
 Lab Code: K0807136-018

Sand Fraction: Weight (Grams) 14.9131
 Sand Fraction: Weight Recovered (Grams) 14.9769
 Sand Fraction: Percent Recovery 100

Weight as received (Grams)	51.7499
Percent Solids	34.7
Weight Oven-Dried (Grams)	17.9572

Description	Sieve Size	Sieve Number	Dry Weight (Grams)	Percent of Total Weight Recovered
Gravel, Medium	4.75 mm	4	4.3754	24.4
Gravel, Fine	2.00 mm	10	2.9751	16.6
Sand, Very Coarse	0.850 mm	20	2.2431	12.5
Sand, Coarse	0.425 mm	40	1.5164	8.44
Sand, Medium	0.250 mm	60	1.4573	8.12
Sand, Fine	0.106 mm	140	1.6581	9.23
Sand, Very Fine	0.075 mm	200	0.4531	2.52
Silt			2.2300	12.4
Clay			1.4650	8.16
Total			18.3735	102

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 7/31/2008
Date Received: 8/2/2008
Date Analyzed: 8/8/2008

Particle Size Determination
 ASTM Method D422 Modified

Sample Name: BH-009,59,10,11-SSA Comp Dup
 Lab Code: K0807136-019

Sand Fraction: Weight (Grams) 14.2801
 Sand Fraction: Weight Recovered (Grams) 14.3823
 Sand Fraction: Percent Recovery 101

Weight as received (Grams)	50.8263
Percent Solids	31.9
Weight Oven-Dried (Grams)	16.2136

Description	Sieve Size	Sieve Number	Dry Weight (Grams)	Percent of Total Weight Recovered
Gravel, Medium	4.75 mm	4	3.9732	24.5
Gravel, Fine	2.00 mm	10	2.9882	18.4
Sand, Very Coarse	0.850 mm	20	2.1589	13.3
Sand, Coarse	0.425 mm	40	1.2305	7.59
Sand, Medium	0.250 mm	60	1.7295	10.7
Sand, Fine	0.106 mm	140	1.5379	9.49
Sand, Very Fine	0.075 mm	200	0.4844	2.99
Silt			1.3950	8.60
Clay			1.3650	8.42
Total			16.8626	104

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 7/31/2008
Date Received: 8/2/2008
Date Analyzed: 8/8/2008

Particle Size Determination
 ASTM Method D422 Modified

Sample Name: BH-002-SSA
 Lab Code: K0807136-006DUP

Sand Fraction: Weight (Grams) 15.8487
 Sand Fraction: Weight Recovered (Grams) 15.9400
 Sand Fraction: Percent Recovery 101

Weight as received (Grams)	50.2884
Percent Solids	42.9
Weight Oven-Dried (Grams)	21.5737

Description	Sieve Size	Sieve Number	Dry Weight (Grams)	Percent of Total Weight Recovered
Gravel, Medium	4.75 mm	4	1.1411	5.29
Gravel, Fine	2.00 mm	10	1.6071	7.45
Sand, Very Coarse	0.850 mm	20	1.3881	6.43
Sand, Coarse	0.425 mm	40	1.1336	5.25
Sand, Medium	0.250 mm	60	2.8517	13.2
Sand, Fine	0.106 mm	140	5.4663	25.3
Sand, Very Fine	0.075 mm	200	1.6031	7.43
Silt			3.6750	17.0
Clay			1.5000	6.95
Total			20.3660	94.4

Metals

Columbia Analytical Services

- Cover Page -
INORGANIC ANALYSIS DATA PACKAGE

Client: Anchor Environmental
Project Name: Blakely Harbor
Project No.: 080007-01

Service Request: K0807136

<u>Sample Name:</u>	<u>Lab Code:</u>
<u>BH-002-SSA</u>	<u>K0807136-006</u>
<u>BH-002-SSAD</u>	<u>K0807136-006D</u>
<u>BH-002-SSAS</u>	<u>K0807136-006S</u>
<u>BH-005,6,7-SSA Comp</u>	<u>K0807136-017</u>
<u>BH-009,59,10,11-SSA Comp</u>	<u>K0807136-018</u>
<u>BH-009,59,10,11-SSA CompD</u>	<u>K0807136-018D</u>
<u>BH-009,59,10,11-SSA CompS</u>	<u>K0807136-018S</u>
<u>BH-009,59,10,11-SSA Comp Dup</u>	<u>K0807136-019</u>
<u>Method Blank</u>	<u>K0807136-MB</u>

Comments:

Approved By: _____



Date: _____



Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Anchor Environmental Service Request: K0807136
Project No.: 080007-01 Date Collected: 07/31/08
Project Name: Blakely Harbor Date Received: 08/02/08
Matrix: SEDIMENT Units: mg/Kg
Basis: DRY

Sample Name: BH-002-SSA Lab Code: K0807136-006

Analyte	Analysis Method	MRL	MDL	Dil. Factor	Date Extracted	Date Analyzed	Result	C	Q
Antimony	6020	0.06	0.05	5.0	08/26/08	08/27/08	13.9		
Arsenic	6020	1.17	0.47	10.0	08/26/08	09/04/08	24.6		
Cadmium	6020	0.047	0.021	10.0	08/26/08	09/04/08	2.490		
Chromium	6010B	2.3	0.8	2.0	08/26/08	08/28/08	31.1		
Copper	6010B	2.3	1.0	2.0	08/26/08	08/28/08	508		*
Lead	6010B	23.2	3.5	2.0	08/26/08	08/28/08	626		
Mercury	7471A	0.021	0.002	1.0	08/15/08	08/18/08	0.386		
Nickel	6010B	4.6	0.5	2.0	08/26/08	08/28/08	23.2		
Selenium	6020	2.3	0.9	10.0	08/26/08	09/04/08	1.8	B	
Silver	6020	0.023	0.023	5.0	08/26/08	08/27/08	0.515		*
Zinc	6010B	2.3	0.5	2.0	08/26/08	08/28/08	566		

% Solids: 42.9

Comments:

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Anchor Environmental	Service Request: K0807136
Project No.: 080007-01	Date Collected: 07/31/08
Project Name: Blakely Harbor	Date Received: 08/02/08
Matrix: SEDIMENT	Units: mg/Kg
	Basis: DRY

Sample Name: BH-005,6,7-SSA Comp **Lab Code:** K0807136-017

Analyte	Analysis Method	MRL	MDL	Dil. Factor	Date Extracted	Date Analyzed	Result	C	Q
Antimony	6020	0.05	0.04	5.0	08/26/08	08/27/08	0.48		
Arsenic	6020	0.50	0.20	5.0	08/26/08	09/03/08	8.08		
Cadmium	6020	0.020	0.009	5.0	08/26/08	09/03/08	0.517		
Chromium	6010B	2.0	0.7	2.0	08/26/08	08/28/08	20.1		
Copper	6010B	2.0	0.9	2.0	08/26/08	08/28/08	33.7		*
Lead	6010B	19.9	3.0	2.0	08/26/08	08/28/08	56.6		
Mercury	7471A	0.023	0.002	1.0	08/15/08	08/18/08	0.136		
Nickel	6010B	4.0	0.4	2.0	08/26/08	08/28/08	13.6		
Selenium	6020	1.0	0.4	5.0	08/26/08	09/03/08	0.8	B	
Silver	6020	0.020	0.020	5.0	08/26/08	08/27/08	0.219		*
Zinc	6010B	2.0	0.4	2.0	08/26/08	08/28/08	60.9		

% Solids: 50.0

Comments:

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client:	Anchor Environmental	Service Request:	K0807136
Project No.:	080007-01	Date Collected:	07/31/08
Project Name:	Blakely Harbor	Date Received:	08/02/08
Matrix:	SEDIMENT	Units:	mg/Kg
		Basis:	DRY

Sample Name: BH-009,59,10,11-SSA Comp **Lab Code:** K0807136-018

Analyte	Analysis Method	MRL	MDL	Dil. Factor	Date Extracted	Date Analyzed	Result	C	Q
Antimony	6020	0.07	0.06	5.0	08/26/08	08/27/08	21.9		
Arsenic	6020	0.72	0.29	5.0	08/26/08	09/03/08	10.8		
Cadmium	6020	0.029	0.013	5.0	08/26/08	09/03/08	0.604		
Chromium	6010B	2.9	1.0	2.0	08/26/08	08/28/08	18.3		
Copper	6010B	2.9	1.3	2.0	08/26/08	08/28/08	94.4		*
Lead	6010B	28.8	4.3	2.0	08/26/08	08/28/08	242		
Mercury	7471A	0.038	0.004	1.0	08/15/08	08/18/08	0.085		
Nickel	6010B	5.8	0.6	2.0	08/26/08	08/28/08	17.0		
Selenium	6020	1.4	0.6	5.0	08/26/08	09/03/08	1.8		
Silver	6020	0.029	0.029	5.0	08/26/08	08/27/08	0.181		*
Zinc	6010B	2.9	0.6	2.0	08/26/08	08/28/08	96.7		

% Solids: 34.7

Comments:

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Anchor Environmental Service Request: K0807136
 Project No.: 080007-01 Date Collected: 07/31/08
 Project Name: Blakely Harbor Date Received: 08/02/08
 Matrix: SEDIMENT Units: mg/Kg
 Basis: DRY

Sample Name: BH-009,59,10,11-SSA Comp Dup Lab Code: K0807136-019

Analyte	Analysis Method	MRL	MDL	Dil. Factor	Date Extracted	Date Analyzed	Result	C	Q
Antimony	6020	0.08	0.06	5.0	08/26/08	08/27/08	104		
Arsenic	6020	0.78	0.31	5.0	08/26/08	09/03/08	9.28		
Cadmium	6020	0.031	0.014	5.0	08/26/08	09/03/08	0.588		
Chromium	6010B	3.1	1.1	2.0	08/26/08	08/28/08	34.0		
Copper	6010B	3.1	1.4	2.0	08/26/08	08/28/08	202		*
Lead	6010B	31.2	4.7	2.0	08/26/08	08/28/08	605		
Mercury	7471A	0.045	0.004	1.0	08/15/08	08/18/08	0.094		
Nickel	6010B	6.2	0.6	2.0	08/26/08	08/28/08	25.9		
Selenium	6020	1.6	0.6	5.0	08/26/08	09/03/08	1.4	B	
Silver	6020	0.031	0.031	5.0	08/26/08	08/27/08	0.360		*
Zinc	6010B	3.1	0.6	2.0	08/26/08	08/28/08	121		

% Solids: 31.9

Comments:

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Anchor Environmental

Service Request: K0807136

Project No.: 080007-01

Date Collected:

Project Name: Blakely Harbor

Date Received:

Matrix: SEDIMENT

Units: mg/Kg

Basis: DRY

Sample Name: Method Blank

Lab Code: K0807136-MB

Analyte	Analysis Method	MRL	MDL	Dil. Factor	Date Extracted	Date Analyzed	Result	C	Q
Antimony	6020	0.05	0.04	5.0	08/26/08	08/27/08	0.04	U	
Arsenic	6020	0.50	0.20	5.0	08/26/08	09/03/08	0.20	U	
Cadmium	6020	0.020	0.009	5.0	08/26/08	09/03/08	0.009	U	
Chromium	6010B	2.0	0.7	2.0	08/26/08	08/28/08	0.7	U	
Copper	6010B	2.0	0.9	2.0	08/26/08	08/28/08	0.9	U	*
Lead	6010B	20.0	3.0	2.0	08/26/08	08/28/08	3.0	U	
Mercury	7471A	0.020	0.002	1.0	08/15/08	08/18/08	0.002	U	
Nickel	6010B	4.0	0.4	2.0	08/26/08	08/28/08	0.4	U	
Selenium	6020	1.0	0.4	5.0	08/26/08	09/03/08	0.4	U	
Silver	6020	0.020	0.020	5.0	08/26/08	08/27/08	0.020	U	*
Zinc	6010B	2.0	0.4	2.0	08/26/08	08/28/08	0.4	U	

% Solids: 100.0

Comments:

Butyltins

Client: Anchor Environmental
Project: Blakely Harbor/080007-01


Service Request: K0807136

Cover Page - Organic Analysis Data Package
Butyltins (as cation)

Sample Name	Lab Code	Date Collected	Date Received
BH-002-SSA	K0807136-006	07/31/2008	08/02/2008
BH-005,6,7-SSA Comp	K0807136-017	07/31/2008	08/02/2008
BH-009,59,10,11-SSA Comp	K0807136-018	07/31/2008	08/02/2008
BH-009,59,10,11-SSA Comp Du	K0807136-019	07/31/2008	08/02/2008

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: 

Name: 

Date: 

Title: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008
Date Prepared: 08/06/2008

**Extraction Method Specified in Analytical Method
 Butyltins (as cation)**

Sample Name: BH-002-SSA
Lab Code: K0807136-006
Preparation Method: METHOD
Extraction Method: EPA 3520C
Analysis Method: Krone

Units: ug/L
Basis: NA
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Tri-n-butyltin	ND	U	0.074	0.018	1	08/07/08	08/28/08	KWG0807655	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Tri-n-propyltin	80	18-155	08/28/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008
Date Prepared: 08/06/2008

**Extraction Method Specified in Analytical Method
 Butyltins (as cation)**

Sample Name: BH-005,6,7-SSA Comp
Lab Code: K0807136-017
Preparation Method: METHOD
Extraction Method: EPA 3520C
Analysis Method: Krone

Units: ug/L
Basis: NA
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Tri-n-butyltin	ND	U	0.050	0.012	1	08/07/08	08/28/08	KWG0807655	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Tri-n-propyltin	77	18-155	08/28/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008
Date Prepared: 08/06/2008

**Extraction Method Specified in Analytical Method
 Butyltins (as cation)**

Sample Name: BH-009,59,10,11-SSA Comp **Units:** ug/L
Lab Code: K0807136-018 **Basis:** NA
Preparation Method: METHOD **Level:** Low
Extraction Method: EPA 3520C
Analysis Method: Krone

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Tri-n-butyltin	ND	U	0.050	0.012	1	08/07/08	08/28/08	KWG0807655	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Tri-n-propyltin	79	18-155	08/28/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008
Date Prepared: 08/06/2008

**Extraction Method Specified in Analytical Method
 Butyltins (as cation)**

Sample Name: BH-009,59,10,11-SSA Comp Dup
Lab Code: K0807136-019
Preparation Method: METHOD
Extraction Method: EPA 3520C
Analysis Method: Krone

Units: ug/L
Basis: NA
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Tri-n-butyltin	ND	U	0.050	0.012	1	08/07/08	08/28/08	KWG0807655	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Tri-n-propyltin	88	18-155	08/28/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Water

Service Request: K0807136
Date Collected: NA
Date Received: NA
Date Prepared: 08/06/2008

**Extraction Method Specified in Analytical Method
 Butyltins (as cation)**

Sample Name: Method Blank
Lab Code: KWG0807655-5
Preparation Method: METHOD
Extraction Method: EPA 3520C
Analysis Method: Krone

Units: ug/L
Basis: NA
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Tri-n-butyltin	ND	U	0.050	0.012	1	08/06/08	08/28/08	KWG0807655	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Tri-n-propyltin	84	18-155	08/28/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136

Surrogate Recovery Summary
Extraction Method Specified in Analytical Method
Butyltins (as cation)

Preparation Method: METHOD
Extraction Method: EPA 3520C
Analysis Method: Krone

Units: PERCENT
Level: Low

<u>Sample Name</u>	<u>Lab Code</u>	<u>Sur1</u>
BH-002-SSA	K0807136-006	80
BH-005,6,7-SSA Comp	K0807136-017	77
BH-009,59,10,11-SSA Comp	K0807136-018	79
BH-009,59,10,11-SSA Comp Du	K0807136-019	88
Method Blank	KWG0807655-5	84
Batch QC	K0807133-005	92
Batch QCMS	KWG0807655-6	88
Batch QCDMS	KWG0807655-7	93
Lab Control Sample	KWG0807655-1	84
Duplicate Lab Control Sample	KWG0807655-2	86

Surrogate Recovery Control Limits (%)

Sur1 = Tri-n-propyltin 18-155

Results flagged with an asterisk (*) indicate values outside control criteria.
 Results flagged with a pound (#) indicate the control criteria is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Aqueous extract

Service Request: K0807136
Date Prepared: 08/06/2008
Date Extracted: 08/07/2008
Date Analyzed: 08/28/2008

Matrix Spike/Duplicate Matrix Spike Summary
Butyltins (as cation)

Sample Name: Batch QC
Lab Code: K0807133-005
Extraction Method: METHOD/EPA 3520C
Analysis Method: Krone

Units: ug/L
Basis: NA
Level: Low
Extraction Lot: KWG0807655

Analyte Name	Sample Result	Batch QCMS KWG0807655-6 Matrix Spike			Batch QCDMS KWG0807655-7 Duplicate Matrix Spike			%Rec Limits	RPD	RPD Limit
		Result	Expected	%Rec	Result	Expected	%Rec			
Tri-n-butyltin	ND	0.381	0.446	85	0.362	0.446	81	32-154	5	30

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Water

Service Request: K0807136
Date Prepared: 08/06/2008
Date Extracted: 08/06/2008
Date Analyzed: 08/28/2008

**Lab Control Spike/Duplicate Lab Control Spike Summary
 Butyltins (as cation)**

Extraction Method: METHOD/EPA 3520C
Analysis Method: Krone

Units: ug/L
Basis: NA
Level: Low
Extraction Lot: KWG0807655

Analyte Name	Lab Control Sample KWG0807655-1 Lab Control Spike			Duplicate Lab Control Sample KWG0807655-2 Duplicate Lab Control Spike			%Rec Limits	RPD	RPD Limit
	Result	Expected	%Rec	Result	Expected	%Rec			
Tri-n-butyltin	0.362	0.446	81	0.353	0.446	79	34-149	2	30

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Diesel & Residual Range Organics

Client: Anchor Environmental
Project: Blakely Harbor/080007-01

Service Request: K0807136

**Cover Page - Organic Analysis Data Package
 Diesel and Residual Range Organics**

Sample Name	Lab Code	Date Collected	Date Received
BH-002-SSA	K0807136-006	07/31/2008	08/02/2008
BH-005,6,7-SSA Comp	K0807136-017	07/31/2008	08/02/2008
BH-009,59,10,11-SSA Comp	K0807136-018	07/31/2008	08/02/2008
BH-009,59,10,11-SSA Comp Du	K0807136-019	07/31/2008	08/02/2008
BH-005,6,7-SSA Comp	KWG0807704-1	07/31/2008	08/02/2008

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: _____
 Date: _____

Name: C. Quinn
 Title: SECRET

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Diesel and Residual Range Organics

Sample Name: BH-002-SSA
Lab Code: K0807136-006
Extraction Method: EPA 3550B
Analysis Method: NWTPH-Dx

Units: mg/Kg
Basis: Dry
Level: Low

Analyte Name	Result Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Diesel Range Organics (DRO)	220 H	57	2.8	1	08/08/08	08/17/08	KWG0807704	
Residual Range Organics (RRO)	530 O	230	6.7	1	08/08/08	08/17/08	KWG0807704	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
o-Terphenyl	82	50-150	08/17/08	Acceptable
n-Triacontane	88	50-150	08/17/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Diesel and Residual Range Organics

Sample Name: BH-005,6,7-SSA Comp
Lab Code: K0807136-017
Extraction Method: EPA 3550B
Analysis Method: NWTPH-Dx

Units: mg/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Diesel Range Organics (DRO)	33	J	50	2.4	1	08/08/08	08/12/08	KWG0807704	
Residual Range Organics (RRO)	140	J	200	5.8	1	08/08/08	08/12/08	KWG0807704	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
o-Terphenyl	93	50-150	08/12/08	Acceptable
n-Triacontane	100	50-150	08/12/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Diesel and Residual Range Organics

Sample Name: BH-009,59,10,11-SSA Comp
Lab Code: K0807136-018
Extraction Method: EPA 3550B
Analysis Method: NWTPH-Dx

Units: mg/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Diesel Range Organics (DRO)	45	J	72	3.5	1	08/08/08	08/12/08	KWG0807704	
Residual Range Organics (RRO)	100	J	290	8.3	1	08/08/08	08/12/08	KWG0807704	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
o-Terphenyl	94	50-150	08/12/08	Acceptable
n-Triacontane	101	50-150	08/12/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Diesel and Residual Range Organics

Sample Name: BH-009,59,10,11-SSA Comp Dup
Lab Code: K0807136-019
Extraction Method: EPA 3550B
Analysis Method: NWTPH-Dx

Units: mg/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Diesel Range Organics (DRO)	88	Z	78	3.8	1	08/08/08	08/12/08	KWG0807704	
Residual Range Organics (RRO)	200	J	310	9.0	1	08/08/08	08/12/08	KWG0807704	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
o-Terphenyl	98	50-150	08/12/08	Acceptable
n-Triacontane	105	50-150	08/12/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: NA
Date Received: NA

Diesel and Residual Range Organics

Sample Name: Method Blank
Lab Code: KWG0807704-3
Extraction Method: EPA 3550B
Analysis Method: NWTPH-Dx

Units: mg/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Diesel Range Organics (DRO)	2.0	J	25	1.2	1	08/08/08	08/12/08	KWG0807704	
Residual Range Organics (RRO)	5.7	J	98	2.9	1	08/08/08	08/12/08	KWG0807704	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
o-Terphenyl	89	50-150	08/12/08	Acceptable
n-Triacontane	93	50-150	08/12/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136

**Surrogate Recovery Summary
 Diesel and Residual Range Organics**

Extraction Method: EPA 3550B
Analysis Method: NWTPH-Dx

Units: PERCENT
Level: Low

<u>Sample Name</u>	<u>Lab Code</u>	<u>Sur1</u>	<u>Sur2</u>
BH-002-SSA	K0807136-006	82	88
BH-005,6,7-SSA Comp	K0807136-017	93	100
BH-009,59,10,11-SSA Comp	K0807136-018	94	101
BH-009,59,10,11-SSA Comp Du	K0807136-019	98	105
BH-005,6,7-SSA CompDUP	KWG0807704-1	90	96
Method Blank	KWG0807704-3	89	93
Lab Control Sample	KWG0807704-2	94	93

Surrogate Recovery Control Limits (%)

Sur1 = o-Terphenyl	50-150
Sur2 = n-Triacontane	50-150

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Extracted: 08/08/2008
Date Analyzed: 08/12/2008

**Duplicate Sample Summary
 Diesel and Residual Range Organics**

Sample Name: BH-005,6,7-SSA Comp
Lab Code: K0807136-017
Extraction Method: EPA 3550B
Analysis Method: NWTPH-Dx

Units: mg/Kg
Basis: Dry
Level: Low
Extraction Lot: KWG0807704

Analyte Name	MRL	MDL	Sample Result	BH-005,6,7-SSA CompDUP KWG0807704-1 Duplicate Sample		Relative Percent Difference	RPD Limit
				Result	Average		
Diesel Range Organics (DRO)	50	2.4	33	37	35	9 #	40
Residual Range Organics (RRO)	200	5.8	140	160	150	17 #	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Extracted: 08/08/2008
Date Analyzed: 08/12/2008

**Lab Control Spike Summary
 Diesel and Residual Range Organics**

Extraction Method: EPA 3550B
Analysis Method: NWTPH-Dx

Units: mg/Kg
Basis: Dry
Level: Low
Extraction Lot: KWG0807704

Lab Control Sample
 KWG0807704-2
 Lab Control Spike

Analyte Name	Result	Expected	%Rec	%Rec Limits
Diesel Range Organics (DRO)	244	267	92	63-120
Residual Range Organics (RRO)	123	133	92	60-131

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.



NWTPH-Gx

COLUMBIA ANALYTICAL SERVICES, INC.

Client: Anchor Environmental
Project: Blakely Harbor/080007-01

Service Request: K0807136

Cover Page - Organic Analysis Data Package
Gasoline Range Organics

Sample Name	Lab Code	Date Collected	Date Received
BH-002-SSA	K0807136-006	07/31/2008	08/02/2008
BH-009-SSA	K0807136-007	08/01/2008	08/02/2008
BH-059-SSA	K0807136-008	08/01/2008	08/02/2008
BH-010-SSA	K0807136-009	08/01/2008	08/02/2008
BH-011-SSA	K0807136-010	08/01/2008	08/02/2008
BH-006-SSA	K0807136-011	07/31/2008	08/02/2008
BH-007-SSA	K0807136-013	07/31/2008	08/02/2008
BH-005-SSA	K0807136-015	07/31/2008	08/02/2008
BH-007-SSA	KWG0807786-1	07/31/2008	08/02/2008

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: _____

Name: C. QUINN

Date: 08/2008

Title: SCIENTIST

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Gasoline Range Organics

Sample Name: BH-002-SSA
Lab Code: K0807136-006
Extraction Method: METHOD
Analysis Method: NWTPH-Gx

Units: mg/Kg
Basis: Dry
Level: Med

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Gasoline Range Organics-NWTPH	ND	U	15	4.5	1	08/10/08	08/11/08	KWG0807786	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
4-Bromofluorobenzene	83	50-150	08/11/08	Acceptable

Comments: _____

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 08/01/2008
Date Received: 08/02/2008

Gasoline Range Organics

Sample Name: BH-009-SSA
Lab Code: K0807136-007
Extraction Method: METHOD
Analysis Method: NWTPH-Gx

Units: mg/Kg
Basis: Dry
Level: Med

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Gasoline Range Organics-NWTPH	ND	U	16	4.7	1	08/10/08	08/11/08	KWG0807786	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
4-Bromofluorobenzene	83	50-150	08/11/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 08/01/2008
Date Received: 08/02/2008

Gasoline Range Organics

Sample Name: BH-059-SSA
Lab Code: K0807136-008
Extraction Method: METHOD
Analysis Method: NWTPH-Gx

Units: mg/Kg
Basis: Dry
Level: Med

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Gasoline Range Organics-NWTPH	ND	U	17	5.1	1	08/10/08	08/11/08	KWG0807786	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
4-Bromofluorobenzene	84	50-150	08/11/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 08/01/2008
Date Received: 08/02/2008

Gasoline Range Organics

Sample Name: BH-010-SSA
Lab Code: K0807136-009
Extraction Method: METHOD
Analysis Method: NWTPH-Gx

Units: mg/Kg
Basis: Dry
Level: Med

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Gasoline Range Organics-NWTPH	ND	U	24	7.2	1	08/10/08	08/11/08	KWG0807786	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
4-Bromofluorobenzene	79	50-150	08/11/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 08/01/2008
Date Received: 08/02/2008

Gasoline Range Organics

Sample Name: BH-011-SSA
Lab Code: K0807136-010
Extraction Method: METHOD
Analysis Method: NWTPH-Gx

Units: mg/Kg
Basis: Dry
Level: Med

Analyte Name	Result Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Gasoline Range Organics-NWTPH	ND U	21	6.2	1	08/10/08	08/11/08	KWG0807786	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
4-Bromofluorobenzene	78	50-150	08/11/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Gasoline Range Organics

Sample Name: BH-006-SSA
Lab Code: K0807136-011
Extraction Method: METHOD
Analysis Method: NWTPH-Gx

Units: mg/Kg
Basis: Dry
Level: Med

Analyte Name	Result Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Gasoline Range Organics-NWTPH	ND U	17	5.0	1	08/10/08	08/11/08	KWG0807786	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
4-Bromofluorobenzene	78	50-150	08/11/08	Acceptable

Comments: _____

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Gasoline Range Organics

Sample Name: BH-007-SSA
Lab Code: K0807136-013
Extraction Method: METHOD
Analysis Method: NWTPH-Gx

Units: mg/Kg
Basis: Dry
Level: Med

Analyte Name	Result Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Gasoline Range Organics-NWTPH	ND U	9.4	2.8	1	08/10/08	08/11/08	KWG0807786	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
4-Bromofluorobenzene	86	50-150	08/11/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Gasoline Range Organics

Sample Name: BH-005-SSA
Lab Code: K0807136-015
Extraction Method: METHOD
Analysis Method: NWTPH-Gx

Units: mg/Kg
Basis: Dry
Level: Med

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Gasoline Range Organics-NWTPH	ND	U	18	5.3	1	08/10/08	08/10/08	KWG0807786	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
4-Bromofluorobenzene	79	50-150	08/10/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: NA
Date Received: NA

Gasoline Range Organics

Sample Name: Method Blank
Lab Code: KWG0807786-3
Extraction Method: METHOD
Analysis Method: NWTPH-Gx

Units: mg/Kg
Basis: Dry
Level: Med

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Gasoline Range Organics-NWTPH	ND	U	5.0	1.5	1	08/10/08	08/10/08	KWG0807786	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
4-Bromofluorobenzene	100	50-150	08/10/08	Acceptable

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136

Surrogate Recovery Summary
Gasoline Range Organics

Extraction Method: METHOD
Analysis Method: NWTPH-Gx

Units: PERCENT
Level: Med

<u>Sample Name</u>	<u>Lab Code</u>	<u>Sur1</u>
BH-002-SSA	K0807136-006	83
BH-009-SSA	K0807136-007	83
BH-059-SSA	K0807136-008	84
BH-010-SSA	K0807136-009	79
BH-011-SSA	K0807136-010	78
BH-006-SSA	K0807136-011	78
BH-007-SSA	K0807136-013	86
BH-005-SSA	K0807136-015	79
BH-007-SSADUP	KWG0807786-1	87
Method Blank	KWG0807786-3	100
Lab Control Sample	KWG0807786-2	99

Surrogate Recovery Control Limits (%)

Sur1 = 4-Bromofluorobenzene 50-150

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Extracted: 08/10/2008
Date Analyzed: 08/11/2008

**Duplicate Sample Summary
 Gasoline Range Organics**

Sample Name: BH-007-SSA
Lab Code: K0807136-013
Extraction Method: METHOD
Analysis Method: NWTPH-Gx

Units: mg/Kg
Basis: Dry
Level: Med
Extraction Lot: KWG0807786

Analyte Name	MRL	MDL	Sample Result	BH-007-SSADUP KWG0807786-1 Duplicate Sample		Relative Percent Difference	RPD Limit
				Result	Average		
Gasoline Range Organics-NWTPH	9.4	2.8	ND	ND	ND	-	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Extracted: 08/10/2008
Date Analyzed: 08/10/2008

**Lab Control Spike Summary
 Gasoline Range Organics**

Extraction Method: METHOD
Analysis Method: NWTPH-Gx

Units: mg/Kg
Basis: Dry
Level: Med
Extraction Lot: KWG0807786

Analyte Name	Lab Control Sample KWG0807786-2 Lab Control Spike			%Rec Limits
	Result	Expected	%Rec	
Gasoline Range Organics-NWTPH	46.5	50.0	93	81-111

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Organochlorine Pesticides
EPA Method 8081


Client: Anchor Environmental
Project: Blakely Harbor/080007-01


Service Request: K0807136

**Cover Page - Organic Analysis Data Package
 Organochlorine Pesticides**

Sample Name	Lab Code	Date Collected	Date Received
BH-002-SSA	K0807136-006	07/31/2008	08/02/2008
BH-005,6,7-SSA Comp	K0807136-017	07/31/2008	08/02/2008
BH-009,59,10,11-SSA Comp	K0807136-018	07/31/2008	08/02/2008
BH-009,59,10,11-SSA Comp Du	K0807136-019	07/31/2008	08/02/2008
BH-009,59,10,11-SSA CompMS	KWG0807716-1	07/31/2008	08/02/2008
BH-009,59,10,11-SSA CompDM	KWG0807716-2	07/31/2008	08/02/2008
BH-009,59,10,11-SSA Comp Du	KWG0807716-4	07/31/2008	08/02/2008
BH-009,59,10,11-SSA Comp Du	KWG0807716-5	07/31/2008	08/02/2008

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: 

Name: 

Date: 9/25/08

Title: Lab Supervisor

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Organochlorine Pesticides

Sample Name: BH-002-SSA
Lab Code: K0807136-006
Extraction Method: EPA 3540C
Analysis Method: 8081A

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
gamma-BHC (Lindane)	ND	Ui	22	22	1	08/08/08	09/23/08	KWG0807716	*
Heptachlor	ND	Ui	1.2	1.2	1	08/08/08	09/23/08	KWG0807716	*
Aldrin	ND	Ui	1.2	1.1	1	08/08/08	09/23/08	KWG0807716	*
alpha-Chlordane	ND	Ui	1.2	1.2	1	08/08/08	09/23/08	KWG0807716	*
gamma-Chlordane†	ND	Ui	1.2	0.73	1	08/08/08	09/23/08	KWG0807716	*
cis-Nonachlor	ND	Ui	1.2	1.2	1	08/08/08	09/23/08	KWG0807716	*
trans-Nonachlor	ND	Ui	1.2	1.2	1	08/08/08	09/23/08	KWG0807716	*
Dieldrin	ND	Ui	1.2	1.2	1	08/08/08	09/23/08	KWG0807716	*
4,4'-DDE	ND	Ui	1.2	1.2	1	08/08/08	09/23/08	KWG0807716	*
4,4'-DDD	ND	Ui	1.2	1.2	1	08/08/08	09/23/08	KWG0807716	*
4,4'-DDT	ND	Ui	1.2	1.2	1	08/08/08	09/23/08	KWG0807716	*

* See Case Narrative

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Tetrachloro-m-xylene	79	25-125	09/23/08	Acceptable
Decachlorobiphenyl	90	22-142	09/23/08	Acceptable

† Analyte Comments

gamma-Chlordane For this analyte (CAS Registry No. 5103-74-2), USEPA has corrected the name to be beta-Chlordane, also known as trans-Chlordane.

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Organochlorine Pesticides

Sample Name: BH-005,6,7-SSA Comp
Lab Code: K0807136-017
Extraction Method: EPA 3540C
Analysis Method: 8081A

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
gamma-BHC (Lindane)	ND	Ui	5.9	5.9	1	08/08/08	09/24/08	KWG0807716	*
Heptachlor	0.40	JP	1.0	0.080	1	08/08/08	09/24/08	KWG0807716	*
Aldrin	0.39	J	1.0	0.15	1	08/08/08	09/24/08	KWG0807716	*
alpha-Chlordane	ND	Ui	1.0	1.0	1	08/08/08	09/24/08	KWG0807716	*
gamma-Chlordane†	ND	Ui	1.0	0.20	1	08/08/08	09/24/08	KWG0807716	*
cis-Nonachlor	ND	Ui	1.0	0.63	1	08/08/08	09/24/08	KWG0807716	*
trans-Nonachlor	ND	U	1.0	0.066	1	08/08/08	09/24/08	KWG0807716	*
Dieldrin	0.95	J	1.0	0.29	1	08/08/08	09/24/08	KWG0807716	*
4,4'-DDE	ND	Ui	1.0	1.0	1	08/08/08	09/24/08	KWG0807716	*
4,4'-DDD	ND	Ui	1.5	1.5	1	08/08/08	09/24/08	KWG0807716	*
4,4'-DDT	ND	Ui	1.0	1.0	1	08/08/08	09/24/08	KWG0807716	*

* See Case Narrative

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Tetrachloro-m-xylene	79	25-125	09/24/08	Acceptable
Decachlorobiphenyl	99	22-142	09/24/08	Acceptable

† Analyte Comments

gamma-Chlordane For this analyte (CAS Registry No. 5103-74-2), USEPA has corrected the name to be beta-Chlordane, also known as trans-Chlordane.

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Organochlorine Pesticides

Sample Name: BH-009,59,10,11-SSA Comp
Lab Code: K0807136-018
Extraction Method: EPA 3540C
Analysis Method: 8081A

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
gamma-BHC (Lindane)	ND	U	1.5	0.22	1	08/08/08	09/24/08	KWG0807716	*
Heptachlor	ND	Ui	1.5	1.5	1	08/08/08	09/24/08	KWG0807716	*
Aldrin	0.58	JP	1.5	0.22	1	08/08/08	09/24/08	KWG0807716	*
alpha-Chlordane	ND	U	1.5	0.34	1	08/08/08	09/24/08	KWG0807716	*
gamma-Chlordane†	ND	Ui	1.5	1.2	1	08/08/08	09/24/08	KWG0807716	*
cis-Nonachlor	ND	Ui	1.5	0.16	1	08/08/08	09/24/08	KWG0807716	*
trans-Nonachlor	ND	Ui	1.5	0.24	1	08/08/08	09/24/08	KWG0807716	*
Dieldrin	ND	Ui	1.5	1.5	1	08/08/08	09/24/08	KWG0807716	*
4,4'-DDE	ND	Ui	2.3	2.3	1	08/08/08	09/24/08	KWG0807716	*
4,4'-DDD	ND	Ui	1.5	1.5	1	08/08/08	09/24/08	KWG0807716	*
4,4'-DDT	0.41	J	1.5	0.093	1	08/08/08	09/24/08	KWG0807716	*

* See Case Narrative

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Tetrachloro-m-xylene	94	25-125	09/24/08	Acceptable
Decachlorobiphenyl	109	22-142	09/24/08	Acceptable

† Analyte Comments

gamma-Chlordane For this analyte (CAS Registry No. 5103-74-2), USEPA has corrected the name to be beta-Chlordane, also known as trans-Chlordane.

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Organochlorine Pesticides

Sample Name: BH-009,59,10,11-SSA Comp Dup
Lab Code: K0807136-019
Extraction Method: EPA 3540C
Analysis Method: 8081A

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
gamma-BHC (Lindane)	ND	U	1.6	0.24	1	08/08/08	09/24/08	KWG0807716	*
Heptachlor	0.92	JP	1.6	0.13	1	08/08/08	09/24/08	KWG0807716	*
Aldrin	0.65	JP	1.6	0.24	1	08/08/08	09/24/08	KWG0807716	*
alpha-Chlordane	ND	U	1.6	0.37	1	08/08/08	09/24/08	KWG0807716	*
gamma-Chlordane†	ND	Ui	1.6	0.14	1	08/08/08	09/24/08	KWG0807716	*
cis-Nonachlor	0.21	JP	1.6	0.12	1	08/08/08	09/24/08	KWG0807716	*
trans-Nonachlor	ND	Ui	1.6	0.47	1	08/08/08	09/24/08	KWG0807716	*
Dieldrin	ND	Ui	1.6	1.6	1	08/08/08	09/24/08	KWG0807716	*
4,4'-DDE	ND	Ui	2.6	2.6	1	08/08/08	09/24/08	KWG0807716	*
4,4'-DDD	ND	Ui	1.6	1.6	1	08/08/08	09/24/08	KWG0807716	*
4,4'-DDT	0.46	JP	1.6	0.11	1	08/08/08	09/24/08	KWG0807716	*

* See Case Narrative

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Tetrachloro-m-xylene	83	25-125	09/24/08	Acceptable
Decachlorobiphenyl	96	22-142	09/24/08	Acceptable

† Analyte Comments

gamma-Chlordane For this analyte (CAS Registry No. 5103-74-2), USEPA has corrected the name to be beta-Chlordane, also known as trans-Chlordane.

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: NA
Date Received: NA

Organochlorine Pesticides

Sample Name: Method Blank
Lab Code: KWG0807716-7
Extraction Method: EPA 3540C
Analysis Method: 8081A

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
gamma-BHC (Lindane)	ND	U	0.50	0.15	1	08/08/08	09/13/08	KWG0807716	
Heptachlor	ND	U	0.50	0.080	1	08/08/08	09/13/08	KWG0807716	
Aldrin	ND	U	0.50	0.15	1	08/08/08	09/13/08	KWG0807716	
alpha-Chlordane	ND	U	0.50	0.23	1	08/08/08	09/13/08	KWG0807716	
gamma-Chlordane†	ND	U	0.50	0.064	1	08/08/08	09/13/08	KWG0807716	
cis-Nonachlor	ND	U	0.50	0.071	1	08/08/08	09/13/08	KWG0807716	
trans-Nonachlor	ND	U	0.50	0.066	1	08/08/08	09/13/08	KWG0807716	
Dieldrin	ND	U	0.50	0.29	1	08/08/08	09/13/08	KWG0807716	
4,4'-DDE	ND	U	0.50	0.10	1	08/08/08	09/13/08	KWG0807716	
4,4'-DDD	ND	U	0.50	0.12	1	08/08/08	09/13/08	KWG0807716	
4,4'-DDT	ND	U	0.50	0.064	1	08/08/08	09/13/08	KWG0807716	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Tetrachloro-m-xylene	71	25-125	09/13/08	Acceptable
Decachlorobiphenyl	89	22-142	09/13/08	Acceptable

† Analyte Comments

gamma-Chlordane For this analyte (CAS Registry No. 5103-74-2), USEPA has corrected the name to be beta-Chlordane, also known as trans-Chlordane.

Comments: _____

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136

**Surrogate Recovery Summary
 Organochlorine Pesticides**

Extraction Method: EPA 3540C
Analysis Method: 8081A

Units: PERCENT
Level: Low

<u>Sample Name</u>	<u>Lab Code</u>	<u>Sur1</u>	<u>Sur2</u>
BH-002-SSA	K0807136-006	79	90
BH-005,6,7-SSA Comp	K0807136-017	79	99
BH-009,59,10,11-SSA Comp	K0807136-018	94	109
BH-009,59,10,11-SSA Comp Du	K0807136-019	83	96
Method Blank	KWG0807716-7	71	89
BH-009,59,10,11-SSA CompMS	KWG0807716-1	88	94
BH-009,59,10,11-SSA CompDM	KWG0807716-2	72	87
BH-009,59,10,11-SSA Comp Du	KWG0807716-4	58	73
BH-009,59,10,11-SSA Comp Du	KWG0807716-5	60	72
Lab Control Sample	KWG0807716-3	72	92

Surrogate Recovery Control Limits (%)

Sur1 = Tetrachloro-m-xylene	25-125
Sur2 = Decachlorobiphenyl	22-142

Results flagged with an asterisk (*) indicate values outside control criteria.
 Results flagged with a pound (#) indicate the control criteria is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Extracted: 08/08/2008
Date Analyzed: 09/24/2008

**Matrix Spike/Duplicate Matrix Spike Summary
 Organochlorine Pesticides**

Sample Name: BH-009,59,10,11-SSA Comp
Lab Code: K0807136-018
Extraction Method: EPA 3540C
Analysis Method: 8081A

Units: ug/Kg
Basis: Dry
Level: Low
Extraction Lot: KWG0807716

Analyte Name	Sample Result	BH-009,59,10,11-SSA CompMS KWG0807716-1 Matrix Spike			BH-009,59,10,11-SSA CompDMS KWG0807716-2 Duplicate Matrix Spike			%Rec Limits	RPD	RPD Limit
		Result	Expected	%Rec	Result	Expected	%Rec			
gamma-BHC (Lindane)	ND	32.6	28.8	113	28.1	28.8	98	33-154	15	40
Heptachlor	ND	25.5	28.8	89	22.8	28.8	79	38-145	11	40
Aldrin	0.58	26.0	28.8	89	22.0	28.8	74	37-143	17	40
alpha-Chlordane	ND	24.6	28.8	85	21.3	28.8	74	33-141	14	40
gamma-Chlordane	ND	24.4	28.8	85	21.2	28.8	74	27-149	14	40
Dieldrin	ND	25.2	28.8	87	20.7	28.8	72	37-146	19	40
4,4'-DDE	ND	28.6	28.8	99 #	22.5	28.8	78 #	32-156	24	40
4,4'-DDD	ND	26.2	28.8	91	22.0	28.8	76	26-161	17	40
4,4'-DDT	0.41	28.0	28.8	96	29.2	28.8	100	22-174	4	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Extracted: 08/08/2008
Date Analyzed: 09/24/2008

**Matrix Spike/Duplicate Matrix Spike Summary
 Organochlorine Pesticides**

Sample Name: BH-009,59,10,11-SSA Comp Dup
Lab Code: K0807136-019
Extraction Method: EPA 3540C
Analysis Method: 8081A

Units: ug/Kg
Basis: Dry
Level: Low
Extraction Lot: KWG0807716

Analyte Name	Sample Result	BH-009,59,10,11-SSA Comp DupMS KWG0807716-4 Matrix Spike			BH-009,59,10,11-SSA Comp DupDMS KWG0807716-5 Duplicate Matrix Spike			%Rec Limits	RPD	RPD Limit
		Result	Expected	%Rec	Result	Expected	%Rec			
cis-Nonachlor	0.21	21.8	31.3	69	23.0	31.3	73	10-174	5	40
trans-Nonachlor	ND	21.4	31.3	68	19.7	31.3	63	10-149	8	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Extracted: 08/08/2008
Date Analyzed: 09/13/2008

**Lab Control Spike Summary
 Organochlorine Pesticides**

Extraction Method: EPA 3540C
Analysis Method: 8081A

Units: ug/Kg
Basis: Dry
Level: Low
Extraction Lot: KWG0807716

Lab Control Sample
 KWG0807716-3
 Lab Control Spike

Analyte Name	Result	Expected	%Rec	%Rec Limits
gamma-BHC (Lindane)	14.9	20.0	75	48-146
Heptachlor	15.7	20.0	78	47-142
Aldrin	16.3	20.0	82	43-141
alpha-Chlordane	15.4	20.0	77	42-145
gamma-Chlordane	15.5	20.0	77	42-145
cis-Nonachlor	15.8	20.0	79	44-137
trans-Nonachlor	14.9	20.0	75	42-132
Dieldrin	15.7	20.0	79	50-142
4,4'-DDE	16.4	20.0	82	51-149
4,4'-DDD	14.8	20.0	74	51-152
4,4'-DDT	17.5	20.0	88	59-151

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

Confirmation Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008
Date Extracted: 08/08/2008

Organochlorine Pesticides

Sample Name: BH-005,6,7-SSA Comp
Lab Code: K0807136-017
Extraction Method: EPA 3540C
Analysis Method: 8081A

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	MRL	MDL	Primary Result	Confirmation Result	%D	Q	Dilution Factor	Date Analyzed
Heptachlor	1.0	0.080	0.40	0.98	84.1	JP	1	09/24/08
Aldrin	1.0	0.15	0.39	0.40	2.5	J	1	09/24/08
Dieldrin	1.0	0.29	0.95	0.89	6.5	J	1	09/24/08

COLUMBIA ANALYTICAL SERVICES, INC.

Confirmation Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008
Date Extracted: 08/08/2008

Organochlorine Pesticides

Sample Name: BH-009,59,10,11-SSA Comp
Lab Code: K0807136-018
Extraction Method: EPA 3540C
Analysis Method: 8081A

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	MRL	MDL	Primary Result	Confirmation Result	%D	Q	Dilution Factor	Date Analyzed
Aldrin	1.5	0.22	0.58	0.31	60.7	JP	1	09/24/08
4,4'-DDT	1.5	0.093	0.41	0.41	0.0	J	1	09/24/08

COLUMBIA ANALYTICAL SERVICES, INC.

Confirmation Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008
Date Extracted: 08/08/2008

Organochlorine Pesticides

Sample Name: BH-009,59,10,11-SSA Comp Du
Lab Code: K0807136-019
Extraction Method: EPA 3540C
Analysis Method: 8081A

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	MRL	MDL	Primary Result	Confirmation Result	%D	Q	Dilution Factor	Date Analyzed
Heptachlor	1.6	0.13	0.92	1.8	64.7	JP	1	09/24/08
Aldrin	1.6	0.24	0.65	0.35	60.0	JP	1	09/24/08
cis-Nonachlor	1.6	0.12	0.21	0.33	44.4	JP	1	09/24/08
4,4'-DDT	1.6	0.11	0.46	0.86	60.6	JP	1	09/24/08

**Polychlorinated Biphenyls
PCB's
EPA Method 8082**


Client: Anchor Environmental
 Project: Blakely Harbor/080007-01

Service Request: K0807136

Cover Page - Organic Analysis Data Package
 Polychlorinated Biphenyls (PCBs)

Sample Name	Lab Code	Date Collected	Date Received
BH-002-SSA	K0807136-006	07/31/2008	08/02/2008
BH-005,6,7-SSA Comp	K0807136-017	07/31/2008	08/02/2008
BH-009,59,10,11-SSA Comp	K0807136-018	07/31/2008	08/02/2008
BH-009,59,10,11-SSA Comp Du	K0807136-019	07/31/2008	08/02/2008
BH-005,6,7-SSA CompMS	KWG0807715-1	07/31/2008	08/02/2008
BH-005,6,7-SSA CompDMS	KWG0807715-2	07/31/2008	08/02/2008

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: 

Name: Jeff Grindstaff

Date: 9/13/08

Title: Organics Manager

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Polychlorinated Biphenyls (PCBs)

Sample Name: BH-002-SSA
Lab Code: K0807136-006
Extraction Method: EPA 3540C
Analysis Method: 8082

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Aroclor 1016	ND	Ui	43	43	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1221	ND	Ui	120	120	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1232	ND	Ui	37	37	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1242	ND	Ui	26	26	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1248	ND	Ui	13	13	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1254	ND	Ui	12	5.0	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1260	ND	Ui	12	5.5	1	08/08/08	09/08/08	KWG0807715	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Decachlorobiphenyl	82	38-144	09/08/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Polychlorinated Biphenyls (PCBs)

Sample Name: BH-005,6,7-SSA Comp
Lab Code: K0807136-017
Extraction Method: EPA 3540C
Analysis Method: 8082

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Aroclor 1016	ND	Ui	10	6.6	1	08/08/08	09/03/08	KWG0807715	
Aroclor 1221	ND	Ui	26	26	1	08/08/08	09/03/08	KWG0807715	
Aroclor 1232	ND	Ui	10	9.1	1	08/08/08	09/03/08	KWG0807715	
Aroclor 1242	ND	Ui	10	4.9	1	08/08/08	09/03/08	KWG0807715	
Aroclor 1248	ND	Ui	10	7.1	1	08/08/08	09/03/08	KWG0807715	
Aroclor 1254	ND	Ui	10	2.2	1	08/08/08	09/03/08	KWG0807715	
Aroclor 1260	ND	U	10	1.3	1	08/08/08	09/03/08	KWG0807715	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Decachlorobiphenyl	86	38-144	09/03/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Polychlorinated Biphenyls (PCBs)

Sample Name: BH-009,59,10,11-SSA Comp
Lab Code: K0807136-018
Extraction Method: EPA 3540C
Analysis Method: 8082

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Aroclor 1016	ND	Ui	15	12	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1221	ND	Ui	170	170	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1232	ND	Ui	48	48	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1242	ND	Ui	25	25	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1248	ND	Ui	15	13	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1254	ND	Ui	15	3.7	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1260	ND	Ui	15	4.1	1	08/08/08	09/08/08	KWG0807715	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Decachlorobiphenyl	90	38-144	09/08/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Polychlorinated Biphenyls (PCBs)

Sample Name: BH-009,59,10,11-SSA Comp Dup
Lab Code: K0807136-019
Extraction Method: EPA 3540C
Analysis Method: 8082

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Aroclor 1016	ND	Ui	16	16	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1221	ND	Ui	130	130	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1232	ND	Ui	37	37	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1242	ND	Ui	79	79	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1248	ND	Ui	16	16	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1254	ND	Ui	21	21	1	08/08/08	09/08/08	KWG0807715	
Aroclor 1260	ND	U	16	2.1	1	08/08/08	09/08/08	KWG0807715	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Decachlorobiphenyl	96	38-144	09/08/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: NA
Date Received: NA

Polychlorinated Biphenyls (PCBs)

Sample Name: Method Blank
Lab Code: KWG0807715-4
Extraction Method: EPA 3540C
Analysis Method: 8082

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Aroclor 1016	ND	U	5.0	1.3	1	08/08/08	09/02/08	KWG0807715	
Aroclor 1221	ND	U	10	1.3	1	08/08/08	09/02/08	KWG0807715	
Aroclor 1232	ND	U	5.0	1.3	1	08/08/08	09/02/08	KWG0807715	
Aroclor 1242	ND	U	5.0	1.3	1	08/08/08	09/02/08	KWG0807715	
Aroclor 1248	ND	U	5.0	1.3	1	08/08/08	09/02/08	KWG0807715	
Aroclor 1254	ND	U	5.0	1.3	1	08/08/08	09/02/08	KWG0807715	
Aroclor 1260	ND	U	5.0	1.3	1	08/08/08	09/02/08	KWG0807715	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Decachlorobiphenyl	94	38-144	09/02/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136

**Surrogate Recovery Summary
 Polychlorinated Biphenyls (PCBs)**

Extraction Method: EPA 3540C
Analysis Method: 8082

Units: PERCENT
Level: Low

<u>Sample Name</u>	<u>Lab Code</u>	<u>Sur1</u>
BH-002-SSA	K0807136-006	82
BH-005,6,7-SSA Comp	K0807136-017	86
BH-009,59,10,11-SSA Comp	K0807136-018	90
BH-009,59,10,11-SSA Comp Du	K0807136-019	96
Method Blank	KWG0807715-4	94
BH-005,6,7-SSA CompMS	KWG0807715-1	80
BH-005,6,7-SSA CompDMS	KWG0807715-2	81
Lab Control Sample	KWG0807715-3	94

Surrogate Recovery Control Limits (%)

Sur1 = Decachlorobiphenyl 38-144

Results flagged with an asterisk (*) indicate values outside control criteria.
 Results flagged with a pound (#) indicate the control criteria is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Extracted: 08/08/2008
Date Analyzed: 09/03/2008

**Matrix Spike/Duplicate Matrix Spike Summary
 Polychlorinated Biphenyls (PCBs)**

Sample Name: BH-005,6,7-SSA Comp
Lab Code: K0807136-017
Extraction Method: EPA 3540C
Analysis Method: 8082

Units: ug/Kg
Basis: Dry
Level: Low
Extraction Lot: KWG0807715

Analyte Name	Sample Result	BH-005,6,7-SSA CompMS KWG0807715-1 Matrix Spike			BH-005,6,7-SSA CompDMS KWG0807715-2 Duplicate Matrix Spike			%Rec Limits	RPD	RPD Limit
		Result	Expected	%Rec	Result	Expected	%Rec			
Aroclor 1016	ND	143	199	72	131	199	66	24-168	9	40
Aroclor 1260	ND	153	199	77	149	199	75	24-163	3	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Extracted: 08/08/2008
Date Analyzed: 09/02/2008

**Lab Control Spike Summary
 Polychlorinated Biphenyls (PCBs)**

Extraction Method: EPA 3540C
Analysis Method: 8082

Units: ug/Kg
Basis: Dry
Level: Low
Extraction Lot: KWG0807715

Analyte Name	Lab Control Sample KWG0807715-3 Lab Control Spike			%Rec Limits
	Result	Expected	%Rec	
Aroclor 1016	159	200	80	44-130
Aroclor 1260	152	200	76	52-127

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Volatile Organic Compounds
EPA Method 8260B


Client: Anchor Environmental
Project: Blakely Harbor/080007-01

Service Request: K0807136

**Cover Page - Organic Analysis Data Package
 Volatile Organic Compounds**

Sample Name	Lab Code	Date Collected	Date Received
BH-002-SSA	K0807136-006	07/31/2008	08/02/2008
BH-009-SSA	K0807136-007	08/01/2008	08/02/2008
BH-059-SSA	K0807136-008	08/01/2008	08/02/2008
BH-010-SSA	K0807136-009	08/01/2008	08/02/2008
BH-011-SSA	K0807136-010	08/01/2008	08/02/2008
BH-006-SSA	K0807136-011	07/31/2008	08/02/2008
BH-007-SSA	K0807136-013	07/31/2008	08/02/2008
BH-005-SSA	K0807136-015	07/31/2008	08/02/2008
BH-002-SSAMS	KWG0807845-1	07/31/2008	08/02/2008
BH-002-SSADMS	KWG0807845-2	07/31/2008	08/02/2008

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: 
 Date: 8/19/08

Name: Jeff Grandstaff
 Title: Organics Manager

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Volatile Organic Compounds

Sample Name: BH-002-SSA
Lab Code: K0807136-006
Extraction Method: EPA 5030A
Analysis Method: 8260B

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Trichloroethene (TCE)	ND	U	2.3	0.17	1	08/11/08	08/11/08	KWG0807845	
Tetrachloroethene (PCE)	ND	U	2.3	0.18	1	08/11/08	08/11/08	KWG0807845	
Ethylbenzene	ND	U	2.3	0.15	1	08/11/08	08/11/08	KWG0807845	
m,p-Xylenes	ND	U	4.6	0.35	1	08/11/08	08/11/08	KWG0807845	
o-Xylene	ND	U	2.3	0.14	1	08/11/08	08/11/08	KWG0807845	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Dibromofluoromethane	86	61-116	08/11/08	Acceptable
Toluene-d8	79	63-116	08/11/08	Acceptable
4-Bromofluorobenzene	72	58-117	08/11/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 08/01/2008
Date Received: 08/02/2008

Volatile Organic Compounds

Sample Name: BH-009-SSA
Lab Code: K0807136-007
Extraction Method: EPA 5030A
Analysis Method: 8260B

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Trichloroethene (TCE)	ND	U	2.4	0.17	1	08/11/08	08/11/08	KWG0807845	
Tetrachloroethene (PCE)	ND	U	2.4	0.18	1	08/11/08	08/11/08	KWG0807845	
Ethylbenzene	ND	U	2.4	0.16	1	08/11/08	08/11/08	KWG0807845	
m,p-Xylenes	ND	U	4.8	0.36	1	08/11/08	08/11/08	KWG0807845	
o-Xylene	ND	U	2.4	0.14	1	08/11/08	08/11/08	KWG0807845	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Dibromofluoromethane	80	61-116	08/11/08	Acceptable
Toluene-d8	77	63-116	08/11/08	Acceptable
4-Bromofluorobenzene	63	58-117	08/11/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 08/01/2008
Date Received: 08/02/2008

Volatile Organic Compounds

Sample Name: BH-059-SSA
Lab Code: K0807136-008
Extraction Method: EPA 5030A
Analysis Method: 8260B

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Trichloroethene (TCE)	ND	U	2.5	0.18	1	08/13/08	08/13/08	KWG0808061	
Tetrachloroethene (PCE)	ND	U	2.5	0.19	1	08/13/08	08/13/08	KWG0808061	
Ethylbenzene	ND	U	2.5	0.17	1	08/13/08	08/13/08	KWG0808061	
m,p-Xylenes	ND	U	5.0	0.38	1	08/13/08	08/13/08	KWG0808061	
o-Xylene	ND	U	2.5	0.15	1	08/13/08	08/13/08	KWG0808061	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Dibromofluoromethane	81	61-116	08/13/08	Acceptable
Toluene-d8	77	63-116	08/13/08	Acceptable
4-Bromofluorobenzene	64	58-117	08/13/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 08/01/2008
Date Received: 08/02/2008

Volatile Organic Compounds

Sample Name: BH-010-SSA
Lab Code: K0807136-009
Extraction Method: EPA 5030A
Analysis Method: 8260B

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Trichloroethene (TCE)	ND	U	3.5	0.24	1	08/13/08	08/13/08	KWG0808061	
Tetrachloroethene (PCE)	ND	U	3.5	0.26	1	08/13/08	08/13/08	KWG0808061	
Ethylbenzene	ND	U	3.5	0.23	1	08/13/08	08/13/08	KWG0808061	
m,p-Xylenes	ND	U	6.9	0.52	1	08/13/08	08/13/08	KWG0808061	
o-Xylene	ND	U	3.5	0.20	1	08/13/08	08/13/08	KWG0808061	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Dibromofluoromethane	83	61-116	08/13/08	Acceptable
Toluene-d8	81	63-116	08/13/08	Acceptable
4-Bromofluorobenzene	70	58-117	08/13/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 08/01/2008
Date Received: 08/02/2008

Volatile Organic Compounds

Sample Name: BH-011-SSA
Lab Code: K0807136-010
Extraction Method: EPA 5030A
Analysis Method: 8260B

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Trichloroethene (TCE)	ND	U	3.0	0.21	1	08/13/08	08/13/08	KWG0808061	
Tetrachloroethene (PCE)	ND	U	3.0	0.23	1	08/13/08	08/13/08	KWG0808061	
Ethylbenzene	ND	U	3.0	0.20	1	08/13/08	08/13/08	KWG0808061	
m,p-Xylenes	ND	U	6.0	0.45	1	08/13/08	08/13/08	KWG0808061	
o-Xylene	ND	U	3.0	0.17	1	08/13/08	08/13/08	KWG0808061	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Dibromofluoromethane	80	61-116	08/13/08	Acceptable
Toluene-d8	77	63-116	08/13/08	Acceptable
4-Bromofluorobenzene	64	58-117	08/13/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Volatile Organic Compounds

Sample Name: BH-006-SSA
Lab Code: K0807136-011
Extraction Method: EPA 5030A
Analysis Method: 8260B

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Trichloroethene (TCE)	ND	U	2.6	0.18	1	08/11/08	08/11/08	KWG0807845	
Tetrachloroethene (PCE)	ND	U	2.6	0.20	1	08/11/08	08/11/08	KWG0807845	
Ethylbenzene	ND	U	2.6	0.17	1	08/11/08	08/11/08	KWG0807845	
m,p-Xylenes	ND	U	5.1	0.38	1	08/11/08	08/11/08	KWG0807845	
o-Xylene	ND	U	2.6	0.15	1	08/11/08	08/11/08	KWG0807845	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Dibromofluoromethane	82	61-116	08/11/08	Acceptable
Toluene-d8	85	63-116	08/11/08	Acceptable
4-Bromofluorobenzene	80	58-117	08/11/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Volatile Organic Compounds

Sample Name: BH-007-SSA
Lab Code: K0807136-013
Extraction Method: EPA 5030A
Analysis Method: 8260B

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Trichloroethene (TCE)	ND	U	1.6	0.11	1	08/11/08	08/11/08	KWG0807845	
Tetrachloroethene (PCE)	ND	U	1.6	0.12	1	08/11/08	08/11/08	KWG0807845	
Ethylbenzene	ND	U	1.6	0.11	1	08/11/08	08/11/08	KWG0807845	
m,p-Xylenes	ND	U	3.1	0.24	1	08/11/08	08/11/08	KWG0807845	
o-Xylene	ND	U	1.6	0.089	1	08/11/08	08/11/08	KWG0807845	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Dibromofluoromethane	82	61-116	08/11/08	Acceptable
Toluene-d8	84	63-116	08/11/08	Acceptable
4-Bromofluorobenzene	81	58-117	08/11/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Volatile Organic Compounds

Sample Name: BH-005-SSA
Lab Code: K0807136-015
Extraction Method: EPA 5030A
Analysis Method: 8260B

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Trichloroethene (TCE)	ND	U	2.7	0.19	1	08/11/08	08/11/08	KWG0807845	
Tetrachloroethene (PCE)	ND	U	2.7	0.21	1	08/11/08	08/11/08	KWG0807845	*
Ethylbenzene	ND	U	2.7	0.18	1	08/11/08	08/11/08	KWG0807845	*
m,p-Xylenes	ND	U	5.3	0.40	1	08/11/08	08/11/08	KWG0807845	*
o-Xylene	ND	U	2.7	0.16	1	08/11/08	08/11/08	KWG0807845	*

* See Case Narrative

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Dibromofluoromethane	92	61-116	08/11/08	Acceptable
Toluene-d8	76	63-116	08/11/08	Acceptable
4-Bromofluorobenzene	64	58-117	08/11/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: NA
Date Received: NA

Volatile Organic Compounds

Sample Name: Method Blank
Lab Code: KWG0807845-4
Extraction Method: EPA 5030A
Analysis Method: 8260B

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Trichloroethene (TCE)	ND	U	1.0	0.070	1	08/11/08	08/11/08	KWG0807845	
Tetrachloroethene (PCE)	ND	U	1.0	0.076	1	08/11/08	08/11/08	KWG0807845	
Ethylbenzene	ND	U	1.0	0.065	1	08/11/08	08/11/08	KWG0807845	
m,p-Xylenes	ND	U	2.0	0.15	1	08/11/08	08/11/08	KWG0807845	
o-Xylene	ND	U	1.0	0.057	1	08/11/08	08/11/08	KWG0807845	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Dibromofluoromethane	80	61-116	08/11/08	Acceptable
Toluene-d8	82	63-116	08/11/08	Acceptable
4-Bromofluorobenzene	81	58-117	08/11/08	Acceptable

Comments: _____

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Soil

Service Request: K0807136
Date Collected: NA
Date Received: NA

Volatile Organic Compounds

Sample Name: Method Blank
Lab Code: KWG0808061-6
Extraction Method: EPA 5030A
Analysis Method: 8260B

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Trichloroethene (TCE)	ND	U	1.0	0.070	1	08/13/08	08/13/08	KWG0808061	
Tetrachloroethene (PCE)	ND	U	1.0	0.076	1	08/13/08	08/13/08	KWG0808061	
Ethylbenzene	ND	U	1.0	0.065	1	08/13/08	08/13/08	KWG0808061	
m,p-Xylenes	ND	U	2.0	0.15	1	08/13/08	08/13/08	KWG0808061	
o-Xylene	ND	U	1.0	0.057	1	08/13/08	08/13/08	KWG0808061	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Dibromofluoromethane	82	61-116	08/13/08	Acceptable
Toluene-d8	86	63-116	08/13/08	Acceptable
4-Bromofluorobenzene	82	58-117	08/13/08	Acceptable

Comments: _____

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136

**Surrogate Recovery Summary
 Volatile Organic Compounds**

Extraction Method: EPA 5030A
Analysis Method: 8260B

Units: PERCENT
Level: Low

<u>Sample Name</u>	<u>Lab Code</u>	<u>Sur1</u>	<u>Sur2</u>	<u>Sur3</u>
BH-002-SSA	K0807136-006	86	79	72
BH-009-SSA	K0807136-007	80	77	63
BH-059-SSA	K0807136-008	81	77	64
BH-010-SSA	K0807136-009	83	81	70
BH-011-SSA	K0807136-010	80	77	64
BH-006-SSA	K0807136-011	82	85	80
BH-007-SSA	K0807136-013	82	84	81
BH-005-SSA	K0807136-015	92	76	64
Method Blank	KWG0807845-4	80	82	81
Method Blank	KWG0808061-6	82	86	82
BH-002-SSAMS	KWG0807845-1	82	77	69
BH-002-SSADMS	KWG0807845-2	82	77	67
Lab Control Sample	KWG0807845-3	80	84	84
Lab Control Sample	KWG0808061-5	83	86	86
Duplicate Lab Control Sample	KWG0808061-7	84	85	85

Surrogate Recovery Control Limits (%)

Sur1 = Dibromofluoromethane	61-116
Sur2 = Toluene-d8	63-116
Sur3 = 4-Bromofluorobenzene	58-117

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01

Service Request: K0807136
Date Analyzed: 08/11/2008
Time Analyzed: 12:20

Internal Standard Area and RT Summary
Volatile Organic Compounds

File ID: J:\MS05\DATA\081108\0811F007.D
Instrument ID: MS05
Analysis Method: 8260B

Lab Code: KWG0807829-2
Analysis Lot: KWG0807829

	Fluorobenzene		Chlorobenzene-d5	
	<u>Area</u>	<u>RT</u>	<u>Area</u>	<u>RT</u>
Results ==>	1,854,919	10.80	1,177,484	14.83
Upper Limit ==>	3,709,838	11.30	2,354,968	15.33
Lower Limit ==>	927,460	10.30	588,742	14.33
ICAL Result ==>	1,936,189	10.81	1,315,323	14.83

Associated Analyses

Method Blank	KWG0807845-4	1,673,940	10.81	1,050,369	14.83
BH-002-SSA	K0807136-006	1,154,891	10.81	637,811	14.83
BH-002-SSAMS	KWG0807845-1	1,453,579	10.81	719,705	14.84
BH-002-SSADMS	KWG0807845-2	1,492,953	10.82	727,972	14.83
Lab Control Sample	KWG0807845-3	1,804,873	10.82	1,147,695	14.84
BH-006-SSA	K0807136-011	1,712,516	10.82	1,092,540	14.84
BH-007-SSA	K0807136-013	1,668,487	10.82	1,072,684	14.84
BH-005-SSA	K0807136-015	1,025,805	10.82	456,312*	14.84
BH-009-SSA	K0807136-007	1,354,758	10.82	660,147	14.84

Results flagged with an asterisk (*) indicate values outside control criteria.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01

Service Request: K0807136
Date Analyzed: 08/13/2008
Time Analyzed: 09:43

Internal Standard Area and RT Summary
Volatile Organic Compounds

File ID: J:\MS05\DATA\081308\0813F003.D
Instrument ID: MS05
Analysis Method: 8260B

Lab Code: KWG0808059-2
Analysis Lot: KWG0808059

	Fluorobenzene		Chlorobenzene-d5	
	<u>Area</u>	<u>RT</u>	<u>Area</u>	<u>RT</u>
Results ==>	1,806,245	10.80	1,180,343	14.83
Upper Limit ==>	3,612,490	11.30	2,360,686	15.33
Lower Limit ==>	903,123	10.30	590,172	14.33
ICAL Result ==>	1,936,189	10.81	1,315,323	14.83

Associated Analyses

Lab Control Sample	KWG0808061-5	1,865,813	10.81	1,212,438	14.82
Duplicate Lab Control Sample	KWG0808061-7	1,833,860	10.80	1,199,561	14.83
Method Blank	KWG0808061-6	1,614,372	10.82	1,048,298	14.83
BH-059-SSA	K0807136-008	1,274,019	10.81	620,070	14.83
BH-010-SSA	K0807136-009	1,348,068	10.81	724,226	14.84
BH-011-SSA	K0807136-010	1,296,113	10.81	623,906	14.83

Results flagged with an asterisk (*) indicate values outside control criteria.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Extracted: 08/11/2008
Date Analyzed: 08/11/2008

Matrix Spike/Duplicate Matrix Spike Summary
Volatile Organic Compounds

Sample Name: BH-002-SSA
Lab Code: K0807136-006
Extraction Method: EPA 5030A
Analysis Method: 8260B

Units: ug/Kg
Basis: Dry
Level: Low
Extraction Lot: KWG0807845

Analyte Name	Sample Result	BH-002-SSAMS KWG0807845-1 Matrix Spike			BH-002-SSADMS KWG0807845-2 Duplicate Matrix Spike			%Rec Limits	RPD	RPD Limit
		Result	Expected	%Rec	Result	Expected	%Rec			
Trichloroethene (TCE)	ND	79.1	117	68	69.3	117	59	32-135	13	40
Tetrachloroethene (PCE)	ND	110	117	95	99.2	117	85	13-142	11	40
Ethylbenzene	ND	105	117	90	92.0	117	79	18-137	13	40
m,p-Xylenes	ND	208	233	89	180	233	77	13-139	15	40
o-Xylene	ND	101	117	87	87.9	117	75	10-149	14	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Extracted: 08/11/2008
Date Analyzed: 08/11/2008

**Lab Control Spike Summary
Volatile Organic Compounds**

Extraction Method: EPA 5030A
Analysis Method: 8260B

Units: ug/Kg
Basis: Dry
Level: Low
Extraction Lot: KWG0807845

Analyte Name	Lab Control Sample KWG0807845-3 Lab Control Spike			%Rec Limits
	Result	Expected	%Rec	
Trichloroethene (TCE)	43.2	50.0	86	81-119
Tetrachloroethene (PCE)	51.2	50.0	102	81-113
Ethylbenzene	49.2	50.0	98	79-111
m,p-Xylenes	103	100	103	80-116
o-Xylene	49.9	50.0	100	79-113

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Soil

Service Request: K0807136
Date Extracted: 08/13/2008
Date Analyzed: 08/13/2008

**Lab Control Spike/Duplicate Lab Control Spike Summary
 Volatile Organic Compounds**

Extraction Method: EPA 5030A
Analysis Method: 8260B

Units: ug/Kg
Basis: Dry
Level: Low
Extraction Lot: KWG0808061

Analyte Name	Lab Control Sample KWG0808061-5 Lab Control Spike			Duplicate Lab Control Sample KWG0808061-7 Duplicate Lab Control Spike			%Rec Limits	RPD	RPD Limit
	Result	Expected	%Rec	Result	Expected	%Rec			
Trichloroethene (TCE)	43.2	50.0	86	43.0	50.0	86	81-119	0	40
Tetrachloroethene (PCE)	49.9	50.0	100	48.4	50.0	97	81-113	3	40
Ethylbenzene	48.1	50.0	96	47.3	50.0	95	79-111	2	40
m,p-Xylenes	99.3	100	99	97.4	100	97	80-116	2	40
o-Xylene	48.9	50.0	98	48.2	50.0	96	79-113	2	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

**Semi-Volatile Organic Compounds
EPA Method 8270C**

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01

Service Request: K0807136

**Cover Page - Organic Analysis Data Package
 Semi-Volatile Organic Compounds by GC/MS**

Sample Name	Lab Code	Date Collected	Date Received
BH-002-SSA	K0807136-006	07/31/2008	08/02/2008
BH-005,6,7-SSA Comp	K0807136-017	07/31/2008	08/02/2008
BH-009,59,10,11-SSA Comp	K0807136-018	07/31/2008	08/02/2008
BH-009,59,10,11-SSA Comp Du	K0807136-019	07/31/2008	08/02/2008
BH-005,6,7-SSA CompMS	KWG0807792-1	07/31/2008	08/02/2008
BH-005,6,7-SSA CompDMS	KWG0807792-2	07/31/2008	08/02/2008

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: 

Name: Carl Doye

Date: 9/8/08

Title: Supervisor

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Semi-Volatile Organic Compounds by GC/MS

Sample Name: BH-002-SSA
Lab Code: K0807136-006

Units: ug/Kg
Basis: Dry

Extraction Method: EPA 3541
Analysis Method: 8270C

Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Phenol	140	JD	180	12	5	08/11/08	08/27/08	KWG0807792	
1,3-Dichlorobenzene	ND	U	58	18	5	08/11/08	08/27/08	KWG0807792	
1,4-Dichlorobenzene	ND	U	58	17	5	08/11/08	08/27/08	KWG0807792	
1,2-Dichlorobenzene	ND	U	58	17	5	08/11/08	08/27/08	KWG0807792	
Benzyl Alcohol	ND	U	120	13	5	08/11/08	08/27/08	KWG0807792	
2-Methylphenol	ND	U	58	8.7	5	08/11/08	08/27/08	KWG0807792	
Hexachloroethane	ND	U	58	18	5	08/11/08	08/27/08	KWG0807792	
4-Methylphenol†	46	JD	58	8.7	5	08/11/08	08/27/08	KWG0807792	
2,4-Dimethylphenol	ND	U	290	32	5	08/11/08	08/27/08	KWG0807792	
Benzoic Acid	ND	U	1200	560	5	08/11/08	08/27/08	KWG0807792	
1,2,4-Trichlorobenzene	ND	U	58	15	5	08/11/08	08/27/08	KWG0807792	
Naphthalene	550	D	58	14	5	08/11/08	08/27/08	KWG0807792	
Hexachlorobutadiene	ND	U	58	15	5	08/11/08	08/27/08	KWG0807792	
2-Methylnaphthalene	210	D	58	13	5	08/11/08	08/27/08	KWG0807792	
Acenaphthylene	290	D	58	6.9	5	08/11/08	08/27/08	KWG0807792	
Dimethyl Phthalate	16	JD	58	5.8	5	08/11/08	08/27/08	KWG0807792	
Accenaphthene	480	D	58	8.1	5	08/11/08	08/27/08	KWG0807792	
Dibenzofuran	200	D	58	6.9	5	08/11/08	08/27/08	KWG0807792	
Fluorene	510	D	58	6.4	5	08/11/08	08/27/08	KWG0807792	
Diethyl Phthalate	ND	U	58	7.5	5	08/11/08	08/27/08	KWG0807792	
N-Nitrosodiphenylamine	ND	U	58	9.2	5	08/11/08	08/27/08	KWG0807792	
Hexachlorobenzene	ND	U	58	6.9	5	08/11/08	08/27/08	KWG0807792	
Pentachlorophenol	ND	U	580	120	5	08/11/08	08/27/08	KWG0807792	
Phenanthrene	5300	D	58	8.1	5	08/11/08	08/27/08	KWG0807792	
Anthracene	1300	D	58	9.2	5	08/11/08	08/27/08	KWG0807792	
Di-n-butyl Phthalate	ND	U	120	46	5	08/11/08	08/27/08	KWG0807792	
Fluoranthene	7600	D	290	46	25	08/11/08	08/27/08	KWG0807792	
Pyrene	7900	D	290	44	25	08/11/08	08/27/08	KWG0807792	
Butyl Benzyl Phthalate	ND	U	58	19	5	08/11/08	08/27/08	KWG0807792	
Benz(a)anthracene	2300	D	58	9.8	5	08/11/08	08/27/08	KWG0807792	
Chrysene	2700	D	58	8.7	5	08/11/08	08/27/08	KWG0807792	
Bis(2-ethylhexyl) Phthalate	ND	U	580	41	5	08/11/08	08/27/08	KWG0807792	
Di-n-octyl Phthalate	ND	U	58	9.8	5	08/11/08	08/27/08	KWG0807792	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Semi-Volatile Organic Compounds by GC/MS

Sample Name: BH-002-SSA
Lab Code: K0807136-006

Units: ug/Kg
Basis: Dry

Extraction Method: EPA 3541
Analysis Method: 8270C

Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Benzo(b)fluoranthene	2500	D	58	6.9	5	08/11/08	08/27/08	KWG0807792	
Benzo(k)fluoranthene	870	D	58	8.1	5	08/11/08	08/27/08	KWG0807792	
Benzo(a)pyrene	2400	D	58	9.8	5	08/11/08	08/27/08	KWG0807792	
Indeno(1,2,3-cd)pyrene	1600	D	58	8.7	5	08/11/08	08/27/08	KWG0807792	
Dibenz(a,h)anthracene	300	D	58	8.7	5	08/11/08	08/27/08	KWG0807792	
Benzo(g,h,i)perylene	1600	D	58	8.7	5	08/11/08	08/27/08	KWG0807792	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
2-Fluorophenol	40	10-89	08/27/08	Acceptable
Phenol-d6	44	15-103	08/27/08	Acceptable
Nitrobenzene-d5	54	10-108	08/27/08	Acceptable
2-Fluorobiphenyl	54	10-105	08/27/08	Acceptable
2,4,6-Tribromophenol	67	16-122	08/27/08	Acceptable
Terphenyl-d14	64	31-126	08/27/08	Acceptable

† Analyte Comments

4-Methylphenol This analyte cannot be separated from 3-Methylphenol.

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Semi-Volatile Organic Compounds by GC/MS

Sample Name: BH-005,6,7-SSA Comp
Lab Code: K0807136-017
Extraction Method: EPA 3541
Analysis Method: 8270C

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Phenol	180		30	2.0	1	08/11/08	08/27/08	KWG0807792	
1,3-Dichlorobenzene	ND	U	10	3.0	1	08/11/08	08/27/08	KWG0807792	
1,4-Dichlorobenzene	ND	U	10	2.9	1	08/11/08	08/27/08	KWG0807792	
1,2-Dichlorobenzene	ND	U	10	2.9	1	08/11/08	08/27/08	KWG0807792	
Benzyl Alcohol	18	J	20	2.1	1	08/11/08	08/27/08	KWG0807792	
2-Methylphenol	ND	U	10	1.5	1	08/11/08	08/27/08	KWG0807792	
Hexachloroethane	ND	U	10	3.1	1	08/11/08	08/27/08	KWG0807792	
4-Methylphenol†	36		10	1.5	1	08/11/08	08/27/08	KWG0807792	
2,4-Dimethylphenol	ND	U	50	5.5	1	08/11/08	08/27/08	KWG0807792	
Benzoic Acid	ND	U	200	96	1	08/11/08	08/27/08	KWG0807792	
1,2,4-Trichlorobenzene	ND	U	10	2.6	1	08/11/08	08/27/08	KWG0807792	
Naphthalene	590		10	2.3	1	08/11/08	08/27/08	KWG0807792	
Hexachlorobutadiene	ND	U	10	2.5	1	08/11/08	08/27/08	KWG0807792	
2-Methylnaphthalene	46		10	2.2	1	08/11/08	08/27/08	KWG0807792	
Acenaphthylene	63		10	1.2	1	08/11/08	08/27/08	KWG0807792	
Dimethyl Phthalate	ND	U	10	1.0	1	08/11/08	08/27/08	KWG0807792	
Acenaphthene	31		10	1.4	1	08/11/08	08/27/08	KWG0807792	
Dibenzofuran	44		10	1.2	1	08/11/08	08/27/08	KWG0807792	
Fluorene	45		10	1.1	1	08/11/08	08/27/08	KWG0807792	
Diethyl Phthalate	3.7	J	10	1.3	1	08/11/08	08/27/08	KWG0807792	
N-Nitrosodiphenylamine	ND	U	10	1.6	1	08/11/08	08/27/08	KWG0807792	
Hexachlorobenzene	ND	U	10	1.2	1	08/11/08	08/27/08	KWG0807792	
Pentachlorophenol	ND	U	100	20	1	08/11/08	08/27/08	KWG0807792	
Phenanthrene	410		10	1.4	1	08/11/08	08/27/08	KWG0807792	
Anthracene	95		10	1.6	1	08/11/08	08/27/08	KWG0807792	
Di-n-butyl Phthalate	11	J	20	7.9	1	08/11/08	08/27/08	KWG0807792	
Fluoranthene	570		10	1.6	1	08/11/08	08/27/08	KWG0807792	
Pyrene	590		10	1.5	1	08/11/08	08/27/08	KWG0807792	
Butyl Benzyl Phthalate	ND	U	10	3.2	1	08/11/08	08/27/08	KWG0807792	
Benz(a)anthracene	200		10	1.7	1	08/11/08	08/27/08	KWG0807792	
Chrysene	240		10	1.5	1	08/11/08	08/27/08	KWG0807792	
Bis(2-ethylhexyl) Phthalate	25	J	100	7.0	1	08/11/08	08/27/08	KWG0807792	
Di-n-octyl Phthalate	ND	U	10	1.7	1	08/11/08	08/27/08	KWG0807792	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Semi-Volatile Organic Compounds by GC/MS

Sample Name: BH-005,6,7-SSA Comp
Lab Code: K0807136-017
Extraction Method: EPA 3541
Analysis Method: 8270C

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Benzo(b)fluoranthene	230		10	1.2	1	08/11/08	08/27/08	KWG0807792	
Benzo(k)fluoranthene	82		10	1.4	1	08/11/08	08/27/08	KWG0807792	
Benzo(a)pyrene	220		10	1.7	1	08/11/08	08/27/08	KWG0807792	
Indeno(1,2,3-cd)pyrene	170		10	1.5	1	08/11/08	08/27/08	KWG0807792	
Dibenz(a,h)anthracene	26		10	1.5	1	08/11/08	08/27/08	KWG0807792	
Benzo(g,h,i)perylene	180		10	1.5	1	08/11/08	08/27/08	KWG0807792	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
2-Fluorophenol	45	10-89	08/27/08	Acceptable
Phenol-d6	50	15-103	08/27/08	Acceptable
Nitrobenzene-d5	55	10-108	08/27/08	Acceptable
2-Fluorobiphenyl	66	10-105	08/27/08	Acceptable
2,4,6-Tribromophenol	90	16-122	08/27/08	Acceptable
Terphenyl-d14	81	31-126	08/27/08	Acceptable

† Analyte Comments

4-Methylphenol This analyte cannot be separated from 3-Methylphenol.

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Semi-Volatile Organic Compounds by GC/MS

Sample Name: BH-009,59,10,11-SSA Comp
Lab Code: K0807136-018
Extraction Method: EPA 3541
Analysis Method: 8270C

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Phenol	850		43	2.9	1	08/11/08	08/27/08	KWG0807792	
1,3-Dichlorobenzene	ND	U	15	4.3	1	08/11/08	08/27/08	KWG0807792	
1,4-Dichlorobenzene	ND	U	15	4.2	1	08/11/08	08/27/08	KWG0807792	
1,2-Dichlorobenzene	ND	U	15	4.2	1	08/11/08	08/27/08	KWG0807792	
Benzyl Alcohol	ND	U	29	3.0	1	08/11/08	08/27/08	KWG0807792	
2-Methylphenol	ND	U	15	2.2	1	08/11/08	08/27/08	KWG0807792	
Hexachloroethane	ND	U	15	4.5	1	08/11/08	08/27/08	KWG0807792	
4-Methylphenol†	15		15	2.2	1	08/11/08	08/27/08	KWG0807792	
2,4-Dimethylphenol	ND	U	72	7.9	1	08/11/08	08/27/08	KWG0807792	
Benzoic Acid	ND	U	290	140	1	08/11/08	08/27/08	KWG0807792	
1,2,4-Trichlorobenzene	ND	U	15	3.8	1	08/11/08	08/27/08	KWG0807792	
Naphthalene	100		15	3.3	1	08/11/08	08/27/08	KWG0807792	
Hexachlorobutadiene	ND	U	15	3.6	1	08/11/08	08/27/08	KWG0807792	
2-Methylnaphthalene	49		15	3.2	1	08/11/08	08/27/08	KWG0807792	
Acenaphthylene	100		15	1.8	1	08/11/08	08/27/08	KWG0807792	
Dimethyl Phthalate	ND	U	15	1.5	1	08/11/08	08/27/08	KWG0807792	
Acenaphthene	100		15	2.0	1	08/11/08	08/27/08	KWG0807792	
Dibenzofuran	45		15	1.8	1	08/11/08	08/27/08	KWG0807792	
Fluorene	110		15	1.6	1	08/11/08	08/27/08	KWG0807792	
Diethyl Phthalate	4.2	J	15	1.9	1	08/11/08	08/27/08	KWG0807792	
N-Nitrosodiphenylamine	ND	U	15	2.3	1	08/11/08	08/27/08	KWG0807792	
Hexachlorobenzene	ND	U	15	1.8	1	08/11/08	08/27/08	KWG0807792	
Pentachlorophenol	ND	U	150	29	1	08/11/08	08/27/08	KWG0807792	
Phenanthrene	1400		15	2.0	1	08/11/08	08/27/08	KWG0807792	
Anthracene	320		15	2.3	1	08/11/08	08/27/08	KWG0807792	
Di-n-butyl Phthalate	21	J	29	12	1	08/11/08	08/27/08	KWG0807792	
Fluoranthene	1700	D	150	23	10	08/11/08	08/29/08	KWG0807792	
Pyrene	1800	D	150	22	10	08/11/08	08/29/08	KWG0807792	
Butyl Benzyl Phthalate	ND	U	15	4.6	1	08/11/08	08/27/08	KWG0807792	
Benz(a)anthracene	780		15	2.5	1	08/11/08	08/27/08	KWG0807792	
Chrysene	900		15	2.2	1	08/11/08	08/27/08	KWG0807792	
Bis(2-ethylhexyl) Phthalate	14	J	150	10	1	08/11/08	08/27/08	KWG0807792	
Di-n-octyl Phthalate	ND	U	15	2.5	1	08/11/08	08/27/08	KWG0807792	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Semi-Volatile Organic Compounds by GC/MS

Sample Name: BH-009,59,10,11-SSA Comp
Lab Code: K0807136-018
Extraction Method: EPA 3541
Analysis Method: 8270C

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Benzo(b)fluoranthene	910		15	1.8	1	08/11/08	08/27/08	KWG0807792	
Benzo(k)fluoranthene	250		15	2.0	1	08/11/08	08/27/08	KWG0807792	
Benzo(a)pyrene	830		15	2.5	1	08/11/08	08/27/08	KWG0807792	
Indeno(1,2,3-cd)pyrene	590		15	2.2	1	08/11/08	08/27/08	KWG0807792	
Dibenz(a,h)anthracene	110		15	2.2	1	08/11/08	08/27/08	KWG0807792	
Benzo(g,h,i)perylene	570		15	2.2	1	08/11/08	08/27/08	KWG0807792	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
2-Fluorophenol	42	10-89	08/27/08	Acceptable
Phenol-d6	46	15-103	08/27/08	Acceptable
Nitrobenzene-d5	50	10-108	08/27/08	Acceptable
2-Fluorobiphenyl	60	10-105	08/27/08	Acceptable
2,4,6-Tribromophenol	78	16-122	08/27/08	Acceptable
Terphenyl-d14	70	31-126	08/27/08	Acceptable

† Analyte Comments

4-Methylphenol This analyte cannot be separated from 3-Methylphenol.

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Semi-Volatile Organic Compounds by GC/MS

Sample Name: BH-009,59,10,11-SSA Comp Dup
Lab Code: K0807136-019
Extraction Method: EPA 3541
Analysis Method: 8270C

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Phenol	1100		47	2.4	1	08/11/08	08/27/08	KWG0807792	
1,3-Dichlorobenzene	ND	U	16	4.7	1	08/11/08	08/27/08	KWG0807792	
1,4-Dichlorobenzene	ND	U	16	4.5	1	08/11/08	08/27/08	KWG0807792	
1,2-Dichlorobenzene	ND	U	16	4.5	1	08/11/08	08/27/08	KWG0807792	
Benzyl Alcohol	ND	U	32	3.3	1	08/11/08	08/27/08	KWG0807792	
2-Methylphenol	ND	U	16	2.4	1	08/11/08	08/27/08	KWG0807792	
Hexachloroethane	ND	U	16	4.9	1	08/11/08	08/27/08	KWG0807792	
4-Methylphenol†	30		16	2.4	1	08/11/08	08/27/08	KWG0807792	
2,4-Dimethylphenol	ND	U	78	8.6	1	08/11/08	08/27/08	KWG0807792	
Benzoic Acid	ND	U	320	150	1	08/11/08	08/27/08	KWG0807792	
1,2,4-Trichlorobenzene	ND	U	16	4.1	1	08/11/08	08/27/08	KWG0807792	
Naphthalene	98		16	3.6	1	08/11/08	08/27/08	KWG0807792	
Hexachlorobutadiene	ND	U	16	3.9	1	08/11/08	08/27/08	KWG0807792	
2-Methylnaphthalene	46		16	3.5	1	08/11/08	08/27/08	KWG0807792	
Acenaphthylene	200		16	1.9	1	08/11/08	08/27/08	KWG0807792	
Dimethyl Phthalate	ND	U	16	1.6	1	08/11/08	08/27/08	KWG0807792	
Acenaphthene	110		16	2.2	1	08/11/08	08/27/08	KWG0807792	
Dibenzofuran	58		16	1.9	1	08/11/08	08/27/08	KWG0807792	
Fluorene	170		16	1.8	1	08/11/08	08/27/08	KWG0807792	
Diethyl Phthalate	4.5	J	16	2.1	1	08/11/08	08/27/08	KWG0807792	
N-Nitrosodiphenylamine	ND	U	16	2.5	1	08/11/08	08/27/08	KWG0807792	
Hexachlorobenzene	ND	U	16	1.9	1	08/11/08	08/27/08	KWG0807792	
Pentachlorophenol	ND	U	160	32	1	08/11/08	08/27/08	KWG0807792	
Phenanthrene	1900	D	160	22	10	08/11/08	08/29/08	KWG0807792	
Anthracene	520		16	2.5	1	08/11/08	08/27/08	KWG0807792	
Di-n-butyl Phthalate	20	J	32	13	1	08/11/08	08/27/08	KWG0807792	
Fluoranthene	2700	D	160	25	10	08/11/08	08/29/08	KWG0807792	
Pyrene	2700	D	160	24	10	08/11/08	08/29/08	KWG0807792	
Butyl Benzyl Phthalate	ND	U	16	5.0	1	08/11/08	08/27/08	KWG0807792	
Benz(a)anthracene	1100		16	2.7	1	08/11/08	08/27/08	KWG0807792	
Chrysene	1300		16	2.4	1	08/11/08	08/27/08	KWG0807792	
Bis(2-ethylhexyl) Phthalate	21	J	160	11	1	08/11/08	08/27/08	KWG0807792	
Di-n-octyl Phthalate	ND	U	16	2.7	1	08/11/08	08/27/08	KWG0807792	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: 07/31/2008
Date Received: 08/02/2008

Semi-Volatile Organic Compounds by GC/MS

Sample Name: BH-009,59,10,11-SSA Comp Dup
Lab Code: K0807136-019
Extraction Method: EPA 3541
Analysis Method: 8270C

Units: ug/Kg
Basis: Dry
Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Benzo(b)fluoranthene	1200		16	1.9	1	08/11/08	08/27/08	KWG0807792	
Benzo(k)fluoranthene	380		16	2.2	1	08/11/08	08/27/08	KWG0807792	
Benzo(a)pyrene	1200		16	2.7	1	08/11/08	08/27/08	KWG0807792	
Indeno(1,2,3-cd)pyrene	780		16	2.4	1	08/11/08	08/27/08	KWG0807792	
Dibenz(a,h)anthracene	180		16	2.4	1	08/11/08	08/27/08	KWG0807792	
Benzo(g,h,i)perylene	770		16	2.4	1	08/11/08	08/27/08	KWG0807792	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
2-Fluorophenol	43	10-89	08/27/08	Acceptable
Phenol-d6	52	15-103	08/27/08	Acceptable
Nitrobenzene-d5	51	10-108	08/27/08	Acceptable
2-Fluorobiphenyl	60	10-105	08/27/08	Acceptable
2,4,6-Tribromophenol	84	16-122	08/27/08	Acceptable
Terphenyl-d14	72	31-126	08/27/08	Acceptable

† Analyte Comments

4-Methylphenol This analyte cannot be separated from 3-Methylphenol.

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: NA
Date Received: NA

Semi-Volatile Organic Compounds by GC/MS

Sample Name: Method Blank
Lab Code: KWG0807792-5

Units: ug/Kg
Basis: Dry

Extraction Method: EPA 3541
Analysis Method: 8270C

Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Phenol	ND	U	15	2.0	1	08/11/08	08/20/08	KWG0807792	
1,3-Dichlorobenzene	ND	U	5.0	3.0	1	08/11/08	08/20/08	KWG0807792	
1,4-Dichlorobenzene	ND	U	5.0	2.9	1	08/11/08	08/20/08	KWG0807792	
1,2-Dichlorobenzene	ND	U	5.0	2.9	1	08/11/08	08/20/08	KWG0807792	
Benzyl Alcohol	ND	U	9.9	2.1	1	08/11/08	08/20/08	KWG0807792	
2-Methylphenol	ND	U	5.0	1.5	1	08/11/08	08/20/08	KWG0807792	
Hexachloroethane	ND	U	5.0	3.1	1	08/11/08	08/20/08	KWG0807792	
4-Methylphenol†	ND	U	5.0	1.5	1	08/11/08	08/20/08	KWG0807792	
2,4-Dimethylphenol	ND	U	25	5.5	1	08/11/08	08/20/08	KWG0807792	
Benzoic Acid	ND	U	99	96	1	08/11/08	08/20/08	KWG0807792	
1,2,4-Trichlorobenzene	ND	U	5.0	2.6	1	08/11/08	08/20/08	KWG0807792	
Naphthalene	ND	U	5.0	2.3	1	08/11/08	08/20/08	KWG0807792	
Hexachlorobutadiene	ND	U	5.0	2.5	1	08/11/08	08/20/08	KWG0807792	
2-Methylnaphthalene	ND	U	5.0	2.2	1	08/11/08	08/20/08	KWG0807792	
Acenaphthylene	ND	U	5.0	1.2	1	08/11/08	08/20/08	KWG0807792	
Dimethyl Phthalate	ND	U	5.0	1.0	1	08/11/08	08/20/08	KWG0807792	
Acenaphthene	ND	U	5.0	1.4	1	08/11/08	08/20/08	KWG0807792	
Dibenzofuran	ND	U	5.0	1.2	1	08/11/08	08/20/08	KWG0807792	
Fluorene	ND	U	5.0	1.1	1	08/11/08	08/20/08	KWG0807792	
Diethyl Phthalate	ND	U	5.0	1.3	1	08/11/08	08/20/08	KWG0807792	
N-Nitrosodiphenylamine	ND	U	5.0	1.6	1	08/11/08	08/20/08	KWG0807792	
Hexachlorobenzene	ND	U	5.0	1.2	1	08/11/08	08/20/08	KWG0807792	
Pentachlorophenol	ND	U	50	20	1	08/11/08	08/20/08	KWG0807792	
Phenanthrene	ND	U	5.0	1.4	1	08/11/08	08/20/08	KWG0807792	
Anthracene	ND	U	5.0	1.6	1	08/11/08	08/20/08	KWG0807792	
Di-n-butyl Phthalate	ND	U	9.9	7.9	1	08/11/08	08/20/08	KWG0807792	
Fluoranthene	ND	U	5.0	1.6	1	08/11/08	08/20/08	KWG0807792	
Pyrene	ND	U	5.0	1.5	1	08/11/08	08/20/08	KWG0807792	
Butyl Benzyl Phthalate	ND	U	5.0	3.2	1	08/11/08	08/20/08	KWG0807792	
Benz(a)anthracene	ND	U	5.0	1.7	1	08/11/08	08/20/08	KWG0807792	
Chrysene	ND	U	5.0	1.5	1	08/11/08	08/20/08	KWG0807792	
Bis(2-ethylhexyl) Phthalate	ND	U	50	7.0	1	08/11/08	08/20/08	KWG0807792	
Di-n-octyl Phthalate	ND	U	5.0	1.7	1	08/11/08	08/20/08	KWG0807792	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Collected: NA
Date Received: NA

Semi-Volatile Organic Compounds by GC/MS

Sample Name: Method Blank
Lab Code: KWG0807792-5

Units: ug/Kg
Basis: Dry

Extraction Method: EPA 3541
Analysis Method: 8270C

Level: Low

Analyte Name	Result	Q	MRL	MDL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
Benzo(b)fluoranthene	ND	U	5.0	1.2	1	08/11/08	08/20/08	KWG0807792	
Benzo(k)fluoranthene	ND	U	5.0	1.4	1	08/11/08	08/20/08	KWG0807792	
Benzo(a)pyrene	ND	U	5.0	1.7	1	08/11/08	08/20/08	KWG0807792	
Indeno(1,2,3-cd)pyrene	ND	U	5.0	1.5	1	08/11/08	08/20/08	KWG0807792	
Dibenz(a,h)anthracene	ND	U	5.0	1.5	1	08/11/08	08/20/08	KWG0807792	
Benzo(g,h,i)perylene	ND	U	5.0	1.5	1	08/11/08	08/20/08	KWG0807792	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
2-Fluorophenol	62	10-89	08/20/08	Acceptable
Phenol-d6	63	15-103	08/20/08	Acceptable
Nitrobenzene-d5	64	10-108	08/20/08	Acceptable
2-Fluorobiphenyl	70	10-105	08/20/08	Acceptable
2,4,6-Tribromophenol	86	16-122	08/20/08	Acceptable
Terphenyl-d14	97	31-126	08/20/08	Acceptable

† Analyte Comments

4-Methylphenol This analyte cannot be separated from 3-Methylphenol.

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Extracted: 08/11/2008
Date Analyzed: 08/20/2008

**Lab Control Spike/Duplicate Lab Control Spike Summary
Semi-Volatile Organic Compounds by GC/MS**

Extraction Method: EPA 3541
Analysis Method: 8270C

Units: ug/Kg
Basis: Dry
Level: Low
Extraction Lot: KWG0807792

Analyte Name	Lab Control Sample KWG0807792-3 Lab Control Spike			Duplicate Lab Control Sample KWG0807792-4 Duplicate Lab Control Spike			%Rec Limits	RPD	RPD Limit
	Result	Expected	%Rec	Result	Expected	%Rec			
Phenol	128	250	51	149	250	60	34-101	15	40
1,3-Dichlorobenzene	130	250	52	149	250	60	10-97	14	40
1,4-Dichlorobenzene	139	250	56	161	250	64	10-98	14	40
1,2-Dichlorobenzene	135	250	54	154	250	62	10-98	13	40
Benzyl Alcohol	139	250	55	182	250	73	30-101	27	40
2-Methylphenol	118	250	47	138	250	55	10-93	16	40
Hexachloroethane	131	250	52	140	250	56	10-99	7	40
4-Methylphenol	116	250	47	131	250	52	10-98	11	40
2,4-Dimethylphenol	70.7	250	28	89.0	250	36	10-81	23	40
Benzoic Acid	192	750	26	231	750	31	10-50	19	40
1,2,4-Trichlorobenzene	153	250	61	176	250	70	18-96	14	40
Naphthalene	145	250	58	164	250	66	23-95	12	40
Hexachlorobutadiene	152	250	61	166	250	66	14-100	8	40
2-Methylnaphthalene	142	250	57	163	250	65	30-92	14	40
Acenaphthylene	125	250	50	149	250	59	38-99	18	40
Dimethyl Phthalate	144	250	58	163	250	65	44-99	12	40
Acenaphthene	130	250	52	157	250	63	39-90	19	40
Dibenzofuran	129	250	52	158	250	63	40-91	20	40
Fluorene	139	250	56	160	250	64	41-94	14	40
Diethyl Phthalate	153	250	61	172	250	69	46-104	12	40
N-Nitrosodiphenylamine	150	250	60	175	250	70	20-100	16	40
Hexachlorobenzene	150	250	60	174	250	70	42-98	15	40
Pentachlorophenol	176	250	70	189	250	76	28-100	7	40
Phenanthrene	157	250	63	174	250	70	44-97	10	40
Anthracene	155	250	62	173	250	69	31-104	11	40
Di-n-butyl Phthalate	188	250	75	202	250	81	47-129	7	40
Fluoranthene	186	250	74	203	250	81	45-111	9	40
Pyrene	176	250	71	186	250	74	46-112	5	40
Butyl Benzyl Phthalate	178	250	71	196	250	78	50-119	9	40
Benz(a)anthracene	186	250	74	206	250	82	45-110	10	40
Chrysene	187	250	75	204	250	82	50-108	9	40
Bis(2-ethylhexyl) Phthalate	193	250	77	202	250	81	48-127	4	40
Di-n-octyl Phthalate	192	250	77	216	250	86	52-126	12	40
Benzo(b)fluoranthene	193	250	77	207	250	83	51-111	7	40
Benzo(k)fluoranthene	185	250	74	200	250	80	52-109	8	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Extracted: 08/11/2008
Date Analyzed: 08/20/2008

**Lab Control Spike/Duplicate Lab Control Spike Summary
 Semi-Volatile Organic Compounds by GC/MS**

Extraction Method: EPA 3541
Analysis Method: 8270C

Units: ug/Kg
Basis: Dry
Level: Low
Extraction Lot: KWG0807792

Analyte Name	Lab Control Sample KWG0807792-3 Lab Control Spike			Duplicate Lab Control Sample KWG0807792-4 Duplicate Lab Control Spike			%Rec Limits	RPD	RPD Limit
	Result	Expected	%Rec	Result	Expected	%Rec			
Benzo(a)pyrene	190	250	76	201	250	80	26-125	6	40
Indeno(1,2,3-cd)pyrene	202	250	81	213	250	85	47-119	5	40
Dibenz(a,h)anthracene	201	250	81	214	250	86	50-115	6	40
Benzo(g,h,i)perylene	184	250	73	201	250	81	43-115	9	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136

**Surrogate Recovery Summary
 Semi-Volatile Organic Compounds by GC/MS**

Extraction Method: EPA 3541
Analysis Method: 8270C

Units: PERCENT
Level: Low

<u>Sample Name</u>	<u>Lab Code</u>	<u>Sur1</u>	<u>Sur2</u>	<u>Sur3</u>	<u>Sur4</u>	<u>Sur5</u>	<u>Sur6</u>
BH-002-SSA	K0807136-006	40 D	44 D	54 D	54 D	67 D	64 D
BH-005,6,7-SSA Comp	K0807136-017	45	50	55	66	90	81
BH-009,59,10,11-SSA Comp	K0807136-018	42	46	50	60	78	70
BH-009,59,10,11-SSA Comp Du	K0807136-019	43	52	51	60	84	72
Method Blank	KWG0807792-5	62	63	64	70	86	97
BH-005,6,7-SSA CompMS	KWG0807792-1	55	60	62	71	109	92
BH-005,6,7-SSA CompDMS	KWG0807792-2	36	39	43	48	66	57
Lab Control Sample	KWG0807792-3	49	47	45	49	61	66
Duplicate Lab Control Sample	KWG0807792-4	62	61	57	63	78	76

Surrogate Recovery Control Limits (%)

Sur1 = 2-Fluorophenol	10-89	Sur5 = 2,4,6-Tribromophenol	16-122
Sur2 = Phenol-d6	15-103	Sur6 = Terphenyl-d14	31-126
Sur3 = Nitrobenzene-d5	10-108		
Sur4 = 2-Fluorobiphenyl	10-105		

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01

Service Request: K0807136
Date Analyzed: 08/20/2008
Time Analyzed: 12:51

**Internal Standard Area and RT Summary
Semi-Volatile Organic Compounds by GC/MS**

File ID: J:\MS06\DATA\082008\0820F006.D
Instrument ID: MS06
Analysis Method: 8270C

Lab Code: KWG0808359-2
Analysis Lot: KWG0808359

	<u>1,4-Dichlorobenzene-d4</u>		<u>Naphthalene-d8</u>		<u>Acenaphthene-d10</u>		
	<u>Area</u>	<u>RT</u>	<u>Area</u>	<u>RT</u>	<u>Area</u>	<u>RT</u>	
Results ==>	29,533	8.41	71,307	10.31	54,031	13.12	
Upper Limit ==>	59,066	8.91	142,614	10.81	108,062	13.62	
Lower Limit ==>	14,767	7.91	35,654	9.81	27,016	12.62	
ICAL Result ==>	30,469	8.42	78,049	10.32	56,066	13.12	
<i>Associated Analyses</i>							
Method Blank	KWG0807792-5	27,153	8.41	68,215	10.31	51,294	13.12
Lab Control Sample	KWG0807792-3	29,304	8.41	72,335	10.31	58,266	13.11
Duplicate Lab Control Sample	KWG0807792-4	33,696	8.41	85,073	10.31	63,391	13.12

Results flagged with an asterisk (*) indicate values outside control criteria.

Client: Anchor Environmental
Project: Blakely Harbor/080007-01

Service Request: K0807136
Date Analyzed: 08/20/2008
Time Analyzed: 12:51

Internal Standard Area and RT Summary
Semi-Volatile Organic Compounds by GC/MS

File ID: J:\MS06\DATA\082008\0820F006.D
Instrument ID: MS06
Analysis Method: 8270C

Lab Code: KWG0808359-2
Analysis Lot: KWG0808359

	Phenanthrene-d10		Chrysene-d12		Perylene-d12		
	<u>Area</u>	<u>RT</u>	<u>Area</u>	<u>RT</u>	<u>Area</u>	<u>RT</u>	
Results ==>	97,825	15.52	157,558	19.89	159,799	23.38	
Upper Limit ==>	195,650	16.02	315,116	20.39	319,598	23.88	
Lower Limit ==>	48,913	15.02	78,779	19.39	79,900	22.88	
ICAL Result ==>	105,500	15.53	160,148	19.90	155,041	23.38	
Associated Analyses							
Method Blank	KWG0807792-5	99,782	15.52	151,883	19.89	158,605	23.37
Lab Control Sample	KWG0807792-3	102,906	15.52	168,200	19.89	171,279	23.37
Duplicate Lab Control Sample	KWG0807792-4	116,916	15.52	191,072	19.89	192,041	23.37

Results flagged with an asterisk (*) indicate values outside control criteria.

Client: Anchor Environmental
Project: Blakely Harbor/080007-01

Service Request: K0807136
Date Analyzed: 08/27/2008
Time Analyzed: 09:13

**Internal Standard Area and RT Summary
 Semi-Volatile Organic Compounds by GC/MS**

File ID: J:\MS17\DATA\082708\0827F003.D
Instrument ID: MS17
Analysis Method: 8270C

Lab Code: KWG0808776-2
Analysis Lot: KWG0808776

	1,4-Dichlorobenzene-d4		Naphthalene-d8		Acenaphthene-d10		
	<u>Area</u>	<u>RT</u>	<u>Area</u>	<u>RT</u>	<u>Area</u>	<u>RT</u>	
Results ==>	56,923	6.17	230,386	7.32	135,294	8.95	
Upper Limit ==>	113,846	6.67	460,772	7.82	270,588	9.45	
Lower Limit ==>	28,462	5.67	115,193	6.82	67,647	8.45	
ICAL Result ==>	72,029	6.17	278,245	7.32	165,674	8.95	
Associated Analyses							
BH-005,6,7-SSA CompDMS	KWG0807792-2	64,824	6.18	246,267	7.32	144,769	8.95
BH-002-SSA	K0807136-006	63,276	6.18	244,406	7.32	150,568	8.96
BH-005,6,7-SSA Comp	K0807136-017	69,220	6.18	261,916	7.32	160,198	8.95
BH-009,5,9,10,11-SSA Comp	K0807136-018	68,724	6.18	259,126	7.32	157,054	8.96
BH-009,5,9,10,11-SSA Comp Dup	K0807136-019	71,329	6.18	275,504	7.32	165,290	8.96
BH-005,6,7-SSA CompMS	KWG0807792-1	53,385	6.18	208,502	7.32	124,114	8.96
BH-002-SSADL	K0807136-006	64,832	6.18	246,037	7.32	147,118	8.96

Results flagged with an asterisk (*) indicate values outside control criteria.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01

Service Request: K0807136
Date Analyzed: 08/27/2008
Time Analyzed: 09:13

**Internal Standard Area and RT Summary
Semi-Volatile Organic Compounds by GC/MS**

File ID: J:\MS17\DATA\082708\0827F003.D
Instrument ID: MS17
Analysis Method: 8270C

Lab Code: KWG0808776-2
Analysis Lot: KWG0808776

	Phenanthrene-d10		Chrysene-d12		Perylene-d12	
	<u>Area</u>	<u>RT</u>	<u>Area</u>	<u>RT</u>	<u>Area</u>	<u>RT</u>
Results ==>	216,762	10.36	266,919	13.22	262,954	15.55
Upper Limit ==>	433,524	10.86	533,838	13.72	525,908	16.05
Lower Limit ==>	108,381	9.86	133,460	12.72	131,477	15.05
ICAL Result ==>	262,792	10.36	323,649	13.22	331,302	15.55

Associated Analyses

BH-005,6,7-SSA CompDMS	KWG0807792-2	245,339	10.37	310,603	13.23	326,615	15.58
BH-002-SSA	K0807136-006	238,745	10.37	307,485	13.24	328,630	15.59
BH-005,6,7-SSA Comp	K0807136-017	261,343	10.36	328,648	13.24	355,489	15.60
BH-009,59,10,11-SSA Comp	K0807136-018	255,587	10.37	330,480	13.25	360,084	15.62
BH-009,59,10,11-SSA Comp Dup	K0807136-019	267,510	10.37	350,348	13.27	383,405	15.64
BH-005,6,7-SSA CompMS	KWG0807792-1	200,709	10.37	261,574	13.24	276,124	15.60
BH-002-SSADL	K0807136-006	241,067	10.37	305,287	13.23	321,686	15.58

Results flagged with an asterisk (*) indicate values outside control criteria.

Client: Anchor Environmental
Project: Blakely Harbor/080007-01

Service Request: K0807136
Date Analyzed: 08/29/2008
Time Analyzed: 11:15

**Internal Standard Area and RT Summary
 Semi-Volatile Organic Compounds by GC/MS**

File ID: J:\MS17\DATA\082908\0829F003.D
Instrument ID: MS17
Analysis Method: 8270C

Lab Code: KWG0808888-2
Analysis Lot: KWG0808888

	<u>1,4-Dichlorobenzene-d4</u>		<u>Naphthalene-d8</u>		<u>Acenaphthene-d10</u>	
	<u>Area</u>	<u>RT</u>	<u>Area</u>	<u>RT</u>	<u>Area</u>	<u>RT</u>
Results ==>	61,415	6.18	237,302	7.32	138,811	8.96
Upper Limit ==>	122,830	6.68	474,604	7.82	277,622	9.46
Lower Limit ==>	30,708	5.68	118,651	6.82	69,406	8.46
ICAL Result ==>	72,029	6.17	278,245	7.32	165,674	8.95
Associated Analyses						
BH-009,59,10,11-SSA CompDL K0807136-018	64,638	6.18	250,092	7.32	151,479	8.96
BH-009,59,10,11-SSA Comp DupE K0807136-019	66,598	6.18	252,752	7.32	149,696	8.96

Results flagged with an asterisk (*) indicate values outside control criteria.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01

Service Request: K0807136
Date Analyzed: 08/29/2008
Time Analyzed: 11:15

**Internal Standard Area and RT Summary
Semi-Volatile Organic Compounds by GC/MS**

File ID: J:\MS17\DATA\082908\0829F003.D
Instrument ID: MS17
Analysis Method: 8270C

Lab Code: KWG0808888-2
Analysis Lot: KWG0808888

	Phenanthrene-d10		Chrysene-d12		Perylene-d12		
	<u>Area</u>	<u>RT</u>	<u>Area</u>	<u>RT</u>	<u>Area</u>	<u>RT</u>	
Results ==>	236,930	10.37	286,790	13.23	285,621	15.57	
Upper Limit ==>	473,860	10.87	573,580	13.73	571,242	16.07	
Lower Limit ==>	118,465	9.87	143,395	12.73	142,811	15.07	
ICAL Result ==>	262,792	10.36	323,649	13.22	331,302	15.55	
<i>Associated Analyses</i>							
BH-009,59,10,11-SSA CompDL	K0807136-018	251,351	10.37	310,695	13.23	334,249	15.57
BH-009,59,10,11-SSA Comp DupE	K0807136-019	247,056	10.37	304,196	13.23	326,525	15.57

Results flagged with an asterisk (*) indicate values outside control criteria.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request: K0807136
Date Extracted: 08/11/2008
Date Analyzed: 08/27/2008

**Matrix Spike/Duplicate Matrix Spike Summary
Semi-Volatile Organic Compounds by GC/MS**

Sample Name: BH-005,6,7-SSA Comp
Lab Code: K0807136-017
Extraction Method: EPA 3541
Analysis Method: 8270C

Units: ug/Kg
Basis: Dry
Level: Low
Extraction Lot: KWG0807792

Analyte Name	Sample Result	BH-005,6,7-SSA CompMS KWG0807792-1 Matrix Spike			BH-005,6,7-SSA CompDMS KWG0807792-2 Duplicate Matrix Spike			%Rec Limits	RPD	RPD Limit
		Result	Expected	%Rec	Result	Expected	%Rec			
Phenol	180	342	247	65	223	248	18	10-120	42 *	40
1,4-Dichlorobenzene	ND	134	247	54	94.7	248	38	10-105	34	40
1,2,4-Trichlorobenzene	ND	146	247	59	106	248	43	10-102	31	40
Acenaphthene	31	203	247	70	143	248	45	23-106	35	40
Pentachlorophenol	ND	198	247	80	109	248	44	10-146	58 *	40
Pyrene	590	661	247	29	488	248	-41 *	10-146	30	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Dioxins

September 02, 2008

Service Request No: K0807136

Lynda Huckestein
Columbia Analytical Services
1317 South 13th Avenue
Kelso, WA 98626

Laboratory Results for: Blakely Harbor/080007-01

Dear Lynda:

Enclosed are the results of the sample(s) submitted to our laboratory on August 19, 2008. For your reference, these analyses have been assigned our service request number **K0807136**.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report. In accordance to the NELAC 2003 Standard, a statement on the estimated uncertainty of measurement of any quantitative analysis will be supplied upon request.

Please contact me if you have any questions. My direct line is 281-994-2957. You may also contact me via email at JFreemyer@caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.



Jane Freemyer
Project Manager



Certificate of Analysis

19408 Park Row, Suite 320, Houston, TX 77084

Phone (713)266-1599 Fax (713)266-0130

www.caslab.com

An Employee Owned Company

COLUMBIA ANALYTICAL SERVICES, INC

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment

Service Request No.: K0807136
Date Received: 08/19/08

CASE NARRATIVE

All analyses were performed in adherence to the quality assurance program of Columbia Analytical Services, Inc. (CAS). This report contains analytical results for samples designated for Tier IV. When appropriate to the method, method blank results have been reported with each analytical test.

Sample Receipt

Three sediment samples were received for analysis at Columbia Analytical Services on 08/19/08.

The samples were received at 0°C in good condition and are consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4°C upon receipt at the laboratory.

Please note the reporting forms are currently referencing the date CAS-Kelso received the samples (08/02/08) and not the date CAS-Houston received the samples (08/19/08.)

Data Validation Notes and Discussion**B flags – Method Blanks**


The Method Blank EQ0800348-01/U217307 contained low levels of 123678-HxCDD, 1234678-HpCDD, OCDD, 23478-PeCDF, 123478-HxCDF, 1234678-HpCDF and OCDF at or below the Method Reporting Limit (MRL).

The associated compounds in the samples are flagged with 'B' flags.

Y flags – Labeled Standards

Samples that had recoveries of labeled standards outside the acceptance limits are flagged with 'Y' flags on the Labeled Compound summary pages. In all cases, the signal-to-noise ratios are greater than 10:1, making these data acceptable.

Approved by



Date



Xiangqiu Liang, Laboratory Director

MS/MSD

EQ0800348: Laboratory Control Spike/Duplicate Laboratory Control Spike (LCS/DLCS) samples were analyzed and reported in lieu of an MS/DMS for this extraction batch.

The DLCS results for 123678-HxCDD and 1234678-HpCDF were outside the acceptance criteria. Recoveries in the Laboratory Control Sample (LCS) were acceptable, indicating the analytical batch was in control. No further corrective action was appropriate.

C flags – 2378-TCDF Confirmation

Confirmation of the TCDF compound: When 2378-TCDF is detected on the DB-5 column, confirmation analyses are performed on a second column (DB-225.) The results from both the DB-5 column and the DB-225 column are included in this data package.

The valid result for the 2378-TCDF compound is reported from the confirmation column.

The confirmation results have been included on the Total TEQ summary pages.

K flags

EMPC - When the ion abundance ratios associated with a particular compound are outside the QC limits, samples are flagged with a 'K' flag. A 'K' flag indicates an estimated maximum possible concentration for the associated compound.


Detection Limits

Detection limits are calculated for each congener in each sample by measuring the height of the noise level for each quantitation ion for the associated labeled standard. The concentration equivalent to 2.5 times the height of the noise is then calculated using the appropriate response factor and the weight of the sample. The calculated concentration equals the detection limit.

The TEQ Summary results for each sample have been calculated by CAS/Houston to include:

- The 2005 World Health Organization Reevaluation of Human and Mammalian Toxic Equivalency Factors for Dioxins and Dioxin-Like Compounds (M. Van den Berg et al., Toxicological Sciences 93(2):223-241, 2006)
- 2378-TCDF from the DB-225 column, when confirmation required
- Non-detected compounds are not included in the 'Total'

Approved by



Date



Xiangqiu Liang, Laboratory Director

Client: Anchor Environmental
Project: Blakely Harbor/080007-01

Service Request: K0807136⁵

SAMPLE CROSS-REFERENCE

<u>SAMPLE #</u>	<u>CLIENT SAMPLE ID</u>	<u>DATE</u>	<u>TIME</u>
K0807136-001	BH-021-080731	07/31/08	10:45
K0807136-002	BH-022-080731	07/31/08	11:15
K0807136-003	BH-023-080731	07/31/08	11:45
K0807136-004	BH-001-SSA	07/31/08	10:00
K0807136-005	BH-001-SSB	07/31/08	10:15
K0807136-006	BH-002-SSA	07/31/08	10:30
K0807136-007	BH-009-SSA	08/01/08	10:00
K0807136-008	BH-059-SSA	08/01/08	10:05
K0807136-009	BH-010-SSA	08/01/08	10:30
K0807136-010	BH-011-SSA	08/01/08	11:00
K0807136-011	BH-006-SSA	07/31/08	15:20
K0807136-012	BH-008-SSA	07/31/08	16:15
K0807136-013	BH-007-SSA	07/31/08	15:58
K0807136-014	BH-003-SSA	07/31/08	14:00
K0807136-015	BH-005-SSA	07/31/08	14:30
K0807136-016	BH-004-SSA	07/31/08	14:15
K0807136-017	BH-005,6,7-SSA Comp	07/31/08	00:00
K0807136-018	BH-009,59,10,11-SSA Comp	07/31/08	00:00
K0807136-019	BH-009,59,10,11-SSA Comp Dup	07/31/08	00:00

Superset Summary

6

Service Request: K0807136

SuperSet Reference: 08-0000080252 rev 00

8290/PCDD PCDF

Calibrations: 05/30/08 12/10/07

Data Files:

<i>Raw Data</i>	<i>Begin CCAL</i>	<i>Method Blank</i>	<i>Lab ID</i>
C15296#8	C15296#2	C15296#3	K0807136-017
U217287	U217277	U217307	K0807136-017.R01
U217288	U217277	U217307	K0807136-018
U217289	U217277	U217307	K0807136-019
U217290	U217277	U217307	EQ0800348-02
U217291	U217277	U217307	EQ0800348-03
U217307	U217306	U217307	EQ0800348-01

Abbreviations, Acronyms & Definitions

Cal	Calibration
Conc	CONCetration
Dioxin(s)	Polychlorinated dibenzo-p-dioxin(s)
EDL	Estimated Detection Limit
EMPC	Estimated Maximum Possible Concentration
Flags	Data qualifiers
Furan(s)	Polychlorinated dibenzofuran(s)
g	Grams
ICAL	Initial CALibration
ID	IDentifier
Ions	Masses monitored for the analyte during data acquisition
L	Liter (s)
LCS	Laboratory Control Sample
DLCS	Duplicate Laboratory Control Sample
MB	Method Blank
MCL	Method Calibration Limit
MDL	Method Detection Limit
mL	Milliliters
MS	Matrix Spiked sample
DMS	Duplicate Matrix Spiked sample
NO	Number of peaks meeting all identification criteria
PCDD(s)	Polychlorinated dibenzo-p-dioxin(s)
PCDF(s)	Polychlorinated dibenzofuran(s)
ppb	Parts per billion
ppm	Parts per million
ppq	Parts per quadrillion
ppt	Parts per trillion
QA	Quality Assurance
QC	Quality Control
Ratio	Ratio of areas from monitored ions for an analyte
% Rec.	Percent recovery
RPD	Relative Percent Difference
RRF	Relative Response Factor
RT	Retention Time
SDG	Sample Delivery Group
S/N	Signal-to-noise ratio
TEF	Toxicity Equivalence Factor
TEQ	Toxicity Equivalence Quotient

Data Qualifier Flags – Dioxin/Furans

- **B** Indicates the associated analyte is found in the method blank, as well as in the sample.
- **C** Confirmation of the TCDF compound: When 2378-TCDF is detected on the DB-5 column, confirmation analyses are performed on a second column (DB-225). The results from both the DB-5 column and the DB-225 column are included in this data package. The results from the DB-225 analyses should be used to evaluate the 2378-TCDF in the samples. The confirmed result should be used in determining the TEQ value for TCDF.
- **E** Indicates an estimated value – used when the analyte concentration exceeds the upper end of the linear calibration range.
- **J** Indicates an estimated value – used when the analyte concentration is below the method reporting limit (MRL) and above the estimated detection limit (EDL).
- **K** EMPC - When the ion abundance ratios associated with a particular compound are outside the QC limits, samples are flagged with a 'K' flag. A 'K' flag indicates an estimated maximum possible concentration for the associated compound.
- **U** Indicates the compound was analyzed and not detected
- **Y** Samples that had recoveries of labeled standards outside the acceptance limits are flagged with 'Y'. In all cases, the signal-to-noise ratios are greater than 10:1, making these data acceptable.
- **ND** Indicates concentration is reported as 'Not Detected.'
- **S** Peak is saturated; data not reportable.
- **Q** Lock-mass interference by ether compounds.

CAS/HOU - Form Production, Peer Review & Project Review Signatures

SR# Unique ID

First Level - Data Processing - to be filled by person(s) processing the forms

Date	8/27/08	Person 1	LEL
Date		Person 2	

Second Level Data Review - to be filled by person(s) doing peer review

Date	08/28/08	Primary Data Reviewer	JL (-017) -018, -019
Date		Secondary Data Reviewer	

Project Level - Review - to be filled by person doing project compliance review

Date	9/4/8	Reviewer	DF
------	-------	----------	----



Analytical Results

19408 Park Row, Suite 320, Houston, TX 77084

Phone (713)266-1599 Fax (713)266-0130

www.caslab.com

An Employee Owned Company

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

11

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment
 Sample Name: BH-005,6,7-SSA Comp
 Lab Code: K0807136-017

Service Request: K0807136
 Date Collected: 07/31/2008
 Date Received: 08/02/2008

Units: ng/Kg
 Basis: Dry

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Analytical Method: 8290
 Prep Method: Method
 Sample Amount: 10.644g
 Percent Solids: 50.0
 Data File Name: U217287
 ICAL Name: 12/10/07

Date Analyzed: 8/26/08 02:28:00
 Date Extracted: 8/20/08
 Instrument Name: E-HRMS-02
 GC Column: DB-5
 Blank File Name: U217307
 Cal Ver. File Name: U217277

Analyte Name	Result	Q	EDL	MRL	Ion Ratio	RRT	Dilution Factor
2,3,7,8-TCDD	0.300	JK	0.0551	1.88	0.47	1.001	1
1,2,3,7,8-PeCDD	0.684	J	0.0986	4.70	1.71	1.000	1
1,2,3,4,7,8-HxCDD	0.439	JK	0.322	4.70	0.82	0.998	1
1,2,3,6,7,8-HxCDD	1.69	BJ	0.319	4.70	1.19	1.000	1
1,2,3,7,8,9-HxCDD	1.75	J	0.323	4.70	1.14	1.009	1
1,2,3,4,6,7,8-HpCDD	28.5	B	1.04	4.70	1.01	1.000	1
OCDD	230	B	0.406	9.39	0.88	1.000	1
2,3,7,8-TCDF	2.48	C	0.0398	1.88	0.78	1.001	1
1,2,3,7,8-PeCDF	0.719	J	0.0644	4.70	1.78	1.001	1
2,3,4,7,8-PeCDF	0.819	BJ	0.0633	4.70	1.45	1.023	1
1,2,3,4,7,8-HxCDF	1.29	BJ	0.201	4.70	1.35	1.000	1
1,2,3,6,7,8-HxCDF	0.498	JK	0.210	4.70	1.69	1.003	1
1,2,3,7,8,9-HxCDF	ND	U	0.259	4.70			1
2,3,4,6,7,8-HxCDF	0.622	J	0.222	4.70	1.35	1.017	1
1,2,3,4,6,7,8-HpCDF	4.55	BJ	0.340	4.70	1.07	1.000	1
1,2,3,4,7,8,9-HpCDF	ND	U	0.445	4.70			1
OCDF	10.9	B	0.261	9.39	0.89	1.004	1
Total Tetra-Dioxins	26.7		0.0551	1.88	0.76		1
Total Penta-Dioxins	10.1		0.0986	4.70	1.60		1
Total Hexa-Dioxins	26.9		0.319	4.70	1.31		1
Total Hepta-Dioxins	76.8		1.04	4.70	1.05		1
Total Tetra-Furans	10.9		0.0398	1.88	0.79		1
Total Penta-Furans	7.86		0.0633	4.70	1.61		1
Total Hexa-Furans	6.99		0.210	4.70	1.31		1
Total Hepta-Furans	11.5		0.340	4.70	1.07		1

Comments

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment
 Sample Name: BH-005,6,7-SSA Comp
 Lab Code: K0807136-017

Service Request: K0807136
 Date Collected: 07/31/2008
 Date Received: 08/02/2008
 Units: Percent
 Basis: Dry

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Analytical Method: 8290
 Prep Method: Method
 Sample Amount: 10.644g
 Percent Solids: 50.0
 Data File Name: U217287
 ICAL Name: 12/10/07

Date Analyzed: 8/26/08 02:28:06
 Date Extracted: 8/20/08
 Instrument Name: E-HRMS-02
 GC Column: DB-5
 Blank File Name: U217307
 Cal Ver. File Name: U217277

Labeled Compounds	Spike Conc.(pg)	Conc. Found (pg)	%Rec	Q	Control Limits	Ion Ratio	RRT
13C-2,3,7,8-TCDD	1000	806.858	81		40-135	0.80	1.008
13C-1,2,3,7,8-PeCDD	1000	980.304	98		40-135	1.58	1.169
13C-1,2,3,6,7,8-HxCDD	2500	1709.830	68		40-135	1.26	0.992
13C-1,2,3,4,6,7,8-HpCDD	2500	1734.161	69		40-135	1.03	1.069
13C-OCDD	5000	2642.426	53		40-135	0.92	1.152
13C-2,3,7,8-TCDF	1000	694.585	69		40-135	0.80	0.979
13C-1,2,3,7,8-PeCDF	1000	925.140	93		40-135	1.60	1.131
13C-1,2,3,4,7,8-HxCDF	2500	1953.986	78		40-135	0.54	0.971
13C-1,2,3,4,6,7,8-HpCDF	2500	1760.414	70		40-135	0.45	1.045
37Cl-2,3,7,8-TCDD	800	726.321	91		40-135	NA	1.009

Comments

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

13

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment
 Sample Name: BH-005,6,7-SSA Comp
 Lab Code: K0807136-017

Service Request: K0807136
 Date Collected: 07/31/2008
 Date Received: 08/02/2008

Units: ng/Kg
 Basis: Dry

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Analytical Method: 8290
 Prep Method: Method

Analyte Name	Result	DL	Dilution Factor	TEF	TEF - Adjusted Concentration
2,3,7,8-TCDD	0.300	0.0551	1	1	0.300
1,2,3,7,8-PeCDD	0.684	0.0986	1	1	0.684
1,2,3,4,7,8-HxCDD	0.439	0.322	1	0.1	0.0439
1,2,3,6,7,8-HxCDD	1.69	0.319	1	0.1	0.169
1,2,3,7,8,9-HxCDD	1.75	0.323	1	0.1	0.175
1,2,3,4,6,7,8-HpCDD	28.5	1.04	1	0.01	0.285
OCDD	230	0.406	1	0.0003	0.0690
2,3,7,8-TCDF	ND	0.707	1	0.1	
1,2,3,7,8-PeCDF	0.719	0.0644	1	0.03	0.0216
2,3,4,7,8-PeCDF	0.819	0.0633	1	0.3	0.246
1,2,3,4,7,8-HxCDF	1.29	0.201	1	0.1	0.129
1,2,3,6,7,8-HxCDF	0.498	0.210	1	0.1	0.0498
1,2,3,7,8,9-HxCDF	ND	0.259	1	0.1	
2,3,4,6,7,8-HxCDF	0.622	0.222	1	0.1	0.0622
1,2,3,4,6,7,8-HpCDF	4.55	0.340	1	0.01	0.0455
1,2,3,4,7,8,9-HpCDF	ND	0.445	1	0.01	
OCDF	10.9	0.261	1	0.0003	0.00327
Total TEQ					2.28

2005 WHO TEFs, ND = 0

Comments

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

14

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment
 Sample Name: BH-005,6,7-SSA CompRE
 Lab Code: K0807136-017

Service Request: K0807136
 Date Collected: 07/31/2008
 Date Received: 08/02/2008
 Units: ng/Kg
 Basis: Dry

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Analytical Method: 8290
 Prep Method: Method
 Sample Amount: 10.644g
 Percent Solids: 50.0
 Data File Name: C15296#8
 ICAL Name: 05/30/08

Date Analyzed: 8/27/08 11:47:00
 Date Extracted: 8/20/08
 Instrument Name: E-HRMS-70
 GC Column: DB-225
 Blank File Name: C15296#3
 Cal Ver. File Name: C15296#2

Analyte Name	Result Q	EDL	MRL	Ion Ratio	RRT	Dilution Factor
2,3,7,8-TCDF	ND U	0.707	1.88			1

Labeled Compounds	Spike Conc.(pg)	Conc. Found (pg)	%Rec Q	Control Limits	Ion Ratio	RRT
13C-2,3,7,8-TCDF	1000	739.934	74	40-135	0.75	1.054
37Cl-2,3,7,8-TCDD	800	722.670	90	~40-135	NA	0.989

Comments

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

15

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment
 Sample Name: BH-009,59,10,11-SSA Comp
 Lab Code: K0807136-018

Service Request: K0807136
 Date Collected: 07/31/2008
 Date Received: 08/02/2008

Units: ng/Kg
 Basis: Dry

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Analytical Method: 8290
 Prep Method: Method
 Sample Amount: 10.275g
 Percent Solids: 34.7
 Data File Name: U217288
 ICAL Name: 12/10/07

Date Analyzed: 8/26/08 03:16:00
 Date Extracted: 8/20/08
 Instrument Name: E-HRMS-02
 GC Column: DB-5
 Blank File Name: U217307
 Cal Ver. File Name: U217277

Analyte Name	Result Q	EDL	MRL	Ion Ratio	RRT	Dilution Factor
2,3,7,8-TCDD	ND U	0.0768	2.80			1
1,2,3,7,8-PeCDD	ND U	0.248	7.01			1
1,2,3,4,7,8-HxCDD	ND U	0.462	7.01			1
1,2,3,6,7,8-HxCDD	0.753 BJ	0.457	7.01	1.17	1.000	1
1,2,3,7,8,9-HxCDD	0.768 JK	0.463	7.01	0.90	1.008	1
1,2,3,4,6,7,8-HpCDD	10.4 B	3.19	7.01	0.99	1.001	1
OCDD	39.1 B	0.622	14.0	0.90	1.000	1
2,3,7,8-TCDF	ND U	0.0463	2.80			1
1,2,3,7,8-PeCDF	ND U	0.0956	7.01			1
2,3,4,7,8-PeCDF	ND U	0.0940	7.01			1
1,2,3,4,7,8-HxCDF	ND U	0.412	7.01			1
1,2,3,6,7,8-HxCDF	ND U	0.430	7.01			1
1,2,3,7,8,9-HxCDF	ND U	0.531	7.01			1
2,3,4,6,7,8-HxCDF	ND U	0.454	7.01			1
1,2,3,4,6,7,8-HpCDF	1.40 BJ	0.673	7.01	1.05	1.000	1
1,2,3,4,7,8,9-HpCDF	ND U	0.882	7.01			1
OCDF	3.57 BJK	0.409	14.0	0.75	1.004	1
Total Tetra-Dioxins	ND U	0.0768	2.80			1
Total Penta-Dioxins	ND U	0.248	7.01			1
Total Hexa-Dioxins	3.16 J	0.457	7.01	1.19		1
Total Hepta-Dioxins	21.0	3.19	7.01	1.07		1
Total Tetra-Furans	ND U	0.0463	2.80			1
Total Penta-Furans	0.448 J	0.0940	7.01	1.57		1
Total Hexa-Furans	0.937 J	0.430	7.01	1.22		1
Total Hepta-Furans	5.61 J	0.673	7.01	1.05		1

Comments

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment
 Sample Name: BH-009,59,10,11-SSA Comp
 Lab Code: K0807136-018

Service Request: K0807136
 Date Collected: 07/31/2008
 Date Received: 08/02/2008
 Units: Percent
 Basis: Dry

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Analytical Method: 8290
 Prep Method: Method
 Sample Amount: 10.275g
 Percent Solids: 34.7
 Data File Name: U217288
 ICAL Name: 12/10/07

Date Analyzed: 8/26/08 03:16:04
 Date Extracted: 8/20/08
 Instrument Name: E-HRMS-02
 GC Column: DB-5
 Blank File Name: U217307
 Cal Ver. File Name: U217277

Labeled Compounds	Spike Conc.(pg)	Conc. Found (pg)	%Rec	Q	Control Limits	Ion Ratio	RRT
13C-2,3,7,8-TCDD	1000	739.740	74		40-135	0.80	1.008
13C-1,2,3,7,8-PeCDD	1000	934.642	93		40-135	1.57	1.169
13C-1,2,3,6,7,8-HxCDD	2500	1528.433	61		40-135	1.28	0.992
13C-1,2,3,4,6,7,8-HpCDD	2500	1681.905	67		40-135	1.04	1.069
13C-OCDD	5000	2775.325	56		40-135	0.89	1.152
13C-2,3,7,8-TCDF	1000	672.330	67		40-135	0.79	0.979
13C-1,2,3,7,8-PeCDF	1000	890.207	89		40-135	1.62	1.131
13C-1,2,3,4,7,8-HxCDF	2500	1679.392	67		40-135	0.53	0.972
13C-1,2,3,4,6,7,8-HpCDF	2500	1705.274	68		40-135	0.44	1.045
37Cl-2,3,7,8-TCDD	800	667.871	83		40-135	NA	1.009

Comments

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

17

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment
 Sample Name: BH-009,59,10,11-SSA Comp
 Lab Code: K0807136-018

Service Request: K0807136
 Date Collected: 07/31/2008
 Date Received: 08/02/2008

Units: ng/Kg
 Basis: Dry

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Analytical Method: 8290
 Prep Method: Method

Analyte Name	Result	DL	Dilution Factor	TEF	TEF - Adjusted Concentration
2,3,7,8-TCDD	ND	0.0768	1	1	
1,2,3,7,8-PeCDD	ND	0.248	1	1	
1,2,3,4,7,8-HxCDD	ND	0.462	1	0.1	
1,2,3,6,7,8-HxCDD	0.753	0.457	1	0.1	0.0753
1,2,3,7,8,9-HxCDD	0.768	0.463	1	0.1	0.0768
1,2,3,4,6,7,8-HpCDD	10.4	3.19	1	0.01	0.104
OCDD	39.1	0.622	1	0.0003	0.0117
2,3,7,8-TCDF	ND	0.0463	1	0.1	
1,2,3,7,8-PeCDF	ND	0.0956	1	0.03	
2,3,4,7,8-PeCDF	ND	0.0940	1	0.3	
1,2,3,4,7,8-HxCDF	ND	0.412	1	0.1	
1,2,3,6,7,8-HxCDF	ND	0.430	1	0.1	
1,2,3,7,8,9-HxCDF	ND	0.531	1	0.1	
2,3,4,6,7,8-HxCDF	ND	0.454	1	0.1	
1,2,3,4,6,7,8-HpCDF	1.40	0.673	1	0.01	0.0140
1,2,3,4,7,8,9-HpCDF	ND	0.882	1	0.01	
OCDF	3.57	0.409	1	0.0003	0.00107
Total TEQ					0.283

2005 WHO TEFs, ND = 0

Comments

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment
 Sample Name: BH-009,59,10,11-SSA Comp Dup
 Lab Code: K0807136-019

Service Request: K0807136
 Date Collected: 07/31/2008
 Date Received: 08/02/2008

Units: ng/Kg
 Basis: Dry

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Analytical Method: 8290
 Prep Method: Method
 Sample Amount: 10.177g
 Percent Solids: 31.9
 Data File Name: U217289
 ICAL Name: 12/10/07

Date Analyzed: 8/26/08 04:03:00
 Date Extracted: 8/20/08
 Instrument Name: E-HRMS-02
 GC Column: DB-5
 Blank File Name: U217307
 Cal Ver. File Name: U217277

Analyte Name	Result Q	EDL	MRL	Ion Ratio	RRT	Dilution Factor
2,3,7,8-TCDD	ND U	0.0607	3.08			1
1,2,3,7,8-PeCDD	ND U	0.169	7.70			1
1,2,3,4,7,8-HxCDD	ND U	0.513	7.70			1
1,2,3,6,7,8-HxCDD	0.513 BJK	0.509	7.70	0.85	1.000	1
1,2,3,7,8,9-HxCDD	ND U	0.515	7.70			1
1,2,3,4,6,7,8-HpCDD	9.43 B	1.18	7.70	1.00	1.000	1
OCDD	23.2 B	0.645	15.4	0.94	1.000	1
2,3,7,8-TCDF	ND U	0.0650	3.08			1
1,2,3,7,8-PeCDF	ND U	0.204	7.70			1
2,3,4,7,8-PeCDF	ND U	0.200	7.70			1
1,2,3,4,7,8-HxCDF	ND U	0.292	7.70			1
1,2,3,6,7,8-HxCDF	ND U	0.305	7.70			1
1,2,3,7,8,9-HxCDF	ND U	0.377	7.70			1
2,3,4,6,7,8-HxCDF	ND U	0.323	7.70			1
1,2,3,4,6,7,8-HpCDF	0.992 BJ	0.586	7.70	0.97	1.000	1
1,2,3,4,7,8,9-HpCDF	ND U	0.768	7.70			1
OCDF	2.82 BJ	0.428	15.4	0.90	1.004	1
Total Tetra-Dioxins	ND U	0.0607	3.08			1
Total Penta-Dioxins	ND U	0.169	7.70			1
Total Hexa-Dioxins	2.48 J	0.509	7.70	1.24		1
Total Hepta-Dioxins	16.9	1.18	7.70	1.10		1
Total Tetra-Furans	ND U	0.0650	3.08			1
Total Penta-Furans	ND U	0.200	7.70			1
Total Hexa-Furans	1.36 J	0.305	7.70	1.27		1
Total Hepta-Furans	3.93 J	0.586	7.70	0.97		1

Comments

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

19

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment
 Sample Name: BH-009,59,10,11-SSA Comp Dup
 Lab Code: K0807136-019

Service Request: K0807136
 Date Collected: 07/31/2008
 Date Received: 08/02/2008
 Units: Percent
 Basis: Dry

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Analytical Method: 8290
 Prep Method: Method
 Sample Amount: 10.177g
 Percent Solids: 31.9
 Data File Name: U217289
 ICAL Name: 12/10/07

Date Analyzed: 8/26/08 04:03:00
 Date Extracted: 8/20/08
 Instrument Name: E-HRMS-02
 GC Column: DB-5
 Blank File Name: U217307
 Cal Ver. File Name: U217277

Labeled Compounds	Spike Conc.(pg)	Conc. Found (pg)	%Rec	Q	Control Limits	Ion Ratio	RRT
13C-2,3,7,8-TCDD	1000	760.255	76		40-135	0.79	1.008
13C-1,2,3,7,8-PeCDD	1000	841.624	84		40-135	1.61	1.169
13C-1,2,3,6,7,8-HxCDD	2500	1571.867	63		40-135	1.28	0.992
13C-1,2,3,4,6,7,8-HpCDD	2500	1787.525	72		40-135	1.05	1.069
13C-OCDD	5000	3026.134	61		40-135	0.92	1.152
13C-2,3,7,8-TCDF	1000	655.267	66		40-135	0.81	0.979
13C-1,2,3,7,8-PeCDF	1000	835.567	84		40-135	1.63	1.131
13C-1,2,3,4,7,8-HxCDF	2500	1619.074	65		40-135	0.53	0.971
13C-1,2,3,4,6,7,8-HpCDF	2500	1765.258	71		40-135	0.46	1.045
37Cl-2,3,7,8-TCDD	800	676.031	85		40-135	NA	1.009

Comments

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

20

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment
 Sample Name: BH-009,59,10,11-SSA Comp Dup
 Lab Code: K0807136-019

Service Request: K0807136
 Date Collected: 07/31/2008
 Date Received: 08/02/2008
 Units: ng/Kg
 Basis: Dry

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Analytical Method: 8290
 Prep Method: Method

Analyte Name	Result	DL	Dilution Factor	TEF	TEF - Adjusted Concentration
2,3,7,8-TCDD	ND	0.0607	1	1	
1,2,3,7,8-PeCDD	ND	0.169	1	1	
1,2,3,4,7,8-HxCDD	ND	0.513	1	0.1	
1,2,3,6,7,8-HxCDD	0.513	0.509	1	0.1	0.0513
1,2,3,7,8,9-HxCDD	ND	0.515	1	0.1	
1,2,3,4,6,7,8-HpCDD	9.43	1.18	1	0.01	0.0943
OCDD	23.2	0.645	1	0.0003	0.00696
2,3,7,8-TCDF	ND	0.0650	1	0.1	
1,2,3,7,8-PeCDF	ND	0.204	1	0.03	
2,3,4,7,8-PeCDF	ND	0.200	1	0.3	
1,2,3,4,7,8-HxCDF	ND	0.292	1	0.1	
1,2,3,6,7,8-HxCDF	ND	0.305	1	0.1	
1,2,3,7,8,9-HxCDF	ND	0.377	1	0.1	
2,3,4,6,7,8-HxCDF	ND	0.323	1	0.1	
1,2,3,4,6,7,8-HpCDF	0.992	0.586	1	0.01	0.00992
1,2,3,4,7,8,9-HpCDF	ND	0.768	1	0.01	
OCDF	2.82	0.428	1	0.0003	0.000846
Total TEQ					0.163

2005 WHO TEFs, ND = 0

Comments

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment
 Sample Name: Method Blank
 Lab Code: EQ0800348-01

Service Request: K0807136
 Date Collected: NA
 Date Received: NA
 Units: ng/Kg
 Basis: Dry

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Analytical Method: 8290
 Prep Method: Method
 Sample Amount: 10.000g
 Percent Solids:
 Data File Name: U217307
 ICAL Name: 12/10/07

Date Analyzed: 8/27/08 09:06:04
 Date Extracted: 8/20/08
 Instrument Name: E-HRMS-02
 GC Column: DB-5
 Blank File Name: U217307
 Cal Ver. File Name: U217306

Analyte Name	Result	Q	EDL	MRL	Ion Ratio	RRT	Dilution Factor
2,3,7,8-TCDD	ND	U	0.0485	1.00			1
1,2,3,7,8-PeCDD	ND	U	0.0500	2.50			1
1,2,3,4,7,8-HxCDD	ND	U	0.0654	2.50			1
1,2,3,6,7,8-HxCDD	0.159	JK	0.0648	2.50	1.04	1.000	1
1,2,3,7,8,9-HxCDD	ND	U	0.0656	2.50			1
1,2,3,4,6,7,8-HpCDD	0.872	J	0.364	2.50	0.91	1.000	1
OCDD	2.44	J	0.0742	5.00	0.99	1.000	1
2,3,7,8-TCDF	ND	U	0.0828	1.00			1
1,2,3,7,8-PeCDF	ND	U	0.0595	2.50			1
2,3,4,7,8-PeCDF	0.132	J	0.0585	2.50	1.45	1.024	1
1,2,3,4,7,8-HxCDF	0.440	J	0.0594	2.50	1.28	1.001	1
1,2,3,6,7,8-HxCDF	ND	U	0.0620	2.50			1
1,2,3,7,8,9-HxCDF	ND	U	0.0766	2.50			1
2,3,4,6,7,8-HxCDF	ND	U	0.0655	2.50			1
1,2,3,4,6,7,8-HpCDF	0.698	J	0.114	2.50	1.00	1.000	1
1,2,3,4,7,8,9-HpCDF	ND	U	0.149	2.50			1
OCDF	0.563	J	0.107	5.00	0.88	1.004	1
Total Tetra-Dioxins	ND	U	0.0485	1.00			1
Total Penta-Dioxins	0.287	J	0.0500	2.50	1.65		1
Total Hexa-Dioxins	1.16	J	0.0648	2.50	1.09		1
Total Hepta-Dioxins	0.872	J	0.364	2.50	0.91		1
Total Tetra-Furans	ND	U	0.0828	1.00			1
Total Penta-Furans	0.444	J	0.0585	2.50	1.59		1
Total Hexa-Furans	0.903	J	0.0620	2.50	1.37		1
Total Hepta-Furans	0.698	J	0.114	2.50	1.00		1

Comments

Client: Anchor Environmental
Project: Blakely Harbor/080007-01
Sample Matrix: Sediment
Sample Name: Method Blank
Lab Code: EQ0800348-01

Service Request: K0807136
Date Collected: NA
Date Received: NA
Units: Percent
Basis: Dry

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Analytical Method: 8290
Prep Method: Method
Sample Amount: 10.000g
Percent Solids:
Data File Name: U217307
ICAL Name: 12/10/07

Date Analyzed: 8/27/08 09:06:00
Date Extracted: 8/20/08
Instrument Name: E-HRMS-02
GC Column: DB-5
Blank File Name: U217307
Cal Ver. File Name: U217306

Labeled Compounds	Spike Conc.(pg)	Conc. Found (pg)	%Rec	Q	Control Limits	Ion Ratio	RRT
13C-2,3,7,8-TCDD	1000	658.818	66		40-135	0.78	1.008
13C-1,2,3,7,8-PeCDD	1000	829.059	83		40-135	1.61	1.169
13C-1,2,3,6,7,8-HxCDD	2500	1766.969	71		40-135	1.24	0.992
13C-1,2,3,4,6,7,8-HpCDD	2500	2087.428	83		40-135	1.07	1.069
13C-OCDD	5000	2994.985	60		40-135	0.90	1.152
13C-2,3,7,8-TCDF	1000	546.234	55		40-135	0.81	0.978
13C-1,2,3,7,8-PeCDF	1000	768.742	77		40-135	1.61	1.130
13C-1,2,3,4,7,8-HxCDF	2500	1903.883	76		40-135	0.55	0.971
13C-1,2,3,4,6,7,8-HpCDF	2500	2110.646	84		40-135	0.46	1.045
37Cl-2,3,7,8-TCDD	800	592.552	74		40-135	NA	1.008

Comments



Accuracy and Precision

19408 Park Row, Suite 320, Houston, TX 77084

Phone (713)266-1599 Fax (713)266-0130

www.caslab.com

An Employee Owned Company

QA/QC Report

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment

Service Request: K0807136
 Date Analyzed: 08/26/2008

Lab Control Sample Summary

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Sample Name: Lab Control Sample
 Lab Code: EQ0800348-02

Units: ng/Kg
 Basis: Dry

Analytical Method: 8290
 Prep Method: Method

Extraction Lot: 72292

Analyte Name	Lab Control Sample			Duplicate Lab Control Sample			% Rec Limits	RPD	RPD Limit
	Result	Expected	% Rec	Result	Expected	% Rec			
2,3,7,8-TCDD	26.5	20.0	133	26.6	20.0	133	87 - 135	0	20
1,2,3,7,8-PeCDD	61.2	50.0	122	63.4	50.0	127	88 - 135	4	20
1,2,3,4,7,8-HxCDD	56.1	50.0	112	56.6	50.0	113	81 - 138	1	20
1,2,3,6,7,8-HxCDD	66.4	50.0	133	68.3	50.0	137 *	82 - 136	3	20
1,2,3,7,8,9-HxCDD	60.9	50.0	122	60.3	50.0	121	77 - 135	1	20
1,2,3,4,6,7,8-HpCDD	66.4	50.0	133	64.9	50.0	130	93 - 144	2	20
OCDD	133	100	133	134	100	134	93 - 162	1	20
2,3,7,8-TCDF	25.5	20.0	128	25.6	20.0	128	82 - 141	0	20
1,2,3,7,8-PeCDF	63.1	50.0	126	64.7	50.0	129	92 - 139	2	20
2,3,4,7,8-PeCDF	64.0	50.0	128	63.4	50.0	127	74 - 145	1	20
1,2,3,4,7,8-HxCDF	62.5	50.0	125	63.1	50.0	126	86 - 142	1	20
1,2,3,6,7,8-HxCDF	70.5	50.0	141	71.7	50.0	143	88 - 162	1	20
1,2,3,7,8,9-HxCDF	58.3	50.0	117	49.9	50.0	100	66 - 156	16	20
2,3,4,6,7,8-HxCDF	61.3	50.0	123	64.2	50.0	128	80 - 150	4	20
1,2,3,4,6,7,8-HpCDF	60.4	50.0	121	65.8	50.0	132 *	91 - 131	9	20
1,2,3,4,7,8,9-HpCDF	63.3	50.0	127	62.6	50.0	125	69 - 169	2	20
OCDF	132	100	132	134	100	134	82 - 200	2	20

Comments

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

25

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment
 Sample Name: Lab Control Sample
 Lab Code: EQ0800348-02

Service Request: K0807136
 Date Collected: NA
 Date Received: NA
 Units: ng/Kg
 Basis: Dry

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Analytical Method: 8290
 Prep Method: Method
 Sample Amount: 10.000g
 Percent Solids:
 Data File Name: U217290
 ICAL Name: 12/10/07

Date Analyzed: 8/26/08 04:51:00
 Date Extracted: 8/20/08
 Instrument Name: E-HRMS-02
 GC Column: DB-5
 Blank File Name: U217307
 Cal Ver. File Name: U217277

Analyte Name	Result	Q	EDL	MRL	Ion Ratio	RRT	Dilution Factor
2,3,7,8-TCDD	26.5		0.0294	1.00	0.78	1.001	1
1,2,3,7,8-PeCDD	61.2		0.0533	2.50	1.64	1.000	1
1,2,3,4,7,8-HxCDD	56.1		0.166	2.50	1.28	0.998	1
1,2,3,6,7,8-HxCDD	66.4		0.165	2.50	1.28	1.000	1
1,2,3,7,8,9-HxCDD	60.9		0.167	2.50	1.25	1.009	1
1,2,3,4,6,7,8-HpCDD	66.4		0.338	2.50	1.07	1.000	1
OCDD	133		0.216	5.00	0.91	1.000	1
2,3,7,8-TCDF	25.5		0.0365	1.00	0.77	1.001	1
1,2,3,7,8-PeCDF	63.1		0.0441	2.50	1.55	1.001	1
2,3,4,7,8-PeCDF	64.0		0.0433	2.50	1.57	1.024	1
1,2,3,4,7,8-HxCDF	62.5		0.101	2.50	1.25	1.000	1
1,2,3,6,7,8-HxCDF	70.5		0.105	2.50	1.23	1.003	1
1,2,3,7,8,9-HxCDF	58.3		0.130	2.50	1.26	1.036	1
2,3,4,6,7,8-HxCDF	61.3		0.111	2.50	1.25	1.017	1
1,2,3,4,6,7,8-HpCDF	60.4		0.326	2.50	1.04	1.000	1
1,2,3,4,7,8,9-HpCDF	63.3		0.427	2.50	1.04	1.034	1
OCDF	132		0.136	5.00	0.89	1.004	1
Total Tetra-Dioxins	26.5		0.0294	1.00	0.78		1
Total Penta-Dioxins	61.2		0.0533	2.50	1.64		1
Total Hexa-Dioxins	183		0.165	2.50	1.28		1
Total Hepta-Dioxins	68.7		0.338	2.50	1.03		1
Total Tetra-Furans	26.0		0.0365	1.00	0.74		1
Total Penta-Furans	128		0.0433	2.50	1.57		1
Total Hexa-Furans	253		0.105	2.50	1.25		1
Total Hepta-Furans	125		0.326	2.50	1.04		1

Comments -

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment
 Sample Name: Lab Control Sample
 Lab Code: EQ0800348-02

Service Request: K0807136
 Date Collected: NA
 Date Received: NA
 Units: Percent
 Basis: Dry

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Analytical Method: 8290
 Prep Method: Method
 Sample Amount: 10.000g
 Percent Solids:
 Data File Name: U217290
 ICAL Name: 12/10/07

Date Analyzed: 8/26/08 04:51:00
 Date Extracted: 8/20/08
 Instrument Name: E-HRMS-02
 GC Column: DB-5
 Blank File Name: U217307
 Cal Ver. File Name: U217277

Labeled Compounds	Spike Conc.(pg)	Conc. Found (pg)	%Rec	Q	Control Limits	Ion Ratio	RRT
13C-2,3,7,8-TCDD	1000	595.240	60		40-135	0.75	1.008
13C-1,2,3,7,8-PeCDD	1000	795.328	80		40-135	1.57	1.169
13C-1,2,3,6,7,8-HxCDD	2500	1756.659	70		40-135	1.26	0.992
13C-1,2,3,4,6,7,8-HpCDD	2500	1780.232	71		40-135	1.05	1.069
13C-OCDD	5000	2671.801	53		40-135	0.93	1.152
13C-2,3,7,8-TCDF	1000	537.701	54		40-135	0.80	0.979
13C-1,2,3,7,8-PeCDF	1000	763.578	76		40-135	1.66	1.131
13C-1,2,3,4,7,8-HxCDF	2500	1686.110	67		40-135	0.53	0.971
13C-1,2,3,4,6,7,8-HpCDF	2500	1896.988	76		40-135	0.46	1.045
37Cl-2,3,7,8-TCDD	800	548.916	69		40-135	NA	1.009

Comments

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

27

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment
 Sample Name: Lab Control Sample Dup
 Lab Code: EQ0800348-03

Service Request: K0807136
 Date Collected: NA
 Date Received: NA
 Units: ng/Kg
 Basis: Dry

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Analytical Method: 8290
 Prep Method: Method
 Sample Amount: 10.000g
 Percent Solids:
 Data File Name: U217291
 ICAL Name: 12/10/07

Date Analyzed: 8/26/08 05:39:01
 Date Extracted: 8/20/08
 Instrument Name: E-HRMS-02
 GC Column: DB-5
 Blank File Name: U217307
 Cal Ver. File Name: U217277

Analyte Name	Result	Q	EDL	MRL	Ion Ratio	RRT	Dilution Factor
2,3,7,8-TCDD	26.6		0.0297	1.00	0.82	1.001	1
1,2,3,7,8-PeCDD	63.4		0.0625	2.50	1.62	1.000	1
1,2,3,4,7,8-HxCDD	56.6		0.177	2.50	1.25	0.998	1
1,2,3,6,7,8-HxCDD	68.3		0.175	2.50	1.29	1.000	1
1,2,3,7,8,9-HxCDD	60.3		0.177	2.50	1.27	1.009	1
1,2,3,4,6,7,8-HpCDD	64.9		1.67	2.50	1.07	1.000	1
OCDD	134		0.335	5.00	0.92	1.000	1
2,3,7,8-TCDF	25.6		0.0247	1.00	0.78	1.001	1
1,2,3,7,8-PeCDF	64.7		0.0270	2.50	1.57	1.001	1
2,3,4,7,8-PeCDF	63.4		0.0266	2.50	1.52	1.023	1
1,2,3,4,7,8-HxCDF	63.1		0.0977	2.50	1.23	1.000	1
1,2,3,6,7,8-HxCDF	71.7		0.102	2.50	1.20	1.003	1
1,2,3,7,8,9-HxCDF	49.9		0.126	2.50	1.21	1.036	1
2,3,4,6,7,8-HxCDF	64.2		0.108	2.50	1.23	1.017	1
1,2,3,4,6,7,8-HpCDF	65.8		0.983	2.50	1.03	1.000	1
1,2,3,4,7,8,9-HpCDF	62.6		1.29	2.50	1.05	1.034	1
OCDF	134		0.180	5.00	0.89	1.004	1
Total Tetra-Dioxins	26.6		0.0297	1.00	0.82		1
Total Penta-Dioxins	63.4		0.0625	2.50	1.62		1
Total Hexa-Dioxins	185		0.175	2.50	1.25		1
Total Hepta-Dioxins	64.9		1.67	2.50	1.07		1
Total Tetra-Furans	25.6		0.0247	1.00	0.78		1
Total Penta-Furans	129		0.0266	2.50	1.57		1
Total Hexa-Furans	249		0.102	2.50	1.23		1
Total Hepta-Furans	128		0.983	2.50	1.03		1

Comments

Client: Anchor Environmental
 Project: Blakely Harbor/080007-01
 Sample Matrix: Sediment
 Sample Name: Lab Control Sample Dup
 Lab Code: EQ0800348-03

Service Request: K0807136
 Date Collected: NA
 Date Received: NA
 Units: Percent
 Basis: Dry

Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans by HRGC/HRMS

Analytical Method: 8290
 Prep Method: Method
 Sample Amount: 10.000g
 Percent Solids:
 Data File Name: U217291
 ICAL Name: 12/10/07

Date Analyzed: 8/26/08 05:39:00
 Date Extracted: 8/20/08
 Instrument Name: E-HRMS-02
 GC Column: DB-5
 Blank File Name: U217307
 Cal Ver. File Name: U217277

Labeled Compounds	Spike Conc.(pg)	Conc. Found (pg)	%Rec	Q	Control Limits	Ion Ratio	RRT
13C-2,3,7,8-TCDD	1000	655.361	66		40-135	0.77	1.008
13C-1,2,3,7,8-PeCDD	1000	782.321	78		40-135	1.56	1.169
13C-1,2,3,6,7,8-HxCDD	2500	1817.046	73		40-135	1.26	0.992
13C-1,2,3,4,6,7,8-HpCDD	2500	1851.044	74		40-135	1.07	1.069
13C-OCDD	5000	2677.510	54		40-135	0.93	1.152
13C-2,3,7,8-TCDF	1000	566.494	57		40-135	0.78	0.979
13C-1,2,3,7,8-PeCDF	1000	764.133	76		40-135	1.58	1.131
13C-1,2,3,4,7,8-HxCDF	2500	1761.597	70		40-135	0.53	0.971
13C-1,2,3,4,6,7,8-HpCDF	2500	1946.875	78		40-135	0.45	1.045
37Cl-2,3,7,8-TCDD	800	605.223	76		40-135	NA	1.009

Comments



Chain of Custody

19408 Park Row, Suite 320, Houston, TX 77084
Phone (713)266-1599 Fax (713)266-0130
www.caslab.com

An Employee Owned Company

Intra-Network Chain of Custody

1317 South 13th Avenue • Kelso, WA 98626 • 360-577-7222 • FAX 360-636-1068

CAS Contact: Lynda Huckestein

Project Name: Blakely Harbor
 Project Number: 080007-01
 Project Manager: Delaney Peterson
 Company: Anchor Environmental

Lab Code	Client Sample ID	# of Cont.	Matrix	Sample		Date Received	Send To
				Date	Time		
K0807136-017	BH-005,6,7-SSA Comp	1	Sediment	07/31/08	0000	08/02/08	HOUSTON
K0807136-018	BH-009,59,10,11-SSA Comp	1	Sediment	07/31/08	0000	08/02/08	HOUSTON
K0807136-019	BH-009,59,10,11-SSA Comp	1	Sediment	07/31/08	0000	08/02/08	HOUSTON

PCDD PCDF
8290

Folder Comments:
~~080007-01~~
 8/10/08
 2

3495

Special Instructions/Comments	Turnaround Requirements <input type="checkbox"/> RUSH (Surcharges Apply) PLEASE CIRCLE WORK DAYS 1 2 3 4 5 <input checked="" type="checkbox"/> STANDARD Requested FAX Date: _____ Requested Report Date: <u>08/26/08</u>	Report Requirements <input type="checkbox"/> I. Results Only <input type="checkbox"/> II. Results + QC Summaries <input type="checkbox"/> III. Results + QC and Calibration Summaries <input checked="" type="checkbox"/> IV. Data Validation Report with Raw Data PQL/MDL/ <u>Y</u> EDD	Invoice Information PO# K0807136 Bill to
			30

Relinquished By: April 8/18/08 1100 Received By: SM 8/19/08 10:30 Airbill Number:
PA5/Kelso o/c

30 of 360

Columbia Analytical Services, Inc.
Cooler Receipt Form

Client/Project: CAS Kelso Service Request: K0807136
 Received: 8/19/08 Opened (Date/Time): 1030 By: SSM

1. Samples were received via? US Mail Fedex UPS DHL Courier Hand Delivered
2. Samples were received in: (circle) Cooler Box Other _____ NA
3. Were custody seals present on coolers? Y N If yes, how many and where? 2
 If present, were custody seals intact? Y N If present, were they signed and dated? Y N
4. Is shipper's air-bill filed? NA Y N If not, record air bill number: _____
5. Temperature of cooler(s) upon receipt (°C): 0
6. If applicable, list Chain of Custody numbers: _____
7. Were custody papers properly filled out (ink, signed, etc.)? NA Y N
8. Packing material used: Inserts Bubble Wrap Blue Ice Wet Ice Sleeves Other _____
9. Were the correct types of bottles used for the tests indicated? Y N
 Did all bottles arrive in good condition (unbroken)? Indicate in the table below. Y N

Sample ID	Bottle Count	Bottle Type	Out of Temp	Broken	Initials
			<input type="checkbox"/>	<input type="checkbox"/>	
			<input type="checkbox"/>	<input type="checkbox"/>	
			<input type="checkbox"/>	<input type="checkbox"/>	
			<input type="checkbox"/>	<input type="checkbox"/>	
			<input type="checkbox"/>	<input type="checkbox"/>	
			<input type="checkbox"/>	<input type="checkbox"/>	
			<input type="checkbox"/>	<input type="checkbox"/>	

10. Were all bottle labels complete (i.e. analysis, ID, etc.)? Y N
 Did all bottle labels and tags agree with custody papers? Indicate in the table below. Y N

Sample ID on Bottle	Sample ID on COC	Sample ID on Bottle	Sample ID on COC

11. Additional notes, discrepancies, and resolutions:

UPS 1Z9736590146315172

Sample Acceptance Policy

Custody Seals (desirable, mandatory if specified in SAP):

- ✓ On outside of cooler
- ✓ Seals intact, signed and dated

Chain-of-Custody documentation (mandatory):

- ✓ Properly filled out in ink & signed by the client
- ✓ Sign and date the coc for CAS/HOU upon cooler receipt
- ✓ Coc must list method number
- ✓ If no coc was submitted with the samples, complete a CAS/HOU coc for the client

Sample Integrity (mandatory):

- ✓ Sample containers must arrive in good condition (not broken or leaking)
- ✓ Sample IDs on the bottles must match the sample IDs on the coc
- ✓ The correct type of sample bottle must be used for the method requested
- ✓ The correct number of sample containers received must agree with the documentation on the coc
- ✓ The correct sample matrix must appear on the coc
- ✓ An appropriate sample volume or weight must be received

Temperature Preservatives (varies by sample matrix):

- ✓ Aqueous and Non-aqueous samples must be shipped and stored cold, at 0 to 6°C
- ✓ Tissue samples must be shipped and stored frozen, at -20 to -10°C
- ✓ Air samples can be shipped and stored at ambient temperature, ~23°C
- ✓ The sample temperature must be recorded on the coc
- ✓ Notify a Project Chemist if any samples are outside the acceptance temperature or have compromised sample integrity – the client must decide re: replacement sample submittal or continue with the analysis

Cooler Receipt Form, CRF (mandatory):

- ✓ Cooler receipt forms must be completed for each coc & SR#
- ✓ Sample integrity issues must be documented on the CRF
- ✓ A scan of the carrier and the airbill number must be recorded in CAS LIMS

Sample Integrity Issues/Resolutions (mandatory):

- ✓ Sample integrity issues are documented on the CRF and given to the Project Chemist for resolution with the client
- ✓ Client resolution is documented in writing (typically email or on the CRF) and filed in the project folder(s)

Service Request Summary

Folder #: K0807136
Client Name: Anchor Environmental
Project Name: Blakely Harbor
Project Number: 080007-01
Report To: Delaney Peterson
 Anchor Environmental
 1423 3rd Ave., Suite 300
 Seattle, WA 98101
 206-903-3397
Phone Number:
Cell Number:
Fax Number: 206-287-9131
E-mail: dpeterson@anchorenv.com

Project Chemist: Jane Freemyer
Originating Lab: KELSO
Logged By: FADAIR
Date Received: 08/02/2008
Internal Due Date: 08/26/2008
QAPP: LAB QAP
Qualifier Set: CAS Standard
Formset: CAS Standard
Merged?: N,Y
Report to MDL?: N,Y
P.O. Number:
EDD: Anchor Environmental

Location: K-Buddha-06, K-SAM-31, SMO, In
 Lab, K-CP-07, E-WIC01

41 - 8 oz-Glass Jar WM CLEAR Teflon Liner Unpreserved
 25 - 32 oz-Glass Jar WM CLEAR Teflon Liner Unpreserved
 14 - 4 oz-Glass Jar WM CLEAR Teflon Liner Unpreserved
 12 - 2 oz-Glass Jar WM CLEAR Zinc Acetate
 8 - -N/A N/A
 4 - 1000 mL-Non-Specified Polycarbonate Unpreserved
 3 - 2 oz-Glass Jar WM CLEAR Teflon Liner 4-deg C
 3 - 16 oz-Glass Jar WM CLEAR Teflon Liner Unpreserved
 3 - 500 mL-Plastic Bottle NM CLEAR H2SO4
 3 - 500 mL-Plastic Bottle NM NaOH,ZincAcetat

Location: K-Buddha-06, K-SAM-31, SMO, In
 Lab, K-CP-07, E-WIC01

Client Samp No.	Matrix	Collected	350 I/Ammonia T	350 IM/NH3 Plumb	ASTM D42M/Partize ASTM CB	Composite/Composite	PSEP Sulfide/PSEP Sulfide	PSEP TOC/PSEP TOC T	SM 4500-S2-D/Sulfide T	Subsample/Sub Sample	6010B/ Metals T	6020/ Metals T	7471A/Hg
K0807136-001	Water	7/31/08 1045	V						V				
K0807136-002	Water	7/31/08 1115	V						V				
K0807136-003	Water	7/31/08 1145	V						V				
K0807136-004	Sediment	7/31/08 1000											
K0807136-005	Sediment	7/31/08 1015											
K0807136-006	Sediment	7/31/08 1030											
K0807136-007	Sediment	8/1/08 1000											
K0807136-008	Sediment	8/1/08 1005											
K0807136-009	Sediment	8/1/08 1030											
K0807136-010	Sediment	8/1/08 1100											
K0807136-011	Sediment	7/31/08 1520											
K0807136-012	Sediment	7/31/08 1615											
K0807136-013	Sediment	7/31/08 1558											
K0807136-014	Sediment	7/31/08 1400											
K0807136-015	Sediment	7/31/08 1430											
K0807136-016	Sediment	7/31/08 1415											
K0807136-017	BH-005,6,7-SSA Comp	7/31/08 0000											
K0807136-018	BH-009,59,10,11-SSA Comp	7/31/08 0000											
K0807136-019	BH-009,59,10,11-SSA Comp Dup	7/31/08 0000											

CAS Samp No.	Client Samp No.	Matrix	Collected	KELSO		KELSO		KELSO		KELSO		KELSO		KELSO	
				NWTPH-DV NW_TPH	NWTPH-GX NW_GAS	8081A/ PEST_OC_LL	8082/PCB_LL	BTins Pore TBT/ BTNS_PORE_T BT	Pore/Pore	8270C/SVO_LL	Archive/Archive -20C	Archive/Archive 4C	160.4 Modified/ TVS	TS-MET/Total Solids	
K0807136-001	BH-021-080731	Water	7/31/08 1045	V	V	V	V	V	V	V	V	V	V	V	
K0807136-002	BH-022-080731	Water	7/31/08 1115												
K0807136-003	BH-023-080731	Water	7/31/08 1145												
K0807136-004	BH-001-SSA	Sediment	7/31/08 1000								V	V			
K0807136-005	BH-001-SSB	Sediment	7/31/08 1015								V	V			
K0807136-006	BH-002-SSA	Sediment	7/31/08 1030								V	V			
K0807136-007	BH-009-SSA	Sediment	8/1/08 1000								V	V			
K0807136-008	BH-059-SSA	Sediment	8/1/08 1005								V	V			
K0807136-009	BH-010-SSA	Sediment	8/1/08 1030								V	V			
K0807136-010	BH-011-SSA	Sediment	8/1/08 1100								V	V			
K0807136-011	BH-006-SSA	Sediment	7/31/08 1520								V	V			
K0807136-012	BH-008-SSA	Sediment	7/31/08 1615								V	V			
K0807136-013	BH-007-SSA	Sediment	7/31/08 1558								V	V			
K0807136-014	BH-003-SSA	Sediment	7/31/08 1400								V	V			
K0807136-015	BH-005-SSA	Sediment	7/31/08 1430								V	V			
K0807136-016	BH-004-SSA	Sediment	7/31/08 1415								V	V			
K0807136-017	BH-005,6,7-SSA Comp	Sediment	7/31/08 0000	V		V		V			V		V		34
K0807136-018	BH-009,59,10,11-SSA Comp	Sediment	7/31/08 0000	V		V		V			V		V		
K0807136-019	BH-009,59,10,11-SSA Comp Dup	Sediment	7/31/08 0000	V		V		V			V		V		

3500

	KELSO		SVM
	8260B/ VOC_FP	Screen VOA GCMS/ SCREEN_VOAG CMS	
K0807136-001			8290/PCDD PCDF
BH-021-080731	Water		
K0807136-002	Water		
BH-022-080731	Water		
K0807136-003	Water		
BH-023-080731	Water		
K0807136-004	Sediment		
BH-001-SSA	Sediment		
K0807136-005	Sediment		
BH-001-SSB	Sediment		
K0807136-006	Sediment		
BH-002-SSA	Sediment		
K0807136-007	Sediment		
BH-009-SSA	Sediment		
K0807136-008	Sediment		
BH-059-SSA	Sediment		
K0807136-009	Sediment		
BH-010-SSA	Sediment		
K0807136-010	Sediment		
BH-011-SSA	Sediment		
K0807136-011	Sediment		
BH-006-SSA	Sediment		
K0807136-012	Sediment		
BH-008-SSA	Sediment		
K0807136-013	Sediment		
BH-007-SSA	Sediment		
K0807136-014	Sediment		
BH-003-SSA	Sediment		
K0807136-015	Sediment		
BH-005-SSA	Sediment		
K0807136-016	Sediment		
BH-004-SSA	Sediment		
K0807136-017	Sediment		
BH-005,6,7-SSA Comp	Sediment		
K0807136-018	Sediment		
BH-009,59,10,11-SSA Comp	Sediment		
K0807136-019	Sediment		
BH-009,59,10,11-SSA Comp Dup	Sediment		

Service Request Summary

Folder #: K0807136
Client Name: Anchor Environmental
Project Name: Blakeley Harbor
Project Number: 080007-01
Report To: Delaney Peterson
 Anchor Environmental
 1423 3rd Ave., Suite 300
 Seattle, WA 98101
 206-903-3397
Phone Number:
Cell Number: 206-287-9131
Fax Number:
E-mail: dpeterson@anchorenv.com

Project Chemist: Jane Freemyer
Originating Lab: KELSO
Logged By: FADAIR
Date Received: 08/02/2008
Internal Due Date: 08/26/2008
QAPP: LAB QAP
Qualifier Set: CAS Standard
Formset: CAS Standard
Merged?: N,Y
Report to MDL?: N,Y
P.O. Number:
EDD: Anchor Environmental

- 41 - 8 oz-Glass Jar WM CLEAR Teflon Liner Unpreserved
- 25 - 32 oz-Glass Jar WM CLEAR Teflon Liner Unpreserved
- 14 - 4 oz-Glass Jar WM CLEAR Teflon Liner Unpreserved
- 12 - 2 oz-Glass Jar WM CLEAR Zinc Acetate
- 8 - -N/A N/A
- 4 - 1000 mL-Non-Specified Polycarbonate Unpreserved
- 3 - 2 oz-Glass Jar WM CLEAR Teflon Liner 4-deg C
- 3 - 16 oz-Glass Jar WM CLEAR Teflon Liner Unpreserved
- 3 - 500 mL-Plastic Bottle NMCLEAR H2SO4
- 3 - 500 mL-Plastic Bottle NM NaOH,ZincAcetat

Location: K-Buddha-06, K-SAM-31, SMO, In
 Lab, K-CP-07, E-WIC01

Folder Comments:


QC ON -004

Test Comments:




Group	Test/Method	Samples	Comments
Metals	Metals T/6020	6, 17-19	Sb,As,Cd,Cr,Cu,Pb,Ni,Se,Ag,Zn


APPENDIX D

SUMMARY OF SHANNON AND WILSON (1992) SAMPLING DATA



LEGEND

- 1  Test Pit Designation and Approximate Location
- 14  Log Pond/Sediment Sample Designation and Approximate Location
- W1  Groundwater Sample Designation and Approximate Location



NOTE

Base from MacLeansberry, Inc. map titled "Soil Log Map", dated 8-7-90.

Port Blakely Tree Farms
Port Blakely, Washington

EXPLORATION LOCATIONS

July 1992

T-1198-02

SHANNON & WILSON, INC.
Geotechnical and Environmental Consultants

FIG. 3

FIG. 3

Table 1
Port Blakely Tree Farm : Port Blakely Millsite, Shannon and Wilson (1992) Sampling Data

Total Metals (1)
Test Pit Soil Results (2)

Sample Designation	Figure 3 Designation	Arsenic (ppm) (3)	Barium (ppm)	Cadmium (ppm)	Chromium (ppm)	Lead (ppm)	Mercury (ppm)	Selenium (ppm)	Silver (ppm)	Copper (ppm)	Nickel (ppm)	Zinc (ppm)
T1198-TP1-003-SL-0	1	11	85	<1	12	55	<1	<1	<1	9	11	27
T1198-TP1-004-SL-1 (4)	1	9	45	<1	9	13	<1	1	<1	8	8	23
T1198-TP2-006-SL-0	2	5	26	<1	19	7	<1	<1	<1	34	16	34
T1198-TP3-002-SL-0	3	3	5	<1	2	120	<1	<1	<1	24	2	13
T1198-TP4-005-SL-0	4	<1	1	<1	<1	18	<1	<1	<1	7	<1	19
T1198-TP5-009-SL-0	5	<1	1	<1	<1	<1	<1	<1	<1	<1	<1	<1
T1198-TP6-008-SL-0	6	<1	1	<1	<1	1	<1	<1	<1	2	1	5
T1198-TP7-007-SL-0	7	4	18	<1	14	7	<1	<1	<1	34	16	34
T1198-TP8-001-SL-0	8	6	300, (5)	<1	10	26	<1	<1	<1	55	10	60
T1198-TP10-010-SL-0	10	5	19	<1	27	7	<1	2	<1	51	26	35
T1198-TP10-011-SL-1 (4)	10	7	23	<1	30	8	<1	<1	<1	46	29	37
T1198-BG-012-SL-0	BG	8	270, (5)	2, (6) (j)	49	10	<1	2	<1	84	25	51
Potential Regulatory Levels (6)		20.0		2.0	100.0	250.0	1.0					

Notes

- (1) Total metal by inductively coupled plasma (ICP) method 6010
- (2) As reported by Friedman and Bruya, Inc, Seattle, Washington
- (3) Parts Per Million (ppm)
- (4) QA/QC duplicate
- (5) The value reported exceeded the calibration range established for the sample
- (6) Model Toxic Control Act dated February 1991, Method "A" soil cleanup levels; only for comparison purposes
- (j) Soil sample retrieved outside former mill site area; cleanup level based on plant protection

Table 2
Port Blakely Tree Farm: Port Blakely Millsite, Shannon and Wilson (1992) Sampling Data

Total Metals (1)
Groundwater Sample Results (2)

Sample Designation	Figure 3 Designation	Arsenic (ppm) (3)	Barium (ppm)	Cadmium (ppm)	Chromium (ppm)	Lead (ppm)	Mercury (ppm)	Selenium (ppm)	Silver (ppm)	Copper (ppm)	Nickel (ppm)	Zinc (ppm)
T1198-WP001-100-GW-0	W1	<2	3	<0.5	1	<0.5	<1	<1	<0.5	1	1	3
T1198-WP002-101-GW-0	W2	<2	3	<0.5	<0.5	<0.5	<1	<1	<0.5	1	<0.5	7.6
T1198-WP003-102-GW-0	W3	2	4	<0.5	1	<0.5	<1	<1	<0.5	1	0.5	2
T1198-BG004-103-GW-0	Port Blakely	<2	<1	<0.5	<0.5	<0.5	<1	<1	<0.5	<0.5	<0.5	2
Kitsap County, (4)	10	0.00981	0.195	0.002	0.00872	0.01		0.00481	0.00781			0
Potential Regulatory Levels (5) (6)		5.0, (5)	1.0, (6)	5.0 (5)	50.0, (5)	5.0, (5)	2.0, (5)	10.0, (6)	50.0, (6)	1, (6)		5, (6)

Notes

- (1) Total metal by inductively coupled plasma (ICP) method 6010
- (2) As reported by Friedman and Bruya, Inc, Seattle, Washington
- (3) Parts Per Million (ppm)
- (4) Kitsap County Groundwater Management Plan (Draft) dated April 1991, Appendix H - Shallow Wells
- (5) Model Toxic Control Act dated February 1991, Method "A" for groundwater cleanup levels; only for comparison purposes
- (6) Interim Drinking Water Standards of the EPA Office of Water Supply, EPA 5709-76-003 (Viessman, p. 218-9); only for comparison purposes

Table 3
Port Blakely Tree Farm: Port Blakely Millsite, Shannon and Wilson (1992) Sampling Data

Total Metals (1)

Test Pit Soil Sample Comparison (2)

Sample Designation	Figure 3 Designation	Arsenic (ppm) (3)	Barium (ppm)	Cadmium (ppm)	Chromium (ppm)	Lead (ppm)	Mercury (ppm)	Selenium (ppm)	Silver (ppm)	Copper (ppm)	Nickel (ppm)	Zinc (ppm)
T1198-TP1-003-SL-0, (6)	1	11	85	<1	12	55	<1	<1	<1	9	11	27
TP1-SL, (7)	1	60	87	8	14	49	2	18	3	26	21	75
T1198-TP1-004-SL-1, (5)	1	9	45	<1	9	13	<1	1	<1	8	8	23
T1198-TP2-006-SL-0	2	5	26	<1	19	7	<1	<1	<1	34	16	34
T1198-TP3-002-SL-0	3	3	5	<1	2	120	<1	<1	<1	24	2	13
T1198-TP4-005-SL-0	4	<1	1	<1	<1	18	<1	<1	<1	7	<1	19
T1198-TP5-009-SL-0	5	<1	1	<1	<1	<1	<1	<1	<1	<1	<1	<1
T1198-TP6-008-SL-0	6	<1	1	<1	<1	1	<1	<1	<1	2	1	5
T1198-TP7-007-SL-0	7	4	18	<1	14	7	<1	<1	<1	34	16	34
T1198-TP8-001-SL-0, (6)	8	6	300, (4)	<1	10	26	<1	<1	<1	55	10	60
TP8-S2, (7)	8	110	290	10	29	77	10	25	14	68	30	89
T1198-TP10-010-SL-0	10	5	19	<1	27	7	<1	2	<1	51	26	35
T1198-TP10-011-SL-1, (5)	10	7	23	<1	30	8	<1	<1	<1	46	29	37
T1198-BG-012-SL-0	BG	8	270, (4)	2	49	10	<1	2	<1	84	25	51
Potential Regulatory Levels (8)		20.0		2.0	100.0	250.0	1.0					

Notes

- (1) Total metal by inductively coupled plasma (ICP) method 6010
- (2) As reported by Friedman and Bruya, Inc, Seattle, Washington
- (3) Parts Per Million (ppm)
- (4) The value reported exceeded the calibration range established for the sample
- (5) QA/QC duplicate
- (6) Sampled April 3, 1992
- (7) Sampled October 2, 1990 from same location
- (8) Model Toxic Control Act dated February 1991, Method "A" soil cleanup levels; only for comparison purposes

Table 4
Port Blakely Tree Farm: Port Blakely Millsite, Shannon and Wilson (1992) Sampling Data

Toxic Characteristic Leachate Procedure (1)
Test Pit Soil Results (2)

Sample Designation	Figure 3 Designation	Arsenic (ppm) (3)	Barium (ppm)	Cadmium (ppm)	Chromium (ppm)	Lead (ppm)	Mercury (ppm)	Selenium (ppm)	Silver (ppm)	Copper (ppm)	Nickel (ppm)	Zinc (ppm)
T1198-TP1-003-SL-0, (6)	1	<0.5	0.1	<0.5	<0.5	0.1	<0.1	0.1	<0.1	<0.5	<0.5	<0.5
T1198-TP10-010-SL-0	10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.5	<0.5	<0.5
Potential Regulatory Levels, (1)		5.0	100.0	1.0	5.0	5.0	0.2	1.0	5.0	a	a	a

Notes

- (1) TCLP metals in accordance with 40 CFR Part 261 et al, only for comparison purposes
- (2) As reported by Friedman and Bruya, Inc, Seattle, Washington
- (3) Parts Per Million (ppm)
- a - Not a TCLP analyte

Table 5
Port Blakely Tree Farm: Port Blakely Millsite, Shannon and Wilson (1992) Sampling Data

Total Metals (1)
Log Pond Sediment Results (2)

Sample Designation	Figure 3 Designation	Arsenic (ppm) (3)	Barium (ppm)	Cadmium (ppm)	Chromium (ppm)	Lead (ppm)	Mercury (ppm)	Selenium (ppm)	Silver (ppm)	Copper (ppm)	Nickel (ppm)	Zinc (ppm)
T1198-LP-013-SL-0	13	6	7	<0.5	6	38	<1	<1	<0.5	24	4	22
T1198-LP-014-SL-0	14	6	11	<0.5	11	41	<1	1	<0.5	27	8	37
T1198-LP-015-SL-0	15	6	9	<0.5	6	29	<1	<1	<0.5	16	5	23
T1198-LP-016-SL-0	16	9	10	<0.5	5	41	<1	<1	<0.5	31	5	15
T1198-LP-017-SL-0	17	8	11	<0.5	7	11	<1	<1	<0.5	9	8	25
T1198-LP-018-SL-0	18	9	8	<0.5	4	51	<1	<1	<0.5	21	3	25
T1198-LP-019-SL-0	19	5	10	<0.5	9	34	<1	<1	<0.5	44	8	37
T1198-LP-020-SL-0	20	5	12	<0.5	9	54	<1	<1	<0.5	31	10	41
Potential Regulatory Levels (5)		57.0		5.1	260	450	0.41		6.1			410

Notes

- (1) Total metal by inductively coupled plasma (ICP) method 6010
- (2) As reported by Friedman and Bruya, Inc, Seattle, Washington
- (3) Parts Per Million (ppm)
- (4) Comparison Values
- (5) Sediment Management Standards, Table 1, Chapter 173-204 WAC, dated April 1991; only for comparison purposes

Table 6
Port Blakely Tree Farm: Port Blakely Millsite, Shannon and Wilson (1992) Sampling Data

Total Metals (1)
Log Pond Sediment Comparisons (2)

Sample Designation	Figure 3 Designation	Arsenic (ppm) (3)	Barium (ppm)	Cadmium (ppm)	Chromium (ppm)	Lead (ppm)	Mercury (ppm)	Selenium (ppm)	Silver (ppm)	Copper (ppm)	Nickel (ppm)	Zinc (ppm)
PBTF-Sed 4a, (4)		12, (a)	8.5	0.3	3.6	4.1	0.8, (a)	3.7	0.6	4.1 (a)	4.3	7.0, (a)
PBTF-Sed 4b, (4)		15, (a)	2.8	0.3	4.4	4.7	0.9, (a)	4.7	0.4	3.4, (a)	6	8.7, (a)
T1198-LP-013-SL-0	13	6	7	<0.5	6	38	<1	<1	<0.5	24	4	22
T1198-LP-014-SL-0	14	6	11	<0.5	11	41	<1	1	<0.5	27	8	37
T1198-LP-015-SL-0	15	6	9	<0.5	6	29	<1	<1	<0.5	16	5	23
T1198-LP-016-SL-0	16	9	10	<0.5	5	41	<1	<1	<0.5	31	5	15
T1198-LP-017-SL-0	17	8	11	<0.5	7	11	<1	<1	<0.5	9	8	25
T1198-LP-018-SL-0	18	9	8	<0.5	4	51	<1	<1	<0.5	21	3	25
T1198-LP-019-SL-0	19	5	10	<0.5	9	34	<1	<1	<0.5	44	8	37
T1198-LP-020-SL-0	20	5	12	<0.5	9	54	<1	<1	<0.5	31	10	41
Potential Regulatory Levels (5)		57.0		5.1	260	450	0.41		6.1			410

Notes

- (1) Total metal by inductively coupled plasma (ICP) method 6010
 - (2) As reported by Friedman and Bruya, Inc, Seattle, Washington
 - (3) Parts Per Million (ppm)
 - (4) Sampled October 2, 1990 from same approximate location
 - (5) Sediment Management Standards, Table 1, Chapter 173-204 WAC, dated April 1991; only for comparison purposes
- a - The analyte indicated was also found in the blank sample

Table 7
Port Blakely Tree Farm: Port Blakely Millsite, Shannon and Wilson (1992) Sampling Data

Diesel (1)
Test Pit and Groundwater Diesel (2)

Sample Designation	Soil Sample Diesel (ppm) (3) (5)	Groundwater Diesel (ppm) (6)
TP1-S1	<50	
TP1-S2	<50	
TP1-S3	<50	
TP1-S4	<50	
TP1-S5	<50	
TP1-S6	<50	
TP1-S7 (4)	<50	
TP1-S8	<50	
Beach Grab-S1		<0.2
PBTF-Sed 4a		<0.2
PBTF-Sed 4b		<0.2

Notes

- (1) Diesel analysis by GC/FID (Modified 8015)
- (2) As reported by Friedman and Bruya, Inc, Seattle, Washington
- (3) Parts Per Million (ppm)
- (4) QA/QC duplicate
- (5) Sampled October 2, 1990
- (6) Sampled October 4, 1990