

June 11, 2018

Whitney's Chevrolet, Inc.
c/o Mr. Clark Davis
Davis Law Office, PLLC
7525 Pioneer Way, Suite 101
Gig Harbor, Washington 98335

Re: Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
Agreed Order No. DE 11121
123 West Pioneer Avenue
Montesano, Washington

EPI Project Number: 51201.18

Dear Mr. Davis:

Environmental Partners, Inc. (EPI) is pleased to present this Quarterly Groundwater Monitoring Report for February 2018 for the Whitney's Chevrolet, Inc. Site in Montesano, Washington (the Site). The location of the Whitney's Chevrolet facility at 123 West Pioneer Avenue is indicated on Figure 1. The Site details are shown on Figure 2.

The following four properties are either fully or partially encompassed by the Site:

- Whitney's Chevrolet;
- Umpqua Bank;
- Charlie's Bar/Veterans of Foreign Wars (VFW) Post #2455; and
- Tony's Short Stop.

In addition, the Site includes portions of the City of Montesano rights-of-way for West Pioneer Avenue, South First Street, and South Main Street.

The quarterly groundwater monitoring and sampling were conducted in accordance with the *Groundwater Compliance Monitoring Plan*, dated May 3, 2013 (GCMP). The GCMP was approved by the Washington State Department of Ecology (Ecology) and has been incorporated into Agreed Order DE 11121, dated March 30, 2015 (the Order). In accordance with the GCMP, a total of 19 monitoring wells were scheduled for sampling during this event.

GROUNDWATER MONITORING AND SAMPLING PROCEDURES

The recently installed air sparging/soil vapor extraction (AS/SVE) remediation system at the Site was shut down on February 5, 2018 prior to the sampling event to allow for stabilization of the groundwater surface to more natural conditions. On February 6 through February 8, 2018, EPI personnel measured groundwater levels in 28 monitoring wells. Thirteen groundwater samples plus one duplicate quality control sample were collected and submitted to Libby Environmental Inc. for chemical analysis, as described below.

Groundwater Measurements

Prior to groundwater sampling, a hydrocarbon interface probe was used to assess the potential presence of light non-aqueous phase liquid (LNAPL) in each of the monitoring wells and, if present, to measure the thickness of accumulated LNAPL. Groundwater samples were not collected from monitoring wells that contained measurable LNAPL or an observable sheen. The depth to water was measured to the nearest 0.01 foot in each monitoring well relative to the northernmost point on the well casing. This measurement was subtracted from the surveyed elevation to establish a piezometric elevation for the water table. Water levels were measured in 24 wells on February 6, 2018, in one well (KBMW-2) on February 7, 2018, and in 3 wells (KBMW-9, KBMW-10, and TSSMW-9) on February 8, 2018. Neither measurable LNAPL nor a hydrocarbon sheen were identified in Site monitoring wells during this event.

The piezometric elevation data indicate that groundwater migrates toward the southeast with an average hydraulic gradient of approximately 0.01 foot/foot, as measured between monitoring wells WCMW-9 and KBMW-12. These piezometric conditions are consistent with previous findings at the Site. A summary of groundwater elevation data for the Site is included in Table 1. A site representation with groundwater elevations and piezometric contours measured is included as Figure 3.

Groundwater Sampling and Analyses

Immediately prior to sample collection, each well was either purged until field measurements of pH, temperature, and conductivity stabilized to within 10 percent of the prior measurement or until three wetted casing volumes had been removed, whichever occurred first. Purging was performed using a peristaltic pump and dedicated tubing. Purge water was stored on-Site in properly labeled 55-gallon drums pending permitted disposal.

Wells were sampled using the same tubing and peristaltic pump used for purging. Sampling was conducted using low-flow sampling techniques to minimize sample volatilization and silt uptake. The groundwater samples were collected at a flow rate of less than 100 milliliters/minute and pumped directly into appropriate pre-labeled sample containers supplied by the laboratory.

All groundwater samples were submitted for the following analyses:

- Gasoline-range petroleum hydrocarbons (GRPH) using the Northwest Total Petroleum Hydrocarbons as Gasoline (NWTPH-Gx) Method; and

- Volatile organic compounds (VOCs) including the aromatic fuel hydrocarbons benzene, toluene, ethylbenzene, and total xylenes (BTEX), naphthalene, and tetrachloroethene (PCE) using U.S. Environmental Protection Agency (EPA) Method 8260C.

Immediately upon collection, each sample container was appropriately labeled and placed in an iced cooler pending submittal to the analytical laboratory. All samples were transported under standard Chain-of-Custody protocols to Libby Environmental, Inc., in Olympia, Washington.

GROUNDWATER SAMPLE ANALYTICAL RESULTS

Laboratory-reported chemical analytical data are presented in Table 2 and summarized on Figure 4. Final laboratory analytical reports are included as Attachment A.

For the purposes of this report, it is assumed that GRPH, benzene, and PCE in groundwater are the primary chemicals of concern (COCs) for monitoring, and these chemicals serve as indicator hazardous substances for the dissolved-phase plume. Isoconcentration contours for GRPH, benzene, and PCE are depicted on Figures 5, 6, and 7 respectively.

GRPH was identified in samples collected from 7 of the 19 monitoring wells sampled during this event. Reported concentrations of GRPH ranged from 1,170 micrograms per liter ($\mu\text{g/L}$) in the groundwater sample collected from monitoring well KBMW-2 to 45,200 $\mu\text{g/L}$ in the sample collected from monitoring well WCMW-3. GRPH isoconcentration contours for the February 2018 sampling event are presented on Figure 5.

Benzene was identified in samples collected from 5 of the 19 monitoring wells sampled during this event. Reported concentrations of benzene ranged from 2.9 $\mu\text{g/L}$ in the sample collected from monitoring well KBMW-9 to 64 $\mu\text{g/L}$ in the sample collected from monitoring well WCMW-3. Benzene was not identified in the groundwater samples collected from monitoring wells TSSMW-7 and TSSMW-9. This finding continues to suggest that benzene impacts originating from releases on the Whitney's Chevrolet, Inc. Site decrease to less than the MTCA Method A Groundwater Cleanup Level of 5 $\mu\text{g/L}$ upgradient of the Tony's Short Stop property. Benzene isoconcentration contours for the February 2018 sampling event are presented on Figure 6.

The GRPH and benzene data presented herein directly contradict prior representations to Ecology by the potentially liable persons (PLPs) for the Tony's Short Stop site that GRPH and benzene impacts previously observed at KBMW-12, immediately adjacent to, downgradient of, the former remedial excavation on the Tony's Short Stop property, are the result of impacts from the Whitney's Chevrolet, Inc. Site.

PCE was identified in samples collected from 6 of the 19 monitoring wells sampled during this event. Reported concentrations of PCE ranged from 1.3 $\mu\text{g/L}$ in the groundwater sample collected from monitoring well WCMW-1R to 27 $\mu\text{g/L}$ in the sample collected from monitoring well WCMW-2. PCE isoconcentration contours for the February 2018 sampling event are presented on Figure 7.

The next groundwater monitoring event is scheduled for May 2018. A total of 11 wells associated with the Whitney's Chevrolet, Inc. Site and 2 wells associated with the Tony's Short Stop property are scheduled for monitoring and sampling during the May 2018 monitoring event.

REMEDIATION SYSTEM OPERATION

As stated earlier, an AS/SVE system is operating at the Site for remediation of the shallow aquifer. Extracted vapors have been treated through activated carbon to remove COCs prior to atmospheric discharge. The atmospheric discharge is regulated under an Olympic Region Clean Air Agency (ORCAA) Notice of Construction permit. In February 2018, EPI requested and was granted approval from ORCAA to remove the vapor controls for system vapors. EPI will continue to monitor vapor concentrations as part of the monthly operation and maintenance (O&M) tasks to ensure compliance with ORCAA's discharge criteria.

The AS/SVE system was installed between October 2016 and March 2017 and started up on March 27, 2017 for continuous operation. Details of the AS/SVE system installation and startup were provided in the *Remedial Action System As-Built and Startup Report (As-Built Report)*, which was published on October 6, 2017. The As-Built Report was provided to Ecology for review and was approved by Mr. Marv Coleman.

System O&M events were performed at the Site one to two times per week from startup in late March through the end of May, and thereafter on a monthly basis. During the O&M site visits, EPI personnel monitored and recorded system status and operational parameters and made necessary adjustments to the system components to optimize performance. Vapors at the inlet and outlet of the vapor-phase granular activated carbon (GAC) vessels were monitored with a photoionization detector (PID) to measure the concentration of volatile compounds and monitor for carbon breakthrough in accordance with the air permit requirements.

Samples of the system influent and effluent vapors were also collected on each O&M visit to confirm compliance with the air permit, estimate a contaminant mass removal rate, and evaluate control efficiency of the GAC treatment vessels. The vapor samples were collected into Tedlar® bags and submitted to Fremont Analytical in Seattle, Washington, for laboratory analysis. All samples were analyzed for GRPH by NWTPH-Gx Method, and for VOCs using EPA Method 8260. It should be noted that the system vapors were re-routed to bypass the GAC treatment after completion of the February 2018 O&M event. Therefore, only one vapor sample was collected for laboratory analysis during the event.


Based on the monitoring data and vapor analytical results, it is estimated that the AS/SVE system removed an estimated 584 pounds of GRPH from the time of initial system startup on February 15, 2017 through February 15, 2018.

Tabulated vapor emission data for the SVE system are summarized in Table 3. Tabulated mass removal and destruction efficiency data for the SVE system are summarized in Table 4. A copy of the laboratory analytical report for the system vapor samples is provided in Attachment B.

System monitoring data confirmed that the control efficiency and system discharges were in compliance with the ORCAA Notice of Construction permit limits.

EPI appreciates the opportunity to be of assistance on this project. If you have any questions or comments, please do not hesitate to contact us at (425) 395-0010.

Sincerely,



Thomas C. Morin, P.G., L.G.
President/Principal Geologist
Thomas C. Morin



Sean P. Trimble, P.G., L.G.
Senior Geologist
SEAN P. TRIMBLE

ENCLOSURES

Tables

Table 1	Groundwater Elevation Data
Table 2	Groundwater Analytical Results (in µg/L)
Table 3	Air Emission Analytical Results (in µg/L)
Table 4	System Mass Removal and Destruction Efficiency

Figures

Figure 1	General Vicinity Map
Figure 2	Site Representation with Site Boundary and Monitoring Well Locations
Figure 3	Site Representation with Water Table Piezometric Contours for February 2018
Figure 4	Site Representation with Summary of Groundwater Analytical Data
Figure 5	GRPH Isoconcentration Contours, February 2018
Figure 6	Benzene Isoconcentration Contours, February 2018
Figure 7	PCE Isoconcentration Contours, February 2018
Figure 8	Site Representation with AS/SVE/LNAPL System Layout

Attachments

Attachment A	Laboratory Analytical Data Reports for Groundwater
Attachment B	Laboratory Analytical Data Reports for System Vapors

Tables

Table 1
Groundwater Elevation Data
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date	PVC Casing Elevation ^a	Depth to Water ^b	LNAPL Thickness ^c	Water Table Elevation ^d
Monitoring Wells Associated With Whitney's Chevrolet Site					
WCMW-1	7/1/2008	39.84	15.11	0.00	24.73
	12/14/2009	39.84	14.13	0.00	25.71
	1/18/2010	39.84	12.98	0.00	26.86
WCMW-1R	10/31/2011	40.07	15.62	0.00	24.45
	1/31/2012	40.07	13.23	0.00	26.84
	5/7/2012	40.07	13.51	0.00	26.56
	8/20/2012	40.07	15.48	0.00	24.59
	8/5/2013	40.07	15.49	0.00	24.58
	11/11/2013	40.07	15.01	0.00	25.06
	2/17/2014	40.07	13.77	0.00	26.30
	5/19/2014	40.07	13.98	0.00	26.09
	8/11/2014	40.07	15.21	0.00	24.86
	11/17/2014	40.07	14.73	0.00	25.34
	2/25/2015	40.07	14.13	0.00	25.94
	5/21/2015	40.07	14.98	0.00	25.09
	8/3/2015	40.07	16.28	0.00	23.79
	11/24/2015	40.07	14.29	0.00	25.78
	2/23/2016	40.07	13.18	0.00	26.89
	5/9/2016	40.07	14.74	0.00	25.33
	8/23/2016	40.07	15.96	0.00	24.11
	11/29/2016	40.07	12.45	0.00	27.62
	2/14/2017	40.07	12.66	0.00	27.41
	5/25/2017	40.07	13.94	0.00	26.13
8/7/2017	40.07	14.94	0.00	25.13	
11/28/17	40.07	12.65	0.00	27.42	
2/6/2018	40.07	13.15	0.00	26.92	
WCMW-2	7/1/2008	40.42	16.42	0.00	24.00
	12/14/2009	40.42	15.42	0.00	25.00
	1/18/2010	40.42	14.46	0.00	25.96
	10/31/2011	40.42	16.78	0.10	23.72
	1/31/2012	40.42	14.55	0.00	25.87
	5/7/2012	40.42	14.79	0.00	25.63
	8/20/2012	40.42	15.53	0.03	24.91
	8/5/2013	40.42	16.55	0.02	23.89
	11/11/2013	40.42	16.16	Sheen	24.26
	2/17/2014	40.42	15.10	Sheen	25.32
	5/19/2014	40.42	15.00	Sheen	25.42
	8/11/2014	40.42	16.94	0.02	23.50
	11/17/2014	40.42	15.82	0.00	24.60
	2/25/2015	40.42	15.22	Sheen	25.20
	5/21/2015	40.42	16.09	0.01	24.34
	8/3/2015	40.42	17.74	0.54	23.11
	11/24/2015	40.42	15.47	0.04	24.98
	2/23/2016	40.42	13.40	Sheen	27.02
	5/9/2016	40.42	15.77	Sheen	24.65
	8/23/2016	40.42	17.43	0.51	23.40
11/29/2016	40.42	13.72	0.00	26.70	
2/14/2017	40.42	13.91	0.00	26.51	
5/25/2017	40.42	15.01	0.00	25.41	
8/7/2017	40.42	16.05	0.05	24.41	
11/28/2017	40.42	14.02	0.00	26.40	
2/6/2018	40.42	14.22	0.00	26.20	
WCMW-3	7/1/2008	39.93	16.26	0.00	23.67
	12/14/2009	39.93	15.27	0.00	24.66
	1/18/2010	39.93	14.36	0.00	25.57
	10/31/2011	39.93	16.53	0.00	23.40
	1/31/2012	39.93	14.47	0.00	25.46
	5/7/2012	39.93	14.68	0.00	25.25
	8/20/2012	39.93	16.34	0.00	23.59
	8/5/2013	39.93	16.35	0.00	23.58
	11/11/2013	39.93	15.92	0.00	24.01
	2/17/2014	39.93	14.95	0.00	24.98
	5/19/2014	39.93	14.87	0.00	25.06
	8/11/2014	39.93	16.66	0.00	23.27
	11/17/2014	39.93	15.63	0.00	24.30
	2/25/2015	39.93	15.08	0.00	24.85
	5/21/2015	39.93	16.89	0.00	23.04
	8/3/2015	39.93	17.09	0.00	22.84
	11/24/2015	39.93	15.29	0.00	24.64
	2/23/2016	39.93	14.31	0.00	25.62
	5/9/2016	39.93	15.65	0.00	24.28
	8/23/2016	39.93	16.83	0.00	23.10
11/29/2016	39.93	13.62	0.00	26.31	
2/14/2017	39.93	13.82	0.00	26.11	

Table 1
Groundwater Elevation Data
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date	PVC Casing Elevation ^a	Depth to Water ^b	LNAPL Thickness ^c	Water Table Elevation ^d
WCMW-3	5/25/2017	39.93	14.86	0.00	25.07
	8/7/2017	39.93	15.84	0.00	24.09
	11/28/2017	39.93	13.84	0.00	26.09
	2/6/2018	39.93	14.01	0.00	25.92
WCMW-4	7/1/2008	38.95	16.18	0.00	22.77
	12/14/2009	38.95	15.62	0.00	23.33
	1/18/2010	38.95	15.98	0.00	22.97
	10/31/2011	38.95	16.08	0.00	22.87
	1/31/2012	38.95	13.52	0.00	25.43
	5/7/2012	38.95	13.96	0.00	24.99
	8/20/2012	38.95	15.84	0.00	23.11
	8/5/2013	38.95	15.87	0.00	23.08
	11/11/2013	38.95	15.63	0.00	23.32
	2/17/2014	38.95	14.55	0.00	24.40
	5/19/2014	38.95	14.44	0.00	24.51
	8/11/2014	38.95	16.23	0.00	22.72
	11/17/2014	38.95	15.23	0.00	23.72
	2/25/2015	38.95	14.56	0.00	24.39
	5/21/2015	38.95	15.35	0.00	23.60
	8/3/2015	38.95	16.42	0.00	22.53
	11/24/2015	38.95	14.83	0.00	24.12
	2/23/2016	38.95	13.82	0.00	25.13
	5/9/2016	38.95	15.18	0.00	23.77
	8/23/2016	38.95	16.15	0.00	22.80
	11/29/2016	38.95	13.23	0.00	25.72
	2/14/2017	38.95	13.11	0.00	25.84
5/25/2017	38.95	14.37	0.00	24.58	
8/7/2017	38.95	15.43	0.00	23.52	
11/28/2017	38.95	13.36	0.00	25.59	
2/6/2017	38.95	13.25	0.00	25.70	
WCMW-5	7/1/2008	37.73	15.18	0.00	22.55
	12/14/2009	37.73	13.90	0.00	23.83
	1/18/2010	37.73	13.01	0.00	24.72
	10/31/2011	37.73	14.98	0.00	22.75
	1/31/2012	37.73	12.98	0.00	24.75
	5/7/2012	37.73	13.16	0.00	24.57
	8/20/2012	37.73	14.93	0.00	22.80
	8/5/2013	37.73	14.89	0.00	22.84
	11/11/2013	37.73	14.47	0.00	23.26
	2/17/2014	37.73	13.43	0.00	24.30
	5/19/2014	37.73	13.23	0.00	24.50
	8/11/2014	37.73	15.26	0.00	22.47
	11/17/2014	37.73	14.09	0.00	23.64
	2/25/2015	37.73	13.41	0.00	24.32
	5/21/2015	37.73	14.24	0.00	23.49
	8/3/2015	37.73	15.49	0.00	22.24
	11/24/2015	37.73	13.68	0.00	24.05
	2/23/2016	37.73	13.81	0.00	23.92
	5/9/2016	37.73	14.04	0.00	23.69
	8/23/2016	37.73	15.20	0.00	22.53
	11/29/2016	37.73	12.06	0.00	25.67
	2/14/2017	37.73	12.27	0.00	25.46
5/25/2017	37.73	13.33	0.00	24.40	
8/7/2017	37.73	14.51	0.00	23.22	
11/28/2017	37.73	12.42	0.00	25.31	
2/6/2018	37.73	12.31	0.00	25.42	
WCMW-6	7/1/2008	38.80	15.73	0.00	23.07
	12/14/2009	38.80	14.76	0.00	24.04
	1/18/2010	38.80	13.88	0.00	24.92
	10/31/2011	38.80	15.91	0.00	22.89
	1/31/2012	38.80	13.94	0.00	24.86
	5/7/2012	38.80	14.17	0.00	24.63
	8/20/2012	38.80	15.85	0.00	22.95
	8/5/2013	38.80	15.85	0.00	22.95
	11/11/2013	38.80	15.31	0.00	23.49
	2/17/2014	38.80	14.33	0.00	24.47
	5/19/2014	38.80	14.35	0.00	24.45
	8/11/2014	38.80	16.21	0.00	22.59
	11/17/2014	38.80	15.06	0.00	23.74
	2/25/2015	38.80	14.58	0.00	24.22
	5/21/2015	38.80	15.38	0.00	23.42
	8/3/2015	38.80	16.58	0.00	22.22
	11/24/2015	38.80	14.59	0.00	24.21
2/23/2016	38.80	13.84	0.00	24.96	
5/9/2016	38.80	15.24	0.00	23.56	

Table 1
Groundwater Elevation Data
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date	PVC Casing Elevation ^a	Depth to Water ^b	LNAPL Thickness ^c	Water Table Elevation ^d
WCMW-6	8/23/2016	38.80	16.31	0.00	22.49
	11/29/2016	38.80	13.25	0.00	25.55
	2/14/2017	38.80	13.47	0.00	25.33
	5/25/2017	38.80	14.34	0.00	24.46
	8/7/2017	38.80	15.45	0.00	23.35
	11/28/2017	38.80	13.54	0.00	25.26
	2/6/2018	38.80	13.54	0.00	25.26
WCMW-7	10/31/2011	39.85	15.21	0.00	24.64
	1/31/2012	39.85	12.83	0.00	27.02
	5/7/2012	39.85	13.14	0.00	26.71
	8/20/2012	39.85	15.93	0.00	23.92
	8/5/2013	39.85	15.15	0.00	24.70
	11/11/2013	39.85	14.64	0.00	25.21
	2/17/2014	39.85	13.34	0.00	26.51
	5/19/2014	39.85	13.57	0.00	26.28
	8/11/2014	39.85	15.49	0.00	24.36
	11/17/2014	39.85	14.35	0.00	25.50
	2/25/2015	39.85	13.83	0.00	26.02
	5/21/2015	39.85	14.63	0.00	25.22
	8/3/2015	39.85	15.96	0.00	23.89
	11/24/2015	39.85	13.84	0.00	26.01
	2/23/2016	39.85	12.76	0.00	27.09
	5/9/2016	39.85	14.43	0.00	25.42
	8/23/2016	39.85	15.60	0.00	24.25
	11/29/2016	39.85	12.09	0.00	27.76
	2/14/2017	39.85	12.31	0.00	27.54
	5/25/2017	39.85	13.55	0.00	26.30
8/7/2017	39.85	14.56	0.00	25.29	
11/28/2017	39.85	12.24	0.00	27.61	
2/6/2018	39.85	12.90	0.00	26.95	
WCMW-8	10/31/2011	40.70	15.91	0.00	24.79
	1/31/2012	40.70	13.51	0.00	27.19
	5/7/2012	40.70	13.83	0.00	26.87
	8/20/2012	40.70	15.77	0.00	24.93
	8/5/2013	40.70	15.82	0.00	24.88
	11/11/2013	40.70	15.35	0.00	25.35
	2/17/2014	40.70	14.02	0.00	26.68
	5/19/2014	40.70	14.27	0.00	26.43
	8/11/2014	40.70	16.15	0.00	24.55
	11/17/2014	40.70	15.06	0.00	25.64
	2/25/2015	40.70	14.52	0.00	26.18
	5/21/2015	40.70	15.30	0.00	25.40
	8/3/2015	40.70	16.60	0.00	24.10
	11/24/2015	40.70	14.60	0.00	26.10
	2/23/2016	40.70	13.44	0.00	27.26
	5/9/2016	40.70	15.05	0.00	25.65
	8/23/2016	40.70	16.28	0.00	24.42
	11/29/2016	40.70	12.76	0.00	27.94
	2/14/2017	40.70	12.96	0.00	27.74
	5/25/2017	40.70	14.32	0.00	26.38
8/7/2017	40.70	15.29	0.00	25.41	
11/28/2017	40.70	12.92	0.00	27.78	
2/6/2018	40.70	13.51	0.00	27.19	
WCMW-9	10/31/2011	40.86	15.66	0.00	25.20
	1/31/2012	40.86	13.17	0.00	27.69
	5/7/2012	40.86	13.47	0.00	27.39
	8/20/2012	40.86	15.37	0.00	25.49
	8/5/2013	40.86	15.52	0.00	25.34
	11/11/2013	40.86	15.36	0.00	25.50
	2/17/2014	40.86	14.01	0.00	26.85
	5/19/2014	40.86	14.08	0.00	26.78
	8/11/2014	40.86	15.88	0.00	24.98
	11/17/2014	40.86	14.77	0.00	26.09
	2/25/2015	40.86	14.48	0.00	26.38
	5/21/2015	40.86	15.07	0.00	25.79
	8/3/2015	40.86	16.09	0.00	24.77
	11/24/2015	40.86	14.32	0.00	26.54
	2/23/2016	40.86	13.35	0.00	27.51
	5/9/2016	40.86	14.85	0.00	26.01
	8/23/2016	40.86	16.00	0.00	24.86
	11/29/2016	40.86	12.44	0.00	28.42
	2/14/2017	40.86	12.61	0.00	28.25
	5/25/2017	40.86	14.10	0.00	26.76
8/7/2017	40.86	15.04	0.00	25.82	
11/28/2017	40.86	12.50	0.00	28.36	

Table 1
Groundwater Elevation Data
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date	PVC Casing Elevation ^a	Depth to Water ^b	LNAPL Thickness ^c	Water Table Elevation ^d
WCMW-9	2/6/2018	40.86	13.19	0.00	27.67
WCMW-10	10/31/2011	40.82	15.90	0.00	24.92
	1/31/2012	40.82	14.35	0.00	26.47
	5/7/2012	40.82	14.57	0.00	26.25
	8/20/2012	40.82	15.72	0.00	25.10
	8/5/2013	40.82	15.87	0.00	24.95
	11/11/2013	40.82	15.62	0.00	25.20
	2/17/2014	40.82	14.90	0.00	25.92
	5/19/2014	40.82	14.92	0.00	25.90
	8/11/2014	40.82	16.27	0.00	24.55
	11/17/2014	40.82	15.50	0.00	25.32
	2/25/2015	40.82	15.10	0.00	25.72
	5/21/2015	40.82	15.83	0.00	24.99
	8/3/2015	40.82	16.64	0.00	24.18
	11/24/2015	40.82	15.35	0.00	25.47
	2/23/2016	40.82	14.48	0.00	26.34
	5/9/2016	40.82	15.31	0.00	25.51
	8/23/2016	40.82	16.49	0.00	24.33
	11/29/2016	40.82	13.42	0.00	27.40
	2/14/2017	40.82	12.90	0.00	27.92
	5/25/2017	40.82	14.84	0.00	25.98
8/7/2017	40.82	15.67	0.00	25.15	
11/28/2017	40.82	13.14	0.00	27.68	
2/6/2018	40.82	14.37	0.00	26.45	
KBMW-1	12/14/2009	39.31	15.89	0.00	23.42
	1/18/2010	39.31	14.76	0.00	24.55
	10/31/2011	39.31	17.08	0.00	22.23
	1/31/2012	39.31	15.03	0.00	24.28
	5/7/2012	39.31	14.92	0.00	24.39
	8/20/2012	39.31	16.93	0.00	22.38
	8/5/2013	39.31	16.94	0.00	22.37
	11/11/2013	39.31	16.43	0.00	22.88
	2/17/2014	39.31	15.41	0.00	23.90
	5/19/2014	39.31	15.26	0.00	24.05
	8/11/2014	39.31	17.12	0.00	22.19
	11/17/2014	39.31	16.19	0.00	23.12
	2/25/2015	39.31	15.58	0.00	23.73
	5/21/2015	39.31	16.49	0.00	22.82
	8/3/2015	39.31	17.32	0.00	21.99
	11/24/2015	39.31	15.86	0.00	23.45
	2/23/2016	39.31	14.81	0.00	24.50
	5/9/2016	39.31	16.22	0.00	23.09
	8/23/2016	39.31	17.18	0.00	22.13
	11/29/2016	39.31	13.85	0.00	25.46
2/14/2017	39.31	13.81	0.00	25.50	
5/25/2017	39.31	15.34	0.00	23.97	
8/7/2017	39.31	16.22	0.00	23.09	
11/28/2017	39.31	14.07	0.00	25.24	
2/6/2018	39.31	13.88	0.00	25.43	
KBMW-2	12/14/2009	38.17	14.31	0.00	23.86
	1/18/2010	38.17	13.45	0.00	24.72
	10/31/2011	38.17	15.49	0.04	22.71
	2/2/2012	38.17	13.56	0.00	24.61
	5/7/2012	38.17	13.68	0.00	24.49
	8/20/2012	38.17	15.45	0.21	22.89
	8/5/2013	38.17	15.62	0.40	22.87
	11/11/2013	38.17	14.82	0.01	23.36
	2/17/2014	38.17	13.96	Sheen	24.21
	5/19/2014	38.17	13.80	Sheen	24.37
	8/11/2014	38.17	15.56	0.01	22.62
	11/17/2014	38.17	14.55	Sheen	23.62
	2/25/2015	38.17	14.02	Sheen	24.15
	5/21/2015	38.17	14.82	Sheen	23.35
	8/3/2015	38.17	15.98	0.05	22.23
	11/25/2015	38.17	14.21	Sheen	23.96
	2/23/2016	38.17	13.36	0.02	24.83
	5/9/2016	38.17	14.57	Sheen	23.60
	8/23/2016	38.17	15.76	0.03	22.43
	11/30/2016	38.17	12.70	0.00	25.47
2/14/2017	38.17	12.89	0.00	25.28	
5/25/2017	38.17	13.86	0.00	24.31	
8/9/2017	38.17	15.16	0.00	23.01	
11/29/2017	38.17	13.16	0.00	25.01	
2/7/2018	38.17	12.99	0.00	25.18	

Table 1
Groundwater Elevation Data
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date	PVC Casing Elevation ^a	Depth to Water ^b	LNAPL Thickness ^c	Water Table Elevation ^d	
KBMW-3	12/14/2009	37.21	14.53	0.00	22.68	
	1/18/2010	37.21	13.93	0.00	23.28	
	10/31/2011	37.21	15.61	0.00	21.60	
	1/31/2012	37.21	13.91	0.00	23.30	
	5/7/2012	37.21	14.02	0.00	23.19	
	8/20/2012	37.21	15.28	0.00	21.93	
	8/5/2013	37.21	15.34	0.00	21.87	
	11/11/2013	37.21	14.83	0.00	22.38	
	2/17/2014	37.21	14.11	0.00	23.10	
	5/19/2014	37.21	14.05	0.00	23.16	
	8/11/2014	37.21	15.62	0.00	21.59	
	11/17/2014	37.21	14.63	0.00	22.58	
	2/25/2015	37.21	14.21	0.00	23.00	
	5/21/2015	37.21	14.83	0.00	22.38	
	8/3/2015	37.21	15.92	0.00	21.29	
	11/24/2015	37.21	14.42	0.00	22.79	
	2/23/2016	37.21	13.69	0.00	23.52	
	5/9/2016	37.21	14.70	0.00	22.51	
	8/23/2016	37.21	15.92	0.00	21.29	
	11/30/2016	37.21	13.14	0.00	24.07	
2/14/2017	37.21	13.41	0.00	23.80		
5/25/2017	37.21	14.54	0.00	22.67		
8/7/2017	37.21	14.78	0.00	22.43		
11/28/2017	37.21	14.14	0.00	23.07		
2/6/2018	37.21	14.37	0.00	22.84		
KBMW-4	12/14/2009	36.76	15.09	0.00	21.67	
	1/18/2010	36.76	14.53	0.00	22.23	
	10/31/2011	36.76	15.72	Sheen	21.04	
	1/31/2012	36.76	13.73	0.00	23.03	
	5/7/2012	36.76	13.79	0.00	22.97	
	8/20/2012	36.76	15.08	0.00	21.68	
	8/5/2013	36.76	15.04	0.00	21.72	
	11/11/2013	Not Measured - Damaged Wellhead				
	2/17/2014	37.06	14.19	0.00	22.87	
	5/19/2014	37.06	14.04	0.00	23.02	
	8/11/2014	37.06	15.65	0.00	21.41	
	11/17/2014	37.06	14.63	0.00	22.43	
	2/25/2015	37.06	14.17	0.00	22.89	
	5/21/2015	37.06	14.88	0.00	22.18	
	8/3/2015	37.06	15.96	0.00	21.10	
	11/24/2015	37.06	14.28	0.00	22.78	
	2/23/2016	37.06	13.66	0.00	23.40	
	5/9/2016	37.06	15.69	0.00	21.37	
	8/23/2016	37.06	15.76	0.00	21.30	
	11/29/2016	37.06	13.06	0.00	24.00	
2/14/2017	37.06	13.38	0.00	23.68		
5/25/2017	37.06	14.25	0.00	22.81		
8/7/2017	37.06	15.52	0.00	21.54		
11/28/2017	37.06	13.77	0.00	23.29		
2/6/2018	37.06	13.58	0.00	23.48		
KBMW-5	12/14/2009	37.81	15.97	0.00	21.84	
	1/18/2010	37.81	15.42	0.00	22.39	
	10/31/2011	37.81	16.79	0.00	21.02	
	1/31/2012	37.81	15.42	0.00	22.39	
	5/7/2012	37.81	15.61	0.00	22.20	
	8/20/2012	37.81	16.68	0.00	21.13	
	8/5/2013	37.81	16.72	0.00	21.09	
	11/11/2013	Not Measured - Damaged Wellhead				
	2/17/2014	38.17	15.74	0.00	22.43	
	5/19/2014	38.17	15.89	0.00	22.28	
	8/11/2014	38.17	17.29	0.00	20.88	
	11/17/2014	38.17	16.29	0.00	21.88	
	2/25/2015	38.17	15.47	0.00	22.70	
	5/21/2015	38.17	16.62	0.00	21.55	
	8/3/2015	38.17	17.38	0.00	20.79	
	11/24/2015	38.17	15.81	0.00	22.36	
	2/23/2016	38.17	15.55	0.00	22.62	
	5/9/2016	38.17	16.45	0.00	21.72	
	8/23/2016	38.17	17.36	0.00	20.81	
	11/29/2016	38.17	14.94	0.00	23.23	
2/14/2017	38.17	15.24	0.00	22.93		
5/25/2017	38.17	15.95	0.00	22.22		
8/7/2017	38.17	17.09	0.00	21.08		
11/28/2017	38.17	15.39	0.00	22.78		
2/6/2018	38.17	15.33	0.00	22.84		

Table 1
Groundwater Elevation Data
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date	PVC Casing Elevation ^a	Depth to Water ^b	LNAPL Thickness ^c	Water Table Elevation ^d
KBMW-6	12/14/2009	40.15	16.73	0.00	23.42
	1/18/2010	40.15	16.17	0.00	23.98
	10/31/2011	40.15	17.50	0.00	22.65
	1/31/2012	40.15	16.23	0.00	23.92
	5/7/2012	40.15	16.38	0.00	23.77
	8/20/2012	40.15	17.43	0.00	22.72
	8/5/2013	40.15	17.40	0.00	22.75
	11/11/2013	40.15	16.92	0.00	23.23
	2/17/2014	40.15	16.26	0.00	23.89
	5/19/2014	40.15	16.44	0.00	23.71
	8/11/2014	40.15	17.72	0.00	22.43
	11/17/2014	40.15	16.89	0.00	23.26
	2/25/2015	40.15	16.60	0.00	23.55
	5/21/2015	40.15	17.20	0.00	22.95
	8/3/2015	40.15	18.85	0.00	21.30
	11/24/2015	40.15	16.57	0.00	23.58
	2/23/2016	40.15	16.09	0.00	24.06
	5/9/2016	40.15	17.01	0.00	23.14
	8/23/2016	40.15	17.73	0.00	22.42
	11/29/2016	40.15	14.55	0.00	25.60
2/14/2017	40.15	14.21	0.00	25.94	
5/25/2017	40.15	16.54	0.00	23.61	
8/7/2017	40.15	17.65	0.00	22.50	
11/28/2017	40.15	14.74	0.00	25.41	
2/6/2018	40.15	14.22	0.00	25.93	
KBMW-7	12/14/2009	36.17	13.28	0.00	22.89
	1/18/2010	36.17	12.53	0.00	23.64
	10/31/2011	36.17	15.21	0.00	20.96
	1/31/2012	36.17	12.42	0.00	23.75
	5/7/2012	36.17	12.62	0.00	23.55
	8/20/2012	36.17	14.08	0.00	22.09
	8/5/2013	36.17	14.03	0.00	22.14
	11/11/2013	36.17	13.67	0.00	22.50
	2/17/2014	36.17	12.79	0.00	23.38
	5/19/2014	36.17	12.73	0.00	23.44
	8/11/2014	36.17	14.51	0.00	21.66
	11/17/2014	36.17	13.34	0.00	22.83
	2/25/2015	36.17	12.95	0.00	23.22
	5/21/2015	36.17	13.64	0.00	22.53
	8/3/2015	36.17	14.74	0.00	21.43
	11/24/2015	36.17	12.91	0.00	23.26
	2/23/2016	36.17	12.32	0.00	23.85
	5/9/2016	36.17	13.46	0.00	22.71
	8/23/2016	36.17	14.60	0.00	21.57
	11/29/2016	36.17	11.72	0.00	24.45
2/14/2017	36.17	12.03	0.00	24.14	
5/25/2017	36.17	12.81	0.00	23.36	
8/7/2017	36.17	14.13	0.00	22.04	
11/28/2017	36.17	12.26	0.00	23.91	
2/6/2018	36.17	12.17	0.00	24.00	
KBMW-8	12/14/2009	35.81	13.98	0.00	21.83
	1/18/2010	35.81	13.39	0.00	22.42
	10/31/2011	35.81	16.78	0.00	19.03
	1/31/2012	35.81	13.44	0.00	22.37
	5/7/2012	35.81	13.60	0.00	22.21
	8/20/2012	35.81	14.75	0.00	21.06
	8/5/2013	35.81	14.74	0.00	21.07
	11/11/2013	35.75	14.22	0.00	21.53
	2/17/2014	35.75	13.42	0.00	22.33
	5/19/2014	35.75	13.63	0.00	22.12
	8/11/2014	35.75	15.01	0.00	20.74
	11/17/2014	35.75	14.04	0.00	21.71
	2/25/2015	35.75	13.76	0.00	21.99
	5/21/2015	35.75	14.38	0.00	21.37
	8/3/2015	35.75	15.19	0.00	20.56
	11/24/2015	35.75	13.63	0.00	22.12
	2/23/2016	35.75	13.33	0.00	22.42
	5/9/2016	35.75	14.29	0.00	21.46
	8/23/2016	35.75	15.09	0.00	20.66
	11/29/2016	35.75	13.06	0.00	22.69
2/14/2017	35.75	12.16	0.00	23.59	
5/25/2017	35.75	13.76	0.00	21.99	
8/7/2017	35.75	13.78	0.00	21.97	
11/28/2017	35.75	13.22	0.00	22.53	
2/6/2018	35.75	13.16	0.00	22.59	

Table 1
Groundwater Elevation Data
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date	PVC Casing Elevation ^a	Depth to Water ^b	LNAPL Thickness ^c	Water Table Elevation ^d
KBMW-9	12/14/2009	35.84	14.38	0.00	21.46
	1/18/2010	35.84	13.82	0.00	22.02
	11/1/2011	35.84	15.60	0.55	20.68
	2/1/2012	35.84	14.06	0.21	21.95
	5/8/2012	35.84	14.22	0.23	21.80
	8/21/2012	35.84	15.68	0.69	20.71
	8/5/2013	Not accessible due to road construction			
	11/12/2013	35.50	13.60	0.07	21.96
	2/18/2014	35.50	13.30	Sheen	22.20
	5/20/2014	35.50	13.59	Sheen	21.91
	8/12/2014	35.50	15.18	0.08	20.38
	11/18/2014	35.50	14.15	0.23	21.53
	2/26/2015	35.50	13.61	Sheen	21.89
	5/22/2015	35.50	14.39	0.16	21.24
	8/4/2015	35.50	15.33	0.33	20.43
	11/25/2015	35.50	13.52	Sheen	21.98
	2/24/2016	35.50	13.24	0.04	22.29
	5/9/2016	35.50	14.36	0.35	21.42
	8/26/2016	35.50	15.47	0.51	20.44
	11/29/2016	35.50	12.59	0.00	22.91
2/16/2017	35.50	12.65	0.00	22.85	
5/25/2017	35.50	13.54	0.00	21.96	
8/9/2017	35.50	14.45	0.00	21.05	
11/29/2017	35.50	13.11	0.00	22.39	
2/8/2018	35.50	12.97	0.00	22.53	
KBMW-10	12/14/2009	34.96	13.55	0.00	21.41
	1/18/2010	34.96	13.00	0.00	21.96
	11/1/2011	34.96	14.34	0.00	20.62
	2/1/2012	34.96	12.13	0.00	22.83
	5/8/2012	34.96	13.27	0.00	21.69
	8/21/2012	34.96	14.33	0.00	20.63
	8/5/2013	Not accessible due to road construction			
	11/12/2013	34.56	13.33	0.00	21.23
	2/18/2014	34.56	12.55	0.00	22.01
	5/20/2014	34.56	12.83	0.00	21.73
	8/12/2014	34.56	14.14	0.00	20.42
	11/18/2014	34.56	13.19	0.00	21.37
	2/25/2015	34.56	12.94	0.00	21.62
	5/22/2015	34.56	13.55	0.00	21.01
	8/4/2015	34.56	14.28	0.00	20.28
	11/24/2015	34.56	12.79	0.00	21.77
	2/24/2016	34.56	12.57	0.00	21.99
	5/9/2016	34.56	13.43	0.00	21.13
	8/26/2016	34.56	14.20	0.00	20.36
	11/29/2016	34.56	12.03	0.00	22.53
2/16/2017	34.56	12.19	0.00	22.37	
5/25/2017	34.56	12.91	0.00	21.65	
8/9/2017	34.56	13.82	0.00	20.74	
11/29/2017	34.56	12.42	0.00	22.14	
2/8/2018	34.56	12.37	0.00	22.19	
KBMW-11	10/31/2011	35.01	14.72	0.00	20.29
	1/31/2012	35.01	13.46	0.00	21.55
	5/7/2012	35.01	13.65	0.00	21.36
	8/20/2012	35.01	14.70	0.00	20.31
	8/5/2013	35.01	14.66	0.00	20.35
	11/11/2013	35.01	14.09	0.00	20.92
	2/17/2014	35.01	13.31	0.00	21.70
	5/19/2014	35.01	13.53	0.00	21.48
	8/11/2014	35.01	14.91	0.00	20.10
	11/17/2014	35.01	13.91	0.00	21.10
	2/25/2015	35.01	13.65	0.00	21.36
	5/21/2015	35.01	14.26	0.00	20.75
	8/3/2015	35.01	14.98	0.00	20.03
	11/24/2015	35.01	13.39	0.00	21.62
	2/23/2016	35.01	13.19	0.00	21.82
	5/9/2016	35.01	14.14	0.00	20.87
	8/23/2016	35.01	14.97	0.00	20.04
	11/29/2016	35.01	12.65	0.00	22.36
2/14/2016	35.01	13.03	0.00	21.98	
5/25/2017	35.01	13.59	0.00	21.42	

Table 1
Groundwater Elevation Data
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date	PVC Casing Elevation ^a	Depth to Water ^b	LNAPL Thickness ^c	Water Table Elevation ^d	
KBMW-11	8/7/2017	35.01	14.68	0.00	20.33	
	11/28/2017	35.01	12.99	0.00	22.02	
	2/6/2018	35.01	12.98	0.00	22.03	
KBMW-12	10/31/2011	34.16	13.94	0.00	20.22	
	2/1/2012	34.16	12.73	0.00	21.43	
	5/7/2012	34.16	12.88	0.00	21.28	
	8/20/2012	34.16	13.94	0.00	20.22	
	8/5/2013	34.16	13.92	0.00	20.24	
	11/11/2013	34.16	13.33	0.00	20.83	
	2/17/2014	34.16	12.49	0.00	21.67	
	5/19/2014	34.16	12.80	0.00	21.36	
	8/11/2014	34.16	14.13	0.00	20.03	
	11/17/2014	34.16	13.16	0.00	21.00	
	2/25/2015	34.16	12.90	0.00	21.26	
	5/21/2015	34.16	13.50	0.00	20.66	
	8/3/2015	34.16	14.22	0.00	19.94	
	11/24/2015	34.16	12.63	0.00	21.53	
	2/23/2016	34.16	12.44	0.00	21.72	
	5/9/2016	34.16	13.39	0.00	20.77	
	8/23/2016	34.16	14.19	0.00	19.97	
	11/29/2016	34.16	11.92	0.00	22.24	
	2/14/2017	34.16	12.29	0.00	21.87	
	5/25/2017	34.16	12.86	0.00	21.30	
8/7/2017	34.16	13.91	0.00	20.25		
11/28/2017	34.16	12.25	0.00	21.91		
2/6/2018	34.16	12.23	0.00	21.93		
ESMW-1	12/14/2009	40.82	15.03	0.00	25.79	
	1/18/2010	40.82	13.96	0.00	26.86	
	10/31/2011	40.82	16.30	0.00	24.52	
	1/31/2012	40.82	13.94	0.00	26.88	
	5/7/2012	40.82	14.22	0.00	26.60	
	8/20/2012	40.82	16.10	0.00	24.72	
	8/5/2013	40.82	16.12	0.00	24.70	
	11/11/2013	40.82	15.73	0.00	25.09	
	2/17/2014	40.82	14.59	0.00	26.23	
	5/19/2014	40.82	14.60	0.00	26.22	
	8/11/2014	40.82	16.42	0.00	24.40	
	11/17/2014	40.82	15.42	0.00	25.40	
	2/25/2015	40.82	14.82	0.00	26.00	
	5/21/2015	40.82	15.64	0.00	25.18	
	8/3/2015	40.82	16.93	0.00	23.89	
	11/24/2015	40.82	15.02	0.00	25.80	
	2/23/2016	40.82	13.84	0.00	26.98	
	5/9/2016	40.82	15.40	0.00	25.42	
	8/23/2016	40.82	16.59	0.00	24.23	
	11/30/2016	40.82	13.24	0.00	27.58	
2/14/2017	40.82	13.32	0.00	27.50		
5/25/2017	40.82	14.76	0.00	26.06		
8/7/2017	40.82	15.78	0.00	25.04		
11/28/2017	40.82	13.36	0.00	27.46		
2/6/2018	40.82	14.10	0.00	26.72		
ESMW-7	12/14/2009	35.59	14.07	0.00	21.52	
	1/18/2010	35.59	13.54	0.00	22.05	
	10/31/2011	35.59	14.86	0.00	20.73	
	1/31/2012	35.59	13.63	0.00	21.96	
	5/7/2012	35.59	13.77	0.00	21.82	
	8/20/2012	35.59	14.85	0.00	20.74	
	8/5/2013	Not accessible due to road construction				
	11/12/2013	35.31	14.00	0.00	21.31	
	2/17/2014	35.31	13.27	0.00	22.04	
	5/19/2014	35.31	13.43	0.00	21.88	
	8/11/2014	35.31	14.79	0.00	20.52	
	11/17/2014	35.31	13.82	0.00	21.49	
	2/25/2015	35.31	13.54	0.00	21.77	
	5/21/2015	35.31	14.14	0.00	21.17	
	8/3/2015	35.31	14.90	0.00	20.41	
	11/24/2015	35.31	13.38	0.00	21.93	
2/23/2016	35.31	13.11	0.00	22.20		
5/9/2016	35.31	14.02	0.00	21.29		
8/23/2016	35.31	14.85	0.00	20.46		

Table 1
Groundwater Elevation Data
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date	PVC Casing Elevation ^a	Depth to Water ^b	LNAPL Thickness ^c	Water Table Elevation ^d
ESMW-7	11/29/2016	35.31	12.53	0.00	22.78
	2/14/2017	35.31	12.96	0.00	22.35
	5/25/2017	35.31	13.59	0.00	21.72
	8/7/2017	35.31	14.60	0.00	20.71
	11/28/2017	35.31	13.06	0.00	22.25
	2/6/2018	35.31	13.01	0.00	22.30
RW-1	11/11/2013	36.08	14.69	Sheen	21.39
	2/18/2014	36.08	13.85	Sheen	22.23
	5/19/2014	36.08	13.40	Sheen	22.68
	8/11/2014	36.08	--	Sheen	--
	11/17/2014	36.08	13.91	0.00	22.17
	2/25/2015	36.08	15.53	Sheen	20.55
	5/21/2015	36.08	14.22	Sheen	21.86
	8/3/2015	36.08	15.16	0.00	20.92
	2/23/2016	36.08	13.09	0.00	22.99
	5/9/2016	36.08	14.02	0.00	22.06
	8/23/2016	36.08	15.03	0.00	21.05
	11/29/2016	36.08	12.28	0.00	23.80
	2/14/2017	36.08	12.81	0.00	23.27
Not Measured -- Pump Installed					
RW-2	11/29/2016	40.51	13.93	0.00	26.58
	2/16/2017	40.51	13.17	0.00	27.34
	Not Measured -- Pump Installed				
Monitoring Wells Associated With Tony's Short Stop Site (326 South Main Street, Montesano, WA)					
TSSMW-1	1/18/2010	32.33	10.62	0.00	21.71
TSSMW-2	1/18/2010	31.94	10.56	0.00	21.38
TSSMW-3	1/18/2010	32.87	11.40	0.00	21.47
TSSMW-4	1/18/2010	31.07	--	0.08	--
TSSMW-5	1/18/2010	32.63	11.16	0.00	21.47
TSSMW-6	1/18/2010	33.97	12.31	0.00	21.66
TSSMW-7	1/18/2010	35.04	13.23	0.00	21.81
	10/31/2011	35.04	15.57	0.00	19.47
	2/1/2012	35.04	13.34	0.00	21.70
	5/7/2012	35.04	13.45	0.00	21.59
	8/20/2012	35.04	14.50	0.00	20.54
	8/5/2013	35.04	14.48	0.00	20.56
	11/11/2013	35.09	13.90	0.00	21.19
	2/17/2014	35.09	13.13	0.00	21.96
	5/19/2014	35.09	13.37	0.00	21.72
	8/11/2014	35.09	14.71	0.00	20.38
	11/17/2014	35.09	13.76	0.00	21.33
	2/25/2015	35.09	13.49	0.00	21.60
	5/21/2015	35.09	14.09	0.00	21.00
	8/3/2015	35.09	14.83	0.00	20.26
	11/24/2015	35.09	13.31	0.00	21.78
	2/23/2016	35.09	13.05	0.00	22.04
	5/9/2016	35.09	13.98	0.00	21.11
	8/23/2016	35.09	14.78	0.00	20.31
	11/29/2016	35.09	12.55	0.00	22.54
	2/14/2017	35.09	12.91	0.00	22.18
5/25/2017	35.09	13.46	0.00	21.63	
8/7/2017	35.09	14.47	0.00	20.62	
11/28/2017	35.09	12.89	0.00	22.20	
2/6/2018	35.09	12.88	0.00	22.21	
TSSMW-8	1/18/2010	34.52	13.02	0.00	21.50
	10/31/2011	34.52	14.31	0.00	20.21
	2/1/2012	34.52	13.07	0.00	21.45
	5/7/2012	34.52	13.22	0.00	21.30
	8/20/2012	34.52	14.29	0.00	20.23
	8/5/2013	34.52	14.23	0.00	20.29
	11/11/2013	34.52	13.65	0.00	20.87
	2/17/2014	34.52	12.84	0.00	21.68
	5/19/2014	34.52	13.11	0.00	21.41
	8/11/2014	34.52	14.49	0.00	20.03
	11/17/2014	34.52	13.49	0.00	21.03
	2/25/2015	34.52	13.23	0.00	21.29
	5/21/2015	34.52	13.86	0.00	20.66
	8/3/2015	34.52	14.58	0.00	19.94
	11/24/2015	34.52	12.96	0.00	21.56
2/23/2016	34.52	12.72	0.00	21.80	
5/9/2016	34.52	13.73	0.00	20.79	

Table 1
Groundwater Elevation Data
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date	PVC Casing Elevation ^a	Depth to Water ^b	LNAPL Thickness ^c	Water Table Elevation ^d
TSSMW-8	8/23/2016	34.52	14.56	0.00	19.96
	11/29/2016	34.52	12.21	0.00	22.31
	2/14/2017	34.52	12.60	0.00	21.92
	5/25/2017	34.52	13.17	0.00	21.35
	8/7/2017	34.52	14.26	0.00	20.26
	11/28/2017	34.52	12.55	0.00	21.97
	2/6/2018	34.52	12.54	0.00	21.98
TSSMW-9	1/18/2010	35.36	13.38	0.00	21.98
	11/1/2011	35.36	14.75	0.00	20.61
	2/1/2012	35.36	13.54	0.00	21.82
	5/7/2012	35.36	13.66	0.00	21.70
	8/21/2012	35.36	14.72	0.00	20.64
	8/5/2013	Not accessible due to road construction			
	11/12/2013	34.69	13.47	0.00	21.22
	2/18/2014	34.69	12.55	0.00	22.14
	5/20/2014	34.69	12.95	0.00	21.74
	8/12/2014	34.69	14.26	0.00	20.43
	11/17/2014	34.69	13.30	0.00	21.39
	2/26/2015	34.69	13.00	0.00	21.69
	5/22/2015	34.69	13.67	0.00	21.02
	8/4/2015	34.69	14.41	0.00	20.28
	11/25/2015	34.69	12.93	0.00	21.76
	2/24/2016	34.69	12.68	0.00	22.01
	5/9/2016	34.69	13.58	0.00	21.11
	8/26/2016	34.69	14.29	0.00	20.40
	11/29/2016	34.69	12.15	0.00	22.54
	2/16/2017	34.69	12.27	0.00	22.42
5/25/2017	34.69	13.02	0.00	21.67	
8/9/2017	34.69	13.91	0.00	20.78	
11/29/2017	34.69	12.53	0.00	22.16	
2/8/2018	34.69	12.43	0.00	22.26	
TSSMW-11	1/18/2010	30.03	9.07	0.00	20.96
TSSMW-12	1/18/2010	32.98	11.55	0.00	21.43
	10/31/2011	32.98	13.94	0.00	19.04
	2/1/2012	32.98	11.61	0.00	21.37
	5/7/2012	32.98	11.78	0.00	21.20
	8/20/2012	32.98	12.81	0.00	20.17
	8/5/2013	32.98	12.78	0.00	20.20
	11/11/2013	32.98	12.20	0.00	20.78
	2/17/2014	32.98	11.35	0.00	21.63
	5/19/2014	32.98	11.66	0.00	21.32
	8/11/2014	32.98	13.00	0.00	19.98
	11/17/2014	32.98	12.04	0.00	20.94
	2/25/2015	32.98	11.78	0.00	21.20
	5/21/2015	32.98	12.38	0.00	20.60
	8/3/2015	32.98	13.10	0.00	19.88
	11/24/2015	32.98	11.49	0.00	21.49
	2/23/2016	32.98	12.32	0.00	20.66
	5/9/2016	32.98	12.26	0.00	20.72
	8/23/2016	32.98	13.09	0.00	19.89
	11/29/2016	32.98	10.78	0.00	22.20
	2/14/2017	32.98	11.15	0.00	21.83
5/25/2017	32.98	11.74	0.00	21.24	
8/7/2017	32.98	12.77	0.00	20.21	
11/28/2017	32.98	11.11	0.00	21.87	
2/6/2018	32.98	11.13	0.00	21.85	
TSSMW-13	1/18/2010	34.80	13.34	0.00	21.46

Notes:

All measurements are in feet. Elevations are in feet above mean sea level (AMSL).

-- Not recorded.

LNAPL Light non-aqueous phase liquid

a PVC casing elevation on the north side of the well casing.

- Survey Coordinate System and Zone: Washington State Plane, South Zone coordinates.

- Horizontal Datum: NAD 83(91) US feet (horizontal accuracy: 0.1').

- Vertical Datum: NAVD'88 (vertical accuracy: 0.01').

- Survey of WCMW-1 through WCMW-6 completed July 3, 2008 by Duane Hartman & Associates (DHA).

- Survey of KBMW-1 through KBMW-10, ESMW-1 and ESMW-7 completed December 14, 2009 by DHA.

- Survey of TSSMW-1 through TSSMW-13 completed January 18, 2010 by DHA. TSSMW-10 was not accessible at the time of the survey. Therefore, vertical data was not obtained.

- Survey of WCMW-1R, WCMW-7 through WCMW-10, KBMW-11, KBMW-12 completed on November 14, 2011 by DHA.

- Wells KBMW-4, KBMW-5, KBMW-8, KBMW-9, KBMW-10, ESMW-7, TSSMW-7, and TSSMW-9 re-surveyed on

- December 10, 2013 by Parametrix following road construction.

- Survey of RW-1 completed December 18, 2013 by EPI.

b Depth to groundwater measured from top of well casing.

c LNAPL thickness = [Depth to LNAPL] - [Depth to Water]; measured from top of well casing using an electronic oil-water interface probe. Bold value indicates measurable thickness.

d Water table elevations adjusted for the presence of LNAPL using the following formula and assumed LNAPL specific gravity of 0.8: [Water Table Elevation] = [PVC Casing Elevation] - [Depth to Water] + [LNAPL Thickness x 0.80].

Table 2
Groundwater Analytical Results (in µg/L)
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date Collected	GRPH ^a	Benzene ^b	Toluene ^b	Ethyl-benzene ^b	Total Xylenes ^b	Naphthalene ^b	PCE ^b	
Monitoring Wells Associated With Whitney's Chevrolet Site									
WCMW-1	12/13/09	9,600	7.9	84.4	58.6	816	121	24.6	
	1/19/10 and /Dup3	5,040/4,910	98.3/117	125/98.5	134/120	900/1,330	70.5/87.7	34.1/35	
WCMW-1R	11/2/11	750	<1.0	1.2	2.6	30.2	6.3	1.5	
	1/31/12	4,740	2.8	23.8	51.7	508	130	16	
	5/7/2012 and /WC-Dup1	6,200/5,770	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	31.2/25.1	125/157	20.6/14.7	
	8/20/12	267	<1.0	<1.0	<1.0	31.2	<5.0	6.8	
	8/5/13	1,150	<1.0	<1.0	<1.0	<2.0	6.9	2.1	
	11/12/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	2/17/14	1,180	<1.0	<1.0	13.0	28.5	23.8	3.4	
	5/20/14	7,190	<1.0	<1.0	22.4	82.1	96.4	7.5	
	8/11/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	11/17/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	2/26/15	4,280	<1.0	<1.0	17.4	47.7	27.2	4.2	
	5/21/2015 and /WC-Dup1	546/516	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0	
	8/3/15	249	<1.0	<1.0	<1.0	4.1	<5.0	<1.0	
	11/24/15	157	<1.0	<1.0	<1.0	<2.0	<5.0	1.2	
	2/23/16	3,630	<1.0	<1.0	6.8	11.2	9.9	1.6	
	5/9/16	1,620	<1.0	<1.0	1.8	3.1	11.8	<1.0	
	8/24/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	11/30/16	2,900	<1.0	<1.0	5.5	12.1	5.4	1.9	
	2/14/17	3,750	<1.0	<1.0	2.5	5.7	7.8	0.8	
	5/23/17	355	<1.0	<1.0	<1.0	<1.0	<1.0	3.1	
8/7/17	<100	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0		
11/29/17	<100	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0		
2/6/18	<100	<1.0	<1.0	<1.0	<1.0	<1.0	1.3		
WCMW-2	12/12/09	52,000	1,020	4,350	1,970	10,000	322	23.7	
	1/19/10	41,400	2,490	14,700	6,490	29,500	340	41.9	
	10/31/11	LNAPL – 0.10 foot (1.2 inches)							
	2/1/12	43,600	584	1,100	1,100	2,700	364	21.8	
	5/8/12	49,600	454	2,290	1,140	4,630	1,170	17.7	
	8/20/12	LNAPL – 0.03 foot (0.36 inch)							
	8/6/13	LNAPL – 0.02 foot (0.24 inch)							
	11/11/13	LNAPL – Sheen							
	2/17/14	LNAPL – Sheen							
	5/19/14	LNAPL – Sheen							
	8/11/14	LNAPL – 0.02 foot (0.24 inch)							
	11/18/14	63,800	666	4,010	3,520	15,100	1,010	36	
	2/26/15	LNAPL – Sheen							
	5/21/15	LNAPL – 0.01 foot (0.12 inch)							
	8/3/15	LNAPL – 0.54 foot (6.48 inches)							
	11/24/15	LNAPL – 0.04 foot (0.48 inches)							
	2/23/16	LNAPL – Sheen							
	5/9/16	LNAPL – Sheen							
	8/23/16	LNAPL – 0.51 foot (6.12 inches)							
	11/30/16	49,500	271	1,800	2,050	8,300	1,010	20.1	
2/15/17	58,200	94	2,230	1,330	5,320	950	17.1		
5/24/17	65,500	166	1,840	1,780	7,820	1,300	25.4		
8/9/17	LNAPL – 0.51 foot (6.12 inches)								
11/28/2017 and /DUP-1	31,300/35,700	61/71	1,520/1,500	1,140/1,120	5,610/5,540	428/620	27/29		

Table 2
Groundwater Analytical Results (in µg/L)
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date Collected	GRPH ^a	Benzene ^b	Toluene ^b	Ethyl-benzene ^b	Total Xylenes ^b	Naphthalene ^b	PCE ^b
WCMW-2	2/8/18	43,000	48	1,100	54	4,640	400	27.0
WCMW-3	12/12/09	41,000	575	2,190	118	6,450	171	27.1
	1/19/10	26,300	2,370	11,000	4,710	23,400	554	25.5
	11/2/11	37,800	394	2,980	1,760	8,810	534	14.9
	2/2/12	38,600	473	694	941	1,590	749	14.2
	5/9/12	52,500	709	2,950	1,350	6,030	1,280	11.0
	8/22/12	68,900	630	3,660	1,690	8,430	795	14.4
	8/7/13	101,000	346	2,340	1,600	8,200	930	5
	11/12/13	50,900	473	3,360	1,980	9,730	1,040	15
	2/18/14	65,000	397	1,970	1,350	6,450	888	11.8
	5/19/14	58,300	529	2,600	1,720	8,120	1,120	11.0
	8/12/14	138,000	358	3,010	1,940	10,200	4,730	13.2
	2/26/15	43,400	307	1,640	1,820	8,120	403	22.0
	8/4/15	51,500	280	2,680	2,800	12,300	762	24.8
	11/25/2015 and /WC-Dup1	62,000/49,800	169/173	1,640/1,700	1,960/1,790	9,950/9,500	498/275	24/27
	2/24/16	56,200	227	1,330	1,400	7,220	737	14.9
	5/9/16	46,400	179	1,350	1,720	8,790	884	11.9
	8/25/16	49,000	190	1,800	1,710	7,920	358	13.2
	11/30/16	25,400	219	1,480	1,740	7,750	315	13.0
	2/15/17	23,500	218	1,990	1,340	5,800	797	10.4
	5/24/17	47,200	171	1,410	1,130	5,540	980	13.9
8/9/17	37,500	96	1,410	1,190	5,670	807	12.0	
11/28/17	36,700	102	1,180	1,220	5,560	620	13.0	
2/8/18	45,200	64	1,740	102	6,120	384	12.0	
WCMW-4	12/13/09	26,000	115	2,040	266	5,460	12.6	24
	1/19/10	16,900	167	3,330	1,660	8,150	324	27.5
	11/1/11	7,950	13.1	236	385	1,730	192	21.1
	2/1/12	683	<1.0	<1.0	<1.0	32	30.6	<1.0
	5/8/12 and /WC-Dup2	<100/<100	<1.0/<1.0	<1.0/<1.0	1.1<1.0	<2.0/<2.0	<5.0/<5.0	1.4/1.4
	8/21/12	10,100	50.6	453	132	2,030	221	50.7
	8/7/13	55,100	38	429	844	3,890	607	18.4
	11/11/13	10,600	11	188	346	1,830	351	24
	2/18/14	15,600	12.6	127	51.2	1,750	243	12.2
	5/19/14	22,600	28.9	352	544	2,920	473	12.8
	8/11/14	26,500	16	507	927	5,450	473	8.4
	11/17/14	29,900	22	459	457	9,900	304	27
	2/26/15	33,300	56.8	551	1,160	6,080	245	11.8
	5/21/15	36,200	68	506	561	4,770	534	7.4
	8/3/15	31,600	39.5	512	697	8,240	765	20.3
	11/24/15	25,500	23	430	377	4,410	460	18
	2/24/16	16,000	21.0	168	46.7	2,170	329	15.3
	5/9/16	27,200	45.6	350	998	4,900	828	19.4
	8/24/16	22,500	23.9	154	350	2,920	191	8.0
	11/29/16	217	<1.0	<1.0	<1.0	9.1	<5.0	<1.0
2/15/17	2,340	2.1	10.1	<1.0	234	35.5	3.3	
5/24/17	31,600	19.9	272	739	4,100	654	18.1	
8/8/17	17,300	4.5	89.1	185	1,830	389	9.1	
11/29/17	4,570	1.1	35	33	645	51	5.1	
2/7/18	5,730	<1.0	32	80	597	73	8.4	
WCMW-5	12/13/09	7,900	267	274	39.7	1,440	57.3	13.7
	1/19/10	6,890	593	1,290	1,070	4,960	174	14.4

Table 2
Groundwater Analytical Results (in µg/L)
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date Collected	GRPH ^a	Benzene ^b	Toluene ^b	Ethyl-benzene ^b	Total Xylenes ^b	Naphthalene ^b	PCE ^b
WCMW-5	11/1/11	4,350	51.4	176	278	830	77.7	4.7
	2/1/12	4,280	71.1	192	223	801	137	3.1
	5/8/12	9,050	140	125	93.6	1,060	376	3.3
	8/22/12	8,000	164	307	93.6	1,690	232	4.9
	8/7/13	26,200	113	346	436	1,690	298	2.2
	2/18/14	6,290	63.3	47.9	205	379	127	4.4
	8/11/14	15,500	76	426	412	1,910	955	1.2
	2/26/15	7,760	167	115	153	872	156	9.8
	8/3/15 and /Dup2	3,540/3,460	16.4/16.4	52.6/45.8	6.8/<1.0	823/569	163/78.0	<5.0/<1.0
	2/23/16	8,680	51.4	35.4	<1.0	1,070	259	<1.0
	8/24/2016 and /Dup-2	4,960/815	16.5/2.4	46.6/1.8	4.7/<1.0	652/37.0	76.7/11.3	<2.0/<1.0
	2/15/17 and /Dup-1	7,120/5,590	71.9/62.3	122/104	108/118	505/512	185/185	5.2/5.4
	8/8/17 and /WCMW-DUP2	16,400/16,900	51.9/50.6	356/531	10.5/79	2,220/2,580	210/215	<1.0/<1.0
2/7/18	4,800	16	33	86	221	61	5.3	
WCMW-6	12/13/09	<100	<1	<1	<1	<2	<5.0	4.7
	1/19/10 and /Dup2	<100/<100	<1/<1	<1/<1	<1/<1	<2/<2	<5.0/<5.0	3.5/4
	10/31/11	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	1/31/12 and /WC-Dup1	<100/<100	<1/<1	<1/<1	<1/<1	<2/<2	<5.0/<5.0	1.1/<1.0
	5/7/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/20/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.2
	8/7/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	11/11/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.4
	2/18/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/19/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/12/14	<100	<1.0	<1.0	<1.0	<2.0	6.6	<1.0
	2/26/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/3/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.5
	2/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.2
	8/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/14/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
8/8/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
2/7/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
WCMW-7	10/31/11 and /WC-Dup1	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0	1.3/<1.0
	1/31/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	2.8
	5/7/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.2
	8/20/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.2
	8/5/13 and /WCMW-Dup1	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/1.0	<2.0/<2.0	<5.0/<5.0	2.9/2.7
	8/11/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/3/15	<100	<1.0	2.9	<1.0	<2.0	<5.0	<1.0
	8/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
8/7/17 and /WCMW-DUP1	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/1.0	<2.0/<2.0	<5.0/<5.0	1.9/1.9	
WCMW-8	10/31/11	<100	<1.0	<1.0	<1.0	<2.0	<5.0	2.1
	1/31/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	5.3
	5/7/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.8
	8/20/12 and /WC-Dup1	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	6.6/6.1
	8/5/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	4.3
	2/17/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	2.8
	8/11/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/26/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	5.8
8/3/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	3.5	

Table 2
Groundwater Analytical Results (in µg/L)
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date Collected	GRPH ^a	Benzene ^b	Toluene ^b	Ethyl-benzene ^b	Total Xylenes ^b	Naphthalene ^b	PCE ^b
WCMW-8	2/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	4.4
	8/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/14/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.9
	8/7/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.8
	2/8/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
WCMW-9	10/31/11	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.5
	1/31/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/7/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/20/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/5/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	11/12/13	<100	<1.0	1.3	<1.0	<2.0	14	1.1
	2/17/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/19/14 and /WC-Dup1	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	8/11/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/3/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.1
	8/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
8/7/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
WCMW-10	10/31/11	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	1/31/12	1,230	<1.0	<1.0	2.3	<2.0	43.0	<1.0
	5/7/12	2,060	<1.0	<1.0	<1.0	<2.0	28.8	<1.0
	8/20/12	2,690	<1.0	<1.0	<1.0	<2.0	37.4	<1.0
	8/5/13	2,770	<1.0	<1.0	<1.0	<2.0	52.0	<1.0
	11/11/13	2,400	<1.0	1.2	<1.0	<2.0	47.0	<1.0
	2/17/14	2,510	<1.0	<1.0	1.7	<2.0	36.5	<1.0
	5/19/14	2,580	<1.0	<1.0	6.2	<2.0	75.2	<1.0
	8/11/14	9,600	<1.0	1.4	3.5	7.1	64.7	<1.0
	11/17/14	2,100	<1.0	<1.0	<1.0	3.6	32	<1.0
	2/26/2015 and Dup-1	2510/2750	<1.0	<1.0	4.9	<2.0	27.7	<1.0
	5/21/15	3,030	<1.0	<1.0	<1.0	<2.0	29.1	<1.0
	8/3/2015 and Dup-1	2270/2640	<1.0/<1.0	<1.0/<1.0	1.4/1.2	<2.0/<2.0	30.2/41.0	<1.0/<1.0
	11/24/15	2,800	<1.0	<1.0	1.6	<2.0	13	<1.0
	2/23/16	3,570	<1.0	<1.0	6.0	<2.0	67.6	<1.0
	5/9/16	2,270	<1.0	<1.0	1.9	<2.0	78.7	<1.0
	8/24/16	600	<1.0	<1.0	<1.0	<2.0	28.7	<1.0
	11/29/16	2,060	<1.0	<1.0	1.7	5.3	7.5	<1.0
	2/14/16	2,820	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/23/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
8/7/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
11/28/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
2/6/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
KBMW-1	12/13/09	<100	<1	<1	<1	<2	<5.0	9.3
	1/18/10	<100	9.8	<1	<1	<2	<5.0	9.8
	11/1/11	<100	<1.0	<1	<1.0	<2	<5.0	<1.0
	2/2/12	211	<1.0	<1.0	<1.0	<2.0	<5.0	3.3
	5/9/12	236	1.7	<1.0	<1.0	<2.0	<5.0	6.3
	8/22/12 and /WC-Dup3	245/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	8/7/13	404	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/17/14 and WC-Dup1	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	2.6/2.5
	8/12/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/26/15	305	3.6	<1.0	<1.0	<2.0	<5.0	6.9
	8/3/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	0.9j

Table 2
Groundwater Analytical Results (in µg/L)
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date Collected	GRPH ^a	Benzene ^b	Toluene ^b	Ethyl-benzene ^b	Total Xylenes ^b	Naphthalene ^b	PCE ^b
KBMW-1	2/24/16	355	12.4	<1.0	<1.0	<2.0	<5.0	8.7
	8/24/16	110	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/15/17	<100	6.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/8/17	138	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/8/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
KBMW-2	12/13/09	38,000	553	5,750	<1	8,110	228	9.2
	1/18/10	27,500	709	8,310	2,200	10,300	282	<1
	10/31/11	LNAPL – 0.04 foot (0.48 inches)						
	2/2/12	38,300	190	2,170	864	3,280	302	<1.0
	5/9/12	43,600	261	2,790	714	3,430	582	<1.0
	8/20/12	LNAPL – 0.21 foot (2.52 inches)						
	8/6/13	LNAPL – 0.40 foot (4.80 inches)						
	11/11/13	LNAPL – 0.01 foot (0.12 inch)						
	2/17/14	LNAPL – Sheen						
	5/19/14	LNAPL – Sheen						
	8/11/14	LNAPL – 0.01 foot (0.06 inch)						
	11/18/14	41,100	156	3,960	1,510	6,190	2,440	<20
	2/26/15	LNAPL – Sheen						
	5/21/15	LNAPL – Sheen						
	8/3/15	LNAPL – 0.05 foot (0.6 inch)						
	11/25/15	LNAPL – Sheen						
	2/23/16	LNAPL – 0.02 foot (0.24 inch)						
	5/9/16	LNAPL – 0.02 foot (0.24 inch)						
	8/23/16	LNAPL – 0.03 foot (0.36 inch)						
	11/30/16	8,700	19.6	363	185	929	297	5.4
2/15/17	12,400	43.0	618	129	1,100	204	3.2	
5/24/2017 and DUP-1	2,880/2,740	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	94.5/176	27.2/<5.0	3.3/5.8	
8/8/17	2,400	<1.0	8.6	<1.0	288	<5.0	1.6	
11/29/17	1,820	<1.0	1.1	21	223	25	1.2	
2/7/2018 and DUP-1	1,060/1,170	<1.0/<1.0	<1.0/<1.0	1.2/<1.0	29/27	13/7.6	<1.0/<1.0	
KBMW-3	12/13/09	200	10	3.5	<1	3.8	<5.0	<1
	1/18/10	160	10.9	9.1	<1	4.2	5.3	<1
	11/2/11	657	6.3	1.2	12.3	15.2	12.9	<1.0
	2/2/12	191	4.3	<1.0	<1.0	<2.0	<5.0	<1.0
	5/9/12	346	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/22/12	787	7.1	3.1	14.7	55.7	14.8	<1.0
	8/6/13	475	2.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/17/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/12/14	430	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/26/15	280	1.7	<1.0	<1.0	<2.0	<5.0	<1.0
	8/4/15	2,440	10.8	2.9	28.6	67.8	24.0	<1.0
	2/24/2016 and /WCMW-Dup2	<100/103	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	8/24/16	2,480	15.1	3.5	36.1	68.3	25.7	<1.0
	2/15/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/8/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
2/7/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
KBMW-4	12/13/09	24,000	279	431	1,390	4,340	195	4.2
	1/19/10	25,400	565	1,140	1,800	6,300	200	<1
	10/31/11	LNAPL – Sheen						
	2/1/12	8,960	16	7.6	116	276	62.3	<1.0
	5/8/12	22,600	71.8	46.5	565	1,250	517	<1.0
	8/21/12	20,600	69.2	67	598	1,270	298	<1.0
	8/6/13	29,600	37	29	744	1,330	416	<1.0
	11/12/13	9,610	37	25	575	992	293	<1.0
	2/18/14	7,030	17.8	9.9	234	281	106	<1.0
	5/20/14 and /WCMW-Dup2	3,940/4,000	10.4/9.8	4.3/4.1	142/122	123/124	115/107	<1.0/<1.0
8/12/14	28,000	22.1	22	497	1,510	426	<1.0	

Table 2
Groundwater Analytical Results (in µg/L)
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date Collected	GRPH ^a	Benzene ^b	Toluene ^b	Ethyl-benzene ^b	Total Xylenes ^b	Naphthalene ^b	PCE ^b
KBMW-4	11/18/14	2,730	11	3.0	112	280	48	<1.0
	2/26/15	2,070	2.7	<1.0	4.9	17	26.5	<1.0
	5/21/15	3,270	<1.0	<1.0	<1.0	68	44	<1.0
	8/4/15	3,280	15.8	15.2	84.4	354	<5.0	<1.0
	11/24/15	1,970	6.7	1.5	58	53	26	<1.0
	2/24/16	1,730	<1.0	<1.0	2.4	<2.0	<5.0	<1.0
	5/9/16	2,860	3.2	<1.0	12.8	11.1	23.4	<1.0
	8/25/16	1,870	9.6	13.4	192	309	74.0	<1.0
	11/29/16	190	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/15/17	350	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/24/17	208	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/8/17	520	1.0	2.7	9.6	58.6	<5.0	<1.0
	11/29/17	<100	<1.0	<1.0	<1.0	3.9	<5.0	<1.0
11/29/17	<100	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	
KBMW-5	12/13/09	<100	<1	<1	<1	<2	<5.0	<1
	1/18/10	<100	<1	<1	<1	<2	<5.0	<1
	11/2/11	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/2/12	<100	<1.0	<1.0	<1.0	<2.0	6.1	<1.0
	5/9/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/22/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/6/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	11/12/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/17/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/20/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/13/14 and /Dup-3	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	8/4/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
8/24/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
8/8/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
KBMW-6	12/13/09	<100	<1	<1	<1	<2	<5.0	<1
	1/18/10	<100	<1	<1	<1	<2	<5.0	<1
	11/2/11 and /WC-Dup3	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	2/2/12 and /WC-Dup3	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	5/9/12 and /WC-Dup3	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	8/21/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/6/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/12/14 and /Dup-2	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	5.6/<5.0	<1.0/<1.0
	8/3/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/8/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
KBMW-7	12/13/09	800	11.6	4.1	<1	13.1	16	9.1
	1/19/10	1,090	8.5	13	146	352	39.5	6.8
	11/1/11	1,090	20.6	20.3	98.6	287	84.7	4.7
	1/31/12	1,460	4.2	1.4	31.6	114	43.6	2
	5/7/12	1,170	1.7	1.7	2.3	42.4	11.0	<1.0
	8/21/12	1,750	14.7	6.1	<1.0	92.6	21.3	1.4
	8/6/13	2,630	13.4	12.4	42.7	88.0	12.3	<1.0
	11/11/13	8,640	106	43	295	768	263	3.5
	2/18/14	2,260	9.5	2.8	49.3	76.2	42.8	<1.0
	5/19/14	1,650	9.0	3.2	41.7	63.6	38.9	<1.0
	8/11/14	1,880	27.6	26.9	48.5	96.9	52.5	<1.0
	11/18/14 and Dup-2	3,290/2,870	30/31	1.8/1.6	25/18	49/48	111/63	<1.0/<1.0
	2/26/15	1,560	11.2	3.2	25.8	54.2	25.9	<1.0
	5/21/15	3,460	32.0	14	48	155	55	<1.0
	8/3/15	1,640	13.5	15.0	<1.0	157	19.3	1.1
11/24/15	958	2.4	<1.0	<1.0	3.8	<5.0	<1.0	

Table 2
Groundwater Analytical Results (in µg/L)
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date Collected	GRPH ^a	Benzene ^b	Toluene ^b	Ethyl-benzene ^b	Total Xylenes ^b	Naphthalene ^b	PCE ^b
KBMW-7	2/23/16	2,420	10.7	3.2	34.3	46.5	51.2	1.3
	5/9/16	1,040	12.8	5.6	32	21.6	22.2	<1.0
	8/24/2016 and /Dup-1	680/219	5.8/<1.0	4.1/<1.0	<1.0/<1.0	57.8/<2.0	20.4/11.6	<1.0/<1.0
	11/30/16	1,140	10.2	3.2	2.2	32.4	8.8	1.7
	2/14/17	3,170	12.5	7.2	37.5	117	53.2	2.6
	5/23/17	1,020	10.7	3.8	<1.0	63.1	<5.0	3.2
	8/8/17	114	1.6	<1.0	<1.0	<2.0	<5.0	<1.0
	11/29/17	880	2.0	<1.0	9.2	11	18	<1.0
	2/7/18	2,640	12.0	10	66	81	33	1.6
KBMW-8	12/13/09 and /Dup2	2,700/4,000	54.4/64.5	8.9/20.8	<1/6.8	147/262	<5.0/<5.0	4.5/3.7
	1/19/10	223	21.8	48.4	19.5	76.2	38.7	3.9
	11/1/11	1,990	19.9	5.0	108	66.3	45.4	<1.0
	2/1/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/8/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/21/12	209	3.4	<1.0	6.7	<2.0	<5.0	<1.0
	8/6/13 and /WCMW-Dup2	335/506	3.5/3.6	<1.0/<1.0	8.8/6.1	2.2/<2.0	5.9/<5.0	<1.0/<1.0
	2/18/14 and WC-Dup2	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	8/12/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/26/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/4/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/25/16	360	2.6	<1.0	<1.0	5.0	<5.0	<1.0
	2/15/17	380	2.1	<1.0	1.9	4.9	<5.0	<1.0
	8/8/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
2/7/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
KBMW-9	12/14/09	37,000	516	3,850	1,900	9,100	479	1.8
	1/18/10	24,900	778	6,290	3,760	17,000	370	2
	11/1/11	LNAPL – 0.55 foot (6.60 inches)						
	2/1/12	LNAPL – 0.21 foot (2.52 inches)						
	5/8/12	LNAPL – 0.23 foot (2.76 inches)						
	8/21/12	LNAPL – 0.69 foot (8.28 inches)						
	8/5/13	Not accessible due to road construction						
	11/12/13	LNAPL – 0.07 foot (0.84 inch)						
	2/18/14	LNAPL – Sheen						
	5/20/14	LNAPL – Sheen						
	8/12/14	LNAPL – 0.08 foot (1 inch)						
	2/26/15	LNAPL – Sheen						
	5/22/15	LNAPL – 0.16 foot (1.92 inches)						
	8/3/15							
	11/25/15	LNAPL – Sheen						
	2/24/16	LNAPL – 0.04 foot (0.48 inches)						
	5/9/16	LNAPL – 0.04 foot (0.48 inches)						
	8/23/16	LNAPL – 0.51 foot (6.12 inches)						
	11/30/16	39,500	49.1	417	1,800	9,170	651	1.2
	2/16/17	49,800	22.8	342	918	5,300	670	<1.0
5/25/17	43,400	22.5	203	916	5,330	851	<1.0	
8/9/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
11/29/17	17,500	5.9	100	493	2,900	289	<1.0	
2/8/18	16,900	2.9	25	315	1,840	87	<1.0	
KBMW-10	12/14/09	<100	<1	<1	<1	<2	<5.0	5.9
	1/18/10	<100	<1	<1	<1	<2	<5.0	4.2
	11/1/11	<100	<1.0	<1.0	<1.0	<2.0	<5.0	2.4
	2/1/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	2.5
	5/8/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.6

Table 2
Groundwater Analytical Results (in µg/L)
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date Collected	GRPH ^a	Benzene ^b	Toluene ^b	Ethyl-benzene ^b	Total Xylenes ^b	Naphthalene ^b	PCE ^b
KBMW-10	8/21/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	1.7
	8/5/13	Not accessible due to road construction						
	11/12/13	160	7.8	<1.0	1.6	<2.0	<5.0	2.4
	8/12/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/4/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	2.0
	8/26/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/9/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
KBMW-11	8/12/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/4/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	2.0
	11/1/11	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	2/1/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/8/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/21/12	<100	2.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/6/13	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/12/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/3/15	397	<1.0	6.4	9.7	51.9	74.8	<1.0
	8/25/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/8/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
KBMW-12	11/1/11	49,000	1,470	3,780	2,290	9,210	376	<1.0
	2/1/12	51,600	4,440	12,600	2,330	10,500	212	<1.0
	5/8/12	83,000	2,090	8,370	3,000	11,100	310	<1.0
	8/21/12	68,400	932	5,500	2,010	8,130	297	<1.0
	8/6/13	104,000	398	5,100	2,100	9,260	245	<1.0
	8/12/14	55,700	270	2,620	1,380	5,850	129	<1.0
	8/3/15	20,400	62.6	528	1,170	4,580	149	<1.0
	8/25/16	6,420	75.8	35	290	719	40.0	<5.0
	8/8/17	17,200	22.8	25.5	873	1,920	86.1	<5.0
ESMW-1	12/13/09 and /Dup1	800/650	11.3/8.8	8.2/<1	1.1/<1	29.6/12.1	<5.0/<5.0	<1/<1
	1/19/10 and /Dup1	658/695	10.9/10.9	10.2/10.4	3.5/3.2	32.2/29.5	28.2/29.1	<1/<1
	10/31/11	1,300	6.2	4.3	28.2	37.1	12.4	<1.0
	1/31/12	2,060	7.5	6.3	46.2	47.5	57.6	<1.0
	5/7/12	4,180	5.8	4.2	38.7	13.5	20.4	<1.0
	8/20/12	1,430	2.0	<1.0	2.1	7.4	<5.0	<1.0
	8/5/13	585	1.4	<1.0	2.9	<2.0	1.9	<1.0
	11/11/13	449	4.4	1.5	29	3.3	<5.0	<1.0
	2/17/14	1,500	4.4	1.8	27.1	4.1	11.9	<1.0
	5/19/14	1,540	3.2	1.0	25.2	<2.0	17.1	<1.0
	8/11/14 and /WC-Dup1	500/<100	<1.0/<1.0	<1.0/<1.0	3.1/<1.0	<2.0/2.0	<5.0/<5.0	<1.0/<1.0
	11/17/14	358	<1.0	<1.0	4.3	2.7	41	<1.0
	2/26/2015 and Dup-2	1180/1450	3.2/4.0	1.4/1.9	27/30.8	4.4/6.1	14/20.2	<1.0/<1.0
	5/21/15	610	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0
	8/3/15	100	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0
	11/24/15	325	<1.0	<1.0	8.5	2.9	<1.0	<1.0
	8/11/14 and /WC-Dup1	1,960/1,890	1.8/1.8	1.0/1.0	38.3/36.0	1.9j/1.9j	5.2/6.0	<1.0/<1.0
	5/9/16	500	<1.0	<1.0	1.7	<2.0	<5.0	<1.0
	8/24/16	100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	11/30/16	927	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
2/14/17	1,240	<1.0	<1.0	7.2	<2.0	<5.0	<1.0	
2/14/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
8/7/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
11/28/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	

Table 2
Groundwater Analytical Results (in µg/L)
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date Collected	GRPH ^a	Benzene ^b	Toluene ^b	Ethyl-benzene ^b	Total Xylenes ^b	Naphthalene ^b	PCE ^b	
ESMW-1	2/6/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
ESMW-7	12/13/09	3,600	76.5	30.2	5.1	680	<5.0	6.4	
	1/19/10	1,990	127	39.5	292	649	32.1	<1	
	11/1/12	5,800	135	31.4	520	645	133	<1.0	
	2/1/12 and /WC-Dup2	1,180/804	56.6/29.1	7.7/3.9	91/20.1	127/67.4	38.9	<1.0/<1.0	
	5/8/12	5,350	94.8	41.8	207	427	106	<1.0	
	8/21/12 and /WC-Dup2	10,200/16,000	312/349	45.1/46.7	612/789	1,400/1,700	409/420	<1.0/<1.0	
	8/5/13	Not accessible due to road construction							
	11/12/13	18,100	188	158	1,200	2,860	536	<1.0	
	2/18/14	718	10.7	3.7	45.7	67.5	17.7	<1.0	
	5/19/14	147	2.2	<1.0	7.0	15.3	3.2	<1.0	
	8/12/14	10,500	108	18.7	253	300	395	<1.0	
	11/18/14	6,210	57	35	503	1,170	114	<5.0	
	2/26/15	10,100	122	74	512	988	196	<5.0	
	5/22/15	10,100	159	66	955	1,300	360	<5.0	
	8/4/2015 and WC-Dup3	8,100/10,900	71.0/77.6	32.9/33.9	634/885	910/1,300	166/332	<5.0/<1.0	
	11/25/15	7,340	58	31	402	655	57	<1.0	
	2/24/16	322	2.5	1.2	14.8	17.2	<5.0	<1.0	
	5/9/2016 and WC-Dup1	11,200/9,300	112/79.5	58.0/36.0	706/593	873/727	858/704	<1.0/<1.0	
	8/25/16	4,520	79.2	23.2	440	273.0	106	<5.0	
	11/30/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
2/15/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0		
5/24/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0		
8/8/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0		
11/29/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0		
2/7/18	<100	<1.0	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
Monitoring Wells Associated With Tony's Short Stop Site, 326 South Main Street, Montesano, WA									
TSSMW-2	1/18/10	92,100	22,300	66,700	10,700	47,600	99	<4	
TSSMW-4	1/18/10	LNAPL – 0.8 foot (0.96 inches)							
TSSMW-5	1/18/10	<100	<1	<1	<1	<2	<5	<1	
TSSMW-6	1/18/10	<100	<1	<1	<1	<2	<5	4.4	
TSSMW-7	1/18/10	107	2.3	<1	1.4	17	<5	2	
	11/1/11	315	4.1	<1.0	3.2	3.3	14.2	1.2	
	2/1/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	5/8/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	8/21/12	557	<1.0	<1.0	<1.0	45.7	12.7	1.0	
	8/6/13	1,100	4.0	2.0	<1.0	61.3	24.7	<1.0	
	11/12/13 and /Dup-2	224/<100	<1.0/<1.0	<1.0/<1.0	1.3/<1.0	21/<2.0	30/<5.0	1.2/1.0	
	2/18/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	5/19/14	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	8/12/14	740	6.5	3.0	<1.0	52.9	22.3	<1.0	
11/18/14	619	<1.0	<1.0	<1.0	<2.0	<5.0	1.0		
TSSMW-7	2/26/15	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	5/21/15	117	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	8/4/15	225	1.6	1.1	3.2	36.8	16.6	<1.0	
	11/25/15	117	<1.0	<1.0	<1.0	<2.0	5.8	<1.0	
	2/23/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	5/9/16	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	8/25/16	228	2.4	1.3	<1.0	38.1	15.8	<1.0	
	11/29/16	355	7.3	<1.0	<1.0	6.3	9.00	<1.0	
	2/16/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	5/24/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	8/8/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
	11/29/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
2/7/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0		

Table 2
Groundwater Analytical Results (in µg/L)
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Well ID	Date Collected	GRPH ^a	Benzene ^b	Toluene ^b	Ethyl-benzene ^b	Total Xylenes ^b	Naphthalene ^b	PCE ^b
TSSMW-8	1/18/10	125	1.4	<1	9.3	<2.0	<5	<1.0
	11/1/11	150	4.9	<1.0	2.1	<2.0	<5.0	<1.0
	2/1/12	<100	1.0	<1.0	<1.0	<2.0	5.5	<1.0
	5/8/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/21/12	<100	2.6	<1.0	<1.0	<2.0	<5.0	<1.0
TSSMW-9	1/18/10	1,700	173	82	97.5	1,190	96.9	<1.0
	11/1/11	1,310	69.8	45.4	244	616	116	<1.0
	2/1/12	1,130	25	8.7	34.2	173	27.3	<1.0
	5/8/12	930	11.9	2.7	7.4	43.2	40.7	<1.0
	8/21/12	7,000	59.3	22.7	91.9	306	65.1	<1.0
	8/5/13	Not accessible due to road construction						
	11/12/13 and /Dup-1	4,050/3,240	71/66	34/31	189/174	398/362	108/113	<1.0/<1.0
	2/18/14	984	22.6	3.0	8.0	15.2	29.5	<1.0
	5/20/14	<100	27.8	4.9	16.1	19.3	120	<1.0
	8/12/14	11,300	95.2	57	275	865	383	<1.0
	11/18/2014 and Dup-1	7,430/8,150	75/80	72/73	235/211	959/967	60/152	<5.0/<5.0
	2/26/15	3,250	88	31	142	214	133	<1.0
	5/22/15	2,940	36	11	78	115	49	<1.0
	8/4/15	6,880	72	54	392	985	195	<1.0
	11/25/15	5,520	50	44	202	700	82	<1.0
	2/24/16	202	<1.0	<1.0	<1.0	<2.0	7.9	<1.0
	5/9/16	242	14.2	1.0	2.0	3.2	16.0	<1.0
	8/26/16	150	7.1	2.6	9.3	9.3	30.0	<1.0
	11/29/16 and DUP-1	210/170	1.8/<1.0	<1.0/<1.0	<1.0/<1.0	26.6/18.4	<1.0/<1.0	<1.0/<1.0
	2/16/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
5/25/17	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
8/9/17	480	11.6	2.9	24.1	14.8	16.2	<1.0	
11/29/17	258	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
2/8/18	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0	
TSSMW-12	11/1/11 and /WC-Dup2	<100/<100	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	<2.0/<2.0	<5.0/<5.0	<1.0/<1.0
	2/1/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	5/8/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
	8/21/12	<100	<1.0	<1.0	<1.0	<2.0	<5.0	<1.0
Potentially Applicable Groundwater Cleanup Level^c		800 / 1,000^d	5	1,000	700	1,000	160	5

Notes:

All results presented in micrograms/liter (µg/L).

- Bold** Bold results indicate that the compound was detected above the compound-specific laboratory reporting limit.
- Shaded cells indicate that the detected concentration exceeds the potentially applicable groundwater cleanup level.
- < Compound was not detected at the laboratory sample quantitation limit shown.
- GRPH Gasoline-range petroleum hydrocarbons
- PCE Tetrachloroethene
- LNAPL Light non-aqueous phase liquid
- a Analyzed by Ecology Method NWTPH-Gx.
- b Analyzed by EPA Method 8260B or 8260C.
- c Based on Model Toxics Control Act (MTCA) Method A Groundwater Cleanup Levels, WAC 173-340-900, Table 720-1.
- d MTCA Method A Groundwater Cleanup Level for GRPH is 800 µg/L when benzene is present in the sample and 1,000 µg/L when benzene is not detected.

Table 3
Air Emission Analytical Results (in µg/L)
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 Pioneer Avenue, Montesano, Washington

Sample ID	Date Collected	GRPH ^a	Benzene ^b	Toluene ^b	Ethyl-benzene ^b	Total Xylenes ^b	Naphthalene ^b	PCE ^b
INF1-0215	2/15/17	147	0.175	<0.1	<0.1	0.117	<0.1	0.192
EFF1-0215		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1A-0328	3/28/17	227	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EFF1-0328		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0330	3/30/17	151	0.104	<0.1	<0.1	<0.1	<0.1	<0.1
EFF1-0330		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0403	4/3/17	477	<0.1	<0.1	<0.1	1.08	<0.1	<0.1
EFF1-0403		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0410	4/10/17	268	0.146	0.211	0.341	1.68	<0.1	<0.1
EFF1-0410		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0418	4/18/17	108	<0.1	0.283	0.158	0.998	<0.1	<0.1
EFF1-0418		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0428	4/28/17	319	<0.1	0.300	0.250	1.38	<0.1	<0.1
EFF1-0428		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	0.105
INF1-0503	5/3/17	129	<0.1	0.187	0.214	1.31	<0.1	<0.1
EFF1-0503		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0504	5/4/17	103	<0.1	0.152	0.147	1.04	<0.1	<0.1
EFF1-0504		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0508	5/8/17	294	<0.1	<0.1	0.224	0.960	<0.1	<0.1
EFF1-0508		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0515	5/15/17	176	<0.1	0.320	0.187	1.28	<0.1	<0.1
EFF1-0515		12.8	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0522	5/22/17	183	<0.1	0.256	0.150	1.19	<0.1	<0.1
EFF1-0522		25.3	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0714	7/14/17	268	<0.1	0.500	0.0183	1.830	<0.1	<0.1
EFF1-0714		6.83	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0806	8/6/17	261	0.218	0.929	0.429	2.991	<0.1	<0.1
EFF1-0806		<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0919	9/19/17	201	<0.1	0.450	0.281	2.151	<0.1	<0.1
EFF1-0919		12.8	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-1025	10/25/17	132	<0.1	<0.1	<0.1	0.521	<0.1	<0.1
EFF1-1025		41.9	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-1127	11/27/17	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EFF1-1127		24.4	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-1220	12/20/17	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EFF1-1220		16.6	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
INF1-0117	1/17/18	1.66	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EFF1-0117		51.0	0.479	<0.1	<0.1	<0.1	<0.1	<0.1
INF-0205	2/5/18	<5.0	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1

Notes:

- All results presented in micrograms/liter (µg/L).
- < Compound was not detected at the laboratory sample quantitation limit shown.
- GRPH Gasoline-range petroleum hydrocarbons
- PCE Tetrachloroethene
- a Analyzed by Ecology Method NWTPH-Gx.
- b Analyzed by EPA Method 8260C.

Table 4
System Mass Removal and Destruction Efficiency
Quarterly Groundwater Monitoring and Remediation System Status Report – February 2018
Whitney's Chevrolet, Inc.
123 West Pioneer Avenue, Montesano, Washington

Date	Field Inputs				Mass Removal			Vapor Control Efficiency			Vapor Control Efficiency PID Screening			
	SVE Run Time Since Last Event ^a (days)	System Flow Rate to Carbon ^b (scfm)	Influent GRPH Conc. to Carbon ^c (µg/L)	Effluent GRPH Conc. ^d (µg/L)	GRPH Removal Rate ^e (lbs/day)	GRPH Removed During Period ^f (lbs)	Cumulative GRPH Removed ^g (lbs)	Mass Flow Rate In (lbs/day)	Mass Flow Rate Out (lbs/day)	Carbon Adsorption Control Efficiency ^h (%)	Inf-Carbon PID Reading (ppm)	Mid-Carbon PID Reading (ppm)	Post-Carbon PID Reading (ppm)	Carbon Adsorption Control Efficiency (%)
02/15/17	1.07	111	147	<5.0	1.5	1.6	1.6	0.0	0.0	100.0	NM	NM	NM	NM
03/27/17	0.20	154	147	<5.0	2.0	0.4	2.0	2.0	0.0	100.0	NM	NM	NM	NM
03/28/17	1.10	112	227	<5.0	2.3	2.5	4.5	2.3	0.0	100.0	58.8	NM	0.0	100.0%
03/30/17	1.80	133	151	<5.0	1.8	3.2	7.7	1.8	0.0	100.0	37.9	NM	11.3	70.2%
04/03/17	1.20	192	477	<5.0	8.2	9.9	17.6	8.2	0.0	100.0	89.1	NM	1.2	98.7%
04/10/17	7.00	123	268	<5.0	3.0	20.7	38.3	3.0	0.0	100.0	38.0	NM	0.7	98.2%
04/18/17	8.00	164	108	<5.0	1.6	12.7	51.0	1.6	0.0	100.0	26.5	NM	2.6	90.2%
04/24/17	5.90	198	319	<5.0	5.7	33.5	84.5	5.7	0.0	100.0	49.7	NM	0.0	100.0%
05/03/17	9.20	208	129	<5.0	2.4	22.2	106.6	2.4	0.0	100.0	28.4	NM	1.0	96.5%
05/04/17	0.10	161	103	<5.0	1.5	0.1	106.8	1.5	0.0	100.0	24.4	NM	0.0	100.0%
05/08/17	4.00	212	294	<5.0	5.6	22.4	129.2	5.6	0.0	100.0	61.8	NM	0.0	100.0%
05/15/17	7.00	165	176	12.8	2.6	18.2	147.4	2.6	0.2	92.7	71.9	NM	10.1	86.0%
05/22/17	6.10	185	183	25.3	3.0	18.5	165.9	3.0	0.4	86.2	99.7	13.1	6.0	94.0%
07/14/17	14.80	201	268	6.830	4.8	71.6	237.5	4.8	0.1	97.5	53	NM	0	100.0%
08/06/17	23.10	200	261	<5.0	4.7	108.2	345.7	4.7	0.0	100.0	45	NM	5.0	88.9%
09/19/17	42.10	201	201	12.8	3.6	152.7	498.4	3.6	0.2	93.6	142.1	NM	3.8	97.3%
10/25/17	35.88	193	132	41.9	2.3	82.0	580.5	2.3	0.7	68.3	5.0	NM	2.0	60.0%
11/27/17	38.92	184	2.5 ⁱ	24.4	0.04	1.6	582.1	0.0	0.0	---	2.5	NM	4.3	---
12/20/17	21.00	180	2.5 ⁱ	16.6	0.04	0.8	582.9	0.0	0.3	---	5.0	NM	2.0	---
01/17/18	27.90	184	1.66	51.0	0.03	0.8	583.7	0.0	0.8	---	5.0	NM	2.0	---
02/05/18	19.00	173	2.5 ⁱ	NM	0.04	0.7	584.4	0.0	0.0	---	2.5	NM	4.3	---

Notes:

- a Days of SVE operation since last visit.
- b Collected from SVE-TOT location, post dilution.
- c Collected from AIR-INF location, post dilution.
- d Collected from AIR-EFF location, effluent carbon.
- e Calculated as: Removal rate (lbs/day) = [[flow rate(scfm)*1440 (min/day)]*[28.3(L/Ft3)*Inf. Conc (µg/L)]]/454,000,000 µg/lb
- f Calculated as: [GRPH Removal Rate (lbs/day) * Time Since Last Event (days)]
- g Calculated as: [Cumulative GRPH Removed (lbs) + GRPH Removed During Period (lbs)]
- h Calculated as: [(Mass flow rate In - Mass Flow rate Out)/(Mass flow rate in)] * 100
- i GRPH was not identified in the influent sample at concentrations above the sample quantitation limit during this O&M event. A proxy value of half the sample quantitation limit was used to estimate mass removal.
- < Concentration is less than the laboratory's method detection limit.
- scfm Standard cubic feet per minute.
- GRPH Gasoline-range petroleum hydrocarbons.
- µg/L Micrograms per liter.
- lbs Pounds.
- % Percent.
- ppm Parts per million.
- PID Photoionization detector.
- NM Not measured.

Figures






FIGURE 1
GENERAL VICINITY MAP

PREPARED BY	 ENVIRONMENTAL PARTNERS INC		
REPORT	QUARTERLY GROUNDWATER MONITORING AND REMEDIATION SYSTEM STATUS REPORT - FEBRUARY 2018		
LOCATION	123 WEST PIONEER AVENUE, MONTESANO, WASHINGTON		
PREPARED FOR	WHITNEY'S CHEVROLET		
DATE	DRAWN BY	REVIEWED BY	PROJECT NUMBER
3/21/18	VPB	SPT	51201.18

NOTES:
 SOURCE: USGS 7.5 MINUTE QUADRANGLE (TOPOGRAPHIC)
 MONTESANO, WA 1983; REVISED 1986
 CENTRAL PARK, WA 1983; REVISED 1986
 WYNOOCHEE VALLEY SW, WA 1987; REVISED 1990
 PRICES PEAK, WA 1987; REVISED 1990

SCALE = 1:24,000









FIGURE 3
SITE REPRESENTATION WITH WATER TABLE
PIEZOMETRIC CONTOURS FOR FEBRUARY 2018

PREPARED BY			
REPORT	QUARTERLY GROUNDWATER MONITORING AND REMEDIATION SYSTEM STATUS REPORT - FEBRUARY 2018		
LOCATION	123 WEST PIONEER AVENUE, MONTESANO, WASHINGTON		
PREPARED FOR	WHITNEY'S CHEVROLET, INC.		
DATE	DRAWN BY	REVIEWED BY	PROJECT NUMBER
4/4/18	AM/CLM	SPT	51201.18



NOTES:

- Groundwater monitoring well associated with Whitney's Chevrolet site
- Groundwater monitoring well associated with Tony's Short Stop site
- Former monitoring well
- Former underground storage tank location
- Recovery well

GRPH GASOLINE-RANGE HYDROCARBONS
B BENZENE
T TOLUENE
E ETHYLBENZENE
X TOTAL XYLENES
N NAPHTHALENE
PCE TETRACHLOROETHENE
 * NOT SCHEDULED FOR SAMPLING DURING THIS EVENT

ALL RESULTS PRESENTED IN MICROGRAMS PER LITER (µg/L)

SAMPLE ID

DATE	GRPH	B	T	E	X	N	PCE
2/7/2018 and DUP-1	1,060/1,170	<1.0/<1.0	<1.0/<1.0	1.2/<1.0	29/27	13/7.6	<1.0/<1.0

SAMPLE DATE AND ASSOCIATED DUPLICATE SAMPLE

SHADED REPRESENTS DETECTION ABOVE POTENTIALLY APPLICABLE GROUNDWATER CLEANUP LEVELS

BOLD REPRESENTS DETECTION ABOVE LABORATORY REPORTING LIMITS

FIGURE 4
 SITE REPRESENTATION WITH SUMMARY OF
 GROUNDWATER ANALYTICAL DATA

PREPARED BY			
REPORT	QUARTERLY GROUNDWATER MONITORING AND REMEDIATION SYSTEM STATUS REPORT - FEBRUARY 2018		
LOCATION	123 WEST PIONEER AVENUE, MONTESANO, WASHINGTON		
PREPARED FOR	WHITNEY'S CHEVROLET, INC.		
DATE	DRAWN BY	REVIEWED BY	PROJECT NUMBER
4/19/18	AM/CLM	SPT	51201.18






FIGURE 5 GRPH ISOCONCENTRATION CONTOURS FEBRUARY 2018			
PREPARED BY			
REPORT	QUARTERLY GROUNDWATER MONITORING AND REMEDIATION SYSTEM STATUS REPORT - FEBRUARY 2018		
LOCATION	123 WEST PIONEER AVENUE, MONTESANO, WASHINGTON		
PREPARED FOR	WHITNEY'S CHEVROLET, INC.		
DATE	DRAWN BY	REVIEWED BY	PROJECT NUMBER
4/5/18	AM/CLM	SPT	51201.18



- NOTES:**
- GROUNDWATER MONITORING WELL ASSOCIATED WITH WHITNEY'S CHEVROLET SITE
 - GROUNDWATER MONITORING WELL ASSOCIATED WITH TONY'S SHORT STOP SITE
 - FORMER MONITORING WELL
 - RECOVERY WELL
 - FORMER UNDERGROUND STORAGE TANK LOCATION
 - (16)** BENZENE CONCENTRATION IN GROUNDWATER IN MICROGRAMS PER LITER (µg/L), FEBRUARY 2018
 - <1.0** INDICATES BENZENE WAS NOT DETECTED ABOVE THE METHOD REPORTING LIMIT SHOWN
 - BOLD** INDICATES BENZENE CONCENTRATION EXCEEDS THE POTENTIALLY APPLICABLE GROUNDWATER CLEANUP LEVEL OF 5 µg/L
 - 5** BENZENE CONCENTRATION CONTOUR (CONCENTRATIONS IN µg/L)
 - *** NOT SCHEDULED FOR SAMPLING DURING THIS EVENT


FIGURE 6 BENZENE ISOCONCENTRATION CONTOURS FEBRUARY 2018			
PREPARED BY			
REPORT	QUARTERLY GROUNDWATER MONITORING AND REMEDIATION SYSTEM STATUS REPORT - FEBRUARY 2018		
LOCATION	123 WEST PIONEER AVENUE, MONTESANO, WASHINGTON		
PREPARED FOR	WHITNEY'S CHEVROLET, INC.		
DATE	DRAWN BY	REVIEWED BY	PROJECT NUMBER
4/19/18	AM/CLM	SPT	51201.18



- NOTES:**
- GROUNDWATER MONITORING WELL ASSOCIATED WITH WHITNEY'S CHEVROLET SITE
 - GROUNDWATER MONITORING WELL ASSOCIATED WITH TONY'S SHORT STOP SITE
 - FORMER MONITORING WELL
 - RECOVERY WELL
 - FORMER UNDERGROUND STORAGE TANK LOCATION
 - (12)** TETRACHLOROETHENE (PCE) CONCENTRATION IN GROUNDWATER IN MICROGRAMS PER LITER (µg/L), FEBRUARY 2018
 - <1.0** INDICATES PCE WAS NOT DETECTED ABOVE THE METHOD REPORTING LIMIT SHOWN
 - BOLD** INDICATES PCE CONCENTRATION EXCEEDS THE POTENTIALLY APPLICABLE GROUNDWATER CLEANUP LEVEL OF 5 µg/L
 - - - 5** PCE CONCENTRATION CONTOUR, DASHED WHERE INFERRED (CONCENTRATIONS IN µg/L)
 - *** NOT SCHEDULED FOR SAMPLING DURING THIS EVENT

FIGURE 7
PCE ISOCONCENTRATION CONTOURS
FEBRUARY 2018

PREPARED BY	ENVIRONMENTAL PARTNERS INC		
REPORT	QUARTERLY GROUNDWATER MONITORING AND REMEDIATION SYSTEM STATUS REPORT - FEBRUARY 2018		
LOCATION	123 WEST PIONEER AVENUE, MONTESANO, WASHINGTON		
PREPARED FOR	WHITNEY'S CHEVROLET, INC.		
DATE	DRAWN BY	REVIEWED BY	PROJECT NUMBER
4/19/18	AM/CLM	SPT	51201.18



- NOTES:**
- APPROXIMATE PARCEL BOUNDARY
 - AIR SPARGE (AS) WELL AND CONVEYANCE PIPING
 - ◇ SOIL VAPOR EXTRACTION (SVE) WELL AND CONVEYANCE PIPING
 - ◇ LIGHT NON-AQUEOUS PHASE LIQUID (LNAPL) RECOVERY WELL AND CONVEYANCE PIPING
 - ABOVEGROUND CONVEYANCE PIPING
 - ⊕ GROUNDWATER MONITORING WELL
 - ⊕ GROUNDWATER MONITORING WELL ASSOCIATED WITH WHITNEY'S CHEVROLET SITE
 - ⊕ GROUNDWATER MONITORING WELL ASSOCIATED WITH TONY'S SHORT STOP SITE

FIGURE 8 SITE REPRESENTATION WITH AS/SVE/LNAPL SYSTEM LAYOUT			
PREPARED BY			
REPORT	QUARTERLY GROUNDWATER MONITORING AND REMEDIATION SYSTEM STATUS REPORT - FEBRUARY 2018		
LOCATION	123 WEST PIONEER AVENUE, MONTESANO, WASHINGTON		
PREPARED FOR	WHITNEY'S CHEVROLET, INC.		
DATE	DRAWN BY	REVIEWED BY	PROJECT NUMBER
4/19/18	VPB/AM	SPT	51201.18

Attachment A
Laboratory Analytical Data Reports for Groundwater



Libby Environmental, Inc.

4139 Libby Road NE • Olympia, WA 98506-2518

February 15, 2018

Sean Trimble
Environmental Partners, Inc.
1180 NW Maple Street, Suite 310
Issaquah, WA 98027

Dear Mr. Trimble:

Please find enclosed the analytical data report for the Whitney's Chevrolet Project located in Montesano, Washington.

The results of the analyses are summarized in the attached tables. Applicable detection limits and QA/QC data are included. The sample(s) will be disposed of in 30 days unless we are contacted to arrange long term storage.

Libby Environmental, Inc. appreciates the opportunity to have provided analytical services for this project. If you have any further questions about the data report, please give me a call. It was a pleasure working with you on this project, and we are looking forward to the next opportunity to work together.

Sincerely,

Sherry L. Chilcutt
Senior Chemist
Libby Environmental, Inc.

Libby Environmental, Inc.

Chain of Custody Record

www.LibbyEnvironmental.com

4139 Libby Road NE
Olympia, WA 98506

Ph: 360-352-2110
Fax: 360-352-4154

Date: 2/7/18 Page: 1 of 1

Client: EPI

Project Manager: SEAN TRIMBLE

Address: 180 NW MAPLE ST. SUITE 310

Project Name: WHITNEY'S Chevrolet

City: ISSAQUAH State: WA Zip: 98027

Location: MONTESANO City, State: Montesano WA


Phone: (425) 395-0010 Fax:

Collector: JS / NH Date of Collection: See Notes

Client Project # 51201

Email: SEANT@EPI-WA.COM

Sample Number	Depth	Time	Sample Type	Container Type	Analytes													Field Notes			
					VOC 8260	NWTPH-Gx	BTEX 8021	NWTPH-Dx	NWTPH-Dx/Dx	c PAH 8270	PAH 8270	Semi Vol 8270	PCB 8082	MTCA 5 Metals	RCRA 8 Metals	NITRATE/SULFATE	METHANE		ALKALINITY		
1		1354	WATER	VOA	X	X	X	X										X	X	X	02/06/18
2		1439			X	X	X	X													
3		1519			X	X	X	X													
4		804			X	X	X	X													
5					X	X	X	X													
6		859			X	X	X	X													
7		930			X	X	X	X													
8		1007			X	X	X	X													
9		1041			X	X	X	X													
10		1113			X	X	X	X													
11		1230			X	X	X	X													
12																					
13																					
14																					
15																					
16																					
17																					

Relinquished by: 	Date / Time: <u>02/07/18 1300</u>	Received by: <u>Koddy Eley</u>	Date / Time: <u>2/7/18 1300</u>	Sample Receipt Good Condition? <input checked="" type="radio"/> Y <input type="radio"/> N Temp. _____ °C Seals Intact? <input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/> N/A Total Number of Containers: <u>39</u>	Remarks: <u>STANDARD TNT</u> TAT: 24HR 48HR <input checked="" type="radio"/> 5-DAY
Relinquished by:	Date / Time:	Received by:	Date / Time:		
Relinquished by:	Date / Time:	Received by:	Date / Time:		

Libby Environmental, Inc.

WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.

Montesano, Washington

Libby Project # L180207-2

Client Project # 51201

4139 Libby Road NE

Olympia, WA 98506

Phone: (360) 352-2110

FAX: (360) 352-4154

Email: libbyenv@aol.com

Volatile Organic Compounds by EPA Method 8260C in Water

Sample Description	Method Blank	Method Blank	WCMW-10	ESMW-1	ESMW-1 Dup	WCMW-1R	
Date Sampled	Reporting	N/A	N/A	2/6/18	2/6/18	2/6/18	
Date Analyzed	Limits	2/7/18	2/8/18	2/7/18	2/7/18	2/7/18	
	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
Vinyl chloride	0.2	nd	nd	nd	nd	nd	
1,1-Dichloroethene	2.0	nd	nd	nd	nd	nd	
<i>trans</i> -1,2-Dichloroethene	1.0	nd	nd	nd	nd	nd	
<i>cis</i> -1,2-Dichloroethene	1.0	nd	nd	nd	nd	nd	
Benzene	1.0	nd	nd	nd	nd	nd	
Trichloroethene (TCE)	1.0	nd	nd	nd	nd	nd	
Toluene	1.0	nd	nd	nd	nd	nd	
Tetrachloroethene (PCE)	1.0	nd	nd	nd	nd	1.3	
Ethylbenzene	1.0	nd	nd	nd	nd	nd	
Total Xylenes	2.0	nd	nd	nd	nd	nd	
Naphthalenes	5.0	nd	nd	nd	nd	nd	
Surrogate Recovery							
Dibromofluoromethane		80	83	79	79	79	84
1,2-Dichloroethane-d4		78	84	87	83	83	79
Toluene-d8		96	97	97	97	95	97
4-Bromofluorobenzene		101	101	101	100	99	98

"nd" Indicates not detected at listed detection limit.

"int" Indicates that interference prevents determination.

ACCEPTABLE RECOVERY LIMITS FOR SURROGATE 65% TO 135%

ANALYSES PERFORMED BY: Paul Burke

Libby Environmental, Inc.

WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.

Montesano, Washington

Libby Project # L180207-2

Client Project # 51201

4139 Libby Road NE

Olympia, WA 98506

Phone: (360) 352-2110

FAX: (360) 352-4154

Email: libbyenv@aol.com

Volatile Organic Compounds by EPA Method 8260C in Water

Sample Description		KBMW-2	DUP-1	KBMW-3	WCMW-4	WCMW-5	KBMW-7
Date Sampled	Reporting	2/7/18	2/7/18	2/7/18	2/7/18	2/7/18	2/7/18
Date Analyzed	Limits	2/7/18	2/7/18	2/7/18	2/8/18	2/8/18	2/7/18
	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
Vinyl chloride	0.2	nd	nd	nd	nd	nd	nd
1,1-Dichloroethene	2.0	nd	nd	nd	nd	nd	nd
<i>trans</i> -1,2-Dichloroethene	1.0	nd	nd	nd	nd	nd	nd
<i>cis</i> -1,2-Dichloroethene	1.0	nd	nd	nd	nd	nd	1.1
Benzene	1.0	nd	nd	nd	nd	16	12
Trichloroethene (TCE)	1.0	nd	nd	nd	nd	nd	1.4
Toluene	1.0	nd	nd	nd	32	33	10
Tetrachloroethene (PCE)	1.0	nd	nd	nd	8.4	5.3	1.6
Ethylbenzene	1.0	1.2	nd	nd	80	86	66
Total Xylenes	2.0	29	27	nd	597	221	81
Naphthalenes	5.0	13	7.6	nd	73	61	33
Surrogate Recovery							
Dibromofluoromethane		82	81	82	82	82	81
1,2-Dichloroethane-d4		82	80	84	83	83	78
Toluene-d8		96	96	98	96	97	99
4-Bromofluorobenzene		106	102	100	97	101	99

"nd" Indicates not detected at listed detection limit.

"int" Indicates that interference prevents determination.

ACCEPTABLE RECOVERY LIMITS FOR SURROGATE 65% TO 135%

ANALYSES PERFORMED BY: Paul Burke

Libby Environmental, Inc.

WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.

Montesano, Washington

Libby Project # L180207-2

Client Project # 51201

4139 Libby Road NE

Olympia, WA 98506

Phone: (360) 352-2110

FAX: (360) 352-4154

Email: libbyenv@aol.com

Volatile Organic Compounds by EPA Method 8260C in Water

Sample Description		ESMW-7	WCMW-6
Date Sampled	Reporting	2/7/18	2/7/18
Date Analyzed	Limits	2/7/18	2/7/18
	(µg/L)	(µg/L)	(µg/L)
Vinyl chloride	0.2	nd	nd
1,1-Dichloroethene	2.0	nd	nd
<i>trans</i> -1,2-Dichloroethene	1.0	nd	nd
<i>cis</i> -1,2-Dichloroethene	1.0	nd	nd
Benzene	1.0	nd	nd
Trichloroethene (TCE)	1.0	nd	nd
Toluene	1.0	nd	nd
Tetrachloroethene (PCE)	1.0	nd	nd
Ethylbenzene	1.0	nd	nd
Total Xylenes	2.0	nd	nd
Naphthalenes	5.0	nd	nd
Surrogate Recovery			
Dibromofluoromethane		80	79
1,2-Dichloroethane-d4		84	81
Toluene-d8		96	97
4-Bromofluorobenzene		100	96

"nd" Indicates not detected at listed detection limit.

"int" Indicates that interference prevents determination.

ACCEPTABLE RECOVERY LIMITS FOR SURROGATE 65% TO 135%

ANALYSES PERFORMED BY: Paul Burke

Libby Environmental, Inc.

WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.

Montesano, Washington

Libby Project # L180207-2

Client Project # 51201

4139 Libby Road NE

Olympia, WA 98506

Phone: (360) 352-2110

FAX: (360) 352-4154

Email: libbyenv@aol.com

QA/QC Data - EPA 8260C Analyses

Sample Identification: WCMW-6 (1/7/18)							
	Matrix Spike			Matrix Spike Duplicate			RPD
	Spiked Conc. (µg/L)	Measured Conc. (µg/L)	Spike Recovery (%)	Spiked Conc. (µg/L)	Measured Conc. (µg/L)	Spike Recovery (%)	(%)
1,1-Dichloroethene	10	7.7	77	10	7.8	78	1.3
Benzene	10	8.7	87	10	9.2	92	5.6
Toluene	10	8.8	88	10	9.3	93	5.5
Chlorobenzene	10	9.9	99	10	10.6	106	6.8
Trichloroethene (TCE)	10	7.5	75	10	7.9	79	5.2
Surrogate Recovery							
Dibromofluoromethane			82			82	
1,2-Dichloroethane-d4			82			82	
Toluene-d8			98			98	
4-Bromofluorobenzene			99			101	

Laboratory Control Sample			
	Spiked Conc. (µg/L)	Measured Conc. (µg/L)	Spike Recovery (%)
1,1-Dichloroethene	10	6.9	92
Benzene	10	8.4	102
Toluene	10	8.6	100
Chlorobenzene	10	9.7	107
Trichloroethene (TCE)	10	7.2	93

Surrogate Recovery		
Dibromofluoromethane		84
1,2-Dichloroethane-d4		86
Toluene-d8		98
4-Bromofluorobenzene		104

ACCEPTABLE RECOVERY LIMITS FOR MATRIX SPIKES: 65%-135%

ACCEPTABLE RPD IS 35%

ANALYSES PERFORMED BY: Paul Burke

Libby Environmental, Inc.

WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.

Montesano, Washington

Libby Project # L180207-2

Client Project # 51201

4139 Libby Road NE

Olympia, WA 98506

Phone: (360) 352-2110

FAX: (360) 352-4154

Email: libbyenv@aol.com

QA/QC Data - EPA 8260C Analyses

Sample Identification: WCMW-6 (1/8/18)							
	Matrix Spike			Matrix Spike Duplicate			RPD
	Spiked Conc. (µg/L)	Measured Conc. (µg/L)	Spike Recovery (%)	Spiked Conc. (µg/L)	Measured Conc. (µg/L)	Spike Recovery (%)	(%)
1,1-Dichloroethene	10	7.2	72	10	7.9	79	9.3
Benzene	10	9.4	94	10	9.7	97	3.1
Toluene	10	9.7	97	10	10.0	100	3.0
Chlorobenzene	10	10.9	109	10	11.3	113	3.6
Trichloroethene (TCE)	10	8.2	82	10	8.7	87	5.9
Surrogate Recovery							
Dibromofluoromethane			8784			83	
1,2-Dichloroethane-d4			99			82	
Toluene-d8			108			97	
4-Bromofluorobenzene						105	

Laboratory Control Sample			
	Spiked Conc. (µg/L)	Measured Conc. (µg/L)	Spike Recovery (%)
1,1-Dichloroethene	10	6.8	68
Benzene	10	8.8	88
Toluene	10	9.1	91
Chlorobenzene	10	10.2	102
Trichloroethene (TCE)	10	7.5	75

Surrogate Recovery		
Dibromofluoromethane		88
1,2-Dichloroethane-d4		90
Toluene-d8		97
4-Bromofluorobenzene		102

ACCEPTABLE RECOVERY LIMITS FOR MATRIX SPIKES: 65%-135%

ACCEPTABLE RPD IS 35%

ANALYSES PERFORMED BY: Paul Burke

Libby Environmental, Inc.

WHITNEY'S CHEVROLET PROJECT
Environmental Parnters, Inc.
Montesano, Washington
Libby Project # L180207-2
Client Project # 51201

4139 Libby Road NE
Olympia, WA 98506
Phone: (360) 352-2110
FAX: (360) 352-4154
Email: libbyenv@aol.com

Analyses of Gasoline (NWTPH-Gx) in Water

Sample Number	Date Analyzed	Surrogate Recovery (%)	Gasoline ($\mu\text{g/L}$)
Method Blank	2/7/18	96	nd
Method Blank	2/8/18	97	nd
WCMW-10	2/7/18	97	nd
ESMW-1	2/7/18	97	nd
ESMW-1 Dup	2/7/18	95	nd
WCMW-1R	2/7/18	97	nd
KBMW-2	2/7/18	96	1060
DUP-1	2/7/18	96	1170
KBMW-3	2/7/18	98	nd
WCMW-4	2/7/18	96	5730
WCMW-5	2/8/18	97	4800
KBMW-7	2/7/18	99	2640
ESMW-7	2/7/18	96	nd
WCMW-6	2/7/18	97	nd
Practical Quantitation Limit			100

"nd" Indicates not detected at the listed detection limits.

"int" Indicates that interference prevents determination.

ACCEPTABLE RECOVERY LIMITS FOR SURROGATE (Toluene-d8): 65% TO 135%

ANALYSES PERFORMED BY: Paul Burke

Libby Environmental, Inc.

4139 Libby Road NE

Olympia, WA 98506

Phone: (360) 352-2110

FAX: (360) 352-4154

Email: libbyenv@aol.com

WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.

Montesano, Washington

Libby Project # L180207-2

Client Project # 51201

Analyses of Methane by Modified EPA Method 8015 in Water

Sample Number	Date Analyzed	Methane ($\mu\text{g/L}$)
Method Blank	2/14/18	nd
LCS	2/14/18	94%
WCMW-10	2/14/18	nd
Practical Quantitation Limit		0.35

"nd" Indicates not detected at the listed detection limits.
"int" Indicates that interference prevents determination.

ANALYSES PERFORMED BY: Paul Burke

Libby Environmental, Inc.

4139 Libby Road NE

Olympia, WA 98506

Phone: (360) 352-2110

FAX: (360) 352-4154

Email: libbyenv@aol.com

WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.

Libby Project #L180207-2

Date Received 2/7/2018

Time Received 12:00 AM

Sample Receipt Checklist

Chain of Custody

1. Is the Chain of Custody complete? Yes No N/A
2. How was the sample delivered? Hand Delivered Picked Up Shipped

Log In

3. Coolers are present? Yes No N/A
4. Shipping container/cooler in good condition? Yes No
5. Custody Seals present on shipping Container/Cooler? Yes No N/A
6. Was an attempt made to cool the samples? Yes No N/A
7. Was cooler received at a temperature of >0°C to 8°C? Yes No N/A

Cooler Temperature °C: _____

8. Sample(s) in proper container(s)? Yes No
9. Sufficient sample volume for indicated analysis? Yes No
10. Are samples properly preserved? Yes No N/A
11. Was preservative added to bottles? Yes No N/A
12. Are VOA vial collected correctly (no headspace)? Yes No N/A
13. Did all containers arrive in good condition (unbroken)? Yes No
14. Do sample labels match Chain of Custody? Yes No
15. Are matrices correctly identified on Chain of Custody? Yes No
16. Is it clear what analysis were requested? Yes No
17. Were all holding times able to be met? Yes No

Special Handling (if applicable)

18. Was client notified of all discrepancies? Yes No N/A

Person Notified: Nate Hinsperger

Date: 2/7/2018

By Whom: Kodey Eley

Via: Phone

Regarding: Alanalysis

19. Comments. Confirmed Nate wants Select VOC's per previous repeat project.

02/14/2018


Libby Environmental, Inc.
4139 Libby Rd NE
Olympia, WA 98506
Attn: Jamie Deyman

Project: Whitney's
Client ID: WCMW-10
Sample Matrix: Water
Date Sampled: 02/06/2018
Date Received: 02/07/2018
Spectra Project: 2018020167
Spectra Number: 1


<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>
Nitrate	0.18 *	mg/L-N	EPA 300.0
Alkalinity	49	mg/L as	SM 2320 B
Sulfate	58	mg/L	SM 4500-SO ₄ ⁻ E

*Nitrate analysis was subcontracted to Spectra Laboratories - Kitsap. Please see enclosed report.
Alkalinity analyzed 2/8/18 by MKW. Sulfate analyzed 2/8/18 by CK.

SPECTRA LABORATORIES



Jeffrey Cooper, Laboratory Manager
a6/jac



February 14, 2018


Libby Environmental, Inc.
4139 Libby Rd NE
Olympia, WA 98506
Attn: Jamie Deyman

Sample Matrix: Water
Spectra Project # 2018020167
Applies to Sample # 1

QUALITY CONTROL RESULTS
CONVENTIONALS

<u>Analyte</u>	<u>Method</u>	<u>Date</u>	<u>Analyst</u>	Method	ICV	Batch		
				<u>Blank</u> <u>Result</u>	<u>%</u> <u>Rec.</u>	<u>Control</u> <u>Limits</u>	<u>Duplicate</u> <u>RPD</u>	<u>Control</u> <u>Limits</u>
Alkalinity	SM 2320B	2/8/18	MKW	<1	100	87-114	3.30	≤20
Sulfate	SM 4500-S04 E	2/8/18	CK	<2	111	87-114	1.07	≤20

SPECTRA LABORATORIES



Jeffrey Cooper, Laboratory Manager

SPECTRA Laboratories - Kitsap LLC

26276 Twelve Trees Lane, Suite C Poulsbo, WA 98370 Telephone (360) 779-5141 FAX (360) 779-5150

Nitrate-N

**Nitrate-N by Various EPA Approved Methods
Source / Point of Entry - Report of Analysis**

<p>Date Collected: 2/6/2018</p> <p>System ID No:</p> <p>Lab - Sample #: 01011401</p> <p>Sample Location:</p> <p>Sample Purpose:</p> <p>Sample Composition:</p> <p>Send Report To: Spectra Laboratories LLC 2221 Ross Way Tacoma, WA 98421</p>	<p>Group:</p> <p>System Name:</p> <p>County:</p> <p>DOH Source No:</p> <p>Date Received: 2/9/2018</p> <p>Date Reported: 2/12/2018</p> <p>Sample Type:</p> <p>Collected By:</p> <p>Phone Number:</p> <p>Bill To: Spectra Laboratories LLC 2221 Ross Way Tacoma, WA 98421</p>
---	---

DOH#	Analyte	Results	Flag	Units	SRL	Trigger	MCL	MCL Exceeded	Method (Analyst Init.)	Date Analyzed
	Nitrate-N	0.18		mg/L					EPA 300.0 (EC)	02/09/18

- *Confirmation:** Include the original lab number, sample number, and collection date of the original sample in the special instruction section.
- SRL (State Reporting Level):** The minimum reporting level required by the Washington State Department of Health (DOH).
- Trigger Level:** DOH drinking water response level. Regulated systems with compounds detected at concentrations in excess of this level may be required to take additional samples or monitor more frequently. Please contact your DOH drinking water regional office for further information.
- MCL (Maximum Contaminant Level):** If the contaminant amount exceeds the MCL, please contact your regional DOH office to determine follow-up actions if you are a regulated system. Secondary MCL limits are established for aesthetic purposes and are not health based. Secondary parameters are iron, manganese, silver, chloride, sulfate, zinc, conductivity, color and TDS.
- NA (Not Analyzed):** In the results column, indicates this compound was not included in the current analysis.
- ND (Not Detected):** In the results column, indicates this compound was analyzed and not detected at a level greater than or equal to the SRL.
- < (0.00x):** The compound was not detected in the sample at or above the concentration indicated (usually the lab method reporting limit).
- mg/L:** milligrams per liter or parts per million
- NTU:** nephelometric turbidity units (a measure of water clarity).
- umhos/cm:** Micro ohms per centimeter (a measure of the ability of the water to conduct electricity). One micro ohm per centimeter is equivalent to one micro siemen per centimeter (uS/cm).
- :** No existing trigger or MCL value.

SPECTRA Laboratories – Kitsap, LLC
 26276 Twelve Trees Lane, Suite C Poulsbo, WA 98370
 (360) 779-5141 FAX (360) 779-5150 www.twisslabs.com

Client Information				Test Parameters Required														
Company/Client: <u>Spectra</u>				Number of Containers	RCRA Metals: As Ba Cd Cr Pb Hg Se Ag	Priority Pollutant Metals: Sb As Be Cr Cu Pb Hg Ni Se Ag Ti Zn	503 Regs: As Cd Cu Pb Hg Mo Ni Se Zn	Metals (Specify): Sodium Only	BOD CBOD COD	HEM SGT (Oil & Grease/TPH)	Solids: TDS TSS TVS TVSS TS	Turbidity pH	Nitrate-N Ammonia-N Orthophosphate-P	Nitrite-Nitrite-N	Total Phosphorous	Cyanide	Fecal Coliform: MPN or MF	Ag Soil: pH and EC crop:
Address: <u>2221 Ross Way</u>																		
City: <u>Tacoma</u> Zip: <u>98421</u>																		
Project Information																		
Project Manager/Report To: <u>Marie Holt</u>																		
Project Name: <u>2018070147</u> Sampled by: _____																		
Telephone No: <u>253-272-4850</u> Fax No: <u>253-572-9838</u>																		
Email address: <u>marieh@spectra-lab.com</u>																		

Sample ID	Date	Time	Matrix	Hazard	Lab ID	Circle the desired parameters above if multiple tests are listed on the same line														
1 <u>020147-1</u>	<u>2-6-18</u>	<u>13:54</u>	<u>1420</u>		<u>175114-01</u>	1 <u>X</u>														
2																				
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				

Nitrite has been
run 1/2 sample
has been
preserved.

<input checked="" type="checkbox"/> Routine Disposal <input type="checkbox"/> Return to Client		<input type="checkbox"/> Hazardous sample disposal (Cost of disposal will be billed to client)		Specs	
Sample Receipt:				Signatures (Name)	
Total # of containers	<u>1</u>	Relinquished by:	<u>Jan Draven</u>	Company	<u>Spectra</u>
COC seals present? intact?		Received by:	<u>H. Ferguson</u>	Date	<u>2/12</u>
Temp at receipt?	<u>14.5°C</u>		<u>JF</u>	Time	<u>1212</u>
Samples intact?	<u>Y</u>		<u>JF</u>	Time	<u>1212</u>
Received Via:	<u>Express</u>	Relinquished by:	<u>H.F.</u>	Company	<u>Spectra</u>
Turn-around Time Requirement		Received by:	<u>AB</u>	Date	<u>2/9/18</u>
<input type="checkbox"/> Standard (10 Business days)			<u>AB</u>	Time	<u>10:00</u>
<input type="checkbox"/> Rush (specify date needed):			<u>AB</u>	Time	<u>1000</u>
<input checked="" type="checkbox"/> Other (specify): <u>2-14-18</u>			<u>AB</u>		
* additional charges may apply					

Samples received after 12 noon will be considered as received the following business day



Libby Environmental, Inc.

4139 Libby Road NE • Olympia, WA 98506-2518

February 19, 2018

Sean Trimble
Environmental Partners, Inc.
1180 NW Maple Street, Suite 310
Issaquah, WA 98027

Dear Mr. Trimble:

Please find enclosed the analytical data report for the Whitney's Chevrolet Project located in Montesano, Washington.

The results of the analyses are summarized in the attached tables. Applicable detection limits and QA/QC data are included. The sample(s) will be disposed of in 30 days unless we are contacted to arrange long term storage.

Libby Environmental, Inc. appreciates the opportunity to have provided analytical services for this project. If you have any further questions about the data report, please give me a call. It was a pleasure working with you on this project, and we are looking forward to the next opportunity to work together.

Sincerely,

Sherry L. Chilcutt
Senior Chemist
Libby Environmental, Inc.

Libby Environmental, Inc.

Chain of Custody Record

www.LibbyEnvironmental.com

4139 Libby Road NE
Olympia, WA 98506

Ph: 360-352-2110
Fax: 360-352-4154

Date: 02/08/17 Page: 1 of 1

Client: EPI

Project Manager: SEAN TRIMBLE

Address: 1180 NW MAPLE ST. SUITE 310

Project Name: WHITNEY'S Chevrolet

City: ISSAQUAH State: WA Zip: 98027

Location: MONTESANO City, State: Montesano, Wa

Phone: (425) 395-0010 Fax:

Collector: NH/JS Date of Collection: SEE NOTES

Client Project # 51201

Email: SEANT@EPI-WA.COM

Sample Number	Depth	Time	Sample Type	Container Type	Select													Field Notes							
					VOC 8260	NWTPH-Gx	BTEX 8021	NWTPH-HCID	NWTPH-Dx	c PAH-Dx/Dx	PAH 8270	Semi Vol 8270	PCB 8082	MTCA 5 Metals	RCRA 8 Metals	NITRATE/SULFATE	ALKALINITY		METHANE						
1 TSSMW-7		1322	WATER	VOA	X	X	X																		02/07/18
2 KBMW-4		1358			X	X	X														X	X	X		I
3 KBMW-8		1441			X	X	X														X	X	X		I
4 KBMW-9		832			X	X	X																		02/08/18
5 TSSMW-9		906			X	X	X																		I
6 KBMW-1		953			X	X	X														X	X	X		I
7 WCMW-8		1035			X	X	X														X	X	X		I
8 WCMW-3		1127			X	X	X														X	X	X		I
9 WCMW-2		1201	↓	I	X	X	X																		
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									

Relinquished by: <u>[Signature]</u>	Date / Time: <u>02/08/18</u>	Received by: <u>[Signature]</u>	Date / Time: <u>2/8/18</u>	Sample Receipt		Remarks: <u>Select VOC's follow previous report.</u>
Relinquished by:	Date / Time:	Received by:	Date / Time:	Good Condition?	<input checked="" type="radio"/> Y <input type="radio"/> N	
Relinquished by:	Date / Time:	Received by:	Date / Time:	Temp.	<u>1</u> °C	
Relinquished by:	Date / Time:	Received by:	Date / Time:	Seals Intact?	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/> N/A	
Relinquished by:	Date / Time:	Received by:	Date / Time:	Total Number of Containers	<u>57</u>	TAT: 24HR 48HR 5-DAY

Libby Environmental, Inc.

WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.

Montesano, Washington

Libby Project # L180208-4

Client Project # 51201

4139 Libby Road NE

Olympia, WA 98506

Phone: (360) 352-2110

FAX: (360) 352-4154

Email: libbyenv@aol.com

Volatile Organic Compounds by EPA Method 8260C in Water

Sample Description	Method Blank	TSSMW-7	KBMW-4	KBMW-8	KBMW-9	TSSMW-9
Date Sampled	Reporting	N/A	2/7/18	2/7/18	2/7/18	2/8/18
Date Analyzed	Limits	2/12/18	2/8/18	2/12/18	2/12/18	2/12/18
	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
Vinyl chloride	0.2	nd	nd	nd	nd	nd
1,1-Dichloroethene	2.0	nd	nd	nd	nd	nd
<i>trans</i> -1,2-Dichloroethene	1.0	nd	nd	nd	nd	nd
<i>cis</i> -1,2-Dichloroethene	1.0	nd	nd	nd	nd	nd
Benzene	1.0	nd	nd	nd	nd	2.9
Trichloroethene (TCE)	1.0	nd	nd	nd	nd	nd
Toluene	1.0	nd	nd	nd	nd	25
Tetrachloroethene (PCE)	1.0	nd	nd	nd	nd	nd
Ethylbenzene	1.0	nd	nd	nd	nd	315
Total Xylenes	2.0	nd	nd	nd	nd	1840
Naphthalenes	5.0	nd	nd	nd	nd	87
Surrogate Recovery						
Dibromofluoromethane		96	92	93	93	91
1,2-Dichloroethane-d4		85	77	83	78	73
Toluene-d8		98	97	97	98	101
4-Bromofluorobenzene		106	103	107	103	103

"nd" Indicates not detected at listed detection limit.

"int" Indicates that interference prevents determination.

ACCEPTABLE RECOVERY LIMITS FOR SURROGATE 65% TO 135%

ANALYSES PERFORMED BY: Paul Burke

Libby Environmental, Inc.

WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.
 Montesano, Washington
 Libby Project # L180208-4
 Client Project # 51201

4139 Libby Road NE
 Olympia, WA 98506
 Phone: (360) 352-2110
 FAX: (360) 352-4154
 Email: libbyenv@aol.com

Volatile Organic Compounds by EPA Method 8260C in Water

Sample Description		KBMW-1	KBMW-1	WCMW-8	WCMW-3	WCMW-2
		Dup				
Date Sampled	Reporting	2/8/18	2/8/18	2/8/18	2/8/18	2/8/18
Date Analyzed	Limits	2/12/18	2/12/18	2/12/18	2/8/18	2/8/18
	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
Vinyl chloride	0.2	nd	nd	nd	nd	nd
1,1-Dichloroethene	2.0	nd	nd	nd	nd	nd
<i>trans</i> -1,2-Dichloroethene	1.0	nd	nd	nd	nd	nd
<i>cis</i> -1,2-Dichloroethene	1.0	nd	nd	nd	nd	nd
Benzene	1.0	nd	nd	nd	64	48
Trichloroethene (TCE)	1.0	nd	nd	nd	nd	nd
Toluene	1.0	nd	nd	nd	1740	1100
Tetrachloroethene (PCE)	1.0	nd	nd	nd	12	27
Ethylbenzene	1.0	nd	nd	nd	102	54
Total Xylenes	2.0	nd	nd	nd	6120	4640
Naphthalenes	5.0	nd	nd	nd	384	400
Surrogate Recovery						
Dibromofluoromethane		90	93	91	92	90
1,2-Dichloroethane-d4		82	84	76	78	74
Toluene-d8		98	99	98	101	99
4-Bromofluorobenzene		104	104	103	105	108

"nd" Indicates not detected at listed detection limit.

"int" Indicates that interference prevents determination.

ACCEPTABLE RECOVERY LIMITS FOR SURROGATE 65% TO 135%

ANALYSES PERFORMED BY: Paul Burke

Libby Environmental, Inc.

WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.

Montesano, Washington

Libby Project # L180208-4

Client Project # 51201

4139 Libby Road NE

Olympia, WA 98506

Phone: (360) 352-2110

FAX: (360) 352-4154

Email: libbyenv@aol.com

QA/QC Data - EPA 8260C Analyses

Sample Identification: TSSMW-7							
	Matrix Spike			Matrix Spike Duplicate			RPD
	Spiked Conc. (µg/L)	Measured Conc. (µg/L)	Spike Recovery (%)	Spiked Conc. (µg/L)	Measured Conc. (µg/L)	Spike Recovery (%)	(%)
1,1-Dichloroethene	10	6.8	68	10	6.8	68	0.0
Benzene	10	8.9	89	10	9.7	97	8.6
Toluene	10	10.1	101	10	10.4	104	2.9
Chlorobenzene	10	10.4	104	10	10.5	105	1.0
Trichloroethene (TCE)	10	8.0	80	10	8.5	85	6.1
Surrogate Recovery							
Dibromofluoromethane			94			96	
1,2-Dichloroethane-d4			84			86	
Toluene-d8			100			103	
4-Bromofluorobenzene			106			104	

Laboratory Control Sample			
	Spiked Conc. (µg/L)	Measured Conc. (µg/L)	Spike Recovery (%)
1,1-Dichloroethene	10	7.0	70
Benzene	10	10.2	102
Toluene	10	11.0	110
Chlorobenzene	10	10.7	107
Trichloroethene (TCE)	10	9.2	92

Surrogate Recovery		
Dibromofluoromethane		106
1,2-Dichloroethane-d4		88
Toluene-d8		109
4-Bromofluorobenzene		108

ACCEPTABLE RECOVERY LIMITS FOR MATRIX SPIKES: 65%-135%

ACCEPTABLE RPD IS 35%

ANALYSES PERFORMED BY: Paul Burke

Libby Environmental, Inc.

WHITNEY'S CHEVROLET PROJECT
Environmental Partners, Inc.
Montesano, Washington
Libby Project # L180208-4
Client Project # 51201

4139 Libby Road NE
Olympia, WA 98506
Phone: (360) 352-2110
FAX: (360) 352-4154
Email: libbyenv@aol.com

Analyses of Gasoline (NWTPH-Gx) in Water

Sample Number	Date Analyzed	Surrogate Recovery (%)	Gasoline ($\mu\text{g/L}$)
Method Blank	2/12/18	98	nd
TSSMW-7	2/12/18	97	nd
KBMW-4	2/12/18	97	nd
KBMW-8	2/12/18	98	nd
KBMW-9	2/12/18	100	16900
TSSMW-9	2/12/18	95	nd
KBMW-1	2/12/18	98	nd
KBMW-1 Dup	2/12/18	99	nd
WCMW-8	2/12/18	98	nd
WCMW-3	2/12/18	99	45200
WCMW-2	2/12/18	98	43000
Practical Quantitation Limit			100

"nd" Indicates not detected at the listed detection limits.

"int" Indicates that interference prevents determination.

ACCEPTABLE RECOVERY LIMITS FOR SURROGATE (Toluene-d8): 65% TO 135%

ANALYSES PERFORMED BY: Paul Burke

Libby Environmental, Inc.

4139 Libby Road NE

Olympia, WA 98506

Phone: (360) 352-2110

FAX: (360) 352-4154

Email: libbyenv@aol.com

WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.

Montesano, Washington

Libby Project # L180208-4

Client Project # 51201

Analyses of Methane by Modified EPA Method 8015 in Water

Sample Number	Date Analyzed	Methane ($\mu\text{g/L}$)
Method Blank	2/14/18	nd
LCS	2/14/18	94%
KBMW-4	2/14/18	nd
KBMW-8	2/14/18	nd
KBMW-1	2/14/18	nd
WCMW-8	2/14/18	nd
WCMW-3	2/14/18	2.58
WCMW-3 Dup	2/14/18	3.38
Practical Quantitation Limit		0.35

"nd" Indicates not detected at the listed detection limits.
"int" Indicates that interference prevents determination.

ANALYSES PERFORMED BY: Paul Burke

Libby Environmental, Inc.

4139 Libby Road NE

Olympia, WA 98506

Phone: (360) 352-2110

FAX: (360) 352-4154

Email: libbyenv@aol.com

WHITNEY'S CHEVROLET PROJECT

Environmental Partners, Inc.

Libby Project #L180208-4

Date Received 2/8/2018

Time Received 2:46 PM

Sample Receipt Checklist

Chain of Custody

1. Is the Chain of Custody complete? Yes No N/A
2. How was the sample delivered? Hand Delivered Picked Up Shipped

Log In

3. Coolers are present? Yes No N/A
4. Shipping container/cooler in good condition? Yes No
5. Custody Seals present on shipping Container/Cooler? Yes No N/A
6. Was an attempt made to cool the samples? Yes No N/A
7. Was cooler received at a temperature of >0°C to 8°C? Yes No N/A

Cooler Temperature °C: 1

8. Sample(s) in proper container(s)? Yes No
9. Sufficient sample volume for indicated analysis? Yes No
10. Are samples properly preserved? Yes No N/A
11. Was preservative added to bottles? Yes No N/A
12. Are VOA vial collected correctly (no headspace)? Yes No N/A
13. Did all containers arrive in good condition (unbroken)? Yes No
14. Do sample labels match Chain of Custody? Yes No
15. Are matrices correctly identified on Chain of Custody? Yes No
16. Is it clear what analysis were requested? Yes No
17. Were all holding times able to be met? Yes No

Special Handling (if applicable)

18. Was client notified of all discrepancies? Yes No N/A

Person Notified: _____

Date: 2/7/2018

By Whom: _____

Via: _____

Regarding: _____

19. Comments.



DRAGON ANALYTICAL LABORATORY

530 A1 Ronlee Ln, Olympia, WA 98502
(360) 866-0543



Hazardous Waste, Microbiology, NPDES, Potable and Non-potable Water
Mobile Environmental Laboratory

Libby Environmental, Inc.
4139 Libby Road NE
Olympia, WA 98506

Sampled by: NH

DAL Project No.: 180208-17

Project Name: Whitney's

Project No.: L180208-4

P.O. No.: n/a

Sample Name: **KBMW-4**

Matrix: Non-Potable Water

Temperature Received (°C): **n/a**

Collected: **2/7/2018; 13:58**

Received: **2/8/2018; 16:10**

Report Date: **2/15/2018**

ANALYTICAL RESULTS

PARAMETER	RESULTS	MDL	MRL	UNITS	METHOD	DF	PREPARATION DATE	ANALYSIS DATE	ANALYSIS TIME	ANALYST	DATA FLAGS
Alkalinity (CaCO ₃)	31.5	n/a	5.0	mg/L	SM 2320 B	1	2/12/2018	2/12/2018	n/a	KD	
Nitrogen, Nitrate	6.7	0.0015	0.050	mg/L	EPA 300.0	1	2/8/2018	2/8/2018	n/a	FW	
Sulfate	63.2	0.046	0.20	mg/L	EPA 300.0	1	2/8/2018	2/8/2018	n/a	FW	

WA-DOE-Laboratory Certification No.: C890

"MDL" indicates Method Detection Limit

"MRL" indicates Method Reporting Limit

"DF" indicates Dilution Factor

"nd" indicates the analyte was not detected at or above the listed Method Reporting Limit.

"n/a" indicates not applicable

Comments and Explanations: None

Data reviewed by:

Report Prepared By: FW



DRAGON ANALYTICAL LABORATORY

530 A1 Ronlee Ln, Olympia, WA 98502
(360) 866-0543



Hazardous Waste, Microbiology, NPDES, Potable and Non-potable Water
Mobile Environmental Laboratory

Libby Environmental, Inc.
4139 Libby Road NE
Olympia, WA 98506

Sampled by: NH

DAL Project No.: 180208-17

Project Name: Whitney's

Project No.: L180208-4

P.O. No.: n/a

Sample Name: **KBMW-8**

Matrix: Non-Potable Water

Temperature Received (°C): **n/a**

Collected: **Unknown; 14:41**

Received: **2/8/2018; 16:10**

Report Date: **2/15/2018**

ANALYTICAL RESULTS

PARAMETER	RESULTS	MDL	MRL	UNITS	METHOD	DF	PREPARATION DATE	ANALYSIS DATE	ANALYSIS TIME	ANALYST	DATA FLAGS
Alkalinity (CaCO ₃)	4.5	n/a	5.0	mg/L	SM 2320 B	1	2/12/2018	2/12/2018	n/a	KD	
Nitrogen, Nitrate	2.1	0.0015	0.050	mg/L	EPA 300.0	1	2/8/2018	2/8/2018	n/a	FW	
Sulfate	23.9	0.046	0.20	mg/L	EPA 300.0	1	2/8/2018	2/8/2018	n/a	FW	

WA-DOE-Laboratory Certification No.: C890

"MDL" indicates Method Detection Limit

"MRL" indicates Method Reporting Limit

"DF" indicates Dilution Factor

"nd" indicates the analyte was not detected at or above the listed Method Reporting Limit.

"n/a" indicates not applicable

Comments and Explanations: None

Data reviewed by:

Report Prepared By: FW



DRAGON ANALYTICAL LABORATORY

530 A1 Ronlee Ln, Olympia, WA 98502
(360) 866-0543



Hazardous Waste, Microbiology, NPDES, Potable and Non-potable Water
Mobile Environmental Laboratory

Libby Environmental, Inc.
4139 Libby Road NE
Olympia, WA 98506

Sampled by: NH

DAL Project No.: 180208-17

Project Name: Whitney's

Project No.: L180208-4

P.O. No.: n/a

Sample Name: **WCMW-8**

Matrix: Non-Potable Water

Temperature Received (°C): **n/a**

Collected: **2/8/2018; 10:35**

Received: **2/8/2018; 16:10**

Report Date: **2/15/2018**

ANALYTICAL RESULTS

PARAMETER	RESULTS	MDL	MRL	UNITS	METHOD	DF	PREPARATION DATE	ANALYSIS DATE	ANALYSIS TIME	ANALYST	DATA FLAGS
Alkalinity (CaCO ₃)	36.0	n/a	5.0	mg/L	SM 2320 B	1	2/12/2018	2/12/2018	n/a	KD	
Nitrogen, Nitrate	0.39	0.0015	0.050	mg/L	EPA 300.0	1	2/8/2018	2/8/2018	n/a	FW	
Sulfate	3.9	0.046	0.20	mg/L	EPA 300.0	1	2/8/2018	2/8/2018	n/a	FW	

WA-DOE-Laboratory Certification No.: C890

"MDL" indicates Method Detection Limit

"MRL" indicates Method Reporting Limit

"DF" indicates Dilution Factor

"nd" indicates the analyte was not detected at or above the listed Method Reporting Limit.

"n/a" indicates not applicable

Comments and Explanations: None

Data reviewed by:

Report Prepared By: FW



DRAGON ANALYTICAL LABORATORY

530 A1 Ronlee Ln, Olympia, WA 98502
(360) 866-0543



Hazardous Waste, Microbiology, NPDES, Potable and Non-potable Water
Mobile Environmental Laboratory

Libby Environmental, Inc.
4139 Libby Road NE
Olympia, WA 98506

Sampled by: NH

DAL Project No.: 180208-17

Project Name: Whitney's

Project No.: L180208-4

P.O. No.: n/a

Sample Name: **WCMW-3**

Matrix: Non-Potable Water

Temperature Received (°C): **n/a**

Collected: **2/8/2018; 11:27**

Received: **2/8/2018; 16:10**

Report Date: **2/15/2018**

ANALYTICAL RESULTS

PARAMETER	RESULTS	MDL	MRL	UNITS	METHOD	DF	PREPARATION DATE	ANALYSIS DATE	ANALYSIS TIME	ANALYST	DATA FLAGS
Alkalinity (CaCO ₃)	51.0	n/a	5.0	mg/L	SM 2320 B	1	2/12/2018	2/12/2018	n/a	KD	
Nitrogen, Nitrate	nd	0.0015	0.050	mg/L	EPA 300.0	1	2/8/2018	2/8/2018	n/a	FW	
Sulfate	0.20	0.046	0.20	mg/L	EPA 300.0	1	2/8/2018	2/8/2018	n/a	FW	

WA-DOE-Laboratory Certification No.: C890

"MDL" indicates Method Detection Limit

"MRL" indicates Method Reporting Limit

"DF" indicates Dilution Factor

"nd" indicates the analyte was not detected at or above the listed Method Reporting Limit.

"n/a" indicates not applicable

Comments and Explanations: None

Data reviewed by:

Report Prepared By: FW



DRAGON ANALYTICAL LABORATORY

530 A1 Ronlee Ln, Olympia, WA 98502
(360) 866-0543



Hazardous Waste, Microbiology, NPDES, Potable and Non-potable Water
Mobile Environmental Laboratory

Libby Environmental, Inc.
4139 Libby Road NE
Olympia, WA 98506

Sampled by: NH

DAL Project No.: 180208-17

Project Name: Whitney's

Project No.: L180208-4

P.O. No.: n/a

Sample Name: **KBMW-1**

Matrix: Non-Potable Water

Temperature Received (°C): **n/a**

Collected: **2/8/2018; 09:53**

Received: **2/8/2018; 16:10**

Report Date: **2/15/2018**

ANALYTICAL RESULTS

PARAMETER	RESULTS	MDL	MRL	UNITS	METHOD	DF	PREPARATION DATE	ANALYSIS DATE	ANALYSIS TIME	ANALYST	DATA FLAGS
Alkalinity (CaCO ₃)	31.0	n/a	5.0	mg/L	SM 2320 B	1	2/12/2018	2/12/2018	n/a	KD	
Nitrogen, Nitrate	0.75	0.0015	0.050	mg/L	EPA 300.0	1	2/8/2018	2/8/2018	n/a	FW	
Sulfate	6.4	0.046	0.20	mg/L	EPA 300.0	1	2/8/2018	2/8/2018	n/a	FW	

WA-DOE-Laboratory Certification No.: C890

"MDL" indicates Method Detection Limit

"MRL" indicates Method Reporting Limit

"DF" indicates Dilution Factor

"nd" indicates the analyte was not detected at or above the listed Method Reporting Limit.

"n/a" indicates not applicable

Comments and Explanations: None

Data reviewed by:

Report Prepared By: FW



DRAGON ANALYTICAL LABORATORY

530 A1 Ronlee Ln, Olympia, WA 98502
(360) 866-0543



Hazardous Waste, Microbiology, NPDES, Potable and Non-potable Water
Mobile Environmental Laboratory

Libby Environmental, Inc.
DAL Project No.: 180208-17

Project Name: Whitney's
Project No.: L180208-4

QUALITY CONTROL RESULTS Method Blank

SAMPLE BATCH	PARAMETER	RESULT	MRL	UNITS	ANALYTICAL METHOD	ANALYSIS DATE	ANALYST	DATA FLAGS
180212-Alkalinity (CaCO ₃)	Alkalinity (CaCO ₃)	nd	5.0	mg/L	SM 2320 B	2/12/2018	KD	
180208-NO	Nitrogen, Nitrate	nd	0.050	mg/L	EPA 300.0	2/8/2018	FW	
180208-Sulfate	Sulfate	nd	0.20	mg/L	EPA 300.0	2/8/2018	FW	

QUALITY CONTROL RESULTS Duplicate Sample

SAMPLE BATCH	PARAMETER	RESULT	DUP. RESULT	UNITS	ANALYTICAL METHOD	RPD (%)	LIMITS (%)	ANALYSIS DATE	ANALYST	DATA FLAGS
180212-Alkalinity (CaCO ₃)	Alkalinity (CaCO ₃)	31.5	31.0	mg/L	SM 2320 B	1.6	±35	2/12/2018	KD	
180208-NO	Nitrogen, Nitrate	nd	nd	mg/L	EPA 300.0	0.00	±35	2/8/2018	FW	
180208-Sulfate	Sulfate	4.1	4.0	mg/L	EPA 300.0	0.44	±35	2/8/2018	FW	

WA-DOE-Laboratory Certification No.: C890

"MRL" indicates Method Reporting Limit

"RPD" indicates Relative Percent Difference

"nd" indicates the analyte was not detected at or above the listed Method Reporting Limit.

"n/a" indicates not applicable

Comments and Explanations: None

Data reviewed by:



DRAGON ANALYTICAL LABORATORY

530 A1 Ronlee Ln, Olympia, WA 98502
(360) 866-0543



Hazardous Waste, Microbiology, NPDES, Potable and Non-potable Water
Mobile Environmental Laboratory

Libby Environmental, Inc.
DAL Project No.: 180208-17

Project Name: Whitney's
Project No.: L180208-4

QUALITY CONTROL RESULTS Laboratory Fortified Blank

SAMPLE BATCH	PARAMETER	LFB RESULT	TRUE VALUE	UNITS	ANALYTICAL METHOD	RECOVERY (%)	LIMITS (%)	ANALYSIS DATE	ANALYST	DATA FLAGS
180212-Alkalinity (CaCO ₃)	Alkalinity (CaCO ₃)	n/a	n/a	mg/L	SM 2320 B	n/a	n/a	n/a	n/a	
180208-NO	Nitrogen, Nitrate	0.47	0.5	mg/L	EPA 300.0	94.8	65.0-135	2/8/2018	FW	
180208-Sulfate	Sulfate	0.53	0.5	mg/L	EPA 300.0	105	65.0-135	2/8/2018	FW	

QUALITY CONTROL RESULTS Matrix Spike/Matrix Spike Duplicate

SAMPLE BATCH	PARAMETER	MS RESULT	MSD RESULT	TRUE VALUE	UNITS	ANALYTICAL METHOD	RPD (%)	LIMITS (%)	ANALYSIS DATE	ANALYST	DATA FLAGS
180212-Alkalinity (CaCO ₃)	Alkalinity (CaCO ₃)	n/a	n/a	n/a	mg/L	SM 2320 B	n/a	n/a	n/a	n/a	
180208-NO	Nitrogen, Nitrate	0.49	0.50	0.5	mg/L	EPA 300.0	1.2	±35	2/8/2018	FW	
180208-Sulfate	Sulfate	0.51	0.51	0.5	mg/L	EPA 300.0	0.39	±35	2/8/2018	FW	

WA-DOE-Laboratory Certification No.: C890

"RPD" indicates Relative Percent Difference

"nd" indicates the analyte was not detected at or above the listed Method Reporting Limit.

"n/a" indicates not applicable

Comments and Explanations: None

Data reviewed by:

Libby Environmental, Inc.

Chain of Custody Record

www.LibbyEnvironmental.com

4139 Libby Road NE
Olympia, WA 98506
Ph: 360-352-2110
Fax: 360-352-4154

Date: 2/8/18 Page: 1 of 1

Client: Libby Environmental

Project Manager: Sherry Chilcutt

Address: See above

Project Name: Whitneys

City: _____ State: _____ Zip: _____

Location: _____ City, State: Martinez, Wa

Phone: _____ Fax: _____

Collector: NH Date of Collection: See notes

Client Project # 180208-4

Email: libbyenv@aol.com DAL: 180208-17



Sample Number	Depth	Time	Sample Type	Container Type	Analytes													Field Notes						
					VOC 8260	NWTPH-Gx	BTEX 8021	NWTPH-HCID	NWTPH-Dx	NWTPH-Dx/Dx	c PAH 8270	PAH 8270	Semi Vol 8270	PCB 8082	MTCA 5 Metals	RCRA 8 Metals	Nitrate		Sulfate	Alkalinity				
1 KBMW-4	-	1358	H ₂ O	Poly																X	X	X	2/7/18	
2 KBMW-8	-	1411																		X	X	X		
3 WCMW-8	-	1035																		X	X	X	2/8/18	
4 WCMW-3	-	1127																		X	X	Y		
5 WCMW-2	-		 	 																				
6 KBMW-1	-	0953																		X	X	X		
7																								
8																								
9																								
10																								
11																								
12																								
13																								
14																								
15																								
16																								
17																								

Relinquished by: <u>Tracy Eley</u> <u>2/8/18</u>	Date / Time	Received by: <u>Morgan White</u> <u>2-8-17 1610</u>	Date / Time	Sample Receipt Good Condition? <u>Y</u> N Temp. <u>9</u> °C Seals Intact? Y N N/A Total Number of Containers <u>15</u>	Remarks: <u>6° cooler</u> TAT: 24HR 48HR <u>5-DAY</u>
Relinquished by:	Date / Time	Received by:	Date / Time		
Relinquished by:	Date / Time	Received by:	Date / Time		

Attachment B
Laboratory Analytical Data Reports
for System Vapors



Environmental Partners, Inc.

Sean Trimble
1180 NW Maple Street, Suite 310
Issaquah, WA 98027

**RE: Whitney's
Work Order Number: 1712233**

December 27, 2017

Attention Sean Trimble:

Fremont Analytical, Inc. received 2 sample(s) on 12/20/2017 for the analyses presented in the following report.

***Gasoline by NWTPH-Gx
Volatile Organic Compounds by EPA Method 8260C***

This report consists of the following:

- Case Narrative
- Analytical Results
- Applicable Quality Control Summary Reports
- Chain of Custody

All analyses were performed consistent with the Quality Assurance program of Fremont Analytical, Inc. Please contact the laboratory if you should have any questions about the results.

Thank you for using Fremont Analytical.

Sincerely,

Mike Ridgeway
Laboratory Director



Date: 12/27/2017

CLIENT: Environmental Partners, Inc.
Project: Whitney's
Work Order: 1712233

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
1712233-001	INF - 1220	12/20/2017 11:10 AM	12/20/2017 2:33 PM
1712233-002	EFF - 1220	12/20/2017 11:15 AM	12/20/2017 2:33 PM

CLIENT: Environmental Partners, Inc.

Project: Whitney's

WorkOrder Narrative:

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

Qualifiers:

- * - Flagged value is not within established control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria (<20%RSD, <20% Drift or minimum RRF)
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Reporting Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate



Client: Environmental Partners, Inc.
Project: Whitney's
Lab ID: 1712233-001
Client Sample ID: INF - 1220

Collection Date: 12/20/2017 11:10:00 AM
Matrix: Air

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA Method 8260C

Batch ID: 19304

Analyst: MW

Dichlorodifluoromethane	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Chloromethane	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Vinyl chloride	ND	0.0200		µg/L	1	12/22/2017 11:09:48 AM
Bromomethane	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Trichlorofluoromethane (CFC-11)	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Chloroethane	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,1-Dichloroethene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Methylene chloride	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
trans-1,2-Dichloroethene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Methyl tert-butyl ether (MTBE)	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,1-Dichloroethane	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
2,2-Dichloropropane	ND	0.200		µg/L	1	12/22/2017 11:09:48 AM
cis-1,2-Dichloroethene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Chloroform	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,1,1-Trichloroethane (TCA)	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,1-Dichloropropene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Carbon tetrachloride	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,2-Dichloroethane (EDC)	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Benzene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Trichloroethene (TCE)	ND	0.0500		µg/L	1	12/22/2017 11:09:48 AM
1,2-Dichloropropane	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Bromodichloromethane	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Dibromomethane	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
cis-1,3-Dichloropropene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Toluene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
trans-1,3-Dichloropropylene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,1,2-Trichloroethane	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,3-Dichloropropane	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Tetrachloroethene (PCE)	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Dibromochloromethane	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,2-Dibromoethane (EDB)	ND	0.0250		µg/L	1	12/22/2017 11:09:48 AM
Chlorobenzene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,1,1,2-Tetrachloroethane	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Ethylbenzene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
m,p-Xylene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
o-Xylene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Styrene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Isopropylbenzene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Bromoform	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM



Client: Environmental Partners, Inc.

Collection Date: 12/20/2017 11:10:00 AM

Project: Whitney's

Lab ID: 1712233-001

Matrix: Air

Client Sample ID: INF - 1220

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA Method 8260C

Batch ID: 19304

Analyst: MW

1,1,2,2-Tetrachloroethane	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
n-Propylbenzene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Bromobenzene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,3,5-Trimethylbenzene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
2-Chlorotoluene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
4-Chlorotoluene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
tert-Butylbenzene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,2,3-Trichloropropane	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,2,4-Trichlorobenzene	ND	0.200		µg/L	1	12/22/2017 11:09:48 AM
sec-Butylbenzene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
4-Isopropyltoluene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,3-Dichlorobenzene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,4-Dichlorobenzene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
n-Butylbenzene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,2-Dichlorobenzene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,2-Dibromo-3-chloropropane	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,2,4-Trimethylbenzene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
Hexachlorobutadiene	ND	0.400		µg/L	1	12/22/2017 11:09:48 AM
Naphthalene	ND	0.100		µg/L	1	12/22/2017 11:09:48 AM
1,2,3-Trichlorobenzene	ND	0.400		µg/L	1	12/22/2017 11:09:48 AM
Surr: Dibromofluoromethane	102	56.4 - 141		%Rec	1	12/22/2017 11:09:48 AM
Surr: Toluene-d8	96.8	66 - 138		%Rec	1	12/22/2017 11:09:48 AM
Surr: 1-Bromo-4-fluorobenzene-BFB	93.0	64.7 - 128		%Rec	1	12/22/2017 11:09:48 AM

Gasoline by NWTPH-Gx

Batch ID: 19304

Analyst: MW

Gasoline	ND	5.00		µg/L	1	12/22/2017 11:09:48 AM
Surr: 4-Bromofluorobenzene	98.0	65 - 135		%Rec	1	12/22/2017 11:09:48 AM
Surr: Toluene-d8	94.0	65 - 135		%Rec	1	12/22/2017 11:09:48 AM



Client: Environmental Partners, Inc.

Collection Date: 12/20/2017 11:15:00 AM

Project: Whitney's

Lab ID: 1712233-002

Matrix: Air

Client Sample ID: EFF - 1220

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA Method 8260C</u>					Batch ID: 19304	Analyst: MW
Dichlorodifluoromethane	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Chloromethane	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Vinyl chloride	ND	0.0200		µg/L	1	12/22/2017 12:10:40 PM
Bromomethane	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Trichlorofluoromethane (CFC-11)	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Chloroethane	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,1-Dichloroethene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Methylene chloride	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
trans-1,2-Dichloroethene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Methyl tert-butyl ether (MTBE)	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,1-Dichloroethane	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
2,2-Dichloropropane	ND	0.200		µg/L	1	12/22/2017 12:10:40 PM
cis-1,2-Dichloroethene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Chloroform	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,1,1-Trichloroethane (TCA)	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,1-Dichloropropene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Carbon tetrachloride	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,2-Dichloroethane (EDC)	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Benzene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Trichloroethene (TCE)	ND	0.0500		µg/L	1	12/22/2017 12:10:40 PM
1,2-Dichloropropane	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Bromodichloromethane	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Dibromomethane	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
cis-1,3-Dichloropropene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Toluene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
trans-1,3-Dichloropropylene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,1,2-Trichloroethane	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,3-Dichloropropane	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Tetrachloroethene (PCE)	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Dibromochloromethane	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,2-Dibromoethane (EDB)	ND	0.0250		µg/L	1	12/22/2017 12:10:40 PM
Chlorobenzene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,1,1,2-Tetrachloroethane	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Ethylbenzene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
m,p-Xylene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
o-Xylene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Styrene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Isopropylbenzene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Bromoform	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM



Client: Environmental Partners, Inc.

Collection Date: 12/20/2017 11:15:00 AM

Project: Whitney's

Lab ID: 1712233-002

Matrix: Air

Client Sample ID: EFF - 1220

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA Method 8260C

Batch ID: 19304

Analyst: MW

1,1,2,2-Tetrachloroethane	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
n-Propylbenzene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Bromobenzene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,3,5-Trimethylbenzene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
2-Chlorotoluene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
4-Chlorotoluene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
tert-Butylbenzene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,2,3-Trichloropropane	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,2,4-Trichlorobenzene	ND	0.200		µg/L	1	12/22/2017 12:10:40 PM
sec-Butylbenzene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
4-Isopropyltoluene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,3-Dichlorobenzene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,4-Dichlorobenzene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
n-Butylbenzene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,2-Dichlorobenzene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,2-Dibromo-3-chloropropane	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,2,4-Trimethylbenzene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
Hexachlorobutadiene	ND	0.400		µg/L	1	12/22/2017 12:10:40 PM
Naphthalene	ND	0.100		µg/L	1	12/22/2017 12:10:40 PM
1,2,3-Trichlorobenzene	ND	0.400		µg/L	1	12/22/2017 12:10:40 PM
Surr: Dibromofluoromethane	99.7	56.4 - 141		%Rec	1	12/22/2017 12:10:40 PM
Surr: Toluene-d8	95.9	66 - 138		%Rec	1	12/22/2017 12:10:40 PM
Surr: 1-Bromo-4-fluorobenzene-BFB	92.2	64.7 - 128		%Rec	1	12/22/2017 12:10:40 PM

Gasoline by NWTPH-Gx

Batch ID: 19304

Analyst: MW

Gasoline	16.6	5.00		µg/L	1	12/22/2017 12:10:40 PM
Surr: 4-Bromofluorobenzene	95.7	65 - 135		%Rec	1	12/22/2017 12:10:40 PM
Surr: Toluene-d8	94.1	65 - 135		%Rec	1	12/22/2017 12:10:40 PM

Work Order: 1712233
CLIENT: Environmental Partners, Inc.
Project: Whitney's

QC SUMMARY REPORT
Gasoline by NWTPH-Gx

Sample ID 1712233-001AREP	SampType: REP	Units: µg/L				Prep Date: 12/22/2017	RunNo: 40664				
Client ID: INF - 1220	Batch ID: 19304					Analysis Date: 12/22/2017	SeqNo: 783353				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	ND	5.00						0		30	
Surr: 4-Bromofluorobenzene	2.44		2.500		97.8	65	135		0		
Surr: Toluene-d8	2.34		2.500		93.6	65	135		0		

Sample ID MB-19304	SampType: MBLK	Units: µg/L				Prep Date: 12/22/2017	RunNo: 40664				
Client ID: MBLKW	Batch ID: 19304					Analysis Date: 12/22/2017	SeqNo: 783359				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	ND	5.00									
Surr: 4-Bromofluorobenzene	2.36		2.500		94.5	65	135				
Surr: Toluene-d8	2.34		2.500		93.8	65	135				

Sample ID LCS-19304	SampType: LCS	Units: µg/L				Prep Date: 12/22/2017	RunNo: 40664				
Client ID: LCSW	Batch ID: 19304					Analysis Date: 12/22/2017	SeqNo: 783358				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	38.4	5.00	50.00	0	76.8	65	135				
Surr: 4-Bromofluorobenzene	2.52		2.500		101	65	135				
Surr: Toluene-d8	2.35		2.500		94.0	65	135				

Work Order: 1712233
CLIENT: Environmental Partners, Inc.
Project: Whitney's

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID 1712233-001AREP	SampType: REP	Units: µg/L	Prep Date: 12/22/2017	RunNo: 40665
Client ID: INF - 1220	Batch ID: 19304		Analysis Date: 12/22/2017	SeqNo: 783364

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane	ND	0.100						0		30	
Chloromethane	ND	0.100						0		30	
Vinyl chloride	ND	0.0200						0		30	
Bromomethane	ND	0.100						0		30	
Trichlorofluoromethane (CFC-11)	ND	0.100						0		30	
Chloroethane	ND	0.100						0		30	
1,1-Dichloroethene	ND	0.100						0		30	
Methylene chloride	ND	0.100						0		30	
trans-1,2-Dichloroethene	ND	0.100						0		30	
Methyl tert-butyl ether (MTBE)	ND	0.100						0		30	
1,1-Dichloroethane	ND	0.100						0		30	
2,2-Dichloropropane	ND	0.200						0		30	
cis-1,2-Dichloroethene	ND	0.100						0		30	
Chloroform	ND	0.100						0		30	
1,1,1-Trichloroethane (TCA)	ND	0.100						0		30	
1,1-Dichloropropene	ND	0.100						0		30	
Carbon tetrachloride	ND	0.100						0		30	
1,2-Dichloroethane (EDC)	ND	0.100						0		30	
Benzene	ND	0.100						0		30	
Trichloroethene (TCE)	ND	0.0500						0		30	
1,2-Dichloropropane	ND	0.100						0		30	
Bromodichloromethane	ND	0.100						0		30	
Dibromomethane	ND	0.100						0		30	
cis-1,3-Dichloropropene	ND	0.100						0		30	
Toluene	ND	0.100						0		30	
trans-1,3-Dichloropropylene	ND	0.100						0		30	
1,1,2-Trichloroethane	ND	0.100						0		30	
1,3-Dichloropropane	ND	0.100						0		30	
Tetrachloroethene (PCE)	ND	0.100						0		30	
Dibromochloromethane	ND	0.100						0		30	
1,2-Dibromoethane (EDB)	ND	0.0250						0		30	

Work Order: 1712233
 CLIENT: Environmental Partners, Inc.
 Project: Whitney's

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID 1712233-001AREP	SampType: REP	Units: µg/L	Prep Date: 12/22/2017	RunNo: 40665							
Client ID: INF - 1220	Batch ID: 19304		Analysis Date: 12/22/2017	SeqNo: 783364							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Chlorobenzene	ND	0.100						0		30	
1,1,1,2-Tetrachloroethane	ND	0.100						0		30	
Ethylbenzene	ND	0.100						0		30	
m,p-Xylene	ND	0.100						0		30	
o-Xylene	ND	0.100						0		30	
Styrene	ND	0.100						0		30	
Isopropylbenzene	ND	0.100						0		30	
Bromoform	ND	0.100						0		30	
1,1,2,2-Tetrachloroethane	ND	0.100						0		30	
n-Propylbenzene	ND	0.100						0		30	
Bromobenzene	ND	0.100						0		30	
1,3,5-Trimethylbenzene	ND	0.100						0		30	
2-Chlorotoluene	ND	0.100						0		30	
4-Chlorotoluene	ND	0.100						0		30	
tert-Butylbenzene	ND	0.100						0		30	
1,2,3-Trichloropropane	ND	0.100						0		30	
1,2,4-Trichlorobenzene	ND	0.200						0		30	
sec-Butylbenzene	ND	0.100						0		30	
4-Isopropyltoluene	ND	0.100						0		30	
1,3-Dichlorobenzene	ND	0.100						0		30	
1,4-Dichlorobenzene	ND	0.100						0		30	
n-Butylbenzene	ND	0.100						0		30	
1,2-Dichlorobenzene	ND	0.100						0		30	
1,2-Dibromo-3-chloropropane	ND	0.100						0		30	
1,2,4-Trimethylbenzene	ND	0.100						0		30	
Hexachlorobutadiene	ND	0.400						0		30	
Naphthalene	ND	0.100						0		30	
1,2,3-Trichlorobenzene	ND	0.400						0		30	
Surr: Dibromofluoromethane	2.48		2.500		99.2	61.1	128		0		
Surr: Toluene-d8	2.39		2.500		95.7	68.2	129		0		
Surr: 1-Bromo-4-fluorobenzene-BFB	2.32		2.500		93.0	64.7	128		0		

Work Order: 1712233
CLIENT: Environmental Partners, Inc.
Project: Whitney's

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID 1712233-001AREP	SampType: REP	Units: µg/L	Prep Date: 12/22/2017	RunNo: 40665							
Client ID: INF - 1220	Batch ID: 19304		Analysis Date: 12/22/2017	SeqNo: 783364							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Sample ID MB-19304	SampType: MBLK	Units: µg/L	Prep Date: 12/22/2017	RunNo: 40665							
Client ID: MBLKW	Batch ID: 19304		Analysis Date: 12/22/2017	SeqNo: 783371							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane	ND	0.100									
Chloromethane	ND	0.100									
Vinyl chloride	ND	0.0200									
Bromomethane	ND	0.100									
Trichlorofluoromethane (CFC-11)	ND	0.100									
Chloroethane	ND	0.100									
1,1-Dichloroethene	ND	0.100									
Methylene chloride	ND	0.100									
trans-1,2-Dichloroethene	ND	0.100									
Methyl tert-butyl ether (MTBE)	ND	0.100									
1,1-Dichloroethane	ND	0.100									
2,2-Dichloropropane	ND	0.200									
cis-1,2-Dichloroethene	ND	0.100									
Chloroform	ND	0.100									
1,1,1-Trichloroethane (TCA)	ND	0.100									
1,1-Dichloropropene	ND	0.100									
Carbon tetrachloride	ND	0.100									
1,2-Dichloroethane (EDC)	ND	0.100									
Benzene	ND	0.100									
Trichloroethene (TCE)	ND	0.0500									
1,2-Dichloropropane	ND	0.100									
Bromodichloromethane	ND	0.100									
Dibromomethane	ND	0.100									
cis-1,3-Dichloropropene	ND	0.100									
Toluene	ND	0.100									

Work Order: 1712233
CLIENT: Environmental Partners, Inc.
Project: Whitney's

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID MB-19304	SampType: MBLK	Units: µg/L	Prep Date: 12/22/2017	RunNo: 40665							
Client ID: MBLKW	Batch ID: 19304		Analysis Date: 12/22/2017	SeqNo: 783371							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

trans-1,3-Dichloropropylene	ND	0.100									
1,1,2-Trichloroethane	ND	0.100									
1,3-Dichloropropane	ND	0.100									
Tetrachloroethene (PCE)	ND	0.100									
Dibromochloromethane	ND	0.100									
1,2-Dibromoethane (EDB)	ND	0.0250									
Chlorobenzene	ND	0.100									
1,1,1,2-Tetrachloroethane	ND	0.100									
Ethylbenzene	ND	0.100									
m,p-Xylene	ND	0.100									
o-Xylene	ND	0.100									
Styrene	ND	0.100									
Isopropylbenzene	ND	0.100									
Bromoform	ND	0.100									
1,1,2,2-Tetrachloroethane	ND	0.100									
n-Propylbenzene	ND	0.100									
Bromobenzene	ND	0.100									
1,3,5-Trimethylbenzene	ND	0.100									
2-Chlorotoluene	ND	0.100									
4-Chlorotoluene	ND	0.100									
tert-Butylbenzene	ND	0.100									
1,2,3-Trichloropropane	ND	0.100									
1,2,4-Trichlorobenzene	ND	0.200									
sec-Butylbenzene	ND	0.100									
4-Isopropyltoluene	ND	0.100									
1,3-Dichlorobenzene	ND	0.100									
1,4-Dichlorobenzene	ND	0.100									
n-Butylbenzene	ND	0.100									
1,2-Dichlorobenzene	ND	0.100									
1,2-Dibromo-3-chloropropane	ND	0.100									
1,2,4-Trimethylbenzene	ND	0.100									

Work Order: 1712233
 CLIENT: Environmental Partners, Inc.
 Project: Whitney's

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID MB-19304	SampType: MBLK	Units: µg/L	Prep Date: 12/22/2017	RunNo: 40665							
Client ID: MBLKW	Batch ID: 19304		Analysis Date: 12/22/2017	SeqNo: 783371							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Hexachlorobutadiene	ND	0.400									
Naphthalene	ND	0.100									
1,2,3-Trichlorobenzene	ND	0.400									
Surr: Dibromofluoromethane	2.45		2.500		97.9	56.4	141				
Surr: Toluene-d8	2.47		2.500		98.7	66	138				
Surr: 1-Bromo-4-fluorobenzene-BFB	2.25		2.500		89.9	64.7	128				

Sample ID LCS-19304	SampType: LCS	Units: µg/L	Prep Date: 12/22/2017	RunNo: 40665							
Client ID: LCSW	Batch ID: 19304		Analysis Date: 12/22/2017	SeqNo: 783370							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane	3.05	0.100	2.000	0	153	38.8	143				S
Chloromethane	2.18	0.100	2.000	0	109	42.5	131				
Vinyl chloride	2.22	0.0200	2.000	0	111	56.2	130				
Bromomethane	2.28	0.100	2.000	0	114	45.4	138				
Trichlorofluoromethane (CFC-11)	2.11	0.100	2.000	0	105	64.7	129				
Chloroethane	2.04	0.100	2.000	0	102	62.5	123				
1,1-Dichloroethene	2.00	0.100	2.000	0	100	60.7	146				
Methylene chloride	1.96	0.100	2.000	0	98.2	60.3	135				
trans-1,2-Dichloroethene	1.91	0.100	2.000	0	95.7	71.3	129				
Methyl tert-butyl ether (MTBE)	1.98	0.100	2.000	0	98.9	59.3	138				
1,1-Dichloroethane	1.92	0.100	2.000	0	96.1	71.3	129				
2,2-Dichloropropane	2.17	0.200	2.000	0	108	37.8	132				
cis-1,2-Dichloroethene	1.92	0.100	2.000	0	96.1	67.5	127				
Chloroform	1.92	0.100	2.000	0	96.2	70.3	123				
1,1,1-Trichloroethane (TCA)	1.88	0.100	2.000	0	94.0	67.9	134				
1,1-Dichloropropene	1.86	0.100	2.000	0	92.9	72.1	133				
Carbon tetrachloride	2.14	0.100	2.000	0	107	64.4	133				
1,2-Dichloroethane (EDC)	1.90	0.100	2.000	0	94.8	65.8	126				
Benzene	1.86	0.100	2.000	0	92.8	67.1	132				

Work Order: 1712233
 CLIENT: Environmental Partners, Inc.
 Project: Whitney's

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID	LCS-19304	SampType:	LCS	Units:	µg/L	Prep Date:	12/22/2017	RunNo:	40665
Client ID:	LCSW	Batch ID:	19304			Analysis Date:	12/22/2017	SeqNo:	783370

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Trichloroethene (TCE)	2.01	0.0500	2.000	0	101	71.9	130				
1,2-Dichloropropane	1.85	0.100	2.000	0	92.4	71.9	131				
Bromodichloromethane	1.92	0.100	2.000	0	96.2	70	130				
Dibromomethane	2.01	0.100	2.000	0	101	74.2	125				
cis-1,3-Dichloropropene	1.88	0.100	2.000	0	93.8	62.8	135				
Toluene	1.99	0.100	2.000	0	99.5	73.6	127				
trans-1,3-Dichloropropylene	2.21	0.100	2.000	0	110	58.1	138				
1,1,2-Trichloroethane	2.02	0.100	2.000	0	101	65.4	128				
1,3-Dichloropropane	1.99	0.100	2.000	0	99.7	71.9	131				
Tetrachloroethene (PCE)	2.01	0.100	2.000	0	101	52.4	140				
Dibromochloromethane	1.97	0.100	2.000	0	98.7	68.7	139				
1,2-Dibromoethane (EDB)	2.03	0.0250	2.000	0	102	71.2	129				
Chlorobenzene	1.95	0.100	2.000	0	97.5	77.2	122				
1,1,1,2-Tetrachloroethane	1.92	0.100	2.000	0	96.2	76.2	130				
Ethylbenzene	1.97	0.100	2.000	0	98.3	78	127				
m,p-Xylene	3.99	0.100	4.000	0	99.7	77.5	130				
o-Xylene	2.01	0.100	2.000	0	101	77.6	126				
Styrene	1.90	0.100	2.000	0	95.2	66.8	137				
Isopropylbenzene	1.93	0.100	2.000	0	96.4	75.9	133				
Bromoform	1.95	0.100	2.000	0	97.4	54.1	146				
1,1,1,2,2-Tetrachloroethane	1.77	0.100	2.000	0	88.3	68	134				
n-Propylbenzene	1.89	0.100	2.000	0	94.6	77.1	133				
Bromobenzene	1.97	0.100	2.000	0	98.4	71.1	131				
1,3,5-Trimethylbenzene	1.92	0.100	2.000	0	95.9	76.2	133				
2-Chlorotoluene	1.93	0.100	2.000	0	96.5	67.1	137				
4-Chlorotoluene	1.88	0.100	2.000	0	93.8	70.7	132				
tert-Butylbenzene	1.88	0.100	2.000	0	93.8	71.3	139				
1,2,3-Trichloropropane	1.96	0.100	2.000	0	97.8	70.8	132				
1,2,4-Trichlorobenzene	1.62	0.200	2.000	0	81.1	61.4	139				
sec-Butylbenzene	1.88	0.100	2.000	0	94.1	77.4	136				
4-Isopropyltoluene	1.84	0.100	2.000	0	92.0	78.1	131				

Work Order: 1712233
CLIENT: Environmental Partners, Inc.
Project: Whitney's

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID LCS-19304	SampType: LCS	Units: µg/L	Prep Date: 12/22/2017	RunNo: 40665							
Client ID: LCSW	Batch ID: 19304		Analysis Date: 12/22/2017	SeqNo: 783370							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,3-Dichlorobenzene	1.96	0.100	2.000	0	98.0	73.5	125				
1,4-Dichlorobenzene	1.97	0.100	2.000	0	98.3	71.4	125				
n-Butylbenzene	1.82	0.100	2.000	0	91.0	69.8	138				
1,2-Dichlorobenzene	1.97	0.100	2.000	0	98.4	74.2	123				
1,2-Dibromo-3-chloropropane	1.88	0.100	2.000	0	94.2	53.6	155				
1,2,4-Trimethylbenzene	1.87	0.100	2.000	0	93.3	72.3	133				
Hexachlorobutadiene	1.95	0.400	2.000	0	97.6	60.9	141				
Naphthalene	1.66	0.100	2.000	0	82.9	58.2	140				
1,2,3-Trichlorobenzene	1.61	0.400	2.000	0	80.5	61.3	133				
Surr: Dibromofluoromethane	2.45		2.500		98.0	56.4	141				
Surr: Toluene-d8	2.58		2.500		103	66	138				
Surr: 1-Bromo-4-fluorobenzene-BFB	2.64		2.500		106	64.7	128				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect for this analyte; no further action required.

Client Name: **EPI**

Work Order Number: **1712233**

Logged by: **Brianna Barnes**

Date Received: **12/20/2017 2:33:00 PM**

Chain of Custody

1. Is Chain of Custody complete? Yes No Not Present
2. How was the sample delivered? Client

Log In

3. Coolers are present? Yes No NA

Air Samples

4. Shipping container/cooler in good condition? Yes No
5. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes No Not Required
6. Was an attempt made to cool the samples? Yes No NA
7. Were all items received at a temperature of >0°C to 10.0°C* Yes No NA
8. Sample(s) in proper container(s)? Yes No
9. Sufficient sample volume for indicated test(s)? Yes No
10. Are samples properly preserved? Yes No
11. Was preservative added to bottles? Yes No NA
12. Is there headspace in the VOA vials? Yes No NA
13. Did all samples containers arrive in good condition(unbroken)? Yes No
14. Does paperwork match bottle labels? Yes No
15. Are matrices correctly identified on Chain of Custody? Yes No
16. Is it clear what analyses were requested? Yes No
17. Were all holding times able to be met? Yes No

Special Handling (if applicable)

18. Was client notified of all discrepancies with this order? Yes No NA

Person Notified:	<input type="text" value="Sean T"/>	Date:	<input type="text" value="12/20/2017"/>
By Whom:	<input type="text" value="Brianna Barnes"/>	Via:	<input checked="" type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	<input type="text" value="Confirming sample IDs"/>		
Client Instructions:	<input "eff-1220"="" and="" inf-1220"="" type="text" value="Change sample IDs to "/>		

19. Additional remarks:

Item Information

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790
Fax: 206-352-7178

Chain of Custody Record & Laboratory Services Agreement

Date: 12/20/17 Page: 1 of: 1

Laboratory Project No (internal): 1712233

Client: EPT
Address: 1180 NW MAPLE ST. SUITE 310
City, State, Zip: ISSAQUAH, WA. 98027
Telephone: (425) 395-0010
Fax:

Project Name: WHITNEY'S
Project No: 51201
Collected by: N. HINSBERGER
Location:
Report To (PM): SEAN TRIMBLE
PM Email: SEANT@EPT-WA.COM

Special Remarks:
Edits per seant. 12/20/17 BB

Sample Disposal: Return to client Disposal by lab (after 30 days)

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	Analytical Parameters													Comments							
				VOCs (EPA 8260 / 624)	GX/BTEX	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCID)	Diesel/Heavy Oil Range Organics (DHO)	SVOCS (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8082 / 608)	Metals** (EPA 6020 / 200.8)	Total (T) Dissolved (D)	Anions (IC)***	EDB (8011)								
1 INF-122+O	12/20/17	11 ¹⁰	A	X		X																		
2 EFF-122+O	12/20/17	11 ¹⁵	A	X		X																		
3																								
4																								
5																								
6																								
7																								
8																								
9																								
10																								

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water
 **Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Fe Hg K Mg Mn Mo Na Ni Pb Sb Se Sr Sn Ti Tl U V Zn
 ***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate+Nitrite

Turn-around Time:
 Standard
 3 Day
 2 Day
 Next Day
 Same Day _____ (specify)

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above and that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished Date/Time
 x [Signature] 12/20/17 1433

Received Date/Time
 x [Signature] 12/20/17 1433

Page 19 of 19



Environmental Partners, Inc.

Sean Trimble
1180 NW Maple Street, Suite 310
Issaquah, WA 98027

**RE: Whitney's
Work Order Number: 1801237**

January 24, 2018

Attention Sean Trimble:

Fremont Analytical, Inc. received 2 sample(s) on 1/17/2018 for the analyses presented in the following report.

***Gasoline by NWTPH-Gx
Volatile Organic Compounds by EPA Method 8260C***

This report consists of the following:

- Case Narrative
- Analytical Results
- Applicable Quality Control Summary Reports
- Chain of Custody

All analyses were performed consistent with the Quality Assurance program of Fremont Analytical, Inc. Please contact the laboratory if you should have any questions about the results.

Thank you for using Fremont Analytical.

Sincerely,

Mike Ridgeway
Laboratory Director



Date: 01/24/2018

CLIENT: Environmental Partners, Inc.
Project: Whitney's
Work Order: 1801237

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
1801237-001	INF - 0117	01/17/2018 12:00 PM	01/17/2018 5:06 PM
1801237-002	EFF - 0117	01/17/2018 12:05 PM	01/17/2018 5:06 PM

CLIENT: Environmental Partners, Inc.

Project: Whitney's

WorkOrder Narrative:

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

NOTE: The molecular weight used for Gasoline conversion is 100

Qualifiers:

- * - Flagged value is not within established control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria (<20%RSD, <20% Drift or minimum RRF)
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Reporting Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate



Client: Environmental Partners, Inc.

Collection Date: 1/17/2018 12:00:00 PM

Project: Whitney's

Lab ID: 1801237-001

Matrix: Air

Client Sample ID: INF - 0117

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA Method 8260C

Batch ID: 19558

Analyst: MW

Dichlorodifluoromethane	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Chloromethane	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Vinyl chloride	ND	0.0200		µg/L	1	1/19/2018 1:28:53 PM
Bromomethane	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Trichlorofluoromethane (CFC-11)	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Chloroethane	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,1-Dichloroethene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Methylene chloride	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
trans-1,2-Dichloroethene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Methyl tert-butyl ether (MTBE)	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,1-Dichloroethane	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
2,2-Dichloropropane	ND	0.200		µg/L	1	1/19/2018 1:28:53 PM
cis-1,2-Dichloroethene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Chloroform	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,1,1-Trichloroethane (TCA)	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,1-Dichloropropene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Carbon tetrachloride	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,2-Dichloroethane (EDC)	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Benzene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Trichloroethene (TCE)	ND	0.0500		µg/L	1	1/19/2018 1:28:53 PM
1,2-Dichloropropane	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Bromodichloromethane	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Dibromomethane	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
cis-1,3-Dichloropropene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Toluene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
trans-1,3-Dichloropropylene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,1,2-Trichloroethane	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,3-Dichloropropane	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Tetrachloroethene (PCE)	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Dibromochloromethane	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,2-Dibromoethane (EDB)	ND	0.0250		µg/L	1	1/19/2018 1:28:53 PM
Chlorobenzene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,1,1,2-Tetrachloroethane	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Ethylbenzene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
m,p-Xylene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
o-Xylene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Styrene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Isopropylbenzene	0.121	0.100		µg/L	1	1/19/2018 1:28:53 PM
Bromoform	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM



Client: Environmental Partners, Inc.

Collection Date: 1/17/2018 12:00:00 PM

Project: Whitney's

Lab ID: 1801237-001

Matrix: Air

Client Sample ID: INF - 0117

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA Method 8260C

Batch ID: 19558

Analyst: MW

1,1,2,2-Tetrachloroethane	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
n-Propylbenzene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Bromobenzene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,3,5-Trimethylbenzene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
2-Chlorotoluene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
4-Chlorotoluene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
tert-Butylbenzene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,2,3-Trichloropropane	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,2,4-Trichlorobenzene	ND	0.200		µg/L	1	1/19/2018 1:28:53 PM
sec-Butylbenzene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
4-Isopropyltoluene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,3-Dichlorobenzene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,4-Dichlorobenzene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
n-Butylbenzene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,2-Dichlorobenzene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,2-Dibromo-3-chloropropane	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,2,4-Trimethylbenzene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
Hexachlorobutadiene	ND	0.400		µg/L	1	1/19/2018 1:28:53 PM
Naphthalene	ND	0.100		µg/L	1	1/19/2018 1:28:53 PM
1,2,3-Trichlorobenzene	ND	0.400		µg/L	1	1/19/2018 1:28:53 PM
Surr: Dibromofluoromethane	108	56.4 - 141		%Rec	1	1/19/2018 1:28:53 PM
Surr: Toluene-d8	90.7	66 - 138		%Rec	1	1/19/2018 1:28:53 PM
Surr: 1-Bromo-4-fluorobenzene-BFB	94.3	64.7 - 128		%Rec	1	1/19/2018 1:28:53 PM

Gasoline by NWTPH-Gx

Batch ID: 19558

Analyst: MW

Gasoline	1.66	1.22		ppmv	1	1/19/2018 1:28:53 PM
Gasoline	6.79	5.00		µg/L	1	1/19/2018 1:28:53 PM
Surr: 4-Bromofluorobenzene	91.7	65 - 135		%Rec	1	1/19/2018 1:28:53 PM
Surr: Toluene-d8	108	65 - 135		%Rec	1	1/19/2018 1:28:53 PM



Client: Environmental Partners, Inc.

Collection Date: 1/17/2018 12:05:00 PM

Project: Whitney's

Lab ID: 1801237-002

Matrix: Air

Client Sample ID: EFF - 0117

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA Method 8260C</u>						
					Batch ID: 19558	Analyst: MW
Dichlorodifluoromethane	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Chloromethane	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Vinyl chloride	ND	0.0200		µg/L	1	1/19/2018 12:58:27 PM
Bromomethane	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Trichlorofluoromethane (CFC-11)	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Chloroethane	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,1-Dichloroethene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Methylene chloride	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
trans-1,2-Dichloroethene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Methyl tert-butyl ether (MTBE)	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,1-Dichloroethane	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
2,2-Dichloropropane	ND	0.200		µg/L	1	1/19/2018 12:58:27 PM
cis-1,2-Dichloroethene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Chloroform	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,1,1-Trichloroethane (TCA)	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,1-Dichloropropene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Carbon tetrachloride	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,2-Dichloroethane (EDC)	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Benzene	0.479	0.100		µg/L	1	1/19/2018 12:58:27 PM
Trichloroethene (TCE)	ND	0.0500		µg/L	1	1/19/2018 12:58:27 PM
1,2-Dichloropropane	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Bromodichloromethane	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Dibromomethane	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
cis-1,3-Dichloropropene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Toluene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
trans-1,3-Dichloropropylene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,1,2-Trichloroethane	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,3-Dichloropropane	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Tetrachloroethene (PCE)	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Dibromochloromethane	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,2-Dibromoethane (EDB)	ND	0.0250		µg/L	1	1/19/2018 12:58:27 PM
Chlorobenzene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,1,1,2-Tetrachloroethane	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Ethylbenzene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
m,p-Xylene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
o-Xylene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Styrene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Isopropylbenzene	0.603	0.100		µg/L	1	1/19/2018 12:58:27 PM
Bromoform	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM



Client: Environmental Partners, Inc.

Collection Date: 1/17/2018 12:05:00 PM

Project: Whitney's

Lab ID: 1801237-002

Matrix: Air

Client Sample ID: EFF - 0117

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

Volatile Organic Compounds by EPA Method 8260C

Batch ID: 19558

Analyst: MW

1,1,2,2-Tetrachloroethane	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
n-Propylbenzene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Bromobenzene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,3,5-Trimethylbenzene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
2-Chlorotoluene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
4-Chlorotoluene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
tert-Butylbenzene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,2,3-Trichloropropane	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,2,4-Trichlorobenzene	ND	0.200		µg/L	1	1/19/2018 12:58:27 PM
sec-Butylbenzene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
4-Isopropyltoluene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,3-Dichlorobenzene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,4-Dichlorobenzene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
n-Butylbenzene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,2-Dichlorobenzene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,2-Dibromo-3-chloropropane	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,2,4-Trimethylbenzene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
Hexachlorobutadiene	ND	0.400		µg/L	1	1/19/2018 12:58:27 PM
Naphthalene	ND	0.100		µg/L	1	1/19/2018 12:58:27 PM
1,2,3-Trichlorobenzene	ND	0.400		µg/L	1	1/19/2018 12:58:27 PM
Surr: Dibromofluoromethane	106	56.4 - 141		%Rec	1	1/19/2018 12:58:27 PM
Surr: Toluene-d8	106	66 - 138		%Rec	1	1/19/2018 12:58:27 PM
Surr: 1-Bromo-4-fluorobenzene-BFB	98.8	64.7 - 128		%Rec	1	1/19/2018 12:58:27 PM

Gasoline by NWTPH-Gx

Batch ID: 19558

Analyst: MW

Gasoline	51.0	5.00		µg/L	1	1/19/2018 12:58:27 PM
Gasoline	12.5	1.22		ppmv	1	1/19/2018 12:58:27 PM
Surr: 4-Bromofluorobenzene	96.0	65 - 135		%Rec	1	1/19/2018 12:58:27 PM
Surr: Toluene-d8	121	65 - 135		%Rec	1	1/19/2018 12:58:27 PM

Work Order: 1801237
 CLIENT: Environmental Partners, Inc.
 Project: Whitney's

QC SUMMARY REPORT
Gasoline by NWTPH-Gx

Sample ID 1801245-001AREP	SampType: REP	Units: µg/L			Prep Date: 1/19/2018	RunNo: 41216					
Client ID: BATCH	Batch ID: 19558				Analysis Date: 1/19/2018	SeqNo: 794423					
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	ND	5.00						0		30	
Surr: 4-Bromofluorobenzene	2.19		2.500		87.7	65	135		0		
Surr: Toluene-d8	2.44		2.500		97.6	65	135		0		

Sample ID MB-19558	SampType: MBLK	Units: µg/L			Prep Date: 1/19/2018	RunNo: 41216					
Client ID: MBLKW	Batch ID: 19558				Analysis Date: 1/19/2018	SeqNo: 794427					
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	ND	5.00									
Surr: 4-Bromofluorobenzene	2.17		2.500		86.9	65	135				
Surr: Toluene-d8	2.79		2.500		112	65	135				

Sample ID LCS-19558	SampType: LCS	Units: µg/L			Prep Date: 1/19/2018	RunNo: 41216					
Client ID: LCSW	Batch ID: 19558				Analysis Date: 1/19/2018	SeqNo: 794426					
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	54.5	5.00	50.00	0	109	65	135				
Surr: 4-Bromofluorobenzene	2.26		2.500		90.6	65	135				
Surr: Toluene-d8	2.62		2.500		105	65	135				

Work Order: 1801237
CLIENT: Environmental Partners, Inc.
Project: Whitney's

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID	1801245-001AREP	SampType:	REP	Units:	µg/L	Prep Date:	1/19/2018	RunNo:	41215		
Client ID:	BATCH	Batch ID:	19558	Analysis Date:	1/19/2018	SeqNo:	794408				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane	ND	0.100						0		30	
Chloromethane	ND	0.100						0		30	
Vinyl chloride	ND	0.0200						0		30	
Bromomethane	ND	0.100						0		30	
Trichlorofluoromethane (CFC-11)	ND	0.100						0		30	
Chloroethane	ND	0.100						0		30	
1,1-Dichloroethene	ND	0.100						0		30	
Methylene chloride	ND	0.100						0		30	
trans-1,2-Dichloroethene	ND	0.100						0		30	
Methyl tert-butyl ether (MTBE)	ND	0.100						0		30	
1,1-Dichloroethane	ND	0.100						0		30	
2,2-Dichloropropane	ND	0.200						0		30	
cis-1,2-Dichloroethene	ND	0.100						0		30	
Chloroform	ND	0.100						0		30	
1,1,1-Trichloroethane (TCA)	ND	0.100						0		30	
1,1-Dichloropropene	ND	0.100						0		30	
Carbon tetrachloride	ND	0.100						0		30	
1,2-Dichloroethane (EDC)	ND	0.100						0		30	
Benzene	ND	0.100						0		30	
Trichloroethene (TCE)	1.03	0.0500						0.9721	5.47	30	
1,2-Dichloropropane	ND	0.100						0		30	
Bromodichloromethane	ND	0.100						0		30	
Dibromomethane	ND	0.100						0		30	
cis-1,3-Dichloropropene	ND	0.100						0		30	
Toluene	ND	0.100						0		30	
trans-1,3-Dichloropropylene	ND	0.100						0		30	
1,1,2-Trichloroethane	ND	0.100						0		30	
1,3-Dichloropropane	ND	0.100						0		30	
Tetrachloroethene (PCE)	ND	0.100						0		30	
Dibromochloromethane	ND	0.100						0		30	
1,2-Dibromoethane (EDB)	ND	0.0250						0		30	

Work Order: 1801237
CLIENT: Environmental Partners, Inc.
Project: Whitney's

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID	1801245-001AREP	SampType:	REP	Units:	µg/L	Prep Date:	1/19/2018	RunNo:	41215		
Client ID:	BATCH	Batch ID:	19558	Analysis Date:	1/19/2018	SeqNo:	794408				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	ND	0.100						0		30	
1,1,1,2-Tetrachloroethane	ND	0.100						0		30	
Ethylbenzene	ND	0.100						0		30	
m,p-Xylene	ND	0.100						0		30	
o-Xylene	ND	0.100						0		30	
Styrene	ND	0.100						0		30	
Isopropylbenzene	ND	0.100						0		30	
Bromoform	ND	0.100						0		30	
1,1,2,2-Tetrachloroethane	ND	0.100						0		30	
n-Propylbenzene	ND	0.100						0		30	
Bromobenzene	ND	0.100						0		30	
1,3,5-Trimethylbenzene	ND	0.100						0		30	
2-Chlorotoluene	ND	0.100						0		30	
4-Chlorotoluene	ND	0.100						0		30	
tert-Butylbenzene	ND	0.100						0		30	
1,2,3-Trichloropropane	ND	0.100						0		30	
1,2,4-Trichlorobenzene	ND	0.200						0		30	
sec-Butylbenzene	ND	0.100						0		30	
4-Isopropyltoluene	ND	0.100						0		30	
1,3-Dichlorobenzene	ND	0.100						0		30	
1,4-Dichlorobenzene	ND	0.100						0		30	
n-Butylbenzene	ND	0.100						0		30	
1,2-Dichlorobenzene	ND	0.100						0		30	
1,2-Dibromo-3-chloropropane	ND	0.100						0		30	
1,2,4-Trimethylbenzene	ND	0.100						0		30	
Hexachlorobutadiene	ND	0.400						0		30	
Naphthalene	ND	0.100						0		30	
1,2,3-Trichlorobenzene	ND	0.400						0		30	
Surr: Dibromofluoromethane	2.57		2.500		103	61.1	128		0		
Surr: Toluene-d8	2.09		2.500		83.4	68.2	129		0		
Surr: 1-Bromo-4-fluorobenzene-BFB	2.26		2.500		90.2	64.7	128		0		

Work Order: 1801237
CLIENT: Environmental Partners, Inc.
Project: Whitney's

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID 1801245-001AREP	SampType: REP	Units: µg/L	Prep Date: 1/19/2018	RunNo: 41215							
Client ID: BATCH	Batch ID: 19558	Analysis Date: 1/19/2018	SeqNo: 794408								
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Sample ID MB-19558	SampType: MBLK	Units: µg/L	Prep Date: 1/19/2018	RunNo: 41215							
Client ID: MBLKW	Batch ID: 19558	Analysis Date: 1/19/2018	SeqNo: 794412								
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane	ND	0.100									
Chloromethane	ND	0.100									
Vinyl chloride	ND	0.0200									
Bromomethane	ND	0.100									
Trichlorofluoromethane (CFC-11)	ND	0.100									
Chloroethane	ND	0.100									
1,1-Dichloroethene	ND	0.100									
Methylene chloride	ND	0.100									
trans-1,2-Dichloroethene	ND	0.100									
Methyl tert-butyl ether (MTBE)	ND	0.100									
1,1-Dichloroethane	ND	0.100									
2,2-Dichloropropane	ND	0.200									
cis-1,2-Dichloroethene	ND	0.100									
Chloroform	ND	0.100									
1,1,1-Trichloroethane (TCA)	ND	0.100									
1,1-Dichloropropene	ND	0.100									
Carbon tetrachloride	ND	0.100									
1,2-Dichloroethane (EDC)	ND	0.100									
Benzene	ND	0.100									
Trichloroethene (TCE)	ND	0.0500									
1,2-Dichloropropane	ND	0.100									
Bromodichloromethane	ND	0.100									
Dibromomethane	ND	0.100									
cis-1,3-Dichloropropene	ND	0.100									
Toluene	ND	0.100									

Work Order: 1801237
CLIENT: Environmental Partners, Inc.
Project: Whitney's

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID MB-19558	SampType: MBLK	Units: µg/L	Prep Date: 1/19/2018	RunNo: 41215
Client ID: MBLKW	Batch ID: 19558		Analysis Date: 1/19/2018	SeqNo: 794412

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,3-Dichloropropylene	ND	0.100									
1,1,2-Trichloroethane	ND	0.100									
1,3-Dichloropropane	ND	0.100									
Tetrachloroethene (PCE)	ND	0.100									
Dibromochloromethane	ND	0.100									
1,2-Dibromoethane (EDB)	ND	0.0250									
Chlorobenzene	ND	0.100									
1,1,1,2-Tetrachloroethane	ND	0.100									
Ethylbenzene	ND	0.100									
m,p-Xylene	ND	0.100									
o-Xylene	ND	0.100									
Styrene	ND	0.100									
Isopropylbenzene	ND	0.100									
Bromoform	ND	0.100									
1,1,2,2-Tetrachloroethane	ND	0.100									
n-Propylbenzene	ND	0.100									
Bromobenzene	ND	0.100									
1,3,5-Trimethylbenzene	ND	0.100									
2-Chlorotoluene	ND	0.100									
4-Chlorotoluene	ND	0.100									
tert-Butylbenzene	ND	0.100									
1,2,3-Trichloropropane	ND	0.100									
1,2,4-Trichlorobenzene	ND	0.200									
sec-Butylbenzene	ND	0.100									
4-Isopropyltoluene	ND	0.100									
1,3-Dichlorobenzene	ND	0.100									
1,4-Dichlorobenzene	ND	0.100									
n-Butylbenzene	ND	0.100									
1,2-Dichlorobenzene	ND	0.100									
1,2-Dibromo-3-chloropropane	ND	0.100									
1,2,4-Trimethylbenzene	ND	0.100									

Work Order: 1801237
CLIENT: Environmental Partners, Inc.
Project: Whitney's

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID MB-19558	SampType: MBLK	Units: µg/L	Prep Date: 1/19/2018	RunNo: 41215							
Client ID: MBLKW	Batch ID: 19558		Analysis Date: 1/19/2018	SeqNo: 794412							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Hexachlorobutadiene	ND	0.400									
Naphthalene	ND	0.100									
1,2,3-Trichlorobenzene	ND	0.400									
Surr: Dibromofluoromethane	2.45		2.500		98.0	56.4	141				
Surr: Toluene-d8	2.46		2.500		98.3	66	138				
Surr: 1-Bromo-4-fluorobenzene-BFB	2.24		2.500		89.5	64.7	128				

Sample ID LCS-19558	SampType: LCS	Units: µg/L	Prep Date: 1/19/2018	RunNo: 41215							
Client ID: LCSW	Batch ID: 19558		Analysis Date: 1/19/2018	SeqNo: 794411							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane	2.30	0.100	2.000	0	115	38.8	143				
Chloromethane	1.98	0.100	2.000	0	98.8	42.5	131				
Vinyl chloride	2.24	0.0200	2.000	0	112	56.2	130				
Bromomethane	2.48	0.100	2.000	0	124	45.4	138				
Trichlorofluoromethane (CFC-11)	2.23	0.100	2.000	0	111	64.7	129				
Chloroethane	2.43	0.100	2.000	0	121	62.5	123				
1,1-Dichloroethene	2.15	0.100	2.000	0	107	60.7	146				
Methylene chloride	2.00	0.100	2.000	0	100	60.3	135				
trans-1,2-Dichloroethene	2.02	0.100	2.000	0	101	71.3	129				
Methyl tert-butyl ether (MTBE)	1.89	0.100	2.000	0	94.3	59.3	138				
1,1-Dichloroethane	2.13	0.100	2.000	0	106	71.3	129				
2,2-Dichloropropane	1.68	0.200	2.000	0	83.8	37.8	132				
cis-1,2-Dichloroethene	1.90	0.100	2.000	0	94.9	67.5	127				
Chloroform	2.04	0.100	2.000	0	102	70.3	123				
1,1,1-Trichloroethane (TCA)	2.13	0.100	2.000	0	106	67.9	134				
1,1-Dichloropropene	1.99	0.100	2.000	0	99.7	72.1	133				
Carbon tetrachloride	2.03	0.100	2.000	0	102	64.4	133				
1,2-Dichloroethane (EDC)	2.05	0.100	2.000	0	103	65.8	126				
Benzene	2.17	0.100	2.000	0	109	67.1	132				



Work Order: 1801237
CLIENT: Environmental Partners, Inc.
Project: Whitney's

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID LCS-19558	SampType: LCS	Units: µg/L	Prep Date: 1/19/2018	RunNo: 41215
Client ID: LCSW	Batch ID: 19558		Analysis Date: 1/19/2018	SeqNo: 794411

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Trichloroethene (TCE)	2.20	0.0500	2.000	0	110	71.9	130				
1,2-Dichloropropane	2.03	0.100	2.000	0	101	71.9	131				
Bromodichloromethane	2.00	0.100	2.000	0	100	70	130				
Dibromomethane	1.94	0.100	2.000	0	97.2	74.2	125				
cis-1,3-Dichloropropene	1.73	0.100	2.000	0	86.4	62.8	135				
Toluene	1.93	0.100	2.000	0	96.5	73.6	127				
trans-1,3-Dichloropropylene	1.93	0.100	2.000	0	96.5	58.1	138				
1,1,2-Trichloroethane	1.88	0.100	2.000	0	93.8	65.4	128				
1,3-Dichloropropane	1.85	0.100	2.000	0	92.6	71.9	131				
Tetrachloroethene (PCE)	2.07	0.100	2.000	0	103	52.4	140				
Dibromochloromethane	1.88	0.100	2.000	0	93.9	68.7	139				
1,2-Dibromoethane (EDB)	1.85	0.0250	2.000	0	92.7	71.2	129				
Chlorobenzene	2.06	0.100	2.000	0	103	77.2	122				
1,1,1,2-Tetrachloroethane	2.07	0.100	2.000	0	103	76.2	130				
Ethylbenzene	2.06	0.100	2.000	0	103	78	127				
m,p-Xylene	4.12	0.100	4.000	0	103	77.5	130				
o-Xylene	2.03	0.100	2.000	0	101	77.6	126				
Styrene	1.99	0.100	2.000	0	99.7	66.8	137				
Isopropylbenzene	2.05	0.100	2.000	0	102	75.9	133				
Bromoform	1.82	0.100	2.000	0	91.2	54.1	146				
1,1,1,2,2-Tetrachloroethane	1.64	0.100	2.000	0	81.8	68	134				
n-Propylbenzene	2.00	0.100	2.000	0	100	77.1	133				
Bromobenzene	2.02	0.100	2.000	0	101	71.1	131				
1,3,5-Trimethylbenzene	2.03	0.100	2.000	0	102	76.2	133				
2-Chlorotoluene	1.96	0.100	2.000	0	97.9	67.1	137				
4-Chlorotoluene	2.00	0.100	2.000	0	99.8	70.7	132				
tert-Butylbenzene	2.01	0.100	2.000	0	100	71.3	139				
1,2,3-Trichloropropane	1.75	0.100	2.000	0	87.5	70.8	132				
1,2,4-Trichlorobenzene	1.63	0.200	2.000	0	81.4	61.4	139				
sec-Butylbenzene	2.00	0.100	2.000	0	100	77.4	136				
4-Isopropyltoluene	1.89	0.100	2.000	0	94.7	78.1	131				

Work Order: 1801237
CLIENT: Environmental Partners, Inc.
Project: Whitney's

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID	LCS-19558	SampType:	LCS	Units:	µg/L	Prep Date:	1/19/2018	RunNo:	41215		
Client ID:	LCSW	Batch ID:	19558	Analysis Date:	1/19/2018	SeqNo:	794411				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,3-Dichlorobenzene	2.10	0.100	2.000	0	105	73.5	125				
1,4-Dichlorobenzene	2.09	0.100	2.000	0	105	71.4	125				
n-Butylbenzene	1.93	0.100	2.000	0	96.6	69.8	138				
1,2-Dichlorobenzene	2.06	0.100	2.000	0	103	74.2	123				
1,2-Dibromo-3-chloropropane	1.72	0.100	2.000	0	86.2	53.6	155				
1,2,4-Trimethylbenzene	1.98	0.100	2.000	0	99.2	72.3	133				
Hexachlorobutadiene	2.08	0.400	2.000	0	104	60.9	141				
Naphthalene	1.72	0.100	2.000	0	86.1	58.2	140				
1,2,3-Trichlorobenzene	1.60	0.400	2.000	0	80.2	61.3	133				
Surr: Dibromofluoromethane	2.49		2.500		99.6	56.4	141				
Surr: Toluene-d8	2.39		2.500		95.8	66	138				
Surr: 1-Bromo-4-fluorobenzene-BFB	2.60		2.500		104	64.7	128				

Client Name: **EPI**

Work Order Number: **1801237**

Logged by: **Brianna Barnes**

Date Received: **1/17/2018 5:06:00 PM**

Chain of Custody

1. Is Chain of Custody complete? Yes No Not Present
2. How was the sample delivered? Client

Log In

3. Coolers are present? Yes No NA
- Air samples.**
4. Shipping container/cooler in good condition? Yes No
5. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes No Not Required
6. Was an attempt made to cool the samples? Yes No NA
7. Were all items received at a temperature of >0°C to 10.0°C* Yes No NA
8. Sample(s) in proper container(s)? Yes No
9. Sufficient sample volume for indicated test(s)? Yes No
10. Are samples properly preserved? Yes No
11. Was preservative added to bottles? Yes No NA
12. Is there headspace in the VOA vials? Yes No NA
13. Did all samples containers arrive in good condition(unbroken)? Yes No
14. Does paperwork match bottle labels? Yes No
15. Are matrices correctly identified on Chain of Custody? Yes No
16. Is it clear what analyses were requested? Yes No
17. Were all holding times able to be met? Yes No

Special Handling (if applicable)

18. Was client notified of all discrepancies with this order? Yes No NA

Person Notified:	<input type="text"/>	Date:	<input type="text"/>
By Whom:	<input type="text"/>	Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	<input type="text"/>		
Client Instructions:	<input type="text"/>		

19. Additional remarks:

Item Information

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



Environmental Partners, Inc.

Sean Trimble
1180 NW Maple Street, Suite 310
Issaquah, WA 98027

RE: WHITNEY'S
Work Order Number: 1802050

February 12, 2018

Attention Sean Trimble:

Fremont Analytical, Inc. received 2 sample(s) on 2/5/2018 for the analyses presented in the following report.

Gasoline by NWTPH-Gx
Volatile Organic Compounds by EPA Method 8260C

This report consists of the following:

- Case Narrative
- Analytical Results
- Applicable Quality Control Summary Reports
- Chain of Custody

All analyses were performed consistent with the Quality Assurance program of Fremont Analytical, Inc. Please contact the laboratory if you should have any questions about the results.

Thank you for using Fremont Analytical.

Sincerely,

Mike Ridgeway
Laboratory Director



Date: 02/12/2018

CLIENT: Environmental Partners, Inc.
Project: WHITNEY'S
Work Order: 1802050

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
1802050-001	INF - 0205	02/05/2018 12:30 PM	02/05/2018 2:30 PM
1802050-002	EFF - 0205	02/05/2018 12:35 PM	02/05/2018 2:30 PM

CLIENT: Environmental Partners, Inc.

Project: WHITNEY'S

WorkOrder Narrative:

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

NOTE: The molecular weight used for the Gasoline conversion is 100

Qualifiers:

- * - Flagged value is not within established control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria (<20%RSD, <20% Drift or minimum RRF)
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Reporting Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate



Client: Environmental Partners, Inc.

Collection Date: 2/5/2018 12:30:00 PM

Project: WHITNEY'S

Lab ID: 1802050-001

Matrix: Air

Client Sample ID: INF - 0205

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA Method 8260C

Batch ID: 19757

Analyst: NG

Dichlorodifluoromethane	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Chloromethane	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Vinyl chloride	ND	0.0200		µg/L	1	2/8/2018 12:51:28 PM
Bromomethane	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Trichlorofluoromethane (CFC-11)	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Chloroethane	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,1-Dichloroethene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Methylene chloride	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
trans-1,2-Dichloroethene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Methyl tert-butyl ether (MTBE)	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,1-Dichloroethane	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
2,2-Dichloropropane	ND	0.200		µg/L	1	2/8/2018 12:51:28 PM
cis-1,2-Dichloroethene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Chloroform	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,1,1-Trichloroethane (TCA)	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,1-Dichloropropene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Carbon tetrachloride	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,2-Dichloroethane (EDC)	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Benzene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Trichloroethene (TCE)	ND	0.0500		µg/L	1	2/8/2018 12:51:28 PM
1,2-Dichloropropane	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Bromodichloromethane	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Dibromomethane	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
cis-1,3-Dichloropropene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Toluene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
trans-1,3-Dichloropropylene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,1,2-Trichloroethane	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,3-Dichloropropane	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Tetrachloroethene (PCE)	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Dibromochloromethane	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,2-Dibromoethane (EDB)	ND	0.0250		µg/L	1	2/8/2018 12:51:28 PM
Chlorobenzene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,1,1,2-Tetrachloroethane	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Ethylbenzene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
m,p-Xylene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
o-Xylene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Styrene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Isopropylbenzene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Bromoform	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM



Client: Environmental Partners, Inc.

Collection Date: 2/5/2018 12:30:00 PM

Project: WHITNEY'S

Lab ID: 1802050-001

Matrix: Air

Client Sample ID: INF - 0205

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA Method 8260C

Batch ID: 19757

Analyst: NG

1,1,2,2-Tetrachloroethane	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
n-Propylbenzene	0.103	0.100		µg/L	1	2/8/2018 12:51:28 PM
Bromobenzene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,3,5-Trimethylbenzene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
2-Chlorotoluene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
4-Chlorotoluene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
tert-Butylbenzene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,2,3-Trichloropropane	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,2,4-Trichlorobenzene	ND	0.200		µg/L	1	2/8/2018 12:51:28 PM
sec-Butylbenzene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
4-Isopropyltoluene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,3-Dichlorobenzene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,4-Dichlorobenzene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
n-Butylbenzene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,2-Dichlorobenzene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,2-Dibromo-3-chloropropane	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,2,4-Trimethylbenzene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
Hexachlorobutadiene	ND	0.400		µg/L	1	2/8/2018 12:51:28 PM
Naphthalene	ND	0.100		µg/L	1	2/8/2018 12:51:28 PM
1,2,3-Trichlorobenzene	ND	0.400		µg/L	1	2/8/2018 12:51:28 PM
Surr: Dibromofluoromethane	105	56.4 - 141		%Rec	1	2/8/2018 12:51:28 PM
Surr: Toluene-d8	103	66 - 138		%Rec	1	2/8/2018 12:51:28 PM
Surr: 1-Bromo-4-fluorobenzene-BFB	94.2	64.7 - 128		%Rec	1	2/8/2018 12:51:28 PM

Gasoline by NWTPH-Gx

Batch ID: 19757

Analyst: NG

Gasoline	ND	5.00		µg/L	1	2/8/2018 12:51:28 PM
Gasoline	ND	1.22		ppmv	1	2/8/2018 12:51:28 PM
Surr: 4-Bromofluorobenzene	97.1	65 - 135		%Rec	1	2/8/2018 12:51:28 PM
Surr: Toluene-d8	98.8	65 - 135		%Rec	1	2/8/2018 12:51:28 PM

Work Order: 1802050
CLIENT: Environmental Partners, Inc.
Project: WHITNEY'S

QC SUMMARY REPORT
Gasoline by NWTPH-Gx

Sample ID LCS-19757	SampType: LCS	Units: µg/L				Prep Date: 2/8/2018	RunNo: 41635				
Client ID: LCSW	Batch ID: 19757					Analysis Date: 2/8/2018	SeqNo: 802670				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	52.0	5.00	50.00	0	104	65	135				
Surr: 4-Bromofluorobenzene	2.45		2.500		97.9	65	135				
Surr: Toluene-d8	2.46		2.500		98.6	65	135				

Sample ID MB-19757	SampType: MBLK	Units: µg/L				Prep Date: 2/8/2018	RunNo: 41635				
Client ID: MBLKW	Batch ID: 19757					Analysis Date: 2/8/2018	SeqNo: 802671				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	ND	5.00									
Surr: 4-Bromofluorobenzene	2.38		2.500		95.0	65	135				
Surr: Toluene-d8	2.45		2.500		98.2	65	135				

Sample ID 1802050-001AREP	SampType: REP	Units: µg/L				Prep Date: 2/8/2018	RunNo: 41635				
Client ID: INF - 0205	Batch ID: 19757					Analysis Date: 2/8/2018	SeqNo: 802667				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline	ND	5.00						0		30	
Surr: 4-Bromofluorobenzene	2.44		2.500		97.7	65	135		0		
Surr: Toluene-d8	2.45		2.500		98.1	65	135		0		

Work Order: 1802050
 CLIENT: Environmental Partners, Inc.
 Project: WHITNEY'S

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID	LCS-19757	SampType:	LCS	Units:	µg/L	Prep Date:	2/8/2018	RunNo:	41634		
Client ID:	LCSW	Batch ID:	19757	Analysis Date:	2/8/2018	SeqNo:	802637				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane	3.08	0.100	2.000	0	154	38.8	143				S
Chloromethane	2.25	0.100	2.000	0	113	42.5	131				
Vinyl chloride	2.22	0.0200	2.000	0	111	56.2	130				
Bromomethane	2.18	0.100	2.000	0	109	45.4	138				
Trichlorofluoromethane (CFC-11)	2.17	0.100	2.000	0	108	64.7	129				
Chloroethane	2.15	0.100	2.000	0	107	62.5	123				
1,1-Dichloroethene	2.12	0.100	2.000	0	106	60.7	146				
Methylene chloride	2.08	0.100	2.000	0	104	60.3	135				
trans-1,2-Dichloroethene	2.07	0.100	2.000	0	104	71.3	129				
Methyl tert-butyl ether (MTBE)	1.79	0.100	2.000	0	89.7	59.3	138				
1,1-Dichloroethane	1.99	0.100	2.000	0	99.4	71.3	129				
2,2-Dichloropropane	2.09	0.200	2.000	0	105	37.8	132				
cis-1,2-Dichloroethene	2.04	0.100	2.000	0	102	67.5	127				
Chloroform	2.04	0.100	2.000	0	102	70.3	123				
1,1,1-Trichloroethane (TCA)	1.92	0.100	2.000	0	95.9	67.9	134				
1,1-Dichloropropene	2.09	0.100	2.000	0	104	72.1	133				
Carbon tetrachloride	1.97	0.100	2.000	0	98.5	64.4	133				
1,2-Dichloroethane (EDC)	2.11	0.100	2.000	0	106	65.8	126				
Benzene	2.05	0.100	2.000	0	103	67.1	132				
Trichloroethene (TCE)	2.05	0.0500	2.000	0	103	71.9	130				
1,2-Dichloropropane	1.98	0.100	2.000	0	99.2	71.9	131				
Bromodichloromethane	1.92	0.100	2.000	0	95.9	70	130				
Dibromomethane	2.10	0.100	2.000	0	105	74.2	125				
cis-1,3-Dichloropropene	1.88	0.100	2.000	0	94.0	62.8	135				
Toluene	2.01	0.100	2.000	0	100	73.6	127				
trans-1,3-Dichloropropylene	1.88	0.100	2.000	0	94.0	58.1	138				
1,1,2-Trichloroethane	2.10	0.100	2.000	0	105	65.4	128				
1,3-Dichloropropane	1.98	0.100	2.000	0	98.9	71.9	131				
Tetrachloroethene (PCE)	2.07	0.100	2.000	0	104	52.4	140				
Dibromochloromethane	1.89	0.100	2.000	0	94.5	68.7	139				
1,2-Dibromoethane (EDB)	2.11	0.0250	2.000	0	106	71.2	129				

Work Order: 1802050
CLIENT: Environmental Partners, Inc.
Project: WHITNEY'S

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID	LCS-19757	SampType:	LCS	Units:	µg/L	Prep Date:	2/8/2018	RunNo:	41634		
Client ID:	LCSW	Batch ID:	19757	Analysis Date:	2/8/2018	SeqNo:	802637				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	1.90	0.100	2.000	0	95.2	77.2	122				
1,1,1,2-Tetrachloroethane	1.77	0.100	2.000	0	88.7	76.2	130				
Ethylbenzene	1.89	0.100	2.000	0	94.3	78	127				
m,p-Xylene	3.72	0.100	4.000	0	93.0	77.5	130				
o-Xylene	1.80	0.100	2.000	0	90.2	77.6	126				
Styrene	1.83	0.100	2.000	0	91.5	66.8	137				
Isopropylbenzene	1.89	0.100	2.000	0	94.3	75.9	133				
Bromoform	1.73	0.100	2.000	0	86.4	54.1	146				
1,1,2,2-Tetrachloroethane	2.01	0.100	2.000	0	101	68	134				
n-Propylbenzene	1.78	0.100	2.000	0	89.2	77.1	133				
Bromobenzene	1.90	0.100	2.000	0	95.1	71.1	131				
1,3,5-Trimethylbenzene	1.98	0.100	2.000	0	99.2	76.2	133				
2-Chlorotoluene	1.91	0.100	2.000	0	95.3	67.1	137				
4-Chlorotoluene	2.10	0.100	2.000	0	105	70.7	132				
tert-Butylbenzene	1.87	0.100	2.000	0	93.7	71.3	139				
1,2,3-Trichloropropane	1.71	0.100	2.000	0	85.6	70.8	132				
1,2,4-Trichlorobenzene	1.93	0.200	2.000	0	96.3	61.4	139				
sec-Butylbenzene	1.79	0.100	2.000	0	89.4	77.4	136				
4-Isopropyltoluene	1.99	0.100	2.000	0	99.3	78.1	131				
1,3-Dichlorobenzene	2.07	0.100	2.000	0	103	73.5	125				
1,4-Dichlorobenzene	2.02	0.100	2.000	0	101	71.4	125				
n-Butylbenzene	1.97	0.100	2.000	0	98.7	69.8	138				
1,2-Dichlorobenzene	2.05	0.100	2.000	0	102	74.2	123				
1,2-Dibromo-3-chloropropane	1.59	0.100	2.000	0	79.5	53.6	155				
1,2,4-Trimethylbenzene	1.99	0.100	2.000	0	99.6	72.3	133				
Hexachlorobutadiene	2.03	0.400	2.000	0	101	60.9	141				
Naphthalene	1.69	0.100	2.000	0	84.5	58.2	140				
1,2,3-Trichlorobenzene	1.86	0.400	2.000	0	93.1	61.3	133				
Surr: Dibromofluoromethane	2.37		2.500		94.6	56.4	141				
Surr: Toluene-d8	2.31		2.500		92.6	66	138				
Surr: 1-Bromo-4-fluorobenzene-BFB	2.47		2.500		98.7	64.7	128				

Work Order: 1802050
 CLIENT: Environmental Partners, Inc.
 Project: WHITNEY'S

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID	LCS-19757	SampType:	LCS	Units:	µg/L	Prep Date:	2/8/2018	RunNo:	41634				
Client ID:	LCSW	Batch ID:	19757			Analysis Date:	2/8/2018	SeqNo:	802637				
Analyte		Result		RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect for this analyte; no further action required.

Sample ID	MB-19757	SampType:	MBLK	Units:	µg/L	Prep Date:	2/8/2018	RunNo:	41634				
Client ID:	MBLKW	Batch ID:	19757			Analysis Date:	2/8/2018	SeqNo:	802638				
Analyte		Result		RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane	ND	0.100											
Chloromethane	ND	0.100											
Vinyl chloride	ND	0.0200											
Bromomethane	ND	0.100											
Trichlorofluoromethane (CFC-11)	ND	0.100											
Chloroethane	ND	0.100											
1,1-Dichloroethene	ND	0.100											
Methylene chloride	ND	0.100											
trans-1,2-Dichloroethene	ND	0.100											
Methyl tert-butyl ether (MTBE)	ND	0.100											
1,1-Dichloroethane	ND	0.100											
2,2-Dichloropropane	ND	0.200											
cis-1,2-Dichloroethene	ND	0.100											
Chloroform	ND	0.100											
1,1,1-Trichloroethane (TCA)	ND	0.100											
1,1-Dichloropropene	ND	0.100											
Carbon tetrachloride	ND	0.100											
1,2-Dichloroethane (EDC)	ND	0.100											
Benzene	ND	0.100											
Trichloroethene (TCE)	ND	0.0500											
1,2-Dichloropropane	ND	0.100											
Bromodichloromethane	ND	0.100											
Dibromomethane	ND	0.100											
cis-1,3-Dichloropropene	ND	0.100											

Work Order: 1802050
CLIENT: Environmental Partners, Inc.
Project: WHITNEY'S

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID MB-19757	SampType: MBLK	Units: µg/L	Prep Date: 2/8/2018	RunNo: 41634							
Client ID: MBLKW	Batch ID: 19757		Analysis Date: 2/8/2018	SeqNo: 802638							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Toluene	ND	0.100									
trans-1,3-Dichloropropylene	ND	0.100									
1,1,2-Trichloroethane	ND	0.100									
1,3-Dichloropropane	ND	0.100									
Tetrachloroethene (PCE)	ND	0.100									
Dibromochloromethane	ND	0.100									
1,2-Dibromoethane (EDB)	ND	0.0250									
Chlorobenzene	ND	0.100									
1,1,1,2-Tetrachloroethane	ND	0.100									
Ethylbenzene	ND	0.100									
m,p-Xylene	ND	0.100									
o-Xylene	ND	0.100									
Styrene	ND	0.100									
Isopropylbenzene	ND	0.100									
Bromoform	ND	0.100									
1,1,2,2-Tetrachloroethane	ND	0.100									
n-Propylbenzene	ND	0.100									
Bromobenzene	ND	0.100									
1,3,5-Trimethylbenzene	ND	0.100									
2-Chlorotoluene	ND	0.100									
4-Chlorotoluene	ND	0.100									
tert-Butylbenzene	ND	0.100									
1,2,3-Trichloropropane	ND	0.100									
1,2,4-Trichlorobenzene	ND	0.200									
sec-Butylbenzene	ND	0.100									
4-Isopropyltoluene	ND	0.100									
1,3-Dichlorobenzene	ND	0.100									
1,4-Dichlorobenzene	ND	0.100									
n-Butylbenzene	ND	0.100									
1,2-Dichlorobenzene	ND	0.100									
1,2-Dibromo-3-chloropropane	ND	0.100									

Work Order: 1802050
CLIENT: Environmental Partners, Inc.
Project: WHITNEY'S

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID MB-19757	SampType: MBLK	Units: µg/L	Prep Date: 2/8/2018	RunNo: 41634							
Client ID: MBLKW	Batch ID: 19757		Analysis Date: 2/8/2018	SeqNo: 802638							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,2,4-Trimethylbenzene	ND	0.100									
Hexachlorobutadiene	ND	0.400									
Naphthalene	ND	0.100									
1,2,3-Trichlorobenzene	ND	0.400									
Surr: Dibromofluoromethane	2.66		2.500		106	56.4	141				
Surr: Toluene-d8	2.59		2.500		104	66	138				
Surr: 1-Bromo-4-fluorobenzene-BFB	2.31		2.500		92.3	64.7	128				

Sample ID 1802050-001AREP	SampType: REP	Units: µg/L	Prep Date: 2/8/2018	RunNo: 41634							
Client ID: INF - 0205	Batch ID: 19757		Analysis Date: 2/8/2018	SeqNo: 802634							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Dichlorodifluoromethane	ND	0.100						0		30	
Chloromethane	ND	0.100						0		30	
Vinyl chloride	ND	0.0200						0		30	
Bromomethane	ND	0.100						0		30	
Trichlorofluoromethane (CFC-11)	ND	0.100						0		30	
Chloroethane	ND	0.100						0		30	
1,1-Dichloroethene	ND	0.100						0		30	
Methylene chloride	ND	0.100						0		30	
trans-1,2-Dichloroethene	ND	0.100						0		30	
Methyl tert-butyl ether (MTBE)	ND	0.100						0		30	
1,1-Dichloroethane	ND	0.100						0		30	
2,2-Dichloropropane	ND	0.200						0		30	
cis-1,2-Dichloroethene	ND	0.100						0		30	
Chloroform	ND	0.100						0		30	
1,1,1-Trichloroethane (TCA)	ND	0.100						0		30	
1,1-Dichloropropene	ND	0.100						0		30	
Carbon tetrachloride	ND	0.100						0		30	
1,2-Dichloroethane (EDC)	ND	0.100						0		30	



Date: 2/12/2018

Work Order: 1802050
 CLIENT: Environmental Partners, Inc.
 Project: WHITNEY'S

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID 1802050-001AREP	SampType: REP	Units: µg/L	Prep Date: 2/8/2018	RunNo: 41634							
Client ID: INF - 0205	Batch ID: 19757		Analysis Date: 2/8/2018	SeqNo: 802634							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	ND	0.100						0		30	
Trichloroethene (TCE)	ND	0.0500						0		30	
1,2-Dichloropropane	ND	0.100						0		30	
Bromodichloromethane	ND	0.100						0		30	
Dibromomethane	ND	0.100						0		30	
cis-1,3-Dichloropropene	ND	0.100						0		30	
Toluene	ND	0.100						0		30	
trans-1,3-Dichloropropylene	ND	0.100						0		30	
1,1,2-Trichloroethane	ND	0.100						0		30	
1,3-Dichloropropane	ND	0.100						0		30	
Tetrachloroethene (PCE)	ND	0.100						0		30	
Dibromochloromethane	ND	0.100						0		30	
1,2-Dibromoethane (EDB)	ND	0.0250						0		30	
Chlorobenzene	ND	0.100						0		30	
1,1,1,2-Tetrachloroethane	ND	0.100						0		30	
Ethylbenzene	ND	0.100						0		30	
m,p-Xylene	ND	0.100						0		30	
o-Xylene	ND	0.100						0		30	
Styrene	ND	0.100						0		30	
Isopropylbenzene	ND	0.100						0		30	
Bromoform	ND	0.100						0		30	
1,1,1,2-Tetrachloroethane	ND	0.100						0		30	
n-Propylbenzene	0.105	0.100						0.1028	2.08	30	
Bromobenzene	ND	0.100						0		30	
1,3,5-Trimethylbenzene	ND	0.100						0		30	
2-Chlorotoluene	ND	0.100						0		30	
4-Chlorotoluene	ND	0.100						0		30	
tert-Butylbenzene	ND	0.100						0		30	
1,2,3-Trichloropropane	ND	0.100						0		30	
1,2,4-Trichlorobenzene	ND	0.200						0		30	
sec-Butylbenzene	ND	0.100						0		30	

Work Order: 1802050
CLIENT: Environmental Partners, Inc.
Project: WHITNEY'S

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260C

Sample ID 1802050-001AREP	SampType: REP	Units: µg/L	Prep Date: 2/8/2018	RunNo: 41634							
Client ID: INF - 0205	Batch ID: 19757		Analysis Date: 2/8/2018	SeqNo: 802634							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

4-Isopropyltoluene	ND	0.100						0		30	
1,3-Dichlorobenzene	ND	0.100						0		30	
1,4-Dichlorobenzene	ND	0.100						0		30	
n-Butylbenzene	ND	0.100						0		30	
1,2-Dichlorobenzene	ND	0.100						0		30	
1,2-Dibromo-3-chloropropane	ND	0.100						0		30	
1,2,4-Trimethylbenzene	ND	0.100						0		30	
Hexachlorobutadiene	ND	0.400						0		30	
Naphthalene	ND	0.100						0		30	
1,2,3-Trichlorobenzene	ND	0.400						0		30	
Surr: Dibromofluoromethane	2.61		2.500		104	61.1	128		0		
Surr: Toluene-d8	2.58		2.500		103	68.2	129		0		
Surr: 1-Bromo-4-fluorobenzene-BFB	2.37		2.500		94.7	64.7	128		0		

Client Name: **EPI**

Work Order Number: **1802050**

Logged by: **Brianna Barnes**

Date Received: **2/5/2018 2:30:00 PM**

Chain of Custody

1. Is Chain of Custody complete? Yes No Not Present
2. How was the sample delivered? Client

Log In

3. Coolers are present? Yes No NA

Air Samples

4. Shipping container/cooler in good condition? Yes No
5. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes No Not Required
6. Was an attempt made to cool the samples? Yes No NA
7. Were all items received at a temperature of >0°C to 10.0°C* Yes No NA
8. Sample(s) in proper container(s)? Yes No
9. Sufficient sample volume for indicated test(s)? Yes No
10. Are samples properly preserved? Yes No
11. Was preservative added to bottles? Yes No NA
12. Is there headspace in the VOA vials? Yes No NA
13. Did all samples containers arrive in good condition(unbroken)? Yes No
14. Does paperwork match bottle labels? Yes No
15. Are matrices correctly identified on Chain of Custody? Yes No
16. Is it clear what analyses were requested? Yes No
17. Were all holding times able to be met? Yes No

Special Handling (if applicable)

18. Was client notified of all discrepancies with this order? Yes No NA

Person Notified:	<input type="text"/>	Date:	<input type="text"/>
By Whom:	<input type="text"/>	Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	<input type="text"/>		
Client Instructions:	<input type="text"/>		

19. Additional remarks:

Sample IDs changed from "INF - 0206" and "EFF - 0206" to "INF - 0205" and "EFF - 0205" per N. Hinsperger 2/5/18.
2/6/18 - Sample EFF on hold per NH

Item Information

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C

