



ATTACHMENT 3

Data Summary Table from ENVISION's June 2007 Environmental Assessment Report

Sample ID	Water Quality Standards	Model Toxics Control Act	ETMW-2	ETMW-3	ETMW-4	ETMW-7	MW-101	MW-102	MW-103	MW-104
Laboratory ID No.	Ground Water Quality Criteria	Method A Cleanup Levels for Ground Water	503346-04	503346-02	503346-01	503365-03	503376-03	503365-02	503365-01	503346-03
Date Sampled			3/29/2005	3/29/2005	3/29/2005	3/30/2005	3/31/2005	3/30/2005	3/30/2005	3/29/2005
ANALYTICAL PARAMETERS										
Volatile Compounds (µg/L)										
Dichlorodifluoromethane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Chloromethane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Vinyl Chloride	0.02	0.2	<0.2	<0.2	<0.2	<0.2	4	<0.2	<0.2	<0.2
Bromomethane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Chloroethane	NS	NS	<1	<1	<1	<1	13 c	3,200 ve	<1	<1
Trichlorofluoromethane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Acetone	NS	NS	<10	<10	<10	<10	<10	<10	<10	<10
1,1-Dichloroethene	NS	NS	<1	<1	<1	<1	9	<1	<1	<1
Methylene chloride	5	5	<5	<5	<5	<5	<5	<5	<5	5 lc
trans-1,2-Dichloroethene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,1-Dichloroethane	1.0	NS	<1	<1	<1	<1	4	<1	<1	<1
2,2-Dichloropropane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
cis-1,2-Dichloroethene	NS	NS	<1	<1	<1	<1	7	<1	<1	<1
Chloroform	7.0	NS	<1	<1	<1	<1	<1	<1	<1	<1
2-Butanone (MEK)	NS	NS	<10	<10	<10	<10	<10	<10	<10	<10
1,2-Dichloroethane (EDC)	0.5	5	<1	<1	<1	<1	<1	32	<1	<1
1,1,1-Trichloroethane	200	200	<1	<1	<1	<1	<1	<1	<1	<1
1,1-Dichloropropene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Carbon Tetrachloride	0.3	NS	<1	<1	<1	<1	<1	<1	<1	<1
Benzene	1.0	5	<1	<1	<1	<1	<1	1	<1	<1
Trichloroethene	3	5	<1	<1	<1	<1	<1	<1	<1	<1
1,2-Dichloropropane	0.6	NS	<1	<1	<1	<1	<1	<1	<1	<1
Bromodichloromethane	0.3	NS	<1	<1	<1	<1	<1	<1	<1	<1
Dibromomethane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
4-Methyl-2-pentanone	NS	NS	<10	<10	<10	<10	<10	<10	<10	<10
cis-1,3-Dichloropropene**	0.2	NS	<1	<1	<1	<1	<1	<1	<1	<1
Toluene	NS	1,000	<1	<1	<1	<1	<1	<1	<1	<1
trans-1,3-Dichloropropene**	0.2	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,1,2-Trichloroethane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
2-Hexanone	NS	NS	<10	<10	<10	<10	<10	<10	<10	<10
1,3-Dichloropropane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Tetrachloroethene	0.8	5	<1	<1	<1	<1	2	<1	<1	<1
Dibromochloromethane	0.5	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,2-Dibromoethane (EDB)	0.001	0.01	<1	<1	<1	<1	<1	<1	<1	<1
Chlorobenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Ethylbenzene	NS	700	<1	<1	<1	<1	<1	<1	<1	<1
1,1,1,2-Tetrachloroethane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
m,p-Xylene***	NS	1,000	<2	<2	<2	<2	<2	<2	<2	<2
o-Xylene***	NS	1,000	<1	<1	<1	<1	<1	<1	<1	<1
Styrene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Isopropylbenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Bromoform	5	NS	<1	<1	<1	<1	<1	<1	<1	<1

Sample ID	Water Quality Standards	Model Toxics Control Act	ETMW-2	ETMW-3	ETMW-4	ETMW-7	MW-101	MW-102	MW-103	MW-104
Laboratory ID No.		Method A Cleanup	503346-04	503346-02	503346-01	503365-03	503376-03	503385-02	503385-01	503346-03
Date Sampled	Ground Water Quality Criteria	Levels for Ground Water	3/29/2005	3/29/2005	3/29/2005	3/30/2005	3/31/2005	3/30/2005	3/30/2005	3/29/2005
ANALYTICAL PARAMETERS										
n-Propylbenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Bromobenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,3,5-Trimethylbenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,1,2,2-Tetrachloroethane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,2,3-Trichloropropane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
2-Chlorotoluene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
4-Chlorotoluene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
tert-Butylbenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,2,4-Trimethylbenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
sec-Butylbenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
p-Isopropyltoluene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,3-Dichlorobenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,4-Dichlorobenzene	4	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,2-Dichlorobenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,2-Dibromo-3-chloropropane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,2,4-Trichlorobenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Hexachlorobutadiene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Naphthalene	NS	180	<1	<1	<1	<1	<1	<1	<1	<1
1,2,3-Trichlorobenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Total Petroleum Hydrocarbons -										
NWTPH-Gx (µg/L)	NS	800 / 1,000*	<100 ca	<100	<100 ca	<100	<500 d	180	<100	<100
Dissolved Metals (µg/L)										
Antimony	NS	NS	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2	0.2 U	0.2 U
Arsenic	0.05	5	3.2	6.0	0.9	70.6	51.8	129	88.6	2.3
Beryllium	NS	NS	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Cadmium	10	5	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.3	0.2 U	0.2 U
Chromium	50	50****	1	1 U	0.5 U	2	1 U	3	3	0.5 U
Copper	1,000	NS	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Iron	300	NS	5,020	2,990	17,200	53,700	41,700	148,000	109,000	950
Lead	50	15	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Mercury	2	2	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Nickel	NS	NS	3.7	4.6	1.7	3.0	5.0	5.8	3.4	3.1
Selenium	10	NS	1.3	0.5 U	0.5 U	0.5 U	0.5 U	1.7	1.8	0.5 U
Silver	50	NS	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Thallium	NS	NS	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Zinc	5,000	NS	4 U	4 U	4 U	4 U	7	4 U	4 U	4 U
Total Metals (µg/L)										
Antimony	NS	NS	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2	0.2 U	0.2 U
Arsenic	0.05	5	80.7	214	29.2	72.9	50.0	125	88.5	53.9
Beryllium	NS	NS	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U

Sample ID	Water Quality Standards	Model Toxics Control Act	ETMW-2	ETMW-3	ETMW-4	ETMW-7	MW-101	MW-102	MW-103	MW-104
Laboratory ID No.	Ground Water Quality Criteria	Method A Cleanup Levels for Ground Water	503346-04	503346-02	503346-01	503365-03	503376-03	503365-02	503365-01	503346-03
Date Sampled			3/29/2005	3/29/2005	3/29/2005	3/30/2005	3/31/2005	3/30/2005	3/30/2005	3/29/2005
ANALYTICAL PARAMETERS										
Cadmium	10	5	0.2 U	0.2 U	0.2 U	0.4	0.2 U	0.4	0.2 U	0.2
Chromium	50	50****	7	4	1.4	2	1 U	3	7	1.4
Copper	1,000	NS	0.5 U	1.2	0.5 U	0.7	0.8	0.6	10.7	0.5
Iron	300	NS	112,000	84,700	118,000	52,900	41,100	144,000	107,000	43,100
Lead	50	15	1 U	1 U	1 U	1 U	1 U	1 U	2	1 U
Mercury	2	2	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Nickel	NS	NS	4.0	6.3	1.7	3.0	4.4	5.6	9.3	3.8
Selenium	10	NS	1.8	0.8	0.5 U	0.5 U	0.5 U	1.6	1.7	0.5 U
Silver	50	NS	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Thallium	NS	NS	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Zinc	5,000	NS	4 U	4 U	4 U	4	10	4	12	7
Hexavalent Chromium (mg/L)	NS	NS	<0.011 U	0.012	<0.011 U	0.021	0.013	<0.011 U	<0.011 U	0.020
Geochemical Parameters (mg/L)										
Ferrous Iron	NS	NS	120	85.5	122	60.0	49.1	168	127	43.9
Total Cyanide	NS	NS	NA	NA	NA	NA	<0.005 U	NA	NA	NA
Nitrogen as Nitrate*****	10,000	NS	<0.050 U	<0.050 U	<0.250 U	<0.050 U	<0.050 U	<0.100 U	<0.050 U	<0.050 U
Nitrogen as Nitrite	NS	NS	0.136	0.211	0.130	0.068	0.058	<0.100 U	0.071	0.104
Total Nitrate + Nitrite	NS	NS	<0.050 U	0.171	<0.250 U	0.093	0.072	<0.100 U	<0.050 U	0.067
Sulfate	250,000	NS	42.2	56.5	41.3	93.9	60.5	24.2	32.3	72.3
Sulfide	NS	NS	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U	<0.05 U
Carbon Dioxide	NS	NS	365	220	235	135	185	370	330	85
Methane (µg/L)	NS	NS	675.25	326.48	387.75	115.69	269.35	725.94	617.76	57.29
Conductivity (µmhos/cm)	NS	NS	NA	NA	NA	408	NA	1,490	1,200	NA

Note: The reporting limit for vinyl chloride is equal to the Method Detection Limit.

mg/L = milligrams per liter.

µg/L = micrograms per liter.

µmhos/cm = micromhos per centimeter.

NWTPH-Gx = Northwest Total Petroleum Hydrocarbons

<0.00 = Not detected above Method Detection Limit.

Bolded values equal or exceed Model Toxics Control Act Method A Cleanup Levels

Dup#1 collected from MW-106.

NA = Not analyzed.

NS = No standard.

U = Analyte undetected at given reporting limit.

c = Presence of analyte may be due to carryover from previous sample injections.

ca = The calibration results for this range fell outside of acceptable criteria.

The value reported is an estimate.

d = The sample was diluted due to matrix effect (foamy).

Detection limits are raised due to dilution.

ic = The presence of the compound indicated may be due to laboratory contamination.

ve = The value reported exceeded the calibration range established

for the analyte. The reported concentration is an estimate.

* = Standard is 1,000 µg/L if no benzene is present, 800 µg/L if benzene present.

** = Standard is for total 1,3-Dichloropropene.

*** = Standard is for total Xylenes.

**** = Total value for chromium III and chromium VI. If just chromium III present, cleanup

level of 100 µg/l may be used.

***** = Calculated by laboratory.

Sample ID	Water Quality Standards	Model Toxics Control Act	MW-105	MW-106	Dup #1	MW-201	Trip Blank	FB-3/30	Trip Blank #1	Field Blank-3/31
Laboratory ID No.	Ground Water Quality Criteria	Method A Cleanup Levels for Ground Water	503376-01	503376-02	503376-06	503365-04	503346-05	503365-05	503365-06	503376-05
Date Sampled			3/31/2005	3/31/2005	3/31/2005	3/30/2005	3/29/2005	3/30/2005	3/30/2005	3/31/2005
ANALYTICAL PARAMETERS										
Volatiles Compounds (µg/L)										
Dichlorodifluoromethane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Chloromethane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Vinyl Chloride	0.02	0.2	1,500 ve	2 c	<0.2	0.9	<0.2	<0.2	<0.2	<0.2
Bromomethane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Chloroethane	NS	NS	4,000 ve	1,500 ve	1,400 ve	5	<1	<1	<1	<1
Trichlorofluoromethane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Acetone	NS	NS	17	<10	<10	<10	<10	<10	<10	<10
1,1-Dichloroethene	NS	NS	390 ve	<1	<1	<1	<1	<1	<1	<1
Methylene chloride	5	5	39 lc	<5	<5	<5	<5	<5	<5	6 lc
trans-1,2-Dichloroethene	NS	NS	7	1	<1	<1	<1	<1	<1	<1
1,1-Dichloroethane	1.0	NS	4,700 ve	8	3	10	<1	<1	<1	<1
2,2-Dichloropropane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
cis-1,2-Dichloroethene	NS	NS	39	<1	<1	<1	<1	<1	<1	<1
Chloroform	7.0	NS	<1	<1	<1	<1	<1	<1	<1	<1
2-Butanone (MEK)	NS	NS	<10	<10	<10	<10	<10	<10	<10	<10
1,2-Dichloroethane (EDC)	0.5	5	33	5	5	<1	<1	<1	<1	<1
1,1,1-Trichloroethane	200	200	2,700 ve	<1	<1	<1	<1	<1	<1	<1
1,1-Dichloropropene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Carbon Tetrachloride	0.3	NS	<1	<1	<1	<1	<1	<1	<1	<1
Benzene	1.0	5	2	<1	<1	<1	<1	<1	<1	<1
Trichloroethene	3	5	11	<1	<1	<1	<1	<1	<1	<1
1,2-Dichloropropane	0.6	NS	<1	<1	<1	<1	<1	<1	<1	<1
Bromodichloromethane	0.3	NS	<1	<1	<1	<1	<1	<1	<1	<1
Dibromomethane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
4-Methyl-2-pentanone	NS	NS	13	<10	<10	<10	<10	<10	<10	<10
cis-1,3-Dichloropropene**	0.2	NS	<1	<1	<1	<1	<1	<1	<1	<1
Toluene	NS	1,000	120	<1	<1	<1	<1	<1	<1	<1
trans-1,3-Dichloropropene**	0.2	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,1,2-Trichloroethane	NS	NS	4	<1	<1	<1	<1	<1	<1	<1
2-Hexanone	NS	NS	<10	<10	<10	<10	<10	<10	<10	<10
1,3-Dichloropropane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Tetrachloroethene	0.8	5	22	<1	<1	<1	<1	<1	<1	<1
Dibromochloromethane	0.5	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,2-Dibromoethane (EDB)	0.001	0.01	<1	<1	<1	<1	<1	<1	<1	<1
Chlorobenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Ethylbenzene	NS	NS	2	<1	<1	<1	<1	<1	<1	<1
1,1,1,2-Tetrachloroethane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
m,p-Xylene***	NS	1,000	3	<2	<2	<2	<2	<2	<2	<2
o-Xylene***	NS	1,000	5	<1	<1	<1	<1	<1	<1	<1
Styrene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Isopropylbenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Bromoform	5	NS	<1	<1	<1	<1	<1	<1	<1	<1

Sample ID	Water Quality Standards	Model Toxics Control Act	MW-105	MW-106	Dup #1	MW-201	Trip Blank	FB-3/30	Trip Blank #1	Field Blank-3/31
Laboratory ID No.		Method A Cleanup	503376-01	503376-02	503376-06	503365-04	503346-05	503365-05	503365-06	503376-05
Date Sampled		Levels for Ground Water	3/31/2005	3/31/2005	3/31/2005	3/30/2005	3/29/2005	3/30/2005	3/30/2005	3/31/2005
ANALYTICAL PARAMETERS										
n-Propylbenzene	NS	NS	7	<1	<1	<1	<1	<1	<1	<1
Bromobenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,3,5-Trimethylbenzene	NS	NS	2	1	1	<1	<1	<1	<1	<1
1,1,2,2-Tetrachloroethane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,2,3-Trichloropropane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
2-Chlorotoluene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
4-Chlorotoluene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
tert-Butylbenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,2,4-Trimethylbenzene	NS	NS	7	8	6	<1	<1	<1	<1	<1
sec-Butylbenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
p-Isopropyltoluene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,3-Dichlorobenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,4-Dichlorobenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,2-Dichlorobenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,2-Dibromo-3-chloropropane	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
1,2,4-Trichlorobenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Hexachlorobutadiene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Naphthalene	NS	160	<1	<1	<1	<1	<1	<1	<1	<1
1,2,3-Trichlorobenzene	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1
Total Petroleum Hydrocarbons -										
NWTPH-Gx (ug/L)	NS	800 / 1,000*	990 d	<500 d	NA	<100	NA	<100	NA	<100
Dissolved Metals (ug/L)										
Antimony	NS	NS	0.2	0.2 U	0.2 U	0.3	NA	0.2 U	NA	0.2 U
Arsenic	0.05	5	11.4	34.8	34.3	1.7	NA	0.2 U	NA	0.2 U
Beryllium	NS	NS	0.2 U	0.2 U	0.2 U	0.2 U	NA	0.2 U	NA	0.2 U
Cadmium	10	5	0.2 U	0.2 U	0.2 U	0.2 U	NA	0.2 U	NA	0.2 U
Chromium	50	50****	1.3	1 U	1 U	0.5 U	NA	0.5 U	NA	0.5 U
Copper	1,000	NS	0.8	0.7	0.7	2.1	NA	0.5 U	NA	0.5 U
Iron	300	NS	106,000	60,100	59,400	2,030	NA	30	NA	30
Lead	50	15	1 U	1 U	1 U	1 U	NA	1 U	NA	1 U
Mercury	2	2	0.1 U	0.1 U	0.1 U	0.1 U	NA	0.1 U	NA	0.1 U
Nickel	NS	NS	4.2	25.0	25.8	0.7	NA	0.5 U	NA	0.5 U
Selenium	10	NS	2 U	0.9	0.8	0.5 U	NA	0.5 U	NA	0.5 U
Silver	50	NS	0.2 U	0.2 U	0.2 U	0.2 U	NA	0.2 U	NA	0.2 U
Thallium	NS	NS	0.2 U	0.2 U	0.2 U	0.2 U	NA	0.2 U	NA	0.2 U
Zinc	5,000	NS	8	20	21	4 U	NA	4 U	NA	4 U
Total Metals (ug/L)										
Antimony	NS	NS	0.2 U	0.2 U	0.2 U	0.2 U	NA	0.2 U	NA	0.2 U
Arsenic	0.05	5	11.5	35.8	33.8	11.8	NA	0.2 U	NA	0.2 U
Beryllium	NS	NS	0.2 U	0.2 U	0.2 U	1.0	NA	0.2 U	NA	0.2 U

Sample ID	Water Quality Standards	Model Toxics Control Act	MW-105	MW-106	Dup #1	MW-201	Trip Blank	FB-3/30	Trip Blank #1	Field Blank-3/31
Laboratory ID No.			503376-01	503376-02	503376-06	503365-04	503346-05	503365-05	503365-06	503376-05
Date Sampled			3/31/2005	3/31/2005	3/31/2005	3/30/2005	3/29/2005	3/30/2005	3/30/2005	3/31/2005
ANALYTICAL PARAMETERS										
	Ground Water Quality Criteria	Method A Cleanup Levels for Ground Water								
Cadmium	10	5	0.2	0.3	0.3	0.2	NA	0.2 U	NA	0.2 U
Chromium	50	50****	1.4	1 U	1 U	57	NA	0.5 U	NA	0.6
Copper	1,000	NS	1.0	1.4	1.6	105	NA	0.5 U	NA	0.5 U
Iron	300	NS	102,000	59,200	59,900	43,700	NA	20 U	NA	40
Lead	50	15	1 U	1 U	1 U	11	NA	1 U	NA	1 U
Mercury	2	2	0.1 U	0.1 U	0.1 U	0.1	NA	0.1 U	NA	0.1 U
Nickel	NS	NS	5.9	25.4	25.7	36.7	NA	0.5 U	NA	0.5 U
Selenium	10	NS	2 U	0.9	0.8	0.6	NA	0.5 U	NA	0.5 U
Silver	50	NS	0.2 U	0.2 U	0.2 U	0.3	NA	0.2 U	NA	0.2 U
Thallium	NS	NS	0.2 U	0.2 U	0.2 U	0.2	NA	0.2 U	NA	0.2 U
Zinc	5,000	NS	9	20	24	89	NA	4 U	NA	4 U
Hexavalent Chromium (mg/L)	NS	NS	<0.011 U	<0.011 U	<0.011 U	<0.011 U	NA	<0.011 U	NA	<0.011 U
Geochemical Parameters (mg/L)										
Ferrous Iron	NS	NS	124	68.5	57.5	19.9	NA	<0.040 U	NA	<0.040 U
Total Cyanide	NS	NS	<0.010 U	<0.005 U	<0.005 U	NA	NA	NA	NA	<0.005 U
Nitrogen as Nitrate*****	10,000	NS	<0.050 U	<0.050 U	<0.050 U	0.053	NA	<0.010 U	NA	<0.010 U
Nitrogen as Nitrite	NS	NS	<0.050 U	<0.050 U	<0.050 U	<0.050 U	NA	<0.010 U	NA	<0.010 U
Total Nitrate + Nitrite	NS	NS	<0.050 U	<0.050 U	<0.050 U	0.053	NA	<0.010 U	NA	<0.010 U
Sulfate	250,000	NS	344	38.1	38.5	10.1	NA	<2.0 U	NA	<2.0 U
Sulfide	NS	NS	<0.05 U	<0.05 U	<0.05 U	<0.05 U	NA	<0.05 U	NA	<0.05 U
Carbon Dioxide	NS	NS	285	230	220	25	NA	2.5	NA	1.25
Methane (µg/L)	NS	NS	501.32	319.20	320.13	28.83	NA	<10 U	NA	<10 U
Conductivity (µmhos/cm)	NS	NS	NA	NA	NA	270	NA	1.60	NA	NA

Note: The reporting limit for vinyl chloride is equal to the Method Detection Limit.

mg/L = milligrams per liter.

µg/L = micrograms per liter.

µmhos/cm = micromhos per centimeter.

NWTPH-Gx = Northwest Total Petroleum Hydrocarbons

<0.00 = Not detected above Method Detection Limit.

Bolded values equal or exceed Model Toxics Control Act Method A Cleanup Levels

Dup#1 collected from MW-106.

NA = Not analyzed.

NS = No standard.

U = Analyte undetected at given reporting limit.

c = Presence of analyte may be due to carryover from previous sample injections.

ca = The calibration results for this range fell outside of acceptable criteria.

The value reported is an estimate.

d = The sample was diluted due to matrix effect (foamy).

Detection limits are raised due to dilution.

lc = The presence of the compound indicated may be due to laboratory contamination.

ve = The value reported exceeded the calibration range established

for the analyte. The reported concentration is an estimate.

* = Standard is 1,000 µg/L if no benzene is present, 800 µg/L if benzene present.

** = Standard is for total 1,3-Dichloropropene.

*** = Standard is for total Xylenes.

**** = Total value for chromium III and chromium VI. If just chromium III present, cleanup

level of 100 µg/l may be used.

***** = Calculated by laboratory.